



Laminate gallery panels - End-of-run



Single end-of-run panel



Double end-of-run panel

Glide housing, assembly rail, glides and mounting hardware included.

Specify the trim color code for the adjacent panel.
Specify the laminate code for the gallery panel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single panel				
To mount to a panel	VPANS-3022	22 x 1 x 30 1/4	559 x 25 x 768	297
30" (756 mm) high	VPANS-3026	26 x 1 x 30 1/4	661 x 25 x 768	320
	VPANS-3032	32 x 1 x 30 1/4	813 x 25 x 768	343
	VPANS-3038	38 x 1 x 30 1/4	965 x 25 x 768	367
	VPANS-3050	50 x 1 x 30 1/4	1271 x 25 x 768	390
	VPANS-3062	62 x 1 x 30 1/4	1575 x 25 x 768	413
	VPANS-3074	74 x 1 x 30 1/4	1879 x 25 x 768	435
To mount to a panel	VPANS-3722	22 x 1 x 37 1/4	559 x 25 x 946	311
37" (934 mm) high	VPANS-3726	26 x 1 x 37 1/4	661 x 25 x 946	339
	VPANS-3732	32 x 1 x 37 1/4	813 x 25 x 946	367
	VPANS-3738	38 x 1 x 37 1/4	965 x 25 x 946	395
	VPANS-3750	50 x 1 x 37 1/4	1271 x 25 x 946	423
	VPANS-3762	62 x 1 x 37 1/4	1575 x 25 x 946	451
	VPANS-3774	74 x 1 x 37 1/4	1879 x 25 x 946	477
To mount to a panel	VPANS-4422	22 x 1 x 44 1/4	559 x 25 x 1124	325
44" (1112 mm) high	VPANS-4426	26 x 1 x 44 1/4	661 x 25 x 1124	357
	VPANS-4432	32 x 1 x 44 1/4	813 x 25 x 1124	389
	VPANS-4438	38 x 1 x 44 1/4	965 x 25 x 1124	421
	VPANS-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	453
	VPANS-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	485
	VPANS-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	519
To mount to a panel	VPANS-5022	22 x 1 x 50 1/4	559 x 25 x 1276	337
50" (1264 mm) high	VPANS-5026	26 x 1 x 50 1/4	661 x 25 x 1276	373
	VPANS-5032	32 x 1 x 50 1/4	813 x 25 x 1276	409
	VPANS-5038	38 x 1 x 50 1/4	965 x 25 x 1276	445
	VPANS-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	481
	VPANS-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	517
	VPANS-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	554
Double panel				
To mount to a panel	VPAND-3042	42 x 1 x 30 1/4	1067 x 25 x 768	402
30" (756 mm) high	VPAND-3050	50 x 1 x 30 1/4	1271 x 25 x 768	442
	VPAND-3062	62 x 1 x 30 1/4	1575 x 25 x 768	483
	VPAND-3074	74 x 1 x 30 1/4	1879 x 25 x 768	523
	VPAND-3098	98 x 1 x 30 1/4	2489 x 25 x 768	562
To mount to a panel	VPAND-3742	42 x 1 x 37 1/4	1067 x 25 x 946	430
37" (934 mm) high	VPAND-3750	50 x 1 x 37 1/4	1271 x 25 x 946	478
	VPAND-3762	62 x 1 x 37 1/4	1575 x 25 x 946	526
	VPAND-3774	74 x 1 x 37 1/4	1879 x 25 x 946	575
	VPAND-3798	98 x 1 x 37 1/4	2489 x 25 x 946	623
To mount to a panel	VPAND-4442	42 x 1 x 44 1/4	1067 x 25 x 1124	457
44" (1112 mm) high	VPAND-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	514
	VPAND-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	571
	VPAND-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	628
	VPAND-4498	98 x 1 x 44 1/4	2489 x 25 x 1124	683
To mount to a panel	VPAND-5042	42 x 1 x 50 1/4	1067 x 25 x 1276	482
50" (1264 mm) high	VPAND-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	544
	VPAND-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	607
	VPAND-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	670
	VPAND-5098	98 x 1 x 50 1/4	2489 x 25 x 1276	734

Laminate gallery panels - End-of-run (cont'd)


Specification notes

- Gallery panel provides partial or total privacy in sitting position and allows for universal installation (left-right).
- Mounts only to side trim rail of an adjacent acoustical panel (VPPA) or glass panel (VPPG) and adds a length of 1" (25 mm) to the configuration.
- Gallery panel may be installed on an acoustical or glass panel of same height or up to 14" (356 mm) lower.
- An assembly rail for variable height (VPA-___) is required when installing on an acoustical or glass panel of lesser height.
- Gallery panel cannot be used with stackable panels.
- Gallery panel is designed to align at the same height as the top cap of an acoustical or glass panel.
- Offers the same stability as an acoustical panel (VPPA) or a glass panel (VPPG) in return position.
- Gallery panel width includes the 2" (51 mm) thickness of the acoustical or glass panel.
- The included corner brace enables the front corner of a work surface to be mounted to the gallery panel.
- Field assembly required.


Trim/metal colors	Sample order
TR-AK Chalk	VPAND- 30 42, TR-E, G-ACA
TR-E Smoke	
TR-G Grey tone	
TR-K Charcoal	
TR-LE Metallic silver	
TR-R Beige	

Uses

Wood grain:




Up to 50" (1271 mm) in width:
vertical wood grain.




62" (1575 mm) or more in width:
horizontal wood grain.


Bracket position:




Layout configuration:



Installation on same height panels.




Installation on lower height panels.
(requires a VPA-___ rail).




Do not use with a taller panel, nor with
stackable panels.

Laminate gallery panels - Intersections



Single intersection panel



Double intersection panel

Top cap end plugs, glide housings, assembly rails, glides and mounting hardware included.

Specify the trim color code for the adjacent panel.
Specify the laminate code for the gallery panel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single panel				
To mount between two panels	VPAPS-3022	22 x 1 x 30 1/4	559 x 25 x 768	362
30" (756 mm) high	VPAPS-3026	26 x 1 x 30 1/4	661 x 25 x 768	385
	VPAPS-3032	32 x 1 x 30 1/4	813 x 25 x 768	408
	VPAPS-3038	38 x 1 x 30 1/4	965 x 25 x 768	432
	VPAPS-3050	50 x 1 x 30 1/4	1271 x 25 x 768	455
	VPAPS-3062	62 x 1 x 30 1/4	1575 x 25 x 768	478
	VPAPS-3074	74 x 1 x 30 1/4	1879 x 25 x 768	500
To mount between two panels	VPAPS-3722	22 x 1 x 37 1/4	559 x 25 x 946	376
37" (934 mm) high	VPAPS-3726	26 x 1 x 37 1/4	661 x 25 x 946	404
	VPAPS-3732	32 x 1 x 37 1/4	813 x 25 x 946	432
	VPAPS-3738	38 x 1 x 37 1/4	965 x 25 x 946	460
	VPAPS-3750	50 x 1 x 37 1/4	1271 x 25 x 946	488
	VPAPS-3762	62 x 1 x 37 1/4	1575 x 25 x 946	516
	VPAPS-3774	74 x 1 x 37 1/4	1879 x 25 x 946	542
To mount between two panels	VPAPS-4422	22 x 1 x 44 1/4	559 x 25 x 1124	390
44" (1112 mm) high	VPAPS-4426	26 x 1 x 44 1/4	661 x 25 x 1124	422
	VPAPS-4432	32 x 1 x 44 1/4	813 x 25 x 1124	454
	VPAPS-4438	38 x 1 x 44 1/4	965 x 25 x 1124	486
	VPAPS-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	518
	VPAPS-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	550
	VPAPS-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	584
To mount between two panels	VPAPS-5022	22 x 1 x 50 1/4	559 x 25 x 1276	402
50" (1264 mm) high	VPAPS-5026	26 x 1 x 50 1/4	661 x 25 x 1276	438
	VPAPS-5032	32 x 1 x 50 1/4	813 x 25 x 1276	474
	VPAPS-5038	38 x 1 x 50 1/4	965 x 25 x 1276	510
	VPAPS-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	546
	VPAPS-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	582
	VPAPS-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	619
Double panel				
To mount between two panels	VPAPD-3042	42 x 1 x 30 1/4	1067 x 25 x 768	467
30" (756 mm) high	VPAPD-3050	50 x 1 x 30 1/4	1271 x 25 x 768	507
	VPAPD-3062	62 x 1 x 30 1/4	1575 x 25 x 768	548
	VPAPD-3074	74 x 1 x 30 1/4	1879 x 25 x 768	588
	VPAPD-3098	98 x 1 x 30 1/4	2489 x 25 x 768	627
To mount between two panels	VPAPD-3742	42 x 1 x 37 1/4	1067 x 25 x 946	495
37" (934 mm) high	VPAPD-3750	50 x 1 x 37 1/4	1271 x 25 x 946	543
	VPAPD-3762	62 x 1 x 37 1/4	1575 x 25 x 946	591
	VPAPD-3774	74 x 1 x 37 1/4	1879 x 25 x 946	640
	VPAPD-3798	98 x 1 x 37 1/4	2489 x 25 x 946	688
To mount between two panels	VPAPD-4442	42 x 1 x 44 1/4	1067 x 25 x 1124	522
44" (1112 mm) high	VPAPD-4450	50 x 1 x 44 1/4	1271 x 25 x 1124	579
	VPAPD-4462	62 x 1 x 44 1/4	1575 x 25 x 1124	636
	VPAPD-4474	74 x 1 x 44 1/4	1879 x 25 x 1124	693
	VPAPD-4498	98 x 1 x 44 1/4	2489 x 25 x 1124	748
To mount between two panels	VPAPD-5042	42 x 1 x 50 1/4	1067 x 25 x 1276	547
50" (1264 mm) high	VPAPD-5050	50 x 1 x 50 1/4	1271 x 25 x 1276	609
	VPAPD-5062	62 x 1 x 50 1/4	1575 x 25 x 1276	672
	VPAPD-5074	74 x 1 x 50 1/4	1879 x 25 x 1276	735
	VPAPD-5098	98 x 1 x 50 1/4	2489 x 25 x 1276	799

Laminate gallery panels - Intersections (cont'd)

Specification notes

- Gallery panel provides partial or total privacy in sitting position and allows for universal installation (left-right).
- Cut-out along bottom of gallery panel enables power feed to be routed between two acoustical panels (VPPA) or two glass panels (VPPG) with a straight span connector (included).
- Mounts only to side trim rail of an adjacent acoustical panel (VPPA) or glass panel (VPPG) and adds a length of 1" (25 mm) to the configuration.
- Gallery panel may be installed on an acoustical or glass panel of same height or up to 14" (356 mm) lower.
- Does not allow the routing of cables along top raceways of the panel run.
- An assembly rail for variable height (VPAR-__) is required when installing on an acoustical or glass panel of lesser height.
- Gallery panel cannot be used with stackable panels.
- Offers the same stability as an acoustical panel (VPPA) or a glass panel (VPPG) in return position.
- Gallery panel length includes the 2" (51 mm) thickness of the acoustical or glass panel.
- Gallery panel is designed to align at the same height as the top cap of an acoustical or glass panel.
- The included corner braces enables the front corners of work surfaces to be mounted to the gallery panels.
- Field assembly required.

Trim/metal colors


TR-AK Chalk
TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-LE Metallic silver
TR-R Beige

Sample order


VPAPD- 30 42, TR-E, G-ACA
 | Product code | Height | Width | Trim color of adjacent panel | Laminate color code

Uses

Wood grain:




Up to 50" (1271 mm) in width:
vertical wood grain.



62" (1575 mm) or more in width:
horizontal wood grain.


Bracket position:

Panel brackets (not included)




Corner braces (included)


Layout configuration:



Installation on same height panels.




Installation on lower height panels.
(requires 2 VPAR-__ rails).



Do not use with a taller panel, nor with stackable panels.

Privacy screens for acoustical panels




Single

Brushed chrome color supports and mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Clear acrylic - Single				
Screen height:	VSACX-0824, SK-1S	23 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	604 x 6 x 196	259
7 ¹¹ / ₁₆ " (196 mm)	VSACX-0830, SK-1S	29 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	756 x 6 x 196	288
	VSACX-0836, SK-1S	35 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	908 x 6 x 196	317
	VSACX-0842, SK-1S	41 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1061 x 6 x 196	346
	VSACX-0848, SK-1S	47 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1213 x 6 x 196	374
	VSACX-0854, SK-1S	53 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1366 x 6 x 196	403
	VSACX-0860, SK-1S	59 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1518 x 6 x 196	432
Screen height:	VSACX-1024, SK-1S	23 ³ / ₄ x 1/4 x 10	604 x 6 x 254	268
10" (254 mm)	VSACX-1030, SK-1S	29 ³ / ₄ x 1/4 x 10	756 x 6 x 254	302
	VSACX-1036, SK-1S	35 ³ / ₄ x 1/4 x 10	908 x 6 x 254	335
	VSACX-1042, SK-1S	41 ³ / ₄ x 1/4 x 10	1061 x 6 x 254	369
	VSACX-1048, SK-1S	47 ³ / ₄ x 1/4 x 10	1213 x 6 x 254	402
	VSACX-1054, SK-1S	53 ³ / ₄ x 1/4 x 10	1366 x 6 x 254	436
	VSACX-1060, SK-1S	59 ³ / ₄ x 1/4 x 10	1518 x 6 x 254	469
Screen height:	VSACX-1424, SK-1S	23 ³ / ₄ x 1/4 x 14	604 x 6 x 355	282
14" (355 mm)	VSACX-1430, SK-1S	29 ³ / ₄ x 1/4 x 14	756 x 6 x 355	319
	VSACX-1436, SK-1S	35 ³ / ₄ x 1/4 x 14	908 x 6 x 355	355
	VSACX-1442, SK-1S	41 ³ / ₄ x 1/4 x 14	1061 x 6 x 355	392
	VSACX-1448, SK-1S	47 ³ / ₄ x 1/4 x 14	1213 x 6 x 355	428
	VSACX-1454, SK-1S	53 ³ / ₄ x 1/4 x 14	1366 x 6 x 355	465
	VSACX-1460, SK-1S	59 ³ / ₄ x 1/4 x 14	1518 x 6 x 355	502
Frosted acrylic - Single 				
Screen height:	VSAGX-0824, SK-1E	23 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	604 x 6 x 196	288
7 ¹¹ / ₁₆ " (196 mm)	VSAGX-0830, SK-1E	29 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	756 x 6 x 196	320
	VSAGX-0836, SK-1E	35 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	908 x 6 x 196	352
	VSAGX-0842, SK-1E	41 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1061 x 6 x 196	384
	VSAGX-0848, SK-1E	47 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1213 x 6 x 196	416
	VSAGX-0854, SK-1E	53 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1366 x 6 x 196	448
	VSAGX-0860, SK-1E	59 ³ / ₄ x 1/4 x 7 ¹¹ / ₁₆	1518 x 6 x 196	480
Screen height:	VSAGX-1024, SK-1E	23 ³ / ₄ x 1/4 x 10	604 x 6 x 254	305
10" (254 mm)	VSAGX-1030, SK-1E	29 ³ / ₄ x 1/4 x 10	756 x 6 x 254	343
	VSAGX-1036, SK-1E	35 ³ / ₄ x 1/4 x 10	908 x 6 x 254	381
	VSAGX-1042, SK-1E	41 ³ / ₄ x 1/4 x 10	1061 x 6 x 254	419
	VSAGX-1048, SK-1E	47 ³ / ₄ x 1/4 x 10	1213 x 6 x 254	457
	VSAGX-1054, SK-1E	53 ³ / ₄ x 1/4 x 10	1366 x 6 x 254	495
	VSAGX-1060, SK-1E	59 ³ / ₄ x 1/4 x 10	1518 x 6 x 254	533
Screen height:	VSAGX-1424, SK-1E	23 ³ / ₄ x 1/4 x 14	604 x 6 x 355	332
14" (355 mm)	VSAGX-1430, SK-1E	29 ³ / ₄ x 1/4 x 14	756 x 6 x 355	375
	VSAGX-1436, SK-1E	35 ³ / ₄ x 1/4 x 14	908 x 6 x 355	418
	VSAGX-1442, SK-1E	41 ³ / ₄ x 1/4 x 14	1061 x 6 x 355	461
	VSAGX-1448, SK-1E	47 ³ / ₄ x 1/4 x 14	1213 x 6 x 355	504
	VSAGX-1454, SK-1E	53 ³ / ₄ x 1/4 x 14	1366 x 6 x 355	547
	VSAGX-1460, SK-1E	59 ³ / ₄ x 1/4 x 14	1518 x 6 x 355	590

 = QUICKSHIP PROGRAM

Privacy screens for acoustical panels (cont'd)



For 2 panels

Brushed chrome color supports and mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Clear acrylic - For 2 panels				
Screen height:	VDACX-0848, SK-1S	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	441
7 11/16" (196 mm)	VDACX-0854, SK-1S	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	465
	VDACX-0860, SK-1S	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	490
	VDACX-0866, SK-1S	65 3/4 x 1/4 x 7 11/16	1670 x 6 x 196	514
	VDACX-0872, SK-1S	71 3/4 x 1/4 x 7 11/16	1823 x 6 x 196	539
Screen height:	VDACX-1048, SK-1S	47 3/4 x 1/4 x 10	1213 x 6 x 254	456
10" (254 mm)	VDACX-1054, SK-1S	53 3/4 x 1/4 x 10	1366 x 6 x 254	485
	VDACX-1060, SK-1S	59 3/4 x 1/4 x 10	1518 x 6 x 254	513
	VDACX-1066, SK-1S	65 3/4 x 1/4 x 10	1670 x 6 x 254	542
	VDACX-1072, SK-1S	71 3/4 x 1/4 x 10	1823 x 6 x 254	570
Screen height:	VDACX-1448, SK-1S	47 3/4 x 1/4 x 14	1213 x 6 x 355	480
14" (355 mm)	VDACX-1454, SK-1S	53 3/4 x 1/4 x 14	1366 x 6 x 355	511
	VDACX-1460, SK-1S	59 3/4 x 1/4 x 14	1518 x 6 x 355	542
	VDACX-1466, SK-1S	65 3/4 x 1/4 x 14	1670 x 6 x 355	573
	VDACX-1472, SK-1S	71 3/4 x 1/4 x 14	1823 x 6 x 355	604
Frosted acrylic - For 2 panels				
Screen height:	VDAGX-0848, SK-1E	47 3/4 x 1/4 x 7 11/16	1213 x 6 x 196	490
7 11/16" (196 mm)	VDAGX-0854, SK-1E	53 3/4 x 1/4 x 7 11/16	1366 x 6 x 196	517
	VDAGX-0860, SK-1E	59 3/4 x 1/4 x 7 11/16	1518 x 6 x 196	544
	VDAGX-0866, SK-1E	65 3/4 x 1/4 x 7 11/16	1670 x 6 x 196	571
	VDAGX-0872, SK-1E	71 3/4 x 1/4 x 7 11/16	1823 x 6 x 196	598
Screen height:	VDAGX-1048, SK-1E	47 3/4 x 1/4 x 10	1213 x 6 x 254	456
10" (254 mm)	VDAGX-1054, SK-1E	53 3/4 x 1/4 x 10	1366 x 6 x 254	551
	VDAGX-1060, SK-1E	59 3/4 x 1/4 x 10	1518 x 6 x 254	583
	VDAGX-1066, SK-1E	65 3/4 x 1/4 x 10	1670 x 6 x 254	615
	VDAGX-1072, SK-1E	71 3/4 x 1/4 x 10	1823 x 6 x 254	648
Screen height:	VDAGX-1448, SK-1E	47 3/4 x 1/4 x 14	1213 x 6 x 355	564
14" (355 mm)	VDAGX-1454, SK-1E	53 3/4 x 1/4 x 14	1366 x 6 x 355	601
	VDAGX-1460, SK-1E	59 3/4 x 1/4 x 14	1518 x 6 x 355	638
	VDAGX-1466, SK-1E	65 3/4 x 1/4 x 14	1670 x 6 x 355	674
	VDAGX-1472, SK-1E	71 3/4 x 1/4 x 14	1823 x 6 x 355	711

Specification notes




- Fits on top cap of acoustical panel or stackable acoustical panel in order to provide a visual barrier.
- Cannot be used on laminate gallery panels.
- Does not allow the routing of cables along the top raceways of the panel run where the screens are installed.
- A power top feed or cable management pole cannot be used with a privacy screen.
- Single screens 48" (1213 mm) to 60" (1518 mm) in width are mounted with a third support in the middle.
- Screens for two panels are mounted using four supports.
- Field assembly required.

Sample order

VSACX- 08 24, SK-1S
 Product code Height Width Acrylic

Uses

The following combinations can achieve a height comparable to that of the acoustical panel:



Assembly rails for laminate gallery panels; variable heights




Pack of 1.
Black.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
To mount to a panel 30" (756 mm) high	VPAR-30	2 x 1/8 x 25	50 x 3 x 635	25
To mount to a panel 37" (934 mm) high	VPAR-37	2 x 1/8 x 32	50 x 3 x 813	30
To mount to a panel 44" (1112 mm) high	VPAR-44	2 x 1/8 x 39	50 x 3 x 991	35


Specification notes

- Required only for installation on an acoustical or glass panel up to 14" (355 mm) lower than the height of the gallery panel.
- Not required for installation on acoustical panels (VPPA) or glass panels (VPPG) of the same height as the gallery panel.
- One assembly rail required per end-of-run panel. Two assembly rails required for intersection panel.
- Assembly rail, like the side rail of an acoustical panel (VPPA) or glass panel (VPPG), is 5" (127 mm) shorter than the total height of the panel.


Work surface height powered receptacles



VLGC-PS2P



VLGC-PS1USB1P



VLGC-PS1USB2P

6' (1829 mm) white cord is included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
2 powered outlets	VLGC-PS2P	4 x 3 1/16 x 3 3/8	102 x 78 x 85	305
1 powered outlet / 2 USB charging ports	VLGC-PS1USB1P	4 x 3 1/16 x 3 3/8	102 x 78 x 85	425
2 powered outlets / 2 USB charging ports	VLGC-PS1USB2P	5 1/2 x 3 1/16 x 3 3/8	140 x 78 x 85	445


Specification notes

- Use this product only with 120-volt, 60-hertz power sources.
- 15-amp outlet(s), optionally with 2 USB charging ports.
- Light grey plastic front with anodized aluminum case.
- Mounts to the back of the surface, no hole drilling required.


Sample order

VLGC-PS2P
Product code
Choice of power outlet

Fixed low storage units




Lateral file storage unit




Two-door bookcase storage unit

Specify handle and laminate color codes.



One-door bookcase storage unit.
Hinges on left.



One-door bookcase storage unit.
Hinges on right.

Specify handle and laminate color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Lateral file	VLFL-202928	29 7/16 x 19 1/16 x 28	748 x 500 x 711	1,223
	VLFL-203528	35 3/8 x 19 1/16 x 28	898 x 500 x 711	1,248
Two-door bookcase	VBL-202928	29 7/16 x 19 1/16 x 28	748 x 500 x 711	964
	VBL-203528	35 3/8 x 19 1/16 x 28	898 x 500 x 711	1,002
One-door bookcase: hinges on left	VBL-201828-L	17 3/4 x 19 1/16 x 28	450 x 500 x 711	783
One-door bookcase: hinges on right	VBL-201828-R	17 3/4 x 19 1/16 x 28	450 x 500 x 711	783

Specification notes


- Bookcase storage units include an adjustable shelf.
- Lock and linear handles are the same color.
- Suspension bars (left-right), in letter or legal format, included with lateral file storage unit (VLFL).
- Must be attached under a work surface equal to or deeper than 20" (508 mm).
- Position the fixed low storage units next to a panel bracket or end support panel.

Handle/lock colors	Sample order
N Black S Silver	VLFL- 20 29 28 N, G-ACA, G-ACA Product code Depth Width Height Handle/lock color Color code Door/drawer color code

Metal fixed pedestals with laminate drawer fronts



Fixed box/box/file



Fixed file/file

Metal, Charcoal color.

Specify drawer front laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file	VPMUFL-1522	14 5/8 x 21 5/8 x 28	372 x 540 x 713	833
File/file	VPMFFL-1522	14 5/8 x 21 5/8 x 28	372 x 540 x 713	679

Specification notes

- ▶ Must be attached under a work surface equal to or deeper than 24" (610 mm).
- ▶ Lock and linear handles are the same color.
- ▶ Suspension bars (left-right) included with file drawer.
- ▶ Pencil tray is included in box drawer.
- ▶ Metal casing comes in Charcoal color only. Laminate drawer fronts.
- ▶ Position the metal fixed pedestals next to a panel bracket or end support panel.

Handle/lock colors


- N Black
- S Silver

Sample order


VPMUFL- 15 22 N, G-ACA

Product code Depth Height Handle/lock color Drawer front color code


Laminate mobile pedestals



Mobile box/box/file



Mobile file/file



Mobile box/file

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file	VMPUF-1518	15 3/8 x 17 3/4 x 27	390 x 450 x 689	1,176
File/file	VMPFF-1518	15 3/8 x 17 3/4 x 27	390 x 450 x 689	1,156
Box/file	VMPF-1518	15 3/8 x 17 3/4 x 21 1/2	390 x 450 x 527	966

Specification notes

- Fits under a work surface.
- Lock and linear handles are the same color.
- Casters are black with locking casters in front.
- Suspension bars (left-right) included with file drawer.
- Pencil tray is included in box drawer.
- Can accommodate a VCU-1518 cushion.

Handle/lock colors


- N Black
- S Silver

Sample order

VMPUF- 15 18 N, G-ACA, G-ACA

Product code Width Height Handle/lock color Color code Drawer front color code

Pedestal cushion



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
For use on a 17 3/4" (450 mm) deep laminate mobile pedestal	VCU-1518	15 3/8 x 17 3/4 x 2	390 x 450 x 51	275

Specification notes


- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Self-fastening band included.

Sample order

VCU- 15 18, AE10

Product code Width Depth Upholstery selection

Modesty screens



Frosted acrylic
modesty screen

Brushed chrome color
supports and mounting
hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height:	VMODT-1230, SK-1E	30 x ¼ x 12	762 x 6 x 305	327
12" (305 mm)	VMODT-1236, SK-1E	36 x ¼ x 12	914 x 6 x 305	363
	VMODT-1248, SK-1E	48 x ¼ x 12	1219 x 6 x 305	417

Specification notes	Sample order
- Provides a visual barrier beneath a work surface. - To be mounted beneath a surface with a straight side with a clearance equal to or greater than the modesty screen width. - For a selection of laminate modesty panels, consult the Nvision general price book. - Field assembly required.	VMODT- 12 30, SK-1E Product code Width Acrylic Height

NVISION STANDARD FABRIC COLLECTIONS

Crystalline ♻️

CR-1	Concentric
CR-2	Dolomite
CR-3	Evaporite
CR-4	Mineral
CR-5	Stalagmite
CR-6	Travertine

Kio ♻️

ZR-1	Jib
ZR-2	☛ Sentra
ZR-3	Jeanlin
ZR-4	☛ Yippi Kio
ZR-6	☛ Bennett
ZR-8	Cascade
ZR-9	☛ TSJ
ZR-11	Reeds Lake

Puzzler ♻️

7L-C	Clue
7L-CR	☛ Cryptic
7L-E	☛ Enigma
7L-I	Intrigue
7L-M	Maze
7L-R	☛ Riddle

Tailored ♻️

PY-AL	Alter
PY-BU	Buttons
PY-FC	☛ French Chalk
PY-MA	Mannequin
PY-SE	Seam
PY-SU	☛ Suit
PY-TH	☛ Thread
PY-TR	☛ Tradition

ACCENT COLOR

*Trim/Metal

TR-AK	Chalk
-------	-------

*Some exceptions apply. Items in the 2017 Nvision general price book not offered in TR-E and TR-G accent colors are also not offered in TR-AK.

DOOR/PANEL (SPECIALS)

High pressure laminate finish

HC-AK	Chalk
-------	-------

☛ = QUICKSHIP PROGRAM

Nvision has achieved GREENGUARD GOLD Certification.