

LEGAL NOTICE

Notice is hereby given that the Union County Board of Supervisors will accept sealed bids at 108 East Main St. New Albany, MS 38652, or electronic bids, at www.centralbidding.com until 10:00 a.m. on Wednesday November 1st, 2023, for (1) one or more tandem rear axle dump trucks with a conventional chassis for the Union County Road Department according to specifications on file with the Clerk of the Board and online at www.centralbidding.com. The Board reserves the right to reject all bids and to waive informalities. Bidders may download official documents from Central Bidding at www.centralbidding.com or request the documents from Union County at 662-534-1902. Electronic bids can be submitted through Central Bidding at www.centralbidding.com. Any questions regarding the electronic bid process should be directed to Central Bidding at 1-225-810-4814

Done by majority vote of the Board of Supervisors of Union County, Mississippi,
this the 2nd day of October 2023.

President

//

Clerk

PUBLISH: October 11th & 18th, 2023

UNION COUNTY ROAD DEPARTMENT

SEALED BIDS OR ELECTRONIC BIDS FOR (1) ONE OR MORE TANDEM AXLE
DUMP TRUCKS WITH CONVENTIONAL CHASSIS FOR THE UNION COUNTY
ROAD DEPARTMENT WILL BE ACCEPTED UNTIL 10:00 NOVEMBER 1ST,2023.

PRODUCT SPECIFICATIONS
Tandem Axle Dump Truck with Conventional Chassis

INSTRUCTIONS TO BIDDERS

Sealed or Electronic bids will be accepted by the Union County Board of Supervisors (Board) or designee at www.centralbidding.com, until 10:00 A.M. on Wednesday November 1st, 2023, for the purchase of:

One (1) or more Tandem Axle Dump Trucks with Conventional Chassis.

Only solicitations made on forms furnished by the Union County Board of Supervisors and electronic bids submitted through www.centralbidding.com will be considered. Questions or comments may be directed to Tammy Flowers at 662-534-1902, or tflowers@unioncoms.com, no later than 3:00 P.M. Wednesday October 25th, 2023. Any questions regarding the electronic bidding process shall be directed to Central Bidding at 1-225-810-4814. Attention: Finley Ward. All bidders must submit their bids with their proposed equipment specifications at 108 East Main St. New Albany, MS 38652 or electronically at www.centralbidding.com before 10:00 A.M. on Wednesday November 1, 2023.

It is the intent of the Union County Board of Supervisors that the specifications obtain a product that will adequately meet the needs of Union County while promoting the greatest extent of competition possible. Further, it is not the intent of these minimum specifications to eliminate any domestic manufacturer or unnecessarily restrict competition.

THE MANUFACTURER SHALL HAVE PRODUCED DUMP BODIES FOR A PERIOD OF AT LEAST 15 CONSECUTIVE YEARS PRIOR TO THE DATE OF THIS BID'S PUBLICATON. APPROPRIATE MANUFACTURER LITERATURE MUST BE SUBMITTED WITH YOUR BID TO SUBSTANTIATE COMPLIANCE WITH SPECIFICATIONS. BIDS WHICH FAIL TO INCLUDE NECESSARY LITERATURE, OR CONTAIN LITERATURE THAT CONTRADICTS BID ASSERTIONS, MAY BE REJECTED.

The Union County Board of Supervisors reserves the right to reject any and all bids. The Board also reserves the right to reject any and all bids based in errors in formula(s).

The Board reserves the right to waive minor technicalities on bid proposals when it is in the best interest of Union County. If the award is made by the Board, a Purchase Order will be forwarded to the successful bidder. Any action taken by a bidder prior to receipt of the properly executed Contract and/or Purchase Order document by the Union County Purchase Officer will be at the bidder's OWN RISK and the Union County Board of Supervisors will not be liable for such action.

All submitted bids must be honored for a minimum of 60 days after the bid opening date to allow proper time for the Board to evaluate the proposals, make an award decision, and initiate the Purchase Order process.

Upon delivery and acceptance by Union County, and upon receipt of an invoice, Union County shall remit payment in full within 45 days.

PROPOSAL FOR BID

Pursuant to your advertisement sealed bids or electronic bids will be accepted at 108 East Main St. New Albany, MS 38652 or online at www.centralbidding.com until 10:00 A.M., November 1st, 2023, I/We _____ residing at _____ do submit our bid for furnishing the following in accordance with Union County specifications. This proposal is made without collusion on the part of any person, firm, or corporation.

Our prices are quoted in FIGURES ONLY for furnishing such, FOB Union County Road Department as listed below.

DELIVERY REQUIREMENTS: DELIVERY MUST BE MADE ON OR BEFORE THE DATE SPECIFIED IN BID.

NOTE: IN THE EVENT THE LOWEST AND BEST BID FAILS TO MEET THE DELIVERY REQUIREMENT SPECIFIED IN BID, THE AWARD MAY BE GIVEN TO THE SUBSEQUENT LOWEST BID MEETING SPECIFICATIONS, READVERTISED, OR CANCELED.

All bids received will be evaluated for compliance with the bid requirements and specifications. The award will be made based on the lowest and best, meeting Union County's specifications and bid requirements. If extensions are found to be incorrect, the unit figure will be used to determine the final bid.

The specifications herein describe the minimum acceptable features and performance requirements. Bidders must thoroughly read and understand these specifications prior to proposal submission. All proposals must be submitted on Union County's form provided. Bidders shall complete the specification column with a check mark to indicate if the item being proposed by the Bidder is exactly as specified. If an item is left blank, Union County will assume the Bidder cannot meet the specifications and may cause rejection of the proposal. By checking any of the "NO" spaces the Bidder states that the product being proposed does not conform to that specification. All variations and/or exceptions must be documented, referencing applicable paragraph(s), and supplied on a separate page titled "Exceptions". If Union County determines by any means that exceptions exist which were not identified on such list, then that proposal will be disqualified as being non-responsive.

If no exceptions are taken, it will be assumed that the proposal meets all specifications. Failure to provide the exact chassis and body specified will disqualify said bidder. Each bidder must include within their solicitation packet current published manufacturing specification documents.

Dump Truck Suggested Bid Specifications

SCOPE: It is the intent of this specification to describe a dump body type with the following minimum specifications considered necessary to perform the work assigned.

GENERAL: All equipment furnished under this contract shall be new and unused, and the same as the manufacturer's current production model. Accessories not specifically mentioned, but necessary to furnish a complete unit ready for use shall also be included.

SUGGESTED BID SPECIFICATIONS

Bidder Shall Complete the Following
If No, State Specifically the Item being Offered.

GENERAL: All equipment furnished under this contract shall be new and unused, and the same as the manufacturer's current production model. Accessories not specifically mentioned, but necessary to furnish a complete "ready to use unit" shall be included.

Required Specifications for One or more New 2025 Tandem Axle Class 8 Truck Equipped with a 16 Foot Elliptical Dump Body

ENGINE EQUIPMENT	YES	NO	OFFERED
Minimum 445HP @ 1400-1700 RPM 1850 LB Torque	_____	_____	_____
In Line 6 Cylinder Diesel Engine	_____	_____	_____
Common Rail Fuel Injection System	_____	_____	_____
Variable Geometry Turbocharger	_____	_____	_____
Engine Must Meet All US 21 Greenhouse Gas	_____	_____	_____
Emission Requirements	_____	_____	_____
Air Cleaner Under Hood Single Element	_____	_____	_____
Dry type with Air intake From Both sides of Hood	_____	_____	_____
Bug Screen Black Aluminum Mounted Behind Grill	_____	_____	_____
Air Compressor/Dryer Wabco SS-HP W/ WABCO 318	_____	_____	_____
Alternator 12 V 165 Amp Brushless	_____	_____	_____
Batteries 3- 12V 1000/3000 CCA Threaded Stud Type	_____	_____	_____

	YES	NO	OFFERED
Battery Box Cover Polished Aluminum	_____	_____	_____
Battery Disconnect Switch Flaming River	_____	_____	_____
Starter Motor 12 Volt Delco 39 MT-MXT or equivalent	_____	_____	_____
Engine Brake	_____	_____	_____
Fan Drive - Behr Fan Drive	_____	_____	_____
Extended Life Coolant	_____	_____	_____
Minimum 1296 SQ. Inch Radiator	_____	_____	_____
Engine Block Heater 120V 1500 Watt	_____	_____	_____
6.6 Gallon DEF Tank- Left Side Mounted	_____	_____	_____
Single Vertical Right Side Mounted Exhaust	_____	_____	_____

TRANSMISSION/ DRIVELINE EQUIPMENT

14 Speed Heavy Duty Automated Manual Transmission	_____	_____	_____
With Ultra Low Creeper and Multi Speed Reverse Gear	_____	_____	_____
Premium Shifter	_____	_____	_____
Main Driveline-Spicer SPL250HDXL LARGE or equal	_____	_____	_____
Interaxle Driveline SPICER 250 XL or equal	_____	_____	_____
75W-90 Synthetic Transmission Lubricant	_____	_____	_____
Transmission Cooler	_____	_____	_____
Integrated Powertrain Manufactured by Proposed OEM	_____	_____	_____

FRONT AXLE EQUIPMENT:

Front Axle 18,000 LB Spindle/Unitized Bearings	_____	_____	_____
Front Springs 18,000 LB Taper leaf	_____	_____	_____
Front Brakes Meritor "S" Cam	_____	_____	_____
Heavy Duty 16.5x 6 Q Plus	_____	_____	_____
Front Axle Dust Shields	_____	_____	_____
Ferrous Front Hubs	_____	_____	_____
Double Acting Shock Absorbers	_____	_____	_____
Power Steering Shepard SD110	_____	_____	_____

REAR AXLE EQUIPMENT:

44,000LB. Multi-leaf Suspension Heavy Duty	_____	_____	_____
Driver Controlled Locking Differential Rear	_____	_____	_____
Axles All AXLES	_____	_____	_____
44,000LB Double Reduction Rear Tandem Axle	_____	_____	_____
3.79 Rear Axle Ratio	_____	_____	_____
Rear Brakes Meritor "S" Cam	_____	_____	_____
16.5 x 7-inch Q Plus	_____	_____	_____
Rear Dust Shields	_____	_____	_____

	YES	NO	OFFERED
Rear Brake Chamber Size 30/30 Type	___	___	_____
Power Divider Lockout w/ Buzzer and Light	___	___	_____
Synthetic Rear Lubricant	___	___	_____
Bendix ABS with Traction Control	___	___	_____

FRAME EQUIPMENT/ FUEL TANKS

Wheelbase 226 "	___	___	_____
After Frame 57 Inches	___	___	_____
Frame Rails 11.1 x 105 x 300 mm	___	___	_____
.437 x 4.13 x 11.81 " RBM 3,160,000 lb-In	___	___	_____
6" Bolt on front frame extension	___	___	_____
Front Frame Length 725 MM	___	___	_____
Crossmembers BOC and Intermediates Steel	___	___	_____
HD back-to-back channel	___	___	_____
Sweptback front bumper bright finish steel	___	___	_____
Front Cab Guard Plate Bright Finish	___	___	_____
Front Towing Capability	___	___	_____
Minimum 110 Gallon Fuel Tank	___	___	_____

AIR BRAKE

Manual Drain Valve, Lanyard on the brake system	___	___	_____
Air Tanks	___	___	_____
Wire Braded Hoses	___	___	_____
Bright Finish Aluminum Steps or Stainless Steel	___	___	_____

CAB INTERIOR

Rear Axle Temp Guage	___	___	_____
HVAC with Temperature Regulation	___	___	_____
5 lb. Fire Extinguisher (ABC rated)	___	___	_____
Premium Stereo AM/FM/MP3 Blue Tooth, Weather Band	___	___	_____
CB connections ceiling mounted	___	___	_____
High Back Air Ride Drivers Seat with Lumbar support	___	___	_____
Bolster Extension	___	___	_____
Fixed High Back Passenger Seat with storage	___	___	_____
Steering wheel with Urethane Grip with switches	___	___	_____

CAB EXTERIOR

Bright Finish Grill	___	___	_____
Bright Finish Exterior Grab Handles	___	___	_____
Dual Air Horns	___	___	_____
Heated and Motorized LH & RH lighted exterior mirrors	___	___	_____

	YES	NO	OFFERED
Exterior Stainless-Steel Sun Visor	_____	_____	_____
Heated LED Headlights	_____	_____	_____
Cab Painted White	_____	_____	_____

WHEELS AND TIRES

315/ 80/ 22.5 1 Front Tires	_____	_____	_____
11R22.5 L Rear Tires	_____	_____	_____
Front AND Rear Polished Aluminum Wheels	_____	_____	_____

DUMP BODY EQUIPMENT

18 Yard body	_____	_____	_____
16 ft length	_____	_____	_____
Frame Style 2x8 RT (frameless)	_____	_____	_____
Rear Style - straight	_____	_____	_____
Front Height 60"	_____	_____	_____
Side Height 54" 3/16 " Hard Ox 450	_____	_____	_____
Side Height Rear 60"	_____	_____	_____
Rear Height 60" 3/16 " Hard Ox 450	_____	_____	_____
Floor Material 3/16 Hard Ox 450	_____	_____	_____
Full width Cab Shield	_____	_____	_____
24" Cab Shield Projection	_____	_____	_____
87" Cab Shield Width	_____	_____	_____
Tarp Style: Mountain	_____	_____	_____
High Lift Tail Gate	_____	_____	_____
Air Operated Tailgate	_____	_____	_____
Outer Frame Tail Gate Bracing	_____	_____	_____
Side Top Rail: Diamond	_____	_____	_____
Dump Apron Sch #80- 10	_____	_____	_____
Side Light Cut Outs: Lower	_____	_____	_____
Front and Rear Clearence	_____	_____	_____
1 set Cab Shield Cutouts: 1 set	_____	_____	_____
Strobe Lighting	_____	_____	_____
Rear Hitch 20" 25-ton w/ Glad 7 Pin	_____	_____	_____
Spreader Bar Installed	_____	_____	_____
Electric Brake Controller	_____	_____	_____
Painted Black	_____	_____	_____

GENERAL REQUIREMENTS**YES****NO****OFFERED**

Selling Dealer shall own a Factory Authorized Service Center within 75 miles of New Albany, MS.

Selling Dealer must provide a mobile service unit for chassis repairs.

State the mileage from the selling dealership to selling dealers owned service facility.

Please provide the brand of chassis offered: _____

Please provide the brand of dump body offered: _____

BID Price \$ _____

Delivery time after receipt of order _____