MADISON COUNTY, MISSISSIPPI INVITATION FOR BIDS Conventional Tractor

The Madison County Board of Supervisors will receive un-priced proposals on the following:

1. Conventional Tractor

Un-priced proposals will be accepted until 10:00 a.m. on Thursday, April 25, 2024 by electronic submission at http://www.madison-co.com/bids or in sealed envelope at the Chancery Clerk's Office, 125 West North Street, Canton, Mississippi. For any questions relating to the electronic submission process, please call Kesha Jackson at 601-855-5534.

Submitted un-priced proposals will be evaluated, and vendors submitting acceptable proposals will be invited to submit priced bids. Bidding will be held by electronic reverse auction on Tuesday, April 30, 2024, at 10:00 a.m. Bidders may come to the Office of Purchasing with a paper bid and receive technical assistance in entering their bid in the reverse auction.

Specifications for the Conventional Tractor are available on the bid page of the Madison County Board of Supervisors at: http://www.madison-co.com/bids. Additionally, specifications are on file in the Chancery Clerk's Office, Madison County Office Complex, 125 West North Street, Canton, Mississippi, 39046 and available during normal business hours. There is no charge for specifications obtained using either of these methods.

All bids must comply with the specifications provided. Madison County reserves the right to amend the specifications, as necessary, and agrees to notify all who have requested bid packets from the Madison County Board of Supervisors.

The Madison County Board of Supervisors reserves the right to extend the auction date if necessary, to complete the bid proposal pre-qualification process.

Electronic proposals must be submitted at http://www.madison-co.com/bids.

All in-person submitted un-priced proposals must be sealed and clearly labeled on the outside of the bid envelope as instructed in the bid package and delivered to the Chancery Clerk's Office, at 125 West North Street, Canton, Mississippi.

The Board of Supervisors reserves the right to reject any and all bids.

SUBMITTED: MADISON COUNTY JOURNAL

FOR PUBLICATION ON: Thursday, March 28, 2024 Thursday, April 4, 2024

PROOF OF PUBLICATION TO: Madison County Chancery Clerk

PO Box 404

Canton, MS 39046

Madison County Board of Supervisors Bid Specifications For

New 2025 Model or Newer Conventional Tractor

Complete by Checking the Following IF NOT COMPLIANT, **state Specifically** the item being offered

	YES	<u>NO</u>	OFFERED
Wheelbase/Frame			
HD- Axel Forward- NO EXCEPTIONS			
Wheelbase 219"			
CA 135"			
Platform 189"			
AF 56"			
BBC – Minimum 120" With Flush Mount Bumper			
Frame – 10.47" X 3.54" X .31 Steel			
with 1,810,000 in lbs. per rail			
Flush Mounted Bright Finish Steel Bumper			
with two tow hooks			
HD Crossmembers			
Engine			
Electronically controlled 4-cycle diesel, in line 6 cyl., Turbocharged with air-to-air inter-cooler, minimum 780 cubic inch sleeved engine, minimum of 445 HP with 1850 ft/lbs. torque, all spin-on filters (fuel, oil, water).		
Initial Date			

	<u>YES</u>	<u>NO</u>	OFFERED
Air Compressor – 18.7 CFM			
Alternator – 12V 160A			
Batteries – Group 31 650/1950 Threaded Stud Type			
Bug Screen			
Texaco Long Life Engine Coolant to -37 Deg F			
Engine Break			
Engine Block Heater			
Electronic Variable Fan Clutch			
Fuel-Water Separator			
Starter – 12-Volt			
Exhaust –Dual Bright Finish Vertical Exhaust			
Diesel Particulate Filter Frame Mounted RH			
Side Under Cab D.P.F. Serviceable Without Special Tools			
Transmission/Clutch/Drive Lines			
12 Speed Automated Manual			
Must be HD with overdrive			
Synthetic Fluid			
Riveline Main Meritor RPL25			
Initial Date			

	YES	<u>NO</u>	OFFERED
Driveline – Interaxle Meritor RPL20			
Front Axle			
Front Axle – 12,000 lb			
Springs – Taper-leaf 12,000 lb. Ground Rating			
Front Shock Absorbers			
Integral Power Steering			
Slack Adjusters Automatic			
Brakes – Meritor 16.5" X 7" Cast Spider			
Wheels – Polished Aluminum Disc Alcoa Ultra One			
24.5 X 8.25 Hub Piloted			
Tires – 11R X 24.5			
Tapered King Pins with no Adjustment Required			
Unitized wheel hubs with permanent wheel seals			
Dust Shields			
Rear Axle			
Rear Axle – 40,000 lb. double reduction with			
40,000 lb. Air Ride with dump valve			
Power Divider Lockout			
Initial Date			

	YES	<u>NO</u>	OFFERED
Slack Adjusters Automatic			
Brakes – Meritor "S" Cam type 16.5 X 6			
Dust Shields			
Wheels – Aluminum Alco Ultra One 24.5 X 8.25			
Tires – 11R X 24.5			
Synthetic Lubricant			
NOTE: Bids will only be accepted on the following Rea Mack S40R or Dana-Spicer DP403-P	ar Axle	s:	
Cab (Interior Features)			
AM/FM Radio with CD, MP3, Weatherband, Handsfree			
Interface, and Bluetooth			
Coat Hooks			
Dispatch Box Mounted on Rear Panel			
Overhead Console including 2 Storage Compartments			
With Retaining Nets			
Heater with Integral Defroster			
Air Conditioner Factory Installed			
Dome Lights – 2 Driver's side, 2 Passenger Side			
Steering Wheel, 2 Spoke Uretane Grip and Flat Bottom			
For Driver Comfort and Exta Room Initial Date			

	YES	<u>NO</u>	<u>OFFERED</u>
Infinitely Adjusting Steering Column, Tilt and Telescope			
Seats:			
Driver – Air—High Back with 4 Chamber			
Air Lumbar, Bolster, and Extension			
Rider – Non-Suspension			
Seat Belts – Driver and Rider Lap & Shoulder			
With Cab Mounted Shoulder Belt			
Sun Visors Interior LH and RH			
Floor Mats – Polyurethane			
T.M.C. Recommended Instrument Panel			
Driver Information Display			
Air Pressure Gauge – Dual			
Voltmeter			
Fuel Level Gauge			
Engine Oil Pressure Gauge			
Exhaust Pyrometer Gauge			
Engine Coolant Temperature Gauge			
Transmission Oil Temperature Gauge			
Low Air Pressure Indicator (Light and Buzzer)			
Initial Date			

	YES	<u>NO</u>	OFFERED
Manifold Pressure Gauge			
Speedometer/Trip Odometer, Electronic			
Tachometer with Hourmeter, Electronic			
High Beam Indicator			
Parking Brake On Indicator			
Key Type Starting			
Engine Shutoff – Key-Type Control			
Courtesy Light Switch (Head and Clearance)			
Directional Signal			
Premium Interior with Cloth/Vinyl Seats			
Fire Extinguisher – 5lb. ABC/AMEREX			
<u>Cab (Exterior Features)</u>			
Welded Steel Shell, Galvanized			
Rust Preventative Procedures			
Fender Extensions			
Vents – Screened, Fresh Air Inlet for Heater			
Cab Steps – Two Step Aluminum with			
Self Cleaning Threads			
Initial Date			

	<u>YES</u>	<u>NO</u>	OFFERED
Safety Glass Windows			
Exterior Sun Visor Stainless Steel Bright Finish			
Bright Finish Grill and Surround			·
Tinted Two piece Windshields, Side and Rear Glass			
Windshield Wipers – Two, Fixed Arm and Blade Type			
Wiper Motor – Electric (2), Two speed Intermittent			
Windshield Washers – Electric Wiper Mtd. with 5 qt.			
(4.7 L) Translucent Reservoir			
Mirrors – West Coast Bright Finish, Includes 8"			
Convex RH & LH with Stainless Swing Away Arms, Heated and Motorized			
Headlamps – 2 Flush Mounted with Replaceable Bulb			
Daytime Running Lights			
Identification and Clearance Lamps Bullet (5)			
Side Markers - Lamps and Reflectors			
Front Turn Signals			
Transistorized Flasher			
Horns – Air, 2 Mounted each side of Cab			
& Electric (Single Tone)			
Initial Date			

	YES	<u>NO</u>	OFFERED
Doors – Galvanized Steel with:			
Power Windows and			
Visibility Door			
Grab Handles – Aluminum RH & LH Behind Door			
Cab Mounting – Dual Air Suspended Rear			
Fuel Tank			
Fuel Tank – LH 117 Gallon Aluminum			
Fuel Tank- RH 50 Gallon Aluminum			
DEF Tank – 18.4 Gallon Frame Mounted			
<u>Air Brakes</u>			
Air Dryer Heated 1200 w/ coalescing Oil Filter			
Aluminum Air Tanks			
ABS System			
Hand Control Valve for Service Brakes			
Manual Drain Valves w/ lanyards on All Tanks			
Trailer Air Brake Connection to back of cab			
Trailer Electrical Receptical, to back of cab			
Initial Date			

	YES	<u>NO</u>	OFFERED
Electrical			
Electric Circuit Protection Package			
Waterproof Electrical Connections			
<u>Paint</u>			
Paint Cab & Interior – DuPont White			
Chassis & Running Gear – DuPont Black			
PTO/Wet Kit			
Dual Line Wet Kit			
Dual Pressure Pump to accommodate			
Dump trailer & Low Boy Trailer			
Made in the USA			
Engine's Final Assembly in United States			
Chassis Final Assembly in United States			
Service Location			
Factory Authorized Parts and Service			
Facility staffed with Full Time Factory Trained			
Personnel to be located within 50 miles			
of domiciled location.			
Selling Dealer must have factory trained mobile			
technicians to provide service at your location.			
Initial Date			

Guaranteed Buy-Back			
Buy-Backs will only be accepted from the selling dealer			
NO 3 rd Party Residuals will be allowed			
	YES	<u>NO</u>	OFFERED
Warranty			
Three year/300,000 Mile "Bumper to Bumper"			

MANDATORY BID SHEET

COMPANY NAME:	
ADDRESS:	
TELEPHONE:	
FAX NUMBER:	
EMAIL:	<u></u>
AUTHORIZED REPRESENTATIVE'S SIGNATURE	DATE

PRINTED AUTHORIZED REPRESENTATIVE'S NAME HERE

PROPOSAL SHEET MUST BE SIGNED AND DATED BY AN AUTHORIZED COMPANY REPRESENTATIVE

MUST INCLUDE PRODUCT SUMMARY, INCLUDING DETAILS OF ALL FEATURES AND OPTIONS OF PROPOSED VEHICLE