



Contemporary and stylish meeting tables with unique METAL bases. Offers a variety of options to suit the needs of any office.

Tops are available in your choice of six shapes - Round, Square, Rectangular, Boat Shaped, Racetrack and Elliptical.

Two different metal base styles - Sculpted and Four-Legged. Round and Square tops are available exclusively with the four-legged base, while all other tops are available in Sculpted base style.

Five edge options - Self, Bullnose, T-Mold, Built Up and the Slant edge. Slant Edge and Metal Base finishes are available in either Black or Tungsten.

No matter the size of the space or the style of the office, Global's Laminate Meeting tables will work in any setting.

Designed exclusively for Global by world renowned designer Zooey Chu.



Features and Benefits

- Tables 144" or less are standard in one piece
- All tops over 144" are standard in two pieces
- One-piece tops can be cut to 2 pieces for an upcharge
- All tops and bases are assembled using a metal-to-metal connection
- All tops are 1 1/8" thick - a 1 3/4" built-up self edge is available on all models
- Tops and bases boxed as appropriate
- Custom finish laminate tables available as special order
- Bullnose edge available in Black or Grey
- T-Mold edge available in Black, Grey or coordinating laminate finish.
- Self-edge and built-up self edge available in same color as laminate finish.
- Slant edge is available in Black or Tungsten
- All edges available on all tables
- All Metal bases are available in Black and Tungsten

GENERAL INFORMATION

- Designed by Zooey Chu
- Five edge options: Self, Bullnose, T-Mold, Built-Up and Slant edge.
- Two different metal base styles - Sculpted and Four-Legged
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**

CONSTRUCTION

- All Laminate Meeting tables are 29" high and made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate. Table width is nominal.
- All tops are 1 1/8" thick with high performance, thermally fused laminate on both sides. A 1 3/4" built-up self edge is available on all models.
- Tops are crated and bases boxed or crated as appropriate
- Table tops of 144" or less in length are standard as one piece. One piece tops can be cut to 2 piece tops. **ADD \$204.00.**
- All Tops and Bases use a metal to metal connection, allowing for easy installation.
- Custom size tables are priced at next size table price, not to exceed width or length. Example: 44" x 108" would be priced at the 48" x 120" price. Contact Customer Service for pricing of tables over 48" in width. Custom tables less than the smallest size must be quoted.

EDGE OPTIONS

- Self, built-up, bullnose, T-mold and slant edges are available on all models. Corners of rectangular, square and boat shaped tables ordered with T-mold or bullnose will be rounded.
- **Bullnose** edge is available in Black (**BK**) or Grey (**GR**) only.
- **T-mold** edge is available in Black (**BK**), Grey (**GR**), or coordinating laminate finish (**ME**)
- **Slant** edge is available in Black (**BLK**) or Tungsten (**TUN**).
- **Self edge and built-up** edges are same color as laminate finish.

LAMINATE FINISHES

| | | | |
|-----|--------------------|-----|------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC | White Chocolate* | WGY | Willow Grey |
| WCR | Winter Cherry | | <i>*textured</i> |

- White Chocolate (**WHC**) not available on 10 & 12 foot tables. Must be cut in two pieces and specify third base.
- The above laminate finishes are available in **High Pressure**. Upcharge varies by model.
- Tables in woodgrain finishes over 12' in length will not have a perfect match of grain at the center where the two halves meet.
- If other than a Global standard laminate finish is preferred, contact Customer Care. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

BASE SIZE CHART (Table width is nominal)

| Round or Square Tops | | Rectangular, Racetrack, Boat or Elliptical Tops | |
|----------------------|-------|---|----------|
| Top | 4 Leg | Top | Sculpted |
| 30" | 25" | 30" x 60" | 24" |
| 36" | 25" | 44" x 84" | 30" |
| 42" | 32" | 36" x 72" | 24" |
| 48" | 32" | 48" x 96" | 30" |
| | | 48" x 120" | 30" |
| | | 48" x 144" | 30" |



SCULPTED BASE

- Sculpted bases on tables 7' and larger include support braces for maximum strength. Not included on 5' and 6' tables. Bases are available in Black (**BLK**) or Tungsten (**TUN**) finish only.



GROMMETS


- Grommets available in standard table top locations (left, center or right). Order as: **AG1, AG2 or AG3.....Add \$65**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



- Actual grommet locations will vary according to base selection.

POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- Actual Power Block locations vary according to base selection. The locations will be left (AG1, E1), center (AG2, E2), and right (AG3, E3). **Example:** 8' table with drum base does not have a modesty panel, so the grommet (AG2) and power block (E2) can be perfectly centered in the table. An 8' table with a slab base has the modesty panel, so the grommet (AG2) and power block (E2) will be offset alongside the modesty panel.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$238**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. ADD \$65.00.**



Power Block **PMSPDM, Add \$238** Specify location **E1, E2 or E3, Add \$65**

TABLE NOTES - ESTIMATED CAPACITY

- Use the following for determining the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

| Top Size | Round | Square | Rectangular | Boat | Racetrack | Elliptical |
|----------|-------|--------|-------------|-------|-----------|------------|
| 30x30 | 3 | 3 | N/A | N/A | N/A | N/A |
| 36x36 | 4 | 4 | N/A | N/A | N/A | N/A |
| 42x42 | 4 | 4 | N/A | N/A | N/A | N/A |
| 48x48 | 4 | 4 | N/A | N/A | N/A | N/A |
| 60x60 | 5 | 6 | N/A | N/A | N/A | N/A |
| 30x60 | N/A | N/A | 4-6 | 4-6 | 4-6 | 4 |
| 36x72 | N/A | N/A | 4-6 | 4-6 | 4-6 | 4 |
| 44x84 | N/A | N/A | 6-8 | 6-8 | 6-8 | 6 |
| 48x96 | N/A | N/A | 6-8 | 6-8 | 6-8 | 6 |
| 48x120 | N/A | N/A | 8-10 | 8-10 | 8-10 | 8 |
| 48x144 | N/A | N/A | 10-12 | 10-12 | 10-12 | 10 |
| 48x168 | N/A | N/A | 12-14 | 12-14 | 12-14 | 12 |
| 48x192 | N/A | N/A | 14-16 | 14-16 | 14-16 | 14 |
| 48x216 | N/A | N/A | 16-18 | 16-18 | 16-18 | 16 |
| 48x240 | N/A | N/A | 18-20 | 18-20 | 18-20 | 18 |
| 48x264 | N/A | N/A | 20-22 | 20-22 | 20-22 | 20 |
| 48x288 | N/A | N/A | 22-24 | 22-24 | 22-24 | 22 |

ROUND TOP - FOUR LEGGED BASE

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|----------|-------------|---------------|---------|-----------|--------------|--------------|
| D x W x H | | | | | | | |
| self edge | GC30CF | 0 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| bullnose edge | GC30CFBN | 0 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| T-mold edge | GC30CFM | 0 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| built-up self edge | GC30CFBU | 0 x 30 x 29 | 125 | 59.50 | 7.82 | \$610 | \$305 |
| slant edge | GC30CFZS | 0 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| self edge | GC36CF | 0 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| bullnose edge | GC36CFBN | 0 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| T-mold edge | GC36CFM | 0 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| built-up self edge | GC36CFBU | 0 x 36 x 29 | 100 | 79.50 | 8.44 | \$653 | \$326 |
| slant edge | GC36CFZS | 0 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| self edge | GC42CF | 0 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| bullnose edge | GC42CFBN | 0 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| T-mold edge | GC42CFM | 0 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| built-up self edge | GC42CFBU | 0 x 42 x 29 | 125 | 92.10 | 12.40 | \$754 | \$377 |
| slant edge | GC42CFZS | 0 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| self edge | GC48CF | 0 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| bullnose edge | GC48CFBN | 0 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| T-mold edge | GC48CFM | 0 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| built-up self edge | GC48CFBU | 0 x 48 x 29 | 100 | 109 | 13.38 | \$838 | \$419 |
| slant edge | GC48CFZS | 0 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |



SQUARE TOP - FOUR LEGGED BASE

| | | | | | | | |
|--------------------|----------|--------------|-----|-------|-------|--------------|--------------|
| self edge | GC30SF | 30 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| bullnose edge | GC30SFBN | 30 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| T-mold edge | GC30SFTM | 30 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| built-up self edge | GC30SFBU | 30 x 30 x 29 | 125 | 59.50 | 7.82 | \$610 | \$305 |
| slant edge | GC30SFZS | 30 x 30 x 29 | 125 | 54.50 | 7.06 | \$525 | \$262 |
| self edge | GC36SF | 36 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| bullnose edge | GC36SFBN | 36 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| T-mold edge | GC36SFTM | 36 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| built-up self edge | GC36SFBU | 36 x 36 x 29 | 100 | 79.50 | 8.44 | \$653 | \$326 |
| slant edge | GC36SFZS | 36 x 36 x 29 | 100 | 72.50 | 7.50 | \$569 | \$284 |
| self edge | GC42SF | 42 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| bullnose edge | GC42SFBN | 42 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| T-mold edge | GC42SFTM | 42 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| built-up self edge | GC42SFBU | 42 x 42 x 29 | 125 | 92.10 | 12.40 | \$754 | \$377 |
| slant edge | GC42SFZS | 42 x 42 x 29 | 125 | 83.29 | 11.12 | \$669 | \$334 |
| self edge | GC48SF | 48 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| bullnose edge | GC48SFBN | 48 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| T-mold edge | GC48SFTM | 48 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |
| built-up self edge | GC48SFBU | 48 x 48 x 29 | 100 | 109 | 13.38 | \$838 | \$419 |
| slant edge | GC48SFZS | 48 x 48 x 29 | 100 | 98.29 | 11.72 | \$753 | \$376 |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

RECTANGULAR TOP - SCULPTED BASE



Sculpted Base

5 foot

D x W x H

| | | | | | | | |
|--------------------|--------|--------------|-----|-------|-------|---------------|--------------|
| self edge | GR5S | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| bullnose edge | GR5SBN | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| T-mold edge | GR5STM | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| built-up self edge | GR5SBU | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$1034 | \$517 |
| slant edge | GR5SZS | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |

• ships in one piece

6 foot

| | | | | | | | |
|--------------------|--------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GR6S | 36 x 72 x 29 | 150 | 109.40 | 22.40 | \$978 | \$489 |
| bullnose edge | GR6SBN | 36 x 72 x 29 | 150 | 109.40 | 22.40 | \$978 | \$489 |
| T-mold edge | GR6STM | 36 x 72 x 29 | 150 | 109.40 | 22.40 | \$978 | \$489 |
| built-up self edge | GR6SBU | 36 x 72 x 29 | 150 | 118.40 | 22.40 | \$1117 | \$558 |
| slant edge | GR6SZS | 36 x 72 x 29 | 150 | 109.40 | 22.40 | \$978 | \$489 |

• ships in one piece

7 foot

| | | | | | | | |
|--------------------|--------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GR7S | 44 x 84 x 29 | 250 | 103.04 | 33.77 | \$1120 | \$560 |
| bullnose edge | GR7SBN | 44 x 84 x 29 | 250 | 103.04 | 33.77 | \$1120 | \$560 |
| T-mold edge | GR7STM | 44 x 84 x 29 | 250 | 103.04 | 33.77 | \$1120 | \$560 |
| built-up self edge | GR7SBU | 44 x 84 x 29 | 250 | 115.29 | 33.77 | \$1260 | \$630 |
| slant edge | GR7SZS | 44 x 84 x 29 | 250 | 103.04 | 33.77 | \$1120 | \$560 |

• ships in one piece

8 foot

| | | | | | | | |
|--------------------|---------|--------------|-----|--------|-------|---------------|----|
| self edge | GR8WS | 48 x 96 x 29 | 250 | 149.40 | 38.29 | \$1120 | GC |
| bullnose edge | GR8WSBN | 48 x 96 x 29 | 250 | 149.40 | 38.29 | \$1120 | GC |
| T-mold edge | GR8WSTM | 48 x 96 x 29 | 250 | 149.40 | 38.29 | \$1120 | GC |
| built-up self edge | GR8WSBU | 48 x 96 x 29 | 150 | 165.40 | 38.29 | \$1260 | GC |
| slant edge | GR8WSZS | 48 x 96 x 29 | 250 | 149.40 | 38.29 | \$1120 | GC |

• ships in one piece

10 foot

| | | | | | | | |
|--------------------|----------|---------------|----|--------|-------|---------------|--------------|
| self edge | GR10WS | 48 x 120 x 29 | 70 | 256.10 | 15.80 | \$1567 | \$783 |
| bullnose edge | GR10WSBN | 48 x 120 x 29 | 70 | 256.10 | 15.80 | \$1567 | \$783 |
| T-mold edge | GR10WSTM | 48 x 120 x 29 | 70 | 256.10 | 15.80 | \$1567 | \$783 |
| built-up self edge | GR10WSBU | 48 x 120 x 29 | 70 | 276.10 | 15.80 | \$1708 | \$854 |
| slant edge | GR10WSZS | 48 x 120 x 29 | 70 | 256.10 | 15.80 | \$1567 | \$783 |

• ships in one piece

12 foot

| | | | | | | | |
|--------------------|----------|---------------|----|--------|-------|---------------|--------------|
| self edge | GR12WS | 48 x 144 x 29 | 85 | 281.10 | 18.80 | \$1736 | \$868 |
| bullnose edge | GR12WSBN | 48 x 144 x 29 | 85 | 281.10 | 18.80 | \$1736 | \$868 |
| T-mold edge | GR12WSTM | 48 x 144 x 29 | 85 | 281.10 | 18.80 | \$1736 | \$868 |
| built-up self edge | GR12WSBU | 48 x 144 x 29 | 70 | 305.10 | 18.80 | \$1875 | \$937 |
| slant edge | GR12WSZS | 48 x 144 x 29 | 85 | 281.10 | 18.80 | \$1736 | \$868 |

• ships in one piece

14 foot

| | | | | | | | |
|--------------------|----------|---------------|-----|--------|-------|---------------|---------------|
| self edge | GR14WS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| bullnose edge | GR14WSBN | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| T-mold edge | GR14WSTM | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| built-up self edge | GR14WSBU | 48 x 168 x 29 | 100 | 188.30 | 20.05 | \$2540 | \$1270 |
| slant edge | GR14WSZS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |

• ships in two pieces

16 foot

| | | | | | | | |
|--------------------|----------|---------------|------|--------|-------|---------------|---------------|
| self edge | GR16WS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| bullnose edge | GR16WSBN | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| T-mold edge | GR16WSTM | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| built-up self edge | GR16WSBU | 48 x 192 x 29 | 85 | 285.20 | 23.05 | \$2540 | \$1270 |
| slant edge | GR16WSZS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |

• ships in two pieces

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

| RECTANGULAR TOP - SCULPTED BASE | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------------------------|-----------------------|---|---------------|---------------|---------|-----------|---------------|---------------|
| | | D x W x H | | | | | | |
| 18 foot | self edge | GR18WS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | bullnose edge | GR18WSBN | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | T-mold edge | GR18WSTM | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | built-up self edge | GR18WSBU | 48 x 216 x 29 | 85 | 390 | 26.10 | \$3026 | \$1513 |
| | slant edge | GR18WSZS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | • ships in two pieces | | | | | | | |
| 20 foot | self edge | GR20WS | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | bullnose edge | GR20WSBN | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | T-mold edge | GR20WSTM | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | built-up self edge | GR20WSBU | 48 x 240 x 29 | 250 | 532.20 | 189.2 | \$3418 | \$1709 |
| | slant edge | GR20WSZS | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | • ships in two pieces | | | | | | | |
| 22 foot | self edge | GR22WS | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | bullnose edge | GR22WSBN | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | T-mold edge | GR22WSTM | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | built-up self edge | GR22WSBU | 48 x 264 x 29 | 250 | 553.50 | 204.3 | \$3808 | \$1904 |
| | slant edge | GR22WSZS | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | • ships in two pieces | | | | | | | |
| 24 foot | self edge | GR24WS | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | bullnose edge | GR24WSBN | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | T-mold edge | GR24WSTM | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | built-up self edge | GR24WSBU | 48 x 288 x 29 | 250 | 590.20 | 225.2 | \$4211 | \$2105 |
| | slant edge | GR24WSZS | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | • ships in two pieces | | | | | | | |
| | | <ul style="list-style-type: none"> • All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join. • All tops 120", 144", 168" and 192" are SHIPPED WITH 3 SCULPTED BASES. • All tops 216" and 240" are SHIPPED WITH 4 SCULPTED BASES. • All tops 264" and 288" are SHIPPED WITH 5 SCULPTED BASES. | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable




Optional Specifications

Grommet

Accessories

Power Block

RACETRACK TOP - SCULPTED BASE

| | | D x W x H | | | | | | | |
|---|---------|-----------------------|-----------|---------------|------|--------|-------|--------|--------|
|  | 5 foot | self edge | GRT5S | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| | | bullnose edge | GRT5SBN | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| | | T-mold edge | GRT5STM | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| | | built-up self edge | GRT5SBU | 30 x 60 x 29 | 250 | 91.40 | 24 | \$1034 | \$517 |
| | | slant edge | GRT5SZS | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| | | • ships in one piece | | | | | | | |
|  | 6 foot | self edge | GRT6S | 36 x 72 x 29 | 150 | 99.40 | 22.40 | \$978 | \$489 |
| | | bullnose edge | GRT6SBN | 36 x 72 x 29 | 150 | 99.40 | 22.40 | \$978 | \$489 |
| | | T-mold edge | GRT6STM | 36 x 72 x 29 | 150 | 99.40 | 22.40 | \$978 | \$489 |
| | | built-up self edge | GRT6SBU | 36 x 72 x 29 | 150 | 108.40 | 22.40 | \$1117 | \$558 |
| | | slant edge | GRT6SZS | 36 x 72 x 29 | 150 | 99.40 | 22.40 | \$978 | \$489 |
| | | • ships in one piece | | | | | | | |
|  Sculpted Base | 7 foot | self edge | GRT7S | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| | | bullnose edge | GRT7SBN | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| | | T-mold edge | GRT7STM | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| | | built-up self edge | GRT7SBU | 44 x 84 x 29 | 250 | 116.65 | 33.77 | \$1260 | \$630 |
| | | slant edge | GRT7SZS | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| | | • ships in one piece | | | | | | | |
| | 8 foot | self edge | GRT8WS | 48 x 96 x 29 | 250 | 139.40 | 38.29 | \$1120 | GR |
| | | bullnose edge | GRT8WSBN | 48 x 96 x 29 | 250 | 139.40 | 38.29 | \$1120 | GR |
| | | T-mold edge | GRT8WSTM | 48 x 96 x 29 | 250 | 139.40 | 38.29 | \$1120 | GR |
| | | built-up self edge | GRT8WSBU | 48 x 96 x 29 | 250 | 151.40 | 38.29 | \$1260 | GR |
| | | slant edge | GRT8WSZS | 48 x 96 x 29 | 250 | 139.40 | 38.29 | \$1120 | GR |
| | | • ships in one piece | | | | | | | |
| | 10 foot | self edge | GRT10WS | 48 x 120 x 29 | 70 | 246.10 | 15.80 | \$1567 | \$783 |
| | | bullnose edge | GRT10WSBN | 48 x 120 x 29 | 70 | 246.10 | 15.80 | \$1567 | \$783 |
| | | T-mold edge | GRT10WSTM | 48 x 120 x 29 | 70 | 246.10 | 15.80 | \$1567 | \$783 |
| | | built-up self edge | GRT10WSBU | 48 x 120 x 29 | 70 | 266.10 | 15.80 | \$1708 | \$854 |
| | | slant edge | GRT10WSZS | 48 x 120 x 29 | 70 | 246.10 | 15.80 | \$1567 | \$783 |
| | | • ships in one piece | | | | | | | |
| | 12 foot | self edge | GRT12WS | 48 x 144 x 29 | 85 | 271.10 | 18.80 | \$1736 | \$868 |
| | | bullnose edge | GRT12WSBN | 48 x 144 x 29 | 85 | 271.10 | 18.80 | \$1736 | \$868 |
| | | T-mold edge | GRT12WSTM | 48 x 144 x 29 | 85 | 271.10 | 18.80 | \$1736 | \$868 |
| | | built-up self edge | GRT12WSBU | 48 x 144 x 29 | 70 | 295.10 | 18.80 | \$1875 | \$937 |
| | | slant edge | GRT12WSZS | 48 x 144 x 29 | 85 | 271.10 | 18.80 | \$1736 | \$868 |
| | | • ships in one piece | | | | | | | |
| | 14 foot | self edge | GRT14WS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| | | bullnose edge | GRT14WSBN | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| | | T-mold edge | GRT14WSTM | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| | | built-up self edge | GRT14WSBU | 48 x 168 x 29 | 100 | 192.30 | 20.05 | \$2540 | \$1270 |
| | | slant edge | GRT14WSZS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| | | • ships in two pieces | | | | | | | |
| | 16 foot | self edge | GRT16WS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| | | bullnose edge | GRT16WSBN | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| | | T-mold edge | GRT16WSTM | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| | | built-up self edge | GRT16WSBU | 48 x 192 x 29 | 85 | 289.20 | 23.05 | \$2540 | \$1270 |
| | | slant edge | GRT16WSZS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| | | • ships in two pieces | | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable



Optional Specifications

Grommet

Accessories

Power Block

BOAT TOP - SCULPTED BASE



Sculpted Base

5 foot

| | D x W x H | | | | | | |
|----------------------|-----------|--------------|-----|-------|-------|---------------|--------------|
| self edge | GB5S | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| bullnose edge | GB5SBN | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| T-mold edge | GB5STM | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| built-up self edge | GB5SBU | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$1034 | \$517 |
| slant edge | GB5SZS | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| • ships in one piece | | | | | | | |

6 foot

| | | | | | | | |
|----------------------|--------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GB6S | 36 x 72 x 29 | 300 | 99.40 | 58.08 | \$995 | \$497 |
| bullnose edge | GB6SBN | 36 x 72 x 29 | 300 | 99.40 | 58.08 | \$995 | \$497 |
| T-mold edge | GB6STM | 36 x 72 x 29 | 300 | 99.40 | 58.08 | \$995 | \$497 |
| built-up self edge | GB6SBU | 36 x 72 x 29 | 300 | 106.50 | 58.08 | \$1134 | \$567 |
| slant edge | GB6SZS | 36 x 72 x 29 | 300 | 99.40 | 58.08 | \$995 | \$497 |
| • ships in one piece | | | | | | | |

7 foot

| | | | | | | | |
|----------------------|--------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GB7S | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| bullnose edge | GB7SBN | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| T-mold edge | GB7STM | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| built-up self edge | GB7SBU | 44 x 84 x 29 | 250 | 123.70 | 33.77 | \$1260 | \$630 |
| slant edge | GB7SZS | 44 x 84 x 29 | 250 | 93.40 | 33.77 | \$1120 | \$560 |
| • ships in one piece | | | | | | | |

8 foot

| | | | | | | | |
|----------------------|---------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GB8WS | 48 x 96 x 29 | 300 | 139.40 | 92.51 | \$1198 | \$599 |
| bullnose edge | GB8WSBN | 48 x 96 x 29 | 300 | 139.40 | 92.51 | \$1136 | \$568 |
| T-mold edge | GB8WSTM | 48 x 96 x 29 | 300 | 139.40 | 92.51 | \$1136 | \$568 |
| built-up self edge | GB8WSBU | 48 x 96 x 29 | 300 | 151.40 | 92.51 | \$1276 | \$638 |
| slant edge | GB8WSZS | 48 x 96 x 29 | 300 | 139.40 | 92.51 | \$1136 | \$568 |
| ● ships in one piece | | | | | | | |

10 foot

| | | | | | | | |
|----------------------|----------|---------------|-----|--------|-------|---------------|--------------|
| self edge | GB10WS | 48 x 120 x 29 | 250 | 246.10 | 101.5 | \$1584 | \$792 |
| bullnose edge | GB10WSBN | 48 x 120 x 29 | 250 | 246.10 | 101.5 | \$1584 | \$792 |
| T-mold edge | GB10WSTM | 48 x 120 x 29 | 125 | 246.10 | 33.88 | \$1584 | \$792 |
| built-up self edge | GB10WSBU | 48 x 120 x 29 | 125 | 266.10 | 33.88 | \$1723 | \$861 |
| slant edge | GB10WSZS | 48 x 120 x 29 | 125 | 246.10 | 33.88 | \$1584 | \$792 |
| ● ships in one piece | | | | | | | |

12 foot

| | | | | | | | |
|----------------------|----------|---------------|-----|--------|-------|---------------|--------------|
| self edge | GB12WS | 48 x 144 x 29 | 250 | 271.10 | 110.4 | \$1750 | \$875 |
| bullnose edge | GB12WSBN | 48 x 144 x 29 | 250 | 271.10 | 110.4 | \$1750 | \$875 |
| T-mold edge | GB12WSTM | 48 x 120 x 29 | 125 | 271.10 | 36.88 | \$1750 | \$875 |
| built-up self edge | GB12WSBU | 48 x 144 x 29 | 100 | 295.10 | 36.88 | \$1891 | \$945 |
| slant edge | GB12WSZS | 48 x 144 x 29 | 125 | 271.10 | 36.88 | \$1750 | \$875 |
| • ships in one piece | | | | | | | |

14 foot

| | | | | | | | |
|-----------------------|----------|---------------|-----|--------|-------|---------------|---------------|
| self edge | GB14WS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| bullnose edge | GB14WSBN | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| T-mold edge | GB14WSTM | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| built-up self edge | GB14WSBU | 48 x 168 x 29 | 100 | 192.30 | 20.05 | \$2540 | \$1270 |
| slant edge | GB14WSZS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| • ships in two pieces | | | | | | | |

16 foot

| | | | | | | | |
|-----------------------|----------|---------------|------|--------|-------|---------------|---------------|
| self edge | GB16WS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| bullnose edge | GB16WSBN | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| T-mold edge | GB16WSTM | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| built-up self edge | GB16WSBU | 48 x 192 x 29 | 85 | 289.20 | 23.05 | \$2540 | \$1270 |
| slant edge | GB16WSZS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| ● ships in two pieces | | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

| BOAT TOP - SCULPTED BASE | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------------|-----------------------|---|---------------|---------------|---------|-----------|---------------|---------------|
| | | D x W x H | | | | | | |
| 18 foot | self edge | GB18WS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | bullnose edge | GB18WSBN | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | T-mold edge | GB18WSTM | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | built-up self edge | GB18WSBU | 48 x 216 x 29 | 70 | 426 | 26.10 | \$3026 | \$1513 |
| | slant edge | GB18WSZS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$2829 | \$1414 |
| | • ships in two pieces | | | | | | | |
| 20 foot | self edge | GB20WS | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | bullnose edge | GB20WSBN | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | T-mold edge | GB20WSTM | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | built-up self edge | GB20WSBU | 48 x 240 x 29 | 250 | 532.20 | 189.2 | \$3418 | \$1709 |
| | slant edge | GB20WSZS | 48 x 240 x 29 | 250 | 492.20 | 189.2 | \$3221 | \$1610 |
| | • ships in two pieces | | | | | | | |
| 22 foot | self edge | GB22WS | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | bullnose edge | GB22WSBN | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | T-mold edge | GB22WSTM | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | built-up self edge | GB22WSBU | 48 x 264 x 29 | 250 | 553.50 | 204.3 | \$3808 | \$1904 |
| | slant edge | GB22WSZS | 48 x 264 x 29 | 250 | 509.50 | 204.3 | \$3613 | \$1806 |
| | • ships in two pieces | | | | | | | |
| 24 foot | self edge | GB24WS | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | bullnose edge | GB24WSBN | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | T-mold edge | GB24WSTM | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | built-up self edge | GB24WSBU | 48 x 288 x 29 | 250 | 590.20 | 225.2 | \$4211 | \$2105 |
| | slant edge | GB24WSZS | 48 x 288 x 29 | 250 | 542.20 | 225.2 | \$4015 | \$2007 |
| | • ships in two pieces | | | | | | | |
| | | <ul style="list-style-type: none"> • All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join. • All tops 120", 144", 168" and 192" are SHIPPED WITH 3 SCULPTED BASES. • All tops 216" and 240" are SHIPPED WITH 4 SCULPTED BASES. • All tops 264" and 288" are SHIPPED WITH 5 SCULPTED BASES. | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable



Optional Specifications

Grommet

Accessories

Power Block

ELLIPTICAL TOP - SCULPTED BASE

**5 foot**

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------------------|------------------|--------------|---------------|---------|-----------|---------------|--------------|
| | D x W x H | | | | | | |
| self edge | GEL5S | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| bullnose edge | GEL5SBN | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| T-mold edge | GEL5STM | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| built-up self edge | GEL5SBU | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$1034 | \$517 |
| slant edge | GEL5SZS | 30 x 60 x 29 | 150 | 91.40 | 17.96 | \$893 | \$446 |
| • ships in one piece | | | | | | | |

6 foot

| | | | | | | | |
|----------------------|---------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GEL6S | 36 x 72 x 29 | 85 | 97.40 | 7.48 | \$978 | \$489 |
| bullnose edge | GEL6SBN | 36 x 72 x 29 | 150 | 97.40 | 22.40 | \$978 | \$489 |
| T-mold edge | GEL6STM | 36 x 72 x 29 | 150 | 97.40 | 22.40 | \$978 | \$489 |
| built-up self edge | GEL6SBU | 36 x 72 x 29 | 150 | 106.40 | 22.40 | \$1117 | \$558 |
| slant edge | GEL6SZS | 36 x 72 x 29 | 150 | 97.40 | 22.40 | \$978 | \$489 |
| • ships in one piece | | | | | | | |

7 foot

| | | | | | | | |
|----------------------|---------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GEL7S | 44 x 84 x 29 | 250 | 91.40 | 33.77 | \$1120 | \$560 |
| bullnose edge | GEL7SBN | 44 x 84 x 29 | 250 | 91.40 | 33.77 | \$1120 | \$560 |
| T-mold edge | GEL7STM | 44 x 84 x 29 | 250 | 91.40 | 33.77 | \$1120 | \$560 |
| built-up self edge | GEL7SBU | 44 x 84 x 29 | 250 | 123.70 | 33.77 | \$1260 | \$630 |
| slant edge | GEL7SZS | 44 x 84 x 29 | 250 | 91.40 | 33.77 | \$1120 | \$560 |
| • ships in one piece | | | | | | | |

8 foot

| | | | | | | | |
|----------------------|----------|--------------|-----|--------|-------|---------------|--------------|
| self edge | GEL8WS | 48 x 96 x 29 | 250 | 137.40 | 38.29 | \$1120 | \$560 |
| bullnose edge | GEL8WSBN | 48 x 96 x 29 | 250 | 137.40 | 38.29 | \$1120 | \$560 |
| T-mold edge | GEL8WSTM | 48 x 96 x 29 | 250 | 137.40 | 38.29 | \$1120 | \$560 |
| built-up self edge | GEL8WSBU | 48 x 96 x 29 | 150 | 153.40 | 12.79 | \$1260 | \$630 |
| slant edge | GEL8WSZS | 48 x 96 x 29 | 250 | 137.40 | 12.79 | \$1120 | \$560 |
| • ships in one piece | | | | | | | |

10 foot

| | | | | | | | |
|----------------------|-----------|---------------|----|--------|-------|---------------|--------------|
| self edge | GEL10WS | 48 x 120 x 29 | 70 | 244.10 | 15.80 | \$1567 | \$783 |
| bullnose edge | GEL10WSBN | 48 x 120 x 29 | 70 | 244.10 | 15.80 | \$1567 | \$783 |
| T-mold edge | GEL10WSTM | 48 x 120 x 29 | 70 | 244.10 | 15.80 | \$1567 | \$783 |
| built-up self edge | GEL10WSBU | 48 x 120 x 29 | 70 | 264.10 | 15.80 | \$1708 | \$854 |
| slant edge | GEL10WSZS | 48 x 120 x 29 | 70 | 244.10 | 15.80 | \$1567 | \$783 |
| • ships in one piece | | | | | | | |

12 foot

| | | | | | | | |
|----------------------|-----------|---------------|-----|--------|-------|---------------|--------------|
| self edge | GEL12WS | 48 x 144 x 29 | 85 | 269.10 | 18.80 | \$1736 | \$868 |
| bullnose edge | GEL12WSBN | 48 x 144 x 29 | 85 | 269.10 | 18.80 | \$1736 | \$868 |
| T-mold edge | GEL12WSTM | 48 x 144 x 29 | 125 | 269.10 | 37.62 | \$1736 | \$868 |
| built-up self edge | GEL12WSBU | 48 x 144 x 29 | 70 | 293.10 | 18.80 | \$1875 | \$937 |
| slant edge | GEL12WSZS | 48 x 144 x 29 | 85 | 269.10 | 18.80 | \$1736 | \$868 |
| • ships in one piece | | | | | | | |

14 foot

| | | | | | | | |
|-----------------------|-----------|---------------|-----|--------|-------|---------------|---------------|
| self edge | GEL14WS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| bullnose edge | GEL14WSBN | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| T-mold edge | GEL14WSTM | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| built-up self edge | GEL14WSBU | 48 x 168 x 29 | 100 | 192.30 | 20.05 | \$2540 | \$1270 |
| slant edge | GEL14WSZS | 48 x 168 x 29 | 100 | 164.25 | 20.05 | \$2343 | \$1171 |
| • ships in two pieces | | | | | | | |

16 foot

| | | | | | | | |
|-----------------------|-----------|---------------|------|--------|-------|---------------|---------------|
| self edge | GEL16WS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| bullnose edge | GEL16WSBN | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| T-mold edge | GEL16WSTM | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| built-up self edge | GEL16WSBU | 48 x 192 x 29 | 85 | 289.20 | 23.05 | \$2540 | \$1270 |
| slant edge | GEL16WSZS | 48 x 192 x 29 | 92.5 | 257.18 | 23.05 | \$2343 | \$1171 |
| • ships in two pieces | | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

| ELLIPTICAL TOP - SCULPTED BASE | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------------------|-----------------------|---|---------------|---------------|---------|-----------|---------------|---------------|
| | | D x W x H | | | | | | |
| 18 foot | self edge | GEL18WS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$3154 | \$1577 |
| | bullnose edge | GEL18WSBN | 48 x 216 x 29 | 85 | 390 | 26.10 | \$3154 | \$1577 |
| | T-mold edge | GEL18WSTM | 48 x 216 x 29 | 85 | 390 | 26.10 | \$3154 | \$1577 |
| | built-up self edge | GEL18WSBU | 48 x 216 x 29 | 70 | 426 | 26.10 | \$3352 | \$1676 |
| | slant edge | GEL18WSZS | 48 x 216 x 29 | 85 | 390 | 26.10 | \$3154 | \$1577 |
| | • ships in two pieces | | | | | | | |
| 20 foot | self edge | GEL20WS | 48 x 240 x 29 | 70 | 492.20 | 31.50 | \$3605 | \$1802 |
| | bullnose edge | GEL20WSBN | 48 x 240 x 29 | 70 | 492.20 | 31.50 | \$3605 | \$1802 |
| | T-mold edge | GEL20WSTM | 48 x 240 x 29 | 70 | 492.20 | 31.50 | \$3605 | \$1802 |
| | built-up self edge | GEL20WSBU | 48 x 240 x 29 | 70 | 532.20 | 31.50 | \$3799 | \$1899 |
| | slant edge | GEL20WSZS | 48 x 240 x 29 | 70 | 492.20 | 31.50 | \$3605 | \$1802 |
| | • ships in two pieces | | | | | | | |
| 22 foot | self edge | GEL22WS | 48 x 264 x 29 | 85 | 509.20 | 34.01 | \$3960 | \$1980 |
| | bullnose edge | GEL22WSBN | 48 x 264 x 29 | 85 | 509.20 | 34.01 | \$3960 | \$1980 |
| | T-mold edge | GEL22WSTM | 48 x 264 x 29 | 85 | 509.20 | 34.01 | \$3960 | \$1980 |
| | built-up self edge | GEL22WSBU | 48 x 264 x 29 | 70 | 553.20 | 34.01 | \$4155 | \$2077 |
| | slant edge | GEL22WSZS | 48 x 264 x 29 | 85 | 509.20 | 34.01 | \$3960 | \$1980 |
| | • ships in two pieces | | | | | | | |
| 24 foot | self edge | GEL24WS | 48 x 288 x 29 | 85 | 542.20 | 37.54 | \$4351 | \$2175 |
| | bullnose edge | GEL24WSBN | 48 x 288 x 29 | 85 | 542.20 | 37.54 | \$4351 | \$2175 |
| | T-mold edge | GEL24WSTM | 48 x 288 x 29 | 85 | 542.20 | 37.54 | \$4351 | \$2175 |
| | built-up self edge | GEL24WSBU | 48 x 288 x 29 | 70 | 590.20 | 37.54 | \$4547 | \$2273 |
| | slant edge | GEL24WSZS | 48 x 288 x 29 | 85 | 542.20 | 37.54 | \$4351 | \$2175 |
| | • ships in two pieces | | | | | | | |
| | | <ul style="list-style-type: none"> • All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join. • All tops 120", 144", 168" and 192" are SHIPPED WITH 3 SCULPTED BASES. • All tops 216" and 240" are SHIPPED WITH 4 SCULPTED BASES. • All tops 264" and 288" are SHIPPED WITH 5 SCULPTED BASES. | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

B BOARDROOM TABLES



Sturdy and economically priced, Global boardroom tables are excellent choices. All tables are made from thermally fused, high performance laminate and are easy to maintain.

Choose from four attractive table edges: Bullnose, T-mold, Self-edge, or Built-up Self-edge. Available in a variety of colors, all edge options are durable and wear-resistant.

Table tops are offered in five shapes - rectangular, racetrack, boat-shaped, square and round - and a variety of bases including slab, drum and arch. Add to this an impressive variety of laminate finishes that may be mixed and matched and you'll find Global can satisfy any and every business need.

From small meeting rooms to large boardrooms, from traditional to contemporary, Global's incredible range of table components, shapes, sizes and colors will enhance any office decor.



Features and Benefits

- One-piece tops can be cut to 2 pieces for an upcharge
- Tables 96" to 144" in length special ordered with two piece tops must have a third base
- All tops are premarked as to base location
- All tops are 1 1/8" thick - a 1 1/4" built-up self edge is available on all models
- Tops and bases boxed as appropriate
- Custom finish laminate tables available as special order
- Bullnose edges available in Black or Grey
- T-Mold edge available in Black, Grey or coordinating laminate finish.
- Self-edge and built-up self edge available in same color as laminate finish.
- All edges available on all tables
- Metal legs and bases are standard in Chrome - also available in Black or Grey

GENERAL INFORMATION

- All tables are 29" high and constructed of 45 lb. density particle board
- Tables 144" or less are standard in one piece
- All tops over 144" are standard in two pieces
- Five top shapes: Rectangular, Racetrack, Boat-Shaped, Square and Round
- Four edge options: Bullnose, T-Mold, Self-edge or Built-Up Self Edge
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**

CONSTRUCTION

- All Boardroom tables are 29" high and made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate. Table width is nominal.
- All tables with cross bases use Blum fasteners
- All tops are 1 1/8" thick with high performance, thermally fused laminate on both sides. A 1 3/4" built-up self edge is available on all models.
- Tops are crated and bases boxed or crated as appropriate
- Table tops of 144" or less in length are standard as one piece. 1 piece tops can be cut to 2 piece tops, **ADD \$204.00**; however, an additional base will be required. Tables 96" to 144" in length special ordered with 2 piece tops **must** have a third base.
- All Tops are **PREMARKED** as to base location, and the slot and hook assembly method (on selected tables) allows for easy installation.
- All racetrack, boat and rectangular tables 144" and under are standard with 2 drum, slab, arch, 2-legged, or tubular bases and are priced accordingly. For 3 bases, **ADD \$285.00** list per table for a drum, and **ADD \$220.00** list per table for the slab. The arch base tables will require a special 3" thick slab at a list price of **\$299.00** per table. **ADD \$285.00** list per table for 2-legged base, and **ADD \$299.00** list per table for tubular.
- Custom size tables are priced at next size table price, not to exceed width or length. Example: 44" x 108" would be priced at the 48" x 120" price. Contact Customer Service for pricing of tables over 48" in width. Custom tables **less** than the smallest size must be quoted.

EDGE OPTIONS

- Self, built-up, bullnose, T-mold and slant edges are available on all models. Corners of rectangular, square and boat shaped tables ordered with T-mold or bullnose will be rounded.
- **Bullnose** edge is available in Black (**BK**) or Grey (**GR**) only.
- **T-mold** edge is available in Black (**BK**), Grey (**GR**) or coordinating laminate finish (**ME**)
- **Self edge and built-up** edges are same color as laminate finish.
- Metal bases are standard in Chrome (**CH**). Also available in Black (**BLK**) or Grey (**GR**). Please specify when ordering if a color other than Chrome is desired.

LAMINATE FINISHES

- | | |
|------------------------|---------------------|
| ACJ Absolute Acajou | ASN Asian Night |
| AWC Avant Cherry | AWH Avant Honey |
| BLK Black | BRC Brushed Cobalt |
| CSJ Constellation Java | DES Dark Espresso |
| GRY Grey | HGT Hayden Grey |
| QTM Quartered Mahogany | SKC Shaker Cherry |
| SOG Storm Grey | TFW Tiger Fruitwood |
| TMA Tiger Mahogany | TMP Tiger Maple |
| TWL Tiger Walnut | WHT White |
| WHC White Chocolate* | WGY Willow Grey |
| WCR Winter Cherry | <i>*textured</i> |
- White Chocolate (**WHC**) not available on 10 & 12 foot tables. Must be cut in two pieces and specify third base.
 - The above laminate finishes are available in **High Pressure**. Upcharge varies by model.
 - Tables in woodgrain finishes over 12' in length will not have a perfect match of grain at the center where the two halves meet.
 - All tables with Drum Bases & Pedestal require approx. 125 lb. of sand in each base for adequate stability. Sand is not included with Drum Bases.

- If other than a Global standard laminate finish is preferred, contact your Customer Care Representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

BASE SIZE CHART (Table width is nominal)

Round or Square Tops:

| Top | Slab | Drum | Arch | Cross | 4 Leg | Trumpet | 4 Tube |
|-----|------|------|------|-------|-------|---------|--------|
| 36" | n/a | n/a | n/a | n/a | 32" | 24" | 30" |
| 42" | n/a | 18" | n/a | 30" | 32" | 24" | 30" |
| 48" | n/a | 24" | n/a | 30" | 32" | n/a | 30" |
| 60" | n/a | 30" | n/a | 36" | n/a | n/a | n/a |

Rectangular, Boat or Racetrack Tops:

| Top | Slab | Drum | Arch | Cross | 2 Leg | Trumpet | 2/3 Tube |
|------------|------|------|------|-------|-------|---------|----------|
| 36" x 72" | 24" | 18" | 24" | n/a | 32" | n/a | 30" |
| 48" x 96" | 28" | 18" | 28" | n/a | 32" | n/a | 30" |
| 48" x 120" | 28" | 24" | 28" | n/a | 32" | n/a | 30" |
| 48" x 144" | 28" | 24" | 28" | n/a | 32" | n/a | 30" |

GROMMETS

- Grommets available in standard table top locations (left, center or right). Order as: **AG1, AG2 or AG3.....Add \$65**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



- Actual grommet locations will vary according to base selection.

POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- Actual Power Block locations vary according to base selection. The locations will be left (AG1, E1), center (AG2, E2), and right (AG3, E3). **Example:** 8' table with drum base does not have a modesty panel, so the grommet (AG2) and power block (E2) can be perfectly centered in the table. An 8' table with a slab base has the modesty panel, so the grommet (AG2) and power block (E2) will be offset alongside the modesty panel.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$238**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. ADD \$65.00**.



Power Block **PMSPDM** Add \$238 Specify location **E1, E2 or E3** Add \$65

B


BOARDROOM TABLES

TABLE NOTES - ESTIMATED CAPACITY


• Use the following for determining the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

| Top Size | Round | Square | Rectangular | Boat | Racetrack | Elliptical |
|----------|-------|--------|-------------|-------|-----------|------------|
| 30x30 | 3 | 3 | N/A | N/A | N/A | N/A |
| 36x36 | 4 | 4 | N/A | N/A | N/A | N/A |
| 42x42 | 4 | 4 | N/A | N/A | N/A | N/A |
| 48x48 | 4 | 4 | N/A | N/A | N/A | N/A |
| 60x60 | 5 | 6 | N/A | N/A | N/A | N/A |
| 30x60 | N/A | N/A | 4-6 | 4-6 | 4-6 | 4 |
| 36x72 | N/A | N/A | 4-6 | 4-6 | 4-6 | 4 |
| 44x84 | N/A | N/A | 6-8 | 6-8 | 6-8 | 6 |
| 48x96 | N/A | N/A | 6-8 | 6-8 | 6-8 | 6 |
| 48x120 | N/A | N/A | 8-10 | 8-10 | 8-10 | 8 |
| 48x144 | N/A | N/A | 10-12 | 10-12 | 10-12 | 10 |
| 48x168 | N/A | N/A | 12-14 | 12-14 | 12-14 | 12 |
| 48x192 | N/A | N/A | 14-16 | 14-16 | 14-16 | 14 |
| 48x216 | N/A | N/A | 16-18 | 16-18 | 16-18 | 16 |
| 48x240 | N/A | N/A | 18-20 | 18-20 | 18-20 | 18 |
| 48x264 | N/A | N/A | 20-22 | 20-22 | 20-22 | 20 |
| 48x288 | N/A | N/A | 22-24 | 22-24 | 22-24 | 22 |


BASE OPTIONS




Slab




Drum




Arch




Cross




2-Leg



4-Leg




Trumpet




Tube


EDGE OPTIONS




Self edge



Bullnose




T-mold




Built-up self edge

TABLE TOP STYLES




Square



Round




Racetrack



Boat




Rectangular

ROUND TOP - DRUM BASE

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|---------|-------------|---------------|---------|-----------|---------------|--------------|
| D x W x H | | | | | | | |
| self edge | G42CZ | 0 x 42 x 29 | 92.5 | 89 | 8.50 | \$613 | \$306 |
| bullnose edge | G42CZBN | 0 x 42 x 29 | 92.5 | 86 | 8.50 | \$613 | \$306 |
| T-mold edge | G42CZTM | 0 x 42 x 29 | 92.5 | 90 | 8.50 | \$613 | \$306 |
| built-up self edge | G42CZBU | 0 x 42 x 29 | 92.5 | 96 | 9.40 | \$680 | \$340 |
| self edge | G48CZ | 0 x 48 x 29 | 125 | 106 | 13.60 | \$708 | \$354 |
| bullnose edge | G48CZBN | 0 x 48 x 29 | 100 | 117 | 13.60 | \$708 | \$354 |
| T-mold edge | G48CZTM | 0 x 48 x 29 | 100 | 121 | 13.60 | \$708 | \$354 |
| built-up self edge | G48CZBU | 0 x 48 x 29 | 100 | 133 | 14.90 | \$789 | \$394 |
| self edge | G60CZ | 0 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 |
| bullnose edge | G60CZBN | 0 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 |
| T-mold edge | G60CZTM | 0 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 |
| built-up self edge | G60CZBU | 0 x 60 x 29 | 125 | 174 | 23.20 | \$1045 | \$522 |

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.

ROUND TOP - CROSS BASE

| | | | | | | | |
|--------------------|---------|-------------|-----|-----|------|---------------|--------------|
| self edge | G42CH | 0 x 42 x 29 | 70 | 97 | 5 | \$568 | \$284 |
| bullnose edge | G42CHBN | 0 x 42 x 29 | 70 | 94 | 5 | \$568 | \$284 |
| T-mold edge | G42CHTM | 0 x 42 x 29 | 70 | 98 | 5 | \$568 | \$284 |
| built-up self edge | G42CHBU | 0 x 42 x 29 | 70 | 104 | 5.70 | \$613 | \$306 |
| self edge | G48CH | 0 x 48 x 29 | 70 | 101 | 6 | \$664 | \$332 |
| bullnose edge | G48CHBN | 0 x 48 x 29 | 70 | 112 | 6 | \$664 | \$332 |
| T-mold edge | G48CHTM | 0 x 48 x 29 | 70 | 116 | 6 | \$664 | \$332 |
| built-up self edge | G48CHBU | 0 x 48 x 29 | 70 | 128 | 6.60 | \$761 | \$380 |
| self edge | G60CH | 0 x 60 x 29 | 70 | 174 | 9 | \$850 | \$425 |
| bullnose edge | G60CHBN | 0 x 60 x 29 | 125 | 64 | 9 | \$850 | \$425 |
| T-mold edge | G60CHTM | 0 x 60 x 29 | 125 | 64 | 9 | \$850 | \$425 |
| built-up self edge | G60CHBU | 0 x 60 x 29 | 70 | 190 | 9.70 | \$1002 | \$501 |

ROUND TOP - 4 LEG BASE


| | | | | | | | |
|--------------------|----------|-------------|-----|----|----|--------------|--------------|
| self edge | GCAR36 | 0 x 36 x 29 | 250 | 48 | 13 | \$412 | \$206 |
| bullnose edge | GCAR36BN | 0 x 36 x 29 | 150 | 55 | 13 | \$412 | \$206 |
| T-mold edge | GCAR36TM | 0 x 36 x 29 | 250 | 48 | 13 | \$412 | \$206 |
| built-up self edge | GCAR36BU | 0 x 36 x 29 | 150 | 68 | 13 | \$459 | \$229 |
| self edge | GCAR42 | 0 x 42 x 29 | 150 | 59 | 14 | \$492 | \$246 |
| bullnose edge | GCAR42BN | 0 x 42 x 29 | 150 | 68 | 14 | \$492 | \$246 |
| T-mold edge | GCAR42TM | 0 x 42 x 29 | 150 | 61 | 14 | \$492 | \$246 |
| built-up self edge | GCAR42BU | 0 x 42 x 29 | 150 | 78 | 14 | \$543 | \$271 |
| self edge | GCAR48 | 0 x 48 x 29 | 150 | 72 | 15 | \$577 | \$288 |
| bullnose edge | GCAR48BN | 0 x 48 x 29 | 150 | 83 | 15 | \$577 | \$288 |
| T-mold edge | GCAR48TM | 0 x 48 x 29 | 150 | 87 | 15 | \$577 | \$288 |
| built-up self edge | GCAR48BU | 0 x 48 x 29 | 125 | 99 | 15 | \$640 | \$320 |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

B BOARDROOM TABLES

ROUND TOP - TRUMPET BASE




| | MODEL# | D x W x H | DIMENSIONS | FREIGHT | CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|----------|-------------|------------|---------|-------|---------|-----------|------------|--------|
| self edge | GTCR36 | 0 x 36 x 29 | 250 | 54 | 19 | \$577 | \$288 | | |
| bullnose edge | GTCR36BN | 0 x 36 x 29 | 250 | 61 | 18 | \$577 | \$288 | | |
| T-mold edge | GTCR36TM | 0 x 36 x 29 | 250 | 54 | 18 | \$577 | \$288 | | |
| built-up self edge | GTCR36BU | 0 x 36 x 29 | 150 | 74 | 18 | \$640 | \$320 | | |
| self edge | GTCR42 | 0 x 42 x 29 | 150 | 77 | 19 | \$648 | \$324 | | |
| bullnose edge | GTCR42BN | 0 x 42 x 29 | 250 | 74 | 19 | \$648 | \$324 | | |
| T-mold edge | GTCR42TM | 0 x 42 x 29 | 150 | 78 | 19 | \$648 | \$324 | | |
| built-up self edge | GTCR42BU | 0 x 42 x 29 | 150 | 84 | 19 | \$721 | \$360 | | |

ROUND TOP - TUBULAR BASE



| | | | | | | | | | |
|--------------------|----------|-------------|-----|-----|----|-------|-------|--|--|
| self edge | GCRR36 | 0 x 36 x 29 | 250 | 50 | 18 | \$498 | \$249 | | |
| bullnose edge | GCRR36BN | 0 x 36 x 29 | 250 | 57 | 19 | \$498 | \$249 | | |
| T-mold edge | GCRR36TM | 0 x 36 x 29 | 250 | 50 | 19 | \$498 | \$249 | | |
| built-up self edge | GCRR36BU | 0 x 36 x 29 | 250 | 70 | 19 | \$554 | \$277 | | |
| self edge | GCRR42 | 0 x 42 x 29 | 250 | 61 | 19 | \$577 | \$288 | | |
| bullnose edge | GCRR42BN | 0 x 42 x 29 | 250 | 70 | 19 | \$577 | \$288 | | |
| T-mold edge | GCRR42TM | 0 x 42 x 29 | 250 | 63 | 19 | \$577 | \$288 | | |
| built-up self edge | GCRR42BU | 0 x 42 x 29 | 150 | 80 | 19 | \$640 | \$320 | | |
| self edge | GCRR48 | 0 x 48 x 29 | 250 | 74 | 20 | \$664 | \$332 | | |
| bullnose edge | GCRR48BN | 0 x 48 x 29 | 150 | 85 | 20 | \$664 | \$332 | | |
| T-mold edge | GCRR48TM | 0 x 48 x 29 | 150 | 89 | 20 | \$664 | \$332 | | |
| built-up self edge | GCRR48BU | 0 x 48 x 29 | 150 | 101 | 20 | \$734 | \$367 | | |


SQUARE TOP - DRUM BASE



| | | | | | | | | | |
|--------------------|---------|--------------|------|-----|-------|--------|-------|--|--|
| self edge | G42SZ | 42 x 42 x 29 | 100 | 89 | 9 | \$613 | \$306 | | |
| bullnose edge | G42SZBN | 42 x 42 x 29 | 100 | 89 | 9 | \$613 | \$306 | | |
| T-mold edge | G42SZTM | 42 x 42 x 29 | 100 | 89 | 9 | \$613 | \$306 | | |
| built-up self edge | G42SZBU | 42 x 42 x 29 | 92.5 | 106 | 9.40 | \$680 | \$340 | | |
| self edge | G48SZ | 48 x 48 x 29 | 100 | 121 | 13.40 | \$708 | \$354 | | |
| bullnose edge | G48SZBN | 48 x 48 x 29 | 100 | 121 | 13.40 | \$708 | \$354 | | |
| T-mold edge | G48SZTM | 48 x 48 x 29 | 100 | 121 | 13.60 | \$708 | \$354 | | |
| built-up self edge | G48SZBU | 48 x 48 x 29 | 100 | 133 | 14.90 | \$789 | \$394 | | |
| self edge | G60SZ | 60 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 | | |
| bullnose edge | G60SZBN | 60 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 | | |
| T-mold edge | G60SZTM | 60 x 60 x 29 | 100 | 171 | 21 | \$887 | \$443 | | |
| built-up self edge | G60SZBU | 60 x 60 x 29 | 125 | 174 | 23.20 | \$1045 | \$522 | | |

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.

SQUARE TOP - CROSS BASE




| | | | | | | | | | |
|--------------------|---------|--------------|-----|-----|------|--------|-------|--|--|
| self edge | G42SH | 42 x 42 x 29 | 70 | 97 | 5 | \$568 | \$284 | | |
| bullnose edge | G42SHBN | 42 x 42 x 29 | 70 | 97 | 5 | \$568 | \$284 | | |
| T-mold edge | G42SHTM | 42 x 42 x 29 | 70 | 97 | 5 | \$568 | \$284 | | |
| built-up self edge | G42SHBU | 42 x 42 x 29 | 70 | 114 | 5.70 | \$613 | \$306 | | |
| self edge | G48SH | 48 x 48 x 29 | 70 | 116 | 6 | \$664 | \$332 | | |
| bullnose edge | G48SHBN | 48 x 48 x 29 | 70 | 116 | 6 | \$664 | \$332 | | |
| T-mold edge | G48SHTM | 48 x 48 x 29 | 70 | 116 | 6 | \$664 | \$332 | | |
| built-up self edge | G48SHBU | 48 x 48 x 29 | 70 | 122 | 6.40 | \$761 | \$380 | | |
| self edge | G60SH | 60 x 60 x 29 | 125 | 64 | 9 | \$850 | \$425 | | |
| bullnose edge | G60SHBN | 60 x 60 x 29 | 125 | 64 | 9 | \$850 | \$425 | | |
| T-mold edge | G60SHTM | 60 x 60 x 29 | 125 | 64 | 9 | \$850 | \$425 | | |
| built-up self edge | G60SHBU | 60 x 60 x 29 | 125 | 64 | 9.70 | \$1002 | \$501 | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

SQUARE TOP - 4 LEG BASE

| | MODEL# | DIMENSIONS | FREIGHT | CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|----------|--------------|---------|-------|---------|--------------|--------------|--------|
| D x W x H | | | | | | | | |
| self edge | GCAS36 | 36 x 36 x 29 | 150 | 63 | 13 | \$412 | \$206 | |
| bullnose edge | GCAS36BN | 36 x 36 x 29 | 150 | 63 | 13 | \$412 | \$206 | |
| T-mold edge | GCAS36TM | 36 x 36 x 29 | 150 | 63 | 13 | \$412 | \$206 | |
| built-up self edge | GCAS36BU | 36 x 36 x 29 | 150 | 67 | 13 | \$459 | \$229 | |
| self edge | GCAS42 | 42 x 42 x 29 | 150 | 71 | 14 | \$492 | \$246 | |
| bullnose edge | GCAS42BN | 42 x 42 x 29 | 150 | 78 | 14 | \$492 | \$246 | |
| T-mold edge | GCAS42TM | 42 x 42 x 29 | 150 | 78 | 14 | \$492 | \$246 | |
| built-up self edge | GCAS42BU | 42 x 42 x 29 | 125 | 86 | 14 | \$543 | \$271 | |
| self edge | GCAS48 | 48 x 48 x 29 | 125 | 97 | 15 | \$577 | \$288 | |
| bullnose edge | GCAS48BN | 48 x 48 x 29 | 125 | 97 | 15 | \$577 | \$288 | |
| T-mold edge | GCAS48TM | 48 x 48 x 29 | 125 | 97 | 15 | \$577 | \$288 | |
| built-up self edge | GCAS48BU | 48 x 48 x 29 | 125 | 108 | 15 | \$640 | \$320 | |

SQUARE TOP - TRUMPET BASE

| | | | | | | | | |
|--------------------|----------|--------------|-----|----|----|--------------|--------------|--|
| self edge | GTCS36 | 36 x 36 x 29 | 250 | 69 | 18 | \$577 | \$288 | |
| bullnose edge | GTCS36BN | 36 x 36 x 29 | 250 | 69 | 18 | \$577 | \$288 | |
| T-mold edge | GTCS36TM | 36 x 36 x 29 | 250 | 69 | 18 | \$577 | \$288 | |
| built-up self edge | GTCS36BU | 36 x 36 x 29 | 150 | 76 | 18 | \$640 | \$320 | |
| self edge | GTCS42 | 42 x 42 x 29 | 150 | 77 | 19 | \$648 | \$324 | |
| bullnose edge | GTCS42BN | 42 x 42 x 29 | 150 | 77 | 19 | \$648 | \$324 | |
| T-mold edge | GTCS42TM | 42 x 42 x 29 | 150 | 77 | 19 | \$648 | \$324 | |
| built-up self edge | GTCS42BU | 42 x 42 x 29 | 150 | 84 | 19 | \$721 | \$360 | |

SQUARE TOP - TUBULAR BASE


| | | | | | | | | |
|--------------------|----------|--------------|-----|-----|----|--------------|--------------|--|
| self edge | GCRS36 | 36 x 36 x 29 | 250 | 65 | 18 | \$498 | \$249 | |
| bullnose edge | GCRS36BN | 36 x 36 x 29 | 250 | 65 | 18 | \$498 | \$249 | |
| T-mold edge | GCRS36TM | 36 x 36 x 29 | 250 | 65 | 18 | \$498 | \$249 | |
| built-up self edge | GCRS36BU | 36 x 36 x 29 | 250 | 69 | 18 | \$554 | \$277 | |
| self edge | GCRS42 | 42 x 42 x 29 | 250 | 73 | 19 | \$577 | \$288 | |
| bullnose edge | GCRS42BN | 42 x 42 x 29 | 150 | 80 | 19 | \$577 | \$288 | |
| T-mold edge | GCRS42TM | 42 x 42 x 29 | 150 | 80 | 19 | \$577 | \$288 | |
| built-up self edge | GCRS42BU | 42 x 42 x 29 | 150 | 88 | 19 | \$640 | \$320 | |
| self edge | GCRS48 | 48 x 48 x 29 | 150 | 101 | 20 | \$664 | \$332 | |
| bullnose edge | GCRS48BN | 48 x 48 x 29 | 150 | 101 | 20 | \$664 | \$332 | |
| T-mold edge | GCRS48TM | 48 x 48 x 29 | 150 | 101 | 20 | \$664 | \$332 | |
| built-up self edge | GCRS48BU | 48 x 48 x 29 | 150 | 109 | 20 | \$734 | \$367 | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable

B BOARDROOM TABLES

RECTANGULAR TOP - SLAB BASE



| | | MODEL# | DIMENSIONS | FREIGHT | CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|--------------------|-------------|---------------|---------|-------|---------|-----------|------------|--------|
| | | D x W x H | | | | | | | |
| 5 foot | self edge | GCT5RX | 30 x 60 x 29 | 70 | 131 | 6 | | \$718 | \$359 |
| | bullnose edge | GCT5RXBN | 30 x 60 x 60 | 70 | 131 | 6 | | \$718 | \$359 |
| | T-mold edge | GCT5RXTM | 30 x 60 x 29 | 70 | 131 | 6 | | \$718 | \$359 |
| | built-up self edge | GCT5RXBU | 30 x 60 x 29 | 70 | 134 | 7 | | \$794 | \$397 |
| 6 foot | self edge | GCT6RX | 36 x 72 x 29 | 70 | 174 | 11.38 | | \$805 | \$402 |
| | bullnose edge | GCT6RXBN | 36 x 72 x 29 | 70 | 174 | 11.38 | | \$805 | \$402 |
| | T-mold edge | GCT6RXTM | 36 x 72 x 29 | 70 | 174 | 11.38 | | \$805 | \$402 |
| | built-up self edge | GCT6RXBU | 36 x 72 x 29 | 85 | 177 | 13.32 | | \$898 | \$449 |
| 7 foot | self edge | GCT7RX | 44 x 84 x 29 | 85 | 199 | 14.94 | | \$1037 | \$518 |
| | bullnose edge | GCT7RXBN | 44 x 84 x 29 | 85 | 199 | 14.94 | | \$1037 | \$518 |
| | T-mold edge | GCT7RXTM | 44 x 84 x 84 | 85 | 199 | 14.94 | | \$1037 | \$518 |
| | built-up self edge | GCT7RXBU | 44 x 84 x 84 | 92.5 | 203 | 17.93 | | \$1170 | \$585 |
| 8 foot | self edge | GCT8WRX | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | \$518 |
| | bullnose edge | GCT8WRXBN | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | \$518 |
| | T-mold edge | GCT8WRXTM | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | \$518 |
| | built-up self edge | GCT8WRXBU | 48 x 96 x 29 | 70 | 249 | 13.53 | | \$1170 | \$585 |
| 10 foot | self edge | GCT10WRX2 | 48 x 120 x 29 | 70 | 272 | 13.53 | | \$1201 | \$600 |
| | bullnose edge | GCT10WRX2BN | 48 x 120 x 29 | 70 | 272 | 13.53 | | \$1201 | \$600 |
| | T-mold edge | GCT10WRX2TM | 48 x 120 x 29 | 70 | 272 | 13.53 | | \$1201 | \$600 |
| | built-up self edge | GCT10WRX2BU | 48 x 120 x 29 | 70 | 291 | 16.20 | | \$1422 | \$711 |
| 12 foot | self edge | GCT12WRX2 | 48 x 144 x 29 | 70 | 309 | 15.54 | | \$1411 | \$705 |
| | bullnose edge | GCT12WRX2BN | 48 x 144 x 29 | 70 | 309 | 15.54 | | \$1411 | \$705 |
| | T-mold edge | GCT12WRX2TM | 48 x 144 x 29 | 70 | 309 | 15.54 | | \$1411 | \$705 |
| | built-up self edge | GCT12WRX2BU | 48 x 144 x 29 | 70 | 348 | 18.77 | | \$1656 | \$828 |
| 14 foot | self edge | GCT14WRX2 | 48 x 168 x 29 | 70 | 419 | 22.50 | | \$2041 | \$1020 |
| | bullnose edge | GCT14WRX2BN | 48 x 168 x 29 | 70 | 419 | 22.50 | | \$2041 | \$1020 |
| | T-mold edge | GCT14WRX2TM | 48 x 168 x 29 | 65 | 419 | 18 | | \$2041 | \$1020 |
| | built-up self edge | GCT14WRX2BU | 48 x 168 x 29 | 70 | 425 | 20 | | \$2278 | \$1139 |
| 16 foot | self edge | GCT16WRX2 | 48 x 192 x 29 | 70 | 460 | 22.72 | | \$2127 | \$1063 |
| | bullnose edge | GCT16WRX2BN | 48 x 192 x 29 | 70 | 460 | 22.72 | | \$2127 | \$1063 |
| | T-mold edge | GCT16WRX2TM | 48 x 192 x 29 | 70 | 460 | 22.70 | | \$2127 | \$1063 |
| | built-up self edge | GCT16WRX2BU | 48 x 192 x 29 | 70 | 466 | 27.20 | | \$2375 | \$1187 |
| 18 foot | self edge | GCT18WRX2 | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | \$1323 |
| | bullnose edge | GCT18WRX2BN | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | \$1323 |
| | T-mold edge | GCT18WRX2TM | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | \$1323 |
| | built-up self edge | GCT18WRX2BU | 48 x 216 x 29 | 70 | 528 | 29.80 | | \$2967 | \$1483 |
| 20 foot | self edge | GCT20WRX2 | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | \$1344 |
| | bullnose edge | GCT20WRX2BN | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | \$1344 |
| | T-mold edge | GCT20WRX2TM | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | \$1344 |
| | built-up self edge | GCT20WRX2BU | 48 x 240 x 29 | 70 | 580 | 32.50 | | \$3011 | \$1505 |
| 22 foot | self edge | GCT22WRX2 | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | \$1561 |
| | bullnose edge | GCT22WRX2BN | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | \$1561 |
| | T-mold edge | GCT22WRX2TM | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | \$1561 |
| | built-up self edge | GCT22WRX2BU | 48 x 264 x 29 | 70 | 620 | 35.10 | | \$3448 | \$1724 |
| 24 foot | self edge | GCT24WRX2 | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | \$1605 |
| | bullnose edge | GCT24WRX2BN | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | \$1605 |
| | T-mold edge | GCT24WRX2TM | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | \$1605 |
| | built-up self edge | GCT24WRX2BU | 48 x 288 x 29 | 70 | 682 | 37.70 | | \$3551 | \$1775 |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 3 SLAB BASES.
- All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable


Optional Specifications

Grommet

Accessories

Power Block

RECTANGULAR TOP - DRUM BASE

**6 foot**

| D x W x H | | | | | | | |
|--------------------|----------|--------------|-----|-----|-------|---------------|--------------|
| self edge | GCT6RZ | 36 x 72 x 29 | 100 | 154 | 17.50 | \$1088 | \$544 |
| bullnose edge | GCT6RZBN | 36 x 72 x 29 | 100 | 167 | 17.50 | \$1088 | \$544 |
| T-mold edge | GCT6RZTM | 36 x 72 x 29 | 100 | 167 | 17.50 | \$1088 | \$544 |
| built-up self edge | GCT6RZBU | 36 x 72 x 29 | 100 | 177 | 18.80 | \$1218 | \$609 |

7 foot

| | | | | | | | |
|--------------------|----------|--------------|-----|-----|-------|---------------|--------------|
| self edge | GCT7RZ | 44 x 84 x 29 | 125 | 196 | 29.04 | \$1261 | \$630 |
| bullnose edge | GCT7RZBN | 44 x 84 x 29 | 125 | 196 | 29.04 | \$1261 | \$630 |
| T-mold edge | GCT7RZTM | 44 x 84 x 29 | 125 | 196 | 29.04 | \$1261 | \$630 |
| built-up self edge | GCT7RZBU | 44 x 84 x 29 | 125 | 199 | 31.66 | \$1390 | \$695 |

8 foot

| | | | | | | | |
|--------------------|-----------|--------------|-----|-----|-------|---------------|--------------|
| self edge | GCT8WRZ | 48 x 96 x 29 | 125 | 219 | 31.82 | \$1261 | \$630 |
| bullnose edge | GCT8WRZBN | 48 x 96 x 29 | 125 | 219 | 31.82 | \$1261 | \$630 |
| T-mold edge | GCT8WRZTM | 48 x 96 x 29 | 125 | 219 | 31.82 | \$1261 | \$630 |
| built-up self edge | GCT8WRZBU | 48 x 96 x 29 | 125 | 250 | 35.18 | \$1390 | \$695 |

10 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|--------------|
| self edge | GCT10WRZ2 | 48 x 120 x 29 | 100 | 295 | 33 | \$1478 | \$739 |
| bullnose edge | GCT10WRZ2BN | 48 x 120 x 29 | 100 | 295 | 33 | \$1478 | \$739 |
| T-mold edge | GCT10WRZ2TM | 48 x 120 x 29 | 100 | 295 | 33.02 | \$1478 | \$739 |
| built-up self edge | GCT10WRZ2BU | 48 x 120 x 29 | 100 | 314 | 35.72 | \$1630 | \$815 |

12 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|--------------|
| self edge | GCT12WRZ2 | 48 x 144 x 29 | 100 | 328 | 35.10 | \$1652 | \$826 |
| bullnose edge | GCT12WRZ2BN | 48 x 144 x 29 | 100 | 328 | 35.10 | \$1652 | \$826 |
| T-mold edge | GCT12WRZ2TM | 48 x 144 x 29 | 250 | 97 | 35.10 | \$1652 | \$826 |
| built-up self edge | GCT12WRZ2BU | 48 x 144 x 29 | 250 | 367 | 96 | \$1834 | \$917 |

14 foot

| | | | | | | | |
|--------------------|-------------|---------------|------|-----|----|---------------|---------------|
| self edge | GCT14WRZ2 | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 | \$1107 |
| bullnose edge | GCT14WRZ2BN | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 | \$1107 |
| T-mold edge | GCT14WRZ2TM | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 | \$1107 |
| built-up self edge | GCT14WRZ2BU | 48 x 168 x 29 | 92.5 | 447 | 42 | \$2456 | \$1228 |

16 foot

| | | | | | | | |
|--------------------|-------------|---------------|------|-----|-------|---------------|---------------|
| self edge | GCT16WRZ2 | 48 x 192 x 29 | 92.5 | 482 | 42.50 | \$2301 | \$1150 |
| bullnose edge | GCT16WRZ2BN | 48 x 192 x 29 | 92.5 | 482 | 42.50 | \$2301 | \$1150 |
| T-mold edge | GCT16WRZ2TM | 48 x 192 x 29 | 92.5 | 482 | 42.50 | \$2301 | \$1150 |
| built-up self edge | GCT16WRZ2BU | 48 x 192 x 29 | 92.5 | 488 | 47 | \$2540 | \$1270 |

18 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|---------------|
| self edge | GCT18WRZ2 | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 | \$1497 |
| bullnose edge | GCT18WRZ2BN | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 | \$1497 |
| T-mold edge | GCT18WRZ2TM | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 | \$1497 |
| built-up self edge | GCT18WRZ2BU | 48 x 216 x 29 | 100 | 550 | 59 | \$3365 | \$1682 |

20 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|---------------|
| self edge | GCT20WRZ2 | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | \$1518 |
| bullnose edge | GCT20WRZ2BN | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | \$1518 |
| T-mold edge | GCT20WRZ2TM | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | \$1518 |
| built-up self edge | GCT20WRZ2BU | 48 x 240 x 29 | 100 | 572 | 70.60 | \$3410 | \$1705 |

22 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|---------------|
| self edge | GCT22WRZ2 | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | \$1691 |
| bullnose edge | GCT22WRZ2BN | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | \$1691 |
| T-mold edge | GCT22WRZ2TM | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | \$1691 |
| built-up self edge | GCT22WRZ2BU | 48 x 264 x 29 | 100 | 612 | 73.68 | \$3779 | \$1889 |

24 foot

| | | | | | | | |
|--------------------|-------------|---------------|-----|-----|-------|---------------|---------------|
| self edge | GCT24WRZ2 | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | \$1735 |
| bullnose edge | GCT24WRZ2BN | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | \$1735 |
| T-mold edge | GCT24WRZ2TM | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | \$1735 |
| built-up self edge | GCT24WRZ2BU | 48 x 288 x 29 | 100 | 655 | 76.80 | \$3861 | \$1930 |

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications


Grommet

Accessories

Power Block

B BOARDROOM TABLES

RECTANGULAR TOP - ARCH BASE



| | | MODEL# | DIMENSIONS | FREIGHT | CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|--------------------|------------|---------------|---------|-------|---------|-----------|------------|--------|
| | | D x W x H | | | | | | | |
| 5 foot | self edge | GCT5RA | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| | bullnose edge | GCT5RABN | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| | T-mold edge | GCT5RATM | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| | built-up self edge | GCT5RABU | 30 x 60 x 29 | 85 | 134 | 10 | | \$1087 | |
| 6 foot | self edge | GCT6RA | 36 x 72 x 29 | 125 | 157 | 24.64 | | \$1001 | |
| | bullnose edge | GCT6RABN | 36 x 72 x 29 | 125 | 157 | 24.64 | | \$1001 | |
| | T-mold edge | GCT6RATM | 36 x 72 x 29 | 70 | 157 | 8.24 | | \$1001 | |
| | built-up self edge | GCT6RABU | 36 x 72 x 29 | 100 | 167 | 17.96 | | \$1190 | |
| 7 foot | self edge | GCT7RA | 44 x 84 x 29 | 92.5 | 203 | 19.43 | | \$1219 | |
| | bullnose edge | GCT7RABN | 44 x 84 x 29 | 92.5 | 203 | 19.43 | | \$1219 | |
| | T-mold edge | GCT7RATM | 44 x 84 x 29 | 92.5 | 203 | 19.43 | | \$1219 | |
| | built-up self edge | GCT7RABU | 44 x 84 x 29 | 100 | 206 | 20.90 | | \$1382 | |
| 8 foot | self edge | GCT8WRA | 48 x 96 x 29 | 100 | 220 | 22.40 | | \$1219 | |
| | bullnose edge | GCT8WRABN | 48 x 96 x 29 | 100 | 220 | 22.40 | | \$1219 | |
| | T-mold edge | GCT8WRATM | 48 x 96 x 29 | 100 | 220 | 22.40 | | \$1219 | |
| | built-up self edge | GCT8WRABU | 48 x 96 x 29 | 92.5 | 251 | 23.89 | | \$1382 | |
| 10 foot | self edge | GCT10WRA | 48 x 120 x 29 | 70 | 274 | 16.95 | | \$1391 | |
| | bullnose edge | GCT10WRABN | 48 x 120 x 29 | 70 | 274 | 16.95 | | \$1391 | |
| | T-mold edge | GCT10WRATM | 48 x 120 x 29 | 70 | 274 | 16.95 | | \$1391 | |
| | built-up self edge | GCT10WRABU | 48 x 120 x 29 | 70 | 293 | 18.92 | | \$1640 | |
| 12 foot | self edge | GCT12WRA | 48 x 144 x 29 | 70 | 311 | 19.94 | | \$1608 | |
| | bullnose edge | GCT12WRABN | 48 x 144 x 29 | 70 | 311 | 19.94 | | \$1608 | |
| | T-mold edge | GCT12WRATM | 48 x 144 x 29 | 70 | 311 | 19.94 | | \$1608 | |
| | built-up self edge | GCT12WRABU | 48 x 144 x 29 | 70 | 350 | 21.92 | | \$1878 | |
| 14 foot | self edge | GCT14WRA | 48 x 168 x 29 | 70 | 423 | 26 | | \$2476 | |
| | bullnose edge | GCT14WRABN | 48 x 168 x 29 | 70 | 423 | 26 | | \$2476 | |
| | T-mold edge | GCT14WRATM | 48 x 168 x 29 | 70 | 423 | 26 | | \$2476 | |
| | built-up self edge | GCT14WRABU | 48 x 168 x 29 | 70 | 429 | 28 | | \$2759 | |
| 16 foot | self edge | GCT16WRA | 48 x 192 x 29 | 70 | 474 | 30 | | \$2604 | |
| | bullnose edge | GCT16WRABN | 48 x 192 x 29 | 70 | 474 | 30 | | \$2604 | |
| | T-mold edge | GCT16WRATM | 48 x 192 x 29 | 70 | 474 | 30 | | \$2604 | |
| | built-up self edge | GCT16WRABU | 48 x 192 x 29 | 70 | 480 | 32 | | \$2912 | |
| 18 foot | self edge | GCT18WRA | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| | bullnose edge | GCT18WRABN | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| | T-mold edge | GCT18WRATM | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| | built-up self edge | GCT18WRABU | 48 x 216 x 29 | 70 | 532 | 33.89 | | \$3586 | |
| 20 foot | self edge | GCT20WRA | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| | bullnose edge | GCT20WRABN | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| | T-mold edge | GCT20WRATM | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| | built-up self edge | GCT20WRABU | 48 x 240 x 29 | 70 | 584 | 35.93 | | \$3621 | |
| 22 foot | self edge | GCT22WRA | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| | bullnose edge | GCT22WRABN | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| | T-mold edge | GCT22WRATM | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| | built-up self edge | GCT22WRABU | 48 x 264 x 29 | 70 | 634 | 37.90 | | \$4070 | |
| 24 foot | self edge | GCT24WRA | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| | bullnose edge | GCT24WRABN | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| | T-mold edge | GCT24WRATM | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| | built-up self edge | GCT24WRABU | 48 x 288 x 29 | 70 | 687 | 42 | | \$4153 | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

RECTANGULAR TOP - 2 LEG BASE

**5 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|---------|--------------|-----|-----------------------|----|--------------|------------|--------|
| self edge | GCT5R | 30 x 60 x 29 | 125 | 88 | 13 | \$846 | | |
| bullnose edge | GCT5RBN | 30 x 60 x 29 | 125 | 88 | 13 | \$846 | | |
| T-mold edge | GCT5RTM | 30 x 60 x 29 | 125 | 88 | 13 | \$846 | | |
| built-up self edge | GCT5RBU | 30 x 60 x 29 | 125 | 91 | 14 | \$944 | | |

6 foot

| | | | | | | | | |
|--------------------|---------|--------------|------|-----|----|---------------|--|--|
| self edge | GCT6R | 36 x 72 x 29 | 125 | 115 | 15 | \$942 | | |
| bullnose edge | GCT6RBN | 36 x 72 x 29 | 92.5 | 152 | 15 | \$942 | | |
| T-mold edge | GCT6RTM | 36 x 72 x 29 | 92.5 | 152 | 15 | \$942 | | |
| built-up self edge | GCT6RBU | 36 x 72 x 29 | 92.5 | 162 | 16 | \$1047 | | |

7 foot

| | | | | | | | | |
|--------------------|---------|--------------|-----|-----|-------|---------------|--|--|
| self edge | GCT7R | 44 x 84 x 29 | 100 | 155 | 17 | \$1088 | | |
| bullnose edge | GCT7RBN | 44 x 84 x 29 | 100 | 155 | 17 | \$1088 | | |
| T-mold edge | GCT7RTM | 44 x 84 x 29 | 100 | 155 | 17 | \$1088 | | |
| built-up self edge | GCT7RBU | 44 x 84 x 29 | 100 | 158 | 19.02 | \$1220 | | |

8 foot

| | | | | | | | | |
|--------------------|----------|--------------|------|-----|-------|---------------|--|--|
| self edge | GCT8WR | 48 x 96 x 29 | 92.5 | 194 | 19.04 | \$1088 | | |
| bullnose edge | GCT8WRBN | 48 x 96 x 29 | 100 | 180 | 19.02 | \$1088 | | |
| T-mold edge | GCT8WRTM | 48 x 96 x 29 | 100 | 180 | 19.02 | \$1088 | | |
| built-up self edge | GCT8WRBU | 48 x 96 x 29 | 92.5 | 211 | 21 | \$1220 | | |

10 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|-------|---------------|--|--|
| self edge | GCT10WR | 48 x 120 x 29 | 92.5 | 214 | 20.93 | \$1513 | | |
| bullnose edge | GCT10WRBN | 48 x 120 x 29 | 92.5 | 237 | 21 | \$1513 | | |
| T-mold edge | GCT10WRTM | 48 x 120 x 29 | 92.5 | 237 | 21 | \$1513 | | |
| built-up self edge | GCT10WRBU | 48 x 120 x 29 | 125 | 256 | 34.37 | \$1693 | | |

12 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|-------|---------------|--|--|
| self edge | GCT12WR | 48 x 144 x 29 | 92.5 | 270 | 23 | \$1701 | | |
| bullnose edge | GCT12WRBN | 48 x 144 x 29 | 85 | 270 | 21 | \$1701 | | |
| T-mold edge | GCT12WRTM | 48 x 144 x 29 | 92.5 | 270 | 22.90 | \$1701 | | |
| built-up self edge | GCT12WRBU | 48 x 144 x 29 | 85 | 309 | 24.91 | \$1897 | | |

14 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|--|--|
| self edge | GCT14WR | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 | | |
| bullnose edge | GCT14WRBN | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 | | |
| T-mold edge | GCT14WRTM | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 | | |
| built-up self edge | GCT14WRBU | 48 x 168 x 29 | 100 | 332 | 38 | \$2159 | | |

16 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|--|--|
| self edge | GCT16WR | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 | | |
| bullnose edge | GCT16WRBN | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 | | |
| T-mold edge | GCT16WRTM | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 | | |
| built-up self edge | GCT16WRBU | 48 x 192 x 29 | 100 | 373 | 40 | \$2210 | | |

18 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|----|---------------|--|--|
| self edge | GCT18WR | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 | | |
| bullnose edge | GCT18WRBN | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 | | |
| T-mold edge | GCT18WRTM | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 | | |
| built-up self edge | GCT18WRBU | 48 x 216 x 29 | 100 | 416 | 42 | \$2712 | | |

20 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|----|---------------|--|--|
| self edge | GCT20WR | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 | | |
| bullnose edge | GCT20WRBN | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 | | |
| T-mold edge | GCT20WRTM | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 | | |
| built-up self edge | GCT20WRBU | 48 x 240 x 29 | 92.5 | 457 | 44 | \$2795 | | |

22 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|----|---------------|--|--|
| self edge | GCT22WR | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 | | |
| bullnose edge | GCT22WRBN | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 | | |
| T-mold edge | GCT22WRTM | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 | | |
| built-up self edge | GCT22WRBU | 48 x 264 x 29 | 92.5 | 497 | 46 | \$3126 | | |

24 foot

| | | | | | | | | |
|--------------------|-----------|---------------|------|-----|----|---------------|--|--|
| self edge | GCT24WR | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 | | |
| bullnose edge | GCT24WRBN | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 | | |
| T-mold edge | GCT24WRTM | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 | | |
| built-up self edge | GCT24WRBU | 48 x 288 x 29 | 92.5 | 540 | 48 | \$3200 | | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 120", 144", and 168" are SHIPPED WITH 3 LEG BASES.
- All tops 192" are SHIPPED WITH 4 LEG BASES.
- All tops 216", 240", 264" and 288" are SHIPPED WITH 6 LEG BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications


Grommet

Accessories

Power Block

B BOARDROOM TABLES

RECTANGULAR TOP - TUBULAR BASE



5 foot

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|------------|---------------|---------|-----------|------------|--------------|
| D x W x H | | | | | | |
| self edge | GCR5R | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| bullnose edge | GCR5RBN | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| T-mold edge | GCR5RTM | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| built-up self edge | GCR5RBU | 30 x 60 x 29 | 150 | 97 | 23 | \$974 |

6 foot

| | | | | | | |
|--------------------|---------|--------------|-----|-----|----|---------------|
| self edge | GCR6R | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| bullnose edge | GCR6RBN | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| T-mold edge | GCR6RTM | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| built-up self edge | GCR6RBU | 36 x 72 x 29 | 150 | 117 | 25 | \$1078 |

7 foot

| | | | | | | |
|--------------------|---------|--------------|-----|-----|----|---------------|
| self edge | GCR7R | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| bullnose edge | GCR7RBN | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| T-mold edge | GCR7RTM | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| built-up self edge | GCR7RBU | 44 x 84 x 29 | 125 | 164 | 27 | \$1249 |

8 foot

| | | | | | | |
|--------------------|----------|--------------|-----|-----|----|---------------|
| self edge | GCR8WR | 48 x 96 x 29 | 125 | 177 | 27 | \$1116 |
| bullnose edge | GCR8WRBN | 48 x 96 x 29 | 125 | 177 | 27 | \$1116 |
| T-mold edge | GCR8WRTM | 48 x 96 x 29 | 125 | 177 | 27 | \$1116 |
| built-up self edge | GCR8WRBU | 48 x 96 x 29 | 125 | 208 | 29 | \$1249 |

10 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|-------|---------------|
| self edge | GCR10WR | 48 x 120 x 29 | 125 | 221 | 28.92 | \$1529 |
| bullnose edge | GCR10WRBN | 48 x 120 x 29 | 125 | 221 | 28.92 | \$1529 |
| T-mold edge | GCR10WRTM | 48 x 120 x 29 | 125 | 221 | 29 | \$1529 |
| built-up self edge | GCR10WRBU | 48 x 120 x 29 | 125 | 239 | 32 | \$1715 |

12 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|-------|---------------|
| self edge | GCR12WR | 48 x 144 x 29 | 100 | 270 | 30.96 | \$1722 |
| bullnose edge | GCR12WRBN | 48 x 144 x 29 | 100 | 270 | 30.96 | \$1722 |
| T-mold edge | GCR12WRTM | 48 x 144 x 29 | 100 | 270 | 30.96 | \$1722 |
| built-up self edge | GCR12WRBU | 48 x 144 x 29 | 100 | 293 | 33.89 | \$1922 |

14 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR14WR | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| bullnose edge | GCR14WRBN | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| T-mold edge | GCR14WRTM | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| built-up self edge | GCR14WRBU | 48 x 168 x 29 | 125 | 336 | 54 | \$2185 |

16 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR16WR | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| bullnose edge | GCR16WRBN | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| T-mold edge | GCR16WRTM | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| built-up self edge | GCR16WRBU | 48 x 192 x 29 | 125 | 377 | 58 | \$2268 |

18 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR18WR | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| bullnose edge | GCR18WRBN | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| T-mold edge | GCR18WRTM | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| built-up self edge | GCR18WRBU | 48 x 216 x 29 | 125 | 419 | 60 | \$2734 |

20 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR20WR | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| bullnose edge | GCR20WRBN | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| T-mold edge | GCR20WRTM | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| built-up self edge | GCR20WRBU | 48 x 240 x 29 | 125 | 461 | 62 | \$2826 |

22 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR22WR | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| bullnose edge | GCR22WRBN | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| T-mold edge | GCR22WRTM | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| built-up self edge | GCR22WRBU | 48 x 264 x 29 | 125 | 501 | 64 | \$3150 |

24 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|---------------|
| self edge | GCR24WR | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| bullnose edge | GCR24WRBN | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| T-mold edge | GCR24WRTM | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| built-up self edge | GCR24WRBU | 48 x 288 x 29 | 100 | 544 | 66 | \$3233 |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 120", 144", and 168" are SHIPPED WITH 3 TUBULAR BASES.
- All tops 192" are SHIPPED WITH 4 TUBULAR BASES.
- All tops 216", 240", 264" and 288" are SHIPPED WITH 6 TUBULAR BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable


Optional Specifications

Grommet

Accessories

Power Block

BOAT TOP - SLAB BASE

**5 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|----------|--------------|-----|-----------------------|----|-----------|--------------|--------|
| self edge | GCT5BX | 30 x 60 x 29 | 70 | 131 | 6 | | \$718 | |
| bullnose edge | GCT5BXBN | 30 x 60 x 29 | 70 | 131 | 6 | | \$718 | |
| T-mold edge | GCT5BXTM | 30 x 60 x 29 | 70 | 131 | 7 | | \$718 | |
| built-up self edge | GCT5BXBU | 30 x 60 x 29 | 125 | 114 | 17 | | \$794 | |

6 foot

| | | | | | | | | |
|--------------------|----------|--------------|----|-----|------|--|--------------|--|
| self edge | GCT6BX | 36 x 72 x 29 | 70 | 138 | 7.60 | | \$805 | |
| bullnose edge | GCT6BXBN | 36 x 72 x 29 | 70 | 138 | 7.60 | | \$805 | |
| T-mold edge | GCT6BXTM | 36 x 72 x 29 | 70 | 147 | 7.60 | | \$805 | |
| built-up self edge | GCT6BXBU | 36 x 72 x 29 | 70 | 157 | 8.90 | | \$898 | |

7 foot

| | | | | | | | | |
|--------------------|----------|--------------|----|-----|-------|--|---------------|--|
| self edge | GCT7BX | 44 x 84 x 29 | 70 | 199 | 9.94 | | \$1037 | |
| bullnose edge | GCT7BXBN | 44 x 84 x 29 | 70 | 199 | 9.94 | | \$1037 | |
| T-mold edge | GCT7BXTM | 44 x 84 x 29 | 70 | 199 | 9.94 | | \$1037 | |
| built-up self edge | GCT7BXBU | 44 x 84 x 29 | 70 | 203 | 11.95 | | \$1170 | |

8 foot

| | | | | | | | | |
|--------------------|-----------|--------------|----|-----|-------|--|---------------|--|
| self edge | GCT8WBX | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | |
| bullnose edge | GCT8WBXBN | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | |
| T-mold edge | GCT8WBXTM | 48 x 96 x 29 | 70 | 218 | 11.29 | | \$1037 | |
| built-up self edge | GCT8WBXBU | 48 x 96 x 29 | 70 | 218 | 13.53 | | \$1170 | |

10 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT10WBX2 | 48 x 120 x 29 | 70 | 249 | 13.53 | | \$1201 | |
| bullnose edge | GCT10WBX2BN | 48 x 120 x 29 | 70 | 249 | 13.53 | | \$1201 | |
| T-mold edge | GCT10WBX2TM | 48 x 120 x 29 | 70 | 249 | 13.53 | | \$1201 | |
| built-up self edge | GCT10WBX2BU | 48 x 120 x 29 | 70 | 294 | 16.20 | | \$1422 | |

12 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT12WBX2 | 48 x 144 x 29 | 70 | 308 | 15.54 | | \$1411 | |
| bullnose edge | GCT12WBX2BN | 48 x 144 x 29 | 70 | 308 | 15.54 | | \$1411 | |
| T-mold edge | GCT12WBX2TM | 48 x 144 x 29 | 70 | 308 | 15.54 | | \$1411 | |
| built-up self edge | GCT12WBX2BU | 48 x 144 x 29 | 70 | 338 | 18.83 | | \$1656 | |

14 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|----|--|---------------|--|
| self edge | GCT14WBX2 | 48 x 168 x 29 | 65 | 419 | 18 | | \$2041 | |
| bullnose edge | GCT14WBX2BN | 48 x 168 x 29 | 65 | 419 | 18 | | \$2041 | |
| T-mold edge | GCT14WBX2TM | 48 x 168 x 29 | 65 | 419 | 18 | | \$2041 | |
| built-up self edge | GCT14WBX2BU | 48 x 168 x 29 | 65 | 425 | 16 | | \$2278 | |

16 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT16WBX2 | 48 x 192 x 29 | 70 | 460 | 22.70 | | \$2127 | |
| bullnose edge | GCT16WBX2BN | 48 x 192 x 29 | 70 | 460 | 22.70 | | \$2127 | |
| T-mold edge | GCT16WBX2TM | 48 x 192 x 29 | 70 | 460 | 22.70 | | \$2127 | |
| built-up self edge | GCT16WBX2BU | 48 x 192 x 29 | 70 | 466 | 27.20 | | \$2375 | |

18 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT18WBX2 | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | |
| bullnose edge | GCT18WBX2BN | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | |
| T-mold edge | GCT18WBX2TM | 48 x 216 x 29 | 70 | 521 | 24.60 | | \$2647 | |
| built-up self edge | GCT18WBX2BU | 48 x 216 x 29 | 70 | 528 | 29.80 | | \$2967 | |

20 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT20WBX2 | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | |
| bullnose edge | GCT20WBX2BN | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | |
| T-mold edge | GCT20WBX2TM | 48 x 240 x 29 | 70 | 572 | 26.60 | | \$2689 | |
| built-up self edge | GCT20WBX2BU | 48 x 240 x 29 | 70 | 580 | 32.50 | | \$3011 | |

22 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT22WBX2 | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | |
| bullnose edge | GCT22WBX2BN | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | |
| T-mold edge | GCT22WBX2TM | 48 x 264 x 29 | 70 | 612 | 28.90 | | \$3122 | |
| built-up self edge | GCT22WBX2BU | 48 x 264 x 29 | 70 | 620 | 35.10 | | \$3448 | |

24 foot

| | | | | | | | | |
|--------------------|-------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT24WBX2 | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | |
| bullnose edge | GCT24WBX2BN | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | |
| T-mold edge | GCT24WBX2TM | 48 x 288 x 29 | 70 | 673 | 31.20 | | \$3210 | |
| built-up self edge | GCT24WBX2BU | 48 x 288 x 29 | 70 | 682 | 37.70 | | \$3551 | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 3 SLAB BASES.
- All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications


Grommet

Accessories

Power Block

B BOARDROOM TABLES

BOAT TOP - DRUM BASE



| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|--------------------|-------------|---------------|---------|-----------|------------|---------------|
| | | D x W x H | | | | | |
| 6 foot | self edge | GCT6BZ | 36 x 72 x 29 | 100 | 162 | 17.50 | \$1088 |
| | bullnose edge | GCT6BZBN | 36 x 72 x 29 | 100 | 153 | 17.50 | \$1088 |
| | T-mold edge | GCT6BZTM | 36 x 72 x 29 | 100 | 162 | 17.50 | \$1088 |
| | built-up self edge | GCT6BZBU | 36 x 72 x 29 | 100 | 172 | 18.90 | \$1218 |
| 7 foot | self edge | GCT7BZ | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1236 |
| | bullnose edge | GCT7BZBN | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1236 |
| | T-mold edge | GCT7BZTM | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1236 |
| | built-up self edge | GCT7BZBU | 44 x 84 x 29 | 100 | 199 | 21.20 | \$1390 |
| 8 foot | self edge | GCT8WBZ | 48 x 96 x 29 | 92.5 | 219 | 21.20 | \$1261 |
| | bullnose edge | GCT8WBZBN | 48 x 96 x 29 | 92.5 | 219 | 21.20 | \$1261 |
| | T-mold edge | GCT8WBZTM | 48 x 96 x 29 | 92.5 | 219 | 21.20 | \$1261 |
| | built-up self edge | GCT8WBZBU | 48 x 96 x 29 | 92.5 | 250 | 23.50 | \$1390 |
| 10 foot | self edge | GCT10WBZ2 | 48 x 120 x 29 | 100 | 272 | 33.30 | \$1478 |
| | bullnose edge | GCT10WBZ2BN | 48 x 120 x 29 | 100 | 272 | 33.30 | \$1478 |
| | T-mold edge | GCT10WBZ2TM | 48 x 120 x 29 | 100 | 272 | 33.22 | \$1478 |
| | built-up self edge | GCT10WBZ2BU | 48 x 120 x 29 | 100 | 317 | 35.70 | \$1630 |
| 12 foot | self edge | GCT12WBZ2 | 48 x 144 x 29 | 100 | 327 | 35.30 | \$1652 |
| | bullnose edge | GCT12WBZ2BN | 48 x 144 x 29 | 100 | 327 | 35.30 | \$1652 |
| | T-mold edge | GCT12WBZ2TM | 48 x 144 x 29 | 100 | 327 | 35.30 | \$1652 |
| | built-up self edge | GCT12WBZ2BU | 48 x 144 x 29 | 100 | 357 | 38.40 | \$1834 |
| 14 foot | self edge | GCT14WBZ2 | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 |
| | bullnose edge | GCT14WBZ2BN | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 |
| | T-mold edge | GCT14WBZ2TM | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 |
| | built-up self edge | GCT14WBZ2BU | 48 x 168 x 29 | 92.5 | 447 | 42 | \$2456 |
| 16 foot | self edge | GCT16WBZ2 | 48 x 192 x 29 | 92.5 | 482 | 42.52 | \$2301 |
| | bullnose edge | GCT16WBZ2BN | 48 x 192 x 29 | 92.5 | 482 | 42.52 | \$2301 |
| | T-mold edge | GCT16WBZ2TM | 48 x 192 x 29 | 92.5 | 482 | 42.52 | \$2301 |
| | built-up self edge | GCT16WBZ2BU | 48 x 192 x 29 | 92.5 | 488 | 47 | \$2540 |
| 18 foot | self edge | GCT18WBZ2 | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 |
| | bullnose edge | GCT18WBZ2BN | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 |
| | T-mold edge | GCT18WBZ2TM | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 |
| | built-up self edge | GCT18WBZ2BU | 48 x 216 x 29 | 100 | 550 | 59 | \$3365 |
| 20 foot | self edge | GCT20WBZ2 | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 |
| | bullnose edge | GCT20WBZ2BN | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 |
| | T-mold edge | GCT20WBZ2TM | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 |
| | built-up self edge | GCT20WBZ2BU | 48 x 240 x 29 | 100 | 572 | 70.60 | \$3410 |
| 22 foot | self edge | GCT22WBZ2 | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 |
| | bullnose edge | GCT22WBZ2BN | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 |
| | T-mold edge | GCT22WBZ2TM | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 |
| | built-up self edge | GCT22WBZ2BU | 48 x 264 x 29 | 100 | 612 | 73.68 | \$3779 |
| 24 foot | self edge | GCT24WBZ2 | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 |
| | bullnose edge | GCT24WBZ2BN | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 |
| | T-mold edge | GCT24WBZ2TM | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 |
| | built-up self edge | GCT24WBZ2BU | 48 x 288 x 29 | 100 | 655 | 76.80 | \$3861 |
| <ul style="list-style-type: none">• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.• All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.• All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.• All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES. | | | | | | | |

Required Specifications

Finish
Base Finish
Edge Color, if applicable


Optional Specifications

Grommet

Accessories

Power Block

BOAT TOP - ARCH BASE

**5 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|----------|--------------|----|-----------------------|----|-----------|---------------|--------|
| self edge | GCT5BA | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| bullnose edge | GCT5BABN | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| T-mold edge | GCT5BATM | 30 x 60 x 29 | 85 | 131 | 9 | | \$958 | |
| built-up self edge | GCT5BABU | 30 x 60 x 29 | 85 | 134 | 10 | | \$1087 | |

6 foot

| | | | | | | | | |
|--------------------|----------|--------------|----|-----|----|--|---------------|--|
| self edge | GCT6BA | 36 x 72 x 29 | 85 | 152 | 11 | | \$1001 | |
| bullnose edge | GCT6BABN | 36 x 72 x 29 | 85 | 152 | 11 | | \$1001 | |
| T-mold edge | GCT6BATM | 36 x 72 x 29 | 85 | 152 | 11 | | \$1001 | |
| built-up self edge | GCT6BABU | 36 x 72 x 29 | 85 | 162 | 12 | | \$1190 | |

7 foot

| | | | | | | | | |
|--------------------|----------|--------------|----|-----|-------|--|---------------|--|
| self edge | GCT7BA | 44 x 84 x 29 | 70 | 203 | 12.96 | | \$1219 | |
| bullnose edge | GCT7BABN | 44 x 84 x 29 | 70 | 203 | 12.96 | | \$1219 | |
| T-mold edge | GCT7BATM | 44 x 84 x 29 | 70 | 203 | 12.96 | | \$1219 | |
| built-up self edge | GCT7BABU | 44 x 84 x 29 | 85 | 206 | 13.98 | | \$1382 | |

8 foot

| | | | | | | | | |
|--------------------|-----------|--------------|----|-----|-------|--|---------------|--|
| self edge | GCT8WBA | 48 x 96 x 29 | 70 | 228 | 14.97 | | \$1219 | |
| bullnose edge | GCT8WBABN | 48 x 96 x 29 | 85 | 220 | 14.97 | | \$1219 | |
| T-mold edge | GCT8WBATM | 48 x 96 x 29 | 85 | 220 | 14.97 | | \$1219 | |
| built-up self edge | GCT8WBABU | 48 x 96 x 29 | 85 | 220 | 15.96 | | \$1382 | |

10 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT10WBA | 48 x 120 x 29 | 85 | 251 | 16.95 | | \$1391 | |
| bullnose edge | GCT10WBABN | 48 x 120 x 29 | 85 | 251 | 16.95 | | \$1391 | |
| T-mold edge | GCT10WBATM | 48 x 120 x 29 | 85 | 251 | 16.95 | | \$1391 | |
| built-up self edge | GCT10WBABU | 48 x 120 x 29 | 70 | 296 | 18.92 | | \$1640 | |

12 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT12WBA | 48 x 144 x 29 | 70 | 306 | 20 | | \$1608 | |
| bullnose edge | GCT12WBABN | 48 x 144 x 29 | 70 | 310 | 19.94 | | \$1608 | |
| T-mold edge | GCT12WBATM | 48 x 144 x 29 | 70 | 310 | 19.94 | | \$1608 | |
| built-up self edge | GCT12WBABU | 48 x 144 x 29 | 70 | 340 | 21.89 | | \$1878 | |

14 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT14WBA | 48 x 168 x 29 | 70 | 423 | 25.93 | | \$2476 | |
| bullnose edge | GCT14WBABN | 48 x 168 x 29 | 70 | 423 | 25.93 | | \$2476 | |
| T-mold edge | GCT14WBATM | 48 x 168 x 29 | 70 | 423 | 25.93 | | \$2476 | |
| built-up self edge | GCT14WBABU | 48 x 168 x 29 | 70 | 429 | 27.90 | | \$2759 | |

16 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT16WBA | 48 x 192 x 29 | 70 | 474 | 29.94 | | \$2604 | |
| bullnose edge | GCT16WBABN | 48 x 192 x 29 | 70 | 474 | 29.94 | | \$2604 | |
| T-mold edge | GCT16WBATM | 48 x 192 x 29 | 70 | 474 | 29.94 | | \$2604 | |
| built-up self edge | GCT16WBABU | 48 x 192 x 29 | 70 | 480 | 31.92 | | \$2912 | |

18 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT18WBA | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| bullnose edge | GCT18WBABN | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| T-mold edge | GCT18WBATM | 48 x 216 x 29 | 70 | 525 | 31.92 | | \$3210 | |
| built-up self edge | GCT18WBABU | 48 x 216 x 29 | 70 | 532 | 33.89 | | \$3586 | |

20 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT20WBA | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| bullnose edge | GCT20WBABN | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| T-mold edge | GCT20WBATM | 48 x 240 x 29 | 70 | 576 | 33.89 | | \$3256 | |
| built-up self edge | GCT20WBABU | 48 x 240 x 29 | 70 | 584 | 35.93 | | \$3621 | |

22 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT22WBA | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| bullnose edge | GCT22WBABN | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| T-mold edge | GCT22WBATM | 48 x 264 x 29 | 70 | 626 | 36.89 | | \$3640 | |
| built-up self edge | GCT22WBABU | 48 x 264 x 29 | 70 | 634 | 37.90 | | \$4070 | |

24 foot

| | | | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--|---------------|--|
| self edge | GCT24WBA | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| bullnose edge | GCT24WBABN | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| T-mold edge | GCT24WBATM | 48 x 288 x 29 | 70 | 678 | 40 | | \$3728 | |
| built-up self edge | GCT24WBABU | 48 x 288 x 29 | 65 | 687 | 25.10 | | \$4153 | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

B

BOARDROOM TABLES

BOAT TOP - 2 LEG BASE



5 foot

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

D x W x H

| | | | | | | |
|--------------------|---------|--------------|-----|----|----|-------|
| self edge | GCT5B | 30 x 60 x 29 | 125 | 88 | 13 | \$846 |
| bullnose edge | GCT5BBN | 30 x 60 x 29 | 125 | 88 | 13 | \$846 |
| T-mold edge | GCT5BTM | 30 x 60 x 29 | 125 | 88 | 13 | \$846 |
| built-up self edge | GCT5BBU | 30 x 60 x 29 | 125 | 91 | 14 | \$944 |

6 foot

| | | | | | | |
|--------------------|---------|--------------|-----|-----|----|--------|
| self edge | GCT6B | 36 x 72 x 29 | 100 | 123 | 15 | \$942 |
| bullnose edge | GCT6BBN | 36 x 72 x 29 | 125 | 114 | 15 | \$942 |
| T-mold edge | GCT6BTM | 36 x 72 x 29 | 100 | 123 | 15 | \$942 |
| built-up self edge | GCT6BBU | 36 x 72 x 29 | 100 | 133 | 16 | \$1047 |

7 foot

| | | | | | | |
|--------------------|---------|--------------|-----|-----|-------|--------|
| self edge | GCT7B | 44 x 84 x 29 | 100 | 155 | 16.98 | \$1088 |
| bullnose edge | GCT7BBN | 44 x 84 x 29 | 100 | 155 | 16.98 | \$1088 |
| T-mold edge | GCT7BTM | 44 x 84 x 29 | 100 | 155 | 16.98 | \$1088 |
| built-up self edge | GCT7BBU | 44 x 84 x 29 | 100 | 158 | 18.98 | \$1220 |

8 foot

| | | | | | | |
|--------------------|----------|--------------|-----|-----|-------|--------|
| self edge | GCT8WB | 48 x 96 x 29 | 100 | 188 | 19 | \$1088 |
| bullnose edge | GCT8WBBN | 48 x 96 x 29 | 100 | 180 | 19 | \$1088 |
| T-mold edge | GCT8WBTM | 48 x 96 x 29 | 100 | 180 | 18.98 | \$1088 |
| built-up self edge | GCT8WBBU | 48 x 96 x 29 | 100 | 180 | 21 | \$1220 |

10 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|-------|--------|
| self edge | GCT10WB | 48 x 120 x 29 | 92.5 | 214 | 21 | \$1513 |
| bullnose edge | GCT10WBBN | 48 x 120 x 29 | 92.5 | 214 | 20.98 | \$1513 |
| T-mold edge | GCT10WBTM | 48 x 120 x 29 | 92.5 | 214 | 20.93 | \$1513 |
| built-up self edge | GCT10WBBU | 48 x 120 x 29 | 92.5 | 259 | 22.93 | \$1693 |

12 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|-------|--------|
| self edge | GCT12WB | 48 x 144 x 29 | 92.5 | 265 | 22.80 | \$1701 |
| bullnose edge | GCT12WBBN | 48 x 144 x 29 | 92.5 | 269 | 22.69 | \$1701 |
| T-mold edge | GCT12WBTM | 48 x 144 x 29 | 92.5 | 269 | 22.69 | \$1701 |
| built-up self edge | GCT12WBBU | 48 x 144 x 29 | 92.5 | 299 | 25.69 | \$1898 |

14 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--------|
| self edge | GCT14WB | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 |
| bullnose edge | GCT14WBBN | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 |
| T-mold edge | GCT14WBTM | 48 x 168 x 29 | 100 | 326 | 34 | \$1953 |
| built-up self edge | GCT14WBBU | 48 x 168 x 29 | 100 | 332 | 38 | \$2159 |

16 foot

| | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--------|
| self edge | GCT16WB | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 |
| bullnose edge | GCT16WBBN | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 |
| T-mold edge | GCT16WBTM | 48 x 192 x 29 | 100 | 367 | 38 | \$2041 |
| built-up self edge | GCT16WBBU | 48 x 192 x 29 | 100 | 373 | 40 | \$2210 |

18 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|----|--------|
| self edge | GCT18WB | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 |
| bullnose edge | GCT18WBBN | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 |
| T-mold edge | GCT18WBTM | 48 x 216 x 29 | 92.5 | 408 | 40 | \$2431 |
| built-up self edge | GCT18WBBU | 48 x 216 x 29 | 100 | 416 | 42 | \$2712 |

20 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|----|--------|
| self edge | GCT20WB | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 |
| bullnose edge | GCT20WBBN | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 |
| T-mold edge | GCT20WBTM | 48 x 240 x 29 | 92.5 | 449 | 42 | \$2517 |
| built-up self edge | GCT20WBBU | 48 x 240 x 29 | 92.5 | 457 | 44 | \$2795 |

22 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|----|--------|
| self edge | GCT22WB | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 |
| bullnose edge | GCT22WBBN | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 |
| T-mold edge | GCT22WBTM | 48 x 264 x 29 | 92.5 | 489 | 44 | \$2777 |
| built-up self edge | GCT22WBBU | 48 x 264 x 29 | 92.5 | 497 | 46 | \$3126 |

24 foot

| | | | | | | |
|--------------------|-----------|---------------|------|-----|----|--------|
| self edge | GCT24WB | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 |
| bullnose edge | GCT24WBBN | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 |
| T-mold edge | GCT24WBTM | 48 x 288 x 29 | 92.5 | 531 | 46 | \$2862 |
| built-up self edge | GCT24WBBU | 48 x 288 x 29 | 92.5 | 540 | 48 | \$3200 |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 120", 144", and 168" are SHIPPED WITH 3 LEG BASES.
- All tops 192" are SHIPPED WITH 4 LEG BASES.
- All tops 216", 240", 264" and 288" are SHIPPED WITH 6 LEG BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

BOAT TOP - TUBULAR BASE

**5 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|---------|--------------|-----|-----------------------|----|-----------|--------------|--------|
| self edge | GCR5B | 30 x 60 x 29 | 150 | 94 | 21 | | \$872 | |
| bullnose edge | GCR5BBN | 30 x 60 x 29 | 150 | 94 | 21 | | \$872 | |
| T-mold edge | GCR5BTM | 30 x 60 x 29 | 150 | 94 | 21 | | \$872 | |
| built-up self edge | GCR5BBU | 30 x 60 x 29 | 150 | 97 | 23 | | \$974 | |

6 foot

| | | | | | | | | |
|--------------------|---------|--------------|-----|-----|----|--|---------------|--|
| self edge | GCR6B | 36 x 72 x 29 | 150 | 107 | 23 | | \$968 | |
| bullnose edge | GCR6BBN | 36 x 72 x 29 | 150 | 107 | 23 | | \$968 | |
| T-mold edge | GCR6BTM | 36 x 72 x 29 | 150 | 107 | 23 | | \$968 | |
| built-up self edge | GCR6BBU | 36 x 72 x 29 | 150 | 117 | 25 | | \$1078 | |

7 foot

| | | | | | | | | |
|--------------------|---------|--------------|-----|-----|----|--|---------------|--|
| self edge | GCR7B | 44 x 84 x 29 | 125 | 161 | 25 | | \$1116 | |
| bullnose edge | GCR7BBN | 44 x 84 x 29 | 125 | 161 | 25 | | \$1116 | |
| T-mold edge | GCR7BTM | 44 x 84 x 29 | 125 | 161 | 25 | | \$1116 | |
| built-up self edge | GCR7BBU | 44 x 84 x 29 | 150 | 164 | 29 | | \$1249 | |

8 foot

| | | | | | | | | |
|--------------------|----------|--------------|-----|-----|----|--|---------------|--|
| self edge | GCR8WB | 48 x 96 x 29 | 125 | 184 | 27 | | \$1116 | |
| bullnose edge | GCR8WBBN | 48 x 96 x 29 | 125 | 177 | 27 | | \$1116 | |
| T-mold edge | GCR8WBTM | 48 x 96 x 29 | 125 | 177 | 27 | | \$1116 | |
| built-up self edge | GCR8WBBU | 48 x 96 x 29 | 125 | 208 | 29 | | \$1249 | |

10 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR10WB | 48 x 120 x 29 | 125 | 221 | 29 | | \$1529 | |
| bullnose edge | GCR10WBBN | 48 x 120 x 29 | 125 | 221 | 29 | | \$1529 | |
| T-mold edge | GCR10WBTM | 48 x 120 x 29 | 125 | 221 | 29 | | \$1529 | |
| built-up self edge | GCR10WBBU | 48 x 120 x 29 | 125 | 239 | 32 | | \$1715 | |

12 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|-------|--|---------------|--|
| self edge | GCR12WB | 48 x 144 x 29 | 100 | 270 | 31 | | \$1722 | |
| bullnose edge | GCR12WBBN | 48 x 144 x 29 | 100 | 270 | 31 | | \$1722 | |
| T-mold edge | GCR12WBTM | 48 x 144 x 29 | 100 | 270 | 30.78 | | \$1722 | |
| built-up self edge | GCR12WBBU | 48 x 144 x 29 | 100 | 293 | 34 | | \$1922 | |

14 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR14WB | 48 x 168 x 29 | 125 | 330 | 50 | | \$1980 | |
| bullnose edge | GCR14WBBN | 48 x 168 x 29 | 125 | 330 | 50 | | \$1980 | |
| T-mold edge | GCR14WBTM | 48 x 168 x 29 | 125 | 330 | 50 | | \$1980 | |
| built-up self edge | GCR14WBBU | 48 x 168 x 29 | 125 | 336 | 54 | | \$2185 | |

16 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR16WB | 48 x 192 x 29 | 125 | 371 | 54 | | \$2066 | |
| bullnose edge | GCR16WBBN | 48 x 192 x 29 | 125 | 371 | 54 | | \$2066 | |
| T-mold edge | GCR16WBTM | 48 x 192 x 29 | 125 | 371 | 54 | | \$2066 | |
| built-up self edge | GCR16WBBU | 48 x 192 x 29 | 125 | 377 | 58 | | \$2268 | |

18 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR18WB | 48 x 216 x 29 | 125 | 412 | 56 | | \$2448 | |
| bullnose edge | GCR18WBBN | 48 x 216 x 29 | 125 | 412 | 56 | | \$2448 | |
| T-mold edge | GCR18WBTM | 48 x 216 x 29 | 125 | 412 | 56 | | \$2448 | |
| built-up self edge | GCR18WBBU | 48 x 216 x 29 | 125 | 419 | 60 | | \$2734 | |

20 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR20WB | 48 x 240 x 29 | 125 | 453 | 58 | | \$2534 | |
| bullnose edge | GCR20WBBN | 48 x 240 x 29 | 125 | 453 | 58 | | \$2534 | |
| T-mold edge | GCR20WBTM | 48 x 240 x 29 | 125 | 453 | 58 | | \$2534 | |
| built-up self edge | GCR20WBBU | 48 x 240 x 29 | 125 | 461 | 62 | | \$2826 | |

22 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR22WB | 48 x 264 x 29 | 100 | 493 | 60 | | \$2820 | |
| bullnose edge | GCR22WBBN | 48 x 264 x 29 | 100 | 493 | 60 | | \$2820 | |
| T-mold edge | GCR22WBTM | 48 x 264 x 29 | 100 | 493 | 60 | | \$2820 | |
| built-up self edge | GCR22WBBU | 48 x 264 x 29 | 125 | 501 | 64 | | \$3150 | |

24 foot

| | | | | | | | | |
|--------------------|-----------|---------------|-----|-----|----|--|---------------|--|
| self edge | GCR24WB | 48 x 288 x 29 | 100 | 535 | 62 | | \$2909 | |
| bullnose edge | GCR24WBBN | 48 x 288 x 29 | 100 | 535 | 62 | | \$2909 | |
| T-mold edge | GCR24WBTM | 48 x 288 x 29 | 100 | 535 | 62 | | \$2909 | |
| built-up self edge | GCR24WBBU | 48 x 288 x 29 | 100 | 544 | 66 | | \$3233 | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 120", 144", and 168" are SHIPPED WITH 3 TUBULAR BASES.
- All tops 192" are SHIPPED WITH 4 TUBULAR BASES.
- All tops 216", 240", 264" and 288" are SHIPPED WITH 6 TUBULAR BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications


Grommet

Accessories

Power Block

B BOARDROOM TABLES

RACETRACK TOP - SLAB BASE



5 foot

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

D x W x H

| | | | | | | |
|--------------------|---------|--------------|----|-----|---|-------|
| self edge | GRT5X | 30 x 60 x 29 | 70 | 131 | 6 | \$718 |
| bullnose edge | GRT5XBN | 30 x 60 x 29 | 70 | 131 | 6 | \$718 |
| T-mold edge | GRT5XTM | 30 x 60 x 29 | 70 | 131 | 6 | \$718 |
| built-up self edge | GRT5XBU | 30 x 60 x 29 | 70 | 134 | 7 | \$794 |

6 foot

| | | | | | | |
|--------------------|---------|--------------|----|-----|------|-------|
| self edge | GRT6X | 36 x 72 x 29 | 70 | 135 | 7.60 | \$805 |
| bullnose edge | GRT6XBN | 36 x 72 x 29 | 70 | 143 | 7.60 | \$805 |
| T-mold edge | GRT6XTM | 36 x 72 x 29 | 70 | 143 | 7.60 | \$805 |
| built-up self edge | GRT6XBU | 36 x 72 x 29 | 70 | 160 | 8.90 | \$898 |

7 foot

| | | | | | | |
|--------------------|---------|--------------|----|-----|-------|--------|
| self edge | GRT7X | 44 x 84 x 29 | 70 | 199 | 9.94 | \$1037 |
| bullnose edge | GRT7XBN | 44 x 84 x 29 | 70 | 199 | 9.97 | \$1037 |
| T-mold edge | GRT7XTM | 44 x 84 x 29 | 70 | 199 | 9.94 | \$1037 |
| built-up self edge | GRT7XBU | 44 x 84 x 29 | 70 | 203 | 11.95 | \$1170 |

8 foot

| | | | | | | |
|--------------------|----------|--------------|----|-----|-------|--------|
| self edge | GRT8WX | 48 x 96 x 29 | 70 | 216 | 11.29 | \$1037 |
| bullnose edge | GRT8WXBN | 48 x 96 x 29 | 70 | 218 | 11.29 | \$1037 |
| T-mold edge | GRT8WXTM | 48 x 96 x 29 | 70 | 216 | 11.29 | \$1037 |
| built-up self edge | GRT8WXBU | 48 x 96 x 29 | 70 | 242 | 13.53 | \$1170 |

10 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT10WX2 | 48 x 120 x 29 | 70 | 280 | 13.53 | \$1201 |
| bullnose edge | GRT10WX2BN | 48 x 120 x 29 | 70 | 266 | 13.53 | \$1201 |
| T-mold edge | GRT10WX2TM | 48 x 120 x 29 | 70 | 256 | 13.53 | \$1201 |
| built-up self edge | GRT10WX2BU | 48 x 120 x 29 | 70 | 289 | 16.20 | \$1422 |

12 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT12WX2 | 48 x 144 x 29 | 70 | 210 | 12.54 | \$1411 |
| bullnose edge | GRT12WX2BN | 48 x 144 x 29 | 65 | 307 | 12.54 | \$1411 |
| T-mold edge | GRT12WX2TM | 48 x 144 x 29 | 65 | 307 | 12.54 | \$1411 |
| built-up self edge | GRT12WX2BU | 48 x 144 x 29 | 70 | 340 | 18.83 | \$1656 |

14 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|----|--------|
| self edge | GRT14WX2 | 48 x 168 x 29 | 65 | 419 | 18 | \$2041 |
| bullnose edge | GRT14WX2BN | 48 x 168 x 29 | 65 | 419 | 18 | \$2041 |
| T-mold edge | GRT14WX2TM | 48 x 168 x 29 | 65 | 419 | 18 | \$2041 |
| built-up self edge | GRT14WX2BU | 48 x 168 x 29 | 70 | 425 | 20 | \$2278 |

16 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT16WX2 | 48 x 192 x 29 | 70 | 460 | 22.70 | \$2127 |
| bullnose edge | GRT16WX2BN | 48 x 192 x 29 | 70 | 460 | 22.70 | \$2127 |
| T-mold edge | GRT16WX2TM | 48 x 192 x 29 | 70 | 460 | 22.70 | \$2127 |
| built-up self edge | GRT16WX2BU | 48 x 192 x 29 | 70 | 466 | 27.20 | \$2375 |

18 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT18WX2 | 48 x 216 x 29 | 70 | 521 | 24.60 | \$2647 |
| bullnose edge | GRT18WX2BN | 48 x 216 x 29 | 70 | 521 | 24.60 | \$2647 |
| T-mold edge | GRT18WX2TM | 48 x 216 x 29 | 70 | 521 | 24.60 | \$2647 |
| built-up self edge | GRT18WX2BU | 48 x 216 x 29 | 70 | 528 | 29.80 | \$2967 |

20 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT20WX2 | 48 x 240 x 29 | 70 | 572 | 26.60 | \$2689 |
| bullnose edge | GRT20WX2BN | 48 x 240 x 29 | 70 | 572 | 26.60 | \$2689 |
| T-mold edge | GRT20WX2TM | 48 x 240 x 29 | 70 | 572 | 26.60 | \$2689 |
| built-up self edge | GRT20WX2BU | 48 x 240 x 29 | 70 | 580 | 32.50 | \$3011 |

22 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT22WX2 | 48 x 264 x 29 | 70 | 612 | 28.90 | \$3122 |
| bullnose edge | GRT22WX2BN | 48 x 264 x 29 | 70 | 612 | 28.90 | \$3122 |
| T-mold edge | GRT22WX2TM | 48 x 264 x 29 | 70 | 612 | 28.90 | \$3122 |
| built-up self edge | GRT22WX2BU | 48 x 264 x 29 | 70 | 620 | 35.10 | \$3448 |

24 foot

| | | | | | | |
|--------------------|------------|---------------|----|-----|-------|--------|
| self edge | GRT24WX2 | 48 x 288 x 29 | 70 | 673 | 31.20 | \$3210 |
| bullnose edge | GRT24WX2BN | 48 x 288 x 29 | 70 | 673 | 31.20 | \$3210 |
| T-mold edge | GRT24WX2TM | 48 x 288 x 29 | 70 | 673 | 31.20 | \$3210 |
| built-up self edge | GRT24WX2BU | 48 x 288 x 29 | 70 | 682 | 37.70 | \$3551 |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 3 SLAB BASES.
- All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable


Optional Specifications

Grommet

Accessories

Power Block

RACETRACK TOP - DRUM BASE

**6 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|---------|--------------|-----|-----------------------|-------|---------------|------------|--------|
| self edge | GRT6Z | 36 x 72 x 29 | 100 | 150 | 17.50 | \$1088 | | |
| bullnose edge | GRT6ZBN | 36 x 72 x 29 | 100 | 158 | 17.50 | \$1088 | | |
| T-mold edge | GRT6ZTM | 36 x 72 x 29 | 100 | 158 | 17.50 | \$1088 | | |
| built-up self edge | GRT6ZBU | 36 x 72 x 29 | 100 | 175 | 18.80 | \$1218 | | |

7 foot

| | | | | | | | | |
|--------------------|---------|--------------|------|-----|-------|---------------|--|--|
| self edge | GRT7Z | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1261 | | |
| bullnose edge | GRT7ZBN | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1261 | | |
| T-mold edge | GRT7ZTM | 44 x 84 x 29 | 92.5 | 196 | 19.40 | \$1261 | | |
| built-up self edge | GRT7ZBU | 44 x 84 x 29 | 100 | 199 | 21.20 | \$1390 | | |

8 foot

| | | | | | | | | |
|--------------------|----------|--------------|------|-----|-------|---------------|--|--|
| self edge | GRT8WZ | 48 x 96 x 29 | 92.5 | 217 | 21.26 | \$1261 | | |
| bullnose edge | GRT8WZBN | 48 x 96 x 29 | 92.5 | 219 | 21.26 | \$1261 | | |
| T-mold edge | GRT8WZTM | 48 x 96 x 29 | 92.5 | 217 | 21.26 | \$1261 | | |
| built-up self edge | GRT8WZBU | 48 x 96 x 29 | 92.5 | 243 | 23.50 | \$1390 | | |

10 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT10WZ2 | 48 x 120 x 29 | 100 | 313 | 33.14 | \$1478 | | |
| bullnose edge | GRT10WZ2BN | 48 x 120 x 29 | 100 | 289 | 33.14 | \$1478 | | |
| T-mold edge | GRT10WZ2TM | 48 x 120 x 29 | 100 | 279 | 33.14 | \$1478 | | |
| built-up self edge | GRT10WZ2BU | 48 x 120 x 29 | 100 | 312 | 35.70 | \$1630 | | |

12 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT12WZ2 | 48 x 144 x 29 | 100 | 329 | 35.14 | \$1652 | | |
| bullnose edge | GRT12WZ2BN | 48 x 144 x 29 | 150 | 326 | 58.70 | \$1652 | | |
| T-mold edge | GRT12WZ2TM | 48 x 144 x 29 | 100 | 326 | 35.14 | \$1652 | | |
| built-up self edge | GRT12WZ2BU | 48 x 144 x 29 | 100 | 359 | 38.32 | \$1834 | | |

14 foot

| | | | | | | | | |
|--------------------|------------|---------------|------|-----|-------|---------------|--|--|
| self edge | GRT14WZ2 | 48 x 168 x 29 | 92.5 | 478 | 44.44 | \$2215 | | |
| bullnose edge | GRT14WZ2BN | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 | | |
| T-mold edge | GRT14WZ2TM | 48 x 168 x 29 | 92.5 | 441 | 39 | \$2215 | | |
| built-up self edge | GRT14WZ2BU | 48 x 168 x 29 | 92.5 | 447 | 42 | \$2456 | | |

16 foot

| | | | | | | | | |
|--------------------|------------|---------------|------|-----|-------|---------------|--|--|
| self edge | GRT16WZ2 | 48 x 192 x 29 | 92.5 | 478 | 42.50 | \$2301 | | |
| bullnose edge | GRT16WZ2BN | 48 x 192 x 29 | 92.5 | 482 | 42.50 | \$2301 | | |
| T-mold edge | GRT16WZ2TM | 48 x 192 x 29 | 92.5 | 482 | 42.50 | \$2301 | | |
| built-up self edge | GRT16WZ2BU | 48 x 192 x 29 | 92.5 | 488 | 47 | \$2540 | | |

18 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT18WZ2 | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 | | |
| bullnose edge | GRT18WZ2BN | 48 x 216 x 29 | 100 | 523 | 54 | \$2994 | | |
| T-mold edge | GRT18WZ2TM | 48 x 216 x 29 | 100 | 523 | 54.40 | \$2994 | | |
| built-up self edge | GRT18WZ2BU | 48 x 216 x 29 | 100 | 550 | 59 | \$3365 | | |

20 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT20WZ2 | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | | |
| bullnose edge | GRT20WZ2BN | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | | |
| T-mold edge | GRT20WZ2TM | 48 x 240 x 29 | 100 | 564 | 66.20 | \$3037 | | |
| built-up self edge | GRT20WZ2BU | 48 x 240 x 29 | 100 | 572 | 70.60 | \$3410 | | |

22 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT22WZ2 | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | | |
| bullnose edge | GRT22WZ2BN | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | | |
| T-mold edge | GRT22WZ2TM | 48 x 264 x 29 | 100 | 604 | 68.20 | \$3383 | | |
| built-up self edge | GRT22WZ2BU | 48 x 264 x 29 | 100 | 612 | 73.70 | \$3779 | | |

24 foot

| | | | | | | | | |
|--------------------|------------|---------------|-----|-----|-------|---------------|--|--|
| self edge | GRT24WZ2 | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | | |
| bullnose edge | GRT24WZ2BN | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | | |
| T-mold edge | GRT24WZ2TM | 48 x 288 x 29 | 100 | 646 | 70.20 | \$3470 | | |
| built-up self edge | GRT24WZ2BU | 48 x 288 x 29 | 100 | 655 | 76.80 | \$3861 | | |

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications


Grommet

Accessories

Power Block

B BOARDROOM TABLES

RACETRACK TOP - ARCH BASE



| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|--------------------|------------|---------------|---------|-----------|------------|--------|
| | | D x W x H | | | | | |
| 5 foot | self edge | GRT5A | 30 x 60 x 29 | 85 | 131 | 9 | \$958 |
| | bullnose edge | GRT5ABN | 30 x 60 x 29 | 85 | 131 | 9 | \$958 |
| | T-mold edge | GRT5ATM | 30 x 60 x 29 | 85 | 131 | 9 | \$958 |
| | built-up self edge | GRT5ABU | 30 x 60 x 29 | 85 | 134 | 10 | \$1087 |
| 6 foot | self edge | GRT6A | 36 x 72 x 29 | 85 | 140 | 11 | \$1001 |
| | bullnose edge | GRT6ABN | 36 x 72 x 29 | 85 | 148 | 11 | \$1001 |
| | T-mold edge | GRT6ATM | 36 x 72 x 29 | 85 | 148 | 11 | \$1001 |
| | built-up self edge | GRT6ABU | 36 x 72 x 29 | 85 | 165 | 12 | \$1190 |
| 7 foot | self edge | GRT7A | 44 x 84 x 29 | 70 | 203 | 12.93 | \$1219 |
| | bullnose edge | GRT7ABN | 44 x 84 x 29 | 70 | 203 | 12.93 | \$1219 |
| | T-mold edge | GRT7ATM | 44 x 84 x 29 | 70 | 203 | 12.93 | \$1219 |
| | built-up self edge | GRT7ABU | 44 x 84 x 29 | 85 | 206 | 13.95 | \$1382 |
| 8 foot | self edge | GRT8WA | 48 x 96 x 29 | 85 | 218 | 14.94 | \$1219 |
| | bullnose edge | GRT8WABN | 48 x 96 x 29 | 92.5 | 236 | 22.40 | \$1219 |
| | T-mold edge | GRT8WATM | 48 x 96 x 29 | 85 | 218 | 14.94 | \$1219 |
| | built-up self edge | GRT8WABU | 48 x 96 x 29 | 70 | 244 | 15.93 | \$1382 |
| 10 foot | self edge | GRT10WA | 48 x 120 x 29 | 70 | 268 | 16.95 | \$1391 |
| | bullnose edge | GRT10WABN | 48 x 120 x 29 | 70 | 268 | 16.95 | \$1391 |
| | T-mold edge | GRT10WATM | 48 x 120 x 29 | 70 | 268 | 16.95 | \$1391 |
| | built-up self edge | GRT10WABU | 48 x 120 x 29 | 70 | 291 | 18.92 | \$1640 |
| 12 foot | self edge | GRT12WA | 48 x 144 x 29 | 85 | 309 | 24.94 | \$1608 |
| | bullnose edge | GRT12WABN | 48 x 144 x 29 | 65 | 309 | 11.98 | \$1608 |
| | T-mold edge | GRT12WATM | 48 x 144 x 29 | 100 | 309 | 33.29 | \$1608 |
| | built-up self edge | GRT12WABU | 48 x 144 x 29 | 70 | 342 | 21.95 | \$1878 |
| 14 foot | self edge | GRT14WA | 48 x 168 x 29 | 70 | 423 | 26 | \$2476 |
| | bullnose edge | GRT14WABN | 48 x 168 x 29 | 70 | 423 | 26 | \$2476 |
| | T-mold edge | GRT14WATM | 48 x 168 x 29 | 70 | 423 | 26 | \$2476 |
| | built-up self edge | GRT14WABU | 48 x 168 x 29 | 70 | 429 | 28 | \$2759 |
| 16 foot | self edge | GRT16WA | 48 x 192 x 29 | 70 | 474 | 30 | \$2604 |
| | bullnose edge | GRT16WABN | 48 x 192 x 29 | 70 | 474 | 29.94 | \$2604 |
| | T-mold edge | GRT16WATM | 48 x 192 x 29 | 70 | 474 | 29.94 | \$2604 |
| | built-up self edge | GRT16WABU | 48 x 192 x 29 | 70 | 480 | 31.92 | \$2912 |
| 18 foot | self edge | GRT18WA | 48 x 216 x 29 | 70 | 525 | 31.92 | \$3210 |
| | bullnose edge | GRT18WABN | 48 x 216 x 29 | 70 | 525 | 31.92 | \$3210 |
| | T-mold edge | GRT18WATM | 48 x 216 x 29 | 70 | 525 | 31.92 | \$3210 |
| | built-up self edge | GRT18WABU | 48 x 216 x 29 | 70 | 532 | 33.89 | \$3586 |
| 20 foot | self edge | GRT20WA | 48 x 240 x 29 | 70 | 576 | 33.89 | \$3256 |
| | bullnose edge | GRT20WABN | 48 x 240 x 29 | 70 | 576 | 33.89 | \$3256 |
| | T-mold edge | GRT20WATM | 48 x 240 x 29 | 70 | 576 | 33.89 | \$3256 |
| | built-up self edge | GRT20WABU | 48 x 240 x 29 | 70 | 584 | 35.93 | \$3621 |
| 22 foot | self edge | GRT22WA | 48 x 264 x 29 | 70 | 626 | 36.89 | \$3640 |
| | bullnose edge | GRT22WABN | 48 x 264 x 29 | 70 | 626 | 36.89 | \$3640 |
| | T-mold edge | GRT22WATM | 48 x 264 x 29 | 70 | 626 | 36.89 | \$3640 |
| | built-up self edge | GRT22WABU | 48 x 264 x 29 | 70 | 634 | 37.90 | \$4070 |
| 24 foot | self edge | GRT24WA | 48 x 288 x 29 | 70 | 678 | 39.88 | \$3728 |
| | bullnose edge | GRT24WABN | 48 x 288 x 29 | 70 | 678 | 39.88 | \$3728 |
| | T-mold edge | GRT24WATM | 48 x 288 x 29 | 70 | 678 | 39.88 | \$3728 |
| | built-up self edge | GRT24WABU | 48 x 288 x 29 | 70 | 687 | 41.92 | \$4153 |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

RACETRACK TOP - 2 LEG BASE

**5 foot**

| D x W x H | | DIMENSIONS | | FREIGHT CLASS WT/LBS. | | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------|--------|--------------|--|-----------------------|----|-----------|--------------|--------|
| self edge | GRT5 | 30 x 60 x 29 | | 125 | 88 | 13 | \$846 | |
| bullnose edge | GRT5BN | 30 x 60 x 29 | | 125 | 88 | 13 | \$846 | |
| T-mold edge | GRT5TM | 30 x 60 x 29 | | 125 | 88 | 13 | \$846 | |
| built-up self edge | GRT5BU | 30 x 60 x 29 | | 125 | 91 | 14 | \$944 | |

6 foot

| | | | | | | | | |
|--------------------|--------|--------------|--|-----|-----|----|---------------|--|
| self edge | GRT6 | 36 x 72 x 29 | | 125 | 111 | 15 | \$942 | |
| bullnose edge | GRT6BN | 36 x 72 x 29 | | 125 | 119 | 15 | \$942 | |
| T-mold edge | GRT6TM | 36 x 72 x 29 | | 125 | 119 | 15 | \$942 | |
| built-up self edge | GRT6BU | 36 x 72 x 29 | | 100 | 136 | 16 | \$1047 | |

7 foot

| | | | | | | | | |
|--------------------|--------|--------------|--|-----|-----|----|---------------|--|
| self edge | GRT7 | 44 x 84 x 29 | | 100 | 155 | 17 | \$1088 | |
| bullnose edge | GRT7BN | 44 x 84 x 29 | | 100 | 155 | 17 | \$1088 | |
| T-mold edge | GRT7TM | 44 x 84 x 29 | | 100 | 155 | 17 | \$1088 | |
| built-up self edge | GRT7BU | 44 x 84 x 29 | | 100 | 158 | 19 | \$1220 | |

8 foot

| | | | | | | | | |
|--------------------|---------|--------------|--|-----|-----|----|---------------|--|
| self edge | GRT8W | 48 x 96 x 29 | | 100 | 178 | 19 | \$1088 | |
| bullnose edge | GRT8WBN | 48 x 96 x 29 | | 100 | 180 | 19 | \$1088 | |
| T-mold edge | GRT8WTM | 48 x 96 x 29 | | 100 | 178 | 19 | \$1088 | |
| built-up self edge | GRT8WBU | 48 x 96 x 29 | | 100 | 204 | 21 | \$1220 | |

10 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|----|---------------|--|
| self edge | GRT10W | 48 x 120 x 29 | | 300 | 39 | 21 | \$1513 | |
| bullnose edge | GRT10WBN | 48 x 120 x 29 | | 92.5 | 231 | 21 | \$1513 | |
| T-mold edge | GRT10WTM | 48 x 120 x 29 | | 92.5 | 221 | 21 | \$1513 | |
| built-up self edge | GRT10WBU | 48 x 120 x 29 | | 92.5 | 254 | 23 | \$1693 | |

12 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|-------|---------------|--|
| self edge | GRT12W | 48 x 144 x 29 | | 92.5 | 271 | 23 | \$1701 | |
| bullnose edge | GRT12WBN | 48 x 144 x 29 | | 92.5 | 268 | 23 | \$1701 | |
| T-mold edge | GRT12WTM | 48 x 144 x 29 | | 92.5 | 268 | 23 | \$1701 | |
| built-up self edge | GRT12WBU | 48 x 144 x 29 | | 92.5 | 301 | 25.90 | \$1898 | |

14 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|-----|-----|----|---------------|--|
| self edge | GRT14W | 48 x 168 x 29 | | 100 | 326 | 34 | \$1953 | |
| bullnose edge | GRT14WBN | 48 x 168 x 29 | | 100 | 326 | 34 | \$1953 | |
| T-mold edge | GRT14WTM | 48 x 168 x 29 | | 100 | 326 | 34 | \$1953 | |
| built-up self edge | GRT14WBU | 48 x 168 x 29 | | 100 | 332 | 38 | \$2159 | |

16 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|-----|-----|----|---------------|--|
| self edge | GRT16W | 48 x 192 x 29 | | 100 | 367 | 38 | \$2041 | |
| bullnose edge | GRT16WBN | 48 x 192 x 29 | | 100 | 367 | 38 | \$2041 | |
| T-mold edge | GRT16WTM | 48 x 192 x 29 | | 100 | 367 | 38 | \$2041 | |
| built-up self edge | GRT16WBU | 48 x 192 x 29 | | 100 | 368 | 40 | \$2210 | |

18 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|----|---------------|--|
| self edge | GRT18W | 48 x 216 x 29 | | 92.5 | 408 | 40 | \$2431 | |
| bullnose edge | GRT18WBN | 48 x 216 x 29 | | 92.5 | 408 | 40 | \$2431 | |
| T-mold edge | GRT18WTM | 48 x 216 x 29 | | 92.5 | 408 | 40 | \$2431 | |
| built-up self edge | GRT18WBU | 48 x 216 x 29 | | 100 | 416 | 42 | \$2712 | |

20 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|----|---------------|--|
| self edge | GRT20W | 48 x 240 x 29 | | 92.5 | 449 | 42 | \$2517 | |
| bullnose edge | GRT20WBN | 48 x 240 x 29 | | 92.5 | 449 | 42 | \$2517 | |
| T-mold edge | GRT20WTM | 48 x 240 x 29 | | 92.5 | 449 | 42 | \$2517 | |
| built-up self edge | GRT20WBU | 48 x 240 x 29 | | 92.5 | 457 | 44 | \$2795 | |

22 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|----|---------------|--|
| self edge | GRT22W | 48 x 264 x 29 | | 92.5 | 489 | 44 | \$2777 | |
| bullnose edge | GRT22WBN | 48 x 264 x 29 | | 92.5 | 489 | 44 | \$2777 | |
| T-mold edge | GRT22WTM | 48 x 264 x 29 | | 92.5 | 489 | 44 | \$2777 | |
| built-up self edge | GRT22WBU | 48 x 264 x 29 | | 92.5 | 497 | 46 | \$3126 | |

24 foot

| | | | | | | | | |
|--------------------|----------|---------------|--|------|-----|----|---------------|--|
| self edge | GRT24W | 48 x 288 x 29 | | 92.5 | 531 | 46 | \$2862 | |
| bullnose edge | GRT24WBN | 48 x 288 x 29 | | 92.5 | 531 | 46 | \$2862 | |
| T-mold edge | GRT24WTM | 48 x 288 x 29 | | 92.5 | 531 | 46 | \$2862 | |
| built-up self edge | GRT24WBU | 48 x 288 x 29 | | 92.5 | 540 | 48 | \$3200 | |

- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 120", 144", and 168" are SHIPPED WITH 3 LEG BASES.
- All tops 192" are SHIPPED WITH 4 LEG BASES.
- All tops 216", 240", 264" and 288" are SHIPPED WITH 6 LEG BASES.

Required Specifications

Finish
Base Finish
Edge Color, if applicable

Optional Specifications

Grommet

Accessories

Power Block

B BOARDROOM TABLES

RACETRACK TOP - TUBULAR BASE



| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--------------------|------------|---------------|---------|-----------|------------|--------|
| | D x W x H | | | | | | |
| 5 foot | self edge | GRT5R | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| | bullnose edge | GRT5RBN | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| | T-mold edge | GRT5RTM | 30 x 60 x 29 | 150 | 94 | 21 | \$872 |
| | built-up self edge | GRT5RBU | 30 x 60 x 29 | 150 | 97 | 23 | \$974 |
| 6 foot | self edge | GRT6R | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| | bullnose edge | GRT6RBN | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| | T-mold edge | GRT6RTM | 36 x 72 x 29 | 150 | 107 | 23 | \$968 |
| | built-up self edge | GRT6RBU | 36 x 72 x 29 | 150 | 117 | 25 | \$1078 |
| 7 foot | self edge | GRT7R | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| | bullnose edge | GRT7RBN | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| | T-mold edge | GRT7RTM | 44 x 84 x 29 | 125 | 161 | 25 | \$1116 |
| | built-up self edge | GRT7RBU | 44 x 84 x 29 | 125 | 164 | 27 | \$1249 |
| 8 foot | self edge | GRT8WR | 48 x 96 x 29 | 125 | 175 | 27 | \$1116 |
| | bullnose edge | GRT8WRBN | 48 x 96 x 29 | 125 | 177 | 27 | \$1116 |
| | T-mold edge | GRT8WRTM | 48 x 96 x 29 | 125 | 175 | 27 | \$1116 |
| | built-up self edge | GRT8WRBU | 48 x 96 x 29 | 125 | 176 | 29 | \$1249 |
| 10 foot | self edge | GRT10WR | 48 x 120 x 29 | 125 | 221 | 29 | \$1529 |
| | bullnose edge | GRT10WRBN | 48 x 120 x 29 | 125 | 221 | 29 | \$1529 |
| | T-mold edge | GRT10WRTM | 48 x 120 x 29 | 125 | 221 | 29 | \$1529 |
| | built-up self edge | GRT10WRBU | 48 x 120 x 29 | 125 | 239 | 32 | \$1715 |
| 12 foot | self edge | GRT12WR | 48 x 144 x 29 | 100 | 270 | 31 | \$1722 |
| | bullnose edge | GRT12WRBN | 48 x 144 x 29 | 100 | 270 | 31 | \$1722 |
| | T-mold edge | GRT12WRTM | 48 x 144 x 29 | 100 | 270 | 30.90 | \$1722 |
| | built-up self edge | GRT12WRBU | 48 x 144 x 29 | 100 | 301 | 34 | \$1922 |
| 14 foot | self edge | GRT14WR | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| | bullnose edge | GRT14WRBN | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| | T-mold edge | GRT14WRTM | 48 x 168 x 29 | 125 | 330 | 50 | \$1980 |
| | built-up self edge | GRT14WRBU | 48 x 168 x 29 | 125 | 326 | 54 | \$2185 |
| 16 foot | self edge | GRT16WR | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| | bullnose edge | GRT16WRBN | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| | T-mold edge | GRT16WRTM | 48 x 192 x 29 | 125 | 371 | 54 | \$2066 |
| | built-up self edge | GRT16WRBU | 48 x 192 x 29 | 125 | 377 | 58 | \$2268 |
| 18 foot | self edge | GRT18WR | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| | bullnose edge | GRT18WRBN | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| | T-mold edge | GRT18WRTM | 48 x 216 x 29 | 125 | 412 | 56 | \$2448 |
| | built-up self edge | GRT18WRBU | 48 x 216 x 29 | 125 | 419 | 60 | \$2734 |
| 20 foot | self edge | GRT20WR | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| | bullnose edge | GRT20WRBN | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| | T-mold edge | GRT20WRTM | 48 x 240 x 29 | 125 | 453 | 58 | \$2534 |
| | built-up self edge | GRT20WRBU | 48 x 240 x 29 | 125 | 461 | 62 | \$2826 |
| 22 foot | self edge | GRT22WR | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| | bullnose edge | GRT22WRBN | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| | T-mold edge | GRT22WRTM | 48 x 264 x 29 | 100 | 493 | 60 | \$2820 |
| | built-up self edge | GRT22WRBU | 48 x 264 x 29 | 125 | 501 | 64 | \$3150 |
| 24 foot | self edge | GRT24WR | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| | bullnose edge | GRT24WRBN | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| | T-mold edge | GRT24WRTM | 48 x 288 x 29 | 100 | 535 | 62 | \$2909 |
| | built-up self edge | GRT24WRBU | 48 x 288 x 29 | 100 | 544 | 66 | \$3233 |
| <ul style="list-style-type: none">• All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.• All tops 120", 144", and 168" are SHIPPED WITH 3 TUBULAR BASES.• All tops 192" are SHIPPED WITH 4 TUBULAR BASES.• All tops 216", 240", 264" and 288" are SHIPPED WITH 6 TUBULAR BASES. | | | | | | | |

| Required Specifications | Optional Specifications | Accessories |
|---------------------------|-------------------------|-------------|
| Finish | Grommet | Power Block |
| Base Finish | | |
| Edge Color, if applicable | | |


BUNGEE™ TABLES




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature rounded corners with a unique “bubble molding” that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge.


Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Silver or Black finish with adjustable levellers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-Top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Silver or Black finish (standard on Flip-Top models).



Bungee cords are utilized to quickly and easily reconfigure tables



Features and Benefits

- Bungee tables are complete with Top, Legs and Bungee cords
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring a tool
- Tops are 1” thick and are offered in a variety of shapes and sizes
- Legs are offered in Tapered or Spider design in a Silver or Black finish. Levelers are standard
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires
- Optional grommets or power blocks offer technological flexibility
- Models with handles feature a bow handle in Silver or Black Nickel finish
- Metal feet are height adjustable and offered in Silver or Black Nickel finish
- Boardrooms were never easier to specify - table “sets” and accessories such as AV Cabinets and Credenza Buffets are specified with one model number

GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in bungee cord connectors.
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts.
- High Pressure Tops are available in all Bungee laminate finishes at an extended lead time - please see model # for pricing.
- Unique “bubble molding” edging is specially engineered to create a secure seal to align interconnected tables.
- Bungee products have been tested and comply with all mechanical tests.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 3 Certified**

CONSTRUCTION

- Tops are 1” thick. Modesty panels are 1/4” thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- Tops 54” and over feature a built-in support bar.

BUNGEE CORDS


- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a lifetime warranty.

EDGE DETAIL

- Unique “Bubble molding” is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- Bubble molding finish matches surface laminate with Silver (**SI**) or Black (**BK**) accent trim.
- Cabinetry and accessories feature Global’s preferred edging in matching color.

LEGS

- Tables feature two styles of legs - Tapered Leg and Spider Leg. Available in Silver Finish (**SI**) or Black Finish (**BK**).
- Levelers are standard. Optional locking casters are available at no upcharge, specify as Silver (**CS**) or Black (**CK**).
(Casters must match base finish.) Adjust 3mm - 10mm in height.



Tapered Leg



Spider Leg

HANDLES

- Metal handles are standard on all drawers and doors. Handles are offered in two finishes, Silver or Black.
- Handle finish will match leg finish.



Bow Handle, Silver (**HS**)



Bow Handle, Black Nickel (**HT**)

FEET

- Metal feet are standard on all cabinets. Feet adjust 3/4” in height.
- Feet are available in Silver Finish (**SI**) or Black Finish (**BK**).





SI - Silver Finish



BK - Black Nickel Finish


MODESTY PANELS

- Panels are 9.5” high, recessed 3/4” from the back and inset 7” from the sides.
- Available in all Bungee laminate finishes.
- Edge available in Silver finish (**SI**) or Black finish (**BK**). Please specify.




FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Available in Silver Finish (**SI**) or Black Finish (**BK**). Please specify.




WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5” and 22” track lengths.
- 5” track includes one wire clamp; 22” track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- Available in Black only.



5” Wire Management Track



22” Wire Management Track

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

| | | | |
|-----|--------------------|-----|--------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| HGT | Hayden Grey | QTM | Quartered Mahogany |
| SKC | Shaker Cherry | SOG | Storm Grey |
| TFW | Tiger Fruitwood | TMA | Tiger Mahogany |
| TMP | Tiger Maple | TWL | Tiger Walnut |
| WHT | White | WHC | White Chocolate* |
| WGY | Willow Grey | WCR | Winter Cherry |

*textured

Legs:

| | |
|----|--------------|
| SI | Silver |
| BK | Black Nickel |

Handles:

| |
|--------------|
| Silver |
| Black Nickel |

Feet:

| | |
|----|--------------|
| SI | Silver |
| BK | Black Nickel |

Casters:


| | |
|----|--------------|
| CS | Silver |
| CK | Black Nickel |

3. SPECIFY OPTIONS


GROMMETS

- Optional Grommets available in standard worksurface locations (left, center or right) for **Rectangular Tops 48" and up**. Order as: **AG1, AG2 or AG3 - Add \$65**
- Additional grommets are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **AG2 - Add \$65**.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - ADD \$65.00** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


Grommet hole dimensions




Grommet



Rectangular Tops



For 36" and 42" wide units



For 48", 60" and 72" wide units



Trapezoid Tables

Grommet Location - **AG2...Add \$65**

POWER BLOCK

- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- A Power Block (model **PMSPDM**) may be ordered for **Rectangular Tables 60" and up** in place of standard grommets. Order as **E1, E2 or E3 - Add \$65.00**.
- Additional Power Blocks are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **E2 - Add \$65**.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$238**.
- Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. ADD \$65.00**.

- See above for examples of placement.




Power Block **PMSPDM** Add \$238


VILLA CUTOUTS

- Optional Villa cutout available in standard worksurface locations (left, center or right) for **Rectangular Tables 60" and up**. Order as: **V1, V2 or V3.....Add \$65 for each cutout**.
- Additional power block cutouts are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **V2 - Add \$65**.
- Villa cutouts may be placed at non-standard locations. Please contact customer care.
- Villa is only available on Bungee, Junction and Connectables series**
- To purchase a Villa Power Block, you must specify both the Villa Power Block cutout location and the Power Block model #. Please see page 645 for Villa models.

Rectangular Tops



For 36", 42" and 48" wide units





For 60" and 72" wide units

B BUNGEE™ TABLES


CONNECTING CONDITIONS

- Bungee cords allow for fast and easy reconfiguring of tables whenever needed. Due to the elastic nature of the bungee cord, two tables connected with bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular Tables 48" and longer connect in both Straight and "L" configurations. Rectangular Tables 36" and 42" connect in Straight configurations only.


D x W x H




Rectangular Tables




Round Wedge Tables




Trapezoid Tables




Teardrop Tables



Half Moon Tables



Flat Round Tables



Square Tables



Keystone Tables



Wedge Tables


SAMPLE TABLE CONFIGURATIONS

- The following table configurations can be created using Bungee Boardroom Table Sets only. See pages 436 and 439 for specific models / configurations.

Meeting/Boardroom Table




Meeting/Boardroom Table




Meeting/Boardroom Table




Training



Training



Lecture / AV Presentations






Small Teaming Stations






Large Teaming Stations






FLIP TOP TABLE NESTING DIAGRAM



RECTANGULAR TABLES



Rectangular Table - Tapered Legs



Rectangular Table - Spider Legs

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|------------|---------------|----------|-----------|------------|--------|
|--------|------------|---------------|----------|-----------|------------|--------|

D x W x H

| | | | | | | |
|----------|--------------|------|----|------|--------------|--------------|
| B2036REF | 20 x 36 x 29 | 92.5 | 59 | 5.26 | \$617 | \$124 |
| B2042REF | 20 x 42 x 29 | 92.5 | 62 | 5.76 | \$640 | \$165 |
| B2048REF | 20 x 48 x 29 | 92.5 | 67 | 6 | \$665 | \$165 |
| B2060REF | 20 x 60 x 29 | 92.5 | 74 | 7 | \$753 | \$228 |
| B2072REF | 20 x 72 x 29 | 92.5 | 81 | 7.26 | \$825 | \$258 |

| | | | | | | |
|----------|--------------|------|----|------|--------------|--------------|
| B2436REF | 24 x 36 x 29 | 92.5 | 65 | 5.76 | \$653 | \$124 |
| B2442REF | 24 x 42 x 29 | 92.5 | 69 | 6 | \$676 | \$165 |
| B2448REF | 24 x 48 x 29 | 92.5 | 72 | 6.50 | \$699 | \$165 |
| B2460REF | 24 x 60 x 29 | 92.5 | 82 | 7.26 | \$807 | \$248 |
| B2472REF | 24 x 72 x 29 | 92.5 | 91 | 8 | \$872 | \$387 |

| | | | | | | |
|----------|--------------|------|-----|------|--------------|--------------|
| B3036REF | 30 x 36 x 29 | 100 | 70 | 7.26 | \$646 | \$233 |
| B3042REF | 30 x 42 x 29 | 92.5 | 78 | 7.50 | \$676 | \$258 |
| B3048REF | 30 x 48 x 29 | 92.5 | 81 | 7.50 | \$695 | \$248 |
| B3060REF | 30 x 60 x 29 | 92.5 | 92 | 8.26 | \$807 | \$310 |
| B3072REF | 30 x 72 x 29 | 92.5 | 102 | 9 | \$884 | \$387 |

| | | | | | | |
|----------|--------------|------|-----|----|--------------|--------------|
| B3642REF | 36 x 42 x 29 | 150 | 83 | 15 | \$741 | \$248 |
| B3648REF | 36 x 48 x 29 | 92.5 | 91 | 8 | \$812 | \$234 |
| B3660REF | 36 x 60 x 29 | 92.5 | 103 | 9 | \$884 | \$292 |
| B3672REF | 36 x 72 x 29 | 92.5 | 116 | 10 | \$989 | \$371 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 583.

- **Tables 48" and longer connect in both Straight and "L" configurations**
- **Tables 36" and 42" connect in Straight configurations only.**
- Available with optional locking casters, specify option **"CS"** or **"CK"**.

| | | | | | | |
|----------|--------------|-----|----|------|--------------|--------------|
| B2036RES | 20 x 36 x 29 | 100 | 57 | 6.76 | \$695 | \$124 |
| B2042RES | 20 x 42 x 29 | 100 | 60 | 7.26 | \$717 | \$165 |
| B2048RES | 20 x 48 x 29 | 100 | 65 | 7.50 | \$741 | \$165 |
| B2060RES | 20 x 60 x 29 | 100 | 72 | 8.50 | \$836 | \$228 |
| B2072RES | 20 x 72 x 29 | 100 | 79 | 8.76 | \$912 | \$258 |

| | | | | | | |
|----------|--------------|-----|----|-------|--------------|--------------|
| B2436RES | 24 x 36 x 29 | 100 | 62 | 7.26 | \$735 | \$124 |
| B2442RES | 24 x 42 x 29 | 150 | 64 | 15 | \$753 | \$165 |
| B2448RES | 24 x 48 x 29 | 125 | 71 | 10 | \$782 | \$165 |
| B2460RES | 24 x 60 x 29 | 125 | 80 | 10.76 | \$884 | \$248 |
| B2472RES | 24 x 72 x 29 | 125 | 89 | 11.26 | \$959 | \$387 |

| | | | | | | |
|----------|--------------|-----|-----|-------|--------------|--------------|
| B3036RES | 30 x 36 x 29 | 125 | 72 | 10.26 | \$753 | \$233 |
| B3042RES | 30 x 42 x 29 | 125 | 80 | 10.50 | \$776 | \$258 |
| B3048RES | 30 x 48 x 29 | 125 | 83 | 10.50 | \$801 | \$285 |
| B3060RES | 30 x 60 x 29 | 100 | 94 | 11.26 | \$912 | \$285 |
| B3072RES | 30 x 72 x 29 | 100 | 104 | 12 | \$978 | \$388 |

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 583.

- **Tables 48" and longer connect in both Straight and "L" configurations**
- **Tables 36" and 42" connect in Straight configurations only.**
- Available with optional locking casters, specify option **"CS"** or **"CK"**.

Required Specifications

Top Finish
Leg Finish

Optional Specifications


Casters
Grommet
Modesty Panel
High Pressure Laminate

Accessories


Power Block

B BUNGEE™ TABLES


TRAPEZOID TABLES



Trapezoid Table - Tapered Legs



Trapezoid Table - Tapered Legs



Trapezoid Table - Spider Legs

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|-------------------------|---------------|---------|-----------|------------|--------|
| B2460TRF | 24 x 60 x 29 | 100 | 71 | 7.50 | \$741 | \$248 |
| B2466TRF | 24 x 66 x 29 | 100 | 74 | 8 | \$760 | \$387 |
| B2472TRF | 24 x 72 x 29 | 100 | 78 | 8.26 | \$817 | \$387 |
| B3060TRF | 30 x 60 x 29 | 100 | 78 | 8.50 | \$793 | \$285 |
| B3066TRF | 30 x 66 x 29 | 100 | 81 | 9.50 | \$825 | \$387 |
| B3072TRF | 30 x 72 x 29 | 100 | 85 | 9.50 | \$877 | \$387 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 583.

| | | | | | | |
|----------|--------------|-----|----|-------|--------|-------|
| B3672TRF | 36 x 72 x 29 | 100 | 91 | 10.50 | \$1013 | \$371 |
|----------|--------------|-----|----|-------|--------|-------|

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 583.


- Available with optional locking casters, specify option “CS” or “CK”.

| | | | | | | |
|----------|--------------|-----|----|-------|-------|-------|
| B2060TRS | 20 x 60 x 29 | 125 | 67 | 8.76 | \$801 | \$228 |
| B2066TRS | 20 x 66 x 29 | 125 | 68 | 9 | \$825 | \$258 |
| B2072TRS | 20 x 72 x 29 | 125 | 74 | 9.26 | \$858 | \$258 |
| B2460TRS | 24 x 60 x 29 | 125 | 69 | 9.26 | \$825 | \$248 |
| B2466TRS | 24 x 66 x 29 | 125 | 72 | 9.76 | \$858 | \$387 |
| B2472TRS | 24 x 72 x 29 | 125 | 76 | 10 | \$894 | \$387 |
| B3060TRS | 30 x 60 x 29 | 125 | 79 | 11.50 | \$888 | \$285 |
| B3066TRS | 30 x 66 x 29 | 125 | 83 | 12.50 | \$920 | \$387 |
| B3072TRS | 30 x 72 x 29 | 125 | 87 | 12.50 | \$971 | \$387 |


Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 583.

- Available with optional locking casters, specify option “CS” or “CK”.

KEYSTONE TABLES



Keystone Table - Tapered Legs



Keystone Table - Tapered Legs

| | | | | | | |
|--------|-----------------|-----|----|-------|-------|-------|
| B30KSF | 30 x 62 x 29 | 150 | 69 | 15.20 | \$786 | \$310 |
| B24KSF | 24 x 51 x 29 | 150 | 60 | 13 | \$728 | \$207 |
| B20KSF | 20 x 43.75 x 29 | 150 | 58 | 13 | \$718 | \$165 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

| | | | | | | |
|--------|-----------------|-----|----|-------|-------|-------|
| B36KSF | 36 x 74.13 x 29 | 150 | 84 | 16.80 | \$972 | \$438 |
|--------|-----------------|-----|----|-------|-------|-------|

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

Required Specifications

Top Finish
Leg Finish


Optional Specifications

Grommet
Casters (Trapezoid Tables only)
Modesty Panel (Trapezoid Tables only)
High Pressure Laminate

Accessories

Power Block

KEYSTONE TABLES




Keystone Table - Spider Legs

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|-----------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| B30KSS | 30 x 62 x 29 | 150 | 77 | 15.20 | \$919 | \$309 |
| B24KSS | 24 x 51 x 29 | 150 | 66 | 13 | \$855 | \$192 |
| B20KSS | 20 x 43.75 x 29 | 150 | 64 | 13 | \$839 | \$165 |

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.


WEDGE TABLES



Wedge Table - Tapered Legs

| | | | | | | |
|--------|--------------|-----|----|-------|-------|-------|
| B24WEF | 24 x 63 x 29 | 150 | 54 | 13.20 | \$761 | \$206 |
| B20WEF | 20 x 57 x 29 | 150 | 46 | 10.20 | \$697 | \$165 |


Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.



Wedge Table - Tapered Legs

| | | | | | | |
|--------|--------------|-----|----|-------|--------|-------|
| B36WEF | 36 x 80 x 29 | 150 | 84 | 18.80 | \$1036 | \$371 |
| B30WEF | 30 x 70 x 29 | 150 | 70 | 14.40 | \$919 | \$258 |

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.




Wedge Table - Spider Legs

| | | | | | | |
|--------|--------------|-----|----|-------|-------|-------|
| B30WES | 30 x 70 x 29 | 150 | 73 | 14.40 | \$909 | \$259 |
| B24WES | 24 x 63 x 29 | 150 | 62 | 13.20 | \$850 | \$206 |
| B20WES | 20 x 57 x 29 | 150 | 52 | 10.20 | \$786 | \$165 |

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

HALF MOON TABLES




Half Moon Table - Tapered Legs

| | | | | | | |
|----------|--------------|-----|----|---|-------|-------|
| B2040HMF | 20 x 40 x 29 | 100 | 49 | 6 | \$488 | \$165 |
|----------|--------------|-----|----|---|-------|-------|

Freestanding table includes three tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.



Half Moon Table - Tapered Legs

| | | | | | | |
|----------|--------------|-----|----|------|-------|-------|
| B2448HMF | 24 x 48 x 29 | 100 | 69 | 7.76 | \$635 | \$165 |
| B3060HMF | 30 x 60 x 29 | 100 | 81 | 8.50 | \$676 | \$285 |

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.

Required Specifications

Top Finish
Leg Finish

Optional Specifications


Casters (Half Moon Tables only)
High Pressure Laminate

Accessories

Power Block (position 2 only)

B BUNGEE™ TABLES

HALF MOON TABLES




Half Moon Table - Tapered Legs

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|-------------------------|---------------|---------|-----------|------------|--------|
| B3672HMF | 36 x 72 x 29 | 100 | 110 | 11.50 | \$953 | \$371 |

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.




Half Moon Table - Spider Legs

| | | | | | | |
|----------|--------------|-----|----|-------|-------|-------|
| B2448HMS | 24 x 48 x 29 | 125 | 67 | 9.26 | \$723 | \$165 |
| B3060HMS | 30 x 60 x 29 | 125 | 83 | 11.50 | \$776 | \$285 |

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.

SQUARE TABLES




Square Table - Tapered Legs

| | | | | | | |
|----------|--------------|------|----|------|-------|-------|
| B2424SQF | 24 x 24 x 29 | 92.5 | 55 | 4.60 | \$605 | \$104 |
| B3030SQF | 30 x 30 x 29 | 100 | 65 | 7.50 | \$617 | \$156 |
| B3636SQF | 36 x 36 x 29 | 100 | 78 | 8 | \$706 | \$187 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see pg 435.

- Available with optional locking casters, specify option “CS” or “CK”.

ROUND WEDGE TABLES




Round Wedge 120° Table

| | | | | | | |
|----------|--------------|-----|-----|-------|-------|-------|
| B2042RWF | 20 x 42 x 29 | 100 | 76 | 8.26 | \$676 | \$362 |
| B2448RWF | 24 x 48 x 29 | 125 | 85 | 10.76 | \$695 | \$362 |
| B3057RWF | 30 x 57 x 29 | 100 | 102 | 12 | \$825 | \$516 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.

TEARDROP TABLES



Teardrop 90° Table

| | | | | | | |
|----------|--------------|-----|----|------|-------|-------|
| B2036TDF | 20 x 36 x 29 | 100 | 71 | 8 | \$635 | \$233 |
| B2442TDF | 24 x 42 x 29 | 100 | 81 | 8.50 | \$695 | \$362 |
| B3048TDF | 30 x 48 x 29 | 100 | 91 | 11 | \$764 | \$336 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “CS” or “CK”.


Required Specifications

Top Finish
Leg Finish

Optional Specifications

Casters
High Pressure Laminate

FLAT ROUND TABLES




Flat Round Table

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|--------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| B2030FRF | 20 x 30 x 29 | 100 | 56 | 6 | \$617 | \$207 |
| B2036FRF | 20 x 36 x 29 | 100 | 66 | 7.26 | \$617 | \$233 |
| | | | | | | |
| B2436FRF | 24 x 36 x 29 | 100 | 64 | 7.26 | \$617 | \$233 |
| B2442FRF | 24 x 42 x 29 | 100 | 76 | 8.26 | \$735 | \$362 |
| | | | | | | |
| B3042FRF | 30 x 42 x 29 | 100 | 74 | 8 | \$735 | \$362 |
| B3048FRF | 30 x 48 x 29 | 100 | 88 | 11 | \$735 | \$330 |
| | | | | | | |
| B3648FRF | 36 x 48 x 29 | 125 | 85 | 11 | \$812 | \$516 |
| B3652FRF | 36 x 52 x 29 | 100 | 93 | 11 | \$812 | \$516 |

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “**CS**” or “**CK**”.

MODESTY PANELS




Modesty Panel

| | | | | | | |
|---------|----------------|----|---|------|-------|-----|
| BX36QMP | 9.5 x 21 x .69 | 60 | 3 | 1.20 | \$79 | N/A |
| BX42QMP | 9.5 x 27 x .69 | 60 | 4 | 1.35 | \$83 | N/A |
| BX48QMP | 9.5 x 33 x .69 | 60 | 4 | 1.60 | \$88 | N/A |
| BX60QMP | 9.5 x 45 x .69 | 60 | 5 | 2.10 | \$96 | N/A |
| BX66QMP | 9.5 x 51 x .69 | 60 | 6 | 2.60 | \$100 | N/A |
| BX72QMP | 9.5 x 57 x .69 | 60 | 7 | 2.60 | \$104 | N/A |

For use on **Rectangular** and **Square** Tables. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.




Modesty Panel

| | | | | | | |
|----------|----------------|----|---|------|------|-----|
| BXM60QMP | 9.5 x 21 x .69 | 60 | 4 | 1.20 | \$83 | N/A |
| BXM66QMP | 9.5 x 27 x .69 | 60 | 4 | 1.35 | \$88 | N/A |
| BXM72QMP | 9.5 x 33 x .69 | 60 | 5 | 1.60 | \$92 | N/A |
| | | | | | | |
| BXL60QMP | 9.5 x 21 x .69 | 60 | 3 | 1.20 | \$81 | N/A |
| BXL66QMP | 9.5 x 27 x .69 | 60 | 4 | 1.35 | \$83 | N/A |
| BXL72QMP | 9.5 x 33 x .69 | 60 | 4 | 1.60 | \$88 | N/A |

For use on **Trapezoid** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.
- Specify **BXM** models for 24”D tables and **BXL** models for 30”D tables.



Modesty Panel

| | | | | | | |
|--------|----------------|----|---|-----|------|-----|
| BXWQMP | 9.5 x 27 x .69 | 60 | 4 | .40 | \$83 | N/A |
|--------|----------------|----|---|-----|------|-----|

For use on **Wedge** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

| Required Specifications | Optional Specifications |
|-------------------------|--|
| Top Finish | Casters |
| Leg Finish | High Pressure Laminate (Flat Round Table only) |


B

BUNGEE™ TABLES


FILLER MODESTY PANELS



Filler Modesty Panel - Straight



Filler Modesty Panel - Inside Curve



Filler Modesty Panel - Outside Curve

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|-------------------------|---------------|---------|-----------|-------------|--------|
| BSFMS | .06 x 21 x 9 | 70 | 1 | .30 | \$86 | N/A |

Used to fill the space between two modesty panels where tables are linked in a straight configuration.

- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

| | | | | | | |
|---------|--------------|-----|---|------|--------------|-----|
| B23IFMS | .06 x 23 x 9 | 250 | 3 | 1.50 | \$103 | N/A |
| B29IFMS | .06 x 29 x 9 | 250 | 3 | 1.50 | \$103 | N/A |
| B30IFMS | .06 x 30 x 9 | 250 | 3 | 1.50 | \$103 | N/A |

Used to fill the space (inside curve) between two modesty panels where tables are linked at an angle or curve. Use for the inside curve of Round Wedge Tables, Teardrop Tables, or Trapezoid Tables.












- Use model **B23IFMS** for Trapezoid Tables inside curve only.
- Use model **B29IFMS** for Teardrop Tables inside curve only.
- Use model **B30IFMS** for Round Wedge Tables inside curve only.
- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

| | | | | | | |
|------|--------------|-----|---|------|--------------|-----|
| B56S | .06 x 56 x 9 | 250 | 4 | 1.50 | \$151 | N/A |
| B62S | .06 x 62 x 9 | 250 | 4 | 1.50 | \$162 | N/A |
| B71S | .06 x 71 x 9 | 250 | 4 | 1.50 | \$175 | N/A |

Used to fill the space (outside curve) between two modesty panels where tables are linked at an angle or curve. Use for Teardrop Tables only (**B2036TDF, B2442TDF and B3048TDF**).

- Use model **B56S** for **B2036TDF** Teardrop Tables outside curve only.
- Use model **B62S** for **B2442TDF** Teardrop Tables outside curve only.
- Use model **B71S** for **B3048TDF** Teardrop Tables outside curve only.
- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Top Finish | Casters |
| Leg Finish | Grommet |
| | Modesty Panel |


| WIRE MANAGEMENT | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-------------------------------|--|---|---|---|---|---|------------------------|
|  | | | D x W x H | | | | | |
| | | BWMS5 | 2 x 5 x 3.5 | 70 | 1 | .10 | \$9 | N/A |
| | | BWMD22 | 2 x 22 x 3.5 | 70 | 1 | .10 | \$15 | N/A |
| Wire Management - 5" /22" Track | | Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only. <ul style="list-style-type: none">For a 5" track, order model BWMS5 - includes one wire clamp.For a 22" track, order model BWMD22 - includes two wire clamps. | | | | | | |
| BOARDROOM TABLE SETS | | | | | | | | |
|  | 11 Foot Configurations | Meeting/Boardroom Table | Meeting/Boardroom Table | | | | Small Teaming Stations | Large Teaming Stations |
| | |  |  | Training | Lecture / AV Presentations |  |  | |
| | | Meeting/Boardroom Table | Training |  |  |  |  | |
| | | BK132F | 60 x 132 x 29 | 85 | 290 | 19.46 | \$2992 | \$1136 |
| Includes four freestanding tables. Each table includes four tapered legs with levellers and Bungee cords to be "Bungee-tied" together. Shipped RTA (ready to assemble). Modesty panel set available, order BK132MP . <ul style="list-style-type: none">Available with optional locking casters, specify option "CS" or "CK". | | | | | | | | |
|  | Boardroom Table Set - 11 foot | BK132S | 60 x 132 x 29 | 85 | 290 | 19.46 | \$3358 | \$1136 |
| | | Includes four freestanding tables. Each table includes two spider legs with levellers and Bungee cords to be "Bungee-tied" together. Shipped RTA (ready to assemble). Modesty panel set available, order BK132MP . <ul style="list-style-type: none">Available with optional locking casters, specify option "CS" or "CK". | | | | | | |
| | | BXK132QMP | .69 x 34 x 9 | 92.5 | 13 | 1.10 | \$326 | N/A |
| Modesty Panel Set for Boardroom Table | | For use on 11 foot Boardroom Table Set . Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes. | | | | | | |

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Top Finish | Casters |
| Leg Finish | Grommet |
| | Modesty Panel |
| | High Pressure Laminate |


B BUNGEE™ TABLES

BOARDROOM TABLE SETS


13/15 Foot Configurations



Boardroom Table Set - 13 and 15 foot



Boardroom Table Set - 13 and 15 foot



Modesty Panel Set for Boardroom Table

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------------------|----------------------------|-------------------------|----------|------------------------|------------------------|--------|
| Meeting/Boardroom Table | Lecture / AV Presentations | Training | Training | Small Teaming Stations | Large Teaming Stations | |
| Meeting/Boardroom Table | Lecture / AV Presentations | Meeting/Boardroom Table | | Small Teaming Stations | | |
| BK156F | 60 x 156 x 29 | 85 | 374 | 26.31 | \$4403 | \$1443 |
| BK180F | 60 x 180 x 29 | 100 | 420 | 44.05 | \$4800 | \$1649 |
| BK156S | 60 x 156 x 29 | 85 | 374 | 26.31 | \$4545 | \$1443 |
| BK180S | 60 x 180 x 29 | 70 | 420 | 26.31 | \$4928 | \$1649 |
| BXK156QMP | .69 x 34 x 9 | 70 | 20 | 1 | \$553 | N/A |
| BXK180QMP | .69 x 46 x 9 | 65 | 25 | 1.10 | \$531 | N/A |

Includes six freestanding tables. Each table includes **four tapered legs** with levellers and Bungee cords to be “Bungee-tied” together. Shipped RTA (ready to assemble). Modesty panel set available, order **BK156MP/BK180MP**.

- Available with optional locking casters, specify option “**CS**” or “**CK**”.

Includes six freestanding tables. Each table includes **two spider legs** with levellers and Bungee cords to be “Bungee-tied” together. Shipped RTA (ready to assemble). Modesty panel set available, order **BK156MP/BK180MP**.



- Available with optional locking casters, specify option “**CS**” or “**CK**”.

For use on **13 & 15 foot Boardroom Table Set**. Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Use model **BXK156QMP** for **BK156F/S** Boardroom Table Set.
- Use model **BXK180QMP** for **BK180F/S** Boardroom Table Set.

| Required Specifications | Optional Specifications | Accessories |
|---------------------------------------|-------------------------|-------------|
| Top Finish | Grommet | Power Block |
| Leg Finish | Modesty Panel | |
| Caster Finish (must match leg finish) | High Pressure Laminate | |

RECTANGULAR TABLE - FLIP TOP




Flip-Top Rectangular Table - Spider Legs

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|--------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BX2442RES | 24 x 42 x 29 | 250 | 66 | 20.75 | \$1100 | \$162 |
| BX2448RES | 24 x 48 x 29 | 250 | 72 | 23.50 | \$1115 | \$162 |
| BX2460RES | 24 x 60 x 29 | 250 | 84 | 29 | \$1141 | \$203 |
| BX2466RES | 24 x 66 x 29 | 250 | 97 | 31.75 | \$1151 | \$243 |
| BX2472RES | 24 x 72 x 29 | 250 | 102 | 34.75 | \$1172 | \$243 |
| | | | | | | |
| BX3042RES | 30 x 42 x 29 | 250 | 73 | 25.50 | \$1100 | \$203 |
| BX3048RES | 30 x 48 x 29 | 250 | 73 | 28.75 | \$1115 | \$203 |
| BX3060RES | 30 x 60 x 29 | 250 | 94 | 35.75 | \$1146 | \$254 |
| BX3066RES | 30 x 66 x 29 | 250 | 106 | 39.25 | \$1158 | \$304 |
| BX3072RES | 30 x 72 x 29 | 250 | 112 | 42.50 | \$1183 | \$304 |

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables of the same depth. Folding modesty panels available, see next page.

- **Tables 48” and longer connect in both Straight and “L” configurations**
- Standard with locking casters
- **Due to leg design, tables placed in back-to-back configurations will not sit flush with one another**

TRAPEZOID TABLES - FLIP TOP




Flip-Top Trapezoid Table - Spider Legs

| | | | | | | |
|-----------|--------------|-----|-----|-------|--------|-------|
| BX2460TRS | 24 x 60 x 29 | 150 | 112 | 28 | \$1032 | \$203 |
| BX2466TRS | 24 x 66 x 29 | 250 | 112 | 31 | \$1048 | \$243 |
| BX2472TRS | 24 x 72 x 29 | 250 | 112 | 33 | \$1063 | \$243 |
| | | | | | | |
| BX3060TRS | 30 x 60 x 29 | 250 | 112 | 35.50 | \$1054 | \$254 |
| BX3066TRS | 30 x 66 x 29 | 250 | 112 | 39 | \$1068 | \$304 |
| BX3072TRS | 30 x 72 x 29 | 250 | 112 | 42.50 | \$1084 | \$304 |


Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables of the same depth. Folding modesty panels available, see next page.

- Standard with locking casters

KEYSTONE TABLES - FLIP TOP



Flip-Top Keystone Table - Spider Legs



| | | | | | | |
|---------|--------------|-----|-----|-------|--------|-------|
| BX24KSS | 24 x 51 x 29 | 125 | 112 | 16.50 | \$1027 | \$203 |
| BX30KSS | 30 x 62 x 29 | 125 | 112 | 16.50 | \$1068 | \$304 |

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables of the same depth.

- Modesty panels or Filler Modestys are NOT available.
- Standard with locking casters

Required Specifications

Top Finish
Leg Finish
Caster Finish (must match leg finish)

Optional Specifications

Grommet
Modesty Panel
High Pressure Laminate

Accessories


Power Block

B

WEDGE TABLES - FLIP TOP




| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|--------------|---------------|---------|-----------|---------------|--------------|
| | D x W x H | | | | | |
| BX24WES | 24 x 63 x 29 | 60 | 76 | 33 | \$1293 | \$292 |
| BX30WES | 30 x 70 x 29 | 60 | 84 | 33 | \$1313 | \$292 |




- Standard with locking casters

MODESTY PANELS - FLIP TOP



For use on **Flip Top Rectangular Tables**. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.



For use on **Flip Top Trapezoid Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.
- Specify **BXM** models for 24"D tables and **BXL** models for 30"D tables.



For use on **Flip Top Wedge Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- *Modesty panel model number indicates the width of table to be used on.*

Required Specifications




Top Finish
Leg Finish
Caster Finish (must match leg finish)

Optional Specifications

Grommet
Modesty Panel
High Pressure Laminate

Accessories

Power Block

| BOARDROOM TABLE SET - FLIP TOP | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|--------------------------------|---------------|----------------------------|------------------------|------------------------|--------|
| <div>4 pc. Configurations</div> <div></div> <div>Boardroom Table Set - 4pc. Flip Top</div> <div></div> <div>Square Modesty Panel Set for 4pc. Flip Top Table</div> | D x W x H | | | | | | |
| | Meeting/Boardroom Table | Meeting/Boardroom Table | Training | Lecture / AV Presentations | Small Teaming Stations | Large Teaming Stations | |
| | Meeting/Boardroom Table | Training | | | | | |
| | BXK132S | 60 x 132 x 29 | 250 | 352 | 148 | \$4228 | \$1163 |
| | <div></div> <div>Includes four freestanding tables with spider legs. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables. Folding modesty panel set available, order BXK132MP. 4 cartons.</div> <ul style="list-style-type: none">Standard with locking casters | | | | | | |
| | BXK132QMP | .69 x 34 x 9 | 92.5 | 13 | 1.10 | \$326 | N/A |
| | For use on 4 pc. flip top table kits . Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK). | | | | | | |
| Required Specifications | | Optional Specifications | | | | | |
| Top Finish | | High Pressure Laminate | | | | | |
| Leg Finish | | | | | | | |
| Caster Finish (must match leg finish) | | | | | | | |


B BUNGEE™ TABLES

MODESTY PANEL SETS

6 pc. Configurations




Boardroom Table Set - 6pc. Flip Top




Square Modesty Panel Set for 6 pc. Flip Top Table

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|------------|---------------|---------|-----------|------------|--------|
|--------|------------|---------------|---------|-----------|------------|--------|

D x W x H



| | | | | | | |
|---------|---------------|-----|-----|-------|--------|--------|
| BXK156S | 60 x 156 x 29 | 250 | 452 | 177.1 | \$6260 | \$1340 |
| BXK180S | 60 x 180 x 29 | 250 | 507 | 204.0 | \$6411 | \$1543 |






Includes six freestanding tables with spider legs. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables. Folding modesty panel set available, order **BXK156MP/ BXK180MP**. 6 cartons.

- Standard with locking casters

| | | | | | | |
|-----------|---------------|----|----|------|-------|-----|
| BXK156QMP | .69 x 34 x 13 | 70 | 20 | 1 | \$553 | N/A |
| BXK180QMP | .69 x 46 x 13 | 65 | 25 | 1.10 | \$531 | N/A |

For use on **6 pc. flip top table kits**. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

| | | |
|-------------------------|-------------------------|-------------|
| Required Specifications | Optional Specifications | Accessories |
| Finish | Grommet | Power Block |

| ACCESSORIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|--|--------------|---------------|----------|-----------|------------|--------|
|  Credenza Buffet | <div>D x W x H</div> | | | | | | |
| | B2072BUF | 20 x 72 x 42 | 100 | 305 | 37.50 | \$2609 | \$383 |
| | <p>Pull-out shelf. Top transaction shelf is edged with bubble molding. Side storage compartments feature a laminate door and one adjustable shelf each. Center storage features frosted aluminum doors with one adjustable shelf. Leveller feet are standard.</p> <ul style="list-style-type: none">Some assembly required. | | | | | | |
|  Audio/Visual Cabinet | B249072AV | 24 x 90 x 72 | 92.5 | 530 | 52.52 | \$4303 | \$387 |
| | <p>Top pigeon holes and center adjustable shelf accommodate electronic equipment, CDs and other media. Bottom storage compartments feature laminate doors and one adjustable shelf. Side storage towers feature frosted aluminum doors with three adjustable shelves each. Accommodates TVs up to 58" w x 34" h x 24" d.</p> <ul style="list-style-type: none">Some assembly required. | | | | | | |
| | | | | | | | |
|  Lectern | B44LEC | 17 x 22 x 44 | 250 | 36 | 12.50 | \$653 | \$124 |
| | <p>Features angled stand with pencil ledge. Locking casters. Specify CS or CK.</p> | | | | | | |
| | | | | | | | |

| Required Specifications | Optional Specifications | Accessories |
|---|-------------------------|-------------|
| Top Finish Leg Finish Feet Finish | Grommet | Power Block |



BUNGEE SL - a completely new product line to complement and coordinate with the Bungee Training Tables series. Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications - great for training, teaming and academic areas. Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.

For greater flexibility, specify **Power and Data Management Troughs** for the BUNGEE SL table series. Add Global's proprietary 4-wire power kits and create inexpensive and versatile training, benching, academic and meeting areas. Front panels are available in Laminate or Aluminum. A center spine version allows for inexpensive double-sided applications.



Features and Benefits

- Tops are 1" thick with a choice of four edges: BB/BS - Bungee bubble edge, AB/AS - split color edge, A3 - matching edge and AR - Bicut edge.
- Legs are offered in Tapered or Spider design in a Silver or Black finish. Levelers are standard
- Power and data management troughs are sold separately and are meant to be used on BUNGEE SL only.
- Metal feet are height adjustable and offered in Silver or Black Nickel finish



Tapered leg with levelers, offered in Silver or Black finish.



Optional power and data management troughs for Bungee SL. Center spine shown.




Shared leg, back-to-back tables with center spine trough.

GENERAL INFORMATION

- Introducing **BUNGEE SL** - a completely new product line to complement and coordinate with the top selling Bungee Training Tables series.
- Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications - great for benching, training, teaming and academic areas.
- Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.
- High pressure tops are available in all BUNGEE SL laminates at an extended lead time - please refer to model # for pricing.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by UL/Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 3 Certified**

CONSTRUCTION

- Tops are 1" thick
- All laminate components are made of 45 lb. density particleboard with high performance thermally fused laminate.
- Tops 60" and over feature a built-in support bar. The support bar is 10" from the approach side, and clearance to the bottom of the support bar is 27" from the floor.
- **BUNGEE CORDS ARE NOT INCLUDED AND ARE NOT COMPATIBLE WITH BUNGEE SL TOPS**



EDGE DETAIL

- Bungee SL comes with a choice of four edge styles:



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black



BS - rounded corner, Silver




BB - rounded corner, Black

- **BB/BS** - Bungee Bubble Edge: unique "bubble" molding found on original Bungee
- **AB/AS** - Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- **A3** - Global's preferred edge. Coordinates well with Adaptabilities and Zira 1" tops.
- **AR** - Bicut edge. Coordinates well with Zira 1" tops.

LEGS

- Two leg styles are available - Tapered and Spider leg. Available in Silver (**SI**) or Black (**BK**) finish. Levelers are standard; casters are not available for Bungee SL legs. Levelers adjust 3mm - 10mm in height.



MODESTY PANELS

- See **POWER AND DATA MANAGEMENT TROUGHS** - page 591
- For modesty panels without power and data management, please see **Bungee modesty panels**, found on pages 573

WIRE MANAGEMENT / POWER OPTIONS

- **TO UTILIZE BUNGEE SL TO THE FULLEST EXTENT, SPECIFY POWER AND DATA MANAGEMENT TROUGH (SEE PAGE 591).**
- For basic wire management, see details on page 575.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

| | | | |
|-----|--------------------|-----|--------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| HGT | Hayden Grey | QTM | Quartered Mahogany |
| SKC | Shaker Cherry | SOG | Storm Grey |
| TFW | Tiger Fruitwood | TMA | Tiger Mahogany |
| TMP | Tiger Maple | TWL | Tiger Walnut |
| WHT | White | WHC | White Chocolate* |
| WGY | Willow Grey | WCR | Winter Cherry |

Edge:

| | |
|-----------|-------------------------------------|
| BB | Bungee bubble edge with Black trim |
| BS | Bungee bubble edge with Silver trim |
| AB | Split color edge with Black trim |
| AS | Split color edge with Silver trim |
| A3 | Matching edge |
| AR | Matching bicut edge |

Legs:


| | |
|----|--------|
| SI | Silver |
| BK | Black |

3. SPECIFY OPTIONS


GROMMETS

- Optional Grommets available in standard worksurface locations (left, center or right) **for Rectangular Tops 60" and up**. Order as: **AG1, AG2 or AG3 - Add \$65**
- Optional grommets are available in **center position only** for **Rectangular Tops (36", 42" and 48")**, **Keystone**, **Half-Moon** and **Wedge Tops**. Order as **AG2 - Add \$65**.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$65**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


Grommet hole dimensions




Grommet




Keystone




Half Moon




Wedge



Rectangular Tops



For 36", 42" and 48" wide units




For 60" and 72" wide units

POWER BLOCK


- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high. Power Block cutout dimensions are 2 3/4" deep x 6" wide.
- A Power Block Cutout (model **PMSPDM**) may be ordered for **Rectangular Tops (60" and up)** in place of standard grommets. Order as **E1, E2 or E3. Add \$65**.
- A Power Block Cutout (model **PMSPDM**) may be ordered in the **center position only** for **Rectangular Tops (36", 42" and 48")**, **Keystone** and **Half-Moon Tops**. Order as **E2. Add \$65**.

- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block separately as **PMSPDM, ADD \$238**.


Keystone




Half Moon




Power Block



Rectangular Tops



For 36", 42" and 48" wide units




For 60" and 72" wide units


VILLA POWER BLOCK (CORDED VERSION ONLY)

- A Villa Power Block (corded) is available in four options (see page 595 for Villa Corded details). Villa Power Block (corded) dimensions vary by model. Villa cutout dimensions are 3" deep x 5 1/4" wide.
- A Villa cutout may be ordered **for Rectangular Tops 60" and up**. Order as: **V1, V2 or V3 - Add \$65 for each cutout**.
- A Villa cutout may be ordered in the **center position only** for **Rectangular Tops 36", 42" and 48")**, **Keystone** and **Half-Moon Tops**. Order as: **V2 - Add \$65**.
- Order Villa Power Block and Villa Grommet Cover separately, see page 595 for pricing and details.


Keystone




Half Moon




Villa Power Block








Rectangular Tops



For 36", 42" and 48" wide units



For 60" and 72" wide units

| TOPS WITH SQUARE CORNERS (A3, AR OR AB/AS EDGE) | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-----------|-------------------|---------------|---------|-----------|--------------|--------------|
|  <p>Rectangular Top - Square Corners</p> | | D x W x H | | | | | |
| | BS3072REC | 30 x 72 x 1 | 70 | 60 | 4 | \$405 | \$348 |
| | BS3060REC | 30 x 60 x 1 | 70 | 53 | 3.40 | \$338 | \$290 |
| | BS3048REC | 30 x 48 x 1 | 70 | 46 | 2.70 | \$206 | \$232 |
| | BS3042REC | 30 x 42 x 1 | 70 | 42 | 2.40 | \$201 | \$203 |
| | BS3036REC | 30 x 36 x 1 | 70 | 38 | 2.10 | \$161 | \$174 |
| | BS2472REC | 24 x 72 x 1 | 70 | 51 | 3.30 | \$355 | \$278 |
| | BS2460REC | 24 x 60 x 1 | 70 | 44 | 2.80 | \$309 | \$232 |
| | BS2448REC | 24 x 48 x 1 | 70 | 37 | 2.30 | \$175 | \$186 |
| | BS2442REC | 24 x 42 x 1 | 70 | 33 | 2 | \$166 | \$163 |
| | BS2436REC | 24 x 36 x 1 | 70 | 29 | 1.80 | \$157 | \$139 |
| | BS2072REC | 20 x 72 x 1 | 85 | 43 | 2.90 | \$329 | \$232 |
| | BS2060REC | 20 x 60 x 1 | 70 | 37 | 2.40 | \$278 | \$195 |
| | BS2048REC | 20 x 48 x 1 | 70 | 30 | 2 | \$165 | \$163 |
| | BS2042REC | 20 x 42 x 1 | 70 | 27 | 1.80 | \$152 | \$139 |
| | BS2036REC | 20 x 36 x 1 | 70 | 24 | 1.50 | \$142 | \$139 |
|  <p>Keystone Top - Square Corners</p> | BS30KSF | 30.50 x 62.75 x 1 | 92.5 | 37 | 3.60 | \$786 | \$348 |
| | BS24KSF | 28.75 x 52 x 1 | 92.5 | 29 | 2.80 | \$728 | \$255 |
| | BS20KSF | 27.75 x 44 x 1 | 92.5 | 25 | 2.40 | \$718 | \$209 |
| | | | | | | | |
|  <p>Half Moon Top - Square Corners</p> | BS3060HMF | 29.75 x 59.4 x 1 | 92.5 | 36 | 3.30 | \$676 | \$290 |
| | BS2448HMF | 24 x 48.2 x 1 | 92.5 | 24 | 2.30 | \$635 | \$186 |
|  <p>90° Wedge Top - Square Corners</p> | BS24WE | 26.8 x 26.8 x 1 | 92.5 | 15 | 1.50 | \$195 | \$163 |
| | BS20WE | 22.8 x 22.8 x 1 | 100 | 10 | 1.20 | \$142 | \$139 |
|  <p>90° Corner - Square Corners</p> | BS30CN | 33.17 x 33.17 x 1 | 125 | 36 | 2.50 | \$440 | \$139 |
| | | | | | | | |

Rectangular 1" thick worksurface with **Square Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with **power and data management troughs** (see page 591) or standard modesty panels (see page 573).

- For worksurfaces to be used as a return, please see Return Tops.
- Legs sold separately.

1" thick worksurface with **Square Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

1" thick worksurface with **Square Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

1" thick worksurface with **Square Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

- Legs sold separately.

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. *Not available with Spider Legs*.

Required Specifications

Top Finish
Top / Edge Detail


Optional Specifications

Grommet
Power/Data Management Troughs -
(Rectangular tops only)
Modesty Panel (Rectangular tops only)

High Pressure Laminate

Accessories

Power Block
Villa Power Block (Corded)



Rectangular Return Tops - Square Corners

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|-------------------------|---------------|---------|-----------|------------|--------|
| BS3054RRE | 30 x 54 x 1 | 70 | 50 | 3.10 | \$221 | \$261 |
| BS3048RRE | 30 x 48 x 1 | 70 | 46 | 2.70 | \$206 | \$232 |
| BS3042RRE | 30 x 42 x 1 | 70 | 42 | 2.40 | \$201 | \$203 |
| BS3036RRE | 30 x 36 x 1 | 70 | 38 | 2.10 | \$161 | \$174 |
| BS2454RRE | 24 x 54 x 1 | 70 | 40 | 2.50 | \$190 | \$209 |
| BS2448RRE | 24 x 48 x 1 | 70 | 37 | 2.30 | \$175 | \$186 |
| BS2442RRE | 24 x 42 x 1 | 70 | 33 | 2 | \$166 | \$163 |
| BS2436RRE | 24 x 36 x 1 | 70 | 29 | 1.80 | \$157 | \$139 |
| BS2054RRE | 20 x 54 x 1 | 70 | 33 | 2.20 | \$180 | \$174 |
| BS2048RRE | 20 x 48 x 1 | 70 | 30 | 2 | \$165 | \$156 |
| BS2042RRE | 20 x 42 x 1 | 70 | 27 | 1.80 | \$152 | \$139 |
| BS2036RRE | 20 x 36 x 1 | 70 | 24 | 1.50 | \$142 | \$116 |

Rectangular 1" thick worksurface with **Square Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

- For worksurfaces to be used as a main surface, please see Rectangular Tops.
- Legs sold separately.

TOPS WITH ROUNDED CORNERS (BB/BS EDGES ONLY)




Rectangular Top - Rounded Corners

| | | | | | | |
|-----------|-------------|----|----|------|-------|-------|
| BB3072REC | 30 x 72 x 1 | 85 | 59 | 4 | \$520 | \$348 |
| BB3060REC | 30 x 60 x 1 | 70 | 52 | 3.40 | \$434 | \$290 |
| BB3048REC | 30 x 48 x 1 | 70 | 45 | 2.70 | \$264 | \$232 |
| BB3042REC | 30 x 42 x 1 | 70 | 41 | 2.40 | \$258 | \$203 |
| BB3036REC | 30 x 36 x 1 | 70 | 37 | 2.10 | \$207 | \$174 |
| BB2472REC | 24 x 72 x 1 | 70 | 50 | 3.30 | \$456 | \$278 |
| BB2460REC | 24 x 60 x 1 | 70 | 43 | 2.80 | \$396 | \$232 |
| BB2448REC | 24 x 48 x 1 | 70 | 36 | 2.30 | \$224 | \$186 |
| BB2442REC | 24 x 42 x 1 | 70 | 32 | 2 | \$214 | \$163 |
| BB2436REC | 24 x 36 x 1 | 70 | 28 | 1.80 | \$201 | \$139 |
| BB2072REC | 20 x 72 x 1 | 85 | 42 | 2.90 | \$422 | \$232 |
| BB2060REC | 20 x 60 x 1 | 70 | 36 | 2.40 | \$357 | \$195 |
| BB2048REC | 20 x 48 x 1 | 85 | 29 | 2 | \$212 | \$163 |
| BB2042REC | 20 x 42 x 1 | 85 | 26 | 1.80 | \$195 | \$139 |
| BB2036REC | 20 x 36 x 1 | 70 | 23 | 1.50 | \$182 | \$139 |

Rectangular 1" thick worksurface with **Rounded Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with **power and data management troughs** (see page 590) or standard modesty panels (see page 573).

- For worksurfaces to be used as a return, please see Return Tops
- Legs sold separately.



Keystone Top - Rounded Corners

| | | | | | | |
|---------|-------------------|------|----|------|-------|-------|
| BB30KSF | 30.50 x 62.75 x 1 | 92.5 | 36 | 3.60 | \$786 | \$348 |
| BB24KSF | 28.75 x 52 x 1 | 92.5 | 28 | 2.80 | \$728 | \$255 |
| BB20KSF | 27.75 x 44 x 1 | 92.5 | 24 | 2.40 | \$718 | \$209 |

1" thick worksurface with **Rounded Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

Required Specifications

Top Finish
Top / Edge Detail


Optional Specifications

Grommet
Power/Data Management Troughs -
(Rectangular tops only)
Modesty Panel

High Pressure Laminate

Accessories

Power Block
Villa Power Block (Corded)



Half Moon Top - Rounded Corners

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|-------------------------|---------------|---------|-----------|--------------|--------------|
| BB3060HMF | 29.75 x 59.4 x 1 | 92.5 | 35 | 3.30 | \$676 | \$290 |
| BB2448HMF | 24 x 48.2 x 1 | 92.5 | 23 | 2.30 | \$635 | \$186 |

1" thick worksurface with **Rounded Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.




90° Wedge Top - Rounded Corners

| | | | | | | |
|--------|-----------------|-----|----|------|--------------|--------------|
| BB24WE | 26.8 x 26.8 x 1 | 100 | 14 | 1.50 | \$250 | \$163 |
| BB20WE | 22.8 x 22.8 x 1 | 125 | 9 | 1.20 | \$182 | \$139 |

1" thick worksurface with **Rounded Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

- Legs sold separately.




Rectangular Return Tops - Rounded Corners

| | | | | | | |
|-----------|-------------|----|----|------|--------------|--------------|
| BB3054RRE | 30 x 54 x 1 | 70 | 50 | 3.06 | \$284 | \$261 |
| BB3048RRE | 30 x 48 x 1 | 70 | 46 | 2.75 | \$264 | \$232 |
| BB3042RRE | 30 x 42 x 1 | 70 | 42 | 2.44 | \$258 | \$203 |
| BB3036RRE | 30 x 36 x 1 | 70 | 38 | 2.13 | \$207 | \$174 |
| BB2454RRE | 24 x 54 x 1 | 70 | 40 | 2.54 | \$243 | \$209 |
| BB2448RRE | 24 x 48 x 1 | 70 | 37 | 2.28 | \$224 | \$186 |
| BB2442RRE | 24 x 42 x 1 | 70 | 33 | 2.03 | \$214 | \$163 |
| BB2436RRE | 24 x 36 x 1 | 70 | 29 | 1.77 | \$201 | \$139 |
| BB2054RRE | 20 x 54 x 1 | 70 | 33 | 2.20 | \$231 | \$174 |
| BB2048RRE | 20 x 48 x 1 | 70 | 30 | 1.97 | \$212 | \$156 |
| BB2042RRE | 20 x 42 x 1 | 70 | 27 | 1.75 | \$195 | \$139 |
| BB2036RRE | 20 x 36 x 1 | 70 | 24 | 1.53 | \$182 | \$116 |

Rectangular 1" thick worksurface with **Rounded Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

- For worksurfaces to be used as a main surface, please see Rectangular Tops
- Legs sold separately.



90° Corner - Rounded Corners

| | | | | | | |
|--------|-------------------|-----|----|------|--------------|--------------|
| BB30CN | 33.17 x 33.17 x 1 | 125 | 36 | 2.50 | \$473 | \$139 |
|--------|-------------------|-----|----|------|--------------|--------------|

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. *Not available with Spider Legs*.



Spider Legs for 30" D Tables

| | | | | | | |
|----------|-------------|-----|----|------|--------------|--|
| B30SPLEG | 25 x 6 x 28 | 150 | 16 | 2.90 | \$284 | |
|----------|-------------|-----|----|------|--------------|--|

Spider leg with levellers. Shipped/sold one per carton. **Tops sold separately.**

- Available in Silver - **SI** or Black - **BK**. Please specify.
- **To be used with 30" D tops only**

Required Specifications




Top Finish
Top / Edge Detail

Optional Specifications

Grommet
Filler Modesty Panel (Wedge Tops only)
Modesty Panel (Rectangular Return Tops)
High Pressure Laminate

Accessories

Power Block
Villa Power Block (Corded)

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|--|------------------|---------------|---------|-----------|--------------|--------|
| <div></div> <div>Spider Legs for 20" & 24"D Tables</div> | | D x W x H | | | | | |
| | B2XSPLEG | 20 x 6 x 28 | 125 | 14 | 2.20 | \$244 | |
| | Spider leg with levellers. Shipped/sold one per carton. Tops sold separately. <ul style="list-style-type: none">• Available in Silver - SI or Black - BK. Please specify.• To be used with 24" & 24" deep tops only | | | | | | |
| <div></div> <div>Tapered Leg</div> | B29TPLEG | 6 x 6 x 28 | 85 | 11 | .80 | \$115 | |
| Tapered leg with levellers for tables of all depths. Shipped/sold one per carton. Tops sold separately. <ul style="list-style-type: none">• Available in Silver - SI or Black - BK. Please specify. | | | | | | | |
| <div></div> <div>Flat Bracket</div> | B6PLT | 4.5 x 3 x .125 | 70 | 2 | .10 | \$37 | |
| To be used as a mending plate for Bungee SL. Black only. Shipped/sold one per pack. | | | | | | | |

Required Specifications
Leg Finish

GENERAL INFORMATION

- Power and Data Management Troughs for the **BUNGEE SL** table series. Add Global's proprietary 4-wire power kits and create inexpensive and versatile training, benching, academic and meeting areas.
- Front panels are available in Laminate or Aluminum. A center spine version allows for inexpensive double-sided applications.
- **POWER AND DATA MANAGEMENT TROUGHS** are sold separately and are meant to be used on **BUNGEE SL only**.
- **POWER AND DATA MANAGEMENT TROUGHS** accept Global's 4-wire power kit in addition to numerous data, phone and other multimedia wires.
- Filler modesty panels conceal wiring in spaces not covered by troughs.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by UL/Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 3 Certified**

FINISHES

Laminate:


| | | | |
|-----|---------------------|-----|--------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| HGT | Hayden Grey (Taupe) | QTM | Quartered Mahogany |
| SKC | Shaker Cherry | SOG | Storm Grey |
| TFW | Tiger Fruitwood | TMA | Tiger Mahogany |
| TMP | Tiger Maple | TWL | Tiger Walnut |
| WHT | White | WHC | White Chocolate |
| WGY | Willow Grey | WCR | Winter Cherry |

Aluminum Face Panel, Trough, Filler Panels and End Caps:

Black - BK Silver - SI

LAMINATE FACE PANEL (LFP)

- Laminate face panel (LFP) on the approach side is 11/16" thick. LFP height is 13".
- Rear access panel is 1/4" thick laminate. Rear panel height is 7.25".
- LFP and rear panel swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (including Global's 4-Wire System) to lie within the bottom.
- LFP is available in all standard laminates, aluminum trough available in Silver (**SI**) or Black (**BK**) finish, please specify (rear access panel is finished in Brushed Cobalt (**BRC**) laminate when SI is specified, or Black (**BLK**) laminate when BK is specified).
- End Caps (JBEC) sold separately




Tops, legs and end caps not included

ALUMINUM FACE PANEL (AFP)

- Aluminum face panel (AFP) is an aluminum extrusion. AFP height is 8.25".
- AFP swings down to allow wire access and features a flexible sweep at the top.
- Rear access panel is 1/4" thick laminate. Rear panel height is 7.25".
- Rear panel swings up to allow wire access and features a flexible sweep at the top.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (including Global's 4-Wire System) to lie within the bottom.
- AFP and aluminum trough available in Silver (**SI**) or Black (**BK**) finish, please specify (rear access panel is finished in Brushed Cobalt (**BRC**) laminate when SI is specified, or Black (**BLK**) laminate when BK is specified).
- End Caps (JBEC) sold separately.



Tops, legs and end caps not included




CENTER SPINE (CS)

- 1/4" thick laminate panels on both sides of the unit. Panel height is 7.25".
- Both panels swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (like Global's 4-Wire System) to lie within the bottom.
- Aluminum trough available in Silver (**SI**) or Black (**BK**) finish, please specify (rear access panel is finished in Brushed Cobalt (**BRC**) laminate when SI is specified, or both access panels are finished in Black (**BLK**) laminate when BK is specified).
- End Caps (JBEC) sold separately.




Tops, legs and end caps not included




B BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS - NOTES

FILLER MODESTY PANELS

- Used to fill the space between two power and data management troughs and conceal wiring from the approach side
- Straight Filler allows for use in straight configurations between two rectangular tables with power and data management troughs
- Curved Filler allows for use at curve with 90° wedge tables between two rectangular tables with power and data management troughs
- Available in Silver (**SI**) or Black (**BK**) finish. Please specify.



Straight Filler Modesty Panel



Curved Filler Modesty Panel


END CAPS

- Plastic end caps with decorative insert. Required for beginning and end of runs.
- Cap can be notched in field to allow wire infeed pass through.
- Available in Silver (**SI**) or Black (**BK**) finish. Please specify.



WIRE MANAGEMENT

- Two wire manager clamps are included within all power and data management troughs.
- Attached to the unit, they can slide from side to side to accommodate wiring systems
- Data, voice, multi-media and power can be routed separately using channels on each wire manager.
- Additional wire manager clamps are available to retrofit.
- Available in black only.




GLOBAL 4-WIRE POWER SYSTEM

- Global's proprietary power system comes with everything you need to power your **BUNGEE SL** layouts. Kits coordinate to the size of the table being used and fit snugly into the bottom of the power and data management trough.
- Single duplex kits come with one duplex – centered on the wiring harness. Duplexes are 6" wide.
- Double duplex kits come with two duplexes – 11" of wiring on each side of the harness allows for flexibility between connections. Duplexes are 6" wide.
- One end of the harness kit features a female connection, while the opposite end features a male connection for a quick and easy connect/disconnect
- Actual kit length is 1" longer than nominal
- Must be hardwired using infeeds (specified separately) by a licensed electrician
- All conduits are enclosed in a black nylon sleeve to reduce visibility
- All duplexes and connectors are plastic. Black only.
- **8 DUPLEXES PER CIRCUIT MAXIMUM** – maximums are to National Electric Code (NEC) – some local codes vary from NEC code – it is the customer's responsibility to follow all applicable local codes and guidelines.

ELECTRICAL SYSTEM

4-2 Wiring Schematic
4-Wire Shared Neutral
Complies with National Electric Code
UL Listed
All circuits rated for 20 AMP




PRODUCT

MAX UNITS PER CIRCUIT


| | |
|------|---------------------|
| P42S | 8 units per circuit |
| P42D | 4 units per circuit |

POWER/DATA MANAGEMENT TROUGH PLACEMENT


Single Table - AFP or LFP




Shared Leg Tables - AFP or LFP




AFP or LFP




CS




CS




GLOBAL 4-WIRE POWER TO POWER/DATA MANAGEMENT TROUGH:



Bungee SL with AFP Power/Data Management Trough - 90° Corner Application




Bungee SL with LFP Power/Data Management Trough - Single Sided Straight Run



Bungee SL with CS Power/Data Management Trough - Back to Back Application (shown with power snake)

UTILIZING POWER BLOCKS AND GROMMETS WITH POWER/DATA MANAGEMENT TROUGH



- Optional Grommets, Villa Power Block (corded) or Power Blocks (PMSPDM) are positioned directly above the power and data management trough.



Grommet







Power Block



Villa Corded

B BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS


| | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|-------------------------|---------------|---------|-----------|--------------|--------|
| Trough w/Laminate Face Panel (LFP)  | JB72L | 4.25 x 55.75 x 10 | 125 | 23 | 2.90 | \$606 | |
| | JB60L | 4.25 x 43.75 x 10 | 125 | 18 | 2.30 | \$542 | |
| | JB48L | 4.25 x 31.75 x 10 | 100 | 14 | 1.70 | \$471 | |
| | JB42L | 4.25 x 25.75 x 10 | 100 | 12 | 1.50 | \$436 | |
| | JB36L | 4.25 x 19.75 x 10 | 100 | 10 | 1.20 | \$400 | |
| | For use on rectangular Bungee SL surfaces only. Out-facing laminate panel swings up to allow wire access and features flexible sweep at the top. In-facing laminate panel swings up to allow wire access and features flexible sweep at the top. Black wire management clamps included. <ul style="list-style-type: none"> To fill the gap between two power/data management trough (LFP) modules in a straight run, a single filler modesty panel (JBSFM) is recommended. To fill the gap between two power/data management trough (LFP) modules at 90°, a corner filler modesty panel (JBCFM) is recommended. Model # corresponds to the size table power/data management trough will fit on (i.e. JB72L will fit a 72" wide table). | | | | | | |
| Trough w/Aluminum Face Panel (AFP)  | JB72A | 4.25 x 55.75 x 10 | 100 | 21 | 2.20 | \$630 | |
| | JB60A | 4.25 x 43.75 x 10 | 100 | 17 | 1.80 | \$575 | |
| | JB48A | 4.25 x 31.75 x 10 | 92.5 | 13 | 1.30 | \$504 | |
| | JB42A | 4.25 x 25.75 x 10 | 92.5 | 11 | 1.10 | \$469 | |
| | JB36A | 4.25 x 19.75 x 10 | 60 | 9 | .08 | \$433 | |
| | For use on rectangular Bungee SL surfaces only. Out-facing aluminum panel swings down to allow wire access and features flexible sweep at the top. In-facing laminate panel swings up to allow wire access and features flexible sweep at the top. Black wire management clamps included. <ul style="list-style-type: none"> To fill the gap between two power/data management trough (AFP) modules in a straight run, a single filler modesty panel (JBSFM) is recommended. To fill the gap between two power/data management trough (AFP) modules at 90°, a corner filler modesty panel (JBCFM) is recommended. Model # corresponds to the size table power/data management trough will fit on (i.e. JB72A will fit a 72" wide table). | | | | | | |
| Trough w/Center Spine (CS)  | JB72C | 4.25 x 55.75 x 10 | 100 | 19 | 2.20 | \$547 | |
| | JB60C | 4.25 x 43.75 x 10 | 100 | 15 | 1.80 | \$515 | |
| | JB48C | 4.25 x 31.75 x 10 | 100 | 12 | 1.30 | \$435 | |
| | JB42C | 4.25 x 25.75 x 10 | 100 | 10 | 1.10 | \$405 | |
| | JB36C | 4.25 x 19.75 x 10 | 60 | 8 | .08 | \$375 | |
| | For use on rectangular Bungee SL surfaces only in back-to-back applications only. Two laminate panels swing up to allow wire access and feature flexible sweep at the top. Black wire management clamps included. <ul style="list-style-type: none"> To fill the gap between two power/data management trough (CS) modules in a straight run, two filler modesty panels (JBSFM) are recommended to conceal wiring from both sides. Model # corresponds to the size table power/data management trough will fit on (i.e. JB72C will fit a 72" wide table). | | | | | | |
| Straight Filler Modesty Panel  | JBSFM | 0.25 x 22.5 x 9 | 70 | 1.60 | .04 | \$131 | |
| | Straight filler modesty is used to fill the space between two power/data management trough modules where tables are linked in a straight configuration. <ul style="list-style-type: none"> In center spine applications, two straight filler modesty panels should be specified to cover cabling and wires from both sides. Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side. | | | | | | |

Required Specifications

Laminate face panel finish (LFP)
Aluminum face panel finish (AFP)
Power/Data Trough finish
Filler Modesty Panel finish.

Optional Specifications


4-Wire Power System

**Curved Filler Modesty Panel**

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|-------------------------|---------------|---------|-----------|--------------|--------|
| JBCFM | 0.25 x 22.5 x 9 | 70 | 1.80 | .05 | \$156 | |

Curved filler modesty is used to fill the space between two power/data management troughs where tables are linked at a 90° curve.


- For interior curves only.
- Filler modesty panels are reversible with Black (BK) finish on one side and Silver (SI) finish on the opposite side.

**End Cap**

| | | | | | | |
|------|-----------|----|---|-----|-------------|--|
| JBEC | 3 x 8 x 1 | 70 | 1 | .15 | \$31 | |
|------|-----------|----|---|-----|-------------|--|

Plastic end cap to be snapped into place at the end of power/data management troughs. To be specified for the beginning and end of runs for a finished look.


- Plastic cap can be notched in the field to allow infeed or data cable pass-through.

**Wire Management Clamp**

| | | | | | | |
|-------|----------------|----|---|-----|--------------|--|
| JBWM2 | 2.5 x 6 x 1.75 | 70 | 1 | .01 | \$117 | |
|-------|----------------|----|---|-----|--------------|--|


Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurface using double-sided tape (supplied) or retrofit into power/data management trough modules. Black finish only.

- Recommended for use at 90° corners.
- Retrofitting requires disassembly of power/data management trough modules.

**Power Snake**

| | | | | | | |
|------|------------|-----|---|-----|-------------|--|
| JBPS | 4 x 4 x 34 | 100 | 2 | .25 | \$71 | |
|------|------------|-----|---|-----|-------------|--|

Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires from the power/data management trough down to the floor infeed. Black finish only.

4-WIRE POWER SYSTEM**Single Duplex Kit**

| | | | | | | |
|---------|------------|----|------|-----|--------------|--|
| P42S-72 | 73 x 2 x 2 | 60 | 3.19 | .10 | \$145 | |
| P42S-60 | 61 x 2 x 2 | 60 | 2.82 | .09 | \$133 | |
| P42S-48 | 49 x 2 x 2 | 60 | 2.44 | .08 | \$122 | |
| P42S-42 | 43 x 2 x 2 | 60 | 2.26 | .07 | \$116 | |
| P42S-36 | 37 x 2 x 2 | 60 | 2.07 | .06 | \$110 | |

Single Duplex Kit includes one black plastic duplex connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.


- Specify Circuit 1 or Circuit 2
- Model # corresponds to the size table power/data management trough will fit on (i.e. P42S-48 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately (next page)

Required Specifications


End cap finish
Circuit 1 or Circuit 2 (duplex kits)

B BUNGEE SL™ POWER/DATA MANAGEMENT TROUGHS

4-WIRE POWER SYSTEM




Double Duplex Kit



Power Harness Jumper



72" Multi-circuit Hardwire Infeed



Single-circuit 3-Prong Infeed

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

| | | | | | |
|---------|------------|----|------|-----|--------------|
| P42D-72 | 73 x 2 x 2 | 60 | 3.01 | .10 | \$168 |
| P42D-60 | 61 x 2 x 2 | 65 | 2.63 | .09 | \$156 |
| P42D-48 | 49 x 2 x 2 | 65 | 2.26 | .08 | \$144 |
| P42D-42 | 43 x 2 x 2 | 65 | 2.07 | .07 | \$139 |
| P42D-36 | 37 x 2 x 2 | 70 | 1.88 | .06 | \$133 |

Double Duplex Kit includes two black plastic duplexes connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.

- Specify Circuit 1 or Circuit 2. Both duplexes on the kit will be assigned to the same circuit.
- Model # corresponds to the size table power/data management trough will fit on (i.e. P42D-48 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately (below).

| | | | | | |
|---------|------------|----|------|-----|--------------|
| P42J-72 | 73 x 2 x 2 | 60 | 3 | .10 | \$131 |
| P42J-60 | 61 x 2 x 2 | 60 | 2.73 | .09 | \$117 |
| P42J-48 | 49 x 2 x 2 | 65 | 2.35 | .08 | \$103 |
| P42J-42 | 43 x 2 x 2 | 60 | 2.16 | .07 | \$96 |
| P42J-36 | 37 x 2 x 2 | 70 | 1.98 | .06 | \$89 |
| P42J-18 | 19 x 2 x 2 | 70 | 1.41 | .04 | \$68 |

Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in black nylon sleeve. Actual length is 1" longer than nominal.

- Use P42J-18 between two power/data management troughs separated by Bungee SL wedge, keystone or half moon tables
- Use all other sizes to jump between power kits on power/data management troughs that are NOT powered (i.e. use a P42J-60 as a pass-through on a 60" wide non-powered table between POWERED power/data management trough modules.

| | | | | | |
|----------|------------|----|------|-----|--------------|
| P42HW-72 | 72 x 1 x 1 | 70 | 6.50 | .30 | \$143 |
|----------|------------|----|------|-----|--------------|

72" Multi-circuit Hardwire Infeed (up to 20 AMPS per circuit), two circuits. Provides single power entry from floor or wall located building power supply. Conduit is wrapped in black nylon sleeve.

- Connects P42S or P42D kits
- **TO BE HARDWIRED BY LICENSED ELECTRICIAN.** UL listed.
- Where Liquid Tight conduit is required, specify P42HW-72L

| | | | | | |
|-----------|-----------|----|------|-----|--------------|
| P42TP-120 | 8 x 4 x 2 | 70 | 6.10 | .30 | \$178 |
| P42TP-72 | 8 x 4 x 4 | 60 | 4.50 | .15 | \$163 |


Hardwire junction box included (to be mounted on underside of table). Provides single power entry from floor or wall located building power supply. Conduit is wrapped in black nylon sleeve. Allows for quick and easy disconnection from the wall. Available in 72" or 120" overall lengths.

- Connects P42S or P42D kits. **Power circuit 1 only.**
- **TO BE HARDWIRED BY LICENSED ELECTRICIAN.** UL listed.

Required Specifications

Face panel and box finish - BLK or TUN

POWER BLOCK




Power/Data Block

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

| | D x W x H | | | | |
|--------|------------------|----|---|-----|-------|
| PMSPDM | 3.5 x 6.5 x 2.75 | 70 | 2 | .10 | \$238 |

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Specify position and **add \$65** for cutout in worksurface. See diagram E1/E2/E3 for specification location. Black (**BLK**) only.

VILLA I SERIES CORDED UNITS




Data Knockouts, No Data Ports

| | | | | | |
|-----------------|--------------------|-----|---|-----|-------|
| VIL-C-DKO-_-108 | 3.25 x 8.75 x 2.25 | 100 | 4 | .45 | \$186 |
| VIL-C-DKO-_-72 | 3.25 x 8.75 x 2.25 | 100 | 4 | .45 | \$186 |

Villa I with 3-prong plug. Includes **two power receptacles** and two knockouts for data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover is required and sold separate** (see below). UL/CUL listed.

- Replace _ with **B** for **Black**
- Replace _ with **S** for **Silver Pearl**




Data Knockouts, Data Ports Included

| | | | | | |
|---------------|--------------------|-----|---|-----|-------|
| VIL-C-D-_-108 | 3.25 x 8.75 x 2.25 | 100 | 4 | .45 | \$301 |
| VIL-C-D-_-72 | 3.25 x 8.75 x 2.25 | 100 | 4 | .45 | \$301 |

Villa I with 3-prong plug. Includes **two power receptacles** and **two RJ45 Cat 6** data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover is required and sold separate** (see below). UL/CUL listed.


- Replace _ with **B** for **Black**
- Replace _ with **S** for **Silver Pearl**

VILLA GROMMET COVERS



Villa Grommet Cover

| | | | | | |
|---------------|------------------|----|---|-----|------|
| VIL-GROM-F-__ | 3.5 x 5.75 x .94 | 70 | 1 | .08 | \$93 |
|---------------|------------------|----|---|-----|------|



Powder coated flush metal grommet to be used with Villa I **corded** series power blocks. Cutouts in tables must be specified separately. **V1, V2 or V3 cutout(s) must be specified on training table** (see product notes section for more details and cutout upcharge). **Grommet cover remains open while in use.**

- **Cannot be used with PMSPDM.**
- Replace _ with **B** for **Black**
- Replace _ with **S** for **Silver Pearl**

Required Specifications

Face panel and box finish



ConnectTABLES® provides solutions for a variety of day-to-day work environments. Designed as easy-to-use linking or freestanding tables, ConnectTABLES is limited only by your imagination.

Open Conference

Many ConnectTABLES® tops can be assembled to be freestanding. When combined with locking casters and the flip top “T” leg, the result is easy storage and complete portability.

Meeting Rooms

ConnectTABLES® modular units will provide quick and affordable answers for all sizes and shapes of rooms and applications.

Educational and Training Rooms

ConnectTABLES® table tops configure easily into temporary or permanent educational applications.



Features and Benefits


- Optional, easy-to-use thumbscrews allow installation without tools.
- Optional zinc-plated steel ganging hardware connects free standing tops without moving “T” Leg position.
- Optional modesty panel wire management unit available.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Optional Black grommets for convenient wire management can be ordered “factory installed”.
- Tops are 1” thick and constructed of 45 lb. density particleboard.
- Optional casters available with or without manual locks provide mobility.
- ConnectTABLES® tops are available in all Global laminate finishes with three leg and two edge color options.



T Leg with leveling glides



Modesty Panel



Optional ganging connector

GENERAL INFORMATION

- ConnectABLES® is an affordable and highly flexible system of modular tables. Designed as easy-to-use linking or freestanding tables, ConnectABLES adapts to most every requirement: seminar or training room, meeting room, personal workstations, educational, conferencing and team cluster workgroups.
- ConnectABLES have nine basic top shapes available in various sizes.
- ConnectABLES edges **do not match** any other Global product in either color or style.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in High Pressure. Contact your Customer Service Representative for a quote.
- If other than a Global standard laminate finish is preferred, contact your Customer Service Representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- **ConnectABLES® edges do not match any other Global product in either color or style.**

CONSTRUCTION

- Some components can stand alone when the "T" base is set in the freestanding position. When the "T" base is in the linking position, all the components can be used in grouping configurations (clusters).
- Optional wire grommets not available on 45° wedge and the 60° triangle.
- Rectangular tops 54" in length and longer are supplied with a 16" gauge steel support channel. Top is pre-drilled for placement.
- Shipped RTA (ready to assemble). Quick and easy to assemble.
- Special width tops are available. Use next size up.
- Tables adjust from 28 3/4" to 29 3/4" high.
- Elliptical column cover, glides, casters, thumbscrews and endcaps available in Black only.
- Must specify top, edge, and "T" base color with each order.

LEGS

- "T" leg is coated with environmentally friendly, recyclable paint electrostatically applied epoxy powder coating for a very durable finish in three colors as specified below. Only the bottom horizontal portion of the painted leg is visible.
- Black plastic leveling glides offer 1" adjustability.
- Two black plastic elliptical column caps cover each leg column.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Casters can facilitate mobility in installations which need to be moved frequently.

LAMINATE FINISHES

| | | | |
|-----|--------------------|-----|-----------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC | White Chocolate* | WGY | Willow Grey |
| WCR | Winter Cherry | | |

* textured

EDGE COLORS


Black (BK) Grey (GR)

LEG COLORS

Black (BK) Grey (GR) Chrome (CH)

GROMMETS

- Optional Grommets available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: **AG1, AG2 or AG3.....Add \$65**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



- Grommets may be placed at non-standard locations. Order as: **AGS - ADD \$65.00** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.





POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$238**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. ADD \$65.00**.



Power Block **PMSPDM, Add \$238** Specify location **E1, E2 or E3, Add \$65**


EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



C CONNECTABLES® - NOTES

VILLA CUTOUTS










- Optional Villa cutout available in standard worksurface locations (left, center or right) for **Rectangular Tables**. Order as: **V1, V2 or V3.....Add \$65 for each cutout.**
- Villa cutouts may be placed at non-standard locations. Please contact customer service.
- **Villa is only available on Bungee, Junction and Connectables series**



TOP & EDGE OPTIONS

- ConnectTABLES® have nine basic top shapes available in various sizes. All top shapes have a variety of straight or curved edges which are referred to as **Working (W)**, **Connecting (C) or End (E) edges**. Edges can also have a combination of edge types as shown.


*cannot freestand



Working Edge (1) - Edges designated with the letter "W" indicate that this is a **working** or sitting edge. These edges can be connected with optional ganging hardware in free-standing applications.

Connecting Edge (2) - Edges designated with the letter "C" indicate that this is a **connecting** edge. These edges can be connected to any other connecting edge of equal width, regardless of the top shape or size.

End Edge (3) - Edges designated with the letter "E" indicate that this is an **end** edge or an edge that can finish a run of tops. If a top has two end edges it can be freestanding. 90° crescent tops can be freestanding if the optional center leg is added.



FREESTANDING AND CONNECTING CONDITIONS

Freestanding tables are defined as any one worksurface supported by two or more legs;

connecting tables are defined as more than one work surface supported by a single leg at each point of connection. The rule for determining the quantity of legs of an open configuration is the number of worksurfaces plus one (**See Figure 1**).

On closed configurations, the number of legs is equal to the number of worksurfaces (**See Figure 2**). There are some exceptions, such as when optional third legs are used on quarter round or 90° crescent shapes.




Figure 1. Open Configuration
Number of Surfaces = 5
Number of Legs = 6




Figure 2. Closed Configuration
Number of Surfaces = 6
Number of Legs = 6

FREESTANDING CONDITIONS

- All square, rectangle and trapezoid shapes are able to act as freestanding tables (**Figure 3**).
- When Trapezoid tops are freestanding, legs must be on the outer left and right sides (**Figure 4**).
- 90° crescent work surfaces have provision for an optional third center leg for additional stability when heavy loads are applied to the outside edge. They can also be used as freestanding tables when a third leg is added (**Figure 5**).
- All freestanding tables can be connected with optional ganging hardware.
- Freestanding tables can be ganged with connected tables in some cases, providing that the number and size of connected tables is easily movable (**Figure 6**).
- **DO NOT DRAG TABLES WHEN RE-CONFIGURING.**





Figure 3 - Freestanding Tables



Incorrect

Correct

Figure 4 - Trapezoid Tops




Figure 5 - Adding a Third Leg




Figure 6 - Ganging with Connected Tables

CONNECTING CONDITIONS

- Any two worksurfaces of equal depth (24"D, 30"D or 36"D) can be connected with one leg, at the connecting or end edges (**Figure 8**).
- Half round work surfaces can be used in the following ways: They must be of equal width when connected to each other (**Figure 7**) or the connecting shapes must be equal to half the width of the connecting half round (**Figure 8**).
- ConnectABLES® is designed with the leg to be fastened parallel to connecting edges, but in some cases you may wish to fasten legs at 90° to connecting edges. This could allow for increased leg or knee clearance, depending on the intended use (**Figure 9**).
- Quarter round and 90° crescent work surfaces have provision for an optional third leg for additional stability when heavy loads are applied to the outside edge. For quarter round work surfaces, it is recommended that configuration "A" be used since the outside end of the center leg in configuration "B" is almost flush with the outside edge of the worksurface. If configuration "B" is installed against a wall or where there will be no traffic flow, then configuration "B" can be used.




Figure 7




Figure 8






Figure 9 - 90° Leg Connections




Configuration A



Configuration B


C CONNECTABLES® - PUTTING IT ALL TOGETHER

Legs are fastened to work surfaces utilizing a steel-to-steel connection. Each leg comes equipped with four ¼" x 7/8" machine screws. Screws are inserted through the four oval shaped holes only. Do not use wood screws! When fastening legs to work surfaces, hand thread screws into position to prevent any cross threading. When all screws have been hand threaded, tighten firmly with screwdriver to secure. Optional thumbscrews can be used in place of machine screws. Thumbscrews eliminate the need for a screwdriver, whether assembling or disassembling tables. **Do not use power tools for assembly of legs.**



FREESTANDING TABLES





1. Turn work surface upside-down on clean floor. (You may want to use carton from packaging as a protective assembly surface to protect the top from scratching.)
2. Position leg mounting plate holes over threaded steel inserts in top.
3. Fasten each leg to top with four ¼" x 7/8" screws.
4. Turn table right-side up.
5. Level table by adjusting glides.



CONNECTING TABLES

1. Determine approximate location of desired configuration in room and turn work surfaces upside-down on floor. (Remember you are working in reverse.)
2. Position leg mounting plate so it is centered over the connecting edge of the first work surface. Fasten leg with two ¼" x 7/8" screws.
3. Repeat step 2 and 3 on the opposite edge of the first work surface.
4. Turn table right-side up.
5. Turn table right-side up and fasten to the previous top from the underside.
6. To add additional work surfaces repeat step 6.
7. When all the tops have been connected, level complete configuration by adjusting glides.


Note: Use the same procedures as above when using optional thumb screws.




OPTIONAL CASTERS

1. Turn work surface upside-down on floor.
2. Remove existing glide if previously installed.
3. Fasten caster to T-leg by threading caster stem into base of T-leg and secure by tightening lock nut.
4. If casters are used in combination with gliders, level table by adjusting glides.


Note: Casters are available in locking or non-locking styles.

**OPTIONAL GANGING HARDWARE**

1. Optional ganging hardware should be used when quick and frequent reconfigurations are required.
2. Turn work surfaces to be ganged upside-down on floor.
3. Remove ganging hardware from package. Holes with steel inserts are located in the corner of tops.
4. Fasten ganging hardware to each work surface with supplied thumb screws.
5. Projected arm from ganging hardware can pivot out of the way when not in use.



SQUARE TOPS





Square Top

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------|-------------------------|---------------|---------|-----------|------------|
| CNS2424 | 24 x 24 x 1.12 | 70 | 18 | 1 | \$286 |
| CNS3030 | 30 x 30 x 1.12 | 70 | 27 | 1.56 | \$350 |
| CNS3636 | 36 x 36 x 1.12 | 70 | 39 | 2 | \$376 |

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

RECTANGULAR TOPS




Rectangle Top

| | | | | | |
|----------|----------------|----|-------|------|-------|
| CNR2030 | 20 x 30 x 1.13 | 70 | 22 | 1.25 | \$206 |
| CNR2036 | 20 x 36 x 1.13 | 60 | 22.50 | .46 | \$230 |
| CNR2042 | 20 x 42 x 1.13 | 70 | 31 | 1.75 | \$248 |
| CNR2048 | 20 x 48 x 1.13 | 70 | 35 | 2 | \$276 |
| CNRU2054 | 20 x 54 x 1.13 | 60 | 33.75 | .69 | \$343 |
| CNRU2060 | 20 x 60 x 1.13 | 70 | 37.50 | 1.40 | \$368 |
| CNRU2066 | 20 x 66 x 1.13 | 70 | 41.25 | .84 | \$399 |
| CNRU2072 | 20 x 72 x 1.13 | 70 | 45 | 1 | \$425 |
| CNR2430 | 24 x 30 x 1.12 | 70 | 22 | 1.25 | \$206 |
| CNR2436 | 24 x 36 x 1.12 | 70 | 26 | 1.50 | \$230 |
| CNR2442 | 24 x 42 x 1.12 | 70 | 31 | 1.75 | \$248 |
| CNR2448 | 24 x 48 x 1.12 | 70 | 35 | 2 | \$276 |
| CNRU2454 | 24 x 54 x 1.12 | 70 | 42 | 2.34 | \$343 |
| CNRU2460 | 24 x 60 x 1.12 | 70 | 47 | 2.50 | \$368 |
| CNRU2466 | 24 x 66 x 1.12 | 70 | 52 | 2.80 | \$399 |
| CNRU2472 | 24 x 72 x 1.12 | 70 | 57 | 3 | \$425 |
| CNR3036 | 30 x 36 x 1.12 | 70 | 33 | 1.88 | \$276 |
| CNR3042 | 30 x 42 x 1.12 | 70 | 38 | 2.19 | \$300 |
| CNR3048 | 30 x 48 x 1.13 | 70 | 44 | 2.50 | \$317 |
| CNRU3054 | 30 x 54 x 1.12 | 70 | 52 | 2.80 | \$394 |
| CNRU3060 | 30 x 60 x 1.12 | 70 | 59 | 3.13 | \$423 |
| CNRU3066 | 30 x 66 x 1.12 | 70 | 64 | 3.44 | \$451 |
| CNRU3072 | 30 x 72 x 1.12 | 70 | 70 | 3.75 | \$482 |
| CNR3642 | 36 x 42 x 1.12 | 60 | 52.50 | 1.60 | \$399 |
| CNR3648 | 36 x 48 x 1.12 | 60 | 60 | 1.80 | \$435 |
| CNRU3654 | 36 x 54 x 1.12 | 60 | 70 | 2 | \$527 |
| CNRU3660 | 36 x 60 x 1.12 | 60 | 78 | 2.20 | \$585 |
| CNRU3666 | 36 x 66 x 1.12 | 60 | 87 | 2.40 | \$640 |
| CNRU3672 | 36 x 72 x 1.12 | 60 | 94 | 2.60 | \$698 |

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations. **Tops 54" and longer are standard with a 16 gauge steel support channel.**

TRAPEZOID TOPS




Trapezoid Top

| | | | | | |
|---------|-------------------|------|-------|------|-------|
| CNT2048 | 15.25 x 48 x 1.13 | 65 | 26.25 | .55 | \$289 |
| CNT2060 | 15.25 x 60 x 1.13 | 65 | 44 | 1.85 | \$348 |
| CNT2448 | 20.5 x 48 x 1.12 | 92.5 | 21 | 2 | \$289 |
| CNT2460 | 20.5 x 60 x 1.12 | 65 | 44 | 1.85 | \$348 |
| CNT3060 | 25.75 x 60 x 1.12 | 92.5 | 35 | 3.13 | \$381 |
| CNT3072 | 25.75 x 72 x 1.12 | 60 | 66 | 2.20 | \$425 |
| CNT3660 | 31 x 60 x 1.12 | 60 | 66 | 2.20 | \$544 |
| CNT3672 | 31 x 72 x 1.12 | 65 | 79.20 | 3.50 | \$650 |

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

| Required Specifications | Optional Specifications | Accessories |
|---------------------------|-------------------------|-------------|
| Top Finish Edge Finish | Grommet | Power Block |

90° CRESCENT TOPS




90° Crescent Top

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|---------|----------------|---------------|----------|-----------|------------|
| | D x W x H | | | | |
| CNC2430 | 30 x 30 x 1.12 | 85 | 20 | 1.56 | \$303 |
| CNC3036 | 36 x 36 x 1.12 | 85 | 30 | 2.25 | \$432 |
| CNC3642 | 42 x 42 x 1.12 | 70 | 50 | 3.15 | \$592 |

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- **CNC2430** for use with 24" deep tops
- **CNC3036** for use with 30" deep tops
- **CNC3642** for use with 36" deep tops
- **CNC2430** does not require a center leg

QUARTER ROUND TOPS




Quarter Round Top

| | | | | | |
|---------|----------------|----|----|------|-------|
| CNQ2424 | 24 x 24 x 1.12 | 85 | 14 | 1 | \$190 |
| CNQ3030 | 30 x 30 x 1.12 | 85 | 21 | 1.56 | \$231 |
| CNQ3636 | 36 x 36 x 1.12 | 60 | 45 | 1.30 | \$328 |

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

45° WEDGE TOPS




45° Wedge Top

| | | | | | |
|---------|----------------|------|----|------|-------|
| CNW2424 | 24 x 24 x 1.12 | 92.5 | 10 | 1 | \$203 |
| CNW3030 | 30 x 30 x 1.12 | 100 | 14 | 1.56 | \$249 |

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

THREE WAY CONNECTOR TOPS




Three Way Connector Top

| | | | | | |
|---------|----------------|------|----|------|-------|
| CNY2424 | 24 x 24 x 1.12 | 85 | 13 | 1 | \$190 |
| CNY3030 | 30 x 30 x 1.12 | 92.5 | 18 | 1.56 | \$231 |

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

HALF ROUND TOPS




Half Round Top

| | | | | | |
|-----------|----------------|----|----|------|-------|
| CNHFS2448 | 24 x 48 x 1.12 | 70 | 36 | 2 | \$292 |
| CNHFS3060 | 30 x 60 x 1.12 | 70 | 56 | 3.13 | \$379 |
| CNHFS3672 | 36 x 72 x 1.12 | 65 | 81 | 3.30 | \$650 |

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- *Requires three legs for freestanding*

EXTENDED HALF ROUND TOPS



Extended Half Round Top

| | | | | | |
|--------|----------------|----|-----|------|-------|
| CNHE24 | 28 x 48 x 1.13 | 65 | 50 | 1.88 | \$357 |
| CNHE30 | 36 x 60 x 1.13 | 65 | 75 | 2.87 | \$499 |
| CNHE36 | 42 x 72 x 1.13 | 65 | 102 | 3.88 | \$793 |

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

Required Specifications

Top Finish
Edge Finish


Optional Specifications

Grommet


Accessories

Power Block


MODESTY PANELS



Modesty Panel



Modesty Panel



Modesty Panel

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|----------|-----------|------------|
|--------|------------|---------------|----------|-----------|------------|

D x W x H

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNCA2430 | 2.75 x 35 x 11.75 | 150 | 2.80 | .50 | \$168 |
| CNCA3036 | 2.75 x 43 x 11.75 | 150 | 3.30 | .60 | \$198 |
| CNCA3642 | 2.75 x 53 x 11.75 | 150 | 3.90 | .70 | \$259 |

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNQA2424 | 2.75 x 27 x 11.75 | 150 | 2.20 | .40 | \$144 |
| CNQA3030 | 2.75 x 35 x 11.75 | 150 | 2.80 | .50 | \$168 |
| CNQA3636 | 2.75 x 44 x 11.75 | 150 | 3.30 | .60 | \$198 |

For use with **CNQ quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|-------------------|-----|------|------|--------------|
| CNRA2030 | 2.75 x 29 x 11.75 | 150 | 2.80 | .50 | \$144 |
| CNRA2036 | 2.75 x 35 x 11.75 | 150 | 3.30 | .60 | \$168 |
| CNRA2042 | 2.75 x 41 x 11.75 | 150 | 3.90 | .70 | \$198 |
| CNRA2048 | 2.75 x 47 x 11.75 | 150 | 4.40 | .80 | \$224 |
| CNRA2054 | 2.75 x 53 x 11.75 | 150 | 5 | .90 | \$259 |
| CNRA2060 | 2.75 x 59 x 11.75 | 150 | 5.50 | 1 | \$281 |
| CNRA2066 | 2.75 x 65 x 11.75 | 150 | 6.10 | 1.10 | \$308 |
| CNRA2072 | 2.75 x 71 x 11.75 | 150 | 6.60 | 1.20 | \$336 |

| | | | | | |
|----------|-------------------|-----|------|------|--------------|
| CNRA2430 | 2.75 x 29 x 11.75 | 150 | 2.80 | .50 | \$144 |
| CNRA2436 | 2.75 x 35 x 11.75 | 150 | 3.30 | .60 | \$168 |
| CNRA2442 | 2.75 x 41 x 11.75 | 150 | 3.90 | .70 | \$198 |
| CNRA2448 | 2.75 x 47 x 11.75 | 150 | 4.40 | .80 | \$224 |
| CNRA2454 | 2.75 x 53 x 11.75 | 150 | 5 | .90 | \$259 |
| CNRA2460 | 2.75 x 59 x 11.75 | 150 | 5.50 | 1 | \$281 |
| CNRA2466 | 2.75 x 65 x 11.75 | 150 | 6.10 | 1.10 | \$308 |
| CNRA2472 | 2.75 x 71 x 11.75 | 150 | 6.60 | 1.20 | \$336 |

| | | | | | |
|----------|-------------------|-----|------|------|--------------|
| CNRA3036 | 2.75 x 35 x 11.75 | 150 | 3.30 | .60 | \$168 |
| CNRA3042 | 2.75 x 41 x 11.75 | 150 | 3.90 | .70 | \$198 |
| CNRA3048 | 2.75 x 47 x 11.75 | 150 | 4.40 | .80 | \$224 |
| CNRA3054 | 2.75 x 53 x 11.75 | 150 | 5 | .90 | \$259 |
| CNRA3060 | 2.75 x 59 x 11.75 | 150 | 5.50 | 1 | \$281 |
| CNRA3066 | 2.75 x 65 x 11.75 | 150 | 6.10 | 1.10 | \$308 |
| CNRA3072 | 2.75 x 71 x 11.75 | 150 | 6.60 | 1.20 | \$336 |

| | | | | | |
|----------|-------------------|-----|------|------|--------------|
| CNRA3642 | 2.75 x 41 x 11.75 | 150 | 3.90 | .70 | \$198 |
| CNRA3648 | 2.75 x 47 x 11.75 | 150 | 4.40 | .80 | \$224 |
| CNRA3654 | 2.75 x 53 x 11.75 | 150 | 5 | .90 | \$259 |
| CNRA3660 | 2.75 x 59 x 11.75 | 150 | 5.50 | 1 | \$281 |
| CNRA3666 | 2.75 x 65 x 11.75 | 150 | 6.10 | 1.10 | \$308 |
| CNRA3672 | 2.75 x 71 x 11.75 | 150 | 6.60 | 1.20 | \$336 |

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

Required Specifications

Top Finish
Edge Finish


Optional Specifications

Grommet

Accessories

Power Block

MODESTY PANELS



Modesty Panel


| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|----------|-----------|------------|
|--------|------------|---------------|----------|-----------|------------|

D x W x H

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNSA2424 | 2.75 x 23 x 11.75 | 150 | 2.20 | .40 | \$115 |
| CNSA3030 | 2.75 x 29 x 11.75 | 150 | 2.80 | .50 | \$144 |
| CNSA3636 | 2.75 x 35 x 11.75 | 150 | 3.30 | .60 | \$168 |

For use with **long side of CNS square tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel

| | | | | | |
|-----------|-------------------|-----|------|------|--------------|
| CNTA2048L | 2.75 x 43 x 11.75 | 150 | 4.40 | .80 | \$198 |
| CNTA2060L | 2.75 x 55 x 11.75 | 150 | 5.50 | 1.20 | \$259 |
| CNTA2448L | 2.75 x 43 x 11.75 | 150 | 4.40 | .80 | \$198 |
| CNTA2460L | 2.75 x 55 x 11.75 | 150 | 5.50 | 1.20 | \$259 |
| CNTA3060L | 2.75 x 55 x 11.75 | 150 | 5.50 | 1.20 | \$259 |
| CNTA3072L | 2.75 x 67 x 11.75 | 150 | 6.60 | 1.40 | \$308 |
| CNTA3660L | 2.75 x 55 x 11.75 | 150 | 5.50 | 1.20 | \$259 |
| CNTA3672L | 2.75 x 67 x 11.75 | 150 | 6.60 | 1.40 | \$308 |

For use with **long side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel

| | | | | | |
|-----------|-------------------|-----|------|-----|--------------|
| CNTA2048S | 2.75 x 24 x 11.75 | 150 | 2.20 | .40 | \$115 |
| CNTA2060S | 2.75 x 36 x 11.75 | 150 | 2.80 | .50 | \$168 |
| CNTA2448S | 2.75 x 23 x 11.75 | 150 | 2.20 | .40 | \$115 |
| CNTA2460S | 2.75 x 35 x 11.75 | 150 | 2.20 | .40 | \$168 |
| CNTA3060S | 2.75 x 29 x 11.75 | 150 | 2.80 | .50 | \$144 |
| CNTA3072S | 2.75 x 41 x 11.75 | 150 | 2.80 | .50 | \$198 |
| CNTA3660S | 2.75 x 23 x 11.75 | 150 | 3.30 | .60 | \$115 |
| CNTA3672S | 2.75 x 35 x 11.75 | 150 | 3.30 | .60 | \$168 |

For use with **short side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNWA2424 | 2.75 x 17 x 11.75 | 150 | 2.20 | .40 | \$88 |
| CNWA3030 | 2.75 x 22 x 11.75 | 150 | 2.80 | .50 | \$115 |

For use with **CNW wedge tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNYA2424 | 2.75 x 22 x 11.75 | 150 | 2.20 | .40 | \$107 |
| CNYA3030 | 2.75 x 27 x 11.75 | 150 | 2.80 | .50 | \$132 |

For use with **CNY triangle tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

Required Specifications

Top Finish
Edge Finish


Optional Specifications

Grommet


Accessories

Power Block


WIRE MANAGEMENT UNITS



Wire Management Unit



Wire Management Unit



Wire Management Unit

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|----------|-----------|--------------|
| CNCB2430 | 2.75 x 35 x 6 | 70 | 1.50 | .50 | \$126 |
| CNCB3036 | 2.75 x 43 x 6 | 70 | 1.80 | .60 | \$142 |
| CNCB3642 | 2.75 x 53 x 6 | 250 | 2.10 | .70 | \$185 |

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|---------------|----|------|-----|--------------|
| CNQB2424 | 2.75 x 27 x 6 | 70 | 1.20 | .40 | \$106 |
| CNQB3030 | 2.75 x 35 x 6 | 70 | 1.50 | .50 | \$126 |
| CNQB3636 | 2.75 x 44 x 6 | 70 | 1.80 | .60 | \$165 |

For use with **CNQ quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|---------------|-----|------|------|--------------|
| CNRB2030 | 2.75 x 29 x 6 | 70 | 1.50 | .50 | \$106 |
| CNRB2036 | 2.75 x 35 x 6 | 70 | 1.80 | .60 | \$126 |
| CNRB2042 | 2.75 x 41 x 6 | 250 | 2.10 | .70 | \$142 |
| CNRB2048 | 2.75 x 47 x 6 | 250 | 2.40 | .80 | \$198 |
| CNRB2054 | 2.75 x 53 x 6 | 250 | 2.70 | .90 | \$206 |
| CNRB2060 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$206 |
| CNRB2066 | 2.75 x 65 x 6 | 250 | 3.30 | 1.10 | \$206 |
| CNRB2072 | 2.75 x 71 x 6 | 250 | 3.60 | 1.20 | \$281 |
| CNRB2430 | 2.75 x 29 x 6 | 70 | 1.50 | .50 | \$106 |
| CNRB2436 | 2.75 x 35 x 6 | 70 | 1.80 | .60 | \$126 |
| CNRB2442 | 2.75 x 41 x 6 | 250 | 2.10 | .70 | \$142 |
| CNRB2448 | 2.75 x 47 x 6 | 250 | 2.40 | .80 | \$198 |
| CNRB2454 | 2.75 x 53 x 6 | 250 | 2.70 | .90 | \$206 |
| CNRB2460 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$206 |
| CNRB2466 | 2.75 x 65 x 6 | 250 | 3.30 | 1.10 | \$206 |
| CNRB2472 | 2.75 x 71 x 6 | 250 | 3.60 | 1.20 | \$281 |
| CNRB3036 | 2.75 x 35 x 6 | 70 | 1.80 | .60 | \$126 |
| CNRB3042 | 2.75 x 41 x 6 | 250 | 2.10 | .70 | \$142 |
| CNRB3048 | 2.75 x 47 x 6 | 250 | 2.40 | .80 | \$165 |
| CNRB3054 | 2.75 x 53 x 6 | 250 | 2.70 | .90 | \$185 |
| CNRB3060 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$206 |
| CNRB3066 | 2.75 x 65 x 6 | 250 | 3.30 | 1.10 | \$245 |
| CNRB3072 | 2.75 x 71 x 6 | 250 | 3.60 | 1.20 | \$281 |
| CNRB3642 | 2.75 x 41 x 6 | 250 | 2.10 | .70 | \$142 |
| CNRB3648 | 2.75 x 47 x 6 | 250 | 2.40 | .80 | \$185 |
| CNRB3654 | 2.75 x 53 x 6 | 250 | 2.70 | .90 | \$185 |
| CNRB3660 | 2.75 x 59 x 6 | 250 | 3 | 1 | \$206 |
| CNRB3666 | 2.75 x 65 x 6 | 250 | 3.30 | 1.10 | \$206 |
| CNRB3672 | 2.75 x 71 x 6 | 250 | 3.60 | 1.20 | \$281 |

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

Required Specifications

Top Finish
Edge Finish


Optional Specifications

Grommet

Accessories

Power Block

WIRE MANAGEMENT UNITS



Wire Management Unit


| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|----------|-----------|------------|
|--------|------------|---------------|----------|-----------|------------|

D x W x H

| | | | | | |
|----------|---------------|----|------|-----|--------------|
| CNSB2424 | 2.75 x 23 x 6 | 70 | 1.80 | .40 | \$84 |
| CNSB3030 | 2.75 x 29 x 6 | 70 | 1.50 | .50 | \$106 |
| CNSB3636 | 2.75 x 35 x 6 | 70 | 1.80 | .60 | \$126 |

For use with **CNS square tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- Can not be used when worksurface tops are attached to flip top legs.




Wire Management Unit

| | | | | | |
|-----------|---------------|-----|------|------|--------------|
| CNTB2048L | 2.75 x 43 x 6 | 250 | 2.40 | .80 | \$142 |
| CNTB2060L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$185 |
| CNTB2448L | 2.75 x 43 x 6 | 250 | 2.40 | .80 | \$142 |
| CNTB2460L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$185 |
| CNTB3060L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$185 |
| CNTB3072L | 2.75 x 67 x 6 | 250 | 3.60 | 1.20 | \$259 |
| CNTB3660L | 2.75 x 55 x 6 | 250 | 3 | 1 | \$185 |
| CNTB3672L | 2.75 x 67 x 6 | 250 | 3.60 | 1.20 | \$259 |

For use with **long side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- Can not be used when worksurface tops are attached to flip top legs.




Wire Management Unit

| | | | | | |
|-----------|---------------|----|------|-----|--------------|
| CNTB2048S | 2.75 x 23 x 6 | 70 | 1.20 | .40 | \$84 |
| CNTB2060S | 2.75 x 35 x 6 | 70 | 1.50 | .50 | \$126 |
| CNTB2448S | 2.75 x 23 x 6 | 70 | 1.20 | .40 | \$84 |
| CNTB2460S | 2.75 x 35 x 6 | 70 | 1.20 | .40 | \$126 |
| CNTB3060S | 2.75 x 29 x 6 | 70 | 1.50 | .50 | \$106 |
| CNTB3072S | 2.75 x 41 x 6 | 70 | 1.50 | .50 | \$142 |
| CNTB3660S | 2.75 x 23 x 6 | 70 | 1.80 | .60 | \$84 |
| CNTB3672S | 2.75 x 35 x 6 | 70 | 1.80 | .60 | \$126 |

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- Can not be used when worksurface tops are attached to flip top legs.




Wire Management Unit

| | | | | | |
|----------|---------------|----|------|-----|-------------|
| CNWB2424 | 2.75 x 17 x 6 | 70 | 1.20 | .40 | \$68 |
| CNWB3030 | 2.75 x 22 x 6 | 70 | 1.50 | .50 | \$84 |

For use with **CNW wedge tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- Can not be used when worksurface tops are attached to flip top legs.



Wire Management Unit

| | | | | | |
|----------|---------------|----|------|-----|--------------|
| CNYB2424 | 2.75 x 22 x 6 | 70 | 1.20 | .40 | \$84 |
| CNYB3030 | 2.75 x 27 x 6 | 70 | 1.50 | .50 | \$106 |

For use with **CNY triangle tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- Can not be used when worksurface tops are attached to flip top legs.

Required Specifications

Top Finish
Edge Finish


Optional Specifications

Grommet


Accessories

Power Block


MODESTY PANEL WITH WIRE MANAGEMENT



Modesty Panel with Wire Management



Modesty Panel with Wire Management



Modesty Panel with Wire Management

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|---------|-----------|--------------|
| CNCC2430 | 2.75 x 35 x 11.75 | 100 | 4.30 | .50 | \$185 |
| CNCC3036 | 2.75 x 43 x 11.75 | 100 | 5.10 | .60 | \$211 |
| CNCC3642 | 2.75 x 53 x 11.75 | 100 | 6 | .70 | \$273 |

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNQC2424 | 2.75 x 27 x 11.75 | 100 | 3.40 | .40 | \$153 |
| CNQC3030 | 2.75 x 35 x 11.75 | 100 | 4.30 | .50 | \$185 |
| CNQC3636 | 2.75 x 44 x 11.75 | 100 | 5.10 | .60 | \$211 |

For use with **CNC quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

| | | | | | |
|----------|-------------------|-----|-------|------|--------------|
| CNRC2030 | 2.75 x 29 x 11.75 | 100 | 4.30 | .50 | \$153 |
| CNRC2036 | 2.75 x 35 x 11.75 | 100 | 5.10 | .60 | \$185 |
| CNRC2042 | 2.75 x 41 x 11.75 | 100 | 6 | .70 | \$211 |
| CNRC2048 | 2.75 x 47 x 11.75 | 100 | 6.80 | .80 | \$246 |
| CNRC2054 | 2.75 x 53 x 11.75 | 100 | 7.70 | .90 | \$273 |
| CNRC2060 | 2.75 x 59 x 11.75 | 100 | 8.50 | 1 | \$304 |
| CNRC2066 | 2.75 x 65 x 11.75 | 100 | 9.40 | 1.10 | \$329 |
| CNRC2072 | 2.75 x 71 x 11.75 | 100 | 10.20 | 1.20 | \$348 |
| CNRC2430 | 2.75 x 29 x 11.75 | 100 | 4.30 | .50 | \$153 |
| CNRC2436 | 2.75 x 35 x 11.75 | 100 | 5.10 | .60 | \$185 |
| CNRC2442 | 2.75 x 41 x 11.75 | 100 | 6 | .70 | \$211 |
| CNRC2448 | 2.75 x 47 x 11.75 | 100 | 6.80 | .80 | \$246 |
| CNRC2454 | 2.75 x 53 x 11.75 | 100 | 7.70 | .90 | \$273 |
| CNRC2460 | 2.75 x 59 x 11.75 | 100 | 8.50 | 1 | \$304 |
| CNRC2466 | 2.75 x 65 x 11.75 | 100 | 9.40 | 1.10 | \$329 |
| CNRC2472 | 2.75 x 71 x 11.75 | 100 | 10.20 | 1.20 | \$348 |
| CNRC3036 | 2.75 x 35 x 11.75 | 100 | 5.10 | .60 | \$185 |
| CNRC3042 | 2.75 x 41 x 11.75 | 100 | 6 | .70 | \$211 |
| CNRC3048 | 2.75 x 47 x 11.75 | 100 | 6.80 | .80 | \$246 |
| CNRC3054 | 2.75 x 53 x 11.75 | 100 | 7.70 | .90 | \$273 |
| CNRC3060 | 2.75 x 59 x 11.75 | 100 | 8.50 | 1 | \$304 |
| CNRC3066 | 2.75 x 65 x 11.75 | 100 | 9.40 | 1.10 | \$329 |
| CNRC3072 | 2.75 x 71 x 11.75 | 100 | 10.20 | 1.20 | \$348 |
| CNRC3642 | 2.75 x 41 x 11.75 | 100 | 6 | .70 | \$211 |
| CNRC3648 | 2.75 x 47 x 11.75 | 100 | 6.80 | .80 | \$246 |
| CNRC3654 | 2.75 x 53 x 11.75 | 100 | 7.70 | .90 | \$273 |
| CNRC3660 | 2.75 x 59 x 11.75 | 100 | 8.50 | 1 | \$304 |
| CNRC3666 | 2.75 x 65 x 11.75 | 100 | 9.40 | 1.10 | \$329 |
| CNRC3672 | 2.75 x 71 x 11.75 | 100 | 10.20 | 1.20 | \$348 |

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

Required Specifications

Top Finish
Leg Finish
Edge Finish


Optional Specifications

Grommet

Accessories

Power Block

MODESTY PANEL WITH WIRE MANAGEMENT



Modesty Panel with Wire Management


MODEL# DIMENSIONS FREIGHT CLASS WT./LBS. CUBIC FT. LIST PRICE

D x W x H

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNSC2424 | 2.75 x 23 x 11.75 | 100 | 3.50 | .40 | \$126 |
| CNSC3030 | 2.75 x 29 x 11.75 | 100 | 4.30 | .50 | \$153 |
| CNSC3636 | 2.75 x 35 x 11.75 | 100 | 5.10 | .60 | \$185 |

For use with **CNC square tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel with Wire Management

| | | | | | |
|-----------|-------------------|-----|-------|------|--------------|
| CNTC2048L | 2.75 x 43 x 11.75 | 100 | 6.80 | .80 | \$211 |
| CNTC2060L | 2.75 x 55 x 11.75 | 100 | 8.50 | 1 | \$273 |
| CNTC2448L | 2.75 x 43 x 11.75 | 100 | 6.80 | .80 | \$211 |
| CNTC2460L | 2.75 x 55 x 11.75 | 100 | 8.50 | 1 | \$273 |
| CNTC3060L | 2.75 x 55 x 11.75 | 100 | 8.50 | 1 | \$273 |
| CNTC3072L | 2.75 x 67 x 11.75 | 100 | 10.20 | 1.20 | \$329 |
| CNTC3660L | 2.75 x 55 x 11.75 | 100 | 8.50 | 1 | \$273 |
| CNTC3672L | 2.75 x 67 x 11.75 | 100 | 10.20 | 1.20 | \$329 |

For use with **long side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel with Wire Management

| | | | | | |
|-----------|-------------------|-----|------|-----|--------------|
| CNTC2048S | 2.75 x 24 x 11.75 | 100 | 3.40 | .40 | \$126 |
| CNTC2060S | 2.75 x 36 x 11.75 | 100 | 3.50 | .50 | \$185 |
| CNTC2448S | 2.75 x 23 x 11.75 | 100 | 3.40 | .40 | \$126 |
| CNTC2460S | 2.75 x 35 x 11.75 | 100 | 3.40 | .40 | \$185 |
| CNTC3060S | 2.75 x 29 x 11.75 | 100 | 4.30 | .50 | \$153 |
| CNTC3072S | 2.75 x 41 x 11.75 | 100 | 4.30 | .50 | \$211 |
| CNTC3660S | 2.75 x 23 x 11.75 | 100 | 5.10 | .60 | \$126 |
| CNTC3672S | 2.75 x 35 x 11.75 | 100 | 5.10 | .60 | \$185 |

For use with **short side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel with Wire Management

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNWC2424 | 2.75 x 17 x 11.75 | 100 | 3.40 | .40 | \$103 |
| CNWC3030 | 2.75 x 22 x 11.75 | 100 | 4.30 | .50 | \$126 |

For use with **CNW wedge tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel with Wire Management

| | | | | | |
|----------|-------------------|-----|------|-----|--------------|
| CNYC2424 | 2.75 x 22 x 11.75 | 100 | 3.40 | .40 | \$126 |
| CNYC3030 | 2.75 x 27 x 11.75 | 100 | 4.30 | .50 | \$153 |

For use with **CNY triangle tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

Required Specifications






Top Finish
Leg Finish
Edge Finish

Optional Specifications








Grommet

Accessories

Power Block

| T LEGS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---|-------------------|---------------|---------|-----------|------------|
|  "T" Leg | | D x W x H | | | | |
| | GCNTLEG18 | 5.25 x 18 x 27.63 | 125 | 15 | 2.10 | \$195 |
| | GCNTLG18P | 5.25 x 18 x 27.63 | 125 | 17 | 2.10 | \$385 |
| | 18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" tops. | | | | | |
| | <ul style="list-style-type: none">• For a single leg, order GCNTLEG18.• For a pair of legs (set of 2), order GCNTLG18P.• Chrome (CH) is available (on foot only). ADD \$70.00 list for model GCNTLEG18 and \$140.00 list for model GCNTLG18P. | | | | | |
|  "T" Leg | GCNTLEG24 | 5.25 x 20 x 27.63 | 150 | 9 | 2.10 | \$195 |
| | GCNTLG24P | 5.25 x 20 x 27.63 | 100 | 17 | 2.10 | \$385 |
| | 20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" tops. | | | | | |
| | <ul style="list-style-type: none">• For a single leg, order GCNTLEG24.• For a pair of legs (set of 2), order GCNTLG24P.• Chrome (CH) is available (on foot only). ADD \$70.00 list for model GCNTLEG24 and \$140.00 list for model GCNTLG24P. | | | | | |
| | | | | | | |
|  "T" Leg | GCNTLEG30 | 5.25 x 26 x 27.63 | 250 | 10 | 2.60 | \$211 |
| | GCNTLG30P | 5.25 x 26 x 27.63 | 125 | 19 | 2.60 | \$420 |
| | 26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" tops. | | | | | |
| | <ul style="list-style-type: none">• For a single leg, order GCNTLEG30.• For a pair of legs (set of 2), order GCNTLG30P.• Chrome (CH) is available (on foot only). ADD \$70.00 list for model GCNTLEG30 and \$140.00 list for model GCNTLG30P. | | | | | |
| | | | | | | |
|  "T" Leg | GCNTLEG36 | 5.75 x 32 x 27.63 | 150 | 14 | 3.30 | \$425 |
| | GCNTLG36P | 5.25 x 32 x 27.63 | 100 | 27 | 3.30 | \$845 |
| | 32" long with double post plastic elliptical column cover, leveling glides and end caps. For assembly with 36" tops. | | | | | |
| | <ul style="list-style-type: none">• For a single leg, order GCNTLEG36.• For a pair of legs (set of 2), order GCNTLG36P.• Chrome (CH) is available (on foot only). ADD \$70.00 list for model GCNTLEG36 and \$140.00 list for model GCNTLG36P. | | | | | |
| | | | | | | |
|  Flip Top "T" Leg | CNTFLEG18 | 5.25 x 18 x 27.63 | 150 | 10 | 2.40 | \$366 |
| | 18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" deep rectangular and square tops only. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews. | | | | | |
| | <ul style="list-style-type: none">• Can not be used when modesty panels and wire management are attached to worksurface tops.• List Price is per each leg.• Chrome (CH) is available (on foot only). ADD \$70.00 list | | | | | |
| | | | | | | |
| | | | | | | |

Required Specifications
Leg Finish

| T LEGS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|-------------------|---------------|---------|-----------|------------|
|  Flip Top "T" Leg | D x W x H | | | | | |
| | CNTFLEG24 | 6.5 x 20 x 27.62 | 150 | 10 | 2.40 | \$366 |
|  Flip Top "T" Leg | 20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" deep rectangular and square tops only. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews. | | | | | |
| | <ul style="list-style-type: none">• Can not be used when modesty panels and wire management are attached to worksurface tops.• List Price is per each leg.• Chrome (CH) is available (on foot only). ADD \$70.00 list | | | | | |
|  Braking Caster | CNTFLEG30 | 6.5 x 26 x 27.62 | 150 | 14 | 3 | \$385 |
| | 26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" deep rectangular and square tops only. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews. | | | | | |
| | <ul style="list-style-type: none">• Can not be used when modesty panels and wire management are attached to worksurface tops.• List Price is per each leg.• Chrome (CH) is available (on foot only). ADD \$70.00 list | | | | | |
|  Caster | CNCB | 0 x 0 x 1.5 | 70 | 1 | .15 | \$41 |
| | 1 ½" dual wheel manual locking caster. Set of 2. Suggested for hard floor surfaces and industrial carpeting. Casters are fully interchangeable with glides. Black only. | | | | | |
| | <ul style="list-style-type: none">• For use with <i>ConnecTABLES</i> units only.• Casters DO NOT affect table height. | | | | | |
|  Thumbscrews | CNC1 | 0 x 0 x 1.5 | 70 | 1 | .15 | \$34 |
| | 1 ½" dual wheel caster. Set of 2. Non-Locking. Suggested for hard floor surfaces and industrial carpeting. Casters are fully interchangeable with glides. Black only. | | | | | |
| | <ul style="list-style-type: none">• For use with <i>ConnecTABLES</i> units only.• Casters DO NOT affect table height. | | | | | |
|  Ganging Connector | CNTS | 1.25 x 1.25 x 1.5 | 70 | 1 | .15 | \$25 |
| | Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "T" legs to tops without tools. Black only. | | | | | |
|  Ganging Connector | CNGFP | 5 x 2.5 x 1.13 | 70 | .20 | .10 | \$44 |
| | Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. Sold individually. | | | | | |

Required Specifications

Leg Finish



Designed by Zoëy Chu, **Junction™** provides an affordable solution for your table applications. Choose from a variety of table top designs: Rectangular, Half Round, Trapezoid and Keystone to create a unique table for your boardroom, classroom or presentation room application.

A freestanding or shared leg configuration with the unique “Y” leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A Straight leg is available for use with half round and Keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.



Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional Radius Corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- JUNCTION™ tops are available in Global laminate finishes with 2 leg options.



Y Leg Design



Modesty Panel



Shared leg configuration provides more legroom and decreases the overall costs

GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications
- Ability for tables to be set up as freestanding or shared leg configuration
- Unique design by Zooey Chu
- Half round, trapezoid and Keystone tops are available to create a variety of package configurations
- Rectangular tops are available in 20", 24" and 30" depths
- Optional modesty panels with integrated wire troughs are available
- Optional large electrical manager provides a safe environment for equipment wires
- Special width tops are available. Use next size up.
- Shipped R.T.A. (Ready to Assemble). Each component is packaged individually; Legs are shipped one per carton.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in High Pressure. Contact your Customer Service Representative for a quote.
- If other than a Global standard laminate finish is preferred, contact your Customer Service Representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity
- Tops are pre-drilled with threaded steel inserts
- Special width tops are available. Use next size up.
- Tables adjust from 28 ¾" to 29 ¾" high.

EDGE DETAIL

- Tops are sealed with Global's preferred edge in matching color.
- Optional Radius Corners (**RM**) are available on rectangular tops at no upcharge.

LEGS

- Unique Y design
- Straight leg available for assembly with Half Round tops and Keystone tops
- Heavy duty steel construction
- Coated with environmentally friendly recycled paint that provides a durable finish
- Black plastic leveling glides offer 1" adjustability
- Available in **Black (BK)** or **Tungsten 2 (TU2)** finish
- Y Legs: 17½" leg span - 20"d Top, 21½" leg span - 24"d Top, 24½" leg span - 30"d Top.

CASTERS

- Optional casters are available
- 1½" Dual wheel casters with or without manual lock. Full 360° swivel
- Can be used in any combination with or without standard glides
- Suggested for carpeted surfaces
- Available in black only
- Sold in packages of two

GANGING

- Ganging plates are available for ganging workstations together
- Ganging plates are black epoxy coated steel plates with two thumbscrews
- Provides maximum stability and torque reduction

FLUSH PLATE

- Suggested for top clusters (fixed configurations for additional stability)
- Sold individually and shipped with two thumbscrews for mounting
- No tools required
- Flush plate allows for ganging together of two or more tops

WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors
- 3½" high x 4¼" deep Black PVC channel attaches to the underside of top

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

| | | | |
|-----|--------------------|-----|-----------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC | White Chocolate* | WGY | Willow Grey |
| WCR | Winter Cherry | | |

*textured

Legs:

| | |
|-----|------------|
| TU2 | Tungsten 2 |
| BLK | Black |


3. SPECIFY OPTIONS

Modesty Panels

- 11¼" high panel attaches to the underside of worksurface top
- Standard with integrated wire trough
- Available in black PVC

Grommets

- Grommets are available in **Rectangular and Trapezoid** Tops (left, center or right). See below for available locations. Order as: **AG1, AG2 or AG3.....Add \$65**
For **Keystone** worksurface locations, order as **AG2. ADD 65.00**
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



- Grommets may be placed at non-standard locations. Order as: **AGS - ADD \$65.00** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.





Power Block

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$238**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. ADD \$65.00**.




Power Block **PMSPDM, Add \$238**


EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



VILLA CUTOUTS


- Optional Villa cutout available in standard worksurface locations (left, center or right) **for Rectangular Tables**. Order as: **V1, V2 or V3.....Add \$65 for each cutout**.
- Villa cutouts may be placed at non-standard locations. Please contact customer service.
- **Villa is only available on Bungee, Junction and Connectables series**



| RECTANGULAR TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|---|-----------|-------------|---------------|----------|-----------|--------------|
|  | D x W x H | | | | | |
| | JNR2042 | 20 x 42 x 1 | 65 | 26 | 1.10 | \$247 |
| | JNR2048 | 20 x 48 x 1 | 65 | 29 | 1.15 | \$276 |
| | JNRU2054 | 20 x 54 x 1 | 65 | 33 | 1.30 | \$343 |
| | JNRU2060 | 20 x 60 x 1 | 65 | 37 | 1.40 | \$368 |
| | JNRU2066 | 20 x 66 x 1 | 65 | 41 | 1.55 | \$398 |
| | JNRU2072 | 20 x 72 x 1 | 65 | 45 | 1.66 | \$424 |
| | JNR2442 | 24 x 42 x 1 | 65 | 31 | 1.25 | \$247 |
| | JNR2448 | 24 x 48 x 1 | 65 | 35 | 1.40 | \$276 |
| | JNRU2454 | 24 x 54 x 1 | 65 | 42 | 1.52 | \$343 |
| | JNRU2460 | 24 x 60 x 1 | 65 | 47 | 1.67 | \$368 |
| | JNRU2466 | 24 x 66 x 1 | 65 | 52 | 1.82 | \$398 |
| | JNRU2472 | 24 x 72 x 1 | 65 | 57 | 2 | \$424 |
| | JNR3042 | 30 x 42 x 1 | 65 | 38 | 1.51 | \$300 |
| | JNR3048 | 30 x 48 x 1 | 65 | 44 | 1.70 | \$316 |
| | JNRU3054 | 30 x 54 x 1 | 65 | 52 | 1.90 | \$394 |
| | JNRU3060 | 30 x 60 x 1 | 65 | 59 | 2.10 | \$422 |
| | JNRU3066 | 30 x 66 x 1 | 65 | 64 | 2.26 | \$451 |
| | JNRU3072 | 30 x 72 x 1 | 65 | 70 | 2.50 | \$482 |

Rectangular Top


Pre-drilled with threaded steel inserts for freestanding and linking installations. **Tops 54" and longer are standard with a 16 gauge steel support channel.**

| HALF ROUND TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--|-----------|-------------|---------------|----------|-----------|--------------|
|  | JNHFS2040 | 20 x 40 x 1 | 70 | 23 | 1.05 | \$261 |
| | JNHFS2048 | 20 x 48 x 1 | 65 | 27.50 | 1.15 | \$270 |
| | JNHFS2448 | 24 x 48 x 1 | 65 | 34 | 1.40 | \$291 |
| | JNHFS2454 | 27 x 54 x 1 | 65 | 38.25 | 1.52 | \$345 |
| | JNHFS3060 | 30 x 60 x 1 | 60 | 53 | 1.67 | \$378 |
| | JNHFS3066 | 33 x 66 x 1 | 60 | 58.30 | 1.82 | \$472 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Half Round Top

Pre-drilled with threaded steel inserts for freestanding and linking installations. Four legs are required for freestanding configurations.

- **JNHFS2040/JNHFS2048** for use with 20" deep joining edge
- **JNHFS2448/JNHFS2454** for use with 24" deep joining edge
- **JNHFS3060/JNHFS3066** for use with 30" deep joining edge

| TRAPEZOID TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|---|----------|----------------|---------------|----------|-----------|--------------|
|  | JNTT2048 | 15.25 x 48 x 1 | 65 | 27.50 | 1.15 | \$254 |
| | JNTT2060 | 15.25 x 60 x 1 | 65 | 34 | 1.40 | \$304 |
| | JNTT2448 | 20.5 x 48 x 1 | 65 | 33 | 1.40 | \$288 |
| | JNTT2460 | 20.5 x 60 x 1 | 65 | 41.25 | 1.67 | \$348 |
| | JNTT3060 | 25.75 x 60 x 1 | 65 | 50.50 | 2.10 | \$380 |
| | JNTT3072 | 25.75 x 72 x 1 | 65 | 61 | 2.50 | \$424 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Trapezoid Top

Pre-drilled with threaded steel inserts for linking installations. **Not freestanding.**


- **JNTT2040/JNTT2048** for use with 20" deep joining edge
- **JNTT2448/JNTT2454** for use with 24" deep joining edge
- **JNTT3060/JNTT3066** for use with 30" deep joining edge

Required Specifications
Finish

Optional Specifications
Grommet

Accessories
Power Block

KEYSTONE



Keystone Top

MODEL#

D x W x H

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

JN5S2424

24 x 42 x 1

65

35

1.40

\$295

JN5S3030

30 x 54 x 1

65

53


2.10

\$378

Pre-drilled with threaded steel inserts for linking installations. **Not freestanding**

- **JN5S2424** for use with 20" deep joining edge
- **JN5S3030** for use with 24" deep joining edge

MODESTY PANELS



Modesty Panel

JNMP42

6.92 x 29.19 x 11.25

250

3.70

1.50

\$203

JNMP48

6.92 x 35.19 x 11.25

250

4.50

1.75

\$229

JNMP54

6.92 x 41.19 x 11.25

250

5

2

\$255

JNMP60

6.92 x 47.19 x 11.25

250

5.90

2.25

\$282

JNMP66

6.92 x 53.19 x 11.25

250

6.60

2.50

\$301

JNMP72

6.92 x 59.19 x 11.25

250

7.40

2.75

\$328

For use with **JNR rectangular tops**. 11 ¼" high, Black plastic, attractive ribbed design. Includes integrated wire trough. Connects to predrilled holes in table top.

JNMTT2048

6.92 x 22.75 x 11.25

250

2.80

1.17

\$180

JNMTT2060

6.92 x 34.75 x 11.25

250

4.30

1.70

\$202

JNMTT2448

6.92 x 19 x 11.25

250

2.50

1

\$180

JNMTT2460

6.92 x 31 x 11.25

250

3.90

1.55

\$202

JNMTT3060

6.92 x 26 x 11.25

250

3.30

1.30

\$180

JNMTT3072

6.92 x 38 x 11.35

250

4.70

1.90

\$202

For use with **JNTT trapezoid tops**. 11 ¼" high, Black plastic, attractive ribbed design. Includes integrated wire trough. Connects to predrilled holes in table top.

WIRE MANAGEMENT



Wire Manager

JNEC5S

4.14 x 12.5 x 3.63

70

1

.10

\$52

For use with **JN5S Keystone Tops**. For managing additional wires and power connectors. 3½"H Black PVC channel connects to predrilled holes in table top.

JNEC42

4.14 x 41.75 x 3.63

125

2.52

.33

\$128

JNEC48

4.14 x 47.75 x 3.63

125

2.88

.38

\$150

JNEC54

4.14 x 53.75 x 3.63

125

3.24

.43

\$169

JNEC60

4.14 x 59.75 x 3.63

125

3.60

.48

\$188

JNEC66

4.14 x 65.75 x 3.63

125

3.96

.53

\$197

JNEC72

4.14 x 71.75 x 3.63

125

4.32

.58

\$255

For use with **JNR Rectangular Tops**. For managing additional wires and power connectors. 3½"H Black PVC channel connects to predrilled holes in the table top.

Wire Manager

Required Specifications

Finish

Optional Specifications

Grommet (Keystone)

Accessories

Power Block (Keystone)

WIRE MANAGER



Wire Manager

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

JNECT2048

4.14 x 28.75 x 3.63

70

1.74

.23

\$128

JNECT2060

4.14 x 40.75 x 3.63

125

2.46

.33

\$180

JNECT2448

4.14 x 24.75 x 3.63

70

1.50

.20

\$128

JNECT2460

4.14 x 36.75 x 3.63

125

2.22

.30

\$180

JNECT3060

4.14 x 31.75 x 3.63

70

1.92

.25

\$128

JNECT3072

4.14 x 43.75 x 3.63

125


2.64

.35

\$180

For use with **JNTT Trapezoid Tops**. For managing additional wires and power connectors. 3½" high Black PVC channel connects to predrilled holes in the table top.

LEGS



"Y" Leg

GJNLEG20

17.25 x 2 x 27.5

150


8.50

2

\$195

Leg span is 17½". Leveling glides are standard. **For assembly with 20" deep tops**

- List Price is per each leg.
- Available in Black (BK) or Tungsten 2 (TU2)



"Y" Leg

GJNLEG24

21.5 x 2 x 27.5

150


10

2.50

\$195

Leg span is 21½". Leveling glides are standard. **For assembly with 24" deep tops**

- List Price is per each leg.
- Available in Black (BK) or Tungsten 2 (TU2)



"Y" Leg

GJNLEG30

24.5 x 2 x 27.5

250


11

2.85

\$211

Leg span is 24½". Leveling glides are standard. **For assembly with 30" deep tops**

- List Price is per each leg.
- Available in Black (BK) or Tungsten 2 (TU2)



Straight Leg

JNLEG

1 x 2 x 27.5

150


6

1.30

\$172

Leveling glides are standard. **For assembly with half round and keystone tops.** Mounting plate is 11" deep by 5" wide.

- List Price is per each leg.
- Available in Black (BK) or Tungsten 2 (TU2)



Braking Caster

JNCB

--

--

--

--





\$39

1½" dual wheel manual locking caster. Set of 2. Suggested for carpeted surfaces. Casters are fully interchangeable with glides. Black only.

- For use with Junction units only
- Casters DO NOT affect table height

Required Specifications

Finish

| LEGS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-----------------|---------------|---------|-----------|------------|
| <div>  <p>Caster</p> </div> | D x W x H | | | | | |
| | JNC1 | -- | -- | -- | -- | \$32 |
| | <p>1½" dual wheel caster. Non-Locking. Set of 2. Suggested for carpeted surfaces. Casters are fully interchangeable with glides. Black only.</p> <ul style="list-style-type: none"> For use with Junction units only Castors DO NOT affect table height | | | | | |
| <div>  <p>Thumbscrews</p> </div> | JNTS | -- | -- | -- | -- | \$22 |
| | <p>Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "Y" legs to tops without tools. Black only.</p> | | | | | |
| | | | | | | |
| <div>  <p>Ganging Flush Plate</p> </div> | JNGFP | -- | -- | -- | -- | \$42 |
| | <p>Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.</p> | | | | | |
| | | | | | | |
| <div>  <p>Flush Plate</p> </div> | JNFP1 | 5.25 d x 5.25 w | -- | -- | -- | \$22 |
| | JNFP4 | 5.25 d x 5.25 w | -- | -- | -- | \$87 |
| | <p>Assures alignment on adjoining worksurfaces of the same height. Bolts included. Available in Black only.</p> <p>JNFP1 - 1 per carton.</p> <p>JNFP4 - 4 per carton.</p> | | | | | |

NUTCRACKER



This innovative boardroom table opens from a traditional meeting shape to a V-shaped configuration for training and presentation functions. Electrical and data outlets can be specified in the worksurfaces to support computers and projectors. In the closed position, the mobile side table provides extra seating.

Large or Small Meetings

Side table inserts to provide additional space for large meeting groups. Remove the side table and close the table for smaller meetings.

Teleconferencing and Training

Open "V" configuration permits each participant to be viewed by the camera during a teleconference. For training uses, the open "V" provides a clear view for both the trainee and instructor.

Technological Support

A worksurface electrical/telecommunications hub provides optional power and network capability.




Features and Benefits


- Arrange in an "open V" to use the side table as a serving cart.
- Power Blocks provide one electrical duplex and two data receptacles (RJ45) at the worksurface
- Grommet permits access through worksurface to wire management channels and into drum base
- Electrical/Communication Hub provides two electrical and two data (RJ45) receptacles at the worksurface.
- Hub Grommet permits access from worksurface through drum to floor electrical and data receptacles



Electrical/Communication Hub



Hub Grommet



Optional Power Module

GENERAL INFORMATION

- Nutcracker Boardroom Tables are versatile and exciting tables that may be arranged in a variety of ways.
- Choose a “traditional” boardroom scenario when arranging as closed. The trapezoid table is perfect for use as a serving cart.
- Arrange in an “open V” to use the side table as a serving cart.
- Arrange in a closed fan shape for presentations/training to allow for maximum viewing during a teleconference. A “closed V” also allows for extra seating.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**



1. Closed with side table



2. Open V-Shape with side table




3. Closed Fan Shape with side table

1. Choose a “traditional” boardroom scenario when arranging as closed. The trapezoid table is perfect for use as a serving cart.

2. Arrange in an “open V” to use the side table as a serving cart.

3. Arrange in a closed fan shape for presentations/training to allow for maximum viewing during a teleconference. A “closed V” also allows for extra seating, with side table.

- Additional legs are required in all table arrangements for extra support (correct quantity of legs are included in the layouts listed on the following pages). For quick and easy removal of legs, it is recommended to order a set of thumbscrews.



1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes - Main Tops (LWING_L & LWING_R), Accessory Tops (LTRAP_, LPIE_):

Laminate Finishes:

| | | | |
|-----|--------------------|-----|--------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| HGT | Hayden Grey | QTM | Quartered Mahogany |
| SKC | Shaker Cherry | SOG | Storm Grey |
| TFW | Tiger Fruitwood | TMA | Tiger Mahogany |
| TMP | Tiger Maple | TWL | Tiger Walnut |
| WHT | White | WHC | White Chocolate |
| WGY | Willow Grey | WCR | Winter Cherry |

Drum Base (LDRUM):

| | |
|-----|------------|
| SOG | Storm Grey |
| BLK | Black |

Donut (LDONUT):

| | |
|-----|-------|
| BLK | Black |
|-----|-------|


Edging:

| | |
|----|------------|
| BK | Black |
| TS | Storm Grey |

Legs:

| | |
|-----|--|
| SOG | Storm Grey |
| BLK | Black |
| TUN | Tungsten (available with 10% upcharge) |

COMPONENTS OF THE 8 FOOT NUTCRACKER BOARDROOM TABLE



Main Tops: A - LWING8L - Main Top - Left - 8 ft.
 B - LWING8R - Main Top - Right - 8 ft.

Accessory Tops: C - LTRAP8 - Trapezoid Table Top - 8 ft.
 D - LPIE810 - Pie Top - 8 ft/10 ft



Drum Base: E - LDRUM - Drum Base w/Hardware

Donut: F - LDONUT - Donut

Legs: G - LCL294 - Leg with Lockable Caster (qty of 4)
 H - LLL291 - Leg with Leveller (qty of 8)

N NUTCRACKER - LAYOUTS

8' Nutcracker Table





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top - Right | LWING8-R | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$589 |
| 1 | Main Top - Left | LWING8-L | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$589 |
| 1 | Trapezoid Top | LTRAP8 | 25.5 x 37.2 x 1.13 | 70 | 29 | 1.80 | \$304 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |

SAMPLE LAYOUT TOTAL

\$4017

8' Nutcracker Table w/Grommets & Electrical/Communication Hub





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top w/Grommet - Right | LWING8-RG | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$627 |
| 1 | Main Top w/Grommet- Left | LWING8-LG | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$627 |
| 1 | Trapezoid Top | LTRAP8 | 25.5 x 37.2 x 1.13 | 70 | 29 | 1.80 | \$304 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |

SAMPLE LAYOUT TOTAL

\$4672

8' Nutcracker Table w/Power Blocks & Electrical/Communication Hub





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top for Power Block - Right | LWING8-RE | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$627 |
| 1 | Main Top for Power Block - Left | LWING8-LE | 28 x 96 x 1.13 | 85 | 82.70 | 6.30 | \$627 |
| 1 | Trapezoid Top | LTRAP8 | 25.5 x 37.2 x 1.13 | 70 | 29 | 1.80 | \$304 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |
| 2 | Worksurface Power Block | PMSPDM | 3.5 x 6.5 x 2.75 | 70 | 2 | .10 | \$238 x 2 |

SAMPLE LAYOUT TOTAL

\$5148

10' Nutcracker Table





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top - Right | LWING10-R | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$687 |
| 1 | Main Top - Left | LWING10-L | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$687 |
| 1 | Trapezoid Top | LTRAP10 | 25.5 x 37.2 x 1.13 | 70 | 39 | 2.20 | \$362 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |

SAMPLE LAYOUT TOTAL

\$4271

10' Nutcracker Table w/Grommets & Electrical/Communication Hub





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top w/Grommet - Right | LWING10-RG | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$730 |
| 1 | Main Top w/Grommet - Left | LWING10-LG | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$730 |
| 1 | Trapezoid Top | LTRAP10 | 25.5 x 37.2 x 1.13 | 70 | 39 | 2.20 | \$362 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |

SAMPLE LAYOUT TOTAL

\$4936

10' Nutcracker Table w/Power Blocks & Electrical/Communication Hub





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top for Power Block - Right | LWING10-RE | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$730 |
| 1 | Main Top for Power Block - Left | LWING10-LE | 30 x 120 x 1.13 | 85 | 111.10 | 8.30 | \$730 |
| 1 | Trapezoid Top | LTRAP10 | 25.5 x 37.2 x 1.13 | 70 | 39 | 2.20 | \$362 |
| 1 | Pie Top | LPIE810 | 12 x 22.5 x 1.13 | 92.5 | 9 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |
| 4 | Worksurface Power Block | PMSPDM | 3.5 x 6.5 x 2.75 | 70 | 2 | .10 | \$238 x 4 |

SAMPLE LAYOUT TOTAL

\$5888

N NUTCRACKER - LAYOUTS

12' Nutcracker Table





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top - Right | LWING12-R | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$787 |
| 1 | Main Top - Left | LWING12-L | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$787 |
| 1 | Trapezoid Top | LTRAP12 | 26 x 49.9 x 1.13 | 70 | 40 | 2.20 | \$381 |
| 1 | Pie Top | LPIE12 | 9.75 x 22.5 x 1.13 | 100 | 8 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |

SAMPLE LAYOUT TOTAL

\$4490

12' Nutcracker Table w/Grommets & Electrical/Communication Hub





| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top w/Grommet - Right | LWING12-RG | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$828 |
| 1 | Main Top w/Grommet- Left | LWING12-LG | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$828 |
| 1 | Trapezoid Top | LTRAP12 | 26 x 49.9 x 1.13 | 70 | 40 | 2.20 | \$381 |
| 1 | Pie Top | LPIE12 | 9.75 x 22.5 x 1.13 | 100 | 8 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |

SAMPLE LAYOUT TOTAL

\$5151







12' Nutcracker Table w/Power Blocks & Electrical/Communication Hub




| Qty | Description | Model Number | Dimensions | Freight Class | Wt./lbs. | Cubic Ft. | List Price |
|-----|--|--------------|-----------------------|---------------|----------|-----------|------------------|
| 1 | Main Top for Power Block - Right | LWING12-RE | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$828 |
| 1 | Main Top for Power Block - Left | LWING12-LE | 28 x 144 x 1.13 | 85 | 135.90 | 9.90 | \$828 |
| 1 | Trapezoid Top | LTRAP12 | 26 x 49.9 x 1.13 | 70 | 40 | 2.20 | \$381 |
| 1 | Pie Top | LPIE12 | 9.75 x 22.5 x 1.13 | 100 | 8 | .90 | \$96 |
| 1 | Drum Base (hardware included) | LDRUM | 18.75 x 18.75 x 27.25 | 150 | 31.40 | 6.10 | \$846 |
| 1 | Donut Spacer (between drum base and top. Black only) | LDONUT | 40 x 40 x .69 | 100 | 30.50 | 3.80 | \$262 |
| 8 | Leg w/leveler. Sold singly. | LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 x 8 |
| 1 | Leg w/lockable caster. Sold in quantity of 4. | LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |
| 1 | Electrical/Communication Hub | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |
| 4 | Worksurface Power Block | PMSPPM | 3.5 x 6.5 x 2.75 | 70 | 2 | .10 | \$238 x 4 |

SAMPLE LAYOUT TOTAL

\$6103

| ACCESSORIES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-------------------------|---------------|---------|-----------|--------------|
|  <p>Electrical/Communication Hub</p> | PLECHUB | 4.25 x 4.25 x 4.75 | 100 | 2 | .25 | \$579 |
| | <p>Circular power/data unit composed of two electrical receptacles and two category 5E data modules (hardwire to module required). Available in Black only. Ships UPS.</p> <ul style="list-style-type: none"> Unit is the same for all size tables. | | | | | |
|  <p>Leg Mounted Wire Manager</p> | LLWM | 1.5 x 1.8 x 16 | 70 | .50 | .08 | \$33 |
| | <p>Black PVC wire management channel with 1 3/8" x 3/4" capacity used to carry wiring up and down the leg to a wall or floor outlet for a clean organized appearance. Ships UPS.</p> | | | | | |
|  <p>Power Bar</p> | POWER BAR | 6 x 13 x 2.5 | 70 | 1.70 | .12 | \$237 |
| | <p>9 grounded electrical outlets with surge protection. One phone/fax/modem outlet with EMI/EFI noise reduction filter. Three conductor 10 foot cord. Ships UPS.</p> <ul style="list-style-type: none"> 15 amp fused circuit breaker protects DBS (Direct Broadcast Satellite Systems). Electrical rating is 125V / 15A / 1875W. | | | | | |
|  <p>Power Block</p> | PMSPDM | 3.5 x 6.5 x 2.75 | 70 | 2 | .10 | \$238 |
| | <p>Rectangular worksurface power/data module. One electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord.</p> | | | | | |
|  <p>Modesty Panel Package</p> | LA829 | 2.75 x 29 x 11.75 | 150 | 5.60 | 1 | \$254 |
| | LA1053 | 2.75 x 53 x 11.75 | 150 | 10 | 1.80 | \$460 |
| | LA1277 | 2.75 x 77 x 11.75 | 150 | 14.20 | 2.60 | \$603 |
| | <p>11 3/4" high Black PVC modesty panel with attractive ribbed design. Includes fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table bottom. Each package includes two panels.</p> <ul style="list-style-type: none"> Order LA829 for 8 foot table. Order LA1053 for 10 foot table. Order LA1277 for 12 foot table. | | | | | |
|  <p>Wire Management Channel Package</p> | LB829 | 2.75 x 29 x 6 | 150 | 4.20 | 1 | \$188 |
| | LB1053 | 2.75 x 53 x 6 | 250 | 6.40 | 1.80 | \$396 |
| | LB1277 | 2.75 x 77 x 6 | 250 | 9 | 2.60 | \$501 |
| | <p>6" high Black PVC wire management channel with attractive ribbed design. Includes fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table bottom. Can be used with or without wire management grommet. Each package includes two channels.</p> <ul style="list-style-type: none"> Order LB829 for 8 foot table. Order LB1053 for 10 foot table. Order LB1277 for 12 foot table. | | | | | |

ACCESSORIES



Modesty Panel with Wire Management Package

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|-------------------------|---------------|---------|-----------|--------------|
| LC829 | 2.75 x 29 x 11.75 | 100 | 8.60 | 1 | \$271 |
| LC1053 | 2.75 x 53 x 11.75 | 100 | 15.40 | 1.80 | \$485 |
| LC1277 | 2.75 x 77 x 11.75 | 100 | 22 | 2.60 | \$681 |

11¾" high Black PVC modesty panel with wire management channel. Attractive ribbed design. Includes fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table bottom. Can be used with or without wire management grommet. **Each package includes two panels.**

- Order **LC829** for 8 foot table.
- Order **LC1053** for 10 foot table.
- Order **LC1277** for 12 foot table.

WORKSURFACE SUPPORTS



Leg with Leveller

| | | | | | |
|--------|------------------|-----|-------|------|--------------|
| LLL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 |
| LLL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |

Tapered steel leg (2" diameter) with a custom designed leveller that adjusts up to 1½". Legs available in Black or Storm Grey. Leveller available in Black only. Bolts included. Ships UPS.

- *Leg available in Tungsten finish with Tungsten leveller - 10% upcharge.*
- **LLL291** is shipped 1 per carton.
- **LLL294** is shipped 4 per carton.




Leg with Lockable Caster

| | | | | | |
|--------|------------------|-----|-------|------|--------------|
| LCL291 | 5.25 x 5.25 x 28 | 100 | 4.80 | .52 | \$112 |
| LCL294 | 5.25 x 5.25 x 28 | 100 | 18.40 | 2.10 | \$435 |

Tapered steel leg (2" diameter) with a custom designed lockable caster. Legs available in Black or Storm Grey. Leveller available in Black only. Bolts included. Ships UPS.

- *Leg available in Tungsten finish with Tungsten caster - 10% upcharge.*
- **LCL291** is shipped 1 per carton.
- **LCL294** is shipped 4 per carton.



Caster

| | | | | | |
|------|----|----|----|----|-------------|
| LRC1 | -- | -- | -- | -- | \$22 |
|------|----|----|----|----|-------------|

Replacement lockable caster. Can retrofit onto a leg with leveller #LLL291. Available in Black only. Ships UPS.




Ganging Flush Plate

| | | | | | |
|------|----|----|----|----|-------------|
| LFF1 | -- | -- | -- | -- | \$25 |
| LFF4 | -- | -- | -- | -- | \$92 |

Plate to link two, three or four worksurfaces simultaneously. Available in Black only. Bolts included. Ships UPS.

- **LFF1** is shipped 1 per carton.
- **LFF4** is shipped 4 per carton.

SWAP TABLES



Global's casual meeting and café tables are suitable for a variety of applications: break rooms, dedicated/ enclosed meeting rooms, casual/open area meeting spaces (seated, counter & bar height options), private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and Match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Features and Benefits


- All worksurfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate.
- Worksurfaces feature Global's preferred edge on all sides
- Bases are constructed of a ½" thick solid steel metal plate with cover - round or square.
- Wire grommets and power block cutouts are available on most tables
- 3 heights: seated height at 29"H overall, counter height at 36"H and bar height at 41.5"H



Base detail



Glide



Top / Edge detail

GENERAL INFORMATION

- SWAP is a series of tables for use primarily in casual meeting spaces and café areas.
- A new way of specifying the exact worksurface requirements for today's shared spaces or to meet the needs of growing companies. What you choose today can be moved around or added to as the company changes and grows.
- Finish palette coordinates with most Global laminate casegoods series – tables can stand alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, one per carton. Easy to assemble.
- Global's counter and bar height stools are a perfect compliment to swap tables with counter and bar height bases.
- Global laminate and seating products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- **Level 2 Certified**

WORKSURFACES

- All worksurfaces are 1" thick, constructed of 45 lb. density particleboard covered on both sides with high performance, thermally fused laminate
- Worksurfaces feature Global's preferred matching edge detail on all sides
- High Pressure Tops are available in all SWAP laminate finishes at an extended lead time. Please see model # for pricing and availability
- High pressure tops are recommended for café applications and other high use areas
- Worksurfaces of 96" or less in length are standard in one piece (one carton).
Worksurfaces 120" to 144" in length are standard in two pieces (two cartons).

BASES

- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. Top plates vary by base size and will only work with top sizes as referenced on the following pages.
- Bases are constructed of a ½" steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a 3" diameter cold rolled steel tube.
- GRB22, GRB22H35, GRB22H41, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x6" steel plate, welded to the 3" tube.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to the 3" tube.
- Bases are available PAINTED in Black (BLK), Tungsten (TUN) and Designer White (DWT). Paint has a "sandtex" finish for extra durability.
- Bases are available in Chrome (CH) or Brushed Chrome (BCH) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six ½" height adjustable glides for leveling on uneven floors
- Seated height bases with 3" dia x 27"h column, 0.6" base and 3/8"h levelers.
- Counter height bases with 3" dia x 34"h column, 0.6" base and 3/8"h levelers.
- Bar height bases with 3" dia x 39.5"h column, 0.6"h base and 3/8"h levelers.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Laminate Finishes:

| | | | |
|------|--------------------|-----|------------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC* | White Chocolate | WGY | Willow Grey |
| WCR | Winter Cherry | | <i>*textured</i> |

Bases (Painted):

| | |
|-----|----------------|
| BLK | Black |
| TUN | Tungsten |
| DWT | Designer White |

Bases (Plated):


| | |
|-----|-----------------|
| CHM | Polished Chrome |
| BCH | Brushed Chrome |

3. SPECIFY OPTIONS



GROMMETS

- Not all grommet locations are available on all combinations. Please refer to top/base chart on the following pages for more information.
- Optional Grommets available in standard table top locations, where available (left, center or right). Order as: **AG1, AG2 or AG3 - Add \$65**
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$65**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section. Grommets may NOT be placed directly over the bases.

Grommet hole dimensions




Grommet



POWER BLOCK (PMSPDM)


- Not all power block locations are available on all combinations. Please refer to top/ base chart on the following pages for more information.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included.
- Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- Power Block cutout dimensions are 2 ¾" deep x 6" wide.
- A Power Block Cutout for model **PMSPDM** may be ordered in three standard locations, where available. Order as **E1, E2 or E3. Add \$65**.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block separately as **PMSPDM, Add \$238**.
- Power Block (PMSPDM) cutouts may be placed in non-standard locations. Order as **ES - Add \$65**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cutout. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cutouts may NOT be placed directly over the bases.

Power Block



VILLA POWER BLOCK (CORDED VERSION ONLY)

- Not all power block locations are available on all combinations. Please refer to top/ base chart on the following pages for more information.
- A Villa Power Block (corded) is available in four options (see page 670 for Villa Corded details). Villa Power Block (corded) dimensions vary by model. Villa cutout dimensions are 3" deep x 5 ¼" wide.
- A Villa cutout may be ordered in three standard locations, where available. Order as: **V1, V2 or V3 - Add \$65 for each cutout**.
- To purchase a Villa Power Block (corded), you must specify both the Villa cut-out location and the Villa model #. Order Villa Power Block separately - see page 670 for pricing and details.
- Villa Power Block (corded) cutouts may be placed in non-standard locations. Order as **VS - Add \$65**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cutout. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cutouts may NOT be placed directly over the bases.




















OASIS MINI CUTOUTS

- Not all power block locations are available on all combinations. Please refer to top/ base chart on the following pages for more information.
- Optional Oasis Mini cutouts are available in standard table top locations, where available (left, center or right). Order as **M1, M2 or M3 - Add \$65**.
- To purchase an Oasis Mini, you must specify both the Oasis Mini cutout location and the Oasis Mini model #. Order Oasis Mini separately - see page 604 for pricing and details.
- Mini Oasis cutouts may be placed in non-standard locations. Order as **MS - Add \$65**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cutout. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cutouts may NOT be placed directly over the bases.



S SWAP TABLES - NOTES

| APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP | | | | | | | | | POWER MGMT OPTIONS | |
|--|----------|---|--|---|--|---|--|-----------|-----------------------|---|
| Table Shape | Top # | Seated Height 29"h | | Counter Height 36" | | Bar Height 41.5" | | Base Qty. | # top pieces | Grommet + Power Block Cutouts Available |
| | | Round base  | Square base  | Round base  | Square base  | Round base  | Square base  | | | |
| Round  *Nominal base plate dimension indicated by 4th and 5th characters in base model numbers. | | | | | | | | | | |
| 24" diameter | GRBTP24 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 30" diameter | GRBTP30 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 36" diameter | GRBTP36 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 42" diameter | GRBTP42 | GRB28 | GSB23 | N/A | N/A | N/A | | 1 | 1 | None |
| 48" diameter | GRBTP48 | GRB28 | GSB23 | N/A | N/A | N/A | | 1 | 1 | None |
| 54" diameter | GRBTP54 | GRB34 | GSB28 | N/A | N/A | N/A | | 1 | 1 | None |
| 60" diameter | GRBTP60 | GRB34 | GSB28 | N/A | N/A | N/A | | 1 | 1 | None |
| Square  | | | | | | | | | | |
| 24" square | GSBTP24 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 30" square | GSBTP30 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 36" square | GSBTP36 | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 1 | 1 | None |
| 42" square | GSBTP42 | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 1 | 1 | None |
| Rectangular  | | | | | | | | | | |
| 60x30 Rectangular top | GRT5NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | Centered - E2, M2, V2 |
| 72x30 Rectangular top | GRT6NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 72x36 Rectangular top | GRT6TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 84x30 Rectangular top | GRT7NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | 3 positions - Left/ Center/Right (E1, E2, E3; V1/2/3; M1/2/3) |
| 84x36 Rectangular top | GRT7TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x30 Rectangular top | GRT8NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x36 Rectangular top | GRT8TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x48 Rectangular top | GRT8WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 2 | 1 | |
| 120x48 Rectangular top | GRT10WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | Both ends - E1 & E3; V1/3; M1/3 |
| 144x48 Rectangular top | GRT12WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | |
| Racetrack  *Nominal base plate dimension indicated by 4th and 5th characters in base model numbers. | | | | | | | | | | |
| 60x30 Racetrack top | GRC5NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | Centered - E2, M2, V2 |
| 72x30 Racetrack top | GRC6NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 72x36 Racetrack top | GRC6TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 84x30 Racetrack top | GRC7NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | 3 positions - Left/ Centered/Right (E1, E2, E3; V1/2/3; M1/2/3) |
| 84x36 Racetrack top | GRC7TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x30 Racetrack top | GRC8NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x36 Racetrack top | GRC8TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x48 Racetrack top | GRC8WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 2 | 1 | |
| 120x48 Racetrack top | GRC10WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | Both ends - E1 & E3; V1/3; M1/3 |
| 144x48 Racetrack top | GRC12WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | |

| APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP | | | | | | | | | | POWER MGMT OPTIONS |
|---|----------|---|---|---|---|--|---|-----------|--------------|---|
| Table Shape | Top # | Seated Height 29"h | | Counter Height 36" | | Bar Height 41.5" | | Base Qty. | # top pieces | Grommet + Power Block Cutouts Available |
| | | Round base | Square base | Round base | Square base | Round base | Square base | | | |
| | |  |  |  |  |  |  | | | |
| Boat Shape  | | | | | | | | | | |
| 60x30 Boat shape top | GBT5NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | Centered - E2, M2, V2 |
| 72x30 Boat shape top | GBT6NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 72x36 Boat shape top | GBT6TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 84x30 Boat shape top | GBT7NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | 3 positions - Left/ Centered/Right (E1, E2, E3; V1/2/3; M1/2/3) |
| 84x36 Boat shape top | GBT7TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x30 Boat shape top | GBT8NTP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x36 Boat shape top | GBT8TP | GRB22 | GSB19 | GRB22H35 | GSB19H35 | GRB22H41 | GSB19H41 | 2 | 1 | |
| 96x48 Boat shape top | GBT8WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 2 | 1 | Both ends - E1 & E3; V1/3; M1/3 |
| 120x48 Boat shape top | GBT10WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | |
| 144x48 Boat shape top | GBT12WTP | GRB28 | GSB23 | N/A | N/A | N/A | N/A | 3 | 2 | |

S SWAP TABLES




TABLE NOTES - ESTIMATED CAPACITY

- Use the following for determining the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

| D x W x H | | | | | | |
|-----------|-------|--------|-------------|-------|-----------|--|
| Top Size | Round | Square | Rectangular | Boat | Racetrack | |
| 24x24 | 2 | 2 | N/A | N/A | N/A | |
| 30x30 | 3 | 4 | N/A | N/A | N/A | |
| 36x36 | 4 | 4 | N/A | N/A | N/A | |
| 42x42 | 4 | 4 | N/A | N/A | N/A | |
| 48x48 | 4 | 4 | N/A | N/A | N/A | |
| 54x54 | 5 | 6 | N/A | N/A | N/A | |
| 60x60 | 5 | 6 | N/A | N/A | N/A | |
| 30x60 | N/A | N/A | 4-6 | 4-6 | 4-6 | |
| 30x72 | N/A | N/A | 4-6 | 4-6 | 4-6 | |
| 30x84 | N/A | N/A | 4-6 | 4-6 | 4-6 | |
| 30x96 | N/A | N/A | 6-8 | 6-8 | 6-8 | |
| 36x72 | N/A | N/A | 4-6 | 4-6 | 4-6 | |
| 36x84 | N/A | N/A | 4-6 | 4-6 | 4-6 | |
| 36x96 | N/A | N/A | 6-8 | 6-8 | 6-8 | |
| 44x84 | N/A | N/A | 6-8 | 6-8 | 6-8 | |
| 48x96 | N/A | N/A | 6-8 | 6-8 | 6-8 | |
| 48x120 | N/A | N/A | 8-10 | 8-10 | 8-10 | |
| 48x144 | N/A | N/A | 10-12 | 10-12 | 10-12 | |

Required Specifications
Top Finish
Base Finish

Optional Specifications
High Pressure Laminate Top
Chrome base


Round Tops

Square Tops

Round Bases

Square Bases

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|------------------|-------------|---------------|---------|-----------|--------------|--------------|------------|
| D x W x H | | | | | | | |
| GRBTP24 | 24 x 24 x 1 | 70 | 20 | 1 | \$172 | \$86 | n/a |
| GRBTP30 | 30 x 30 x 1 | 70 | 29 | 1.50 | \$200 | \$100 | n/a |
| GRBTP36 | 36 x 36 x 1 | 70 | 40 | 2 | \$255 | \$128 | n/a |

Tops feature metal inserts for ease of assembly to base. One base required.

| | | | | | | | |
|---------|-------------|----|----|------|--------------|--------------|-----|
| GSBTP24 | 24 x 24 x 1 | 70 | 48 | 2.50 | \$176 | \$89 | n/a |
| GSBTP30 | 30 x 30 x 1 | 70 | 31 | 1.50 | \$206 | \$103 | n/a |
| GSBTP36 | 36 x 36 x 1 | 70 | 42 | 2 | \$262 | \$131 | n/a |

Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR ROUND AND SQUARE TOPS - 24" to 36" wide

| | | | | | | | |
|----------|----------------|-----|-------|------|--------------|-----|--------------|
| GRB22 | 22 x 22 x 28 | 150 | 55 | 9.33 | \$565 | n/a | \$93 |
| GRB22H35 | 22 x 22 x 35 | 150 | 57.10 | 12 | \$593 | n/a | \$102 |
| GRB22H41 | 22 x 22 x 40.5 | 150 | 58.30 | 14 | \$602 | n/a | \$107 |

GRB22 - Seated height
GRB22H35 - Counter height
GRB22H41 - Bar height

Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| | | | | | | | |
|----------|----------------|-----|-------|------|--------------|-----|--------------|
| GSB19 | 19 x 19 x 28 | 100 | 50 | 6.06 | \$612 | n/a | \$84 |
| GSB19H35 | 19 x 19 x 35 | 125 | 51.80 | 7.52 | \$649 | n/a | \$93 |
| GSB19H41 | 19 x 19 x 40.5 | 125 | 53.20 | 8.77 | \$672 | n/a | \$102 |

GSB19 - Seated height
GSB19H35 - Counter height
GSB19H41 - Bar height

Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

Required Specifications

Top Finish
Base Finish


Optional Specifications

High Pressure Laminate Top
Chrome base


S SWAP TABLES




Round Tops



Square Tops



Round Base



Square Base

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|---------|-------------|---------------|---------|-----------|------------|--------|------------|
| | D x W x H | | | | | | |
| GRBTP42 | 42 x 42 x 1 | 70 | 48 | 2.50 | \$355 | \$178 | n/a |
| GRBTP48 | 48 x 48 x 1 | 70 | 64 | 3 | \$380 | \$190 | n/a |

Tops feature metal inserts for ease of assembly to base. One base required.

| | | | | | | | |
|---------|-------------|----|----|------|-------|-------|-----|
| GSBTP42 | 42 x 42 x 1 | 70 | 50 | 2.50 | \$363 | \$182 | n/a |
|---------|-------------|----|----|------|-------|-------|-----|

Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR ROUND AND SQUARE TOPS - 42" to 48" wide.

| | | | | | | | |
|-------|--------------|-----|-------|-------|-------|-----|-------|
| GRB28 | 28 x 28 x 28 | 150 | 71.60 | 15.63 | \$975 | n/a | \$102 |
|-------|--------------|-----|-------|-------|-------|-----|-------|

Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| | | | | | | | |
|-------|--------------|-----|-------|------|-------|-----|------|
| GSB23 | 19 x 19 x 28 | 125 | 58.30 | 9.33 | \$896 | n/a | \$56 |
|-------|--------------|-----|-------|------|-------|-----|------|

Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

Required Specifications


Top Finish
Base Finish

Optional Specifications


High Pressure Laminate Top
Chrome base



Round Tops



Round Base



Square Base

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|-----------|-------------|---------------|---------|-----------|------------|--------|------------|
| D x W x H | | | | | | | |
| GRBTP54 | 54 x 54 x 1 | 70 | 78 | 3.75 | \$508 | \$254 | n/a |
| GRBTP60 | 60 x 60 x 1 | 70 | 98 | 4.50 | \$526 | \$264 | n/a |

Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR ROUND TOPS - 54" to 60" wide

| | | | | | | | |
|-------|--------------|-----|-------|-------|--------|-----|-------|
| GRB34 | 34 x 34 x 28 | 150 | 94.10 | 20.56 | \$1193 | n/a | \$102 |
|-------|--------------|-----|-------|-------|--------|-----|-------|


Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| | | | | | | | |
|-------|--------------|-----|-------|-------|--------|-----|------|
| GSB28 | 28 x 28 x 28 | 150 | 85.60 | 15.63 | \$1114 | n/a | \$47 |
|-------|--------------|-----|-------|-------|--------|-----|------|


Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| Required Specifications | Optional Specifications |
|-------------------------|----------------------------|
| Top Finish | High Pressure Laminate Top |
| Base Finish | Chrome base |


SWAP TABLES




Rectangular Tops



Racetrack Tops



Round Bases



Square Bases

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|---------|-------------|---------------|---------|-----------|------------|--------|------------|
| | D x W x H | | | | | | |
| GRT5NTP | 30 x 60 x 1 | 85 | 56 | 3.75 | \$381 | \$191 | n/a |
| GRT6NTP | 30 x 72 x 1 | 100 | 61 | 6.50 | \$413 | \$207 | n/a |
| GRT6TP | 36 x 72 x 1 | 92.5 | 75 | 7.50 | \$476 | \$238 | n/a |
| GRT7NTP | 30 x 84 x 1 | 100 | 72 | 7.50 | \$515 | \$258 | n/a |
| GRT8NTP | 30 x 96 x 1 | 100 | 80 | 8.50 | \$561 | \$281 | n/a |
| GRT7TP | 36 x 84 x 1 | 100 | 85 | 8.75 | \$555 | \$278 | n/a |
| GRT8TP | 36 x 96 x 1 | 92.5 | 94 | 9 | \$607 | \$304 | n/a |

One piece tops feature metal inserts for ease of assembly to base. Two bases required.

| | | | | | | | |
|---------|-------------|------|----|------|-------|-------|-----|
| GRC5NTP | 30 x 60 x 1 | 85 | 52 | 3.75 | \$388 | \$194 | n/a |
| GRC6NTP | 30 x 72 x 1 | 100 | 57 | 6.50 | \$421 | \$211 | n/a |
| GRC6TP | 36 x 72 x 1 | 100 | 71 | 7.50 | \$485 | \$243 | n/a |
| GRC7NTP | 30 x 84 x 1 | 100 | 68 | 7.50 | \$525 | \$263 | n/a |
| GRC8NTP | 30 x 96 x 1 | 100 | 76 | 8.50 | \$572 | \$286 | n/a |
| GRC7TP | 36 x 84 x 1 | 92.5 | 81 | 7.75 | \$566 | \$283 | n/a |
| GRC8TP | 36 x 96 x 1 | 92.5 | 91 | 9 | \$619 | \$310 | n/a |

One piece tops feature metal inserts for ease of assembly to base. Two bases required.

BASES FOR RECTANGULAR AND RACETRACK TOPS - 60" to 96" wide x 30"d and 36"d.

| | | | | | | | |
|----------|----------------|-----|-------|------|-------|-----|-------|
| GRB22 | 22 x 22 x 28 | 150 | 55 | 9.33 | \$565 | n/a | \$93 |
| GRB22H35 | 22 x 22 x 35 | 150 | 57.10 | 12 | \$593 | n/a | \$102 |
| GRB22H41 | 22 x 22 x 40.5 | 150 | 58.30 | 14 | \$602 | n/a | \$107 |

GRB22 - Seated height
GRB22H35 - Counter height
GRB22H41 - Bar height

Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| | | | | | | | |
|----------|----------------|-----|-------|------|-------|-----|-------|
| GSB19 | 19 x 19 x 28 | 100 | 50 | 6.06 | \$612 | n/a | \$84 |
| GSB19H35 | 19 x 19 x 35 | 125 | 51.80 | 7.52 | \$649 | n/a | \$93 |
| GSB19H41 | 19 x 19 x 40.5 | 125 | 53.20 | 8.77 | \$672 | n/a | \$102 |

GSB19 - Seated height
GSB19H35 - Counter height
GSB19H41 - Bar height


Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

Required Specifications

Top Finish
Base Finish

Optional Specifications

High Pressure Laminate Top
Chrome base


Boat Tops

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|---------|-------------------------|---------------|---------|-----------|--------------|--------------|------------|
| GBT5NTP | 30 x 60 x 1 | 85 | 52 | 3.75 | \$388 | \$194 | n/a |
| GBT6NTP | 30 x 72 x 1 | 100 | 57 | 6.50 | \$421 | \$211 | n/a |
| GBT6TP | 36 x 72 x 1 | 100 | 71 | 7.50 | \$485 | \$243 | n/a |
| GBT7NTP | 30 x 84 x 1 | 100 | 68 | 7.50 | \$525 | \$263 | n/a |
| GBT8NTP | 30 x 96 x 1 | 100 | 76 | 8.50 | \$572 | \$286 | n/a |
| GBT7TP | 36 x 84 x 1 | 100 | 81 | 8.75 | \$566 | \$283 | n/a |
| GBT8TP | 36 x 96 x 1 | 92.5 | 91 | 9 | \$619 | \$310 | n/a |


One piece tops feature metal inserts for ease of assembly to base. Two bases required.

BASES FOR BOAT SHAPED TOPS - 60" to 96" wide x 30"d and 36"d.

| | | | | | | | |
|----------|----------------|-----|-------|------|--------------|-----|--------------|
| GRB22 | 22 x 22 x 28 | 150 | 55 | 9.33 | \$565 | n/a | \$93 |
| GRB22H35 | 22 x 22 x 35 | 150 | 57.10 | 12 | \$593 | n/a | \$102 |
| GRB22H41 | 22 x 22 x 40.5 | 150 | 58.30 | 14 | \$602 | n/a | \$107 |

GRB22 - Seated height
GRB22H35 - Counter height
GRB22H41 - Bar height


Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.


Round Bases

| | | | | | | | |
|----------|----------------|-----|-------|------|--------------|-----|--------------|
| GSB19 | 19 x 19 x 28 | 100 | 50 | 6.06 | \$612 | n/a | \$84 |
| GSB19H35 | 19 x 19 x 35 | 125 | 51.80 | 7.52 | \$649 | n/a | \$93 |
| GSB19H41 | 19 x 19 x 40.5 | 125 | 53.20 | 8.77 | \$672 | n/a | \$102 |

GSB19 - Seated height
GSB19H35 - Counter height
GSB19H41 - Bar height

Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.



Square Bases
Required Specifications

Top Finish
Base Finish


Optional Specifications

High Pressure Laminate Top
Chrome base


S SWAP TABLES




Rectangular Tops



Racetrack Tops



Round Base



Square Base

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|--------|------------|---------------|---------|-----------|------------|--------|------------|
|--------|------------|---------------|---------|-----------|------------|--------|------------|

| | | | | | | | |
|--------------------------------|-------------|-----|-----|----|--------|-------|-----|
| D x W x H | | | | | | | |
| 1 Piece top - 2 bases required | | | | | | | |
| GRT8WTP | 48 x 96 x 1 | 100 | 122 | 14 | \$1036 | \$393 | n/a |

| | | | | | | | |
|---------------------------------|--------------|-----|-----|----|--------|-------|-----|
| 2 Piece tops - 3 bases required | | | | | | | |
| GRT10WTP | 48 x 120 x 1 | 150 | 160 | 36 | \$1304 | \$528 | n/a |
| GRT12WTP | 48 x 144 x 1 | 150 | 188 | 43 | \$1519 | \$597 | n/a |

Tops feature metal inserts for ease of assembly to base. Two bases required for one piece top. Three bases required for two piece top.

| | | | | | | | |
|--------------------------------|-------------|-----|-----|----|--------|-------|-----|
| 1 Piece top - 2 bases required | | | | | | | |
| GRC8WTP | 48 x 96 x 1 | 100 | 117 | 14 | \$1036 | \$401 | n/a |

| | | | | | | | |
|---------------------------------|--------------|-----|-----|----|--------|-------|-----|
| 2 Piece tops - 3 bases required | | | | | | | |
| GRC10WTP | 48 x 120 x 1 | 150 | 155 | 36 | \$1304 | \$538 | n/a |
| GRC12WTP | 48 x 144 x 1 | 150 | 183 | 43 | \$1519 | \$609 | n/a |

Tops feature metal inserts for ease of assembly to base. Two bases required for one piece top. Three bases required for two piece top.

BASES FOR RECTANGULAR AND RACETRACK TOPS - 96" to 144" wide x 48"d.


| | | | | | | | |
|-------|--------------|-----|-------|-------|-------|-----|-------|
| GRB28 | 28 x 28 x 28 | 150 | 71.60 | 15.63 | \$975 | n/a | \$102 |
|-------|--------------|-----|-------|-------|-------|-----|-------|

Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.


| | | | | | | | |
|-------|--------------|-----|-------|------|-------|-----|------|
| GSB23 | 19 x 19 x 28 | 125 | 58.30 | 9.33 | \$896 | n/a | \$56 |
|-------|--------------|-----|-------|------|-------|-----|------|

Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.


| | |
|-------------------------|----------------------------|
| Required Specifications | Optional Specifications |
| Top Finish | High Pressure Laminate Top |
| Base Finish | Chrome base |



Boat Tops



Round Base



Square Base

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD | CHROME ADD |
|---------------------------------|--------------|---------------|---------|-----------|------------|--------|------------|
| D x W x H | | | | | | | |
| 1 Piece top - 2 bases required | | | | | | | |
| GBT8WTP | 48 x 96 x 1 | 100 | 117 | 14 | \$1036 | \$401 | n/a |
| 2 Piece tops - 3 bases required | | | | | | | |
| GBT10WTP | 48 x 120 x 1 | 150 | 155 | 36 | \$1304 | \$538 | n/a |
| GBT12WTP | 48 x 144 x 1 | 150 | 183 | 43 | \$1519 | \$609 | n/a |

Tops feature metal inserts for ease of assembly to base. Two bases required for one piece top. Three bases required for two piece top.

BASES FOR BOAT TOPS - 96" to 144" wide x 48" d.

| | | | | | | | |
|-------|--------------|-----|-------|-------|-------|-----|-------|
| GRB28 | 28 x 28 x 28 | 150 | 71.60 | 15.63 | \$975 | n/a | \$102 |
|-------|--------------|-----|-------|-------|-------|-----|-------|


Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| | | | | | | | |
|-------|--------------|-----|-------|------|-------|-----|------|
| GSB23 | 19 x 19 x 28 | 125 | 58.30 | 9.33 | \$896 | n/a | \$56 |
|-------|--------------|-----|-------|------|-------|-----|------|

Seated height. Bases come fully assembled. Screws included with base for attaching to appropriate top(s). Chrome finishes are available at an upcharge.

| Required Specifications | Optional Specifications |
|-------------------------|----------------------------|
| Top Finish | High Pressure Laminate Top |
| Base Finish | Chrome base |


| CITI TABLES | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--------------------|--------|-----------------|---------------|---------|-----------|------------|
| | | | D x W x H | | | | |
| Notes | | | | | | | |
| • Citi tables complement the contemporary timeless decor of many offices. | | | | | | | |
| • Legs are standard in Tungsten (TUN) and also available in Black (BK) finish at no charge. A Chrome (CHM) finish is available. Add \$118. | | | | | | | |
| • Table tops are available in either tempered glass or laminate | | | | | | | |
| • Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating: | | | | | | | |
| ACJ | Absolute Acajou | ASN | Asian Night | | | | |
| AWC | Avant Cherry | AWH | Avant Honey | | | | |
| BLK | Black | BRC | Brushed Cobalt | | | | |
| CSJ | Constellation Java | DES | Dark Espresso | | | | |
| GRY | Grey | HGT | Hayden Grey | | | | |
| QTM | Quartered Mahogany | SKC | Shaker Cherry | | | | |
| SOG | Storm Grey | TFW | Tiger Fruitwood | | | | |
| TMA | Tiger Mahogany | TMP | Tiger Maple | | | | |
| TWL | Tiger Walnut | WHT | White | | | | |
| WHC | White Chocolate* | WGY | Willow Grey | | | | |
| WCR | Winter Cherry | | *textured | | | | |



End Table

| | | | | | |
|----------------|--------------|------|----|---|--------------|
| 7885 | 20 x 24 x 20 | 100 | 53 | 6 | \$531 |
| (laminate top) | | | | | |
| 7886 | 20 x 24 x 20 | 92.5 | 60 | 6 | \$750 |
| (glass top) | | | | | |


Metal tubular legs. Laminate or tempered glass tops available.



Coffee Table - Rectangular

| | | | | | |
|----------------|--------------|------|----|------|--------------|
| 7887 | 20 x 40 x 15 | 100 | 60 | 6.50 | \$553 |
| (laminate top) | | | | | |
| 7888 | 20 x 40 x 15 | 92.5 | 75 | 6.50 | \$862 |
| (glass top) | | | | | |

Metal tubular legs. Laminate or tempered glass tops available.



Coffee Table - Square

| | | | | | |
|-------------|--------------|------|----|------|---------------|
| 7889 | 33 x 33 x 15 | 92.5 | 90 | 8.75 | \$1047 |
| (glass top) | | | | | |

Metal tubular legs. Tempered glass top.

Required Specifications
Finish

COAT TREES
MODEL#
DIMENSIONS
FREIGHT CLASS
WT/LBS.
CUBIC FT.
LIST PRICE
D x W x H

Coat Tree

| | | | | | |
|-------|--------------|-----|---|------|--------------|
| PCOS2 | 25 x 25 x 60 | 300 | 8 | 4.67 | \$334 |
| PCOS3 | 25 x 25 x 60 | 300 | 8 | 4.67 | \$334 |

Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS.

- 3 per carton
- PCOS2 is finished in **Black**.
- PCOS3 is finished in **Chrome**.


Coat Tree

| | | | | | |
|-----|--------------|-----|---|---|--------------|
| PCT | 25 x 25 x 65 | 250 | 6 | 3 | \$429 |
|-----|--------------|-----|---|---|--------------|


Square tube. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Cherry (ACM), Honey (AHM), Maple (AVM), Black (BKM), English Oak (EOM), Mahogany (TMM), Fruitwood (TFM) and Walnut (TWM). Ships UPS.

- 1 per carton

VENEER COFFEE / END TABLES
Notes:


- JT tables are constructed of genuine oak faced veneers and maple solids.
- Tables shipped RTA (ready to assemble). Screws included. #2 square headed screwdriver required for assembly.
- Available finishes on **JT tables**:

| | | | | | |
|--------------|---------------------|-------------------|-----------------------|--------------------|----------------------|
| Black (BKM) | Espresso Cafe (ECM) | English Oak (EOM) | Honey (AHM) | Medium Oak (MOO) | Tiger Mahogany (TMM) |
| Cherry (ACM) | Harvest Oak (HOO) | Maple (AVM) | Tiger Fruitwood (TFM) | Tiger Walnut (TWM) | |


Coffee Table


| | | | | | |
|-----|--------------|-----|----|---|---------------|
| JT1 | 22 x 46 x 15 | 250 | 22 | 9 | \$1139 |
|-----|--------------|-----|----|---|---------------|

Molded plywood leg, frame and top with veneer finish. Rectangular.


Coffee/Lamp Table

| | | | | | |
|-----|--------------|-----|----|---|---------------|
| JT2 | 28 x 28 x 15 | 250 | 18 | 7 | \$1043 |
|-----|--------------|-----|----|---|---------------|

Molded plywood leg, frame and top with veneer finish. Square.


Lamp/End Table

| | | | | | |
|-----|--------------------|-----|----|---|--------------|
| JT3 | 21.75 x 21.75 x 19 | 250 | 14 | 6 | \$941 |
|-----|--------------------|-----|----|---|--------------|

Molded plywood leg, frame and top with veneer finish.

Required Specifications


Finish

D DAWSON TABLES

| DAWSON TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | |

- Notes**
- Dawson tables feature elegant lines and details and were specifically created to offer a design-sensitive look that coordinates with the wood finishes and details of Global's lounge seating and casegoods.
 - Tapered hardwood legs and edges
 - Tops feature a sophisticated edge detail with frosted tempered safety glass or hardwood veneer inserts.
 - Offered in the following finishes to coordinate with Global casegoods and wood seating:


| | | | | | | | |
|-----|-------------|-----|---------------|-----|----------------------|-----|--------|
| ACM | Cherry | BKM | Black | HOM | Harvest Oak on Maple | AVM | Maple |
| TMM | Mahogany | AHM | Honey | TFM | Fruitwood | TWM | Walnut |
| EOM | English Oak | ECM | Espresso Café | | | | |
 - Glass tops are 8 mm thick
 - Tempered glass is lightly frosted on the bottom side of the top to create a slightly translucent look. The top side of the glass is not frosted to insure ease of cleaning.
 - Shipped fully assembled.



Square End Table



Square Coffee/Corner Table



Rectangular Coffee Table

| | | | | | |
|-------------|--------------|-----|----|------|--------|
| 3374-G | 22 x 22 x 17 | 150 | 27 | 6.75 | \$1005 |
| (glass top) | | | | | |

| | | | | | |
|--------------|--------------|-----|----|------|-------|
| 3374-W | 22 x 22 x 17 | 150 | 30 | 6.75 | \$957 |
| (veneer top) | | | | | |

Tapered hardwood edge with tapered legs.

| | | | | | |
|-------------|--------------|-----|----|-------|--------|
| 3375-G | 33 x 33 x 15 | 250 | 43 | 13.25 | \$1463 |
| (glass top) | | | | | |

| | | | | | |
|--------------|--------------|-----|----|-------|--------|
| 3375-W | 33 x 33 x 15 | 250 | 46 | 13.25 | \$1343 |
| (veneer top) | | | | | |

Tapered hardwood edge with tapered legs.

| | | | | | |
|-------------|--------------|-----|----|----|--------|
| 3376-G | 42 x 21 x 15 | 150 | 45 | 11 | \$1463 |
| (glass top) | | | | | |

| | | | | | |
|--------------|--------------|-----|----|----|--------|
| 3376-W | 42 x 21 x 15 | 150 | 48 | 11 | \$1343 |
| (veneer top) | | | | | |

Tapered hardwood edge with tapered legs.


Required Specifications
Finish

| FOLDING TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------|--------|------------|---------------|---------|-----------|------------|
|----------------|--------|------------|---------------|---------|-----------|------------|

D x W x H

Notes:

- Sturdy and convenient.
- Available finishes:
Light Oak (O) with Brown (BN) legs/skirt, Brown (BN) edge
Walnut (W) with Brown (BN) legs/skirt, Brown (BN) edge
Grey (GRY) with Grey (GRY) legs/skirt, Black (BK) edge



Rectangular Folding Table

| | | | | | |
|----------|--------------|------|----|---|--------------|
| GFMT3060 | 30 x 60 x 29 | 92.5 | 47 | 4 | \$220 |
| GFMT3072 | 30 x 72 x 29 | 92.5 | 57 | 5 | \$235 |
| GFMT3096 | 30 x 96 x 29 | 92.5 | 70 | 7 | \$271 |

5/8" **high performance thermally fused laminate top** with molded plastic corner pieces. Black "T" mold edging and full 1 5/8" skirt. Epoxy powder coated square leg with locking mechanism.



Circular Folding Table

| | | | | | |
|----------|-------------|------|----|---|--------------|
| GFMTR60D | 0 x 60 x 29 | 92.5 | 80 | 8 | \$378 |
|----------|-------------|------|----|---|--------------|

5/8" **high performance thermally fused laminate top** with molded plastic corner pieces. Black "T" mold edging and full 2 1/2" skirt. Epoxy powder coated square leg with locking mechanism.




Table Dolly

| | | | | | |
|-------|-------------|-----|----|-------|---------------|
| FTD | 82 x 26 x 7 | 250 | 55 | 20 | \$956 |
| FTD96 | 96 x 26 x 7 | 250 | 65 | 23.50 | \$1150 |

Will accommodate up to 10 rectangular tables. **Will not accommodate circular tables.** Two swivel and two fixed 5" diameter casters. Removable handle for easy storage. 48"H with handle in place. 7"H without handle. Black only. Shipped RTA (ready to assemble).

- *Casters are NOT for use on soft surfaces.*

Required Specifications

Finish


L LAMINATE OCCASIONAL TABLES

| LAMINATE OCCASIONAL TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | |

Notes:

- Ideal for reception areas - colors coordinate with all Global desks, conference tables and accessories.
- Available to either match or coordinate with most Global laminate desk series. Available finishes.
- High pressure laminate exterior
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments
- Adjustable glides are standard
- Ships one per carton.


| | | | |
|-----|--------------------|-----|-----------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC | White Chocolate | WGY | Willow Grey |
| WCR | Winter Cherry | | |



Cube Table

| | | | | | |
|---------|--------------|------|----|------|--------------|
| GCU1816 | 18 x 18 x 16 | 85 | 40 | 3.30 | \$410 |
| GCU1821 | 18 x 18 x 21 | 92.5 | 46 | 4 | \$479 |
| GCU2416 | 24 x 24 x 16 | 92.5 | 63 | 6 | \$479 |
| GCU2421 | 24 x 24 x 21 | 92.5 | 83 | 7 | \$479 |


¾" plywood covered in high pressure laminate. Plastic glides. **Flush base.**



Plinth Cube Table

| | | | | | |
|----------|--------------|------|----|---|--------------|
| GCUP1816 | 18 x 18 x 16 | 85 | 40 | 3 | \$453 |
| GCUP1821 | 18 x 18 x 21 | 92.5 | 46 | 4 | \$524 |
| GCUP2416 | 24 x 24 x 16 | 92.5 | 63 | 6 | \$524 |
| GCUP2421 | 24 x 24 x 21 | 92.5 | 83 | 7 | \$524 |

¾" plywood covered in high pressure laminate. Plastic glides. **Recessed base.**



Cylinder Table

| | | | | | |
|---------|--------------|------|----|------|--------------|
| GCY1816 | 18 x 18 x 16 | 85 | 43 | 3.30 | \$410 |
| GCY1821 | 18 x 18 x 21 | 92.5 | 49 | 4.30 | \$479 |
| GCY2416 | 24 x 24 x 16 | 125 | 47 | 6 | \$479 |
| GCY2421 | 24 x 24 x 21 | 100 | 66 | 7 | \$479 |
| GCY3016 | 30 x 30 x 16 | 125 | 59 | 8 | \$545 |
| GCY3021 | 30 x 30 x 21 | 125 | 78 | 11 | \$545 |

3/8" foundation board covered in high pressure laminate. Plastic glides. **Flush base.**

Required Specifications
Finish

| LAMINATE OCCASIONAL TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---|--------------|---------------|---------|-----------|------------|
|  Plinth Cylinder Table | D x W x H | | | | | |
| | GCYP1816 | 18 x 18 x 16 | 85 | 43 | 3.30 | \$453 |
| | GCYP1821 | 18 x 18 x 21 | 92.5 | 49 | 4.30 | \$524 |
| | GCYP2416 | 24 x 24 x 16 | 125 | 47 | 6 | \$524 |
| | GCYP2421 | 24 x 24 x 21 | 100 | 66 | 7 | \$524 |
| | GCYP3016 | 30 x 30 x 16 | 125 | 59 | 8 | \$597 |
| | GCYP3021 | 30 x 30 x 21 | 125 | 78 | 11 | \$597 |
| 3/8" foundation board covered in high pressure laminate. Plastic glides. Recessed base. | | | | | | |
|  Premium Cylinder Table | CPFD1816 | 18 x 18 x 16 | 150 | 30 | 7 | \$727 |
| | CPFD1821 | 18 x 18 x 21 | 150 | 30 | 7 | \$747 |
| | CPFD2416 | 24 x 24 x 16 | 250 | 42 | 11.50 | \$755 |
| | CPFD2421 | 24 x 24 x 21 | 250 | 42 | 11.50 | \$774 |
| | CPFD3016 | 30 x 30 x 16 | 250 | 52 | 17 | \$854 |
| | CPFD3021 | 30 x 30 x 21 | 250 | 52 | 17 | \$941 |
| | 3/4" plywood covered in high pressure laminate. Plastic glides. Flush base. | | | | | |
|  Premium Plinth Cylinder Table | CPPD1816 | 18 x 18 x 16 | 150 | 30 | 7 | \$765 |
| | CPPD1821 | 18 x 18 x 21 | 150 | 30 | 7 | \$785 |
| | CPPD2416 | 24 x 24 x 16 | 250 | 42 | 11.50 | \$793 |
| | CPPD2421 | 24 x 24 x 21 | 250 | 42 | 11.50 | \$812 |
| | CPPD3016 | 30 x 30 x 16 | 250 | 52 | 17 | \$906 |
| | CPPD3021 | 30 x 30 x 21 | 250 | 52 | 17 | \$994 |
| | 3/4" plywood covered in high pressure laminate. Plastic glides. Recessed base. | | | | | |

Required Specifications
Finish

| LITE LIFT II FOLDING TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | |

- Notes:**
- Lightweight construction allows tables to easily and safely be lifted and moved by one person.
 - Polypropylene top is fully water resistant and easy to clean and maintain.
 - Thick, high impact radius corner helps protect individuals from injury.
 - Folding legs automatically lock by a gravity activated mechanism when opened.
 - Non-marring plastic glides protect floors from scratching when tables are moved.
 - Structural side aprons allow tables to easily stack.
 - Lite Lift II tables pass all BIFMA standards for strength and stability.
 - **Available in Oyster Grey finish only.**



Rectangular Folding Table

| | | | | | |
|--------|-----------------|------|----|------|--------------|
| FRT48B | 24 x 48 x 29.25 | 85 | 23 | 1.57 | \$195 |
| FRT60B | 30 x 60 x 29.25 | 92.5 | 30 | 2.54 | \$238 |
| FRT72B | 30 x 72 x 29.25 | 92.5 | 36 | 3.06 | \$259 |
| FRT96B | 30 x 96 x 29.25 | 92.5 | 50 | 4.79 | \$352 |


Lightweight, textured, polypropylene Oyster Grey finish top. High impact radius corners. 19 gauge 11/8” diameter steel tubular legs with welded crossbars automatically lock. Legs finished in scuff resistant textured Charcoal Grey epoxy paint. Shipped fully assembled.

- Available in Oyster Grey finish with Charcoal Grey legs only.
- **Note:** Prices shown are for Global Distribution Center, not delivered pricing. All orders will be charged freight, except orders containing other Global products totalling \$2,000 list or more, before adding folding tables and folding chairs. Any Inside Delivery & Set-up charge for these products must be quoted separately.

Required Specifications
Finish

| RECEPTION TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | |

- Notes:**
- Available to either match or coordinate with most Global laminate desk series. Available finishes:
- | | | | |
|-----|--------------------|-----|-----------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| BLK | Black | BRC | Brushed Cobalt |
| CSJ | Constellation Java | DES | Dark Espresso |
| GRY | Grey | HGT | Hayden Grey |
| QTM | Quartered Mahogany | SKC | Shaker Cherry |
| SOG | Storm Grey | TFW | Tiger Fruitwood |
| TMA | Tiger Mahogany | TMP | Tiger Maple |
| TWL | Tiger Walnut | WHT | White |
| WHC | White Chocolate | WGY | Willow Grey |
| WCR | Winter Cherry | | |



Reception Table - H Legs

| | | | | | |
|-----|-----------------|-----|----|------|--------------|
| H18 | 18 x 18 x 17.37 | 250 | 22 | 5.78 | \$258 |
| H24 | 24 x 24 x 17.37 | 250 | 20 | 5.40 | \$224 |
| H30 | 30 x 30 x 17.37 | 250 | 22 | 5.80 | \$294 |
| H36 | 36 x 36 x 17.37 | 250 | 24 | 6.62 | \$378 |

1" high performance thermally fused laminate with self-edge. **Square top with chrome H-legs.** Shipped RTA (ready to assemble).

- Tables are 16" high reception height.



Reception Table - Blade Pedestal Legs

| | | | | | |
|-------|--------------|-----|----|---|--------------|
| GPR24 | 24 x 24 x 17 | 250 | 18 | 6 | \$250 |
| GPR30 | 30 x 30 x 17 | 150 | 24 | 6 | \$321 |
| GPR36 | 36 x 36 x 17 | 250 | 25 | 7 | \$398 |

1" high performance thermally fused laminate with self-edge. **Circular top with chrome blade pedestal legs and leveling glides.** Shipped RTA (ready to assemble).

- Tables are 17" high reception height.



Reception Table - Blade Pedestal Legs

| | | | | | |
|-------|--------------|-----|----|---|--------------|
| GPS18 | 18 x 18 x 17 | 250 | 24 | 7 | \$277 |
| GPS24 | 24 x 24 x 17 | 250 | 20 | 6 | \$250 |
| GPS30 | 30 x 30 x 17 | 150 | 25 | 6 | \$321 |
| GPS36 | 36 x 36 x 17 | 150 | 29 | 7 | \$398 |

1" high performance thermally fused laminate with self-edge. **Square top with chrome blade pedestal legs and leveling glides.** Shipped RTA (ready to assemble).

- Tables are 17" high reception height.



Reception Table - Tubular Legs

| | | | | | |
|--------|--------------|-----|----|---|--------------|
| GPRR24 | 24 x 24 x 17 | 250 | 18 | 6 | \$361 |
| GPRR30 | 30 x 30 x 17 | 150 | 24 | 6 | \$425 |
| GPRR36 | 36 x 36 x 17 | 250 | 25 | 7 | \$507 |

1" high performance thermally fused laminate with self-edge. **Circular top with chrome tubular legs and leveling glides.** Shipped RTA (ready to assemble).


- Tables are 17" high reception height.

Required Specifications

Finish

R RECEPTION TABLES

| RECEPTION TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--------|------------------|---------------|---------|-----------|--------------|
|  Reception Table - Tubular Legs | | D x W x H | | | | |
| | GPRS24 | 24 x 24 x 17 | 125 | 20 | 3 | \$361 |
| | GPRS30 | 30 x 30 x 17 | 100 | 25 | 3 | \$428 |
| | GPRS36 | 36 x 36 x 17 | 100 | 29 | 3.50 | \$514 |
| 1" high performance thermally fused laminate with self-edge. Square top with chrome tubular legs and leveling glides. Shipped RTA (ready to assemble). <ul style="list-style-type: none">• <i>Tables are 17" high reception height.</i> | | | | | | |
| RECTANGULAR TABLE | | | | | | |

| | | | | | | |
|--|---|--------------|------|-----|---|--------------|
|  Rectangular Table | Notes: <ul style="list-style-type: none">• Available to either match or coordinate with most Global laminate desk series. Available finishes. Black (BLK), Grey (GRY), Tiger Walnut (TWL)• Legs available in Chrome or Black | | | | | |
| | GATMS6030 | 30 x 60 x 29 | 70 | 132 | 8 | \$460 |
| | GATMS7230 | 30 x 72 x 29 | 92.5 | 87 | 8 | \$525 |
| | GATMS7236 | 36 x 72 x 29 | 70 | 132 | 8 | \$648 |
| | GATMS8436 | 36 x 84 x 29 | 70 | 153 | 8 | \$828 |
| | GATMS9648 | 48 x 96 x 29 | 65 | 214 | 8 | \$872 |
| 1" high performance thermally fused thick plastic laminate top with self edge and Black metal skirt. Chrome or Black legs with adjustable glides. Shipped RTA (ready to assemble). | | | | | | |


Required Specifications
Finish

| SIRENA TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------|--------|------------|---------------|---------|-----------|------------|
|---------------|--------|------------|---------------|---------|-----------|------------|

D x W x H

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

| | | | |
|-----|-----------------|-----|-----------------|
| ACJ | Absolute Acajou | ASN | Asian Night |
| AWC | Avant Cherry | AWH | Avant Honey |
| DES | Dark Espresso | HGT | Hayden Gray |
| SKC | Shaker Cherry | TMA | Tiger Mahogany |
| TMP | Tiger Maple | TWL | Tiger Walnut |
| WHT | White | WHC | White Chocolate |
| WCR | Winter Cherry | | |
- Optional high pressure laminate top at 20% upcharge for the following finishes Tiger Maple (**TMP**), Tiger Fruitwood (**TFW**), Avant Cherry (**AWC**), and Avant Honey (**AWH**). Please Specify.
- MDF tops are 3/4" thick and feature a refined edge with a round triangular profile and an epoxy finish. Offered in MDF Table tops, tablets and book shelves are also offered in Charcoal (**CHR**), Platinum (**PLT**), or White (**WHT**). Please specify.
- Laminate tops are 1 1/2" thick to coordinate with Global casegoods and wood seating
- Table legs are available in Tungsten (**TUN**), Charcoal (**CHR**), Black (**BLK**) at no upcharge. Not available in Chrome.
- Legs are 1 1/2" steel tubing, tapered toward the bottom of the leg to 7/8", equipped with self-leveling pivoting steel glide.



Coffee Table

| | | | | | |
|----------------|--------------|-----|----|-------|---------------|
| 3400 | 22 x 48 x 15 | 250 | 52 | 17.25 | \$1193 |
| (laminate top) | | | | | |

| | | | | | |
|-----------|-----------------|-----|----|-------|---------------|
| 3406 | 22 x 48 x 14.25 | 250 | 38 | 17.25 | \$1451 |
| (mdf top) | | | | | |



Coffee Table

| | | | | | |
|----------------|--------------|-----|----|-------|---------------|
| 3401 | 22 x 56 x 15 | 250 | 60 | 19.75 | \$1319 |
| (laminate top) | | | | | |

| | | | | | |
|-----------|-----------------|-----|----|-------|---------------|
| 3407 | 22 x 56 x 14.25 | 250 | 44 | 19.75 | \$1657 |
| (mdf top) | | | | | |



End Table

| | | | | | |
|----------------|--------------|-----|----|------|---------------|
| 3402 | 22 x 17 x 15 | 250 | 26 | 7.75 | \$1298 |
| (laminate top) | | | | | |





| | | | | | |
|-----------|-----------------|-----|----|------|---------------|
| 3408 | 22 x 17 x 14.25 | 250 | 20 | 7.75 | \$1167 |
| (mdf top) | | | | | |

Required Specifications







Top Finish

Leg Finish


W WIND TABLES

| WIND TABLES | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--------------------|--------|-----------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | | |
| Notes: | | | | | | | |
| • Wind tables complement the modern decor of many offices. | | | | | | | |
| • Legs are standard in Chrome. Tungsten (TUN) and Charcoal (CHR) finishes are available at no upcharge. | | | | | | | |
| • Table tops are available in two different finishes; MDF tops feature a refined edge with a rounded triangular profile and Epoxy finish. Available in Charcoal (CHR), White (WHT) and Platinum (PLT). Please Specify. | | | | | | | |
| • Laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating: | | | | | | | |
| ACJ | Absolute Acajou | ASN | Asian Night | | | | |
| AWC | Avant Cherry | AWH | Avant Honey | | | | |
| BLK | Black | BRC | Brushed Cobalt | | | | |
| CSJ | Constellation Java | DES | Dark Espresso | | | | |
| GRY | Grey | HGT | Hayden Grey | | | | |
| QTM | Quartered Mahogany | SKC | Shaker Cherry | | | | |
| SOG | Storm Grey | TFW | Tiger Fruitwood | | | | |
| TMA | Tiger Mahogany | TMP | Tiger Maple | | | | |
| TWL | Tiger Walnut | WHT | White | | | | |
| WHC | White Chocolate | WGY | Willow Grey | | | | |
| WCR | Winter Cherry | | | | | | |
| • Table tops are available in high pressure laminate at a 20% upcharge. | | | | | | | |
| | | | | | | | |
|  | | | | | | | |
| | | | | | | | |
|  | | | | | | | |
| | | | | | | | |
|  | | | | | | | |
| | | | | | | | |
|  | | | | | | | |
| | | | | | | | |

Required Specifications
Finish

| WIND TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|----------------|---------------|---------|-----------|---------------|
|  Round Coffee Table | D x W x H | | | | | |
| | 3861 (MDF top) | 36 x 36 x 15 | 250 | 52 | 22 | \$1378 |
| | 3871 (laminate top) | 36 x 36 x 15 | 250 | 57 | 22 | \$965 |
| | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |
| | 3862 (MDF top) | 30 x 30 x 29.5 | 125 | 57 | 8.75 | \$1438 |
| | 3872 (laminate top) | 30 x 30 x 29.5 | 125 | 62 | 8.75 | \$1104 |
|  Round Meeting/Dining Table - 30" dia. | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |
| | 3863 (MDF top) | 36 x 36 x 29.5 | 150 | 62 | 11.50 | \$1702 |
|  Round Meeting/Dining Table - 36" dia. | 3873 (laminate top) | 36 x 36 x 29.5 | 150 | 67 | 11.50 | \$1332 |
| | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |
|  Round Meeting/Dining Table - 42" dia. | 3864 (MDF top) | 42 x 42 x 29.5 | 150 | 67 | 15 | \$2166 |
| | 3874 (laminate top) | 42 x 42 x 29.5 | 150 | 72 | 15 | \$1508 |
| | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |
|  Square Meeting/Dining Table - 30" | 3865 (MDF top) | 30 x 30 x 29.5 | 150 | 57 | 11.50 | \$1543 |
| | 3875 (laminate top) | 30 x 30 x 29.5 | 150 | 62 | 11.50 | \$1211 |
| | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |
|  Square Meeting/Dining Table - 36" | 3866 (MDF top) | 36 x 36 x 29.5 | 150 | 62 | 15 | \$1720 |
| | 3876 (laminate top) | 36 x 36 x 29.5 | 150 | 67 | 15 | \$1350 |
| | Steel tubular base in Chrome finish. Tops are available with an MDF or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |

Required Specifications
Finish

| WIND TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--|----------------|---------------|---------|-----------|---------------|
|  Square Meeting/Dining Table - 42" | | D x W x H | | | | |
| | 3867 | 42 x 42 x 29.5 | 250 | 67 | 17.75 | \$2222 |
| | (MDF top) | | | | | |
| | 3877 | 42 x 42 x 29.5 | 150 | 72 | 17.75 | \$1519 |
| | (lamine top) | | | | | |
| | Steel tubular base in Chrome finish. Tops are available with an mdf or laminate finish. MDF tops feature a refined edge with a rounded triangular profile and an epoxy finish. | | | | | |

Required Specifications
Finish

filing + storage



Files

654

global



Global's wide variety of lateral files can satisfy every price point and individual style. Choose from center or full pulls, fixed or receding drawer fronts, various size drawer openings and a range of colors to coordinate with any office.

1900P Series

Features an angled full pull and smooth, seamless welded corners. Counterweight is standard. Fixed front drawers. Drawers are 12" high.

9300P Series

Features a looped full pull for convenient opening and upscale appearance. Smooth, seamless welded corners provide lasting strength and durability. Available with both fixed or receding doors.

9300 Series

Features a center pull and seamless welded corners to provide lasting strength and durability. Available with both fixed or receding doors.

9700 Series

Features slimline satin aluminum handles and full welded seamless corners. Fixed front drawers.

9100P Series

Features a looped full pull and full welded seamless tops to improve strength and appearance. Drawer fronts also have a welded reinforcement channel for additional strength. Available with fixed or receding doors, as well as models that feature all drawers with extra large openings to accommodate binders.

9100 Series

Features a center pull and full welded seamless tops to improve strength and appearance. Available with both fixed or receding doors.

1200 Series

Features a looped full pull and soft touch Hytrel™ handles. Accessories such as Posting Shelves, Half-Height Drawers, Receding Doors and "B" openings. Also available with electronic locks.

Blocks Series

Create a custom two-sided workspace with a variety of Upper, Lower & Middle Blocks.



Features and Benefits

- Standard locks with removable cores for keying alike
- Standard lock bars on both sides of cabinet provide increased security
- Positive interlocking system prevents tipping by allowing only one drawer to open at a time
- Full extension ball bearing suspensions
- "B" openings are large enough to accommodate standard 3-ring binders
- Side-to-side hanging file bars included for filing letter or legal size documents
- Standard levelling glides ensure drawers are easy to open
- Earth friendly electrostatically applied coating protects the environment and provides a durable finish
- Available in a range of colors, including special paint finishes - see Notes for details



Core removable cam locks are standard



Levelling glides keep the file case true ensuring easy open drawers



Full depth shelves for legal documents

DESIGN AND CONSTRUCTION FEATURES OF 1900P, 9300, 9300P, 9700 FILES



- **THE LETTER “P” IN THE MODEL NUMBER DESIGNATES FULL PULL MODELS.**
All other models have recessed center pulls. 9700 Series has satin aluminum pulls.
- An earth friendly electrostatically applied coating protects the environment and provides a durable finish.
- Internal steel corner gussets increasing strength and rigidity.
- Case construction combines spot and mig welding for greater durability. Top cap stiffener included for added strength.
- Standard locks have removable cores for keying alike or later modification in your office. *Master keys and core keys are available; please contact your Global customer service representative.*
- **STANDARD LOCK BARS ARE ON BOTH SIDES OF CABINET PROVIDING INCREASED SECURITY.**
- Positive interlocking system is integrated into each suspension allowing only one drawer to be opened at a time.
- Full extension ball bearing suspensions with built-in feature to prevent drawer bounce back and creepage.
- “B” OPENINGS (with receding doors) will accommodate letter, legal and A4 hanging folders, plus STANDARD THREE RING BINDERS.
- “B” OPENINGS (with fixed drawer fronts) will accommodate letter, legal and A4 hanging folders, plus EDP SUSPENDED DATA BINDERS.
- “L” OPENINGS (with receding doors or fixed drawer fronts) will accommodate letter, legal or A4 hanging file folders.
- 12.25” Opening on 1900P Series
- Receding doors slide easily into cabinet.
- Pull-out shelves have a rolled front edge. Fixed shelves (custom order only) have a flat front edge for easier material retrieval.
- **Interior drawer parts are painted grey using recycled powder.** All accessories are grey.
- Side-to-side hanging file bars are included in standard configurations and are fully set up reducing installation time. These can be positioned for letter, legal or A4 materials.
- Four adjustable leveling glides are easily accessible from inside the cabinet to assist in quick and proper installation.
- **Level 2 Certified**
- Lifetime Warranty. (See Terms and Conditions)
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.
***Counterweights are standard on 2, 3 and 4 high 1900P Models**

DESIGN AND CONSTRUCTION FEATURES OF 1200P, 9100, 9100P, BLOCKS FILES

- **THE LETTER “P” IN THE MODEL NUMBER DESIGNATES FULL PULL MODELS.**
9100 Series has recessed center pulls.
- An earth friendly electrostatically applied coating protects the environment and provides a durable finish.
- **TOP CAP HAS SEAMLESS FRONT COVERS** plus steel corner gussets improve appearance while increasing strength and rigidity.
- Case construction combines spot and mig welding for greater durability. Top cap stiffener included for added strength.
- Standard locks have removable cores for keying alike or later modification in your office. Master keys and core keys are available; please contact your Global customer service representative.
- **STANDARD LOCK BARS ARE ON BOTH SIDES OF CABINET PROVIDING INCREASED SECURITY.**
- Positive interlocking system is integrated into each suspension allowing only one drawer to be opened at a time.
- Full extension ball bearing suspension with built-in feature to prevent drawer bounce back and creepage.
- “B” OPENINGS (with receding doors) will accommodate letter, legal and A4 hanging folders, plus STANDARD THREE RING BINDERS.
- “B” OPENINGS (with fixed drawer fronts) will accommodate letter, legal and A4 hanging folders, plus EDP SUSPENDED DATA BINDERS.
- “L” OPENINGS (with receding doors or fixed drawer fronts) will accommodate letter, legal or A4 hanging file folders.
- 12” Opening on 1200 Series
- **9100P, 1200P and Blocks DRAWER FRONTS HAVE A WELDED REINFORCEMENT CHANNEL FOR ADDITIONAL STRENGTH.**
- Pull-out shelves have a rolled front edge. Fixed shelves (custom order only) have a flat front edge for easier material retrieval.
- **Interior drawer parts are painted grey using recycled powder.** All accessories are grey.
- Side-to-side hanging file bars are included in standard configurations and are fully set up reducing installation time. These can be positioned for letter, legal or “A4” materials.
- Four adjustable leveling glides are easily accessible from inside the cabinet to assist in quick and proper installation.
- **Level 2 Certified**
- Lifetime Warranty. (See Terms and Conditions)
- Counterweights must be specified on lateral files with pull out drawers, unless worksurface supporting, ganged together or anchored to the floor or wall.

F LATERAL FILES - NOTES

| LATERAL FILE SERIES | 1900 | 9300 | 9300P | 9700 | 1200 | 9100 | 9100P | BLOCKS |
|--|--|--|--|--|--------------------------------|--|--|------------------------------------|
| CONSTRUCTION | | | | | | | | |
| Top Stiffener Bar | • | • | • | • | • | • | • | • |
| Welded corner gussets for increased strength | • | • | • | • | • | • | • | • |
| Ganging drill points | 4 | 4 | 4 | 4 | 8 | 8 | 8 | |
| Central Locking system with core removable cam locks included | • | • | • | • | • | • | • | • |
| Electronic Lock option | | | | | • | | | • |
| Levelling glides (accessible from inside cabinet) | • | • | • | • | • | • | • | • |
| Counterweights (recommended for 2, 3 & 4 drawers) | Included on 2, 3 & 4 drawers | optional | optional | optional | optional | optional | optional | Included on Lower Blocks |
| Lifetime Warranty (see terms & conditions) | • | • | • | • | • | • | • | • |
| DRAWERS / SHELVES | | | | | | | | |
| Drawer interlocking system | • | • | • | • | • | • | • | • |
| 3-stage anti-bounceback suspension | • | • | • | • | • | • | • | • |
| Side to side file bars, pre-installed (for letter & legal) | • | • | • | • | • | • | • | • |
| Front to back file bars | optional | optional | optional | optional | optional | optional | optional | optional |
| Fixed front drawers | available | available | available | available | available | available | available | available |
| Receding door, roll-out shelves | available | available | available | available | available | available | available | available |
| Receding doors, fixed shelves | | available | available | available | available | available | available | available |
| Slotted, pull-out shelves with rolled edge | • | • | • | • | • | • | • | • |
| Plate Dividers - full height drawers | optional | optional | optional | optional | optional | optional | optional | optional |
| Plate Dividers - half height drawers | | | | | optional | optional | optional | |
| Posting Shelf (5 high only, except 1200 series: 4, 5, 6 high) Not available on an all "B" opening cabinet | | optional | optional | optional | *optional on 4, 5 or 6 high | optional | optional | |
| Integrated Center Pull | | • | | | | • | | |
| Integrated Full Pull | • | | • | | • | | • | • |
| Softouch Hytrel™ Handles | | | | | optional | | | |
| Slimline Satin Aluminum Handles | | | | • | | | | |
| Integrated Label Holder | | • | • | | • | • | • | • |
| Recommended compatible pedestal | 1900 | | G Series | 9700 | G Series | | G Series | G Series |
| DRAWER HEIGHTS | | | | | | | | |
| Standard Drawer Heights B = Big drawer L = Little drawer | 12 ¼" | B - 13 5/16" L - 11 3/16" | B - 13 5/16" L - 11 3/16" | B - 13 5/16" L - 11 3/16" | 12" | B - 13 5/16" L - 11 3/16" | B - 13 5/16" L - 11 3/16" | 12" |
| Half Height Drawers | | | | | optional | optional | optional | |
| Ring Binder Storage (available in 5th opening) | | • | • | • | optional | • | • | available w/ middle Block |
| SIZES / DIMENSIONS | | | | | | | | |
| Depth | 19 ¼" | 18" | 18" | 18" | 18" | 18" | 18" | 18" |
| Widths | 30, 36, 42 | 30, 36, 42 | 30, 36, 42 | 30, 36, 42 | 30, 36, 42 | 30, 36, 42 | 30, 36, 42 | 36" |
| Height - 2 drawer | 27 5/32" | 27 1/8" | 27 1/8" | 27 1/8" | 28 ½" | 27 1/8" | 27 1/8" | |
| Height - 3 drawer | 39 17/32" | 40 ½" | 40 ½" | 40 ½" | 40 ½" | 40 ½" | 40 ½" | varies |
| Height - 4 drawer | 51 29/32" | 54" | 54" | 54" | 54" | 54" | 54" | varies |
| Height - 5 drawer | 66 13/32" | 65 ¼" | 65 ¼" | 65 ¼" | 65 7/8" | 65 ¼" | 65 ¼" | varies |
| Height - 6 drawer | | | | | 77 7/8" | | | varies |



IMPORTANT ORDERING INFORMATION

- Hanging File Bars (accessory model - HBF) are included with standard product. When ordering custom drawer configurations Hanging File Bars (HBF) must be ordered for each drawer.
- Factory installed COUNTER WEIGHT BALANCE (accessory model - CWB) is recommended for use in 30", 36" & 42" wide 2, 3, 4 & 5 drawer free standing lateral files.
- The following page describes the accessories needed to optimize various filing configurations.

STANDARD PAINT FINISHES

| | | | | |
|----------------|-------------------|----------------|------------------|----------|
| BLK BLACK | BGR BUSINESS GREY | CGR CHARCOAL | DPT DESERT PUTTY | GRY GREY |
| LGR LIGHT GREY | NEV NEVADA | SGR STORM GREY | TSA TAHITI SAND | |

SPECIAL PAINT FINISHES

- All special colors must use ONE uniform color per series (example: 9300 series laterals). Quantities of 1 to 10 add 10%; 11 or more are NO UPCHARGE.
- Mica and Metallic finishes add 10% upcharge.
- Special white finishes add 10% upcharge.
- ALL NONSTANDARD FINISHES MUST BE APPROVED BY GLOBAL BEFORE ANY ORDER WILL BE ACCEPTED. LONGER LEAD TIMES WILL APPLY.
- Thumb latches and handles limited to colors listed above. You must choose closest or contrasting color at the time of order.

TWO TONE OPTION

- File casing will be one color, drawers and door fronts will be painted a second color.
- Available on Metal Lateral Files, Storage Cabinets and Pedestals.
- Choose any of Global's 9 standard finishes, 13 premium finishes and 5 textured finishes
- Vertical files are NOT available with this option at this time.
- 10% upcharge applies

F LATERAL FILES - OPTIONS & CAPACITY RESOURCE GUIDE

INTERIOR CLEAR OPENING WIDTH DIMENSIONS & FILING CAPACITIES

30" WIDE CABINETS

| | |
|----------------------------------|-----------------------------------|
| Fixed Front Drawer | 26 ⁹ / ₁₆ " |
| Receding Door and Roll-out Shelf | 26 ⁹ / ₁₆ " |
| Receding Door and Fixed Shelf | 26 ³ / ₁₆ " |
| 1200 Series | 26 ⁹ / ₁₆ " |

36" WIDE CABINETS
















| | |
|----------------------------------|-----------------------------------|
| Fixed Front Drawer | 32 ⁹ / ₁₆ " |
| Receding Door and Roll-out Shelf | 32 ⁹ / ₁₆ " |
| Receding Door and Fixed Shelf | 32 ³ / ₁₆ " |
| 1200 Series | 32 ⁹ / ₁₆ " |








42" WIDE CABINETS

| | |
|----------------------------------|-----------------------------------|
| Fixed Front Drawer | 38 ⁹ / ₁₆ " |
| Receding Door and Roll-out Shelf | 38 ⁹ / ₁₆ " |
| Receding Door and Fixed Shelf | 38 ³ / ₁₆ " |
| 1200 Series | 38 ⁹ / ₁₆ " |

Lateral files afford flexibility in filing configuration. Choose the best option based on materials to be filed and convenience for the user.

Additional hanging folder supports or conversion kits may be necessary to achieve your desired drawer configuration.

| | Letter "B" & "L" Openings, Fixed Front Drawers & Roll-out Shelves | Legal "B" & "L" Openings, Fixed Front Drawers & Roll-out Shelves | EDP "B" Opening, Fixed Front Drawers |
|--|--|--|---|
| 30" Wide Units Side-To-Side Side-to-side file bars are included in standard product. |  Capacity - 26 ⁹ / ₁₆ " |  Capacity - 26 ⁹ / ₁₆ " |  Capacity - 26 ⁹ / ₁₆ " Need ONE pair of EDPs. |
| 30" Wide Units Front-To-Back Not Standard See chart to order the correct number of FBBs per drawer. |  Cap. - 31 ¹ / ₂ ". Need ONE pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> |  Cap. - 26 ⁵ / ₈ ". Need ONE pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> | NOT AVAILABLE |
| | Letter | Legal | EDP |
| 36" Wide Units Side-To-Side Side-to-side file bars are included in standard product. |  Capacity - 32 ⁹ / ₁₆ " |  Capacity - 32 ⁹ / ₁₆ " |  Capacity - 32 ⁹ / ₁₆ " Need ONE pair EDPs. |
| 36" Wide Units Front-To-Back Not Standard See chart to order the correct number of FBBs per drawer. |  Cap. - 31 ¹ / ₂ ". Need ONE pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> |  Cap. - 31 ¹ / ₂ ". Need ONE pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> | NOT AVAILABLE |
| | Letter | Legal | EDP |
| 42" Wide Units Side-To-Side Side-to-side file bars are included in standard product. |  Capacity - 38 ⁹ / ₁₆ " |  Capacity - 38 ⁹ / ₁₆ " |  Capacity - 38 ⁹ / ₁₆ " Need ONE pair EDPs. |
| 42" Wide Units Front-To-Back Not Standard See chart to order the correct number of FBBs per drawer. |  Cap. - 37 ¹ / ₄ ". Need TWO pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> |  Cap. - 40 ¹ / ₁₆ ". Need ONE pair of FBB. <i>Not recommended for "L" Openings with Receding doors and Roll-out shelves.</i> | NOT AVAILABLE |

| 1900P SERIES PEDESTALS | | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|---|-------------------------|---------------|---------|-----------|------------|
|  | Box, Box & File Pedestal | 19WP19BBF | 18.62 x 15 x 27.62 | 125 | 45 | 6 | \$310 |
| | | 19WP23BBF | 22.62 x 15 x 27.62 | 125 | 50 | 7.20 | \$320 |
| | | 19WP29BBF | 28.62 x 15 x 27.62 | 150 | 50 | 8.90 | \$360 |
| | | Two box and one file drawer pedestal. To be used under worksurface. Locking. 27 5/8" high. Angled full pull. | | | | | |
|  | File/File Pedestal | 19WP19FF | 18.62 x 15 x 27.62 | 125 | 42 | 6 | \$310 |
| | | 19WP23FF | 22.62 x 15 x 27.62 | 125 | 47 | 7.20 | \$320 |
| | | 19WP29FF | 28.62 x 15 x 27.62 | 125 | 55 | 8.90 | \$360 |
| | | Two file drawer pedestal. To be used under worksurface. Locking. 27 5/8" high. Angled full pull. | | | | | |
|  | Box, Box & File Pedestal - finished top | 19FP19BBF | 18.62 x 15 x 27.62 | 100 | 53 | 6 | \$320 |
| | | 19FP23BBF | 22.62 x 15 x 27.62 | 100 | 59 | 7.20 | \$330 |
| | | 19FP29BBF | 29.62 x 15 x 27.62 | 125 | 71 | 8.90 | \$370 |
| | | Two box and one file drawer pedestal. Freestanding. Locking. 27 5/8" high. Counterweight is standard. Angled full pull. | | | | | |
|  | File/File Pedestal - finished top | 19FP19FF | 18.62 x 15 x 27.62 | 100 | 51 | 6 | \$320 |
| | | 19FP23FF | 22.62 x 15 x 27.62 | 125 | 56 | 7.20 | \$330 |
| | | 19FP29FF | 29.62 x 15 x 27.62 | 125 | 68 | 8.90 | \$370 |
| | | Two file drawer pedestal. Freestanding. Locking. 27 5/8" high. Counterweight is standard. Angled full pull. | | | | | |
| 1900P MOBILE PEDESTALS | | | | | | | |
|  | Box, Box & File Pedestal - Mobile | 19MP19BBF | 18.62 x 15 x 27.85 | 100 | 61 | 4.5 | \$395 |
| | | 19MP23BBF | 22.62 x 15 x 27.85 | 125 | 67 | 5.5 | \$420 |
| | | Two box and one file drawer pedestal. Includes casters already attached. Locking. 27.85" high | | | | | |
|  | File/File Pedestal - Mobile | 19MP19FF | 18.62 x 15 x 27.85 | 100 | 59 | 4.5 | \$395 |
| | | 19MP23FF | 22.62 x 15 x 27.85 | 125 | 64 | 5.5 | \$420 |
| | | Two file drawer pedestal. Includes casters already attached. Locking. 27.85" high | | | | | |
| Hanging Bars and Clips | | PEDHFB | -- | | 0.5 | 1 | \$15 |
| | | For 1900 series Pedestals. | | | | | |
|  | Box/File Pedestal | 19MCP19BFNC | 18.62 x 15 x 23.125 | 92.5 | 54 | 5 | \$400 |
| | | 19MCP23BFNC | 22.62 x 15 x 23.125 | 100 | 58 | 6 | \$420 |
| | | One box and one file drawer pedestal. Freestanding. Locking. 23 1/8" high. Angled full pull. | | | | | |


Required Specifications
Metal Finish

Optional Specifications
Cushion (19MCPxxBFNC only)


Accessories
Front to Back File Bars

P G SERIES PEDESTALS


1900 PEDESTAL CUSHIONS




Cushions for 1900 Box/File Pedestal




Cushions for 1900 Box/File Pedestal



Box & File Pedestal



Box, Box & File Pedestal



File File Pedestal




Box & File Mobile Pedestal


| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST PRICE |
|--|-----------------|---------------|---------|-----------|-------|------------|
| D x W x H | | | | | | |
| CUSH-15X18-5/8X1 | 15 x 18.5 x 1 | 150 | 4 | 0.75 | 1 | \$109 |
| | | | | | 2 | \$127 |
| | | | | | 3 | \$141 |
| | | | | | 4 | \$162 |
| CUSH-15X22-5/8X1 | 15 x 22.5 x 1 | 150 | 5 | 0.90 | 1 | \$123 |
| | | | | | 2 | \$141 |
| | | | | | 3 | \$155 |
| | | | | | 4 | \$176 |
| For models 19MCP19BFNC and 19MCP23BFNC ONLY. 1" thick single stitched cushions. Available in all standard Global seating fabrics. Attached with supplied Velcro fasteners. | | | | | | |
| • Cannot be used on standard mobile box/box/file, file/file or box/file pedestals | | | | | | |
| CUSH-15X18-5/8X2 | 15 x 18.5 x 2 | 125 | 5 | 0.75 | 1 | \$121 |
| | | | | | 2 | \$139 |
| | | | | | 3 | \$153 |
| | | | | | 4 | \$174 |
| CUSH-15X22-5/8X2 | 15 x 22.5 x 2 | 125 | 6 | 0.90 | 1 | \$136 |
| | | | | | 2 | \$160 |
| | | | | | 3 | \$179 |
| | | | | | 4 | \$207 |
| For models 19MCP19BFNC and 19MCP23BFNC ONLY. 2" thick single stitched cushions. Available in all standard Global seating fabrics. Attached with supplied Velcro fasteners. | | | | | | |
| • Cannot be used on standard mobile box/box/file, file/file or box/file pedestals | | | | | | |
| GWP-19BF | 19 x 15 x 21 | 92.5 | 50 | 5 | | \$362 |
| GWP-23BF | 23 x 15 x 21 | 100 | 54 | 6 | | \$378 |
| GWP-29BF | 29 x 15 x 21 | 100 | 60 | 7 | | \$391 |
| One box and one file drawer pedestal. Freestanding. Locking. 21"H. | | | | | | |
| GWP-19BBF | 19 x 15 x 27.12 | 92.5 | 69 | 6 | | \$398 |
| GWP-23BBF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | | \$411 |
| GWP-29BBF | 29 x 15 x 27.12 | 100 | 80 | 9 | | \$425 |
| Two box and one file drawer pedestal. Freestanding. Locking. 27.12"H. | | | | | | |
| GWP-19FF | 19 x 15 x 27.12 | 92.5 | 69 | 6 | | \$398 |
| GWP-23FF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | | \$411 |
| GWP-29FF | 29 x 15 x 27.12 | 100 | 80 | 9 | | \$425 |
| Two file drawer pedestal. Freestanding. Locking. 27.12"H. | | | | | | |
| GMP-19BF | 19 x 15 x 22 | 70 | 76 | 5 | | \$411 |
| GMP-23BF | 23 x 15 x 22 | 85 | 80 | 6 | | \$425 |
| GMP-29BF | 29 x 15 x 22 | 85 | 86 | 7 | | \$438 |
| One box and one file drawer pedestal. Includes casters already attached. Locking. 22"H. | | | | | | |
| • Cannot be used as guest seating | | | | | | |

Required Specifications
Metal Finish


G SERIES PEDESTALS



Box, Box & File Pedestal



File File Pedestal



Box & File Pedestal with Cushion

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST PRICE |
|-----------|-------------------------|---------------|---------|-----------|-------|--------------|
| GMP-19BBF | 19 x 15 x 28 | 70 | 95 | 6 | | \$445 |
| GMP-23BBF | 23 x 15 x 28 | 85 | 101 | 7 | | \$458 |
| GMP-29BBF | 29 x 15 x 28 | 92.5 | 106 | 9 | | \$472 |

Two box and one file drawer pedestal. Includes casters already attached. Locking. 28"H.

• **Cannot be used as guest seating**

| | | | | | | |
|----------|--------------|------|-----|---|--|--------------|
| GMP-19FF | 19 x 15 x 28 | 70 | 95 | 6 | | \$445 |
| GMP-23FF | 23 x 15 x 28 | 85 | 101 | 7 | | \$458 |
| GMP-29FF | 29 x 15 x 28 | 92.5 | 106 | 9 | | \$472 |

Two file drawer pedestal. Includes casters already attached. Locking. 28"H.

• **Cannot be used as guest seating**

| | | | | | | |
|------------|------------------|----|----|---|---|--------------|
| 93MCP-19BF | 19 x 15 x 26.125 | 70 | 50 | 5 | 1 | \$528 |
| | | | | | 2 | \$565 |
| | | | | | 3 | \$597 |
| 93MCP-23BF | 23 x 15 x 26.125 | 85 | 54 | 6 | 1 | \$542 |
| | | | | | 2 | \$608 |
| | | | | | 3 | \$668 |

Models without cushion:

| | | | | | | |
|--------------|------------------|------|----|------|--|--------------|
| 93MCP-19BFNC | 19 x 15 x 23.875 | 92.5 | 60 | 5.20 | | \$432 |
| 93MCP-23BFNC | 23 x 15 x 23.875 | 92.5 | 65 | 6.20 | | \$456 |

9300 Series mobile pedestal with 2.25" cushion on top on models 93MCP-19BF and 93MCP-23BF. Includes one box and one file drawer with full pull design. Locking. Fits under any worksurface. Grade 3 seating fabrics are standard.


9700 SERIES FREESTANDING PEDESTALS



Box & File Pedestal



Box, Box & File Pedestal



File File Pedestal

| | | | | | | |
|-----------|--------------|------|----|------|--|--------------|
| 97WP-19BF | 19 x 15 x 21 | 92.5 | 50 | 4.70 | | \$389 |
| 97WP-23BF | 23 x 15 x 21 | 100 | 54 | 5.50 | | \$407 |
| 97WP-29BF | 29 x 15 x 21 | 100 | 60 | 6.80 | | \$500 |

One box and one file drawer pedestal. **Slimline satin aluminum handles.** Freestanding. Locking. 21" high.

| | | | | | | |
|------------|-----------------|------|----|------|--|--------------|
| 97WP-19BBF | 19 x 15 x 27.12 | 92.5 | 69 | 5.90 | | \$425 |
| 97WP-23BBF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | | \$440 |
| 97WP-29BBF | 29 x 15 x 27.12 | 100 | 80 | 8.70 | | \$534 |

Two box and one file drawer pedestal. **Slimline satin aluminum handles.** Freestanding. Locking. 27 1/8" high.

| | | | | | | |
|-----------|-----------------|------|----|------|--|--------------|
| 97WP-19FF | 19 x 15 x 27.12 | 92.5 | 69 | 5.90 | | \$425 |
| 97WP-23FF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | | \$440 |
| 97WP-29FF | 23 x 15 x 27.12 | 100 | 80 | 8.70 | | \$534 |

Two file drawer pedestal. **Slimline satin aluminum handles.** Freestanding. Locking. 27 1/8" high.


Required Specifications

Metal Finish

P 9700 PEDESTALS

Required Specifications
Metal Finish


1200P SERIES FREESTANDING PEDESTALS



Box/File Pedestal

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------|-------------------------|---------------|---------|-----------|--------------|
| 12P18BF | 18 x 15 x 21.75 | 85 | 57 | 4.33 | \$348 |
| 12P19BF | 19 x 15 x 21.75 | 85 | 58 | 4.55 | \$348 |
| 12P23BF | 23 x 15 x 21.75 | 85 | 66 | 5.44 | \$352 |
| 12P24BF | 24 x 15 x 21.75 | 85 | 68 | 5.66 | \$352 |
| 12P29BF | 29 x 15 x 21.75 | 92.5 | 76 | 6.77 | \$426 |
| 12P30BF | 30 x 15 x 21.75 | 92.5 | 78 | 6.99 | \$426 |


One box and one file drawer pedestal. **Freestanding. Nominal dimensions.**



Box/Box/File Pedestal

| | | | | | |
|----------|-----------------|------|----|------|--------------|
| 12P18BBF | 18 x 15 x 27.65 | 85 | 68 | 5.43 | \$357 |
| 12P19BBF | 19 x 15 x 27.65 | 85 | 70 | 5.71 | \$357 |
| 12P23BBF | 23 x 15 x 27.65 | 92.5 | 74 | 6.82 | \$362 |
| 12P24BBF | 24 x 15 x 27.65 | 92.5 | 76 | 7.10 | \$362 |
| 12P29BBF | 29 x 15 x 27.65 | 92.5 | 88 | 8.49 | \$436 |
| 12P30BBF | 30 x 15 x 27.65 | 92.5 | 92 | 8.77 | \$436 |


Two box and one file drawer pedestal. **Freestanding/Worksurface Supporting.** Lock mounted on the right hand side. **Nominal dimensions.**



File/File Pedestal

| | | | | | |
|---------|-----------------|------|----|------|--------------|
| 12P18FF | 18 x 15 x 27.65 | 92.5 | 56 | 5.43 | \$357 |
| 12P19FF | 19 x 15 x 27.65 | 92.5 | 58 | 5.71 | \$357 |
| 12P23FF | 23 x 15 x 27.65 | 92.5 | 70 | 6.82 | \$362 |
| 12P24FF | 24 x 15 x 27.65 | 92.5 | 72 | 7.10 | \$362 |
| 12P29FF | 29 x 15 x 27.65 | 100 | 84 | 8.49 | \$436 |
| 12P30FF | 30 x 15 x 27.65 | 92.5 | 88 | 8.77 | \$436 |

Two file drawer pedestal. **Freestanding/Worksurface Supporting.** Lock mounted on the right hand side. **Nominal dimensions.**




Linear Combo Pedestal

| | | | | | |
|----------|-----------------|----|-----|-------|---------------|
| 1230PDPL | 18 x 30 x 27.75 | 70 | 170 | 10.44 | \$1014 |
| 1230PDPR | 18 x 30 x 27.75 | 70 | 170 | 10.44 | \$1014 |

Box/Box/File and Lateral File drawer. **Nominal dimensions.**

1200 SERIES MOBILE PEDESTALS




Mobile Box/File Pedestal

| | | | | | |
|----------|-----------------|----|----|------|--------------|
| 12P18BFM | 18 x 15 x 22.12 | 70 | 74 | 4.40 | \$487 |
| 12P19BFM | 19 x 15 x 22.12 | 70 | 75 | 4.62 | \$487 |
| 12P23BFM | 23 x 15 x 22.12 | 85 | 80 | 5.53 | \$491 |
| 12P24BFM | 24 x 15 x 22.12 | 85 | 82 | 5.75 | \$491 |
| 12P29BFM | 29 x 15 x 22.12 | 85 | 90 | 6.88 | \$565 |
| 12P30BFM | 30 x 15 x 22.12 | 85 | 92 | 6.99 | \$565 |

One box and one file drawer pedestal. **On Casters.** Lock mounted on the right hand side. Includes factory-installed counterweight balance. Can fit under worksurface. **Nominal dimensions.**

• **Cannot be used as guest seating**



Mobile Box/Box/File Pedestal

| | | | | | |
|-----------|----------------|------|-----|------|--------------|
| 12P18BBFM | 18 x 15 x 28.5 | 85 | 82 | 5.47 | \$496 |
| 12P19BBFM | 19 x 15 x 28.5 | 85 | 84 | 5.75 | \$496 |
| 12P23BBFM | 23 x 15 x 28.5 | 85 | 94 | 6.87 | \$500 |
| 12P24BBFM | 24 x 15 x 28.5 | 85 | 99 | 7.15 | \$500 |
| 12P29BBFM | 29 x 15 x 28.5 | 92.5 | 101 | 8.55 | \$575 |
| 12P30BBFM | 30 x 15 x 28.5 | 92.5 | 106 | 8.84 | \$575 |

Two box and one file drawer pedestal. **On Casters.** Lock mounted on the right hand side. Includes factory-installed counterweight balance. **Nominal dimensions.**


• **Cannot be used as guest seating**

Required Specifications

Metal Finish

P 1200 / E SERIES PEDESTALS


1200 SERIES MOBILE PEDESTALS



Mobile File/File Pedestal

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|---------|-----------|------------|
| 12P18FFM | 18 x 15 x 28.5 | 85 | 80 | 5.47 | \$496 |
| 12P19FFM | 19 x 15 x 28.5 | 85 | 82 | 5.75 | \$496 |
| 12P23FFM | 23 x 15 x 28.5 | 85 | 90 | 6.87 | \$500 |
| 12P24FFM | 24 x 15 x 28.5 | 85 | 97 | 7.15 | \$500 |
| 12P29FFM | 29 x 15 x 28.5 | 92.5 | 99 | 8.55 | \$575 |
| 12P30FFM | 30 x 15 x 28.5 | 92.5 | 104 | 8.84 | \$575 |

Two file drawer pedestal. **On casters.** Lock mounted on the right hand side. Includes factory-installed counterweight balance. **Nominal dimensions.**
• **Cannot be used as guest seating**




Mobile Box/File Pedestal
without Cushion

| | | | | | |
|-------------|----------------|----|----|------|-------|
| 12P19BFMLC | 19 x 15 x 24.5 | 70 | 77 | 5.10 | \$528 |
| 12P23BFMLC | 23 x 15 x 24.5 | 85 | 82 | 6.10 | \$533 |
| 12P29BFMLC | 29 x 15 x 24.5 | 85 | 92 | 7.60 | \$607 |
| 12P19BFMLKC | 19 x 15 x 24.5 | 70 | 77 | 5.10 | \$542 |
| 12P23BFMLKC | 23 x 15 x 24.5 | 85 | 82 | 6.10 | \$547 |
| 12P29BFMLKC | 29 x 15 x 24.5 | 85 | 92 | 7.60 | \$621 |

One box and one file drawer pedestal with **60 mm Casters.** Lock mounted on the right hand side. Includes factory-installed counterweight. **Can accommodate a 1" or 2" cushion** (see page 691). **Nominal dimensions.**
• Specify LKC models for locking casters.

E SERIES FREESTANDING PEDESTALS



Box/File Pedestal

| | | | | | |
|---------|--------------|-----|----|------|-------|
| EWP19BF | 19 x 15 x 21 | 100 | 50 | 5.50 | \$378 |
| EWP23BF | 23 x 15 x 21 | 100 | 54 | 5.90 | \$391 |
| EWP29BF | 29 x 15 x 21 | 100 | 60 | 6.80 | \$404 |


One box and one file drawer pedestal. **Freestanding.** Soft touch Hytrel pull handles in Black (**BLK**) only. Lock mounted on the right hand side.



Box/Box/File Pedestal

| | | | | | |
|----------|-----------------|------|----|------|-------|
| EWP19BBF | 19 x 15 x 27.12 | 92.5 | 69 | 5.90 | \$411 |
| EWP23BBF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | \$425 |
| EWP29BBF | 29 x 15 x 27.12 | 100 | 80 | 8.70 | \$438 |

Two box and one file drawer pedestal. **Freestanding.** Soft touch Hytrel pull handles in Black (**BLK**) only. Lock mounted on the right hand side



File/File Pedestal

| | | | | | |
|---------|-----------------|------|----|------|-------|
| EWP19FF | 19 x 15 x 27.12 | 92.5 | 69 | 5.90 | \$411 |
| EWP23FF | 23 x 15 x 27.12 | 92.5 | 75 | 7 | \$425 |
| EWP29FF | 29 x 15 x 27.12 | 100 | 80 | 8.70 | \$438 |

Two file drawer pedestal. **Freestanding.** Soft touch Hytrel pull handles in Black (**BLK**) only. Matches the height of two high lateral files. Lock mounted on the right hand side

E SERIES MOBILE PEDESTALS



Mobile Box/File Pedestal

| | | | | | |
|---------|-----------------|----|----|------|-------|
| EMP19BF | 19 x 15 x 21.93 | 70 | 76 | 4.80 | \$413 |
| EMP23BF | 23 x 15 x 21.93 | 85 | 80 | 5.70 | \$425 |
| EMP29BF | 29 x 15 x 21.93 | 85 | 86 | 7.10 | \$438 |


One box and one file drawer pedestal. **On Casters.** Soft touch Hytrel pull handles in Black (**BLK**) only. Lock mounted on the right hand side. Can fit under worksurface.
• **Cannot be used as guest seating**

Required Specifications
Metal Finish

E SERIES MOBILE PEDESTALS



Mobile Box/Box/File Pedestal



Mobile File/File Pedestal

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|---------|-----------|--------------|
| EMP19BBF | 19 x 15 x 27.93 | 70 | 95 | 6.10 | \$446 |
| EMP23BBF | 23 x 15 x 27.93 | 85 | 101 | 7.20 | \$459 |
| EMP29BBF | 29 x 15 x 27.93 | 92.5 | 106 | 8.90 | \$472 |

Two box and one file drawer. Locking. **On Casters.** Soft touch Hytrel pull handles in Black (**BLK**) only. Lock mounted on the right hand side. Can fit under worksurface.


- **Cannot be used as guest seating**

| | | | | | |
|---------|-----------------|-----|-----|------|--------------|
| EMP19FF | 19 x 15 x 27.93 | 70 | 95 | 6.08 | \$446 |
| EMP23FF | 23 x 15 x 27.93 | 85 | 101 | 7.21 | \$459 |
| EMP29FF | 29 x 15 x 27.93 | 125 | 62 | 8.90 | \$472 |

Two file drawers. Locking. **On Casters.** Soft touch Hytrel pull handles in Black (**BLK**) only. Lock mounted on the right hand side. Can fit under worksurface.

- **Cannot be used as guest seating**

CUSHIONS FOR PEDESTALS



Cushions for Mobile Box/File Pedestals

| | | | | | | |
|-----------------|-------------|-----|---|---|---|--------------|
| CUSHION-15X19X1 | 15 x 19 x 1 | 150 | 5 | 1 | 1 | \$109 |
| | | | | | 2 | \$127 |
| | | | | | 3 | \$141 |
| | | | | | 4 | \$162 |
| CUSHION-15X23X1 | 15 x 23 x 1 | 150 | 5 | 1 | 1 | \$123 |
| | | | | | 2 | \$141 |
| | | | | | 3 | \$155 |
| | | | | | 4 | \$176 |
| CUSHION-15X29X1 | 15 x 29 x 1 | 150 | 5 | 1 | 1 | \$163 |
| | | | | | 2 | \$187 |
| | | | | | 3 | \$206 |
| | | | | | 4 | \$234 |

For seating pedestals. 1" thick single stitched cushions. Available in all standard Global seating fabrics. Attached with supplied Velcro fasteners.

- **Cannot be used on standard mobile box/box/file, file/file or box/file pedestals**

| | | | | | | |
|-----------------|-------------|-----|---|---|---|--------------|
| CUSHION-15X19X2 | 15 x 19 x 2 | 150 | 5 | 1 | 1 | \$121 |
| | | | | | 2 | \$139 |
| | | | | | 3 | \$153 |
| | | | | | 4 | \$174 |
| CUSHION-15X23X2 | 15 x 23 x 2 | 150 | 5 | 1 | 1 | \$136 |
| | | | | | 2 | \$154 |
| | | | | | 3 | \$168 |
| | | | | | 4 | \$189 |
| CUSHION-15X29X2 | 15 x 29 x 2 | 150 | 5 | 1 | 1 | \$180 |
| | | | | | 2 | \$204 |
| | | | | | 3 | \$223 |
| | | | | | 4 | \$251 |


For seating pedestals. 2" thick single stitched cushions. Cushion features a waterfall edge on the front and back. Available in all standard Global seating fabrics. Attached with supplied Velcro fasteners.

- **Cannot be used on standard mobile box/box/file, file/file or box/file pedestals**

Required Specifications

Metal Finish (Pedestals)



Fabric (Cushion)



File Buddy Swivel Stool




File Buddy Swivel Stool

| FILE BUDDY | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|---|--------|----------------|---------------|---------|-----------|-------|-------|-------|-------|
|  | 1105 | 14 x 14 x 18.5 | 125 | 19 | 2.90 | 1 | \$262 | 8 | \$381 |
| | | | | | | 2 | \$271 | 9 | \$403 |
| | | | | | | 3 | \$281 | 10 | \$455 |
| | | | | | | 4 | \$298 | 11 | \$479 |
| | | | | | | 5 | \$313 | 12 | \$525 |
| | | | | | | 6 | \$335 | 13 | \$591 |
| | | | | | | 7 | \$365 | 14 | \$671 |
| 5" pneumatic adjustable height stool from 16¼" to 21¼" . Black, 5-legged, injection molded base. 12" diameter seat. C65 casters are standard. Shipped RTA (ready to assemble). COM Yardage: 0.75 | | | | | | | | | |
|  | 1110 | 14 x 14 x 27.5 | 125 | 20 | 2.90 | 1 | \$308 | 8 | \$427 |
| | | | | | | 2 | \$316 | 9 | \$448 |
| | | | | | | 3 | \$328 | 10 | \$500 |
| | | | | | | 4 | \$343 | 11 | \$524 |
| | | | | | | 5 | \$359 | 12 | \$571 |
| | | | | | | 6 | \$382 | 13 | \$637 |
| | | | | | | 7 | \$411 | 14 | \$718 |
| 5" pneumatic adjustable height stool from 22¼" to 32¼" . Black, 5-legged, injection molded base. 12" diameter seat. C65 casters are standard. Shipped RTA (ready to assemble). COM Yardage: 0.75 | | | | | | | | | |

Required Specifications
Laminate Finish (tops)
Fabric (File Buddy)

P 9300P PERSONAL TOWERS

9300P SERIES PERSONAL TOWERS



Personal Tower - 2 Box/2 File Drawers

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------|-------------------------|---------------|---------|-----------|---------------|
| 93PT-2B2FL | 24 x 24 x 65.25 | 125 | 170 | 21.75 | \$1500 |
| 93PT-2B2FR | 24 x 24 x 65.25 | 125 | 170 | 21.75 | \$1500 |

- Model 93PT-2B2FL has wardrobe section on the left and file drawers on the right.
- Model 93PT-2B2FR has wardrobe section on the right and file drawers on the left.

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 2 box and 2 file drawers. Locker compartment includes 2 shelves. Locking.




Personal Tower - 3 File Drawers

| | | | | | |
|----------|-----------------|-----|-----|-------|---------------|
| 93PT-3FL | 24 x 24 x 65.25 | 125 | 165 | 21.75 | \$1500 |
| 93PT-3FR | 24 x 24 x 65.25 | 125 | 165 | 21.75 | \$1500 |

- Model 93PT-3FL has wardrobe section on the left and file drawers on the right.
- Model 93PT-3FR has wardrobe section on the right and file drawers on the left.

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 3 file drawers. Locker compartment includes 2 shelves. Locking.




Personal Tower - 2 Box/1 File Drawers

| | | | | | |
|------------|--------------|-----|-----|----|---------------|
| 93PT4-2BFL | 24 x 24 x 54 | 125 | 135 | 18 | \$1450 |
| 93PT4-2BFR | 24 x 24 x 54 | 125 | 135 | 18 | \$1450 |

- Model 93PT4-2BFL has wardrobe section on the left and file drawers on the right.
- Model 93PT4-2BFR has wardrobe section on the right and file drawers on the left.

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 2 file drawers. Locker compartment includes 1 shelf. Locking.



Personal Tower - 2 File Drawers

| | | | | | |
|-----------|--------------|-----|-----|----|---------------|
| 93PT4-2FL | 24 x 24 x 54 | 125 | 132 | 18 | \$1450 |
| 93PT4-2FR | 24 x 24 x 54 | 125 | 132 | 18 | \$1450 |


- Model 93PT4-2FL has wardrobe section on the left and file drawers on the right.
- Model 93PT4-2FR has wardrobe section on the right and file drawers on the left.

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 2 file drawers. Locker compartment includes 1 shelf. Locking.

Required Specifications

Metal Finish

9700 SERIES PERSONAL TOWERS




Personal Tower - 2 Box/2 File Drawers

| MODEL# | D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------|-----------------|---------------|---------|-----------|------------|
| | | | | | |
| 97PT-2B2FL | 24 x 24 x 65.25 | 125 | 170 | 21.75 | \$1511 |
| 97PT-2B2FR | 24 x 24 x 65.25 | 125 | 170 | 21.75 | \$1511 |

Slimline satin aluminum handle pull on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 2 box and 2 file drawers. Locker compartment includes 2 shelves. Locking.

- Model 97PT-2B2FL has wardrobe section on the left and file drawers on the right.
- Model 97PT-2B2FR has wardrobe section on the right and file drawers on the left.

9100 SERIES PERSONAL TOWERS




Personal Tower - 2 Box/2 File Drawers

| | | | | | |
|------------|-----------------|-----|-----|-------|--------|
| 9PT5-2B2FL | 24 x 24 x 65.25 | 100 | 182 | 21.75 | \$1909 |
| 9PT5-2B2FR | 24 x 24 x 65.25 | 100 | 182 | 21.75 | \$1909 |

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 2 box and 2 file drawers. Locker compartment includes 2 shelves. Locking.

- Model **9PT5-2B2FL** has wardrobe section on the left and file drawers on the right.
- Model **9PT5-2B2FR** has wardrobe section on the right and file drawers on the left.



Personal Tower - 3 File Drawers

| | | | | | |
|----------|-----------------|-----|-----|-------|--------|
| 9PT5-3FL | 24 x 24 x 65.25 | 100 | 182 | 21.75 | \$1909 |
| 9PT5-3FR | 24 x 24 x 65.25 | 100 | 182 | 21.75 | \$1909 |

Full looped pulls on all drawers. Includes ventilated 24"D wardrobe section, locker compartment and 3 file drawers. Locker compartment includes 2 shelves. Locking

- Model **9PT5-3FL** has wardrobe section on the left and file drawers on the right.
- Model **9PT5-3FR** has wardrobe section on the right and file drawers on the left.

Required Specifications

Metal Finish


P 1200P PERSONAL TOWERS

<

Required Specifications
Metal Finish

1200P PERSONAL TOWERS / WARDROBE LOCKERS P

1200P SERIES - PERSONAL TOWERS



Right Shown

Side Opening Storage Tower - File/File

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE


D x W x H

| | | | | | |
|---------------|-----------------|-----|-----|-------|---------------|
| 1224P50TSOFFL | 24 x 24 x 50 | 125 | 146 | 19.38 | \$1980 |
| 1224P54TSOFFL | 24 x 24 x 54 | 125 | 150 | 20.88 | \$1990 |
| 1224P66TSOFFL | 24 x 24 x 66 | 125 | 158 | 25.36 | \$2025 |
| 1224P50TSOFFR | 24 x 24 x 50 | 125 | 146 | 19.38 | \$1980 |
| 1224P54TSOFFR | 24 x 24 x 54 | 125 | 150 | 20.88 | \$1990 |
| 1224P66TSOFFR | 24 x 24 x 65.88 | 125 | 158 | 25.36 | \$2025 |


- 1224PxxTSOFFL models have wardrobe on the **left** and file drawers on the **right**
- 1224PxxTSOFFR models have wardrobe on the **right** and file drawers on the **left**

Includes ventilated 24"D wardrobe section and 2 file drawers. Storage tower has 1 adjustable shelf and 1 fixed shelf. Full height coat storage is 7" wide with ventilation. Tower comes with 2 locks - 1 for the drawers, 1 for the coat locker.


WARDROBE LOCKERS




Wardrobe Locker



Wardrobe Locker



Wardrobe Cabinet - 5 high



Two Door Wardrobe Cabinet - 65 1/4" High

| | | | | | |
|------------|--------------|-----|-----|----|---------------|
| 9PL2472SDL | 24 x 24 x 72 | 125 | 182 | 25 | \$1504 |
| 9PL2472SDR | 24 x 24 x 72 | 125 | 182 | 25 | \$1504 |

Full loop pull on door. Includes two adjustable shelves. Hanging rod. Locking.

- Model **9PL2472SDL** door opens to the **left**.
- Model **9PL2472SDR** door opens to the **right**.

| | | | | | |
|----------|-----------------|-----|-----|-------|---------------|
| 91PL518L | 24 x 18 x 65.25 | 125 | 125 | 16.30 | \$1058 |
| 91PL518R | 24 x 18 x 65.25 | 125 | 125 | 16.30 | \$1058 |

Full loop pull on door. Includes one adjustable shelf. Hanging rod. Locking.

- Model **91PL518L** door opens to the **left**.
- Model **91PL518R** door opens to the **right**.

| | | | | | |
|---------|-----------------|-----|--------|-------|---------------|
| 1230P5W | 18 x 30 x 65.88 | 150 | 118.50 | 23.95 | \$1042 |
| 1236P5W | 18 x 36 x 65.88 | 150 | 128 | 28.51 | \$1320 |
| 1242P5W | 18 x 42 x 65.88 | 150 | 135 | 33.08 | \$1459 |

30" wide has full width shelf and coat rod with 4 hooks. 36" and 42" wide have full width shelf. Coat rod on right and 4 height adjustable shelves on the left side.

| | | | | | |
|----------|-----------------|-----|-----|----|---------------|
| 9130-5W1 | 18 x 30 x 65.25 | 150 | 136 | 25 | \$1106 |
|----------|-----------------|-----|-----|----|---------------|

One full width, fixed, non-slotted shelf. Front-to-back coat rod and four coat hooks. Lock and levelling glides standard. **Matches lateral file case dimensions. Doors open 165°.**


- Available in Full Pull Model, add "P" to model # (eg. **9130P-5W1**).
- Available with side-to-side coat rod at no charge. Please specify.

Required Specifications


Metal Finish

S 9300P STORAGE


9300P SERIES STORAGE CABINETS




Two Door Storage Cabinet - 27 1/8"H



Two Door Storage Cabinet - 42"H



Two Door Storage Cabinet - 40 1/2"H



Two Door Storage Cabinet - 54"H



Two Door Storage Cabinet - 65 1/4"H

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|---------|-----------|------------|
|--------|------------|---------------|---------|-----------|------------|

D x W x H

| | | | | | |
|-----------|-----------------|-----|----|----|--------------|
| 9330P-2S1 | 18 x 30 x 27.12 | 150 | 57 | 10 | \$346 |
| 9336P-2S1 | 18 x 36 x 27.12 | 150 | 61 | 14 | \$373 |
| 9342P-2S1 | 18 x 42 x 27.12 | 150 | 73 | 14 | \$401 |

One full width, **fixed**, non-slotted shelf. Lock and levelling glides standard. **Matches lateral file case dimensions. Full pull handle design.**

- When used as a stack-on over file, storage cabinets and lateral files must be bolted together; when possible, bolted to an adjacent wall.
- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.

| | | | | | |
|------------|--------------|-----|----|----|--------------|
| 9336P-S42L | 18 x 36 x 42 | 150 | 98 | 20 | \$416 |
|------------|--------------|-----|----|----|--------------|

One fixed and one adjustable shelf. Lock and levelling glides standard. **Full pull handle design.**

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.

| | | | | | |
|-----------|----------------|-----|-----|----|--------------|
| 9330P-3S1 | 18 x 30 x 40.5 | 150 | 80 | 17 | \$392 |
| 9336P-3S1 | 18 x 36 x 40.5 | 150 | 88 | 21 | \$411 |
| 9342P-3S1 | 18 x 42 x 40.5 | 150 | 100 | 24 | \$434 |

One fixed and one adjustable shelf. Lock and levelling glides standard. **Matches lateral file case dimensions. Full pull handle design.**

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.

| | | | | | |
|-----------|--------------|-----|-----|----|--------------|
| 9330P-4S1 | 18 x 30 x 54 | 150 | 102 | 23 | \$434 |
| 9336P-4S1 | 18 x 36 x 54 | 150 | 111 | 27 | \$452 |
| 9342P-4S1 | 18 x 42 x 54 | 150 | 125 | 31 | \$484 |

One fixed and two adjustable shelves. Lock and levelling glides standard. **Matches lateral file case dimensions. Full pull handle design.**

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.

| | | | | | |
|-----------|-----------------|-----|-----|----|--------------|
| 9330P-5S1 | 18 x 30 x 65.25 | 150 | 122 | 27 | \$471 |
| 9336P-5S1 | 18 x 36 x 65.25 | 150 | 134 | 32 | \$500 |
| 9342P-5S1 | 18 x 42 x 65.25 | 150 | 150 | 37 | \$528 |

One fixed and three adjustable shelves. Lock and levelling glides standard. **Matches lateral file case dimensions. Full pull handle design.**

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.

Required Specifications

Metal Finish


Optional Specifications

Counterweight

Accessories

Front to Back File Bars
Plate Dividers

9300P SERIES STORAGE



Two Door Storage Cabinet - 72"H

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|-------------------------|---------------|---------|-----------|------------|
|--------|-------------------------|---------------|---------|-----------|------------|

| | | | | | |
|------------|--------------|-----|-----|----|--------------|
| 9336P-S72L | 18 x 36 x 72 | 250 | 133 | 36 | \$516 |
|------------|--------------|-----|-----|----|--------------|

One fixed and three adjustable shelves. Lock and levelling glides standard. **Full pull handle design.**

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.




Additional Shelf

| | | | | | |
|-----------|----|----|----|----|-------------|
| 9330P-FWS | -- | -- | -- | -- | \$34 |
| 9336P-FWS | -- | -- | -- | -- | \$37 |
| 9342P-FWS | -- | -- | -- | -- | \$42 |

For use with 9300P Series storage cabinets.

9300P SERIES MULTI-STOR



Multi-Stor Cabinet

| | | | | | |
|------------|-----------------|-----|-----|----|---------------|
| 9336P-5MSL | 18 x 36 x 65.25 | 125 | 245 | 32 | \$1054 |
|------------|-----------------|-----|-----|----|---------------|

All purpose storage unit with two fixed shelves, one adjustable shelf and standard side-to-side hanging file bars in the roll-out drawers. **Full pull handle design.**

- Storage and lateral units lock independently and are keyed alike.

9300P SERIES EXHIBIT CABINET




Exhibit Cabinet

| | | | | | |
|-----------|-----------------|-----|-----|----|--------------|
| 9336P-5FX | 18 x 36 x 65.25 | 125 | 230 | 32 | \$984 |
|-----------|-----------------|-----|-----|----|--------------|

Open shelving with one fixed and two adjustable shelves, Two lateral file drawers. Side-to-side hanging file bars included. Locking. **Full pull handle design.**

Required Specifications

Metal Finish



Optional Specifications

Counterweight

Accessories

Front to Back File Bars
Plate Dividers

S 9300 STORAGE

| 9300 SERIES STORAGE CABINETS | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-----------------|------------|---------------|---------|-----------|------------|
|  | D x W x H | | | | | | |
| | 9336-2S1 | 18 x 36 x 27.12 | 150 | 61 | 14 | \$373 | |
| | One full width, fixed , non-slotted shelf. Lock and levelling glides standard. Matches lateral file case dimensions. <ul style="list-style-type: none">When used as a stack-on over file, storage cabinets and lateral files must be bolted together; when possible, bolted to an adjacent wall.All shelves were tested to hold up to 70 - 75 lbs. evenly distributed. | | | | | | |
| | 9336-S42L | 18 x 36 x 42 | 150 | 88 | 20 | \$416 | |
| | One fixed and one adjustable shelf. Lock and levelling glides standard. <ul style="list-style-type: none">All shelves were tested to hold up to 70 - 75 lbs. evenly distributed. | | | | | | |
|  | 9336-S72L | 18 x 36 x 72 | 250 | 130 | 36 | \$516 | |
| | One fixed and three adjustable shelves. Lock and levelling glides standard. <ul style="list-style-type: none">All shelves were tested to hold up to 70 - 75 lbs. evenly distributed. | | | | | | |
| | 93CG-S42L | 18 x 36 x 42 | 150 | 98 | 20 | \$475 | |
| | Two adjustable shelves. Two point locking doors. <ul style="list-style-type: none">CGSB approvedAll shelves were tested to hold up to 125 lbs. evenly distributed. | | | | | | |
| | 93CG-S72L | 18 x 36 x 72 | 150 | 158 | 36 | \$574 | |
| Six adjustable shelves. Two point locking doors. <ul style="list-style-type: none">CGSB approvedAll shelves were tested to hold up to 125 lbs. evenly distributed. | | | | | | | |

Required Specifications
Metal Finish

9300 SERIES STORAGE CABINETS




Additional Shelf

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|---------|-----------|------------|
| 9336-FWS | 18 x 36 x .75 | 85 | 7 | .50 | \$37 |
| 93CG-FWS | 18 x 36 x .75 | 85 | 7 | .50 | \$61 |

Specify **9336-FWS** for 9336-5MSL, 9336-S72L, 9336-S42L, 9336-2SL and 9700 series storage cabinets.
Specify **93CG-FWS** for 93CG Storage Cabinets.

9300 SERIES MULTI-STOR




Multi-Stor Cabinet

| | | | | | |
|-----------|-----------------|-----|-----|----|--------|
| 9336-5MSL | 18 x 36 x 65.25 | 125 | 200 | 32 | \$1054 |
|-----------|-----------------|-----|-----|----|--------|

All purpose storage unit with two fixed shelves, one adjustable shelf and standard side-to-side hanging file bars in the roll-out drawers. Center pull handle design

- Storage and lateral units lock independently and are keyed alike.

9700 SERIES STORAGE CABINETS



Two Door Storage Cabinet - 27 1/8"H

| | | | | | |
|----------|-----------------|-----|----|----|-------|
| 9736-2S1 | 18 x 36 x 27.13 | 150 | 61 | 14 | \$443 |
|----------|-----------------|-----|----|----|-------|

One full width, **fixed**, non-slotted shelf. **Slimline satin aluminum handles.** Lock and levelling glides standard. Matches lateral file case dimensions.

- When used as a stack-on over file, storage cabinets and lateral files must be bolted together; when possible, bolted to an adjacent wall.
- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.




Two Door Storage Cabinet - 42"H

| | | | | | |
|-----------|--------------|-----|----|----|-------|
| 9736-S42L | 18 x 36 x 42 | 150 | 98 | 20 | \$540 |
|-----------|--------------|-----|----|----|-------|

One fixed and one adjustable shelf. **Slimline satin aluminum handles.** Lock and levelling glides standard.

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.



Two Door Storage Cabinet - 72"H

| | | | | | |
|-----------|--------------|-----|-----|----|-------|
| 9736-S72L | 18 x 36 x 72 | 250 | 133 | 36 | \$693 |
|-----------|--------------|-----|-----|----|-------|

One fixed and three adjustable shelves. **Slimline satin aluminum handles.** Lock and levelling glides standard.

- All shelves were tested to hold up to 70 - 75 lbs. evenly distributed.


Required Specifications
Metal Finish

Optional Specifications
Counterweight

Accessories
Front to Back File Bars
Plate Dividers

S 9700 / 1200 STORAGE

9300 SERIES STORAGE




Multi-Stor Cabinet

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-------------------------|---------------|---------|-----------|---------------|
| 9736-5MSL | 18 x 36 x 65.25 | 125 | 245 | 32 | \$1198 |

All purpose storage unit with two fixed shelves, one adjustable shelf and standard side-to-side hanging file bars in the roll-out drawers. **Slimline satin aluminum handle design.**

- Storage and lateral units lock independently and are keyed alike.


1200P SERIES STORAGE



1½ h Storage Cabinet w/Doors

| | | | | | |
|----------|-----------------|-----|----|-------|--------------|
| 1230P1XS | 18 x 30 x 21.75 | 125 | 61 | 8.26 | \$725 |
| 1236P1XS | 18 x 36 x 21.75 | 125 | 71 | 9.84 | \$775 |
| 1242P1XS | 18 x 42 x 21.75 | 125 | 86 | 11.41 | \$825 |


Half height open shelf and 12" open shelf lateral cabinet. 1 Adjustable shelf. Locking.



Storage Cabinet - 2 high
Worksurface supporting

| | | | | | |
|-----------|-----------------|-----|----|-------|--------------|
| 1230P2SWS | 18 x 30 x 27.75 | 125 | 74 | 10.40 | \$645 |
| 1236P2SWS | 18 x 36 x 27.75 | 125 | 82 | 12.38 | \$684 |
| 1242P2SWS | 18 x 42 x 27.75 | 125 | 91 | 14.36 | \$789 |


One adjustable shelf.



Storage Cabinet - 3 high

| | | | | | |
|---------|----------------|-----|-----|-------|--------------|
| 1230P3S | 18 x 30 x 40.5 | 125 | 102 | 14.93 | \$788 |
| 1236P3S | 18 x 36 x 40.5 | 125 | 115 | 17.77 | \$880 |
| 1242P3S | 18 x 42 x 40.5 | 125 | 126 | 20.62 | \$973 |


Two adjustable shelves.



Storage Cabinet - 4 high

| | | | | | |
|---------|--------------|-----|-----|-------|---------------|
| 1230P4S | 18 x 30 x 54 | 125 | 126 | 19.73 | \$973 |
| 1236P4S | 18 x 36 x 54 | 125 | 148 | 23.49 | \$1088 |
| 1242P4S | 18 x 42 x 54 | 150 | 163 | 27.24 | \$1204 |

Three adjustable shelves.



Storage Cabinet - 5 high

| | | | | | |
|---------|-----------------|-----|-----|-------|---------------|
| 1230P5S | 18 x 30 x 65.88 | 125 | 152 | 23.95 | \$1088 |
| 1236P5S | 18 x 36 x 65.88 | 125 | 175 | 28.51 | \$1227 |
| 1242P5S | 18 x 42 x 65.88 | 150 | 198 | 33.08 | \$1366 |


Four adjustable shelves.

Required Specifications
Metal Finish

Optional Specifications
Counterweight

Accessories
Front to Back File Bars
Plate Dividers

1200 SERIES STORAGE



Storage Cabinet - 6 high

MODEL#

DIMENSIONS FREIGHT CLASS WT/LBS.


CUBIC FT. LIST PRICE

D x W x H

| | | | | | |
|---------|-----------------|-----|-----|-------|---------------|
| 1230P6S | 18 x 30 x 77.88 | 125 | 174 | 28.22 | \$1459 |
| 1236P6S | 18 x 36 x 77.88 | 150 | 195 | 33.59 | \$1621 |
| 1242P6S | 18 x 42 x 77.88 | 150 | 220 | 38.97 | \$1783 |

Five adjustable shelves.


1200 SERIES MULTI-STOR



Multi-Stor Cabinet

| | | | | | |
|--------------|--------------|-----|-----|-------|---------------|
| 1230P50M2SFF | 18 x 30 x 50 | 125 | 120 | 18.31 | \$1422 |
| 1236P50M2SFF | 18 x 36 x 50 | 125 | 142 | 21.79 | \$1598 |
| 1242P50M2SFF | 18 x 42 x 50 | 150 | 150 | 25.28 | \$1723 |


All purpose storage unit with hinged doors and two lateral file drawers. Locking.



Multi-Stor Cabinet

| | | | | | |
|--------------|--------------|-----|-----|-------|---------------|
| 1230P54M2SFF | 18 x 30 x 54 | 125 | 150 | 19.73 | \$1436 |
| 1236P54M2SFF | 18 x 36 x 54 | 125 | 158 | 23.49 | \$1482 |
| 1242P54M2SFF | 18 x 42 x 54 | 125 | 168 | 27.24 | \$1575 |

All purpose storage unit with hinged doors and two lateral file drawers. Locking.



Multi-Stor Cabinet

| | | | | | |
|--------------|-----------------|-----|-----|-------|---------------|
| 1230P66M3SFF | 18 x 30 x 65.88 | 100 | 228 | 23.95 | \$1769 |
| 1236P66M3SFF | 18 x 36 x 65.88 | 100 | 258 | 28.51 | \$1815 |
| 1242P66M3SFF | 18 x 42 x 65.88 | 100 | 265 | 33.08 | \$1908 |

All purpose storage unit with hinged doors and two lateral file drawers. Locking.



Multi-Stor Cabinet

| | | | | | |
|---------------|-----------------|-----|-----|-------|---------------|
| 1230P66M2SFFF | 18 x 30 x 65.88 | 100 | 230 | 23.95 | \$1829 |
| 1236P66M2SFFF | 18 x 36 x 65.88 | 100 | 250 | 28.51 | \$1852 |
| 1242P66M2SFFF | 18 x 42 x 65.88 | 100 | 280 | 33.08 | \$1945 |

All purpose storage unit with hinged doors and three lateral file drawers. Locking.

Required Specifications

Metal Finish

Optional Specifications

Counterweight

Accessories

Front to Back File Bars
Plate Dividers

9100 SERIES MULTI-STOR

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|---------|-----------|------------|
|--------|------------|---------------|---------|-----------|------------|

D x W x H


| | | | | | |
|-----------|--------------|-----|-----|----|---------------|
| 9130-4MSL | 18 x 30 x 54 | 100 | 198 | 20 | \$1418 |
| 9136-4MSL | 18 x 36 x 54 | 100 | 210 | 24 | \$1499 |
| 9142-4MSL | 18 x 42 x 54 | 125 | 222 | 28 | \$1617 |



Multi-Stor Cabinet

All purpose storage unit with one adjustable shelf and standard side-to-side hanging file bars in the roll-out drawers.

- Storage and lateral units lock independently and are keyed alike.




Multi-Stor Cabinet

| | | | | | |
|------------|--------------|------|-----|----|---------------|
| 9130-4SMSL | 18 x 30 x 54 | 92.5 | 203 | 20 | \$1525 |
| 9136-4SMSL | 18 x 36 x 54 | 100 | 215 | 24 | \$1654 |
| 9142-4SMSL | 18 x 42 x 54 | 100 | 227 | 28 | \$1793 |

All purpose storage unit with one adjustable shelf and one set of side-to-side hanging file bars in the bottom drawer.

Two split drawers above bottom drawer.

- Storage and lateral units lock independently and are keyed alike.




Multi-Stor Cabinet

| | | | | | |
|-----------|-----------------|-----|-----|----|---------------|
| 9130-5MSL | 18 x 30 x 65.25 | 100 | 217 | 27 | \$1524 |
| 9136-5MSL | 18 x 36 x 65.25 | 125 | 229 | 31 | \$1657 |
| 9142-5MSL | 18 x 42 x 65.25 | 125 | 241 | 36 | \$1795 |

All purpose storage unit with two adjustable shelves and standard side-to-side hanging file bars in the roll-out drawers.

- Storage and lateral units lock independently and are keyed alike.



Multi-Stor Cabinet

| | | | | | |
|------------|-----------------|-----|-----|----|---------------|
| 9130-5SMSL | 18 x 30 x 65.25 | 100 | 217 | 24 | \$1681 |
| 9136-5SMSL | 18 x 36 x 65.25 | 125 | 229 | 29 | \$1813 |
| 9142-5SMSL | 18 x 42 x 65.25 | 125 | 241 | 33 | \$1952 |

All purpose storage unit with two adjustable shelves and one set of side-to-side hanging file bars in the bottom drawer.

Two split drawers above bottom drawer.

- Storage and lateral units lock independently and are keyed alike.

Required Specifications

Metal Finish


Optional Specifications

Counterweight


AccessoriesFront to Back File Bars
Plate Dividers

S 9100 STORAGE


9100 SERIES STORAGE




Two Door Storage Cabinet - 27 1/8" H




Two Door Storage Cabinet - 40 1/2" High



Two Door Storage Cabinet - 54" High



Two Door Storage Cabinet - 65 1/4" High



Additional Shelf

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------------|---------------|---------|-----------|------------|
| 9130-2S1 | 18 x 30 x 27.12 | 125 | 74 | 10 | \$608 |
| 9136-2S1 | 18 x 36 x 27.12 | 125 | 82 | 12 | \$666 |
| 9142-2S1 | 18 x 42 x 27.12 | 125 | 91 | 14 | \$754 |

One full width, **adjustable**, non-slotted shelf. Lock and levelling glides standard. **Matches lateral file case dimensions. Doors open 165°.**

- Available in Full Pull Model, add "P" to model # (eg. **9136P-2S1**).
- When used as a stack-on over file, storage cabinets and lateral files must be bolted together; when possible, bolted to an adjacent wall.

| | | | | | |
|----------|----------------|-----|-----|----|-------|
| 9130-3S1 | 18 x 30 x 40.5 | 125 | 100 | 15 | \$768 |
| 9136-3S1 | 18 x 36 x 40.5 | 125 | 113 | 18 | \$842 |
| 9142-3S1 | 18 x 42 x 40.5 | 125 | 126 | 21 | \$915 |

Two full width, adjustable, non-slotted shelves. Lock and levelling glides standard. **Matches lateral file case dimensions. Doors open 165°.**

- Available in Full Pull Model, add "P" to model # (eg. **9136P-2S1**).
- *Not recommended to be used as a stack-on over file (see **9100-2S1**).*

| | | | | | |
|----------|--------------|-----|-----|----|--------|
| 9130-4S1 | 18 x 30 x 54 | 125 | 130 | 20 | \$930 |
| 9136-4S1 | 18 x 36 x 54 | 125 | 147 | 24 | \$1005 |
| 9142-4S1 | 18 x 42 x 54 | 150 | 163 | 28 | \$1077 |

Three full width, adjustable, non-slotted shelves. Lock and levelling glides standard. **Matches lateral file case dimensions. Doors open 165°.**

- Available in Full Pull Model, add "P" to model # (eg. **9136P-4S1**).

| | | | | | |
|----------|-----------------|-----|-----|----|--------|
| 9130-5S1 | 18 x 30 x 65.25 | 125 | 155 | 25 | \$1093 |
| 9136-5S1 | 18 x 36 x 65.25 | 150 | 171 | 29 | \$1166 |
| 9142-5S1 | 18 x 42 x 65.25 | 150 | 195 | 34 | \$1239 |

Four full width, adjustable, non-slotted shelves. Lock and levelling glides standard. **Matches lateral file case dimensions. Doors open 165°.**

- Available in Full Pull Model, add "P" to model # (eg. **9136P-5S1**).

| | | | | | |
|--------|--------|----|---|-----|------|
| FNSS30 | 0 x 30 | 60 | 3 | .10 | \$40 |
| FNSS36 | 0 x 36 | 60 | 3 | .10 | \$47 |
| FNSS42 | 0 x 42 | 60 | 3 | .10 | \$54 |





| | | | | | |
|-------|--------|----|---|-----|------|
| FSS30 | 0 x 30 | 60 | 3 | .10 | \$51 |
| FSS36 | 0 x 36 | 60 | 3 | .10 | \$58 |
| FSS42 | 0 x 42 | 60 | 3 | .10 | \$64 |

For 9100 Series Storage Cabinets. Includes brackets.

- **FNSS** - Full width non-slotted shelf.
- **FSS** - Full width slotted shelf.

Required Specifications

Metal Finish

| FILE TAXI® | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-------------------------|---------------|---------|-----------|---------------|
|  File Taxi | 91-FT12L | 18 x 30 x 28 | 100 | 108 | 11 | \$886 |
| | Two box drawers on right. Top box drawer includes pencil tray and divider plate. 12" legal file drawer on left with full suspension and hanging bars. Receding door with fixed shelf and 3 divider plates. One key locks all drawers. Fits under most standard 29" h worksurfaces. Can be used in freestanding applications. Contact customer service for a list of exceptions. | | | | | |
|  File Taxi - Mobile | 91-FT12LM | 18 x 30 x 29.5 | 100 | 110 | 12 | \$1032 |
| | Two box drawers on right. Top box drawer includes pencil tray and divider plate. 12" legal file drawer on left with full suspension and hanging bars. Receding door with fixed shelf and 3 divider plates. One key locks all drawers. Wagon style handle. On casters. One key locks all drawers. <ul style="list-style-type: none">• Two 2½" fixed casters and two swivel casters. | | | | | |
|  2 High Storage Unit | 9PDP30R | 18 x 30 x 27.79 | 100 | 108 | 11 | \$1100 |
| | 9PDP30L | 18 x 30 x 27.79 | 100 | 108 | 11 | \$1100 |
|  2 High Storage Unit, Freestanding | 9PDP30RFSCW | 18 x 30 x 27.79 | 85 | 150 | 11 | \$1199 |
| | 9PDP30LFSCW | 18 x 30 x 27.79 | 85 | 150 | 11 | \$1199 |
| | Two box drawers and File drawer on top. Roll out file drawer on bottom. Not freestanding. Must be used UNDER a worksurface. Fits under most standard 29" h worksurfaces. Bolt holes are located at all four corners of top to attach to underside of worksurface. One key locks all drawers. Includes pencil tray and divider plate. <ul style="list-style-type: none">• 9PDP30R top file drawer is on the Right• 9PDP30L top file drawer is on the Left (shown) | | | | | |
| | Two box drawers and File drawer on top. Roll out file drawer on bottom. Counterweight is standard. Includes pencil tray and divider plate. One key locks all drawers. <ul style="list-style-type: none">• 9PDP30RFSCW top file drawer is on the Right• 9PDP30LFSCW top file drawer is on the Left (shown) | | | | | |

| | |
|--------------------------------|---|
| Required Specifications | Accessories |
| Metal Finish | Front to Back File Bars Plate Dividers |

BLOCKS FILES



Global's new **BLOCKS** filing system allows for two-sided file access which can be used in a variety of applications. BLOCKS are stackable and easy to configure. Simply choose a Lower Block and Upper Block to create a unique configuration. In conjunction with worksurfaces, Blocks creates functional and space-efficient work spaces.

A variety of drawer options are available to create a truly unique filing configuration. Lower units are offered in two and three-high fixed front units. Middle Blocks function as alignment windows in standard or binder heights. Upper Blocks are offered in one, two and three high in several configurations: receding drawers, fixed front drawers, double doors, shelves and storage cabinets. Blocks are quick and easy to set up, configure and if needed, reconfigure.



Electronic Lock (optional)



Looped full pull handles (standard)



Full extension ball bearing suspension on drawers (standard)



certified by SCS



Features and Benefits

- Provides multi-user solutions with access from either side of the files
- Standard 12" high openings
- Top of each Block has a stiffener bar
- Top corners have corner gussets for extra rigidity
- Drawer fronts feature looped full pulls
- Constructed from cold rolled steel
- Middle Blocks are open to create a pass through
- Counterweights and levelling glides are standard on Lower Blocks
- Upper Blocks always open in the opposite direction of Lower Blocks
- Optional Laminate tops available in all Global laminate finishes
- Electronic locks are available
- Available in all standard and premium file finishes
- Total cabinet height cannot exceed 6 high

GENERAL INFORMATION

- Stackable Filing System that can be easily assembled and reconfigured on site
- Provides multi-user solutions with access from two sides of files
- An assortment of cabinet openings and heights are available to create a wide variety of file configurations
- Global filing products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org
- Level 2 Certified

BUILDING THE CABINET

- Select a Lower Block
- Select an Upper Block
- Join Blocks to create a file cabinet with access from 2 sides
- Upper Block cabinet always opens in the opposite direction of the Lower Block cabinet.
- Blocks are assembled quickly and easily using 4 bolts and the Blocks supplied wrench

CONSTRUCTION

- Each Block is constructed from prime cold rolled commercial quality steel
- All Blocks are 36" wide and 18" deep. 12" high openings are standard
- All fronts have looped full pulls
- For extra strength, the top of each Upper Block has a stiffener bar
- Fixed front drawers and receding doors include stiffener bar for extra strength
- Leveling glides on Lower Blocks allow for proper leveling
- Counterweight is standard on Lower Blocks
- Total cabinet height CANNOT exceed 6 high

MODESTY PANELS

- Standard on desks, returns and bridges.
- Recessed 4" deep on 24"d desks, 5" deep on 30"d desks and 6" deep on 36"d desks.
- Flush on Freestanding Returns.
- Recessed 4" on 24" d, 5"deep on 30" d, and 6" deep on 36"d Flush and Overlapping Returns.
- Recessed 4" on 24" deep and 5" deep on 30" deep Flush and Overlapping Bridges
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of modesty panel is 17 ¾" from floor.

CONFIGURATIONS

- **F** - 12" Fixed Front Roll-out drawers
- **S** - 12" Receding Door and Fixed Shelf
- **R** - 12" Receding Door and Roll-out Shelf
- **W** - 12" Window or Binder Pass-thru
- **ND** - 12" Open Shelf
- **DD** - 12" Double Door Storage

LOCKS

- Key lock is standard on Upper and Lower Blocks
- Upper Block lock location is on lower rail and Lower Block lock location is on upper rail to meet ADA Standards

E-LOCK (OPTIONAL)

- E-Lock keyless entry system is available on Upper and Lower Blocks. **Order as EL. ADD 250.00**
- Personalized entry code set by user
- Allows for multiple entry codes to accommodate multiple users
- Online entry code registration and retrieval

OPTIONS

- Plate dividers, front to back filing bars and extra keys
- Can be keyed alike upon request.

SHIPPING

- Each Block is packaged separately and ready to configure with other Blocks

FINISHES

Standard Paint Finishes

| | | | |
|-----|-------------|-----|---------------|
| BLK | Black | BGR | Business Grey |
| CGR | Charcoal | DPT | Desert Putty |
| GRY | Grey | LGR | Light Grey |
| SGR | Storm Grey | NEV | Nevada |
| TSA | Tahiti Sand | | |

Premium Paint Finishes (extended lead time)

| | | | |
|-----|--------|-----|----------------|
| F29 | Bone | F09 | Claret |
| F23 | Cloud | DWT | Designer White |
| F33 | Ice | F30 | Ivory |
| F07 | Metro | F05 | Moss |
| F19 | Navy | F35 | Oyster |
| F32 | Stone | TU2 | Tungsten 2 |
| F28 | Willow | | |

Textured Paint Finishes














| | |
|-----|----------------|
| U04 | Black Coffee |
| T19 | Dark Chocolate |
| T20 | Cappuccino |
| J52 | Mocha |
| J23 | Vanilla |

CUSTOM PAINT FINISHES

- A 10% upcharge will be applied on quantities of 1 to 10; 11 or more are NO UPCHARGE.
- **White, Mica and Metallic finishes can be applied at 10% upcharge.**
- **ALL NONSTANDARD FINISHES MUST BE APPROVED BY GLOBAL BEFORE ANY ORDER WILL BE ACCEPTED. LONGER LEAD TIMES WILL APPLY.**

LAMINATE TOPS





- Laminate tops are available in 36" wide and 18" deep only.
- Tops are 1 1/8" thick, constructed in 45 pound density particle board covered on both sides with thermally fused laminate
- Available in all standard Global laminate finishes

UPPER BLOCKS**1 high****BU36P1R****BU36P1F****BU36P1S****BU36P1DD****BU36P1ND****2 High****BU36P2RR****BU36P2FF****BU36P2RF****BU36P2DD****BU36P2ND****3 High****BU36P3RRR****BU36P3RRF****BU36P3RFF****BU36P3DD****BU36P3ND****MIDDLE BLOCKS**

Alignment window
pass-thru unit

**BM36AW**

Binder height window
pass-thru unit

**BM36BW****LOWER BLOCKS****BL36P2FF****BL36P3FFF****LEGEND**

F - Fixed Front - Roll out drawers

R - Receding Door with Roll-out shelf

S - Receding Door with Fixed shelf








DD - Double Door Storage

ND - Open Shelf

W - Window/Binder Pass-thru

NOTE: Maximum height allowed is 6 high. Anything higher becomes unstable.

B BLOCKS FILES

| BLOCKS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-----------------|---------------|---------|-----------|------------|
|  Lower Block - Two-High | D x W x H | | | | | |
| | BL36P2FF | 18 x 36 x 28.37 | 92.5 | 142 | 12.60 | \$1002 |
| Two fixed fronts drawers. 12" openings. Side to side hanging file bars included. Lock and counterweight are standard. • <i>File cannot be used to store standard three ring binders.</i> | | | | | | |
|  Lower Block - Three-High | BL36P3FFF | 18 x 36 x 40.37 | 125 | 128 | 17.70 | \$1265 |
| | Three fixed fronts drawers. 12" openings. Side to side hanging file bars included. Lock and counterweight are standard. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
|  Middle Block | BM36AW | 18 x 36 x 12.12 | 150 | 36 | 7.50 | \$444 |
| | Alignment window pass-through. Attaches between top and bottom units. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
|  Middle Block - Binder Height | BM36BW | 18 x 36 x 14.12 | 150 | 38 | 8 | \$490 |
| | Alignment window pass-through. Attaches between top and bottom units. | | | | | |
|  Upper Block - One-High | BU36P1R | 18 x 36 x 16.12 | 100 | 62 | 7.50 | \$749 |
| | Receding door and roll-out shelf. 12" opening. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
|  Upper Block - One-High | BU36P1F | 18 x 36 x 16.12 | 125 | 57 | 7.50 | \$717 |
| | Fixed front drawer. 12" opening. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
|  Upper Block - One-High | BU36P1S | 18 x 36 x 16.12 | 125 | 59 | 7.50 | \$717 |
| | Receding door and fixed shelf. 12" opening. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |

| | | |
|--------------------------------|--------------------------------|---|
| Required Specifications | Optional Specifications | Accessories |
| Metal Finish | Electronic Lock | Front to Back File Bars Plate Dividers |

BLOCKS

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

**Upper Block - One-High**

BU36P1DD

18 x 36 x 16.12

125


54

7.50

\$432

Storage cabinet with double doors. Lock included.

- File cannot be used to store standard three ring binders.

**Upper Block - One-High**

BU36P1ND

18 x 36 x 16.12

150


36

7.50

\$351

Open shelf.

- File cannot be used to store standard three ring binders.

**Upper Block - Two-High**

BU36P2RR

18 x 36 x 28.12

100


102

12.50

\$882

Two receding doors and roll-out shelves. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit.

- File cannot be used to store standard three ring binders.

**Upper Block - Two-High**

BU36P2FF

18 x 36 x 28.12

125


91

12.50

\$831

Two fixed front drawers. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit.

- File cannot be used to store standard three ring binders.

**Upper Block - Two-High**

BU36P2RF

18 x 36 x 28.12

125


96

12.50

\$856

1 Receding door and roll-out shelf, 1 fixed front drawer. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit.

- File cannot be used to store standard three ring binders.

**Upper Block - Two-High**

BU36P2DD

18 x 36 x 28.12


125

82

12.50

\$509

Storage cabinet with double doors. Lock included.

**Upper Block - Two-High**

BU36P2ND

18 x 36 x 28.12

150

74

12.50

\$413

Two open shelves.

Required Specifications

Metal Finish





Optional Specifications

Electronic Lock

AccessoriesFront to Back File Bars
Plate Dividers

B

BLOCKS FILES

| BLOCKS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-----------------|---------------|---------|-----------|------------|
| <div></div> <div>Upper Block - Three-High</div> | | D x W x H | | | | |
| | BU36P3RRR | 18 x 36 x 40.12 | 100 | 141 | 17.60 | \$1182 |
| | Three receding doors and roll-out shelves. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
| | BU36P3RRF | 18 x 36 x 40.12 | 125 | 128 | 17.60 | \$1162 |
| | Two receding doors and roll-out shelves, 1 fixed front drawer. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | |
| <div></div> <div>Upper Block - Three-High</div> | BU36P3RFF | 18 x 36 x 40.12 | 125 | 130 | 17.60 | \$1136 |
| 1 receding door and roll-out shelves, Two fixed front drawers. 12" openings. Side to side hanging file bars included. Lock on lower rail of unit. • <i>File cannot be used to store standard three ring binders.</i> | | | | | | |
| <div></div> <div>Upper Block - Three-High</div> | BU36P3DD | 18 x 36 x 40.12 | 125 | 121 | 17.60 | \$668 |
| Storage cabinet with double doors. Lock included. | | | | | | |
| <div></div> <div>Upper Block - Three-High</div> | BU36P3ND | 18 x 36 x 40.12 | 150 | 102 | 17.60 | \$574 |
| Three open shelves. | | | | | | |

| | | |
|-------------------------|-------------------------|---|
| Required Specifications | Optional Specifications | Accessories |
| Metal Finish | Electronic Lock | Front to Back File Bars Plate Dividers |

textiles and finishes

Care and Cleaning

Textiles

Fabrics: To extend the life of your seating upholstered in fabric, regularly dust the chair to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

Leather: For regular cleaning, simply use a soft damp cloth, taking care not to soak the leather. For more thorough treatment, soak a soft cloth in mild soap solution and wipe surface in a light circular motion. Repeat with clean water. Allow to dry and polish with a soft dry cloth. Do not use detergents, aerosol sprays or other polishes.

Hard Surfaces

Wood Veneer Finishes: Waxing or polishing catalyzed finishes is not recommended because this will give a greasy, cloudy or uneven appearance to the product and could void your warranty. Global's conversion varnish is best cleaned by wiping the surface with a damp cloth, followed by a soft dry cloth in the direction of the grain. If the surfaces are heavily soiled, a gentle product like "Windex" can be used, following the same instructions as above.

Laminate & Painted Metal Finishes: Using a soft cloth, simply wipe the surface with a mild soap solution or glass cleaner. Always use a dry cloth and circular motion to prevent streaks.

-
- **Water-Based Cleaner:** Spot clean, using the foam only from a water-based cleaning agent, such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest small area before proceeding.
 - **Solvent Cleaner:** Spot clean, using a mild water-free solvent or dry cleaning product. Clean only in a well-ventilated room and avoid any product containing carbon tetrachloride or other toxic materials. Pretest a small area before proceeding.
 - **Water/Solvent Cleaner:** Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
 - **Vacuum Only:** Clean this fabric only by vacuuming or light brushing to prevent accumulation of dust and grime. Water-based foam cleaning agents of any kind may cause excessive shrinking, staining, or distortion of the surface pile and therefore, should not be used.
 - **Crypton Cleaning:** Generally stains are removed with plain water and powdered enzyme detergent. Upholstery foam shampoo, water-based cleaning products and germicidal detergents can be used. Be sure to remove all residue from cleaning products with clean water. Do not use solvent-based cleaners or dry cleaning products.
 - These recommendations and codes were developed by fabric specialists. However, because of the various ways fabric can be stained or damaged, there is no guarantee that the results will be completely successful. Use suggested methods on your own responsibility. To help prevent overall soil, frequent vacuuming or light brushing to remove dust and grime is recommended. Use professional furniture cleaning service when overall soiled condition has been reached.

TEXTILES & FINISHES

Textile Price Grades - Global Textiles

| | |
|----------|---|
| Grade 1 | Drama, Hudson, Jenny, Mock Leather, Pebbles, Quilt, Sprinkle, Station, Terrace, Urban, Waterfall |
| Grade 2 | Allante, Couture, Crescent, Cumulus, Imprint, Match, Oxygen, Quantum, Renewal, Replay, Silhouette |
| Grade 4 | Non standard GLOBAL textiles |
| Grade 5 | Leather/Mock Leather combination |
| Grade 6 | Non standard GLOBAL textiles |
| Grade 7 | Non standard GLOBAL textiles |
| Grade 8 | Genuine Leather, Non standard GLOBAL textiles |
| Grade 9 | Non standard GLOBAL textiles |
| Grade 11 | Non standard GLOBAL textiles |
| Grade 10 | Non standard GLOBAL textiles |
| Grade 12 | Non standard GLOBAL textiles |

Please refer to individual seating series for availability of a particular textile.

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI, Luum Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

Blend Seating Textiles

The grid below outlines the grade structure for using multiple textiles on select seating series. Blended textiles occur when one textile is chosen for one part of the chair and a different textile is selected for another part of the chair, resulting in a revised blended grade. For opportunities regarding more than two different textiles, please contact Global CustomerCare for approval process and grading.

FIRST TEXTILE SELECTED

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
|-------------------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| SECOND TEXTILE SELECTED | 1 | 1 | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | | | | | | | | | | | | | | | | |
| | 3 | 3 | 3 | 3 | | | | | | | | | | | | | | | |
| | 4 | 3 | 4 | 4 | 4 | | | | | | | | | | | | | | |
| | 5 | 4 | 4 | 5 | 5 | 5 | | | | | | | | | | | | | |
| | 6 | 5 | 5 | 5 | 6 | 6 | 6 | | | | | | | | | | | | |
| | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | | | | | | | | | | | |
| | 8 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | | | | | | | | | | |
| | 9 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | | | | | | | | | |
| | 10 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 10 | 10 | 10 | | | | | | | | |
| | 11 | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 11 | 11 | 11 | | | | | | | |
| | 12 | 10 | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 12 | 12 | 12 | | | | | | |
| | 13 | 11 | 11 | 11 | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 13 | 13 | 13 | | | | | |
| | 14 | 11 | 12 | 12 | 12 | 12 | 12 | 12 | 13 | 13 | 13 | 13 | 14 | 14 | 14 | | | | |
| | 15 | 12 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 14 | 14 | 14 | 14 | 15 | 15 | 15 | | | |
| | 16 | 13 | 13 | 13 | 14 | 14 | 14 | 14 | 14 | 14 | 15 | 15 | 15 | 15 | 16 | 16 | 16 | | |
| | 17 | 14 | 14 | 14 | 14 | 15 | 15 | 15 | 15 | 15 | 15 | 16 | 16 | 16 | 16 | 17 | 17 | 17 | |
| | 18 | 15 | 15 | 15 | 15 | 15 | 16 | 16 | 16 | 16 | 16 | 16 | 17 | 17 | 17 | 17 | 18 | 18 | 18 |

Textile and Color Listings

Grade 1

Drama 65% Olefin / 35% Polyester

| | | | | | | |
|-----------------|------------|----------------|------------|---------------|-----------|------------|
| D801 Grey | D802 Dusk | D803 Navy Blue | D804 Black | D805 Burgundy | D806 Sage | D807 Beige |
| D808 Denim Blue | D809 Wheat | D810 Tan | | | | |

Hudson 100% Post-Consumer Recycled Polyester

| | | | | | | |
|---------------|------------|-------------|---------------|-------------|---------------|-----------|
| HD02 Cordovan | HD03 Ruby | HD04 Orange | HD05 Wheat | HD06 Meadow | HD07 Coffee | HD08 Grey |
| HD09 Mocha | HD10 Thyme | HD11 Carbon | HD12 Midnight | HD13 Ocean | HD14 Cerulean | |

Jenny 100% Polyester

| | | | | | | |
|--------------|-------------|---------------|-------------|-------------|-----------|----------------|
| JN01 Midnite | JN02 Ebony | JN03 Slate | JN04 Russet | JN05 Canyon | JN06 Teal | JN07 Vermilion |
| JN08 Admiral | JN09 Spruce | JN11 Charcoal | | | | |

Mock Leather 100% Polyvinyl Chloride

| | | | | | | |
|------------|-------------|--------------|-----------|--------------|------------|----------|
| 550 Black | 559 Chamois | 570 Surf | 571 Latte | 572 Melon | 573 Delta | 576 Jade |
| 574 Bronze | 575 Rouge | 577 Graphite | 578 Chaps | 579 Cabernet | 591 Alpine | |

Pebbles 100% Polypropylene

| | | | | | | |
|------------|--------------|---------------|------------|-------------|-------------|---------------|
| PB01 Clay | PB02 Fawn | PB03 Sea Side | PB04 Stone | PB05 Marine | PB06 Atrium | PB07 Rhapsody |
| PB08 Ocean | PB09 Asphalt | | | | | |

Quilt 100% Polyester

| | | | | | | |
|------------|--------------------|-------------|------------|-----------|-------------|-----------|
| QL10 Black | QL11 Charcoal Grey | QL12 Violet | QL13 Poppy | QL14 Navy | QL15 Marine | QL16 Wine |
| QL17 Mint | QL18 Forrest | QL19 Silver | | | | |

Sprinkle 68% Olefin / 32% Polyester

| | | | | | | |
|---------------|------------|---------------|-------------|---------------|-----------|------------|
| S101 Cabernet | S102 Plum | S103 Barley | S104 Copper | S106 Sapphire | S107 Jade | S108 Stone |
| S109 Cobalt | S110 Black | S111 Graphite | | | | |

Station 61% Recycled Polyester / 39% Polypropylene

| | | | | | | |
|------------------|----------------------|-----------------|---------------|------------|---------------------|-------------|
| SN81 Green Olive | SN82 Sterling Silver | SN83 New Silver | SN84 Wheat | SN85 Sand | SN86 Sapphire | SN87 Tomato |
| SN88 Copper | SN89 Marine | SN90 Night Time | SN91 Charcoal | SN92 Taupe | SN93 Milk Chocolate | |

Terrace 70% Virgin Polyester / 30% Post-Consumer Recycled Polyester

| | | | | | | |
|------------|----------------|---------------|------------------|---------------------|----------------|------------|
| TC60 Lotus | TC61 Tigerlily | TC62 Shadow | TC63 Cobble | TC64 Cherry Blossom | TC65 Bluebell | TC66 Apple |
| TC67 Haze | TC68 Cerise | TC69 Twilight | TC70 Wintergreen | TC71 Ironwork | TC72 Pine Cone | TC73 Flirt |
| TC74 Echo | | | | | | |

Urban 62% Recycled Polyester / 32% Polyester

| | | | | | | |
|---------------|------------------|-----------------|-------------------|------------------|-----------------|----------------|
| UR10 Red Rose | UR11 Ocean Blue | UR12 Blue Bayou | UR13 Green Grass | UR14 Sandcastle | UR15 Beach Day | UR16 Boardwalk |
| UR17 Earth | UR18 Brown Ridge | UR19 White Sand | UR20 Granite Rock | UR21 Gravel Road | UR22 Black Coal | |

Waterfall 60% Virgin Polyester / 40% Post-Consumer Recycled Polyester

| | | | | | | |
|-------------|------------|------------------|---------------|--------------|---------------|-----------------|
| WA40 Trance | WA41 Tryst | WA42 Splash | WA43 Victoria | WA44 Imagine | WA45 Sky | WA46 Rainforest |
| WA47 Rumble | WA48 Prism | WA49 Tranquility | WA50 Grand | WA51 Rushing | WA52 Magestic | WA53 Pacific |
| WA54 Dance | | | | | | |

Grade 2

Crescent 100% Nylon with Teflon Designed to color coordinate with Renewal and Quantum fabrics.

| | | | | | | |
|-----------|-----------|-----------------|-----------------|-----------|------------|----------|
| 700 Cocoa | 701 Pear | 702 Silver | 703 Oatmeal | 704 Lemon | 705 Flame | 706 Stem |
| 709 Ruby | 789 Raven | 790 Cobalt Blue | 792 Cinder Grey | 799 Pine | 800 Arctic | |

Cumulus 60% Recycled Polyester / 40% Rayon with Teflon Designed to color coordinate with Oxygen and Silhouette fabrics.

| | | | | | | |
|---------------|--------------|-------------|----------------|-------------|------------|------------|
| CU80 Cinnamon | CU81 Sepia | CU82 Ginger | CU83 Steamboat | CU84 Coffee | CU85 Flora | CU86 Raven |
| CU87 Cyan | CU88 Foliage | CU89 Port | | | | |

Imprint 100% Post-Consumer Polyester

| | | | | | | |
|---------------|----------------|--------------|-------------|------------------|---------------|------------|
| IM70 Almond | IM71 Cork | IM72 Sand | IM73 Currie | IM74 Candy Apple | IM75 Ocean | IM76 Navy |
| IM78 Celery | IM77 Green Tea | IM79 Oregano | IM80 Walnut | IM81 Paprika | IM82 Graphite | IM83 Slate |
| IM84 Licorice | | | | | | |

Match 100% Recyled Polyester

| | | | | | | |
|-------------|----------------|---------------|-------------|-------------|------------|-------------|
| MT20 Desert | MT21 Sand | MT22 Moss | MT23 Orange | MT24 Sunset | MT25 Blue | MT26 Wave |
| MT27 Green | MT28 Chocolate | MT29 Burgundy | MT30 Grey | MT31 Quarry | MT32 Black | MT33 Arctic |

TEXTILES & FINISHES

Grade 2 (continued)

Oxygen 60% Recycled Polyester / 40% Rayon with Teflon Designed to color coordinate with Cumulus and Silhouette fabrics.

| | | | | | | |
|---------------|------------|------------|-----------|------------|---------------|-----------|
| OX01 Cabernet | OX02 Lime | OX03 Verde | OX04 Navy | OX05 Royal | OX06 Chestnut | OX07 Wine |
| OX08 Nutmeg | OX09 Sable | OX10 Nero | | | | |

Quantum 60% Recycled Polyester / 40% Rayon with Teflon Designed to color coordinate with Crescent and Renewal fabrics.

| | | | | | | |
|----------------|-------------|--------------|-----------------|--------------|-----------------|-------------|
| QU20 Cinder | QU21 Copper | QU22 Carmel | QU23 Cantaloupe | QU24 Paprika | QU25 Blue Haven | QU26 Forest |
| QU27 Raspberry | QU28 Azure | QU29 Marbles | | | | |

Renewal 70% Nylon / 30% Recycled Polyester with Teflon Designed to color coordinate with Crescent and Quantum fabrics.

| | | | | | | |
|-------------|----------------|--------------------|-------------------|-------------------|-----------------|-----------|
| RN30 Pewter | RN31 Cork | RN32 Cherry Fields | RN33 Volcanic Ash | RN34 Thunderstorm | RN36 Blue Grass | RN38 Leaf |
| RN39 Melon | RN40 Blueberry | RN41 Blue Bayou | RN44 Tomato | RN45 Amethyst | RN47 Ochre | |

Replay 100% Post-Consumer Recycled Polyester

| | | | | | | |
|------------|----------------|--------------|-------------|---------------------|------------|----------------|
| RP20 Taupe | RP21 Caramel | RP22 Paprika | RP23 Wine | RP24 Ocean | RP25 Navy | RP26 Pistachio |
| RP27 Moss | RP28 Turquoise | RP29 Teal | RP30 Autumn | RP31 Dark Chocolate | RP32 Slate | RP33 Dove |
| RP34 Coal | | | | | | |

Silhouette 100% Nylon with Teflon Designed to color coordinate with Cumulus and Oxygen fabrics.

| | | | | | | |
|--------------|-------------|---------------|-------------|--------------|---------------|------------|
| SL20 Asphalt | SL21 Acorn | SL22 Indigo | SL23 Shiraz | SL24 Verdant | SL25 Bronze | SL26 Camel |
| SL27 Jade | SL28 Sienna | SL30 Charcoal | SL32 Claret | SL35 Hunter | SL36 Sapphire | |

Grade 2 (Vinyl) For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante 100% Vinyl Face / 100% Polyester Backing

| | | | | | | |
|-------------------|-----------------------|----------------------|----------------------|---------------|---------------------|------------------|
| A01E Cadet | A02E Light Neutral | A03E Charcoal | A11E Regimental Blue | A13E Galaxy | A17E Burgundy | A18E Wine |
| A19E Nu-Red | A21E Elephant | A22E Cinnamon | A23E Beach Wood | A24E Teak | A25E Light Sand | A26E Cream |
| A27E Medium Beige | A29E Light Sandlewood | A31E Light Parchment | A32E Sea Oyster | A33E Espresso | A35E Medium Neutral | A36E Nu-Antelope |
| A38E Dark Pewter | A40E Nu-Shale | A41E Grey | A42E Bisque | A43E Black | A44E Ash | A45E Medium Grey |
| A46E Pearl Grey | A48E White | A49E Tundra | A50E Harvest | A51E Magnolia | A52E River Blue | A53E Meadow |
| A54E Hideaway | A55E Sea Cruise | A56E Reef | A57E Parrot | A58E Khaki | A50E Tumbleweed | A60E Cayenne |
| A61E Butterscotch | A62E Twine | A63E Mango | | | | |

Grade 2 (Recycled)

Couture 100% Post-Consumer Polyester

| | | | | | | |
|----------------|------------|------------|----------------|---------------|---------------|-----------|
| CE70 Champagne | CE71 Mocha | CE72 Pecan | CE73 Raspberry | CE74 Sapphire | CE75 Neptune | CE76 Lake |
| CE77 Willow | CE78 Sassy | CE79 Fudge | CE80 Persimmon | CE81 Carbon | CE82 Sterling | CE83 Peat |

Grade 5

Genuine Leather/Mock Leather combinations 100% Leather / 100% Polyvinyl Chloride

| | | | | | | |
|---------------|-----------------|------------------|---------------|------------------|----------------|----------------|
| 450/550 Black | 459/559 Chamois | 470/570 Surf | 471/571 Latte | 472/572 Melon | 473/573 Delta | 474/574 Bronze |
| 475/575 Rouge | 476/576 Jade | 477/577 Graphite | 478/578 Chaps | 479/579 Cabernet | 491/591 Alpine | |

Grade 8

Genuine Leather 100% Leather

| | | | | | | |
|-----------|-------------|--------------|-----------|--------------|------------|------------|
| 450 Black | 459 Chamois | 470 Surf | 471 Latte | 472 Melon | 473 Delta | 474 Bronze |
| 475 Rouge | 476 Jade | 477 Graphite | 478 Chaps | 479 Cabernet | 491 Alpine | |

Panel Fabrics

Grade 1

Agate II 100% Polypropylene

AG21 Bamboo AG22 Linen AG24 Slate AG25 Grey AG27 Mauve

Grade 2

Lola 100% Polyester Designed to color coordinate with Brinx and Mariposa panel fabrics.

LL11 Medium Taupe LL12 Caramel Cream LL13 Straw LL14 Blue Mist LL15 Zucchini LL16 Natural LL17 Cafe Au Lait
LL18 Mortar LL19 Black

Grade 3

Brinx 100% Polyester Designed to color coordinate with Lola and Mariposa panel fabrics.

BX01 Taupe BX02 Caramel BX03 Green Apple BX04 Brick BX05 Blue Steel BX06 Bisque BX07 Hot Chocolate
BX08 Golden

Mariposa 100% Polyester Designed to color coordinate with Lola and Brinx panel fabrics.

MA41 Mocha MA42 Blue Ocean MA43 Claypot MA44 Champagne MA45 Granny Smith MA46 Butterscotch MA47 Mixed Taupe MA48 Wheat

Grade 4

Accent 100% Polyester *Fabric Grades are different when used on eO+ and GPS II panels. Please refer to 2017 Desking list price book for details.*

GC31 Sand Dune GC32 Limestone GC33 Silver Mint GC34 Skyway GC35 Warm Beige GC36 Mid-Grey GC37 Green Olive
GC38 Cloud Blue GC39 Desert Cactus GC40 Cinder Block GC41 Sage Brush GC42 Brickworks

Finishes

Seating Finishes - Metal: *Please consult each Seating Series for finish availability.*

Black (BK) Charcoal Grey (CHR) Chorme (CH) Fog (FG) Polished Aluminum (ALU) Tungsten (TUN)

Seating Finishes - Plastic *(Duet, Popcorn, and Sonic)*

Asphalt Night (BLK) Caribbean Surf (CRS) Coffee Bean (CFB) Daffodil Day (DFD) Ivory Clouds (IVC) Latte Beige (LAB) Lip Smacker (LPS)
Platinum (PLT) Sea Glass (SEG) Tiger Orange (TIO)

Seating Finishes - Wood *Seating finishes will not necessarily match Casegoods finishes. This is due to the fact that Seating and Casegoods finishes use different wood species and are manufactured at multiple locations.*

Absolute (AAM) Black (BKM) Cherry (ACM) Espresso Cafe (ECM) English Oak (EOM) Fruitwood (TFM) Gray (HGM)
Honey (AHM) Mahogany (TMM) Maple (AVM) Medium Walnut (MWM) Night (ASM) Shaker Cherry (SKM) Walnut (TWM)
WC Cream (WTM) White (WHM) Winter Cherry (WCM)

Desks, Workstations, Tables and Accessories - Laminate

Absolute Acajou (ACJ) Asian Night (ASN) Avant Cherry (AWC) Avant Honey (AWH) Black (BLK) Brushed Cobalt (BRC) Constellation Java (CSJ)
Dark Espresso (DES) Grey (GRY) Hayden Grey (HGT) Quartered Mahogany (QTM) Shaker Cherry (SKC) Storm Grey (SOG) Tiger Fruitwood (TFW)
Tiger Mahogany (TMA) Tiger Maple (TMP) Tiger Walnut (TWL) White (WHT) White Chocolate (WHC) Willow Grey (WGY) Winter Cherry (WCR)

Desks, Workstations, Tables and Accessories - Veneer Wood

Almond Cherry (AMW) Caramel Bamboo (BAMC) Cocoa Walnut (CAW) Coral (CRW) Dark Cherry (DCW) Espresso Walnut (EWW) Evening Oak (EVW)
Grey on Oak (GRW) Hazelnut (HAW) Honey Maple (SMW) Java (JAW) Latte Walnut (LTW) Milestone (MTW) Mocha (MCW)
Natural Maple (MPW) Red Cherry (RCW) Vintage Cherry (VNW) Walnut (WLW) Warm Cherry (WCW) White Maple (WMW)

File Finishes - Standard

Black (BLK) Business Grey (BGR) Charcoal Grey (CGR) Desert Putty (DPT) Grey (GRY) Light Grey (LGR) Nevada (NEV)
Storm Grey (SGR) Tahiti Sand (TSA)

File Finishes - Premium

Bone (F29) Claret (F09) Cloud (F23) Designer White (DWT) Ice (F33) Ivory (F30) Metro (F07)
Moss (F05) Navy (F19) Oyster (F35) Stone (F32) Tungsten 2 (TU2) Willow (F28)

File Finishes - Textured

Black Coffee (U04) Dark Chocolate (T19) Cappuccino (T20) Mocha (J52) Vanilla (J23)

TEXTILES & FINISHES - LAMINATE FINISH CHART

| FINISH CODE: | ACJ | ASN | AWC | AWH | BLK | BRC | CSJ | DES | GRY | HGT | QTM | SKC | SOG | TFW | TMA | TMP | TWL |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| LAMINATE DESKING | | | | | | | | | | | | | | | | | |
| Adaptabilities | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Correlation | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Genoa | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • |
| Halton | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Princeton | • | • | • | • | | | | • | | | | • | | | • | • | • |
| Zira | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| METAL DESKING | | | | | | | | | | | | | | | | | |
| StreamLINE | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BENCHING | | | | | | | | | | | | | | | | | |
| BRIDGES II - Tops | • | • | • | • | •* | •* | • | • | | •* | | • | •* | • | | • | • |
| BRIDGES II - Chassis/Accents (screens, modesty panels) | • | • | • | • | •* | •* | • | • | | •* | | • | •* | • | | • | • |
| PANELS + COMPONENTS | | | | | | | | | | | | | | | | | |
| Divide | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| e0+ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| GPS II | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| TABLES - MEETING & CONFERENCE | | | | | | | | | | | | | | | | | |
| Alba | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Boardroom | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Bungee | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Connectables | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Junction | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Nutcracker | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| Zira Boardroom | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| TABLES - RECEPTION & OCCASIONAL | | | | | | | | | | | | | | | | | |
| Citi | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Folding Tables | | | | | | | | | • | | | | | | | | |
| Laminate Occasional Tables | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Reception Tables | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Rectangular Work Tables | | | | • | | | | | • | | | | | | | | • |
| Sirena Tables | • | • | • | • | | | | • | | • | | • | | | • | • | • |
| Wind Tables | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| PRODUCTIVITY SOLUTIONS | | | | | | | | | | | | | | | | | |
| Monoleg Height Adjustable Tables | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Foli Height Adjustable Tables | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • |
| FILING + STORAGE | | | | | | | | | | | | | | | | | |
| Lateral File Tops | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| WOOD VENEER DESKING | | | | | | | | | | | | | | | | | |
| DUFFERIN - Laminate Chassis | | | | | • | | | | | • | | | • | | | | |

* Bridges II finishes coordinate with metal paint finishes as follows: Black (BLK) - Black Paint (BLK); Brushed Cobalt (BRC) - Tungsten Paint (TUN); Hayden Grey (HGT) - Taupe Paint (TPE); Storm Grey (SOG) - Charcoal Paint (CHC); Silver Paint (SIL); String (STG) - Nevada Paint (NEV)

** Designer White (DWT) laminate is ONLY available on Bridges II in lieu of White (WHT) laminate. Finishes coordinate closely but are not an exact match.

*** River Cherry (RCL) laminate is ONLY available on Bridges II Chassis/Accents (Chassis, Screens, Modesty Panels, etc.). This finish is meant to coordinate closely when utilizing Winter Cherry (WCR) tops.

| WHT | WHC | WGY | WCR | CGY | RCL | STG | LIGHT OAK | WALNUT |
|-----|-----|-----|-----|-----|------|-----|--------------|--------|
| | | | | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| •** | • | • | • | •* | | •* | | |
| •** | • | • | • | •* | •*** | •* | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | • | • |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | • | • | • | | | | | |
| | | | | | | | | |
| • | | | | • | | • | | |

HR); White (Designer White on Bridges II - DWT) - Designer White Paint (DWT); Custom Grey (CGY) -



LEVEL 3 CERTIFIED
Many programs in various categories



LEED PARTNERSHIP PROGRAM
Products can help you earn credits



GREENGUARD CERTIFIED
Children & Schools Certified

THE ENVIRONMENT We believe now more than ever, that it is our responsibility to protect the environment and our precious natural resources for future generations. The growing importance of energy and environmental concerns continues to challenge us in this ever changing marketplace.

As an industry leader, Global continues to take proactive steps towards reducing the negative impacts on the environment. We are building "healthier" offices; investing in Research & Development and new technologies; reducing waste and the consumption of energy; and improving the quality of the air we breathe, all which can have a significant impact on our quality of life.



Global has the products and resources to help your projects achieve LEED certification.



New technology allows us to reduce glue usage by 50%. In addition, our polyurethane glue reduces emissions and requires less energy to apply.



Epoxy Powder coating process is solvent free. No harmful VOC's or lead. No toxins are released into the atmosphere.



Global's recycled fabrics offer affordable, environmentally responsible alternatives to commercial textiles. We recycle 35,000 lbs of fabric offcuts weekly.

powder paint process:
98% paint recovery and reuse

more recycled fabric
less to the landfill


talk to us about our
leed partnership program

we've diverted
90% of our wood waste from landfill in four years

For further information on Global's environmental initiatives, please visit <https://www.globalfurnituregroup.com/us/company/environmental-commitment>

CUSTOM GROMMET LOCATION FORM

Model # _____ (Please use one page for each model #)





Operator Side

Template for Tops

X = _____

Y = _____




Template for Modesty Panels

X = _____

Y = _____

Note: X = Taken from outmost edge


Note: Y = Taken from underside of top



Template for Legs

XR = _____

YR = _____



This form is to be used for non-standard cutouts.


CUSTOMER SPECIFIED CUTOUTS - ZIRA Boardroom Tables Only (96" Table)

Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

- ☐ Position 1 (Over Left Base – Always 24.6" to Center Point of Cutout from Left Edge) (Use Option Code CCU1)
- ☐ Position 2 (Center of Table) (Use Option Code CCU2)
- ☐ Position 3 (Over Right Base – Always 24.6" to Center Point of Cutout from Right Edge) (Use Option Code CCU3)
- ☐ Custom Position(s) – Please Indicate on diagram below with dimensions to **Center Point** of cutouts (Use Option Code CCUS)



CUTOUT DIMENSIONS


All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

Electrical components that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

This form is to be used for non-standard cutouts.

CUSTOMER SPECIFIED CUTOUTS - ZIRA Boardroom Tables Only (120" - 168" Table)


Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

- ☐ Position 1 (Over Left Base – Always 25.2" to Center Point of Cutout from Left Edge) (Use Option Code CCU1)
- ☐ Position 2 (Center of Table) (Use Option Code CCU2)
- ☐ Position 3 (Over Right Base – Always 25.2" to Center Point of Cutout from Right Edge) (Use Option Code CCU3)
- ☐ Custom Position(s) – Please Indicate on diagram below with dimensions to **Center Point** of cutouts (Use Option Code CCUS)

Width



Depth

CUTOUT DIMENSIONS


All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

Electrical components that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

This form is to be used for non-standard cutouts.


CUSTOMER SPECIFIED CUTOUTS - ZIRA Boardroom Tables Only (192" - 288" Table)

Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

- ☐ Position 1 (Over Left Base – Always 25.2" to Center Point of Cutout from Left Edge) (Use Option Code CCU1)
- ☐ Position 2 (Center of Table) (Use Option Code CCU2)
- ☐ Position 3 (Over Right Base – Always 25.2" to Center Point of Cutout from Right Edge) (Use Option Code CCU3)
- ☐ Custom Position(s) – Please Indicate on diagram below with dimensions to **Center Point** of cutouts (Use Option Code CCUS)



CUTOUT DIMENSIONS


All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

Electrical components that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

This form is to be used for non-standard cutouts.


CUSTOMER SPECIFIED CUTOUTS - ZIRA Boardroom Tables Only (Square Tables)

Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

☐ Position 2 (Center of Table)
(Use Option Code CCU2)



CUTOUT DIMENSIONS


All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

Electrical components that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

This form is to be used for non-standard cutouts.


CUSTOMER SPECIFIED CUTOUTS - ZIRA Media Tables Only

Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

- ☐ Position 1 (Over Left Base – Always 24.6" to Center Point of Cutout from Left Edge) (Use Option Code CCU1)
- ☐ Custom Position(s) – Please Indicate on diagram below with dimensions to **Center Point** of cutouts (Use Option Code CCUS)



CUTOUT DIMENSIONS


All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

Electrical components that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

This form is to be used for non-standard cutouts.

CUSTOMER SPECIFIED CUTOUTS - ZIRA Collaborative Tables Only


Model # _____ (Please use one page for each model #)

Please check all that apply

CUTOUT POSITION(S)

- ☐ Position 1 – Always 24.6” to Center Point of Cutout from Left Edge) (Use Option Code CCU1)
- ☐ Position 2 (Center of Table) (Use Option Code CCU2)
- ☐ Position 3 – Always 24.6” to Center Point of Cutout from Right Edge) (Use Option Code CCU3)
- ☐ Custom Position(s) – Please Indicate on diagram below with dimensions to **Center Point** of cutouts (Use Option Code CCUS)

Width



Depth


CUTOUT DIMENSIONS

All cutouts require a minimum 8mm radius at each corner.

Cutouts must be centered on the depth of each table due to wire management runners below the worksurface.

_____ X Dimensions of cutout run the width of the table.

_____ Y Dimensions of cutout run the depth of the table.



Dealer PO# _____

Global Order# _____

Internal Use Only

Global Trailer/Load #: L _____ ID #: _____

TERMS & CONDITIONS

This illustrated price list has been designed to facilitate fast reference and easy use. All products are categorized into "seating", "desks", "files", "panels", "tables" and "modular furniture", and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global-The Total Office ("Global") products are made only on Global's standard terms and conditions of sale which are contained in this Price Book. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Global's authorized personnel at its head office in Marlton, NJ. Any term or condition contained in any purchase order or other form used by dealer/purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global's standard terms and conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. Global reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Description

Each product shown or described in this price list is standard Global product. Variations are noted at the beginning of each series. Any variations from what is standard may require additional delivery time and cost and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this book, as well as those quoted by Global, are in United States dollars for orders shipped to destinations in the U.S. and Mexico.

If shipping date requested is more than 90 days from date of order, Global shall have the right to use published list prices effective at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice (1% 15 days) unless otherwise stated. The customer agrees that Global shall have the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If dealer/purchaser's most recent annual net volume is less than \$5,000.00, payment must be made in advance.

Any products sold by Global shall remain the personal property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep dealer/purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this book are exclusive of sales, use, excise and other applicable taxes and are the dealer/purchaser's responsibility as per the invoice issued by Global. If dealer/purchaser claims an exemption from such taxes, it shall be the dealer/purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

Ordering Information

To avoid errors and/or duplication Global requires that all orders be submitted in writing. All orders submitted to Global in writing will be acknowledged on Global's acknowledgement forms governing the transaction. The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the dealer/purchaser's responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the dealer/purchaser must notify Global immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.

When ordering, please provide the following information:

- 1) Account number (if possible)
- 2) P.O. number
- 3) "Bill to" and "ship to" name and address
- 4) Complete model number
- 5) Description
- 6) Options:
 - a. Upholstery fabric type and color (specify by name and number)
 - b. Color of paint finish, laminate or wood (if applicable)
 - c. Trim options (frame)
 - d. Arms
 - e. Base, Casters
 - f. Mechanism
 - g. Accessories

Dealer/purchaser is responsible for providing correct information when placing an order. Orders with incorrect information (finish, etc.) will be scheduled for manufacturing upon receipt of complete information.

All phone orders must be confirmed in writing by the customer within 7 days.

To prevent a delay in processing orders, please specify delivery routing.

Changes and Cancellations

After the date of Global's acknowledgment of a dealer/purchaser's order, the order may not be changed or cancelled by dealer/purchaser without the written consent of Global. Special order items, C.O.M. and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Errors and Omissions

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

FINISHES

Seating Finishes

Where painted frames are not a standard color, there is a one time charge of \$578.00 list price per-order for custom wood staining/color matching. Restrictions may apply. The customer must provide a 3" x 3" color chip/sample. Non-standard finishes must be approved by Global prior to acceptance of order.

File Finishes

All non-standard finishes must be approved by Global prior to acceptance of order and may be subject to an upcharge.

Laminated Tops - Pricing for all non-standard finishes and sizes must be provided by Global Customer Service and may be subject to an upcharge.

Desk Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible.

Global has launched a finishes program between marketing companies within the Global Group to match products as best as possible when same finishes are specified.

C.O.M. (Customers Own Material)

Use of Customer's Own Material must be approved by Global prior to acceptance of order. Please refer to page 348 of the Price Book and fill out the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" fabric sample and advise how the fabric is to be applied. **Fabric yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching.** Yardage shown in the List Price Book does not allow for pattern repeat/matching. Send to the address provided on shipping document upon approval from Global. If C.O.M. is difficult to apply or if product shall be modified, extra charges shall be made. Global reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's Own Material must be shipped freight and duties paid to our factory. Such shipment must be fully identified with purchaser's order number, RGA # provided by Global, and the item for which material is intended. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser. Global's standard product warranty shall not apply to C.O.M. Use of C.O.M. will not reduce the published list price.

Textile Grading

All products are priced according to their standard fabric and fabric grade. Lower grade fabrics are available (unless otherwise specified) at same price as standard.

The listing of prices for each model indicates the prices for higher upholstery grades. Prices are based on yardage in imperial measurements.

TEXTILE PRICE GRADES - GLOBAL TEXTILES

| Grade | Upholstery (Seating Fabrics) |
|-------|--|
| 1 | Drama, Hudson, Jenny, Mock Leather, Pebbles, Quilt, Sprinkle, Station, Terrace, Urban, Waterfall |
| 2 | Allante, Crescent, Cumulus, Imprint, Match, Oxygen, Quantum, Renewal, Replay, Silhouette |
| 3 | Couture |
| 5 | Leather/Mock Leather Combination |
| 8 | Genuine Leather |

Grade Upholstery (Panel Fabrics)

| | |
|---|-------------------------|
| 1 | Agate II |
| 2 | Coordinate, Lola |
| 3 | Accent, Brinx, Mariposa |

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI, Lummi Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

Upholstery Coverings

Slight variations in color may occur between dye lots. Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Yardage

Required yardage (ydg) is based on unmatched materials with widths of 54" for seating, 63" for GPS panels. Yardage calculations are based on imperial measurements.

Arms

A wide selection of arms are available for some series. See Arm Charts for details.

Delays

Global's shipping confirmation will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of the company, whether of the class of causes enumerated or otherwise.

F.O.B.

F.O.B. point is Global's Factory, Downsview, Ontario, Canada, or any Global Regional Distribution Center.

UPS Shipments

Seating products marked with a UPS symbol are packaged for UPS-able shipments.

Handling

A \$25. net handling charge per shipment will be applied for non UPS-able orders of less than \$2000. list.

Special Delivery Requirements

Global's delivered pricing provides for dock delivery during normal business hours (considered to be 8 am to 4 pm Monday through Friday) to customer/end user only. Additional delivery requirements such as inside delivery, lift gate, limited access sites, installations and weekend deliveries will incur an additional expense and will be the responsibility of the dealer.

Service

Service requests are normally the responsibility of Global's authorized dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department in the nearest distribution center.

Returns

No returns of goods will be accepted without written consent and shipping instruction of Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This

may increase depending on the type of product. Global's Return Goods Authorization (R.G.A.) numbers must appear prominently on all authorized returns. Global will not be responsible for freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and C.O.M. products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Claims

All goods are sold F.O.B. plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the dealer/purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the dealer/purchaser, in writing, within 15 working days after any delivery. Failure by the dealer/purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Suspension

In the event that the dealer/purchaser defaults in the payment of any sum due to Global, or in the event the dealer/purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the dealer/purchaser provides assurance of payment to Global.

Copyright

All catalogs, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

Trademarks

All trademarks are owned by Global Total Office other than OBUSFORME™ which is owned by OBUSFORME LTD. and are used under license. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD.

Designs and Patents

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

Cubic Measure

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton and is subject to change without notice. It is most economical to purchase the specified number per carton.

Combined Shipments

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such request is not complied with.

Offer of Sale

Possession of this price list or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current printed price lists, then the most current shall prevail.

Disclaimer

All dimensions are in inches. Prices shown are current manufacturer's suggested list prices at the time of printing. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

Flammability

The foam used in Global chairs meets the requirements of California TB117. In addition, a number of Global seating models can be certified to California TB133. This available certification can be done when selected seating models are upholstered in specific fabrics. The list of certifiable seating models and available fabrics changes from time to time. Please contact Customer Service for a list of certifiable models and upholstery materials.

Special CAL 133 Upcharges

All plastic series/models within the Duet, Popcorn, and Sonic series do not have an upcharge (\$0). All Vion models with mesh backs require a \$150 list upcharge. All Softcurve models require a \$209 list upcharge. Please see Chart below for additional upcharges on products that can be certified to California TB133.

This list price book is effective as of January 1st, 2017.

For periodic updates, please check the PDF at www.globalfurnituregroup.com. After login, select INFORMATION, then GLOBAL, and then PRICE BOOK/PRICING. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser.

CAL 133 UPCHARGES

| PRODUCT CATEGORY | SERIES | FABRIC | VINYL | LEATHER |
|--|------------|--------|-------|---------|
| Plastic Stacking/Nesting w/ Upholstered Pad(s) | All Series | \$74 | \$74 | \$74 |
| Guest, Task, Management, Conference, Executive | All Series | \$110 | \$110 | \$110 |
| Lounge — Single Seat | All Series | \$209 | \$209 | \$209 |
| Lounge — 2 Seate | All Series | \$314 | \$314 | \$314 |
| Lounge — 3 Seater | All Series | \$418 | \$418 | \$418 |

LIFETIME WARRANTY

Global will repair or replace, at Global’s option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after January 1, 2011.

General Commercial Seating

Global’s warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global branded and textile program cards), mesh material and electrical devices, are warranted for five (5) Years
- Control mechanisms are warranted for twelve (12) Years

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 pounds. ObusForme Comfort XL falls under the General Commercial Seating Warranty with the exception the weight rating is for users up to 400 pounds.

Heavy Duty Seating

Global offers products designed for multiple shift applications (24 hours a day / 7 days a week) and larger individuals weighing up to 350 and/or 500 pounds (depending on series and/or model). Global warrants these products for twelve (12) years to the original purchaser. All components (including control mechanisms, pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats/backs, etc.) are covered for 24/7 applications under the warranty. The exceptions are foam and textiles, which are covered for five (5) years. Textiles on these products must exceed 100,000 double rubs for the textile portion of the warranty to apply. Heavy Duty product series that apply under this warranty currently include: Concord Executive 24 hour, Dexter/Dexter+, Granada TS, Granada Deluxe TS, Malaga TS, Mallorca TS, Maxima II, ObusForme Comfort TS, Robust, Saxon, Stamina+, Truform TS, Vion TS and Yorkdale TS.

Light Use Seating

Global offers light use seating that is warranted for ten (10) years for the original purchaser. The warranty covers all components (frames, glides, and arms). The foam/textiles are warranted for five (5) years. The warranty on these light use series is for an eight (8) hour day, forty (40) hour week for users up to 200 pounds. Light use product series that apply under this warranty currently consists of Key series.

Textiles

Global warrants Global branded textiles and Alliance Partner carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Alliance Partner carded textile programs are currently with Arc-Com Fabrics, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI, Lumm Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics. Global does not warrant COM (Customer Own Materials) or graded-in materials (non-carded) and purchased by Global for a customer. For graded-in or COM products, please contact the textile supplier for performance information and warranty details.

Seating Warranty Summary

| Seating Type | Components Warranty For Original Purchaser | Use Time For Warranty Coverage | Exceptions |
|----------------------------|--|--------------------------------|--|
| General Commercial Seating | Lifetime | 8 Hours/5 Days Per Week | Foam/Textiles/Mesh/Electrical Devices - 5 Years Control Mechanisms - 12 Years |
| Heavy Duty Seating | 12 Years | 24 Hours/7 Days Per Week | Foam/Textiles - 5 Years |
| Light Use Seating | 10 Years | 8 Hours/5 Days Per Week | Foam/Textiles - 5 Years |

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original purchaser.

Exceptions to the warranty for Files/Desks/Tables and Panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms/lecterns/coat trees and task lights – five (5) Years
- Folding tables (laminate and Lite Lift II models) – one (1) Year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

| Product Type | Components Warranty For Original Purchaser | Exceptions |
|--|--|---|
| Metal Storage and Filing | Lifetime | None |
| Laminate/Wood Veneer Desks and Modular Furniture | Lifetime | Tackboard Textiles , Electrical Devices,Task Lights - 5 Years |
| Productivity Solutions - Foli Height Adjustable Tables | Lifetime | Steel components - 10 Years, Moving components - 5 Years, All electrical components - 2 Years |
| Boardroom, Conference and Training Tables | Lifetime | Electrical Devices - 5 Years |
| Panels | Lifetime | Panel Textiles, Electrical Devices, Task Lights - 5 Years |
| Coat Racks and Lecterns | 5 Years | None |
| Folding Tables (Laminate & Molded) | 1 Year | None |

Global’s Warranty does not apply (for any product category) to the following:

- Failures due to wear and tear
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global’s written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials and color matching of textiles
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes

Global’s warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global’s option.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Global’s warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

Global US Headquarters/Distribution Center

17 West Stow Road, P.O. Box 562
 Marlton, New Jersey U.S.A. 08053
 T (856) 596-3390
 T (800) 220-1900
 F (856) 596-5684

A \$25 net handling charge per shipment
 will be applied for non-UPSable orders of
 less than \$2,000 list.

Showrooms**Atlanta**

10 10th Street
 Suite 150
 Atlanta, GA 30309
 T (404) 879-0998
 F (404) 879-9995

Boston

One Harbor Street
 Suite 104
 Boston, MA 02210
 T (617) 406-5435
 F (617) 406-5438

Chicago

The Merchandise Mart
 222 Merchandise Mart Plaza
 10th Floor, Suite 1035
 Chicago, IL 60654
 T (312) 755-0843
 F (312) 755-0837

Detroit Area

25925 Telegraph Road
 Suite 145
 Southfield, MI 48034
 T (248) 357-7211
 F (248) 357-7241

Ft. Lauderdale

Las Olas City Centre
 401 East Las Olas Blvd.
 Suite 230
 Ft. Lauderdale, FL 33301
 T (954) 763-2684
 T (800) 331-0529
 T (954) 763-6870

New York City

386 Park Avenue South
 7th floor
 New York, NY 10016
 T (212) 545-9900
 T (888) 315-1301
 F (212) 545-5826

Philadelphia Area

119 Greentree Road
 Marlton, NJ 08053
 T (856) 596-3390
 T (800) 220-1900
 F (856) 596-4472

Phoenix

4675 E Cotton Center Blvd.
 Suite 165
 Phoenix, AZ 85040
 T (602) 426-0666
 T (602) 426-0777
 F (602) 426-1148

St. Louis

5 Document Drive
 St. Louis, MO 63114
 T (314) 432-4463
 F (314) 432-4471

Washington, DC

1130 Connecticut Avenue
 10th Floor, Suite 1000
 Washington, DC 20036
 T (202) 659-0230
 T (202) 659-0236
 F (202) 659-0306

Distribution Centers**Atlanta Area**

2124 Evergreen Blvd.
 Duluth, GA 30096
 T (678) 602-4130
 T (800) 220-7328
 F (678) 602-4136

Baltimore Area

Troy Hill Corporate Center
 7030 Troy Hill Drive
 Elkridge, MD 21075
 T (410) 379-8021
 T (800) 863-7300
 F (301) 362-9444

Boston Area

19 Connector Road
 Unit 1
 Andover, MA 01810
 T (978) 470-8463
 T (800) 876-8980
 F (978) 470-8920

Chicago Area

1879 Internationale Blvd.
 Glendale Heights, IL 60139
 T (630) 681-2818
 T (800) 866-6497
 F (630) 681-1631

Cincinnati Area

8712 LeSaint Drive
 Fairfield, OH 45014
 T (513) 777-0009
 T (800) 552-3375
 F (513) 777-5863

Dallas Area

2025 West Beltline Road
 #100
 Carrollton, TX 75006
 T (972) 236-1366
 T (800) 929-2936
 F (972) 236-1372

Denver Area

16401 East 33rd Drive
 Suite 50
 Aurora, CO 80011
 T (303) 340-1617
 T (800) 275-6655
 F (303) 340-1657

Ft. Lauderdale Area

560 Sawgrass Corp. Pkwy
 Sunrise, FL 33325
 T (954) 846-8888
 T (800) 331-0529
 F (954) 846-8110

Houston Area

7865 Northcourt Road
 Building D, Suite 200
 Houston, TX 77040
 T (713) 695-5777
 T (800) 935-6468
 F (713) 695-5778

Los Angeles Area

12320 Bloomfield Avenue
 Unit A
 Santa Fe Springs, CA 90670
 T (562) 484-9686
 T (800) 640-0301
 F (562) 484-9685

Minneapolis Area

2000 Freeway Boulevard
 Brooklyn Center, MN 55430
 T (763) 560-8196
 T (800) 829-2153
 F (763) 560-2098

New Orleans Area

901 South Labarre Road
 Suite 201
 Metairie, LA 70001
 T (504) 834-6228
 T (800) 275-0663
 F (504) 835-9638

Pittsburgh Area

380 Leetsdale Industrial Dr.
 Leetsdale, PA 15056
 T (724) 385-1200
 T (800) 942-9999
 F (724) 385-1207

San Antonio Area

6950 Alamo Downs Pkwy
 Suite 100
 San Antonio, TX 78238
 T (210) 684-8450
 T (800) 683-4000
 F (210) 684-3700

San Francisco Area

44091 Nobel Drive
 Fremont, CA 94538
 T (510) 897-4150
 T (888) 418-4800
 F (510) 897-4156

Seattle Area

Oakdale Commerce Ctr.
 820 Southwest 34th Street
 Building W7, Suite A
 Renton, WA 98057
 T (425) 291-9282
 T (888) 218-2600
 F (425) 291-9287

Kansas City Area

11617 West 81st Street
 Lenexa, KS 66214
 T (913) 310-9963
 T (800) 796-0770
 F (913) 310-9976

Tampa Area

10351 Windhorst Road
 Tampa, FL 33619
 T (813) 621-6272
 T (877) 707-3966
 F (813) 621-7958



globalfurnituregroup.com

