



# X-EFFECT<sup>®</sup> Restroom Cleaner with Citric Acid

**Disinfects cleans and deodorizes with a  
fresh lavender scent**

**\*Kills Staphylococcus aureus, Pseudomonas  
aeruginosa, Salmonella enterica,**

**\*\*Influenza A virus, and \*\*Herpes simplex virus Type 2**

**ACTIVE INGREDIENTS:**

Citric Acid.....8.0%

**INERT INGREDIENTS:** .....92.0%

Total: .....100.0%

**(includes compatible cleaning agents, solvent and deodorizer)**

EPA Reg. No. 5741-25  
EPA Est. No. 5741-OH-1



**Keep Out of Reach of Children  
CAUTION**

See back panel for additional  
precautionary and first aid statements.

FOR INSTITUTIONAL AND INDUSTRIAL USE ONLY

**NET CONTENTS: 1 Quart/0.946 Liters**

X-EFFECT Restroom Cleaner with Citric Acid cleans and disinfects restroom surfaces removing tough stains caused by urine and hard water. Bacteria and viruses found in public restrooms can cause odors and create an unsafe environment for building occupants. X-EFFECT Restroom Cleaner with Citric Acid offers a convenient and effective solution for removing bacteria and viruses while leaving a fresh lavender fragrance. For best results, use with common scent products like Airlift<sup>®</sup> ultra-fragrant urinal screens, commode clips, and odor eliminators.



**DIRECTIONS FOR USE:**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**Cleaning and Deodorizing Toilet Bowls and Urinals:** Empty toilet bowl or urinal and apply 1-2 fluid ounces of product to exposed surfaces with a brush or swab mop. Product should not be diluted. Brush or swab thoroughly, especially under the rim, and remove all visible filth.

**Disinfecting Toilet Bowls and Urinals:** Remove visible filth before disinfection. Empty toilet bowl or urinal and apply 1-2 fluid ounces of product to exposed surfaces with a brush or swab mop. This product should not be diluted. Brush or swab thoroughly, especially under the rim. Let stand for 10 minutes, then flush.

**Cleaning and Deodorizing Glazed Ceramic Tile, Glazed Porcelain, Shower Walls and Other Hard Nonporous Bathroom Surfaces:** Apply X-EFFECT Restroom Cleaner with Citric Acid with a cloth, mop, sponge or coarse sprayer. DO NOT MIST. Scrub and rinse thoroughly with water.

**Disinfecting Glazed Ceramic Tile, Glazed Porcelain, Shower Walls and Other Hard Nonporous Bathroom Surfaces:** Remove visible filth before disinfection. Apply 1-2 ounces of X-EFFECT Restroom Cleaner with Citric Acid with a cloth, mop, sponge or coarse sprayer. DO NOT MIST. For effectiveness against Staphylococcus aureus, Pseudomonas aeruginosa, and Salmonella enterica, treated surfaces must remain wet for 10 minutes. For effectiveness against \*\*Influenza A virus and \*\*Herpes simplex virus Type 2 treated surfaces must remain wet for 5 minutes. Scrub and rinse thoroughly with water.

**\*KILLS HCV, HBV AND HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis C Virus (HCV), Hepatitis B Virus (HBV) and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).



**SPARTAN CHEMICAL COMPANY, INC.**

#7319 1110 Spartan Drive, Maumee, OH 43537 USA / 1-800-537-8990 / www.spartanchemical.com

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HCV, HBV AND HIV-1 ON SURFACES OR OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**  
**PERSONAL PROTECTION:** Exposure to blood or body fluids must be avoided by use of barrier protection such as latex or other impervious gloves. Face shields and impervious gowns must also be worn if splashing of blood or body fluids may occur.  
**CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of X-Effect Restroom Cleaner with Citric Acid.

**CONTACT TIME:** Leave surfaces wet for 10 minutes.

**DISPOSAL OF INFECTIOUS MATERIAL:** Contaminated cleaning materials, blood and other body fluids must be autoclaved and/or disposed of according to local regulations for infectious waste disposal.

**NOTE: DO NOT USE ON NON-ACID RESISTANT SURFACES. THIS PRODUCT WILL ETCH OR OTHERWISE DAMAGE MARBLE AND OTHER NON-ACID RESISTANT SURFACES. DO NOT MIX WITH BLEACH, CHLORINATED DETERGENTS OR OTHER CHEMICALS AS TOXIC OR IRRITATING FUMES MAY BE RELEASED.**

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

**FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**24 HOUR MEDICAL EMERGENCY NUMBER:**

888-314-6171

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry area inaccessible to children.

**Pesticide Disposal:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. Offer for recycling if available. If not, puncture and dispose of in a sanitary landfill.

**Residue Removal Instructions:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain 10 seconds after the flow begins to drip. Repeat procedure two more times.