Logilife

HEALTHCARE FURNITURE



PRICE LIST

USA

Revision on March 24, 2017

Update Summary

The March 24, 2017 web revision of the Logilife price list presents these principal modifications:

DATE	SECTION	MODIFICATION	PAGES
March 24, 2017	Hosta Serie	Elimination of the SAM chair from Hosta serie	-
	All price list	Thermofused fronts are not available in Classic Chocolate finish.	-

Previous updates:

DATE	SECTION	MODIFICATION	PAGES
August 26, 2015	Flex Tables	Elimination of the Flex table 3;	G-2; G-6
		Addition of the Black metal finish (BL);	
		Thickness of the surfaces changes from 3/4" to 1";	
		Curved fronts (CV) are now standard and straight fronts (ST) are optional;	
		Different measurements for the surfaces of all tables;	
		Maximum height of the adjustment mechanism is now	
		37 ".	
January 5, 2015	Tables	High pressure laminated products prices have been increased by 5% (LFL, LFWL)	(section G)
November 9, 2014	Tables	Prices for Flex tables are now upon request	G-6
October 20, 2014	Lounge seating	Dean and Taylor products have been increased by 5%	J-2; J-3

Table of Contents

Α	INTRODUCTION		TABLES	3	
	Terms and Conditions of Sale	A-2			
	Limited Lifetime Warranty	A-3	G	TABLES	
	Upholstery Specification	A-4		Manufacturing Standard	G-2
	Patient Room Furniture Series Presentation	A-6		All-Purpose Tables	G-3
				Flex Tables	G-6
PATIEN	IT ROOM FURNITURE			Occasional Tables	G-7
В	CLASSIC SERIES		SEATIN	G	
	Manufacturing Standard	B-2	OLATIN	<u> </u>	
	Bedside Cabinets	B-4	н	HOSTA WOODEN SEATS	
	Dressers	B-5		Manufacturing Standard	H-2
	Hutches	B-6		Patient Armchairs	H-4
	Wardrobes	B-7		Guest and Bariatric Armchairs	H-5
	Headboards and Footboards	B-12		Multiple Guest Seating	H-6
С	MODERN SERIES		ı	MIKA METAL SEATS	
	Manufacturing Standard	C-2		Manufacturing Standard	I-2
	Bedside Cabinets	C-4		Patient Armchairs	I-4
	Dressers	C-5		Guest and Bariatric Armchairs	I-5
	Hutches	C-6		Tandem Seating	I-6
	Wardrobes	C-7		General Purpose Chairs	I-7
	Headboards and Footboards	C-12	COMPL	EMENTARY FURNITURE	
D	TRADITIONAL SERIES		COMPL	EMENIARI FORNITORE	
_	Manufacturing Standard	D-2	J	LOUNGE SEATING	
	Bedside Cabinets	D-4	•	Taylor	J-2
	Dressers	D-5		Dean	J-3
	Hutches	D-6			
	Wardrobes	D-7	APPENI	DICES	
	Headboards and Footboards	D-12			
			K	APPENDICES	
E	SHAKER SERIES			Accessories	K-2
	Manufacturing Standard	E-2		Customized Products	K-3
	Bedside Cabinets	E-4			
	Dressers	E-5			
	Hutches	E-6			
	Wardrobes	E-7			
	Headboards and Footboards	E-12			
_					
F	ARTISAN SERIES				
	Manufacturing Standard	F-2			
	Bedside Cabinets	F-4			
	Dressers	F-5			
	Hutches	F-6			
	Wardrobes	F-7			
	Headboards and Footboards	F-12			

Terms and Conditions of Sale

PRICES

The prices are "suggested retail" and are subject to changes without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. Advanced payment for your order may be requested if the opening of your account has not been completed or if your account has become inactive.

TERMS OF PAYMENT

Net 30 days / F.O.B. Sherbrooke (Quebec), Montreal (Quebec) or Quebec City (Quebec). The invoice will be dated the same ship date and payable 30 days from that date including applicable freight charges. Logiflex remains the owner of the merchandise until the invoice is paid in full

REGULAR SHIPMENTS

Please inquire about our lead time to customer service.

ORDERS

An official purchase order must be issued for all purchases. Your purchase order must contain the following information: your company letterhead, your reference number, the delivery address with contact name and phone number, the complete product codes, furniture color(s), quantities, descriptions, retail prices and net prices, project registration number if applicable, and your approved quotation and technical drawing for customized products. Please note that a quotation cannot serve as a purchase order.

RETURNS

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

MODIFICATIONS AND/OR CANCELLATIONS

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may modify or cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

LIABILITY

Logiflex's responsibility ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

CLAIMS

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Online services" section of our Web site, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation as rapidly as possible.

CHANGES

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

STORAGE AND/OR SHIPPING FEES

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also incur additional charges. Please contact your Logiflex account manager for more details about storage and shipping fees.

Limited Lifetime Warranty

LIMITED LIFETIME WARRANTY

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that Logillife products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to Logillife products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product to its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident:
- Substitution, modification or use of components or materials that have not been authorized by Logiflex;
- Delivery by a freight carrier or handling/installation by a contractor other than Logiflex;
- Natural properties of materials;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Products used for rental purposes;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:

- Electrical components are guaranteed for 1 year from the date of delivery;
- Seat mechanisms, drawer slides and locks are guaranteed for 5 years from the date of delivery.

Upholstery Specification

Logiflex offers two methods for obtaining upholstery from various suppliers depending of customer preferences:

- 1. Customers may specify an upholstery from any supplier. Logiflex will then confirm upholstery grade and seat cost.
- 2. Customers may select and purchase upholstery of their choices directly from the supplier (COM). Please consult the following page for more information about COM terms.

UPHOLSTERY SPECIFICATION

Customers may consult websites of our principal suppliers to visualize their complete product range. It is then possible to consult the graded-in list available on logiflex.ca to be informed of the appropriate Logiflex grade.

Website of the upholstery supplier also gives essential informations as maintenance, availability, quality and performance of the selected upholstery. In all cases, the upholstery supplier's warranty will apply:

Principal suppliers: Momentum Textiles themomgroup.com

J.Ennis Fabrics jennisfabrics.com Maharam maharam.com Designtex designtex.com

GRADED-IN LIST

Seat cost depends of selected upholstery. Grade is not established according to upholstery quality or performance, but to its purchase cost. In order to help customers researches, a graded-in list presenting the entire collections od Logiflex's principal suppliers has been prepared. It is possible to consult Logiflex graded-in list by visiting logiflex.ca

Note: The graded-in list is based on information received at its publication moment. As upholstery suppliers can discontinue products or increase their prices at their discretion, this list communicated for information purposes only and can not be considered as a sale commitment by Logiflex.

APPLICATION OF UPHOLSTERY

Application of upholstery will follow the directional orientation of its pattern. Explicit instructions must be given to the customer's account manager if a specific direction is desired. Logiflex will not be responsible of problems related to upholstery direction or positioning unless formal instructions has been given along with the purchase order.

Instruction references: Up the roll Across the roll



FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 117 (STATE OF CALIFORNIA) The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 133 (STATE OF CALIFORNIA)

Technical Bulletin CAL133 is a flammability test conducted on a complete chair. The compliance of the entire product, including covering, is acknowledged when a certificate is issued by a licensed testing facility. Any change to the finished product will required a retest.

When a product must pass CAL133 test, Logilife seats must receive a non-flammable lining that, in combination with convenient foam and upholstery, may enable products to meet certification requirements. However, the use of the compliance method does not ensure that a specific combination of product and upholstery is certified as being CAL133 compliant.

Cost and procedure: The product assembly, test and certification cost is as follow:

- Non-flammable lining at \$45 net per yard;
- Certification at a cost of \$721 net per item;
- Cost of the product to be tested and freight to the licensed testing facility.

Please take note these costs apply whether the product passes or fails the test. 4 to 8 weeks is typically needed for the certification testing lead time. Logiflex cannot ensure CAL133 certification of a combination of product and upholstery that never passed the test. Please contact your account manager to know configurations of products and upholstery that have been tested and certified.

Upholstery Specification

CUSTOMER'S OWN MATERIAL (COM)

COM must be received three weeks prior to the acknowledged ship date. Delay in COM reception may cause deadline to be postponed. Prices of seats are then based on the grade 1 price of each model.

The following information must be included with the COM upholstery delivery and be communicated to the account manager along with the purchase order: purchase order number, customer name, upholstery supplier, upholstery name/number of the pattern and color as well as the number of yards delivered.

Customers have the option to provide Logiflex with a sample for approval prior the order. If no sample is sent for approval in advance, Logiflex is nos responsible of any cost caused by an upholstery unsuitable for the product or the production process. Furthermore, Logiflex reserve the right to refuse any upholstery that does not meet Logiflex selection criteria.

Logiflex does not assume responsibility for upholstery availability, quality, perfomance or appearance, and Logiflex warranty exclude customer's own materials.

COM SHIPPING PROCEDURE

COM must be delivered at Logiflex factory with freight and duties paid. All charges to COM acquisition on the customer's behalf will be passed onto the customer.

Shipping adress: Logiflex

Attn: Receiver

1235 St-Roch North ROad Sherbrooke (Quebec) Canada J1N 0H2

UPHOLSTERY YARDAGE CALCULATION

Yardage is calculate in yards assuming that upholstery is 54" wide with no pattern.

Additional yardage may be needed is the upholstery is less than 54" wide, if there is a pattern repeat or if it is shipped in separate pieces. Please consult the following table in order to know the percentage of extra yardage required. The repeat of the pattern is calculate by adding up the horizontal and vertical repeat measurements.

Table: Percentage of extra COM yardage

Upholstery Width	Plain	Repeat 2" - 14"	Repeat 15" - 19"	Repeat 20" - 27"	Repeat 28" - 36"
54"	0%	10%	15%	20%	25%
53" - 50"	16%	20%	25%	30%	35%
48"	16%	25%	30%	35%	40%
45"	40%	50%	55%	60%	65%
36"	50%	60%	65%	70%	75%

Patient Room Furniture | Series Presentation

SERIES	TOP	DOORS	LEG/BASE	HANDLE
CLASSIC - LFC	Thermally fused laminate	Thermally fused laminate	Thermally fused laminate kick plate	H161
•				
MODERN - LFM	Thermally fused laminate	Thermally fused laminate	6" H tubular metal leg	H162
TRADITIONAL - LFT	Thermofoil panel with rounded edge	Thermofoil panel with raised centre	Arched thermofoil kick plate	H160
SHAKER - LFS	Thermofoil panel with bevelled edge	Thermofoil panel with flat centre	Bevelled thermofoil kick plate	H160
ARTISAN - LFA	Thermofoil panel with bevelled edge	Thermofoil panel with flat centre	6" H wooden leg	H161

CLASSIC SERIES
PATIENT ROOM FURNITURE

CLASSIC SERIES - LFC

Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



TOPS


Tops of the Classic series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



BASE

The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.


DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

CLASSIC SERIES - LFC

Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC Brown Cherry
CC Classic Chocolate
DR Driftwood
EC Classic Maple

TO Tobacco W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.

Edges can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.

CLASSIC SERIES - LFCBeside Cabinets

MODEL		DESCRIPTION	CODE	LFC
TC1		Bedside cabinet:	ABC	
	B	 1 drawer with handle; 	201832TC1	517
	>	- 1 open section	241832TC1	535
	c J	with 1 adjustable shelf;		
		- 1 air vent.		
TC2	- > <	Bedside cabinet:	ABC	
	A A	- 1 drawer with handle;	201832TC2R	590
		- 1 section with door and handle,	201832TC2L	590
	c Y	and 1 adjustable shelf;	241832TC2R	608
	↓ f)	- 1 air vent.	241832TC2L	608
		"R" right side hinges "L" left side hinges		
		<u> </u>		
TC3	* *	Bedside cabinet:	ABC	
	A A	- 3 drawers with handle;	201832TC3	722
		- 1 air vent.	241832TC3	743
	Ċ Y	Height of the first drawer different		
		from the bottom drawers		
TC4		Bedside cabinet:	ABC	
104	× 4	- 4 drawers with handle;	201832TC4	903
	B	- 1 air vent.	241832TC4	929
		r dii vont.	241032104	929
	¢			

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Locking casters			
	Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.	WF	55 / set of 4
Plastic Drawer Liner			
	White plastic drawer liner / For top drawer only	ВР	85
Handle	For handle other than the H161 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

CLASSIC SERIES - LFC

Dressers

MODEL	DESCRIPTION	CODE	LFC
COM2	Dresser:	ABC	
$B \longrightarrow A \longrightarrow$	 2 drawers with handle; 	203032COM2	734
	- 1 air vent.	203632COM2	765
c		243032COM2	756
		243632COM2	790
COM3	Dresser:	ABC	
B	 3 drawers with handle; 	203032COM3	828
	- 1 air vent.	203632COM3	862
		243032COM3	856
		243632COM3	893
COM4	Dresser:	ABC	
B	 4 drawers with handle; 	203044COM4	1070
	- 1 air vent.	203644COM4	1115
		243044COM4	1107
		243644COM4	1156
COM6	Dresser:	ABC	
B	 6 drawers with handle; 	204832COM6	1502
	- 2 air vents.	244832COM6	1545
See pages B-2 and B-3 for series materials,	finishes and manufacturing standard	l	

HOW TO ORDER?



OPTIONS Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H161 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

CLASSIC SERIES - LFC


Hutches

MODEL	DESCRIPTION	CODE	LFC
HL28	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HL28 1636HL28	613 636
HLA40	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA40 1636HLA40	692 718
HLA52 See pages B-2 and B-3 for series materials,	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA52 1636HLA52	767 799
See pages D-2 and D-3 for Series Materials,	misines and manufacturing standard		

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	30" W	SH1428	45
		36" W	SH1434	55
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches.		DECR	45 ea.
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Additional Shelf Additional Shelf Additional adjustable shelf with supports included SH2218 45 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H161 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3


DESCRIPTION	CODE	LFC
Wardrobe:	ABC	
 2 doors with handle; 	243072PEN3	1162
	243672PEN3	1223
adjustable shelf; - 2 air vents.	244272PEN3	1279
Wardrobe cabinet:	ABC	
- 2 doors with handle;		1460
- 1 safety garment rail under	243672PEN4	1529
adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	244272PEN4	1594
	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 air vents. Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves;	Wardrobe: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 doors with handle; - 2 air vents. Wardrobe cabinet: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves;

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?




Additional Shelf				
	Additional adjustable shelf with supports included	PEN3	SH2228	70
			SH2234	85
			SH2240	101
		PEN4	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



HOW TO ORDER?




Additional Shelf				
	Additional adjustable shelf with supports included	PEN5	SH2228	70
		SH2234	SH2234	85
			SH2240	101
		PEN6	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			




HOW TO ORDER?




Additional Shelf				
	Additional adjustable shelf with supports included	PEN7	SH2228	70
		S	SH2234	85
			SH2240	101
		PEN8	SH2213	33
			SH2217	43
			SH2220	50
-				
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



HOW TO ORDER?






CLASSIC SERIES - LFCHeadboards and Footboards

MODEL	DESCRIPTION	CODE	LFC
TLRT	Rectangular headboard	A B 3442TLRT	164
PLRT	Rectangular footboard	A B 2742PLRT	130
TLCX	Curved headboard	A B C 343742TLCX	178
PLCX	Curved footboard	A B C 273042PLCX	144

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



MODERN SERIES PATIENT ROOM FURNITURE

MODERN SERIES - LFM

Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



TOPS


Tops of the Modern series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



LEGS

For an easier room maintenance, Modern series is offered with 6" H tubular metal legs, satin nickel finish, with height adjustable, non-marking glides.

6" H oval metal legs, with satin nickel finish, are available as an option. This must be specified in the order.


DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

MODERN SERIES - LFM


Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



HANDLE

The standard handle for the Modern series is the H162, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC Brown Cherry
CC Classic Chocolate
DR Driftwood
EC Classic Maple

TO Tobacco W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.

Edges can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.

MODERN SERIES - LFM Beside Cabinets

MODEL		DESCRIPTION	CODE	LFM
TC1		Bedside cabinet:	ABC	
	B	 1 drawer with handle; 	201832TC1	575
		- 1 open section	241832TC1	592
		with 1 adjustable shelf;		
		- 1 air vent.		
	U			
TC2	<u> </u>	Bedside cabinet:	ABC	
	A A	 1 drawer with handle; 	201832TC2R	648
		 1 section with door and handle, 	201832TC2L	648
	°	and 1 adjustable shelf;	241832TC2R	665
		- 1 air vent.	241832TC2L	665
		"R" right side hinges		
	O .	"L" left side hinges		
TC3		Bedside cabinet:	ABC	
	*B A	 3 drawers with handle; 	201832TC3	780
		- 1 air vent.	241832TC3	800
		Height of the first drawer different		
		from the bottom drawers		
TC4		Bedside cabinet:	ABC	
	B A.	- 4 drawers with handle;	201832TC4	967
	>	- 1 air vent.	241832TC4	993
	¢			
	U			

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Legs and Casters			
\bigcirc	6" H metal oval legs, satin nickel finish	OVAM6SN	N/C
	Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height.	WF	N/C
Plastic Drawer Liner			
	White plastic drawer liner / For top drawer only	ВР	85
Handle	For handle other than the H162 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		


MODERN SERIES - LFM

Dressers

MODEL	DESCRIPTION	CODE	LFM
COM2	Dresser: - 2 drawers with handle; - 1 air vent.	A B C 203032COM2 203632COM2 243032COM2 243632COM2	796 827 819 853
COM3	Dresser: - 3 drawers with handle; - 1 air vent.	A B C 203032COM3 203632COM3 243032COM3 243632COM3	889 922 917 954
COM4	Dresser: - 4 drawers with handle; - 1 air vent.	A B C 203044COM4 203644COM4 243044COM4 243644COM4	1135 1179 1173 1221
COM6	Dresser: - 6 drawers with handle; - 2 air vents.	A B C 204832COM6 244832COM6	1570 1613

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish OVAM6SN N/C Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H162 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

MODERN SERIES - LFM

Hutches

MODEL	DESCRIPTION	CODE	LFM
HL28	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HL28 1636HL28	613 636
HLA40	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA40 1636HLA40	692 718
HLA52	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA52 1636HLA52	767 799
See pages C-2 and C-3 for series materials,	tinisnes and manufacturing standard	1	

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	30" W	SH1428	45
		36" W	SH1434	55
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches.		DECR	45 ea.
Handle	For handle other than the H162 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

MODERN SERIES - LFM Wardrobes

MODEL	DESCRIPTION	CODE	LFM	
PEN1	Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges	A B C 242072PEN1R 242072PEN1L	1038 1038	
PEN2 See pages C. 2 and C. 3 for series materials	Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent. "R" right side hinges "L" left side hinges	A B C 242084PEN2R 242084PEN2L	1307 1307	
See pages C-2 and C-3 for series materials, finishes and manufacturing standard				

HOW TO ORDER?

OPTIONS Oval Legs



6" H metal oval legs, satin nickel finish OVAM6SN N/C Additional Shelf Additional adjustable shelf with supports included SH2218 45 Anti-Tipping Kit

	Anti-tipping kit made from steel and galvanized steel cable	DECR	45
Llandla	For handle other than the U162 standard, places are page V 2 / No shares		


Handle For handle other than the H162 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

MODERN SERIES - LFM Wardrobes

MODEL	DESCRIPTION	CODE	LFM
PEN3	Wardrobe:	ABC	
A.	 2 doors with handle; 	243072PEN3	1240
B	 1 safety garment rail under 	243672PEN3	1300
	adjustable shelf; - 2 air vents.	244272PEN3	1357
PEN4	Wardrobe cabinet:	ABC	
A.	 2 doors with handle; 	243072PEN4	1538
\frac{1}{2}	 1 safety garment rail under 	243672PEN4	1607
	adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	244272PEN4	1673
See pages C-2 and C-3 for series materials,	finishes and manufacturing standar	⁻ d	


HOW TO ORDER?




OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish **OVAM6SN** N/C Additional Shelf Additional adjustable shelf with supports included PEN3 SH2228 70 SH2234 85 SH2240 101 PEN4 SH2213 33 SH2217 43 SH2220 50 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable **DECR** 45 Handle For handle other than the H162 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

MODERN SERIES - LFM

Wardrobes



HOW TO ORDER?



OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish **OVAM6SN** N/C Additional Shelf PEN5 SH2228 70 Additional adjustable shelf with supports included SH2234 85 SH2240 101 PEN6 SH2213 33 SH2217 43 SH2220 50 Anti-Tipping Kit **DECR** Anti-tipping kit made from steel and galvanized steel cable 45 Handle For handle other than the H162 standard, please see page K-2 / No charge **Customized Products** For further information about customized products, see page K-3

MODERN SERIES - LFM

Wardrobes

MODEL	DESCRIPTION	CODE	LFM
PEN7	Wardrobe with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 2 drawers with handle; - 2 air vents.	A B C 243084PEN7 243684PEN7 244284PEN7	1741 1821 1898
PEN8	Wardrobe cabinet with drawers: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents.	A B C 243084PEN8 243684PEN8 244284PEN8	2013 2102 2189
See pages C-2 and C-3 for series materials,	finishes and manufacturing standard	d	

HOW TO ORDER?




OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish **OVAM6SN** N/C Additional Shelf Additional adjustable shelf with supports included PEN7 SH2228 70 SH2234 85 SH2240 101 PEN8 SH2213 33 SH2217 43 SH2220 50 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable **DECR** 45 Handle For handle other than the H162 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

MODERN SERIES - LFM Wardrobes

MODEL PEN9	DESCRIPTION Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents.	CODE A B C 244272PEN9R 244272PEN9L 244872PEN9R 244872PEN9L	2001 2001 2072 2072
PEN10	"R" right side wardrobe "L" left side wardrobe Wardrobe cabinet:	АВС	
	- 1 door with handle;	244272PEN10R	2225
B	 1 safety garment rail under adjustable shelf; 	244272PEN10L	2225
	- 1 cabinet with 2 doors, handle	244872PEN10R 244872PEN10L	2296 2296
See page C 2 and C 2 for paging materials	and 2 adjustable shelves; - 3 drawers with handle; - 2 air vents. "R" right side wardrobe "L" left side wardrobe		2290
See pages C-2 and C-3 for series materials,	tinisnes and manufacturing standar	a	

HOW TO ORDER?



OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish OVAM6SN N/C Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H162 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3


MODERN SERIES - LFM

Headboards and Footboards

MODEL		DESCRIPTION	CODE	LFM
TLRT	B	Rectangular headboard	A B 3442TLRT	164
PLRT <	BAA	Rectangular footboard	A B 2742PLRT	130
TLCX	C B B A B	Curved headboard	A B C 343742TLCX	178
PLCX	C A B	Curved footboard	A B C 273042PLCX	144

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Customized Products For further information about customized products, see page K-3

TRADITIONAL SERIES PATIENT ROOM FURNITURE

TRADITIONAL SERIES - LFT Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Traditional series have rounded edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Traditional series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



BASE

The sides of furniture items in the Traditional series go right to the ground and are equipped with height adjustable, non-marking glides. The front features an arched kick plate in seamless thermofoil 3/4" MDF panel.


DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

TRADITIONAL SERIES - LFT


Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



HANDLE

The standard handle for the Traditional series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

W

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC Brown Cherry
CC Classic Chocolate
DR Driftwood
EC Classic Maple
TO Tobacco

Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Traditional bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


TRADITIONAL SERIES - LFT

Beside Cabinets

MODEL		DESCRIPTION	CODE	LFT
TC1	C A A	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C 201832TC1 241832TC1	582 609
TC2	C	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges	A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2L	703 703 730 730
TC3	C	Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers	A B C 201832TC3 241832TC3	835 865
TC4	C	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C 201832TC4 241832TC4	1027 1062

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Locking casters			
	Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.	WF	55 / set of 4
Spill-Guard Edge			
	Spill-guard edge surface on bedside cabinet tops	SG	21
Plastic Drawer Liner			
	White plastic drawer liner / For top drawer only	ВР	85
Handle	For handle other than the H160 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

TRADITIONAL SERIES - LFT

Dressers

MODEL	-	DESCRIPTION	CODE	LFT
COM2	C B A	Dresser: - 2 drawers with handle; - 1 air vent.	A B C 203032COM2 203632COM2 243032COM2 243632COM2	932 1004 970 1049
СОМ3	B A	Dresser: - 3 drawers with handle; - 1 air vent.	A B C 203032COM3 203632COM3 243032COM3 243632COM3	1032 1107 1075 1158
COM4	C C	Dresser: - 4 drawers with handle; - 1 air vent.	A B C 203044COM4 203644COM4 243044COM4 243644COM4	1351 1454 1406 1515
COM6	C B A A A A A A A A A A A A A A A A A A	Dresser: - 6 drawers with handle; - 2 air vents.	A B C 204832COM6 244832COM6	1876 1947

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS			
Anti-Tipping Kit			
	Anti-tipping kit made from steel and galvanized steel cable	DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

TRADITIONAL SERIES - LFT


Hutches

MODEL	DESCRIPTION	CODE	LFT
HL28	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HL28 1636HL28	748 798
HLA40	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA40 1636HLA40	828 882
HLA52	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA52 1636HLA52	903 963
See pages D-2 and D-3 for series materials,	tinisnes and manufacturing standard		

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	30" W	SH1428	45
			SH1434	55
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches.		DECR	45 ea.
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?




OPTIONS Additional Shelf Additional adjustable shelf with supports included SH2218 45 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H160 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

MODEL	DESCRIPTION	CODE	LFT
PEN3	Wardrobe:	ABC	
B	 2 doors with handle; 	243072PEN3	1673
	 1 safety garment rail under 	243672PEN3	1841
	adjustable shelf; - 2 air vents.	244272PEN3	2004
PEN4	Wardrobe cabinet:	ABC	
B	 2 doors with handle; 	243072PEN4	1970
	 1 safety garment rail under 	243672PEN4	2147
	adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	244272PEN4	2320
See pages D-2 and D-3 for series materials,	finishes and manufacturing standar	rd	

HOW TO ORDER?




Additional Shelf				
	Additional adjustable shelf with supports included	PEN3	SH2228	70
			SH2234	85
			SH2240	101
		PEN4	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



HOW TO ORDER?




Additional Shelf				
	Additional adjustable shelf with supports included	PEN5	SH2228	70
			SH2234	85
			SH2240	101
		PEN6	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			




HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included		SH2228	70
			SH2234	85
			SH2240	101
		PEN8	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			



HOW TO ORDER?




OPTIONS Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H160 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

TRADITIONAL SERIES - LFTHeadboards and Footboards

MODEL		DESCRIPTION	CODE	LFT
TLRT	B A A	Rectangular headboard	A B 3442TLRT	164
PLRT	B	Rectangular footboard	A B 2742PLRT	130
TLCX	C A B	Curved headboard	A B C 343742TLCX	178
PLCX	C A B A B A B A B A B A B A B A B A B A	Curved footboard	A B C 273042PLCX	144

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Customized Products For further information about customized products, see page K-3

SHAKER SERIES
PATIENT ROOM FURNITURE

Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Shaker series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Shaker series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



BASE


The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a bevelled kick plate in seamless thermofoil 3/4" MDF panel.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.


Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



HANDLE

The standard handle for the Shaker series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order.

Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC Brown Cherry
CC Classic Chocolate
DR Driftwood
EC Classic Maple
TO Tobacco
W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Shaker bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.

Beside Cabinets

MODEL		DESCRIPTION	CODE	LFS
TC1	C	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C 201832TC1 241832TC1	587 614
TC2	C A	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges	A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2L	722 722 749 749
TC3	C A A	Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers	A B C 201832TC3 241832TC3	855 885
TC4	C B A	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C 201832TC4 241832TC4	1049 1084

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Locking casters			
Spill Cuard Edga	Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height.	WF	55 / set of 4
Spill-Guard Edge			
	Spill-guard edge surface on bedside cabinet tops	SG	21
Plastic Drawer Liner			
	White plastic drawer liner / For top drawer only	BP	85
Handle	For handle other than the H160 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

Dressers

MODEL	-	DESCRIPTION	CODE	LFS
COM2	→ → .	Dresser:	ABC	
	B	 2 drawers with handle; 	203032COM2	963
		- 1 air vent.	203632COM2	1041
	c J		243032COM2	1001
			243632COM2	1086
СОМЗ		Dresser:	ABC	
	A.	- 3 drawers with handle;	203032COM3	1066
		- 1 air vent	203632COM3	1148
			243032COM3	1109
	°		243632COM3	1198
COM4		Dresser:	ABC	
	B	- 4 drawers with handle;	203044COM4	1406
		- 1 air vent.	203644COM4	1519
			243044COM4	1461
			243644COM4	1581
COM6	<u> </u>	Dresser:	ABC	
	A	 6 drawers with handle; 	204832COM6	1937
		- 2 air vents.	244832COM6	2010
<u></u>	on E 2 and E 2 for agrica material	- finishes and assumbash wing stars	d = 4d	

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



0			
Anti-Tipping Kit			
	Anti-tipping kit made from steel and galvanized steel cable	DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

Hutches


MODEL	DESCRIPTION	CODE	LFS
HL28	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HL28 1636HL28	767 822
HLA40	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA40 1636HLA40	848 905
HLA52 See pages E-2 and E-3 for series materials,	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA52 1636HLA52	923 987
See pages E-2 and E-3 for series materials,	imishes and manufacturing standard		

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	30" W	SH1428	45
			SH1434	55
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches.		DECR	45 ea.
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes



See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Additional Shelf Additional adjustable shelf with supports included Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H160 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

Wardrobes


MODEL	DESCRIPTION	CODE	LFS
PEN3	Wardrobe:	ABC	
B	 2 doors with handle; 	243072PEN3	1781
	 1 safety garment rail under 	243672PEN3	1969
	adjustable shelf; - 2 air vents.	244272PEN3	2156
PEN4	Wardrobe cabinet:	ABC	
B	 2 doors with handle; 	243072PEN4	2078
	 1 safety garment rail under 	243672PEN4	2276
	adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	244272PEN4	2471
See pages E-2 and E-3 for series materials,	finishes and manufacturing standar	d	

HOW TO ORDER?



70
85
101
33
43
50
45

Wardrobes




HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	PEN5	SH2228	70
			SH2234	85
			SH2240	101
		PEN6	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes




HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	PEN7	SH2228	70
			SH2234	85
			SH2240	101
		PEN8	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H160 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes



HOW TO ORDER?




OPTIONS Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H160 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

Headboards and Footboards

MODEL		DESCRIPTION	CODE	LFS
TLRT	B	Rectangular headboard	A B 3442TLRT	164
PLRT	B	Rectangular footboard	A B 2742PLRT	130
TLCX	C A B B	Curved headboard	A B C 343742TLCX	178
PLCX	C A B A B A B A B A B A B A B A B A B A	Curved footboard	A B C 273042PLCX	144

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Customized Products For further information about customized products, see page K-3

ARTISAN SERIES PATIENT ROOM FURNITURE

Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Artisan series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Artisan series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



LEGS


For an easier room maintenance, Artisan series is offered with 6" H wooden legs with height adjustable, non-marking glides.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.


Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.



HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order.

Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

۱Λ/

5 wood grain finishes and 1 solid color are offered in the Logilife series:

BC Brown Cherry
CC Classic Chocolate
DR Driftwood
EC Classic Maple
TO Tobacco

Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates, wooden legs and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Artisan bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS


4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.

ARTISAN SERIES - LFABeside Cabinets

MODEL		DESCRIPTION	CODE	LFA
TC1	C	Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent.	A B C 201832TC1 241832TC1	696 723
TC2	C B A	Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges	A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2L	831 831 858 858
TC3	C	Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers	A B C 201832TC3 241832TC3	964 994
TC4	C B A	Bedside cabinet: - 4 drawers with handle; - 1 air vent.	A B C 201832TC4 241832TC4	1167 1202

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Locking casters			
	Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height.	WF	N/C
Spill-Guard Edge			
	Spill-guard edge surface on bedside cabinet tops	SG	21
Plastic Drawer Liner			
	White plastic drawer liner / For top drawer only	BP	85
Handle	For handle other than the H161 standard, please see page K-2 / No charge		
Customized Products	For further information about customized products, see page K-3		

Dressers

MODEL		DESCRIPTION	CODE	LFA
COM2	B	Dresser: - 2 drawers with handle; - 1 air vent.	A B C 203032COM2 203632COM2	1075 1149
			243032COM2	1114
			243632COM2	1195
COM3		Dresser:	ABC	
	B	 3 drawers with handle; 	203032COM3	1175
		- 1 air vent.	203632COM3	1254
			243032COM3	1218
			243632COM3	1304
COM4	> 4	Dresser:	ABC	
	B	 4 drawers with handle; 	203044COM4	1523
		- 1 air vent.	203644COM4	1633
			243044COM4	1577
	c l		243644COM4	1694
COM6		Dresser:	ABC	
	A	 6 drawers with handle; 	204832COM6	2051
	B	- 2 air vents.	244832COM6	2123
0	F O F O f	finishes and many featuring standar	1	

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Anti-Tipping Kit

Anti-Tipping kit made from steel and galvanized steel cable

DECR 45

Handle For handle other than the H161 standard, please see page K-2 / No charge

Customized Products For further information about customized products, see page K-3

Hutches


MODEL	DESCRIPTION	CODE	LFA
HL28	Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HL28 1636HL28	767 822
HLA40	Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA40 1636HLA40	848 905
HLA52	Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space	A B C 1630HLA52 1636HLA52	923 987
See pages F-2 and F-3 for series materials,	tinishes and manufacturing standard		

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	30" W	SH1428	45
		36" W	SH1434	55
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches.		DECR	45 ea.
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes



See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Additional Shelf Additional Shelf Additional adjustable shelf with supports included SH2218 45 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H161 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

ARTISAN SERIES - LFA Wardrobes

MODEL	DESCRIPTION	CODE	LFA
PEN3	Wardrobe:	ABC	
B	 2 doors with handle; 	243072PEN3	1921
	 1 safety garment rail under 	243672PEN3	2106
	adjustable shelf; - 2 air vents.	244272PEN3	2288
PEN4	Wardrobe cabinet:	ABC	
B	- 2 doors with handle;	243072PEN4	2219
	- 1 safety garment rail under	243672PEN4	2412
	adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents.	244272PEN4	2603
Con marco E O and E O for corion martorials	finish and an area for the size of the siz		


See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	PEN3	SH2228	70
			SH2234	85
			SH2240	101
		PEN4	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes




HOW TO ORDER?



Additional Shelf				
	Additional adjustable shelf with supports included	PEN5	SH2228	70
			SH2234	85
			SH2240	101
		PEN6	SH2213	33
			SH2217	43
			SH2220	50
Anti-Tipping Kit				
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45
Handle	For handle other than the H161 standard, please see page K-2 / No charge			
Customized Products	For further information about customized products, see page K-3			

Wardrobes




HOW TO ORDER?




Additional Shelf						
	Additional adjustable shelf with supports included	PEN7	SH2228	70		
			SH2234	85		
			SH2240	101		
		PEN8	SH2213	33		
			SH2217	43		
			SH2220	50		
Anti-Tipping Kit						
	Anti-tipping kit made from steel and galvanized steel cable		DECR	45		
Handle	For handle other than the H161 standard, please see page K-2 / No charge					
Customized Products	cts For further information about customized products, see page K-3					

ARTISAN SERIES - LFA Wardrobes



HOW TO ORDER?



OPTIONS Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H161 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

ARTISAN SERIES - LFA Headboards and Footboards

MODEL		DESCRIPTION	CODE	LFA
TLRT	A A	Rectangular headboard	A B 3442TLRT	164
PLRT	B A A	Rectangular footboard	A B 2742PLRT	130
TLCX	C A B	Curved headboard	A B C 343742TLCX	178
PLCX	C A B A B	Curved footboard	A B C 273042PLCX	144

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

OPTIONS

Customized Products For further information about customized products, see page K-3

TABLE SERIES FLEX, ALL-PURPOSE & OCCASIONAL TABLES

TABLES SERIES - LF

Manufacturing Standard



FEATURES

TOPS

All Logilife Tables, exception of Flex tables, are made of 3/4" thermally fused laminate or high pressure laminate tops with 2mm heat-sealed PVC edges.



FLEX TABLES

Flex tables offer independent height adjustment of each surface. Surfaces, which are made of 1" high pressure laminates, are adjustable from 27" to 37". Bases are designed to allow maximum clearance to facilitate medical assistant duties. Tables are equipped with height adjustable glides.

TABLES WITH HEIGHT ADJUSTABLE MECHANISM

Tables provided with a pneumatic mechanism base can be adjust in height from 28" to 36".

LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

WOODGRAINS AND COLORS

5 wood grain colors and 1 solid color are offered in the Logilife series:

BC	Brown Cherry	DR	Driftwood	TO	Tobacco
CC	Classic Chocolate	EC	Classic Maple	W	Polar White

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be modified according to your needs.

Please see page K-3 for more information and suggestions about custom manufacturing.

OPTIONS



FLIP-TOP MECHANISM | TABLES WITH BPX BASES

Tables with pneumatic mechanism can be ordered with a flip-top mechanism to reduce the storage footprint.



LAZY SUSAN | FLEX TABLES

Flex tables can receive a central swivel circular tray.



STRAIGHT FRONT | FLEX TABLES

Flex table surfaces may be straight instead of curved.



SLIDING ACTION | FLEX TABLES


Each top of Flex tables can be provided with independent mechanism for adjustabily in depth in order to move tops forward. 1 mechanism per top is needed.

TABLES SERIES - LF All-purpose Tables

MODEL	DESCRIPTION	CODE	LF	LFL
TCAIFNSN	All-purpose table:	Α	tfl	hpl
A	 square surface with rounded 	36TCAIFNSN	475	629
29"	corners; - 2-1/2" metal tubular legs, satin nickel finish.	42TCAIFNSN	505	693
TAIFNSN	All numana table:	A D	451	h-1
IAIFNSN	All-purpose table:	A B	tfl	hpl
B	 rectangular surface with rounded corners; 	2430TAIFNSN	442	583
\ \ \ \ \ \	- 2-1/2" metal tubular legs, satin	3036TAIFNSN	465	607
29"	nickel finish.	3648TAIFNSN	505	649
	HICKET HIRSTI.	3654TAIFNSN	527	673
TRIFNSN	All-purpose table:	A		
THITTOIN	- circular surface;	36TRIFNSN	475	629
A	- 2-1/2" metal tubular legs, satin	42TRIFNSN	505	693
29"	nickel finish.	42TKII NON	303	093
TCAOVASN	All-purpose table:	A		
1	- square surface with rounded	36TCAOVASN	703	893
/ ^A /	corners;	42TCAOVASN	733	957
29"	- metal oval legs, satin nickel finish.		.00	
TAOVASN	All-purpose table:	АВ	tfl	hpl
B	- rectangular surface with	2430TAOVASN	680	833
A	rounded corners;	3036TAOVASN	757	914
	- metal oval legs, satin nickel	3648TAOVASN	773	930
29"	finish.	3654TAOVASN	795	953
	A11			
TROVASN	All-purpose table:	A	700	000
A	- circular surface;	36TROVASN	703	893
29"	- metal oval legs, satin nickel finish.	42TROVASN	733	957
See pages G-2 and G-3 for serie	s materials, finishes and manufactu	iring standard		

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?




TABLES SERIES - LF All-purpose Tables

MODEL	DESCRIPTION	CODE	LF	LFL
TCASTA4 >	All-purpose table:	Α	tfl	hpl
29" 24-30	 Square surface with rounded corners; 1-1/2" metal tubular base. 	24TCASTA424SN29	633	730
TRSTA4	All-purpose table:	A	tfl	hpl
29" 24-30	- Circular surface; - 1-1/2" metal tubular base.	24TRSTA424SN29	619	715
TASTA2	All-purpose table:	АВ	tfl	hpl
	- Rectangular surface with	2436TASTA224SN	835	974
B	rounded corners;	2442TASTA224SN	843	999
///)	- 1-1/2" metal tubular legs.	2448TASTA224SN	849	1021
	Black support bar (BST) included for tables 60" long	2454TASTA224SN	855	1044
29"		2460TASTA224SN	926	1134

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



TABLES SERIES - LF All-purpose Tables

MODEL	DESCRIPTION	CODE	LF	LFL
TCABPXSN	All-purpose tables:	Α	tfl	hpl
	- Square surface with rounded	38TCABPXSN	1327	1512
A	corners;	42TCABPXSN	1361	1577
	 metal tubular base with 			
28" - 36"	pneumatic mechanism.			
	Adjustable height from 28" to 36"			
TRBPXSN	All-purpose tables:	A		
<u> </u>	- Circular surface;	38TRBPXSN	1332	1517
A	- metal tubular base with	42TRBPXSN	1366	1582
	pneumatic mechanism.			
28" - 36"	Adjustable height from 28" to 36"			
ARCBPXSN	All-purpose tables:	A		_
28" - 36"	- Square surface with concave corners; - metal tubular base with pneumatic mechanism. Adjustable height from 28" to 36"	42ARCBPXSN	1422	1642

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OI HONS			
Flip-top	Addition of a flip-top mechanism	FT	102
mechanism			

TABLES SERIES - LF

Flex Tables

DESCRIPTION MODEL CODE LFL FLEX2 2-top adjustable table: hpl - 2 separate curved tops; FLEX2SN Price on demand - independent mechanismes FLEX2BL Price on demand adjustables in height. FLEX4T 4-top adjustable table: - 4 separate curved tops; FLEX4TSN Price on demand - independent mechanismes FLEX4TBL Price on demand adjustables in height. FLEX4X 4-top adjustable cross table: - 4 separate curved tops; FLEX4XSN Price on demand - independent mechanismes FLEX4XBL Price on demand adjustables in height. **DIMENSIONS**

Surfaces

Depth

24

24

24,5

ø Lazy

susan

12

14

14

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

Height

Max

37

37

Surfaces

Width

26

26

24,5

Height

Min.

27

27

HOW TO ORDER?

FLEX2

FLEX4T

FLEX4X

Overall

Width

52,75

26


Overall

Depth

48,75

48,75

49,75



Lazy susan	Central swivel circular tray	PC12	Price on demand
		PC14	
Straight front	Straight front	ST	N/C
Sliding action	Each top can be provided with independent mechanism for adjustabily in depth	AP	Price on demand
	1 mechanism per top is needed		


TABLES SERIES - LF Occasional Tables

MODEL	DESCRIPTION	CODE	LFW	LFWL
TCWL	Side table:	А В	tfl	hpl
A	- square surface;	20TCWL22	491	581
	- wooden apron and 2-1/4" x 2-	24TCWL22	507	623
B	1/4" taper legs.			
TWL	Side table:	АВ С		
B	- rectangular surface;	1620TWL22	483	553
	- wooden apron and 2-1/4" x 2-	2024TWL22	499	592
c	1/4" taper legs.		,66	
TRWL	Side table:	A B		
A	- circular surface;	24TRWL22	597	711
	- wooden apron and 2-1/4" x 2-	241171122	391	711
B	1/4" taper legs.			
TRWL	Coffee table:	А В		
A	- circular surface;	24TRWL16	573	685
	- wooden apron and 2-1/4" x 2-	30TRWL16	614	774
В	1/4" taper legs.	36TRWL16	644	864
TWL	Coffee table:	АВ С		
	 rectangular surface; 	2436TWL16	528	688
B	- wooden apron and 2-1/4" x 2-	2448TWL16	562	764
c c	1/4" taper legs.			
ELWL	Coffee table:	АВ С		
A	 elliptical surface; 	2436ELWL16	612	768
	- wooden apron and 2-1/4" x 2-	2448ELWL16	646	844
	1/4" taper legs.			
T\//I	Sofa table:	A B C		
TWL A.	- rectangular surface;	1436TWL30	544	645
B	- wooden apron and 2-1/4" x 2-	1448TWL30	573	698
	1/4" taper legs.	1460TWL30	592	744
	, ,	14001W200	002	,
See pages G-2 and G-3 for series	s materials, finishes and manufacti	uring standard		
HOW TO ORDER?				_
 	154 (4)	TC	MI (5)	
	LFW_ (A)	► TR	WL (B)	<u></u>
	SERIES DIMENSIONS Tables	SURFACE	LEGS	
OR				
J.,	LEW (A.D.)	Ţ	W (C)	
	LFW_ (A B) SERIES → DIMENSIONS	► EL SURFACE	WL (C)	
	SERIES DIMENSIONS Tables	JURFACE	LEGS	

TABLES SERIES - LF Occasional Tables

MODEL	DESCRIPTION	CODE	LFW	LFWL
TCWLG	Side table:	А В	tfl	hpl
A	 square surface; 	20TCWLG22	564	651
B	- wooden apron and 2-1/4" x 2- 1/4" curved legs.	24TCWLG22	581	693
TWLG > <	Side table:	A B C		
B	 rectangular surface; 	1620TWLG22	557	630
	- wooden apron and 2-1/4" x 2-1/4" curved legs.	2024TWLG22	573	671
TRWLG »	Side table:	A B		
A B B B B B B B B B B B B B B B B B B B	- circular surface; - wooden apron and 2-1/4" x 2- 1/4" curved legs.	24TRWLG22	664	781
TRWLG	Coffee table:	A B		_
A	- circular surface;	24TRWLG16	615	729
	- wooden apron and 2-1/4" x 2-	30TRWLG16	656	819
B	1/4" curved legs.	36TRWLG16	686	908
TWLG	Coffee table:	A B C		
R A	 rectangular surface; 	2436TWLG16	571	725
	- wooden apron and 2-1/4" x 2-1/4" curved legs.	2448TWLG16	605	801
ELWLG .	Coffee table:	АВ С		
B	 elliptical surface; 	2436ELWLG16	654	813
	- wooden apron and 2-1/4" x 2-1/4" curved legs.	2448ELWLG16	688	889
TWLG	Sofa table:	АВ С		
A>	 rectangular surface; 	1436TWLG30	647	752
B	- wooden apron and 2-1/4" x 2-	1448TWLG30	675	805
	1/4" curved legs.	1460TWLG30	695	852
See pages G-2 and G-3 for serie	s materials, finishes and manufactu	uring standard		

See pages G-2 and G-19 HOW TO ORDER?



HOSTA SERIES
WOODEN SEATS

HOSTA SERIES - LFHManufacturing Standard



FEATURES



CONSTRUCTION | ARMCHAIRS*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



SAFE AND EASY INGRESS AND EGRESS

The extended and rounded wooden armrests of Hosta seats give the user optimal support for safe and easy ingress and egress.

FRAME | ARMCHAIRS*

The wooden frame is assembled with mortise and tenon construction for optimal strength. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

^{*}Feature not available for the general purpose chair

HOSTA SERIES - LFH

Manufacturing Standard

FEATURES — CONT'D

WEIGHT CAPACITY | BARIATRIC ARMCHAIRS

Bariatric armchairs have a weight capacity of 750lbs.

CALIFORNIA TECHNICAL BULLETIN 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

WOODGRAINS

5 wood grain colors are offered in the Logilife series:

- BC Brown Cherry CC Classic Chocolate
- DR Driftwood
 EC Classic Maple
 TO Tobacco

UPHOLSTERY SPECIFICATION

Please see section A-4 for upholstery specification.

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

OPTIONS

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



POLYURETHANE ARM CAP

The optional arm cap increases durability for the armrests. It is replaceable if it becomes damaged.



REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate cleaning.

HOSTA SERIES - LFHPatient Armchairs

								COM					
MODEL			DESC	RIPTION	٧		CODE	GR1	GR2	GR3	GR4	GR5	GR6
RES			- fixed - seat	armchaii molded h with sprin en frame	nigh bacl igs;		LFH RES	837	895	967	1039	1111	1183
							For two-tone upho	olstery, pleas	se use the	higher gra	de pricing		
RESR			Patient	armchair	•								
			- seat	ing mold with sprin len frame finclinaison	gs; and arn	•	LFH RESR	959	1017	1089	1161	1233	1305
DIMENSIONS		4)(4,55					For two-tone upho	olstery, pleas	se use the	higher gra	de pricing		
DIMENSIONS	& CON	I YAKD.	AGE	147.10									
LEUDEO	Overall Width	Overall Depth	Overall Height	Width Between Arms	Height	Seat Depth	Armrest Height	COM yard Seat & ba	•	COM yard	lage	COM yard	age
LFH RES	25	25	45,5	20,5	18	17	26	2		1		1,5	

See page A-5 for orders that involve COM upholstery

25

25

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

20,5


45,5

18

17

HOW TO ORDER?

LFH RESR



26

1,5

Removable	Removable slipcover for head area		COM					
head cover			GR1	GR2	GR3	GR4	GR5	GR6
		HT	52	66	84	102	121	138
Polyurethane	Armrests top can be covered with a polyurethane cap						UR	87
arm cap								
Cal 133	Application of a non-flammable lining compliant with Californ	nia Techr	nical Bulle	tin 133	See pag	e A-4		
	(The non-flammable lining does not alone ensure the product certific	ation)						

HOSTA SERIES - LFH


Guest and Bariatric Armchairs

			COM					
MODEL	DESCRIPTION	CO	DE GR1	GR2	GR3	GR4	GR5	GR6
VIS1	Guest armchair: - molded middle back; - seat with springs; - wooden frame and armr		I VIS1 790	840	903	966	1030	1093
		For	two-tone upholstery, plea	se use the	higher grad	de pricing		
BAR	Bariatric armchair:							
	 molded middle back; seat with springs; wooden frame and arm Weight capacity: 750lbs 		IBAR 929	1023	1140	1258	1374	1491
		For	two-tone upholstery, plea	se use the	higher grad	de pricing		
DIMENSIONS & COM YARDA								
Overall Overall Width Depth LFH VIS1 25 25	Height Arms Height	Seat Armi Depth Heig 17 26		•	COM yard Seat	lage	COM yard Back	age
LFH BAR 34 25	,-	17 26	_		•			

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?




Polyurethane arm cap	Armrests top can be covered with a polyurethane cap	UR	87
Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4		
	(The non-flammable lining does not alone ensure the product certification)		

HOSTA SERIES - LFHTandem Seating

								COM					
MODEL				RIPTION	N		CODE	GR1	GR2	GR3	GR4	GR5	GR6
VIS2			- seat - wood	er: ed middle with sprin len frame er armrest	ngs; e and arn	nrests.	LFH VIS2	1270	1371	1498	1623	1750	1876
VIS2A			2-seate	er:			Tor two-tone upno	istery, pieas	e use ine	riigiiei gia	ue pricirig		
			centemoldseat	er armres ed middle with sprin len frame	e back; ngs;	nrests.	LFH VIS2A	1436	1537	1663	1789	1916	2041
U							For two-tone upho	lstery, pleas	e use the	higher gra	de pricing		
VIS3			- seat	er: ed middle with sprin len frame	ngs;	nrests.	LFH VIS3	1731	1883	2072	2261	2450	2640
				er armrests			For two-tone upho	lstery, pleas	e use the	e higher gra	de pricing		
VIS3A			3-seate	er:									-
			- mold - seat	er armres ed middle with sprin len frame	e back; ngs;	nrests.	LFH VIS3A	2076	2228	2417	2606	2795	2985
DIMENDIONIO		4) / A D.D.	405				For two-tone upho	lstery, pleas	e use the	higher gra	de pricing		
DIMENSIONS	& CON	/I YAKU	AGE	Width									
	Overall Width	Overall Depth	Overall Height	Between Arms	Seat Height	Seat Depth	Armrest Height	COM yard Seat & ba		COM yard Seat	lage	COM yard Back	age
LFH VIS2	47	25	36,5	42,5	18	17	26	4		2		2	
LFH VIS2A	48	25	36,5	20,5	18	17	26	4		2		2	
LFH VIS3	68,5	25	36,5	64	18	17	26	6		3		3	
LFH VIS3A	70,5	25	36,5	20,5	18	17	26	6		3		3	

See page A-5 for orders that involve COM upholstery



MIKA SERIES


METAL SEATS

MIKA SERIES - LFK

Manufacturing Standard



FEATURES



CONSTRUCTION | ARMCHAIRS*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



SAFE AND EASY INGRESS AND EGRESS

The extended and rounded polyurethane armrests of Mika seats give the user optimal support for safe and easy ingress and egress.

FRAME | ARMCHAIRS*

The metal frame is in Satin Nickel welded steel. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

^{*}Feature not available for the general purpose chair

Manufacturing Standard

FEATURES - CONT'D

WEIGHT CAPACITIES | BARIATRIC ARMCHAIRS

Bariatric armchairs have a weight capacity of 750lbs.

CALIFORNIA TECHNICAL BULLETIN 117

The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

METAL FINISH

Metal finish for all Mika seats is Satin Nickel (SN)

UPHOLSTERY SPECIFICATION

Please see section A-4 for upholstery specification.

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

OPTIONS

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate the cleaning.


MIKA SERIES - LFK Patient Armchairs

								COM					
MODEL			DESC	RIPTIO	N		CODE	GR1	GR2	GR3	GR4	GR5	GR6
RES			fixedseat	armchaii molded h with sprir I frame a ts.	nigh bac igs;		LFK RES	1074	1132	1204	1276	1348	1420
							For two-tone upl	holstery, pleas	e use the	higher gra	de pricing		
RESR	Patient armchair: - reclining molded high back; - seat with springs; - metal frame and polyurethane armrests. Angle of inclinaison ± 23°					LFK RESR	1196	1254	1326	1398	1470	1542	
DIMENSION	S & CON	1 YARD	AGE				T OF TWO-TONE UP	ioistery, pieas	e use ine	riigiiei gia	de pricirig		
	_ 0. 0 0 11			Width									
	Overall Width	Overall Depth	Overall Height	Between Arms	Seat Height	Seat Depth	Armrest Height	COM yard Seat & ba	•	COM yard Seat	lage	COM yard Back	lage
LFK RES	25	25	45,5	20,5	18	17	26	2		1		1,5	
LFK RESR	25	25	45,5	20,5	18	17	26	2		1		1,5	

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



Removable	Removable slipcover for head area		COM					
head cover			GR1	GR2	GR3	GR4	GR5	GR6
	H	Т	52	66	84	102	121	138
Cal 133	Application of a non-flammable lining compliant with California Te	echni	cal Bulle	tin 133	See page	e A-4		
	(The non-flammable lining does not alone ensure the product certification)							

MIKA SERIES - LFK

Guest and Bariatric Armchairs

								COM					
MODEL			DESC	RIPTION	٧		CODE	GR1	GR2	GR3	GR4	GR5	GR6
VIS1			- molde	armchair: ed middle with sprin frame ai	e back; igs;	rethane	LFK VIS1	1027	1077	1140	1203	1267	1330
							For two-tone up	oholstery, pleas	e use the	higher gra	de pricing		
BAR Bariatric armchair: - molded middle back; - Seat with springs; - metal frame and poly armrests. Weight capacity: 750lbs				back; ngs; nd polyu	rethane	LFK BAR	1166	1260	1377	1495	1611	1728	
DIMENSION	S & CON	1 YARD	AGE				,	, , , , , , , , , , , , , , , , , , ,		3 - 3 -	<u> J</u>		
	Overall Width	Overall Depth	Overall Height	Width Between Arms	Seat Height	Seat Depth	Armrest Height	COM yard Seat & ba	•	COM yard Seat	lage	COM yard	lage
LFK VIS1	25	25	36,5	20,5	18	17	26	2		1		1	
LFK BAR	34	25	36,5	29,5	18	17	26	3		1,5		2	

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

 UPHOLSTERY:
 MOMENTUM
 ACE
 CARBON
 GR2

 SUPPLIER
 PATTERN
 COLOR
 GRADE

 Upholstery
 Name or Number
 Name or Number
 Logiflex

OPTIONS

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (The non-flammable lining does not alone ensure the product certification)


MIKA SERIES - LFK Tandem Seating

								COM							
MODEL				RIPTIO	N		CODE	GR1	GR2	GR3	GR4	GR5	GR6		
VIS2	- Seat - meta armres	ed middle with sprii I frame a	ngs; nd polyu	rethane	LFK VIS2	1507	1608	1735	1860	1987	2113				
VIS2A			0				For two-tone upholstery, please use the higher grade pricing								
VISZA			- mold - Seat	er armres ed middle with sprid I frame a	e back; ngs;	rethane	LFK VIS2A	1740	1841	1967	2093	2220	2345		
							For two-tone upholstery, please use the higher grade pricing								
VIS3			3-seater: - molded middle back; - Seat with springs; - metal frame and polyurethane armrests.				LFK VIS3	1968	2120	2308	2498	2687	2877		
armrests. No center armrests						For two-tone upho	lsterv nleas	e use the	a higher gra	de pricina					
VIS3A			3-seate	er:			Tortwo tone upno	istory, picas	0 000 1110	Tilgrici gra	ac prioring				
			- cente - mold - Seat	er armres ed middle with sprid I frame a	e back; ngs;	rethane	LFK VIS3A	2447	2599	2788	2978	3166	3356		
DIMENSIONS & COM YARDAGE						For two-tone upho	lstery, pleas	e use the	higher gra	de pricing					
DIMENSIONS	s & CON	/I YARD	AGE	Width											
	Overall Width	Overall Depth	Overall Height	Between Arms	Seat Height	Seat Depth	Armrest Height	COM yard Seat & ba	•	COM yard Seat	lage	COM yard Back	age		
LFK VIS2	47	25	36,5	42,5	18	17	26	4		2		2			
LFK VIS2A	48	25	36,5	20,5	18	17	26	4		2		2			
LFK VIS3	68,5	25	36,5	64	18	17	26	6		3		3			
LFK VIS3A	70,5	25	36,5	20,5	18	17	26	6		3		3			

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?





OPTIONS

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4
(The non-flammable lining does not alone ensure the product certification)

MIKA SERIES - LFK

General Purpose Chairs

COM **DESCRIPTION** MODEL CODE GR1 GR2 GR3 GR4 GR5 GR6 SAM General purpose chair: - molded low back; LFK SAM 452 481 517 553 589 625 - molded seat; - metal frame and polyurethane armrests. For two-tone upholstery, please use the higher grade pricing **DIMENSIONS & COM YARDAGE** Width Overall Overall Between Seat Seat Armrest COM yardage COM yardage COM yardage Width Depth Height Height Depth Height Seat & back Back Arms Seat

26

1,5

See page A-5 for orders that involve COM upholstery

24

23,5

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

19


18

17

32,5

HOW TO ORDER?

LFK SAM




UPHOLSTERY: MOMENTUM ACE CARBON GR2

SUPPLIER PATTERN COLOR GRADE
Upholstery Name or Number Name or Number Logiflex

OPTIONS

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (The non-flammable lining does not alone ensure the product certification)



LOUNGE SEATING

Taylor

								СОМ							
MODEL			DESC	RIPTION	1		CODE	GR1	GR2	GR3	GR4	GR5	GR6		
TAY1 Armchair: - elastic straps on sea - medium density Celo - frame made out of re and recyclable particle - oval metal legs 6" H, nickel finish.				ty Celco ut of rec articles;	r foam; ycled	SS TAY1	835	927	1039	1256	1420	1592			
TAV2			Love	not:			For two-tone upholstery, please use the higher grade pricing								
TATZ	TAY2 Love seat: - elastic straps on seat; - medium density Celcor foam; - frame made out of recycled and recyclable particles; - oval metal legs 6" H, satin nickel finish.					r foam; ycled	SS TAY2	1083	1218	1388	1755	1985	2223		
							For two-tone up	holstery, pleas	e use the	higher gra	de pricing				
Sofa: - elastic straps or - medium density - frame made out and recyclable pa - oval metal legs nickel finish.					ty Celco ut of rec articles;	r foam; ycled	SS TAY3	1360	1427	1926	2332	2655	2989		
							For two-tone up	holstery, pleas	e use the	higher gra	de pricing				
DIMENSIONS	& COM	1 YARD	AGE	Width											
	Overall Width	Overall Depth	Overall Height	Between Arms	Seat Height	Seat Depth	Armrest Height	COM yard Total	age						
SS TAY1	32	32	34	24	17	19	28	6							
SS TAY2	55	32	34	48	17	19	28	9							
SS TAY3	79	32	34	72	17	19	28	12							
See page A-5 for HOW TO ORI		that invo	olve COM	upholste	SE	SS RIES Seating	TAY1 TAY2 TAY3 CODE	_							

Cal 133	Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4	
	(The non-flammable lining does not alone ensure the product certification)	

ACE PATTERN

MOMENTUM SUPPLIER Upholstery

UPHOLSTERY: _

CARBON COLOR

GR2

GRADE Logiflex

LOUNGE SEATING

Dean

MODEL			DESC	DIDTION	.I		CODE	COM	CD2	OD2	CD4	ODE	CDC.		
MODEL				RIPTION	N		CODE	GR1	GR2	GR3	GR4	GR5	GR6		
			Armchair: - springs for the seat and back; - medium density Celcor foam; - frame made out of recycled and recyclable particles.			SS DEA		1157	1362	1565	1769	1972			
							For two-tone upholstery, please use the higher grade pricing								
DEA2			- medi - frame	eat: gs for the um densi e made o cyclable p	ty Celco ut of rec	r foam; ycled	SS DEA2	2 1324	1541	1817	2085	2357	2629		
							For two-tone upholstery, please use the higher grade pricing								
DEA3	_		Sofa:												
- m				 springs for the seat and back; medium density Celcor foam; frame made out of recycled and recyclable particles. 			SS DEA	3 1763 ne upholstery, plea	2049	2415	2774	3136	3503		
DIMENSIONS	& CON	1 YARD	AGE				7 01 1110 1011		30 400 470	mgner gra	ao pironig				
	Overall Width	Overall Depth	Overall Height	Width Between Arms	Height	Seat Depth	Armrest Height	COM yar Total	dage						
SS DEA1	31	31	33	25	17	19	24 - 28	7							
SS DEA2	56	31	33	50	17	19	24 - 28	10							
SS DEA3 See page A-5 for	81 or orders	31 that invo	33 Ilve COM	75 Lupholste	17 erv	19	24 - 28	13							
HOW TO ORI			5 5 5 1 1	350.000											
	<i>5</i> _11.			SER Soft So	IES ····	DEA DEA COI	\2 \3	OVAMSN OPTION Oval legs	_						
		UPH	IOLSTERY:	MOMEN	ITUM	A(CE —	CARBON	GR2	_					



4" H metal oval legs, satin nickel finish

SUPPLIER Upholstery

OVAMSN N/C


Cal 133

Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (The non-flammable lining does not alone ensure the product certification)

PATTERN Name or Number

COLOR Name or Number

GRADE Logiflex



APPENDICES

Accessories

HANDL	ES
HAINUL	.EO

HANDLES			
	H160 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H160	18
	H161 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H161	18
	H162 handle, satin nickel finish Drilling distance between holes: 160 mm c/c	H162	18
LEGS			
	6" H wooden leg for bedside cabinets with height adjustable, non-marking glides Wood finishes: select a color from the Logilife laminate finishes	WLS6	Price on request
	6" H wooden leg for dressers and wardrobes with height adjustable, non- marking glides Wood finishes: select a color from the Logilife laminate finishes	WL6	Price on request
	6" H tubular metal leg 1 3/4" diameter, satin nickel finish, with height adjustable, non-marking glides	TU6SN	Price on request
Ŷ	6" H metal oval leg, satin nickel finish, with height adjustable, non-marking glides	OVAM6SN	Price on request
MISCELLANEOUS			
	White plastic liner / For top drawer of bedside cabinets only	ВР	85
	Anti-tipping kit made from steel and galvanized steel cable The anti-tipping kit prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.	DECR	45

APPENDICES

Customized Products

The models presented here are suggestions: they can all be modified according to your needs.

In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. A sketch of the desired unit and all pertinent details must be submitted to our quotations department, which will study your request and send you a quotation and a drawing for approval as soon as possible.

CUSTOM MANUFACTURING SUGGESTIONS AVAILABLE THROUGH QUOTATION

HIGH-PRESSURE LAMINATE TOPS

Unit tops can be finished with high-pressure laminate, a material recognized for its resilient properties. This option must be specified when ordering. The laminate sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge.

Unless otherwise specified in the order, the laminate finish will be coordinated to match the unit's thermally fused laminate color.

MARMOLEUM TOPS


Unit and shelf tops can be finished in Marmoleum linoleum, a material recognized for its antibacterial properties. This option must be specified when ordering. The Marmoleum sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge.

To select the Marmoleum finish, please consult the Forbo catalogue at www.forboflooringna.com. Unless otherwise specified in the order, the PVC edge will be coordinated to match the unit's thermally fused laminate colour.

QUARTZ TOPS

Some unit tops can be in quartz, a material recognized for its resilient and antibacterial properties. This option must be specified when ordering. In this case, the unit's construction is adapted for quartz installation.

To select the quartz finish, please consult the Silestone catalogue at www.silestone.com.



LOCKS


Satin nickel locks can be installed on all Logilife units. This option must be specified in the order. They are randomly keyed, and two keys are provided per lock. To specify keyed alike locks, a list of the units that have identical keys must be provided with the order.

Some lock numbers may be repeated in orders of 50 units or more.



HINGED BACK ON HUTCHES

To provide easy access to wiring, the backs of hutches can be cut out and concealed by a hinged panel. This option must be specified when ordering.



CUT-OUT DRESSER TOP

Dressers intended to accommodate televisions can have a cut-out top to provide easy access to wiring. This option must be specified when ordering.



ARTISAN, SHAKER AND TRADITIONAL: OPTION OF TOP WITH FLUSH SIDES

To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.

180° OR 270° HINGES

Wardrobe doors can be installed on hinges that open 180° or up to 270°, to be specified when ordering.

MASTER KEY

A master key can be provided for units that have locks. This option must be specified when ordering.