

MILLENNIUM

Price List
USA 2017



logiflex



The March 30, 2017 revision of the Millenium price list presents these principal modifications:

DATE	SECTION	MODIFICATION
March 30, 2017	Appendix	Appendix H: Desk and Table tops, price correction on programming error.

The March 30, 2017 revision of the Millenium price list presents these principal modifications:

DATE	SECTION	MODIFICATION
March 30, 2017	All the price list	White nylon levelers are now standard.
	Typical Layout ML- C002	Price correction for Item C: ML 3084 TL LR FM GRL.
	Appendix	- Two laminate colors, Misty (MI) and Coral (CR) have been removed; - Appendix H was added: Desk and Table top prices.
	Hutches	Pre-drilled holes for wire dividers (DVD) offered as option, set of 3 wire dividers included.
	Accessories	- Legs: information concerning OVAMSN and PSQ legs heights was added; 6 new computer monitor brackets and a grommet mount option were added. - Wire separator WE has been deleted.

The November 24, 2016 revision of the Millenium price list presents these principal modifications:

DATE	SECTION	MODIFICATION
November 24, 2016	Appendix A: Colors and finishes	The following colors are available in 1-5/8" thick laminate : Legno Dark (DL), Audacity (AU), Storm (STA) and Haze (HAA).

The October 18, 2016 revision of the Millenium price list presents these principal modifications:

DATE	SECTION	MODIFICATION
October 18, 2016	All the price list	- The Millenium collection is now a separate document and is fully interactive. - These sections have been removed and are now in their own pricer, Tables : Hospitality Tables, Confernece Tables, Conference Table Accessories, Occational Tables.
	New products	- REI (rectangular tables without end gable); - REG (rectangular tables with end gable); FL : Glass doors with aluminum frames: V4 is the standard glass. HARLFL, HARRFL, HARFL, HPFLW, HPFLPGW, HPFL, HPAFL, HPFLPG, HPAFLPG, VLFL, VRFL, VFL, ARLFL, ARRLFL, ARFL, MU23FL, MU24FL, MU24AFL.
	New Dimensions	- Additional dimensions added to Cabinets with one door ARL, ARR, ARLPV, ARRPV; - TL (Tables lateral) new heights added to all lateral tables: 78" and 84".
	New accessories	- Handles: H050 and H051; - Handles are now all one price \$11; - Legs: Hatley and Magog; - GRILLSN (ventilation grill); - CAPF and CCPF grommets.
	Deleted products	- TQ (Q Shaped end table, lengths from 36" to 48"); - CXTOP (Connection Top); - T4SQ (All Purpose Table); - TINS (Computer table); Accessories: 6BL, 6SN and 2.5BL (Legs), KBM (Keyboard Trays), MCPU92, MCPU93, CPUINS, MT (CPU holders), Suspended Storage, and HAPF (grommet).
	Electricity	Electrical accessories added: - LMWM, SMWM, TELA, TELB, TELC, TELD - Replacement of the 4-Track and 8-Track systems with the 84 series of products: 844AA, 84AA, 84S, PMDBRCKIT, 8SR, 84SB2, 8420AP1, 84SB1, 84FF, 84CFF.

MILLENNIUM

Price List
USA 2017

Table of Contents



Introduction	6	Tables	64	Hutches and Wall Storage	133
Product Map	7	Left Arched Tables	65	Cabinet Hutches	134
Conditions of Sale	11	D, P and Q Tables	67	Corner Hutches	140
Manufacturing Standards	13	Extended D and P Tables	76	Adjustable Shelf Hutches	141
How to Use the Price List	14	End Tables	84	Wall Hutches	142
Typical Layouts	15	Hook Tables	85	Open Hutches	150
Appendix A: Colors and Finishes	24	Corner Tables	86	Wall Shelves	166
Appendix B: Surfaces and Moulding Edges	25	Extended Corner Tables	87	Tackboards	167
Appendix C: Modesty Panels	26	Lateral Tables	91		
Appendix D: Wood Grain	26			Bookcases and Cabinets	171
Appendix E: Handle Finishes for Glass Doors	26	Pedestals and Cabinets	97	Corner Bookcases	172
Appendix F: Pedestals and File Drawers	27	Factory-Installed Pedestals	98	Bookcases	173
Appendix G: Pricing for Additional Adjustable Shelves	27	Independent Pedestals	103	Display Cases	177
Appendix H: Pricing for Desk and Table Tops	28	Mobile Pedestals	108	Wardrobes	179
Appendix I: Electricity	29	Combination Pedestals	110	Wardrobes with Pedestals	186
		Lateral Filing Cabinets	111	Cabinets	188
Desks	32			Form Holders	198
Shells (Empty Desks)	33	Credenzas	112	Multiple Units	200
Desks with Pedestals	34	Credenzas with Pedestals	113		
Desks with Pedestals and Convex Front	39	Credenzas with Combination Pedestals	118	Accessories	213
Extended Desks with Straight Cut and Pedestals	42	Credenzas with Lateral Filing Cabinet	122	Handles	214
Extended Desks with Rounded Cut and Pedestals	44	Credenzas with Cabinets	124	Legs	215
Arched Desks with Pedestals	46	Combination Credenzas	126	Keyboard Trays	219
		Server Credenzas	129	CPU Holders	220
Returns	47	Transaction Tops	130	Computer Monitor Brackets	221
Empty Returns	48			Miscellaneous Accessories	223
Reversible Empty Returns	49			Electrical Accessories	225
Returns with Pedestals	50				
Returns with Combination Pedestals	53				
Returns with Lateral File Drawers	57				
Returns with Cabinets	59				
Bridges	61				
Connection Tops	63				


Introduction

The Millenium furniture collection offers contemporary desks for functional and affordable workspaces. Whether for a private or semi-private office or an open space concept, the Millenium collection meets the requirements of any work environment.

Product Map


Desks

Shells (Empty Desks) p. 33




BV


Desks with Pedestals p. 34




BD




BDD




BEL/BFL




BER/BFR




BEF



BFE




BEE




BFF


Desks with Pedestals and Convex Front p. 39




BECX




BFCX




BEFCX



BFCX




BEECX




BFFCX


Extended Desks with Straight Cut and Pedestals p. 42




BELBL



BFLBL




BELBR




BFLBR


Extended Desks with Curved Cut and Pedestals p. 44




BERBL



BFRBL




BERBR




BFRBR


Arched Desks p. 46




BEFARC



BFEARC




BEEARC




BFFARC

Returns

Empty and Reversible p. 48




RVL




REVL


Returns with Pedestals p. 50



RD




REL/RFL




RER/RFR


Returns with Combination Pedestals p. 53




REFL




RFEL




REFR



RFER




RCBCL




RBCCL

Returns with Lateral File Drawers p. 58




RCLL




RCLR

Returns with Cabinets p. 59




RARL




RARR

Bridges p. 61




BR



BRT

Connection Tops p. 63




TRTOP


Product Map

Tables


Arched Tables p. 65




D, P, Rectangular and Q Tables p. 67




Extended D and P Tables p. 76




End Tables p. 84




Hook Tables p. 85




Corner Tables p. 86



Extended Corner Tables p. 87




Lateral Tables p. 91




Pedestals and Cabinets


Factory Installed Pedestals p. 98




Independent Pedestals p. 103



Mobile Pedestals p. 108



Combination Pedestals p. 110



Lateral Filing Cabinets p. 111






Product Map

Credenzas


Credenzas with Pedestals

p. 113




Credenzas with Combination Pedestals

p. 118




Lateral Filing

p. 122




Cabinets

p. 124



Combination Credenzas

p. 126




Server

p. 129



Transaction Tops


p. 130



Hutches


Cabinet Hutches

p. 134




Corner Hutches

p. 140




Adjustable Shelves

p. 141




Wall Hutches

p. 142




Wall Hutches with Pigeon Hole Unit

p. 146




Desk Hutches

p. 150




Desk Hutches with Pigeon Hole Unit

p. 158




Wall Shelves

p. 166



Tackboards


p. 167



Product Map


Bookcases and Cabinets

Corner Bookcases p. 172




BBC

Bookcases p. 173




BB30



BBL30




BB36




BBL36

Display Cases p. 177




MD5




MD3AR


Wardrobes p. 179



VL




VRFL




VRPV




V



VFL




VPV




ARV


Wardrobes with Pedestals p. 186




AREV



ARFV




VARE




VARF


Cabinets p. 188




ARR




ARRFL




ARRPV




AR15




AR20




AR24




ARFL20



ARPV20



ARFL24



ARPV24

Form Holders p. 198



F5



F10



F15



F20



F30



F45



F45B

Multiple Units p. 200



MU2



MU4



MU5



MU5A



MU7



MU8




MU8A




MU10

Multiple Units - (continued) p. 203



MU11



MU11A




MU13



MU15



MU16




MU16A




MU18




MU19




MU19A



MU23



MU24



MU24A

Multiple Units - (continued) p. 208



MU23FL



MU24FL



MU24AFL



MU23PV



MU24PV



MU24APV



MU26



MU27



MU27A



MU32



MU33



MU33A



MU34



MU34A

Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the ["Online Services"](#) section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex's liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the ["Online Services"](#) section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list may include delivery; however, some conditions may apply. If your order is a minimum of \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also result in additional charges.

Items Delivered Disassembled

Some items are delivered disassembled, such as empty desks, empty returns, bridges, arched tables, D, P or Q tables, lateral tables, end tables, hook tables, corner tables and extended-corner tables. To order these items assembled, add a \$100 list price. Contact Customer Service for details.

Conditions of Sale (continued)

Quickship Program

A wide selection of typicals and components from the Millenium series are parts of our quickship program. The icon above appears beside the codes of items offered through this program in the different sections of this price list.

Conditions

- Products are ready to deliver after 10 working days from the receipt of the order and according to our delivery schedules.
- Maximum quantity of 20 components. For larger quantity, please consult the customer service.
- Logiflex reserves the right of final approval of orders.
- No cancellation after the reception of the order.
- All prices are in U.S. currency and may be changed without notice.

Quickship program standard

- Standard handles used when included: HJAB (Black).
- Edge finish: ML
- Tackboard fabrics: Please refer to the Logiflex color chart.
- **Colors** (For horizontal surfaces and/or single color unit):

BC	Brown Cherry	CO	Cognac
LM	Light Maple	NC	Natural Cherry
PC	Coastal Pear	PO	Porto
SW	Smoked Walnut	T	Tan
TO	Tobacco	WK	Whisky
Z	Zebra		

Base colors (For bases and vertical plans only):

B	Jet Black	C	Slate
---	-----------	---	-------

Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the products' lifetime. Effective as of the date invoiced to the distributor, the warranty is valid only for products bought new from an authorized Logiflex distributor and as long as the original purchaser owns the products. The warranty period will be reduced proportionately if the products are used over a period exceeding the equivalent of a shift of 40 hours/week.

This warranty applies only to normal use of the product and is limited to the repair or replacement of said product at Logiflex's discretion. All replacement parts will be shipped to the original shipping address. Transportation and labor are not covered by this warranty. By accepting the product at its delivery, the buyer accepts these conditions.

Limited Lifetime Warranty: Access, Knockout, Level, Logilife, Manhattan, Millenium, Reception and Tables (Conference, Occasional, Multimedias)

5 Year Warranty: Academic and Soft Seating

10 Year Warranty: Chairs

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification, transformation, repair, renovation or use of components or materials that have not been authorized by Logiflex;
- Renting to a third party;
- Natural properties of materials;
- For leather products: normal defects in leather such as: scars, marks or difference in stain within a leather skin or between different skins;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/ installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:

- 1 year warranty on electrical components;
- 5 year warranty on seat mechanisms, drawer slides and locks;
- 5 year warranty on urethane parts;
- 5 year warranty on upholstery and casters

Manufacturing Standards

Furniture Construction

- All desktops and legs are 1" thick laminate;
- Fronts, backs and modesties are 5/8" thick laminate.

Handles

Handles are included for the majority of Millenium furniture items with fronts, with the exception of hutches and D, E and F pedestals, for which handles are sold as options. The standard handle style, when included, is HJAB (black). Please refer to the Logiflex handle selection in the [Accessories](#) section at the end of this price list.

Grommets

Grommets are included for some items such as D and P tables, lateral, end, corner, extended-corner and arc tables, returns, and reception stations. When grommets are included, the standard style is the ELPF grommet.

Locks

LKBL (black) locks are included for some items, such as pedestals, lateral file drawers, cabinets, wardrobes, combination units and credenzas. To specify a different type of lock, please refer to the [Accessories](#) section at the end of this price list to see the different models offered by Logiflex.

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16". Type D, E and F pedestals include a black polyvinyl chloride (PVC) extrusion for easy finger grip operation (no handle).

Drawer Fronts

A PVC strip 2.5 mm thick is systematically applied along all drawer front edges.

Wood Grain

The wood grain is always vertical on fronts and furniture doors. Surfaces more than 96" are in two parts. Logiflex cannot guarantee that the wood grain will match up on the different parts of a same surface.

Hutches

All hutches have a grommet at the bottom and a round grommet at the back of the unit for light fixture wires.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Fabric

You must specify the fabric when the item so requires. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items (except bridges) sit on 1" in diameter, white nylon levelers, allowing for up to 1" height adjustment. The standard finished height for work surfaces is 29".



How to Use the Price List

Interactive Menu

Product line → **Hutches and Wall Storage**

Product group → **Desk Hutches with Doors**

Product code → **HP**

Product image →

Product Information →

Leg Bases

LR	LH	HR	HH
L R	L H	H R	H H
Full Legs	Half Leg on Right	Half Leg on Left	2 Half Legs

37" high hutch

43" high hutch

Options

Lock

Dividers Set of 3

Tackboard

How to Order

Standard Product Code
Details as per the price listed

Options, if desired (\$)
Always after the product code

Manufacturing Standards

- Horizontal wood grain on back panel;
- Pre-drilled holes for wire dividers (wire dividers not included);
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$31 retail. For two half legs (HH), add \$62 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Set of 3 wire dividers (DVD) offered as option.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Tackboards: A tackboard can be added under the door section of the hutch.

Prices

Dimensions	Series	Prices
A B C ML		
163037	540	
163637	587	
164237	634	
164837	684	
165437	773	
166037	827	
166637	877	
167237	967	
168437	967	
163043	587	
163643	643	
164243	696	
164843	752	
165443	849	
166043	909	
166643	967	
167243	994	
168443	1069	

Navigation buttons
Previous View
Previous Page
Next Page
Product Map
Table of Contents

Product-specific manufacturing standards

Additional Product Information and Notes

Series

Prices



Quickship Program Icon

Dimensions

Blue text hyperlink

Typical Layouts



ML-C001



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	ML 1684 HPPGW	Wall hutch with 5 doors and pigeon hole unit 16" X 84" X 21-1/8"	1 293	1 293
B	1	ML FE 2484 FM GRC	Credenza 24" X 84" X 29"H, with combination FE pedestal on left, HJA satin nickel handles	1 354	1 354
	1	[CAPF]	Option - CAPF grommet	20	20
C	1	ML 2442 BR FM GRC	Bridge 24" X 42" X 29" H, full modesty	363	363
	1	[CAPF]	Option - CAPF grommet	20	20
D	1	ML 487236 AYR	Right side, arched table 48" X 72" X 36" X 29" H	1 028	1 028
	1	[HATSN]	Satin nickel Hatley legs	133	133
	1	[CAPF]	Option - CAPF grommet	20	20
Total:					4 231
Total without options:					4 038

Typical Layouts



ML-C002



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	2	ML 2084 SCARAR 36	Server credenza 20" X 84" X 36" H , 2 cabinets, 4 doors, H060 brushed nickel handles	1 845	3 690
	1	ML 2442 R 29 D FM	Right return 24" X 42" X 29"H with D pedestal on right, full modesty	688	688
B	1	[CAPF]	Option - CAPF grommet	20	20
	2	[H060BN]	Option - H060 brushed nickel handles	11	22
	1	ML 3084 TL LR FM GRL	Lateral table 30" X 84" X 29"H, full modesty	679	679
C	1	ML E INS	Installed E pedestal on left	595	595
	1	[CAPF]	Option - passe-fils CAPF	20	20
	3	[H060BN]	Option - H060 brushed nickel handles	11	33
D	1	ML 1260 RS 13	Transaction top 12" X 60" X 13"H	283	283
				Total:	6 030
				Total without options:	5 340

Typical Layouts



ML-C003



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	ML 1660 HPFL 37 LR KO	Wall hutch 16" X 60" X 37" H, 4 doors with aluminum frame, Jet Black glass and doors with aluminum frame	1 413	1 413
	1	[TB]	Option - Fabric tackboard for hutch	340	340
B	1	ML 201866 ARL	Cabinet 20" X 18" X 66" H, 1 door on left, H060 brushed nickel handles	750	750
C	1	ML 201866 ARR	Cabinet 20" X 18" X 66" H, 1 door on right, H060 brushed nickel handles	750	750
D	1	ML 2060 CLCL	Credenza with combination pedestal 20" X 60" X 29" H , 2 CL pedestals	1 491	1 491
	4	[H060BN]	Option - H060 brushed nickel handles	11	44
E	1	ML 364272 ECX FM NGR	Desk with convex front 36" / 42" X 72" X 29" H with E pedestal on right	1 325	1 325
	3	[H060BN]	Option - H060 brushed nickel handles	11	33
Total:					6 146
Total without options:					5 729

Typical Layouts



ML-C004



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	ML F2472 FMGRC	Credenza 24" X 72" X 29" H with F pedestal on left	1 022	1 022
	1	[CAPF]	Option - CAPF grommet	20	20
	2	[H070BN]	Option - H070 brushed nickel handles	11	22
B	1	ML 1672 HPFLW KF	Wall hutch 16" X 72" X 17-1/2"H, 4 doors with aluminum frame, Fuchsia glass and built-in handles	1 382	1 382
C	1	ML 2042 BR FM GRC	Bridge 20" X 42" X 29" H, full modesty	313	313
	1	[CAPF]	Option - CAPF grommet	20	20
D	1	ML 3072 D SM	Desk 30" X 72" X 29" H with D pedestal on right, 18.5" modesty	958	958
	2	[H070BN]	Option - H070 brushed nickel handles	11	22
Total:					3 759
Total without options:					3 675

Typical Layouts



ML-C005



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	ML 1672 HPFLW V4	Wall hutch 16" X 72" X 17-1/2"H, 4 doors with aluminum frame, White glass and built-in handles	1 382	1 382
	1	ML F 2448 L 29 FM GRC	Return 24" X 48" X 29" H with F pedestal on left	858	858
B	1	[CAPF]	Option - CAPF grommet	20	20
	2	[H070BN]	Option - H070 brushed nickel handles	11	22
C	1	ML 3072 D SM	Desk 30" X 72" X 29" H with D pedestal on right, 18.5" modesty	958	958
	2	[H070BN]	Option - H070 brushed nickel handles	11	22
Total:					3 262
Total without options:					3 198

Typical Layouts



ML-C006



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	3	ML 2030 MU4	Multiple unit 20" X 30" X 66" H, Top: 2 adjustable shelves, Bottom: cabinet with 2 doors and 1 adjustable shelf	1 004	3 012
B	3	ML 1660 HZW	Wall hutch 16" X 60" X 19"H with 2 retractable doors	915	2 745
C	3	ML 20CBCL30	Combination pedestal 20" X 30" X 29" H , CBCL pedestal, HJA satin nickel handles	1 102	3 306
D	3	ML 3072 REG HATSN NGR	Rectangular table 30" X 72" X 29" H with end gable, 2 Satin Nickel Hatley legs	745	2 235
E	3	LV 2648 UAC C1 SN PL	UAC 1/4" acrylic divider screen 26" X 48", frosted finish	401	1 203
Total:					12 501
Price per individual desk					4 167

Typical Layouts



ML-C007



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	3	ML 2030 MU10	Multiple unit 20" X 30" X 66" H, 2 double door cabinet with 1 adjustable shelf, H060 chrome handles	1 164	3 492
B	3	ML 1660 HZW	Wall hutch 16" X 60" X 19" H with 2 retractable doors	915	2 745
C	3	ML 20CBCL30	Combination pedestal 20" X 30" X 29" H , CBCL pedestal, H060 chrome handles	1 102	3 306
D	3	ML 3072 REG HATCHR NGR	Rectangular table 30" X 72" X 29" H with end gable, 2 Chrome Hatley legs	745	2 235
E	3	LV 2648 UAC C1 CHR PL	UAC 1/4" acrylic divider screen 26" X 48", frosted finish	401	1 203
				Total:	12 981
				Price per individual desk	4 327

Typical Layouts



ML-C008



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	ML E 30724820 LB FM GRR	Extended desk with straight cut 30" X 72" X 48" X 20" X 29" H, E pedestal on left, full modesty	1 756	1 756
	1	[CAPF]	Option - CAPF grommet	20	20
	3	[H052SN]	Option - H052 satin nickel handles	11	33
B	2	ML 1272 RS 13	Transaction top 12" X 72" X 13"H	313	626
C	1	ML 20487230 E LB FM GRL	Extended desk with straight cut 20" X 48" X 72" X 30" X 29" H, E pedestal on right, full modesty	1 756	1 756
	1	[CAPF]	Option - CAPF grommet	20	20
	3	[H052SN]	Option - H052 satin nickel handles	11	33
D	1	LV 1572 SAS C2 SN PL	SAS 3/8" acrylic divider screen 15"X 72", frosted finish	507	507
E	1	ML F 2036 L 29 FM GRC	Left return 20" X 36" X 29" H with F pedestal on left, full modesty	781	781
	1	[CAPF]	Option - CAPF grommet	20	20
	2	[H052SN]	Option - H052 satin nickel handles	11	22
F	1	ML 2036 R 29 F FM GRC	Right return 20" X 36" X 29" H with F pedestal on right, full modesty	781	781
	1	[CAPF]	Option - CAPF grommet	20	20
	2	[H052SN]	Option - H052 satin nickel handles	11	22
Total:				6 397	6 397
Total without options:					6 207

Typical Layouts


ML-C009



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	2	ML 1654 HPW	Wall hutch 16" X 54" X 17-1/2" with 3 doors	652	1 304
B	2	ML 2036 BRT NGR	Bridge top 20" X 36"	100	200
C	1	ML E 30724820 RB FM GRR	Extended desk with curved cut 30" X 72" 48" X 20" X 29" H, E pedestal on left, full modesty	1 756	1 756
	1	[CAPF]	Option - CAPF grommet	20	20
	3	[H052SN]	Option - H052 satin nickel handles	11	33
D	1	ML 20487230 E RB FM GRL	Extended desk with curved cut 20" X 48" X 72" X 30" X 29" H, E pedestal on right, full modesty	1 756	1 756
	1	[CAPF]	Option - CAPF grommet	20	20
	3	[H052SN]	Option - H052 satin nickel handles	11	33
E	1	ML 3672 TDG	D table 36" X 72" X 29" H with end gable	737	737
	1	[MAGSN]	Satin Nickel Magog leg, 18" diameter base	222	222
	1	[CAPF]	Option - CAPF grommet	20	20
Total:					6 101
Total without options:					5 753

Appendix A: Colors and Finishes

How to specify your laminate colors



Glass and Acrylic

PL	Frosted Acrylic
VS	Frosted Glass
V4	White Glass
KB	Jet Black Glass
KS	Jet Black Satin Glass
KR	Bright Red Glass
KF	Fuchsia Glass
KE	Ocean Blue Glass
KO	Overseas Blue Glass
KL	Lime Green Glass
KM	Metallic Gray Glass

Availability Chart

	Code	Color Couleur	HG Fronts Façades lustrées	Surfaces		Mouldings Moultures 1-5/8"		Knife Edge Chanfrein	Wood Components Composantes de bois	Panval Code
			5/8"	1"	1-5/8"	MAR	MAX	Z		
AURA Finish Fini	GIA	Ginger Root <i>Gingembre</i>		•				•	S	H72
	HAA	Haze <i>Brume</i>		•	•			•	P	H57
	STA	Storm <i>Tempête</i>		•	•			•	S	H58
	TUA	Tundra		•				•	P	H75
DOLOMITE Finish Fini	AU	Audacity <i>Audace</i>		•	•			•	S	241
	B	Jet Black <i>Noir intense**</i>		•	•			•	P	888 S405-CA
	BC	Brown cherry <i>Cerisier brun</i>		•	•		•	•	S	207
	C	Slate <i>Ardoise**</i>		•				•	P	801
	CA	Caramel	CAH*	•	•			•	S	G18 G18-GL
	CH	Cherry <i>Cerisier</i>		•	•	•	•	•	S	965
	CO	Cognac		•	•	•	•	•	S	260
	DL	Legno Dark <i>Legno foncé</i>		•	•			•	S	G52
	DR	Driftwood <i>Bois de rive</i>		•	•		•	•	S	744
	FI	Finesse		•				•	S	745
	G	Mink Grey <i>Gris vison</i>		•	•			•	P	805 OU-927
	GG	Grigio	GGH*	•	•			•	P	G17 G17-GL
	LL	Legno Light <i>Legno pâle</i>		•				•	S	G51
	LM	Light Maple <i>Érable clair</i>		•	•		•	•	S	992
	NC	Natural Cherry <i>Cerisier naturel</i>		•	•	•	•	•	S	239
	NM	Natural Maple <i>Érable naturel</i>		•	•	•	•	•	S	206
	PC	Coastal Pear <i>Poirier de la côte</i>	PCH*	•				•	P	G23 G23-GL
	PO	Porto		•	•	•	•	•	S	913 OU-648
	SW	Smoked Walnut <i>Noyer fumé</i>		•	•		•	•	S	G21
	T	Tan		•	•	•	•	•	S	259
	TO	Tobacco		•	•		•	•	S	205
	VA	Vanilla		•	•		•	•	P	G22
	W	Polar White <i>Blanc polaire</i>	W-H*	•	•			•	P	555 459-58 459-90
	WK	Whisky		•	•	•	•	•	S	245
	Z	Zebra		•	•	•	•	•	S	237

⚡ Quickship program | [P] Solid color painted wood | [S] Stained wood.

* Non recommended color for work surfaces. An upcharge applies on high gloss fronts.

* Non recommended color for work surfaces.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.


See our complete [Colors & Finishes Guide](#)

Appendix B: Surfaces and Moulding Edges


SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOULDING
ML		1" surface	Thermofused laminate (TFL) - 1" high-density particle board.	2.5 mm polyvinyl chloride (PVC)
MLL		1-1/16" surface	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	2.5 mm polyvinyl chloride (PVC)
		Front, back and modesty	Thermofused laminate (TFL) - 5/8" high-density particle board.	2.5 mm polyvinyl chloride (PVC) on showing surfaces and 0.5 mm polyvinyl chloride (PVC) on non-showing surfaces.

Appendix C: Modesty Panels


Modesty Height



10" high
PM




18-1/2" high
SM




Full height
FM

Minister Modesty




Minister Front
MID




Curved Minister
MIDC


Recessed Modesty



Flush Modesty




Modesty Recess
4-5/8" for 30" desk



Modesty Recess
6" for 36" desk

Appendix D: Wood Grain

Wood grain runs lengthwise on surfaces and vertically on drawers, doors and legs. See image below for wood grain direction placements.



Appendix E: Handle Finishes for Glass Doors


PV - Glass Doors



Satin Nickel Aluminum Frame

Handles: HJA (Satin Nickel)
For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 214).

FL - Glass Doors




Built-in aluminum handles

Aluminum-frame door


Handles: HJA (Satin Nickel)
For handles other than the HJA standard,
please choose from the Logiflex list,
no charge (p. 214).

Appendix F: Pedestals and File Drawers

D, E and F Pedestals




Combination Pedestals




File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.




Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.



Legal and Letter formats

30" and 36" file drawers can accommodate 2 rows of legal or letter formats and 42" file drawers can accommodate 3 rows of files in legal or letter formats.



Appendix G: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustable shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.


\$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	15	-	23	-	30	38	45	53	60
	15"	-	23	28	-	38	47	56	66	75
	16"	-	-	30	-	-	-	-	-	-
	20"	-	-	38	42	50	63	75	88	100
	24"	-	-	45	-	60	75	90	105	120

Appendix H: Pricing for Desk and Table Tops

To find out the price for desk and table tops, trace down the vertical column "A" the top depth to its intersection with columns "B" the top length.

Series	Preview and Description	Prices - Rectangular Surfaces											Prices - Circular Surfaces									
ML	 1" Surface Thermofused laminate (TFL) - 1" high-density particle board with 2.5 mm polyvinyl chloride edge.	\$		B										20"	24"	30"	36"	42"	48"	54"	60"	
				24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	72	78	122	175	238	312	394	487
		A	20"	72	72	72	85	97	109	115	133	146	158	170								
			24"	72	72	87	102	117	131	146	160	174	189	204								
		30"	72	91	109	127	146	164	182	200	218	236	254									
Note: 2 week lead time available on the following standard TFL work surface colors : B Jet Black, BC Brown Cherry, C Slate, CO Cognac, LM Light Maple, NC Natural Cherry, PC Coastal Pear, PO Porto, SW Smoked Walnut, T Tan, TO Tobacco, W Polar White, WK Whisky, Z Zebra																						
ML	 1" Surface with knife edge Thermofused laminate (TFL) - 1" high-density particle board with 2.5 mm polyvinyl chloride (PVC) knife-edge.	\$		B										20"	24"	30"	36"	42"	48"	54"	60"	
				24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	133	166	260	373	508	665	841	1038
		A	20"	146	163	182	214	244	274	305	335	367	397	427								
			24"	160	182	219	256	293	329	367	403	439	476	513								
		30"	182	229	274	320	367	412	458	503	549	594	640									
MLL	 1-1/16" Surface High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	\$		B										20"	24"	30"	36"	42"	48"	54"	60"	
				24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	97	139	216	312	424	554	701	866
		A	20"	108	135	163	190	217	245	271	298	326	353	380								
			24"	130	163	195	228	260	293	326	358	391	423	456								
		30"	163	204	245	285	326	366	407	447	488	529	570									

Appendix I: Electricity



An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical installations required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards. Metal channels are not UL approved and are used only to hold and distribute electrical wires. They should therefore not be used for telecommunication or digital data cables. You must use a separate channel in order to avoid a short circuit. Some cities and municipalities may have their own requirements.

Note: All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

1. Determining the Number of Amperes Required
2. Calculating the Total Amperes Per Electrical Series
3. Determining How Many Circuits You Need

STEP 1: Determining the Number of Amperes Required

What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.


Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.




Power Block and Simplex Capacity

An electrical series corresponds to the total number of amperes that use the same power source. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.


Each power block has a total capacity of 8 Simplex units (plugs). A Simplex can handle up to 20 amps by itself, however as the number of Simplex are added to each circuit, the amount of amps is divided between them.



A single Simplex has a maximum capacity of 20A




Each power block can hold 8 Simplex




A single power block has a maximum capacity of 80A

$$20A + 20A + 20A + 20A = 80A$$



A power block with the same circuit Simplex on both sides also has a maximum capacity of 20A

$$10A + 10A = 20A$$



Joined together to a maximum of 5 power blocks, the capacity of each Simplex on the same circuit is divided as additional Simplex's are added on. So 5 Simplex on the same circuit still holds the same 20A capacity.

Appendix I: Electricity

STEP 2:

Calculating the Total Amperes Per Electrical Series

Add the Amperes


Add the number of amps for each machine in the series. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



$$2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = 21A$$

The total number of amperes used in this example equals to 21A.

Divide by 16




UL assigns 15 amperes of intermittent use to each Logiflex unit. However, most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits to 16 amperes of continuous use. You must therefore divide the total number of amperes calculated by 16.


STEP 3:

Determining How Many Circuits You Need



In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the amount of current used by the system or create another system supplied by a separate power source. Continuing with our example, the 1.3A is rounded up to 2A.



Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 monitors and the printer are on Circuit #1 and the 4 CPUs are on Circuit #3 (which is the grounded circuit).



Here is a list of hardware that is required:

Starter Cable	Power Block	Bracket	Simplex	Junction Cable
				
1X	5X	5X	10X	4X
84SB2	844AA	PMDBRKTKIT	84S	84FF

Desks

Desks

Shells

Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals



Shells (Empty Desks)

BV



Manufacturing Standards

- Delivered disassembled;
- Modesty;
- Height: 29".


Recessed Modesty:

4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks


If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	modesty	grommet position	grommet style
Example ML	3060	FM	GRC	ELPF

Prices

Dimensions			
A	B	ML	MLL
3048		525	687
3060		569	752
3066		602	816
3072		631	856
3660		646	833
3666		659	889
3672		681	943

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with D Pedestal

BDL



BDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices


Dimensions			
A	B	ML	MLL
3048		802	1079
3060		858	1168
3066	⚡	895	1224
3072		958	1264
3648		882	1130
3660		937	1241
3666		988	1298
3672	⚡	1043	1356

How to Order

ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	
series (Appx. B)	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	handles (p. 214)
Example ML	D	3060		FM	GRC	ELPF	

Desks with D Pedestal on Left and Right

BDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- Modesty;
- PVC extrusion for lateral opening of drawers;
- Height: 29".

Recessed Modesty:

4-5/8" modesty recess for 30" desks


6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
3060		988	1372
3066		1022	1439
3072		1094	1495
3660		1066	1413
3666		1077	1487
3672		1170	1558

How to Order

								+
ML MLL	AB			PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)		
	D		D					
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 214)	
Example	ML	D	3060	D	FM	GRC	ELPF	

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with E or F Pedestal on Left

BEL



BFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of draw;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	AB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	pedestal	dimensions	modesty	grommet position	grommet style	
Example ML	E	3060	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	999	1304
3066	1038	1360
3072	1099	1401
3084	1348	1465
3660	1077	1377
3666	1128	1432
3672	1185	1489
3684	1369	1598

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with E or F Pedestal on Right

BER



BFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	
Example ML	3060	E	FM	GRC	ELPF	

Prices

Dimensions		
A	B	ML
3060	999	1304
3066	1038	1360
3072	1099	1401
3084	1348	1465
3660	1077	1377
3666	1128	1432
3672	1185	1489
3684	1369	1598

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with E or F Pedestal on Left and Right


BEF




BFE



BEE



BFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order


ML MLL	E F	AB	E F	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	
Example ML	E	3060	E	FM	GRC	ELPF	

Prices


Dimensions		
A	B	ML MLL
3060	1269	1846
3066	1305	1904
3072	1318	1941
3084	1462	2009
3660	1326	1918
3666	1362	1976
3672	1452	2032
3684	1595	2142

Desks with Convex Front and E or F Pedestal on Left

BECXL



BFCXL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABC		MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	
			CX				
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	handles (p. 214)
Example ML	E	243060	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060			1062	1386
243066			1089	1418
243072			1155	1458
303660			1140	1458
303666			1178	1514
303672			1239	1556
303684			1488	1621
364260			1218	1533
364266			1268	1636
364272			1325	1645
364284			1509	1758

Desks

Shells
Pedestals

Pedestals - Convex Front

Extended - Straight Cut - Pedestals


Extended - Curved Cut - Pedestals

Arched - Pedestals




Desks with Convex Front and E or F Pedestal on Right

BECXR



BFCXR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Serrure;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles




10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0




Minister Front
MID
\$71



Curved Minister
MIDC
\$140

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL	ABC	E F		MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	
			CX				
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	handles (p. 214)
Example ML	243060	F	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1062	1386		
243066	1089	1418		
243072	1155	1458		
303660	1140	1458		
303666	1178	1514		
303672	1239	1556		
303684	1488	1621		
364260	1218	1533		
364266	1268	1636		
364272	1325	1645		
364284	1509	1758		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Desks with Convex Front and E or F Pedestals


BEFCX




BFECX



BEECX



BFFCX



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Modesty;
- Height: 29".

Recessed Modesty:


Flush modesty for 24" desks
4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABC	E F	CX	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	left pedestal	dimensions	right pedestal	code	modesty	grommet position	grommet style	
Example ML	E	243060	E	CX	FM	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
243060	1352	1928		
243066	1389	1962		
243072	1448	2002		
303660	1409	2002		
303666	1446	2058		
303672	1460	2171		
303684	1602	2366		
364260	1466	2075		
364266	1503	2133		
364272	1593	2189		
364284	1736	2298		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Left

BELBL



BFLBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABCD	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	LB	FM	GRR	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
30664820	1700	2283		
30724820	1756	2370		
30784820	1813	2458		
30844820	1869	2571		
30664824	1700	2283		
30724824	1756	2370		
30784824	1813	2458		
30844824	1869	2571		
36665420	1733	2327		
36725420	1790	2413		
36785420	1847	2501		
36845420	1903	2617		
36665424	1733	2327		
36725424	1790	2413		
36785424	1847	2501		
36845424	1903	2617		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Straight Cut and E or F Pedestal on Right

BELBR



BFLBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	E F	LB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	LB	FM	GRL	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
20486630	1700	2283		
20487230	1756	2370		
20487830	1813	2458		
20488430	1869	2571		
24486630	1700	2283		
24487230	1756	2370		
24487830	1813	2458		
24488430	1869	2571		
20546636	1733	2327		
20547236	1790	2413		
20547836	1847	2501		
20548436	1903	2617		
24546636	1733	2327		
24547236	1790	2413		
24547836	1847	2501		
24548436	1903	2617		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Rounded Cut and E or F Pedestal on Left

BERBL



BFRBL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	E F	ABCD	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	pedestal	dimensions	code	modesty	grommet position	grommet style	
Example ML	E	30664820	RB	FM	GRR	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
30664820	1700	2283		
30724820	1756	2370		
30784820	1813	2458		
30844820	1869	2571		
30664824	1700	2283		
30724824	1756	2370		
30784824	1813	2458		
30844824	1869	2571		
36665420	1733	2327		
36725420	1790	2413		
36785420	1847	2501		
36845420	1903	2617		
36665424	1733	2327		
36725424	1790	2413		
36785424	1847	2501		
36845424	1903	2617		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Extended Desks with Rounded Cut and E or F Pedestal on Right

BERBR



BFRBR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Modesty;
- Height: 29".

Recessed Modesty:


4-5/8" modesty recess for 30" desks
6" modesty recess for 36" desks

If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	E F	RB	MIDC MID PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	dimensions	pedestal	code	modesty	grommet position	grommet style	
Example ML	20486630	E	RB	FM	GRL	ELPF	

Prices

Dimensions			ML	MLL
A	B	C	D	
20486630	1700	2283		
20487230	1756	2370		
20487830	1813	2458		
20488430	1869	2571		
24486630	1700	2283		
24487230	1756	2370		
24487830	1813	2458		
24488430	1869	2571		
20546636	1733	2327		
20547236	1790	2413		
20547836	1847	2501		
20548436	1903	2617		
24546636	1733	2327		
24547236	1790	2413		
24547836	1847	2501		
24548436	1903	2617		

Desks


Shells
Pedestals
Pedestals - Convex Front

Extended - Straight Cut - Pedestals
Extended - Curved Cut - Pedestals
Arched - Pedestals




Arched Desk with E or F Pedestal on Left and Right


BEFARC






BFEARC



BEEARC



BFFARC




Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Height: 29".


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Grommet Position



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
364	284		2824	3316
364	296		2887	3430

How to Order


ML MLL		E F	ABC	E F	ARC	PL	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)		left pedestal	dimensions	right pedestal	code	modesty	grommet position	grommet style	
Example	ML	E	364284	F	ARC	PL	GRC	ELPF	

Returns





Empty Returns

RVL



RVR



Modesty edge is
not visible on the
side of the return

Manufacturing Standards

- Delivered disassembled;
- Centered grommet;
- Flush plates;
- Flush modesty;
- Height: 29".


Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL	AB	L R	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
			29		
series (Appx. B)	dimensions	code	height	modesty	grommet position
Example ML	2060	L	29	FM	GRC
					ELPF


Prices

Dimensions		
A	B	MLL
2030	359	427
2036	375	449
2042	391	483
2048	412	510
2054	442	548
2060	469	591
2430	387	464
2436	404	491
2442	419	519
2448	442	554
2454	469	592
2460	497	638





Reversible Empty Returns

REVL



REVR



Modesty edge is visible on the side of the return

Manufacturing Standards

- Delivered disassembled;
- Centered grommet;
- Flush plates;
- Flush modesty;
- Height: 29".




Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Modesty

10" high
PM
\$018-1/2" high
SM
\$0Full height
FM
\$0

Grommet Position



LR

Grommet Style

ELPF
\$0 ea.CAPF/CCPF
\$20 ea.

How to Order


ML MLL	AB	L R	29	REV	PM SM FM (std)	NGR GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	height	code	modesty	grommet position	grommet style
Example ML	2060	L	29	REV	FM	GRC	ELPF

Prices


Dimensions			
A	B	ML	MLL
2030		359	427
2036		375	449
2042		391	483
2048		412	510
2054		442	548
2060		469	591
2430		387	464
2436		404	491
2442		419	519
2448		442	554
2454		469	592
2460		497	638

Returns with D Pedestal

RDL



RDR



Manufacturing Standards

- One utility drawer and one file drawer;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.




Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty


 10" high
 PM
 \$0

 18-1/2" high
 SM
 \$0

 Full height
 FM
 \$0

Grommet Position



Grommet Style


 ELPF
 \$0 ea.

 CAPF/CCPF
 \$20 ea.

How to Order

ML MLL	D	AB	L R	D	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	
				29				
series (Appx. B)	if pedestal on left	dimensions	code	height	if pedestal on right	modesty	grommet position	grommet style
Example ML	D	2060	L	29		FM	GRC	ELPF


Prices

Dimensions			
A	B	ML	MLL
2030		626	774
2036	⚡	639	803
2042	⚡	652	832
2048		688	866
2054		716	896
2060		745	925
2430		660	794
2436		675	821
2442		688	848
2448	⚡	716	876
2454		745	910
2460		771	939




Returns with E or F Pedestal on Left

REL



RFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL		E F	AB	PM SM FM (std)		NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)		
				L	29				
series (Appx. B)	pedestal	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 214)	
Example	ML	E	2060	L	29	FM	GRC	ELPF	


Prices

Dimensions		
A	B	ML
2030	767	908
2036	781	939
2042	794	966
2048	829	1001
2054	858	1030
2060	887	1056
2430	802	951
2436	816	980
2442	829	1008
2448	858	1038
2454	887	1073
2460	915	1101




Returns with E or F Pedestal on Right

RER



RFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Centered grommet;
- Flush plates;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

						NGR GRL GRR GLR		CAPF CCPF		+
ML MLL	AB			E F	PM SM FM (std)	GRC (std)	ELPF (std)			
series (Appx. B)	dimensions	code	height	pedestal	modesty	grommet position	grommet style	handles (p. 214)		
Example	ML	2060	R	29		FM	GRC	ELPF		


Prices

Dimensions		
A	B	MLL
2030	767	908
2036	781	939
2042	794	966
2048	829	1001
2054	858	1030
2060	887	1056
2430	802	951
2436	816	980
2442	829	1008
2448	858	1038
2454	887	1073
2460	915	1101




Returns with Combination Pedestal on Left


REFL




RFEL



REEL



RFFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.


How to Order

						+			
ML MLL		EF FE EE FF	AB		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)	
			L	29					
Example	series (Appx. B)	pedestal	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 214)
	ML	FE	2060	L	29	FM	GRC	ELPF	HJAB




Returns with Combination Pedestal on Right


REFR




RFER



REER



RFFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Grommet;
- Flush plates;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

Prices

Dimensions

A	B	ML	MLL
2042		1383	1556
2048		1406	1595
2054		1418	1624
2060		1434	1654

2442	1406	1601
2448	1417	1631
2454	1437	1668
2460	1448	1699


How to Order

ML MLL	AB			EF FE EE FF	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
		R	29					
series (Appx. B)	dimensions	code	height	pedestal	modesty	grommet position	grommet style	handles (p. 214)
Example ML	2060	R	29	EF	FM	GRC	ELPF	HJAB



Returns with Combination Pedestal on Left

RCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- Grommet;
- Flush plates;
- Crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order


							NGR GRL GRR GLR	CAPF CCPF		
ML MLL	C		AB	PM SM FM (std)			GRC (std)	ELPF (std)	HJAB (std)	
	CBCL			L	29					
series (Appx. B)	pedestal	pedestal width	dimensions	code	height	modesty	grommet position	grommet style	handles (p. 214)	
Example	ML	CBCL	30	2060	L	29	FM	GRC	ELPF	HJAB

Prices

Dimensions A B C			ML	MLL
204230	1340	1489		
204830	1369	1529		
205430	1397	1567		
206030	1434	1609		
244230	1369	1530		
244830	1397	1569		
245430	1434	1617		
246030	1462	1664		
204836	1447	1610		
205436	1475	1650		
206036	1510	1689		
244836	1475	1651		
245436	1517	1697		
246036	1559	1744		

Returns with Combination Pedestal on Right

RBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- Grommet;
- Flush plates;
- Crossbars;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



LR

Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL		AB		C		PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
			R	29	BCCL				
series (Appx. B)	dimensions	code	height	right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 214)
Example ML	2060	R	29	BCCL	30	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230			1340	1489
204830			1369	1529
205430			1397	1567
206030			1434	1609
244230			1369	1530
244830			1397	1569
245430			1434	1617
246030			1462	1664
204836			1447	1610
205436			1475	1650
206036			1510	1689
244836			1475	1651
245436			1517	1697
246036			1559	1744



Returns with Lateral File Drawers on Left

RCLL



Manufacturing Standards

- 2 lateral file drawers;
- Grommet;
- Flush plates;
- Crossbars;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		C		AB		PM SM FM (std)		NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
	CL				L	29				
series (Appx. B)	pedestal	pedestal width	dimensions	code	height	modesty		grommet position	grommet style	handles (p. 214)
Example	ML	CL	30	2060	L	29	FM	GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230	1000	1126		
204830	1019	1150		
205430	1032	1180		
206030	1045	1220		
244230	1063	1137		
244830	1077	1181		
245430	1092	1229		
246030	1107	1267		
204836	1032	1205		
205436	1045	1256		
206036	1063	1295		
244836	1094	1257		
245436	1107	1303		
246036	1123	1342		
205442	1063	1344		
206042	1077	1384		
245442	1123	1392		
246042	1139	1431		



Returns with Lateral File Drawers on Right

RCLR



Manufacturing Standards

- 2 lateral file drawers;
- Grommet;
- Flush plates;
- Crossbars;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL		AB		C		PM SM FM (std)		NGR GRL GRR GLR GRC (std)		CAPF CCPF ELPF (std)		HJAB (std)	
series (Appx. B)	dimensions	code	height	pedestal	pedestal width	modesty		grommet position		grommet style		handles (p. 214)	
Example	ML	2060	R	29	CL	30	FM	GRC		ELPF		HJAB	


Prices

Dimensions A B C			ML	MLL
204230			1000	1126
204830			1019	1150
205430			1032	1180
206030			1045	1220
244230			1063	1137
244830			1077	1181
245430			1092	1229
246030			1107	1267
204836			1032	1205
205436			1045	1256
206036			1063	1295
244836			1094	1257
245436			1107	1303
246036			1123	1342
205442			1063	1344
206042			1077	1384
245442			1123	1392
246042			1139	1431



Returns with Cabinet on Left

RARL



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- Grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



LR

Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL		C		AB		PM SM FM (std)		NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	AR	cabinet width	dimensions	code	height	modesty				handles (p. 214)
Example ML	AR	30	2060	L	29	FM		GRC	ELPF	HJAB


Prices

Dimensions A B C			ML	MLL
204230	853	970		
204830	867	995		
205430	883	1019		
206030	896	1053		
244230	883	1017		
244830	896	1044		
245430	909	1069		
246030	926	1103		
204836	896	1025		
205436	909	1050		
206036	926	1084		
244836	926	1044		
245436	941	1069		
246036	953	1103		



Returns with Cabinet on Right

RARR



Manufacturing Standards

- 2 door cabinet;
- One adjustable shelf;
- Grommet;
- Flush plates;
- HJAB handles;
- Lock;
- Flush modesty;
- Height: 29".

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



LR

Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

							NGR GRL GRR GLR	CAPF CCPF		
ML MLL	AB				C	PM SM FM (std)	GRC (std)	ELPF (std)	HJAB (std)	
		R	29	AR						
series (Appx. B)	dimensions	code	height	cabinet	cabinet width	modesty	grommet position	grommet style	handles (p. 214)	
Example	ML	2060	R	29	AR	30	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
204230	853	970		
204830	867	995		
205430	883	1019		
206030	896	1053		
244230	883	1017		
244830	896	1044		
245430	909	1069		
246030	926	1103		
204836	896	1025		
205436	909	1050		
206036	926	1084		
244836	926	1044		
245436	941	1069		
246036	953	1103		



Bridges with Modesty

BR



Manufacturing Standards

- Delivered disassembled;
- Grommet;
- Flush plates;
- Flush modesty.


Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.


Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

Prices

Dimensions		ML	MLL
A	B		
2036		299	411
2042		313	424
2048		325	464
2436		348	455
2442		363	470
2448		404	506


How to Order

ML MLL		AB	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
			BR		
series (Appx. B)	dimensions	code	modesty	grommet position	grommet style
Example ML	2036	BR	FM	GRC	ELPF



Bridge Top

BRT



Manufacturing Standards

- Delivered disassembled;
- Grommet;
- Flush plates.

Not compatible with lateral tables due to differences in the direction of the wood grain as well as the thickness of the modesty panel.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommet: If the grommet position is not specified, the standard is centered (GRC).

Options

Grommet Position

Grommet Style



ELPF
\$0 ea.

CAPF/CCPF
\$20 ea.

Prices

Dimensions			
A	B	ML	MLL
2036		100	160
2042		114	186
2048		128	209
2436		114	187
2442		128	217
2448		142	245


How to Order

				NGR GRL GRR GLR GRC (std)	 CAPF CCPF ELPF (std)
ML MLL	AB				
			BRT		
series (Appx. B)	dimensions		code	grommet position	grommet style
Example	ML	2036	BRT	GRC	ELPF



Connection Tops

TRTOP



Manufacturing Standards

- Flush plates.

Prices

Dimensions			
A	B	ML	MLL
1313		23	42
1818		44	78
1820		44	78
1824		49	83
1830		74	122
1836		79	130
2020		49	83
2024		57	100
2030		79	130
2036		87	145
2424		74	122
2430		87	145
2436		108	168
3030		116	190
3036		129	214
3636		160	266

How to Order

ML MLL	AB	
		TRTOP
series (Appx. B)	dimensions	code

Example ML 2020 TRTOP

Tables

Tables

Arched

D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Left Arched Tables

AYL



Manufacturing Standards

- Delivered disassembled;
- Two 4" square black metal legs;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is two 4" square black metal legs (4SQBL).

4.5BL / SN, no charge;
IFNBL / SN, subtract \$113 retail from table price;
OVASBL / SN, add \$113 retail to table price;
OVADBL / SN, add \$113 retail to table price;
HATSN / CHR, add \$133 retail to table price.

Options

Grommet Style



ELPF

\$0 ea.



CAPE/CCPF

\$20 ea.

How to Order

ML MLL		ABC		IFNBL / SN 4.5BL / SN OVASBL / SN OVADBL / SN HATSN / CHR 4SQBL (std)	NGR GRC (std)	CAPE CCPF ELPF (std)
			AYL			
series (Appx. B)	dimensions	code	legs (p. 215)			
Example ML	306042	AYL	4SQBL	GRC	ELPF	

Prices

Dimensions			ML	MLL
A	B	C		
306042			882	1122
306642			908	1177
307242			937	1227
308442			992	1332
366048			1092	1256
366648			1004	1308
367248			1028	1361
368448			1077	1467

Tables

Arched

D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Right Arched Tables

AYR



Manufacturing Standards

- Delivered disassembled;
- Two 4" square black metal legs;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is two 4" square black metal legs (4SQBL).

4.5BL / SN, no charge;
IFNBL / SN, subtract \$113 retail from table price;
OVASBL / SN, add \$113 retail to table price;
OVADBL / SN, add \$113 retail to table price;
HATSN / CHR, add \$133 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPE/CCPF
\$20 ea.

How to Order

ML MLL		ABC		IFNBL / SN 4.5BL / SN OVASBL / SN OVADBL / SN HATSN / CHR 4SQBL (std)	NGR GRC (std)	CAPE CCPF ELPF (std)
series (Appx. B)		dimensions		code	legs (p. 215)	grommet position
grommet style						

Example ML 426030 AYR 4SQBL GRC ELPF


Prices

Dimensions			ML	MLL
A	B	C		
426030	882	1122		
426630	908	1177		
427230	937	1227		
428430	992	1332		
486036	1092	1256		
486636	1004	1308		
487236	1028	1361		
488436	1077	1467		



D Tables without End Gable

TD



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
 IFNBL / SN, subtract \$57 retail from table price;
 4SQBL / SN, add \$57 retail to table price;
 OVASBL / SN, add \$57 retail to table price;
 OVADBL / SN, add \$57 retail to table price;
 MAGSN, add \$222 retail to table price;
 MAGCHR, add \$562 retail to table price.

Prices

Dimensions			
A	B	ML	MLL
3054		521	574
3060		541	679
3066		559	726
3072		575	758
3660		546	758
3666		581	799
3672		619	854
3684		688	1010

How to Order

ML MLL		AB	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	
series (Appx. B)	dimensions	code	legs (p. 215)	

Example ML 3060 TD 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



D Tables with End Gable

TDG



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".


Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
IFNBL / SN, subtract \$57 retail from table price;
OVADBL / SN, add \$57 retail to table price.
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPE/CCPF
\$20 ea.

Prices

Dimensions			
A	B	ML	MLL
3060		652	782
3066		675	831
3072		688	863
3084		766	943
3660		667	878
3666		703	920
3672		737	974
3684		851	1129

How to Order

ML MLL		AB	TDG	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPE CCPF ELPF (std)
series (Appx. B)		dimensions	code	legs (p. 215)	grommet position	grommet style
Example	ML	3060	TDG	4.5BL	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




D Tables with Modesty

TDML



TDMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Modesty



Grommet Style



Prices

Dimensions		
A B	ML	MLL
3054	699	878
3060	724	907
3066	745	948
3072	759	984
3660	737	980
3666	771	1030
3672	809	1085
3684	921	1223

How to Order


ML MLL	AB	TDML TDMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position	grommet style
Example ML	3060	TDML	SM	4.5BL	GRC	ELPF



P Tables without End Gable


TPL

Left P-shaped table



TPR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Prices

Dimensions			ML	MLL
A	B	C		
303660			611	828
303666			631	869
303672			652	911
303684			703	1078
364260			646	905
364266			681	947
364272			716	1010
364284			802	1213

How to Order

ML MLL	ABC	TPL TPR	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
series (Appx. B)	dimensions	code	legs (p. 215)

Example ML 303660 TPL 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P

End
Hook
Corner


Extended Corner
Lateral



P Tables with End Gable


TPGL

Left P-shaped table



TPGR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPE/CCPF
\$20 ea.

How to Order

ML MLL	ABC	TPGL TPGR	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 215)	grommet position	grommet style
Example ML	303660	TPGL	4.5BL	GRC	ELPF

Prices

Dimensions			ML	MLL
A	B	C		
303660			724	924
303666			745	964
303672			766	996
303684			846	1169
364260			802	995
364266			816	1037
364272			829	1098
364284			921	1301

Tables

Arched

D, P, R and Q

Extended D and P

End

Hook

Corner

Extended Corner


Lateral



P Tables with Modesty


TPML

Left P-shaped table



TPMR

Right P-shaped table



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Modesty



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
303660			794	1049
303666			816	1090
303672			838	1127
303684			954	1277
364260			860	1115
364266			901	1163
364272			925	1229
364284			1053	1371


How to Order

ML MLL	ABC	TPML TPMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (+)
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position	grommet style
Example ML	303660	TPML	SM	4.5BL	GRC	ELPF



Rectangular Tables without End Gable

REI



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs;
- Flush plates;
- Height: 29".

Table to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5SN, no charge;
 4SQBL / SN, no charge;
 OVASBL / SN, no charge;
 OVADBL / SN, no charge;
 IFNBL / SN, subtract \$133 retail to table price;
 MAGSN, add \$222 retail to table price;
 MAGCHR, add \$562 retail to table price.

Prices

Dimensions		
A B	ML	MLL
3054	578	631
3060	598	736
3066	616	783
3072	632	815
3660	603	815
3666	638	856
3672	676	911
3684	745	1067

How to Order

ML MLL	AB	REI	4.5BL / 4.5SN IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR HATCHR (std) / SN
series (Appx. B)	dimensions	code	legs (p. 215)

Example ML 3060 REI HATCHR

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Rectangular Tables with End Gable

REG



Manufacturing Standards

- Delivered disassembled;
- 2 Hatley legs;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 2 Hatley legs.

4.5SN, no charge;
4SQBL / SN, no charge;
OVASBL / SN, no charge;
OVADBL / SN, no charge;
IFNBL / SN, subtract \$133 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPF/CCPF
\$20 ea.

How to Order

ML MLL		AB	REG	4.5BL / 4.5SN IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR HATCHR (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)		dimensions	code	legs (p. 215)	grommet position	grommet style
Example	ML	3060	REG	HATCHR	GRC	ELPF


Prices

Dimensions		
A	B	MLL
3060	709	839
3066	732	888
3072	745	920
3084	823	1000
3660	724	935
3666	760	977
3672	794	1031
3684	908	1186



Q Tables without End Gable

TQ



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
 IFNBL / SN, subtract \$57 retail from table price;
 4SQBL / SN, add \$57 retail to table price;
 OVASBL / SN, add \$57 retail to table price;
 OVADBL / SN, add \$57 retail to table price.

Prices

Dimensions				
A	B	C	ML	MLL
304260			693	905
304266			729	947
304272			769	1012
304284			845	1213
364872			884	1143
364884			922	1296

How to Order

ML MLL	ABC		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
		TQ	
series (Appx. B)	dimensions	code	legs (p. 215)

Example ML 304260 TQ 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables

TDAGL



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Grommet Style



ELPF

\$0 ea.



CAPE/CCPF

\$20 ea.

How to Order

ML MLL		ABCD		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPE CCPF ELPF (std)
			TDAGL			
series (Appx. B)	dimensions	code	legs (p. 215)	grommet position		grommet style
Example ML	30604820	TDAGL	4.5BL	GRC		ELPF

Prices

Dimensions					
A	B	C	D	ML	MLL
30604820				1066	1244
30664820				1094	1310
30724820				1113	1395
30844820				1164	1495
30604824				1066	1244
30664824				1094	1310
30724824				1113	1395
30844824				1164	1495
36665420				1170	1446
36725420				1191	1509
36845420				1242	1633
36665424				1170	1446
36725424				1191	1509
36845424				1242	1633

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables

TDAGR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPE/CCPF
\$20 ea.

How to Order

ML MLL		ABCD		IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
			TDAGR			
series (Appx. B)	dimensions	code	legs (p. 215)	grommet position		grommet style

Example ML 20486030 TDAGR 4.5BL GRC ELPF

Prices

Dimensions					
A	B	C	D	ML	MLL
20486030				1066	1244
20486630				1094	1310
20487230				1113	1395
20488430				1164	1495
24486030				1066	1244
24486630				1094	1310
24487230				1113	1395
24488430				1164	1495
20546636				1170	1446
20547236				1191	1509
20548436				1242	1633
24546636				1170	1446
24547236				1191	1509
24548436				1242	1633

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables with Modesty

TDAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
		TDAML			
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position
Example ML	30604820	TDAML	SM	4.5BL	GRC

Dimensions				ML	MLL
A	B	C	D		
30604820				1264	1450
30664820				1291	1518
30724820				1311	1602
30844820				1361	1702
30604824				1264	1450
30664824				1291	1518
30724824				1311	1602
30844824				1361	1702
36665420				1368	1653
36725420				1388	1716
36845420				1439	1841
36665424				1368	1653
36725424				1388	1716
36845424				1439	1841

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended D Tables with Modesty

TDAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Delivered disassembled;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price;
MAGSN, add \$222 retail to table price;
MAGCHR, add \$562 retail to table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN MAGSN / CHR 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position
Example ML	20486030	TDAMR	SM	4.5BL	GRC

Prices

Dimensions A B C D	ML	MLL
20486030	1264	1450
20486630	1291	1518
20487230	1311	1602
20488430	1361	1702
24486030	1264	1450
24486630	1291	1518
24487230	1311	1602
24488430	1361	1702
20546636	1368	1653
20547236	1388	1716
20548436	1439	1841
24546636	1368	1653
24547236	1388	1716
24548436	1439	1841

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables

TPAGL



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPF/CCPF
\$20 ea.

How to Order

ML MLL		ABCD	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	legs (p. 215)	grommet position	grommet style
Example ML	30604820	TPAGL	4.5BL	GRC	ELPF

Prices

Dimensions				ML	MLL
A	B	C	D		
30604820	1163				1403
30664820	1180				1465
30724820	1199				1527
30844820	1227				1658
30604824	1163				1403
30664824	1180				1465
30724824	1199				1527
30844824	1227				1658
36665420	1238				1598
36725420	1256				1663
36845420	1305				1793
36665424	1238				1598
36725424	1256				1663
36845424	1305				1793

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables

TPAGR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Grommet Style



ELPF
\$0 ea.

CAPF/CCPF
\$20 ea.

How to Order

ML MLL		ABCD	TPAGR	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)		dimensions	code	legs (p. 215)	grommet position	grommet style
ML		20486030	TPAGR	4.5BL	GRC	ELPF

Example

Prices

Dimensions				ML	MLL
A	B	C	D		
20486030				1163	1403
20486630				1180	1465
20487230				1199	1527
20488430				1227	1658
24486030				1163	1403
24486630				1180	1465
24487230				1199	1527
24488430				1227	1658
20546636				1238	1598
20547236				1256	1663
20548436				1305	1793
24546636				1238	1598
24547236				1256	1663
24548436				1305	1793

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables with Modesty

TPAML



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAML	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position	grommet style
Example ML	30604820	TPAML	SM	4.5BL	GRC	ELPF

Prices

Dimensions A B C D	ML	MLL
30604820	1360	1610
30664820	1378	1672
30724820	1396	1735
30844820	1424	1866
30604824	1360	1610
30664824	1378	1672
30724824	1396	1735
30844824	1424	1866
36665420	1436	1806
36725420	1452	1870
36845420	1503	1999
36665424	1436	1806
36725424	1452	1870
36845424	1503	1999

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral



Extended P Tables with Modesty

TPAMR



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Grommet;
- Modesty;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.


Modesty: If choice of modesty is not specified, the standard (SM) will be used, PM and FM modesties are available at no extra charge.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).


4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Options

Modesty



Grommet Style



How to Order

ML MLL	ABCD	TPAMR	PM FM SM (std)	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN	NGR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	modesty	legs (p. 215)	grommet position	grommet style
Example ML	30604820	TPAMR	SM	4.5BL	GRC	ELPF


Prices

Dimensions A B C D	ML	MLL
20486030	1360	1610
20486630	1378	1672
20487230	1396	1735
20488430	1424	1866
24486030	1360	1610
24486630	1378	1672
24487230	1396	1735
24488430	1424	1866
20546636	1436	1806
20547236	1452	1870
20548436	1503	1999
24546636	1436	1806
24547236	1452	1870
24548436	1503	1999




End Tables

T90R



T180R



Manufacturing Standards

- Delivered disassembled;
- One 4.5" round black metal leg;
- Flush plates;
- Height: 29".

Tables to be attached to the top of another freestanding item.

Legs: If choice of the leg is not specified, the standard is 4.5" round black metal legs (4.5BL).

4.5SN, no charge;
IFNBL / SN, subtract \$57 retail from table price;
4SQBL / SN, add \$57 retail to table price;
OVASBL / SN, add \$57 retail to table price;
OVADBL / SN, add \$57 retail to table price.

Prices

T90R

Dimensions			
A	B	ML	MLL
2020		251	305
2424		280	352
3030		308	414
3636		361	507

T180R

Dimensions			
A	B	ML	MLL
1836		274	353
2040		310	405
2448		340	468
3060		419	610

How to Order

ML MLL	AB	T90R T180R	IFNBL / SN 4SQBL / SN OVASBL / SN OVADBL / SN 4.5BL (std) / SN
series (Appx. B)	dimensions	code	legs (p. 215)

Example ML 2040 T180R 4.5BL

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Hook Tables

TCGL



TCGR



Manufacturing Standards

- Delivered disassembled;
- Grommet;
- Height: 29".

Not compatible with lateral tables, due to difference in the direction of wood grain and the thickness of the end gable.

Options

Grommet Style



ELPF

\$0 ea.



CAPF/CCPF

\$20 ea.

How to Order

ML MLL	AB		L R	ARW5BL ARW5SN ARW3BL ARW3SN (std)	NGR GRC (std)	CAPF CCPF ELPF (std)
		TCG				
series (Appx. B)	dimensions	code	side	leg	grommet position	grommet style

Example ML 3072 TCG L ARW3SN GRC ELPF

Prices

Dimensions		
A	B	
3072	1049	1315
3078	1076	1363
3084	1105	1410

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Corner Tables


CT




CTC



Modesties



Leg Bases



Manufacturing Standards


- Delivered disassembled;
- Corner grommet;
- Flush modesties;
- Height: 29".

Grommet Position: additional grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

CT - Corner Table Straight Cut

Dimensions			ML	MLL
A	B	C		
203620	642	810		
204220	726	930		
204820	804	1133		
244224	726	930		
244824	804	1133		
304230	726	930		
304830	804	1133		

CTC - Corner Table Curved Cut

Dimensions			ML	MLL
A	B	C		
203620	642	810		
204220	726	930		
204820	804	1133		
244224	726	930		
244824	804	1133		
304230	726	930		
304830	804	1133		

How to Order

ML MLL	ABC	CT CTC	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
ML	203620	CT	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Left Extended Corner Tables with Straight Cut


CTLL



Modesties



Leg Bases



Manufacturing Standards

- Corner grommet;
- Height: 29".
- Flush modesties;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices


Dimensions					
A	B	C	D	ML	MLL
20603620				802	1042
20663620				838	1083
20723620				895	1168
20604220				951	1225
20664220				988	1284
20724220				1043	1363
20604820				1099	1412
20664820				1134	1475
20724820				1191	1561
24603624				802	1042
24663624				838	1083
24723624				895	1168
24604224				951	1225
24664224				988	1284
24724224				1043	1363
24604824				1099	1412
24664824				1134	1475
24724824				1191	1561
30604230				951	1225
30664230				988	1284
30724230				1043	1363
30604830				1099	1412
30664830				1134	1475
30724830				1191	1561

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	L	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20603620	L	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Right Extended Corner Tables with Straight Cut


CTLR



Modesties




Leg Bases




Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

						⊕	
ML MLL	ABCD		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
		L					
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
ML	20366020	L	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Corner grommet;
- Flush modesties;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20366020	802	1042
20366620	838	1083
20367220	895	1168
20426020	951	1225
20426620	988	1284
20427220	1043	1363
20486020	1099	1412
20486620	1134	1475
20487220	1191	1561
24366024	802	1042
24366624	838	1083
24367224	895	1168
24426024	951	1225
24426624	988	1284
24427224	1043	1363
24486024	1099	1412
24486624	1134	1475
24487224	1191	1561
30426030	951	1225
30426630	988	1284
30427230	1043	1363
30486030	1099	1412
30486630	1134	1475
30487230	1191	1561

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Left Extended Corner Tables with Curved Cut


CTRL



Modesties



Leg Bases



Manufacturing Standards

- Corner grommet;
- Height: 29".
- Flush modesties;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices


Dimensions				ML	MLL
A	B	C	D		
20603620				829	1085
20663620				865	1145
20723620				921	1224
20604220				979	1277
20664220				1017	1342
20724220				1072	1426
20604820				1128	1470
20664820				1164	1536
20724820				1221	1624
24603624				829	1085
24663624				865	1145
24723624				921	1224
24604224				979	1277
24664224				1017	1342
24724224				1072	1426
24604824				1128	1470
24664824				1164	1536
24724824				1221	1624
30604230				979	1277
30664230				1017	1342
30724230				1072	1426
30604830				1128	1470
30664830				1164	1536
30724830				1221	1624

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD	R	LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20603620	R	LR	FM	FM	GRC	ELPF

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Right Extended Corner Tables with Curved Cut


CTRR



Modesties




Leg Bases




Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABCD		LR LH HR HH	PM SM FM (std)	PM SM FM (std)	NGR GRL GRR GLR GRC (std)	CAPF CCPF ELPF (std)
		R					
series (Appx. B)	dimensions	code	leg base	modesty 1	modesty 2	grommet position	grommet style
Example ML	20366020	R	LR	FM	FM	GRC	ELPF

Manufacturing Standards

- Corner grommet;
- Height: 29".
- Flush modesties;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.

Grommet Position: additional grommets at no extra charge.

Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Prices

Dimensions A B C D	ML	MLL
20366020	829	1085
20366620	865	1145
20367220	921	1224
20426020	979	1277
20426620	1017	1342
20427220	1072	1426
20486020	1128	1470
20486620	1164	1536
20487220	1221	1624
24366024	829	1085
24366624	865	1145
24367224	921	1224
24426024	979	1277
24426624	1017	1342
24427224	1072	1426
24486024	1128	1470
24486624	1164	1536
24487224	1221	1624
30426030	979	1277
30426630	1017	1342
30427230	1072	1426
30486030	1128	1470
30486630	1164	1536
30487230	1221	1624

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables, 20" and 24"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Centered grommet for table widths less than 48";
- Left and right grommets for table widths 48" or more;
- Flush modesty;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	
2024	375	441
2030	391	456
2036	425	511
2042	448	543
2048	469	573
2054	490	615
2060	503	639
2066	531	671
2072	553	709
2078	571	731
2084	593	769

2430	412	504
2436	448	558
2442	469	590
2448	497	622
2454	509	663
2460	531	687
2466	553	718
2472	575	759
2478	597	790
2484	619	832

How to Order

ML MLL		AB		LR LH HR HH		PM SM FM (std)		NGR GRL GRR GLR GRC		CAPF CCPF ELPF (std)		SH1 SH2	
series (Appx. B)		dimensions		code		leg base		modesty		grommet position		grommet style	
Example	ML	2072	TL	LR	FM	GRC	ELPF	SH2					

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables, 30" and 36"

TL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Centered grommet for table widths less than 48";
- Left and right grommets for table widths 48" or more;
- Flush modesty;
- Height: 29".

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	
3024	444	512
3030	460	568
3036	476	621
3042	490	653
3048	525	687
3054	553	728
3060	569	752
3066	602	816
3072	631	856
3078	653	882
3084	679	918
3630	588	711
3636	602	732
3642	607	753
3648	619	778
3654	631	805
3660	646	833
3666	659	884
3672	681	943
3678	706	974
3684	729	1003

How to Order

ML MLL	AB	TL	LR LH HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	3072	TL	LR	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Corner Cut on Left

TLCL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


- SH1: for lateral tables 36" wide or less, add \$61 retail;
- SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
203626	528	653		
204226	553	680		
204826	576	713		
205426	599	754		
206026	614	778		
206626	659	839		
207226	689	880		
243630	528	653		
244230	553	680		
244830	576	713		
245430	599	754		
246030	614	778		
246630	659	839		
247230	689	880		
303636	624	729		
304236	652	763		
304836	679	796		
305436	695	836		
306036	710	863		
306636	724	896		
307236	754	937		

How to Order

ML MLL		ABC		HR HH		PM SM FM (std)		NGR GRL GRR GLR GRC		CAPF CCPF ELPF (std)		SH1 SH2	
series (Appx. B)		dimensions		code		leg base		modesty		grommet position		grommet style	
Example		ML		207226		TLC		HR		FM		GRC	

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Corner Cut on Right

TLCR



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

ML MLL	ABC	TLC	LH HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	267220	TLC	LH	FM	GRC	ELPF	SH2

Prices

Dimensions A B C			ML	MLL
263620	528	653		
264220	553	680		
264820	576	713		
265420	599	754		
266020	614	778		
266620	659	839		
267220	689	880		
303624	528	653		
304224	553	680		
304824	576	713		
305424	599	754		
306024	614	778		
306624	659	839		
307224	689	880		
363630	624	729		
364230	652	763		
364830	679	796		
365430	695	836		
366030	710	863		
366630	724	896		
367230	754	937		

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Rounded Cut on Left

TCVL



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



Prices

Dimensions			ML	MLL
A	B	C		
203626	553	723		
204226	579	757		
204826	598	788		
205426	622	828		
206026	637	854		
206626	687	916		
207226	712	954		
243630	553	723		
244230	579	757		
244830	598	788		
245430	622	828		
246030	637	854		
246630	687	916		
247230	712	954		
303636	652	803		
304236	667	835		
304836	681	870		
305436	695	912		
306036	710	937		
306636	724	961		
307236	754	1002		

How to Order

ML MLL	ABC	TCV	HR HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	207226	TCV	HR	FM	GRC	ELPF	SH2

Tables

Arched
D, P, R and Q
Extended D and P


End
Hook
Corner

Extended Corner
Lateral




Lateral Tables with Rounded Cut on Right

TCVR



Leg Bases



Manufacturing Standards

- Delivered disassembled;
- Flush modesty;
- Centered grommet for table widths less than 48";
- Height: 29".
- Left and right grommets for table widths 48" or more;

Compatible only with other lateral tables or extended corner tables because of the direction of the wood grain as well as the thickness of the leg base.


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Fixed Shelves: a 12" deep shelf can be added 16" below the work surface:


SH1: for lateral tables 36" wide or less, add \$61 retail;
SH2: for lateral tables 42" wide or more, add \$83 retail.

Options


Modesty Styles



Grommet Position



Grommet Style



How to Order

L LL	ABC	TCV	LH HH	PM SM FM (std)	NGR GRL GRR GLR GRC	CAPF CCPF ELPF (std)	SH1 SH2
series (Appx. B)	dimensions	code	leg base	modesty	grommet position	grommet style	shelves
Example ML	267220	TCV	LH	FM	GRC	ELPF	SH2


Prices

Dimensions			ML	MLL
A	B	C		
263620	553	723		
264220	579	757		
264820	598	788		
265420	622	828		
266020	637	854		
266620	687	916		
267220	712	954		
303624	553	723		
304224	579	757		
304824	598	788		
305424	622	828		
306024	637	854		
306624	687	916		
307224	712	954		
363630	652	803		
364230	667	835		
364830	681	870		
365430	695	912		
366030	710	937		
366630	724	961		
367230	754	1002		


Pedestals and Cabinets

Factory-Installed D, E and F Pedestals


DINS



EINS



FINS



Manufacturing Standards


- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For factory installation on freestanding furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Legal Size



X

Prices

Code	ML
DINS	439
DINSX	522
EINS	595
EINSX	678
FINS	595
FINSX	678


How to Order

ML	DINS EINS FINS	X	
series (Appx. B)	code	legal size	handles (p. 214)
Example ML	DINS	X	

Factory-Installed Cabinet with One Door


ARLINS

Door opening to the left



ARRINS

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
15	384
18	405

How to Order

				+
ARL ARR		A	HJAB (std)	
ML			INS	
series (Appx. B)	code	width	code	handles (p. 214)
Example ML	ARL	15	INS	HJAB

Factory-Installed Two Drawer Lateral Filing Cabinet

CLINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 lateral filing drawers;
- HJAB handles;
- Crossbars;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
30	682
36	744
42	811



How to Order

				A		HJAB (std)	
ML		CL			INS		
series (Appx. B)		code		width	code	handles (p. 214)	
Example	ML	CL		36	INS	HJAB	

Factory-Installed Combination Pedestals

BCCLINS

CBCLINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- Crossbars;
- Locks.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
30	973
36	1041

How to Order

				+
BCCL CBCL		A	HJAB (std)	
ML			INS	
series (Appx. B)	code	width	code	handles (p. 214)
Example ML	BCCL	36	INS	HJAB

Factory-Installed Two Door Cabinet

ARINS



Manufacturing Standards

- Pedestals without tops;
- Depth is adjusted to match furniture ordered;
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For factory installation on freestanding furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Width	
A	ML
24	527
30	554
36	581
42	621

How to Order

					HJAB (std)
ML	AR	A	INS		
series (Appx. B)	code	width	code		handles (p. 214)
Example ML	AR	36	INS		HJAB

Pedestals and Cabinets


Factory Installed
Independent
Mobile Pedestals

Combination Pedestals
Lateral Filing Cabinets




Independent D, E and F Pedestals


DIND



EIND



FIND



Manufacturing Standards


- Pedestals without tops;
- Depth of 17-3/4";
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock.

For installation by client on existing furniture.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Legal Size



X

Prices

Code	ML
DIND	501
DINDEX	561
EIND	627
EINDEX	682
FIND	627
FINDEX	682


How to Order

ML	DIND EIND FIND	X	
series (Appx. B)	code	legal size	handles (p. 214)
Example ML	DIND	X	

Independent Cabinet with One Door


ARLIND

Door opening to the left



ARRIND

Door opening to the right



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 1 adjustable shelf;
- HJAB handle;
- Lock.

For installation by client on existing furniture.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
15	427
18	446

How to Order

					+
ARL ARR		A		HJAB (std)	
ML			IND		
series (Appx. B)	code	width	code	handles (p. 214)	
Example	ML	ARL	15	IND	HJAB

Independent Two Drawer Lateral Filing Cabinet

CLIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 lateral filing drawers;
- HJAB handles;
- Crossbars;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
30	716
36	779
42	840

How to Order


					+
		A		IND	HJAB (std)
ML	CL				
series (Appx. B)	code	width	code		handles (p. 214)
Example ML	CL	36	IND		HJAB

Independent Combination Pedestals

BCCLIND



CBCLIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- Crossbars;
- Locks.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
30	1016
36	1079

How to Order

				+
BCCL CBCL		A	HJAB (std)	
ML			IND	
series (Appx. B)	code	width	code	handles (p. 214)
Example ML	BCCL	36	IND	HJAB

Independent Two Door Cabinet

ARIND



Manufacturing Standards

- Pedestals without tops;
- Depth of 17-3/4";
- 2 door cabinet;
- 1 adjustable shelf;
- HJAB handles;
- Lock.

For installation by client on existing furniture.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices


Width	
A	ML
24	568
30	609
36	636
42	663

How to Order


					+
ML	AR	A	IND	HJAB (std)	
series (Appx. B)	code	width	code	handles (p. 214)	
Example ML	AR	36	IND	HJAB	

Mobile E and F Pedestals - Letter Size

MOBE



MOBF



Manufacturing Standards

- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 letter size file drawer;
- F = 2 letter size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep. If you would like to add a 45 lb counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$142.

Prices


Depth		ML
A		
18	⚡	663
23		663
29		710

How to Order


						+
ML	MOB	E F	A	CPDS		
series (Appx. B)	code	pedestal	depth	counter weight	handles (p. 214)	
Example ML	MOB	E	23	CPDS		

Mobile E and F Pedestals - Legal Size

MOBXE



MOBXF



Manufacturing Standards

- PVC extrusion for lateral opening of drawers;
- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- Lock;
- 5 casters;
- Height: 27-3/8".

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep. If you would like to add a 45 lb counterweight to a pedestal with a different depth, please indicate option (CPDS). Add \$142.

Prices


Depth A	ML
18	747
23	747
29	793

How to Order


					+	
		E F	A	CPDS		
ML	MOBX					
series (Appx. B)	code	pedestal	depth	counter weight	handles (p. 214)	
Example	ML	MOBX	E	23	CPDS	

Combination Pedestals

PBCCL



PCBCL



Manufacturing Standards

- BCCL/CBCL: 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- HJAB handles;
- Black interlock locks;
- Crossbars;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices


Dimensions		
A	B	ML MLL
2030		1102 1174
2036		1134 1254
2430		1122 1233
2436		1196 1313

How to Order


ML MLL		BCCL CBCL		HJAB (std)		PSQ OVAMBL OVAMSN
	A		B			
series (Appx. B)	depth	pedestal	width	handles (p. 214)		legs
Example	ML	20	BCCL	36	HJAB	PSQ

Lateral Filing Cabinets


CL2



CL3



CL4



Manufacturing Standards

- 2, 3 or 4 lateral filing drawers;
- HJAB handles;
- Black interlock locks;
- Crossbars.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

CL2 - 2 lateral filing drawers

Dimensions			
A	B	ML	MLL
2030		750	846
2036	⚡	817	929
2042		893	1021

2430	804	916
2436	871	1001
2442	947	1093

CL3 - 3 lateral filing drawers

Dimensions		
A	B	ML
2030		1215
2036		1277
2042		1378

2430	1270
2436	1330
2442	1431

CL4 - 4 lateral filing drawers

Dimensions		
A	B	ML
2030		1560
2036		1635
2042		1710

2430	1655
2436	1729
2442	1831

How to Order


ML MLL AB 2 3 4 HJAB (std) PSQ OVAMBL OVAMSN					
series (Appx. B)	code	dimensions	drawers	handles (p. 214)	legs
Example ML	CL	2036	3	HJAB	PSQ

Credenzas




Credenzas with D Pedestals

CDL



CDR



Manufacturing Standards

- One utility drawer and one file drawer on left or right;
- Lock;
- PVC extrusion for lateral opening of drawers;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
2054		752	905
2060		788	951
2066		823	989
2072		851	1037
2454		794	967
2460		823	1000
2466		851	1047
2472		881	1095


How to Order

								+
ML MLL	D	AB	D	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)		
series (Appx. B)	if pedestal on left	dimensions	if pedestal on right	modesty	grommet position	grommet style	handles (p. 214)	
Example ML	D	2060		FM	GRC	ELPF		



Credenzas with D Pedestals

CDD



Manufacturing Standards

- One utility drawer and one file drawer on left and right;
- Locks;
- PVC extrusion for lateral opening of drawers;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	ML MLL
2060		921 1296
2066		951 1335
2072		988 1380
2460		958 1344
2466		988 1392
2472		1017 1439


How to Order

								+
ML MLL	AB			PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)		
	D		D					
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	handles (p. 214)	
Example	ML	D	2060	D	FM	GRC	ELPF	




Credenzas with E or F Pedestal on Left

CEL



CFL



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A B	ML	MLL
2054	893	1046
2060	929	1093
2066	965	1129
2072	994	1178
2084	1107	1264
2454	937	1111
2460	965	1143
2466	994	1189
2472	1022	1236
2484	1134	1322


How to Order

ML MLL	E F	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	pedestal	dimensions	modesty	grommet position	grommet style	
Example ML	E	2060	FM	GRC	ELPF	




Credenzas with E or F Pedestal on Right

CER



CFR



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Lock;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions			
A	B	ML	MLL
2054		893	1046
2060		929	1093
2066		965	1129
2072		994	1178
2084		1107	1264
2454		937	1111
2460		965	1143
2466		994	1189
2472		1022	1236
2484		1134	1322


How to Order

							+
ML MLL	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)		
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 214)	
Example ML	2060	E	FM	GRC	ELPF		




Credenzas with E or F Pedestal on Left and Right


CEF




CFE



CEE



CFF



Manufacturing Standards

- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- PVC extrusion for lateral opening of drawers;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Modesty



Grommet Position



Grommet Style



Prices

Dimensions		
A	B	MLL
2060	1207	1391
2066	1234	1429
2072	1269	1476
2084	1391	1561
2460	1213	1399
2466	1242	1443
2472	1277	1490
2484	1397	1574


How to Order

ML MLL	E F	AB	E F	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	handles (p. 214)
series (Appx. B)	left pedestal	dimensions	right pedestal	modesty	grommet position	grommet style	
Example ML	E	2060	E	FM	GRC	ELPF	




Credenzas with Combination Pedestal on Left


CEFL




CFEL



CEEL



CFFL



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL		EF FE EE FF	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)		pedestal		modesty	grommet position	grommet style	handles (p. 214)
Example	ML	EF	2060	FM	GRC	ELPF	HJAB

Prices

Dimensions		
A	B	
2060	1211	1391
2066	1236	1429
2072	1270	1476
2084	1329	1561
2460	1235	1440
2466	1266	1486
2472	1325	1534
2484	1354	1621

Credenzas

Pedestals

Combination Pedestals

Lateral Filing Cabinet

Cabinets

Combination


Server

Transaction Tops




Credenzas with Combination Pedestal on Right


CEFR




CFER



CEER



CFFR



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options


Modesty



10" high
PM
\$0




18-1/2" high
SM
\$0



Full height
FM
\$0

Grommet Position



Grommet Style



ELPF
\$0 ea.



CAPF/CCPF
\$20 ea.

How to Order

ML MLL	AB	EF FE EE FF	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	dimensions	pedestal	modesty	grommet position	grommet style	handles (p. 214)
Example ML	2060	EF	FM	GRC	ELPF	HJAB


Prices

Dimensions		
A	B	
2060	1211	1391
2066	1236	1429
2072	1270	1476
2084	1329	1561
2460	1235	1440
2466	1266	1486
2472	1325	1534
2484	1354	1621



Credenzas with Combination Pedestal on Left

CCBCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		C		AB		PM SM FM (std)		GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	CBCL	pedestal width	dimensions	modesty	grommet position	grommet style	handles (p. 214)			
Example ML	CBCL	30	2060	FM	GRC	ELPF	HJAB			


Prices

Dimensions A B C			ML	MLL
206030	1340	1577		
206630	1378	1617		
207230	1419	1664		
208430	1497	1747		
246030	1397	1641		
246630	1434	1680		
247230	1475	1727		
248430	1563	1822		
206036	1419	1661		
206636	1452	1681		
207236	1491	1744		
208436	1575	1830		
246036	1475	1723		
246636	1513	1761		
247236	1553	1809		
248436	1639	1904		



Credenzas with Combination Pedestal on Right

CBCCL



Manufacturing Standards

- 2 utility drawers, one file drawer and one lateral file drawer;
- HJAB handles;
- Locks;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		AB	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)		dimensions	pedestal	pedestal width	modesty	grommet position	grommet style
handles (p. 214)							
Example		ML	2060	BCCL	30	FM	GRC


Prices

Dimensions			ML	MLL
A	B	C		
206030	1340	1577		
206630	1378	1617		
207230	1419	1664		
208430	1497	1747		
246030	1397	1641		
246630	1434	1680		
247230	1475	1727		
248430	1563	1822		
206036	1419	1661		
206636	1452	1681		
207236	1491	1744		
208436	1575	1830		
246036	1475	1723		
246636	1513	1761		
247236	1553	1809		
248436	1639	1904		



Credenzas with Lateral Filing Cabinet on Left

CCLL



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- Crossbars;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	CL	C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)	
series (Appx. B)	left pedestal	pedestal width	dimensions	modesty	grommet position	grommet style	handles (p. 214)	
Example ML	CL	30	2060	FM	GRC	ELPF	HJAB	


Prices

Dimensions			ML	MLL
A	B	C		
206030	1066	1259		
206630	1094	1305		
207230	1122	1339		
208430	1178	1392		
246030	1122	1328		
246630	1151	1367		
247230	1178	1413		
248430	1234	1500		
206036	1077	1301		
206636	1107	1340		
207236	1134	1389		
208436	1191	1474		
246036	1134	1408		
246636	1164	1449		
247236	1191	1495		
248436	1249	1582		
206042	1205	1384		
206642	1230	1422		
207242	1265	1471		
208442	1320	1553		
246042	1283	1490		
246642	1309	1531		
247242	1339	1578		
248442	1395	1664		



Credenzas with Lateral Filing Cabinet on Right

CCLR



Manufacturing Standards

- 2 lateral file drawers;
- HJAB handles;
- Lock;
- Crossbars;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL		AB	C		PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
			CL					
series (Appx. B)	dimensions		right pedestal	pedestal width	modesty	grommet position	grommet style	handles (p. 214)
Example ML	2060		CL	30	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
206030	1066	1259		
206630	1094	1305		
207230	1122	1339		
208430	1178	1392		
246030	1122	1328		
246630	1151	1367		
247230	1178	1413		
248430	1234	1500		
206036	1077	1301		
206636	1107	1340		
207236	1134	1389		
208436	1191	1474		
246036	1134	1408		
246636	1164	1449		
247236	1191	1495		
248436	1249	1582		
206042	1205	1384		
206642	1230	1422		
207242	1265	1471		
208442	1320	1553		
246042	1283	1490		
246642	1309	1531		
247242	1339	1578		
248442	1395	1664		



Credenzas with Cabinet on Left

CARL



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

ML MLL	AR	C	AB	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)
series (Appx. B)	cabinet	cabinet width	dimensions	modesty	grommet position	grommet style	handles (p. 214)
Example ML	AR	30	2060	FM	GRC	ELPF	HJAB


Prices

Dimensions			ML	MLL
A	B	C		
206030	958	1105		
206630	988	1147		
207230	1017	1187		
208430	1066	1264		
246030	972	1142		
246630	1017	1198		
247230	1055	1251		
248430	1134	1358		
206036	988	1137		
206636	1017	1177		
207236	1050	1221		
208436	1107	1301		
246036	1017	1187		
246636	1043	1226		
247236	1077	1274		
248436	1156	1360		
206042	1040	1182		
206642	1065	1221		
207242	1099	1267		
208442	1157	1355		
246042	1067	1232		
246642	1071	1254		
247242	1128	1324		
248442	1178	1411		



Credenzas with Cabinet on Right

CARR



Manufacturing Standards

- 2 door cabinet;
- HJAB handles;
- Lock;
- 1 adjustable shelf;
- Flush modesty;
- Height: 29".


Modesty: If choice of modesty is not specified, the standard (FM) will be used, PM and SM modesties are available at no extra charge.

Grommets: Add grommets at no charge.


Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Options

Modesty



Grommet Position



Grommet Style



How to Order

					+		
ML MLL	AB	C	PM SM FM (std)	GRL GRR GLR GRC	CAPF CCPF ELPF (std)	HJAB (std)	
		AR					
series (Appx. B)	dimensions	cabinet	cabinet width	modesty	grommet position	grommet style	handles (p. 214)
ML	2060	AR	30	FM	GRC	ELPF	HJAB

Example


Prices

Dimensions			ML	MLL
A	B	C		
206030	958	1105		
206630	988	1147		
207230	1017	1187		
208430	1066	1264		
246030	972	1142		
246630	1017	1198		
247230	1055	1251		
248430	1134	1358		
206036	988	1137		
206636	1017	1177		
207236	1050	1221		
208436	1107	1301		
246036	1017	1187		
246636	1043	1226		
247236	1077	1274		
248436	1156	1360		
206042	1040	1182		
206642	1065	1221		
207242	1099	1267		
208442	1157	1355		
246042	1067	1232		
246642	1071	1254		
247242	1128	1324		
248442	1178	1411		



Combination Credenzas with Cabinets

ARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			
A	B	ML	MLL
2060		1157	1308
2066		1191	1369
2072		1227	1416
2084		1397	1524
2460		1191	1380
2466		1227	1434
2472		1269	1488
2484		1441	1590

How to Order


ML MLL	AB	HJAB (std)	
		ARAR	
series (Appx. B)	dimensions	code	handles (p. 214)

Example ML 2060 ARAR HJAB




Combination Credenzas with Lateral File Drawers and Cabinet

ARCL



CLAR



Manufacturing Standards

- 1 lateral file drawer and 1 cabinet on left or right;
- HJAB handles;
- Locks;
- Adjustable shelf;
- Crossbars;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			
A	B	ML	MLL
2060		1355	1592
2066		1384	1638
2072		1419	1693
2084		1491	1801
2460		1453	1728
2466		1486	1783
2472		1519	1839
2484		1632	1939

How to Order


ML MLL	AB	ARCL CLAR	HJAB (std)
series (Appx. B)	dimensions	code	handles (p. 214)

Example ML 2060 ARCL HJAB



Combination Credenzas with Lateral File Drawers

CLCL



Manufacturing Standards

- 2 sets of lateral file drawers;
- HJAB handles;
- Locks;
- Crossbars;
- Height: 29".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			
A	B	ML	MLL
2060		1 491	1 666
2066		1 568	1 757
2072		1 639	1 848
2084		1 845	2 030
2460		1 639	1 848
2466		1 717	1 939
2472		1 788	2 031
2484		1 987	2 213

How to Order


ML MLL		AB	HJAB (std)	
			CLCL	
series (Appx. B)	dimensions	code	handles (p. 214)	

Example ML 2060 CLCL HJAB



Server Credenzas

SCARAR



Manufacturing Standards

- 2 cabinet sections;
- HJAB handles;
- Locks;
- 2 adjustable shelves per cabinet;
- Height: 36".

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML	MLL
A	B	C		
2060	36		1491	1666
2066	36		1568	1757
2072	36		1639	1848
2084	36		1845	2030
2460	36		1639	1848
2466	36		1717	1939
2472	36		1788	2031
2484	36		1987	2213


How to Order

					HJAB (std)
ML MLL	AB		C		
		SCARAR	36		
series (Appx. B)	dimensions	code	height	handles (p. 214)	
Example	ML	2060	SCARAR	36	HJAB



Transaction Tops

RS



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions

A	B	C	ML	MLL
126	0	13	283	387
126	6	13	299	413
127	2	13	313	436
128	4	13	341	483

How to Order


ML MLL	AB	RS	C
		RS	13
series (Appx. B)	dimensions	code	height

Example ML 1260 RS 13



Convex Transaction Tops

RSCX



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions				ML	MLL
A	B	C	D		
121560	13			425	558
121566	13			442	586
121572	13			453	610
121584	13			482	662

How to Order


ML MLL	ABC	D	
		RS	13
series (Appx. B)	dimensions	code	height

Example ML 121560 RS 13




Transaction-top Extensions

RSL



RSR



Manufacturing Standards

- Shelf to put on top of work surfaces;
- Height: 13".

Prices

Dimensions			ML	MLL
A	B	C		
124	213		228	301
124	813		241	324
125	413		256	350
126	013		270	372

How to Order

ML MLL	AB		C	L R
		RS	13	
series (Appx. B)	dimensions	code	height	return location

Example ML 1242 RS 13 L

Hutches and Wall Storage

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit

Wall Shelves


Tackboards



Cabinet Hutches with One Door


HARL

Door opening to the left



HARR

Door opening to the right



Manufacturing Standards

- HJAB handle;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LKBL

LKSN

\$34 ea.

How to Order

				HJAB (std)	LKBL LKSN		
ML	AB	HARL HARR	C				
series (Appx. B)	dimensions	code	height	handles (p. 214)	lock (p. 224)		
Example ML	1620	HARL	43	HJAB	LKBL		

Prices

Dimensions				ML
A	B	C		
161837				
162037				
162437				
161843				
162043				
162443				
161855				
162055				
162455				

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches

Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches


Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Cabinet Hutches with One Glass Door


HARLFL

Door opening to the left



HARRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Prices

Dimensions

A	B	C	ML
161837			725
162037			790
162437			887
161843			818
162043			886
162443			996
161855			959
162055			1039
162455			1169

How to Order

ML	AB	HARLFL HARRFL	C	KB PL V4 (std)
series (Appx. B)	dimensions	code	height	glass

Example ML 1620 HARLFL 43 V4

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit

Wall Shelves



Tackboards



Cabinet Hutches with One Glass Door

HARLPV

HARRPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves;
- HJA handle;

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LKSN

\$34 ea.

How to Order

ML	AB	HARLPV HARRPV	C	V4 KB PL VS (std)	HJA (std)	LKSN
series (Appx. B)	dimensions	code	height	glass	handles (p. 214)	lock (p. 224)
Example ML	1620	HARLPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
161837			725
162037			790
162437			887
161843			818
162043			886
162443			996
161855			959
162055			1039
162455			1169

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Doors

HAR



Manufacturing Standards

- HJAB handles;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Options

Lock



LKBL

LKSN

\$34 ea.

How to Order

				HJAB (std)		LKBL LKSN
AB		C				
ML		HAR				
series (Appx. B)	dimensions	code	height	handles (p. 214)	lock (p. 224)	
Example	ML	1636	HAR	43	HJAB	LKSN

Prices

Dimensions				ML
A	B	C		
163037				662
163637				690
164237				731
163043				737
163643				765
164243				806
163055				814
163655				842
164255				883

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves.

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;

55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Prices

Dimensions

A	B	C	ML
163037			1324
163637			1351
164237			1473

163043	1362
163643	1532
164243	1664

163055	1673
163655	1870
164255	2037

How to Order

ML	AB	HARFL	C	KB PL V4 (std)
series (Appx. B)	dimensions	code	height	glass

Example ML 1636 HARFL 43 V4

Hutches and Wall Storage

Cabinet Hutches

Corner Hutches

Adjustable Shelf Hutches

Wall Hutches

Wall Hutches / Pigeon Hole Unit

Desk Hutches

Desk Hutches / Pigeon Hole Unit


Wall Shelves

Tackboards



Cabinet Hutches with Two Glass Doors

HARPV



Manufacturing Standards

- Satin nickel aluminum frame;
- Adjustable shelves;
- HJA handles;

Adjustable Shelves:

37" - 43" high: 2 adjustable shelves;
55" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 37" and 43" units.

Options

Lock



LKSN

\$34 ea.

How to Order

AB		C		V4 KB PL		
ML	HARPV			VS (std)	HJA (std)	LKSN
series (Appx. B)	dimensions	code	height	glass	handles (p. 214)	lock (p. 224)
Example ML	1636	HARPV	43	VS	HJA	LKSN

Prices

Dimensions			ML
A	B	C	
163037			1324
163637			1351
164237			1473
163043			1362
163643			1532
164243			1664
163055			1673
163655			1870
164255			2037

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
 Adjustable Shelf Hutches

Wall Hutches
 Wall Hutches / Pigeon Hole Unit
 Desk Hutches


Desk Hutches / Pigeon Hole Unit
 Wall Shelves
 Tackboards




Corner Hutches

HOBL

HOBR



Wood Grain Direction



Manufacturing Standards


- Adjustable shelves.

Adjustable Shelves:
 37" - 43" high: 2 adjustable shelves;
 55" high: 3 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, [p. 27](#)

Options

Adjustable Shelves



SH

Prices

Dimensions

A	B	C	ML
161837			460
161843			497
161855			531

How to Order

	AB	HOBL HOBR	C	SH
ML				
series (Appx. B)	dimensions	code	height	shelves
Example ML	1618	HOBL	43	SH

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Adjustable Shelf Hutches

HAS



Leg Bases



Manufacturing Standards


- Horizontal wood grain on back panel;
- Vertical middle panel on hutches 54" wide or more;
- Flexible grommet on back.

A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Options

Tackboard



LI

TB

How to Order

ML	AB	HAS	C	TB LI	HH HR LH LR (std)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base

Example ML 1636 HAS 43 TB LR

Prices

Dimensions			ML
A	B	C	
163037			581
163637			602
164237			675
164837			710
165437			759
166037			788
166637			838
167237			937
168437			1113
163043			619
163643			639
164243			745
164843			781
165443			829
166043			851
166643			907
167243			1006
168443			1199

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Retractable Doors

HZW



Manufacturing Standards

- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

Prices

Dimensions		
A	B	ML
1630		639
1636		675
1642		710
1648		745
1654		851
1660		915
1666		958
1672		994
1684		1097

How to Order

AB					
ML			LKBL LKSN DVD		
series (Appx. B)	dimensions	code	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HZW	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors

HPW



Manufacturing Standards

- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions

A	B	ML
1630		404
1636		460
1642		518
1648		575
1654		652
1660		710
1666		771
1672		802
1684		876

How to Order

AB			LKBL LKSN DVD		
ML		HPW			
series (Appx. B)	dimensions	code	lock (p. 224)	dividers (p. 223)	handles (p. 214)
Example	ML	1636	HPW	LKSN	DVD

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors

HPFLW



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Soft-close doors;
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Pre-drilled Holes with 3 Dividers



DVD
\$21

Handles



H001
\$11 ea.

How to Order

AB		KB PL V4 (std)		DVD H001	
ML		HPFLW			
series (Appx. B)	dimensions	code	glass	dividers	handles
Example ML	1636	HPFLW	V4	DVD	H001

Prices

Dimensions		
A	B	ML
1630		622
1636		706
1642		812
1648		945
1654		1080
1660		1193
1666		1302
1672		1382
1684		1572

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Taskboards



Wall Hutches with Glass Doors

HPVW



Manufacturing Standards

- Satin nickel aluminum frames;
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

Prices

Dimensions		
A	B	ML
1630		622
1636		706
1642		812
1648		945
1654		1080
1660		1193
1666		1302
1672		1382
1684		1572

How to Order

AB		VS (std)		LKBL LKSN		DVD
ML		HPVW				
series (Appx. B)	dimensions	code	glass	lock (p. 224)	dividers	handles (p. 214)
Example	ML	1636	HPVW	VS	LKSN	DVD

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Retractable Doors and Pigeon Hole Unit

HZPGW



Manufacturing Standards

- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

How to Order

ML	AB	HZPGW	LKBL LKSN	DVD	handles (p. 214)
series (Appx. B)	dimensions	code	lock (p. 224)	dividers	
Example ML	1636	HZPGW	LKSN	DVD	

Prices

Dimensions		
A	B	ML
1630		908
1636		943
1642		1008
1648		1043
1654		1192
1660		1256
1666		1333
1672		1369
1684		1503

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Doors and Pigeon Hole Unit

HPPGW



Manufacturing Standards

- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions

A	B	ML
1630	675	
1636	731	
1642	816	
1648	873	
1654	994	
1660	1051	
1666	1147	
1672	1176	
1684	1293	

How to Order

AB			LKBL LKSN	DVD	
ML		HPPGW			
series (Appx. B)	dimensions	code	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HPPGW	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPFLPGW



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Soft-close doors;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.


Options

Pre-drilled Holes with 3 Dividers



DVD
\$21

Handles



H001
\$11 ea.

Prices

Dimensions

A	B	ML
1630		859
1636		960
1642		1080
1648		1231
1654		1405
1660		1518
1666		1654
1672		1741
1684		1962

How to Order

AB		KB PL V4 (std)		DVD H001	
ML		HPFLPGW			
series (Appx. B)	dimensions	code	glass	dividers	handles
Example ML	1636	HPFLPGW	V4	DVD	H001

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches



Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Wall Hutches with Glass Doors and Pigeon Hole Unit

HPVPGW



Manufacturing Standards

- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Z-bars for wall mounting (hardware not included).

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

Prices

Dimensions		
A	B	ML
1630		859
1636		960
1642		1080
1648		1231
1654		1405
1660		1518
1666		1654
1672		1741
1684		1962

How to Order

ML	AB	HPVPGW	V4 KB PL VS (std)	LKBL LKSN	DVD	+
series (Appx. B)	dimensions	code	glass	serrure (p. 224)	dividers	handles (p. 214)
Example ML	1636	HPVPGW	VS	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Open Hutches

HO



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back;
- Vertical middle panel on hutches 54" wide or more.


A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

ML	AB	HO	C	TB LI	HH HR LH LR (std)	DVD
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	dividers
Example ML	1636	HO	43	TB	LR	DVD

Prices

Dimensions		
A	B	C ML
163037		404
163637		449
164237		490
164837		541
165437		596
166037		624
166637		652
167237		710
168437		851
163043		464
163643		501
164243		548
164843		591
165443		648
166043		665
166643		693
167243		838
168443		958

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Retractable Doors

HZ



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard

LI
TB

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

How to Order

ML	AB	HZ	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	handles (p. 214)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	
Example ML	1636	HZ	37	TB	LR	LKSN	DVD	

Prices

Dimensions	
A B C	ML
163037	763
163637	819
164237	859
164837	929
165437	1065
166037	1103
166637	1144
167237	1242
168437	1320

163043	831
163643	890
164243	916
164843	979
165443	1135
166043	1152
166643	1207
167243	1348
168443	1441

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors

HP



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	
ML	HP			LI				
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HP	43	TB	LR	LKSN	DVD	

Prices

Dimensions		ML
A	B C	
163037		562
163637		629
164237		656
164837		716
165437		890
166037		895
166637		929
167237		999
168437		1085
163043		623
163643		695
164243		724
164843		793
165443		951
166043		994
166643		1028
167243		1103
168443		1228

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPFL



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

AB		C		TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD H001	
ML	HPFL							
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	handles
Example ML	1636	HPFL	43	TB	LR	V4	DVD	H001

Prices

Dimensions		ML
A	B	C
163037	823	
163637	915	
164237	994	
164837	1128	
165437	1355	
166037	1413	
166637	1497	
167237	1632	
168437	2093	
163043	907	
163643	1017	
164243	1094	
164843	1227	
165443	1452	
166043	1513	
166643	1595	
167243	1758	
168443	2250	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- Satin nickel aluminum frames;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

ML	AB	HPV	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	handles (p. 214)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	lock (p. 224)	dividers	
Example ML	1636	HPV	43	TB	LR	VS	LKSN	DVD	

Prices

Dimensions	ML
A B C	
163037	823
163637	915
164237	994
164837	1128
165437	1355
166037	1413
166637	1497
167237	1632
168437	2093
163043	907
163643	1017
164243	1094
164843	1227
165443	1452
166043	1513
166643	1595
167243	1758
168443	2250

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors

HPA



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors: 30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions				ML
A	B	C		
163055				1055
163655				1122
164255				1213
164855				1312
165455				1531
166055				1610
166655				1703
167255				1746
168455				1907

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	
ML		HPA	55	LI				
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HPA	55	TB	LR	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAFL



Leg Bases



55" high hutch

Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

How to Order								
ML	AB	HPAFL	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	handles
Example ML	1636	HPAFL	55	TB	LR	V4	DVD	H001

Prices

Dimensions			ML
A	B	C	
163055			1553
163655			1715
164255			1914
164855			2112
165455			2102
166055			2613
166655			2802
167255			2950
168455			3310

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors

HPAV



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Satin nickel aluminum frames;
- One adjustable shelf per section;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

How to Order								
ML	AB	HPAV	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	DVD	+
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	handles (p. 214)
Example ML	1636	HPAV	55	TB	LR	VS	DVD	

Prices

Dimensions		
A	B	C ML
163055		1553
163655		1715
164255		1914
164855		2112
165455		2102
166055		2613
166655		2802
167255		2950
168455		3310

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Open Hutches with Pigeon Hole Unit

HOPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Vertical middle panel on hutches 54" wide or more;
- Task light concealer;
- Flexible grommet on back.


Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.


Options

Tackboard



LI
TB

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

ML	AB	HOPG	C	TB LI	HH HR LH LR (std)	DVD
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	dividers
Example ML	1636	HOPG	43	TB	LR	DVD

Prices

Dimensions		
A	B	C ML
163037		673
163637		718
164237		790
164837		839
165437		937
166037		964
166637		1026
167237		1122
168437		1256
163043		733
163643		749
164243		848
164843		891
165443		988
166043		1005
166643		1068
167243		1213
168443		1333

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Retractable Doors and Pigeon Hole Unit

HZPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 1 door, 48" - 84": 2 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

Prices

Dimensions			ML
A	B	C	
163037			1033
163637			1089
164237			1158
164837			1228
165437			1406
166037			1445
166637			1485
167237			1617
168437			1711

How to Order

AB		C		TB	HH HR LH LR (std)	LKBL LKSN	DVD	
ML		HZPG		LI				
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HZPG	43	TB	LR	LKSN	DVD	

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Doors and Pigeon Hole Unit

HPPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

AB		C		TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	
ML		HPPG						
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	handles (p. 214)
Example	ML	1636	HPPG	43	TB	LR	LKSN	DVD

Prices

Dimensions

A	B	C	ML
163037			831
163637			898
164237			952
164837			1016
165437			1244
166037			1236
166637			1304
167237			1374
168437			1497

163043	893
163643	933
164243	996
164843	1067
165443	1286
166043	1309
166643	1363
167243	1445
168443	1547

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Glass Doors and Pigeon Hole Unit

HPFLPG



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Soft-close doors;
- Task light concealer;
- Pigeon hole compartment interiors are 2-3/8";
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.

Options


Tackboard



Pre-drilled Holes with 3 Dividers



Handles



How to Order

Example								
ML	AB	HPFLPG	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	handles
ML	1636	HPFLPG	43	TB	LR	V4	DVD	H001

Prices

Dimensions

A	B	C	ML
163037			1075
163637			1171
164237			1255
164837			1403
165437			1676
166037			1746
166637			1843
167237			1981
168437			2448

163043	1230
163643	1343
164243	1438
164843	1601
165443	1890
166043	1971
166643	2083
167243	2238
168443	2732

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards






Desk Hutches with Glass Doors and Pigeon Hole Unit

HPVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Satin nickel aluminum frames;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.


Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard




LI
TB

Lock



LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers



DVD
\$21

How to Order

AB		C		TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	LKBL LKSN	DVD	
ML		HPVPG							
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	lock (p. 224)	dividers	handles (p. 214)
Example ML	1636	HPVPG	43	TB	LR	VS	LKSN	DVD	

Prices

Dimensions

A	B	C	ML
163037			1075
163637			1171
164237			1255
164837			1403
165437			1676
166037			1746
166637			1843
167237			1981
168437			2448

163043	1230
163643	1343
164243	1438
164843	1601
165443	1890
166043	1971
166643	2083
167243	2238
168443	2732

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Doors and Pigeon Hole Unit

HPAPG



Leg Bases



55" high hutch

Manufacturing Standards

- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Locks: Offered as option. Black (LKBL) or satin nickel (LKSN). Match to handle color.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard

LI
TB

Lock

LKBL
LKSN
\$34 ea.

Pre-drilled Holes with 3 Dividers

DVD
\$21

How to Order

ML	AB	HPAPG	C	TB LI	HH HR LH LR (std)	LKBL LKSN	DVD	handles (p. 214)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	lock (p. 224)	dividers	
Example ML	1636	HPAPG	55	TB	LR	LKSN	DVD	

Prices

Dimensions			
A	B	C	ML
163055			1325
163655			1382
164255			1513
164855			1589
165455			1864
166055			1951
166655			2063
167255			2105
168455			2274

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAFLPG



Leg Bases



Manufacturing Standards

- Aluminum-frame doors with white glass (V4);
- Horizontal wood grain on back panel;
- Pigeon hole compartment interiors are 2-3/8";
- Soft-close doors;
- One adjustable shelf per section;
- Task light concealer;
- Flexible grommet on back.

Number of Doors:

30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.


Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: Optional built-in aluminum handles are available. Add \$11 retail each.


Options

Tackboard




LI
TB

Pre-drilled Holes with 3 Dividers



DVD
\$21

Handles



H001
\$11 ea.

How to Order

How to Order								
ML	AB	HPAFLPG	C	TB LI	HH HR LH LR (std)	KB PL V4 (std)	DVD	H001
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	handles
Example ML	1636	HPAFLPG	55	TB	LR	V4	DVD	H001

Prices

Dimensions			ML
A	B	C	
163055			1812
163655			1979
164255			2185
164855			2397
165455			2759
166055			2949
166655			3154
167255			3308
168455			3674

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards





Desk Hutches with Glass Doors and Pigeon Hole Unit

HPAVPG



Leg Bases



Manufacturing Standards

- Horizontal wood grain on back panel;
- Satin nickel aluminum frames;
- Pigeon hole compartment interiors are 2-3/8";
- Task light concealer;
- One adjustable shelf per section;
- Flexible grommet on back.

Number of Doors:
30" - 42": 2 doors, 48" - 54": 3 doors, 60" - 72": 4 doors, 84": 5 doors.

Tackboards: A fabric (TB) or cork (LI) tackboard can be added.

Leg Base: If the choice of base is not specified, the standard is 2 full legs (LR). For 1/2 leg on left or right (HR or LH) add \$33 retail. For two half legs (HH), add \$66 retail. **Warning:** hutches with half legs (HH) must be secured to the wall or adjacent furniture so that they do not tip forward. Logiflex is not responsible for any accidents caused by incorrectly installed hutches.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Handles: To add handles, please choose from the Logiflex list. Add \$11 retail each.

Options

Tackboard
LI
TB

Pre-drilled Holes with 3 Dividers
DVD
\$21

How to Order

ML	AB	HPAVPG	C	TB LI	HH HR LH LR (std)	V4 KB PL VS (std)	DVD	handles (p. 214)
series (Appx. B)	dimensions	code	height	tackboard (p. 167)	leg base	glass	dividers	
Example ML	1636	HPAVPG	55	TB	LR	VS	DVD	

Prices

Dimensions A B C	ML
163055	1812
163655	1979
164255	2185
164855	2397
165455	2759
166055	2949
166655	3154
167255	3308
168455	3674

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards




Wall Shelves

WWS



WWST



Manufacturing Standards


- 12" high interior;
- Z-bars for wall mounting (hardware not included);

Dividers: Offered as option. Pre-drilled holes for dividers (DVD), set of 3 wire dividers included.

Attention: Logiflex is not responsible for the installation of wall hutches. This responsibility belongs entirely to the distributor or the client.

Options

Pre-drilled Holes with 3 Dividers



DVD

\$21

How to Order

				+
AB		WWS WWST	DVD	
ML				
series (Appx. B)	dimensions	code	dividers	
Example	ML	1636	WWS	DVD

Prices

WWS - Wall Shelf (no top)

Dimensions

A	B	ML
1336		270
1342		306
1348		419
1354		497
1360		619
1372		639

WWST - Wall Shelf (with top)

Dimensions

A	B	ML
1336		318
1342		333
1348		453
1354		525
1360		639
1372		675

Hutches and Wall Storage

Cabinet Hutches
Corner Hutches
Adjustable Shelf Hutches


Wall Hutches
Wall Hutches / Pigeon Hole Unit
Desk Hutches

Desk Hutches / Pigeon Hole Unit
Wall Shelves
Tackboards



Fabric Tackboards for Hutches

TB



Manufacturing Standards

Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:
 30" - 42" tackboards = 1.5 yards
 48" - 60" tackboards = 2 yards
 66" - 78" tackboards = 2.5 yards
 84" - 96" tackboards = 3 yards

Tackboards for Existing Hutches:
 If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions B	COM	GR1	GR2	GR3	GR4	GR5
30	148	228	269	300	331	353
36	148	228	269	300	331	353
42	148	228	269	300	331	353
48	148	228	269	300	331	353
54	148	228	269	300	331	353
60	148	299	340	372	395	408
66	148	299	340	372	395	408
72	148	333	374	406	439	462
84	171	370	441	443	476	488

How to Order

ML	B	TB	GR1 GR2 GR3 GR4 GR5 COM	ex: 37, 43, 55	ex: HPPG, HOPG	See Logiflex color chart or COM fabric number
series	dimensions	code	fabric	existing hutch height	hutch code (for existing hutch)	fabric
Example ML	30	TB	GR1			

Fabric Tackboards and Display Boards

TBW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.

Standard Fabric: Please choose from the Logiflex color chart.

Chair Fabric: Please submit a quotation request providing the following information: manufacturer's name, pattern name/number and color name/number. Price available upon request.

COM Fabric: (Provided by the customer). COM fabrics must be sent directly to your Customer Service Representative, **Prepaid**. It is important to indicate the reference number of your purchase order on the package containing your fabric.

Tackboards with COM Fabric:

30" - 42" tackboards = 1.5 yards
48" - 60" tackboards = 2 yards
66" - 72" tackboards = 2.5 yards
84" tackboards = 3 yards

Prices


Dimensions							
A	B	COM	GR1	GR2	GR3	GR4	GR5
2430		148	228	269	300	331	353
2436		148	228	269	300	331	353
2442		148	228	269	300	331	353
2448		148	228	269	300	331	353
2454		148	228	269	300	331	353
2460		148	299	340	372	395	408
2466		148	299	340	372	395	408
2472		148	333	374	406	439	462
2484		171	370	441	443	476	488

How to Order

AB		GR1 GR2 GR3 GR4 GR5 COM		See Logiflex color chart or COM fabric number
ML		TBW		
series	dimensions	code	fabric	fabric
Example ML	2442	TBW	GR1	

Cork Tackboards for Hutches

LI



Manufacturing Standards

Tackboards for Existing Hutches:
If ordering a tackboard for an existing hutch, please specify the code of the existing hutch. Logiflex can then make the tackboard to the exact dimensions for easy installation of the product.

Prices


Dimensions	
B	
30	228
36	228
42	228
48	228
54	228
60	299
66	299
72	333
84	370

How to Order

B		ex: 37, 43, 55		ex: HPPG, HOPG	
ML	LI				
series	dimensions	code	existing hutch height	hutch code (for existing hutch)	
Example ML	30	LI			

Cork Tackboards and Display Boards

LIW



Manufacturing Standards

- Spaces on back to allow for passage of wiring;
- Attaches to wall with Velcro system.

Prices

Dimensions	
A	B
2430	228
2436	228
2442	228
2448	228
2454	228
2460	299
2466	299
2472	333
2484	370

How to Order


AB		
ML		LIW
series	dimensions	code
Example ML	2442	LIW

Bookcases and Cabinets




Corner Bookcases

BBC



Woodgrain Direction



Manufacturing Standards

- 1" thick adjustable shelves;
- Shelf brackets.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
84" high = 5 adjustable shelves.


Adjustable shelves (SH): see Appendix G for prices, p. 27

Prices

Dimensions				
A	B	C	ML	MLL
121229			387	446
121236			425	
121242			453	
121248			490	
121254			525	
121260			569	
121266			611	
121272			639	
121284			667	
151529			448	476
151536			482	
151542			509	
151548			546	
151554			575	
151560			611	
151566			639	
151572			652	
151584			681	
202029			482	551
202036			509	
202042			541	
202048			569	
202054			596	
202060			624	
202066			652	
202072			681	
202084			710	
242429			509	567
242460			652	
242466			679	
242472			709	
242484			736	
303029			652	752

Options

Adjustable Shelves



SH


How to Order

ML MLL		ABC		L R	SH
	BB		C		
series (Appx. B)		code	dimensions	code	wood grain direction
Example	ML	BB	151529	C	L
					SH




30" Bookcases with Masonite Back


BB1230



BB1530



BB2030



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves

SH

How to Order

ML MLL		ABC		SH
	BB			
series (Appx. B)	code	dimensions	shelves	
Example	ML	BB	153029	SH


Prices

Dimensions				
A	B	C	ML	MLL
123029			341	394
123036			355	
123042			363	
123048			375	
123054			391	
123060			404	
123066			433	
123072			541	
123084			639	
153029			419	485
153036			433	
153042			453	
153048			469	
153054			490	
153060			497	
153066			546	
153072			631	
153084			667	
203029			448	530
203036			460	
203042			482	
203048			497	
203054			518	
203060			525	
203066			589	
203072			659	
203084			695	




30" Bookcases with Laminate Back


BBL1230



BBL1530



BBL2030



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves

SH

How to Order

ML MLL		ABC		SH
	BBL			
series (Appx. B)	code	dimensions	shelves	
Example	ML	BBL	153029	SH


Prices

Dimensions				
A	B	C	ML	MLL
123029			419	476
123036			448	
123042			476	
123048			490	
123054			503	
123060			525	
123066			553	
123072			659	
123084			745	
153029			438	496
153036			467	
153042			495	
153048			508	
153054			522	
153060			545	
153066			573	
153072			679	
153084			779	
203029			525	587
203036			553	
203042			589	
203048			602	
203054			624	
203060			639	
203066			675	
203072			781	
203084			823	




36" Bookcases with Masonite Back


BB1236



BB1536



BB2036



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- Black masonite back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves

SH

How to Order

ML MLL	BB	ABC	SH
series (Appx. B)	code	dimensions	shelves
Example ML	BB	153629	SH


Prices

Dimensions		
A	B	C
ML	MLL	
123629	375	437
123636	391	
123642	404	
123648	419	
123654	433	
123660	448	
123666	476	
123672	581	
123684	659	
153629	453	530
153636	469	
153642	490	
153648	503	
153654	525	
153660	531	
153666	559	
153672	667	
153684	703	
203629	482	578
203636	497	
203642	518	
203648	531	
203654	553	
203660	559	
203666	624	
203672	695	
203684	731	




36" Bookcases with Laminate Back


BBL1236



BBL1536



BBL2036



Manufacturing Standards


- 1" thick adjustable shelves;
- Shelf brackets;
- 5/8" thick laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
 84" high = 5 adjustable shelves.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves

SH

How to Order



ML MLL		ABC		SH
	BBL			
series (Appx. B)	code	dimensions	shelves	
Example	ML	BBL	153629	SH

Prices

Dimensions				
A	B	C	ML	MLL
123629			453	510
123636			482	
123642			509	
123648			525	
123654			541	
123660			559	
123666			596	
123672			703	
123684			788	
153629			473	536
153636			501	
153642			528	
153648			545	
153654			557	
153660			578	
153666			615	
153672			722	
153684			805	
203629			559	626
203636			589	
203642			624	
203648			639	
203654			659	
203660			675	
203666			710	
203672			816	
203684			858	

Display Cases with 5 Angled Shelves

MD5



Manufacturing Standards

- 5 angled shelves with fixed horizontal shelves underneath.

Prices

Dimensions



A	B	ML
1830		1418
1836		1457
1842		1533

How to Order

AB		
ML		MD5
series (Appx. B)	dimensions	code
Example ML	1836	MD5

Display Cases with 3 Angled Shelves and 2 Door Cabinet

MD3AR



Manufacturing Standards

- 3 angled shelves with fixed horizontal shelves underneath;
- HJAB handles;
- 2-door cabinet with 1 adjustable shelf;
- Lock.

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions

A	B	ML
1830		1380
1836		1418
1842		1494

How to Order


AB			
ML		MD3AR	
series (Appx. B)	dimensions	code	handles (p. 214)
Example ML	1836	MD3AR	



Wardrobes with One Door


VL

Door opening to the left



VR

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handle;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions		
A	B	C ML
201866		608
202466		695
241866		744
242466		781
201872		665
202472		754
241872		801
242472		858
201884		781
202484		856
241884		917
242484		973

How to Order

	ABC	VL VR	PSQ OVAMBL OVAMSN	HJAB (std)
ML				
series (Appx. B)	dimension	code	legs (p. 215)	handles (p. 214)


Example ML 202466 VL PSQ HJAB



Wardrobes with One Glass Door


VLFL

Door opening to the left



VRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- 5/8" laminate back;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Prices

Dimensions			ML
A	B	C	
201866			1218
202466			1481
241866			1354
242466			1615
201872			1332
202472			1611
241872			1468
242472			1745
201884			1606
202484			1921
241884			1743
242484			2042

How to Order

ML	ABC	VLFL VRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN
series (Appx. B)	dimension	code	glass	legs (p. 215)


Example ML 202466 VLFL V4 PSQ



Wardrobes with One Glass Door


VLPV

Door opening to the left



VRPV

Door opening to the right



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJA handle;
- 5/8" laminate back;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Options

Lock



LKSN

\$34 ea.

How to Order

ML	ABC	VLPV VRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKSN
series (Appx. B)	dimension	code	glass	legs (p. 215)	handles (p. 214)	lock (p. 224)
Example ML	202466	VLPV	VS	PSQ	HJA	LKSN


Prices

Dimensions			ML
A	B	C	
201866			1218
202466			1481
241866			1354
242466			1615
201872			1332
202472			1611
241872			1468
242472			1745
201884			1606
202484			1921
241884			1743
242484			2042



Wardrobes with Two Doors

V



Manufacturing Standards

- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions			ML
A	B	C	
203066			872
203666			958
204266			1077
243066			1009
243666			1068
244266			1191
203072			929
203672			1038
204272			1178
243072			1065
243672			1137
244272			1249
203084			1129
203684			1201
204284			1323
243084			1278
243684			1347
244284			1457


How to Order

ABC			PSQ OVAMBL OVAMSN	HJAB (std)	
ML		V			
series (Appx. B)	dimension	code	legs (p. 215)	handles (p. 214)	
Example	ML	203066	V	PSQ	HJAB



Wardrobes with Two Glass Doors

VFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- 5/8" laminate back;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- Ventilation grill in back panel.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).


Prices

Dimensions			ML
A	B	C	
203066			1724
203666			1984
204266			2198
243066			1869
243666			2125
244266			2368
203072			1850
203672			2138
204272			2346
243072			2015
243672			2263
244272			2524
203084			2264
203684			2516
204284			2765
243084			2364
243684			2655
244284			2905

How to Order

ML		ABC		VFL		KB PL V4 (std)		PSQ OVAMBL OVAMSN	
series (Appx. B)	dimension	code	glass	legs (p. 215)					


Example ML 203066 VFL V4 PSQ






Wardrobes with Two Doors and Cabinet

ARV



VAR



Manufacturing Standards

- 4 adjustable shelves;
- Shelf brackets;
- Fixed shelf (8" clearance between shelf and top);
- Clothes rail;
- HJAB handles;
- Lock;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.


Adjustable shelves (SH): see Appendix G for prices, p. 27

Prices

Dimensions			
A	B	C	ML
202466			1134
203066			1199
203666			1264
204266			1327
204866			1391
242466			1207
243066			1269
243666			1334
244266			1397
244866			1462
202472			1191
203072			1256
203672			1332
204272			1445
204872			1447
242472			1277
243072			1327
243672			1391
244272			1452
244872			1519
202484			1388
203084			1452
203684			1536
204284			1654
204884			1662
242484			1481
243084			1531
243684			1600
244284			1669
244884			1741

Options

Adjustable Shelves



SH

How to Order


ABC		ARV VAR	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML						
series (Appx. B)	dimension	code	legs (p. 215)	handles (p. 214)	shelves	
Example ML	202466	ARV	PSQ	HJAB	SH	



Wardrobe on Right and Cabinet with Pedestal on Left

AREV

ARFV



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

	ABC	AREV ARFV	PSQ OVAMBL OVAMSN	HJAB (std)	SH
ML					
series (Appx. B)	dimension	code	legs (p. 215)	handles (p. 214)	shelves
Example ML	203066	AREV	PSQ	HJAB	SH


Prices

Dimensions			ML	Wardrobe Interior Width
A	B	C		
202466			1646	6-7/8"
203066			1703	12-7/8"
203666			1753	18-7/8"
204266			1815	24-7/8"
204866			1873	27-7/8"
242466			1709	6-7/8"
243066			1765	12-7/8"
243666			1822	18-7/8"
244266			1888	24-7/8"
244866			1949	27-7/8"
202472			1696	6-7/8"
203072			1753	12-7/8"
203672			1809	18-7/8"
204272			1873	24-7/8"
204872			1929	27-7/8"
242472			1765	6-7/8"
243072			1822	12-7/8"
243672			1880	18-7/8"
244272			1945	24-7/8"
244872			2000	27-7/8"
202484			1873	6-7/8"
203084			1950	12-7/8"
203684			2013	18-7/8"
204284			2082	24-7/8"
204884			2145	27-7/8"
242484			1963	6-7/8"
243084			2026	12-7/8"
243684			2089	18-7/8"
244284			2185	24-7/8"
244884			2367	27-7/8"




Wardrobe on Left and Cabinet with Pedestal on Right

VARE



VARF



Manufacturing Standards

- 2 utility drawers and 1 file drawer or 2 file drawers;
- 2 adjustable shelves;
- Shelf brackets;
- Fixed shelf;
- Clothes rail;
- HJAB handles;
- Locks;
- 5/8" laminate back;
- Ventilation grill in back panel.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

	ABC	VARE VARF	PSQ OVAMBL OVAMSN	HJAB (std)	SH
ML					
series (Appx. B)	dimension	code	legs (p. 215)	handles (p. 214)	shelves
Example ML	203066	VARE	PSQ	HJAB	SH


Prices

Dimensions			ML	Wardrobe Interior Width
A	B	C		
202466			1646	6-7/8"
203066			1703	12-7/8"
203666			1753	18-7/8"
204266			1815	24-7/8"
204866			1873	27-7/8"
242466			1709	6-7/8"
243066			1765	12-7/8"
243666			1822	18-7/8"
244266			1888	24-7/8"
244866			1949	27-7/8"
202472			1696	6-7/8"
203072			1753	12-7/8"
203672			1809	18-7/8"
204272			1873	24-7/8"
204872			1929	27-7/8"
242472			1765	6-7/8"
243072			1822	12-7/8"
243672			1880	18-7/8"
244272			1945	24-7/8"
244872			2000	27-7/8"
202484			1873	6-7/8"
203084			1950	12-7/8"
203684			2013	18-7/8"
204284			2082	24-7/8"
204884			2145	27-7/8"
242484			1963	6-7/8"
243084			2026	12-7/8"
243684			2089	18-7/8"
244284			2185	24-7/8"
244884			2367	27-7/8"

Cabinets with One Door


ARL

Door opening to the left



ARR

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handle;
- Lock;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

						+
ML	ABC	ARL ARR	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimensions	code	legs (p. 215)	handles (p. 214188)	shelves	
Example ML	241866	ARL	PSQ	HJAB	SH	

Prices


Dimensions		ML
A	B C	
201866		750
202466		838
241866		884
242466		943
201872		804
202472		907
241872		942
242472		999
201884		858
202484		976
241884		1000
242484		1055



Cabinets with One Glass Door


ARLFL

Door opening to the left



ARRFL

Door opening to the right



Manufacturing Standards

- Aluminum-frame door with white glass (V4) and built-in aluminum handle;
- Soft-close door;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML	ABC	ARLFL ARRFL	KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH	
series (Appx. B)	dimensions	code	glass	legs (p. 215)	shelves	
Example ML	241866	ARLFL	V4	PSQ	SH	

Prices


Dimensions		
A	B	C ML
201866		1348
202466		1609
241866		1484
242466		1756
201872		1456
202472		1620
241872		1598
242472		1887
201884		1592
202484		1631
241884		1712
242484		2018



Cabinets with One Glass Door


ARLPV

Door opening to the left



ARRPV

Door opening to the right



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handle;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves,
48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves,
84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handle: For a handle other than HJA standard, please choose from the Logiflex list at no extra charge.

Lock: Offered as option. Satin nickel (LKSN). Match to handle color. Only available for 66" and 72" units.

Adjustable shelves (SH): see Appendix G for prices, p. 27


Options

Lock



LKSN
\$34 ea.

Adjustable Shelves



SH

How to Order

ML	ABC	ARLPV ARRPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	+ HJA (std) LKSN SH		
					handles (p. 214)	lock (p. 224)	shelves
Example ML	241866	ARLPV	VS	PSQ	HJA	LKSN	SH


Prices

Dimensions		ML
A	B C	
201866		1348
202466		1609
241866		1484
242466		1756
201872		1456
202472		1620
241872		1598
242472		1887
201884		1592
202484		1631
241884		1712
242484		2018




Cabinets with Two Doors

AR1530



AR1536



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included:

29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)		dimensions		code	legs (p. 215)	handles (p. 214)
Example ML		153029		AR	PSQ	HJAB
						SH


Price

Dimensions			ML	MLL
A	B	C		
153029			580	660
153036			631	
153041			715	
153048			780	
153053			850	
153060			933	
153066			992	
153072			1063	
153084			1211	
153629			605	693
153636			657	
153641			741	
153648			762	
153653			804	
153660			959	
153666			1016	
153672			1087	
153684			1273	




Cabinets With Two Doors


AR2030



AR2036



AR2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)		dimensions		code	legs (p. 215)	handles (p. 214)
Example		ML	203629	AR	PSQ	HJAB
						SH


Prices

Dimensions			ML	MLL
A	B	C		
203029	648	730		
203036	712			
203041	791			
203048	867			
203053	931			
203060	1000			
203066	1055			
203072	1126			
203084	1187			
203629	697	792		
203636	759			
203641	838			
203648	916			
203653	982			
203660	1023			
203666	1092			
203672	1164			
203684	1307			
204229	803	912		
204236	863			
204241	939			
204248	1015			
204253	1078			
204260	1112			
204266	1162			
204272	1221			
204284	1339			




Cabinets with Two Doors


AR2430



AR2436



AR2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		PSQ OVAMBL OVAMSN	HJAB (std)	SH
				AR		
series (Appx. B)	dimensions	code	legs (p. 215)	handles (p. 214)	shelves	
Example ML	243629	AR	PSQ	HJAB	SH	


Prices

Dimensions			ML	MLL
A	B	C		
243029			713	820
243036			778	
243041			856	
243048			931	
243053			996	
243060			1065	
243066			1120	
243072			1191	
243084			1338	
243629			761	880
243636			824	
243641			902	
243648			979	
243653			1045	
243660			1088	
243666			1159	
243672			1235	
243684			1372	
244229			818	938
244236			887	
244241			962	
244248			1035	
244253			1098	
244260			1162	
244266			1234	
244272			1306	
244284			1450	




Cabinets with Two Glass Doors


ARFL2030



ARFL2036



ARFL2042



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		KB PL V4 (std)	PSQ OVAMBL OVAMSN	SH
				ARFL		
series (Appx. B)		dimensions		code	glass	legs (p. 215)
Example ML		203629		ARFL	V4	PSQ
						SH


Prices

Dimensions			ML	MLL
A	B	C		
203029			1074	1201
203036			1244	
203041			1409	
203048			1578	
203053			1735	
203060			1859	
203066			2000	
203072			2148	
203084			2426	
203629	1204	1355		
203636	1393			
203641	1582			
203648	1765			
203653	1938			
203660	2083			
203666	2241			
203672	2405			
203684	2722			
204229	1307	1476		
204236	1518			
204241	1719			
204248	1921			
204253	2108			
204260	2270			
204266	2445			
204272	2627			
204284	2990			




Cabinets with Two Glass Doors


ARPV2030



ARPV2036



ARPV2042



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27


Options

Lock



LKSN
\$34 ea.

Adjustable Shelves



SH

How to Order

ML MLL	ABC	ARPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)			LKSN	SH
			handles (p. 214)						
series (Appx. B)	dimensions	code	glass	legs (p. 215)	handles (p. 214)			lock (p. 224)	shelves
Example ML	203629	ARPV	VS	PSQ	HJA			LKSN	SH


Prices

Dimensions			ML	MLL
A	B	C		
203029	1074	1201		
203036	1244			
203041	1409			
203048	1578			
203053	1735			
203060	1859			
203066	2000			
203072	2148			
203084	2426			
203629	1204	1355		
203636	1393			
203641	1582			
203648	1765			
203653	1938			
203660	2083			
203666	2241			
203672	2405			
203684	2722			
204229	1307	1476		
204236	1518			
204241	1719			
204248	1921			
204253	2108			
204260	2270			
204266	2445			
204272	2627			
204284	2990			




Cabinets with Two Glass Doors


ARFL2430



ARFL2436



ARFL2442



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.


Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML MLL		ABC		KB PL VS (std)	PSQ OVAMBL OVAMSN	SH
				ARFL		
series (Appx. B)		dimensions		code	glass	legs (p. 215)
Example ML		243629		ARFL	V4	PSQ
						SH


Prices

Dimensions			ML	MLL
A	B	C		
243029			1131	1276
243036			1302	
243041			1468	
243048			1636	
243053			1792	
243060			1916	
243066			2058	
243072			2204	
243084			2483	
243629			1260	1430
243636			1448	
243641			1636	
243648			1820	
243653			1994	
243660			2137	
243666			2296	
243672			2461	
243684			2790	
244229			1359	1551
244236			1570	
244241			1771	
244248			1972	
244253			2161	
244260			2323	
244266			2497	
244272			2678	
244284			3040	




Cabinets with Two Glass Doors


ARPV2430



ARPV2436



ARPV2442



Manufacturing Standards

- Adjustable shelves;
- Shelf brackets;
- HJA handles;
- 5/8" laminate back.

Number of Shelves Included: 29" high = 1 adjustable shelf, 36" - 42" = 2 adjustable shelves, 48" - 60" = 3 adjustable shelves, 66" - 72" = 4 adjustable shelves, 84" high = 5 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27


Options

Lock



LKSN
\$34 ea.

Adjustable Shelves



SH

How to Order


ML MLL	ABC	ARPV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKSN	SH
series (Appx. B)	dimensions	code	glass	legs (p. 215)	handles (p. 214)	lock (p. 224)	shelves
Example ML	243629	ARPV	VS	PSQ	HJA	LKSN	SH

Prices


Dimensions			ML	MLL
A	B	C		
243029			1131	1276
243036			1302	
243041			1468	
243048			1636	
243053			1792	
243060			1916	
243066			2058	
243072			2204	
243084			2483	
243629			1260	1430
243636			1448	
243641			1636	
243648			1820	
243653			1994	
243660			2137	
243666			2296	
243672			2461	
243684			2790	
244229			1359	1551
244236			1570	
244241			1771	
244248			1972	
244253			2161	
244260			2323	
244266			2497	
244272			2678	
244284			3040	

Form Holders


F5




F10



F15



F20



Manufacturing Standards

- Frame is 5/8" laminate frame with 2.5 mm PVC edge;
- Fixed 5/8" thick laminate shelves with 2.5 mm PVC edge.

Prices

F5 - 5 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F5	16-3/8"	11-5/8"	13-5/8"	190
F5LS	13"	11-5/8"	13-5/8"	190

F10 - 10 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F10	16-3/8"	22-3/8"	13-5/8"	365
F10LS	13"	22-3/8"	13-5/8"	365

F15 - 15 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F15	16-3/8"	33-1/8"	13-5/8"	548
F15LS	13"	33-1/8"	13-5/8"	548

F20 - 20 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F20	16-3/8"	22-3/8"	25-7/8"	724


How to Order

ML	F		LS
series (Appx. B)	code	compartments	letter format


Example: ML F 20 LS

Form Holders


F30



F45



F45B



Manufacturing Standards

- Frame and vertical separators are 1" laminate with 2.5 mm PVC edges;
- Fixed 5/8" thick laminate shelves with 2.5 mm PVC edge.

Prices

F30 - 30 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F30	16-3/8"	34-5/8"	26-5/8"	1090

F45 - 45 Compartment Form Holder

Code	Dimensions			ML
	A	B	C	
F45	16-3/8"	34-5/8"	38-7/8"	1568

F45B - 45 Compartment Form Holder with Base

Code	Dimensions			ML
	A	B	C	
F45B	16-3/8"	34-5/8"	42-1/4"	1638

How to Order


		30 45 45B
ML	F	
series (Appx. B)	code	compartments

Example ML F 30




Multiple Units

MU2



MU4



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, [p. 27](#)

Options

Adjustable Shelves



SH

How to Order

								+
ML	AB	MU	2 4	PSQ OVAMBL OVAMSN	HJAB (std)	SHA	SHB	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	cabinet shelves	bookshelf shelves	
Example ML	2030	MU	4	PSQ	HJAB			

Prices

MU2 - Height: 41", 1 adjustable shelf

Dimensions

A	B	ML
2030		759
2036		788
2042		830
2430		899
2436		927
2442		971

MU4 - Height: 66", 3 adjustable shelves


Dimensions

A	B	ML
2030		1004
2036		1032
2042		1076
2430		1144
2436		1173
2442		1216




Multiple Units

MU5



MU5A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, [p. 27](#)

Options

Adjustable Shelves



SH

How to Order

								+
ML	AB	MU	5A	PSQ OVAMBL OVAMSN	HJAB (std)	SHA	SHB	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	cabinet shelves	bookshelf shelves	
Example ML	2030	MU	5	PSQ	HJAB			

Prices

MU5 - Height: 72", 4 adjustable shelves

Dimensions

A	B	ML
2030		1041
2036		1071
2042		1113
2430		1180
2436		1210
2442		1254

MU5A - Height: 84", 4 adjustable shelves


Dimensions

A	B	ML
2030		1238
2036		1275
2042		1324
2430		1384
2436		1419
2442		1470




Multiple Units


MU7



MU8



MU8A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

								+		
AB		7 8 8A		PSQ OVAMBL OVAMSN	HJAB (std)				SHA	SHB
ML		MU								
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	cabinet shelves	bookshelf shelves			
Example	ML	2030	MU	7	PSQ	HJAB				

Prices

MU7 - Height: 66", 2 adjustable shelves

Dimensions	
A B	ML
2030	1071
2036	1098
2042	1142
2430	1210
2436	1238
2442	1281

MU8 - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	1107
2036	1134
2042	1178
2430	1246
2436	1275
2442	1317


MU8A - Height: 84", 3 adjustable shelves

Dimensions	
A B	ML
2030	1304
2036	1338
2042	1388
2430	1450
2436	1484
2442	1534




Multiple Units


MU10



MU11



MU11A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

+ How to Order						
ML	AB	MU	10 11 11A	PSQ OVAMBL OVAMSN	HJAB (std)	SH
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves
Example ML	2030	MU	10	PSQ	HJAB	SH

Prices

MU10 - Height: 66", 3 adjustable shelves

Dimensions

A	B	ML
2030		1164
2036		1192
2042		1235
2430		1303
2436		1332
2442		1375

MU11 - Height: 72", 3 adjustable shelves

Dimensions

A	B	ML
2030		1200
2036		1230
2042		1273
2430		1340
2436		1370
2442		1413

MU11A - Height: 84", 4 adjustable shelves


Dimensions

A	B	ML
2030		1397
2036		1434
2042		1483
2430		1544
2436		1579
2442		1629




Multiple Units

MU13



MU15



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	13 15	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves	
Example ML	2030	MU	15	PSQ	HJAB	SH	

Prices

MU13 - Height: 41"

Dimensions

A	B	ML
2030		998
2036		1061
2042		1131
2430		1140
2436		1202
2442		1278

MU15 - Height: 66", 2 adjustable shelves


Dimensions

A	B	ML
2030		1248
2036		1337
2042		1420
2430		1349
2436		1430
2442		1531




Multiple Units

MU16



MU16A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	16 16A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves	
Example ML	2030	MU	16	PSQ	HJAB	SH	

Prices

MU16 - Height: 72", 3 adjustable shelves

Dimensions

A	B	ML
2030		1318
2036		1426
2042		1547
2430		1391
2436		1497
2442		1618

MU16A - Height: 84", 3 adjustable shelves


Dimensions

A	B	ML
2030		1516
2036		1629
2042		1713
2430		1594
2436		1707
2442		1834




Multiple Units


MU18



MU19



MU19A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	18 19 19A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves	
Example ML	2030	MU	18	PSQ	HJAB	SH	

Prices

MU18 - Height: 66", 1 adjustable shelf

Dimensions	
A B	ML
2030	1575
2036	1635
2042	1698
2430	1644
2436	1721
2442	1812

MU19 - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	1579
2036	1675
2042	1785
2430	1717
2436	1791
2442	1896


MU19A - Height: 84", 2 adjustable shelves

Dimensions	
A B	ML
2030	1777
2036	1879
2042	1994
2430	1904
2436	2001
2442	2114




Multiple Units


MU23



MU24



MU24A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

					+		
AB			23 24 24A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
ML		MU					
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves	
Example	ML	2030	MU	24	PSQ	HJAB	SH

Prices

MU23 - Height: 66", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1623
2036		1758
2042		1907
2430		1696
2436		1831
2442		1987

MU24 - Height: 72", 2 adjustable shelves

Dimensions		
A	B	ML
2030		1647
2036		1789
2042		1952
2430		1765
2436		1900
2442		2057


MU24A - Height: 84", 3 adjustable shelves

Dimensions		
A	B	ML
2030		1845
2036		1993
2042		2162
2430		1969
2436		2109
2442		2273




Multiple Units


MU23FL



MU24FL



MU24AFL



Manufacturing Standards

- Aluminum-frame doors with white glass (V4) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is white glass (V4). For other choices of glass, consult the Logiflex color chart. Prices available upon quotation request.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML		MU		HJA (std)		KB PL V4 (std)		SH
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	glass	shelves	
Example ML	2030	MU	24FL	PSQ	HJA	V4	SH	

Prices

MU23FL - Height: 66", 2 adjustable shelves

Dimensions

A	B	ML
2030		2012
2036		2238
2042		2476
2430		2080
2436		2306
2442		2544

MU24FL - Height: 72", 2 adjustable shelves

Dimensions

A	B	ML
2030		2159
2036		2397
2042		2657
2430		2227
2436		2465
2442		2678

MU24AFL - Height: 84", 3 adjustable shelves


Dimensions

A	B	ML
2030		2662
2036		2939
2042		3237
2430		2740
2436		3013
2442		3265




Multiple Units


MU23PV



MU24PV



MU24APV



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Lock;
- Crossbars;
- HJA handles;
- 5/8" laminate back.

Glass: If the choice of glass is not specified, the standard is frosted glass (VS). For other choices of glass, consult the Logiflex color chart.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.

- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJA standard, please choose from the Logiflex list at no extra charge.

Locks: Offered as option. Satin nickel (LKSJN). Match to handle color. Only available for 66" and 72" units.

Adjustable shelves (SH): see Appendix G for prices, p. 27


Options

Lock



LKSJN
\$34 ea.

Adjustable Shelves



SH

How to Order

ML		MU		23PV 24PV 24APV	V4 KB PL VS (std)	PSQ OVAMBL OVAMSN	HJA (std)	LKSJN	SH
series (Appx. B)		dimension		code		number		glass	
legs (p. 215)		handles (p. 214)		lock (p. 224)		shelves			
Example	ML	2030	MU	24PV	VS	PSQ	HJA	LKSJN	SH

Prices

MU23PV - Height: 66", 2 adjustable shelves

Dimensions	
A B	ML
2030	2012
2036	2238
2042	2476
2430	2080
2436	2306
2442	2544

MU24PV - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	2159
2036	2397
2042	2657
2430	2227
2436	2465
2442	2678


MU24APV - Height: 84", 3 adjustable shelves

Dimensions	
A B	ML
2030	2662
2036	2939
2042	3237
2430	2740
2436	3013
2442	3265




Multiple Units


MU26



MU27



MU27A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 2 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	26 27 27A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	number	legs (p. 215)	handles (p. 214)	shelves	
Example	ML	2030	MU	27	PSQ	HJAB	SH

Prices

MU26 - Height: 66", 1 adjustable shelf

Dimensions	
A B	ML
2030	1623
2036	1758
2042	1917
2430	1738
2436	1880
2442	2042

MU27 - Height: 72", 1 adjustable shelf

Dimensions	
A B	ML
2030	1696
2036	1831
2042	1987
2430	1809
2436	1950
2442	2116


MU27A - Height: 84", 2 adjustable shelves

Dimensions	
A B	ML
2030	1893
2036	2035
2042	2197
2430	2013
2436	2160
2442	2332




Multiple Units


MU32



MU33



MU33A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 3 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

ML AB MU 32 33 33A PSQ OVAMBL OVAMSN HJAB (std) SH series (Appx. B) dimension code number legs (p. 215) handles (p. 214) shelves						
Example	ML	2030	MU	33	PSQ	HJAB SH

Prices

MU32 - Height: 66", 1 adjustable shelf

Dimensions	
A B	ML
2030	1899
2036	2036
2042	2186
2430	2006
2436	2133
2442	2289

MU33 - Height: 72", 2 adjustable shelves

Dimensions	
A B	ML
2030	1969
2036	2107
2042	2256
2430	2076
2436	2204
2442	2359


MU33A - Height: 84", 2 adjustable shelves

Dimensions	
A B	ML
2030	2166
2036	2311
2042	2466
2430	2280
2436	2413
2442	2575




Multiple Units

MU34



MU34A



Manufacturing Standards

- Adjustable shelves;
- Shelf bracket;
- 4 lateral file drawers;
- Crossbars;
- HJAB handles;
- Lock;
- 5/8" laminate back.

Legs: To add metal legs under the cabinets. Add \$49 retail each. Logiflex will adjust the unit to the desired height.


- Satin nickel metal corner legs (PSQ);
- Black metal oval legs (OVAMBL);
- Satin nickel metal oval legs (OVAMSN).

Handles: For handles other than HJAB standard, please choose from the Logiflex list at no extra charge.

Adjustable shelves (SH): see Appendix G for prices, p. 27

Options

Adjustable Shelves



SH

How to Order

							+
ML	AB	MU	34 34A	PSQ OVAMBL OVAMSN	HJAB (std)	SH	
series (Appx. B)	dimension	code	product	legs (p. 215)	handles (p. 214)	shelves	
Example ML	2030	MU	34	PSQ	HJAB	SH	

Prices

MU34 - Height: 72", 1 adjustable shelf

Dimensions

A	B	ML
2030		2178
2036		2318
2042		2466
2430		2287
2436		2413
2442		2569

MU34A - Height: 84", 2 adjustable shelves

Dimensions

A	B	ML
2030		2376
2036		2521
2042		2675
2430		2491
2436		2623
2442		2785


Accessories



Handles

HJA

Handle




- 6" metal handle;
- Drilling distance between holes: 5-1/32" (128mm).

Code	\$	Description
HJA	11	<i>Satin Nickel</i>
HJAB	11	<i>Black</i>

H011

Handle




- 9-1/8" metal handle;
- Drilling distance between holes: 5" (224mm).

Code	\$	Description
H011	11	<i>Satin Nickel</i>

H030

Handle




- 1-1/2" metal handle;
- Drilling distance between holes: 5/8" (15.875mm).

Code	\$	Description
H030	11	<i>Satin Nickel</i>

H031

Handle




- 6-1/4" metal handle;
- Drilling distance between holes: 3-3/4" (95.25mm).

Code	\$	Description
H031	11	<i>Satin Nickel</i>

H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	11	<i>Chrome</i>
H051PB	11	<i>White</i>
H051SN	11	<i>Satin Nickel</i>

H052

Handle




- 7-1/32" metal handle;
- 6-9/3" (160mm) center to center.

Code	\$	Description
H052CHR	11	<i>Chrome</i>
H052PB	11	<i>White</i>
H052SN	11	<i>Satin Nickel</i>

H060

Handle




- 9-1/4" metal handle;
- Drilling distance between holes: 8-3/4" (222.25mm).

Code	\$	Description
H060BN	11	<i>Brushed Nickel</i>
H060CHR	11	<i>Chrome</i>

H070

Handle




- 8-3/16" metal handle;
- Drilling distance between holes: 7-1/2" (190.5mm).

Code	\$	Description
H070BN	11	<i>Brushed Nickel</i>
H070CHR	11	<i>Chrome</i>

SXP002

Handle




- 9-1/2" metal handle;
- Drilling distance between holes: 7-9/16" (192mm).

Code	\$	Description
SXP002	11	<i>Satin Nickel</i>

SXP003

Handle



- 5-1/8" metal handle;
- Drilling distance between holes: 3-25/32" (96mm).


Code	\$	Description
SXP003	11	<i>Satin Nickel</i>



Legs

OVAM

Oval Corner Leg




- Oval metal corner leg / on leveler;
- Finish: Black (BL) and Satin Nickel (SN);
- Height: 2-1/8"

Code	\$	Description
OVAMBL	49	Black
OVAMSN	49	Satin Nickel

PSQ

Corner Leg




- Metal corner leg / on leveler;
- Finish: Satin Nickel (SN);
- Height: 2-5/8"

Code	\$	Description
PSQ	68	Satin Nickel

4SQ

Square Leg



- Fixed metal square leg / on leveler;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
4SQBL	181	Black
4SQSN	181	Satin Nickel

4.5

Round Leg




- Fixed round metal leg / on leveler;
- 4-1/2" diameter;
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
4.5BL	193	Black
4.5SN	193	Satin Nickel

IFN

Round Leg




- Fixed round metal leg / on leveler;
- 2-1/2" diameter;
- 3-3/4" x 3-3/4" end plate screwed to the leg;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
IFNBL	68	Black
IFNSN	68	Satin Nickel

IFW

Round Leg




- Fixed round metal leg;
- 2-1/2" diameter;
- Wheel (no locking mechanism);
- 5" x 5" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
IFWBL	119	Black
IFWSN	119	Satin Nickel

IFWF

Round Leg



- Fixed round metal leg;
- 2-1/2" diameter;
- Locking wheel;
- 5" x 5" end plate;
- Finish: Black (BL) and Satin Nickel (SN).


Code	\$	Description
IFWFBL	125	Black
IFWF SN	125	Satin Nickel



Legs

IAW

Round Leg



- Fixed round metal leg;
- 2-1/2" diameter;
- Wheel (no locking mechanism);
- 5" x 5" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
IAWSN	188	Satin Nickel
IAWB	188	Black
*IAWFBL	194	Black with locking mechanism
IAWFSN	194	Satin Nickel with locking mechanism

*With locking mechanism

OVAS

Oval Leg




- Fixed single oval metal leg / on leveler;
- 1-9/16" x 3-3/16";
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
OVASBL	125	Black
OVASSN	125	Satin Nickel

OVAD

Double Oval Leg




- Fixed single oval metal leg / on leveler;
- 2 x 1-9/16" x 3-3/16";
- 6" x 6" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
OVADBL	227	Black
OVADSN	227	Satin Nickel

CF

C Leg




- Fixed metal C leg / on levelers;
- 24" or 30";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
CF24NBL	200	Black
CF24NSN	200	Satin Nickel
CF30NBL	213	Black
CF30NSN	213	Satin Nickel

MT

T Leg



- Fixed metal T leg;
- 22" (CHR), 26", 30" or 36" (BL) and (CHR);
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).


Code	\$	Description
MT26BL	177	
MT30BL	177	
MT36BL	177	
MT22CHR	177	
MT26CHR	177	
MT30CHR	177	
MT36CHR	177	



Legs

MY

V Leg




- Fixed metal V leg;
- 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MY26BL	177	Black
MY30BL	177	Black
MY36BL	177	Black
MY26CHR	177	Chrome
MY30CHR	177	Chrome
MY36CHR	177	Chrome

MXLX

Deluxe Cross Leg




- Fixed Deluxe metal cross leg / on leveler;
- 24", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
MXLX24BL	490	Black
MXLX30BL	490	Black
MXLX36BL	490	Black
MXLX24SN	490	Satin Nickel
MXLX30SN	490	Satin Nickel
MXLX36SN	490	Satin Nickel

TF

Deluxe T Leg




- Fixed Deluxe metal T leg / on levelers;
- 24", 30" or 36";
- 5" x 12" end plate;
- Finish: Black (BL) and Satin Nickel (SN).

Code	\$	Description
TF24NBL	200	Black
TF30NBL	213	Black
TF36NBL	370	Black
TF24NSN	200	Satin Nickel
TF30NSN	213	Satin Nickel
TF36NSN	370	Satin Nickel

MX

Cross Leg




- Fixed metal cross leg;
- 26", 30" or 36";
- 8" x 8" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MX26BL	197	Black
MX30BL	230	Black
MX36BL	230	Black
MX26CHR	230	Chrome
MX30CHR	230	Chrome
MX36CHR	230	Chrome

MXH44

Heavy Duty Cross Leg




- Fixed Heavy Duty metal cross leg / on leveler;
- 12" x 12" end plate;
- Finish: Black (BL) and Chrome (CHR).

Code	\$	Description
MXH44BL	361	Black
MXH44CHR	451	Chrome

Legs

HATLEY

Fixed Leg



- Set of two 28" tapered legs with wooden inserts;
- 4" x 4" end plate;
- Finish: Satin Nickel (SN) and Chrome (CHR).

Code	\$	Description
HATSN	250	<i>Satin Nickel</i>
HATCHR	250	<i>Chrome</i>

Stain and Paint Colors of Wooden Insert

Stained Wood


Ginger Root	GIA	Natural Maple	NM
Storm	STA	Porto	PO
Audacity	AU	Smoked Walnut	SV
Brown Cherry	BC	Tan	T
Caramel	CA	Tobacco	TO
Cherry	CH	Whisky	WK
Cognac	CO	Zebra	Z
Legno Dark	DL		
Driftwood	DR		
Finesse	FI		
Legno Light	LL		
Light Maple	LM		
Natural Cherry	NC		

Painted Wood

Polar White	V
Misty	MI
Slate	C
Jet Black	B

MAGOG

Fixed Leg




- Fixed Magog leg 18";
- 8" x 8" end plate;
- Finish: Satin Nickel (SN).and Chrome (CHR).

Code	\$	Description
MAGSN	435	<i>Satin Nickel</i>
MAGCHR	887	<i>Chrome</i>

Keyboard Trays

KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	\$	Description
KB360M	467	

KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	239	

KB

Keyboard Tray




- 24-1/2" wide keyboard tray only;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	147	

AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	56	

KBMOD

Keyboard Tray




- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	176	

CPU Holders

MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
 - Height: 15.5" x 20"
 - Width: 5.5" x 9.8"
- Horizontal adjustment:
 - Height: 17.5" x 22"
 - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	165	

CPUIND

CPU Holder




- 5/8" thick laminate CPU holder;
- 10" x 20" interior.

Code	\$	Description
CPUIND	140	

Computer Monitor Brackets

C-1A

Computer Monitor Bracket




- Computer monitor bracket with fixed arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1A	107	

C-1B

Computer Monitor Bracket




- Computer monitor bracket with flexible arm support;
- Height-adjustable arm;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-1B	179	

C-2A

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A	178	

C-2B

Double Computer Monitor Bracket




- Double computer monitor bracket with flexible arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B	318	

C-2A-1S

Triple Computer Monitor Bracket




- Triple computer monitor bracket with fixed arm support;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2A-1S	209	

C-2B-1S

Triple Computer Monitor Bracket




- Triple computer monitor bracket with two flexible arm supports;
- Height-adjustable arms;
- Clamp mounted;
- Finish: Black.

Code	\$	Description
C-2B-1S	349	

GROM-01

Grommet Clamp




- Option: Grommet mounted;
- Finish: Black.

Code	\$	Description
GROM-01	17	

Computer Monitor Brackets

BRSC1M4

Computer Monitor Bracket




- Computer monitor bracket with height-adjustable arm;
- Clamp mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSC1M4	519	

BRSG1M4

Computer Monitor Bracket




- Computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M4	499	

BRSC1M7

Computer Monitor Bracket




- Computer monitor bracket with fixed-height arm;
- Clamp mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSC1M7	367	

BRSG1M7

Computer Monitor Bracket




- Computer monitor bracket with fixed-height arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG1M7	343	

BRSC2M4

Double Computer Monitor Bracket




- Double computer monitor bracket with height-adjustable arm;
- Clamp mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSC2M4	913	

BRSG2M4

Double Computer Monitor Bracket




- Double computer monitor bracket with height-adjustable arm;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M4	907	

BRSC2M7

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed height;
- Clamp mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSC2M7	567	

BRSG2M7

Double Computer Monitor Bracket




- Double computer monitor bracket with fixed height;
- Grommet mounted;
- Finish: Satin Nickel.

Code	\$	Description
BRSG2M7	541	

Miscellaneous Accessories

WD

Wire Separators




- Set of 3 wire separators.

Code	\$	Description
WD	22	Set of 3

SBH

Suspension Bars




- Set of two 15-1/8" long suspension bars for front/back filing for a lateral file drawer.

Code	\$	Description
SBH	14	

SBV

Suspension Bars




- Set of two 12-1/8" long suspension bars for left/right filing for a regular file drawer.

Code	\$	Description
SBV	14	

GRILLB

Ventilation Grill




- Black ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLB	43	

GRILLW

Ventilation Grill




- White ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLW	55	

GRILLSN

Ventilation Grill




- Satin nickel ventilation grill;
- Factory installed only.

Code	\$	Description
GRILLSN	55	

PS

Black Paper Grommet




- Black paper grommet, sold separately or factory installed;
- Installation location must be specified.

Code	\$	Description
PS	14	Sold separately
PSINS	71	Factory installed

TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	147	

TCPM2

Sliding Drawer




- Sliding drawer with compartments to organize with ball bearing slides.

Code	\$	Description
TCPM2	170	

Miscellaneous Accessories

LK

Lock




- Finish: Black or satin nickel;
- Additional locks, sold separately or factory installed;
- Please specify the type of furniture on which the will be installed.

Code	\$	Description
LKBLF	22	Black facad lock with keys
LKBLP	22	Black door dock with keys
LKBLINS	34	Black lock with keys (factory installed)
LKSNF	22	Satin Nickel facad lock with keys
LKSNP	22	Satin Nickel door dock with keys
LKSNINS	34	Satin Nickel lock/keys (factory installed)

WBRNS

Wall Bracket for Shelves




- Satin nickel finish.

Code	\$	Description
WBRNS	78	

ELPF

Black Plastic Grommet




- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	\$	Description
ELPF	6	Unit price

CAPF / CCPF

Grommet



- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin Nickel and Chrome;
- 2-1/2" diameter cutout.


Code	\$	Description
CAPF	20	Unit price - Satin Nickel
CCPF	20	Unit price - Chrome



Electrical Accessoires

844AA

Power Block




- Electri-Pak, 8 wire 4 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required; 4 ports: 1 input and up to 3 outputs;
- Max. 8 Simplex total per block;
- Max. linking of 4 power blocks.

Code	\$	Description
844 AA	200	

84AA

Power Block




- Electri-Pak, 8 wire 3 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required. 4 ports: 1 input and up to 3 outputs;
- Max. 6 Simplex total per block;
- Max. linking of 4 power blocks.

Code	\$	Description
84 AA	179	

84S

Circuit - electric plug




- Simplex for 84 system.

Code	\$	Description
84 S1-BL-150	15	Circuit 1
84 S2-BL-150	15	Circuit 2
84 S3-BL-150	15	Circuit 3
84 S4-BL-150	15	Circuit 4
84 S3IG-OR-150	17	Circuit 3 isolated ground
84 SB-BL-150	7	Blank

PMDBRKTKIT

Bracket




- 844AA and 84AA metal mounting bracket assembly and mounting plate included.

Code	\$	Description
PMD BRKT KIT	45	

LMWM

Wire Management Trough




- 844AA and 84AA metal mounting bracket assembly and mounting plate included;
- 16.5" Metal wire management system for power block with 2 telecom plate cutouts;
- Satin nickel finish.

Code	\$	Description
LMWM	61	

SMWM

Wire Management Trough




- 3.5" Metal wire management system with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	22	


TEL

Telecom Plate



- Grey telecom plate.

Code	\$	Description
TELA	17	Blank
TELB	114	1 RJ11 CAT3 / 1 RJ45 CAT6
TELC	147	2 RJ45 CAT6
TELD	277	4 RJ45 CAT6






Electrical Accessoires

8SR


Simplex Removal Tool



Code	\$	Description
8SR	5	Simplex removal tool

84SB2

Starter Cable with Hard Wire




- Starter cable with hard wire at one end to be connected to an electrical box by an electrician;
- Minimum 12" - maximum 180".



Code	\$	Description
84 SB2 72	144	8 wire 4 circuit - 72"
84 SB2 84	159	8 wire 4 circuit - 84"
84 SB2 96	175	8 wire 4 circuit - 96"
84 SB2 108	190	8 wire 4 circuit - 108"
84 SB2 120	206	8 wire 4 circuit - 120"

8420AP1

Starter Cable with Plug




- Starter cable with plug at one end;
- Minimum 12" - maximum 72".



Code	\$	Description
84 20 AP1 48	155	8 wire 1 circuit - 48"
84 20 AP1 54	161	8 wire 1 circuit - 54"
84 20 AP1 60	167	8 wire 1 circuit - 60"
84 20 AP1 66	174	8 wire 1 circuit - 66"
84 20 AP1 72	180	8 wire 1 circuit - 72"

84SB1

NYC Starter Cable




- NYC Starter cable to be connected to an electrical box by an electrician;
- Minimum 12" - maximum 180".



Code	\$	Description
84 SB1 72	222	8 wire 4 circuit - 72"
84 SB1 84	238	8 wire 4 circuit - 84"
84 SB1 96	253	8 wire 4 circuit - 96"
84 SB1 108	269	8 wire 4 circuit - 108"
84 SB1 120	285	8 wire 4 circuit - 120"

84FF

Junction Cable




- Minimum 12" - maximum 180".

Code	\$	Description
84 FF 60	145	8 wire / 4 circuit jumper cable 60"L
84 FF 72	160	8 wire / 4 circuit jumper cable 72"L
84 FF 84	176	8 wire / 4 circuit jumper cable 84"L
84 FF 96	191	8 wire / 4 circuit jumper cable 96"L
84 FF 108	207	8 wire / 4 circuit jumper cable 108"L
84 FF 120	223	8 wire / 4 circuit jumper cable 120"L

84CFF

Rigid Junction



- Minimum 2" - maximum 12".

Code	\$	Description
84 CFF 02	72	8 wire 4 circuit F/F Rigid Channel - 2"L
84 CFF 06	77	8 wire 4 circuit F/F Rigid Channel - 6"L
84 CFF 12	85	8 wire 4 circuit F/F Rigid Channel - 12"L

WM

Velcro Tie



- Velcro tie for electrical cable;
- The non-metallic buckle is sage to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: Black.


Code	\$	Description
WM	7	



Electrical Accessories : Communication Boxes - Single Stations

POP-UP1

Retractable box for single station




- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
POP-UP 1 253		Available in black only

POP-UP2

Retractable box for single station




- 3 electrical outlets;
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
POP-UP 2 253		Available in black only

BCSS1BL

Communication Box




- Communication box to be installed under surface;
- 2 empty telecommunication outlets (outlets not included);
- 15A/125V;
- 1 set of universal adapters.

Code	\$	Description
BCSS1BL 125		Available in black only

BCSS2BL

Communication Box




- Communication box to be installed under surface;
- 1 electrical outlet and 1 empty telecommunication outlet (outlet not included);
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS2BL 125		Available in black only

BCSS3BL

Communication Box




- Communication box to be installed under surface;
- 2 electrical outlets;
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
BCSS3BL 125		Available in black only

MPORT

Retractable Communication Box



- Plastic retractable communication box;
- 2 electrical outlets;
- 2 telecommunications outlets (outlets not included);
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.




Code	\$	Description
MPORTSN 301		Satin Nickel
MPORTBL 301		Black

Electrical Accessoires: Communications Boxes - Multiple Stations

MPLK1

Starter Kit




- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 120" starter cable;
- 12" junction cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
MPLK1SN	238	Satin Nickel, out: black
MPLK1BL	238	Black, out: black

MPLK8

Ending Set




- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 60" connecting cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
MPLK8SN	238	Satin Nickel, in: white
MPLK8BL	238	Black, in: white

MPLK2 - MPLK7

Junction Kit



- Plastic retractable communication box;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 12" junction cable (to connect to the next box);
- 15A/125V;
- 1 set of universal adapters.




Code	\$	Description
MPLK2SN	238	Satin Nickel, in: black / out: red
MPLK2BL	238	Black, in: black / out: red
MPLK3SN	238	Satin Nickel, in: red / out: blue
MPLK3BL	238	Black, in: red / out: blue
MPLK4SN	238	Satin Nickel, in: blue / out: orange
MPLK4BL	238	Black, in: blue / out: orange
MPLK5SN	238	Satin Nickel, in: orange / out: yellow
MPLK5BL	238	Black, in: orange / out: yellow
MPLK6SN	238	Satin Nickel, in: yellow / out: green
MPLK6BL	238	Black, in: yellow / out: green
MPLK7SN	238	Satin Nickel, in: green / out: white
MPLK7BL	238	Black, in: green / out: white



Electrical Accessories - Miscellaneous

SPINE

Wire Management Spine




- 2" diameter;
- Gray plastic.

Code	\$	Description
SPINE	122	

T5

Swivel Florescent Lamp




- Florescent lamp (T5) with swivel reflector and electronic ballast;
- Aluminum fixture;
- Finish: Black.
- 120" power cable.



Code	\$	Description
T524	136	
T536	181	
T548	238	
T5LINK12	18	
T5LINK24	23	

PBL

Power Bar




- Power bar with 6 electric outlets;
- 120" power cable.



Code	\$	Description
PBL	49	

MH1SN

Power/Data Centre




- Power/data centre with retractable door;
- 2 electrical outlets and 2 empty telecommunication outlets (outlets not included);
- 72" power cable;
- 15A/125V;
- 1 set of universal adapters.



Code	\$	Description
MH1SN	494	Available in Satin Nickel

MH2SN

Power/Data Centre



- Power/data centre with retractable door;
- 3 electrical outlets and 4 empty telecommunication outlets (outlets not included);
- 72" power cable;
- 1 set of universal adapters.



Code	\$	Description
MH2SN	577	Available in Satin Nickel

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

