


RECEPTION

Price List
USA 2017



logiflex



The March 10, 2017 revision of the Reception price list presents these principal modifications:

DATE	SECTION	MODIFICATION
March 10, 2017	All the price list	• Revamp of the entire price list, interactivity added; • Price correction for High pressure laminated products : The price increase by 5% that was introduced in the January 5, 2015 had inadvertently been reverted to the previous pricing; • CCPF grommet is now the standard; • White nylon levelers are now standard.
	Appendix A: Colors and finishes	• Addition of 4 colors to the 1-5/8" thickness, Legno Dark (DL), Audacity (AU), Storm, (STA) and Haze (HAA); • Two laminate colors, Misty (MI) and Coral (CR) have been removed.
	Inbox	• Lacquered transaction shelf INBS L has been removed; • High gloss transaction shelf INBS M HG has been added;
	Accessories	• Handles selection expanded to include all Logiflex handles: HJA, H011, H030, H031, H051, H060, H070, SXP002, SXP003 • KBMODR and KP keyboard trays have been added; • MCPU93 Sliding CPU holder has been removed; • MCPU90 and CPUIND CPU holders have been added; • SBH and SBV Suspension bars have been added; • TCPM2 sliding drawer has been added; • HAPF grommet has been removed; • CCPF grommet has been added as standard; • New electrical accessories section has been added: 844AA and 84AA, 84S, PMDBRKIT, LMWM, SMWM, TELA, TELB, TELC, TELD, 8SR, 84SB2, 8420AP1, 84SB1, 84FF, 84CFF, WM, SPINE, T5 and PBL.

The November 11, 2016 revision of the Reception price list presents these principal modifications:

DATE	SECTION	MODIFICATION
Nov. 11, 2016	24" 3K reception desks	• For stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.

RECEPTION

Price List
USA 2017

Introduction	5	Work Desks	68
Product Map	6	Lateral Tables	69
Conditions of Sale	7	Returns	70
Manufacturing Standards	9	Extended Corner Tables	71
How to Use the Price List	11		
Typical Layouts	12	Storage Furniture	73
Appendix A: Colors and Finishes	26	Installed Pedestals	74
Appendix B: Surfaces and Moulding Edges	27	Mobile Pedestals	76
Appendix C: Pedestals and File Drawers	28	Lateral File Cabinets	78
Appendix D: Wood Grain	29	Multiple Units	79
		Cabinets	80
Reception Desks	30	Pigeonhole Units	82
M-Brace	31		
Inbox	35	Accessories	85
Manhattan	40	Handles	86
Spheric	41	Lighting	87
Reception 3K	55	Keyboard Trays	88
Reception C	58	CPU Holders	89
Gallery	65	Miscellaneous Accessories	90
		Electrical Accessories	91

Introduction








MAKE A STATEMENT

A client's first impression when they visit your company may affirm their decision to choose your product or service.




This makes it important to personalize your reception desk to make it distinctly you. From minimalist geometry to curves and curls, Logiflex's reception units will highlight the individuality of your company, projecting a modern esthetic without sacrificing functionality.

Product Map


Reception Desks








Work Desks



Storage Furniture



Storage Furniture (continued)



Conditions of Sale

Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the “[Online Services](#)” section of our website, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

Liability

Logiflex’s liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

Claims

Logiflex recommends inspecting the shipment before signing the carrier’s delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the “[Online Services](#)” section of our website, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation.

Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

Storage and/or Shipping Fees

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list may include delivery; however, some conditions may apply. If your order is a minimum of \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also result in additional charges.

Conditions of Sale (continued)

Warranty

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to all Logiflex products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product at its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

Limited Lifetime Warranty: Access, Knockout, Level, Logilife, Manhattan, Millenium, Réception et Tables (Conference, Occasional, Multimedia)

5 Year Warranty: Academic and Soft Seating

10 Year Warranty: Chairs

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification, transformation, repair, renovation or use of components or materials that have not been authorized by Logiflex;
- Renting to a third party;
- Natural properties of materials;
- For leather products: normal defects in leather such as: scars, marks or difference in stain within a leather skin or between different skins;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/ installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:


- 1 year warranty on electrical components;
- 5 year warranty on seat mechanisms, drawer slides and locks;
- 5 year warranty on urethane parts;
- 5 year warranty on upholstery and casters

Manufacturing Standards


Tops, Bases, Fronts and Shelves

Each collection offers different thicknesses for tops, faces, fronts and shelves. Please consult the illustrations below.


M-Brace




Inbox




Manhattan




Spheric




Reception 3K



Reception C



Gallery



Manufacturing Standards (continued)

Handles

Handles are included with all storage furniture. The standard is H052CHR with the exception of glass doors where the handle is built into the aluminum frame. Please refer to the Logiflex accessories selection at the end of this price list on [p. 86](#).

Grommets

Grommets are included on all work desks, the standard style is the CCPF grommet, satin nickel finish.

Locks

Locks are included with all storage furniture, except for those with aluminum doors. The standard is LKSN, satin nickel finish. Please refer to the Logiflex accessories selection at the end of this price list on [p. 90](#).

Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16".

Drawer Fronts

A PVC strip 2.5 mm thick is systematically applied along all drawer front edges.

Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex chart.

Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1" height adjustment.

Colors

Colors have to be specified for all furniture items ordered. Consult the "How to Order" section on the product page for further details about the procedure. Consult the [Logiflex Colors and Finishes Guide](#) for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match the color and finish specified.

How to Use the Price List

Interactive Menu

Product line

Product group

Product name

Product code

Product image

Product Information

Illustrated options

Navigation Buttons (when blue)

Ordering instructions

Standard Product Code
Details as per the price listed

Options, if desired (\$)
Always after the product code

Combination of Colors

Navigation buttons

Previous View

Previous Page

Next Page

Product Map

Table of Contents

Product-specific manufacturing standards

Additional Product Information and Notes

Prices

Dimensions

Blue text hyperlink

Combination of Colors

See the Logiflex Color Chart (p. 24)

Example

RE 84100 INBL L GLR CAPF LED LL W W W

series dimensions product direction grommet position grommet style LED top base front shelf

Standard Product Code

Options, if desired (\$)

Combination of Colors

Manufacturing Standards

- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CAPF grommets on the main work surface.

LED option: Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

Prices

Dimensions		Std	Hg
A	B		
72	82	3325	3821
72	88	3356	3867
72	94	3386	3913
72	100	3417	3959
78	82	3356	3860
78	88	3386	3906
78	94	3417	3952
78	100	3447	3998
84	82	3386	3890
84	88	3416	3945
84	94	3447	3991
84	100	3477	4037

Options

Grommet Position

Grommet Style

LED Option

How to Order

NGR GRL GRR GLR (std) ELPF CC PF CAPF (std)

Combination of Colors

See the Logiflex Color Chart (p. 24)

Example

RE 84100 INBL L GLR CAPF LED LL W W W

series dimensions product direction grommet position grommet style LED top base front shelf



Standard Product Code

Options, if desired (\$)

Combination of Colors

Typical Layouts - M-Brace



MB-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC 187641 MS-M	Reception Counter M-Brace 18" x 76" x 41"H	1012	1 012
B	1	RE [E] 2472 TLLR	Lateral Table 24" x 72" x 29"H	595	595
	1	[E]	Installed Pedestal "E"	645	645
C	1	KBMOD	Keyboard Tray	176	176
D	2	RE 2436 UC2	Multiple Unit 24" x 36" x 41"H	1235	2 470
TOTAL:					4 898

Typical Layouts - M-Brace



MB-TYP-B



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC 18 86 86 18 41 MC-M R	Reception Counter M-Brace 86" x 86" x 41"H	1883	1 883
B	1	KBMOD	Keyboard Tray	176	176
C	1	RE 24 72 TL LR	Lateral Table 24" x 72" x 29"H	595	595
D	1	RE 24 48 [E] R29	Return with installed pedestal 24" x 48" x 29"H	462	462
	1	[E]	Installed Pedestal "E"	645	645
TOTAL:					3 761

Typical Layouts - M-Brace



MB-TYP-C



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC 18 86 86 18 41 MC-M L	Reception Counter M-Brace 86" x 86" x 41"H	1883	1 883
B	1	RE 16 PG30	Pigeonhle Unit with drawers	552	552
	1	[DR]	Drawer Option	437	437
C	1	RE 24 30 CL2	Lateral File Pedestal 24" x 30"	837	837
D	1	RE 24 42 72 24 R HR	Extended Corner Table 42" x 72"	1064	1 064
TOTAL:					4 773

Typical Layouts - M-Brace



MB-TYP-D



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC 18 86 86 18 41 MC-M L	Reception Counter M-Brace 86" x 86" x 41"H	1883	1 883
B	1	KBMOD	Keyboard Tray	176	176
C	1	RE [F] 24 30 TL LH	Lateral Table with Installed Pedestal 24" x 30"	433	433
	1	[F]	Installed pedestal "F"	628	628
D	1	RE 24 42 72 24 [E] R HR	Extended Corner Table 42" x 72"	1064	1 064
	1	[E]	Installed Pedestal "E"	645	645
TOTAL:					4 829

Typical Layouts - M-Brace



MB-TYP-E



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC 18 76 41 MS-M	Reception Counter M-Brace 18" x 76" x 41"H	1012	1 012
B	1	KBMOD	Keyboard Tray	176	176
C	1	RE 24 48 L29 FM GRC	Return 24" x 48" x 29"H	462	462
D	1	RE 24 72 [E] TL LR FM GRL	Lateral Table with installed pedestal 24" x 72" x 29"H	595	595
	1	[E]	Installed Pedestal "E"	645	645
TOTAL:					2 890

Typical Layouts - Inbox


INB-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 84 106 78 INBU L	"U" Shaped Counter with Installed Pedestal 84" x 106", High Gloss finish	5445	5 445
B	1	KBMOD	Keyboard Tray	176	176
C	1	RE 16 PG36	Pigeonhole Unit	578	578
D	1	RE 18 MOBE	Mobile Pedestal	645	645
E	1	RE 30 INBS M	Transaction Shelf	636	636
					7 480

Typical Layouts - Inbox




INB-TYP-B



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 84 100 INBL R	"L" Shaped Counter with Installed Pedestal 84" x 100"	3477	3 477
B	1	RE 18 MOBE	Mobile Peestal	713	713
C	1	KBMOD	Keyboard Tray	176	176
D	2	RE 24 36 41 AR	Cabinet 24" x 36" x 41"H	935	1 870
E	1	RE 30 INBS M	Transaction Shelf	636	636
TOTAL:					6 872

Typical Layouts - Manhattan - L-Shape



MAN-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	REC [F] 72 72 [E] MAN R	Manhattan Reception Desk 72" x 72" x 42" H	5127	5 127
	1	[PL]	Acrylic Panel Option	1641	1 641
B	1	KBMOD	Keyboard Tray	176	176
C	1	[F]	Installed pedestal "F"	628	628
D	1	[E]	Installed pedestal "E"	645	645
TOTAL:					8 217

Typical Layouts - Spheric - C Shape




SP-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	2	RE 30 54 SPH P L NGR	Reception Counter Spheric 30" x 54" x 42"H - Shelf with Pigeonhole	5113	10 226
B	2	RE 30 54 SPH F R GRC	Reception Counter Spheric 30" x 54" x 42"H - Finishing Shelf	3239	6 478
TOTAL:					16 704

Typical Layouts - Spheric - S Shape



SP-TYP-B



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 30 42 SPH IP L GRC	Inverted Reception Desk with Pigeonhole Unit 30" x 42" x 42"H	3971	3 971
B	1	RE 30 54 SPH P C	Reception Counter Spheric 30" x 54" x 42"H - Shelf with Pigeonhole	5113	5 113
C	1	RE 33 54 SPH C R GRC	Consulting Desk 33" x 54" x 29"H	2776	2 776
D	2	RE 24 30 CL3	Lateral File Pedestal 24" x 30"	1319	2 638
TOTAL:					14 498

Typical Layouts - Spheric - Accessable


SP-TYP-C



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 30 54 SPH A L GRC	Accessible Reception Desk 30" x 54" x 33"H	4131	4 131
B	1	RE 30 36 SPH SA C GRC	Accessible Reception Desk 30" x 36" x 33"H	1190	1 190
C	1	RE 33 54 SPH C R GRC	Consulting Desk 33" x 54" x 29"H	2776	2 776
TOTAL:					8 097

Typical Layouts - Reception 3K - L-Shape



3K-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 2478 3K1 GLR	3K1 Reception Desk 24" x 78" x 36"H	2521	2 521
B	1	KBMOD	Keyboard Tray	176	176
C	1	RE 24 42 [E] RET 3K R	3K Return 24" x 42" x 36"H	584	584
	1	[E]	Installed pedestal "E"	645	645
D	2	RE 24 08 41 PGV	Vertical Pigeonhole Unit	548	1 096
E	2	RE 24 30 41 AR	Cabinet 24" x 30" x 41"H	889	1 778
TOTAL:					6 800

Typical Layouts - Reception C



C-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE 24 48 24 CXT HH GRC CAPF	Corner Desk 24" x 48" x 42"H	2752	2 752
B	1	RE 24 48 CTB LH GLR CAPF	Rectangular Reception Desk 24" x 48" x 42"H	781	781
C	1	RE 23 MOBF	Mobile Pedestal	696	696
D	1	RE 24 48 [BCCL30] CTB HR GLR CAPF	Rectangular Reception Desk 24" x 48" x 42"H	781	781
	1	[BCCL30]	Installed Pedestal BCCL30	1039	1 039
TOTAL:					6 049

Typical Layouts - Gallery


GAL-TYP-A



ITEM	QTY	CODE	DESCRIPTION	LIST PRICE \$	TOTAL \$
A	1	RE [E] 3072 GACX GLR	Gallery Reception Desk 30 x 72 x 42H	1214	1 214
	1	[E]	Installed pedestal "E"	645	645
B	1	RE 2436 GAR GRC	Gallery Return 24" x 36" x 42"H	561	561
C	1	RE 23 MOBE	Mobile Pedestal	713	713
TOTAL:					3 133

Appendix A: Colors and Finishes

How to specify your laminate colors



Glass and Acrylic

PL	Frosted Acrylic
VS	Frosted Glass
V4	White Glass
KB	Jet Black Glass
KS	Jet Black Satin Glass
KR	Bright Red Glass
KF	Fuchsia Glass
KE	Ocean Blue Glass
KO	Overseas Blue Glass
KL	Lime Green Glass
KM	Metallic Gray Glass

Availability Chart

			HG Fronts <i>Façades lustrées</i>	Surfaces			Mouldings <i>Moultures 1-5/8"</i>		Knife Edge <i>Chanfrein</i>	Wood Components <i>Composantes de bois</i>	Panval Code
	Code	Color <i>Couleur</i>	5/8"	5/8"	1"	1-5/8"	MAR	MAX	Z		
AURA Finish <i>Fini</i>	GIA	Ginger Root <i>Gingembre</i>		•	•				•	S	H72
	HAA	Haze <i>Brume</i>		•	•	•			•	P	H57
	STA	Storm <i>Tempête</i>		•	•	•			•	S	H58
	TUA	Tundra		•	•				•	P	H75
DOLOMITE Finish <i>Fini</i>	AU	Audacity <i>Audace</i>		•	•	•			•	S	241
	B	Jet Black <i>Noir intense**</i>		•	•	•			•	P	888 S405-CA
	BC	Brown cherry <i>Cerisier brun</i>		•	•	•		•	•	S	207
	C	Slate <i>Ardoise**</i>		•	•				•	P	801
	CA	Caramel	CAH*	•	•	•			•	S	G18
	CH	Cherry <i>Cerisier</i>		•	•	•	•	•	•	S	965
	CO	Cognac		•	•	•	•	•	•	S	260
	DL	Legno Dark <i>Legno foncé</i>		•	•	•			•	S	G52
	DR	Driftwood <i>Bois de rive</i>		•	•	•		•	•	S	744
	FI	Finesse		•	•				•	S	745
	G	Mink Grey <i>Gris vison</i>		•	•	•			•	P	805 OU-927
	GG	Grigio	GGH*	•	•	•			•	P	G17
	LL	Legno Light <i>Legno pâle</i>		•	•				•	S	G51
	LM	Light Maple <i>Érable clair</i>		•	•	•		•	•	S	992
	NC	Natural Cherry <i>Cerisier naturel</i>		•	•	•	•	•	•	S	239
	NM	Natural Maple <i>Érable naturel</i>		•	•	•	•	•	•	S	206
	PC	Coastal Pear <i>Poirier de la côte</i>	PCH*	•	•				•	P	G23
	PO	Porto		•	•	•	•	•	•	S	913 OU-648
	SW	Smoked Walnut <i>Noyer fumé</i>		•	•	•		•	•	S	G21
	T	Tan		•	•	•	•	•	•	S	259
TO	Tobacco		•	•	•		•	•	S	205	
VA	Vanilla		•	•	•		•	•	P	G22	
W	Polar White <i>Blanc polaire</i>	W-H*	•	•	•			•	P	555 S417-CA	
WK	Whisky		•	•	•	•	•	•	S	245	
Z	Zebra		•	•	•	•	•	•	S	237	

[P] Solid color painted wood | [S] Stained wood.



* Non recommended color for work surfaces. An upcharge applies on high gloss fronts.

* Non recommended color for work surfaces.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.


See our complete [Colors & Finishes Guide](#)

Appendix B: Surfaces and Moulding Edges

SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOULDING
RE		1" surfaces	Thermofused laminate (TFL) - 1" high-density particle board.	2.5 mm polyvinyl chloride (PVC)
REL		1-1/16" surfaces	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5 mm PVC edge.	2.5 mm polyvinyl chloride (PVC)
REC		1-5/8" surfaces	Thermofused laminate (TFL) - 1-5/8" high-density particle board.	2.5 mm polyvinyl chloride (PVC)
RECL		1-9/16" surface	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	2.5 mm polyvinyl chloride (PVC)


Appendix C: Pedestals and File Drawers

D, E and F Pedestals




File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.




Combination Pedestals










Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.



Appendix D: Wood Grain


Each collection offers different wood grain direction. Please consult the illustrations below.

M-Brace**Manhattan****Reception C****Inbox****Spheric****Gallery****Reception 3K**

Reception Desks

Straight Reception Counter with Laminate Front

MS-M



Manufacturing Standards


- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the desk is 3/8" less than the dimension listed.


Interior width for work desk:

- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.


Combination of Colors



Top & Legs
Color available
for 1-5/8" only



Base
1" structure and
panel on user side



Front
Choice of 5/8"
Std or Hg color

Prices

Dimensions			Std	Hg
A	B	C		
18	64	41	937	1041
18	76	41	1012	1126
18	82	41	1045	1238

How to Order

Combination of Colors


See the Logiflex
Color Chart (p. 26)

ABC					
REC		MS-M			
series	dimensions	product	top & legs	base	front

Example REC 188241 MS-M SW W W-H

Straight Reception Counter with Acrylic Front Panel

MS-AD



LED Lighting




MS-AD1
LED on top only




MS-AD2
LED on top and bottom


Combination of Colors



Top & Legs
Color available
for 1-5/8" only



Base
1" panel
on user side



Front
1" laminate frame
around acrylic panel

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- LED backlighting with 4-step tape dimmer fixed under the top on the right of the user side;
- Removable front for access to the lighting.

For specification reasons, the desk is 3/8" less than the dimension listed.

Interior width for work desk:

- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.

Prices

Dimensions			MSAD1	MSAD2
A	B	C		
18	64	41	136	1958
18	76	41	1911	2041
18	82	41	1933	2084

How to Order

Combination of Colors


See the Logiflex
Color Chart (p. 26)

ABC			AD1 AD2				
REC		MS					
series	dimensions	product	LED	top & legs	base	front	


Example REC 188241 MS AD2 SW W SW

Corner Reception Counter with Laminate Front Panel

MC-M L



MC-M R



Manufacturing Standards


- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the desk is 3/8" less than the dimension listed.


Interior width for work desk:

- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.


Combination of Colors



Top & Legs
Color available for 1-5/8" only



Base
1" structure and panel on user side



Front
Choice of 5/8" Std or Hg color

Prices

Dimensions				Std	Hg
A	B	C	D		
18	74	74	18	1767	2179
18	80	80	18	1825	2274
18	86	86	18	1883	2369

How to Order

Combination of Colors


See the Logiflex Color Chart (p. 26)

ABCD				R L	Combination of Colors		
REC		41	MC-M		top & legs	base	front
series	dimensions	height	product	direction			


Example REC 18868618 41 MC-M R SW RSW W-H

Corner Reception Counter with Acrylic Front Panel

MC-AD L




MC-AD R



LED Lighting




MC-AD1
LED on top only




MC-AD2
LED on top and bottom


Combination of Colors



Top & Legs
Color available
for 1-5/8" only



Base
1" panel
on user side



Front
1" laminate frame
around acrylic panel

Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- LED backlighting with two 4-step tape dimmers fixed under the top on the user side on both left and right sides of the reception;
- Removable fronts for access to the lighting.

For specification reasons, the desk is 3/8" less than the dimension listed.

Interior width for work desk:

- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.

Prices

Dimensions				MCAD1	MCAD2
A	B	C	D		
18	74	74	18	3311	3647
18	80	80	18	3367	3723
18	86	86	18	3424	3800

How to Order

Combination of Colors

See the Logiflex
Color Chart (p. 26)

ABCD			AD1 AD2		R L			
REC		41	MC					
series	dimensions	height	product	LED	direction	top & legs	base	front

Example REC 18868618 41 MC AD2 R SW W SW

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Left L-Shaped Counter

INBL L



Combination of Colors




Manufacturing Standards

- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

LED option: Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.


Options

Installed Pedestals



Specify installed pedestals, starting on p. 74

Grommet Position



Grommet Style




ELPF
\$0



CCPF/CCPF
\$20

LED Option



DEL
\$449

Prices

Dimensions			
A	B	Std	Hg
72	82	3325	3821
72	88	3356	3867
72	94	3386	3913
72	100	3417	3959
78	82	3356	3860
78	88	3386	3906
78	94	3417	3952
78	100	3447	3998
84	82	3386	3899
84	88	3416	3945
84	94	3447	3991
84	100	3477	4037

How to Order

							+						
							NGR GRL GRR	ELPF CAPF CCPF		Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
option (\$)		AB	option (\$)				GLR (std)	CCPF (std)					
RE					INBL	L							
series	pedestal on left	dimensions	pedestal on right		product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example	RE	E	84100		INBL	L	GLR	CCPF		LL	W	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Right L-Shaped Counter

INBL R



Combination of Colors




Manufacturing Standards

- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

LED option: Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.


Options

Installed Pedestals



Specify installed pedestals, starting on p. 74

Grommet Position



Grommet Style




ELPF
\$0



CCPF/CCPF
\$20

LED Option



DEL
\$449

Prices

Dimensions			
A	B	Std	Hg
82	72	3325	3821
88	72	3356	3867
94	72	3386	3913
100	72	3417	3959
82	78	3356	3860
88	78	3386	3906
94	78	3417	3952
100	78	3447	3998
82	84	3386	3899
88	84	3416	3945
94	84	3447	3991
100	84	3477	4037

How to Order

option (\$)		AB	option (\$)									
RE			INBL	R	NGR GRL GRR	ELPF CAPF CCPF			Combination of Colors			
series	pedestal on left	dimensions	pedestal on right	product	direction	GLR (std) CCPF (std)		LED	See the Logiflex Color Chart (p. 26)			
						grommet position	grommet style		top	base	front	shelf
Example	RE	E	84100	INBL	R	GLR	CCPF		LL	W	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Left U-Shaped Counter

INBU L



Combination of Colors




Manufacturing Standards

- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

LED option: Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.


Options

Installed Pedestals



Specify installed pedestals, starting on p. 74

Grommet Position



3 grommets (GR3)

Grommet Style




ELPF
\$0



CAPF/CCPF
\$20

LED Option



DEL
\$629

Prices

Dimensions			Std	Hg
A	B	C		
72	106	66	4550	5275
84	106	78	4672	5445

How to Order

option (\$)		ABC	option (\$)			NGR GCR GLC GR3 (std)		ELPF CAPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 26)			
RE				INBU	L				top	base	front	shelf
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	LED				
Example RE	E	8410678		INBU	L	GR3	CCPF		LL	W	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Right U-Shaped Counter

INBU R



Combination of Colors




Manufacturing Standards

- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

LED option: Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.


Options

Installed Pedestals



Specify installed pedestals, starting on p. 74

Grommet Position



3 grommets (GR3)


Grommet Style



ELPF
\$0

CAPF/CCPF
\$20

LED Option



DEL
\$629

Prices



Dimensions			Std	Hg
A	B	C		
66	106	72	4550	5275
78	106	84	4672	5445

How to Order


option (\$)		ABC	option (\$)			NGR GCR GLC GR3 (std)		ELPF CAPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 26)
RE				INBU	R				
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	LED	top
Example RE	E	7810684		INBU	R	GR3	CCPF		LL
									base
									front
									shelf
									W
									W
									W

Transaction Shelf

INBS



Combination of Colors



Manufacturing Standards

- Made of laminate, to be attached to an Inbox reception counter;
- 1" transaction shelf comes in 2 pieces, available in:
 - Laminate (**M**)
 - Stained wood (**W**)

Prices

Dimensions A	Code	Front Finish	
		Std	Hg
30	INBS M	636	718
30	INBS W	1020	

How to Order

Combination of Colors

See the Logiflex Color Chart (p. 26)

RE	A	INBS	M W			
series	dimensions	product	finish	top	base	front

Example RE 30 INBS M W LL W

Reception Desks

M-Brace
Inbox
Manhattan





Spheric
Reception 3K
Reception C

Gallery



Reception Desk

MAN



Manufacturing Standards

Reception Desk:

- 1-5/8" desk and shelf tops;
- Rounded corner front panel made of high pressure laminate (HPL);
- Satin nickel finish shelf brackets;
- Centred CCPF grommet.

Acrylic Panel Option:

- 1/8" frosted acrylic panels polished on the visible sides;
- 2.5" diameter, Satin Nickel finish brackets.

Pedestals cannot be installed on reception stations that are 66" X 66" because of the curves close to the user space. We suggest mobile pedestals instead.

Pedestals larger than 30" cannot be installed on reception stations that are 72" X 72" because of the curves close to the user space.

Options

Grommet Position	Grommet Style	Installed Pedestals	Acrylic Panels
3 grommets (GR3)	ELPF \$0 CCPF \$20	Specify installed pedestals, starting on p. 74	PL \$1 641

Prices

Dimensions	REC	RECL
A B	1-5/8"	1-9/16"
66 66	4985	5979
72 72	5127	6128
78 78	5269	6276
84 84	5413	6456
96 96	5694	6745

How to Order

REC	RECL	option (\$)	AB	option (\$)	L	R	NGR GLC GCR GR3	ELPF CAPF CCPF	PL	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
series	pedestal on left	dimensions	pedestal on right	product	direction		grommet position	grommet style	acrylic panel	top	base	front	shelf
Example REC	E	7878		MAN	L		GRC	CCPF	PL	W	SW	SW	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery






Quarter-Moon Reception Desk with Finishing Shelf





SPH F



Direction



Combination of Colors




Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

Options

Grommet Position



Grommet Style



ELPF
\$0



CAPF/CCPF
\$20

Prices

Dimensions

A	B
24 46	2940
30 54	3239

How to Order

AB		L R C		NGR GLR GRR GRL GRC (std)		ELPF CAPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 26)			
RE		SPH F									
series	dimensions	product	direction	grommet position	grommet style	top	base	front	shelf		
Example RE	2446	SPH F	L	GRC	CCPF	LL	W	W	LL		

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Quarter-Moon Reception Desk with Transaction Shelf


SPH T



Direction



Combination of Colors



Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Transaction Tops:

For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position



Grommet Style



ELPF
\$0



CCPF/CCPF
\$20

Prices

Dimensions

A	B
24 46	3755
30 54	4333

How to Order

AB		L R C		NGR GLR GRR GRL GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE	SPHT					top	base	front	shelf
series	dimensions	product	direction	grommet position	grommet style				
Example RE	2446	SPHT	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit


SPH P



Direction



Combination of Colors



Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Transaction Tops:


For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position



Grommet Style



\$0

\$20

Prices

Dimensions

A	B
24 46	4775
30 54	5113

How to Order

AB		L R C		NGR GLR GRR GRL GRC (std) ELPF CAPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 26)			
RE	SPH P					top	base	front	shelf
series	dimensions	product	direction	grommet position	grommet style				
Example RE	2446	SPH P	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Quarter-Moon Consulting Desk

SPH C




Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.

Options

Grommet Position



Grommet Style



ELPF
\$0

CAPF/CCPF
\$20

Prices

Dimensions

A	B
27 46	2617
33 54	2776

How to Order

AB		L R C		NGR GLR GRR GRLL GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>	
RE	SPH C					top	base
series	dimensions	product	direction	grommet position	grommet style		
Example RE	2446	SPH C	L	GRC	CCPF	LL	W

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Quarter-Moon Accessible Reception Desk

SPH A




Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

Options

Grommet Position



Grommet Style



ELPF
\$0



CCPF/CCPF
\$20

Prices

Dimensions

A	B
24 46	3971
30 54	4131

How to Order

AB		L R C		NGR GLR GRR GRLL GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE	SPH A					top	base	front	shelf
series	dimensions	product	direction	grommet position	grommet style				
Example RE	3054	SPH A	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Inverted Quarter-Moon Reception Desk with Finishing Shelf


SPH IF



Direction



Combination of Colors




Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

Options

Grommet Position



Grommet Style



\$0

\$20

Prices

Dimensions


A	B	
24	36	3063
30	42	3125

How to Order

AB		L R C		NGR GRC (std)	ELPF CAPE CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE	SPH IF					top	base	front	shelf
series	dimensions	product	direction	grommet	grommet style				
Example RE	2436	SPH IF	L	GRC	CCPF	LL	W	W	LL

Inverted Quarter-Moon Reception Desk with Transaction Shelf


SPH IT



Direction



Combination of Colors



Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Transaction Tops:


For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position



Grommet Style



\$0

\$20

Prices

Dimensions

A	B	
24	36	3127
30	42	3238

How to Order

AB		L R C		NGR GRC (std) ELPF CAPE/CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 26)			
RE	SPH IT					top	base	front	shelf
series	dimensions	product	direction	grommet	grommet style				
Example RE	2436	SPH IT	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery



Inverted Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit


SPH IP



Direction



Combination of Colors



Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Transaction Tops:


For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".

Options

Grommet Position



Grommet Style



\$0

\$20

Prices

Dimensions

A	B	
24	36	3857
30	42	3971

How to Order

AB		L R C		+ NGR GRC (std) ELPF CAPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 26)			
RE	SPH IP					top	base	front	shelf
series	dimensions	product	direction	grommet	grommet style				
Example RE	2436	SPH IT	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery






Inverted Quarter-Moon Consulting Desk



SPH IC



Direction



Combination of Colors




Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.

Options

Grommet Position



Grommet Style



ELPF
\$0



CCPF/CCPF
\$20

Prices

Dimensions

A	B
27 36	2504
33 42	2617

How to Order

AB		L R C		NGR GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>	
RE	SPH IC					top	base
series	dimensions	product	direction	grommet	grommet style		
Example RE	2736	SPH IC	L	GRC	CCPF	LL	W

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Straight Reception Desk with Finishing Shelf

SPH SF




Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


Installed Pedestal Option: For available installed pedestals, see Work Desks starting on [page 69](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on [p. 74](#)

Prices

Dimensions

A	B	
24	36	1031
30	36	1065

How to Order

option (\$)		AB	option (\$)			NGR GLR GRR GRLL GRC (std)	ELPF CAPF CCPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE				SPH SF							
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example RE	E	2436		SPH SF	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Straight Reception Desk with Transaction Shelf

SPH ST



Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


*Transaction Tops:

For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".


Installed Pedestal Option: For available installed pedestals, see Work Desks starting on [page 69](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on [p. 74](#)

Prices

Dimensions

A	B	
24	36	1156
30	36	1190

How to Order

option (\$)		AB	option (\$)	L R C		NGR GLR GRR GRLL GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 26)			
RE				SPH ST							
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example RE	E	2436		SPH ST	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Straight Reception Desk with Transaction Shelf and Pigeonhole Unit

SPH SP



Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


*Transaction Tops:

For 24" tops, the transaction shelf is 12";
For 30" tops, the transaction shelf is 16".


Installed Pedestal Option: For available installed pedestals, see Work Desks starting on [page 69](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on [p. 74](#)

Prices

Dimensions

A	B
24 36	1360
30 36	1416

How to Order

option (\$)		AB	option (\$)		L R C	NGR GLR GRR GRLL GRC (std)	ELPF CAPF CCPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE				SPH SP							
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example RE	E	2436		SPH SP	L	GRC	CCPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Straight Consulting Desk

SPH SC



Manufacturing Standards


- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CC PF grommet.

Fits with Spherical reception desks:
- 27" consulting desk fits with a 24" reception desk;
- 33" consulting desk fits with a 30" reception desk.


Installed Pedestal Option: For available installed pedestals, see Work Desks starting on [page 69](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on [p. 74](#)

Prices

Dimensions

A	B
27 36	646
33 36	759

How to Order

option (\$)		AB	option (\$)		L R C	NGR GLR GRR GRLL GRC (std)	ELPF CCPF CAPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>		
RE				SPH SC						
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front
Example RE	E	2736		SPH SC	L	GRC	CAPF	LL	W	LL

Reception Desks

M-Brace
Inbox
Manhattan




Spheric
Reception 3K
Reception C

Gallery



Straight Accessible Reception Desk

SPH SA




Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


Installed Pedestal Option: For available installed pedestals, see Work Desks starting on [page 69](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on [p. 74](#)

Prices

Dimensions

A	B
24 36	1156
30 36	1190

How to Order

option (\$)		AB	option (\$)		L R C	NGR GLR GRR GRLL GRC (std)	ELPF CCPF CAPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE				SPH SA							
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example RE	E	2436		SPH SA	L	GRC	CAPF	LL	W	W	LL

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Reception Desk with One Full Length Transaction Shelf

3K1



Combination of Colors




Manufacturing Standards

- 1" tops;
- 2 CCPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.


***Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions		Std	Hg
A	B		
*24	66	2130	2365
*24	72	2323	2579
*24	78	2521	2799
*24	84	2714	3013
*24	96	3099	3441
30	66	2170	2421
30	72	2368	2630
30	78	2572	2857
30	84	2771	3075
30	96	3161	3509

How to Order

option (\$)		AB	option (\$)	3K1	NGR GRL GRR GRC GLR (std)	ELPF CAPF CCPF (std)	Combination of Colors			
series	pedestal on left	dimensions	pedestal on right				top	base	front	shelf
RE	E	2466		3K1	GLR	CCPF	W	SW	SW	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Reception Desk with Two Transaction Shelves

3K2



Combination of Colors




Manufacturing Standards

- 1" tops;
- 2 CCPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.


***Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions		Std	Hg
A	B		
*24	66	2130	2365
*24	72	2323	2579
*24	78	2521	2799
*24	84	2714	3013
*24	96	3099	3441
30	66	2170	2421
30	72	2368	2630
30	78	2572	2857
30	84	2771	3075
30	96	3161	3509

How to Order

option (\$)				AB		option (\$)		NGR GRL GRR GRC GLR (std)	ELPF CAPF CCPF (std)	Combination of Colors			
RE	pedestal on left	dimensions	pedestal on right	3K2	product	grommet position	grommet style			top	base	front	shelf
Example	RE	E	2466	3K2	3K2	GLR	CCPF	W	SW	SW	W		

Reception Desks

M-Brace
Inbox
Manhattan

Spheric
Reception 3K
Reception C


Gallery




Return

RET 3K L

RET 3K R



Combination of Colors




Manufacturing Standards


- 1" tops;
- Centred CCPF grommet;
- Full modesty panel.

Options

Grommet Position




Grommet Style



\$0

\$20

Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions

A	B	
24	30	533
24	36	555
24	42	584
24	48	612

How to Order

AB			option (\$)		L R		NGR GRL GRR GLR GRC (std) ELPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 26)		
RE			RET 3K						top	base	front
series	dimensions	pedestal	product	direction	grommet position		grommet style				
Example RE	2442	E	RET 3K	L	GRC		CCPF		SW	SW	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Corner Counter with Straight Cut


CXT



Direction



Combination of Colors




Manufacturing Standards

- Corner reception desk with straight keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.

Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style



Vertical Panel



Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 18	2597	2927	2788	3068
18 42 18	2640	3029	2885	3212
24 42 24	2640	3029	2885	3212
24 48 24	2752	3214	3061	3448
30 48 30	2752	3214	3061	3448

How to Order

RE REL REC RECL	ABC		LR LH HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors See the Logiflex Color Chart (p. 26)			
		CXT								
series	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example RE	184218	CXT	LR	GRC	CCPF	PV	NW	NW	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Corner Counter with Curved Cut


CXX



Direction



Combination of Colors




Manufacturing Standards

- Corner reception desk with curved keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.

Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style



Vertical Panel



Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 42 18	2717	3113	2965	3296
24 42 24	2717	3113	2965	3296
24 48 24	2830	3300	3143	3533
30 48 30	2830	3300	3143	3533

How to Order

RE REL REC RECL	ABC		LR LH HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors See the Logiflex Color Chart (p. 26)			
		CXX								
series	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example RE	184218	CXT	LR	GRC	CCPF	PV	NW	NW	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Rectangular Reception Desk


CTB



Direction



Combination of Colors




Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.


Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style




Installed Pedestals



Specify installed pedestals, starting on p. 74

Vertical Panel



PV
\$155

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36	652	806	768	910
18 42	682	852	811	960
18 48	711	893	850	1019
18 54	782	968	922	1145
18 60	830	1044	994	1168
24 36	688	861	820	967
24 42	724	915	871	1034
24 48	781	992	945	1128
24 54	838	1066	1015	1237
24 60	872	1126	1072	1279

How to Order

						+							
RE REL REC RECL	option (\$)	AB	option (\$)		LR LH HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>				
				CTB									
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel		top	base	front	shelf
Example	RE	E	2460	CTB	LR	GRC	CCPF	PV		NW	NW	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Left Reception Return with Corner Cut on Right

LCTTB




Direction



Half Leg on Right

2 Half Legs

Combination of Colors



Top

Base

Front

Shelf


Manufacturing Standards

- Left reception return with corner cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options

Grommet Position




Grommet Style



\$0


\$20

Installed Pedestals



Specify installed pedestals, starting on p. 74

Vertical Panel



\$155

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	732	907	864	1013
24 42 18	768	962	916	1080
24 48 18	825	1038	989	1175
24 54 18	883	1111	1058	1284
24 60 18	917	1173	1117	1325
30 36 24	768	963	917	1071
30 42 24	809	1015	967	1155
30 48 24	895	1139	1085	1284
30 54 24	939	1210	1152	1377
30 60 24	959	1256	1196	1436
36 36 30	852	1067	1016	1155
36 42 30	902	1147	1092	1275
36 48 30	952	1227	1169	1394
36 54 30	1001	1307	1245	1495
36 60 30	1032	1361	1296	1565

How to Order

RE REL REC RECL	option (\$)	ABC	LH HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors See the Logiflex Color Chart (p. 26)
series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel
Example RE	E	246018	LCTTB	LH	GRC	CCPF	PV
							top base front shelf
							NW NW W W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Right Reception Return with Corner Cut on Left


RCTTB



Direction



Combination of Colors




Manufacturing Standards

- Right reception return with corner cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.


Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style




Installed Pedestals



Specify installed pedestals, starting on p. 74

Vertical Panel



PV
\$155

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	732	907	864	1013
18 42 24	768	962	916	1080
18 48 24	825	1038	989	1175
18 54 24	883	1111	1058	1284
18 60 24	917	1173	1117	1325
24 36 30	768	963	917	1071
24 42 30	809	1015	967	1155
24 48 30	895	1139	1085	1284
24 54 30	939	1210	1152	1377
24 60 30	959	1256	1196	1436
30 36 36	852	1067	1016	1155
30 42 36	902	1147	1092	1275
30 48 36	952	1227	1169	1394
30 54 36	1001	1307	1245	1495
30 60 36	1032	1361	1296	1565

How to Order

RE REL REC RECL	ABC	option (\$)	RCTTB	HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
Example RE	186024	E	RCTTB	HR	GRC	CCPF	PV	NW	NW	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Left Reception Return with Curved Cut on Right


LCVTB



Direction



Combination of Colors




Manufacturing Standards

- Left reception return with curved cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.


Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style




Installed Pedestals



Specify installed pedestals, starting on p. 74

Vertical Panel



Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	732	907	864	1013
24 42 18	768	962	916	1080
24 48 18	825	1038	989	1175
24 54 18	883	1111	1058	1284
24 60 18	917	1173	1117	1325
30 36 24	768	963	917	1071
30 42 24	809	1015	967	1155
30 48 24	895	1139	1085	1284
30 54 24	939	1210	1152	1377
30 60 24	959	1256	1196	1436
36 36 30	852	1067	1016	1155
36 42 30	902	1147	1092	1275
36 48 30	952	1227	1169	1394
36 54 30	1001	1307	1245	1495
36 60 30	1032	1361	1296	1565

How to Order

RE REL REC RECL	option (\$)	ABC	LH HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV	Combination of Colors See the Logiflex Color Chart (p. 26)			
			LCVTB							
series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front shelf
Example RE	E	306030	LCVTB	LH	GRC	CCPF	PV	NW	NW	W W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Right Reception Return with Curved Cut on Left


RCVTB



Direction



Combination of Colors




Manufacturing Standards

- Right reception return with curved cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.


Vertical Panel (PV) option: It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

Options


Grommet Position



Grommet Style




Installed Pedestals



Specify installed pedestals, starting on p. 74

Vertical Panel



PV
\$155

Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	732	907	864	1013
18 42 24	768	962	916	1080
18 48 24	825	1038	989	1175
18 54 24	883	1111	1058	1284
18 60 24	917	1173	1117	1325
24 36 30	768	963	917	1071
24 42 30	809	1015	967	1155
24 48 30	895	1139	1085	1284
24 54 30	939	1210	1152	1377
24 60 30	959	1256	1196	1436
30 36 36	852	1067	1016	1155
30 42 36	902	1147	1092	1275
30 48 36	952	1227	1169	1394
30 54 36	1001	1307	1245	1495
30 60 36	1032	1361	1296	1565

How to Order

					+			Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>				
RE REL REC RECL	ABC	option (\$)		HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CCPF (std)	PV					
			RCVTB									
series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf	
Example	RE	246018	E	RCVTB	HR	GRC	CCPF	PV	NW	NW	W	W

Reception Desks

M-Brace
Inbox
Manhattan


Spheric
Reception 3K
Reception C

Gallery




Rectangular Reception Desk with Transaction Shelf

GA



Combination of Colors




Manufacturing Standards


- Rectangular reception desk;
- 42"H transaction shelf;
- CCPF grommets on left and right;
- 3 front panels applied on desk front.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	958	1259	1199	1442
30 66	1001	1327	1264	1524
30 72	1053	1408	1341	1626
30 78	1103	1490	1419	1729
30 84	1146	1558	1484	1810
36 60	972	1324	1261	1524
36 66	1027	1412	1345	1645
36 72	1099	1491	1420	1745
36 78	1121	1572	1497	1845
36 84	1175	1658	1579	1967

How to Order

RE REL REC RECL	option (\$)	AB	option (\$)	GA	NGR GRC GRR GLR GLR (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	top	base	front	shelf
Example RE	E	3660		GA	GLR	CCPF	Z	Z	Z	W

Reception Desks

M-Brace
Inbox
Manhattan



Spheric
Reception 3K
Reception C

Gallery



Rectangular Reception Desk with Convex Transaction Shelf

GACX




Manufacturing Standards


- Rectangular reception desk;
- CCPF grommets on left and right;
- 42"H transaction shelf;
- 3 front panels applied on desk front.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	1119	1428	1360	1613
30 66	1164	1500	1429	1697
30 72	1214	1579	1504	1796
30 78	1266	1658	1579	1906
30 84	1310	1729	1647	1978
36 60	1133	1493	1422	1697
36 66	1189	1582	1507	1814
36 72	1236	1662	1583	1915
36 78	1282	1741	1658	2017
36 84	1339	1831	1744	2134

How to Order

RE REL REC RECL	option (\$)	AB	option (\$)	GACX	NGR GRC GRR GLR GLR (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>
series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	top base front shelf
Example RE	E	3660		GACX	GLR	CCPF	Z Z Z W

Reception Desks

M-Brace
Inbox
Manhattan

Spheric
Reception 3K
Reception C


Gallery




Reception Return

GAL

GAR



Combination of Colors




Manufacturing Standards


- Reception return;
- CAPF centered grommet.

Options


Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
20 36	547	681	649	728
20 42	593	742	707	796
20 48	636	805	767	866
20 54	683	869	828	960
20 60	728	937	892	1017
24 36	561	718	684	780
24 42	608	780	743	863
24 48	653	846	806	924
24 54	698	915	871	1001
24 60	744	983	936	1078

How to Order

RE REL REC RECL	AB	option (\$)	GAR GAL	NGR GLR GRR GLR GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>		
						top	base	front
series	dimensions	pedestal	product	grommet position	grommet style			
Example RE	2460	E	GAL	GRC	CCPF	Z	Z	W

Work Desks

Work Desks

Lateral Tables


Returns

Extended Corner Tables




Lateral Tables


TL



Leg Bases



Combination of Colors




Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush modesty.


Modesties: If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.

Options


Modesty




Grommet Position



Grommet Style



Installed Pedestals



Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 30	433	513	489	579
24 36	469	564	537	642
24 42	489	597	569	688
24 48	518	639	609	743
24 54	529	663	631	780
24 60	552	698	665	828
24 66	574	733	698	876
24 72	595	768	731	924
24 78	615	800	762	969

How to Order

RE REL REC RECL	option (\$)	AB	option (\$)	TL	LH HR HH LR (std)	PM FM (std)	NGR GLR GRR GLR GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 26)
series	pedestal on left	dimensions	pedestal on right	product	direction	modesty	grommet position	grommet style	top base front
Example RE	E	2472		TL	LR	PM	GRC	CCPF	SW W SW

Work Desks

Lateral Tables


Returns

Extended Corner Tables




Returns


L29



R29



Combination of Colors




Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush modesty.


Modesties: If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.

Options


Modesty




Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 30	408	488	465	552
24 36	424	517	492	595
24 42	440	545	519	636
24 48	462	581	553	685
24 54	489	621	591	737
24 60	518	663	631	793

How to Order

RE REL REC RECL	AB	option (\$)	L29 R29	PM FM (std)	NGR GLR GRR GLR GRC (std)	ELPF CAPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 26)		
							top	base	front
Example	RE	2448	E	L29	PM	GRC	SW	W	SW

Work Desks


Lateral Tables
Returns
Extended Corner Tables



Left Extended Corner Tables


S L

Straight Cut




A L


Curved Cut




Modesties



Leg Bases



Combination of Colors



Manufacturing Standards


- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

Modesties: If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.


Installed Pedestal Option: The pedestal will be installed on the extended side of the desks (on left).

Options


Modesty




Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions	RE	REL	REC	RECL
A B C D	1"	1-1/16"	1-5/8"	1-9/16"
24 60 42 24	971	1229	1170	1455
24 66 42 24	1008	1288	1227	1538
24 72 42 24	1064	1367	1302	1639
24 78 42 24	1120	1446	1377	1741


How to Order

								NGR GLR GRR GLR ELPF CAPF +		Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE REL REC RECL	ABCD	option (\$)	S A		LH HR HH LR (std)	PM FM (std)	PM FM (std)	GRC (std)	CCPF (std)				
				L									
series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style		top	base	front
Example	RE	24724224	E	A	L	LR	PM	PM	GRC	CCPF	SW	W	SW

Right Extended Corner Tables


S R

Straight Cut




A R


Curved Cut




Modesties



Leg Bases



Combination of Colors



Manufacturing Standards


- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

Modesties: If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.


Installed Pedestal Option: The pedestal will be installed on the extended side of the desks (on right).

Options


Modesty




Grommet Position



Grommet Style



Installed Pedestals



Specify installed pedestals, starting on p. 74

Prices

Dimensions	RE	REL	REC	RECL
A B C D	1"	1-1/16"	1-5/8"	1-9/16"
24 42 60 24	971	1229	1170	1455
24 42 66 24	1008	1288	1227	1538
24 42 72 24	1064	1367	1302	1639
24 42 78 24	1120	1446	1377	1741

How to Order


								NGR GLR GRR GLR ELPF CAPF +		Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>			
RE REL REC RECL	ABCD	option (\$)	S A		LH HR HH LR (std)	PM FM (std)	PM FM (std)	GRC (std)	CCPF (std)				
				R									
series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style		top	base	front
Example	RE	24427224	E	A	R	LR	PM	PM	GRC	CCPF	SW	W	SW

Storage Furniture




Installed Pedestals


D



E



F



Manufacturing Standards

- Factory installed pedestals without tops;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- H052CHR handles;
- Satin nickel lock.

Width : Letter size -15-3/4"

Width : Legal size - 18-3/4"

Depth is adjusted to match furniture ordered.

How to Order:


Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.

Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Prices

Code	Front Finish	
	Std	Hg
D	472	496
DX	549	574
E	645	677
EX	722	754
F	628	660
FX	706	737

Options




Legal Size


X

Installed Pedestals


CBCL30



BCCL30



CL30



Manufacturing Standards

- Factory installed pedestals without tops;
- CBCL/BCCL= 2 utility drawers, 1 file drawer and 1 lateral file drawer;
- CL= 2 lateral file drawers;
- H052CHR handles;
- Satin nickel lock.

Depth is adjusted to match furniture ordered.

How to Order:

Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.

Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Prices

CBCL30/BCCL30


Code	Front Finish	
	Std	Hg
CBCL30	1039	1101
BCCL30	1039	1101

CL30


Code	Front Finish	
	Std	Hg
CL30	715	780

Mobile E and F Pedestals - Letter Size

MOBE



MOBF



Manufacturing Standards

- E = 2 utility drawers and 1 letter size file drawer;
- F = 2 letter size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".


Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep.

Prices

Dimensions A Code	Front Finish	
	Std	Hq
18 MOBE	713	745
23 MOBE	713	745
18 MOBF	696	728
23 MOBF	696	728

Combination of Colors



How to Order


 Combination of Colors
[See the Logiflex
Color Chart \(p. 26\)](#)

A		E F				
RE		MOB				
series	dimensions	code	pedestal	top	base	front


Example RE 18 MOB E W W SW

Mobile E and F Pedestals - Legal Size

MOBXE



MOBXF



Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".


Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Counterweight: A 45 lb counterweight is included for pedestals that are 18" deep.

Prices

Dimensions A Code	Front Finish	
	Std	Hq
18 MOBXE	796	834
23 MOBXE	796	834
18 MOBXF	780	818
23 MOBXF	780	818

Combination of Colors



How to Order


 Combination of Colors
 See the Logiflex
 Color Chart (p. 26)

A		E F				
RE		MOBX				
series	dimensions	code	pedestal	top	base	front


Example RE 18 MOBX E W W SW

Lateral File Cabinets


CL2



CL3



CL4



Manufacturing Standards

- 2, 3 or 4 legal size lateral filing drawers;
- H052CHR handles;
- Satin nickel locks;
- Crossbars.

Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Prices

CL2 - 2 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	837	905
24	36	904	987


CL3 - 3 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1319	1418
24	36	1379	1499

CL4 - 4 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1721	1851
24	36	1795	1952

Combination of Colors




How to Order

AB		CL		Combination of Colors		
				See the Logiflex Color Chart (p. 26)		
RE		CL				
series	dimensions	code	drawers	top	base	front


Example RE 2436 CL 3 W W SW

Multiple Units


UC1



UC2



UC3



Manufacturing Standards

- Open storage with 11" interior height;
- 1, 2 or 3 lateral filing drawers;
- H052CHR handles;
- Satin nickel lock.

Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Prices

UC1 - 1 open storage, 1 lateral filing drawer

Dimensions		Front Finish	
A	B	Std	Hg
24	30	784	816
24	36	818	853


UC2 - 1 open storage, 2 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1173	1245
24	36	1235	1321

UC3 - 1 open storage, 3 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1563	1675
24	36	1652	1790

Combination of Colors




How to Order

AB		UC		Combination of Colors		
				See the Logiflex Color Chart (p. 26)		
RE		UC				
series	dimensions	code	drawers	top	base	front

Example RE 2436 UC 2 W W SW

Cabinets with 2 Laminate Doors

AR



Manufacturing Standards

- 2 laminate doors;
- H052CHR handles;
- Satin nickel lock.

Adjustable Shelves:


29" high: 1 adjustable shelf;
41" high: 2 adjustable shelves;
53" high: 3 adjustable shelves.

Handles: For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

Prices

Dimensions A B C	Front Finish	
	Std	Hq
24 30 29	746	812
24 36 29	794	873
24 30 41	889	986
24 36 41	935	1052
24 30 53	1029	1157
24 36 53	1078	1232

Combination of Colors



Top

Base

Front

Shelf

How to Order

Combination of Colors


See the Logiflex
Color Chart (p. 26)

ABC							
RE		AR					
series	dimensions	code		top	base	front	shelf

Example RE 243641 AR W W SW W

Cabinets with 2 Glass Doors

AR - Glass Doors



Manufacturing Standards

- Cabinet featuring 2 aluminum-frame doors with white glass (VS) and built-in aluminum handles;
- Adjustable shelves.

Adjustable Shelves:

29" high: 1 adjustable shelf;

41" high: 2 adjustable shelves;


53" high: 3 adjustable shelves.

Glass: If the choice of glass is not specified, the standard is white glass (PV). For other choices of glass, consult the Logiflex color chart.


Prices

Dimensions			VS	PL	V4
A	B	C			
24	30	29	1077	1091	1288
24	36	29	1133	1149	1385
24	30	41	1261	1280	1558
24	36	41	1333	1355	1689
24	30	53	1540	1565	1924
24	36	53	1627	1657	2088


Combination of Colors



Top



Base



Shelf

How to Order


ABC			V4 PL VS (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 26)</i>		
RE		AR				
series	dimensions	code	glass (p. 26)	top	base	shelf

Example RE 243641 AR VS W W W

Pigeonhole Units


PG

Letter Size



PGX


Legal Size




Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.


Combination of Colors




Top



Base




Front



Shelf

Options

Drawer



DR

\$218

Prices

Dimensions

A	Code
16 PG	320
16 PGX	333

How to Order



Combination of Colors


See the Logiflex
Color Chart (p. 26)

	A	PG PGX	DR				
RE	16						
series	dimensions	code	drawer	top	base	front	shelf


Example RE 16 PG DR SW SW W-H SW

Pigeonhole Units





PG30



PG36



Combination of Colors




Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.

Options

Drawer



DR

\$437

Prices

Dimensions

A	B
16 30	552
16 36	578

How to Order



Combination of Colors


See the Logiflex
Color Chart (p. 26)

A		B		DR				
RE	16	PG						
series	dimensions	code	dimensions	drawer	top	base	front	shelf

Example RE 16 PG 30 DR SW SW W-H SW

Vertical Pigeonhole Units

PGV



Manufacturing Standards


- On levelers;
- Frame is 1" laminate;
- 2 fixed shelves 1" laminate;
- Back 5/8" laminate.

Prices


Dimensions

A	B	C
24	08	41
		548


Combination of Colors



Top



Base



Shelf

How to Order

Combination of Colors

[See the Logiflex
Color Chart \(p. 26\)](#)

ABC					
RE		PGV			
series	dimensions	code	top	base	shelf

Example RE 240841 PGV SW SW W


Accessories



Handles

HJA

Handle




- 6" metal handle;
- Drilling distance between holes: 5-1/32" (128mm).

Code	\$	Description
HJA	11	<i>Satin Nickel</i>
HJAB	11	<i>Black</i>

H011

Handle




- 9-1/8" metal handle;
- Drilling distance between holes: 5" (224mm).

Code	\$	Description
H011	11	<i>Satin Nickel</i>

H030

Handle




- 1-1/2" metal handle;
- Drilling distance between holes: 5/8" (15.875mm).

Code	\$	Description
H030	11	<i>Satin Nickel</i>

H031

Handle




- 6-1/4" metal handle;
- Drilling distance between holes: 3-3/4" (95.25mm).

Code	\$	Description
H031	11	<i>Satin Nickel</i>

H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	11	<i>Chrome</i>
H051PB	11	<i>White</i>
H051SN	11	<i>Satin Nickel</i>

H052

Handle




- 7-1/32" metal handle;
- 6-9/3" (160mm) center to center.

Code	\$	Description
H052CHR	11	<i>Chrome</i>
H052PB	11	<i>White</i>
H052SN	11	<i>Satin Nickel</i>

H060

Handle




- 9-1/4" metal handle;
- Drilling distance between holes: 8-3/4" (222.25mm)

Code	\$	Description
H060BN	11	<i>Brushed Nickel</i>
H060CHR	11	<i>Chrome</i>

H070

Handle




- 8-3/16" metal handle;
- Drilling distance between holes: 7-1/2" (190.5mm)

Code	\$	Description
H070BN	11	<i>Brushed Nickel</i>
H070CHR	11	<i>Chrome</i>

SXP002

Handle




- 9-1/2" metal handle;
- Drilling distance between holes: 7-9/16" (192mm).

Code	\$	Description
SXP002	11	<i>Satin Nickel</i>

SXP003

Handle




- 5-1/8" metal handle;
- Drilling distance between holes: 3-25/32" (96mm).

Code	\$	Description
SXP003	11	<i>Satin Nickel</i>

Lighting

DELALI

LED Starting Kit




- 1x power supply to connect up to 20' of 2.4 W LED lights;
- 60 W, 24V DC power supply, 100–240 V, 50/60 Hz;
- 39" primary power cord and 38" secondary cord for connection to the LED light.

Code	\$	Description
DELALI	66	per kit

DELFIL

Power Cord




- 1x 79" power cord.

Code	\$	Description
DELFIL	8	per unit

DELRAL

Extension Cord




- To connect 12" strips of 2.4W LED tape together;
- 3 lengths available: 20", 40" and 79".

Code	\$	Description
DELRAL20	4	20" extension
DELRAL40	6	40" extension
DELRAL79	8	79" extension

DELGR

Dimmer




- 4-step touch dimmer.

Code	\$	Description
DELGR	19	per unit

DEL12

Flexible LED Tape



- 2.4 W flexible LED tape;
- Cool white, self-adhesive, 12" long;
- Allow 72 hours once the tape is applied before turning the light on;
- Can be directly linked one to the other.

Code	\$	Description
DEL12	15	per unit

DELT

T-Joint



- T-joint to link three directions;
- 3 quick connectors.

Code	\$	Description
DELT	14	per unit

DELL

L-Joint




- 90° L-joint to use at a corner;
- 3 quick connectors are included.

Code	\$	Description
DELL	11	per unit

DELX

X-Joint




- X-joint to connect four directions;
- 3 quick connectors are included.

Code	\$	Description
DELX	16	per unit

DEL20

LED Task Light



- 7.5W LED task light;
- Cool white;
- 20" length;
- Satin nickel finish;
- 180° swivel feature.




Code	\$	Description
DEL20	167	per unit

Keyboard Trays

KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray
- 19° black gel wrist rest
- 360° rotation

Code	\$	Description
KB360M	467	

KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	239	

KB

Keyboard Tray




- 24-1/2" wide keyboard tray only;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	147	

AP

Wrist Rest




- Black gel wrist rest

Code	\$	Description
AP	56	

KBMOD

Keyboard Tray




- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	176	

CPU Holders

MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
 - Height: 15.5" x 20"
 - Width: 5.5" x 9.8"
- Horizontal adjustment:
 - Height: 17.5" x 22"
 - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	165	per unit

CPUIND

CPU Holder




- 5/8" thick laminate CPU holder;
- 10" x 20" interior

Code	\$	Description
CPUIND	140	per unit

Miscellaneous Accessories

SBH

Suspension Bars




- Set of two 15-1/8" long suspension bars for front/back filing for a lateral file drawer.

Code	\$	Description
SBH	14	

SBV

Suspension Bars




- Set of two 12-1/8" long suspension bars for left/right filing for a regular file drawer.

Code	\$	Description
SBV	14	

TCPM

Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	147	

TCPM2

Sliding Drawer




- Sliding drawer with compartments to organize with ball bearing slides.

Code	\$	Description
TCPM2	170	

LK

Lock




- Finish: Satin nickel;
- To order a lock separately, specify if it's a drawer lock (LKS NF) or a door lock (LKS NP);
- To order a factory installed lock, add [LKS N] after the product code on which lock will be installed.

Code	\$	Description
LKS NF	22	Unit price - Satin Nickel - drawer lock
LKS NP	22	Unit price - Satin Nickel - door lock

ELPF

Black Plastic Grommet




- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	\$	Description
ELPF	6	Unit price

CAPF / CCPF

Grommet




- Square metal grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout;
- Finish: Satin nickel or chrome

Code	\$	Description
CAPF	20	Unit price - Satin Nickel
CCPF	20	Unit price - Chrome

Electrical Accessories

844AA

Power Block




- Electri-Pak, 8 wire 4 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required; 4 ports: 1 input and up to 3 outputs;
- Max. 8 Simplex total per block;
- Max. linking of 4 power blocks.

Code	\$	Description
844 AA	200	

84AA

Power Block




- Electri-Pak, 8 wire 3 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required. 4 ports: 1 input and up to 3 outputs;
- Max. 6 Simplex total per block;
- Max. linking of 4 power blocks.

Code	\$	Description
84 AA	179	

84S

Circuit - electric plug




- Simplex for 84 system.

Code	\$	Description
84 S1-BL-150	15	<i>Circuit 1</i>
84 S2-BL-150	15	<i>Circuit 2</i>
84 S3-BL-150	15	<i>Circuit 3</i>
84 S4-BL-150	15	<i>Circuit 4</i>
84 S3IG-OR-150	17	<i>Circuit 3 isolated ground</i>
84 SB-BL-150	7	<i>Blank</i>

PMDBRKTKIT

Bracket




- 844AA and 84AA metal mounting bracket assembly and mounting plate included.

Code	\$	Description
PMD BRKT KIT	45	

LMWM

Wire Management Trough




- 844AA and 84AA metal mounting bracket assembly and mounting plate included;
- 16.5" Metal wire management system for power block with 2 telecom plate cutouts;
- Satin nickel finish.

Code	\$	Description
LMWM	61	

SMWM


Wire Management Trough




- 3.5" Metal wire management system with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	22	

TEL




Code	\$	Description
TELA	17	<i>Blank</i>
TELB	114	<i>1 RJ11 CAT3 / 1 RJ45 CAT6</i>
TELC	147	<i>2 RJ45 CAT6</i>
TELD	277	<i>4 RJ45 CAT6</i>



Electrical Accessories

8SR


Simplex Removal Tool



Code	\$	Description
8SR	5	Simplex removal tool

84SB2

Starter Cable with Hard Wire




- Starter cable with hard wire at one end to be connected to an electrical box by an electrician;
- Minimum 12" - maximum 180".



Code	\$	Description
84 SB2 72	144	8 wire 4 circuit - 72"
84 SB2 84	159	8 wire 4 circuit - 84"
84 SB2 96	175	8 wire 4 circuit - 96"
84 SB2 108	190	8 wire 4 circuit - 108"
84 SB2 120	206	8 wire 4 circuit - 120"

8420AP1

Starter Cable with Plug




- Starter cable with plug at one end;
- Minimum 12" - maximum 72".



Code	\$	Description
84 20 AP1 48	155	8 wire 1 circuit - 48"
84 20 AP1 54	161	8 wire 1 circuit - 54"
84 20 AP1 60	167	8 wire 1 circuit - 60"
84 20 AP1 66	174	8 wire 1 circuit - 66"
84 20 AP1 72	180	8 wire 1 circuit - 72"

84SB1

NYC Starter Cable




- NYC Starter cable to be connected to an electrical box by an electrician;
- Minimum 12" - maximum 180".



Code	\$	Description
84 SB1 72	222	8 wire 4 circuit - 72"
84 SB1 84	238	8 wire 4 circuit - 84"
84 SB1 96	253	8 wire 4 circuit - 96"
84 SB1 108	269	8 wire 4 circuit - 108"
84 SB1 120	285	8 wire 4 circuit - 120"

84FF

Junction Cable




- Minimum 12" - maximum 180".

Code	\$	Description
84 FF 60	145	8 wire / 4 circuit jumper cable 60"L
84 FF 72	160	8 wire / 4 circuit jumper cable 72"L
84 FF 84	176	8 wire / 4 circuit jumper cable 84"L
84 FF 96	191	8 wire / 4 circuit jumper cable 96"L
84 FF 108	207	8 wire / 4 circuit jumper cable 108"L
84 FF 120	223	8 wire / 4 circuit jumper cable 120"L

84CFF

Rigid Junction



- Minimum 2" - maximum 12".

Code	\$	Description
84 CFF 02	72	8 wire 4 circuit F/F Rigid Channel - 2"L
84 CFF 06	77	8 wire 4 circuit F/F Rigid Channel - 6"L
84 CFF 12	85	8 wire 4 circuit F/F Rigid Channel - 12"L

WM

Velcro Tie



- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: Black.

Code	\$	Description
WM	7	

SPINE

Wire Management Spine




- 2" diameter;
- Gray plastic.

Code	\$	Description
SPINE	115	

Electrical Accessories

T5

Swivel Florescent Lamp




- Florescent lamp (T5) with swivel reflector and electronic ballast;
- Aluminum fixture;
- Finish: Black.
- 120" power cable.



Code	\$	Description
T524	136	
T536	181	
T548	238	
T5LINK12	18	
T5LINK24	23	

PBL

Power Bar



- Power bas with 6 electric outlets.



Code	\$	Description
PBL	47	

As our product line is constantly evolving and expanding, we recommend that you visit logiflex.ca for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada
T : 1.877.864.9323 | F : 1.800.474.7830 | logiflex.ca

