

**CUSHMAN****2018 Shuttle 2,4,6**Electric and Gasoline
Effective July 17, 2017

Last Revised: July 17, 2017

ORDER FROM AUGUSTA, GA
[TEL] 800 241-5855

SHUTTLE SERIES	Model Number	Suggested Retail Price
----------------	--------------	------------------------

Shuttle 2 Electric	618848	\$10,723
---------------------------	---------------	-----------------

Configuration Highlights:

Motor: 48 Volts DC
Horsepower: 15.2 hp (11.3 kW) at 1600 rpm
Batteries: Eight, 6 Volt Deep Cycle
Charger: 48 VDC PowerWise, 120 VAC, UL & CSA
Speed Controller: 400 Amp Precision Drive System (PDS)
Frame: Welded Steel with DuraShield™ Coating
Cargo Box: 40" x 68.5"
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1000 lb (454 kg)
Seating Capacity: 2 Person
Ground Speed: 13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 2 Gasoline (Kawasaki)	618849	\$10,597
--------------------------------------	---------------	-----------------

Configuration Highlights:

Power Source: 4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki
Horsepower: 13.5 hp (10.1 kW) Rated
Batteries: One 12 Volt Maintenance Free
Fuel Capacity: 6.0 Gallon (22.7 L) Tank
Frame: Welded Steel with DuraShield™ Coating
Cargo Box: 44" x 68.5"
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1200 lb (545 kg)
Seating Capacity: 2 Person
Ground Speed: 16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Shuttle 4 Electric	618850	\$10,796
---------------------------	---------------	-----------------

Configuration Highlights:

Motor: 48 Volts DC
Horsepower: 15.2 hp (11.3 kW) at 1600 rpm
Batteries: Eight, 6 Volt Deep Cycle
Charger: 48 VDC PowerWise, 120 VAC, UL & CSA
Speed Controller: 400 Amp Precision Drive System (PDS)
Frame: Welded Steel with DuraShield™ Coating
Cargo Box: 9 cu ft (42.5" x 32" x 11.5" -Dimensions)
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1200 lb (545 kg)
Seating Capacity: 4 Person
Bed Capacity: 400 lb (180 kg)
Ground Speed: 13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 4 Gasoline (Kawasaki)	618851	\$11,617
--------------------------------------	---------------	-----------------

Configuration Highlights:

Power Source: 4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki
Horsepower: 13.5 hp (10.1 kW) Rated
Batteries: One 12 Volt Maintenance Free
Fuel Capacity: 6.0 Gallon (22.7 L) Tank
Frame: Welded Steel with DuraShield™ Coating
Cargo Box: 9 cu ft (42.5" x 32" x 11.5" -Dimensions)
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1200 lb (545 kg)
Seating Capacity: 4 Person
Bed Capacity: 400 lb (180 kg)
Ground Speed: 16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Shuttle 6 Electric	618852	\$10,999
---------------------------	---------------	-----------------

Configuration Highlights:

Motor: 48 Volts DC
Horsepower: 15.2 hp (11.3 kW) at 1600 rpm
Batteries: Eight, 6 Volt Deep Cycle
Charger: 48 VDC PowerWise, 120 VAC, UL & CSA
Speed Controller: 400 Amp Precision Drive System (PDS)
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1200 lb (545 kg)
Seating Capacity: 6 Person
Ground Speed: 13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 6 Gasoline (Kawasaki)	618853	\$11,140
--------------------------------------	---------------	-----------------

Configuration Highlights:

Power Source: 4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki
Horsepower: 13.5 hp (10.1 kW) Rated
Batteries: One 12 Volt Maintenance Free
Fuel Capacity: 6.0 Gallon (22.7 L) Tank
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO / Steel

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Tires: Turf 18 x 8.50 - 8 (4 Ply Rated)
Load Capacity: 1200 lb (545 kg)
Seating Capacity: 6 Person
Ground Speed: 16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through Cushman order entry.
For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Suggested Retail Price
---------------------------------------	----	----	------	------	-------------	------------------------

TIRES & WHEELS

Front

Links 18 x 8.50 - 8 (4 Ply Rated) (Set of two)	•	•	•	•		Standard
USA Trail 18 x 8.50 - 8 (Load Range C) (Set of two)	•	•	•	•	27773G01	\$53

Rear

Links 18 x 8.50 - 8 (4 Ply Rated) (Set of two)	•	•	•	•		Standard
USA Trail 18 x 8.50 - 8 (Load Range C) (Set of two)	•	•	•	•	27774G01	\$53

Wheel Covers

Silver Metallic (Set of 4)	•	•	•	•	611321	\$39
Gold Metallic (Set of 4)	•	•	•	•	606353	\$39

COLORS

Body Colors

Standard: Patriot Blue	•	•	•	•		Standard
Additional Standard: Forest Green, Black, Ivory, Bright White, Electric Blue, Flame Red	•	•	•	•		\$0
Premium: Orange, Almond, Safety Yellow, Platinum	•	•	•	•		\$503
Additional Premium: Metallic Charcoal			•	•		\$503

Seat Color

Seat Color (Oyster)	•	•				Standard
Seat Color (Tan)	•	•			71272G02	\$79
Seat Color (Gray)	•	•			71272G04	\$79
Seat Color - 4 (Oyster)			•	•		Standard
Seat Color - 4 (Tan)			•	•	71889G10	\$156
Seat Color - 4 (Gray)			•	•	71889G11	\$156
Seat Color - 6 Passenger Only (Oyster)			•	•		Standard
Seat Color - 6 Passenger Only (Tan)			•	•	617931	\$233
Seat Color - 6 Passenger Only (Gray)			•	•	618224	\$233

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Suggested Retail Price
---------------------------------------	----	----	------	------	-------------	------------------------

OTHER ENHANCEMENTS

Stake Side Cargo Bed (Shuttle 4 Only)			•	•		Standard
Brushguard	•	•	•	•		Standard
Headlights	•	•	•	•		Standard
Taillights	•	•			600904G01	\$128
Taillights			•	•	625270GXX	\$128
Brake Lights (Taillights Required)	•	•			70691G13	\$64
Brake Lights (Taillights Required)		•		•	607183	\$64
Brake Lights (Hydraulic - Taillights Required)		•		•	607233	\$64
Limited Slip Differential	•	•			617199	\$82
Limited Slip Differential (< 3K Altitude)		•		•	622598	\$355
Limited Slip Differential (3K - 6K Altitude)		•		•	622599	\$355
Limited Slip Differential (6K & Up Altitude)		•		•	622600	\$355
LED Headlights	•	•	•	•	622340	\$213
State of Charge Meter	•		•		71121G21	Standard
Turn Signals with 4-Way Flashers	•	•	•	•	622661	\$242
Unique Group Key Switch	•	•	•	•	71120G02	\$44
Front Hydraulic Disc Brakes	•	•	•	•	602290	\$874

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Suggested Retail Price
---------------------------------------	----	----	------	------	-------------	------------------------

ELECTRICAL

Charger, 48V DELTA-Q PORT 10'DC	•		•			Standard
DC / DC Converter (20 Amp)	•		•		605988	\$226
Hour Meter	•		•		75113G01	\$62
Hour Meter		•		•	607284	\$62
Batteries T105	•		•			Standard
Batteries T145	•		•		73220G07	\$539
Batteries T105 w/ Battery Fill System	•		•		614573	\$205
Batteries T145 w/ Battery Fill System	•		•		614579	\$727
Fuel Gauge		•		•		Standard

Field Installed Accessories <i>*Prices do not include labor</i>	2E	2G	4/6E	4/6G	Part Number	Suggested Retail Price
---	----	----	------	------	-------------	------------------------

OTHER ENHANCEMENTS

Rear View Mirror (Sun Canopy or Cab Required)	•	•	•	•	19528G2	\$55
Mirror - 5 Panel (Sun Canopy or Cab Required)	•	•	•	•	601379	\$30
Drop Side Rails	•	•			34538G03	\$566
Work Light	•	•			74247G01	\$136
CE Kit				•	614168	\$88
Battery Fill Hand Pump	•		•		614472	\$69
Battery Fill System Nozzle, 20' Hose	•		•		614521	\$157
Niagra Deionizer (Service Parts Order Only)	•		•		614668	\$1,166

WEATHER PROTECTION

Windshield Split	•	•	•	•	611100	\$182
Sun Canopy (Top) Black	•	•			611707	\$941
Sun Canopy (Top) Beige	•	•			611706	\$941
Sun Canopy (Top) White	•	•			611702	\$926
Sun Canopy (Top) Black			•	•	610266	\$862
Sun Canopy (Top) Beige			•	•	610267	\$875
Sun Canopy (Top) White			•	•	610268	\$875
Enclosure, zippered, acrylic, field install, tan			•	•	627105	\$996

Custom Solutions*	2E	2G	4/6E	4/6G	Quote Number	Suggested Retail Price
-------------------	----	----	------	------	--------------	------------------------

Prices Include Labor

Aluminum Van box, Double doors on sides van box mounted to a rollback bed for access	•	•			3623	Check with your Local Dealer
Ambulance conversion (basic package includes aluminum deck, EMS seat, footrest, EMS decals) call for additional items	•	•			3493	Check with your Local Dealer
Enclosure, zippered, acrylic, field install, tan (top and windshield required)	•	•			3452	Check with your Local Dealer
Labor to install cab with doors and wipers	•	•			3495	Check with your Local Dealer
12" Steel boxsides and tailgate	•	•			4034	Check with your Local Dealer
Galvanized steel deck plate	•	•			4035	Check with your Local Dealer
Wheelchair access conversion with top, windshield, HD brakes & suspension, gas assist ramp, wheelchair holddowns, ramp lights			•	•	3949	Check with your Local Dealer
Safety Glass windshield with wipers (requires top)	•	•	•	•	4257	Check with your Local Dealer
Soft sided enclosure with doors (Field kit. Top and Windshield Required)			•	•	4626	Check with your Local Dealer
Strobe light, Class 1 amber (field kit for top)	•	•	•	•	4821	Check with your Local Dealer

*Please Refer to Custom Price Pages For More Options