



Surpass® Desking System

SURPASS freestanding desking offers solid construction with almost unlimited versatility and flexibility. You can build a private office, collaborative teaming station, benching solution or combine it with panels for more privacy. The heavy-duty steel construction and modular design means that SURPASS can be reconfigured as your needs change and still perform in any office environment. Available in all of Maxon's fabrics and finishes, SURPASS will look good long after it's installed and in use. And, of course, it's backed by the Limited Lifetime Warranty.

The double-wall construction of SURPASS support legs and steel modesty panels adds strength and durability throughout the system. Impact-resistant, high-pressure laminate worksurfaces, are strong enough to endure years of day-to-day use, and are available in a wide selection of colors and wood-grain patterns. A wide variety of desk shapes and sizes means you will find the right fit no matter what your needs.

SURPASS offers straight steel hutch options with top-mounted hinged doors. The hutch accepts tackboards, task lights and personal accessory rail components. Coordinating pedestal and lateral files, bookcases, storage towers and personal storage centers ensure the perfect solution for every storage need.

Features	Benefits
Finest quality worksurface construction.	Prevent warping and bowing while assuring years of use.
Electrical and data management options.	Strategically run power or data to where it is needed.
End panels, and bridging brackets work for right or left-hand applications.	Eases specification and installation.
Straight steel hutches with top-mounted hinged doors.	Provide storage and space division.
Fabric and glass screens.	Allows collaboration while providing visual privacy.

Working with SURPASS

End Panels **E** and Support Legs **L**

Each are available in two options: freestanding or panel-mount. The only difference between the two options are the panel-mount models come with a left- or right-handed bracket to attach the support to a panel in a SURPASS systems application. If the freestanding version is purchased and later needs to be converted to panel-mount, the proper handed panel-mount bracket may be purchased separately.


The 12"D end panel is used to freestand peninsulas, curvilinear shapes, and D-tops in panel applications.

Corner Desk Legs **C**

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

Bridge Brackets **B**

Bridge brackets include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This bracket is used when attaching a bridge unit between two rectangular worksurfaces.



There are some bridge instances where only half of a bridge bracket is needed (e.g. using a bridge between a rectangular worksurface and a corner or peninsula). A return bracket may be ordered for these instances.


Surface **S**

Support Column **SC**

Support columns are used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket M-MDPC29, attaching hardware, and adjustable glides.

Return Brackets **R**


Return brackets include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return brackets can also be used in some bridge applications — one example is shown below when using a peninsula.



Desk-to-Panel Attachment Brackets **D**


Desk-to-panel attachment brackets are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg, or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk, use corner w/desk attachment bracket. Hand of unit is determined from the user's side of the desk (right hand unit attaches to right side of modesty).



Corner with Desk**CW**


Corner w/desk panel attachment bracket connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. Hand of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).

**Corner Worksurfaces**

Corner worksurfaces to accommodate 90-degree corner desk legs.

In-Line Connections of Desks

Freestanding full end panels must be used to support adjacent rectangular desks, corner desks, and corner desks with returns. Freestanding support legs should NOT be used at the in-line junction. You may use the shared C-Leg to replace the two end panels circled below. 24"D full end panels may be used at the in-line junction on 30"D rectangular desks if two worksurface tie straps are used to secure the desks together.

**Pedestals and Storage**

Pedestals must be ordered one size smaller than the depth of the worksurface. For example, 20"D peds should be used with 24"D worksurfaces. 20"D or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional pull style and storage options under 24"D worksurfaces.



Modesty Panels M

The following are some general guidelines for SURPASS modesty panels:


- Desk: Modesty panel width is the same width as the worksurface
- Return: Modesty panel width is M+6" greater than the width of the worksurface
- Bridge connecting two rectangular worksurfaces: Modesty panel width is M+12" greater than the width of the bridge worksurface
- Bridge connecting a rectangular worksurface and corner or peninsula: Modesty panel width is 6" greater than the width of the worksurface
- Corner connecting to an adjacent worksurface: Modesty panel width is the same width as the worksurface.

Stand-Alone Corner Modesty Panels SM

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.

**Gussets G**


Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.



Working with SURPASS O-Legs

O-Leg Support **O**

Does not require additional support, such as modesty panel or gusset. Will only support the ends of worksurfaces. Non-handed and comes fully assembled.



Countertop Flat Bracket **CB**

To be used on returns with O-Legs that are 42" or less.


Standing O-Leg Support **SO**

Supports worksurfaces at a standing height. Does not require additional support, such as modesty panel or gusset. Will only support the ends of worksurfaces. Non-handed and comes fully assembled.

Standing Shared O-Leg Support **SSO**


The only difference between Standing Height O-Leg and Standing Shared O-Leg, is shared will span two worksurfaces.

Surface **S**



Shared C-Leg Support **CS**

Will span two worksurfaces. Modesty panels or gussets can be used in a freestanding application without additional support.




Double Depth O-Leg Support **OD**

Will support two worksurfaces in a back-to-back benching application. No additional support is needed.


O-Leg Stanchion Support **OSS**

Only used on INCLUDE® low credenzas at the end of worksurfaces.



Shared O-Leg Support **SOS**

The only difference between O-Leg and Shared O-Leg, is shared will span two worksurfaces.





- REFERENCE
- EMERGE
- PREFIX
- WORKSURFACES
- SMARTSPACE
- SURPASS**
- PREPARE
- STORAGE
- ACCESSORIES
- SEATING
- INDEX


Worksurface Specifications

- Worksurfaces use 1.184" thick high-density particleboard.
- Top surfaces are high pressure laminate and the undersides have a moisture-resistant backing to prevent warping. Total thickness 1 3⁄16".
- Desk shells are 29 1⁄4" tall.
- Worksurfaces are available in Edgeband edge treatments (with a squared edge).
- Worksurfaces include 3 1⁄2" x 2" oval grommets with caps.
- Supports and modesty panels attached with wood screws.
- Meets or exceeds all ANSI-BIFMA standards.
- List price shown applies to laminates listed on the Maxon L1 and L2 laminate grades.
- Grommets location 6.36" from each side on 48" wide and greater worksurfaces.


Corner Desk Specifications

- Straight Front Corners:
- Radius Front Corners:
 - 10.5" radius on all corners.
- Grain direction runs diagonally along worksurface (directional laminates only).

Straight Front



Radius Front



Modesty Panel Specifications

- SURPASS modesty panels are constructed of commercial grade steel.
- Modesty panels are available in full-height (27 ½") and half-height (14") for access to wall electrical.
- For adequate clearance of files, specify storage component depths that are at least 6" less than the understructure depth.

End Support and Bridging Bracket Specifications


- End panels and bridging brackets are symmetrical and may be used for right- or left-hand support at any time.

Storage Hutch Specifications

- Storage Hutches are 35 ¾" high x 14" deep and, when installed, have a floor to top-of-hutch height of 65". The vertical side supports are constructed of 20 gauge formed steel. All hutches have a matching width, fully enclosed storage bin. Hutch bin bases and lids are constructed of 16 gauge formed steel. All points of connection in the assembly are steel-to-steel for added strength and durability.
- Storage Hutches may be ordered with an open back. Painted metal backs with a fabric surfaced tackboards are also available as an option. Backs and tackboards are also available for retrofit applications.
- SURPASS Hutches will accept task lights. Personal Accessory Rails are also available for use with the hutches to accommodate our complete line of paper management trays, bins, and other storage components.
- On 36" - 48" hutches, there is one door which includes one lock core.
- On 60"- 72" hutches, both hutch doors are automatically keyed alike. Beyond that, all pairs of keyed locks installed on hutch doors are randomly keyed, with no attempt to assure either the same or different keying between different hutch units.
- Hutch doors may be keyed-alike to match floor pedestal or lateral file lock. Refer to page 195 for details.

Typical SURPASS Desking Configurations

Typical configurations are commonly ordered layouts shown for planning and budgeting purposes. List pricing for typical configurations is based on Core Laminates and Paint and Edgeband edge finish. Models MUST be ordered individually.



Includes:
Core Finishes Applied

6'x7'6" SURPASS Private Office

MODEL #	DESCRIPTION	QTY	LIST \$
M-SYP20B-A	Sys & Desk Univ Pedestal 20Dx15Wx28H BBF A-Pull	1	\$627
M-LF230-A	Ridgeline Lateral- 2-Dwr 30W A-Pull	1	\$1,487
M-MDCBK29	Maxon Desking Bridge Brackets	1	\$182
M-MDEP24	Maxon Desking End Panel Leg 24"	4	\$876
M-MDHO1572E	Max Desking FullHtch 15x72 Opn Lwr.Bk StlPtd Drs	1	\$1,711
M-MDMP54HP	Maxon Desking Modesty Panel 54" Half Mod	1	\$172
M-MDMP72FP	Maxon Desking Modesty Panel 72" Full Mod.	1	\$208
M-MDMP72HP	Maxon Desking Modesty Panel 72" Half Mod	1	\$198
M-URW3072N	Univ Rec WS 30 x 72 No Grommets	1	\$549
M-URW2442	Univ Rec WS 24 x 42	1	\$362
M-URW2472	Univ Rec WS 24 x 72	1	\$509
M-USL54	Task Light 54W	1	\$342
M-DT	Non Handed Diagonal Tray	1	\$192
M-LT	Letter Tray (Letter Size Only)	1	\$139
M-MDPA72	Maxon Desking Accessory Rail 72W	1	\$299
M-TB	Tool Box	1	\$111
M-MDHT1572	Maxon Desking H B and T 15H72W	1	\$446
M-SEMU502	Mid Bk Synchro Control Swivel Seating	1	\$1,450
M-SEMU504	Guest Chair	2	\$1,490
TOTAL EXTENDED LIST:			\$11,350

Typical SURPASS Desking Configurations

Typical configurations are commonly ordered layouts shown for planning and budgeting purposes. List pricing for typical configurations is based on Core Laminates and Paint and Edgeband edge finish. Models MUST be ordered individually.



Includes:
Core Finishes Applied

SURPASS Benching 6 Pack			
MODEL #	DESCRIPTION	QTY	LIST \$
M-ACC-LED1	Articulating LED Desk Lamp	6	\$3,906
M-MDDS1348F	Maxon Desk Screen 13H x 48W Fabric	3	\$1,800
M-SEMU502	Mid Bk Synchro Control Swivel Seating	6	\$8,700
M-MDEC	Desking Power Recp Clip	6	\$66
M-MDEJ24	Maxon Desk Male/Male Electrical Jumper - 24"	1	\$135
M-MDEJ42	Maxon Desk Male/Male Electrical Jumper - 42"	4	\$720
M-MDEPF72	Maxon Desk Electrical Power Feed - 72"	1	\$211
M-MDER1	Desk Electrical Power Rectp Circuit 1	3	\$303
M-MDER2	Desk Electrical Power Recept Circuit 2	3	\$303
M-MDJC12	Maxon Desking Elect Mgmt J-Hook 12 pk	1	\$127
M-ICPM211524BFMA	B/F 21H x 24D Mob Ped Mtl-A-Pull	6	\$4,668
M-ICCAUC2415	Include 24D x 15W Credenza Cushion	6	\$1,914
M-SL2428SL	24"D x 28"H Shared O-Leg Support	4	\$1,308
M-SL4828O	48"D x 28"H O-Leg Support	2	\$1,122
M-URW2448	Univ Rec WS 24 x 48	6	\$2,364
			TOTAL EXTENDED LIST: \$27,647

Typical SURPASS Desking Configurations

Typical configurations are commonly ordered layouts shown for planning and budgeting purposes. List pricing for typical configurations is based on Core Laminates and Paint, Grade A Fabric and Edgeband edge finish. Models MUST be ordered individually.




Includes:
Core Finishes Applied

SURPASS Benching 6 Pack

MODEL #	DESCRIPTION	QTY	LIST \$
M-MDDD1260FT	Maxon Desking Desk Dividing Screen 12H x 60W	3	\$2,025
M-SEMU502	Mid Bk Synchro Control Swivel Seating	6	\$8,700
M-ICCACW25	Include 25 LBS Credenza Counterweight Kit	6	\$1,254
M-MDEC	Desking Power Recp Clip	12	\$132
M-MDEJ12	Maxon Desk Male/Male Electrical Jumper - 12"	6	\$624
M-MDEJ24	Maxon Desk Male/Male Electrical Jumper - 24"	1	\$135
M-MDEJ36	Maxon Desk Male/Male Electrical Jumper - 36"	4	\$668
M-MDEPF72	Maxon Desk Electrical Power Feed- 72"	1	\$211
M-MDER1	Desk Electrical Power Rectp Circuit 1	6	\$606
M-MDER2	Desk Electrical Power Recept Circuit 2	6	\$606
M-MDJC12	Maxon Desking Elect Mgnmt J-Hook 12 pk	1	\$127
M-PPSC60	Prepare External Table Top Sup Chnl 48"	6	\$1,410
M-ICCAUC1824	Include 18D x 24W Credenza Cushion	6	\$2,136
M-SL2428SL	24"D x 28"H Shared O-Leg Support	4	\$1,308
M-SL4828O	48"D x 28"H O-Leg Support	2	\$1,122
M-ICCBX224818LBFOMA	Include 22H x 48W x 18D LH Open/File	3	\$6,894
M-ICCBX224818RBFOMA	Include 22H x 48W x 18D File/RH Open	3	\$6,894
M-URW2460	Univ Rec WS 24 x 60	6	\$2,586
TOTAL EXTENDED LIST:			\$37,438

Typical SURPASS Desking Configurations

Typical configurations are commonly ordered layouts shown for planning and budgeting purposes. List pricing for typical configurations is based on Core Laminates and Paint, Grade A Fabric and Edgeband edge finish. Models MUST be ordered individually.



Includes:
Core Finishes Applied

6x6 SURPASS 4 Pack

MODEL #	DESCRIPTION	QTY	LIST \$
M-ACC-LED1OC	Articulating LED Desk Lamp w/ Occ Sensor	4	\$3,148
M-MDDR1224FT	Maxon Desk Divd Return Screen 12H x 24W	2	\$750
M-MDFPS2836FT	Maxon Desk Full Privacy Screens 28H x 36W	4	\$4,800
M-SEMU502	Mid Bk Synchro Control Swivel Seating	4	\$5,800
M-MDEPF72	Maxon Desk Electrical Power Feed - 72"	1	\$211
M-MDEC	Desking Power Recp Clip	8	\$88
M-MDEJ36	Maxon Desk Male/Male Electrical Jumper - 36"	2	\$334
M-MDEJ24	Maxon Desk Male/Male Electrical Jumper - 24"	5	\$675
M-MDER1	Desk Electrical Power Rectp Circuit 1	4	\$404
M-MDER2	Desk Electrical Power Recept Circuit 2	4	\$404
M-PPSC72	Prepare External Table Top Sup Chnl 60"	4	\$980
M-MDDD1260FT	Maxon Desking Desk Dividing Screen 12H x 60W	2	\$1,350
M-PPBC2S	Prepare 2-Stage C-leg Elec Pow Base 2 legs	4	\$11,424
M-SL2428SL	24"D x 28"H Shared O-Leg Support	2	\$654
M-SL4828O	48"D x 28"H O-Leg Support	2	\$1,122
M-URW2472	Univ Rec WS 24 x 72	4	\$2,036
M-PPHA4824	Prepare REC HA 48W x 24W	4	\$1,836
			TOTAL EXTENDED LIST: \$36,016

Rectangular Worksurface: Edgeband

Includes

- Rectangular Worksurface.

Notes

- Worksurfaces 72" or above require middle support unless specified with a modesty panel or external support channel.
- Grain direction runs along width (directional laminates only).
- Grommet location 9" from the outer edge on surfaces 48" and greater.
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-URW2448N**



Description	Model	D	W	Wt.	Cubes	List	L2 List
With Grommets							
Rectangular Worksurface, 20"D	M-URW2024	20"	24"	21	1.6	282	304
	M-URW2030	20"	30"	25	1.9	306	334
	M-URW2036	20"	36"	31	2.2	320	352
	M-URW2042	20"	42"	43	2.6	342	380
	M-URW2048	20"	48"	45	2.9	366	410
	M-URW2054	20"	54"	47	3.2	390	440
	M-URW2060	20"	60"	52	3.6	415	470
	M-URW2066	20"	66"	67	3.9	435	495
Rectangular Worksurface, 24"D	M-URW2072	20"	72"	74	4.2	455	520
	M-URW2424	24"	24"	22	1.9	308	330
	M-URW2430	24"	30"	26	1.9	324	352
	M-URW2436	24"	36"	32	2.3	347	379
	M-URW2442	24"	42"	44	2.7	362	400
	M-URW2448	24"	48"	46	3.0	394	438
	M-URW2454	24"	54"	48	3.7	411	461
	M-URW2460	24"	60"	53	3.7	431	486
Rectangular Worksurface, 30"D	M-URW2466	24"	66"	68	4.4	470	530
	M-URW2472	24"	72"	75	4.4	509	574
	M-URW3024	30"	24"	27	1.9	347	375
	M-URW3030	30"	30"	39	2.4	362	396
	M-URW3036	30"	36"	45	2.8	387	427
	M-URW3042	30"	42"	47	3.2	403	451
	M-URW3048	30"	48"	52	3.6	431	486
	M-URW3054	30"	54"	59	4.6	451	513
	M-URW3060	30"	60"	63	4.6	471	539
	M-URW3066	30"	66"	72	5.5	509	584
	M-URW3072	30"	72"	80	5.5	549	631


Wedge Worksurface: Edgeband

Includes


- Wedge Worksurface.

Notes

- Grain Direction runs along width (directional laminates only).
- Worksurfaces 54" or above require middle support unless specified with an external support channel.
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-UTWD482024N



Description	Model	Depth L	Depth R	W	Wt.	Cubes	List	L2 List
Wedge Worksurface 20"L/24"R	With Grommets							
	M-UTWD482024	20	24	52	47	3.4	460	504
	M-UTWD542024	20	24	58	52	3.8	500	550
	M-UTWD602024	20	24	64	55	4.1	550	605
	M-UTWD662024	20	24	70	64	4.5	600	660
	M-UTWD722024	20	24	76	72	4.9	650	715
Wedge Worksurface 24"L/20"R	M-UTWD482420	24	20	52	47	3.4	460	504
	M-UTWD542420	24	20	58	52	3.8	500	550
	M-UTWD602420	24	20	64	55	4.1	550	605
	M-UTWD662420	24	20	70	64	4.5	600	660
	M-UTWD722420	24	20	76	72	4.9	650	715
Wedge Worksurface 24"L/30"R	M-UTWD482430	24	30	52	48	4.1	492	547
	M-UTWD542430	24	30	58	54	4.6	539	601
	M-UTWD602430	24	30	64	57	5.0	605	673
	M-UTWD662430	24	30	70	66	5.5	655	730
	M-UTWD722430	24	30	76	74	6.0	710	792
Wedge Worksurface 30"L/24"R	M-UTWD483024	30	24	52	48	4.1	492	547
	M-UTWD543024	30	24	58	54	4.6	539	601
	M-UTWD603024	30	24	64	57	5.0	605	673
	M-UTWD663024	30	24	70	66	5.5	655	730
	M-UTWD723024	30	24	76	74	6.0	710	792



Straight-Front Corner Worksurface: Edgeband


Includes

- Straight-front corner worksurface

Notes

- Grain direction runs along width (directional laminates only).
- Cannot be supported with O-Leg Support.
- **Add suffix "N" to a model number for no grommets, no upcharge. Example: M-USCW2436N**

Description	Model	D	W	Wt.	Cubes	List	L2 List
Straight Front Corner, 24"D	With Grommets						
	M-USCW2436	24"	36"	46	3.4	658	708
	M-USCW2442	24"	42"	59	3.3	679	747
	M-USCW2448	24"	48"	72	5.7	897	985
Straight Front Corner, 30"D	M-USCW3042	30"	42"	76	4.4	877	945
	M-USCW3048	30"	48"	77	5.7	951	1039



Radius-Front Corner Worksurface: Edgeband

Includes

- Radius-front corner worksurface

Notes

- Grain direction runs along width (directional laminates only).
- Cannot be supported with O-Leg Support.
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-URCW2436N

Description	Model	D	W	Wt.	Cubes	List	L2 List
Radius Front Corner, 24"D	With Grommets						
	M-URCW2436	24"	36"	46	3.4	658	708
	M-URCW2442	24"	42"	59	3.3	679	747
	M-URCW2448	24"	48"	72	5.7	897	985
Radius Front Corner, 30"D	M-URCW3042	30"	42"	76	4.4	877	945
	M-URCW3048	30"	48"	77	5.7	951	1039


L-Return Radius Front Worksurface: Edgeband

Includes

- L-return radius front worksurface

Notes

- Worksurfaces 72" or above require middle support unless specified with a modesty panel.
- Grain direction runs along width (directional laminates only).
- Cannot be supported with O-Leg Support.
- **Add suffix "N" to a model number for no grommets, no upcharge. Example: M-ULRL243660N**



Description	Model	D	L	W	Wt.	Cubes	List	L2 List
L-Return Worksurface Left-Hand, 24", 36"W	With Grommets							
	M-ULRL243660	60"	24"	36"	54	5.4	801	883
	M-ULRL243672	72"	24"	36"	63	6.4	843	941
L-Return Worksurface Left-Hand, 24", 48"W	M-ULRL244860	60"	24"	48"	75	7.1	843	975
	M-ULRL244872	72"	24"	48"	86	8.5	879	989
L-Return Worksurface Right-Hand, 24", 36"W	M-ULRR243660	60"	24"	36"	54	5.4	801	883
	M-ULRR243672	72"	24"	36"	63	6.4	843	941
L-Return Worksurface Right-Hand, 24", 48"W	M-ULRR244860	60"	24"	48"	75	7.1	843	975
	M-ULRR244872	72"	24"	48"	86	8.5	879	879



Radius End Peninsula Worksurface: Edgeband


Includes

- Radius end peninsula worksurface

Notes

- Grain direction runs along width (directional laminates only).
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-URP3060N

Description	Model	D	W	Wt.	Cubes	List	L2 List
Radius End Peninsula Worksurface, 30"D	With Grommets						
	M-URP3060	30"	60"	63	3.8	730	798
	M-URP3066	30"	66"	72	5.5	752	827
	M-URP3072	30"	72"	80	5.5	779	861
Radius End Peninsula Worksurface, 36"D	M-URP3660	36"	60"	75	5.4	779	779
	M-URP3666	36"	66"	80	6.4	807	897
	M-URP3672	36"	72"	89	6.4	828	926



"P" Shaped Peninsula Worksurface: Edgeband


Includes

- "P" shaped peninsula worksurface

Notes

- Grain direction runs along width (directional laminates only).
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-UPPL3072N

Description	Model	D	W	Wt.	Cubes	List	L2 List
With Grommets							
Left-Hand P-Shaped Peninsula Worksurface, 30"D	M-UPPL3072	30	72	90	7.5	1100	1182
Right-Hand P-Shaped Peninsula Worksurface, 30"D	M-UPPR3072	30	72	90	7.5	1147	1229



Grand Peninsula Worksurface: Edgeband

Includes

- Grand peninsula worksurface

Notes

- Grain direction runs along width (directional laminates only).
- Add suffix "N" to a model number for no grommets, no upcharge. Example: M-UPGL244866N

Description	Model	L	D	W	Wt.	Cubes	List	L2 List
Left-Hand Grand Peninsula Worksurface	With Grommets							
	M-UGPL244866	66"	24"	48"	84	8.5	1100	1220
	M-UGPL244872	72"	24"	48"	91	8.5	1147	1275
Right-Hand Grand Peninsula Worksurface	M-UGPR244866	66"	24"	48"	84	8.5	1100	1220
	M-UGPR244872	72"	24"	48"	91	8.5	1147	1275






Worksurface Support Legs

Includes

- Legs and attaching hardware.

Notes

- Order gussets and modesties separately. (For end panel legs only).
- Modesties and gussets will not attach to O-Legs.
- Must use rectangular edgebanded worksurfaces with O-Legs.
- Panel mount brackets are sold separately.

Description	Model	W	Wt.	Cubes	List
E End Panel Leg 12", 24", 30" wide  	M-MDEP12	12"	15	2.3	182
	M-MDEP24	24"	25	2.7	219
	M-MDEP30	30"	30	3.1	234
O O-Leg 20", 24", 30" wide 	M-SL2028O	20"	15	3.6	296
	M-SL2428O	24"	17	3.6	306
	M-SL3028O	30"	19	5.3	317
S0 Shared O-Leg 12", 20", 24", 30" wide 	M-SL1228SL	12"	7.0	0.5	286
	M-SL2028SL	20"	16.5	3.6	306
	M-SL2428SL	24"	18.7	3.6	327
	M-SL3028SL	30"	20.9	5.3	347
S0S Support Leg 24", 30" wide 	M-MDSL2429	24"	25	1.1	198
	M-MDSL3029	30"	25	1.1	208






Worksurface Support Legs

Includes

- 1 Support Leg, support bracket and hardware.

Notes

- Must use rectangular edgebanded worksurfaces with O-Legs.
- Modesties and gussets will not attach to O-Legs.

Description	Model	W	Wt.	Cubes	List
CS Shared C-Leg Support Leg 	M-MDSL29	18"	18"	1.5	312
Standing Height O-Leg 24", 30" wide 	M-SL2441O M-SL3041O	24" 30"	16 17	5.2 6.4	429 490
SSO Shared Standing Height O-Leg 24", 30" wide 	M-SL2441SL M-SL3041SL	24" 30"	16 17	5.2 6.4	459 521
OD Double Depth O-Leg 48", 60" wide 	M-SL4828O M-SL6028O	48" 60"	18 17	7.0 8.6	561 638
OSS O-Leg Stanchion 20", 24", 30" wide 	M-SCAW6520 M-SCAW6524 M-SCAW6530	20" 24" 30"	5 6 7	0.9 0.9 0.9	204 225 245


External Table Top Support Channel

Includes

- Support Channel

Notes

- See table below.
- Can be added to any surface for additional support.
- Counts as a center support.



Description	Model	Wt.	Cubes	List
External Table Top Sup Chnl 30"	M-PPSC42	5.8	0.4	174
External Table Top Sup Chnl 36"	M-PPSC48	5.8	0.4	179
External Table Top Sup Chnl 41"	M-PPSC54	6.6	0.4	230
External Table Top Sup Chnl 48"	M-PPSC60	8.3	0.5	235
External Table Top Sup Chnl 60"	M-PPSC72	9.9	0.5	245
External Table Top Sup Chnl 72"	M-PPSC84	11.5	0.5	255

External Support Channel Selection Guide

SUPPORT COMBINATION		Worksurface Width for Rectangle			
SUPPORT 1	SUPPORT 2	72"	66"	60"	54"
O-Leg	O-Leg	M-PPSC72	M-PPSC60	M-PPSC60	M-PPSC54
O-Leg	Full End panel with Gusset	M-PPSC72	M-PPSC60	M-PPSC60	M-PPSC54
Full End panel with Gusset	Full End panel with Gusset	M-PPSC72	M-PPSC60	M-PPSC60	M-PPSC54
O-Leg	Pedestal	M-PPSC60	M-PPSC60	M-PPSC54	
Pedestal	Full End panel with Gusset	M-PPSC60	M-PPSC60		
Pedestal	Pedestal				
O-Leg	2H Lat/PS				
Pedestal	2H Lat/PS				
Full End panel with Gusset	2H Lat/PS				


Peninsula Modesty Panels

Includes

- Modesty panel and mounting hardware.

Notes

- Can be used on any shape peninsula
- Can be mounted in multiple locations to allow for keyboard tray or pencil drawer.
- 8 1/2" high.




Description	Model	W	Wt.	Cubes	List
Peninsula Modesty Panel	M-MDPM54	54"	12.4	2.2	419
	M-MDPM60	60"	13.2	2.5	442
	M-MDPM66	66"	14.8	2.8	458
	M-MDPM72	72"	16.4	3.1	481

Peninsula Column Leg

Includes

- 1 Peninsula Column Leg



Description	Model	W	Wt.	Cubes	List
Peninsula Column Leg	M-MDPC29	12"	28	1.0	136

Return Bracket


- Includes
- Flat Bracket, modesty panel-to-end-panel bracket.
- Notes
- Connects return worksurface and modesty panel to end panels and perpendicular worksurface (non-handed).



Description	Model	W	Wt.	Cubes	List
Maxon Desking Return Kit Support	M-MDCRK29	■	6	.4	115

Bridge Bracket

- Includes
- 2 flat brackets, 2 modesty panel-to-end-panel brackets.
- Notes
- Connects bridge worksurfaces and modesty panel to end panels and worksurfaces that are perpendicular to the bridge worksurface.



Description	Model	W	Wt.	Cubes	List
Maxon Desking Bridge Kit Support	M-MDCBK29	■	10	.4	182

Corner Leg

- Includes
- Corner Leg
- Notes
- Attaches two modesty panels at rear of corner desk.



Description	Model	W	Wt.	Cubes	List
Maxon Desking Corner Leg Support	M-MDCDL29	■	7	.4	115

Flat Brackets

Includes

- 1 Flat Bracket

Notes

- Grey finish only.

Description	Model	W	Wt.	Cubes	List
24" Flat Bracket	M-FB24	24"	3	0.3	59
30" Flat Bracket	M-FB30	30"	5	0.8	81



Gusset Bracket

Includes

- 1 Gusset Bracket Set (2 brackets, 1 right-handed and 1 left-handed)

Notes

- Gusset attach to Full End panels and C-Legs only.

Description	Model	Wt.	Cubes	List
Gusset Bracket	M-MDPG	5	0.6	104




Full Modesty Panel - Standard

Includes

- Full modesty panel and hardware

Notes

- Full Modesty height is 27 ½".



Description	Model	W	Wt.	Cubes	List
Full Modesty Panel	M-MDMP24FP	24"	8	2.1	136
	M-MDMP30FP	30"	10	2.6	146
	M-MDMP36FP	36"	12	3.1	162
	M-MDMP42FP	42"	13	3.6	167
	M-MDMP48FP	48"	14	4.0	172
	M-MDMP54FP	54"	16	4.5	182
	M-MDMP60FP	60"	17	5.0	188
	M-MDMP66FP	66"	19	5.5	198
	M-MDMP72FP	72"	20	7.4	208


Half Modesty Panel - Standard

Includes

- Half modesty panel and hardware

Notes

- Height of modesty is 14".



Description	Model	W	Wt.	Cubes	List
Half Modesty Panel	M-MDMP24HP	24"	6	2.1	125
	M-MDMP30HP	30"	8	2.6	136
	M-MDMP36HP	36"	10	3.1	151
	M-MDMP42HP	42"	11	3.6	156
	M-MDMP48HP	48"	12	4.0	162
	M-MDMP54HP	54"	14	4.5	172
	M-MDMP60HP	60"	15	5.0	177
	M-MDMP66HP	66"	17	5.5	188
	M-MDMP72HP	72"	18	7.4	198


Full Modesty Stand-Alone Corner

Includes

- Full modesty stand-alone corner support and hardware

Notes

- Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface.



Description	Model	W	Wt.	Cubes	List
Full Modesty Stand Alone Corner	M-MDMPC36F	36"	12	3.1	177
	M-MDMPC42F	42"	13	3.6	188
	M-MDMPC48F	48"	14	4.0	198
	M-MDMPC60F	60"	17	5.0	208
	M-MDMPC72F	72"	20	7.4	229


Half Modesty Stand-Alone Corner

Includes

- Half modesty stand-alone corner support and hardware

Notes

- Height of modesty is 14".



Description	Model	W	Wt.	Cubes	List
Half Modesty Stand Alone Corner	M-MDMPC36H	36"	62	3.1	167
	M-MDMPC42H	42"	63	3.6	177
	M-MDMPC48H	48"	65	4.0	188
	M-MDMPC60H	60"	15	5.0	198
	M-MDMPC72H	72"	18	7.4	219

Panel Mount Bracket - Stand-Alone Corner

Includes

- 1 Panel Mount Bracket, Right or Left Hand. Additional Corner Worksurface Bracket included.

Notes

- Connects a stand-alone corner modesty panel to a systems panel.
- Choose right or left-handed; hand of bracket is the hand of the surface you're attaching to, when facing the surface.
- Additional bracket is sold with kit to secure the front edge of the surface to the panel.

Description	Model	Wt.	Cubes	List
Panel Mount Bracket	M-MDCWD29L	5	0.4	127
	M-MDCWD29R	5	0.4	127




Hutch with Open Lower Back

Includes

- Hutch with open lower back and hardware.

Notes

- Overall hutch height is 34 5/8."
- On 36" - 48" hutches, there is one door which includes one lock core.
- 60" W & 72"W hutches have 2 doors with locks keyed alike.

Description	Model	W	Wt.	Cubes	List
	M-MDHO1536E	36"	59	3.1	1115
	M-MDHO1542E	42"	63	3.1	1185
	M-MDHO1548E	48"	67	3.9	1243
	M-MDHO1560E	60"	76	4.7	1597
	M-MDHO1566E	66"	81	5.1	1650
	M-MDHO1572E	72"	87	5.1	1711


Open Shelf Hutch with Open Lower Back

Includes

- Open shelf hutch with open lower back and hardware.

Notes

- Overall hutch height is 36 1/8."

Description	Model	W	Wt.	Cubes	List
	M-MDSO36E	36"	34	5.1	754
	M-MDSO42E	42"	35	5.8	794
	M-MDSO48E	48"	37	6.6	828
	M-MDSO60E	60"	41	8.1	903
	M-MDSO66E	66"	44	8.9	941
	M-MDSO72E	72"	46	9.7	979



Hutch Lock

Includes

- Each M-LC1 kit includes one core and core removal tool, two keys and instructions.


Notes

- Order required quantity of M-LC1 Kits and specify key number between 101 and 225 for each keyed-alike group.

Description	Model	Wt.	Cubes	List
 Lock Core Kit	M-LC	0.1	0.1	35
 Master Key (1)	M-MK	0.1	0.1	22

Example

Hutch Lock shown in application.




Hutch Tackboard

Includes

- Tackboard for hutch.

Notes

- Must be used with a hutch.
- Can be used with hutch accessory rail as well.

Description	Model	W	Wt.	Cubes	Grade A List	Grade B Upcharge
 Tackboard for Hutch	M-MDHT1536	36"	9.0	1.7	351	367
	M-MDHT1542	42"	10.0	2.0	372	388
	M-MDHT1548	48"	11.0	2.3	383	399
	M-MDHT1560	60"	13.0	2.8	412	428
	M-MDHT1566	66"	14.0	3.1	435	454
	M-MDHT1572	72"	15.0	1.7	446	465


Desk Mounted Fabric Screen & Return Fabric Screen


Includes


- Fabric screen and hardware

Notes

- Attaches to top and side of worksurface with adhesive banding.
- Screens are fastened to the edge of the worksurface. Screen can be the same size or smaller than the worksurface it is being attached to.
- Return screens are used perpendicular to standard desk screens.
- Return screens are 2" short of nominal so as not to interfere with the primary desk screen.

Description	Model	H	W	Wt.	Cubes	Grade A List	Grade B Upcharge
	M-MDDS1324F	13"	24"	4.5	1.0	507	523
	M-MDDS1330F	13"	30"	5.0	2.2	520	536
	M-MDDS1336F	13"	36"	5.5	2.5	573	589
	M-MDDS1342F	13"	42"	7.0	3.1	588	604
	M-MDDS1348F	13"	48"	8.0	3.4	600	616
	M-MDDS1354F	13"	54"	9.0	4.4	613	629
	M-MDDS1360F	13"	60"	9.0	2.2	627	643

Description	Model	H	W	Wt.	Cubes	Grade A List	Grade B Upcharge
	M-MDDS2024F	20"	24"	4.5	1.9	527	543
	M-MDDS2030F	20"	30"	5.0	2.2	540	556
	M-MDDS2036F	20"	36"	5.5	2.5	594	610
	M-MDDS2042F	20"	42"	7.0	3.1	607	623
	M-MDDS2048F	20"	48"	8.0	3.4	619	635
	M-MDDS2054F	20"	54"	9.0	4.4	633	649
	M-MDDS2060F	20"	60"	9.0	2.2	646	662

	Desk Mounted Return Fabric Screen	M-MDRS1324F	13"	22"	4.5	1.0	507	523
		M-MDRS1330F	13"	28"	5.0	2.2	520	536
		M-MDRS2024F	20"	22"	4.5	1.9	527	543
		M-MDRS2030F	20"	28"	5.0	2.2	540	556


Desk Mounted Glass Screen

Includes

- Privacy screen.
- Attachment brackets.

Notes

- Can be used on Maxon Height-Adjustable Base.
- Above Privacy Screen attaches to top of worksurface.



Description	Model	H	W	Wt.	Cubes	List
Desk Dividing Screen 12Hx30W	M-MDDD1230FT	12"	30"	13.0	1.5	420
Desk Dividing Screen 12Hx36W	M-MDDD1236FT	12"	36"	15.0	1.8	465
Desk Dividing Screen 12Hx42W	M-MDDD1242FT	12"	42"	18.0	2.3	525
Desk Dividing Screen 12Hx48W	M-MDDD1248FT	12"	48"	20.0	2.3	570
Desk Dividing Screen 12Hx54W	M-MDDD1254FT	12"	54"	22.0	2.8	623
Desk Dividing Screen 12Hx60W	M-MDDD1260FT	12"	60"	24.0	2.8	675


Desk Mounted Return Glass Screens

Includes

- Privacy screen and attachment brackets.

Notes

- Attaches to top and side of worksurface with adhesive banding.
- Brackets intended to be attached between users sitting side-by-side, and will create 1/8" separation between worksurfaces.
- Above Screens must attach to edge and top of surface.



Description	Model	H	W	Wt.	Cubes	List
Maxon Desk Divd Return Screen 12Hx20W	M-MDDR1220FT	12"	20"	13.0	1.3	330
Maxon Desk Divd Return Screen 12Hx24W	M-MDDR1224FT	12"	24"	16.0	1.3	375
Maxon Desk Divd Return Screen 12Hx30W	M-MDDR1230FT	12"	30"	18.0	1.6	405
Maxon Desk Divd Return Screen 12Hx36W	M-MDDR1236FT	12"	36"	20.0	1.9	450


Desk Dividing Full Privacy Screens

Includes

- Privacy screen.
- Attachment brackets.

Notes

- Can be used on Maxon Height-Adjustable Base.
- Screen extends 13" above & 13" below the worksurface.
- Attachment bracket extend 2" into the worksurface.



Description	Model	H	W	Wt.	Cubes	List
Desk Full Privacy Screens 28Hx36W	M-MDFPS2830FT	28"	30"	6	6.3	1000
Desk Full Privacy Screens 28Hx36W	M-MDFPS2836FT	28"	36"	6	6.3	1200
Desk Full Privacy Screens 28Hx42W	M-MDFPS2842FT	28"	42"	6	6.3	1300
Desk Full Privacy Screens 28Hx48W	M-MDFPS2848FT	28"	48"	8	8.2	1400
Desk Full Privacy Screens 28Hx54W	M-MDFPS2854FT	28"	54"	9	8.6	1600
Desk Full Privacy Screens 28Hx60W	M-MDFPS2860FT	28"	60"	9	8.6	1700







ABOVE-BELOW PRIVACY SCREEN SELECTION CHART

SUPPORT COMBINATION		TOP SIZE						
SUPPORT 1	SUPPORT 2	72"	66"	60"	54"	48"	42"	36"
O-Leg	O-Leg	M-MDFPS2860FT	M-MDFPS2854FT	M-MDFPS2848FT	M-MDFPS2842FT	M-MDFPS2836FT	M-MDFPS2830FT	
O-Leg	Pedestal	M-MDFPS2854FT	M-MDFPS2848FT	M-MDFPS2842FT	M-MDFPS2836FT	M-MDFPS2830FT		
O-Leg	Full End panel	M-MDFPS2848FT	M-MDFPS2842FT	M-MDFPS2836FT	M-MDFPS2830FT			
Full End panel	Full End panel	M-MDFPS2836FT	M-MDFPS2830FT					
Pedestal	Pedestal	M-MDFPS2836FT	M-MDFPS2830FT					
Pedestal	Full End panel	M-MDFPS2836FT	M-MDFPS2830FT					
O-Leg	2H 30" Lat/PS	M-MDFPS2836FT	M-MDFPS2830FT					
Pedestal	2H 30" Lat/PS							
Full End panel	2H 30" Lat/PS							
HAT	HAT	M-MDFPS2860FT	M-MDFPS2854FT	M-MDFPS2848FT	M-MDFPS2842FT	M-MDFPS2836FT		





Accessories

Notes

- The Hutch Accessory Rail is 5" high and provides a continuous full-width slot for mounting personal accessory components.
- Fabric Screen Accessory Rails cannot be used back to back on the same screen.
- Diagonal trays are non-handed.
- Accessories will fit on either the Hutch or Fabric Screen accessory rail.
- Desk Mounted Accessory rail can be used with fabric screens.

Description	Model	H	W	Wt.	Cubes	List
 Hutch Accessory Rail	M-MDPAR36	5"	36"	7.0	1.0	217
	M-MDPAR42	5"	42"	7.5	1.1	225
	M-MDPAR48	5"	48"	8.0	1.2	243
	M-MDPAR54	5"	54"	9.0	1.3	259
	M-MDPAR60	5"	60"	9.0	1.4	272
	M-MDPAR66	5"	66"	9.5	1.5	281
	M-MDPAR72	5"	72"	10.0	1.6	299
 Desk Mounted Accessory Rail	M-MDAR24	13"	24"	5.0	0.2	288
	M-MDAR30	13"	30"	6.0	0.3	313
	M-MDAR36	13"	36"	7.0	0.3	331
	M-MDAR42	13"	42"	8.0	0.4	353
	M-MDAR48	13"	48"	9.0	0.4	380
 Personal Shelf	M-PS21	1.7"	21.6"	3	0.5	142
 Letter Tray	M-LT	1.7"	13"	2	0.5	139
 Binder Bin	M-SB	8.5"	5.2"	3	0.8	139
 Diagonal Tray - (Non-handed) (3)	M-DT	8.5	4.5	2	0.3	192

Accessories Continued...

Description	Model	H	W	Wt.	Cubes	List
File Pocket 	M-FP	8.9"	12"	2	0.3	142
Paper Clip 	M-CLIP2	1.9"	5"	1	0.2	142
Small Paper Clip Tray 	M-SMTRAY	1.8"	6.8"	1	0.1	99
Tool Box 	M-TB	5.25"	5"	1	0.2	111

Wire Management Trays


Includes

- Tray and mounting hardware

Notes

- Wire management trays are screwed to the underside of the worksurface.
- Used to manage computer cords, phone cords, etc.
- Available in Black paint only.

Description	Model	W	H	D	Wt.	Cubes	List
Wire Management Tray	M-MDWMT24	24"	4"	4"	2	0.4	120
	M-MDWMT36	36"	4"	4"	3	0.5	138



Electrical Jumper

Includes

- Electrical Jumper
- 4 wires, 2 circuits, each circuit is rated at 20 Amps each

Notes

- Connects one receptacle block to another
- Each jumper is rated at 15 amps

Description	Model	L	Wt.	Cubes	List
Electrical Jumper	M-MDEJ6	6"	2.5	0.2	91
	M-MDEJ12	12"	3.0	0.2	104
	M-MDEJ18	18"	3.5	0.2	123
	M-MDEJ24	24"	4.0	0.3	135
	M-MDEJ30	30"	4.5	0.3	153
	M-MDEJ36	36"	4.8	0.4	167
	M-MDEJ42	42"	5.0	0.4	180
	M-MDEJ48	48"	5.3	0.0	197
	M-MDEJ54	54"	5.5	0.6	211
	M-MDEJ60	60"	5.0	0.6	228
	M-MDEJ66	66"	5.25	0.7	241
	M-MDEJ72	72"	5.5	0.7	259
	M-MDEJ78	78"	5.8	0.8	272
	M-MDEJ84	84"	6.0	0.8	286
	M-MDEJ90	90"	6.3	0.8	303




Electrical Power Feeds

Includes

- Electrical power feed
- 4 wires, 2 circuits, 20 Amps each

Notes




- Feeds power to receptacle blocks

Description	Model	L	Wt.	Cubes	List
	M-MDEPF36	36"	4.5	0.4	160
	M-MDEPF48	48"	5.3	0.5	179
	M-MDEPF60	60"	5.0	0.6	197
	M-MDEPF72	72"	5.5	0.7	211
	M-MDEPF96	96"	6.3	0.7	236
	M-MDEPF144	144"	9.8	0.7	308
Metal Conduit	M-MDMAINFEED72	72"	1.6	0.3	200
	M-MDMAINFEED156	156"	3.5	0.3	300

Electrical Power Connectors

Includes

- Electrical power connector - 4 way "H"
- 4 wires, 2 circuits, 20 Amps each

Description	Model	Wt.	Cubes	List
Power Connector	M-MDEC4	0.5	0.1	40
				
8 Wire to 4 Wire Connector	M-MDA8TO4CON	1.4	0.1	200
				
Duplex to Duplex Connector	M-MDMADCON	0.1	0.1	40
				

Electrical Power Receptacle and Clip

Includes

- Electrical power receptacle or clip
- A clip is required for each receptacle
- 4 wires, 2 circuits, 20 Amps each

Description	Model	Wt.	Cubes	List
Power Receptacle Circuit 1	M-MDER1	1	0.1	101



Description	Model	Wt.	Cubes	List
Power Receptacle Circuit 2	M-MDER2	1	0.1	101



Description	Model	Wt.	Cubes	List
Power Receptacle Clip	M-MDEC	0.3	0.1	11



Electrical Management Power Pole

Includes

- 2" x 2" pole (two pieces), bottom trim, connecting pins, top ceiling trim and hardware.

Notes

- The Power Pole routes cables from floor to ceiling (123" high)
- Power Poles can hold up to 24 Cat 5E or Cat 6 cables (up to 18 if power and data in the same pole).
- A separate (empty) Power Pole for data cables is recommended.

Description	Model	Wt.	Cubes	List
Power Pole	M-MDPP	12.7	0.9	541



Electrical Management J-Hook

Includes

- M-MDJC - 1 J-Hook, 2 mounting screws
- M-MDJC12 - 12 pack J-Hooks, 2 mounting screws per hook

Notes

- J-Hooks are black

Description	Model	Wt.	Cubes	List
J-Hook	M-MDJC	0.1	0.3	34
	M-MDJC12	0.12	0.3	127




Electrical Accessories


Notes

- M-PWRMOD - Color finishes available: Flint and White
- M-COMDOME2 - Color finish available: Loft


Description	Model	Wt.	Cubes	List
O-Leg Wire Clip	M-WMCLIPSM (4-Pack)	0.1	0.5	77
	M-WMCLIPLG (8-Pack)	0.1	0.8	128




Description	Model	Wt.	Cubes	List
2 Receptacles 1 USB Under Worksurface Mt (Shown)	M-PWRMOD2UWM	2.3	0.2	561
3 Receptacles 1 USB Under Worksurface Mt	M-PWRMOD3UWM	2.3	0.2	388



Description	Model	Wt.	Cubes	List
2 Receptacles 2 Data Accessory	M-COMDOME2	2.5	0.2	408



Description	Model	Wt.	Cubes	List
2 Receptacles 1 USB	M-PWRMOD2WC	2.3	0.2	561
3 Receptacles (Shown)	M-PWRMOD3WC	2.3	0.2	388





Prepare™

Maxon Prepare is our line of teaming and tasking tables. Prepare means:

- Height adjustable tops and bases. A variety of rectangular worksurface sizes work with select base styles.
- Versatility. Use Prepare as a single unit or specify tables together for conferencing needs. For conference tables, choose "X" or "T" style base. Teaming tables feature legs with casters, allowing them to move with the changes in your environment.
- Variety. Choose from a number of shapes and sizes to expand your worksurface areas.
- Harmony. Prepare works well with Maxon systems; Prefix, Emerge and Surpass.

All Prepare tables offer:

- High pressure laminate (HPL) surfaces. Durability providing for extended performance and usage.
- Steel leg construction.

List prices include core paint and laminate options, offered with edgeband edge only.

Table Capabilities

Table Tops	Seating Capacity
Round	
30" Round.....	2
36" Round.....	4
42" Round.....	4
48" Round.....	5
Square	
30" Square.....	2
36" Square.....	4
42" Square.....	4
48" Square.....	4
Half-Round	
48" Half-Round.....	2
60" Half-Round.....	2

Table Tops	Seating Capacity
Rectangle	
24" x 36" Rectangle.....	1
24" x 48" Rectangle.....	2
24" x 60" Rectangle.....	2
24" x 72" Rectangle.....	3
30" x 48" Rectangle.....	4
30" x 60" Rectangle.....	4
30" x 72" Rectangle.....	6
36" x 48" Rectangle.....	4
36" x 60" Rectangle.....	4
36" x 72" Rectangle.....	6
36" x 84" Rectangle.....	6
36" x 96" Rectangle.....	8
48" x 60" Rectangle.....	6
48" x 72" Rectangle.....	6
48" x 84" Rectangle.....	8
48" x 96" Rectangle.....	8



Clearance Dimensions

	"T" Table Base			"X" Table Base
	E1	W	E2	E2
	Edge of table to outside of leg	Between Legs	Edge of table to outside of leg	
Approximate dimensions shown in inches				
30" Round	—	—	—	13¾"
36" Round	—	—	—	16¾"
42" Round	—	—	—	19¾"
48" Round	—	—	—	22¾"
30" Square	—	—	—	13¾"
36" Square	—	—	—	16¾"
42" Square	—	—	—	19¾"
48" Square	—	—	—	22¾"
24" x 36" Rectangle	1"	31"	10⅝"	—
24" x 48" Rectangle	1"	43"	10⅝"	—
24" x 60" Rectangle	1"	55"	10⅝"	—
24" x 72" Rectangle	1"	67"	10⅝"	—
30" x 48" Rectangle	1"	43"	13⅝"	—
30" x 60" Rectangle	1"	55"	13⅝"	—
30" x 72" Rectangle	1"	67"	13⅝"	—
36" x 48" Rectangle	1"	42"	16⅝"	—
36" x 60" Rectangle	9"	38"	16⅝"	—
36" x 72" Rectangle	9"	50"	16⅝"	—
36" x 84" Rectangle	17"	46"	16⅝"	—
36" x 96" Rectangle	17"	58"	16⅝"	—
48" x 60" Rectangle	9"	38"	22⅝"	—
48" x 72" Rectangle	9"	50"	22⅝"	—
48" x 84" Rectangle	15"	50"	22⅝"	—
48" x 96" Rectangle	17"	58"	22⅝"	—



Base Style:	2-Stage C-Leg Base			
Dimension Location:	E1	W1	W2	E2
Prepare Top: (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle	2⅝"	37¼"	—	12⅞"
24" x 54" Rectangle	2⅝"	43¼"	—	12⅞"
24" x 60" Rectangle	2⅝"	49¼"	—	12⅞"
24" x 66" Rectangle	2⅝"	55¼"	—	12⅞"
24" x 72" Rectangle	2⅝"	61¼"	—	12⅞"
30" x 48" Rectangle	2⅝"	37¼"	—	17⅞"
30" x 54" Rectangle	2⅝"	43¼"	—	17⅞"
30" x 60" Rectangle	2⅝"	49¼"	—	17⅞"
30" x 66" Rectangle	2⅝"	55¼"	—	17⅞"
30" x 72" Rectangle	2⅝"	61¼"	—	17⅞"
60" x 36" L-Return	7⅝"	42⅝"	26⅝"	—
60" x 48" L-Return	7⅝"	42⅝"	37⅝"	—
72" x 36" L-Return	7⅝"	54⅝"	26⅝"	—
72" x 48" L-Return	7⅝"	54⅝"	37⅝"	—

Height-Adjustable Tops and Bases


Prepare™ adjustable-height bases are available in two styles:




Bottom Views




Clearance Dimensions



"T" Base



"T" Base and "X" Base



Height-Adjustable Specification Information

Height-Adjustable Worksurfaces

- Height-adjustable worksurfaces are available in laminate with edgeband.
- Leg range height 27 3/4" - 47 3/8"
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side). L-Return depth is nominal, actual is 1" less.
- Prepare worksurfaces are pre-drilled with mounting location for bases.
- Any open span 60" and greater requires an external support channel. Prepare corner cove and 66"-72"W rectangular worksurfaces include an external support channel.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- Load capacity is 300 pounds for 2-leg models and 450 pounds for 3-leg model, including weight of worksurface.

Height-Adjustable Bases


- Electric height-adjustable base units are available in 2 styles: 2-stage C-Legs with 2 legs or 2-stage C-Legs with 3 legs.
- 2-Stage models travel at 1 1/2" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on C-Leg models are 10'.
- Pedestals taller than 24 1/2" for C-leg models when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing 1/8" adjustment on C-legs.
- The no crossbar design of the C-Leg exceeds knee clearance recommendations and provides optimal undersurface mounting capability.
- 2 Leg pulls 5 amps.
- 3 Leg pulls 8 amps.

Memory Controls

- Optional control box allows for 3 memory set user heights with C-Leg model.

Working with Wire Manager Covers

Wire Manager Covers safely conceal wires and cords to and from the storage compartment. One Wire Manager Cover accommodates up to three power cords and eight data cables to support three PVD Wedges. Cables should be placed side-by-side and be neatly organized to prevent overlapping. Cable quantities listed are at 60% fill ratio.



Cross-Sectional View of Wire Manager Cover Showing Capacity

Combine Table Surfaces and Base Finishes

Table tops are available in laminate and are available with Edgeband. Cast aluminum table bases are available with painted finishes.

Prepare tables exceed BIFMA Standards and are backed by the Maxon limited lifetime warranty. Die-cast and extruded aluminum components are lightweight, yet highly durable.


Table Tops - Rectangle

Includes

- Table top.

Notes

- Base sold separately.
- Surfaces over 54" must have an external stiffener added. (See page 215 for model and size).
- Stretcher bars are required on 48" deep surfaces. (See page 215 for details).

Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
Rectangle Table Top 	M-PP2436RE	24"	36"	36.0	2.0	408	440
	M-PP2448RE*	24"	48"	46.0	2.5	459	503
	M-PP2460RE*	24"	60"	53.0	3.1	510	565
	M-PP2472RE*	24"	72"	75.0	3.7	561	626
	M-PP3048RE*	30"	48"	52.0	3.6	485	540
	M-PP3060RE*	30"	60"	63.0	4.5	536	604
	M-PP3072RE*	30"	72"	80.0	5.3	612	694
	M-PP3648RE	36"	48"	58.0	4.7	592	647
	M-PP3660RE	36"	60"	73.0	5.9	643	711
	M-PP3672RE	36"	72"	85.0	6.9	714	796
	M-PP3684RE	36"	84"	100.0	8.1	867	963
	M-PP3696RE	36"	96"	116.0	9.4	969	1071
	M-PP4860RE	48"	60"	145.0	6.2	796	898
	M-PP4872RE	48"	72"	156.0	7.0	847	949
	M-PP4884RE	48"	84"	167.0	10.1	918	1020
	M-PP4896RE	48"	96"	178.0	11.5	995	1097

*Can be used with nesting base.




Table Tops - Rectangle - Power/Data Port Cut Out

Includes

- Table top.
- Power/ Data Port Cut Out

Notes

- Base sold separately.
- Specify base with "E" suffix.
- Power/ Data Port sold separately (see page 219).
- Surfaces over 54" must have an external stiffener added. (See page 215 for model and size).
- Stretcher bars are required on 48" deep surfaces. (See page 215 for details).

Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
Rectangle Table Top, 1 Power/ Data Port Cut Out 	M-PP2436RE1	24"	36"	36.0	2.0	459	491
	M-PP2448RE1*	24"	48"	46.0	2.5	510	554
	M-PP2460RE1*	24"	60"	53.0	3.1	561	616
	M-PP2472RE1*	24"	72"	75.0	3.7	612	677
	M-PP3048RE1*	30"	48"	52.0	3.6	536	591
	M-PP3060RE1*	30"	60"	63.0	4.5	587	655
	M-PP3072RE1*	30"	72"	80.0	5.3	663	745
	M-PP3648RE1	36"	48"	58.0	4.7	643	698
	M-PP3660RE1	36"	60"	73.0	5.9	694	762
	M-PP3672RE1	36"	72"	85.0	6.9	765	847
	M-PP3684RE1	36"	84"	100.0	8.1	918	1014
	M-PP3696RE1	36"	96"	116.0	9.4	1020	1122
	M-PP4860RE1	48"	60"	145.0	6.2	847	949
	M-PP4872RE1	48"	72"	156.0	7.0	898	1000
	M-PP4884RE1	48"	84"	167.0	10.1	969	1071
	M-PP4896RE1	48"	96"	178.0	11.5	1046	1148
Rectangle Table Top, 2 Power/ Data Port Cut Out 	M-PP3072RE2	30"	72"	80.0	5.3	714	796
	M-PP3672RE2	36"	72"	85.0	6.9	816	898
	M-PP3684RE2	36"	84"	100.0	8.1	969	1065
	M-PP3696RE2	36"	96"	116.0	9.4	1071	1173
	M-PP4872RE2	48"	72"	156.0	7.0	949	1051
	M-PP4884RE2	48"	84"	167.0	10.1	1020	1122
	M-PP4896RE2	48"	96"	178.0	11.5	1097	1199

*Can be used with nesting base.


Table Tops - Half-Round

Includes

- Table top.
- Power/ Data Port Cut Out

Notes

- Base sold separately. (see table below)
- Power/Data sold separately. (See page 219)
- Half-round table tops have one power/data cut out.
- To be specified with nesting table bases only.
- Edgebanded only.



Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
Half-Round Table Top	M-PPHR3248E1	32"	48"	32.4	3.2	383	427
	M-PPHR3060E1	30"	60"	48.5	5.0	459	503


Nesting Table Bases

Includes

- 2 locking and 2 non-locking casters.

Notes

- Rectangular and half-round tops sold separately. (see table on below)
- To be used with rectangle and half-round tops.
- Dampened articulation mechanism.



Description	Model	D	W	Wt.	Cubes	List
Nesting Table Base	M-PPFLIP24S	24"	48"	24.0	2.7	704
	M-PPFLIP30S	30"	48"	24.0	2.7	714
	M-PPFLIP24L	24"	48"	27.0	2.7	725
	M-PPFLIP30L	30"	48"	27.0	2.7	735

Prepare Nesting Base Chart

Rectangle Worksurface							Half Round Worksurface	
Support	24"D x 72"W	24"D x 60"W	24"D x 48"W	30"D x 72"W	30"D x 60"W	30"D x 48"W	30"D x 60"W	32"D x 48"W
Nesting Base	M-PPFLIP24L	M-PPFLIP24L	M-PPFLIP24S	M-PPFLIP30L	M-PPFLIP30L	M-PPFLIP30S	M-PPFLIP24S	M-PPFLIP24S

Table Tops - Round and Square

Includes

- Table top.

Notes

- Base sold separately. (See page 214)



Description	Model	W	Wt.	Cubes	L1 List	L2 List
Round Table Top 	M-PP30RND	30"	28.0	3.0	510	554
	M-PP36RND	36"	40.0	3.6	587	631
	M-PP42RND	42"	56.0	4.5	714	758
	M-PP48RND	48"	71.0	4.8	816	860
Square Table Top 	M-PP30SQR	30"	36.0	3.0	408	452
	M-PP36SQR	36"	50.0	3.6	449	493
	M-PP42SQR	42"	68.0	4.2	612	656
	M-PP48SQR	48"	89.0	4.8	689	733

Table Tops - Round and Square - Power/Data Port Cut Out

Includes

- Table top.

Notes

- Base sold separately. (See page 214)
- Specify base with "E" suffix.
- Power/ Data Port sold separately. (See page 219)




Description	Model	W	Wt.	Cubes	L1 List	L2 List
Round Table Top - 1 Power/ Data Port Cut Out 	M-PP30RND1	30"	28.0	3.0	638	682
	M-PP36RND1	36"	40.0	3.6	714	758
	M-PP42RND1	42"	56.0	4.5	842	886
	M-PP48RND1	48"	71.0	4.8	944	988
Square Table Top - 1 Power/ Data Port Cut Out 	M-PP30SQR1	30"	36.0	3.0	536	580
	M-PP36SQR1	36"	50.0	3.6	577	621
	M-PP42SQR1	42"	68.0	4.2	740	784
	M-PP48SQR1	48"	89.0	4.8	816	860

Table Tops - Oval

Includes

- Table top.



Notes

- Base sold separately. (See page 214)
- Surfaces over 54" must have an external stiffener added. (See page 215 for model and size).
- Stretcher bars are required on 48" deep surfaces. (See page 215 for details).

Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
Oval Table Top	M-PP3672CO	36"	72"	85.0	6.9	1122	1204
	M-PP4284CO	42"	84"	120.0	8.5	1428	1524
	M-PP4896CO	48"	96"	178.0	11.5	1632	1734

Table Tops - Oval - Power/ Data Port Cut Out


Includes

- Table top.


Notes

- Base sold separately. (See page 214)
- Specify base with "E" suffix.
- Power/ Data Port sold separately. (See page 219)
- Surfaces over 54" must have an external stiffener added. (See page 215 for model and size).
- Stretcher bars are required on 48" deep surfaces. (See page 215 for details).

Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
Oval Table Top - 1 Power/ Data Port Cut Out	M-PP3672CO1	36"	72"	85.0	6.9	1173	1255
	M-PP4284CO1	42"	84"	120.0	8.5	1479	1575
	M-PP4896CO1	48"	96"	178.0	11.5	1683	1785



Oval Table Top - 2 Power/ Data Port Cut Out	M-PP3672CO2	36"	72"	85.0	6.9	1224	1306
	M-PP4284CO2	42"	84"	120.0	8.5	1530	1626
	M-PP4896CO2	48"	96"	178.0	11.5	1734	1836





"X" Table Bases

Includes

- X Table Base

Notes

- For use with round and square table tops.
- Medium to be used with 30"D and 36"D table tops.
- Large to be used with 42"D and 48"D table tops.
- **Table bases are intended for use with Maxon table tops and are approved under GSA SIN 711-11. When purchased separately and used without a Maxon top, those bases marked (*) are considered open market.



Description	Model	Wt.	Cubes	List
Medium Seated Height with Casters	M-PPX27FC**	15.0	2.0	510
Medium Seated Height with Glides	M-PPX27FG**	17.0	2.0	510
Medium Seated Height with Glides, Power	M-PPX27FGE**	16.0	2.0	612
Medium Standing Height with Glides	M-PPX27FGU**	16.0	3.6	612
Medium Standing Height with Glides, Power	M-PPX27FGUE**	18.0	3.6	714
Large Seated Height with Glides	M-PPX34FG**	18.0	3.7	714
Large Seated Height with Glides, Power	M-PPX34FGE**	18.0	3.7	816


"T" Table Bases

Includes

- Table Base (pair).

Notes

- For use with oval and rectangle tops.
- Small to be used with 24"D table tops.
- Medium to be used with 30"D and 36"D table tops.
- Large to be used with 42"D and 48"D oval as well as 48"D rectangle table tops.
- Must specify stretcher bar on 48"W surfaces. Stretcher bar sold separately. (see page 215)
- Wire Management Cover sold separately.
- **Table bases are intended for use with Maxon table tops and are approved under GSA SIN 711-11. When purchased separately and used without a Maxon top, those bases marked (*) are considered open market.



Description	Model	Wt.	Cubes	List
Small Seated Height with Casters	M-PPT20FC**	15.0	2.0	541
Small Seated Height with Glides	M-PPT20FG**	15.0	2.0	541
Medium Seated Height with Casters	M-PPT24FC**	17.0	2.2	587
Medium Seated Height with Glides	M-PPT24FG**	17.0	2.2	587
Large Seated Height with Glides	M-PPT34FG**	25.0	3.1	714


T Base Stretcher Bar

Includes

- Stretcher Bar

Notes

- Specify stretcher bar for all 48"D rectangle tables with large "T" bases.
- 48"x60" rectangle tables require a 38" stretcher bar.
- 48"x72" and 48"x84" rectangle tables require a 50" stretcher bar.
- 48"x96" rectangle tables require a 58" stretcher bar.



Description	Model	Wt.	Cubes	List
T Base Stretcher Bar-38"	M-PPBAR38	4.0	0.5	225
T Base Stretcher Bar-50"	M-PPBAR50	4.8	0.5	235
T Base Stretcher Bar-58"	M-PPBAR58	5.0	0.7	245


External Table Top Support Channel

Includes

- Support Channel

Notes

- 36" channel used with 48" worksurface.
- 48" channel used with 60" worksurface.
- 60" channel used with 72" worksurface.
- 72" channel used with 84" or 96" worksurface.
- Must use required sizes with specific size tops. Not smaller or larger than stated in the above notes.



Description	Model	Wt.	Cubes	List
External Table Top Sup Chnl 36"	M-PPSC48	5.8	0.4	179
External Table Top Sup Chnl 48"	M-PPSC60	8.3	0.5	235
External Table Top Sup Chnl 60"	M-PPSC72	9.9	0.5	245
External Table Top Sup Chnl 72"	M-PPSC84	11.5	0.5	255

Wire Manager Cover

Includes

- Wire Manager Cover

Notes

- For use on "T" table bases.



Description	Model	Wt.	Cubes	List
Wire Manager Cover - Small & Med T-Bases	M-PPT2024CVR	4.0	0.3	128
Wire Manager Cover - Large T-Bases	M-PPT34CVR	4.0	0.3	128


Height-Adjustable Table Tops - Rectangle

Includes

- Height-Adjustable Table Top

Notes

- Order Height-Adjustable base separately.
- Widths are 2" narrower to avoid a pinch point.



Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
H-A Rectangle Table Top	M-PPHA4824	24"	48"	46.0	3.0	459	503
	M-PPHA5424	24"	54"	48.0	3.8	485	535
	M-PPHA6024	24"	60"	53.0	3.8	510	565
	M-PPHA6624	24"	66"	73.8	4.9	536	596
	M-PPHA7224	24"	72"	81.6	5.0	587	652
	M-PPHA4830	30"	48"	52.0	3.7	510	565
	M-PPHA5430	30"	54"	59.0	4.6	536	598
	M-PPHA6030	30"	60"	63.0	4.6	561	629
	M-PPHA6630	30"	66"	72.0	5.5	587	662
	M-PPHA7230	30"	72"	80.0	5.5	638	720


Height-Adjustable Table Tops - L-Return

Includes

- Height-Adjustable Table Top

Notes

- Order Height-Adjustable base separately.
- Widths are 2" narrower to avoid a pinch point.



Description	Model	D	W	Wt.	Cubes	L1 List	L2 List
H-A L-Return Table Top (Left Hand)	M-PPHAL5835ELS	35"	58"	59.8	5.9	791	873
	M-PPHAL5846ELS	46"	58"	80.8	7.6	842	974
	M-PPHAL7035ELS	35"	70"	69.6	6.9	893	991
	M-PPHAL7046ELS	46"	70"	92.6	9.0	944	1054
H-A L-Return Table Top (Right Hand)	M-PPHAL5835ERS	35"	58"	59.8	5.9	791	873
	M-PPHAL5846ERS	46"	58"	80.8	7.6	842	974
	M-PPHAL7035ERS	35"	70"	69.6	6.9	893	991
	M-PPHAL7046ERS	46"	70"	92.6	9.0	944	1054


Height-Adjustable C-Leg Base: 2-Legs

Includes

- Height-Adjustable Base

Notes

- For use with rectangular Adjustable Height table tops.
- Available in black, silver or white paint only.
- Leg range height 27 $\frac{3}{4}$ " - 47 $\frac{3}{8}$ "



Description	Model	Wt.	Cubes	List
2-Stage C-leg Elec Pow Base 2 legs	M-PPBC2S	60.0	3.3	2856


Height-Adjustable C-Leg Base: 3-Legs

Includes

- Height-Adjustable Bases

Notes

- For use with L-Return Adjustable Height table tops.
- Available in black, silver or white paint only.
- Leg range height 27 $\frac{3}{4}$ " - 47 $\frac{3}{8}$ "



Description	Model	Wt.	Cubes	List
2-Stage C-leg Elec Pow Base 3 legs	M-PPBC2S3L	74.0	3.3	3876


Height-Adjustable Base - Memory Control

Includes

- Memory Control

Notes

- 3 memory set user heights.
- **Height-Adjustable Base - Memory Controls are intended for use with Maxon height-adjustable tables and are approved under GSA SIN 711-11. When purchased separately and used without a Maxon height-adjustable table, the memory control marked (*) is considered open market.



Description	Model	Wt.	Cubes	List
Memory Controls for C-leg base	M-PPBCMC**	0.6	0.1	306


Height-Adjustable T-Leg Base: 2-Legs

Includes

- Height-Adjustable Base
- Memory Control

Notes

- For use with rectangular Adjustable Height table tops.
- 3 Stage T-Leg
- Available in Nickle finish.
- Leg range height 22 4/5" - 48 2/5"



Description	Model	Wt.	Cubes	List
HAT T-leg Base 2 legs	M-PPBT3S	67.0	2.4	1900


Height-Adjustable T-Leg Base: 3-Legs

Includes

- Height-Adjustable Base
- Memory Control

Notes

- For use with L-Return Adjustable Height table tops.
- 3 Stage T-Leg
- Available in Nickle finish.
- Leg range height 22 4/5" - 48 2/5"



Description	Model	Wt.	Cubes	List
HAT T-leg Base 3 legs	M-PPBT3S3L	97.0	3.6	3000

Ganging Bracket

Includes

- Ganging Bracket



Notes


- Recommend 1 package of two plastic brackets per table.

Description	Model	Wt.	Cubes	List
2 PACK Ganging Bracket	M-PPGNB	1.0	0.1	51

Power/ Data Port

Includes

- Power/Data Port includes (2) Receptacles and (2) Blank Inserts.
- 10' foot cord and plug



Notes

- For use on power/data port worksurfaces.
- Data jacks sold separately.

Description	Model	Wt.	Cubes	List
Power/Data Port Corded	M-PP4P2C	3.0	1.8	459

Interlink IQ Electrical Modules

Notes

- Pluggable, single circuit electrical system
- UL recognized as a powered table system and meets the requirements of UL 962
- Interlink IQ modules require a minimum of one Interlink IQ starter
- A maximum of 8 Interlink IQ power modules (including jumpers) can be "daisy chained" together in any combination off of one 15-amp in-feed starter
- System status indicator: 1- Red light indicates too many units connected 2- Green light indicates appropriate use
- All models include wire management clips and hardware
- Power harness includes 60" cord and 11" tail. Daisy chained tables in line over 60"W require 36" jumper between modules



Description	Model	Wt.	Cubes	List
Interlink IQ Starter with 72" In-feed cord	M-PPQB	2.0	0.1	893
Interlink IQ 60" Power Harness w/Pop-Up - 2 Receptacles/ 2 Data	M-PPQH5	3.0	1.8	643
Interlink IQ 36" Jumper	M-PPQJ3	2.0	0.1	179


Personal Storage Center

Includes

- Personal Storage Center


Notes


- 1" leveling glides are adjustable even when unit is full.
- Full extension steel ball bearing suspension file drawers, 90% extension steel ball bearing suspensions on box drawers.
- Includes counterweight component to prevent tipping.
- Personal storage center can be used as worksurface support.
- Can be configured in field to be right or left handed.
- Master keys are available. For key alike option, M-LC (page 249 must be ordered separately)
- Drawers contain single side locking component to prevent drawers from being pried open.




Shown in R-Pull option

Description	Model	H	D	W	Wt.	Cubes	List
Personal Storage Center, R-Pull	M-PSCBBF-R 	28"	18"	30"	138.0	11.8	2287



Personal Storage Center, A-Pull	M-PSCBBF-A 	28"	18"	30"	138.0	11.8	2287
---------------------------------	--	-----	-----	-----	-------	------	------




Storage Cabinets

Includes

- Storage Cabinet

Notes

- Includes 2 adjustable shelves (40"H) or 1 fixed and 4 height adjustable shelves (64"H).
- Shelves are height-adjustable in 2" increments.
- Leveling glides are adjustable in 1" increments.
- Wire management grommet in back of unit.
- Master keys are available. For key alike option, M-LC (page 249 must be ordered separately)



Shown in R-Pull
(64"H version)

Description	Model	H	D	W	Wt.	Cubes	List
Storage Cabinet, R-Pull	M-SC183640-R	40"	18"	36"	119	20.0	1870
	M-SC183664-R	64"	18"	36"	184	31.8	2560






Include® Box & File Drawer Accessories

Includes



- Each M-LC1S kit includes one core and core removal tool, two keys and instructions.

Notes

- Order required of M-LC1S Kits and specify key number between 101 and 225 for each set of storage products that need to be keyed alike. If a key number is not specified, random lock number will ship.
- Counterweight Kits: Metal weight attached to back of freestanding files to inhibit tipping; field installed only.
- Use of storage-to-panel bracket or worksurface support stanchion may eliminate need for counterweight kit.
- Counterweight Kits required for freestanding files: 36"W Credenzas - 50LB Kit, 48"W Credenzas - 25LB Kit and 60"W Credenzas - 35LB Kit.
- Satin lock core to be used in **ALL** Include storage.

Description	Model	Wt.	Cubes	List	
Lock Core Kit (Satin finish) 	M-LC1S	0.2	0.1	37	
Panel Bracket LH	M-ICCRPB22L	3	0.4	78	
Panel Bracket RH 	M-ICCRPB22R	3	0.4	78	
Credenza Hangrail (Front to Back) 	M-ICCAHR12	0.4	0.4	15	
Credenza Counterweights Kits (48" B/F/O unit)	M-ICCACW25	30	2	209	
Credenza Counterweights Kits (60" B/F/O unit)	M-ICCACW35	40	2	242	
Credenza Counterweights Kits (30 & 36" B/F unit) 	M-ICCACW50	55	2	273	
Credenza Upholstered Cushion (48" unit)	M-ICCAUC1824	16.3	1.6	Grade 1	Grade 2
Credenza Upholstered Cushion (60" unit)	M-ICCAUC1830	16.3	1.6	356	371
Credenza Upholstered Cushion (36" unit) 	M-ICCAUC1836	16.3	1.6	388	408
				448	473

Include® Box & File Drawer Accessories

Description	Model	Wt.	Cubes	List
Metal Box Divider (2 pack)	M-CABD02	2.0	0.6	62
Metal Box Divider (10 pack)	M-CABD10	7.0	0.6	281
				
Metal File Divider (2 pack)	M-CAFD02	3.0	0.6	77
Metal File Divider (10 pack)	M-CAFD10	12.0	0.6	347
				

REFERENCE

EMERGE

PREFIX

WORKSURFACES

SMARTSPACE

SURPASS

PREPARE

STORAGE

ACCESSORIES

SEATING

INDEX


Pedestal Work Top - Edgeband

Includes

- Laminated worksurface with adhesive strips.

Notes

- For directional laminates, grain direction runs along width.
- To be used on Ridgeline pedestals only.



Description	Model	D	W	Wt.	Cubes	List
Pedestal Worktop - Edgeband	M-PWT2015E	20"	15"	13.0	1.0	227
	M-PWT2415E	24"	15"	15.0	1.1	248

Work Tops



Includes

- Laminated worksurface with adhesive strips.

Notes

- Lateral top to be used on storage file and credenzas to create worksurfaces independent of a panel environment.
- Can span multiple storage units.
- 36" D tops are used to span two lateral files placed back-to-back.
- For directional laminates, grain direction runs along width.

Description	Model	D	W	Wt.	Cubes	List
Lateral File Worktop 18" Deep Edgeband	M-LFWT1830E	18"	30"	18	2.2	351
	M-LFWT1836E	18"	36"	22	2.6	429
	M-LFWT1842E	18"	42"	25	3	476
	M-LFWT1848E	18"	48"			561
	M-LFWT1860E	18"	60"	36	4.2	603
	M-LFWT1866E	18"	66"	39	4.6	654
	M-LFWT1872E	18"	72"	43	5	708
	M-LFWT1878E	18"	78"	46	5.4	771
Lateral File Worktop 36" Deep Edgeband	M-LFWT1884E	18"	84"	50	5.8	827
	M-LFWT3630E	36"	30"	36	3.7	576
	M-LFWT3636E	36"	36"	43	3.8	692
	M-LFWT3642E	36"	42"	50	4.5	754
	M-LFWT3648E	36"	48"			841
	M-LFWT3660E	36"	60"	71	6	925
	M-LFWT3666E	36"	66"	78	6.8	1000
	M-LFWT3672E	36"	72"	85	7.1	1070
	M-LFWT3678E	36"	78"	92	8	1148
	M-LFWT3684E	36"	84"	99	9	1210




Include® Personal Storage Tower

Includes





- Personal Storage Tower
- All locks per unit are keyed alike.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes coat rod.
- Personal storage tower has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately)



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	List
B/B/F, Personal Storage Right, Wardrobe Left 	A-Pull	M-ICTBX502424LBBFMA	50"	24"	24"	215.0	19.8	3496
	A-Pull	M-ICTBX652424LBBFMA	65"	24"	24"	255.0	25.6	3662
	R-Pull	M-ICTBX502424LBBFMR	50"	24"	24"	215.0	19.8	3496
	R-Pull	M-ICTBX652424LBBFMR	65"	24"	24"	255.0	25.6	3661
B/B/F, Personal Storage Left, Wardrobe Right 	A-Pull	M-ICTBX502424RBBFMA	50"	24"	24"	215.0	19.8	3496
	A-Pull	M-ICTBX652424RBBFMA	65"	24"	24"	255.0	25.6	3662
	R-Pull	M-ICTBX502424RBBFMR	50"	24"	24"	215.0	19.8	3496
	R-Pull	M-ICTBX652424RBBFMR	65"	24"	24"	255.0	25.6	3662
F/F, Personal Storage Right, Wardrobe Left 	A-Pull	M-ICTBX502424LFFMA	50"	24"	24"	215.0	19.8	3496
	A-Pull	M-ICTBX652424LFFMA	65"	24"	24"	255.0	25.6	3662
	R-Pull	M-ICTBX502424LFFMR	50"	24"	24"	215.0	19.8	3496
	R-Pull	M-ICTBX652424LFFMR	65"	24"	24"	255.0	25.6	3662
F/F, Personal Storage Left, Wardrobe Right 	A-Pull	M-ICTBX502424RFFMA	50"	24"	24"	215.0	19.8	3496
	A-Pull	M-ICTBX652424RFFMA	65"	24"	24"	255.0	25.6	3662
	R-Pull	M-ICTBX502424RFFMR	50"	24"	24"	215.0	19.8	3496
	R-Pull	M-ICTBX652424RFFMR	65"	24"	24"	255.0	25.6	3662


Include® End Tower With Bookcase

Includes





- End Tower with Bookcase
- All locks per unit are keyed alike.
- Tower bracket.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- End tower with bookcase has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x2), M-LC1S (page 232 must be ordered separately).
- Can also be used as worksurface support on bookcase side.



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	List
 B/B/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSBX502424LBBFMA	50"	24"	24"	215.0	19.8	3117
	A-Pull	M-ICTSBX652424LBBFMA	65"	24"	24"	255.0	25.6	3496
	R-Pull	M-ICTSBX502424LBBFMR	50"	24"	24"	215.0	19.8	3117
	R-Pull	M-ICTSBX652424LBBFMR	65"	24"	24"	255.0	25.6	3496
 B/B/F, Bookcase Left, Wardrobe Right	A-Pull	M-ICTSBX502424RBBFMA	50"	24"	24"	215.0	19.8	3117
	A-Pull	M-ICTSBX652424RBBFMA	65"	24"	24"	255.0	25.6	3496
	R-Pull	M-ICTSBX502424RBBFMR	50"	24"	24"	215.0	19.8	3117
	R-Pull	M-ICTSBX652424RBBFMR	65"	24"	24"	255.0	25.6	3496
 F/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSBX502424LFFMA	50"	24"	24"	215.0	19.8	3117
	A-Pull	M-ICTSBX652424LFFMA	65"	24"	24"	255.0	25.6	3496
	R-Pull	M-ICTSBX502424LFFMR	50"	24"	24"	215.0	19.8	3117
	R-Pull	M-ICTSBX652424LFFMR	65"	24"	24"	255.0	25.6	3496
 F/F Bookcase Left, Wardrobe Right	A-Pull	M-ICTSBX502424RFFMA	50"	24"	24"	215.0	19.8	3117
	A-Pull	M-ICTSBX652424RFFMA	65"	24"	24"	255.0	25.6	3496
	R-Pull	M-ICTSBX502424RFFMR	50"	24"	24"	215.0	19.8	3117
	R-Pull	M-ICTSBX652424RFFMR	65"	24"	24"	255.0	25.6	3496


Include® Personal Towers: Metal Fronts with Feet

Includes





- Personal Storage Tower with feet.
- All locks per unit are keyed alike.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- Personal storage tower has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
 B/B/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTSF502424LBBFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSF652424LBBFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSF502424LBBFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSF652424LBBFMR	65"	24"	24"	255	27.7	3960	4118
 B/B/F, Personal Storage Left, Wardrobe Right	A-Pull	M-ICTSF502424RBBFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSF652424RBBFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSF502424RBBFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSF652424RBBFMR	65"	24"	24"	255	27.7	3960	4118
 F/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTSF502424LFFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSF652424LFFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSF502424LFFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSF652424LFFMR	65"	24"	24"	255	27.7	3960	4118
 F/F Personal Storage Left, Wardrobe Right	A-Pull	M-ICTSF502424RFFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSF502424RFFMR	50"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSF652424RFFMA	65"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSF652424RFFMR	65"	24"	24"	255	27.7	3960	4118


Include® End Tower with Bookcase: Metal Fronts with Feet

Includes





- End Tower with Bookcase with feet.
- All locks per unit are keyed alike.
- Tower bracket.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- End tower with bookcase has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).
- Can also be used as worksurface support on bookcase side.



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
 B/B/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSSF502424LBBFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSSF652424LBBFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSSF502424LBBFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSSF652424LBBFMR	65"	24"	24"	255	27.7	3960	4118
 B/B/F, Bookcase Left, Wardrobe Right	A-Pull	M-ICTSSF502424RBBFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSSF652424RBBFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSSF502424RBBFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSSF652424RBBFMR	65"	24"	24"	255	27.7	3960	4118
 F/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSSF502424LFFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSSF652424LFFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSSF502424LFFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSSF652424LFFMR	65"	24"	24"	255	27.7	3960	4118
 F/F Bookcase Left, Wardrobe Right	A-Pull	M-ICTSSF502424RFFMA	50"	24"	24"	215	21.7	3780	3938
	A-Pull	M-ICTSSF652424RFFMA	65"	24"	24"	255	27.7	3960	4118
	R-Pull	M-ICTSSF502424RFFMR	50"	24"	24"	215	21.7	3780	3938
	R-Pull	M-ICTSSF652424RFFMR	65"	24"	24"	255	27.7	3960	4118


Include® Personal Towers: Laminate Fronts

Includes

- Personal Storage Tower with Laminate fronts.
- All locks per unit are keyed alike.


Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- Personal storage tower has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).




Shown in A-Pull option


Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
B/B/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTBX502424LBBFLA	50"	24"	24"	215	19.8	4140	4298
		M-ICTBX652424LBBFLA	65"	24"	24"	255	25.6	4340	4498




B/B/F, Personal Storage Left, Wardrobe Right	A-Pull	M-ICTBX502424RBBFLA	50"	24"	24"	215	19.8	4140	4298
		M-ICTBX652424RBBFLA	65"	24"	24"	255	25.6	4340	4498



F/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTBX502424LFFLA	50"	24"	24"	215	19.8	4140	4298
		M-ICTBX652424LFFLA	65"	24"	24"	255	25.6	4340	4498



F/F Personal Storage Left, Wardrobe Right	A-Pull	M-ICTBX502424RFFLA	50"	24"	24"	215	19.8	4140	4298
		M-ICTBX652424RFFLA	65"	24"	24"	255	25.6	4340	4498




Include® End Tower with Bookcase: Laminate Fronts

Includes

- End Tower with Bookcase with Laminate fronts.
- All locks per unit are keyed alike.
- Tower bracket.


Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- End tower with bookcase has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).
- Can also be used as worksurface support on bookcase side.




Shown in A-Pull option


Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
B/B/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSBX502424LBBFLA	50"	24"	24"	215	19.8	3690	3848
		M-ICTSBX652424LBBFLA	65"	24"	24"	255	25.6	4140	4298




B/B/F, Bookcase Left, Wardrobe Right	A-Pull	M-ICTSBX502424RBBFLA	50"	24"	24"	215	19.8	3690	3848
		M-ICTSBX652424RBBFLA	65"	24"	24"	255	25.6	4140	4298



F/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSBX502424LFFLA	50"	24"	24"	215	19.8	3690	3848
		M-ICTSBX652424LFFLA	65"	24"	24"	255	25.6	4140	4298



F/F Bookcase Left, Wardrobe Right	A-Pull	M-ICTSBX502424RFFLA	50"	24"	24"	215	19.8	3690	3848
		M-ICTSBX652424RFFLA	65"	24"	24"	255	25.6	4140	4298




Include® Personal Towers: Laminate Fronts with Feet

Includes

- Personal Storage Tower with Laminate fronts with feet.
- All locks per unit are keyed alike.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- Personal storage tower has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
B/B/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTSF502424LBBFLA	50"	24"	24"	215	19.8	4310	4468
		M-ICTSF652424LBBFLA	65"	24"	24"	255	25.6	4510	4668
B/B/F, Personal Storage Left, Wardrobe Right	A-Pull	M-ICTSF502424RBBFLA	50"	24"	24"	215	19.8	4310	4468
		M-ICTSF652424RBBFLA	65"	24"	24"	255	25.6	4510	4668
F/F, Personal Storage Right, Wardrobe Left	A-Pull	M-ICTSF502424LFFLA	50"	24"	24"	215	19.8	4310	4468
		M-ICTSF652424LFFLA	65"	24"	24"	255	25.6	4510	4668
F/F Personal Storage Left, Wardrobe Right	A-Pull	M-ICTSF502424RFFLA	50"	24"	24"	215	19.8	4310	4468
		M-ICTSF652424RFFLA	65"	24"	24"	255	25.6	4510	4668


Include® End Tower with Bookcase: Laminate Fronts with Feet

Includes

- End Tower with Bookcase with Laminate fronts with feet.
- All locks per unit are keyed alike.
- Tower bracket.

Notes

- 1 shelf included on 50" high, 2 shelves included on 65" high.
- Wardrobe version includes a coat rod.
- End tower with bookcase has core removable key set and can be keyed alike. Wardrobe cabinet and pedestal all lock independently.
- Master keys are available. For key alike option (x3), M-LC1S (page 232 must be ordered separately).
- Can also be used as worksurface support on bookcase side.



Shown in A-Pull option

Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Prem
B/B/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSSF502424LBBFLA	50"	24"	24"	215	19.8	3840	3998
		M-ICTSSF652424LBBFLA	65"	24"	24"	255	25.6	4310	4468
B/B/F, Bookcase Left, Wardrobe Right	A-Pull	M-ICTSSF502424RBBFLA	50"	24"	24"	215	19.8	3840	3998
		M-ICTSSF652424RBBFLA	65"	24"	24"	255	25.6	4310	4468
F/F, Bookcase Right, Wardrobe Left	A-Pull	M-ICTSSF502424LFFFLA	50"	24"	24"	215	19.8	3840	3998
		M-ICTSSF652424LFFFLA	65"	24"	24"	255	25.6	4310	4468
F/F Bookcase Left, Wardrobe Right	A-Pull	M-ICTSSF502424RFFFLA	50"	24"	24"	215	19.8	3840	3998
		M-ICTSSF652424RFFFLA	65"	24"	24"	255	25.6	4310	4468

Include® Support Pedestals


Includes

- Pencil tray in one box drawer.
- Box divider.
- Cross rails.


Notes

- Counterweight standard on all Include pedestals.
- File drawer has high sides and back for filing front to back and side to side.
- M-LC1S lock cores should be specified for key alike option.
- Include pedestals come in 18" 24" depths.


Description	Model	D	W	H	Wt.	Cubes	List
Support Pedestal B/B/F - R-Pull	M-ICPSBX281518BBFMR	18"	15"	27.35"	49.0	5.9	824
	M-ICPSBX281524BBFMR	24"	15"	27.35"	57.1	7.4	866




Support Pedestal B/B/F - A-Pull	M-ICPSBX281518BBFMA	18"	15"	27.35"	49.0	5.9	824
	M-ICPSBX281524BBFMA	24"	15"	27.35"	57.1	7.4	866



Support Pedestal F/F - R-Pull	M-ICPSBX281518FFMR	18"	15"	27.35"	44.4	5.9	824
	M-ICPSBX281524FFMR	24"	15"	27.35"	51.3	7.4	866



Support Pedestal F/F - A-Pull	M-ICPSBX281518FFMA	18"	15"	27.35"	44.4	5.9	824
	M-ICPSBX281524FFMA	24"	15"	27.35"	51.3	7.4	866









Include® Support Pedestals: Metal Fronts with Feet

Includes

- Support pedestal with feet.
- Pencil tray in one box drawer.
- Box divider.
- Cross rails.

Notes

- Counterweight standard on all Include pedestals.
- File drawer has high sides and back for filing front to back and side to side.
- M-LC1S lock cores should be specified for key alike option.
- Include pedestals come in 18" 24" depths.

Description	Model	D	W	H	Wt.	Cubes	Core	Prem
Support Pedestal B/B/F - R-Pull 	M-ICPSSF281518BBFMR	18"	15"	27.35"	49.2	5.3	960	1018
	M-ICPSSF281524BBFMR	24"	15"	27.35"	56.9	6.7	1000	1058
Support Pedestal B/B/F - A-Pull 	M-ICPSSF281518BBFMA	18"	15"	27.35"	49.2	5.3	960	1018
	M-ICPSSF281524BBFMA	24"	15"	27.35"	56.9	6.7	1000	1058
Support Pedestal F/F - R-Pull 	M-ICPSSF281518FFMR	18"	15"	27.35"	49.2	5.3	960	1018
	M-ICPSSF281524FFMR	24"	15"	27.35"	56.9	6.7	1000	1058
Support Pedestal F/F - A-Pull 	M-ICPSSF281518FFMA	18"	15"	27.35"	49.2	5.3	960	1018
	M-ICPSSF281524FFMA	24"	15"	27.35"	56.9	6.7	1000	1058
Support Pedestal B/F - R-Pull 	M-ICPFSF221518BFMR	18"	15"	22"	66.8	4.3	880	938
	M-ICPFSF221524BFMR	24"	15"	22"	73.1	5.2	910	968
Support Pedestal B/F - A-Pull 	M-ICPFSF221518BFMA	18"	15"	22"	66.8	4.3	880	938
	M-ICPFSF221524BFMA	24"	15"	22"	73.1	5.2	910	968



Include® Support Pedestals: Laminate Fronts

Includes

- Support pedestal Laminate fronts.
- Pencil tray in one box drawer.
- Box divider.
- Cross rails.

Notes

- Counterweight standard on all Include pedestals.
- File drawer has high sides and back for filing front to back and side to side.
- M-LC1S lock cores should be specified for key alike option.
- Include pedestals come in 18" 24" depths.

Description	Model	D	W	H	Wt.	Cubes	Core	Prem
 Support Pedestal B/B/F - A-Pull	M-ICPSBX281518BBFLA	18"	15"	27.35"	51.7	5.3	1050	1108
	M-ICPSBX281524BBFLA	24"	15"	27.35"	59.9	6.7	1100	1158
 Support Pedestal F/F - A-Pull	M-ICPSBX281518FFLA	18"	15"	27.35"	51.7	5.3	1050	1108
	M-ICPSBX281524FFLA	24"	15"	27.35"	59.9	6.7	1100	1158




Include® Support Pedestals: Laminate Fronts with Feet

Includes

- Support pedestal Laminate fronts with feet.
- Pencil tray in one box drawer.
- Box divider.
- Cross rails.


Notes

- Counterweight standard on all Include pedestals.
- File drawer has high sides and back for filing front to back and side to side.
- M-LC1S lock cores should be specified for key alike option.
- Include pedestals come in 18" 24" depths.

Description	Model	D	W	H	Wt.	Cubes	Core	Prem
	M-ICPSSF281518BBFLA	18"	15"	27.35"	51.3	5.3	1260	1318
	M-ICPSSF281524BBFLA	24"	15"	27.35"	59.0	6.7	1325	1383
	M-ICPSSF281518FFLA	18"	15"	27.35"	49.7	5.3	1260	1318
	M-ICPSSF281524FFLA	24"	15"	27.35"	56.7	6.7	1325	1383
	M-ICPFSF221518BFLA	18"	15"	22"	69.9	4.4	1150	1208
	M-ICPFSF221524BFLA	24"	15"	22"	69.9	5.2	1190	1248

Pedestals Upholstered Cushion

Description	Configuration	Model	H	D	W	Wt.	Cubes	Core	Grade 2
Pedestal Upholstered Cushion		M-ICCAUC1815				16.3	0.9	310	325
		M-ICCAUC2415				16.3	1.3	319	334



Freestanding Storage Interchangeable File Lock Options


Includes

- Each M-LC kit includes one core and core removal tool, two keys and instructions.

Notes

- Order required quantity of M-LC Kits and specify key number between 101 and 225 for each set of storage products that need to be keyed alike. If a key number is not specified, random lock numbers will ship.

Description	Model	Wt.	Cubes	List
Lock Core Kit	M-LC	0.1	0.1	35




Master Key (1)	M-MK	0.1	0.1	22
----------------	------	-----	-----	----




Freestanding Storage Interchangeable File Accessories

Description	Model	Wt.	Cubes	List
Mobile to Stationary Ped Glide Kit (for Ridgeline pedestals only)	M-MTSKIT	5.0	0.3	65



Universal Systems Pedestal Counter Weight Kit	M-ESPCW	16.0	0.2	200
---	---------	------	-----	-----



Single Flat Screen Monitor Arm with Effortless Adjustment

Includes

- Monitor Arm. Desk and Grommet mount hardware.

Notes

- 13" height range and features lift-and-pivot technology so it can be effortlessly positioned without handles or tools.
- The 22 ½" arm not only extends reach, but easily folds back when not in use.
- The monitor tilts +25°/-90° forward and back, and rotates 90° landscape to portrait.
- An enclosed cable management system routes cables neatly under the arm.
- Weight capacity is 6.5-17.6 lbs.
- Quick release.



Description	Model	Wt.	Cubes	List
Single Flat Screen Monitor Arm with Effortless Adjustment	M-ACC-FMED	14	0.8	741

Dual Flat Screen Monitor Arm with Effortless Adjustment

Includes

- Monitor Arm. Desk and Grommet mount hardware.

Notes

- Supports 2 monitors and has a 13" height range that features lift-and-pivot technology, allowing the user to effortlessly position the height of the monitors without handles or tools.
- The 22 ½" arms not only extend reach, but also fold back when not in use.
- The monitors tilt +25°/-90° forward and back, and rotate 90° landscape to portrait.
- An internal cable management system routes cables neatly under the arms.
- Accommodates monitors at a maximum of 28"W.
- Weight capacity is 6.5-17.6 lbs. per arm.
- Quick release.



Description	Model	Wt.	Cubes	List
Dual Flat Screen Monitor Arm with Effortless Adjustment	M-ACC-FMED2	21	1.2	1232

Single Flat Screen Heavy Duty Monitor Arm

Includes

- Monitor Arm. Desk and Grommet mount hardware.

Notes

- 14" height range (14" total)
- Monitor Extension: 22.4".
- The monitor tilts +35°/-85°.
- Monitor rotates 180°
- An enclosed cable management system routes cables neatly under the arm.
- Weight capacity is 17.6-44 lbs.
- Quick release.



Description	Model	Wt.	Cubes	List
Single Heavy Duty Flat Screen Monitor Arm	M-ACC-FMHD	4	2.2	890

Sit to Stand Articulating Arm and Platform

Includes

- Sit to Stand Articulating Arm and Platform. Keyboard, mouse antislip pads & gel palm rests.

Notes

- Features a 23" glide track, 12.7" lift-and-lock height adjustment (5.1" above and 7.6" below), release handle for +10°/-20° tilt adjustment, and 360° rotation.
- The 19" platform has right or left swing-below mousing platform.
- Will not fit the 24"D SURPASS worksurface.



Description	Model	H	D	W	Wt.	Cubes	List
Sit-to-Stand Articulating Arm & Platform	M-ACC-SSKT	1½"	11½"	26½"	17	1.6	692

Lift and Lock Articulating Arm and Platform

Includes

- Sit to Stand Articulating Arm and Platform. Detachable leatherette wrist support

Notes

- Features a 21" glide track, 7" lift-and-lock height adjustment (2½" above and 4½" below), release handle for +/- 15° tilt adjustment, and 360° rotation.
- The platform allows for easy repositioning of the mouse from left to right side of the platform without the use of tools.
- Features independent tilt-and-swivel mousing platform that can be used in line, mouse over, or mouse forward.
- The overall length fully opened is 28".



Description	Model	H	D	W	Wt.	Cubes	List
Lift-and-Lock Articulating Arm & Platform	M-ACC-LLCP	1½"	11½"	28"	16	1.6	655

Twist Lock Articulating Arm and Platform

Includes

- Sit to Stand Articulating Arm and Platform. Detachable leatherette wrist support

Notes

- Features a 17¾" glide track, soft touch knob for simultaneous height and tilt adjustment, spring assisted 6¼" height adjustment (1¼" above and 5" below track), +10°/-15° tilt adjustment, and 360° rotation.
- The platform accommodates both keyboard and mouse on the same level for both left and right-handed mousing.




Description	Model	H	D	W	Wt.	Cubes	List
Twist-Lock Articulating Arm & Platform	M-ACC-TLBP	1½"	10½"	25"	15	1.7	491

Center Drawer

Notes

- M-CD1 Low Profile Drawer interior dimensions: 18³/₄" wide, 17³/₈" deep, 1¹/₂" high.

Description	Model	H	D	W	Wt.	Cubes	List
Pre-Formed Low Profile Drawer (Black Plastic)	M-CD1	2 ¹ / ₈ "	19 ¹ / ₈ "	22"	3	0.5	195



Footrest

Notes

- ACC-FR3 increases comfort and decreases fatigue by redistributing body weight for healthier positioning of the spine and legs. The foot platform rests on a frame 3" from the floor. Platform slides back and forth on the frame to allow ankle flexion and extension.
- *Excluded=Not TAA compliant.

Description	Model	H	D	W	Wt.	Cubes	List
Adjustable Footrest	M-ACC-FR3 D	8 ¹ / ₂ "	15"	20"	6	1.5	231



Worksurface Mounted CPU Holder

Notes

- Vertically mounts to underside of worksurface.
- 13.4" Glide track with a 360° swivel.
- Adjustable width from 3.25" to 6" and adjustable height from 16" to 22".
- Load capacity: 55 lbs.
- No tools are required to make adjustments.



Description	Model	H	D	W	Wt.	Cubes	List
Worksurface Mounted CPU Holder	M-ACC-UWCPU	16-22"	12"	3.25-6"	10	1.1	341


Task Lighting

Includes

- Fluorescent light bulb, 6 foot cord, 4 cord clips, mounting bars.

Notes

- Light available in Black finish only.
- Mount under Overhead Storage Cabinet or Shelf.
- For Chicago version with Fuse Plug, order FP option.
- Cord cover is metal construction.
- 6 ft. cord.



Description	Wattage	Model	H	D	W	Wt.	Cubes	List
Task Light 24W or greater	15	M-USL24	2"	7"	18"	6	0.4	233
Task Light 30W or greater	20	M-USL30	2"	7"	24.25"	7	0.4	262
Task Light 42W or greater	30	M-USL42	2"	7"	36.25"	9	0.4	293
Task Light 54W or greater	40	M-USL54	2"	7"	48.25"	11	0.4	342
Task Light 24W or greater-Fuse Plug	15	M-USL24FP	2"	7"	18.25"	6	0.4	323
Task Light 30W or greater-Fuse Plug	20	M-USL30FP	2"	7"	24.25"	7	0.4	354
Task Light 42W or greater-Fuse Plug	30	M-USL42FP	2"	7"	36.25"	9	0.4	386
Task Light 54W or greater-Fuse Plug	40	M-USL54FP	2"	7"	48.25"	11	0.4	419
Cord Cover (Manager)		M-CCM10	10"	2"	2"	2	0.2	33
Cord Cover (Manager)		M-CCM15	15"	2"	2"	2	0.2	35
Cord Cover (Manager)		M-CCM20	20"	2"	2"	2	0.2	47


Universal Overhead Task Lighting

Includes

- Fluorescent light bulb, 9 foot cord, 4 cord clips, mounting bars.

Notes

- Light available in black finish only.
- Mount under Overhead Storage Cabinet or Shelf.
- For Chicago version with Fuse Plug, order FP option.
- Excluded from GSA



Description	Model	H	D	W	Wt.	Cubes	List
Universal Overhead Task Light 24W	M-USLO24	1.1"	3.7"	24"	5	0.4	193
Universal Overhead Task Light 30W	M-USLO30	1.1"	3.7"	30"	7	0.6	213
Universal Overhead Task Light 42W	M-USLO42	1.1"	3.7"	42"	10	0.9	240
Universal Overhead Task Light 60W	M-USLO60	1.1"	3.7"	60"	12	1.1	292
Universal Overhead Task Light 24W - Fuse Plug	M-USLO24FP	1.1"	3.7"	24"	5	0.4	203
Universal Overhead Task Light 30W - Fuse Plug	M-USLO30FP	1.1"	3.7"	30"	7	0.6	230
Universal Overhead Task Light 42W - Fuse Plug	M-USLO42FP	1.1"	3.7"	42"	10	0.9	254
Universal Overhead Task Light 60W - Fuse Plug	M-USLO60FP	1.1"	3.7"	60"	12	1.1	314


LED Undercabinet Task Lights

Includes

- LED light, magnets or adhesive pads for mounting
- M-USLEDxxAS and M-USLEDxxA models ship with power supply
- M-USLEDxxAUO models ship with 9" daisy chain jumper
- M-USLEDxxAS is single only (not daisy chainable)

Notes

- Available in white finish only
- Mount under overhead metal and wood storage cabinets or shelves
- Use 17" light on units 30" or smaller and 31" light on sizes 36" or larger
- To daisy chain order M-USLEDxxAUO models. Maximum daisy chain length of 4 units including starter



Description	Model	Wt.	Cubes	List
17" LED Light w/Power Supply (single)	M-USLED17AS	1	0.05	563
31" LED Light w/Power Supply (single)	M-USLED31AS	1.37	0.09	612
17" LED Light w/Power Supply for Daisy Chain (starter)	M-USLED17A	1.19	0.05	580
31" LED Light w/Power Supply for Daisy Chain (starter)	M-USLED31A	1.54	0.09	629
17" LED Light w/8" & 30" Jumper Cord for Daisy Chain (follower)	M-USLED17AUO	.62	0.03	521
31" LED Light w/8" & 30" Jumper Cord for Daisy Chain (follower)	M-USLED31AUO	.88	0.05	570
Undercabinet Occupancy Sensor w/1" End to End Connector	M-USLEDOSA	.22	0.01	106


Shelf Organizer

Includes

- Shelf Organizer

Notes

- Fits universal overheads and open shelves only.




Description	Model	Wt.	Cubes	List
Shelf Organizer	M-PSO14	6	0.4	72

Corner Sleeve for Worksurfaces

Includes

- Corner sleeve, hardware and instructions



Description	Model	D	W	Wt.	Cubes	List
Corner Sleeve	M-CRNSLV	17.5"	22.5"	10	1.6	163

Small Desktop Lamp

Includes

- LED light
- 7' power cord

Notes

- Small profile. Base sits on worksurface.
- Lightweight
- Energy efficient 3W LED lamp
- 11.8" reach
- *Excluded - Not TAA compliant



Description	Model	Wt.	Cubes	List
Small Desktop Lamp	M-ACC-DTLAMPSM ^D	3	0.6	246


Articulating LED Desktop Lamp

Includes

- LED light
- Light comes with a silver 9' 4" power cord.

Notes

- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Occupancy sensor is built into the head of the lamp and will automatically shut the lamp off after 6 minutes of undetected movement.
- Base swivel is 180 degrees.
- Uses only 5 watts of energy.



Description	Model	Wt.	Cubes	List
Articulating LED Desk Lamp	M-ACC-LED1	6.5	1.2	651
Articulating LED Desk Lamp w/ Occ Sensor	M-ACC-LED1OC	6.5	1.2	787


LED Desktop Lamp

Includes

- LED light
- Light comes with a silver 9' 4" power cord.

Notes

- Full-range dimming from 10% to 100%.
- Designed for 50,000 hours of life.
- Lamp is 15.83" tall.
- Desk lamp does not articulate at base. The pivoting head provides custom positioning, as it can be twisted 360 degrees.
- Uses only 5 watts of energy.







Description	Model	Wt.	Cubes	List
LED Task Desk Lamp	M-ACC-LED2	3.0	0.7	499

^D Discontinued July 1, 2018 for models on this page.

Electrical Accessories

Notes

- M-PWRMOD - Color finishes available: Flint and White
- M-COMDOME2 - Color finish available: Loft
- M-WMCLIPSM/LG - Color finish available: Black

Description	Model	Wt.	Cubes	List
O-Leg Wire Clip	M-WMCLIPSM (4-Pack)	0.1	0.5	77
	M-WMCLIPLG (8-Pack)	0.1	0.8	128
				
Description	Model	Wt.	Cubes	List
2 Receptacles 1 Under USB Worksurface Mt (Shown)	M-PWRMOD2UWM	2.3	0.2	561
3 Receptacles Under Worksurface Mt	M-PWRMOD3UWM	2.3	0.2	388
				
Description	Model	Wt.	Cubes	List
2 Receptacles 2 Data Accessory	M-COMDOME2	2.5	0.2	408
				
Description	Model	Wt.	Cubes	List
2 Receptacles 1 USB	M-PWRMOD2WC	2.3	0.2	561
3 Receptacles (Shown)	M-PWRMOD3WC	2.3	0.2	388
				



Seating

Features

- All task chairs feature a swivel and adjustable height with other features available on all models.
- All seating products with tilt features have adjustable tension control.
- Mesh back allows for air circulation to keep the user cool and comfortable for hours.
- Adjustable lumbar and synchro-tilt motion of the seat and back provide ergonomic comfort.
- Northport Seating is not included on GSA Contract.

Comfort Controls



A. Fixed Arm Height



B. Adjustable Height Arms



C. Adjustable Height and Width Arms



D. Pivot Arm



E. 360° Swivel



F. Adjustable Lumbar Support



G. Synchro-Tilt



H. Tilt



I. Pneumatic Seat Height Adjustment



J. Seat Glide



K. Tilt Tension



L. Tilt Lock



M. Back Height



N. Back Angle Adjust

Adept™ Seating | M-SEMU501 | Standard Control








Notes

- Upholstered and mesh back options.
- Hard and soft casters available.
- Weight capacity: 300 lbs.
- CAL 133 fire code add FC at the end of the base model (example: M-SEMU501FC) add \$250.
- Contourette is not available for fire code.

Back Height
Pneumatic Seat Height Adjustment
Tilt
Tilt Lock
Tilt Tension

Dimensions

Width	Depth	Height	Seat Height	Arm Height	Cubes	Weight
27.5"	26"	43.5"	17.5" - 22"	25.5" - 33"	11.3	48

		List	List
Adjustable Arm	Description	Grade 1	Grade 2
2D (A)	Height and Width	1250	1315
4D (V)	All Adjustments		
			
			
Fixed Arm (F)		1150	1215
			
			
Polished Arm (P)		1350	1415
			
			
Armless (N)		1050	1115
			

Specify selections, left to right *Polished Base add \$200

Base Model	Arm	Caster	Back	Textile	Base
	N Armless	H Hard	U Upholstered	See pages 10 & 11	SB Standard
	F Fixed Back	S Soft	M Mesh		PA Polished
	A Height and Width				
	V All- Adjustable				
	P Fixed Polished				
M-SEMU501	A.	H.	M.	---	SB

Adept™ Seating | M-SEMU502 | Synchro-Tilt

Notes

- Upholstered and mesh back options.
- Hard and soft casters available.
- Weight capacity: 300 lbs.
- CAL 133 fire code add FC at the end of the base model (example: M-SEMU501FC) add \$250.
- Contourette is not available for fire code.

Back Height
Pneumatic Seat Height Adjustment
Seat Glide
Synchro-Tilt
Tilt Lock
Tilt Tension

Dimensions

Width	Depth	Height	Seat Height	Arm Height	Cubes	Weight
27.5"	26"	43.5"	17.5" - 22"	25.5" - 33"	11.3	52

Adjustable Arm	Description	List	
		Grade 1	Grade 2
2D (A)	Height and Width	1450	1515
4D (V)	All Adjustments		



Fixed Arm (F)

1350 1415



Polished Arm (P)

1550 1615



Armless (N)

1250 1315



Specify selections, left to right

*Polished Base add \$200

Base Model	Arm	Caster	Back	Textile	Base
	N Armless	H Hard	U Upholstered	See pages 10 & 11	SB Standard
	F Fixed Back	S Soft	M Mesh		PA Polished
	A Height and Width				
	V All- Adjustable				
	P Fixed Polished				
M-SEMU502	A.	H.	M.	---	SB

Adept™ Seating | M-SEMU503 | Synchro-Tilt with Back Angle Adjust








Notes

- Upholstered and mesh back options.
- Hard and soft casters available.
- Weight capacity: 300 lbs.
- CAL 133 fire code add FC at the end of the base model (example: M-SEMU501FC) add \$250.
- Contourette is not available for fire code.

Back Height
Back Angle Adjust
Pneumatic Seat Height Adjustment
Seat Glide
Synchro-Tilt
Tilt Lock
Tilt Tension

Dimensions

Width	Depth	Height	Seat Height	Arm Height	Cubes	Weight
27.5"	26"	43.5"	17.5" - 22"	25.5" - 33"	11.3	58

		List	List
Adjustable Arm	Description	Grade 1	Grade 2
2D (A)	Height and Width	1600	1665
4D (V)	All Adjustments		
			
			
Fixed Arm (F)		1500	1565
			
			
Polished Arm (P)		1700	1765
			
			
Armless (N)		1400	1465
			

Specify selections, left to right

*Polished Base add \$200

Base Model	Arm	Caster	Back	Textile	Base
	N Armless F Fixed Back A Height and Width V All- Adjustable P Fixed Polished	H Hard S Soft	U Upholstered M Mesh	See pages 10 & 11	SB Standard PA Polished
M-SEMU503	A.	H.	M.	---	SB

Adept™ Seating | M-SEMU504 | Guest

Notes

- Upholstered back only.
- Guest chair available with all surface casters or non-marring glides.
- Frame finishes available in Textured Black or Textured Platinum.
- Maximum 4 high stackable (Armless).
- CAL 133 fire code add FC at the end of the base model (example: M-SEMU504FC) add \$125.
- Contourette is not available for fire code.
- Weight capacity 300 lbs.

Dimensions

Width	Depth	Height	Seat Height	Arm Height	Cubes	Weight
25"	21.75"	33.5"	18.5"	7.5"	15.1	28

Fixed Arm (F)	Description	List	List
		Grade 1	Grade 2
	Guest Chair	745	775



Armless (N)	Description	List	List
		Grade 1	Grade 2
	Guest Chair	700	730




Adept™ Ganging Bracket

Includes

- 24 Ganging Brackets

Notes

- Can only be used with armless M-SEMU504 (guest chair).
- No limit on the ganging run of guest chairs.



Description	Model	Wt.	Cubes	List
Guest Chair Ganging Bracket	M-SEMUGB	1	0.1	150

Specify selections, left to right

Base Model	Arm	Caster	Back	Textile	Base
M-SEMU504	N Armless	A All Surface	U Upholstered	See pages 10 & 11	BLCK Textured Black
	F Fixed	E Glide			PR8 Textured Silver
	F.	A.	U.	---	BLCK





Adept™ Seating | M-SEMU505 | Café

Notes

- Upholstered back only.
- Café stool only available with non-marring glides.
- Frame finishes available in Textured Black or Textured Platinum.
- CAL 133 fire code add FC at the end of the base model (example: M-SEMU505FC) add \$125.
- Contourette is not available for fire code.
- Weight capacity: 300 lbs.

Dimensions

Width	Depth	Height	Seat Height	Arm Height	Cubes	Weight		
25"	23"	46.5"	31"	7.5"	21.8	37		
							List	List
Fixed Arm (F)	Description						Grade 1	Grade 2
	Café						995	1025
Armless (N)								
	Café						950	980

Specify selections, left to right

Base Model	Arm	Caster	Back	Textile	Base
M-SEMU505	N Armless	E Glide	U Upholstered	See pages 10 & 11	BLCK Textured Black
	F Fixed				PR8 Textured Silver
	F.	E.	U.		BLCK

Northport™ Seating Series

Notes

- All models are only available in black upholstery.
- All models have a mesh back, except the M-SENP103.
- Weight capacity: 250 lbs.

Model	Description	D	W	H	Cubes	List
M-SENP101	Fixed Arms Tilt Tension Tilt Lock A D F H J K	27.4"	9.8"	24"	3.7	500
						
M-SENP105	Fixed Arms Task Stool A D H	11.42"	27.17"	25.59"	4.5	600
						
M-SENP201	Adjustable Lumbar High Mesh Back Height Adjustable Arms Tilt Tension Tilt Lock B D E F H J K	26.75"	11"	23.75"		750
						
M-SENP252	Adjustable Lumbar High Mesh Back Height and Width Adjustable Arms Tilt Tension Tilt Lock Seat Glide Synchro-Tilt C D E G H I J K	31"	13"	26"		1000
						
M-SENP452	Adjustable Lumbar High Mesh Back Height and Width Adjustable Arms Tilt Tension Tilt Lock Seat Glide Synchro-Tilt Adjustable Leather Seat C D E G H I J K	31"	13"	26"		1200
						

REFERENCE

EMERGE

PREFIX

WORKSURFACES

SMARTSPACE

SURPASS

PREPARE

STORAGE



ACCESSORIES

SEATING

INDEX

Northport™ Seating Series

- Notes
- All chairs have a mesh back except the M-SENP103.
 - M-SENP108 can stack up to 4 high.
 - M-SENP108 only available with glides.
 - Weight capacity: 250 lbs.

Model	Description	D	W	H	Cubes	List
M-SENP103	Nesting Seat Fixed Arms	23.75"	23.75"	33.5"	2.1	650
	A					
M-SENP108	Fixed Arms	23.1"	9.1"	26.77"	3.2	270
	A					