

CMW

CMW complete office furniture systems are designed to stand alone, be interchangeable with, or work in tandem with OEM product systems. What makes them different is they are produced by Compatico, a company whose commitment to customer service and the price/quality value principle is unsurpassed in the office furniture industry.


CMW



Fabric Value Panel  
with TAAC™ construction

*Both Sides Fabric  
No Raceway, No Power*

*Removable steel top cap  
(medium height) with  
cutouts for data and  
communication wiring.*



includes TAAC™

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
41	18	TSTA041.18	\$390.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	24	TSTA041.24	390.00					
	30	TSTA041.30	\$514.00					
	36	TSTA041.36	526.00					
	42	TSTA041.42	599.00					
	48	TSTA041.48	599.00					
53	60	TSTA041.60	621.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	18	TSTA153.18	\$467.00					
	24	TSTA153.24	461.00					
	30	TSTA153.30	596.00					
	36	TSTA153.36	646.00					
	42	TSTA153.42	709.00					
65	48	TSTA153.48	713.00	\$51.00	\$128.00	-\$205.00	-\$154.00	-\$103.00
	60	TSTA153.60	783.00					
	18	TSTA165.18	\$541.00					
	24	TSTA165.24	548.00					
	30	TSTA165.30	738.00					
	36	TSTA165.36	773.00					
	42	TSTA165.42	847.00	\$43.00	\$107.00	-\$172.00	-\$129.00	-\$86.00
	48	TSTA165.48	851.00					
	60	TSTA165.60	929.00					


**DESCRIPTION:** Fabric covered TAAC™ surface panel with no bottom raceway. TAAC™ is a new construction offering tackable and acoustical properties. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade. **NOTE:** Non raceway panels may be used with (connected to) standard raceway panels. The non raceway panel's height are adjusted up to meet the height of panels with raceways.

DIMENSIONS		PRODUCT NUMBER	GRADE 1 LAMINATE LIST PRICE
Height	Width		
41	18	SLA241.18	\$779.00
	24	SLA241.24	785.00
	30	SLA241.30	879.00
	36	SLA241.36	982.00
	42	SLA241.42	1,079.00
	48	SLA241.48	1,172.00
53	18	SLA253.18	\$820.00
	24	SLA253.24	827.00
	30	SLA253.30	919.00
	36	SLA253.36	960.00
	42	SLA253.42	1,127.00
	48	SLA253.48	1,220.00
65	18	SLA265.18	\$935.00
	24	SLA265.24	942.00
	30	SLA265.30	1,061.00
	36	SLA265.36	1,191.00
	42	SLA265.42	1,305.00
	48	SLA265.48	1,425.00

Laminate Panel

*Both Sides Laminate  
No Raceway, No Power*

*Removable steel top cap  
(medium height) with  
cutouts for data and  
communication wiring.*




\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)

**DESCRIPTION:** Laminate covered panel with no bottom raceway. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Laminate Name and Grade. **NOTE:** Non raceway panels may be used with (connected to) standard raceway panels. The non raceway panel's height are adjusted up to meet the height of panels with raceways.

DIMENSIONS		PRODUCT NUMBER	GR. 1 FABRIC & LAMINATE LIST PRICE	ALTERNATIVE FABRIC GRADES				
Height	Width			GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
41	18	TSLA141.18	\$874.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	24	TSLA141.24	881.00					
	30	TSLA141.30	967.00					
	36	TSLA141.36	1,061.00					
	42	TSLA141.42	1,163.00					
	48	TSLA141.48	1,244.00					
53	18	TSLA153.18	\$985.00	\$26.00	\$64.00	-\$102.00	-\$76.00	-\$51.00
	24	TSLA153.24	986.00					
	30	TSLA153.30	1,084.00					
	36	TSLA153.36	1,132.00					
	42	TSLA153.42	1,310.00					
	48	TSLA153.48	1,400.00					
65	18	TSLA165.18	\$1,133.00	\$32.00	\$80.00	-\$128.00	-\$96.00	-\$64.00
	24	TSLA165.24	1,139.00					
	30	TSLA165.30	1,265.00					
	36	TSLA165.36	1,400.00					
	42	TSLA165.42	1,538.00					
	48	TSLA165.48	1,654.00					

**DESCRIPTION:** Laminate one side, fabric covered TAAC™ surface panel with no bottom raceway. TAAC™ is a new construction offering tackable and acoustical properties. Panel includes (1) pork chop kit. Value panels are the same height as panels with non-powered and powered raceways; there is no provision for the passage of electrical and communication at the bottom of the panel. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product number, trim finish, vertical laminate. If non-standard finish or vertical laminate is specified, minimum quantities, leadtimes and upcharges may apply.

**NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. **NOTE:** Non raceway panels may be used with (connected to) standard raceway panels. The non raceway panel's height are adjusted up to meet the height of panels with raceways.



\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Fabric Panel  
with TAAC™ construction  
*Both Sides Fabric*  
*Non-powered Base*



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
41	18	TSTB141.18	\$409.00	\$19.00	\$48.00	-\$77.00	-\$57.00	-\$38.00
	24	TSTB141.24	441.00					
	30	TSTB141.30	575.00					
	36	TSTB141.36	607.00	\$38.00	\$96.00	-\$154.00	-\$116.00	-\$77.00
	42	TSTB141.42	676.00					
	48	TSTB141.48	695.00					
53	60	TSTB141.60	758.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	18	TSTB153.18	\$490.00					
	24	TSTB153.24	508.00					
	30	TSTB153.30	693.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	36	TSTB153.36	711.00					
	42	TSTB153.42	792.00					
65	48	TSTB153.48	805.00	\$33.00	\$84.00	-\$135.00	-\$101.00	-\$68.00
	60	TSTB153.60	902.00					
	18	TSTB165.18	\$604.00					
	24	TSTB165.24	617.00	\$67.00	\$168.00	-\$269.00	-\$202.00	-\$135.00
	30	TSTB165.30	848.00					
	36	TSTB165.36	868.00					
80	42	TSTB165.42	938.00	\$36.00	\$90.00	-\$144.00	-\$108.00	-\$72.00
	48	TSTB165.48	963.00					
	60	TSTB165.60	1,042.00					
	18	TSTB180.18	\$666.00	\$72.00	\$180.00	-\$288.00	-\$216.00	-\$144.00
	24	TSTB180.24	722.00					
	30	TSTB180.30	975.00					
	36	TSTB180.36	1,052.00					
	42	TSTB180.42	1,111.00					
	48	TSTB180.48	1,127.00					


**DESCRIPTION:** Fabric covered both sides TAAC™ surface panel with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes non-powered base with side covers and (1) pork chop kit. Raceway provides room for phone and communication cables, as well as, pass-through electrical cables. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade.



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
41	24	TSTC141.24	\$633.00	\$21.00	\$54.00	-\$88.00	-\$66.00	-\$44.00
	30	TSTC141.30	827.00					
	36	TSTC141.36	878.00					
	42	TSTC141.42	960.00	\$43.00	\$109.00	-\$176.00	-\$132.00	-\$88.00
	48	TSTC141.48	987.00					
	60	TSTC141.60	1,069.00					
53	24	TSTC153.24	\$693.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSTC153.30	916.00					
	36	TSTC153.36	954.00					
	42	TSTC153.42	1,045.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSTC153.48	1,071.00					
	60	TSTC153.60	1,184.00					
65	24	TSTC165.24	\$796.00	\$29.00	\$72.00	-\$115.00	-\$86.00	-\$57.00
	30	TSTC165.30	1,020.00					
	36	TSTC165.36	1,059.00					
	42	TSTC165.42	1,140.00	\$57.00	\$144.00	-\$231.00	-\$173.00	-\$115.00
	48	TSTC165.48	1,174.00					
	60	TSTC165.60	1,273.00					
80	24	TSTC180.24	\$902.00	\$36.00	\$90.00	-\$144.00	-\$108.00	-\$72.00
	30	TSTC180.30	1,199.00					
	36	TSTC180.36	1,297.00					
	42	TSTC180.42	1,380.00	\$72.00	\$180.00	-\$288.00	-\$216.00	-\$144.00
	48	TSTC180.48	1,406.00					

**DESCRIPTION:** Fabric covered both sides TAAC™ surface panel with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately).

**SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade.



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

Base Cover Knockout Holes  
1 5/16" x 2 5/8" W

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

Fabric Panel  
with TAAC™ construction

*Fabric Both Sides*  
*Powered Base*  
*Byrne 3 Circuit/5 Wire Electrical*



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

Note: Order panel-to-panel electrical jumper separately.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
41	24	TSTD141.24	\$499.00	\$21.00	\$54.00	-\$88.00	-\$66.00	-\$44.00
	30	TSTD141.30	678.00					
	36	TSTD141.36	726.00					
	42	TSTD141.42	800.00	\$43.00	\$109.00	-\$176.00	-\$132.00	-\$88.00
	48	TSTD141.48	823.00					
53	24	TSTD153.24	\$558.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSTD153.30	767.00					
	36	TSTD153.36	802.00					
	42	TSTD153.42	885.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSTD153.48	908.00					
65	24	TSTD165.24	\$662.00	\$29.00	\$72.00	-\$115.00	-\$86.00	-\$57.00
	30	TSTD165.30	871.00					
	36	TSTD165.36	907.00					
	42	TSTD165.42	980.00	\$57.00	\$144.00	-\$231.00	-\$173.00	-\$116.00
	48	TSTD165.48	1,010.00					
80	24	TSTD180.24	\$768.00	\$36.00	\$90.00	-\$144.00	-\$108.00	-\$72.00
	30	TSTD180.30	1,050.00					
	36	TSTD180.36	1,145.00					
	42	TSTD180.42	1,219.00	\$72.00	\$180.00	-\$288.00	-\$216.00	-\$144.00
	48	TSTD180.48	1,242.00					


**DESCRIPTION:** Fabric covered TAAC™ surface panel with wire management base attached.

TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately).

**SPECIFY:** Product Number, Trim Finish, Fabric Name and Grade.

DIMENSIONS		PRODUCT	GR. 1 LIST PRICE
Height	Width	NUMBER	
41	18	SLB241.18	\$832.00
	24	SLB241.24	850.00
	30	SLB241.30	955.00
	36	SLB241.36	1,079.00
	42	SLB241.42	1,188.00
	48	SLB241.48	1,284.00
53	18	SLB253.18	\$875.00
	24	SLB253.24	893.00
	30	SLB253.30	997.00
	36	SLB253.36	1,050.00
	42	SLB253.42	1,237.00
	48	SLB253.48	1,335.00
65	18	SLB265.18	\$991.00
	24	SLB265.24	1,009.00
	30	SLB265.30	1,141.00
	36	SLB265.36	1,282.00
	42	SLB265.42	1,390.00
	48	SLB265.48	1,540.00

**DESCRIPTION:** Laminate covered hard surface panel with wire management base attached. Includes non-powered base with side covers and (1) pork chop kit. Raceway provides room for phone & communication cables, as well as, pass through electrical cables. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Vertical Laminate. If alternative finish or laminate is specified, minimum quantities, leadtimes and upcharges may apply. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.



*Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.*

*\* Call for pricing of alternative laminate grades. (Pricing Based on Gr. 1)*

Laminated Panel

Laminated Both Sides  
Non-powered Base

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

## Laminated Panel

### Laminated Both Sides Powered Base



Note: opposing panel sides may have alternative materials (e.g. laminate, acoustical tackable). Please contact Compatico Project Management for details and pricing.

Note: for 5 wire / 3 circuit : order panel - top panels electrical jumper separately.

\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)

DIMENSIONS		POWERED 8 WIRE/4 CIRCUIT		POWERED 5 WIRE/3 CIRCUIT	
Height	Width	PRODUCT NUMBER	GR. 1 LIST PRICE	PRODUCT NUMBER	GR. 1 LIST PRICE
41	24	SLC241.24	\$1,031.00	SLD241.24	\$897.00
	30	SLC241.30	1,177.00	SLD241.30	1,028.00
	36	SLC241.36	1,312.00	SLD241.36	1,160.00
	42	SLC241.42	1,431.00	SLD241.42	1,271.00
	48	SLC241.48	1,547.00	SLD241.48	1,383.00
53	24	SLC253.24	\$1,074.00	SLD253.24	\$940.00
	30	SLC253.30	1,219.00	SLD253.30	1,070.00
	36	SLC253.36	1,292.00	SLD253.36	1,140.00
	42	SLC253.42	1,481.00	SLD253.42	1,320.00
	48	SLC253.48	1,596.00	SLD253.48	1,432.00
65	24	SLC265.24	\$1,186.00	SLD265.24	\$1,052.00
	30	SLC265.30	1,359.00	SLD265.30	1,210.00
	36	SLC265.36	1,520.00	SLD265.36	1,368.00
	42	SLC265.42	1,655.00	SLD265.42	1,495.00
	48	SLC265.48	1,797.00	SLD265.48	1,634.00
80	24	SLC280.24	\$1,480.00	SLD280.24	\$1,346.00
	30	SLC280.30	1,708.00	SLD280.30	1,559.00
	36	SLC280.36	1,922.00	SLD280.36	1,770.00
	42	SLC280.42	2,212.00	SLD280.42	2,052.00
	48	SLC280.48	2,238.00	SLD280.48	2,074.00

**DESCRIPTION:** Laminate covered hard surface panel with wire management base attached. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Trim Finish, Vertical Laminate. If alternative finish or laminate is specified, minimum quantities, leadtimes and upcharges may apply. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

Full Glazed Panel

Non-powered & Powered Base

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating


References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
NON-POWERED CLEAR ACRYLIC			
65	24	STB665.24	\$1,226.00
	36	STB665.36	1,529.00
	48	STB665.48	1,648.00
NON-POWERED SMOKED ACRYLIC			
65	24	STB765.24	\$1,306.00
	36	STB765.36	1,540.00
	48	STB765.48	1,682.00
NON-POWERED FROSTED ACRYLIC			
65	24	FTB665.24	\$1,353.00
	36	FTB665.36	1,755.00
	48	FTB665.48	2,455.00

DIMENSIONS		POWERED 8 WIRE/4 CIRCUIT		POWERED 5 WIRE/3 CIRCUIT	
Height	Width	PRODUCT NUMBER	LIST PRICE	PRODUCT NUMBER	LIST PRICE
<b>POWERED CLEAR ACRYLIC</b>					
65	24	STC665.24	\$1,403.00	STD665.24	\$1,269.00
	36	STC665.36	1,770.00	STD665.36	1,618.00
	48	STC665.48	1,909.00	STD665.48	1,745.00
<b>POWERED SMOKED ACRYLIC</b>					
65	24	STC765.24	\$1,442.00	STD765.24	\$1,308.00
	36	STC765.36	1,736.00	STD765.36	1,584.00
	48	STC765.48	1,894.00	STD765.48	1,730.00
<b>POWERED FROSTED ACRYLIC</b>					
65	24	FTC665.24	\$1,437.00	FTD665.24	\$1,303.00
	36	FTC665.36	1,947.00	FTD665.36	1,795.00
	48	FTC665.48	2,671.00	FTD665.48	2,507.00

For alternative sizes use CMW Polystax panel options


**DESCRIPTION:** Structural painted panel includes Clear, Smoked or Frosted acrylic with wire management base attached. Includes non-powered or powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **SPECIFY:** Product Number, Glazing Strips and Trim Finish.




Note: for 5 wire / 3 circuit : order panel - top panels electrical jumper separately.

Half Glazed Panel  
with TAAC™ construction

*Non-powered Base*



*Powered Base  
Byrne 4 Circuit/8 Wire Electrical*



*Note:*

*If you require laminate (instead of fabric):*

- Remove "T" before and insert an "L" after alpha prefixes. For example - THHCXXX.XX becomes HHCLXXX.XX
- Upcharge: 25% on Grade 1 column pricing

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
NON-POWERED CLEAR ACRYLIC								
65	24	TSTB465.24	\$1,217.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$45.00
	36	TSTB465.36	1,583.00	45.00	112.00	-179.00	-134.00	-89.00
	48	TSTB465.48	1,701.00	45.00	112.00	-179.00	-134.00	-89.00
NON-POWERED SMOKED ACRYLIC								
65	24	TSTB565.24	\$1,264.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$44.00
	36	TSTB565.36	1,587.00	45.00	112.00	-179.00	-134.00	-89.00
	48	TSTB565.48	1,752.00	45.00	112.00	-179.00	-134.00	-89.00
NON-POWERED FROSTED ACRYLIC								
65	24	TFTB465.24	\$1,251.00	\$22.00	\$56.00	-\$90.00	-\$68.00	-\$45.00
	36	TFTB465.36	1,701.00	44.00	112.00	-179.00	-135.00	-90.00
	48	TFTB465.48	1,777.00	44.00	112.00	-179.00	-135.00	-90.00
POWERED CLEAR ACRYLIC								
65	24	TSTC465.24	\$1,441.00	\$22.00	\$56.00	-\$90.00	-\$67.00	-\$45.00
	36	TSTC465.36	1,791.00	45.00	112.00	-179.00	-135.00	-90.00
	48	TSTC465.48	1,963.00	45.00	112.00	-179.00	-135.00	-90.00
POWERED SMOKED ACRYLIC								
65	24	TSTC565.24	\$1,488.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$45.00
	36	TSTC565.36	1,824.00	45.00	112.00	-179.00	-135.00	-90.00
	48	TSTC565.48	2,014.00	45.00	112.00	-179.00	-135.00	-90.00
POWERED FROSTED ACRYLIC								
65	24	TFTC465.24	\$1,474.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$45.00
	36	TFTC465.36	1,937.00	45.00	112.00	-179.00	-134.00	-89.00
	48	TFTC465.48	2,039.00	45.00	112.00	-179.00	-134.00	-89.00


*For alternative sizes use CMW Polystax panel options*

**DESCRIPTION:** TAAC™ Structural Painted Panel includes Clear, Smoked or Frosted acrylic in top section & fabric covered TAAC™ (Tackable and Acoustical) surface in bottom section with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes non-powered or powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **NOTE:** Nominal height from floor to top of fabric insert is 39 5/8". **SPECIFY:** Product Number, Glazing Strips, Fabric and Trim Finish. **NOTE:** For laminate or for acoustical option (part # and pricing), contact Compatico Project Management.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
POWERED CLEAR ACRYLIC								
65	24	TSTD465.24	\$1,307.00	\$22.00	\$56.00	-\$90.00	-\$67.00	-\$45.00
	36	TSTD465.36	1,639.00	45.00	112.00	-179.00	-135.00	-90.00
	48	TSTD465.48	1,799.00	45.00	112.00	-179.00	-135.00	-90.00
POWERED SMOKED ACRYLIC								
65	24	TSTD565.24	\$1,354.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$45.00
	36	TSTD565.36	1,672.00	45.00	112.00	-179.00	-134.00	-90.00
	48	TSTD565.48	1,850.00	45.00	112.00	-179.00	-134.00	-90.00
POWERED FROSTED ACRYLIC								
65	24	TFTD465.24	\$1,340.00	\$23.00	\$56.00	-\$89.00	-\$67.00	-\$45.00
	36	TFTD465.36	1,785.00	45.00	112.00	-179.00	-134.00	-89.00
	48	TFTD465.48	1,875.00	45.00	112.00	-179.00	-134.00	-89.00

For alternative sizes use CMW Polystax panel options

**DESCRIPTION:** TAAC™ Structural Painted Panel includes Clear, Smoked or Frosted acrylic in top section & fabric covered TAAC™ (Tackable and Acoustical) surface in bottom section with wire management base attached. TAAC™ is a new construction offering tackable and acoustical properties. Includes powered base with side covers and (1) pork chop kit. Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. For powered panels you must order duplexes separately. Refer to Electrical section for additional electrical products. Use varying height connector kits for attaching panels of different heights (specify separately). **NOTE:** Nominal height from floor to top of fabric insert is 39 5/8". **SPECIFY:** Product Number, Glazing Strips, Fabric and Trim Finish. **NOTE:** For laminate or for acoustical option (part # and pricing), contact Compatico Project Management.



Note: Order panel-to-panel electrical jumper separately.

Note:  
If you require laminate (instead of fabric):  
- Remove "T" before and insert an "L" after alpha prefixes. For example - THHCXXX.XX becomes HHCLXXX.XX  
- Upcharge: 25% on Grade 1 column pricing

Note: for 5 wire / 3 circuit : order panel - top panels electrical jumper separately.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References



### DESCRIPTION:


CMW PolyStax Panel includes: (1) Fully Factory-Assembled CMW PolyStax Panel with slotted standards on both sides with powder coated steel end cap covers. Also includes painted steel reveal channels between stacker designs, and a steel painted top cap. Note: Specify fabric, laminate, finish, and part number with dimensions. Each panel comes with a Pork Chop connector kit and mounting hardware. Fully assembled CMW Polystax Panel comes with single, full-length end caps.

**Floor-To-Ceiling Applications** – CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**Hanging Components** – Hanging components may be used on PolyStax panels. Contact Compatico if more than one worksurface and one overhead are to be hung per panel.

### PRODUCT NOTES:

- Additional stacking combination options are available, please contact 1-800-336-1772
- No limit on the total number of stackers (up to 120")
- Floor to ceiling option available contact 1-800-336-1772
- Contact Compatico Customer Service at 1-800-336-1772 for assistance.



**To maintain OEM standard heights** – New panel height desired:

53" = 41" existing panel + 11" stacker

65" = 53" existing panel + 12" stacker

65" = 41" existing panel + 23" stacker

65" = 41" existing panel + 11" stacker + 12" stacker

80" = 53" existing panel + 28" stacker

80" = 65" existing panel + 15" stacker

80" = 41" existing panel + 11" stacker + 28" stacker

80" = 41" existing panel + 15" stacker + 23" stacker


80" = 53" existing panel + 12" stacker + 15" stacker

raceway panels available with and without power


Note: Any combination of PolyStax heights may be used per your design needs allowing for various alternative overall height options.

### BUILD A NEW LOOK WITH MULTIPLE STACKER OPTIONS


PolyStax units are available in eight different surface material options. Introduce different fabrics, marker board, acrylic windows (clear, smoked, frosted) and open pass-thru stackers to your office environment.




Laminate




Fabric Covered Hard Surface




Fabric Covered Tackable



Marker Board



Acrylic Glass (Clear/Smoked/Frosted)



Open Pass-Through




DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53 41 + 11.125	24	TSHV153.24	\$727.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$115.00
	30	TSHV153.30	755.00					
	36	TSHV153.36	773.00					
	42	TSHV153.42	853.00					
	48	TSHV153.48	865.00					
65 53 + 12.312	24	TSHV165.24	\$840.00	\$68.00	\$168.00	-\$268.00	-\$201.00	-\$134.00
	30	TSHV165.30	871.00					
	36	TSHV165.36	904.00					
	42	TSHV165.42	984.00					
	48	TSHV165.48	1,001.00					
65 41+23.437	24	TSHV065.24	\$852.00	\$68.00	\$168.00	-\$268.00	-\$201.00	-\$134.00
	30	TSHV065.30	880.00					
	36	TSHV065.36	912.00					
	42	TSHV065.42	1,005.00					
	48	TSHV065.48	1,021.00					
65 41 + 11.125 + 12.312	24	TSHV265.24	\$909.00	\$71.00	\$177.00	-\$283.00	-\$212.00	-\$141.00
	30	TSHV265.30	949.00					
	36	TSHV265.36	985.00					
	42	TSHV265.42	1,078.00					
	48	TSHV265.48	1,103.00					
80 53 + 28.125	24	TSHV080.24	\$986.00	\$83.00	\$208.00	-\$333.00	-\$250.00	-\$167.00
	30	TSHV080.30	1,030.00					
	36	TSHV080.36	1,073.00					
	42	TSHV080.42	1,177.00					
	48	TSHV080.48	1,197.00					
80 65 + 15.812	24	TSHV180.24	\$982.00	\$83.00	\$208.00	-\$333.00	-\$250.00	-\$167.00
	30	TSHV180.30	1,011.00					
	36	TSHV180.36	1,058.00					
	42	TSHV180.42	1,152.00					
	48	TSHV180.48	1,181.00					
80 41 + 11.125 + 28.125	24	TSHV280.24	\$1,065.00	\$85.00	\$213.00	-\$340.00	-\$255.00	-\$170.00
	30	TSHV280.30	1,118.00					
	36	TSHV280.36	1,164.00					
	42	TSHV280.42	1,282.00					
	48	TSHV280.48	1,310.00					
80 41 + 15.812 + 23.437	24	TSHV380.24	\$1,077.00	\$87.00	\$217.00	-\$347.00	-\$260.00	-\$173.00
	30	TSHV380.30	1,122.00					
	36	TSHV380.36	1,173.00					
	42	TSHV380.42	1,283.00					
	48	TSHV380.48	1,324.00					
80 53 + 12.312 + 15.812	24	TSHV480.24	\$1,056.00	\$85.00	\$213.00	-\$340.00	-\$255.00	-\$170.00
	30	TSHV480.30	1,122.00					
	36	TSHV480.36	1,150.00					
	42	TSHV480.42	1,256.00					
	48	TSHV480.48	1,298.00					
	60	TSHV480.60	1,435.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.

Fully Assembled Stacker Units with TAAC™ construction

**Fabric Covered Both Sides  
No Raceway, No Power**



**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available. Contact Compatico Customer Service.

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather Benching

Hush

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs


Accessories

Folio™ Desking & Energie™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Fabric Covered  
With Raceway,  
No Power*



**NOTE:** Powder coated steel end caps  
**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53 41 + 11.125	24	TSHB153.24	\$768.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$107.00
	30	TSHB153.30	809.00					
	36	TSHB153.36	848.00					
	42	TSHB153.42	936.00					
	48	TSHB153.48	960.00					
65 53 + 12.312	60	TSHB153.60	1,036.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	24	TSHB165.24	\$879.00					
	30	TSHB165.30	942.00					
	36	TSHB165.36	969.00					
	42	TSHB165.42	1,068.00					
65 41+23.437	48	TSHB165.48	1,098.00	\$66.00	\$165.00	-\$265.00	-\$199.00	-\$133.00
	60	TSHB165.60	1,232.00					
	24	TSHB065.24	\$885.00					
	30	TSHB065.30	927.00					
	36	TSHB065.36	977.00					
65 41 + 11.125 + 12.312	42	TSHB065.42	1,079.00	\$71.00	\$177.00	-\$285.00	-\$213.00	-\$142.00
	48	TSHB065.48	1,108.00					
	60	TSHB065.60	1,202.00					
	24	TSHB265.24	\$987.00					
	30	TSHB265.30	1,038.00					
80 53 + 28.125	36	TSHB265.36	1,086.00	\$80.00	\$200.00	-\$320.00	-\$240.00	-\$160.00
	42	TSHB265.42	1,191.00					
	48	TSHB265.48	1,228.00					
	60	TSHB265.60	1,346.00					
	24	TSHB180.24	\$1,031.00					
80 65 + 15.812	30	TSHB180.30	1,093.00	\$79.00	\$197.00	-\$314.00	-\$236.00	-\$157.00
	36	TSHB180.36	1,125.00					
	42	TSHB180.42	1,215.00					
	48	TSHB180.48	1,264.00					
	60	TSHB180.60	1,370.00					
80 41 + 11.125 + 28.125	24	TSHB080.24	\$1,037.00	\$85.00	\$213.00	-\$342.00	-\$257.00	-\$171.00
	30	TSHB080.30	1,113.00					
	36	TSHB080.36	1,151.00					
	42	TSHB080.42	1,274.00					
	48	TSHB080.48	1,306.00					
80 41 + 15.812 + 23.437	60	TSHB080.60	1,416.00	\$86.00	\$214.00	-\$343.00	-\$257.00	-\$172.00
	24	TSHB280.24	\$1,143.00					
	30	TSHB280.30	1,207.00					
	36	TSHB280.36	1,265.00					
	42	TSHB280.42	1,395.00					
80 53 + 12.312 + 15.812	48	TSHB280.48	1,435.00	\$87.00	\$217.00	-\$347.00	-\$260.00	-\$173.00
	60	TSHB280.60	1,527.00					
	24	TSHB380.24	\$1,150.00					
	30	TSHB380.30	1,207.00					
	36	TSHB380.36	1,270.00					
80	42	TSHB380.42	1,391.00	\$87.00	\$217.00	-\$347.00	-\$260.00	-\$173.00
	48	TSHB380.48	1,445.00					
	60	TSHB380.60	1,566.00					
	24	TSHB480.24	\$1,143.00					
	30	TSHB480.30	1,221.00					


**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53 41 + 11.125	24	TSHC153.24	\$949.00	\$54.00	\$134.00	-\$214.00	-\$160.00	-\$107.00
	30	TSHC153.30	1,031.00					
	36	TSHC153.36	1,089.00					
	42	TSHC153.42	1,187.00					
	48	TSHC153.48	1,221.00					
	60	TSHC153.60	1,309.00					
65 53 + 12.312	24	TSHC165.24	\$1,060.00	\$66.00	\$164.00	-\$262.00	-\$197.00	-\$131.00
	30	TSHC165.30	1,164.00					
	36	TSHC165.36	1,211.00					
	42	TSHC165.42	1,319.00					
	48	TSHC165.48	1,359.00					
	60	TSHC165.60	1,505.00					
65 41+23.437	24	TSHC065.24	\$1,066.00	\$66.00	\$165.00	-\$265.00	-\$199.00	-\$133.00
	30	TSHC065.30	1,149.00					
	36	TSHC065.36	1,219.00					
	42	TSHC065.42	1,331.00					
	48	TSHC065.48	1,369.00					
	60	TSHC065.60	1,475.00					
65 41 + 11.125 + 12.312	24	TSHC265.24	\$1,168.00	\$71.00	\$177.00	-\$285.00	-\$214.00	-\$143.00
	30	TSHC265.30	1,260.00					
	36	TSHC265.36	1,327.00					
	42	TSHC265.42	1,442.00					
	48	TSHC265.48	1,489.00					
	60	TSHC265.60	1,619.00					
80 53 + 28.125	24	TSHC080.24	\$1,218.00	\$80.00	\$200.00	-\$320.00	-\$240.00	-\$160.00
	30	TSHC080.30	1,336.00					
	36	TSHC080.36	1,392.00					
	42	TSHC080.42	1,525.00					
	48	TSHC080.48	1,568.00					
	60	TSHC080.60	1,689.00					
80 65 + 15.812	24	TSHC180.24	\$1,212.00	\$79.00	\$197.00	-\$315.00	-\$236.00	-\$157.00
	30	TSHC180.30	1,315.00					
	36	TSHC180.36	1,366.00					
	42	TSHC180.42	1,466.00					
	48	TSHC180.48	1,525.00					
	60	TSHC180.60	1,643.00					
80 41 + 11.125 + 28.125	24	TSHC280.24	\$1,323.00	\$86.00	\$214.00	-\$341.00	-\$256.00	-\$170.00
	30	TSHC280.30	1,429.00					
	36	TSHC280.36	1,507.00					
	42	TSHC280.42	1,646.00					
	48	TSHC280.48	1,696.00					
	60	TSHC280.60	1,800.00					
80 41 + 15.812 + 23.437	24	TSHC380.24	\$1,331.00	\$86.00	\$214.00	-\$343.00	-\$257.00	-\$172.00
	30	TSHC380.30	1,429.00					
	36	TSHC380.36	1,511.00					
	42	TSHC380.42	1,643.00					
	48	TSHC380.48	1,706.00					
	60	TSHC380.60	1,839.00					
80 53 + 12.312 + 15.812	24	TSHC480.24	\$1,324.00	\$87.00	\$217.00	-\$347.00	-\$260.00	-\$173.00
	30	TSHC480.30	1,443.00					
	36	TSHC480.36	1,502.00					
	42	TSHC480.42	1,630.00					
	48	TSHC480.48	1,694.00					
	60	TSHC480.60	1,868.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish.

Fully Assembled Stacker Units  
with TAAC™ construction

*Fabric Covered  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



**NOTE:** Powder coated steel end caps

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energie™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Fabric Covered  
With Raceway, With Power  
Byrne 3 Circuit/5 Wire Electrical*



includes TAAC™

*Note: Order panel-to-panel  
electrical jumper separately.*

**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53 41 + 11.125	24	TSHD153.24	\$815.00	\$54.00	\$134.00	-\$214.00	-\$160.00	-\$107.00
	30	TSHD153.30	882.00					
	36	TSHD153.36	937.00					
	42	TSHD153.42	1,027.00					
	48	TSHD153.48	1,057.00					
65 53 + 12.312	24	TSHD165.24	\$926.00	\$66.00	\$164.00	-\$262.00	-\$197.00	-\$131.00
	30	TSHD165.30	1,015.00					
	36	TSHD165.36	1,059.00					
	42	TSHD165.42	1,159.00					
	48	TSHD165.48	1,195.00					
65 41 + 23.437	24	TSHD065.24	\$932.00	\$66.00	\$165.00	-\$265.00	-\$199.00	-\$133.00
	30	TSHD065.30	1,000.00					
	36	TSHD065.36	1,067.00					
	42	TSHD065.42	1,171.00					
	48	TSHD065.48	1,205.00					
65 41 + 11.125 + 12.312	24	TSHD265.24	\$1,034.00	\$71.00	\$177.00	-\$285.00	-\$214.00	-\$143.00
	30	TSHD265.30	1,111.00					
	36	TSHD265.36	1,175.00					
	42	TSHD265.42	1,282.00					
	48	TSHD265.48	1,325.00					
80 53 + 28.125	24	TSHD080.24	\$1,084.00	\$80.00	\$200.00	-\$320.00	-\$240.00	-\$160.00
	30	TSHD080.30	1,187.00					
	36	TSHD080.36	1,240.00					
	42	TSHD080.42	1,365.00					
	48	TSHD080.48	1,404.00					
80 65 + 15.812	24	TSHD180.24	\$1,078.00	\$79.00	\$197.00	-\$315.00	-\$236.00	-\$157.00
	30	TSHD180.30	1,166.00					
	36	TSHD180.36	1,214.00					
	42	TSHD180.42	1,306.00					
	48	TSHD180.48	1,361.00					
80 41 + 11.125 + 28.125	24	TSHD280.24	\$1,189.00	\$86.00	\$214.00	-\$341.00	-\$256.00	-\$171.00
	30	TSHD280.30	1,280.00					
	36	TSHD280.36	1,355.00					
	42	TSHD280.42	1,486.00					
	48	TSHD280.48	1,532.00					
80 41 + 15.812 + 23.437	24	TSHD380.24	\$1,197.00	\$86.00	\$214.00	-\$343.00	-\$257.00	-\$172.00
	30	TSHD380.30	1,280.00					
	36	TSHD380.36	1,359.00					
	42	TSHD380.42	1,482.00					
	48	TSHD380.48	1,542.00					
80 53 + 12.312 + 15.812	24	TSHD480.24	\$1,190.00	\$87.00	\$217.00	-\$347.00	-\$260.00	-\$173.00
	30	TSHD480.30	1,294.00					
	36	TSHD480.36	1,350.00					
	42	TSHD480.42	1,470.00					
	48	TSHD480.48	1,530.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish.


DIMENSIONS		PRODUCT NUMBER	GR. 1 FABRIC & LAMINATE LIST PRICE	ALTERNATIVE FABRIC GRADES				
Overall Height	Width			GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53 41 + 11.125	24	TSNV153.24	\$1,134.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00
	30	TSNV153.30	1,231.00					
	36	TSNV153.36	1,352.00					
	42	TSNV153.42	1,509.00					
	48	TSNV153.48	1,601.00					
65H 53" + 12.312"	60	TSNV153.60	1,789.00	\$34.00	\$84.00	-\$134.00	-\$101.00	-\$67.00
	24	TSNV165.24	\$1,258.00					
	30	TSNV165.30	1,384.00					
	36	TSNV165.36	1,484.00					
	42	TSNV165.42	1,681.00					
65 41+23.437	48	TSNV165.48	1,788.00	\$33.00	\$84.00	-\$135.00	-\$101.00	-\$67.00
	60	TSNV165.60	2,069.00					
	24	TSNV065.24	\$1,551.00					
	30	TSNV065.30	1,650.00					
	36	TSNV065.36	1,838.00					
65 41 + 11.125 + 12.312	42	TSNV065.42	2,010.00	\$35.00	\$88.00	-\$142.00	-\$106.00	-\$71.00
	48	TSNV065.48	2,196.00					
	60	TSNV065.60	2,295.00					
	24	TSNV265.24	\$1,363.00					
	30	TSNV265.30	1,489.00					
80 53 + 28.125	36	TSNV265.36	1,666.00	\$41.00	\$104.00	-\$167.00	-\$125.00	-\$83.00
	42	TSNV265.42	1,839.00					
	48	TSNV265.48	1,948.00					
	60	TSNV265.60	2,218.00					
	24	TSNV080.24	\$1,672.00					
80 65 + 15.812	30	TSNV080.30	1,906.00	\$42.00	\$104.00	-\$166.00	-\$125.00	-\$83.00
	36	TSNV080.36	1,987.00					
	42	TSNV080.42	2,246.00					
	48	TSNV080.48	2,402.00					
	60	TSNV080.60	2,736.00					
80 41 + 11.125 + 28.125	24	TSNV180.24	\$1,437.00	\$43.00	\$107.00	-\$170.00	-\$127.00	-\$85.00
	30	TSNV180.30	1,616.00					
	36	TSNV180.36	1,777.00					
	42	TSNV180.42	1,984.00					
	48	TSNV180.48	2,202.00					
80 41 + 15.812 + 23.437	60	TSNV180.60	2,529.00	\$43.00	\$108.00	-\$174.00	-\$130.00	-\$87.00
	24	TSNV280.24	\$1,791.00					
	30	TSNV280.30	2,026.00					
	36	TSNV280.36	2,183.00					
	42	TSNV280.42	2,419.00					
80 53 + 12.312 + 15.812	48	TSNV280.48	2,578.00	\$42.00	\$106.00	-\$171.00	-\$128.00	-\$85.00
	60	TSNV280.60	2,900.00					
	24	TSNV380.24	\$1,816.00					
	30	TSNV380.30	1,970.00					
	36	TSNV380.36	2,188.00					
	42	TSNV380.42	2,427.00					
	48	TSNV380.48	2,715.00					
	60	TSNV380.60	2,890.00					
	24	TSNV480.24	\$1,519.00					
	30	TSNV480.30	1,708.00					
	36	TSNV480.36	1,827.00					
	42	TSNV480.42	2,095.00					
	48	TSNV480.48	2,303.00					
	60	TSNV480.60	2,655.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Fabric, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical HPL

# CMW

Fully Assembled Stackers Units  
with TAAC™ construction

*Laminated (One Side), Fabric (One Side)  
No Raceway, No Power*



Note:

- Take 10% (5% one side) off list price if using Value "BV" laminates
- Take 20% (10% one side) off list price if using Value "SV" laminates

**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*\* Call for pricing of alternative laminate grades. (Pricing Based on Gr. 1)*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

*Laminated (One Side), Fabric (One Side)  
With Raceway, No Power*



**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)

Other stacking configurations are available.  
Contact Compatico Customer Service.

DIMENSIONS		ALTERNATIVE FABRIC GRADES						
Overall Height	Width	PRODUCT NUMBER	GR. 1 FABRIC & LAMINATE LIST PRICE	ALTERNATIVE FABRIC GRADES				
				GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53 41 + 11.125	24	TSNB153.24	\$1,193.00	\$26.00	\$66.00	-\$107.00	-\$81.00	-\$54.00
	30	TSNB153.30	1,302.00					
	36	TSNB153.36	1,438.00					
	42	TSNB153.42	1,605.00					
	48	TSNB153.48	1,711.00					
	60	TSNB153.60	1,928.00					
65 53 + 12.312	24	TSNB165.24	\$1,306.00	\$33.00	\$82.00	-\$131.00	-\$98.00	-\$65.00
	30	TSNB165.30	1,454.00					
	36	TSNB165.36	1,558.00					
	42	TSNB165.42	1,770.00					
	48	TSNB165.48	1,889.00					
	60	TSNB165.60	2,194.00					
65 41+23.437	24	TSNB065.24	\$1,591.00	\$33.00	\$83.00	-\$133.00	-\$100.00	-\$66.00
	30	TSNB065.30	1,703.00					
	36	TSNB065.36	1,907.00					
	42	TSNB065.42	2,089.00					
	48	TSNB065.48	2,287.00					
	60	TSNB065.60	2,416.00					
65 41 + 11.125 + 12.312	24	TSNB265.24	\$1,439.00	\$36.00	\$89.00	-\$142.00	-\$106.00	-\$71.00
	30	TSNB265.30	1,577.00					
	36	TSNB265.36	1,765.00					
	42	TSNB265.42	1,950.00					
	48	TSNB265.48	2,072.00					
	60	TSNB265.60	2,367.00					
80 53 + 28.125	24	TSNB080.24	\$1,737.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	30	TSNB080.30	1,993.00					
	36	TSNB080.36	2,077.00					
	42	TSNB080.42	2,352.00					
	48	TSNB080.48	2,520.00					
	60	TSNB080.60	2,878.00					
80 65 + 15.812	24	TSNB180.24	\$1,504.00	\$39.00	\$98.00	-\$158.00	-\$118.00	-\$79.00
	30	TSNB180.30	1,698.00					
	36	TSNB180.36	1,862.00					
	42	TSNB180.42	2,073.00					
	48	TSNB180.48	2,307.00					
	60	TSNB180.60	2,647.00					
80 41 + 11.125 + 28.125	24	TSNB280.24	\$1,868.00	\$43.00	\$107.00	-\$171.00	-\$128.00	-\$86.00
	30	TSNB280.30	2,114.00					
	36	TSNB280.36	2,283.00					
	42	TSNB280.42	2,531.00					
	48	TSNB280.48	2,702.00					
	60	TSNB280.60	3,049.00					
80 41 + 15.812 + 23.437	24	TSNB380.24	\$1,891.00	\$43.00	\$108.00	-\$171.00	-\$128.00	-\$85.00
	30	TSNB380.30	2,057.00					
	36	TSNB380.36	2,287.00					
	42	TSNB380.42	2,538.00					
	48	TSNB380.48	2,838.00					
	60	TSNB380.60	3,038.00					
80 53 + 12.312 + 15.812	24"	TSNB480.24	\$1,601.00	\$44.00	\$109.00	-\$173.00	-\$130.00	-\$86.00
	30"	TSNB480.30	1,802.00					
	36"	TSNB480.36	1,933.00					
	42"	TSNB480.42	2,213.00					
	48"	TSNB480.48	2,434.00					
	60"	TSNB480.60	2,810.00					




DIMENSIONS		PRODUCT NUMBER	GR. 1 FABRIC & LAMINATE LIST PRICE	ALTERNATIVE FABRIC GRADES				
Overall Height	Width			GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53 41 + 11.125	24	TSNC153.24	\$1,373.00	\$27.00	\$67.00	-\$106.00	-\$80.00	-\$53.00
	30	TSNC153.30	1,524.00					
	36	TSNC153.36	1,680.00					
	42	TSNC153.42	1,857.00					
	48	TSNC153.48	1,972.00					
	60	TSNC153.60	2,201.00					
65 53 + 12.312	24	TSNC165.24	\$1,487.00	\$33.00	\$82.00	-\$131.00	-\$98.00	-\$65.00
	30	TSNC165.30	1,676.00					
	36	TSNC165.36	1,799.00					
	42	TSNC165.42	2,021.00					
	48	TSNC165.48	2,150.00					
	60	TSNC165.60	2,467.00					
65 41+23.437	24	TSNC065.24	\$1,772.00	\$33.00	\$82.00	-\$133.00	-\$100.00	-\$67.00
	30	TSNC065.30	1,925.00					
	36	TSNC065.36	2,148.00					
	42	TSNC065.42	2,340.00					
	48	TSNC065.48	2,549.00					
	60	TSNC065.60	2,689.00					
65 41 + 11.125 + 12.312	24	TSNC265.24	\$1,620.00	\$36.00	\$89.00	-\$142.00	-\$106.00	-\$71.00
	30	TSNC265.30	1,799.00					
	36	TSNC265.36	2,007.00					
	42	TSNC265.42	2,202.00					
	48	TSNC265.48	2,334.00					
	60	TSNC265.60	2,640.00					
80 53 + 28.125	24	TSNC080.24	\$1,918.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	30	TSNC080.30	2,215.00					
	36	TSNC080.36	2,319.00					
	42	TSNC080.42	2,603.00					
	48	TSNC080.48	2,782.00					
	60	TSNC080.60	3,151.00					
80 65 + 15.812	24	TSNC180.24	\$1,685.00	\$39.00	\$98.00	-\$158.00	-\$118.00	-\$79.00
	30	TSNC180.30	1,920.00					
	36	TSNC180.36	2,103.00					
	42	TSNC180.42	2,324.00					
	48	TSNC180.48	2,568.00					
	60	TSNC180.60	2,920.00					
80H 41 + 11.125 + 28.125	24	TSNC280.24	\$2,049.00	\$42.00	\$107.00	-\$171.00	-\$128.00	-\$86.00
	30	TSNC280.30	2,336.00					
	36	TSNC280.36	2,524.00					
	42	TSNC280.42	2,782.00					
	48	TSNC280.48	2,963.00					
	60	TSNC280.60	3,322.00					
80 41 + 15.812 + 23.437	24	TSNC380.24	\$2,072.00	\$43.00	\$108.00	-\$171.00	-\$128.00	-\$85.00
	30	TSNC380.30	2,279.00					
	36	TSNC380.36	2,529.00					
	42	TSNC380.42	2,789.00					
	48	TSNC380.48	3,099.00					
	60	TSNC380.60	3,311.00					
80 53 + 12.312 + 15.812	24	TSNC480.24	\$1,782.00	\$44.00	\$109.00	-\$173.00	-\$130.00	-\$86.00
	30	TSNC480.30	2,024.00					
	36	TSNC480.36	2,174.00					
	42	TSNC480.42	2,464.00					
	48	TSNC480.48	2,695.00					
	60	TSNC480.60	3,083.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Fabric, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

# CMW

Fully Assembled Stacker Units  
with TAAC™ construction

*Laminated (One Side), Fabric (One Side)  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



**NOTE:** Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **NOTE:** Powder coated steel end caps. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

*Laminated (One Side), Fabric (One Side)*  
*With Raceway, With Power*  
*Byrne 3 Circuit/5 Wire Electrical*



*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

**Other stacking configurations are available.  
Contact Compatico Customer Service.**

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Fabric, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.



DIMENSIONS		PRODUCT NUMBER	GR 1 LAMINATE LIST PRICE
Overall Height	Width		
53H 41" + 11.125"	24	SLV253.24	\$1,069.00
	30	SLV253.30	1,176.00
	36	SLV253.36	1,343.00
	42	SLV253.42	1,457.00
	48	SLV253.48	1,559.00
	60	SLV253.60	1,774.00
65H 53" + 12.312"	24	SLV365.24	\$1,124.00
	30	SLV365.30	1,280.00
	36	SLV365.36	1,338.00
	42	SLV365.42	1,514.00
	48	SLV365.48	1,625.00
	60	SLV365.60	1,859.00
65H 41"+23.437"	24	SLV265.24	\$1,412.00
	30	SLV265.30	1,529.00
	36	SLV265.36	1,742.00
	42	SLV265.42	1,864.00
	48	SLV265.48	1,995.00
	60	SLV265.60	2,245.00
65H 41" + 11.125" + 12.312"	24	SLV465.24	\$1,330.00
	30	SLV465.30	1,501.00
	36	SLV465.36	1,685.00
	42	SLV465.42	1,807.00
	48	SLV465.48	1,928.00
	60	SLV465.60	2,187.00
80H 53" + 28.125"	24	SLV380.24	\$1,464.00
	30	SLV380.30	1,740.00
	36	SLV380.36	1,787.00
	42	SLV380.42	2,018.00
	48	SLV380.48	2,208.00
	60	SLV380.60	2,550.00
80H 65" + 15.812"	24	SLV280.24	\$1,275.00
	30	SLV280.30	1,410.00
	36	SLV280.36	1,564.00
	42	SLV280.42	1,720.00
	48	SLV280.48	1,940.00
	60	SLV280.60	2,251.00
80H 41" + 11.125" + 28.125"	24	SLV480.24	\$1,705.00
	30	SLV480.30	1,996.00
	36	SLV480.36	2,170.00
	42	SLV480.42	2,347.00
	48	SLV480.48	2,546.00
	60	SLV480.60	2,914.00
80H 41" + 15.812 + 23.437	24	SLV580.24	\$1,757.00
	30	SLV580.30	1,889.00
	36	SLV580.36	2,126.00
	42	SLV580.42	2,296.00
	48	SLV580.48	2,526.00
	60	SLV580.60	2,853.00
80H 53" + 12.312" + 15.812"	24	SLV680.24	\$1,452.00
	30	SLV680.30	1,625.00
	36	SLV680.36	1,706.00
	42	SLV680.42	1,930.00
	48	SLV680.48	2,140.00
	60	SLV680.60	2,451.00


**DESCRIPTION:** Fully factory assembled CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout.

Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

CMW

Fully Assembled Stacker Units

*Laminated - Both Sides  
No Raceway, No Power*



**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energie™ Seating

References

## Fully Assembled Stacker Units

*Laminated - Both Sides  
With Raceway, No Power*



**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)*

**Other stacking configurations are available.  
Contact Compatico Customer Service.**


## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 LAMINATE LIST PRICE
53H 41" + 11.125"	24	SLB353.24	\$1,113.00
	30	SLB353.30	1,232.00
	36	SLB353.36	1,411.00
	42	SLB353.42	1,537.00
	48	SLB353.48	1,651.00
	60	SLB353.60	1,891.00
65H 53" + 12.312"	24	SLB365.24	\$1,168.00
	30	SLB365.30	1,336.00
	36	SLB365.36	1,405.00
	42	SLB365.42	1,593.00
	48	SLB365.48	1,717.00
	60	SLB365.60	1,975.00
65H 41" + 23.437"	24	SLB765.24	\$1,472.00
	30	SLB765.30	1,600.00
	36	SLB765.36	1,825.00
	42	SLB765.42	1,959.00
	48	SLB765.48	2,102.00
	60	SLB765.60	2,377.00
65H 41" + 11.125" + 12.312"	24	SLB465.24	\$1,374.00
	30	SLB465.30	1,557.00
	36	SLB465.36	1,752.00
	42	SLB465.42	1,887.00
	48	SLB465.48	2,020.00
	60	SLB465.60	2,304.00
80H 53" + 28.125"	24	SLB380.24	\$1,543.00
	30	SLB380.30	1,831.00
	36	SLB380.36	1,890.00
	42	SLB380.42	2,132.00
	48	SLB380.48	2,335.00
	60	SLB380.60	2,702.00
80H 65" + 15.812"	24	SLB780.24	\$1,350.00
	30	SLB780.30	1,497.00
	36	SLB780.36	1,663.00
	42	SLB780.42	1,836.00
	48	SLB780.48	2,067.00
	60	SLB780.60	2,403.00
80H 41" + 11.125" + 28.125"	24	SLB480.24	\$1,749.00
	30	SLB480.30	2,052.00
	36	SLB480.36	2,237.00
	42	SLB480.42	2,426.00
	48	SLB480.48	2,638.00
	60	SLB480.60	3,030.00
80H 41" + 15.812 + 23.437	24	SLB580.24	\$1,801.00
	30	SLB580.30	1,944.00
	36	SLB580.36	2,193.00
	42	SLB580.42	2,375.00
	48	SLB580.48	2,618.00
	60	SLB580.60	2,969.00
80H 53" + 12.312" + 15.812"	24	SLB680.24	\$1,496.00
	30	SLB680.30	1,680.00
	36	SLB680.36	1,773.00
	42	SLB680.42	2,009.00
	48	SLB680.48	2,232.00
	60	SLB680.60	2,567.00

**DESCRIPTION:** Fully factory assembled CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

## Fully Assembled Stacker Units

*Laminated - Both Sides  
With Raceway, With Power*



**NOTE:** Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **NOTE:** Powder coated steel end caps. **NOTE:** Opposing panel sides may have alternative materials applied, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*\* Call for pricing of alternative laminate grades.  
(Pricing Based on Gr. 1)*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

DIMENSIONS		POWERED 8 WIRE/4 CIRCUIT		POWERED 5 WIRE/3 CIRCUIT	
Overall Height	Width	PRODUCT NUMBER	GR 1 LAMINATE LIST PRICE	PRODUCT NUMBER	GR 1 LAMINATE LIST PRICE
53H 41" + 11.125"	24	SLC353.24	\$1,290.00	SLD353.24	\$1,156.00
	30	SLC353.30	1,244.00	SLD353.30	1,244.00
	36	SLC353.36	1,653.00	SLD353.36	1,501.00
	42	SLC353.42	1,788.00	SLD353.42	1,628.00
	48	SLC353.48	1,912.00	SLD353.48	1,749.00
65H 53" + 12.312"	24	SLC365.24	\$1,345.00	SLD365.24	\$1,211.00
	30	SLC365.30	1,558.00	SLD365.30	1,348.00
	36	SLC365.36	1,647.00	SLD365.36	1,495.00
	42	SLC365.42	1,844.00	SLD365.42	1,684.00
	48	SLC365.48	1,978.00	SLD365.48	1,814.00
65H 41"+23.437"	24	SLC765.24	\$1,649.00	SLD765.24	\$1,515.00
	30	SLC765.30	1,822.00	SLD765.30	1,612.00
	36	SLC765.36	2,067.00	SLD765.36	1,915.00
	42	SLC765.42	2,211.00	SLD765.42	2,050.00
	48	SLC765.48	2,364.00	SLD765.48	2,200.00
65H 41" + 11.125" + 12.312"	24	SLC465.24	\$1,551.00	SLD465.24	\$1,417.00
	30	SLC465.30	1,779.00	SLD465.30	1,569.00
	36	SLC465.36	1,994.00	SLD465.36	1,842.00
	42	SLC465.42	2,138.00	SLD465.42	1,978.00
	48	SLC465.48	2,281.00	SLD465.48	2,117.00
80H 53" + 28.125"	24	SLC380.24	\$1,720.00	SLD380.24	\$1,586.00
	30	SLC380.30	2,053.00	SLD380.30	1,842.00
	36	SLC380.36	2,131.00	SLD380.36	1,980.00
	42	SLC380.42	2,384.00	SLD380.42	2,224.00
	48	SLC380.48	2,596.00	SLD380.48	2,432.00
80H 65" + 15.812"	24	SLC780.24	\$1,527.00	SLD780.24	\$1,393.00
	30	SLC780.30	1,719.00	SLD780.30	1,509.00
	36	SLC780.36	1,904.00	SLD780.36	1,752.00
	42	SLC780.42	2,087.00	SLD780.42	1,927.00
	48	SLC780.48	2,329.00	SLD780.48	2,165.00
80H 41" + 11.125" + 28.125"	24	SLC480.24	\$1,926.00	SLD480.24	\$1,792.00
	30	SLC480.30	2,274.00	SLD480.30	2,064.00
	36	SLC480.36	2,479.00	SLD480.36	2,327.00
	42	SLC480.42	2,678.00	SLD480.42	2,517.00
	48	SLC480.48	2,899.00	SLD480.48	2,735.00
80H 41" + 15.812 + 23.437	24	SLC580.24	\$1,978.00	SLD580.24	\$1,844.00
	30	SLC580.30	2,167.00	SLD580.30	1,956.00
	36	SLC580.36	2,435.00	SLD580.36	2,283.00
	42	SLC580.42	2,627.00	SLD580.42	2,466.00
	48	SLC580.48	2,879.00	SLD580.48	2,715.00
80H 53" + 12.312" + 15.812"	24	SLC680.24	\$1,673.00	SLD680.24	\$1,539.00
	30	SLC680.30	1,902.00	SLD680.30	1,692.00
	36	SLC680.36	2,015.00	SLD680.36	1,863.00
	42	SLC680.42	2,260.00	SLD680.42	2,100.00
	48	SLC680.48	2,493.00	SLD680.48	2,329.00

**DESCRIPTION:** Fully factory assembled CMW PolyStax Panel with fabric/laminate or other combinations on both panel sides. Includes full length plastic end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Laminate, Finish. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

Fully Assembled Stacker Units  
with TAAC™ construction

*Clear Glazed - Fabric Both Sides  
No Raceway, No Power*

**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

**Other stacking configurations are available.  
Contact Compatico Customer Service.**

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSCV153.24	\$897.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSCV153.30	1,083.00					
	36	TSCV153.36	1,143.00					
	42	TSCV153.42	1,234.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
65H 53" + 12.312"	48	TSCV153.48	1,271.00					
	24	TSCV165.24	\$960.00	\$25.00	\$63.00	-\$102.00	-\$76.00	-\$51.00
	30	TSCV165.30	1,246.00					
	36	TSCV165.36	1,256.00					
65H 53" + 12.312"	42	TSCV165.42	1,347.00	\$51.00	\$127.00	-\$203.00	-\$152.00	-\$101.00
	48	TSCV165.48	1,390.00					
65H 41" + 23.437"	24	TSCV065.24	\$1,012.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSCV065.30	1,230.00					
	36	TSCV065.36	1,291.00					
	42	TSCV065.42	1,400.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
65H 41" + 11.125" + 12.312"	48	TSCV065.48	1,465.00					
	24	TSCV265.24	\$1,215.00					
	30	TSCV265.30	1,326.00					
	36	TSCV265.36	1,374.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
80H 53" + 28.125"	42	TSCV265.42	1,481.00					
	48	TSCV265.48	1,532.00					
80H 53" + 28.125"	24	TSCV080.24	\$1,138.00	\$26.00	\$64.00	-\$101.00	-\$75.00	-\$50.00
	30	TSCV080.30	1,462.00					
	36	TSCV080.36	1,473.00	\$51.00	\$127.00	-\$203.00	-\$152.00	-\$101.00
	42	TSCV080.42	1,597.00					
80H 65" + 15.812"	48	TSCV080.48	1,656.00					
	24	TSCV180.24	\$969.00	\$31.00	\$78.00	-\$125.00	-\$93.00	-\$62.00
	30	TSCV180.30	1,400.00					
	36	TSCV180.36	1,437.00	\$63.00	\$156.00	-\$249.00	-\$187.00	-\$125.00
80H 65" + 15.812"	42	TSCV180.42	1,552.00					
	48	TSCV180.48	1,583.00					
80H 41" + 11.125" + 28.125"	24	TSCV280.24	\$1,394.00					
	30	TSCV280.30	1,527.00					
	36	TSCV280.36	1,591.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
	42	TSCV280.42	1,732.00					
80H 41" + 15.812" + 23.437"	48	TSCV280.48	1,798.00					
	24	TSCV380.24	\$1,419.00					
	30	TSCV380.30	1,542.00					
	36	TSCV380.36	1,615.00	\$61.00	\$152.00	-\$245.00	-\$184.00	-\$123.00
80H 53" + 12.312" + 15.812"	42	TSCV380.42	1,743.00					
	48	TSCV380.48	1,833.00					
80H 53" + 12.312" + 15.812"	24	TSCV480.24	\$1,257.00					
	30	TSCV480.30	1,367.00					
	36	TSCV480.36	1,568.00	\$69.00	\$172.00	-\$275.00	-\$206.00	-\$137.00
	42	TSCV480.42	1,688.00					
80H 53" + 12.312" + 15.812"	48	TSCV480.48	1,732.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with clear glazed acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately).

**SPECIFY:** Product Number, Fabric, Finish.


DIMENSIONS								
Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSCB153.24	\$986.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$38.00
	30	TSCB153.30	1,135.00					
	36	TSCB153.36	1,215.00					
	42	TSCB153.42	1,315.00	\$38.00	\$94.00	-\$150.00	-\$112.00	-\$75.00
65H 53" + 12.312"	48	TSCB153.48	1,364.00					
	24	TSCB165.24	\$1,008.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCB165.30	1,233.00					
	36	TSCB165.36	1,331.00					
65H 53" + 12.312"	42	TSCB165.42	1,430.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSCB165.48	1,486.00					
65H 41"+23.437"	24	TSCB065.24	\$1,133.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSCB065.30	1,315.00					
	36	TSCB065.36	1,395.00					
	42	TSCB065.42	1,512.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
65H 41" + 11.125" + 12.312"	48	TSCB065.48	1,590.00					
	24	TSCB265.24	\$1,299.00					
	30	TSCB265.30	1,380.00					
	36	TSCB265.36	1,448.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
80H 53" + 28.125"	42	TSCB265.42	1,564.00					
	48	TSCB265.48	1,626.00					
	24	TSCB080.24	\$1,241.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCB080.30	1,488.00					
80H 53" + 28.125"	36	TSCB080.36	1,551.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	42	TSCB080.42	1,694.00					
	48	TSCB080.48	1,766.00					
80H 65" + 15.812"	24	TSCB180.24	\$1,025.00	\$29.00	\$73.00	-\$115.00	-\$87.00	-\$58.00
	30	TSCB180.30	1,265.00					
	36	TSCB180.36	1,454.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$116.00
	42	TSCB180.42	1,566.00					
80H 41" + 11.125" + 28.125"	48	TSCB180.48	1,617.00					
	24	TSCB280.24	\$1,478.00					
	30	TSCB280.30	1,581.00					
	36	TSCB280.36	1,665.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
80H 41" + 11.125" + 28.125"	42	TSCB280.42	1,814.00					
	48	TSCB280.48	1,893.00					
80H 41" + 15.812 + 23.437	24	TSCB380.24	\$1,502.00					
	30	TSCB380.30	1,596.00					
	36	TSCB380.36	1,689.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSCB380.42	1,825.00					
80H 53" + 12.312" + 15.812"	48	TSCB380.48	1,928.00					
	24	TSCB480.24	\$1,338.00					
	30	TSCB480.30	1,435.00					
	36	TSCB480.36	1,631.00	\$65.00	\$164.00	-\$263.00	-\$197.00	-\$132.00
	42	TSCB480.42	1,770.00					
	48	TSCB480.48	1,827.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with clear glazed acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately).

**SPECIFY:** Product Number, Fabric, Finish.

Fully Assembled Stackers Units  
with TAAC™ construction

Clear Glazed - Fabric Both Sides  
With Raceway, No Power



**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Clear Glazed - Fabric Both Sides  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



**NOTE:** Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **NOTE:** Powder coated steel end caps. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSCC153.24	\$1,163.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$38.00
	30	TSCC153.30	1,357.00					
	36	TSCC153.36	1,457.00					
	42	TSCC153.42	1,566.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$75.00
65H 53" + 12.312"	48	TSCC153.48	1,625.00					
	24	TSCC165.24	\$1,185.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCC165.30	1,455.00					
	36	TSCC165.36	1,572.00					
65H 53" + 12.312"	42	TSCC165.42	1,682.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSCC165.48	1,747.00					
65H 41" + 23.437"	24	TSCC065.24	\$1,310.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSCC065.30	1,537.00					
	36	TSCC065.36	1,637.00					
	42	TSCC065.42	1,764.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
65H 41" + 11.125" + 12.312"	48	TSCC065.48	1,851.00					
	24	TSCC265.24	\$1,476.00					
	30	TSCC265.30	1,602.00					
	36	TSCC265.36	1,689.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
65H 41" + 11.125" + 12.312"	42	TSCC265.42	1,815.00					
	48	TSCC265.48	1,888.00					
80H 53" + 28.125"	24	TSCC080.24	\$1,418.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCC080.30	1,710.00					
	36	TSCC080.36	1,793.00					
	42	TSCC080.42	1,945.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
80H 53" + 28.125"	48	TSCC080.48	2,027.00					
	24	TSCC180.24	\$1,202.00	29.00	73.00	-116.00	-87.00	-58.00
	30	TSCC180.30	1,487.00					
	36	TSCC180.36	1,696.00					
80H 65" + 15.812"	42	TSCC180.42	1,817.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$115.00
	48	TSCC180.48	1,878.00					
80H 41" + 11.125" + 28.125"	24	TSCC280.24	\$1,655.00					
	30	TSCC280.30	1,803.00					
	36	TSCC280.36	1,906.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSCC280.42	2,065.00					
80H 41" + 11.125" + 28.125"	48	TSCC280.48	2,154.00					
	24	TSCC380.24	\$1,679.00					
	30	TSCC380.30	1,818.00					
	36	TSCC380.36	1,930.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
80H 41" + 15.812 + 23.437"	42	TSCC380.42	2,076.00					
	48	TSCC380.48	2,189.00					
80H 53" + 12.312" + 15.812"	24	TSCC480.24	\$1,515.00					
	30	TSCC480.30	1,657.00					
	36	TSCC480.36	1,873.00	\$65.00	\$164.00	-\$263.00	-\$197.00	-\$132.00
	42	TSCC480.42	2,022.00					
80H 53" + 12.312" + 15.812"	48	TSCC480.48	2,088.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with clear glazed acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.



DIMENSIONS								
Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSCD153.24	\$1,029.00	\$18.00	\$47.00	-\$75.00	-\$56.00	-\$38.00
	30	TSCD153.30	1,208.00					
	36	TSCD153.36	1,305.00					
	42	TSCD153.42	1,406.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$75.00
	48	TSCD153.48	1,462.00					
65H 53" + 12.312"	24	TSCD165.24	\$1,051.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCD165.30	1,306.00					
	36	TSCD165.36	1,421.00					
	42	TSCD165.42	1,521.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSCD165.48	1,583.00					
65H 41"+23.437"	24	TSCD065.24	\$1,176.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$38.00
	30	TSCD065.30	1,388.00					
	36	TSCD065.36	1,485.00					
	42	TSCD065.42	1,604.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSCD065.48	1,688.00					
65H 41" + 11.125" + 12.312"	24	TSCD265.24	\$1,342.00					
	30	TSCD265.30	1,453.00					
	36	TSCD265.36	1,537.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSCD265.42	1,655.00					
	48	TSCD265.48	1,724.00					
80H 53" + 28.125"	24	TSCD080.24	\$1,284.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSCD080.30	1,561.00					
	36	TSCD080.36	1,641.00					
	42	TSCD080.42	1,785.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSCD080.48	1,863.00					
80H 65" + 15.812"	24	TSCD180.24	\$1,068.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00
	30	TSCD180.30	1,338.00					
	36	TSCD180.36	1,544.00					
	42	TSCD180.42	1,657.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$115.00
	48	TSCD180.48	1,714.00					
80H 41" + 11.125" + 28.125"	24	TSCD280.24	\$1,521.00					
	30	TSCD280.30	1,654.00					
	36	TSCD280.36	1,754.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSCD280.42	1,905.00					
	48	TSCD280.48	1,990.00					
80H 41" + 15.812 + 23.437	24	TSCD380.24	\$1,545.00					
	30	TSCD380.30	1,669.00					
	36	TSCD380.36	1,778.00	\$59.00	\$147.00	-\$234.00	-\$176.00	-\$117.00
	42	TSCD380.42	1,916.00					
	48	TSCD380.48	2,025.00					
80H 53" + 12.312" + 15.812"	24	TSCD480.24	\$1,381.00					
	30	TSCD480.30	1,508.00					
	36	TSCD480.36	1,721.00	\$65.00	\$164.00	-\$263.00	-\$197.00	-\$132.00
	42	TSCD480.42	1,862.00					
	48	TSCD480.48	1,924.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with clear glazed acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.

**NOTE:** Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers.

**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.


*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*Note: Order panel-to-panel electrical jumper separately.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

Fully Assembled Stacker Units  
with TAAC™ construction

Clear Glazed - Fabric Both Sides  
With Raceway, With Power  
Byrne 3 Circuit/5 Wire Electrical



includes TAAC™

Compatico Systems  
Terms & Conditions

## Surface Materials

A02

CMW

G2/Genesis

## Frames

## Gather Benching

Hush

Electrical

Storage

## Worksurfaces

## Conference & Training Tables

Legs

**Height Adjustable  
Legs**


## Accessories

**Folio™ Desking &  
Energee™ Seating**

## References

Fully Assembled Stacker Units  
with TAAC™ construction

*Smoked Glazed - Fabric Both Sides  
No Raceway, No Power*



includes TAAC™

**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have  
alternative materials applied, tackable,  
acoustical, please contact Compatico  
Project Management for availability.  
Upcharges may apply.

*Note: For alternative lower pricing consider lower  
height panel with taco clip and frameless screen  
design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSWV153.24	\$921.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSWV153.30	1,098.00					
	36	TSWV153.36	1,187.00					
	42	TSWV153.42	1,248.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	48	TSWV153.48	1,282.00					
65H 53" + 12.312"	24	TSWV165.24	\$973.00	\$25.00	\$63.00	-\$101.00	-\$76.00	-\$50.00
	30	TSWV165.30	1,257.00					
	36	TSWV165.36	1,261.00					
	42	TSWV165.42	1,363.00	\$51.00	\$127.00	-\$203.00	-\$152.00	-\$101.00
	48	TSWV165.48	1,395.00					
65H 41" + 23.437"	24	TSWV065.24	\$1,029.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSWV065.30	1,252.00					
	36	TSWV065.36	1,326.00					
	42	TSWV065.42	1,418.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	48	TSWV065.48	1,527.00					
65H 41" + 11.125" + 12.312"	24	TSWV265.24	\$1,229.00					
	30	TSWV265.30	1,337.00					
	36	TSWV265.36	1,378.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
	42	TSWV265.42	1,498.00					
	48	TSWV265.48	1,538.00					
80H 53" + 28.125"	24	TSWV080.24	\$1,130.00	\$25.00	\$63.00	-\$102.00	-\$76.00	-\$51.00
	30	TSWV080.30	1,443.00					
	36	TSWV080.36	1,501.00	\$51.00	\$127.00	-\$203.00	-\$152.00	-\$102.00
	42	TSWV080.42	1,645.00					
	48	TSWV080.48	1,747.00					
80H 65" + 15.812"	24	TSWV180.24	\$991.00	\$31.00	\$78.00	-\$125.00	-\$94.00	-\$62.00
	30	TSWV180.30	1,415.00					
	36	TSWV180.36	1,457.00	\$62.00	\$156.00	-\$250.00	-\$187.00	-\$125.00
	42	TSWV180.42	1,585.00					
	48	TSWV180.48	1,728.00					
80H 41" + 11.125" + 28.125"	24	TSWV280.24	\$1,385.00					
	30	TSWV280.30	1,507.00					
	36	TSWV280.36	1,619.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
	42	TSWV280.42	1,780.00					
	48	TSWV280.48	1,889.00					
80H 41" + 15.812 + 23.437	24	TSWV380.24	\$1,436.00					
	30	TSWV380.30	1,563.00					
	36	TSWV380.36	1,650.00	\$61.00	\$153.00	-\$245.00	-\$184.00	-\$123.00
	42	TSWV380.42	1,761.00					
	48	TSWV380.48	1,895.00					
80H 53" + 12.312" + 15.812"	24	TSWV480.24	\$1,279.00					
	30	TSWV480.30	1,381.00					
	36	TSWV480.36	1,588.00	\$69.00	\$172.00	-\$275.00	-\$206.00	-\$137.00
	42	TSWV480.42	1,721.00					
	48	TSWV480.48	1,877.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with smoked acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately).

**SPECIFY:** Product Number, Fabric, Finish.



DIMENSIONS								
Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSWB153.24	\$1,010.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWB153.30	1,151.00					
	36	TSWB153.36	1,260.00					
	42	TSWB153.42	1,329.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSWB153.48	1,375.00					
65H 53" + 12.312"	24	TSWB165.24	\$1,022.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWB165.30	1,244.00					
	36	TSWB165.36	1,335.00					
	42	TSWB165.42	1,446.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSWB165.48	1,491.00					
65H 41"+23.437"	24	TSWB065.24	\$1,150.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWB065.30	1,336.00					
	36	TSWB065.36	1,430.00					
	42	TSWB065.42	1,531.00	\$37.00	\$94.00	-\$150.00	-\$112.00	-\$75.00
	48	TSWB065.48	1,652.00					
65H 41" + 11.125" + 12.312"	24	TSWB265.24	\$1,312.00					
	30	TSWB265.30	1,391.00					
	36	TSWB265.36	1,452.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$106.00
	42	TSWB265.42	1,580.00					
	48	TSWB265.48	1,632.00					
80H 53" + 28.125"	24	TSWB080.24	\$1,233.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWB080.30	1,469.00					
	36	TSWB080.36	1,580.00					
	42	TSWB080.42	1,742.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSWB080.48	1,857.00					
80H 65" + 15.812"	24	TSWB180.24	\$1,047.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00
	30	TSWB180.30	1,280.00					
	36	TSWB180.36	1,474.00					
	42	TSWB180.42	1,598.00	\$58.00	\$145.00	-\$232.00	-\$174.00	-\$116.00
	48	TSWB180.48	1,762.00					
80H 41" + 11.125" + 28.125"	24	TSWB280.24	\$1,469.00					
	30	TSWB280.30	1,562.00					
	36	TSWB280.36	1,693.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSWB280.42	1,862.00					
	48	TSWB280.48	1,984.00					
80H 41" + 15.812 + 23.437	24	TSWB380.24	\$1,519.00					
	30	TSWB380.30	1,617.00					
	36	TSWB380.36	1,724.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSWB380.42	1,844.00					
	48	TSWB380.48	1,989.00					
80H 53" + 12.312" + 15.812"	24	TSWB480.24	\$1,359.00					
	30	TSWB480.30	1,450.00					
	36	TSWB480.36	1,651.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSWB480.42	1,803.00					
	48	TSWB480.48	1,972.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with smoked acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.

**NOTE:** Powder coated steel end caps.


**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available. Contact Compatico Customer Service.

Fully Assembled Stacker Units with TAAC™ construction

Smoked Glazed - Fabric Both Sides With Raceway, No Power



includes TAAC™

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather Benching

Hush

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs


Accessories

Folio™ Desking & Energee™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Smoked Glazed - Fabric Both Sides  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have  
alternative materials applied, tackable,  
acoustical, please contact Compatico  
Project Management for availability.  
Upcharges may apply.

*Note: For alternative lower pricing consider lower  
height panel with taco clip and frameless screen  
design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSWC153.24	\$1,187.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWC153.30	1,373.00					
	36	TSWC153.36	1,501.00					
	42	TSWC153.42	1,581.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSWC153.48	1,637.00					
65H 53" + 12.312"	24	TSWC165.24	\$1,199.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWC165.30	1,466.00					
	36	TSWC165.36	1,577.00					
	42	TSWC165.42	1,698.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSWC165.48	1,753.00					
65H 41" + 23.437"	24	TSWC065.24	\$1,327.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWC065.30	1,558.00					
	36	TSWC065.36	1,672.00					
	42	TSWC065.42	1,782.00	\$37.00	\$94.00	-\$150.00	-\$112.00	-\$75.00
	48	TSWC065.48	1,913.00					
65H 41" + 11.125" + 12.312"	24	TSWC265.24	\$1,489.00					
	30	TSWC265.30	1,613.00					
	36	TSWC265.36	1,694.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$107.00
	42	TSWC265.42	1,832.00					
	48	TSWC265.48	1,894.00					
80H 53" + 28.125"	24	TSWC080.24	\$1,409.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWC080.30	1,691.00					
	36	TSWC080.36	1,821.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	42	TSWC080.42	1,993.00					
	48	TSWC080.48	2,118.00					
80H 65" + 15.812"	24	TSWC180.24	\$1,224.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00
	30	TSWC180.30	1,502.00					
	36	TSWC180.36	1,716.00	\$58.00	\$145.00	-\$232.00	-\$174.00	-\$116.00
	42	TSWC180.42	1,850.00					
	48	TSWC180.48	2,023.00					
80H 41" + 11.125" + 28.125"	24	TSWC280.24	\$1,646.00					
	30	TSWC280.30	1,784.00					
	36	TSWC280.36	1,934.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSWC280.42	2,113.00					
	48	TSWC280.48	2,245.00					
80H 41" + 15.812 + 23.437	24	TSWC380.24	\$1,696.00					
	30	TSWC380.30	1,839.00					
	36	TSWC380.36	1,965.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSWC380.42	2,095.00					
	48	TSWC380.48	2,251.00					
80H 53" + 12.312" + 15.812"	24	TSWC480.24	\$1,536.00					
	30	TSWC480.30	1,672.00					
	36	TSWC480.36	1,893.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSWC480.42	2,055.00					
	48	TSWC480.48	2,233.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with smoked acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers.

**SPECIFY:** Product Number, Fabric, Finish.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSWD153.24	\$1,053.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWD153.30	1,224.00					
	36	TSWD153.36	1,349.00					
	42	TSWD153.42	1,420.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSWD153.48	1,473.00					
65H 53" + 12.312"	24	TSWD165.24	\$1,065.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWD165.30	1,317.00					
	36	TSWD165.36	1,425.00					
	42	TSWD165.42	1,538.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSWD165.48	1,589.00					
65H 41"+23.437"	24	TSWD065.24	\$1,193.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSWD065.30	1,409.00					
	36	TSWD065.36	1,520.00					
	42	TSWD065.42	1,622.00	\$37.00	\$94.00	-\$150.00	-\$112.00	-\$75.00
	48	TSWD065.48	1,749.00					
65H 41" + 11.125" + 12.312"	24	TSWD265.24	\$1,355.00					
	30	TSWD265.30	1,464.00					
	36	TSWD265.36	1,542.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$107.00
	42	TSWD265.42	1,671.00					
	48	TSWD265.48	1,730.00					
80H 53" + 28.125"	24	TSWD080.24	\$1,275.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSWD080.30	1,542.00					
	36	TSWD080.36	1,669.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	42	TSWD080.42	1,833.00					
	48	TSWD080.48	1,954.00					
80H 65" + 15.812"	24	TSWD180.24	\$1,090.00	\$29.00	\$72.00	-\$116.00	-\$87.00	-\$58.00
	30	TSWD180.30	1,353.00					
	36	TSWD180.36	1,564.00	\$58.00	\$145.00	-\$232.00	-\$174.00	-\$116.00
	42	TSWD180.42	1,690.00					
	48	TSWD180.48	1,859.00					
80H 41" + 11.125" + 28.125"	24	TSWD280.24	\$1,512.00					
	30	TSWD280.30	1,635.00					
	36	TSWD280.36	1,782.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSWD280.42	1,953.00					
	48	TSWD280.48	2,081.00					
80H 41" + 15.812 + 23.437	24	TSWD380.24	\$1,562.00					
	30	TSWD380.30	1,690.00					
	36	TSWD380.36	1,813.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSWD380.42	1,935.00					
	48	TSWD380.48	2,087.00					
80H 53" + 12.312" + 15.812"	24	TSWD480.24	\$1,402.00					
	30	TSWD480.30	1,523.00					
	36	TSWD480.36	1,741.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSWD480.42	1,895.00					
	48	TSWD480.48	2,069.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with smoked acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers.


**SPECIFY:** Product Number, Fabric, Finish.

**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*Note: Order panel-to-panel electrical jumper separately.*

Other stacking configurations are available.  
 Contact Compatico Customer Service.



Compatico Systems  
 Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
 Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
 Training Tables

Legs

Height Adjustable  
 Legs


Accessories

Folio™ Desking &  
 Ergo™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Frosted Glazed - Fabric Both Sides  
No Raceway, No Power*



**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSFV153.24	\$923.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSFV153.30	1,112.00					
	36	TSFV153.36	1,187.00					
	42	TSFV153.42	1,269.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
65H 53" + 12.312"	48	TSFV153.48	1,300.00					
	24	TSFV165.24	\$987.00	\$26.00	\$64.00	-\$101.00	-\$75.00	-\$50.00
	30	TSFV165.30	1,278.00					
	36	TSFV165.36	1,295.00					
65H 53" + 12.312"	42	TSFV165.42	1,387.00	\$51.00	\$127.00	-\$203.00	-\$152.00	-\$101.00
	48	TSFV165.48	1,444.00					
65H 41" + 23.437"	24	TSFV065.24	\$1,062.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	30	TSFV065.30	1,293.00					
	36	TSFV065.36	1,410.00					
	42	TSFV065.42	1,488.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
65H 41" + 11.125" + 12.312"	48	TSFV065.48	1,635.00					
	24	TSFV265.24	\$1,243.00					
	30	TSFV265.30	1,358.00					
	36	TSFV265.36	1,413.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
80H 53" + 28.125"	42	TSFV265.42	1,521.00					
	48	TSFV265.48	1,586.00					
	24	TSFV080.24	\$1,170.00	\$26.00	\$64.00	-\$101.00	-\$76.00	-\$50.00
	30	TSFV080.30	1,484.00					
80H 53" + 28.125"	36	TSFV080.36	1,542.00	\$50.00	\$126.00	-\$203.00	-\$152.00	-\$102.00
	42	TSFV080.42	1,707.00					
	48	TSFV080.48	1,775.00					
80H 65" + 15.812"	24	TSFV180.24	\$1,020.00	\$31.00	\$78.00	-\$125.00	-\$94.00	-\$62.00
	30	TSFV180.30	1,462.00					
	36	TSFV180.36	1,530.00	\$63.00	\$156.00	-\$249.00	-\$187.00	-\$125.00
	42	TSFV180.42	1,637.00					
80H 41" + 11.125" + 28.125"	48	TSFV180.48	1,834.00					
	24	TSFV280.24	\$1,426.00					
	30	TSFV280.30	1,548.00					
	36	TSFV280.36	1,660.00	\$56.00	\$140.00	-\$224.00	-\$168.00	-\$112.00
80H 41" + 11.125" + 28.125"	42	TSFV280.42	1,841.00					
	48	TSFV280.48	1,917.00					
80H 41" + 15.812 + 23.437"	24	TSFV380.24	\$1,469.00					
	30	TSFV380.30	1,605.00					
	36	TSFV380.36	1,734.00	\$61.00	\$153.00	-\$245.00	-\$184.00	-\$122.00
	42	TSFV380.42	1,831.00					
80H 53" + 12.312" + 15.812"	48	TSFV380.48	2,003.00					
	24	TSFV480.24	\$1,308.00					
	30	TSFV480.30	1,429.00					
	36	TSFV480.36	1,660.00	\$69.00	\$172.00	-\$275.00	-\$206.00	-\$137.00
80H 53" + 12.312" + 15.812"	42	TSFV480.42	1,774.00					
	48	TSFV480.48	1,983.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with frosted acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately).

**SPECIFY:** Product Number, Fabric, Finish.


DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSFB153.24	\$942.00	\$18.00	\$46.00	-\$75.00	-\$57.00	-\$38.00
	30	TSFB153.30	1,094.00					
	36	TSFB153.36	1,266.00					
	42	TSFB153.42	1,357.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSFB153.48	1,400.00					
65H 53" + 12.312"	24	TSFB165.24	\$1,077.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFB165.30	1,306.00					
	36	TSFB165.36	1,360.00					
	42	TSFB165.42	1,470.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSFB165.48	1,540.00					
65H 41" + 23.437"	24	TSFB065.24	\$1,176.00	\$19.00	\$47.00	-\$74.00	-\$56.00	-\$37.00
	30	TSFB065.30	1,371.00					
	36	TSFB065.36	1,508.00					
	42	TSFB065.42	1,594.00	\$37.00	\$93.00	-\$150.00	-\$112.00	-\$75.00
	48	TSFB065.48	1,753.00					
65H 41" + 11.125" + 12.312"	24	TSFB265.24	\$1,327.00					
	30	TSFB265.30	1,412.00					
	36	TSFB265.36	1,486.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSFB265.42	1,604.00					
	48	TSFB265.48	1,681.00					
80H 53" + 28.125"	24	TSFB080.24	\$1,273.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFB080.30	1,510.00					
	36	TSFB080.36	1,620.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	42	TSFB080.42	1,804.00					
	48	TSFB080.48	1,884.00					
80H 65" + 15.812"	24	TSFB180.24	\$1,076.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00
	30	TSFB180.30	1,327.00					
	36	TSFB180.36	1,547.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$116.00
	42	TSFB180.42	1,651.00					
	48	TSFB180.48	1,868.00					
80H 41" + 11.125" + 28.125"	24	TSFB280.24	\$1,510.00					
	30	TSFB280.30	1,602.00					
	36	TSFB280.36	1,734.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSFB280.42	1,924.00					
	48	TSFB280.48	2,012.00					
80H 41" + 15.812 + 23.437	24	TSFB380.24	\$1,552.00					
	30	TSFB380.30	1,659.00					
	36	TSFB380.36	1,808.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSFB380.42	1,913.00					
	48	TSFB380.48	2,098.00					
80H 53" + 12.312" + 15.812"	24	TSFB480.24	\$1,388.00					
	30	TSFB480.30	1,497.00					
	36	TSFB480.36	1,724.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSFB480.42	1,856.00					
	48	TSFB480.48	2,078.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with frosted acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish.

**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Fully Assembled Stacker Units  
 with TAAC™ construction  
 Frosted Glazed - Fabric Both Sides  
 With Raceway, No Power



includes TAAC™

Other stacking configurations are available.  
 Contact Compatico Customer Service.

Compatico Systems  
 Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
 Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
 Training Tables

Legs

Height Adjustable  
 Legs


Accessories

Folio™ Desking &  
 Energee™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Frosted Glazed - Fabric Both Sides  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



**NOTE:** Powder coated steel end caps.

**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSFC153.24	\$1,189.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSFC153.30	1,386.00					
	36	TSFC153.36	1,501.00					
	42	TSFC153.42	1,602.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$74.00
65H 53" + 12.312"	48	TSFC153.48	1,655.00					
	24	TSFC165.24	\$1,213.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFC165.30	1,487.00					
	36	TSFC165.36	1,611.00					
65H 41" + 23.437"	42	TSFC165.42	1,721.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSFC165.48	1,801.00					
65H 41" + 23.437"	24	TSFC065.24	\$1,360.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSFC065.30	1,600.00					
	36	TSFC065.36	1,756.00					
	42	TSFC065.42	1,852.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
65H 41" + 11.125" + 12.312"	48	TSFC065.48	2,021.00					
	24	TSFC265.24	\$1,504.00					
	30	TSFC265.30	1,634.00					
	36	TSFC265.36	1,728.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
80H 53" + 28.125"	42	TSFC265.42	1,855.00					
	48	TSFC265.48	1,942.00					
	24	TSFC080.24	\$1,450.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFC080.30	1,732.00					
80H 65" + 15.812"	36	TSFC080.36	1,862.00					
	42	TSFC080.42	2,055.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSFC080.48	2,146.00					
	24	TSFC180.24	\$1,253.00	\$29.00	\$72.00	-\$116.00	-\$87.00	-\$58.00
80H 41" + 11.125" + 28.125"	30	TSFC180.30	1,549.00					
	36	TSFC180.36	1,788.00					
	42	TSFC180.42	1,903.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$115.00
	48	TSFC180.48	2,129.00					
80H 41" + 11.125" + 28.125"	24	TSFC280.24	\$1,686.00					
	30	TSFC280.30	1,824.00					
	36	TSFC280.36	1,975.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$106.00
	42	TSFC280.42	2,175.00					
80H 41" + 15.812 + 23.437	48	TSFC280.48	2,273.00					
	24	TSFC380.24	\$1,729.00					
	30	TSFC380.30	1,881.00					
	36	TSFC380.36	2,049.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
80H 53" + 12.312" + 15.812"	42	TSFC380.42	2,165.00					
	48	TSFC380.48	2,359.00					
	24	TSFC480.24	\$1,565.00					
	30	TSFC480.30	1,719.00					
80H 53" + 12.312" + 15.812"	36	TSFC480.36	1,965.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSFC480.42	2,107.00					
	48	TSFC480.48	2,339.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with frosted acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers.

**SPECIFY:** Product Number, Fabric, Finish



DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSFD153.24	\$1,055.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSFD153.30	1,237.00					
	36	TSFD153.36	1,349.00					
	42	TSFD153.42	1,441.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$74.00
	48	TSFD153.48	1,491.00					
65H 53" + 12.312"	24	TSFD165.24	\$1,079.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFD165.30	1,338.00					
	36	TSFD165.36	1,459.00					
	42	TSFD165.42	1,561.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSFD165.48	1,637.00					
65H 41" + 23.437"	24	TSFD065.24	\$1,226.00	\$19.00	\$47.00	-\$75.00	-\$56.00	-\$37.00
	30	TSFD065.30	1,451.00					
	36	TSFD065.36	1,604.00					
	42	TSFD065.42	1,692.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	48	TSFD065.48	1,857.00					
65H 41" + 11.125" + 12.312"	24	TSFD265.24	\$1,370.00					
	30	TSFD265.30	1,485.00					
	36	TSFD265.36	1,576.00	\$53.00	\$133.00	-\$214.00	-\$161.00	-\$107.00
	42	TSFD265.42	1,695.00					
	48	TSFD265.48	1,778.00					
80H 53" + 28.125"	24	TSFD080.24	\$1,316.00	\$24.00	\$60.00	-\$96.00	-\$72.00	-\$48.00
	30	TSFD080.30	1,583.00					
	36	TSFD080.36	1,710.00					
	42	TSFD080.42	1,895.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	48	TSFD080.48	1,982.00					
80H 65" + 15.812"	24	TSFD180.24	\$1,119.00	\$29.00	\$72.00	-\$116.00	-\$87.00	-\$58.00
	30	TSFD180.30	1,400.00					
	36	TSFD180.36	1,636.00					
	42	TSFD180.42	1,742.00	\$58.00	\$145.00	-\$231.00	-\$173.00	-\$116.00
	48	TSFD180.48	1,965.00					
80H 41" + 11.125" + 28.125"	24	TSFD280.24	\$1,552.00					
	30	TSFD280.30	1,675.00					
	36	TSFD280.36	1,823.00	\$54.00	\$134.00	-\$213.00	-\$160.00	-\$106.00
	42	TSFD280.42	2,015.00					
	48	TSFD280.48	2,109.00					
80H 41" + 15.812 + 23.437	24	TSFD380.24	\$1,595.00					
	30	TSFD380.30	1,732.00					
	36	TSFD380.36	1,897.00	\$59.00	\$147.00	-\$234.00	-\$175.00	-\$117.00
	42	TSFD380.42	2,005.00					
	48	TSFD380.48	2,195.00					
80H 53" + 12.312" + 15.812"	24	TSFD480.24	\$1,431.00					
	30	TSFD480.30	1,570.00					
	36	TSFD480.36	1,813.00	\$66.00	\$164.00	-\$262.00	-\$196.00	-\$131.00
	42	TSFD480.42	1,947.00					
	48	TSFD480.48	2,175.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with frosted acrylic and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish


**NOTE:** Powder coated steel end caps.  
**NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

*Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.*

*Note: Order panel-to-panel electrical jumper separately.*

Other stacking configurations are available. Contact Compatico Customer Service.

Fully Assembled Stacker Units with TAAC™ construction  
 Frosted Glazed - Fabric Both Sides  
 With Raceway, With Power  
 Byrne 3 Circuit/5 Wire Electrical



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

Fully Assembled Stacker Units  
with TAAC™ construction

Marker Board/Fabric - Both Sides  
No Raceway, No Power

Note: For alternative lower pricing consider lower  
height panel with taco clip and frameless screen  
design. Fabric, laminate or glass.

Other stacking configurations are available.  
Contact Compatico Customer Service.



includes TAAC™

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSMV153.24	\$761.00	\$42.00	\$113.00	-\$159.00	-\$117.00	-\$76.00
	30	TSMV153.30	789.00					
	36	TSMV153.36	866.00					
	42	TSMV153.42	945.00					
	48	TSMV153.48	958.00					
65H 53" + 12.312"	24	TSMV165.24	\$865.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	30	TSMV165.30	950.00					
	36	TSMV165.36	989.00					
	42	TSMV165.42	1,061.00					
	48	TSMV165.48	1,083.00					
65H 41" + 23.437"	24	TSMV065.24	\$1,127.00	\$40.00	\$100.00	-\$160.00	-\$120.00	-\$80.00
	30	TSMV065.30	1,164.00					
	36	TSMV065.36	1,287.00					
	42	TSMV065.42	1,375.00					
	48	TSMV065.48	1,417.00					
65H 41" + 11.125" + 12.312"	24	TSMV265.24	\$943.00	\$54.00	\$136.00	-\$219.00	-\$165.00	-\$110.00
	30	TSMV265.30	984.00					
	36	TSMV265.36	1,077.00					
	42	TSMV265.42	1,170.00					
	48	TSMV265.48	1,196.00					
80H 41" + 11.125" + 28.125"	24	TSMV280.24	\$1,098.00	\$70.00	\$173.00	-\$276.00	-\$207.00	-\$138.00
	30	TSMV280.30	1,153.00					
	36	TSMV280.36	1,257.00					
	42	TSMV280.42	1,374.00					
	48	TSMV280.48	1,403.00					
80H 41" + 15.812" + 23.437"	24	TSMV380.24	\$1,137.00	\$66.00	\$165.00	-\$263.00	-\$197.00	-\$132.00
	30	TSMV380.30	1,183.00					
	36	TSMV380.36	1,246.00					
	42	TSMV380.42	1,384.00					
	48	TSMV380.48	1,499.00					


**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with anti-ghosting Marker Board and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish. **NOTE:** Steel End Cap is available for upcharge. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.



DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSMB153.24	\$802.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	30	TSMB153.30	844.00					
	36	TSMB153.36	940.00					
	42	TSMB153.42	1,028.00					
	48	TSMB153.48	1,054.00					
65H 53" + 12.312"	24	TSMB165.24	\$913.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	30	TSMB165.30	1,029.00					
	36	TSMB165.36	1,064.00					
	42	TSMB165.42	1,154.00					
	48	TSMB165.48	1,189.00					
65H 41" + 23.437"	24	TSMB065.24	\$1,151.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	30	TSMB065.30	1,202.00					
	36	TSMB065.36	1,344.00					
	42	TSMB065.42	1,440.00					
	48	TSMB065.48	1,495.00					
65H 41" + 11.125" + 12.312"	24	TSMB265.24	\$1,020.00	\$55.00	\$138.00	-\$220.00	-\$165.00	-\$110.00
	30	TSMB265.30	1,072.00					
	36	TSMB265.36	1,178.00					
	42	TSMB265.42	1,283.00					
	48	TSMB265.48	1,322.00					
80H 41" + 11.125" + 28.125"	24	TSMB280.24	\$1,176.00	\$69.00	\$173.00	-\$278.00	-\$209.00	-\$139.00
	30	TSMB280.30	1,242.00					
	36	TSMB280.36	1,357.00					
	42	TSMB280.42	1,487.00					
	48	TSMB280.48	1,528.00					
80H 41" + 15.812" + 23.437"	24	TSMB380.24	\$1,209.00	\$64.00	\$161.00	-\$259.00	-\$194.00	-\$130.00
	30	TSMB380.30	1,266.00					
	36	TSMB380.36	1,340.00					
	42	TSMB380.42	1,490.00					
	48	TSMB380.48	1,618.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with anti-ghosting Marker Board and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). **SPECIFY:** Product Number, Fabric, Finish. **NOTE:** Steel End Cap is available for upcharge. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

Fully Assembled Stackers Units  
with TAAC™ construction  
Marker Board/Fabric - Both Sides  
With Raceway, No Power



Note: For alternative lower pricing consider lower height panel with taco clip and frameless screen design. Fabric, laminate or glass.

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

Fully Assembled Stacker Units  
with TAAC™ construction

*Marker Board/Fabric - Both Sides  
With Raceway, With Power  
Byrne 4 Circuit/8 Wire Electrical*



includes TAAC™

*Note: For alternative lower pricing consider lower  
height panel with taco clip and frameless screen  
design. Fabric, laminate or glass.*

*Note: Powder coated steel end caps.*

Other stacking configurations are available.  
Contact Compatico Customer Service.

## DIMENSIONS

Overall Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
53H 41" + 11.125"	24	TSMC153.24	\$978.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$74.00
	30	TSMC153.30	1,066.00					
	36	TSMC153.36	1,182.00					
	42	TSMC153.42	1,280.00					
	48	TSMC153.48	1,315.00					
65H 53" + 12.312"	24	TSMC165.24	\$1,090.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	30	TSMC165.30	1,251.00					
	36	TSMC165.36	1,305.00					
	42	TSMC165.42	1,405.00					
	48	TSMC165.48	1,450.00					
65H 41" + 23.437"	24	TSMC065.24	\$1,328.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	30	TSMC065.30	1,424.00					
	36	TSMC065.36	1,585.00					
	42	TSMC065.42	1,692.00					
	48	TSMC065.48	1,756.00					
65H 41" + 11.125" + 12.312"	24	TSMC265.24	\$1,197.00	\$55.00	\$137.00	-\$220.00	-\$165.00	-\$110.00
	30	TSMC265.30	1,294.00					
	36	TSMC265.36	1,420.00					
	42	TSMC265.42	1,535.00					
	48	TSMC265.48	1,583.00					
80H 41" + 11.125" + 28.125"	24	TSMC280.24	\$1,353.00	\$69.00	\$173.00	-\$278.00	-\$209.00	-\$139.00
	30	TSMC280.30	1,464.00					
	36	TSMC280.36	1,599.00					
	42	TSMC280.42	1,739.00					
	48	TSMC280.48	1,790.00					
80H 41" + 15.812 + 23.437	24	TSMC380.24	\$1,385.00	\$65.00	\$162.00	-\$258.00	-\$193.00	-\$129.00
	30	TSMC380.30	1,488.00					
	36	TSMC380.36	1,582.00					
	42	TSMC380.42	1,742.00					
	48	TSMC380.48	1,880.00					


**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with anti-ghosting Marker Board and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length end cap cover, painted steel panel joiner between stackers and a steel painted top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (4-circuit/8 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

DIMENSIONS		PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Overall Height	Width							
53H 41" + 11.125"	24	TSMD153.24	\$844.00	\$38.00	\$94.00	-\$149.00	-\$112.00	-\$74.00
	30	TSMD153.30	917.00					
	36	TSMD153.36	1,030.00					
	42	TSMD153.42	1,119.00					
	48	TSMD153.48	1,151.00					
65H 53" + 12.312"	24	TSMD165.24	\$956.00	\$48.00	\$120.00	-\$192.00	-\$144.00	-\$96.00
	30	TSMD165.30	1,102.00					
	36	TSMD165.36	1,153.00					
	42	TSMD165.42	1,245.00					
	48	TSMD165.48	1,286.00					
65H 41" + 23.437"	24	TSMD065.24	\$1,194.00	\$37.00	\$93.00	-\$150.00	-\$113.00	-\$75.00
	30	TSMD065.30	1,275.00					
	36	TSMD065.36	1,434.00					
	42	TSMD065.42	1,532.00					
	48	TSMD065.48	1,592.00					
65H 41" + 11.125" + 12.312"	24	TSMD265.24	\$1,063.00	\$55.00	\$137.00	-\$220.00	-\$165.00	-\$110.00
	30	TSMD265.30	1,145.00					
	36	TSMD265.36	1,268.00					
	42	TSMD265.42	1,374.00					
	48	TSMD265.48	1,419.00					
80H 41" + 11.125" + 28.125"	24	TSMD280.24	\$1,219.00	\$69.00	\$173.00	-\$278.00	-\$209.00	-\$139.00
	30	TSMD280.30	1,315.00					
	36	TSMD280.36	1,447.00					
	42	TSMD280.42	1,578.00					
	48	TSMD280.48	1,626.00					
80H 41" + 15.812 + 23.437	24	TSMD380.24	\$1,251.00	\$65.00	\$162.00	-\$258.00	-\$193.00	-\$129.00
	30	TSMD380.30	1,339.00					
	36	TSMD380.36	1,430.00					
	42	TSMD380.42	1,582.00					
	48	TSMD380.48	1,716.00					

**DESCRIPTION:** Fully factory assembled TAAC™ CMW PolyStax Panel with anti-ghosting Marker Board and fabric on both sides. TAAC™ is a new construction offering tackable and acoustical properties. Includes full length plastic end cap cover, painted steel panel joiner between stackers and a steel top cap. Universal Pork Chop connector kit included for mounting panel to panel in straight or any angle layout. Use varying height connector kits for attaching panels of different height (specify separately). Powered panels include appropriate size electrical distribution assembly (3-circuit/5 wire) and 2 electrical outlet covers. **SPECIFY:** Product Number, Fabric, Finish. **NOTE:** Opposing panel sides may have alternative materials applied, tackable, acoustical, please contact Compatico Project Management for availability. Upcharges may apply.

Fully Assembled Stackers Units  
with TAAC™ construction

Marker Board/Fabric - Both Sides  
With Raceway, With Power  
Byrne 3 Circuit/5 Wire Electrical



Note: Order panel-to-panel electrical  
jumper separately.

Note: For alternative lower pricing consider lower  
height panel with taco clip and frameless screen  
design. Fabric, laminate or glass.

Note: Powder coated steel end caps.

Other stacking configurations are available.  
Contact Compatico Customer Service.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energie™ Seating

References

## CMW PolyStax C-Wall

**Design Flexibility | Durable Construction | Exceptional Value**  
C-Wall™ CMW monolithic panel systems function as a modular floor-to-ceiling wall when adding Compatico's patent-pending PolyStax™ stackable panels.

### CMW POLYSTAX OFFERS MULTIPLE PANEL HEIGHT OPTIONS FROM 41" TO THE CEILING.



#### CMW AND POLYSTAX CAN BE USED TO:

1. Increase workstation panel heights
2. Change workstation panel function
3. Create area dividers
4. Create floor-to-ceiling wall system

#### CMW AND POLYSTAX FACTS:

Supporting design flexibility, Polystax units are available in TAAC™ fabric, marker board, laminate, open, glazed; clear, smoke and frosted acrylic.

Standard and custom height ceiling track packages attach to solid and grid ceilings.

Create multiple connection angles from 35° to 180° plus 2, 3 and 4-way panel runs.

Easy to install using the patent-pending T-Bone/Pork Chop connectors.




Wall mounting attachments and privacy doors are optional.

Compact 2" panel thickness enables data and electrical cables to run in base raceways.


Optional access-protection panels are available with standard OEM acoustical properties.

Electrical power provided by Byrne Electrical, made in the USA, and backed by \$5 million liability coverage.


Ceiling track package has three simple parts: ceiling track, shrouds and end caps for quick installation




Laminate




Fabric Covered Hard Surface




Fabric Covered Tackable  
and Acoustical



Marker Board



Open Pass-Through



Glass (Clear/Smoked/Frosted)

## SPECIFICATION GUIDELINES &amp; SUPPORT

**Scenario 1: Add Single Polystax to Existing Panels**


- Order any of the following CMW Polystax options.
- Select individual stackers based on existing panel width and desired additional height.
- Receive, and with four easy steps, the CMW Polystax unit is quickly and easily installed to existing panel(s).

Step 1. Remove top cap and channel


Step 2. Place the PolyStax joiner and stacker on the donor panel

Step 3. Screw the PolyStax onto the donor panel and attach to any adjacent panels


Step 4. Re-attach channel and top cap to the newly attached PolyStax unit




PolyStax stacker assembly



PolyStax "L" connection



PolyStax "T" connection



PolyStax "X" connection

*Note:*

Installation instructions available online at [www.compatico.com](http://www.compatico.com)

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Scenario 2: Create Floor-To-Ceiling Wall

It is critical that accurate field measurements are taken and communicated to Compatico Project Management. Using selected CMW Polystax, the resulting space between ceiling and top panel may be completed/filled using Compatico ceiling track part number STU005 (.04 or .06 for 4" or 6" versions).

Note: A) Drop Ceilings may use tee bar clips to attach to ceiling track.

B) Use leveler glides to make up for non-level floor.

C) Minimum of 2" of top tile should be secured/inserted within ceiling track.

D) Any panel run over 6', or floor to ceiling application with doors, should be supported with either wing panel at 90° or floor supported worksurfaces.

E) Base panel should be 80" CMW or CMW Polystax panel. Full-length end caps are standard. All Polystax above have segmented end caps.

F) Ceiling track shroud should be installed or positioned on the inside of the office.

G) No more than a standard worksurface and two overhead storage units may be attached to 6' panel run segment. Consult certified contractor during installation.

H) Shroud screw head will need to be painted to match finish.

## Ceiling Track

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE	
Height	Length				
4	60	STU005.04	N/A	\$238.00	
6		STU005.06		303.00	
N/A	N/A	UNP000.00ZI	Zinc Tee Bar Clip	\$6.00	Approx. 4 per track.

**DESCRIPTION:** Ceiling Track and one (1) end cap.

**SPECIFY:** Product Number, Finish.

## Scenario 3: Create Floor-To-Ceiling with Panel Frame Run Between Two Fixed Solid Walls:

**OPTION 1:** (Assumes cumulative frame widths matches wall-to-wall spacing). Specify frames desired and see "specification and installation guidelines for solid wall to frame end attachment.

**OPTION 2:** (Assumes cumulative specified frame widths does not match wall-to-wall spacing) Specify frames desired as close to wall-to-wall spacing dimension. Qualified installation team should field fabricate spacer shim to make up the dimensional difference (wall to wall dimension—less—combined frame width = spacer required). Note: This spacer can also insure plumb wall condition. Two or one spacer possible. Spacer may be metal or wood, and painted to match wall color. See Specification and installation guidelines for wall to frame end. Use panel to wall bracket kit Part # SWU804.00.


Note:  
Installation instructions available online at [www.compatico.com](http://www.compatico.com)



DIMENSIONS								
Height	Width	PRODUCT NUMBER	GR 1 FABRIC LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
11.125	24	TSFA009.24	\$205.00	\$8.00	\$20.00	-\$32.00	-\$24.00	-\$16.00
	30	TSFA009.30	262.00					
	36	TSFA009.36	268.00					
	42	TSFA009.42	285.00	\$16.00	\$40.00	-\$64.00	-\$48.00	-\$32.00
	48	TSFA009.48	292.00					
	60	TSFA009.60	306.00					
12.312	24	TSFA010.24	\$217.00	\$9.00	\$21.00	-\$34.00	-\$25.00	-\$17.00
	30	TSFA010.30	273.00					
	36	TSFA010.36	282.00					
	42	TSFA010.42	299.00	\$17.00	\$42.00	-\$67.00	-\$51.00	-\$34.00
	48	TSFA010.48	313.00					
	60	TSFA010.60	353.00					
15.812	24	TSFA013.24	\$246.00	\$10.00	\$25.00	-\$41.00	-\$31.00	-\$21.00
	30	TSFA013.30	315.00					
	36	TSFA013.36	327.00					
	42	TSFA013.42	347.00	\$20.00	\$50.00	-\$80.00	-\$60.00	-\$40.00
	48	TSFA013.48	372.00					
	60	TSFA013.60	399.00					
23.437	24	TSFA019.24	\$312.00	\$13.00	\$33.00	-\$54.00	-\$41.00	-\$27.00
	30	TSFA019.30	398.00					
	36	TSFA019.36	417.00					
	42	TSFA019.42	447.00	\$27.00	\$67.00	-\$107.00	-\$80.00	-\$53.00
	48	TSFA019.48	460.00					
	60	TSFA019.60	491.00					
28.125	24	TSFA022.24	\$336.00	\$16.00	\$40.00	-\$64.00	-\$48.00	-\$32.00
	30	TSFA022.30	447.00					
	36	TSFA022.36	467.00					
	42	TSFA022.42	508.00	\$32.00	\$80.00	-\$128.00	-\$96.00	-\$64.00
	48	TSFA022.48	524.00					
	60	TSFA022.60	540.00					

Fabric Covered - Both Sides with TAAC™ construction

*Fabric Covered*



#### To maintain OEM standard heights –

New panel height desired:

- 53" = 41" existing panel + 11" stacker
- 65" = 53" existing panel + 12" stacker
- 65" = 41" existing panel + 23" stacker
- 65" = 41" existing panel + 11" stacker + 12" stacker
- 80" = 53" existing panel + 28" stacker
- 80" = 65" existing panel + 15" stacker
- 80" = 41" existing panel + 11" stacker + 28" stacker
- 80" = 41" existing panel + 15" stacker + 23" stacker
- 80" = 53" existing panel + 12" stacker + 15" stacker

*Note: Powder coated steel end caps.*

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Fabric (TAAC™ construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner. TAAC™ is a new construction offering tackable and acoustic properties.

**NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors.

**SPECIFY:** Product Number, Fabric/Laminate, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel,

Step 2: Place channel reveal on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel porkchop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather Benching

Hush

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

Folio™ Desking & Energee™ Seating

References

## Compatico Systems Terms & Conditions

Laminated One Side  
Fabric One Side  
with TAAC™ construction

## Surface Materials

Laminate/Fabric Covered

## AO2

## CMW

## G2/Genesis

## Frames

## Gather Benching

## Hush

## Electrical

## Storage

## Worksurfaces

## Conference & Training Tables

## Legs

## Height Adjustable Legs

## Accessories

## Folio™ Desking & Energee™ Seating

## References

### To maintain OEM standard heights –

New panel height desired:

53" = 41" existing panel + 11" stacker

65" = 53" existing panel + 12" stacker

65" = 41" existing panel + 23" stacker

65" = 41" existing panel + 11" stacker + 12" stacker

80" = 53" existing panel + 28" stacker

80" = 65" existing panel + 15" stacker

80" = 41" existing panel + 11" stacker + 28" stacker

80" = 41" existing panel + 15" stacker +23" stacker

80" = 53" existing panel + 12" stacker +15" stacker

## DIMENSIONS

Height	Width	PRODUCT NUMBER	GR 1 FABRIC & LAMINATE LIST PRICE	ALTERNATIVE FABRIC GRADES				
				GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
11.125	24	TSTA109.24	\$280.00	\$8.00	\$20.00	-\$32.00	-\$24.00	-\$16.00
	30	TSTA109.30	291.00					
	36	TSTA109.36	317.00					
	42	TSTA109.42	373.00					
	48	TSTA109.48	384.00					
	60	TSTA109.60	406.00					
12.312	24	TSTA110.24	\$294.00	\$8.00	\$21.00	-\$34.00	-\$26.00	-\$17.00
	30	TSTA110.30	322.00					
	36	TSTA110.36	374.00					
	42	TSTA110.42	392.00					
	48	TSTA110.48	409.00					
	60	TSTA110.60	486.00					
15.812	24	TSTA113.24	\$335.00	\$10.00	\$25.00	-\$41.00	-\$31.00	-\$20.00
	30	TSTA113.30	388.00					
	36	TSTA113.36	415.00					
	42	TSTA113.42	483.00					
	48	TSTA113.48	585.00					
	60	TSTA113.60	656.00					
23.437	24	TSTA119.24	\$703.00	\$14.00	\$34.00	-\$54.00	-\$40.00	-\$27.00
	30	TSTA119.30	716.00					
	36	TSTA119.36	810.00					
	42	TSTA119.42	881.00					
	48	TSTA119.48	987.00					
	60	TSTA119.60	919.00					
28.125	24	TSTA122.24	\$725.00	\$16.00	\$40.00	-\$64.00	-\$48.00	-\$32.00
	30	TSTA122.30	861.00					
	36	TSTA122.36	894.00					
	42	TSTA122.42	974.00					
	48	TSTA122.48	1,041.00					
	60	TSTA122.60	1,170.00					

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Fabric/Laminate stacker (TAAC™ construction, fabric side only); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner. TAAC™ is a new construction offering tackable and acoustical properties.

**NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors.

**SPECIFY:** Product Number, Fabric/Laminate, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel porkchop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one work-surface and one overhead are to be hung per panel.

**NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.

\* Call for pricing of alternative laminate grades.

Note: Powder coated steel end caps.

DIMENSIONS		PRODUCT NUMBER	GR 1 LAMINATE LIST PRICE
Height	Width		
11.125	24	STA009.24	\$283.00
	30	STA009.30	297.00
	36	STA009.36	361.00
	42	STA009.42	377.00
	48	STA009.48	386.00
	60	STA009.60	410.00
12.312	24	STA010.24	\$301.00
	30	STA010.30	365.00
	36	STA010.36	381.00
	42	STA010.42	390.00
	48	STA010.48	408.00
	60	STA010.60	452.00
15.812	24	STA013.24	\$365.00
	30	STA013.30	381.00
	36	STA013.36	404.00
	42	STA013.42	452.00
	48	STA013.48	551.00
	60	STA013.60	628.00
23.437	24	STA019.24	\$662.00
	30	STA019.30	685.00
	36	STA019.36	795.00
	42	STA019.42	820.00
	48	STA019.48	858.00
	60	STA019.60	917.00
28.125	24	STA022.24	\$677.00
	30	STA022.30	860.00
	36	STA022.36	866.00
	42	STA022.42	930.00
	48	STA022.48	1,027.00
	60	STA022.60	1,180.00

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Laminate stacker (hard surface inner construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner.


**NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors. **SPECIFY:** Product Number, Fabric/Laminate, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel pork-chop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.

**NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®.



**To maintain OEM standard heights –**  
New panel height desired:

53" = 41" existing panel + 11" stacker  
65" = 53" existing panel + 12" stacker  
65" = 41" existing panel + 23" stacker  
65" = 41" existing panel + 11" stacker + 12" stacker  
80" = 53" existing panel + 28" stacker  
80" = 65" existing panel + 15" stacker  
80" = 41" existing panel + 11" stacker + 28" stacker  
80" = 41" existing panel + 15" stacker + 23" stacker  
80" = 53" existing panel + 12" stacker + 15" stacker

*Note: Powder coated steel end caps.*

*\* Call for pricing of alternative laminate grades.*

Laminated - Both Sides

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Marker Board - Both Sides



### To maintain OEM standard heights –

New panel height desired:

53" = 41" existing panel + 11" stacker

65" = 53" existing panel + 12" stacker

65" = 41" existing panel + 23" stacker

65" = 41" existing panel + 11" stacker + 12" stacker

80" = 53" existing panel + 28" stacker

80" = 65" existing panel + 15" stacker

80" = 41" existing panel + 11" stacker + 28" stacker

80" = 41" existing panel + 15" stacker + 23" stacker

80" = 53" existing panel + 12" stacker + 15" stacker

*Note: Powder coated steel end caps.*

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
11.125	24	SMA009.24	\$283.00
	30	SMA009.30	297.00
	36	SMA009.36	361.00
	42	SMA009.42	377.00
	48	SMA009.48	386.00
	60	SMA009.60	410.00
12.312	24	SMA010.24	\$301.00
	30	SMA010.30	365.00
	36	SMA010.36	381.00
	42	SMA010.42	390.00
	48	SMA010.48	408.00
	60	SMA010.60	452.00
15.812	24	SMA013.24	\$365.00
	30	SMA013.30	381.00
	36	SMA013.36	404.00
	42	SMA013.42	452.00
	48	SMA013.48	551.00
	60	SMA013.60	628.00
23.437	24	SMA019.24	\$662.00
	30	SMA019.30	685.00
	36	SMA019.36	795.00
	42	SMA019.42	820.00
	48	SMA019.48	858.00
	60	SMA019.60	917.00
28.125	24	SMA022.24	\$677.00
	30	SMA022.30	860.00
	36	SMA022.36	866.00
	42	SMA022.42	930.00
	48	SMA022.48	1,027.00
	60	SMA022.60	1,180.00

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Stacker with anti-ghosting laminated Marker Board cover on both sides (hard surface inner construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner. **NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors. **NOTE:** Fabric and/or laminate can be applied to reverse side, contact Compatico Project Management for availability.

**SPECIFY:** Product Number, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel porkchop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
11.125	24	SCA009.24	\$522.00
	30	SCA009.30	540.00
	36	SCA009.36	588.00
	42	SCA009.42	659.00
	48	SCA009.48	692.00
12.312	24	SCA010.24	\$521.00
	30	SCA010.30	561.00
	36	SCA010.36	634.00
	42	SCA010.42	661.00
	48	SCA010.48	700.00
15.812	24	SCA013.24	\$488.00
	30	SCA013.30	523.00
	36	SCA013.36	692.00
	42	SCA013.42	732.00
	48	SCA013.48	762.00
23.437	24	SCA019.24	\$726.00
	30	SCA019.30	776.00
	36	SCA019.36	825.00
	42	SCA019.42	870.00
	48	SCA019.48	932.00
28.125	24	SCA022.24	\$742.00
	30	SCA022.30	805.00
	36	SCA022.36	853.00
	42	SCA022.42	911.00
	48	SCA022.48	969.00


**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Stacker with clear acrylic inside (full steel frame construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner. **NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors. 60" width not available. **SPECIFY:** Product Number, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel porkchop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.

**NOTE:** Tempered glass may be substituted, upcharge is \$180/sq.ft list. Framed glass dimension is used to calculate upcharge. Minimum order of 24 pieces required. Call for Part Number. State clearly on purchase order: "tempered glass."



**To maintain OEM standard heights –**  
New panel height desired:

53" = 41" existing panel + 11" stacker  
65" = 53" existing panel + 12" stacker  
65" = 41" existing panel + 23" stacker  
65" = 41" existing panel + 11" stacker + 12" stacker  
80" = 53" existing panel + 28" stacker  
80" = 65" existing panel + 15" stacker  
80" = 41" existing panel + 11" stacker + 28" stacker  
80" = 41" existing panel + 15" stacker + 23" stacker  
80" = 53" existing panel + 12" stacker + 15" stacker

*Note: Powder coated steel end caps.*

Clear Glazed

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Smoked Glazed



### To maintain OEM standard heights –

New panel height desired:

- 53" = 41" existing panel + 11" stacker
- 65" = 53" existing panel + 12" stacker
- 65" = 41" existing panel + 23" stacker
- 65" = 41" existing panel + 11" stacker + 12" stacker
- 80" = 53" existing panel + 28" stacker
- 80" = 65" existing panel + 15" stacker
- 80" = 41" existing panel + 11" stacker + 28" stacker
- 80" = 41" existing panel + 15" stacker + 23" stacker
- 80" = 53" existing panel + 12" stacker + 15" stacker

*Note: Powder coated steel end caps.*

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
11.125	24	SSA009.24	\$546.00
	30	SSA009.30	556.00
	36	SSA009.36	632.00
	42	SSA009.42	674.00
	48	SSA009.48	703.00
12.312	24	SSA010.24	\$578.00
	30	SSA010.30	616.00
	36	SSA010.36	638.00
	42	SSA010.42	678.00
	48	SSA010.48	706.00
15.812	24	SSA013.24	\$510.00
	30	SSA013.30	537.00
	36	SSA013.36	711.00
	42	SSA013.42	765.00
	48	SSA013.48	907.00
23.437	24	SSA019.24	\$743.00
	30	SSA019.30	798.00
	36	SSA019.36	860.00
	42	SSA019.42	889.00
	48	SSA019.48	993.00
28.125	24	SSA022.24	\$733.00
	30	SSA022.30	785.00
	36	SSA022.36	881.00
	42	SSA022.42	959.00
	48	SSA022.48	1,060.00

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Stacker with smoked acrylic inside (full steel frame construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner.

**NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors. 60" width not available. **SPECIFY:** Product Number, Finish.

**TO ASSEMBLE –** Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel porkchop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS –** CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS –** Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
11.125	24	STF009.24	\$548.00
	30	STF009.30	569.00
	36	STF009.36	632.00
	42	STF009.42	695.00
	48	STF009.48	722.00
12.312	24	STF010.24	\$592.00
	30	STF010.30	637.00
	36	STF010.36	673.00
	42	STF010.42	701.00
	48	STF010.48	755.00
15.812	24	STF013.24	\$539.00
	30	STF013.30	584.00
	36	STF013.36	784.00
	42	STF013.42	817.00
	48	STF013.48	1,013.00
23.437	24	STF019.24	\$776.00
	30	STF019.30	839.00
	36	STF019.36	944.00
	42	STF019.42	959.00
	48	STF019.48	1,101.00
28.125	24	STF022.24	\$774.00
	30	STF022.30	826.00
	36	STF022.36	922.00
	42	STF022.42	1,020.00
	48	STF022.48	1,088.00

**DESCRIPTION:** Assembled CMW PolyStax kit includes: One (1) Stacker with frosted acrylic inside (full steel frame construction); Two (2) Pre-assembled slotted standards on both sides with end cap covers; Four (4) Stacking mounting screws; One (1) Painted steel panel joiner.

**NOTE:** Order separately as needed: top caps, top cap channel, mounting screws, pork chop connectors. 60" width not available. **SPECIFY:** Product Number, Finish.

**TO ASSEMBLE** – Step 1: Remove top cap and top cap channel from existing panel, Step 2: Place panel joiner on top of existing panel (no screws required), Step 3: Place new PolyStax stacker on top of reveal and screw in (4) screws through PolyStax T-bone mounting bracket into existing panel pork-chop bracket. Note for 2-way and 3-way connections (only three mounting screws are used), Step 4: Reattach top cap channel and top cap from existing panel on top of PolyStax. If multiple stackers, repeat Steps 2 to 4.

**FLOOR-TO-CEILING APPLICATIONS** – CMW PolyStax enables customers to create full floor-to-ceiling applications. Consult Compatico Project Management (800-336-1772) for assistance in specifying.

**HANGING COMPONENTS** – Hanging components may be used on PolyStax panels. Confirm with Compatico if more than one worksurface and one overhead are to be hung per panel.

Frosted Glazed

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References



#### To maintain OEM standard heights –

New panel height desired:

- 53" = 41" existing panel + 11" stacker
- 65" = 53" existing panel + 12" stacker
- 65" = 41" existing panel + 23" stacker
- 65" = 41" existing panel + 11" stacker + 12" stacker
- 80" = 53" existing panel + 28" stacker
- 80" = 65" existing panel + 15" stacker
- 80" = 41" existing panel + 11" stacker + 28" stacker
- 80" = 41" existing panel + 15" stacker + 23" stacker
- 80" = 53" existing panel + 12" stacker + 15" stacker

**DESCRIPTION:** Ceiling Track and one (1) end cap.

**SPECIFY:** Product Number, Finish.

*Note: Powder coated steel end caps.*

# PANEL HARDWARE

Compatico Systems  
Terms & Conditions

Connector Kit  
*included with each panel*

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Porkchop Kit	STU135.00BK	\$11.00


**DESCRIPTION:** Connects CMW panels or OEM panels in straight-line, 2-way, 3-way and 4-way conditions. Includes all parts to attach panels of equal height. Kit includes: (2) “porkchops”, (1) plastic “teardrop” corner piece, (1) plastic end piece, (2) pins and (6) tapered bolts. Sold as a kit only. Panels come standard with (1) kit. **SPECIFY:** Product Number.



Connector plates  
for use with steel  
top cap only  
(porkchop)




Pins (2) and  
Screws (6)




Tear Drop  
and End  
Filler

ILLUSTRATION 1




Connector plate (porkchop)  
attaches to top of panels.

ILLUSTRATION 2




Connector plate (porkchop)  
connects panels in the same way  
as the top. Also uses pins for  
pivoting panels.

ILLUSTRATION 3




Tear drop fillers continue the black  
reveal line below the top cap and  
creates a uniform appearance at  
panel junctions.

ILLUSTRATION 4




End fillers continue the black  
reveal line below the top cap and  
create a uniform appearance at  
the end of panel run.



Contact Compatico project management for 135° (2 way and 3 way) panel connections with CMW pork chops.

**NOTE:** Configuration of pork chop is identical on top and bottom of panel (refer to Illustration 2). Use pork chop bolts on top configuration. Use pins on bottom configuration. Tear drops and end fillers are not required for bottom configuration.



## AERIAL VIEW OF PANEL CREEP

Small increments are added to the length of a run of panels because of the different ways that panels are connected to each other.

The accumulation of these increments is called panel creep. Add 1 11/16" each time a perpendicular panel is inserted into a run of panels with universal connectors.

PRODUCT NUMBER	LIST PRICE
SWU804.00	\$6.00 / 2 pieces


**DESCRIPTION:** Black only. Used for wall starting panel runs.

**SPECIFY:** Product number and finish.

**NOTE:** Compatico part # UNP885.0100 Nylon Toggler with part # UNP886.0300 (Toggler Anchor Bolt or equivalent are recommended). Stud Installation: Use a standard no. 8 screw with flat head. Cement Block, Poured Walls, Brick: Use a minimum no. 8 (1 1/2") sheet metal screw anchors. Walls strips may be field painted without affecting the structural integrity.

Walls must be structural and load bearing. For example, the composite dry wall must be a minimum 5/8" thick, wood or metal studs must be nominal 4" x 2" and no greater than 24" separated and be tied into floor and ceilings. It is recommended to consult a qualified contractor for proper mounting and load limitation to assure all local construction codes/laws are met.

For wall starter use: Ensure wall is plumb. A vertical leveling shim may be required (if the wall is not plumb) or consult a local carpenter for proper installation.



DIMENSIONS	PRODUCT NUMBER	LIST PRICE	POSITION
Height			
41	SWU841.01	\$6.00	Straight (2 pc) - pair R/L
41	SWU841.02	5.00	Angle (2 pc) - pair R/L
53	SWU853.01	6.00	Straight (2 pc) - pair R/L
53	SWU853.02	6.00	Angle (2 pc) - pair R/L
65	SWU865.01	5.00	Straight (2 pc) - pair R/L
65	SWU865.02	5.00	Angle (2 pc) - pair R/L

## Varying Height Kits

**Note:**  
 841 - Connect 80" H, 65" H, 53" H panels to 41" H panels  
 853 - Connect 80" H, 65" H panels to 53" H panels  
 865 - Connect 80" H panels to 65" H panels




\* Non 90 degree panel angles (45-135) can be achieved with straight brackets but it could affect panel run stability. (Field modification of bracket is required)

**DESCRIPTION:** Kits include left and right hand connectors. Connectors clip to channel of taller panel and attach to top of short panel. **Specify by height of lower panel.** Straight connectors attach to the top of the shorter panel, and hook into one or both sides of the taller panel in a straight line. Painted to match trim color. **SPECIFY:** Product Number.



\* Similar notch and depths match for straight and angle brackets.

\* R and L are mirror image of each other.



Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs



Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## 2W (90°) and 3W Wire Management Connector



DESCRIPTION	PRODUCT NUMBER	LIST PRICE
2-WAY 90°	STP441.02	\$8.00
2-WAY 120°	STP446.05	32.00
2-WAY 135°	STP446.04	29.00
3-WAY	STP446.03	31.00


**DESCRIPTION:** Painted steel 2W90° cover to hide power distribution cable at base of panel at 2W90° connection and 3W cover to hide power distribution cable at base of panel at 3W90° connection. Painted to match base trim color.

**NOTE:** 120° and 135° connector covers not shown.


**SPECIFY:** Product Number, Finish.

## Post Fillers


2-Way Equal Heights



3-Way Equal Heights



4-Way Equal Heights



DESCRIPTION	HEIGHT	PRODUCT NUMBER	LIST PRICE
2 - WAY Painted Metal	41	STP230.41	\$293.00
	53	STP230.53	327.00
	65	STP230.65	362.00
	80	STP230.80	379.00
3 - WAY Painted Metal	41	STP231.41	\$293.00
	53	STP231.53	327.00
	65	STP231.65	362.00
	80	STP231.80	379.00
4 - WAY Painted Metal or Universal Top Cap	1 Size	STP232.04	\$121.00

**DESCRIPTION:** Kits include top cap, filler, and raceway cover plus mounting hardware.

**NOTE:** Compatico does not offer fabric covered or post fillers for variable height configurations. **NOTE:** Post fillers are not required for panel-to-panel connection or for panel system structural stability. **SPECIFY:** Product Number, Finish (LG, MT, DT, LT, HT, WR, G1, T1, W1, BU/BK).

**Variable height panel post fillers are available. Variable height brackets are required (Part #'s: SWU841, SWU853 & SWU865). Contact Compatico project management for assistance.**


Note: Alternative option for 2 way, 3 way, 4 way is to use a UNP922.00 (Power Pole - Field cut to size) with STP232.04 Top Cap.

Limited finishes.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE
Door Height	Door Width		
77.5	32.75	STA880.36	\$2,768.00

**DESCRIPTION:** Steel frame with laminated hollow core door, adjustable threshold and lockset. Includes hardware (porkchop kit) to attach to panels of equal height. Lockset is brushed chrome finish. Door kit can only be used with adjacent panels 80" high. **NOTE:** Door kit will not attach to non-80" panel heights in a straight or 2-way or 3-way design. Door is not ADA compliant. For less than 32" doorway access, see sliding door options. **NOTE:** For floor-to-ceiling application with door, specification must use special-sized 30" over the door Polystax. **SPECIFY:** Product Number, Trim Finish and Door Laminate.


*Note: Door can be changed in the field for right or left / inward or outward swing.*



\* Call for pricing of alternative laminate grades.

DIMENSIONS				PRODUCT NUMBER	LIST PRICE
Panel Height	Actual Door Height	Door Opening Width	Actual Door Width		
65	64.25	36	44	SSD165.36	\$2,785.00
		42	48	SSD165.42	2,896.00
		48	54	SSD165.48	2,967.00
80	80.75	36	44	SSD185.36	\$3,007.00
		42	48	SSD185.42	3,115.00
		48	54	SSD185.48	3,185.00

**DESCRIPTION:** Sliding door is opaque acrylic. Rollers to make sliding easy. Aluminum Frame. Mounting brackets included. Reversible for both left and right. See [www.compatico.com](http://www.compatico.com) for installation instructions. **SPECIFY:** Finish (LT, MT, DT, LG, HT, WR, GV1, TV1, WB, BU/BK). Special finishes are available - add \$380 and one (1) week leadtime.



Door Kit

Sliding Door

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Wall Channel



DIMENSIONS		ALUMINUM PRODUCT NUMBER	LIST PRICE	PAINTED PRODUCT NUMBER	LIST PRICE
Height					
65		STP034.65AL	\$44.00	STP034.65XX	\$52.00
75		STP034.75AL	\$53.00	STP034.75XX	\$64.00
<b>NYLON TOGGLE ANCHOR</b>					
N/A		UNP885.0100	\$3.00		
<b>TOGGLE ANCHOR BOLT</b>					
N/A		UNP886.0300	\$3.30		

**DESCRIPTION:** Aluminum track will accommodate one cantilever only. Use to hang CMW, MW and ST9000 components and worksurfaces to reinforced drywall. Use of toggle anchor and bolts is strongly recommended. **SPECIFY:** Product Number, Paint Finish. For unpainted aluminum add suffix AL to Part Number (ex. STP034.65AL).


**WALL CHANNEL DESCRIPTION:** Wall hanger strips are used for mounting worksurfaces and overhead storage units to walls. The finish standard is brushed aluminum.

**DRYWALL INSTALLATION:** Compatico Part Number UNP885.0100 Nylon Toggler with part number UPN886.0300 Toggler Anchor Bolt or equivalent are recommended.

**STUD INSTALLATION:** Use a standard no. 8 screw with flat head, cement block, poured walls and brick. Use a minimum no. 8 (1 1/2) sheet metal screw into anchors. **NOTE:** Wall Strips may be field painted without affecting the structural integrity. Walls must be structural load bearing. For example, the composite dry wall must be a minimum of 5/8" thick. Wood or metal studs must be nominal 4" x 2" and no greater than 24" separated and be tied into floor ceilings. It is recommended to consult a qualified contractor for proper mounting and load limitation to assure all local construction codes/laws are met.

WALL STRIP SIZE	NUMBER OF TOGGLERS (EVERY 6 1/2")
65"	10
75"	12

## Fabric Covered Tackboards



Note: "Value" CMW Tackboard and Whiteboard (same size options as tackboards) - but design is squared with 1mm black pvc edging. See Accessories Section.

DIMENSIONS		TACK BOARD PRODUCT NUMBER	LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
11.5	24	STA140.2400	\$106.00	\$9.00	\$21.00	-\$45.00	-\$33.00	-\$22.00
	30	STA140.3000	115.00					
	36	STA140.3600	124.00					
	42	STA140.4200	134.00					
	48	STA140.4800	134.00					
	60	STA140.6000	144.00					
15.5	24	STA141.2400	\$122.00	\$11.00	\$27.00	-\$45.00	-\$33.00	-\$22.00
	30	STA141.3000	133.00					
	36	STA141.3600	143.00					
	42	STA141.4200	153.00					
	48	STA141.4800	153.00					
	60	STA141.6000	166.00					

**DESCRIPTION:** Mount to slotted vertical channels on panel to provide tackable surface. Hardware included for field installation. **SPECIFY:** Product Number, Fabric Name and Grade. **NOTE:** For paper template used for hardware installation, go to [www.compatico.com](http://www.compatico.com) or the Accessories Section.

**NOTE:** See Accessory section in this price book for White Marker Board.



## G2/GENESIS

G2/Genesis is a frame and tile system that offers versatile design, advanced electrical and data storage and a full palette of fabric and finish options. From starter workstations to floor-to-ceiling private offices, G2/Genesis does it with simplicity and cost-effectiveness. G2/Genesis is produced by Compatico, a company whose commitment to customer service and the price/quality value principle is unsurpassed in the office furniture industry. G2/Genesis features a rigid frame with squared ends and tubular steel. Plus, it's easy to install.

**"Flexibility":** the G2 System allows you to easily go from A to B to C and back again!

- A. Genesis Benching
- B. Genesis Workstations
- C. Genesis Floor-To-Ceiling Walls

# G2/Genesis



Compatico Systems  
Terms & Conditions

Frame Configurations

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References




Tile Configurations  
*typical combinations*



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
42 (Actual 42.25")	24	PF4224BK	\$248.00
	30	PF4230BK	260.00
	36	PF4236BK	286.00
	42	PF4242BK	303.00
	48	PF4248BK	321.00
48 (Actual 47.25")	24	PF4824BK	\$257.00
	30	PF4830BK	277.00
	36	PF4836BK	295.00
	42	PF4842BK	312.00
	48	PF4848BK	329.00
65 (Actual 65.125")	24	PF6524BK	\$312.00
	30	PF6530BK	336.00
	36	PF6536BK	360.00
	42	PF6542BK	382.00
	48	PF6548BK	404.00

**DESCRIPTION:** Fully welded 14 gauge roll formed, cold rolled steel. Powder coated black paint finish. Slotted uprights support components at 1" increments. Top, middle and bottom cable distribution, plus two vertical cable access channels. 3 1/4" finished panel thickness (2" deep interior cavity). Gravity lock, keyhole slots accept panel inserts for tile segments. Straight line, steel panel-to-panel connectors included. 3" adjustable leveling glides. Panel connections accomplished with 13mm wrench.

**SPECIFY:** Product Number and Quantity Options: Tiles, Panel Top Caps, Panel Base Covers, Power Distribution available for field installation.



Panel Base Frame

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
9 (Actual 9")	24	PFS0924BK	\$85.00
	30	PFS0930BK	93.00
	36	PFS0936BK	101.00
	42	PFS0942BK	109.00
	48	PFS0948BK	118.00
14 (Actual 13.5")	24	PFS1424BK	\$95.00
	30	PFS1430BK	104.00
	36	PFS1436BK	112.00
	42	PFS1442BK	121.00
	48	PFS1448BK	131.00
18 (Actual 18.1875")	24	PFS1824BK	\$106.00
	30	PFS1830BK	115.00
	36	PFS1836BK	125.00
	42	PFS1842BK	134.00
	48	PFS1848BK	144.00

Stackable Frame



**DESCRIPTION:** Stacks on existing panel frame. Supports Overhead Storage. Fully welded 14 gauge roll formed, cold rolled steel. Powder coated black paint finish. Slotted uprights support components at 1" increments. Allows top-level cable lay-in and two vertical cable access channels. 3 1/4" finished panel thickness (2" deep interior cavity). Gravity lock, keyhole slots accept panel inserts. Straight line, steel panel-to-panel connectors included. Panel connections accomplished with 13mm wrench.

**SPECIFY:** Product Number and Quantity Options: Panel Tiles, Panel Top Caps, Telecommunications Connecting Hardware available for field installation.

**NOTE:** Panel Base Frame required below Stackable Panel Frame.

# G2/GENESIS

Compatico Systems  
Terms & Conditions

Panel Tiles  
*Fabric (Tackable and Acoustical)*

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References




DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
9	23 5/8	PST0924	\$82.00	\$9.00	\$21.00	-\$33.00	-\$24.00	-\$16.00
	29 5/8	PST0930	86.00					
	35 5/8	PST0936	90.00					
	42 5/8	PST0942	94.00					
	47 5/8	PST0948	98.00					
13 7/16	23 5/8	PST1424	\$113.00	\$13.00	\$31.00	-\$50.00	-\$37.00	-\$25.00
	29 5/8	PST1430	119.00					
	35 5/8	PST1436	125.00					
	42 5/8	PST1442	131.00					
	47 5/8	PST1448	137.00					
18 1/8	23 5/8	PST1824	\$121.00	\$12.00	\$31.00	-\$50.00	-\$37.00	-\$25.00
	29 5/8	PST1830	121.00					
	35 5/8	PST1836	136.00					
	42 5/8	PST1842	144.00					
	47 5/8	PST1848	152.00					
23 1/2	23 5/8	PST2424	\$130.00	\$12.00	\$31.00	-\$50.00	-\$38.00	-\$25.00
	29 5/8	PST2430	139.00					
	35 5/8	PST2436	149.00					
	42 5/8	PST2442	159.00					
	47 5/8	PST2448	169.00					

**DESCRIPTION:** Acoustical and tackable sound batting enveloped in 20 gauge cold-rolled steel tile wrapped in fabric. Removable/replaceable (no tools required). Class-A Interior wall and ceiling fire rating certified. Can be reupholstered in the field. **SPECIFY:** Product Number, Quantity, Fabric (Pattern and Color). Refer to Fabric Grades. **NOTE:** 23 1/2" H Tile used only at base above raceway. **NOTE:** 42 5/8" W Tiles are available, but longer lead times may apply.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
13 7/16	23 5/8	PSP1424	\$61.00
	29 5/8	PSP1430	69.00
	35 5/8	PSP1436	79.00
	41 5/8	PSP1442	88.00
	47 5/8	PSP1448	97.00
18 1/18	23 5/8	PSP1824	\$73.00
	29 5/8	PSP1830	85.00
	35 5/8	PSP1836	97.00
	41 5/8	PSP1842	108.00
	47 5/8	PSP1848	120.00
23 1/2	23 5/8	PSP2424	\$87.00
	29 5/8	PSP2430	102.00
	35 5/8	PSP2436	117.00
	41 5/8	PSP2442	132.00
	47 5/8	PSP2448	147.00


Panel Tiles  
*Painted*



**DESCRIPTION:** Powder coated paint finish. 20 gauge, cold rolled steel casing. Removable/replaceable (no tools required). Class A interior wall fire rating certified. **SPECIFY:** Product Number, Quantity, Finish. Refer to Paint Finishes. **NOTE:** 23 1/2" H Tile used only at base above raceway. **NOTE:** 42"W option available but a longer lead time may apply.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
18 1/18	23 5/8	PSA1824	\$107.00
	29 5/8	PSA1830	119.00
	35 5/8	PSA1836	130.00
	41 5/8	PSA1842	142.00
	47 5/8	PSA1848	154.00
23 1/2	23 5/8	PSA2424	\$121.00
	29 5/8	PSA2430	136.00
	35 5/8	PSA2436	151.00
	41 5/8	PSA2442	166.00
	47 5/8	PSA2448	181.00


Panel Tiles  
*Airflow*



**DESCRIPTION:** Powder coated paint finish. Perforated steel pan to allow air circulation. 20 gauge, cold rolled steel casing. Removable/replaceable (no tools required). Class A interior wall fire rating certified. **SPECIFY:** Product Number, Quantity, Finish. Refer to Paint Finishes. **NOTE:** 23 1/2" H Tile used only at base above raceway. **NOTE:** 42"W option available but a longer lead time may apply.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
13 7/16	23 5/8	PSTR1424	\$67.00
	29 5/8	PSTR1430	73.00
	35 5/8	PSTR1436	80.00
	42 5/8	PSTR1442	87.00
	47 5/8	PSTR1448	93.00
18 1/8	23 5/8	PSTR1824	\$89.00
	29 5/8	PSTR1830	98.00
	35 5/8	PSTR1836	107.00
	42 5/8	PSTR1842	116.00
	47 5/8	PSTR1848	123.00

Tool Rail Tile



**DESCRIPTION:** High quality powder-coated aluminum accessory tool rail tile. **SPECIFY:** Part Number, Quantity, Finish. **NOTE:** See accessories section for hanging paper and document holder products.

Compatco Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# G2/GENESIS

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Monolithic Tiles (Tackable and Acoustical)



Actual tile height is 6" less than frame height  
due to electrical 4.36" raceway height  
and spacing.




DIMENSIONS		PRODUCT NUMBER	GR. 1 List Price	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Frame Height	Width							
42	23 5/8	PST4224	\$229.00	\$22.00	\$56.00	-\$90.00	-\$68.00	-\$45.00
	29 5/8	PST4230	229.00					
	35 5/8	PST4236	265.00					
	42 5/8	PST4242	276.00					
	47 5/8	PST4248	276.00					
48	23 5/8	PST4824	\$227.00	\$25.00	\$62.00	-\$100.00	-\$75.00	-\$50.00
	29 5/8	PST4830	232.00					
	35 5/8	PST4836	232.00					
	42 5/8	PST4842	257.00					
	47 5/8	PST4848	257.00					
65	23 5/8	PST6524	\$337.00	\$33.00	\$83.00	-\$133.00	-\$100.00	-\$67.00
	29 5/8	PST6530	352.00					
	35 5/8	PST6536	352.00					
	42 5/8	PST6542	400.00					
	47 5/8	PST6548	400.00					
83	23 5/8	PST8324	\$470.00	\$41.00	\$104.00	-\$166.00	-\$125.00	-\$83.00
	29 5/8	PST8330	500.00					
	35 5/8	PST8336	500.00					
	42 5/8	PST8342	525.00					
	47 5/8	PST8348	525.00					

**DESCRIPTION:** High-tech recycled composite board wrapped in fabric. Removable/replaceable (no tools required). Class-A Interior wall and ceiling finish certified. Can be reupholstered in the field.

**SPECIFY:** Product Number, Quantity, Fabric. Refer to fabrics.

**NOTE:** For laminate (instead of fabric) or for full height (monolithic tile without raceway), contact Compatico Project Management for details.

## Panel Tiles Power/Telecom



DIMENSIONS		PRODUCT NUMBER	GR. 1 List Price	GR. 2	GR. 3	ADV. VE	ADV. X / C.O.M.	ADV. +
Height	Width							
13 7/16	23 5/8	PSD1424	\$136.00	\$13.00	\$31.00	-\$50.00	-\$37.00	-\$25.00
	29 5/8	PSD1430	162.00					
	35 5/8	PSD1436	167.00					
	42 5/8	PSD1442	171.00					
	47 5/8	PSD1448	175.00					
18 1/18	23 5/8	PSD1824	\$163.00	\$13.00	\$31.00	-\$50.00	-\$37.00	-\$25.00
	29 5/8	PSD1830	169.00					
	35 5/8	PSD1836	174.00					
	42 5/8	PSD1842	180.00					
	47 5/8	PSD1848	185.00					


**DESCRIPTION:** Contains knockouts for both power and telecommunications outlets. 20 gauge, cold rolled steel casing. Removable/replaceable (no tools required). Class A interior wall a fire rating certified. Can be reupholstered in the field. Includes two black painted steel bezels (one for 24") for duplex receptacle openings. **SPECIFY:** Product Number, Quantity, Fabric.

**NOTE:** Contact customer service for light switch application. **NOTE:** Hole "bezel" one (1) on 24"W tile and two (2) on other widths included upon request. **NOTE:** 42"W option available but a longer lead time may apply. **NOTE:** (1) Laminate version, (2) painted version, or (3) for special hole locations (Upcharge may apply)



DIMENSIONS		PRODUCT NUMBER	GR. 1 List Price
Height	Width		
9	23 5/8	PSW0924L	\$118.00
	29 5/8	PSW0930L	123.00
	35 5/8	PSW0936L	155.00
	41 5/8	PSW0942L	203.00
	47 5/8	PSW0948L	208.00
13 7/16	23 5/8	PSW1424L	\$134.00
	29 5/8	PSW1430L	140.00
	35 5/8	PSW1436L	196.00
	41 5/8	PSW1442L	245.00
	47 5/8	PSW1448L	250.00
18 1/8	23 5/8	PSW1824L	\$151.00
	29 5/8	PSW1830L	157.00
	35 5/8	PSW1836L	227.00
	41 5/8	PSW1842L	278.00
	47 5/8	PSW1848L	287.00
23 1/2	23 5/8	PSW2424L	\$170.00
	29 5/8	PSW2430L	174.00
	35 5/8	PSW2436L	268.00
	41 5/8	PSW2442L	323.00
	47 5/8	PSW2448L	368.00

## Vertical Laminate Tiles




Note:  
For "Metallic" laminates such as Formica®  
"Basic Metal" or Chemeta® or Tree Frog,  
contact Compatico for pricing.

\* Call for pricing of alternative laminate grades.

**DESCRIPTION:** Non-Tackable Laminate Panel Segments. **SPECIFY:** Product Number, Quantity, Laminate. **NOTE:** List Pricing is based on Standard Grade 1 Laminates from Wilsonart®, Nevamar®, Pionite®, and Formica®. Value Vertical HPL Laminates are available for a reduced price, see Vertical Surface Laminates for available selections. Contact Compatico Project Management for pricing. **NOTE:** Lowest Base Tile(s) must be 23 1/2 H version only. **NOTE:** For larger size monolithic tile pricing, see monolithic tiles or please call Compatico Project Management.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
9	23 5/8	PSM0924	\$118.00
	29 5/8	PSM0930	123.00
	35 5/8	PSM0936	155.00
	41 5/8	PSM0942	203.00
	47 5/8	PSM0948	208.00
13 7/16	23 5/8	PSM1424	\$134.00
	29 5/8	PSM1430	140.00
	35 5/8	PSM1436	196.00
	41 5/8	PSM1442	245.00
	47 5/8	PSM1448	250.00
18 1/8	23 5/8	PSM1824	\$151.00
	29 5/8	PSM1830	157.00
	35 5/8	PSM1836	227.00
	41 5/8	PSM1842	278.00
	47 5/8	PSM1848	287.00


## Panel Tiles Marker Board



**DESCRIPTION:** Non-tackable, with a "ghost-resistant" HPL laminated tile finish (white). Non-magnetic.  
**SPECIFY:** Product Number, Quantity.

Call Compatico Project Management for details. Open access components includes "U" Channel that covers and shrouds the frame verticals and horizontals.

## Open Access



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# G2/GENESIS

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Panel Tiles Glass (clear or frosted)



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height	Width		
CLEAR GLASS			
13 7/16	23 5/8	PSG1424	\$307.00
	29 5/8	PSG1430	346.00
	35 5/8	PSG1436	385.00
	41 5/8	PSG1442	421.00
	47 5/8	PSG1448	464.00
18 1/18	23 5/8	PSG1824	\$333.00
	29 5/8	PSG1830	377.00
	35 5/8	PSG1836	417.00
	41 5/8	PSG1842	452.00
	47 5/8	PSG1848	495.00
FROSTED GLASS			
13 7/16	23 5/8	PSGF1424	\$335.00
	29 5/8	PSGF1430	381.00
	35 5/8	PSGF1436	427.00
	41 5/8	PSGF1442	470.00
	47 5/8	PSGF1448	520.00
18 1/18	23 5/8	PSGF1824	\$361.00
	29 5/8	PSGF1830	412.00
	35 5/8	PSGF1836	459.00
	41 5/8	PSGF1842	501.00
	47 5/8	PSGF1848	551.00


**DESCRIPTION:** Aluminum frame with 5mm thick tempered glass. 20 gauge, cold rolled steel interior trim. Removable/replaceable (no tools required). Class A interior wall and ceiling finish certified.

**SPECIFY:** Product Number, Quantity. Refer to Paint Finishes.

**NOTE:** Glass panels sold in pairs. Available in Black Trim only.

**NOTE:** 42"W option available but a longer lead time may apply.

## Panel Base Covers



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Width			
24		PBC24	\$56.00
30		PBC30	64.00
36		PBC36	72.00
42		PBC42	81.00
48		PBC48	89.00

**DESCRIPTION:** 4 5/16" high (excluding glides). 20 gauge cold rolled steel. Powder coated paint finish. Includes receptacle openings and snap-in/out filler(s). Removable to permit laying-in of cables.

**SPECIFY:** Product Number, Quantity and Finish. Refer to Paint Finishes. **NOTE:** Base covers come standard with power-ready knockouts and knockout cover clips. For additional outlet cover clips - add #PBCCAP \$3.00 list each and specify finish.

Base Cover Knockout Holes  
1 5/16" x 2 5/8" W

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE
Height	Frame W" / Door W"		
DOOR ONLY			
83	36 / 29.75	GNUDR36	\$2,259.00
83	36 / 29.75	GNUDR36ADA	\$2,632.00
83	42 / 35.875	GNUDR42	\$2,259.00
83	42 / 35.875	GNUDR42ADA	\$2,632.00
83	48 / 41.75	GNUDR48	\$2,259.00
83	48 / 41.75	GNUDR48ADA	\$2,632.00
DOOR FRAME ONLY			
83	36	PDF8336R/L	\$959.00
83	42	PDF8342R/L	\$982.00
83	48	PDF8348R/L	\$1,006.00


**DESCRIPTION:** "Door frame" is adjustable up and down 3/4" to allow for irregular floors. Includes door frame, hinges, fasteners, threshold. Door includes door, brushed nickel handle lock and key set. Laminate door surfaces. Door frame includes 1 1/4" deep top raceway for laying-in of cables. Order top cap separately when not used in floor-to-ceiling application. **SPECIFY:** Product Number, Quantity, Finish, Top Cap Finish, Door Laminate, Left or Right Handed. Refer to Paint Finishes.

**NOTE:** To define door frame right/left (R/L) put your back to the hinge and swing your R/L arm in the direction the door is to swing. This defines the frame panel R/L specification.

When you specify door panels to adjoining connectors, consult installation guide for proper installation. **NOTE:** ADA compliant hardware available (elongated door handle).

\*Door and Frame ordered separately.

Door Panel & Door Kit  
Frame and Door



Overall door width with frame 36"  
(Actual door is 30")

Overall door width with frame 48"  
(Actual door is 42")

Note: 32" or greater is required for ADA.

\* Call for pricing of alternative laminate grades.

DIMENSIONS				PRODUCT NUMBER	LIST PRICE
Panel Height	Actual Panel Height	Door Opening Width	Actual Door Width		
65	64.25	36	44	GSD165.36	\$3,326.00
		42	48	GSD165.42	3,441.00
		48	54	GSD165.48	3,514.00
83	80.75	36	44	GSD180.36	\$3,556.00
		42	48	GSD180.42	3,668.00
		48	54	GSD180.48	3,741.00


**DESCRIPTION:** Sliding door is opaque acrylic. Rollers to make sliding easy. Aluminum Frame.

Mounting brackets included. Reversible for both left and right. See [www.compatico.com](http://www.compatico.com) for

installation instructions. **SPECIFY:** Finish (LG, MT, DT, LT, HT, WR, GV1, TV1, WB, BU/BK). Special finishes are available - add \$380 and one (1) week leadtime. **NOTE:** Door installation possible on

65" and 83" frame heights due to over-the-top connection bracket design.

Sliding Door




Note: Connector bracket is mounted on top of panel.

Note: Non Handed

DIMENSIONS	PLASTIC TEXTURED PAINTED		ALUMINUM RADIUS PAINTED	
Width	PRODUCT NUMBER	LIST PRICE	PRODUCT NUMBER	LIST PRICE
24	PTC24	\$23.00	PTC24AL	\$39.00
30	PTC30	27.00	PTC30AL	47.00
36	PTC36	31.00	PTC36AL	55.00
42	PTC42	35.00	PTC42AL	63.00
48	PTC48	39.00	PTC48AL	71.00

**DESCRIPTION:** 3 1/4" wide and 1/2" thick, flush mounted design. Options include integrally colored textured plastic, or powder coat finish on aluminum. Full length grip edge ensures secure fit. Reinforced gusset to prevent warping. Removable to permit laying-in of cables. **SPECIFY:** Product Number, Quantity, Finish. Refer to Paint Finishes.



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs




Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Panel Connector Top Cap





DIMENSIONS		PLASTIC TEXTURED PAINTED		ALUMINUM RADIUS PAINTED	
Width	Depth	PRODUCT NUMBER	LIST PRICE	PRODUCT NUMBER	LIST PRICE
<b>4 WAY CONNECTOR</b>					
3.25	.5	PCTC	\$3.00	PCTCAL	\$4.00
<b>120° DEGREE CONNECTOR (FLAT PROFILE ALUMINUM) - WORKS FOR 2 WAY &amp; 3 WAY APPLICATION</b>					
				PCTC3120	\$4.00
<b>2 WAY - 135° DEGREE CONNECTOR (FLAT PROFILE ALUMINUM)</b>					
				PCTC2135	\$5.00

**DESCRIPTION:** 3 1/4" x 3 1/4" widths and 1/2" thick flush mounted design. Options include integrally colored, plastic, or powder coat finish on aluminum. Grip fit maintains alignment and prevents dislodgement. Removable to permit laying-in of cables.

**SPECIFY:** Product Number, Quantity, Finish Refer to Paint Finishes.


## Panel End Cap Full Height



DIMENSIONS		PLASTIC TEXTURED PAINTED		ALUMINUM RADIUS PAINTED	
Height		PRODUCT NUMBER	LIST PRICE	PRODUCT NUMBER	LIST PRICE
42.125		EC42	\$35.00	EC42AL	\$57.00
46.75		EC48	38.00	EC48AL	62.00
55.625		EC56	46.00	EC56AL	74.00
64.9375		EC65	51.00	EC65AL	84.00
83.125		EC83	62.00	EC83AL	105.00

**DESCRIPTION:** 3 1/4" wide and 1/2" thick, flush mounted design. Options include integrally colored textured plastic, or powder coat finish on aluminum. Full-length panel frame grip edge with permanent mounting. Reinforced gusset to prevent warping. **SPECIFY:** Product Number, Quantity, Finish Refer to Paint Finishes.

## Panel End Cap Change of Height



DIMENSIONS		PLASTIC TEXTURED PAINTED		ALUMINUM RADIUS PAINTED	
Height		PRODUCT NUMBER	LIST PRICE	PRODUCT NUMBER	LIST PRICE
42-48		ECV06	\$10.00	ECV06AL	\$16.00
48-65, 65-83		ECV18	20.00	ECV18AL	30.00
42-65		ECV23	24.00	ECV23AL	35.00
48-83		ECV35	35.00	ECV35AL	50.00

**DESCRIPTION:** 3 1/4" wide and 1/2" thick, flush mounted design. Options include integrally colored textured plastic, or powder coat finish on aluminum. Full-length panel frame grip edge with permanent mounting. Reinforced gusset to prevent warping. **SPECIFY:** Product Number, Quantity, Finish. **NOTE:** For 56"H frames or hi-lo panel end cap change of heights, contact Compatico Project Management.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height			
TWO WAY CONNECTOR			
42-48		PCV29006	\$58.00
48-65, 65-83		PCV29018	82.00
42-65		PCV29023	85.00
48-83		PCV29035	111.00
THREE WAY CONNECTOR			
42-48		PCV306	\$57.00
48-65, 65-83		PCV318	77.00
42-65		PCV323	78.00
48-83		PCV335	100.00

**DESCRIPTION:** 10 gauge, cold rolled steel universal connector blocks. 20 gauge, cold rolled steel connector cover. Options include integrally colored textured plastic or powder coat finish on aluminum. Includes connecting hardware.

**SPECIFY:** Product Number, Quantity, Finish. Order Top Cap separately.

\*End caps may require some field modification.

Connector  
Change of Height

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References


## Panel Configurations

### PART NO. CONFIGURATION


#### USES:

- Change of height panel end cap "ECVXX"
- Change of height connector-2 way and 3 way "PCVXX"
- Change of height connector- 4 way "PC400"


**NOTE:** If using aluminum top/end cap, some minor field fit required. Call Compatico Engineering if there are questions.




Specify (1)  
change of height  
panel end cap.




Specify (1) 2-way con-  
nector by shorter panel  
height plus  
(1) change of height  
panel end cap.




Specify three-way connector  
by tallest panel height,  
plus (1) change of height 3-way  
connector.




Specify three-way connector  
by shortest panel height,  
plus (1) change of height  
panel end cap.




Specify three-way connector  
by shortest panel height,  
plus (1) change of height  
2-way connector.




Specify three-way connector  
by shortest panel height,  
plus (1) change of height  
panel end cap.




Specify (1) 4-way connector by  
shortest panel, plus (2) change  
of height 3-way connectors.



Specify (1) 4-way connector by  
shortest, plus (1) change  
of height panel end cap.



Specify (1) 4-way connector,  
plus (1) change of height  
3-way connector.



Specify (1) 4-way connector by  
shortest panel, plus (1) change  
of height 2-way connector.

# G2/GENESIS

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energee™ Seating

References


Two-Way 90°  
Panel  
Connector



Three-Way  
Panel  
Connector




Four-Way  
Panel  
Connector




Specify Top Cap Separately - PCTC or PCTCAL

Two-Way  
135°  
Connector



Specify Top Cap Separately -  
PCTC3125

Two-Way and  
Three-Way  
120°  
Connector



Specify Top Cap  
Separately - PCTC3120

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height			
TWO WAY CONNECTOR - 90°			
41 1/2		PC29042	\$131.00
46 1/8		PC29048	131.00
55 1/16		PC29056	167.00
64 3/8		PC29065	174.00
82 1/2		PC29083	220.00
119 1/2		PC290120	291.00
THREE WAY CONNECTOR - 90°			
41 1/2		PC342	\$117.00
46 1/8		PC348	118.00
55 1/16		PC356	152.00
64 3/8		PC365	155.00
82 1/2		PC383	197.00
119 1/2		PC3120	258.00
FOUR WAY CONNECTOR - 90°			
3 1/2		PC400BK	\$97.00

**DESCRIPTION:** Panel connection uses universal 10 gauge cold headed steel blocks. Connector covers use 20 gauge cold rolled steel screwed in place for stability rolled. Powder coated paint finish. Connecting hardware included with part number selection. **SPECIFY:** Product Number, Quantity, Finish. **ORDERING NOTE:** Specify Connector Top Cap separately (Product Number: PCTC or PCTCAL). **NOTE:** PC400 consists of four blocks with connecting hardware and 78 3/4" x 3" x 3" foam insert light barrier. (field cut to size) Refer to Paint Finishes. (Four-way part number connector only available in BK).

DIMENSIONS		PRODUCT NUMBER	LIST PRICES
Height			
TWO WAY CONNECTOR - 135°			
41 1/2		PC213542	\$164.00
46 1/8		PC213548	166.00
55 1/16		PC213556	188.00
64 3/8		PC213565	191.00
82 1/2		PC213583	222.00
119 1/2		PC2135120	254.00

**DESCRIPTION:** Panel connection uses universal 10 gauge cold rolled steel blocks. Connector covers use 20 gauge cold rolled steel screwed in place for stability. Powder coated paint finish. Connecting hardware included with part number selection. **SPECIFY:** Product Number, Quantity. **ORDERING NOTE:** Specify Connector Top Cap separately (Product Number: PCTC2135). **NOTE:** Does not include or require light barrier.

DIMENSIONS		LIST PRICE	DIMENSIONS		LIST PRICE
Height	PRODUCT NUMBER		Height	PRODUCT NUMBER	
THREE WAY CONNECTOR - 120°			TWO WAY CONNECTOR - 120° (NOT SHOWN)		
42	PC312042	\$195.00	42	PC212042	\$177.00
48	PC312048	195.00	48	PC212048	185.00
56	PC312056	216.00	56	PC212056	210.00
65	PC312065	216.00	65	PC212065	212.00
83	PC312083	238.00	83	PC212083	263.00
90	PC312096	238.00	90		
120	PC3120120	259.00	120	PC2120120	316.00

**DESCRIPTION:** Panel connection uses universal 10 gauge cold rolled steel blocks. Connector covers use 20 gauge cold rolled steel screwed in place for stability. Powder coated paint finish. Connecting hardware included with part number selection. **SPECIFY:** Product Number, Quantity. **ORDERING NOTE:** Specify Connector Top Cap separately (Product Number: PCTC3120).




DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Height		
65 1/16	WT	\$314.00

**DESCRIPTION:** Wall tracks are used for mounting worksurfaces and overhead storage units to walls. 14 Gauge, roll formed, cold rolled steel. Powder coated paint finish. Slotted uprights support components at 1" increments. Mounting hardware not included. **SPECIFY:** Product Number, Quantity, Finish.

**NOTE:** Two worksurface supports or storage components can share the same wall track. (Consult Compatico project management for gap spacing).

**NOTE:** See below for mounting guidelines.



Wall Tracks -Pair

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energee™ Seating

References

DESCRIPTION	DIMENSIONS	PRODUCT NUMBER	LIST PRICE
	Height x Width		
Wall Starter	65 1/16 x 3 1/4	WST	\$76.00

**DESCRIPTION:** Cold rolled steel with powder coated finish. **SPECIFY:** Part Number, Quantity, Finish.

**NOTE:** Wall Starter is not needed if walls are plumb or if field made shim (to ensure plumb wall) is used. Connections frame end to wall is possible using toggle bolts. **NOTE:** See below for mounting guidelines.




Wall Starter

## MOUNTING GUIDELINES (See installation instructions) FOR WALL STARTER OR WALL TRACKS

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Nylon Toggler	UNP885.0100	\$3.00/each
Toggler Anchor Bolt	UNP886.0300	.30/each

**DRYWALL INSTALLATION:** Compatico part number UNP8850100 Nylon Toggler with part number UNP886.0300 Toggler Anchor Bolt or equivalent are recommended. **STUD INSTALLATION:** Use a standard no. 8 screw with flat head. CEMENT BLOCK, POURED WALLS, BRICK: Use a minimum no. 8 (1 1/2") sheet metal screw into anchors. **NOTE:** Wall strips may be field painted without affecting structural integrity. Walls must be structural and load bearing. For example, the composite dry wall must be a minimum of 5/8" thick. Wood or metal studs must be nominal 4" x 2" and no greater than 24" separated and be tied into floor and ceilings. It is recommended to consult a qualified contractor for proper mounting and load limitation to assure all local construction codes/laws are met.

WALL STRIPS	NUMBER OF TOGGLERS (every 6 1/2")
60	8
72	10
84	12



Toggler Anchor

## T-Mount Kit





DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Height			
65		TMK	\$53.00

**DESCRIPTION:** T-Mount Kit may be used for 90° panel-to-panel off module connection. Hole alignments will not affect tiles as T-Mount holes line up with frame cross members. Self tapping screws required and not included (quantity eight (8)-1 1/2" screws).

## FLOOR-TO-CEILING REQUIREMENTS AND APPLICATION

Ceiling Track  
*for floor to ceiling specification  
and installation*



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length			
96	2"	CT96	\$80.00
	4"	CT9604	187.00
	6"	CT9606	228.00
120	2"	CT120	\$99.00
	4"	CT12004	221.00
	6"	CT12006	273.00
Tee Bar Clip		UNP000.00ZI	\$8.00

**DESCRIPTION:** Powder coated, formed steel, channel attaches to most standard ceiling grids. Mounting hardware not included. Refer to installation instructions on Compatico website.


**SPECIFY:** Product Number, Quantity, Black Finish Only. **NOTE:** Drop ceiling connections may use tee bar clips to attach ceiling track.

**SPECIFICATION GUIDELINES:** It is critical that accurate field measurements are taken and communicated to Compatico Project Management before quoting. Project Management will specify frame and tile heights to the ceiling height measurement - results will be no greater than 3" difference. Corresponding ceiling track will be specified and adjustable frame levelers during installation should be used to at least maintain a 1" insertion of ceiling track into top frame channel. **NOTE:** Any panel run span over 6' or any floor-to-ceiling with door(s) should be supported with either wing panels at 90° or floor supported worksurfaces.

**NOTE:** Specifications requiring door installation next to wall should be reviewed by Compatico Project Management.

SCENARIO 1:  
PANEL FRAME RUN OFF SOLID WALL:


- OPTION 1:** (Assumes walls are plumb vertically)  
Frame may be attached directly to the wall (no wall starter required). Steps: Place frame end flush against wall, level frame using leveling guides, mark wall holes through frame, drill holes and install toggle anchors, secure frame end to wall and attach with anchor bolts. Minimum (1) every 12” of height.
- OPTION 2:** (Assumes walls are not plumb vertically)  
Qualified installation team may field fabricate a spacer shim to create plumb vertical condition. Spacer shim can be made of wood or metal, and painted to match wall color. Once spacer shim created – follow instructions in option 1 (placing shim between frame end and wall). Note: Longer toggle bolts may be required.



Go to [www.compatico.com](http://www.compatico.com) for installation instructions.

SCENARIO 2:  
PANEL FRAME RUN BETWEEN TWO FIXED SOLID WALLS

- OPTION 1:** (Assumes cumulative specified frame widths matches wall to wall spacing)  
Specify: Frames desired and see “specification and installation guidelines for solid wall to frame end attachment.”
- OPTION 2:** (Assumes cumulative specified frame widths do not match wall spacing)  
Specify: Frames desired as close to wall-to-wall dimensions. Qualified installation team should field fabricate space shim to make up the dimensional difference (wall to wall dimension less combined frame widths = spacer required). **NOTE:** This spacer can also insure plumb wall condition. Two or one spacer possible. Spacer may be wood or metal, and painted to match wall color.



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories



Folio™ Desking &  
Energee™ Seating

References

## SCENARIO 3: DOOR AND DOOR FRAME ARE PART OF PANEL RUN:

**OPTION 1:** Layouts requiring a door should first consider door design/installations between panel frames.

1. If the layout is requiring a door next to a wall, then it's recommended to place the door hinges next to the wall. Field modification (drilling toggle bolts holes under hinge attachment area on door jamb) is required.
2. If the layout is requiring a door next to a 2-way, 3-way, or 4-way connector—with modification to the post (connector block) by drilling out threaded bolt insert this allows easy door installation.



### SPECIFICATION AND INSTALLATION POINTERS:

- Receive and verify components staging for installation
- Test frame levelers to ensure threads are loose.
- Build Frame Structure - Hand tighten - then level - then fully tighten
- Transitioning from stacker to base frame heights may alter end cap installation, and require special installation (cutting end caps, using self-tapping screws).
- Installing flipper cabinet or shelf at end of panel run is not recommended without support or balance on opposing side.
- Flipper cabinets and full-height shelves must be mounted on base frames or 18" stackers.
- You can enlarge center hole in square corner connector block to accept power if running power through connectors.
- Not recommended to use glass tile at top if going to ceiling because ceiling track will cover a portion of glass tile.
- 18" and 60" wide frames are available with extended leadtime.
- For 120° and 135° layouts, plastic top/end caps are recommended.
- 24" tiles are for bottom location only.
- For floor to ceiling applications and custom sizes consult Compatico Project Management. (Confirm exact ceiling heights at multiple locations.)
- For complex installations, call Compatico Engineering. Also visit [www.compatico.com](http://www.compatico.com) and search "Genesis Installation Instructions."

# ELECTRICAL

## CHOOSE THE RIGHT ELECTRICAL SYSTEM


The Compatico/Byrne systems are UL Listed Manufactured Wiring Systems (UL183).

Compatico is proud to offer electrical solutions that are safe, affordable and are designed, tested and built in the USA for the North American market.

Our electrical systems offer:

- Liability Insurance/Coverage
- Ease of Installation
- Ease of Specification
- BIFMA approved
- UL and CUL Listed

# Electrical



COMPATICO IS PLEASED TO OFFER 3-CIRCUIT AND  
4-CIRCUIT UL LISTED POWER SYSTEMS MADE IN THE USA.



## CHOOSE THE RIGHT ELECTRICAL MANUFACTURER

The Compatico/Byrne systems are UL Listed Manufactured Wiring Systems (UL183). This is important to note because the electrical systems have been tested to twice the amperage. Compatico is proud to offer electrical solutions that are safe, affordable and are designed and built in the USA for the American market.

### 1. Liability Insurance/Coverage

Byrne Electrical backs their products with a 10-year warranty and a \$5 million liability. (for panel electrical products components). Note: **Liability Insurance/Coverage** - One year for electrical accessories.

### 2. Ease of Installation

Compatico's systems are much easier to install with its unique slide-mount for junction blocks and receptacles. This saves hundreds of labor installation hours.

### 3. Ease of Specification

Compatico's systems do not require additional parts for corner or other alternative applications. Additionally, you specify your electrical based simply upon the size of your panel(s).

### 4. Customer First Support

Our systems offer local and direct engineering, customer service, sales and marketing, backed by the manufacturer with over 40 years of experience.

## HOW TO CHOOSE THE RIGHT SYSTEM

The following are a few guidelines to follow when selecting which power system is right for your application. The basic items you'll want to think about are:

### 1. Consider how the system will be used.

What will the end-user be plugging in? This is important because different electronic devices take different amounts of power. Each circuit is engineered to handle up to 20 amps. So doing a little research about what is being plugged in, the number of amps it uses and some basic math, figuring out how many circuits should be a snap. Don't forget to plan for the future too. See the following pages to assist you in selecting your electrical systems.

A few rules we use are:

- No more than 4 desktop computers (CPU + Monitor = Computer) per circuit.
- No more than 10 laptop computers per circuit.

### 2. Think about how many outlets will be needed.

How many outlets or access points will be needed overall? Each circuit can handle up to approximately 13 duplex receptacles (depending on load), meaning a total of 26 outlets. Recommend 8-10 duplexes per circuit.

### 3. Are There Any Other Special Considerations?

Do you have any electronics that require 20 amp outlets? Does your specification demand a certain number of circuits? Will you need to have an isolated ground or a dedicated neutral for a special piece of equipment? For more information on system options, consult your local electrical service team. See next page for relevant facts and comparisons.



## COMPARISON BETWEEN 4-CIRCUIT AND 3-CIRCUIT ELECTRICAL SYSTEMS

FEATURE	4-CIRCUIT	3-CIRCUIT
Manufactured in USA	Y	Y
Number of circuits	4	3
Maximum number of receptacles per circuit	13	13 * Recommend (8-10)
Total of receptacles per infeed	52	39
UL 183 listed Manufactured wiring	Y	Y
UL 1286 listed for panel systems	Y	Y
Available with isolated ground for 1 circuit	std	std
Available with dedicated neutral for 1 circuit	std	std
3 plus 1 configuration	std	N
2 plus 2 configuration	std	N
3-Circuit separate neutrals	NA	std
3-Circuit common ground common neutral	Y	Y
Harnesses and pass throughs to fit all panel sizes	std (up to 60"w)	std (up to 48"w)
Vertical jumpers and reach sizes	Y	Y
Double sided power	Y	Y
Pass through	Y	Y
Pass through with single powerblock	Y	Y
Can power wings from spine	Y	Y
20 amp receptacles available	Y	Y
Can be used at beltline	Y	Y
Base infeed available	Y	Y
Ceiling infeed available	Y	Y
Side power infeed available	Y	Y

## OFFICE EQUIPMENT TYPICAL LOAD VALUES

ITEM	AMPS
AC Adapter	0.050
APC 280 Backup	2.000
Coffee Pot	8.500
Copier	15.000
CPU (depending on size)	2.0-4.0
Fax Machine	1.000
Laptop	1.500
Monitors	1.5-2.5
Paper Shredder	4.500
Printer (depending on size)	1.5-6.0
Postage Machine	3.400
Radio	0.090
Scanner - Scanjet	0.450
Space Heater	10.500
Task light	0.650

**NOTE:** The amperage noted is an approximation of equipment. For calculating the actual load, the amperage must be determined for each model of actual equipment. Simple addition avoids circuit overloading.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## DATA SHIELDING FOR 4-CIRCUIT AND 3-CIRCUIT SYSTEMS

*(GENERAL DISCUSSION POINTS - FOR THE MOST CURRENT INFORMATION OR TO DISCUSS  
ANY ISSUE SPECIFICALLY, CONTACT BYRNE ELECTRICAL TECHNICAL SERVICES)*

The questions of the ability of communications cables to lay in the panel base with the modular electrical system comes up often with the increased use of Category 5 and Category 6 communication systems. The good news is that Category 5 and Category 6 cables can be safely placed in the base of the panels with the modular electrical system.

There is a standard called the TIA/EIA- 569-A, Commercial Building Standard for Telecommunications Pathways and Spaces. This Standard was developed by the Telecommunications Industry Association and it addresses requirements for installing telecom cabling in buildings. Their most recent revision clarifies the requirements for installing telecom cables in furniture. Sec. 6.3.3.6.1 states, "Furniture pathways often run parallel to power raceways; floor and ceiling interfaces are often divided into power and telecommunications. In such cases, separation shall be provided to meet the requirements of clause 10.3." Sec 10.3.1 states, "Co-installation of telecommunications cable and power cable is governed by applicable electrical code for safety. For minimum separations requirements of telecommunications cable from typical branch circuits (120/240V, 20A), Article 800-52 of ANSI/NFPA 70 shall be applied..."

NFPA 70 is National Electrical Code and Sec. 800.133 (A) (2) Other Applications (previously was Sec. 800-52 (a) (1) Open Conductors) states, "Communications wires and cables shall be separated at least 2 inches from conductors of any electric light, power...circuits.

*Note: Panel Base Cover Knockout Hole Dimensions*  
- AO (2" x 3" w)  
- CMW (1 5/16" x 2 5/8" w)  
- G2-Genesis (1 5/16" x 2 5/8" w)

Exception No. 1: Where either (1) all of the conductors of the electric light, power, Class 1, or non-power-limited fire alarm are in a raceway or in metal-sheathed, metal-clad, nonmetallic-sheathed, Type AC or Type UF cables..."


The definition of raceway in the National Electrical Code, Section 100 is: "An enclosed channel of metal or nonmetallic materials designed expressly for holding wires, cables, or busbars, with additional functions as permitted in the Code. Raceways include, but are not limited to, rigid metal conduit, rigid nonmetallic conduit, intermediate metal conduit, liquid-tight flexible conduit, flexible metallic tubing, flexible metal conduit, electrical non-metallic tubing, electrical metallic tubing, under-floor raceways, cellular concrete floor raceways, cellular metal floor raceways, surface raceways, wireways, and busways."

Because the Byrne Electrical Systems used in Compatico Systems are UL listed, the electrical components themselves are raceways as defined by the National Electrical Code, not the panel base. Therefore, there is no separation requirement for the communications cables per Sec.800.133 of the National Electrical Code which the TIA/EIA-569-A states defines the requirement for separation in furniture pathways. In other words, telecommunications cables can be placed in the base of your panel systems along with the UL Listed Modular Wiring System.


**NOTE:** For some municipalities, end of power harnesses, jumpers, or pass-thrus require "electrical termination caps." If this is required. Contact Compatico Customer Service for pricing and quantity.

COMPATICO IS PLEASED TO OFFER, IN PARTNERSHIP WITH BYRNE ELECTRICAL 8-WIRE/4-CIRCUIT POWER SYSTEM MADE IN THE USA.

Electrical Circuit System



Electrical Circuit Systems & Panel Configurations  
*Powered Panel to Powered Panel*



1. Dual power block electrical assembly/phase block 2. 3" jumper no longer required, Byrne flexible conduit allows expansion.

*Powered Panel to Non-Powered Panel to Powered Panel*



1. Dual power block electrical assembly/phase block *Note: Use proper size per panel width.*

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ELECTRICAL

Compatico Systems  
Terms & Conditions

## Optional Configuration For 3.3.2 System

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References



## Optional Configuration For 2+2 System



**ABOVE OPTIONAL CONFIGURATIONS MUST BE REQUESTED IN WRITING.  
CALL COMPATICO CUSTOMER SERVICE FOR MORE INFORMATION 1-800-336-1772.**

COMPATIBLE AO2 OEM VERSION 1 AND VERSION 2 POWER SYSTEM  
AVAILABLE UPON REQUEST, (CONFIRM 3-1 KEYING) CONTACT  
COMPATICO PROJECT MANAGEMENT FOR PRICING AND LEADTIMES.

## DATA CABLE CAPACITY

## AO2 CABLE CAPACITY

AO2 panel base raceway accommodates a minimum twenty (20) 25-pair cables in a powered panel and up to forty (40) 25-pair cables in a non-powered base.

## CMW CABLE CAPACITY

CMW top cap accommodates up to twenty (20) Category 5 cables. Base raceway holds up to twenty-two (22) Category 5 cables.

## GENESIS/G2

Genesis/G2 offers lay-in cabling for 150 Category 5 data cables. Panels have the ability to channel and distribute power and/or voice/data cabling at the top, middle (above or below the worksurface) and bottom with a maximum of six (6) inches of separation between the power and data cables at all times.

**NOTE:** Capacity estimates assume data cables are .2" diameter.

See [www.compatico.com-furniture](http://www.compatico.com-furniture) system specifications for more details.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & ConditionsA02, Genesis and CMW  
Dual Power Block Electrical Assembly

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References



DIMENSIONS Panel Width	PRODUCT NUMBER	LIST PRICE
24	HMP551.2400	\$147.00
30	HMP551.3000	181.00
36	HMP551.3600	198.00
42	HMP551.4200	207.00
48	HMP551.4800	215.00
60	HMP551.6000	232.00


**THE BYRNE 8-TRAC ELECTRICAL SYSTEM IS INSTALLED IN ALL COMPATICO “POWERED” A02 AND CMW PANELS; SPECIFY SEPARATELY FOR GENESIS.**

**DESCRIPTION:** 24” wide panels have a single power block and 30”-60” panels have dual (2) power blocks. Specify to match width of panel. Order duplex receptacles separately. Back-to-back duplexes are available for all panel widths (24”-60”). All single and double block power raceways are installed to panel bottom using a patented slide mount. Receptacles (Duplexes) snap into the power blocks with a positive locking tab feature. No tools are required. Self contained jumper harness plugs into end terminals of preceding harness. Expands to span three-way and four-way panel connections.

- Recognized under UL Standard 1286
- Listed as manufactured wiring system under UL Standard 183
- UL and CUL certified
- Approved for use in New York City

**SPECIFY:** Product Number, Quantity. **NOTE:** Plan electrical layout so worksurface support pedestals do not block receptacle locations. **NOTE:** For single power block alternative, contact Compatico Project Manager.

Power Pass-Thru



DIMENSIONS Panel Width	PRODUCT NUMBER	LIST PRICE
12	HMP556.1200	\$89.00
18	HMP556.1800	96.00
24	HMP556.2400	103.00
30	HMP556.3000	110.00
36	HMP556.3600	116.00
42	HMP556.4200	123.00
48	HMP556.4800	136.00
60	HMP556.6000	151.00
96	HMP556.9600	198.00
144	HMP556.1440	259.00


**DESCRIPTION:** The Pass-Thru provides power continuation in all panels. Expands to span Three-Way and Four-Way panel connectors. The Pass-Thru does not provide a distribution block. Use this harness for power continuation only. UL Listed/CSA Certified and labeled. Shielded conduit provides effective EMF barrier. **SPECIFY:** Product Number, Quantity.

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Length		
144	HMP558.4400	\$177.00

**DESCRIPTION:** Connects building electrical supply from the ceiling to the base of electrified Compatico A02, Genesis and CMW panels. Use a ceiling entry pole to feed power down from ceiling. Can be trimmed to desired length.

**NOTE:** Power pole not included.

Ceiling Feed

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

End Feed




DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Length		
72	HMP557.7200	\$191.00

**DESCRIPTION:** Connects building electrical supply from wall or column to power box in base of electrified Compatico A02, Genesis and CMW panels.

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Length		
72	HMP565.7200	\$201.00

**DESCRIPTION:** Connects building electrical supply from wall or column to duplex location in base of electrified Compatico A02 panel. Male attachment head swivels left or right then lock cover in place.

Side Entry Feed





# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energee™ Seating

References

A02 & Genesis Duplex Receptacle



CMW Duplex Receptacle




DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Circuit One	HMP555.01BK(R1)	\$25.00
Circuit Two	HMP555.02BK(R2)	25.00
Circuit Three	HMP555.03BK(R3)	25.00
Circuit Four	HMP555.04BK(R4)	25.00
Circuit Four (surge protected)	R4S	167.00

**DESCRIPTION:** Duplex receptacles provide two grounded outlets. Side mounting feature prevents accidental dislodgment. Color on all receptacles is Black. Circuit IV receptacles have orange lettering on face. UL Listed/CUL Certified and labeled. **SPECIFY:** Product Number and Quantity. **NOTE:** In the United States, Genesis Power Distribution can be fitted with a maximum of 52 duplex receptacles (13 per circuit), with each receptacle rated at an average of 15 amps. In Canada, Genesis Power Distribution can be fitted with a maximum of 48 duplex receptacles (12 per circuit HMP555.01BK(R1) receptacle rated at an average of 12 amps. **NOTE:** For international (Non-North American) requirements contact Compatico Product Management.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
CIRCUIT 1	STP554.01BK	\$26.00
CIRCUIT 2	STP554.02BK	26.00
CIRCUIT 3	STP554.03BK	26.00
CIRCUIT 4 (isolated dedicated)	STP554.04BK	26.00

**DESCRIPTION:** Duplex receptacles provide two grounded outlets. Side mounting feature prevents accidental dislodgment. Color on all receptacles is Black. Circuit IV receptacles have orange lettering on face. UL Listed/CUL Certified and labeled. **SPECIFY:** Product Number and Quantity. **NOTE:** In the United States, Genesis Power Distribution can be fitted with a maximum of 52 duplex receptacles (13 per circuit), with each receptacle rated at an average of 15 amps. In Canada, Genesis Power Distribution can be fitted with a maximum of 48 duplex receptacles (12 per circuit HMP555.01BK(R1) receptacle rated at an average of 12 amps. **NOTE:** For international (Non-North American) requirements contact Compatico Product Management.

Power Block Mounting Clip




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
HMP561.0100	Power Block Mounting Clip	\$2.00
UNP858.01Z1	Retainer Screws	\$0.10

**DESCRIPTION:** The patented slide mount makes attachment of the power block quick and easy when you are using Compatico's System. Versatile and simple, the built-in adjustability of the system satisfies all possible panel configurations without costly additional product. **SPECIFY:** Product Number and Quantity.

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Width		
24	HMK520.24	\$192.00
30	HMK520.30	237.00
36	HMK520.36	261.00
42	HMK520.42	274.00
48	HMK520.48	286.00
60	HMK520.60	315.00

**DESCRIPTION:** Converts a Compatico A02 non-powered raceway base to a powered base. Includes single power block (24") or dual power block (30" - 60"), 2 raceway covers with receptacle openings, 1 or 2 receptacle covers and 1 or 2 power block mounting clips which attach to top of raceway frame. Order duplex receptacles separately. **SPECIFY:** Product Number and Base Cover Color. Refer to page 5 for Base Cover Color.

A02 System 4 Power Adapter Kit

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energie™ Seating

References

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Width		
3 1/4	DPAK	\$44.00

**DESCRIPTION:** 14 gauge, cold rolled steel. Powder coated paint finish. Field installed in panel frame. Allows attachment of Power Raceway at desk height. **SPECIFY:** Product Number, Quantity. **NOTE:** Kits come in pairs.


Genesis Power Adapter Kit  
Desk Height

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Width		
24	STU552.24	\$212.00
30	STU552.30	267.00
36	STU552.36	294.00
42	STU552.42	313.00
48	STU552.48	327.00
60	STU552.60	367.00
RECEPTACLE COVER		
N/A	STP450.01	\$2.00

**DESCRIPTION:** The CMW electrical Retrofit Kit can be used to convert a non-powered CMW panel to a powered panel using the Byrne 8-Trac Electrical System (CMW System 4). Kit includes: (2) two powered base covers; (1) one single or dual power block assembly with slide mount(s) and screws; and (2) two receptacle covers. Order duplex receptacles separately.

**SPECIFY:** Product Number.

CMW Electrical Retrofit Kit



powered base covers,  
power block assembly  
with slide mount,  
receptacle covers

# ELECTRICAL

Compatico Systems  
Terms & Conditions

## A02 Connector - Panel Jumper

Surface Materials

A02

CMW

G2/Genesis

Frames

Chicago Junction Box  
*for all panel systems*

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References




DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Size		
3"	HMP554.0300	\$62.00

**DESCRIPTION:** A0 Post Panel Jumper. This is a male-female connector for the 8-wire system to extend electrical harness 3" for 2, 3, 4 way stretch. Black Only.


PRODUCT NUMBER	LIST PRICE
CJB	\$75.00

**DESCRIPTION:** Order one Chicago Junction Box for each panel electrical receptacle.  
**SPECIFY:** Product Number, Quantity. **NOTE:** Hardware components are to be obtained locally and all wiring to be done in accordance with Chicago city drawing 8912E.



DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Cord Length		
72	PENY	\$224.00

New York Power Entry  
*for all Panel Systems*



**DESCRIPTION:** Supplies a dedicated circuit plus 3 common circuits sharing a 10 gauge neutral wire through service entry box in panel raceway. No wire supplied in conduit, electrician must supply and connect wires. Install in panel 30" or wider, to either panel face. Provides power continuation in one direction only, right or left. Includes 72" of Liquid-Tite conduit for hard wired connection to building supply. **SPECIFY:** Product Number, Quantity. **NOTE:** The panel accepting this power input cannot accept a receptacle. Hard wired connections must be made by a licensed electrician.

**NOTE:** For some municipalities, end of power harnesses, jumpers, or pass-thrus require "electrical termination caps." If this is required, use part # BE02334-C. Contact Compatico Customer Service for pricing and quantity.

**TITLE 24: CALIFORNIA CODE (CIRCUIT CONTROL)****OPTION 1:**

If building has a circuit management system then request "controlled stamped duplex receptacles." Alternative part numbers for these items to fit within systems are available, contact Compatico Project Management for assistance.

**OPTION 2:**

If building does not have circuit management system then request "Byrne field wired Circuitrac™." This includes infield and duplex receptacles and sensors.

***If California electrical inspection requires "dust and protection" for termination of exposed end of 8-trac system or receptacle blocks:***

	DESCRIPTION	PRODUCT NUMBER	LIST PRICE
A	END OF RUN WHIP	NA	NA
B	END OF RUN DUST CAP	BE08302	\$4.00
C	BLACK DUST CAP	BE98873	2.00

Byrne 8-Trac System

**DESCRIPTION:**

- A. End of Run Whip: fold the whip back and tuck it into the raceway – plug into the available socket. No product required.
- B. End of Run Dust Cap.
- C. Safety and Dust Protection Harness Block. Internal Cap for block without receptacle.



	DESCRIPTION	PRODUCT NUMBER	LIST PRICE
A	END OF RUN DUST CAP	BE04290	\$5.00

Byrne Phase 3 System



**DESCRIPTION:** Recommended to use for dust and safety protection.

**SPECIFY:** Product Number, Quantity. **NOTE:** Protector slips over the end socket to secure in place, then the flap is used to cover the block terminals. There is NO empty receptacle dust cover available.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs




Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## WIRE DIAGRAM FOR 3 KEYING


Electrical Circuit Systems &  
Panel Configurations  
*Powered Panel to Powered Panel**Powered Panel to Non-powered Panel*

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
WSP350.2400	Phase 24" Block	\$32.00
WSP350.3000	Phase 30" Block	53.00
WSP350.3600	Phase 36" Block	67.00
WSP350.4200	Phase 42" Block	68.00
WSP350.4800	Phase 48" Block	74.00

**DESCRIPTION:** Phase 3 Receptacles Block. 24 " wide panels have a single power block and 30"- 48" panels have dual (2) power blocks. Specify to match width of panel. Order duplex receptacles separately. All receptacles blocks are installed to panel using patented slide mount. Receptacles (duplexes) snap into the power receptacle block with a positive locking tab feature. No tools are required. F/F Jumpers (below) are required to make panel to panel connections between receptacle blocks.

- Recognized under UL Standard 1286
- Listed as manufactured wiring system under UL Standard 183


**SPECIFY:** Product Number.



Note: Jumpers ordered separately.  
Note: From center of each duplex to end of panel is 12"

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
<b>CMW</b>		
UNP350.01	15A Receptacle CMW 2" thick panel, Circuit 1	\$20.00
UNP350.02	15A Receptacle CMW 2" thick panel, Circuit 2	20.00
UNP350.03	15A Receptacle CMW 2" thick panel, Circuit 3	20.00
<b>A02 and Genesis</b>		
UNP351.01	15A Receptacle for A02 & Genesis 3.5" thick panel, Circuit 1	\$20.00
UNP351.02	15A Receptacle for A02 & Genesis 3.5" thick panel, Circuit 2	20.00
UNP351.03	15A Receptacle for A02 & Genesis 3.5" thick panel, Circuit 3	20.00

Phase 3 Receptacle



**DESCRIPTION:** Duplex Receptacles provide two grounded outlets. Color on all receptacles is black. UL Listed and labeled. **SPECIFY:** Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE52463-3-19	19"	\$49.00 panel-to-panel
UNP356.2150	21.5" F/F Jumper	\$51.00 panel-connector-panel

**DESCRIPTION:** For straight line panel-to-panel and panel-connector-panel connector panel connections. Solid armor flex jumper (UL listed).

**SPECIFY:** Product Number. **NOTE:** Jumper is applicable to all Compatico Systems using Byrne Phase 3 electrical.



Jumper

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE52463-3-19	19"	\$56.00 panel-to-panel (CMW)
UNP366.2150	21.5" 3-Way Jumper	\$59.00 panel-connector-panel

**DESCRIPTION:** Allows for two branching electrical runs. Solid armor flex jumper (UL listed). **SPECIFY:** Product Number. **NOTE:** Jumper is applicable to all Compatico Systems using Byrne Phase 3 electrical..



3-Way Jumper

**IMPORTANT:** \* Field Modification required if using 3 way jumper on CMW. Consult Compatico project management for review.

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Panel Pass-Thru



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP356.2400	24" Panel F/F Pass Thru, 42" Length	\$68.00
UNP356.3000	30" Panel F/F Pass Thru, 48" Length	73.00
UNP356.3600	36" Panel F/F Pass Thru, 54" Length	78.00
UNP356.4200	42" Panel F/F Pass Thru, 60" Length	83.00
UNP356.4800	48" Panel F/F Pass Thru, 66" Length	88.00
UNP356.6000	60" Panel F/F Pass Thru, 78" Length	109.00

**DESCRIPTION:** The Pass-Thru provides power continuation through non-powered panels. The Pass-Thru does not provide a distribution block; use this for only power continuation. UL Listed and labeled. **SPECIFY:** Product Number. **NOTE:** Continuous run pass thru available up to 144". **NOTE:** Cannot connect pass thru to pass thru.

## Panel 3-Way Pass-Thru



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP366.2400	24" Panel 3-Way Pass Thru, 42" Length	\$76.00
UNP366.3000	30" Panel 3-Way Pass Thru, 48" Length	82.00
UNP366.3600	36" Panel 3-Way Pass Thru, 54" Length	87.00
UNP366.4200	42" Panel 3-Way Pass Thru, 60" Length	92.00
UNP366.4800	48" Panel 3-Way Pass Thru, 66" Length	98.00
UNP366.6000	60" Panel 3-Way Pass Thru, 72" Length	108.00

**DESCRIPTION:** The 3 Way Pass-Thru provides power continuation through non-powered panels and offers branching option panel intersections. The 3 Way Pass-Thru does not provide a distribution block; use this for only power continuation. UL Listed and labeled. **SPECIFY:** Product Number. **NOTE:** Continuous run pass thru available up to 144". **NOTE:** Cannot connect pass thru to pass thru. **IMPORTANT:** Field modification required if using 3-way jumper on CMW. Consult Compatico project management for review.


## Power Entry (Ceiling or Floor)



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP365.7200	72" Power Entry (End Feed)	\$106.00
UNP365.4400	144" Power Entry (Ceiling Feed)	178.00

**DESCRIPTION:** End Feed connects building electrical supply from wall or column to electrified panels. **SPECIFY:** Product Number. **NOTE:** Side entry not available. Run end feed thru raceway knockout if needed. **NOTE:** For New York power entry (15") BE53272-3-2A-15.50 or (48") BE53272-3-3A-48.00.

## Y Connector



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP350.0000	Y Connector	\$21.00

**DESCRIPTION:** Y Connector allows for the use of two (2) Jumpers, two (2) Pass-Thrus or a combination of a single (1) Pass-Thru and a single (1) Jumper. **SPECIFY:** Product Number. **IMPORTANT:** Field modification required if using 3-way jumper on CMW. Consult Compatico project management for review.




# NEW 4-TRAC ELECTRICAL

## ELECTRICAL

### SPECIFICATIONS:


- (4) Wires, (2) circuits, (20) Amps each – Circuit 1 and 2 only
- Recommend (8) Duplexes per circuit. Maximum Capacity (13) Duplex receptacles per circuit, (26) 15 Amp Duplex receptacles per power infeed maximum
- Easy to specify
- Easy to install and configure
- Requires less space and is great for benching layouts
- UL Listed as a Manufactured Wiring System
- More Economical



	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
A	QBE419173A18B	Receptacle Block-Circuit 1	\$56.00
B	QBE419173A28B	Receptacle Block-Circuit 2	\$56.00 *
C	QBE419193	Receptacle to Receptacle Block Connector	\$12.00
D	QBE419213	4-Way "H" Connector	\$21.00
E	QBE42321	"H" Connector Mounting Kit	\$12.00
F	QBE42171306	Transition Wall Plate, Rotating Power Entry	\$86.00
G	QBE41955	Spring Clip Mounting Bracket w/screws	\$3.00
H	BE01501-10	'C' Clip & Removable Cable Organizers	\$13.00

Four-Trac Electrical

Not available for plug-type infeeds



**DESCRIPTION:** BYRNE USA 4-Trac offers 4 wires, 2 circuits (20 amps each). Recommended 8-10 (Max 13 but verify with electrician) s per circuit. A total of 26 s per in feed. UL and CUL listed as a manufactured wiring system.

**NOTE:** For USB Receptacle (#BE43394-3-A-C) also available.



**A. & B.** Duplex Receptacle  
QBE419173A-xxx




**C.** Receptacle to Receptacle Connector  
QBE419193




**D.** H-Connector  
QBE419213



**E.** H-Connector Mounting Bracket  
QBE419321



**F.** Transition Wall Plate Power Entry  
QBE42171306  
(2-circuit) Wall power. Use when you want wall/infeed plus jumper. This item is used/specified when using the hardware infeed or electrician can supply on site



**G.** Spring Clip Mounting Bracket  
QBE41955



**H.** Under the Worksurface  
Screw-In 'C' Clip to Hold Cables.  
Pack of 10 (Includes Mounting Screws)

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

## Four-Trac Electrical Female/Female Jumper



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41920312	Female/Female Jumper, 12"	\$54.00
QBE41920318	Female/Female Jumper, 18"	\$58.00
QBE41920324	Female/Female Jumper, 24"	\$62.00
QBE41920330	Female/Female Jumper, 30"	\$66.00
QBE41920336	Female/Female Jumper, 36"	\$70.00
QBE41920342	Female/Female Jumper, 42"	\$74.00
QBE41920348	Female/Female Jumper, 48"	\$82.00
QBE41920354	Female/Female Jumper, 54"	\$86.00
QBE41920360	Female/Female Jumper, 60"	\$91.00
QBE41920366	Female/Female Jumper, 66"	\$95.00
QBE41920372	Female/Female Jumper, 72"	\$100.00

## Four-Trac Electrical Male/Male Jumper




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41943-3-12	Male/Male Jumper, 12"	\$54.00
QBE41943-3-18	Male/Male Jumper, 18"	\$58.00
QBE41943-3-24	Male/Male Jumper, 24"	\$62.00
QBE41943-3-30	Male/Male Jumper, 30"	\$66.00
QBE41943-3-36	Male/Male Jumper, 36"	\$71.00
QBE41943-3-42	Male/Male Jumper, 42"	\$74.00
QBE41943-3-48	Male/Male Jumper, 48"	\$82.00
QBE41943-3-54	Male/Male Jumper, 54"	\$86.00
QBE41943-3-60	Male/Male Jumper, 60"	\$91.00
QBE41943-3-66	Male/Male Jumper, 66"	\$95.00
QBE41943-3-72	Male/Male Jumper, 72"	\$100.00

**NOTE:** For cable management sleeves see "Neat Links" in Accessory Section.


Four-Trac Electrical  
Female/Male Jumper

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41944-3-12	Female/Male Jumper, 12"	\$54.00
QBE41944-3-18	Female/Male Jumper, 18"	\$58.00
QBE41944-3-24	Female/Male Jumper, 24"	\$70.00
QBE41944-3-30	Female/Male Jumper, 30"	\$66.00
QBE41944-3-36	Female/Male Jumper, 36"	\$70.00
QBE41944-3-42	Female/Male Jumper, 42"	\$74.00
QBE41944-3-48	Female/Male Jumper, 48"	\$81.00
QBE41944-3-54	Female/Male Jumper, 54"	\$86.00
QBE41944-3-60	Female/Male Jumper, 60"	\$90.00
QBE41944-3-66	Female/Male Jumper, 66"	\$95.00
QBE41944-3-72	Female/Male Jumper, 72"	\$99.00



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41947-3-12	Female/Female Jumper, 12"	\$47.00
QBE41947-3-18	Female/Female Jumper, 18"	\$70.00
QBE41947-3-24	Female/Female Jumper, 24"	\$75.00
QBE41947-3-30	Female/Female Jumper, 30"	\$88.00
QBE41947-3-36	Female/Female Jumper, 36"	\$100.00
QBE41947-3-42	Female/Female Jumper, 42"	\$110.00
QBE41947-3-48	Female/Female Jumper, 48"	\$111.00
QBE41947-3-54	Female/Female Jumper, 54"	??
QBE41947-3-60	Female/Female Jumper, 60"	\$135.00
QBE41947-3-66	Female/Female Jumper, 66"	\$141.00
QBE41947-3-72	Female/Female Jumper, 72"	\$146.00

Four-Trac Electrical  
Female/Female Jumper  
3-Way Harness



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

**NOTE:** For cable management sleeves see "Neat Links" in Accessory Section.

# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating


References

## Four-Trac Electrical Male/Female Jumper 3-Way Harness



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41956-3-12	Male/Female Jumper, 12"	\$72.00
QBE41956-3-18	Male/Female Jumper, 18"	\$92.00
QBE41956-3-24	Male/Female Jumper, 24"	\$111.00
QBE41956-3-30	Male/Female Jumper, 30"	\$130.00
QBE41956-3-36	Male/Female Jumper, 36"	\$150.00
QBE41956-3-42	Male/Female Jumper, 42"	\$169.00
QBE41956-3-48	Male/Female Jumper, 48"	\$188.00
QBE41956-3-54	Male/Female Jumper, 54"	\$208.00
QBE41956-3-60	Male/Female Jumper, 60"	\$227.00
QBE41956-3-66	Male/Female Jumper, 66"	\$246.00
QBE41956-3-72	Male/Female Jumper, 72"	\$266.00

## Four-Trac Electrical Power Entries



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QBE41922342	Power Entry, 42"	\$94.00
QBE41922354	Power Entry, 54"	\$106.00
QBE41922360	Power Entry, 60"	\$110.00
QBE41922372	Power Entry, 72"	\$119.00
QBE41922384	Power Entry, 84"	\$129.00
QBE41922396	Power Entry, 96"	\$138.00
QBE419223108	Power Entry, 108"	\$147.00
QBE419223114	Power Entry, 114"	\$151.00
QBE419223126	Power Entry, 126"	\$161.00
QBE419223132	Power Entry, 132"	\$165.00
QBE419223144	Power Entry, 144"	\$174.00
QBE419223160	Power Entry, 160"	\$186.00

\* Above - Max (26) s. Consult certified electrical support.

QBE4213531STRA20A72	72" Power Entry, Circuit 1, 24" 20A Cord, RA Plug	\$205.00
Maximum (12) s.		

**\*\*NOTE:** Use of the QBE4213531STRA20A72 will limit you to one 20 amp circuit.

And if your building is 15 AMP - use "Transition wall plate power entry" to enable this infeed.

**FOR ELECTRICAL AND DATA WIRE MANAGEMENT UNDERMOUNT SLEEVES ("TROUGHS") -  
SEE ACCESSORY SECTION.**

# ELECTRICAL ACCESSORIES

## ELECTRICAL

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP801.01BK	1/2 Power Sphere 72" Cable	\$180.00
UNP801.02BK	1/2 Power Sphere 120" Cable	208.00
UNP801.03BK	1/2 Data Sphere	107.00

**DESCRIPTION:** Features a 6' or 10', 15' Amp cord, contains two simplexes, will receive power transformers, is UL listed and CSA Certified, and will retrofit into a 3" diameter hole (template provided) that is field cut. Black only. **SPECIFY:** Product Number. **SPECIFY:** Two (2) half (1/2) spheres to make a full sphere. *Example: UNP801.01BK and UNP801.03BK make a full sphere.*

**NOTE:** Field cut grommet holes required. **NOTE:** Data sphere comes with Voice Data Adapter Kit, but does not include data jacks/couplers. **NOTE:** This unit is made in Mexico.

**NOTE:** Also available (not shown) power/data retractable grommet modules.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP810.01	3 Power	\$270.00
UNP810.02	2 Power / 1 Data	254.00

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP820.02BK	Miniport 2 Power/2 Data	\$303.00

**DESCRIPTION:** Features a 6', 15 Amp cord, contains two simplexes, two voice data ports, UL listed. Plastic housing. Size: 7"W x 3"D x 3"T. **FINISH:** Silver, Black.

**SPECIFY:** Product Number, Finish. **NOTE:** Unit comes with voice/data adapter kit.


**NOTE:** Workspace field cut required (6"W x 2.5"D) actual hole size. Instructions included.

**NOTE:** This unit is made in Mexico.


PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02520-2-2-XA-Z06-UI-72	Axil X	Gloss Black	\$709.00
BE02520-2-2-XA-Z118-UI-72		Gloss White	578.00

**DESCRIPTION:** Axil X is a horizontal-mount power and data desktop accessory. Each unit includes a voice data adapter kit (A/V adapter kits and voice/data jacks sold separately). (2) 15-amp power outlets, (1) USB 2-Port Charging Simplex and (1) data port. Axil X is UL Listed. **COLOR:** Gloss Black and Gloss White. **CORD LENGTH:** 72". **SPECIFY:** Product Number, Finish.

**NOTE:** Other mounting styles available upon request.



PowerSphere




1/2 PowerSphere



1/2 DataSphere



Miniport Power/Data



Axil X



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

## Axil Z



PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02520-2-2-Z-Z06-UI-72	Axil Z	Gloss Black	\$709.00
BE02520-2-2-Z-Z118-UI-72		Gloss White	578.00

**DESCRIPTION:** Axil Z is a flat-mount (mounted into worksurface) power and data desktop accessory. Each unit includes a voice data adapter kit (A/V adapter kits and voice/data jacks sold separately). (2) 15-amp power outlets, (1) USB 2-Port Charging Simplex and (1) data port. Axil Z is UL Listed. **COLOR:** Gloss Black and Gloss White. **CORD LENGTH:** 72". **SPECIFY:** Product Number, Finish. **NOTE:** Worksurface field cut required. Instructions included.



## MHO



PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE01820-M-2-2-EFA-UI-72	(2) power outlets, (1) USB 2-Port USB Charger and (1) Open Data Port	Clear Anodized Aluminum Finish	\$728.00
BE01820-M-2-2-EFF-UI-72	(2) power outlets, (1) USB 2-Port USB Charger and (1) Open Data Port	Black Anodized Aluminum Finish	903.00


**DESCRIPTION:** MHO is a desk cut-out surface mount power and data center. Requires desk cut-out 8" x 4".

### Each unit includes:

- Fluid one touch accessibility
- Fits tops 3/4" - 1 3/4" thick
- UL listed
- 2 power ports, 1 USB charger, 1 open data port (sold separately), but comes with data tree of facing options.

**COLOR:** Clear Anodized Aluminum, Black Anodized Aluminum Finish. **SPECIFY:** Product Number, Finish.

**NOTE:** Additional power/data/USB configurations available upon request.



Desk Mount Style  
Electrical BoxesCompatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

DESCRIPTION	BLACK PRODUCT NUMBER	WHITE PRODUCT NUMBER	SILVER PRODUCT NUMBER	LIST PRICE
3Power/2 RJ45 Cat6 Data/2 USB	QSECL322B	QSECL322W	QSECL322S	\$828.00
1 Power/2 USB	QSECL1USBB	QSECL1USBW	QSECL1USBS	\$607.00
3 Power/2 USB	QSECL3USBB	QSECL3USBW	QSECL3USBS	\$626.00

**DESCRIPTION:** Desk mount power data and charging modules. Clamps to back edge of worksurface. Clamp included.

**SPECIFY:** Product Number. Finishes: White, Black, Silver. **NOTE:** This is not a Byrne product. .

**NOTE:** Other custom finishes available upon request.



3Power/2 RJ45 Cat6 data/2 USB  
QSECL322



1 Power/2 USB  
QSECL1USB




3 Power/2 USB  
QSECL3USB

PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE03378-GN-2-2-AV-72	2 power outlets,	Gloss White	\$368.00
BE03378-GN-2-2-C-72	2 open data ports	Gloss Black	368.00
BE03378-GN-2-2-C-M2-72	2 power outlets, 2 USB	Gloss White	639.00
BE03378-GN-2-2-Q01-M2-72	2 power outlets, 2 USB	Gloss Black	639.00


**DESCRIPTION:** Moire is a hole-mounted, above surface power and data center in a high gloss plastic finish. Requires desk cut-out, 3" diameter hole. Includes 72" cord. UL listed.

**COLOR:** Gloss White and Gloss Black. **SPECIFY:** Product Number.

**NOTE:** Comes with data tree of facing option . Data ports sold separately.

Moire  
Hole Mount

Hole Mount



**NOTE:** Also see "electrical section" for more electrical accessory options.



# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Moire Table Top Mount



PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE03378-TT-2-2-AV-M1-72	2 Power Outlets, 1 Dual USB, 1 Open Data	Gloss White	\$501.00
BE03378-TT-2-2-C-M1-72	2 Power Outlets, 1 Dual USB, 1 Open Data	Gloss Black	472.00
BE03378-TT-4-0-AV-72	4 Power Outlets	Gloss White	447.00
BE03378-TT-4-0-C-72	4 Power Outlets	Gloss Black	447.00

**DESCRIPTION:** Moire is a table top power/data center in high gloss plastic finish.

Includes 72" cord. UL listed. **COLOR:** Gloss White or Gloss Black.

**SPECIFY:** Product Number. **NOTE:** Data ports sold separately.

## Glenbeigh Contemporary



PRODUCT NUMBER	DESCRIPTION	COLOR	LIST PRICE
BE02137-C-20-DZB-72	2 power outlets	Midnight	\$384.00
BE02137-C-11-DZB-72	1 power outlet, 1 open data port		362.00
BE02137-C-11-DZB-M1-72	1 power outlet, 1 USB, 2-port Charging Simplex		505.00
BE02137-C-20-DZC-72	2 power outlets	Silver	384.00
BE02137-C-11-DZC-72	1 power outlet, 1 open data port		362.00
BE02137-C-11-DZC-M1-72	1 power outlet, 1 USB, 2-port Charging Simplex		505.00
BE02137-C-20-EPC-72	2 power outlets	Satin Nickel	537.00
BE02137-C-11-EPC-72	1 power outlet, 1 open data port		516.00
BE02137-C-11-EPC-M1-72	1 power outlet, 1 USB, 2-port Charging Simplex		659.00




**DESCRIPTION:** Glenbeigh is an in-surface power and data center. Requires desk cut-out 5" x 3 3/4".

**Includes:**

- Fluid one touch accessibility
- Contemporary styling
- Die-cast zinc
- 3 finishes
- UL listed
- 72" cord

**COLOR:** Midnight Powdercoat, Silver Powdercoat, Satin Nickel Plated. **SPECIFY:** Product Number.

**ADDITIONAL FINISHES:** White, Brass and Chrome.



Images show one (1) power, one (1) open data port.

Desk cut-out dimensions


PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE04755-Z235-72	Single Charging Unit, Black	\$482.00
BE04756-Z235-72	Dual Charging Unit, Black	893.00

**DESCRIPTION:** Wireless charging pads for Qi enabled smartphones and devices.  
Fits in standard 3" surface cutout. Other colors available.

**Standard features:**

- 72" Power Cord
- USB Ports, 2 Amps
- Power Simplex, 15 amps
- 5 Watt Qi Charging Coils

**SPECIFY:** Product Number.



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References


PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE01445-6-72	Cat6 Jack and Network Cable 6'	\$114.00
BE01445-6-120	Cat6 Jack and Network Cable 10'	\$95.00

**DESCRIPTION:** Siemon Cat6, RJ-45, with 6ft or 10ft M/F Cord.

**Standard features:**

- w/8-Pin
- MX series, Keystone style
- Siemon, RJ-45 Cat6
- Pre-terminated

**SPECIFY:** Product Number.



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BE02493-120	VGA Connector	\$137.00

**DESCRIPTION:** Connect VGA enabled electronics (laptops, etc.) to remote displays via Byrne Power/Data Centers.

**Standard features:**

- 120" M/F Cable included to connect to display
- Device cable not included
- No adapter needed for integration
- This is a female-to-male connector cable

**SPECIFY:** Product Number.



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
BEZEVC-HD06-45-CM/BK	HDMI Coupler	\$109.00

**DESCRIPTION:** Connect to HD (high definition) displays that accept HDMI feeds via a power/data center using this HDMI Connector and HDMI cables. Connector snaps into many Byrne Power/Data Centers and routes the connection to your HDMI via a 18" cord.

**Standard features:**

- HDMI Coupler
- 18" Cord
- No adapter needed for integration
- Female/Female Connection

**SPECIFY:** Product Number.



# ELECTRICAL


Compatico Systems  
Terms & Conditions

## Voice Data Adapter Kit & Face Plate


Surface Materials

Voice Data  
Adapter Kit

A



Face Plate  
B



AO2

CMW



G2/Genesis

Frames

## Amp Pin Voice or Data

Amp Jack

C



Amp Coupler

Hush


Electrical

Storage

Worksurfaces

## A WIDE VARIETY OF VOICE, DATA AND POWER CONFIGURATIONS ARE AVAILABLE.

Please contact Compatico Customer Service or visit [www.compatico.com](http://www.compatico.com) for our "In & On" Electrical Accessory Brochure.



Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## A WIDE RANGE OF ELECTRICAL/DATA WIRE MANAGEMENT VERTICAL VERTEBRA ARE AVAILABLE.

Please contact Compatico Customer Service.



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP000.04BK	Voice Data Adapter Kit	\$3.00
UNP000.05BK	2- Position Adapter Face Plate	3.00

**DESCRIPTION:** The Voice Data Adapter Kit provides ability to accept various voice/data couplers and jacks. Order each item separately. Both are required. Black textured plastic.

**SPECIFY:** Product Number.

**NOTE:** Part B fits onto panel base cover then Part A fits into Part B and Part C fits into Part B.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP000.0100	Amp 6 Pin RJ11 Cat 3 Voice Coupler	\$24.00
UNP000.0300	Amp 8 Pin RJ45 Cat 5e Data Jack	22.00
UNP000.0600	Amp 8 Pin RJ45 Cat 6 Data Jack	35.00

**SPECIFY:** Product Number. Requires Voice Data Adapter Kit.

**NOTE:** For additional data options (e.g. USB, HDMI) contact Compatico Customer Service.


# POWER POLES

## ELECTRICAL

DIMENSIONS	PRODUCT NUMBER	LIST PRICE
Size		
1.75" x 1.75" x 11'	HMA922.39	\$110.00
	HMA922.47	114.00
	HMA922.53	120.00
	HMA922.67	130.00
	HMA922.85	139.00
TOP PLATE		
6" x 6"	UNP925.00	\$55.00

**DESCRIPTION:** This ceiling entry pole assembly connects to the end of a panel run or at a 3- or 4-way 90° connector. It conceals voice/data communication cables from the ceiling entry point to the base of the panel. Shippable via FedEx (two 3' lengths, two 8' lengths). Does not include Top Cover Plate Kit (order separately - UNP925.00). Top Cover Plate is Off-White or Satin Finish - ready to paint. Beveled edge design. **SPECIFY:** Product Number and Trim Finish. **NOTE:** Limited Finishes (BU, DT, MT, LT, HF, HT, LG, LN). **INSTALLATION NOTE:** Use caps to cover screws protruding inside cable pole after installation. **NOTE:** You may use these poles (without connector hanger frames) on CMW. Pole only number UNP922.00 (List \$95). (Field installation is required - pressure fit and/or double stick tape). Confirm finishes are acceptable.

*Note: For ceilings over 10' use one HMA922.xx (see above) plus one UNP922.00 (pole only). During installation stagger connections for greater rigidity.*



*Note: Can be used for CMW System as corner fillers (pole only UNP922.00 at \$95 list) Plus 4-Way Top Cap STP232.04 at \$60 list)*

*\* Power poles do not include electric*


DIMENSIONS	PRODUCT NUMBER	RACEWAY	DESCRIPTION	LIST PRICE
Size				
6" x 6" x 108"	HMB130.98	With Raceway	2-Way 90° (A02)	\$326.00
	HMB137.98	With Raceway	3-Way (A02)	\$404.00
	HMA132.98	Without Raceway	4-Way (A02)	\$409.00

**DESCRIPTION:** A0 style connector power pole. Includes ceiling plates (white only), variable height filler strip, and base trim for A02.

**SPECIFY:** Product Number, Quantity, Finish, Block Locations: 39", 47" 53", 67", 85".

**NOTE:** Comes standard with three (3) filler strips. **NOTE:** Ceiling attachments of ceiling plate done with small toggle bolt during installation.

A02 108"H Connector Power Pole Kit



*\* Power poles do not include electric*

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ELECTRICAL

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating


References

## Genesis Ceiling Cable Pole



\* Power poles do not include electric

## CMW Ceiling Cable Pole



\* Power poles do not include electric

DIMENSIONS	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height			
PLASTIC TOP CAPS			
120	CP120	Cable Pole	\$207.00
N/A	CPTK	Cable Pole Trim Kit (Top & Bottom Plates) For Plastic Top Caps	\$27.00
N/A	CPU120	Cable Pole Trim Kit (Complete Unit) For Plastic Top Caps	\$237.00
ALUMINUM TOP CAPS			
120	CP120	Cable Pole	\$207.00
N/A	CPTKAL	Cable Pole Trim Kit (Top & Bottom Plates) For Aluminum Top Caps	\$35.00
N/A	CPU120AL	Cable Pole Trim Kit (Complete Unit) For Aluminum Top Caps	\$245.00


**DESCRIPTION:** 20 gauge, cold rolled steel. Powder coated paint finish. Contains a floor-to-top-of-panel raceway for housing electrical and telecommunications cables. Cut pole and top caps to size at installation site for lower ceilings and location along top cap. Order Power Feed separately.

**SPECIFY:** Product Number, Quantity, Finish. **NOTE:** Order power separately.

DIMENSIONS Size	PRODUCT NUMBER	LIST PRICE
4.75W x 1.75D x 132H	STU922.11	\$895.00

**DESCRIPTION:** Includes (2) 66" base covers, (2) 66" side covers, (2) 66" dividers, (1) splice channel, (4) mounting brackets and (2) ceiling cover plates. **Mount Kit outside panels at 3-way panel condition only.** Not for use with 41" height panels. Installation outline included with Kit.

**SPECIFY:** Product Number and Trim Finish. Refer to Paint Finishes. **NOTE:** This can be used on A0 and Genesis systems if attached (connected) to panel or flat connector. standard CMW trim finishes only. For application over 11' contact Compatico for assistance.



## STORAGE

Compatico Furniture Systems provide a full range of storage options. Pedestals come in all Compatico standard paint finishes and can be keyed alike. Select matching lateral files, file centers, bookcases, or two-door storage cabinets. Storage and pedestal towers with combination file storage, bookcase, and closet space are also available. Four standard options are available for pedestal/storage fronts and any can be used in all Compatico work space designs:

**Option 1:** “HM” style recessed black center pull with radiused drawer front

**Option 2R:** Satin Arc “S” Pull

**Option 3:** “SC” style recessed black center pull with square drawer front

**Option 4:** HW style inverted “J” Pull with square drawer front

**NOTE:** Key-Alike, electronic keying, and other special features are available.

# Storage



# STORAGE

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs



Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## "Value" Worksurface Support Pedestals



*Includes Wesco lock system*

*Add part # ONP602.12BK  
for legal file bars*

*Note: Drawer Pull Design is Beveled -  
similar to Option 4 Design.*

### DIMENSIONS

Width	DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
	Height	Depth			
14.75	27H (28.3 with extended leveler)	20	ONJ621.20	file/file	\$371.00
14.75	27H (28.3 with extended leveler)	20	ONJ631.20	box/box/file	371.00

**DESCRIPTION:** Pedestals have radiused front corners on all drawers and recessed black pulls. Box drawers and file drawers have full-length ball bearing slides. Glides allow for 1" - 3" of adjustment for floor irregularities. Pencil tray in one box drawer. All pedestals have locks. Locks may be keyed alike and lock plugs may be easily removed. Plug removal control key to remove lock plugs and replacement "keyed alike" lock plugs are an additional upcharge. See Accessory Section. **SPECIFY:** Product Number, Finish.

**NOTE:** Available Colors are BU/BK - Black, MT - Medium Tone, HF - Innertone Light, WD - White Wonder, MS - Silver. Additional colors available with extended lead time and possible minimum order quantities may apply. **NOTE:** For finished end, see Accessory Section in this Price Book.



COMPATICO DRAWER FRONT OPTIONS

STANDARD:

Option 1



Center Pull - Radius  
Drawer Front "D"

Option 2R



Satin Arc Pull "S"

Option 3



Center Pull - Squared  
Drawer Front "F"

Option 4



Inverted Pull "A"

**ALTERNATIVE:** Call Compatico Project Management for assistance. Any of the pedestal options are available in these drawer front designs.



Satin Bar Pull "Q"



HW Square Pull "H"



Square Pull "P"



Square Black Wire  
Pull "Y"

**LOCK SYSTEM:** Storage units come with key locking system. **NOTE:** Electric keypad locking available.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# STORAGE

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energee™ Seating

References

## Pedestals



*Pull: Option 1*

*Hanging Pedestals*



*Worksurface Supporting  
Pedestals - file/file*

*Worksurface Supporting  
Pedestals - box/box/file*



DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25	19.375	22	HMP611.22	b/f Hanging Pedestal	\$544.00	NA
15.25	27.75	22 28	HMP634.22 HMP634.28	b/b/f Supporting Pedestal b/b/f Supporting Pedestal	\$791.00 890.00	\$599.00 NA
15.25	27.75	22 28	HMP624.22 HMP624.28	f/f Supporting Pedestal f/f Supporting Pedestal	\$734.00 833.00	\$599.00 NA

**DESCRIPTION:** Pedestals have radiused drawer fronts and recessed black pulls. Box drawers and file drawers have steel ball-bearing slides (full extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment.

**SPECIFY:** Product Number, Finish.

**\*For orders of 16 Peds or more.**

**NOTE:** Call for large volume pricing: (>350 pedestals or more)

(>175 2 high laterals or more)


(>100 3 high laterals or storage and wardrobe towers)

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25	19.375	22	RLC611.22	b/f Hanging Pedestal	\$924.00	NA
15.25	27.75	22 28	RLC634.22 RLC634.28	b/b/f Supporting Pedestal b/b/f Supporting Pedestal	\$591.00 890.00	\$599.00 NA
15.25	27.75	22 28	RLC624.22 RLC624.28	f/f Supporting Pedestal f/f Supporting Pedestal	\$734.00 833.00	\$599.00 NA


## Pedestals

*Pull: Option 2R (Satin Arc Pull)*


*Worksurface Supporting  
Pedestals - file/file*



*Hanging Pedestals*



*Worksurface Supporting  
Pedestals - box/box/file*



**DESCRIPTION:** Pedestals have squared drawer fronts with satin arc pulls. Box drawers and file drawers have steel ball-bearing slides (3/4 extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish.

**\*For orders of 16 Peds or more.**

**NOTE:** Call for large volume pricing: (>350 pedestals or more)

(>175 2 high laterals or more)


(>100 3 high laterals or storage and wardrobe towers)

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25	19.375	22	SWP611.22	b/f Hanging Pedestal	\$544.00	NA
15.25	27.75	22	SWP634.22	b/b/f Supporting Pedestal	\$791.00	\$599.00
		28	SWP634.28	b/b/f Supporting Pedestal	890.00	NA
15.25	27.75	22	SWP624.22	f/f Supporting Pedestal	\$734.00	\$599.00
		28	SWP624.28	f/f Supporting Pedestal	833.00	NA

**DESCRIPTION:** Pedestals have square drawer fronts and recessed black pulls. Box drawers and file drawers have steel ball-bearing slides (full extension in box, full in file). Can be keyed alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish.

**\*For orders of 16 Peds or more.**

**NOTE:** Call for large volume pricing: (>350 pedestals or more)  
(>175 2 high laterals or more)  
(>100 3 high laterals or storage and wardrobe towers)



Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References


DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE	QTY* LIST PRICE
Width	Height	Depth				
15.25	19.375	22	HWP671.22	b/f Hanging Pedestal	\$544.00	NA
15.25	27.75	22	HWP634.22	b/b/f Supporting Pedestal	\$791.00	\$599.00
		28	HWP634.28	b/b/f Supporting Pedestal	890.00	NA
15.25	27.75	22	HWP624.22	f/f Supporting Pedestal	\$734.00	\$599.00
		28	HWP624.28	f/f Supporting Pedestal	833.00	NA

**DESCRIPTION:** Pedestals have square drawer fronts and full width recessed drawer pulls. Box drawers and file drawers have steel ball bearing drawer slides (full extension in box, full in file). Can be keyed-alike. For Key-Alike requests please see Accessory Section. Leveling glides allow for 1 5/8" adjustments.

**SPECIFY:** Product Number, Finish.

**\*For orders of 16 Peds or more.**

**NOTE:** Call for large volume pricing: (>350 pedestals or more)  
(>175 2 high laterals or more)  
(>100 3 high laterals or storage and wardrobe towers)



# STORAGE

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energie™ Seating

References

File Center  
Worksurface Supporting  
*Pull: Option 1*





Also available in 36"W and 42"W versions.



Also available in 12/12/30 - not shown

File Center  
Worksurface Supporting  
*Pull: Option 2R*



## DIMENSIONS

Width	Height	Depth	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
30	27.75	18.25	HMP706.30	2 Drawer Lateral	\$1,209.00
36			HMP706.36	2 Drawer Lateral	1,309.00
42			HMP706.42	2 Drawer Lateral	1,536.00
30.5			HMP707.30	3 Drawer 12/12/30	1,443.00
30.5			HMP708.30	4 Drawer 6/6/12/30	1,513.00

**DESCRIPTION:** File Center has radius edges - drawers have recessed black pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish.

**NOTE:** For cushion or laminate tops, contact Compatico Customer Service.

**NOTE:** These match "option style" pedestals for toe kick and horizontal alignment. (see previous page)

## DIMENSIONS

Width	Height	Depth	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
30	27.75	18.25	RLC706.30	2 Drawer 30/30	\$1,209.00
30.5			RLC706.30	2 Drawer Lateral	1,309.00
30.5			RLC706.30	2 Drawer Lateral	1,536.00
36			RLC707.36	3 Drawer 12/12/30	1,443.00
42			RLC708.42	4 Drawer 6/6/12/30	1,513.00

**DESCRIPTION:** File Center has squared edges and all drawers have satin arc pulls


File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment.

**SPECIFY:** Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico

Customer Service. **NOTE:** These match "option style" pedestals for toe kick and horizontal alignment. (see previous page)

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30	27.75	18.25	SWP706.30	2 Drawer Lateral	\$1,209.00
36			SWP706.36	2 Drawer Lateral	1,309.00
42			SWP706.42	2 Drawer Lateral	1,536.00
30.5			SWP707.30	3 Drawer 12/12/30	1,443.00
30.5			SWP708.30	4 Drawer 6/6/12/30	1,513.00


**DESCRIPTION:** File Center has square edges and all drawers have recessed black pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service. **NOTE:** These match "option style" pedestals for toe kick and horizontal alignment. (see previous pages)



Also available in  
12/12/30 - not shown

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Depth			
30	27.75	18.25	HWP706.30	2 Drawer Lateral	\$1,209.00
36			HWP706.36	2 Drawer Lateral	1,309.00
42			HWP706.42	2 Drawer Lateral	1,536.00
30.5			HWP707.30	3 Drawer 12/12/30	1,443.00
30.5			HWP708.30	4 Drawer 6/6/12/30	1,513.00

**DESCRIPTION:** File Center has square edges and all drawers have full horizontal pulls. File Centers are locking, worksurface supporting units that combine a worksurface supporting pedestal and lateral file in one unit. File Centers are designed to mount underneath a worksurface. No Counterweights are necessary. Leveling glides allow for 1 5/8" adjustment. **SPECIFY:** Product Number, Finish. **NOTE:** For cushion or laminate tops, contact Compatico Customer Service. **NOTE:** These match "option style" pedestals for toe kick and horizontal alignment. (see previous pages)



Also available in  
12/12/30 - not shown

File Center  
Worksurface Supporting  
Pull: Option 3

File Center  
Worksurface Supporting  
Pull: Option 4

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

# STORAGE

Flipper Door Unit  
Over-the-Top Painted Door



# OVERHEAD STORAGE

DIMENSIONS			A02 PRODUCT NUMBER	A02 LIST PRICE	CMW PRODUCT NUMBER	CMW LIST PRICE	G2/GENESIS PRODUCT NUMBER	G2/GENESIS LIST PRICE
Width	Height	Depth						
24	15	13.25	HMP711.24	\$635.00	SWP711.24	\$659.00	GEP711.24	\$667.00
30			HMP711.30	659.00	SWP711.30	684.00	GEP711.30	693.00
36			HMP711.36	684.00	SWP711.36	710.00	GEP711.36	718.00
42			HMP711.42	724.00	SWP711.42	752.00	GEP711.42	761.00
48			HMP711.48	773.00	SWP711.48	803.00	GEP711.48	812.00
60			HMP711.60	952.00	SWP711.60	988.00	GEP711.60	1,000.00

**DESCRIPTION:** Shipped ready to assemble. Unit includes shelf, door, top, shelf ends with anti-dislodgement mechanism and hardware. Painted flipper door front stows on top of the unit. Lock may be keyed to match pedestals (upcharge). Assembly instructions included.

**SPECIFY:** Product Number, Finish.

**NOTES:**

1. HMP used with A02 panels, SWP used with CMW panels, GEP used with Genesis panels.
2. Fabric covered, laminated or veneered door options are subject to an upcharge, call Compatico Customer Service for more information.

**FOR WALL MOUNTING:**

Option 1 - Use slotted wall channel

Option 2 - Compatico offers wall mount "U-cleat" flipper door solution. NOTE: This option requires a change in 711 part number (above). Call Compatico customer service for further details.

Only available for "SWP" Model - squared flipper door front design. Add 20% to above list price.

DIMENSIONS			A02 PRODUCT NUMBER	A02 LIST PRICE	CMW PRODUCT NUMBER	CMW LIST PRICE	G2/GENESIS PRODUCT NUMBER	G2/GENESIS LIST PRICE
Width	Height	Depth						
24	15	13.25	HMP731.24	\$757.00	SWP731.24	\$786.00	GEP731.24	\$797.00
30			HMP731.30	773.00	SWP731.30	803.00	GEP731.30	841.00
36			HMP731.36	814.00	SWP731.36	845.00	GEP731.36	847.00
42			HMP731.42	855.00	SWP731.42	887.00	GEP731.42	890.00
48			HMP731.48	920.00	SWP731.48	955.00	GEP731.48	966.00
60			HMP731.60	1,131.00	SWP731.60	1,174.00	GEP731.60	1,188.00


**DESCRIPTION:** Shipped ready to assemble. Unit includes shelf, door, top, shelf ends with anti-dislodgement mechanism and hardware. Flipper door front recedes into unit. Lock may be keyed to match pedestals (upcharge). Assembly instructions included.

**SPECIFY:** Product Number, Finish.

**NOTES:**

1. HMP used with A02 panels, SWP used with CMW panels, GEP used with Genesis panels.
2. Fabric covered and laminated door options are not available.

Flipper Door Unit  
Receding Painted Metal Door




# STORAGE

DIMENSIONS			A02 PRODUCT NUMBER	GR. 1 A02 LIST PRICE	CMW & GENESIS PRODUCT NUMBER	GR. 1 CMW & GENESIS LIST PRICE
Width	Height	Depth				
24	15.5	12	HMA273.24	\$316.00	CG273.24	\$344.00
30			HMA273.30	348.00	CG273.30	378.00
36			HMA273.36	378.00	CG273.36	409.00
42			HMA273.42	414.00	CG273.42	446.00
48			HMA273.48	433.00	CG273.48	456.00
60			HMA273.60	489.00	CG273.60	524.00

## FABRIC GRADES

GR 2	+ \$10
GR 3	+ \$25
ADV VE	- \$ (40)
COM / ADV X	- \$ (30)
ADV +	- \$ (20)

Value Flipper Door Unit  
Fabric Front  
Radius Edge Style



Note: CMW and Genesis G2 units include alternative panel hanging bracket.

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

DIMENSIONS			A02 PRODUCT NUMBER	LIST PRICE	CMW & GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
PAINTED STEEL FRONT						
24	15.5	12	HMA277.24	\$263.00	CG277.24	\$290.00
30			HMA277.30	299.00	CG277.30	327.00
36			HMA277.36	332.00	CG277.36	346.00
42			HMA277.42	368.00	CG277.42	398.00
48			HMA277.48	404.00	CG277.48	420.00
60			HMA277.60	460.00	CG277.60	495.00

Value Flipper Door Unit  
Painted Steel Front  
Radius Edge Style





Note: CMW and Genesis G2 units include alternative panel hanging bracket.

**DESCRIPTION:** Painted steel front, when opened, is stored above the unit. Unit includes painted wood radius shelf ends, painted shelf, painted steel door front, painted top cover, Wesco lock and operating hardware. Locks may be keyed to match pedestals. Shipped unassembled. **SPECIFY:** Product Number, Finish (DT, MT, HF, LT, BU). **NOTE:** For CMW and Genesis, a common/universal hangar bracket is included. **NOTE:** For fabric (on metal door) use HMA275.XX - Add \$140 list upcharge.



# STORAGE

## Metal Shelf Units



Note: Corner shelf units\* are available - contact  
Compatico Customer Service.


DIMENSIONS			PRODUCT NUMBER	LIST PRICE
Width	Height	Depth		
HALF HEIGHT FOR A0				
24	7	12.75	HMP719.24	\$288.00
30			HMP719.30	297.00
36			HMP719.36	305.00
42			HMP719.42	290.00
48			HMP719.48	322.00
60			HMP719.60	390.00
FULL HEIGHT FOR A0				
24	15	12.75	HMP718.24	\$314.00
30			HMP718.30	322.00
36			HMP718.36	331.00
42			HMP718.42	356.00
48			HMP718.48	365.00
60			HMP718.60	432.00
HALF HEIGHT FOR CMW				
24	7	12.75	SWP719.24	\$299.00
30			SWP719.30	308.00
36			SWP719.36	316.00
42			SWP719.42	326.00
48			SWP719.48	334.00
60			SWP719.60	405.00
FULL HEIGHT FOR CMW				
24	15	12.75	SWP718.24	\$326.00
30			SWP718.30	334.00
36			SWP718.36	343.00
42			SWP718.42	370.00
48			SWP718.48	378.00
60			SWP718.60	449.00
HALF HEIGHT FOR GENESIS				
24	8	12.75	GEP719.24	\$303.00
30			GEP719.30	312.00
36			GEP719.36	321.00
42			GEP719.42	330.00
48			GEP719.48	338.00
FULL HEIGHT FOR GENESIS				
24	15	12.75	GEP718.24	\$330.00
30			GEP718.30	338.00
36			GEP718.36	347.00
42			GEP718.42	374.00
48			GEP718.48	383.00
60			GEP718.60	454.00

**DESCRIPTION:** Shipped ready to assemble. Unit includes shelf. Shelf ends with anti-dislodgement mechanism and hardware. Assembly instructions included. **SPECIFY:** Product Number, Finish. **NOTE:** HMP used with A0 panels, SWP used with CMW and OEM panels, and GEP used with Genesis panels. **NOTE:** Corner shelf units available as special order item. Call Compatico Project Manager for details.

DIMENSIONS			A02 PRODUCT NUMBER	LIST PRICE	CMW & GENESIS PRODUCT NUMBER	LIST PRICE
Width	Height	Depth				
HALF HEIGHT						
24	7.5	12	HMA283.24	\$98.00	CG283.24	\$119.00
30			HMA283.30	106.00	CG283.30	126.00
36			HMA283.36	118.00	CG283.36	139.00
42			HMA283.42	128.00	CG283.42	150.00
48			HMA283.48	141.00	CG283.48	163.00
60			HMA283.60	158.00	CG283.60	181.00
FULL HEIGHT						
24	15.5	12	HMA284.24	\$119.00	CG284.24	\$141.00
30			HMA284.30	127.00	CG284.30	148.00
36			HMA284.36	139.00	CG284.36	161.00
42			HMA284.42	150.00	CG284.42	172.00
48			HMA284.48	162.00	CG284.48	185.00
60			HMA284.60	179.00	CG284.60	203.00

**DESCRIPTION:** Painted wood radius shelf ends with half radius edge and slight radius corners. Painted metal shelf is ready to receive tasklight. Use flipper conversion kit to convert full height shelf unit into flipper door unit.

**SPECIFY:** Product Number, Shelf End Color, Shelf Finish Color. **NOTE:** Corner shelf units available as special order item. Call Compatico Project Manager for details.



*Note: CMW and Genesis G2 units include alternative panel hanging bracket.*

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico's selection of worksurfaces includes many different colors and wood grain laminates, along with a variety of edge profiles which enables you to create endless combinations that meet site designs. Worksurface shapes include rectilinear, curvilinear, peninsula, round, or racetrack, 180° or 90° spanners and countercaps that can be incorporated into your furniture system. New edge details available are Bullnose, Ripple, Wedge and Waterfall; along with the traditional T-edge and 3MM edge. Please review our laminate and edge finish selections from Wilsonart®, Nevamar®, Pionite®, and Formica® to complete your space plan.

# Worksurfaces



















# WORKSURFACES

## SPECIFICATION EXAMPLE

Model #	+	Edge #	=	PRODUCT NUMBER
WSR108	+	.01	=	WSR108.01

Standard Compatico Worksurfaces are constructed from 45 lb.. density particleboard and are 1 1/8" thick, and the face of all standard worksurfaces is high pressure laminate (see price book "Surface Materials" for complete laminate listing.)

PRODUCT NUMBER		DESCRIPTION	NOTES	EDGE DETAIL IMAGE
Model #	Edge #			
XXXXXX	.01	<b>T-Edge</b> <b>1 1/16" thick</b>	- Matches original OEM specifications grommet on corner 3mm edging on all sides. - Not available with scallops - Recommended for original OEM	
XXXXXX	.02	<b>3MM Edge</b> <b>1 1/8" thick</b>	- Grommet standard on corner worksurface only - must specify for grommets on other worksurfaces (upcharge per grommet will apply) - 3mm edging on four (4) sides - Not available with scallops - Recommended for original OEM	
XXXXXX	.03	<b>3MM Edge</b> <b>1 1/8" thick</b>	- Scallops standard on all (.03) worksurfaces except spanner and peninsula and counter caps units unless specified - 3mm edging on three (3) sides. With scallops. - Recommended for CW and G2/Genesis	
XXXXXX	.04	<b>Self Edge</b> <b>1 1/8" thick</b>	- Laminate self-edge for worksurfaces can be specified - matching laminate will be applied to all sides - Use .14 for self edge with scallops	
XXXXXX	.05	<b>Bullnose Edge</b> <b>1 1/8" thick</b>	- 1mm edging on back edge and sides (limited colors available) - Use .15 for Bullnose with scallops	
XXXXXX	.06	<b>Ripple Edge</b> <b>1 1/8" thick</b>	- 1mm edging on back edge and sides (limited colors available) - Use .16 for ripple edge with scallops	
XXXXXX	.07	<b>Wedge Edge</b> <b>1 1/8" thick</b>	- 1mm edging on back edge and sides (limited colors available) - Use .17 for wedge edge with scallops	
XXXXXX	.08	<b>Waterfall Edge</b> <b>1 1/8" thick</b>	- 1mm edging on back edge and sides (limited colors available) - Use .18 for waterfall edge with scallops	
XXXXXX	.23	<b>LPL 3MM</b> <b>no scallops</b>	- With 3mm edging (on underside) on rectangular surfaces and corner surfaces. (grommets on corners) - 1mm edging on all back and sides	
XXXXXX	.24	<b>LPL 3MM</b> <b>with scallops</b>	- With 3mm edging (on underside) grommets standard on corner worksurface only - must specify for scallop or grommets on other worksurfaces (upcharge may apply) - 1mm edging on all back and sides	
XXXXXX	.30	<b>Worksurfaces</b>	- 1 1/8" thick with 2mm black edging - grommet on corners - W/A Wild Cherry (side 1) - W/A Kensington Maple (side 2) not stocked	
XXXXXX	.31	<b>Worksurfaces</b>	- 1 1/8" thick with 2mm black edging - grommet on corners <i>(with scallops on rectangle worksurfaces)</i> - W/A Wild Cherry (side 1) - W/A Kensington Maple (side 2) not stocked	
XXXXXX	.35	<b>Stocked Worksurfaces</b>	- 1 1/8" thick with 2mm black edging - grommet on corners - W/A Wild Cherry (side 1) - W/A Kensington Maple (side 2)	
SPECIAL WORKSURFACE				
XXXXXX	.91	<b>Knife Edge</b>	- 1/2" high 3mm PVC edge profile with 2" deep angle. MDF bottom angle is bees wax and finished in black. <i>Note: add 30% to Grade 1 list pricing and minimum order of 10 units.</i>	
XXXXXX	.98	<b>Thermoformed-Soft Slope</b>	- MDF core with 1.125 omnova surf (X) laminates. See laminate options for standard stocked colors. <i>Note: add 30% to Grade 1 list pricing and minimum order of 10 units.</i>	
XXXXXX	.99	<b>Thermoformed-Radius</b>	- MDF core with 1.125 omnova surf (X) laminates. See laminate options for standard stocked colors. <i>Note: add 30% to Grade 1 list pricing and minimum order of 10 units.</i>	

1. **Support Hardware** is not included with Worksurfaces; support hardware is specified independently. Worksurface support channels are recommended on any unsupported span greater than 48". Order separately, part number UNP000.01BK (field installation required).

2. **Worksurface Selections** may be made from a variety of standard shapes, sizes and profile edges. Higher grade laminates may have an upcharge and longer lead-time. Special sizes are available – provide dimensions and drawing for special sizes. Pricing (15% upcharge on next large size if less than 10 worksurfaces)NOTE: For exact OEM sizes "OEM sizing" must be specified on purchase order.

3. **Edge Colors** are available in many different colors to match laminates or paint finishes.

4. **Cleaning:** Use Windex or mineral spirits on laminated surfaces.

### 5. Miscellaneous Notes

A) Grommets are standard on all corner worksurfaces. Add \$23 list for grommet (UNP050.00BK) in any other worksurface. For extra grommets (un-installed) use part # UNP004.00BK. Hole 3/8".

B) One scallop per worksurface under 48" Larger worksurfaces have two scallops.

C) Installation gap between worksurfaces and panels varies by product line 3/16"-3/4" on A02 and Frames, 0" (no gap) on CMW and G2/Genesis) due to panel design. Note: For A02 flush to back worksurfaces contact customer service.


D) Not all worksurfaces are pre-drilled for cantilevers.

E) Corner and extended corner worksurfaces in LPL wood grain - pattern will run lengthwise.


F) If utilizing a height adjustable table within a cubicle workstation it is recommended to request a special (1" less on length and depth)

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV VE DECREASE	ADV X DECREASE	ADV + DECREASE	GROMMET
Depth	Width	Model #						
18	24	WSR002	\$124.00	Call for Quote	N/A	-\$43.00	-\$6.00	+\$23
	30	WSR003	157.00			-55.00	-8.00	
	36	WSR004	186.00			-65.00	-9.00	
	42	WSR005	248.00			-87.00	-12.00	
	48	WSR006	248.00			-87.00	-12.00	
	54	WSR012	310.00			-108.00	-15.00	
	60	WSR007	371.00			-129.00	-19.00	
	66	WSR008	371.00			-129.00	-19.00	
	72	WSR009	495.00			-172.00	-25.00	
	78	WSR010	495.00			-172.00	-25.00	
	84	WSR011	310.00			-108.00	-15.00	
	90	WSR013	495.00			-172.00	-25.00	
	96	WSR014	495.00			-172.00	-25.00	
24	24	WSR100*	\$198.00	Call for Quote	N/A	-\$132.00	-\$78.00	+\$23
	30	WSR102*	202.00			-121.00	-75.00	
	36	WSR104*	245.00			-149.00	-102.00	
	42	WSR106*	262.00			-153.00	-86.00	
	48	WSR108*	300.00			-173.00	-124.00	
	54	WSR110	375.00			N/A	-147.00	
	60	WSR112*	375.00			-217.00	-147.00	
	66	WSR114	416.00			N/A	-127.00	
	72	WSR116*	416.00			-227.00	-127.00	
	78	WSR118	554.00			N/A	-158.00	
	84	WSR120	554.00			N/A	-158.00	
	90	WSR122	554.00			N/A	-158.00	
	96	WSR124	554.00			N/A	-158.00	
30	24	WSR101	\$202.00	Call for Quote	N/A	-\$75.00	-\$10.00	+\$23
	30	WSR103	255.00			-94.00	-13.00	
	36	WSR105	306.00			-112.00	-15.00	
	42	WSR107	328.00			-70.00	-16.00	
	48	WSR109	375.00			-115.00	-19.00	
	54	WSR111	469.00			-146.00	-23.00	
	60	WSR113	469.00			-146.00	-23.00	
	66	WSR115	519.00			-139.00	-26.00	
	72	WSR117	519.00			-139.00	-26.00	
	78	WSR119	554.00			-145.00	-28.00	
	84	WSR121	554.00			-145.00	-28.00	
	90	WSR123	554.00			-145.00	-28.00	
	96	WSR125	692.00			-183.00	-35.00	

Rectilinear Worksurface




Scallop design:



- a) scallop will be centered along back side edge
- b) worksurfaces 48" and larger will have 2 scallops, equally spaced

If grommet (optional):



grommet hole 3.625" diameter with flange- Black only - round

- Part # UNP050.00BK factory installed (list \$22) location measurements required with order

- If you want a grommet for field placement and installation Part # UNP004.00BK (list \$23)

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Worksurfaces with unsupported span greater than 48" should be specified with support channel. Order separately (UNP000.01BK) field install required. List Price \$54.00 **NOTE:** If utilizing a height adjustable table with a cubicle workstation is recommended to request a special size (1" less on length and width). **NOTE:** For 36" D worksurfaces - contact Compatico Customer Service.

\* Asterisk indicates item also available in-stock laminates (Cherry - Side 1, Maple - Side 2) with Black PVC Edge. Call for pricing - no scallops or grommets.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating


References

## Corner Worksurface

C and D Dimension -  
36" wide version





C and D Dimensions -  
42" and 48" wide version





grommet standard in back  
corner (on either design above)

## Corner Worksurface Curved



grommet standard in back corner

## Corner Worksurface Curved 120°



grommet standard in back corner

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV VE DECREASE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A & B	C & D	Model #						
24	36	WSC200	\$369.00	Call for Quote	N/A	-\$163.00	-\$18.00	+\$23
	42	WSC202	657.00			-330.00	-33.00	
	48	WSC204	657.00			-330.00	-33.00	
30	36	WSC201	\$369.00	Call for Quote	N/A	-\$163.00	-\$18.00	+\$23
	42	WSC203	657.00			-330.00	-33.00	
	48	WSC205	657.00			-330.00	-33.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately.

**NOTE:** Not designed for freestanding application. Worksurface supports must be ordered separately. Grain does not run diagonally for LPL. WSC 202-205 may be designed to function as a corner shelf unit. Contact Compatico Project Management for additional details.

**OPTION:** Specify Side Supports, Cantilever Supports and hardware separately. HPL Laminate in wood grains are laid up diagonally. Laminates used on LPL worksurfaces and thermo-formed worksurfaces are laid up in straight (non-diagonal) pattern.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV VE DECREASE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A & B	C & D	Model #						
24	36	WSC210*	\$369.00	Call for Quote	-\$129.00	-\$163.00	-\$18.00	+\$23
	42	WSC212	657.00		N/A	-330.00	-33.00	
	48	WSC214*	657.00		-\$354.00	-330.00	-33.00	
30	36	WSC211	\$369.00	Call for Quote	N/A	-\$163.00	-\$18.00	+\$23
	42	WSC213	657.00			-330.00	-33.00	
	48	WSC215	657.00			-330.00	-33.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports, Cantilever Supports and hardware separately. **NOTE:** Not designed for freestanding application. Grain does not run diagonally. HPL Laminate in wood grains are laid up diagonally. Laminates used on LPL worksurfaces and thermo-formed worksurfaces are laid up in straight (non-diagonal) pattern.

\* Asterisk indicates item also available in-stock laminates (Cherry - Side 1, Maple - Side 2) with Black PVC Edge. Call for pricing - no scallops or grommets.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV VE DECREASE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A & B	C & D	Model #						
FOR USE ON A02 FURNITURE SYSTEM								
24	36 5/8	WSC220	\$1,300.00	Call for Quote	N/A	-\$540.00	-\$65.00	+\$24
	42 5/8	WSC222	1,300.00			-540.00	-65.00	
	48 5/8	WSC224	1,300.00			-540.00	-65.00	
Note: for 30" (A&B) dimensioned worksurfaces contact Compatico customer service.								
FOR USE ON CMW FURNITURE SYSTEM								
24	36	CSC220	\$1,300.00	Call for Quote	N/A	-\$540.00	-\$65.00	+\$24
	42	CSC222	1,300.00			-540.00	-65.00	
	48	CSC224	1,300.00			-444.00	-65.00	
Note: for 30" (A&B) dimensioned worksurfaces contact Compatico customer service.								
FOR USE ON GENESIS/G2 FURNITURE SYSTEM								
24	35 5/8	GSC220	\$1,300.00	Call for Quote	N/A	-\$540.00	-\$65.00	+\$24
	41 5/8	GSC222	1,300.00			-540.00	-65.00	
	47 5/8	GSC224	1,300.00			-444.00	-65.00	
30	36	WSC221	\$1,300.00	Call for Quote	N/A	-\$444.00	-\$65.00	+\$24
	42	WSC223	1,300.00			-444.00	-65.00	
	48	WSC225	1,464.00			-608.00	-73.00	


**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

**SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports, Cantilever Supports and hardware separately. **NOTE:** Not designed for freestanding application. Grain does not run diagonally.

# WORKSURFACES

	DIMENSIONS			PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
	A	B	C						
Right	24	30	36	WSCP36RH	\$221.00	Call for Quote	-139.00	-16.00	+\$24
			42	WSCP42RH	294.00		-150.00	-18.00	
			48	WSCP48RH	294.00		-170.00	-20.00	
			60	WSCP60RH	368.00		-214.00	-25.00	
			66	WSCP66RH	442.00		-258.00	-29.00	
			72	WSCP72RH	442.00		-258.00	-29.00	
			84	WSCP84RH	588.00		-214.00	-30.00	
Left	24	30	96	WSCP96RH	588.00	Call for Quote	-315.00	-37.00	+\$24
			36	WSCP36LH	\$221.00		-139.00	-16.00	
			42	WSCP42LH	294.00		-150.00	-18.00	
			48	WSCP48LH	294.00		-170.00	-20.00	
			60	WSCP60LH	368.00		-214.00	-25.00	
			66	WSCP66LH	442.00		-258.00	-29.00	
			72	WSCP72LH	442.00		-258.00	-29.00	
			84	WSCP84LH	588.00		-214.00	-30.00	
			96	WSCP96LH	588.00		-315.00	-37.00	


**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick.  
When used with corner worksurface WSC210, WSC212, WSC214, it creates a corner width for user of 48" (semi-circle arc). Hardware and grommets sold separately.



DIMENSIONS			PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	C	Model #					
30	24	36	WSTR36R	\$330.00	Call for Quote	-\$139.00	-\$16.00	+\$23
24	30		WSTR36L	330.00		-139.00	-16.00	
30	24	42	WSTR42R	\$355.00	Call for Quote	-\$150.00	-\$18.00	+\$23
24	30		WSTR42L	355.00		-150.00	-18.00	
30	24	48	WSTR48R	\$405.00	Call for Quote	-\$170.00	-\$20.00	+\$23
24	30		WSTR48L	405.00		-170.00	-20.00	
30	24	60	WSTR60R	\$507.00	Call for Quote	-\$214.00	-\$25.00	+\$23
24	30		WSTR60L	507.00		-214.00	-25.00	
30	24	72	WSTR72R	\$583.00	Call for Quote	-\$258.00	-\$29.00	+\$23
24	30		WSTR72L	583.00		-258.00	-29.00	
30	24	84	WSTR84R	\$598.00	Call for Quote	-\$214.00	-\$30.00	+\$23
24	30		WSTR84L	598.00		-214.00	-30.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **OPTION:** Specify Side Supports or Cantilever Supports (H).

Tapered Rectilinear Worksurface  
(Left Hand Shown)



NOTE: HPL Laminates are laid up straight with "C" measurement.

NOTE: Confirm grommet or scallop location with Compatico Project Management.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References



# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

Extended, Corner Worksurface  
*Left-Hand*



**NOTE:** If straight angle cockpit design, please consult Compatico Project Management. (same price)

**NOTE:** HPL Laminates are laid up straight with "D" measurement.

**NOTE:** Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" side.


DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	C	D	Model #					
24	24	36	60	WSE301	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE302	817.00		-340.00	-41.00	
24	30			WSE303	817.00		-340.00	-41.00	
30	30			WSE304	817.00		-340.00	-41.00	
24	24	42	60	WSE305	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE306	817.00		-340.00	-41.00	
24	30			WSE307	817.00		-340.00	-41.00	
30	30			WSE308	817.00		-340.00	-41.00	
24	24	48	60	WSE309	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE310	817.00		-340.00	-41.00	
24	30			WSE311	817.00		-340.00	-41.00	
30	30			WSE312	817.00		-340.00	-41.00	
24	24	36	72	WSE325	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE326	966.00		-401.00	-48.00	
24	30			WSE327	966.00		-401.00	-48.00	
30	30			WSE328	966.00		-401.00	-48.00	
24	24	42	72	WSE329	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE330	966.00		-401.00	-48.00	
24	30			WSE331	966.00		-401.00	-48.00	
30	30			WSE332	966.00		-401.00	-48.00	
24	24	48	72	WSE333	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE334	966.00		-401.00	-48.00	
24	30			WSE335	966.00		-401.00	-48.00	
30	30			WSE336	966.00		-401.00	-48.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **OPTION:** Specify Side Supports, Cantilever Supports and hardware separately. **NOTE:** Grain does not run diagonally.

DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	C	D	Model #					
24	24	36	60	WSE337	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE338	817.00		-340.00	-41.00	
24	30			WSE339	817.00		-340.00	-41.00	
30	30			WSE340	817.00		-340.00	-41.00	
24	24	42	60	WSE341	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE342	817.00		-340.00	-41.00	
24	30			WSE343	817.00		-340.00	-41.00	
30	30			WSE344	817.00		-340.00	-41.00	
24	24	48	60	WSE345	\$817.00	Call for Quote	-\$340.00	-\$41.00	+\$23
30	24			WSE346	817.00		-340.00	-41.00	
24	30			WSE347	817.00		-340.00	-41.00	
30	30			WSE348	817.00		-340.00	-41.00	
24	24	36	72	WSE361	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE362	966.00		-401.00	-48.00	
24	30			WSE363	966.00		-401.00	-48.00	
30	30			WSE364	966.00		-401.00	-48.00	
24	24	42	72	WSE365	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE366	966.00		-401.00	-48.00	
24	30			WSE367	966.00		-401.00	-48.00	
30	30			WSE368	966.00		-401.00	-48.00	
24	24	48	72	WSE369	\$966.00	Call for Quote	-\$401.00	-\$48.00	+\$23
30	24			WSE370	966.00		-401.00	-48.00	
24	30			WSE371	966.00		-401.00	-48.00	
30	30			WSE372	966.00		-401.00	-48.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **OPTION:** Specify Side Supports, Cantilever Supports and hardware separately. **NOTE:** Grain does not run diagonally.

Extended, Corner Worksurface  
Right-Hand



**NOTE:** If straight angle cockpit design, please consult Compatico Project Management.

**NOTE:** HPL Laminates are laid up straight with "D" measurement.

**NOTE:** Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References


## Extended, Peninsula Worksurface *Left-Hand*



**NOTE:** HPL Laminates are laid up straight with "D" measurement.

**NOTE:** Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

## Extended, Peninsula Worksurface *Right-Hand*



**NOTE:** HPL Laminates are laid up straight with "D" measurement.

**NOTE:** Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.

DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	C	D	Model #					
24	24	48	60	WSE373	\$817.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	60	WSE374	817.00		-419.00	-51.00	
24	30	48	60	WSE473	817.00		-419.00	-51.00	
30	24	48	60	WSE474	817.00		-419.00	-51.00	
24	24	48	66	WSE375	\$966.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	66	WSE376	966.00		-419.00	-51.00	
24	30	48	66	WSE475	966.00		-419.00	-51.00	
30	24	48	66	WSE476	966.00		-419.00	-51.00	
24	24	48	72	WSE377	\$966.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	72	WSE378	966.00		-419.00	-51.00	
24	30	48	72	WSE477	966.00		-419.00	-51.00	
30	24	48	72	WSE478	966.00		-419.00	-51.00	
24	24	48	84	WSE37784	\$1,406.00	Call for Quote	-\$509.00	-\$61.00	+\$23
24	30	48	84	WSE37884	1,406.00		-509.00	-61.00	
30	24	48	84	WSE47784	1,406.00		-509.00	-61.00	
24	30	48	84	WSE47884	1,406.00		-509.00	-61.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **OPTION:** Specify Side Supports, Cantilever Supports and hardware separately.

DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	C	D	Model #					
24	24	48	60	WSE379	\$817.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	60	WSE380	817.00		-419.00	-51.00	
30	24	48	60	WSE479	817.00		-419.00	-51.00	
24	30	48	60	WSE480	817.00		-419.00	-51.00	
24	24	48	66	WSE381	\$966.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	66	WSE382	966.00		-419.00	-51.00	
30	24	48	66	WSE481	966.00		-419.00	-51.00	
24	30	48	66	WSE482	966.00		-419.00	-51.00	
24	24	48	72	WSE383	\$966.00	Call for Quote	-\$419.00	-\$51.00	+\$23
30	30	48	72	WSE384	966.00		-419.00	-51.00	
30	24	48	72	WSE483	966.00		-419.00	-51.00	
24	30	48	72	WSE484	966.00		-419.00	-51.00	
24	24	48	84	WSE38384	\$1,406.00	Call for Quote	-\$509.00	-\$61.00	+\$23
24	30	48	84	WSE38484	1,406.00		-509.00	-61.00	
30	24	48	84	WSE48384	1,406.00		-509.00	-61.00	
24	30	48	84	WSE48484	1,406.00		-509.00	-61.00	

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately.


**NOTE:** Specify Side Supports or Cantilever Supports and hardware separately.

# WORKSURFACES

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet (if additional requested)
A	B	Model #					
24 30	48	WSP400 WSP401	\$392.00 401.00	Call for Quote	-\$168.00 -170.00	-\$20.00 -21.00	+\$23
24 30	60	WSP402 WSP403	\$392.00 490.00	Call for Quote	-\$168.00 -203.00	-\$20.00 -24.00	+\$23
24 30	66	WSP404 WSP405	\$459.00 577.00	Call for Quote	-\$191.00 -239.00	-\$24.00 -29.00	+\$23
24 30 36	72	WSP406 WSP407 WSP408	\$459.00 648.00 661.00	Call for Quote	-\$269.00 -269.00 -329.00	-\$32.00 -32.00 -40.00	+\$23

**DESCRIPTION:** Primarily used perpendicular to a panel or another Worksurface. No provision for wire management, however, grommets may be ordered - add for center grommet (see above). Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately.

Peninsula Worksurface



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

DIMENSIONS				RIGHT PRODUCT NUMBER	LEFT PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	Grommet  (if additional requested)
A	B	C	D	Model #						
24	48	72	54	UNP426.02	UNP425.02	\$1,105.00	Call for Quote	-\$396.00	-\$55.00	+\$23
24	48	78	54	UNP428.02	UNP427.02	\$1,406.00		-\$689.00	-\$70.00	+\$23
30	48	72	60	UNP422.02	UNP420.02	\$1,105.00		-\$396.00	-\$55.00	+\$23
30	48	78	60	UNP423.02	UNP421.02	\$1,406.00		-\$689.00	-\$70.00	+\$23

Teardrop Peninsula

Teardrop Peninsula

**NOTE:** Confirm grommet or scallop location with Compatico Project Management. For (.03) Edges scallops are standard on "C" dimension.



*Note: Not available  
in all laminates*

(right hand shown)

# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating


References

## 180° Spanner Worksurface

for A02 panels - space between worksurface and panel is .75"



for CMW and G2/Genesis - space between worksurface and panel is .0"



SYSTEM	DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
	A	B (Nom)	Model #				
A02	24	51.375	WSP440	\$494.00	Call for Quote	-\$202.00	-\$25.00
	30	63.375	WSP441	\$530.00	Call for Quote	-\$216.00	-\$26.00
CMW	24	50	WSP442	\$494.00	Call for Quote	-\$202.00	-\$25.00
	30	62	WSP443	\$530.00	Call for Quote	-\$216.00	-\$26.00
G2/Genesis	24	51.25	WSP444	\$494.00	Call for Quote	-\$202.00	-\$25.00
	30	63.25	WSP445	\$530.00	Call for Quote	-\$216.00	-\$26.00

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick.

**SPECIFY:** Model Number and Edge Number. Order Worksurface support hardware separately.


**NOTE:** Provides for common worksurface adjacent to two (2) work areas. It is sized to adjoin the two Worksurfaces with each worksurface spaced approximately .75" from back side of worksurface to A02 panel. Cutout in back is to straddle finished end of panel.

**NOTE:** Notch sizes: 1. A02 - 3.375"  
2. CMW - 2.0"  
3. Genesis - 3.25"


\* For grain pattern orientation consult Compatico customer service.

## 90° Spanner Worksurface

For A02 panels - space between worksurface and panel is .075"



For CMW and G2/Genesis panels - space between worksurface and panel is .0"




SYSTEM	DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
	A	B (Nom.)	Model #				
A02	24	26.375	WSP430	\$317.00	Call for Quote	-\$132.00	-\$16.00
	30	32.375	WSP431	\$366.00	Call for Quote	-\$152.00	-\$18.00
CMW	24	26.375	WSP432	\$317.00	Call for Quote	-\$132.00	-\$16.00
	30	32.375	WSP433	\$366.00	Call for Quote	-\$152.00	-\$18.00
G2/Genesis	24	26.375	WSP434	\$317.00	Call for Quote	-\$132.00	-\$16.00
	30	32.375	WSP435	\$366.00	Call for Quote	-\$152.00	-\$18.00


**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick).

**SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **NOTE:** Provides for common worksurface adjacent to two (2) work areas. It is sized to adjoin the two worksurfaces.

**NOTE:** Inside color spanners are available. Contact Compatico Project Management for Part Numbers, Dimensions and Pricing by specific Product Line.



Inside Corner Spanner



Compatico Systems  
Terms & Conditions


Surface Materials

AO2

CMW

	DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	GROMMET (if additional requested)
	A	B	Model #					
Left	24	36	WSA101	\$292.00	Call for Quote	-\$95.00	-\$15.00	+\$23
	24	42	WSA102	390.00		-128.00	-19.00	
	24	48	WSA103	390.00		-128.00	-19.00	
	24	60	WSA104	487.00		-83.00	-24.00	
	30	36	WSA105	365.00		-168.00	-18.00	
	30	42	WSA106	487.00		-225.00	-24.00	
	30	48	WSA107	487.00		-225.00	-24.00	
	30	60	WSA108	609.00		-205.00	-30.00	
Right	24	36	WSA111	\$292.00	Call for Quote	-\$95.00	-\$15.00	+\$23
	24	42	WSA112	390.00		-128.00	-19.00	
	24	48	WSA113	390.00		-128.00	-19.00	
	24	60	WSA114	487.00		-83.00	-24.00	
	30	36	WSA115	365.00		-168.00	-18.00	
	30	42	WSA116	487.00		-225.00	-24.00	
	30	48	WSA117	487.00		-225.00	-24.00	
	30	60	WSA118	609.00		-205.00	-30.00	

Arc Worksurface



no scallop or grommet unless requested


right hand worksurface shown

**DESCRIPTION:** An Arc Worksurface for clear access and conferencing. Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately (panel support, leg support). Scallops or grommets not included unless requested. Wood grain runs straight along "B" dimension.

\* For teardrop shapes consult Compatico customer service

	DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	GROMMET (if additional requested)
	A	B	C	D	Model #					
Right	72	60	24	42	WSA121	\$1,292.00	Call for Quote	-\$431.00	-\$65.00	+\$23
	72	60	24	48	WSA122	1,292.00		-431.00	-65.00	
	84	60	24	42	WSA123	1,722.00		-574.00	-86.00	
	84	60	24	48	WSA124	1,722.00		-574.00	-86.00	
Left	72	60	24	42	WSA131	\$1,292.00	Call for Quote	-\$431.00	-\$65.00	+\$23
	72	60	24	48	WSA132	1,292.00		-431.00	-65.00	
	84	60	24	42	WSA133	1,722.00		-574.00	-86.00	
	84	60	24	48	WSA134	1,722.00		-574.00	-86.00	

Curvilinear Worksurface



right hand worksurface shown

\* Note: Not available in all laminates

**DESCRIPTION:** A Worksurface for managerial spaces that allows for conferences. Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Refer to laminates and edge selections. Order worksurface support hardware separately (panel support, leg support and worksurface stabilizer bar). Scallop centered along "D" dimension. Wood grain runs straight with "A" dimension. **NOTE:** Advise if scallops or grommets required.

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Enegee™ Seating

References

# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Split Rectilinear Worksurface




Dual Arm (not included)

DIMENSIONS			PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	GROMMET (if additional requested)
A	B	C	Model #					
30	24	12	WSS150	\$253.00	Call for Quote	-\$65.00	-\$13.00	+\$23
30	30	12	WSS151	266.00		-29.00	-13.00	
30	36	12	WSS152	321.00		-38.00	-16.00	
30	42	12	WSS153	377.00		-39.00	-19.00	
30	48	12	WSS154	385.00		-33.00	-19.00	
30	60	12	WSS155	471.00		-28.00	-24.00	

**DESCRIPTION:** Split Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick.  
**SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface Hardware separately. Scallop standard on rectilinear and grommet standard on corners (back corner).  
 Grain pattern runs along "B" dimension on rectilinear and along "D" dimension on corner worksurface.  
**NOTE:** Use dual arm mechanism (sold separately - see accessories section).

## Split Corner Worksurface



Dual Arm (not included)

DIMENSIONS					PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE	GROMMET (if additional requested)
A	B	C	D	E	Model #					
24	24	42	42	12	WSC100	\$747.00	Call for Quote	-\$144.00	-\$37.00	+\$23
30	30	42	42	12	WSC101	747.00		-144.00	-37.00	
24	24	48	48	12	WSC102	747.00		-144.00	-37.00	
30	30	48	48	12	WSC103	747.00		-144.00	-37.00	


**DESCRIPTION:** Split Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick.  
**SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface Hardware separately. Scallop standard on rectilinear and grommet standard on corners (back corner).  
 Grain pattern runs along "B" dimension on rectilinear and along "D" dimension on corner worksurface.  
**NOTE:** Use dual arm mechanism (sold separately - see accessories section).



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
B	C					
12.728	18	WSC300	\$175.00	Call for Quote	-\$67.00	-\$9.00

**DESCRIPTION:** Provides simple solution for "corner" worksurface at 90°. Wedge is attached to adjacent surfaces using wood screws and four universal plates (sold separately). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Available in 3MM Edge only. Grain does not run diagonally.

Corner Wedge Worksurface  
with 3MM Edge



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

DIMENSIONS			PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
Depth	For Use With These Panel Combinations	Counter Cap Dimensions	Model #				
AO2/CMW							
14	24 X 24	31.4 X 31.4"	WCC620	\$303.00	Call for Quote	-\$126.00	-\$15.00
	30 X 30	37.4 X 37.4"	WCC621	682.00		-283.00	-34.00
	36 X 36	43.4 X 43.4"	WCC622	682.00		-283.00	-34.00
	42 X 42	49.4 X 49.4"	WCC623	855.00		-355.00	-43.00
	48 X 48	55.4 X 55.4"	WCC624	870.00		-362.00	-43.00
G2/GENESIS							
14	24 X 24	32.5 X 32.5"	WCC650	\$303.00	Call for Quote	-\$126.00	-\$15.00
	30 X 30	38.5 X 38.5"	WCC651	682.00		-283.00	-34.00
	36 X 36	44.5 X 44.5"	WCC652	682.00		-283.00	-34.00
	42 X 42	50.5 X 50.5"	WCC653	855.00		-355.00	-43.00
	48 X 48	56.5 X 56.5"	WCC654	855.00		-362.00	-43.00

Counter Caps



**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order worksurface support hardware separately. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets.

**NOTE:** Sizes 48 x 48 may not be available in all laminate and thermo-formed options.

# WORKSURFACES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Counter Caps 120° Radius Corner




	DIMENSIONS		PRODUCT NUMBER				
Depth	For Use With These Panel Combinations	Counter Cap Dimensions	Model #	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
A02/CMW							
14	24 X 24	25 5/8 X 25 5/8"	WCC630	\$422.00	Call for Quote	\$-175.00	-21.00
	30 X 30	31 5/8 X 31 5/8"	WCC631	548.00		-227.00	-27.00
	36 X 36	37 5/8 X 37 5/8"	WCC632	633.00		-263.00	-32.00
	42 X 42	43 5/8 X 43 5/8"	WCC633	1,013.00		-421.00	-51.00
	48 X 48	49 5/8 X 49 5/8"	WCC634	1,013.00		-421.00	-51.00
G2/GENESIS							
14	24 X 24	26 3/8 X 26 3/8"	WCC660	\$422.00	Call for Quote	\$422.00	\$422.00
	30 X 30	32 3/8 X 32 3/8"	WCC661	548.00		548.00	548.00
	36 X 36	38 3.8 X 38 3/8"	WCC662	633.00		633.00	633.00
	42 X 42	44 3/8 X 44 3/8"	WCC663	1,013.00		1,013.00	1,013.00
	48 X 48	50 3/8 X 50 3/8"	WCC664	1,013.00		1,013.00	1,013.00

**DESCRIPTION:** Worksurfaces are constructed of 45 lb. density particleboard and are 1 1/8" thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to laminate and edge selections. Order Worksurface support hardware separately. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets.

## Counter Caps Straight


Edge detail  
on all sides



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
Depth	Width	Model #				
14D	24	WCC600	\$146.00	Call for Quote	-\$52.00	-\$7.00
	30	WCC601	161.00		-67.00	-8.00
	36	WCC602	193.00		-80.00	-10.00
	42	WCC603	221.00		-92.00	-11.00
	48	WCC604	242.00		-100.00	-12.00
	54	WCC605	280.00		-116.00	-14.00
	60	WCC606	280.00		-116.00	-14.00
	66	WCC607	330.00		-137.00	-16.00
	72	WCC608	330.00		-137.00	-16.00
	84	WCC609	587.00		-244.00	-29.00

**DESCRIPTION:** Worksurfaces are constructed of 45lb. density particleboard and are 1 1/8" thick inches thick except when selection .01 T-edge (1 1/16" thick). **SPECIFY:** Model Number and Edge Number. Refer to Laminates Section for laminate and edge selections. **NOTE:** Use on top of low panels (42"H or 48"H) as transaction counters. Mount to panel tops using counter cap support brackets (sold separately).

## Counter Caps Oval



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR2 & GR3 UPCHARGE	ADV X DECREASE	ADV + DECREASE
Width	Length	Model #				
16	24	WCO101	\$146.00	Call for Quote	-\$47.00	-\$7.00
16	30	WCO102	187.00		-60.00	-9.00
16	36	WCO103	219.00		-68.00	-11.00
16	42	WCO104	292.00		-91.00	-15.00
16	48	WCO105	292.00		-91.00	-15.00
16	60	WCO106	365.00		-113.00	-18.00
16	66	WCO107	438.00		-134.00	-22.00
16	72	WCO108	438.00		-134.00	-22.00

**DESCRIPTION:** Counter Cap Worksurfaces are constructed of 45 lb. density particle board and are 1 1/8" thick. **SPECIFY:** Model Number and Edge Number. Order hardware separately (A02 and CMW/CV - order (2) STP556.01 parts per Worksurface and (8) UNP858.012i mounting screws per worksurface) (Genesis - order (2) "TS" parts per worksurface and (8) UPN858.012i mounting screws per worksurface). **NOTE:** Mounting screws not included.

**NOTE:** Select size greater than panel width to insure proper mounting hardware fit.

# WORKSURFACE SUPPORT PANELS AO2, G2/GENESIS & CMW

## WORKSURFACES

Worksurface Support  
End Panel  
Panel-To-Storage Spacers

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

### AO2

Ell Brackets included

For AO2 and CMW  
(Part # HMP458.0100)  
For Genesis  
(Part # LBBK)

Clear Access Panel

D2

Full End Panel

Panel Support Brackets included  
Left Hand Shown

For AO2 (Part # HMP058.10DT)  
For CMW (Part # STP814.01LH  
and #STP814.02LH)  
For Genesis (Part # PS BBK)

Only part number "HMU"  
comes with notch out design  
on both styles. Part number  
"STU" and EPS are non-notch  
squared corner.

For 36"D end panels, contact Compatico Customer Service.

DIMENSIONS		A02 PRODUCT NUMBER	GR. 1 LIST PRICE	
Depth	Height			
D1	D2	CLEAR ACCESS PANEL		
12	23.5	27.75	HMU465.2400	\$266.00
18	29.5		HMU465.3000	286.00
FULL SUPPORT PANEL				
23.5	27.75	HMU466.2400	\$267.00	
29.5		HMU466.3000	286.00	

\* For alternative laminate grade pricing - contact Compatico Customer Service.

### CMW G2/GENESIS

DIMENSIONS		CMW PRODUCT NUMBER	CMW LIST PRICE	G2/GENESIS PRODUCT NUMBER	G2/GENESIS LIST PRICE	
Depth	Height					
D1	D2	CLEAR ACCESS PANEL				
12	23.5	27.5	STU465.2400	\$296.00	EPSCWU24	\$300.00
18	29.5		STU465.3000	315.00	EPSCWU30	320.00
FULL SUPPORT PANEL						
23.5	27.5	STU466.2400	\$282.00	EPSWU24	\$280.00	
29.5		STU466.3000	302.00	EPSWU30	302.00	

**DESCRIPTION:** Support panel has laminate face and T-Edge or 3MM visible edge. Attaches under worksurface at end or midpoint to provide support if no full height pedestal or return panel is used. Worksurfaces are fastened to support panel via "L" brackets. Support panel-to-panel hardware brackets are attached to rear of support panel and inserted into panel slotted vertical. Kit includes brackets, hardware and one or two glides.

**SPECIFY:** Product Number, Laminate with Self-Edge or 3MM Edge Color. Refer to laminates and edge color.

\* For alternative laminate grade pricing - contact Compatico Customer Service.


**NOTE:** When specifying end support panels for benching – confirm heights versus layout requirement.

Compatico Systems  
Terms & Conditions

A02, CMW, G2/Genesis  
Universal Flat Plate

Surface Materials

A02



CMW

G2/Genesis

Frames


Gather  
Benching

A02, CMW, G2/Genesis  
Stabilizer Channel  
for worksurfaces and U-CUP screen  
mounting in benching applications.

Hush

Electrical

Storage




Worksurfaces

Conference &  
Training Tables

Legs

A02, CMW, G2/Genesis  
EII bracket

Height Adjustable  
Legs



Accessories

Folio™ Desking &  
Energee™ Seating

References

PRODUCT NUMBER	DIMENSIONS		PRICE
	HEIGHT	WIDTH	
UNP465.02BK	2 1/4"	3"	\$2.00
UNP465.01BK	3"	5"	3.00

**DESCRIPTION:** Flat brackets available to support worksurface-to-worksurface connection.  
Screw mounting. Screws not included. **SPECIFY:** Product number. **FINISH:** Black only.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE
Depth	Width		
52	2.5	UNP000.01BK	\$110.00

**DESCRIPTION:** Attach to underside of worksurfaces with open spans, unsupported,  
greater than 48" wide. **SPECIFY:** Product Number, Quantity. Black Only.

DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE
Depth	Width		
18	1.375	LB	\$16.00

**DESCRIPTION:** EII Bracket joins freestanding Corner Worksurface/Desk to return Worksurface and  
Teardrop Worksurface to side of Worksurface Supported Pedestal. All support brackets include  
attaching hardware where necessary. **SPECIFY:** Product Number, Quantity, Black Only.

# A02 & FRAMES™ WORKSURFACES HARDWARE

## WORKSURFACES

DIMENSIONS	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Depth			
16.25	HMP165.16DTRH	Cantilever - Right	\$20.00
16.25	HMP165.16DTLH	Cantilever - Left	20.00
22.50	HMP225.22DTRH	Cantilever - Right	34.00
22.50	HMP225.22DTLH	Cantilever - Left	34.00
16.25	HMP166.16DTRH	Cantilever - Shared Right	26.00
16.25	HMP166.16DTLH	Cantilever - Shared Left	26.00
22.50	HMP226.22DTRH	Cantilever - Shared Right	37.00
22.50	HMP226.22DTLH	Cantilever - Shared Left	37.00
16.25	QC165.16DTRH	Cantilever - Right	\$21.00
16.25	QC165.16DTLH	Cantilever - Left	21.00

**DESCRIPTION:** Cantilevers support Worksurfaces (24"D & 30"D) by fitting into the slotted verticals on panels, as well as, fitting into wall hanger strips affixed to walls. Cantilevers support the right and left side of Worksurfaces and can also be used as a center support for longer surfaces. Cantilevers are attached to Worksurfaces with screws or with hardware that is included. **Shared Cantilevers** support 2 adjacent Worksurfaces at the seam between the surfaces and are suggested for use as center support for all Worksurfaces 66" and longer. **SPECIFY:** Product Number. DT Color Only. **NOTE:** Can be used on 18"D worksurface but knee space is restricted.




DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Front & Rear Corner support	HMP455.02	\$6.00/pr.

**DESCRIPTION:** These brackets are used to support corner Worksurfaces at the rear; peninsula worksurfaces when butting to a panel or when mounted directly to wall channels; and, to support the front corner of a hanging Worksurface to provide additional support. Return panel width must be the same as the Worksurface depth. **SPECIFY:** Product Number. DT Color Only.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Center Bracket	HMP444.05	\$17.00
End Bracket	HMP444.06	18.00
Mid-End Bracket	HMP444.07	15.00


**DESCRIPTION:** The Center, End and Mid-End brackets support counter caps. Use the Center Bracket to support 2 adjacent counter caps in a straight-line run. The End supports the end of a counter cap that is the end panel in a run. The Mid-End bracket is used at the end of a counter cap above a 2, 3 or 4-way connector and a wall-start. **SPECIFY:** Product Number.

### A02 & Frames Worksurface Support Cantilevers






\* Special cantilevers for Frames™  
wire management. Pass-thru  
kidney shaped hole. (specify finish)

### A02 & Frames Worksurface Support Brackets



Note: Pair is left and right  
(right shown)

### A02 & Frames Counter Cap Support Brackets



Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Compatico Systems  
Terms & ConditionsCMW Worksurface  
Support Cantilevers

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables



Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

CMW Worksurface  
Support BracketsCMW Counter Cap  
Support Brackets

DIMENSIONS	PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Depth			
20	STP186.20RH	Cantilever - Right	\$27.00
20	STP186.20LH	Cantilever - Left	27.00
20	STP167.20	Cantilever - Shared	32.00

**DESCRIPTION:** Cantilevers support worksurfaces (24"D & 30"D) by fitting into the slotted verticals on panels, as well as, fitting into wall hanger strips affixed to walls. Cantilevers support the right and left side of worksurfaces and can also be used as a center support for longer surfaces. Cantilevers are attached to worksurfaces with screws or with hardware that is included. **Shared Cantilevers** support 2 adjacent worksurfaces at the seam between the surfaces and are suggested for use as center support for all worksurfaces 66" and longer.

**SPECIFY:** Product Number.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Right & Left Bracket	STU455.01	\$14.00/pr.
Right Bracket Only	STP455.01	7.00/ea.
Left Bracket Only	STP455.02	7.00/ea.

**DESCRIPTION:** These brackets are used to support corner worksurfaces at the rear and to support peninsula worksurfaces when butting to a panel or when mounted directly to wall channels. **SPECIFY:** Product Number.

DESCRIPTION	PRODUCT NUMBER	LIST PRICE
Bracket	STP556.01	\$7.00/pr.
Bracket Screw (Zinc)	UNP858.01ZI	.10/ea.

**DESCRIPTION:** 2 pair of counter support brackets are required for each counter cap. Screws are used through bracket into bottom of counter cap. Use on 41"H panels only. **SPECIFY:** Product Number, Paint Finish.

# G2/GENESIS WORKSURFACES HARDWARE

## WORKSURFACES

Genesis End Support Bracket

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories


Folio™ Desking &  
Energee™ Seating

References

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
3.5	20	ESB	\$50.00
3.5	20	DESB	65.00

**DESCRIPTION:** All support brackets include attaching hardware where necessary.

**SPECIFY:** Product Number, Quantity, Black Only. **NOTE:** (ESB) End Support Bracket supports a Worksurface at the end when enclosed by a panel of greater depth. Must be used with segmented tiles only. (DESB) Double End Support Bracket supports a worksurface on each side of panel at ends when enclosed by a panel of greater depth. Must be used with panel tiles only.




DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21	7.875	CSL	\$41.00
21	7.875	CSR	41.00

**DESCRIPTION:** All support brackets include attaching hardware where necessary.

**SPECIFY:** Product Number, Quantity, and Finish. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of worksurface.

Genesis Double Cantilever Supports  
(Left or Right)




DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21	7.875	DCS	\$61.00

**DESCRIPTION:** All support brackets include attaching hardware where necessary.

**SPECIFY:** Product Number, Quantity. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of worksurface.

Genesis Double Cantilever Supports




DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
21	7.875	AB	\$43.00

**DESCRIPTION:** All support brackets include attaching hardware where necessary.

**SPECIFY:** Product Number, Quantity, Finish. **NOTE:** Left or Right hand Cantilever Supports are used to panel-mount either end of Worksurface. Used for bolts to wall.

Genesis Angle Bracket  
(for wall mounting)





Compatico Systems  
Terms & ConditionsGenesis Side Supports  
(Pair)

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating


References



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
2.75	3.9375	SS	\$18.00

**DESCRIPTION:** All support brackets include attaching hardware where necessary.**SPECIFY:** Product Number, Quantity, Finish **NOTE:** Side Supports support a Worksurface at the end when enclosed by a panel of the same depth and to support a corner Worksurface at back corner.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Depth	Width		
4.5	3.25	TS	\$17.00

Genesis Transaction Surface Supports  
(Pair)**DESCRIPTION:** All support brackets include attaching hardware where necessary.**SPECIFY:** Product Number, Quantity, Finish. **NOTE:** Transaction Surfaces require 2 Pairs.

## LEGS: FIXED & ADJUSTABLE

Compatico offers a variety of worksurface and conference table leg styles to suit all office interior designs. The designs are functional, high quality and are provided at numerous price points to fit your budget. Base construction is straight, tubular, arched, tapered and cylindrical.

There is a growing awareness of the importance of adjustable height worksurfaces and tables.

Height adjustability gives your workers many benefits:

- Improved health
- Reduced number of injuries, less workers compensation claims
- Increased worker productivity
- Flexibility to the work environment
- Compliance with ADA requirements

Top areas of need for height adjustability:


- Workstations or cubicles
- IT work areas
- Engineering Labs
- Testing Areas
- Private Offices

# Legs: Fixed & Adjustable




# LEGS

## Compatico Support Legs



Also available in 2" diameter  
(see straight legs) in this  
section



DIMENSIONS		PRODUCT NUMBER	LEG TYPE	LIST PRICE
Height	Leg Diameter			
27.25 max 28.5 with leveler	4W	UNP470.01	Single Post	\$87.00

**DESCRIPTION:** Single leg support for peninsular worksurfaces. Use single leg for surfaces up to 30" D. Leg levelers included for uneven floors. Attach to bottom of worksurface with UNP858.01Z retainer screw. Height assumes fully screwed-in leveler. **SPECIFY:** Product Number, Finish.

DIMENSIONS		PRODUCT NUMBER	LEG TYPE	LIST PRICE
Height	Leg Diameter			
27.25 max 29.5 with leveler	20.5W	UNP470.02	Double Post	\$116.00

**DESCRIPTION:** Double leg support for peninsular worksurfaces. Use double leg for surfaces over 24" D. Leg levelers included for uneven floors. Attach to bottom of worksurface with UNP858.01Z retainer screw. Height assumes fully screwed-in leveler. **SPECIFY:** Product Number, Finish.

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height	Leg Diameter			
27 3/4"	2"	2000	Leveler	\$173.00
27 3/4"	2"	C2000	Locking Caster	\$199.00
27 3/4"	3"	3000	Leveler	\$248.00
27 3/4"	3"	C3000	Locking Caster	\$306.00
27 3/4"	4"	4000	Leveler	\$274.00
27 3/4"	4"	C4000	Locking Caster	\$339.00

**DESCRIPTION:** Top quality, economical leg in 2" diameter. **SPECIFY:** Product Number, Finish.

**NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** Adjustable Height spring clip available. Call Compatico Customer Service for details.

## Straight Legs



Value priced options available  
"Limited colors"

# LEGS


Height	Width/Depth	PRODUCT NUMBER	LEG TYPE	LIST PRICE (EACH)
27 7/8"	18" 24" 30"	OLEG1827 OLEG2427 OLEG3027	Steel "O" Leg	\$294.00 343.00 377.00

## SPECIFICATIONS:

Welded Steel "O" Leg with adjustable glides. Available in 18", 24" and 30" width. 27 7/8" overall height and 2" adjustable glides. Steel construction, setup ready to use. Welded tube 2" x 1 3/16". Top plate is adjustable for mounting. Mounting holes 3 on "L" plate, 3 on tube.

**NOTE:** This leg may require additional support brackets depending on application. This is field supplied.

Packaged 2 per box (sold each)



Three mounting holes on mounting top plate and three mounting holes through top tube.

ROUND LEG PRODUCT NUMBER	LIST PRICE
OP-SQLEG27.625	\$202.00
OP-SQLEG3.0	\$43.00

**DESCRIPTION:** Square leg is 2" x 2" square, 27 5/8"H with leveling guide fully recessed.

Leveling has 1" of upward adjustability.


**SPECIFY:** Part Number and Finish.

**NOTE:** Square Leg standard finish: Textured Silver Powder Coat or can be painted.



Square Legs: Product # OP-SQLEG3.0

- Legs are made of 2" square tube and stand 3" tall with leveling glides fully recessed.
- Leveling glides provide 1" of adjustability.
- Standard finish is textured silver (powder coat paint); call for other color options.
- Spacers (field supplied) to match differential worksurface heights.



ROUND LEG PRODUCT NUMBER	LIST PRICE
OP-RDLEG27.75	\$202.00
OP-SQLEG3.0	\$43.00



**DESCRIPTION:** Round leg is made of steel with brushed nickel finish and stainless steel foot. Leg is height adjustable between 27.25" and 28.25".

**SPECIFY:** Part Number.



Round Legs: Product # OP-RDLEG2.5

- Legs are made of stainless steel with a brushed finish
- Legs are adjustable between 2.5" and 3.5" in height
- Spacers (field supplied) to match differential worksurface heights



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References

# LEGS


## Tubular C Base Construction



Height	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread	PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
27 3/4	2"	2"	18" - 22"	18"	PC7118	\$326.00	PCC7118	\$372.00
			23" - 26"	22"	PC7122	333.00	PCC7122	378.00
			27" - 32"	26"	PC7126	339.00	PCC7126	385.00

**DESCRIPTION:** Functional, high quality and economical this offset C type table base offers freedom of movement when used with the specified top size. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.

## Tubular T Base Welded



Height	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread	PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
27 3/4	2"	2"	16" - 18"	16"	PCC7016	\$310.00	PCC7016	\$355.00
			23" - 30"	22"	PCC7018	320.00	PCC7018	365.00
			30" - 36"	26"	PCC7026	326.00	PCC7026	372.00

**DESCRIPTION:** Functional, high quality and economical, this table base is perfect for many applications. For options, contact Compatico Customer Service. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.

## Tubular T Flip-Top Base Welded



Height	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread	PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
27 3/4	2"	2"	16" - 18"	16"	HPC7716	\$652.00	HPCC7716	\$698.00
			19" - 22"	18"	HPC7718	655.00	HPCC7718	701.00
			23" - 30"	22"	HPC7722	662.00	HPCC7722	707.00
			30" - 36"	26"	HPC7726	668.00	HPCC7726	714.00

**DESCRIPTION:** Functional, high quality and economical, this table base is perfect for many applications. The handle release mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up and down. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** High impact plastic cap inserts to match finish. Adjustable height spring clip mechanism available (24 3/4" to 33 3/4"). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.

# LEGS

DIMENSIONS					PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4"	2"	2"	16" - 18"	16"	PC7730	\$567.00	PCC7730	\$613.00
			19" - 22"	18"	PC7731	571.00	PCC7731	616.00
			23" - 30"	22"	PC7732	577.00	PCC7732	623.00
			30" - 36"	26"	PC7733	584.00	PCC7733	629.00
			37" - 42"	32"	PC7734	636.00	PCC7734	681.00

**DESCRIPTION:** Functional, high quality and economical, this table base is perfect for many applications. Folding legs can be mounted on tables as short as 60". For tables between 36" and 59", we offer a riser (sold separately) that raises one mechanism off the table to allow one leg to fold flat (call for details).

**SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Adjustable Height spring clip available. Call Compatico Customer Service for details. **NOTE:** High impact plastic cap inserts to match finish. **NOTE:** Minimum order - two (2).

DIMENSIONS					PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Base Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4"	2"	2"	37" - 60" rectangle	36"	PC7036	\$551.00	PCC7036	\$616.00
			48" - 60" square					
			60" round					

**DESCRIPTION:** High functionality, simple, numerous applications, a practical and economical choice.


**SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU).

**NOTE:** High impact plastic cap inserts to match finish. **NOTE:** Minimum order - two (2).


DIMENSIONS					PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Base Diameter	Recommended Top Size	Base Spread				
27 3/4"	3"	2"	24"r / 24"s	22" x 22"	PC7522	\$593.00	PCC7522	\$685.00
	3"	2"	30"r / 30"s / 36"r	26" x 26"	PC7526	613.00	PCC7526	704.00
	3"	2"	36"s / 42"r	32" x 32"	PC7532	688.00	PCC7532	779.00
	4"	2"	42"s / 48"r	36" x 36"	PC7538	756.00	PCC7538	848.00
			(r = round s = square)					

**DESCRIPTION:** High functionality, lasting quality, and simple styling make this a practical, economical and multi-purpose Table Base. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **NOTE:** High impact plastic cap inserts to match finish.


Tubular T Folding Base Welded



Tubular TT Base Construction



Tubular X Base Bolted Construction



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# LEGS

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Arch T Base Welded



DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Top Depth	Base Spread				
27 3/4"	2"	16" - 22"	16"	7216	\$ 365.00	C7216	\$411.00
		23" - 30"	22"	7222	372.00	C7222	417.00
		30" - 36"	26"	7226	385.00	C7226	430.00

**DESCRIPTION:** For an elegant, contemporary look that fits a wide array of environments, this Arch Base series offers simple arc lines that give your office new life. Arch bases also complement a designer's newest creation, and add the final touch to great surroundings. **SPECIFY:** Product Number, Finish.

**NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar).

**FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Minimum order - two (2).

Arch T Base Flip-Top Welded



DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Top Depth	Base Spread				
27 3/4"	2"	16" - 22"	16"	H7760	\$717.00	HC7760	\$763.00
		23" - 30"	22"	H7764	724.00	HC7764	769.00
		30" - 36"	26"	H7768	730.00	HC7768	776.00

**DESCRIPTION:** When you need tables that flip, this Arch Base series offers you a new look as well as flexibility. Simple, elegant lines make this a good choice for a variety of environments. A handle release is standard. The handle release mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up and down. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).

**NOTE:** Minimum order - two (2).

**NOTE:** One handle per two legs.

Arch T Base Folding Welded



DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4"	2"	16" - 22"	16"	7790	\$629.00	C7790	\$675.00
		23" - 30"	22"	7794	636.00	C7794	681.00
		30" - 36"	26"	7798	642.00	C7798	688.00

**DESCRIPTION:** When you need tables that fold, the Arch Base series offers you a new look as well as flexibility. Simple, elegant lines make this a good choice for a variety of environments and provide a designer with options. The legs can be mounted on tables as short as 60". For tables between 36" and 59", we offer a riser bracket (sold separately - call for details) that raises one mechanism off the table to allow legs to fold flat over. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).


**NOTE:** Minimum order - two (2).



# LEGS

DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Max. Top Depth	Base Spread				
27 3/4"	2"	37" - 48" rectangle 52" - 60" square 60" round	36"	7236	\$763.00	C7236	\$828.00

**DESCRIPTION:** Sturdy and durable, the Arch Double T base offers a contemporary, elegant look that updates any environment. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Minimum order - two (2). If single order add \$48 list upcharge.



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References


DIMENSIONS				PRODUCT NUMBER NO CASTER	LIST PRICE	PRODUCT NUMBER WITH CASTER	LIST PRICE
Height	Column Diameter	Recommended Max. Top Size	Base Spread				
27 3/4"	3"	30"r / 30"s / 36"r	26" x 26"	7326	\$779.00	C7326	\$870.00
	3"	36"s / 42"r	32" x 32"	7332	838.00	C7332	929.00
	3"	42"s / 48"s / 54"r	38" x 38"	7338	919.00	C7338	1,011.00

**DESCRIPTION:** For maximum stability and a sleek, contemporary look, the Arch X base stands up to anything else on the market. Choose from three base spreads to fit most any environment application. **SPECIFY:** Product Number, Finish. **NOTE:** Clear span should not exceed 48" (if greater than 48" - add additional leg or anti-sag stabilizer bar). **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).



# LEGS

Disc Base




DIMENSIONS				PRODUCT NUMBER NO LEVELER	LIST PRICE	PRODUCT NUMBER WITH LEVELER	LIST PRICE
Height	Column Diameter	Base Diameter	Maximum Top Size				
27 3/4"	4"	18"	36" round	1844	\$1,040.00	L1844	\$1,170.00
		23 3/4"	42" round	2244	1,219.00	L2244	1,350.00
		28"	48" round	2266	1,493.00	L2266	1,624.00

BAR HEIGHT BASES

40 3/4"	4"	18"	36" round	B1844	\$1,187.00	BL1844	\$1,317.00
		23 3/4"	42" round	B2244	1,366.00	BL2244	1,496.00
		28"	54" round	B2266	1,640.00	BL2266	1,770.00

**DESCRIPTION:** When you need to maximize the space under a table, round disc-type bases are an excellent choice. These low profile discs almost make the base disappear into the floor while still maintaining the stability and mobility needed in a freestanding table. The standard style has no levelers and it sits flat on the floor almost undetected by your feet. Levelers are offered as an option, and position the base about 1" off the floor. **SPECIFY:** Product Number, Finish. **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** Levelers are recommended on all hard floors.

Tapered Leg



DIMENSIONS			PRODUCT NUMBER	LIST PRICE
Height	Leg Diameter	Foot Style		
27 3/4"	2 1/2" Top 1 1/4" Bottom	Foot	2520	\$336.00
27 3/4"	2 1/2" Top 1 1/4" Bottom	Caster	C2520	\$352.00
TAPERED LEG FOR USE WITH SYSTEMS				
27 3/4"	4" Top 2" Bottom	Leveler	4200	\$427.00

**DESCRIPTION:** Painted tapered legs offer a new look for tables. This leg is ideal for training and conference tables, it has a 2-1/2" diameter at the top, tapering down to a 1-1/4" at the bottom.

**SPECIFY:** Product Number, Finish. **FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG).

Cylinder Base



DIMENSIONS			PRODUCT NUMBER	LIST PRICE
Height	Diameter	Maximum Top Size		
27 3/4"	18"	30" square 42" round	1800	\$2,054.00
27 3/4"	24"	54" round 36" square	2400	\$2,592.00

**DESCRIPTION:** Painted cylinder base offers a new look for: peninsula island workstations, round tables, square tables, and conference tables. The base has complete open access from the top so that ballast weight can be easily added if needed or desired. **SPECIFY:** Product Number, Finish.

**FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG). **NOTE:** To offer maximum stability, sand bags may be added before worksurface mounting. **NOTE:** Electrical wire access options also available.

## ACCESSORIES

Compatico system accessories are designed to create added workspace for the office environment. Simply, our accessories will create a more efficient space to work.

- Tool Rails with Paper Management
- Ergonomic Products
- Lights
- Flat Screen Monitor Arms
- Tack Boards/White Boards
- Privacy Screens
- Wire Managers

# Accessories



# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

Shelf Divider




Magnetic Shelf  
Divider


DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height	Length			
7.5	8	UNP995.00BK	Universal Magnetic Shelf Divider	\$88.00/pkg of 3

**DESCRIPTION:** Dividers work on half and full height shelf units to vertically divide books and binders. Black magnetic dividers may be used on all OEM Shelf Units. **SPECIFY:** Product Number, Paint, Finish. **NOTE:** Magnetic Shelf Divider only available in black.


Pedestal Accessories



Vertical Drawer  
Support. Designed for  
Compatico pedestals  
only.



Pedestal Drawer  
Tray



File Conversion Bar for front to back application

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Size				
16"		UNP602.16BK	Lateral File Conversion Bar	\$9.00
6"		UNP613.06BK	Vertical Drawer Divider	15.00
12"2		UNP613.12BK	Vertical Drawer Divider	22.00
6" x 12" x 1"		UNP604.01BK	Pedestal Drawer Tray	13.00

**DESCRIPTION:** Black impregnated plastic. **SPECIFY:** Product Number. **NOTE:** UNP Part Numbers are usable on options 1-4 storage.

Lock Plug and Keys  
(Keying-Alike)




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
HMP143.0000	Control key for all storage items (laterals, overheads etc) LL Series	\$4.00
HMU087.0100	Lock Plug and Key LL Series (for key-alike requirements)	11.00
HMP088.0200	Master Key for storage items - LL Series	4.00

**SPECIFY:** Product Number. **NOTE:** For special key number orders under \$500 list, a \$20 net handling fee will be added. **NOTE:** For additional or replacement LL-Series keys (1 set of 2 keys for each key number) contact Compatico customer service. **NOTE:** \$15 net + \$10 net freight and handling charge for set of replacement keys. Orders more than (5) sets call for volume pricing.

Task Light

Value Slim Line



Uses flexible straight bar for mounting

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Shelf Width	Actual Length		
24" wide shelf or bin	19.5"	UNP064.2400BK	\$153.00
30" & 36" wide shelf or bin	24"	UNP064.3036BK	158.00
42 & 48" wide shelf or bin	36"	UNP064.4248BK	197.00
54 & 60" wide shelf or bin	48"	UNP064.5460BK	227.00

**DESCRIPTION:** A task light that is so slim it fits underneath a shelf or bin without being seen. Black Only. **SPECIFY:** Product Number. **NOTE:** Does not fit on EDP units. **NOTE:** For old style F-Series LED Light contact Compatico Customer Service.

## LED LIGHTING

DIMENSIONS			PART NUMBER	LIST PRICE	DESCRIPTION
Width	Height	Length			
3"	.75"	19"	CMP064TLK	\$276.00	LED Light Kit *
			CMP064TLB	\$182.00	LED Light Bar + Daisy Chain

**DESCRIPTION:** A low profile, linear solution for overhead cabinets and shelves. Aluminum body with lampshade frosted lens. UL and CNL approved. Lumen: 400-420 lm. Power: 8W  
CCT: 3000-6500 K. Easy Touch on/off switch and motion sensor. Attachment: Magnets (included) or screw mounting holes (included).

**NOTE:** Kit includes Light Bar, Motion Sensor, Power Supply and Daisy Chain.



\* 18" Daisy Chain coupler cord not shown

NAME	PART NUMBER	FINISH	WEIGHT	DIMENSIONS	LIST PRICE
Stretch	WW05KS1	Black	6.05 lbs	7.13 x 17.38 x 13.63 in	\$451.00
	WW05WS1	White			
Uplift	WW09WS1	White Silver Accents	6.61 lbs	7.81 x 20.69 x 7.88 in	\$482.00
Twist	WW06KK1	Black	4.52 lbs	5.94 x 16.19 x 8.5 in	\$475.00
	WW06WW1	White			
Elevate	WW03KK1	Black	6.06 lbs	4.38 x 20.5 x 9.31 in	\$568.00
	WW03SW1	White			

LED Desk Lamps  
'Ottlite Technology'



Stretch

- Reduces eyestrain by up to 51%
- Maximum lumen output of 450
- Sliding touch dimmer with 7 brightness levels
- Remembers last brightness setting
- 3 points of articulation
- Rotating shade
- Extends to 24.4" (62cm)
- Base size 8.75" x 5.5" (22.2cm x 14cm)



Uplift

- Reduces eyestrain by up to 51%
- Maximum lumen output of 400
- Adjust brightness with touch switch – remembers last setting
- Long 15.75" (40cm) arm and pivoting circular head
- Extends to 18.5" (47cm)
- Base size is 6" (15.2cm)
- Two tone design in multiple combinations



Twist

- Reduces eyestrain by up to 51%
- Maximum lumen output of 350
- Sliding touch dimmer with 7 brightness levels
- Remembers last brightness setting
- Extends to 15.25" (38.7cm)
- Base size 4.5" x 4.375" (11.43cm x 11.1cm)



Elevate

- Reduces eyestrain by up to 51%
- Maximum lumen output of 500
- Sliding touch dimmer with 7 brightness levels
- Remembers last brightness setting
- Pivots 180° at base
- Extends to 17.75" (45.1cm)
- Base diameter of 7.25" (18.4cm)

**FEATURES:** All LED Desk Lamps Feature-Exclusive Ottlite LED Technology.

- CRI of 95 (color rendering index)
- Flicker-free adaptors
- High quality diffusers for smooth, clear, illumination
- Multiple brightness settings
- Powerful 5V, 2.1A USB charging ports
- Low energy consuming, long-lasting LEDs
- USB Charging cord INCLUDED – charges Apple® and other devices

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

## Light Cord Manager



U-Shaped 1 1/2"L x 3/8"W

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP163.02BK	Light Cord Manager	\$1.00

**DESCRIPTION:** A task light cord manager. Black Only. **SPECIFY:** Product Number.

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Height	Length			
22	2	19.19	UNP453.02BK	Pencil Drawer	\$57.00


## Pencil Drawer



**DESCRIPTION:** Low profile with metal ball-bearing slides. Drawer has compartments for pencils, pens, etc. Drawer is Black. **SPECIFY:** Product Number.

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Width	Height		

## Toolbar with Toolbar Bracket and End Caps



Note: For taller units,  
contact Compatico for  
specification details.

### UNIVERSAL

24	4	UNU020.24BK	\$178.00
30		UNU020.30BK	202.00
36		UNU020.36BK	226.00
42		UNU020.42BK	241.00
48		UNU020.48BK	258.00

\* Universal toolbar includes (2) adjustable width brackets for off module and reconfiguration benefits. Other toolbars are fixed widths.

### AO2 AND FRAMES (\*)

24	4	UNUA020.24BA *	\$61.00
30		UNUA020.30BA	64.00
36		UNUA020.36BA *	66.00
42		UNUA020.42BA *	68.00
48		UNUA020.48BA	70.00

### CMW

24	4	UNUC020.24BC	\$53.00
30		UNUC020.30BC	55.00
36		UNUC020.36BC	57.00
42		UNUC020.42BC	60.00
48		UNUC020.48BC	61.00


### GENESIS

24	4	UNUG020.24BG	\$23.00
30		UNUG020.30BG	25.00
36		UNUG020.36BG	28.00
42		UNUG020.42BG	30.00
48		UNUG020.48BG	32.00

**DESCRIPTION:** Toolbar is made of aluminum. \* **Black Finish (Stocked).** **SPECIFY:** Product Number & Finish Color. **NOTE:** For G2/Genesis tool rail tile, see G2/Genesis section.


DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Depth			
9	14	UNP035.00BK	Letter Tray	\$55.00
10.5	15	UNP037.00BK	Legal Tray	55.00

**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.  
**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.



DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Depth			
7	12	UNP039.00BK	Folder Tray	\$60.00


**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.  
**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.



DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Depth			
5	10.5	UNP041.00BK	Binder Holder	\$37.00

**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.  
**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.


Binder Holder  
Attaches to Toolbar



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP036.00BK	Black	\$40.00

**DESCRIPTION:** Molded black plastic. **SPECIFY:** Product Number.  
**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.


Accessory Tray  
Attaches to Toolbar



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP045.00BK	Black	\$44.00

**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.  
**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.

Phone Holder  
Attaches to Toolbar



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References




# ACCESSORIES

Compatico Systems  
Terms & Conditions

Shelf with Brackets  
*Attaches to Toolbar*

Surface Materials



AO2

CMW

G2/Genesis

Pencil Holder  
*Attaches to Toolbar*



Frames

Gather  
Benching

Hush

Electrical

Single Monitor Arm  
for Accessories Rail

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP046.24BK	Black - 24"W x 7.25"D	\$105.00

**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.

**NOTE:** Silver plastic version also available - Minimum order of 10 applies.

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Width	Depth			
4	3.5	UNP031.00BK	Pencil Holder	\$23.00

**DESCRIPTION:** Molded plastic. **Black Finish (Stocked).** **SPECIFY:** Product Number.

**NOTE:** Silver and Clear plastic version also available - Minimum order of 10 applies.

**NOTE:** For replacement Tool Rail Accessory Clips (Part # CPF-1006R). LIST PRICE \$4.00 Each.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
M2SS3S	Single monitor arm for Access Rail (silver)	\$550.00

**DESCRIPTION:** Single monitor arm for Access Rail (silver).

**SPECIFY:** Product Number.



*Includes gasket to use or  
remove for secure fit.*

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
EDUSS.xx	LED double arm task light for Access rail (white, silver or black)	\$892.00

**DESCRIPTION:** LED double arm task light for Access rail.

**SPECIFY:** Product Number.



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
4G911RG-22	Adjustable, slim profile keyboard mechanism with dial tilt control, reversible mouse, gel palm rest, 22" track black	\$575.00

**DESCRIPTION:**

- Intuitive height adjustment that requires no locks, levers or controls
- Dial-a-tilt positioning that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk
- Encourages low-risk typing postures

**TECHNICAL SPECIFICATIONS:****Keyboard Mechanism**

- Tilt adjustment range: 0° to -15°
- Exceeds BIFMA standards
- Made primarily of powder-coated steel
- 5-year 24/7 warranty

**Keyboard Platform**

- 19 x 10.625
- Made of 1/4" phenolic resin
- Durable and slim profile
- Available with Technogel palm supports

**SPECIFY:** Product Number. **NOTE:** For 90° Corner Application - Must use corner sleeve (Part Number: DE200).

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
3G911RG-22	Adjustable, slim profile keyboard mechanism with lever tilt control, reversible mouse, gel palm rest, 22" track black	\$504.00

**DESCRIPTION:**

- Intuitive height adjustment
- Unique angle adjustment lever that allows you to type at the angle most comfortable for you
- Ultra-thin profile to provide maximum knee clearance
- Superior design to provide maximum strength and stability
- Raised tilt mechanism to protect the keyboard from collisions with the edge of the desk
- Encourages low-risk typing postures

**TECHNICAL SPECIFICATIONS:**

- Platform Tilt Adjustment: 0° to -10°
- Height adjustment range: 5 1/4"
- Base Swivel: 360°
- Standard Track Length: 21 5/8"
- End of Track to rear edge of Platform: 6"
- Spring Assisted Adjustments

**SPECIFY:** Product Number. **NOTE:** For 90° Corner Application - Must use corner sleeve (Product Number: DE200).

## Keyboard Tray



*Note: Must use corner sleeve #DE200 in 90° corner applications (sold separately). If radius corner or straight application, no sleeve needed.*

*For replacement gel palm rests call Compatico Customer Service.*

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

## Keyboard Trays

PRODUCT NUMBER	DESCRIPTION	Illustration	LIST PRICE
UNP068.05BK	Low profile mechanism design with star wheel adjustment knob. 360 degree swivel. Simultaneous height and tilt adjustment. 17" Glide track for straight worksurfaces. With L/R mouse and height adjust gel wrist rest in lycra covering.	A	\$389.00
CMPKT101	Everyday keyboard with 13.3" glide track for storage under worksurface and extended keyboard tray (26"W x 9.6"D) * Note: 4.5" Height Adjustment and + 20°/-16° angle adjustment of tray.	B1	144.00
UNP005.01BK	Black, sliding keyboard tray with ball bearing slides, reversible mouse, and flip-up, transparent pencil compartment.	B2	159.00
UNP068.06BK	USED FOR STRAIGHT WORKSURFACE APPLICATION. Single soft touch knob to adjust both height and tilt. 6" vertical range from flush to worksurface to 6" below. 18" easy glide track. Black finish. Tilt and swivel mouse-over platform works L/R. Removable PVC free padded-soft palm support on a 20" W platform tray.	C1	460.00
UNP068.11BK	USED FOR STRAIGHT WORKSURFACE APPLICATION. Single soft touch knob to adjust both height and tile. 6" vertical range from flush to worksurface to 6". 18" easy glide track. Black finish. One piece 25"W tray construction for keyboard and mouse. Accommodates R/L mousing. Removable PVC free padded-soft palm support.	C2	438.00
UNP068.12BK	USED FOR RADIUS CORNERS AND FOR 90 DEGREE CORNERS. Single paddle control to adjust both height and tilt. 30 degree tilt range with +/- 15 degree negative and positive tilt. Extended 9" vertical height range. 21" easy glide track. Black finish. Tilt and swivel mouse-over platform works both L/R. Removable PVS free padded-soft palm support on a 20" W platform tray.	C3	630.00

**DESCRIPTION:** Units are easily mounted under worksurface. Adjustable trays lock into place. **SPECIFY:** Product Number. Sit-to-stand arms are available (offers 6" above worksurface. Use product number SD-48-21. Includes similar tray as shown in the "D Series."

**A**



Low profile mechanism design with star wheel adjustment knob. 360 degree swivel. Simultaneous height and tilt adjustment. 17" Glide track for straight worksurfaces. With L/R mouse and height adjust gel wrist rest in lycra covering.


**UNP068.05BK**

**B1**



Everyday keyboard with glide track and extended keyboard tray. **CMPKT101**

**B2**



Black, sliding keyboard tray with ball bearing slides, reversible mouse, and flip-up, transparent pencil compartment. **UNP005.01BK**

**C1**



USED FOR STRAIGHT WORKSURFACE APPLICATION. Single soft touch knob to adjust both height and tilt. 6" vertical range from flush to worksurface to 6" below. 18" easy glide track. Black finish. Tilt and swivel mouse-over platform works L/R. Removable PVC free padded-soft palm support on a 20" W platform tray.

**UNP068.06BK**

**C2**



USED FOR STRAIGHT WORKSURFACE APPLICATION. Single soft touch knob to adjust both height and tile. 6" vertical range from flush to worksurface to 6" below. 18" easy glide track. Black finish. One piece 25"W tray construction for keyboard and mouse. Accommodates R/L mousing. Removable PVC free padded-soft palm support.

**UNP068.11BK**

**C3**



USED FOR RADIUS CORNERS AND FOR 90 DEGREE CORNERS. Single paddle control to adjust both height and tilt. 30 degree tilt range with +/- 15 degree negative and positive tilt. Extended 9" vertical height range. 21" easy glide track. Black finish. Tilt and swivel mouse-over platform works both L/R. Removable PVS free padded-soft palm support on a 20" W platform tray. **UNP068.12BK**

\* Optional gel mouse surface available. for mouse pad #MP-1/1824, \$14 List

Note: for 90 degree corner you must add DE-200 corner sleeve.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
ELEXT19	Ergo Lift split surface keyboard 19" wide tube, for use with 10-14"D x 24-32"W front platform surface	\$620.00
ELEXT26	Ergo Lift split surface keyboard 26" wide tube, for use with 10-14"D x 32-42"W front platform surface	\$620.00


**DESCRIPTION:** Ergonomically designed release paddle for ease of adjustment.

Available with 19" cross tube, 26.25" cross tube

- Height adjustment: 6.9" above desk, 8" below
- Angle range: 15" negative tilt, 15" positive tilt
- Adjustable with one hand, due to dampened height adjustment for controlled motion.

**SPECIFY:** Product Number. **NOTE:** Worksurface ordered separately.

Dual Arm (For Split Worksurfaces)



Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating


References

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
DE200	Corner sleeve allows keyboard to easily rest in 90 degree corners that are 1"-1.5" thick	\$117.00

**DESCRIPTION:** Corner sleeve 16" diameter allows keyboard to easily rest in 90 degree corners that are

1"-1.5" thick. Color Black. **SPECIFY:** Product Number.


Corner Sleeve



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
UNP160.10BK	Adjustable Flat Screen Arm	\$278.00

**DESCRIPTION:** Adjustable Flat Screen Arm with clamp, has tilt/pivot movement with a length of 15.5". Includes clamp or grommet mount; has 8.5" extension fits all A0 Systems. Black Only. **SPECIFY:** Product Number.

Flat Screen Panel Mount



**UNP160.10BK**  
with Clamp Mount

# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

## Single Monitor Arm




### DESCRIPTION:

- Monitor arm offers 26" reach and 13" of usable height adjustment.
- The counterbalanced spring technology allows for a 2 to 14lb load.
- Folds into a 4 3/8" area to increase desk space.
- Toll-less clamp, easy installation and assembly.
- Simple Allen wrench adjustment to counterbalance the weight of the monitor.
- Clamping range 0 – 2 5/8" (clamp).
- Enclosed cable management system.
- Arm swivels 360° around the base.

**SPECIFY:** Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
7818SJ02	Silver Single Monitor Arm	\$394.00
7818BJ02	Black Single Monitor Arm	394.00

## Dual Monitor Arm



### DESCRIPTION:

- Monitor arm offers 26" reach and 13" of usable height adjustment.
- Folds into a 4 3/8" area to increase desk space.
- Toll-less clamp, easy installation and assembly.
- Simple Allen wrench adjustment to counterbalance the weight of the monitor.
- Clamping range 0 – 2 5/8" (clamp).
- Enclosed cable management system.
- Arm swivels 360° around the base.
- Counterbalanced spring technology allows for 2 to 20lb load maximum (max 10lb per screen).
- Clamp and grommet mounting options.
- Dual Crossbar holds monitors up to 22" horizontal width each.
- Preset 5° parabolic array provides easier viewing, reducing eye strain.
- Adjustable face plates with tool-less thumb knobs for quick and easy adjustments & installation.

**SPECIFY:** Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
MF22B33B12IND	Arm for two monitors, bolt-thru mount, 2 sets of 2 straight links, black	\$991.00
MF22S33B12IND	Arm for two monitors, bolt-thru mount, 2 sets of 2 straight links, silver	\$991.00
MF22B33C12IND	Arm for two monitors, 2 piece clamp mount, 2 sets of 2 folding links, black	\$1,048.00
MF22S33C12IND	Arm for two monitors, 2 piece clamp mount, 2 sets of 2 folding links, silver	\$1,048.00

**DESCRIPTION:**

- Ideal ergonomic viewing for all users
- Effortless 13" depth adjustment (this is the adjustment that will be used most often)
- Independent, manual height adjustment along 11.5" high post (independent height adjustment means that the height will not change as you change the depth)
- 360° monitor rotation for portrait or landscape viewing. Supports two monitors up to 30 pounds
- 60° range of lateral and vertical monitor tilt for additional viewing adjustability
- Multiple mounting options: bolt-thru, desk clamp
- Can be used with all VESA-compliant monitors (which have a 75mm of 100mm square hole pattern on the back to which the monitor mount can be attached)
- Environmental sustainability – made almost entirely of aluminum (95% recycled and 99% recyclable)

**SPECIFY:** Product Number.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
CMPDLB530BK	Single Arm - Black	\$219.00
CMPDLB530SI	Single Arm - Silver	\$219.00
CMPDLB530DBK	Double Arm - Black	\$397.00
CMPDLB530DSI	Double Arm - Silver	\$397.00


**DESCRIPTION:**

Well priced aluminum monitor arms for (1) or (2) screen applications. Clamp and grommet mounting included.

- Gas spring inside for free adjustment.
- Full rotation (360° at any position) around base.
- 85 degree upward and 15 degree downward of head and flat screen.
- Cable management system.
- Vesa bracket included .
- Weight 2-9 kg.
- Screen size (diagonal) 17" to 30".
- Dual USB 3.0 ports.
- Max height (top of worksurface to center of screen) is 15.4".

**SPECIFY:** Product Number.

Monitor Arm Double

MF22S33B12  
(SHOWN)"Value" Single and Double  
Monitor ArmsSINGLE ARM  
(SHOWN IN SILVER)DOUBLE ARM  
(SHOWN IN BLACK)Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## CPU Holder




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
CPUOEM	CPU Holder - Steel	\$243.00

**DESCRIPTION:** Easily adjusts to fit CPUs 3" to 9" wide and 13.50" to 19.25" tall, slides easily and smoothly on nylon glides in 16" track, rotates a full 360° for complete access to cables and ports.

**SPECIFY:** Product Number. **FINISH:** Black.

## CPU Holder



PRODUCT NUMBER	DESCRIPTION	LIST PRICE
7325D17	CPU Holder - Basic	\$138.00

**DESCRIPTION:** Streamlined and adjustable CPU holder with innovative strap design. CPU retracts on 17" track that swivels. Accommodates CPU's weighing up to 75 lbs and 64" maximum perimeter.

**SPECIFY:** Product Number. **FINISH:** Black.



Neat Links

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energie™ Seating





References

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
NL17LB	Large 17" Black, used for power strips and ballasts, mounted horizontally	\$41.00
NL17LG	Large 17" Gray, used for power strips and ballasts, mounted horizontally	\$41.00
NL24LB	Large 24" Black, used for power strips and ballasts, mounted horizontally	\$45.00
NL24LG	Large 24" Gray, used for power strips and ballasts, mounted horizontally	\$45.00
NL17SB	Small 17" Black, used to route cables horizontally or vertically	\$37.00
NL17SG	Small 17" Gray, used to route cables horizontally or vertically	\$37.00
NL24SB	Small 24" Black, used to route cables horizontally or vertically	\$41.00
NL24SG	Small 24" Gray, used to route cables horizontally or vertically	\$41.00

**DESCRIPTION:** Neat Links manage power strips, ballasts and route cables horizontally or vertically around the desk area. **SPECIFY:** Product Number.




## SUGGESTED CONFIGURATIONS



# ACCESSORIES

## Fabric Covered Tack Board



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2 UPCHARGE	GR. 3 UPCHARGE	VE DECREASE	COM & X DECREASE	ADV. + DECREASE								
Width	Height															
A 0 1																
24 30 36 42 48 60	11.5	HMA138.2400 HMA138.3000 HMA138.3600 HMA138.4200 HMA138.4800 HMA138.6000	\$98.00 106.00 113.00 122.00 131.00 131.00	\$8.00	\$21.00	-\$34.00	-\$25.00	-\$17.00								
24 30 36 42 48 60		15.5	HMA139.2400 HMA139.3000 HMA139.3600 HMA139.4200 HMA139.4800 HMA139.6000						\$113.00 126.00 132.00 145.00 140.00 152.00							
A 0 2																
24 30 36 42 48 60			11.5						HMA140.2400 HMA140.3000 HMA140.3600 HMA140.4200 HMA140.4800 HMA140.6000	\$102.00 111.00 120.00 129.00 129.00 139.00	\$9.00	\$21.00	-\$33.00	-\$25.00	-\$16.00	
24 30 36 42 48 60									15.5	HMA141.2400 HMA141.3000 HMA141.3600 HMA141.4200 HMA141.4800 HMA141.6000						\$117.00 128.00 138.00 148.00 148.00 161.00
C M W																
24 30 36 42 48 60	11.5			STA140.2400 STA140.3000 STA140.3600 STA140.4200 STA140.4800 STA140.6000	\$106.00 115.00 124.00 134.00 134.00 144.00	\$9.00	\$21.00	-\$45.00		-\$33.00						-\$22.00
24 30 36 42 48 60		15.5		STA141.2400 STA141.3000 STA141.3600 STA141.4200 STA141.4800 STA141.6000	\$122.00 133.00 143.00 153.00 153.00 166.00											

**DESCRIPTION:** Mount to slotted vertical channels on panel or wall track to provide tackable surface.

Hardware included for field installation. **SPECIFY:** Product Number, Fabric Name and Grade.

**NOTE:** See mounting template on Compatico website. White Marker Boards available on request.

**NOTE:** For additional brackets for special larger size boards or for Genesis/G2 System, you may use Universal Tack Board Brackets (UNP023.00GA) sold as each (not pairs). Tack Boards also work with Genesis/G2 Stand-Alone Track. **NOTE:** See next page for "Value" options regarding tackboards and white/marker boards.



DIMENSIONS		PRODUCT NUMBER	GR. 1 LIST PRICE	GR. 2 UPCHARGE	GR. 3 UPCHARGE	VE DECREASE	COM & X DECREASE	ADV. + DECREASE
Width	Height							
CMW TACKBOARD								
24 30 36 42 48 60	11.5	STA150.24 STA150.30 STA150.36 STA150.42 STA150.48 STA150.60	\$113.00 121.00 128.00 136.00 136.00 144.00	12.00	29.00	-45.00	-34.00	-22.00
24 30 36 42 48 60	15.5	STA151.24 STA151.30 STA151.36 STA151.42 STA151.48 STA151.60	\$113.00 121.00 143.00 153.00 153.00 166.00	12.00	29.00	-45.00	-34.00	-22.00
A02 TACKBOARD								
24 30 36 42 48 60	11.5	HMA150.24 HMA150.30 HMA150.36 HMA150.42 HMA150.48 HMA150.60	\$107.00 114.00 121.00 129.00 129.00 137.00	11.00	27.00	-43.00	-33.00	-22.00
24 30 36 42 48 60	15.5	HMA151.24 HMA151.30 HMA151.36 HMA151.42 HMA151.48 HMA151.60	\$107.00 114.00 136.00 145.00 145.00 158.00	11.00	27.00	-43.00	-33.00	-22.00

**DESCRIPTION:** Mount to slotted vertical channels on panel to provide tackable surface. Hardware included for field installation. **SPECIFY:** Product Number, Fabric Name and Grade. **NOTE:** For paper template used for hardware installation, go to [www.compatico.com](http://www.compatico.com) or this Accessories Section. **NOTE:** For larger sizes, contact Compatico Customer Service.

WHITEBOARD DIMENSIONS		CMW WHITE MARKERBOARD PRODUCT NUMBER	CMW WHITE MARKERBOARD LIST PRICE	AO2 WHITE MARKERBOARD PRODUCT NUMBER	AO2 WHITE MARKERBOARD LIST PRICE
Height	Width				
11.5	24	UNP142.2400	\$124.00	UNP140.2400	\$118.00
	30	UNP142.3000	153.00	UNP140.3000	145.00
	36	UNP142.3600	182.00	UNP140.3600	173.00
	42	UNP142.4200	211.00	UNP140.4200	201.00
	48	UNP142.4800	239.00	UNP140.4800	228.00
15.5	60	UNP142.6000	297.00	UNP140.6000	284.00
	24	UNP143.2400	\$182.00	UNP141.2400	\$175.00
	30	UNP143.3000	225.00	UNP141.3000	217.00
	36	UNP143.3600	268.00	UNP141.3600	258.00
	42	UNP143.4200	311.00	UNP141.4200	300.00
	48	UNP143.4800	403.00	UNP141.4800	389.00
	60	UNP143.6000	526.00	UNP141.6000	507.00


**DESCRIPTION:** Mount to slotted vertical channels on panel to provide write-on/wipe-off surface. Non-magnetic hardware included for field installation. White board material is anti-ghosting laminate with 1 mm edge banding. **SPECIFY:** Product Number. **NOTE:** For paper template used for hardware installation, go to [www.compatico.com](http://www.compatico.com) or this Accessories Section. **NOTE:** For larger sizes, contact Compatico Customer Service.

## Tack Board & White Board Hardware Mounting



## VALUE SERIES

Fabric Covered Tackboards and White Markerboards



Note: Tackboard design is squared with full fabric wrapped around edges  
Note: White markerboard design is squared with 1 mm black pvc edging

Compatico Systems Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather Benching

Hush

Electrical

Storage

Worksurfaces

Conference & Training Tables

Legs

Height Adjustable Legs

Accessories

Folio™ Desking & Energee™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Panel Stabilizer Foot *individual*




DIMENSIONS		PRODUCT NUMBER	LIST PRICE	Overall Length
Width	Height			
2	1/4"	STP032.02BK	\$132.00	32"

**DESCRIPTION:** Steel, stand-alone panel foot or end-of-run stabilizer with anti-skid bumper pads applied to tips of underside. For use on Genesis, CMW and A02 (some field threading may be required). May also be used for Frames product line (must cut thread stud to 1" in field). Screws into underside of panel using existing glide holes to offer stability. Always fully screw into panel for maximum stability and safety.

**SPECIFY:** Product Number. Two Per Panel, Finish: Black Powder Coat Only.

## CMW and G2/Genesis Panel Stabilizer Podium



**NOTE:** 29"H also available.

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	GAP	LIST PRICE	GR2 & GR3 UPCHARGE	ADV + DECREASE
Height	Width						
42	10" Diameter	GPS042.10XX	G2/Genesis	5" x 3.25"	\$2,407.00	Call for Quote	-\$ 120.00
42	10" Diameter	GPS041.10XX	CMW	5" x 2"	\$2,407.00	Call for Quote	-\$ 120.00

**DESCRIPTION:** Laminate podium for long run panel stability. Any panel run over 6' should have support. Cylinder podium slides onto panel, and when filled with sand (field install) gives extra stability. Podium design allows for placement of your choice. **SPECIFY:** Product Number. Laminate, Edging.

## Grommet



**NOTE:** If you want installed in a worksurface on order advise customer service Part # UNP050.00BK (List \$22)

DIMENSIONS		PRODUCT NUMBER	DESCRIPTION	LIST PRICE
Height	Width			
1	3 1/8" Hole 3 1/2" Cap	UNP004.00BK	Grommet	\$5.00

**DESCRIPTION:** Swivel Cap for open/close position. Black textured plastic.

**SPECIFY:** Product Number.

# DIVIDER PRIVACY SCREENS

## ACCESSORIES

DIMENSIONS				PRODUCT NUMBER	SCREEN WITH CLIPS GR. 1 LIST PRICE	GR2 UP-CHARGE	GR3 UP-CHARGE	VE DECREASE	COM & X DECREASE	+ DECREASE	
Screen Width	Work Surface Width	Height	Depth								
23	24	12	.5	GBFDS12H23W	\$156.00	\$7.00	\$18.00	-\$27.00	-\$20.00	-\$13.00	Fabric Divider Screen 
29	30			GBFDS12H29W	\$207.00	\$14.00	\$34.00	-\$55.00	-\$41.00	-\$27.00	
35	36			GBFDS12H35W	\$234.00	\$14.00	\$34.00	-\$55.00	-\$41.00	-\$27.00	
41	42			GBFDS12H41W	\$252.00	\$14.00	\$34.00	-\$55.00	-\$41.00	-\$27.00	
47	48			GBFDS12H47W	\$252.00	\$14.00	\$34.00	-\$55.00	-\$41.00	-\$27.00	
59	60			GBFDS12H59W	\$270.00	\$14.00	\$34.00	-\$55.00	-\$41.00	-\$27.00	
* 65	66			GBFDS12H65W	\$358.00	\$28.00	\$73.00	-\$110.00	-\$83.00	-\$55.00	
* 71	72			GBFDS12H71W	\$369.00	\$28.00	\$73.00	-\$110.00	-\$83.00	-\$55.00	

**DESCRIPTION:** Fabric divider screen sits 12" above worksurface to define space between co-workers. Clips available in BU, HF, MT, MS, WD and BN (Brushed Nickel). Two (2) clips included for 22", 38", 34", 40". Three (3) clips included for 46", 58", 64", 70".

**SPECIFY:** Product Number, Fabric, Clip Finish. **NOTE:** Mounting screws not included.

**ATTACHMENT METHOD:** 1" wood screws required for worksurfaces. Toggle bolts required for tops of panels. Call Compatico Customer Service or Project Management for assistance.

Additional sizes are available (MOQ 25 units)

Smaller mini-clip 1" w x 1.125" h also available in more finish options. (Limited screen height 12")

\* *Verify Fabric Direction - must be railroad applied due to fabric roll width.*

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

## Acrylic Divider Screen



Clear



Smoked



Adobe



Frosted

DIMENSIONS			PRODUCT NUMBER	DESCRIPTION	SCREEN WITH PAINTED CLIPS LIST PRICE
Width	Height	Depth			
23	12	.22	GBADSC12H23W	Clear	\$142.00
29			GBADSC12H29W		\$165.00
35			GBADSC12H35W		\$184.00
41			GBADSC12H41W		\$226.00
47			GBADSC12H47W		\$244.00
23	12	.22	GBADSS12H23W	Smoked	\$176.00
29			GBADSS12H29W		\$215.00
35			GBADSS12H35W		\$221.00
41			GBADSS12H41W		\$311.00
47			GBADSS12H47W		\$321.00
23	12	.22	GBADSA12H23W	Adobe	\$201.00
29			GBADSA12H29W		\$263.00
35			GBADSA12H35W		\$266.00
41			GBADSA12H41W		\$327.00
47			GBADSA12H47W		\$332.00
23	12	.22	GBADSF12H23W	Frosted	\$193.00
29			GBADSF12H29W		\$243.00
35			GBADSF12H35W		\$267.00
41			GBADSF12H41W		\$312.00
47			GBADSF12H47W		\$321.00

**DESCRIPTION:** Acrylic divider screen sits 12" above worksurface to define space between co-workers. Divider has polished edges and slightly radiused corner. Clips available in BU, HF, MT, MS, WD and BN (Brushed Nickel). Two (2) clips included for 22", 28", 34". Three (3) clips included for 40", 46". **SPECIFY:** Product Number, Clip Finish. **NOTE:** Mounting screws not included.

### ATTACHMENT METHOD:

1" wood screws required for worksurfaces. Toggle bolts required for tops of panels. Call Compatico Customer Service or Project Management for assistance.

\*Smaller mini-clips 1" w x 1.125" h also available in additional finishes ( Limited screen height 12")

\* Special sizes are available (MOQ 25 units)





DIMENSIONS				DESCRIPTION	SCREEN WITH PAINTED CLIPS LIST PRICE
Width	Height	Depth			
23	12	0.25	G2BTGSC23	Clear	\$77.00
29			G2BTGSC29		\$82.00
35			G2BTGSC35		\$87.00
41			G2BTGSC41		\$93.00
47			G2BTGSC47		\$126.00
23	12	0.25	G2BTGSF23	Frost	\$82.00
29			G2BTGSF29		\$88.00
35			G2BTGSF35		\$95.00
41			G2BTGSF41		\$102.00
47			G2BTGSF47		\$137.00
23	12	0.25	G2BTGSG23	Grey	\$256.00
29			G2BTGSG29		\$264.00
35			G2BTGSG35		\$272.00
41			G2BTGSG41		\$295.00
47			G2BTGSG47		\$345.00
23	12	0.25	G2BTGSR23	Reed	\$345.00
29			G2BTGSR29		\$352.00
35			G2BTGSR35		\$360.00
41			G2BTGSR41		\$398.00
47			G2BTGSR47		\$463.00

**DESCRIPTION:** Tempered glass divider screen sits 12" above worksurface to define space between co-workers. Divider has polished edges and slightly radiused corner. Clips available in BU, HF, MT, MS, WD and BN (Brushed Nickel). Two (2) clips included for each tile. Three (3) clips included for 47". **SPECIFY:** Product Number, Clip Finish. **NOTE:** Mounting screws not included.

#### ATTACHMENT METHOD:

1" wood screws required for worksurfaces. Toggle bolts required for tops of panels. Call Compatico Customer Service or Project Management for assistance.

#### Tempered Glass Screen Divider



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References



# ACCESSORIES

## Laminate and White Board Screen Divider

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables


Legs

Height Adjustable  
Legs


Accessories

Folio™ Desking &  
Energee™ Seating

References



laminate screen divider  
(2 sided)



white board screen divider  
(2 sided)

Note: Two rubber pads included with each clip.  
Some options may require only one pad.


DIMENSIONS			LAMINATE PRODUCT NUMBER	GR. 1 SCREEN WITH CLIPS LIST PRICE	WHITE BOARD PRODUCT NUMBER	SCREEN WITH CLIPS LIST PRICE
Width	Height	Depth				
23	12	.25 - .375	GBLSD12H23W	\$129.00	GBWSD12H23W	\$144.00
29			GBLSD12H29W	\$154.00	GBWSD12H29W	\$174.00
35			GBLSD12H35W	\$154.00	GBWSD12H35W	\$174.00
41			GBLSD12H41W	\$206.00	GBWSD12H41W	\$231.00
47			GBLSD12H47W	\$206.00	GBWSD12H47W	\$231.00
*59			GBLSD12H59W	\$230.00	GBWSD12H59W	\$259.00
*71			GBLSD12H71W	\$253.00	GBWSD12H71W	\$287.00



**DESCRIPTION:** Hard surface divider screen sits 12" above worksurface to define space between co-workers. Divider is laminated on 2 sides with 1mm black edging. Corners are square cut design. Clips available in BU, HF, MT, MS, WD and BN (Brushed Nickel). Two (2) clips included for 23", 29", 35". Three (3) clips included for 41", 47", 59", 71". **SPECIFY:** Product Number, Clip Finish, Laminate Selection. **NOTE:** Mounting hardware not included. See Compatico Price Book for standard laminates. \* Verify Laminate Grain Direction.

\* Call for list pricing on alternative laminate grades. Must be HPL.

### ATTACHMENT METHOD:

1" wood screws required for worksurfaces. Toggle bolts required for tops of panels. Call Compatico Customer Service or Project Management for assistance.

	DIMENSIONS				PRODUCT NUMBER	GR. 1 LIST PRICE	GRADE 2 UPCHARGE	GRADE 3 UPCHARGE	VE DECREASE	COM & X DECREASE	+ DECREASE
	Screen Actual Width	Work- surface Width	Height	Depth							
<div>Combination Divider / Modesty Screen <i>Fabric</i></div> 	22	24	24	.5D Fabric	GBMP27H22W	\$460.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	28	30			GBMP27H28W	\$472.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	34	36		.375 Acrylic	GBMP27H34W	\$472.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	40	42		.25	GBMP27H40W	\$490.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	46	48		Textured Glass	GBMP27H46W	\$490.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	58	60			GBMP27H58W	\$507.00	\$25.00	\$64.00	-\$101.00	-\$76.00	-\$51.00
	* 70	72		.25 Laminate	GBMP27H70W	\$540.00	\$29.00	\$73.00	-\$116.00	-\$87.00	-\$58.00



Pictured: Left hand clamp

**DESCRIPTION:** Fabric combination divider/modesty panel screen. Screen clamp fastens underneath worksurface and draws divider/modesty panel tight to front of worksurface edge. Two (2) screen clamps included. **SPECIFY:** Product Number and Fabric.

**NOTE:** Screen clamp is BU, Black Umber. Other finishes available for upcharge, Contact Compatico Customer Service.

**DESIGN NOTE:** Ensure undermount clearance and use rubber grip pads when installed.

**NOTE:** Hardware screws not included.



\* Verify Fabric Direction - must be railroad applied due to fabric roll width.

PRODUCT NUMBER	DESCRIPTION	LIST PRICE
GBSYDC	Single Y Clip	\$42.00
GBDTDC	Double T Clip	\$46.00

**DESCRIPTION (SINGLE Y CLIP):** Single worksurface privacy screen clip.  
Mounts to underside of worksurface. **FINISH:** Specify.

**DESCRIPTION (DOUBLE T CLIP):** Double worksurface privacy screen clip.  
Mounts to underside of worksurface. **FINISH:** Specify.

Undermount Privacy Screen Divider Clips  
(Clips Only)



PRODUCT NUMBER	DESCRIPTION U CLIP	LIST PRICE
GBTC0.XX	Black Umber (BU) Brushed Nickel (BN) Medium Tone (MT) White Wonder (WD) Metallic Silver (MS) Innertone Light (HF)	\$28.00

Divider Screen Clip

**DESCRIPTION:** Fastens divider screen to worksurface top. Rubber pads for sturdy grip. Holds 1/4" thick screens. Mounting screws not included due to variation of desired mounting applications (e.g. worksurface, panel tops). Dimensions: W: 2 1/8" x H: 2 1/8" x D: 1". Finish Options: Insert finish code for part number (.xx).  
**SPECIFY:** Product Number, Finish. **NOTE:** Additional finish options are available, extended leadtimes and upcharges may apply.


*Note:*  
For special colors the screw head is chrome.  
  
Using a high bonding "VHB" double stick tape these may be mounted to the worksurface top.  
VHB removes with solvent.




Base View






Front View



Rear View



Side View



Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References


## Combination Screen Clamp



PRODUCT NUMBER	PAIR LIST PRICE
GBCSC	\$129.00

**DESCRIPTION:** Fastens combination screen to front edge of worksurface. Sold in pairs. Mounting is done on the underside of worksurface. Mounting hardware is not included. Holds screens up to 1/2" thick. Standard finish is Black Umber (BU). **SPECIFY:** Product Number, Finish. **NOTE:** Additional finish options are available, extended leadtimes and upcharges may apply.

## Divider Screen Mini Clips




PRODUCT NUMBER	DESCRIPTION	LIST PRICE
QMCCHR	Chrome (CH)	\$9.00
QMCBNR	Brushed Nickel (BN)	9.00
QMCWDR	White Wonder (WD)	9.00
QMCBUR	Black Umber (BU)	9.00
QMCMSR	Metallic Silver (MS)	9.00
QMCHFR	Innertone Light (HF)	9.00
QCMCTR	Medium Tone (MT)	9.00

**DESCRIPTION:** Designed for use with 1/4" thick divider screens up to 12" in height (maximum). 1"W x 1-3/16"H. For use with .220"-.250" tempered glass, acrylic, or fabric screens. Rubber inner grip pads included. Maximum height of screen 12." Available in 7 standard finishes with color matched screws. Designer colors available. **SPECIFY:** Product Number. **NOTE:** Designer colors will have chrome screws.


\* These clips are also used on the Frames™ product.

Divider Screen  
*Above Worksurface Mount*




For worksurface top mount use G2B Divider Screen Clips.

Modesty Divider Screen  
*Below Worksurface Mount*




For worksurface undermount use G2B Divider Screen Clips.

Spline Run Screen  
*Above Worksurface Mount*



For spline run screens use G2B or QMC Divider Clips with power/data track. (Stabilizer channel UNP000.01BK)

Divider Screen  
*Top of Frame Panel Mount*



For frame/panel top mount (all systems) use G2B Divider Clips.

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs


Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energie™ Seating

References

## Modesty Panel



*black fabric mesh modesty panel*

DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length	Height		
36"	10"	9140	\$372.00
48"	10"	9141	\$385.00
60"	10"	9142	\$440.00
72"	10"	9143	\$502.00

**DESCRIPTION:** Black fabric mesh with black liner modesty panel includes a hidden pouch to hold wires. Modesty panel is 10" tall, fastened with C-clips to the underside of the worksurface, desk or training table. Unique attachment mechanism allows modesty panel to pivot and move as needed when stacking tables. Attachment hardware included. **SPECIFY:** Product Number.

## Universal Modesty Panel



DIMENSIONS		PRODUCT NUMBER	LIST PRICE
Length	Height		
35.75"	9"	9132	\$372.00
47.75"	9"	9133	\$408.00
59.75"	9"	9134	\$489.00
71.75"	9"	9135	\$558.00

**DESCRIPTION:** Universal modesty panel offers an economical and great working answer to your need for privacy panels. Mounting is accomplished by installing eight screws to the underside. Holes are 3/16" diameter spaced every 3 1/2". **NOTE:** Ensure table dimensions less leg plate dimensions fits length of modesty panel.

**FINISHES:** Light Tone (LT), Medium Tone (MT), Dark Tone (DT), Black (BK), Metallic Silver (MS/666), Innertone Light (HF), Medium Gray (MG), Soft White (LU). **SPECIFY:** Product number. **NOTE:** Mounting hardware included.


PRODUCT NUMBER	DESCRIPTION	SHIPPING WEIGHT	BOX DIMENSIONS	LIST PRICE
5230B01	Desktop Sit-Stand Workstation	47 lbs.	27.5" w x 38" l x 8" h	\$945.00

**DESCRIPTION:** The Volante™ Sit-Stand Desktop Workstation, quickly and economically converts an existing desk to a smooth and effortless sit-stand workstation. **FINISHES:** Black or White  
**SPECIFY:** Finish.

FEATURE	BENEFIT
<i>Ships fully assembled</i>	<i>No tools are required, making it easy to retrofit existing office spaces</i>
<i>Compact footprint</i>	<i>The Volante easily fits onto a 24" deep desk with added room for personal adjustment</i>
<i>Gas assisted height adjustment</i>	<i>Provides smooth, quiet and infinite height adjustment, users can easily set it to their ideal ergonomic position</i>
<i>Primary worksurface can be extended 20" above the desk</i>	<i>A large height adjustment range accommodates a greater variety of users</i>
<i>Large useable primary worksurface</i>	<i>The large primary worksurface accommodates 2 x 24" monitors, KV monitor arms, an Apple iMac or laptop with monitor</i>
<i>20° of keyboard surface tilt</i>	<i>Allows the user to infinitely adjust the keyboard surface tilt from -10°/+10° for an ergonomic typing position, in the sitting or standing position</i>
<i>Keyboard surface adjusts with the primary worksurface</i>	<i>Improved ergonomics over competitive units that are just one worksurface</i>
<i>Primary worksurface grommet</i>	<i>Allows for cable management and attachment of a KV monitor arm to improve ergonomic functionality and to clear the secondary worksurface</i>
<i>Supports 35 lbs. of technology</i>	<i>Strong enough to support user's technology requirements</i>
<i>Weights 40 lbs.</i>	<i>Light enough for simple installation and moving from desk-to-desk</i>
<i>Tested to 15,000 cycles</i>	<i>Testing results support a 2 year warranty</i>



Shown with optional flat screen arm.



**(A) AVAILABLE IN LARGER PLATFORM SIZE 42"W AND SUPPORTS UP TO (2) 27" MONITORS.**

**(B) ALSO AVAILABLE IN CORNER DESKTOP DESIGN.**

**CONTACT COMPATICO TECHNICAL SUPPORT FOR ASSISTANCE.**

Compatico Systems  
Terms & Conditions

Surface Materials

A02

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References

# ACCESSORIES

Compatico Systems  
Terms & Conditions

"Value" Desktop Sit-Stand  
Workstation

Surface Materials

AO2

CMW

G2/Genesis

Frames

Gather  
Benching

Hush

Electrical

Storage

Worksurfaces

Conference &  
Training Tables

Legs

Height Adjustable  
Legs

Accessories

Folio™ Desking &  
Energee™ Seating

References



**PRODUCT  
NUMBER**

**DESCRIPTION**

**SHIPPING  
WEIGHT**

**OVERALL DIMENSIONS**

**LIST PRICE**

CMPMT105M

Sit-Stand  
Work Table and Tray

lbs.

36"W x 23"D

\$722.00

**DESCRIPTION:** Durable construction and fluid paddle lifting. Extended work area for monitors and keyboard available in black only. Gas spring offers smooth and stable support. Twelve optional height settings. Support groove on surface for smart phone or tablet dual knobs for easy adjustment. Keyboard offer easy disassembly design.

- Tray top is 22" x 35"W
- Keyboard tray is 11" x 35"W
- Height Adjustment 4.7" x 17"W



# About Compatico

**Mission:** Compatico Inc. manufactures new office furniture systems, parts, and acoustical wall tiles, delivering reliable and cost effective products with a passion for customer service.

**Service:** You can be confident that our associates will work with you at each stage of the order and delivery process to assure a quality workspace solution.



**Commitment:** Compatico Inc. does more than just sell quality office furniture systems and parts at economical prices. Its associates are committed to provide “Customer First Service”. Customer service is a part of every Compatico Inc. department from accounting to operations, from sales to transportation.

- Serving the industry for over 35 years
- Nationwide Reputation for Quality and Price Value
- “Customer First Service” philosophy
- Meets ANSI-BIFMA Standards (product quality and level® green certified)
- UL Listed
- GIZA/CAP 20/20 Libraries
- GSA Programs for Partner Dealers

customer  
first  
service



Member of  
Green Suppliers Network  
[www.greensuppliers.gov](http://www.greensuppliers.gov)