



Model shown with available accessories.

INNOVATIVE AND BOLD

Higher **INNOVATION** and **PERFORMANCE** in every car

Our specialty cars deliver it all. From the new and improved automotive style dash, to the largest seats in the industry, unparalleled versatility and the reliability of a Yamaha-built engine. Every feature works together to bring you a car that is intuitively superior.



TWO USB CONNECTIONS

To maintain power and stay charged. Built right into the dash.

LARGEST, MOST COMFORTABLE SEAT IN THE INDUSTRY

Made of pure supple foam bonded to a seamless, durable, vinyl-backed cover. Its polypropylene seat base won't sag, rot, or warp despite daily use and repeated washings.



PADDED STEERING WHEEL

Newly redesigned for more comfort and better handling.*



STORAGE BIN WITH NO-SLIP MAT

34% larger to keep more valuables in place, and right at hand.



LARGER SWEATER BASKET

Most storage and designed for easy cleaning.



AUTOMOTIVE STYLE DASH

Our newly designed dash has large, dual-sized cup holders, room for more items like snacks and mobile devices, and comes standard with two USB ports.*



SUPERIOR FRONT SUSPENSION

Fully independent front suspension for maximum performance and comfort.



HEADLIGHTS & TAILLIGHTS

If the sun goes down before the work is done, no worries. All specialty cars come with LED headlights and standard taillights. *Excludes Adventurer Sport, which has halogen headlights.*



LARGER REAR ACCESS PANEL

382% larger for ease of maintenance and cleaning.

*Excludes Adventurer Sport model.

THE KING *of the* CAMPSITE

Whether you're maintaining the greens or hauling gear for a weekend camping trip, the Adventurer Sport 2+2 — and all 300 pounds of its payload capacity — will be right there pulling for you. Of course, if you're in the mood for a bit of recreational off-roading, it's ready for that too!



Front brush guard is made of 3/16" steel, 1" round tubing, and 1-1/2" round tubing. Powder-coated for protection.


A
TRUE
—
JACK-OF-ALL
TRADES



WITH 20" TIRES,
FLIP DOWN SEATS,
AND 3" LIFT KIT,
IT'S A LOW
MAINTENANCE
AND RELIABLE
COMPANION.



AVAILABLE COLORS I = In-molded Color M = Metallic Paint



HARD WORKING *and* ready to HAUL ANYTHING

Whether you're replacing water heaters, or setting up for the day's big event, this extra-large hauler will handle your load. With durable, low-maintenance engineering, and a super-sized aluminum cargo bed, it'll save you more than a few trips, not to mention headaches.



**800
LBS**
PAYLOAD
CAPACITY



72" x 48"
super-sized, aluminum
cargo bed



A generous storage space can be found under the front seats.

AVAILABLE COLORS

I
Glacier

I = In-molded Color



Setting a **HIGHER** **STANDARD** *for* **COMFORT**

Whether giving a facility tour to clients or transporting guests around the hotel grounds, our Concierge 4 will impress. With a smooth, quiet ride and the widest, most comfortable seats in the industry, these vehicles provide a first-class experience.



Additional legroom for your passengers.



Our rugged, powder-coated steel handle provides additional comfort and safety for rear seat passengers.



AVAILABLE COLORS I = In-molded Color M = Metallic Paint

I	M	M	M	M	M	M	M
Glacier	Sandstone	Moonstone	Bluestone	Jasper	Onyx	Aqua Blue	Rich Brown

A reliable, **EFFICIENT** **SUPERIOR** *passenger* **CAR**

When your guests arrive, you want to make a lasting first impression. Knowing that, we've outfitted both our four and six-seat Concierge models with a wealth of features to impress even the most discerning passengers. Thanks to extra-smooth handling and a quiet ride, plus the widest bench seats in the industry, its first-class luxury sets the stage for a memorable visit.

MOST
COMFORTABLE
SEAT IN THE INDUSTRY



Storage under two bench seats means you'll never have to make a second trip. Keep supplies on-hand and safely hidden.

AVAILABLE COLORS

I = In-molded Color M = Metallic Paint

I	M	M	M	M	M	M	M
Glacier	Sandstone	Moonstone	Bluestone	Jasper	Onyx	Aqua Blue	Rich Brown



Load up and **ROLL OUT** there's **WORK** to do

Don't let that comfortable seating and sporty design fool you. The Adventurer Sport may play nice, but when it's time to take on a tough job, it's ready to work hard. Fully equipped with a number of standard features like the tilting dump bed, 300 pound payload capacity, and 3 inch lift kit, it's a workhorse that every crew wants on their team.

7.8


CUBIC FOOT DUMP BED



With a 300 lb. payload capacity, pneumatic-assist tilting, fold & lock tailgate, and rotomolded linear polyethylene construction, this is where the hard work gets done.



This new addition to Yamaha's Tru-Trak™ II automotive-style suspension not only looks sportier, but allows for mounting larger wheels, and improves ground clearance.



These sleek and stylish fender flares look great, and also protect you, your passengers, and your car from the occasional puddle of mud.

AVAILABLE COLORS



I = In-molded Color M = Metallic Paint



With our quiet gas cars boasting a 261-mile range and our electric cars wielding an industry-leading 6.5 horsepower motor:


OUR ONLY QUESTION FOR YOU IS REFUEL OR RECHARGE?

GAS



The new QuietTech EFI boasts the lowest decibel output of any gas car and features the industry's first-ever Independent Rear Suspension on a golf car. This unprecedented combination ensures your players experience a luxuriously quiet ride. At 45 MPG and less hydrocarbon emissions than the competition, we think you'll agree that choosing QuietTech EFI is the most sound business decision you could make for your golf course.

- Yamaha exclusive QuietTech EFI technology
- Independent Rear Suspension (IRS)
- Industry-leading fuel economy
- 12.8% more miles to the gallon over the competition – 45 MPG⁽¹⁾
- Yamaha-built engine, designed and built for durability
- Fewest emissions and up to 76% fewer pollutants than the competitors*
- All Yamaha Golf Cars are proudly built in Newnan, Georgia



ELECTRIC



Our new electric Drive² puts the power in PowerTech AC. Prepare yourself for an energy-efficient, electric solution that features smooth acceleration and unrivaled hill-climbing ability like you've never experienced before. Our electric cars make battery power synonymous with horsepower, while giving your players a silky smooth ride.

- PowerTech AC Electric Drive
- Toyota Industries-built motor control unit
- Reliability and proven performance
- Cradle smooth rear suspension system
- Equipped with industry-leading Trojan T-875 batteries
- Best hill-climbing ability
- Yamaha-built charger
- All Yamaha Golf Cars are proudly built in Newnan, Georgia



⁽¹⁾Independent laboratory testing in a fleet environment by Transportation Research Center, Inc. 2015, on model year 2016 cars.

CUSTOMIZED ACCESSORIES

LED Front Logo



Attention grabbing LED lit logo for increased visibility.

LED Taillights



Optional LED ANSI compliant taillights.

Premium Light Package



Turn signal package (includes LED taillights).

Ultra Premium Light Package



Ultra Premium PTV Upgrade Kit adds daytime running lights (DRL), LED turn signals and upgraded Sequential LED brake lights. Includes random key switch.

Enclosure



Fits over the roof and features easily stored zip-off windshield, easy-zip doors, and quick, easy adjustment. Installs in minutes. Includes deluxe carrying case.

Steering Wheel



3-spoke design with black molded polyurethane grip. Silver anodized spokes. 11 1/2" diameter.

Mirrors



4"x 6" side mirrors mount to the sun top uprights. Made of durable black automotive ABS. Easy install.

Stereo Console



Console includes speakers and features black roto-molded, foam-insulated, double-wall plastic construction. Mounts underneath vehicle top. Stereo not included.

Bluetooth Media Receiver



Includes Bluetooth connectivity for Android smartphones and USB connections for iPod®/iPhone®. Two phones connect for hands-free calling and listening services.

HomeLink®



Connect your Yamaha golf car to your home with the most widely trusted wireless remote control system. Compatible with nearly all garage door openers and gate systems.

Carry Bag



Straps conveniently into your golf bag strap. Perfect for carrying groceries, shopping bags, boxes and more.

Parking Pad



Made with a poly film backing to protect your garage floor.

Car Storage Cover



Made of high performance, heavy duty vinyl, with sealed seams and industrial zippers, custom-tailored to fit over the ClimaGuard™ Top.

Optional Black Seat



Widest, most comfortable seat, contoured for the most ergonomic ride.

Optional Black Top



Protection from the elements. Our ClimaGuard™ top with dual gutters is 33% larger than the nearest competitor.

Classic RFS Kit



Complete, easy-to-install rear-facing seat kit converts easily to light duty cargo area.

Eight 6-Volt Battery Option



We offer eight 6-volt Trojan T-105 batteries which provide approximately 30% more range and an extended life due to a lower depth of discharge.

Chrome Kick Plate



Includes a sleek, modern, easy to care for kick-plate to protect your interior.

Polycarbonate Split Windshield (clear or tinted)



Clear Split Windshield

With a contoured bottom designed to hug the front of the vehicle and seal out the elements, this polycarbonate windshield has a flexible hinge that allows the windshield to smoothly fold and lock in place.



Tinted Split Windshield

Millennia MA100 Speaker/Amp Package



This Bluetooth® audio kit has no external buttons or lights, giving your golf car a clean look. Includes two speakers and all wiring.

Bluetooth® with Volume Control



Easy to operate, waterproof device is iPhone and Android compatible and it features three connection options. Connects to MA100 Speaker/Amp Package (sold separately).

USB Charging Ports



Two ports to maintain power and stay charged. Built right into the dash.

Wheels



4 SPOKE ALLOY WHEEL AVAILABLE IN 10" & 12" SIZES



10" SILVER CASINO WITH KENDA LOADSTAR 205/65-10 TIRE



10" BLACK CASINO WITH KENDA LOADSTAR 205/65-10 TIRE

See the Yamaha Parts and Accessories Catalog to view the full line of golf car accessories.

4 PASSENGER QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	127.2 in (323 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.8 in (124 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	441.6 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

4 PASSENGER POWERTECH AC

DIMENSIONS

OVERALL LENGTH	127.2 in (323 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.4 in (123 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	563 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

6 PASSENGER QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	161.0 in (409 cm)
OVERALL WIDTH	47.3 in (120 cm)
OVERALL HEIGHT (no suntop)	48.8 in (124 cm)
WHEEL BASE	131.9 in (335 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	523.6 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	6 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	18.7 ft (5.7 m)

6 PASSENGER POWER TECH AC

DIMENSIONS

OVERALL LENGTH	161.0 in (409 cm)
OVERALL WIDTH	47.2 in (120 cm)
OVERALL HEIGHT (no suntop)	48.4 in (123 cm)
WHEEL BASE	131.9 in (335 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	627 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	6 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	18.7 ft (5.7 m)

SUPER HAULER EFI

DIMENSIONS

OVERALL LENGTH	142.9 in (363 cm)
OVERALL WIDTH	53.5 in (136 cm)
OVERALL HEIGHT (NO SUNTOP)	48.8 in (124 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.2 in (97 cm)
MINIMUM GROUND CLEARANCE	5.9 in (15 cm)
DRY WEIGHT WITH SUNTOP	431 kg
FLOOR BOARD HEIGHT	13.4 in (34 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone
AVAILABLE SUNTOP COLORS	Standard: Black
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front 5 mph energy-absorbing bumper

CARGO BED SIZE

LENGTH	46.4 in (177.9 cm)
WIDTH	47.0 in (119.4 cm)
HEIGHT	7.8 in (20.0 cm)
CARGO BED CAPACITY	800 kg

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

SUPER HAULER AC

DIMENSIONS

OVERALL LENGTH	142.9 in (363 cm)
OVERALL WIDTH	53.5 in (136 cm)
OVERALL HEIGHT (NO SUNTOP)	48.4 in (123 cm)
WHEEL BASE	98.0 in (249 cm)
TREAD (FRONT)	34.6 in (88cm)
TREAD (REAR)	38.2 in (97cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	442.5 kg
FLOOR BOARD HEIGHT	13.0 in (33 cm)

GENERAL

TIRE SIZE	205/65-10 4PLY
SEATING CAPACITY	2 persons
AVAILABLE MODEL COLORS	Glacier
AVAILABLE SEAT COLORS	Standard: Black Optional: Stone
AVAILABLE SUNTOP COLORS	Standard: Black
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II ™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front 5 mph energy-absorbing bumper

CARGO BED SIZE

LENGTH	46.4 in (177.9 cm)
WIDTH	47.0 in (119.4 cm)
HEIGHT	7.8 in (20.0 cm)
CARGO BED CAPACITY	800 kg

PERFORMANCE

MAXIMUM SPEED	19 mph (31 km/h)
MINIMUM TURNING RADIUS	14.4 ft (4.4 m)

ADVENTURER 2+2 QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	108.3 in (275 cm)
OVERALL WIDTH	50.8 in (129 cm)
OVERALL HEIGHT (no suntop)	50.4 in (128 cm)
WHEEL BASE	65.0 in (165 cm)
TREAD (FRONT)	37.8 in (96 cm)
TREAD (REAR)	39.8 in (101 cm)
MINIMUM GROUND CLEARANCE	6.3 in (16 cm)
DRY WEIGHT WITH SUNTOP	424.5 kg
FLOOR BOARD HEIGHT	15.0 in (38 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY PERSONS	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	15 mph (24 km/h)
MINIMUM TURNING RADIUS	9.8 ft (3.0 m)

ADVENTURER 2+2 POWERTECH AC

DIMENSIONS

OVERALL LENGTH	108.3 in (275 cm)
OVERALL WIDTH	50.8 in (129 cm)
OVERALL HEIGHT (no suntop)	50.4 in (128 cm)
WHEEL BASE	65.0 in (165 cm)
TREAD (FRONT)	37.8 in (96 cm)
TREAD (REAR)	40.2 in (102 cm)
MINIMUM GROUND CLEARANCE	5.1 in (13 cm)
WEIGHT WITH SUNTOP AND TROJAN T-875 BATTERIES	524 kg
FLOOR BOARD HEIGHT	15.0 in (38 cm)

GENERAL

TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY	4 Persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-Volt AC
OUTPUT RATING	6.7 hp (5.0 kW) for 60 minutes
MOTOR CONTROL UNIT	NEOS 350 amp AC controller by Toyota Industries Corporation
BATTERIES	Standard: Six 8-volt Trojan T-875 Batteries, Optional: Eight 6-volt Trojan T-105 Batteries

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	15 mph (24 km/h)
MINIMUM TURNING RADIUS	9.8 ft (3.0 m)

ADVENTURER SPORT QUIETECH EFI

DIMENSIONS

OVERALL LENGTH	104.7 in (266 cm)
OVERALL WIDTH	48.8 in (124 cm)
OVERALL HEIGHT (no suntop)	47.2 in (120 cm)
WHEEL BASE	64.6 in (164 cm)
TREAD (FRONT)	34.6 in (88 cm)
TREAD (REAR)	38.6 in (98 cm)
MINIMUM GROUND CLEARANCE	4.3 in (11 cm)
DRY WEIGHT WITH SUNTOP	346 kg
FLOOR BOARD HEIGHT	14.6 in (37 cm)

GENERAL

FUEL TANK CAPACITY	22 liters (5.8 gallons)
TIRE SIZE	20x10-8 (4PLY)
SEATING CAPACITY PERSONS	4 persons
AVAILABLE MODEL COLORS	Glacier Metallic: Bluestone, Rich Brown, Moonstone, Sandstone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT COLORS	Standard: Stone Optional: Black
AVAILABLE SUNTOP COLORS	Stone, Black , White
WARRANTY	Standard 2 year limited vehicle warranty

ENGINE

TYPE OF ENGINE	Yamaha-built 357cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY (L)	1 U.S. quart (1 Liter, 1000cc)
TYPE OF AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced Air
FUEL SYSTEM	Electronic Fuel Injection
STARTING SYSTEM	Starter Generator with pedal start

CHASSIS

FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier Color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKE SYSTEM (MAIN)	self-adjusting mechanical, rear wheel drum brakes
BUMPERS	front and rear 5 mph energy-absorbing bumpers

PERFORMANCE

MAXIMUM SPEED	15 mph (24 km/h)
MINIMUM TURNING RADIUS	9.8 ft (3.0 m)



1270 Chastain Road
Kennesaw, Georgia 30144
1.866.747.4027
YamahaGolfCar.com

