

PRODUCTS AND SERVICES FOR TREE CARE PROFESSIONALS

(i)Husqvarna' 📼

INTRODUCING 592 XP

Best in class cutting capacity.

Make your workday better

Husqvarna products and solutions are developed for you. In everything we do, we strive to improve your life as well as the life of those around you. From battery-powered equipment to fleet management solutions, we continuously help create the best conditions for a healthy business.

From state-of-the-art tools, protective clothing, groundbreaking technical innovations, to aftermarket services, we have one goal: to make your workday better, to make you better.

READ MORE ON PAGES 4-13

0

1

Five reasons why professionals choose Husqvarna

There are many reasons why professionals choose Husqvarna products and services, packed with benefits that will make your work easier and better. Here we present five ways to increase productivity and performance, while at the same time, create a better work environment.



READ MORE ON PAGE 8

Battery power

Battery chainsaws for climbing arborists that start at the push of a button. They deliver all the power needed and do so with low noise, no fumes and decreased vibrations, making life in the treetops better.



WHY PROFESSIONALS CHOOSE HUSQVARNA	04	\checkmark
PRODUCT NEWS 2022	14	
CHAINSAWS	16	-
POLE PRUNERS	30	*****
CLEARING SAWS	48	
BATTERIES AND CHARGERS	58	
FUEL AND LUBRICANTS	66	à
PERSONAL PROTECTIVE EQUIPMENT	68	
XPLORER COLLECTION	78	
HUSQVARNA SUPPORT	80	×

Husqvarna conducts continuous product development and reserves the right to change designs, specifications, technical data and equipment levels without prior notification. As an operator you are responsible for the proper use of our products and so you should read and understand all instructions and warnings in the operator manuals before using the products . Consult your dealer about the equipment and performance of our products in your country, as this can vary per country. Regarding protective clothing, carefully check the legal requirements in your country. Reasonable steps are taken to ensure that technical data is up-to-date at the time of publication. We cannot accept responsibility for printing errors.



PRODUCT NEWS 2022

More powerful than ever

More powerful. More efficient. And more reliable. The all-new 90cc range of Husqvarna chainsaws will bring completely new levels of productivity to your work day. Designed to improve you and your work. For a better cutting experience. The new Husqvarna 592 XP®, 592 XP® G and Husqvarna 585 chainsaws are developed to meet the toughest of demands, in the most user-friendly way possible, for demanding tree care professionals. They are designed to meet heavy-duty challenges with both power output, user-centric design and excellent maneuverability. And they are built to endure and to be truly reliable. In short, they are made to provide you with the very best workday. **Page 22**

Husqvarn

ABER MANAGER AND A STREET

Equipped for the heaviest of duties

The new 90cc saws are equipped with our new X TOUGH [®] LG bars and X-TOUGH[™] bars. The X-TOUGH[™] LIGHT bar is a robust bar with reduced weight that greatly improves maneuverabili The X-TOUGH[™] bar is made from solid steel for added durabili and stiffness, providing long, reliable use and straight cuts Page 40

ແມ່ນຄົດເປັນມີແມ່ນຄົດເປັນມີແມ່ນຄົດແມ່ນຄົງແມ່ນຄົດ ເຈົ້າກາງ ແລະ ກາງກາງ ເປັນເຮັດເປັນເປັນເປັນເປັນແມ່ນຄົດແມ່ນຄຸມແຮງ ແ

尚Husqvarna



Built for you

The new 592 XP features a new starting technology, with only one procedure. Thanks to AutoTune 3.0 the engine settings are always optimized for all conditions. Meanwhile, the 585 is characterized by a mix of traditional technology with an easily adjusted needle carburetor and modern performance.



14

PRODUCT NEWS 2022

EXPLORE THE 90'S

Find out more about our new chainsaws at husqvarna.com/us/discover/90cc-chainsaws Δ



Gear designed to handle your daily challenges

You deserve protection, comfort, and safety, whether you're into forestry or tree care. Your personal protective equipment should be designed for exactly the type of job you do. That's the idea behind our Technical Xtreme Arbor chainsaw pants and everything in the Husqvarna range. Page 68

LOWVIB® Stay alert and save your fingers from vibration

Thanks to effective vibration dampening, you can work comfortably and efficiently for a longer period of time. By separating the tank and handles from the engine and cutting equipment with carefully tuned anti-vibration elements, we have managed a considerable reduction of the vibrations in the handles. All this helps spare your arms and hands, allowing you to stay safe in the long run.



HUSQVARNA AIR INJECTION™

Keeping dust out. And you going.

Husqvarna Air Injection[™] technology uses the centrifugal force of the machine fan to provide better air purification. Thanks to this, the amount of saw dust entering the air filter is reduced and the life span of the engine extends considerably. This allows for longer operational time.



LIMBING PERFORMANCE Move along the trunk with ease

Our small and mid-sized professional chainsaws are exceptional choices for limbing. The shorter guide bar paired with the high chain speed, impressive cutting performance and excellent maneuverability allows you to swiftly and comfortably move the chainsaw around the trunk with minimal strain on your body.

SIDE-MOUNTED CHAIN TENSIONER

Quick and easy adjustment

A tightened chain is essential for your chainsaw to perform safely and efficiently. That's why you need to check the chain tension regularly as you use the saw. Husqvarna chainsaws come with a side-mounted chain tensioner that makes adjustment quick and easy.



Husqvarna's largest chainsaw is one of the most powerful in the world. The primary applications for the 3120 XP® are extreme logging, portable saw mills and stump work. This saw is designed to pull the chain on our longest bars. Like all Husqvarna chainsaws, the 3120 XP® has a superior power-to-weight ratio. Thanks to Effortless Starting[®], LowVib[®] and other premium features, this heavy-duty chainsaw is surprisingly easy to start and operate

- Adjustable oil pump
- Ouick-release air filter
- Magnesium crankcase
- LowVib[®]

The Husqvarna 395 XP[®] is built for professional loggers and foresters. Excellent balance and a rugged design make this large saw easy to operate - even with longer guide bars. The aggressive clutch can handle the chainsaw's substantial power, while a wider clutch cover guarantees effective wood chip dispersal. Take your work to the highest level of performance with this trusted machine

■ Husqvarna Air Injection[™]

- Adjustable oil pump
- Quick-release air filter
- Magnesium crankcase

Ö 7.6 hp _____ 16.3 lbs 🖹 18-36 in With best-in-class cutting capacity and power-to-weight,

fantastic maneuverability, new starting technology, and reliable operation and uptime (even in the roughest conditions) the 592 XP[®] is your perfect partner in felling, limbing and bucking the largest of trees. You can fit up to 36" (90 cm) bars on it, never compromising on balance and control

Connectivity ready

- AutoTune[™] 3.0 with simplified start technology
- Husqvarna Air Injection™
- X-Torg® Engine

LowVib®

Heated handles and carburetor (optional)



GAS CHAINSAW

21 88 cm³ 3/8" Ō 6.5 hp _____ 16.1 lbs 🚔 16-32 in

The Husqvarna 390 XP® features professional performance and excellent vibration dampening, making work easier and more efficient than ever. The LowVib® system and smart ergonomics make this large, powerful saw easy to handle - even with longer guide bars. Additionally, Smart Start® technology guarantees faster start-ups, while the rubber-mounted carburetor boosts durability. Prepare to get the job done like never before

■ Husqvarna Air Injection[™] LowVib[®] Adjustable oil pump Ouick-release air filter Side-mounted chain tensioner

Built for demanding work with enough power for longer bar options, the Husqvarna 372 XP® is ready for the toughest applications. The crankcase and crankshaft are extra durable, while the carburetor's vibration dampening can handle high speeds and heavy workloads. Featuring a powerful X-Torq® engine, this chainsaw is the ideal combination of high power and low weight.

2

LowVib[®] Smart Start™ ■ Husqvarna Air Injection[™] X-Torq[®] Engine

GAS CHAINSAW

GAS CHAINSAW

☐ 1 70.7 cm³

Ö 5.5 hp



AUTOTUNE[™] 3.0

Intuitive starting and optimized performance

Enjoy easy starting - hot or cold - and maximum performance in all conditions. AutoTune[™] 3.0 simplifies the starting procedure and automatically optimizes the engine settings to the actual altitude, temperature, air humidity and fuel quality. No need for manual carburetor adjustment.



	86 cm ³	3/8"		
Ō	6.9 hp	18-36 in	Â	16.5 lbs

Robust and durable, the 585 chainsaw has all the benefits of a modern chainsaw with the traditional technology you know and appreciate. Exceptional durability combined with an impressive power to weight and a well-balanced body makes it the perfect companion for felling, limbing and bucking large trees in even the dirtiest conditions. You can fit up to 36" (90 cm) bars.

LowVib[®]

- Smart Start[™]
- Husqvarna Air Injection™
- X-Torg[®] Engine



fuel.

- LowVib[®]
- Smart Start™
- Husqvarna Air Injection[™]
- X-Torg[®] Engine



3/8"		
16-32 in	\square	14.6 lbs



🚔 16-28 in

🖄 14.1 lbs

The Husgvarna 365 is a chainsaw used by some of the world's hardest-working professionals. The combination of low weight and 70cc power make this saw well-suited to a variety of applications. The X-Torq® engine delivers eco-friendly performance that will help you save big on

Gas CHAINSAW



At just 14.5 lbs, the 572 XP® has a better power-toweight ratio and 12% higher cutting capacity than previous Husqvarna models in the same class. Excellent cooling and heavy-duty filtration maximize reliability, while a smart design accommodates longer guide bars.

- LowVib[®]
- Smart Start[™]
- Husqvarna Air Injection™
- X-Torg[®] Engine
- AutoTune[™]
- Heated handles and carburetor (optional)

GAS CHAINSAW





Promising next-generation cutting performance, the Husqvarna 565 lets you work faster and more efficiently with longer guide bars. Excellent cooling capacity and state-of-the-art filtration empower you to tackle the most demanding tasks. Equipped with revamped AutoTune[™] and Air Injection[™] and offering low vibrations, the 565 is a powerful yet ergonomically designed chainsaw for fast, safe work.

- LowVib[®]
- Smart Start™
- Husqvarna Air Injection[™]
- X-Torg® Engine
- AutoTune[™]

GAS CHAINSAW 562 XP[®]



Husqvarna's 562 XP® chainsaw is developed for demanding work by tree care and forestry professionals. The 562 XP® has a groundbreaking design, including improved components, a new air filter, and the ability to fit bars up to 28". The X-Torq® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 562 XP[®] comes with Husgvarna's X-Cut[®] chain for improved performance and lasting sharpness.

- LowVib®
- Smart Start™
- Husqvarna Air Injection[™]
- X-Torg® Engine
- AutoTune[™]
- Heated handles and carburetor (optional)

~ * *					~		
GAS	s C	H/	AI	Ν	S	A	V

555 Husqvar ⇒) 3/8" 59.8 cm³ 🚔 18-24 in Ӧ 4.16 hp

- The power and reliability you need to take on any job. Husqvarna's 555 chainsaw is developed for demanding work. The 555 has a groundbreaking design, including improved components and a new air filter. The X-Torg® engine delivers more power where you need it, with 20% less fuel consumption and 75% fewer emissions. Plus the 555 comes with Husqvarna's X-Cut® chain for improved performance and lasting sharpness.
- LowVib[®]
- Smart Start™
- Husqvarna Air Injection™
- X-Tora® Engine
- AutoTune[™]

GAS CHAINSAW 550 XP[®] Mark II



1[50.1 cm ³	D)	325"		
۳.	4 hp	\square	16-20 in	Å	11.7 lbs
\sim	4 np	\leftrightarrow	10-20 IN		II./ IDS

The second generation of Husqvarna's 550 XP® chainsaw is ready for demanding use in felling, limbing and bucking operations. The saw delivers maximum power in the 50cc class. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- LowVib®
- Husqvarna Air Injection[™]
- X-Torg[®] Engine
- AutoTune[™]

GAS CHAINSAW

545 Mark II

Heated handles and carburetor (optional)

٦t	50.1 cm ³	·**)	.325"		
Ξ.	3.6 hp	• 5	16-20 in	<u> </u>	
\mathcal{I}	3.6 hp	THE SECOND	16-20 in	\square	11.7 lbs

The second generation of Husqvarna's 545 chainsaw is a 50cc unit that's ready for felling, limbing and bucking of small and midsize trees. Designed for professional forestry and tree care crews, this durable saw has improved power and a slimmed-down design. A host of innovative features guarantee comfortable and efficient operation, season after season.

- Excellent cooling capacity for a longer life
- Magnesium crankcase
- AutoTune[™]

- Smart Start™

Husava

A lightweight and powerful, battery-powered chainsaw. Ideal for crown reduction and lighter tree removals where you need the extra reach a rear-handle chainsaw provides. Features excellent ergonomics. high chain speed and all the comfort of battery power without compromising performance.

- Brushless E-TORQ motor
- savE[™] Intuitive keypad
 - Weatherproof (IPX4)
 - 35cc class cutting performance

BATTERY CHAINSAW 540i XP[®]



 .325"mini
 14-16 in [^]∩ 6.39 lbs

A rear-handle battery powered chainsaw with impressive power output - on par with a professional 40cc gas chainsaw. Ideal for tree removal and thinning as well as for arborist groundcrew work. Features advanced user interface with battery status and start/ stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.


Brushless E-TORQ motor

- ∎ savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)

BATTERY CHAINSAW

40cc class cutting performance

durable chainsaw for a long product life.





FORESTRY TOOLS

Everything else you may need in the forest

Your chainsaw may be your most important piece of equipment, but it's certainly not the only one. Whether you're a full-time logger or work professionally with tree care, we have a wide range of equipment to offer, from felling tools and axes to tool belts and bags. Of course, they are all held to our high standards of quality and reliability. Read more on page 44.



.325"mini			
10-14 in	Ĉ	5.29 lbs	

25"mini		
)-14 in	Â	5.29 lbs
, 14 III		0.20 103



HUSOVARNA CHAINSAW ACADEMY

Improve your skill set

Welcome to Husqvarna Chainsaw Academy - our online source for information about safe, convenient and efficient chainsaw work. It's the perfect quide for professionals. No matter what kind of experience you have, and how many trees you've cut down over the years, there's always room for improvement. Just so that you're prepared for wind-lashed forests and anything else unusual and dangerous that the elements might throw at you. Go to chainsawacademy.husqvarna.com





With its 38cc engine, this is an impressively powerful top-handle chainsaw. The perfect tool for all sorts of professional tree care, when you need excellent performance in combination with great ergonomics.

- X-Torq[®] Engine
- LowVib[®]
- Smart Start[™]
- Husqvarna Air Injection[™]
- AutoTune[™]



11	35.2 cm ³		3/8"mini			
				-		
2	2.01 hp	→	12-16 in	Â	7.5 lbs	

Mid-sized, lightweight 35cc top-handle chainsaw, for all sorts of professional tree care. The low weight and wellbalanced saw body makes it very easy to work with.

- X-Torq[®] Engine
- LowVib[®]
- Smart Start[™]

- X-Torq[®] Engine
- Husqvarna Air Injection™

BATTERY TREE-CARE CHAINSAW

T540i XP[®]

 .325"mini
 .325"mini
 .325"mini _____ 5.51 lbs

Our most powerful top-handle battery powered chainsaw with impressive power output - on par with a professional 40cc gas chainsaw. Ideal for tree care and climbing work thanks to excellent ergonomics and low weight. Features advanced user interface with battery status and start/stop, excellent ergonomics and provides user-friendly balance and maneuverability. Needs to be powered with BLi300 or BLi200X battery for full performance.

- Brushless E-TORQ motor
- I savE™
- Intuitive keypad with battery status
- Weatherproof (IPX4)
- 40cc class cutting performance

BATTERY TREE-CARE CHAINSAW

T535i XP[®]





A very lightweight and powerful, battery-powered tophandle chainsaw. Ideal for crown reduction and lighter tree removals. Features excellent ergonomics, high chain speed and all the comfort of battery power, with a power output equivalent of a 35cc gas chainsaw.

- Brushless E-TORQ motor
- savE[™]
- Intuitive keypad
- Weatherproof (IPX4)
- 35cc class cutting performance

GAS TREE-CARE CHAINSAW **T525**



	27.0 cm ³	3/8"mini		
Ō	1.48 hp	12 in	Ĉ	5.95 lbs

Very lightweight and well-balanced, 27cc top-handle chainsaw. Thanks to its quick acceleration, easy starting and great reliability, it's an efficient choice for trimming, pruning and small crown reduction.

- LowVib[®]





HUSQVARNA T540i XP® AND 540i XP®

Outstanding battery power performance

Impressive power on par with 40cc gas engines. Start and stop at the press of a button. And no exhausts. Husqvarna's battery powered chainsaws are tree care innovation and technology taken to the next level.

ARBORIST ACCESSORIES

Gear up for the treetops

Husqvarna's range of arborist accessories caters to professionals who rely on quality tools for quality work. Helmets, high quality throw lines and weights, wedges, carabiners and sturdy rope bags - we've got you covered. Read more on page 44.

The best battery chainsaw (and our battery-powered future)

Batteries have come a long way! Just a few years ago, most arborists and landscapers would have scoffed at the idea of a cordless electric chainsaw that could deliver power and performance equal to that of a gas-powered unit.

But that's no longer the case. More commercial crews than ever are adding battery units to their trucks. Some are even going 100% electric. Pros are hearing the other side of the gas vs battery debate and learning the many benefits of battery.

With equipment like the 540i XP[®] and T540i XP[®] continuing to make headlines, there's no better time to experience the power and performance of Husqvarna battery tools for yourself.



540i XP[®] — Most Powerful Cordless Chainsaw

In the category of "Most Powerful Cordless Chainsaw," top honors were awarded to Husqvarna's 540i XP® battery chainsaw. In explaining their selection, the editors of Popular Mechanics wrote:

"In our recent test of electric chainsaws, the 40-volt 540i XP® cranked out 124 test discs of six-inch-diameter ash. What that number doesn't tell you is how quickly and easily it got to that number — without stalling, vibration, or tiring us out. The saw is supremely capable of firewood production, storm cleanup, and landscaping maintenance."




T540i XP[®] — The best batterypowered chainsaw 2020 (PTIA)

The T540i XP® top-handle chainsaw won top honors among battery-powered chainsaws in the Pro Tool Innovation Awards (PTIA). In praising the T540i XP® as an efficient commercial solution, the PTIA editors said:

"This chainsaw features a ground-up, new design and was developed with professional users in mind. Used with the newly released BLi200X battery, this new chainsaw has capabilities equivalent to professional 40cc class petrol chainsaws, making it ideal for tree removals and smaller felling tasks."



Husqvarna



longest reach. Excellent ergonomics and superior balance help you achieve high-end results with minimum effort. For an improved working position, use the Balance Flex harness.

X-Torq® Engine

Telescopic shaft

long reach and easy transporting between work sites. Low weight, excellent ergonomics and superior balance help you work comfortably even with less accessible vegetation.

Battery pole saw with a performance power output

equivalent of a 30cc gas machine. Its low weight,

excellent ergonomics and quiet operation make it

Brushless E-TORQ motor

Intuitive keypad

Weatherproof (IPX4)

Slimmed designed cutting head

savE[™]

comfortable to use in any location at any time of day.

provides excellent ergonomics and superior balance, helping you avoid stresses and strains that come from awkward working positions.

X-Torg® Engine



X-Torq[®] Engine

Detachable shaft

Battery pole saw with a telescopic shaft that offers our longest reach and has a power output equivalent of a 30cc gas machine. Its low weight, excellent ergonomics and guiet operation make it comfortable to use in any location at any time of day.

Brushless E-TORO motor

- I savE™
- Intuitive keypad
- Weatherproof (IPX4)
- Telescopic shaft
- Slimmed designed cutting head



SAW HEAD DESIGN

Impressive precision and a clear view

Husqvarna pole saws allow you to adopt a comfortable working position where you always have total control. The key to this is the slim design of the saw head, making the saw extremely well-balanced. You also have an unobstructed view of what you're pruning, further enhanced by the fact that the cutter bar is positioned on the left side instead of the right.

525DEPS MADSAW



As the industry's first and only dielectric gas-powered pole saw that is individually tested to meet OSHA 1910.269, the MADSAW[™] delivers an extra measure of safety for skilled line workers, utility workers, and tree care professionals. The MADSAW[™] can be used in the bucket, in the tree, or on the ground for extreme versatility. Purposeful design allows the pole saw's sections to quickly disconnect for secure storage in a tree care truck or utility vehicle. More productive than a manual saw and more useful than a hydraulic unit, the MADSAW[™] makes pruning and limbing projects more efficient than ever before.

- Meets OSHA 1910.269
- Toolless couplers
- Multiple lengths
- Adjustable, automatic chain lubrication
- Tether point
- X-Torq[®] Engine

READ MORE



STORAGE BAG

extra storage.

Find our entire range of pole saws and accessories by visiting husqvarna.com/us/pole-prunerssaws/



BOOM MOUNTS

For transport and storage of the MADSAW™. Designed to store the dielectric segment and extension shafts in order to help maintain integrity of the fiberglass segment. The bag also features an exterior pouch with button snaps for square booms.

🗍 Cylinder displacement, cm³ 🖑 Power output, hp 🗒 Chain pitch, in 🗮 Recommended bar length min-max, in 🖆 Max. length with cutting equipment, in 🛆 Weight (excluding cutting equipment and battery where applicable). lbs 🛛 For more technical specifications and information on engine power rating see pages 32–33.

525DEPS MADSAW™

An extra measure of safety

The industry's first and only dielectric gaspowered pole saw that is individually tested to meet OSHA 1910.269.



Designed specifically for the Husqvarna 525DEPS MADSAW. Rubber trim for bar/chain oil reservoir protection. High quality fiberglass construction and ratchet straps for durability. Designed for both round or



DIELECTRIC BAR AND CHAIN OIL

MADS

See page 65 for a complete range of Husgvarna fuel and lubricants

32 CHAINSAWS

GAS CHAINSAWS	3120 XP	395 XP	592 XP®	585	390 XP	372 XP®	365	572 XP®	565	562 XP®	555	550 XP® Mark II	545 Mark II
TECHNICAL SPECIFICATIONS													
Cylinder displacement, cm ³	118.8	94	92.7	86	88	70.7	70.7	70.6	70.6	59.8	59.8	50.1	50.1
Power output, hp	8.4	6.6	7.6	6.9	6.5	5.5	4.9	5.8	5	4.7	4.16	4	3.6
Sound pressure level at operator's ear, dB(A)*	102	102	112	112	107	110	110	107	105	106	106	107	106
Sound power level guaranteed (LWA) dB(A)**	116	115	119	119	119	119	119	120	119	118	118	117	116
Equivalent vibration level (ahv, eq) front/rear handle, m/s ^{2***}	6.7 / 7.8	6.5 / 10.2	6.6/5.3	6.6/5.3	6.5 / 7.5	5.7/8.0	5.7/8.0	5.4/4.1	5.2/5.3	3.2/5.0	3.2/5.0	3.3/4.9	3.6/4.1
Chain pitch, inch	.404"	3/8"	3/8"	3/8"	3/8"	3/8	3/8	3/8	3/8	3/8	3/8	.325	.325
Recommended bar length, min-max, inch	24-42	20-36	18-36	18-36	16-32	16-32	16-28	20-32	20-28	18-28	18-24	16-20	16-20
Weight (excl. cutting equipment), lbs	22.9	17.4	16.3	16.5	16.1	14.5	14.1	14.5	14.3	13.4	13	11.6	11.6
EATURES													
LowVib®	•	•	•	•	•	•	•	•	•	•	•	•	•
Smart Start™	•	•	•	•	•	•	•	•	•	•	•	-	•
Adjustable oil pump	•	•	•	•	•	•	•	•	•	•	•	•	•
Inertia chain brake	•	•	•	•	•	•	•	•	•	•	•	•	•
Magnesium crankcase	•	•	•	•	•	•	•	•	•	•	•	•	•
Quick release air filter cover	•	•	•	•	•	•	•	•	•	•	•	•	•
Quick-release air filter	•	•	•	•	•	•	•	•	•	•	•	•	•
Air Injection™	-	•	•	•	•	•	•	•	•	•	•	•	•
Side-mounted chain tensioner	-	-	•	•	•	•	•	•	•	•	•	•	•
X-Torq® engine	-	-	•	•	-	•	•	•	•	•	•	•	•
Combined choke /stop control	-	-	•	•	-	•	•	•	•	•	•	•	•
Snap-lock cylinder cover	-	-	•	•	-	•	•	•	•	•	•	•	•
Heated handles	-	-	• (optional)	-	-	-	-	 (optional) 	-	• (optional)	-	 (optional) 	• (optional)
Heated carburetor	-	-	• (optional)	-	-	-	-	 (optional) 	-	• (optional)	-	 (optional) 	• (optional)
AutoTune™	-	-	•	-	-	•	•	•	•	•	•	•	•
Fuel pump	-	-	•	•	-	-	-	•	•	•	•	•	•
Retained bar nuts	-	-	•	•	-	•	•	•	•	•	•	•	•
Visible fuel level	-	-	•	•	-	•	•	•	•	•	•	•	•

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/ EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

540i XP®	535i XP®	
Li-ion	Li-ion	
40	40	
BLDC (brushless)	BLDC (brushless)	
95	93	
106	106	
3.6/3.7	2.5/2.8	
.325mini	.325mini	
14-16	10-14	
6.3	5.7	
•	•	
•	•	
•	•	
•	-	
-	•	
•	•	
	Li-ion 40 BLDC (brushless) 95 106 3.6/3.7 .325mini 14-16 6.3	Li-ion Li-ion 40 40 BLDC (brushless) BLDC (brushless) 95 93 106 106 3.6 / 3.7 2.5 / 2.8 .325mini .325mini 14-16 10-14 6.3 5.7 • • • •

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J 1349/IS0 1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

34 CHAINSAWS

GAS TOP HANDLE CHAINSAWS	T540 XP® II	T435	T525
TECHNICAL SPECIFICATIONS			
Cylinder displacement, cm ³	37.7	35.2	27.0
Power output, hp	2.4	2	1.5
Sound pressure level at operator's ear, dB(A)*	104	103	98
Sound power level guaranteed (LWA) dB(A)**	116	114	111
Equivalent vibration level (ahv, eq) front /rear handle, m/s ^{2***}	3.5 /4.2	3.6/3.9	4.9/5.2
Chain pitch, inch	.325"mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	14-16	12-16	12
Weight (excl. cutting equipment), lbs	8.6	7.5	6
FEATURES			
X-Torq® engine	•	•	•
LowVib®	•	•	•
Smart Start™	•	•	•
Inertia chain brake	•	•	•
Adjustable oil pump	•	•	•
Fuel pump	•	•	•
Quick release air filter cover	•	•	•
Quick-release air filter	•	•	•
Side-mounted chain tensioner	•	•	•
Flip-up tank caps	•	•	•
Air Injection™	•	-	•
Retained bar nuts	•	-	•
Magnesium crankcase	•	-	-
Belt eyelet	•	-	•
AutoTune™	•	-	-
Visible fuel level	•	_	•

*Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1–3 dB(A). ***Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level as a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY TOP HANDLE CHAINSAWS	T540i XP®	T535i XP®
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	92	93
Sound power level guaranteed (LWA) dB(A) **	103	106
Equivalent vibration level (ahv, eq) front /rear handle, m/s ² ***	2.1/3.4	2.0/2.4
Chain pitch, inch	.325"mini	.325"mini
Recommended bar length, min-max, cm/inch	12-16	10-14
Weight (excl. battery and cutting equipment), lbs	5.5	5.3
FEATURES		
savE™	•	•
Intuitive keypad with battery status	•	-
Intuitive keypad	-	•
Inertia chain brake	•	•
Belt eye let	•	•
Flip up tank cap	•	•
Retained bar nuts	•	•

*Equivalent sound pressure level at the operator's ear, measured according to EN ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine includes statistical uncertainty. **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867, m/s². Typical statistical dispersion (standard deviation) of ± 1 m/s².

NOMINAL POWER The EU machinery directive (2006/42/EC) came into force on January 1, 2010, requiring manufacturers to declare the nominal power of engines, in kilowatts (kW). The power rating of the engines indicated is the average net power output during a normal working situations and meets applicable noise regulations (at specified rpm, see owner manual) of a typical production engine for the engine model measured to SAE standard J1349/IS01585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.

GAS POLE SAWS	525PT5S	525P5S	525P4S	525DEPS MADSAW™
TECHNICAL SPECIFICATIONS				
Cylinder displacement, cm ³	25.4	25.4	25.4	25.4
Power output, hp	1.36	1.36	1.36	1.36
Sound pressure level at operator's ear, dB(A)*	89	90	91	91
Sound power level guaranteed (LWA) dB(A) **	107	107	107	111
Equivalent vibration level (ahv, eq) front /rear handle, m/s ^{2***}	6.3/5.3	2.3/3.7	2.9/3.2	7.5 /10
Chain pitch, inch	1/4	3/8mini	3/8mini	3/8mini
Recommended bar length, min-max, inch	12	12	12	12
Max. length with cutting equipment, feet	16	16	13	12.5
Weight (excl. cutting equipment), lbs	15.4	14.1	11.7	16.4
EATURES				
X-Torq® engine	•	•	•	•
Auto return stop switch	•	•	•	•
Chain lubrication	•	•	•	•
Chain tensioner	•	•	•	•
Fuel pump	•	•	•	•
Rear impact guard	•	•	•	•
Stand alone starter	•	•	•	•
Telescopic tube	•	-	-	-
Inertia balancing wheel	-	•	•	
Detachable shaft	-	•	-	•
Fiberglass shaft	-	-	-	•
Toolless couplers	-	-	-	•
Tested to OSHA 1910.269	-	-	-	•
IARNESS INCLUDED				
Standard single	•	•	•	-
Balance Flex	(•)	(•)	(●)	-

(•) = Accessory *Equivalent sound pressure level, according to ISO 22868, is calculated as the time-weighted energy total for different sound pressure levels under various working conditions. Typical statistical dispersion for equivalent sound pressure level is a standard deviation of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) in conformity with EC directive 2000/14/EC. The guaranteed sound power level includes variation in production as well as variation from the test code with 1-3 dB(A). *** Equivalent vibration level, according to ISO 22867, is calculated as the time-weighted energy total for vibration levels under various working conditions. Reported data for equivalent vibration level has a typical statistical dispersion (standard deviation) of 1 m/s².

BATTERY POLE SAWS	530iPT5	530iP4
TECHNICAL SPECIFICATIONS		
Battery type	Li-ion	Li-ion
Voltage, V	40	40
Motor type	BLDC (brushless)	BLDC (brushless)
Sound pressure level at operator's ear, dB(A) *	83	88
Sound power level guaranteed (LWA) dB(A) **	98	98
Equivalent vibration level (ahv, eq) front /rear handle, m/s ^{2***}	1.0/1.2	1.0/0.9
Chain pitch, inch	1/4	1/4
Recommended bar length, min-max, inch	10-12	10-12
Length, extended, with cutting equipment, inch	157	98
Weight (excl. battery and cutting equipment), lbs	10.1	7.6
EATURES		
savE™	•	•
Intuitive keypad	•	•
Harness eyelet	•	•
Rear impact guard	•	•
Retained bar nuts	•	•
Flip up tank cap	•	•
Telescopic tube	•	-
HARNESS INCLUDED		
Single harness	•	•
Backpack battery harness	-	-

*Equivalent sound pressure level at the operator's ear, measured according to ISO 22868, dB(A). Reported data for equivalent sound pressure level for the machine has a typical statistical dispersion (standard deviation) of 1 dB(A). **Noise emissions in the environment measured as sound power (LWA) is reported as guaranteed value in conformity with EC directive 2000/14/EC, with statistical dispersion included. Measured according to ISO 22868. ***Equivalent vibration levels (ahv,eq) at handles, measured according to EN ISO 22867. m/s². Typical statistical dispersion (standard deviation) of ± 2 m/s².





Money back guarantee

We're confident you'll love your new Husqvarna chainsaw. So confident that we offer a money-back guarantee so you can buy without reservation. If you're not satisfied with a qualifying professional chainsaw within seven days of purchase, you can return it for a full refund or store credit towards the purchase of a new Husqvarna product from the dealer.

*Terms and conditions apply. Valid at your local participating Husqvarna Dealer only. All models are not available at all dealers, so be sure to call or visit your local dealer for more information



1-Year professional gas powered warranty



2-Year professional battery powered warranty

Your Husqvarna chainsaw is more than a purchase, it's an investment in cutting excellence. Season after season, you depend on your chainsaws for your livelihood. As one of our customers, we know you're putting your trust in us. That's why we offer a 1-year professional-use warranty on our gas-powered professional and XP chainsaws.

*During the 1 year warranty period, Husqvarna will at its option repair or replace, at no charge, any product or part purchased after 1st of January 2019 that has a defect in material or workmanship under normal use and maintenance (including any commercial, professional, agricultural, institutional or income-producing use). This warranty is subject to the terms and conditions in Husqvarna's Limited Warranty. See the details of Husqvarna's manufacturer's warranty.

Husqvarna Professional Chainsaws

The following powerhead, bar and chain configurations are available from your local Husqvarna dealer.

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER	MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER	
535i XP	.325 mini	0.043	14	967893874				20	970493070	
5 40: VD	205	0.040	14	967864014		2/0		24	970493074	
540i XP	.325 mini	0.043	16	967864016	_	3/8	0.050	28	970493078	
543 XP	0.325	0.050	16	967146202				32	970493082	
			16	967690636				20	970493030	
	0.325	0.050	18	967690638	585	2/0	0.059	24	970493024	
545 Mark II			20	967690640		3/8	0.058	28	970493028	
	0.325	0.058	16	967690616				32	970493032	
	0.325	0.056	18	967690618				28	970493088	
			16	967690836	_	3/8	0.063	32	970493092	
	0.325	0.050	18	967690838				36	970493096	
550 XP			20	967690850	_			20	965060720	
Mark II			16	967690816	_	3/8	0.050	24	965060724	
	0.325	0.058	18	967690818	_	5/0	0.050	28	965060728	
			20	967690820	_			32	965060732	
			18	970501404	– 390 XP			20	965060730	
	3/8	0.050	20	970501406		3/8	0.058	24	965060734	
555			24	970501408	_			28	965060738	
555			18	970501405	_			28	965060750	
	3/8	0.058	20	970501407	_	3/8	0.063	32	965060714	
			24	970501409				36	965060751	
			18	970502102	_			20	970493150	
	3/8	0.050	20	970502104		3/8	0.050	24	970493154	
	5/0	0.050	24	970502106	_			28 X-Tough RSN	970493168	
			28	970502122				28 X-Tough Light	970493158	
562 XP	62 XP		18	970502103				32	970493152	
3/8	0.058	20	970502105	_			20	970493140		
	3/0	0.058	24	970502115		3/8	0.058	24	970493144	
		28	970502123	392 AP	3/0	0.000	28	970493148		
	3/8	0.063	28	970502128				32	970493132	
	3/8 0.050		20	966428621				28	970493178	
		0.050	24	966428694				32 X-Tough RSN	970493162	
365			28 966428624	3/8	0.063	32 X-Tough Light	970493142			
300			20	966428620	_		_	36 X-Tough RSN	970493156	
	3/8	0.058	24	966428623	_			36 X-Tough Light	970493146	
			28	966428625				20	965902749	
				20	966733906	_			24	965902737
	3/8	0.050	24	966733908	_	3/8	0.050	28	965902739	
5.65			28	966733910	_			32	965902709	
565			20	966733907	—			36	965902720	
	3/8	0.058	24	966733909				20	965902762	
			28	966733911	– 395 XP	270	0.050	24	965902763	
			20	965968308	_	3/8	0.058	28	965902765	
	3/8	0.050	24	965968311	_			32	965902772	
			28	965968315	_			28	965902771	
372 XP			20	965968309	_	3/8	0.063	32	965902735	
	3/8	0.058	24	965968312	_			36	965902710	
			28	965968321	3120 XP*	-	-	-	965960701	
	3/8	0.063	32	965968343					*Powerhead onl	
			20	966733106	_					
	3/8	0.050	24	966733108	_					
			28	966733111	_					
			20	966733107		E CHAINSAV	2V			
572 XP	3/8	0.058	24	966733109						
	0,0	0.000	28	966733112	MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER	
			28	966733113		3/8	0.050	12	967633312	
	3/8	0.063	32	966733114		.325 mini	0.030	12	970502128	
			52	500755114	10001 AT	.525 mm	0.040	12	966997232	

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	ITEM NUMBER
T525	3/8	0.050	12	967633312
T535i XP	.325 mini	0.043	12	970502128
			12	966997232
T435	3/8	0.050	14	966997234
			16	966997236
T540 XP II	.325 mini	0.050	14	967287614
(49 State)	.323 111111	0.050	16	967287616
			12	967863712
T540i XP	.325 mini	.325 mini 0.043	14	967863714
			16	967863716

Bar & chain fit-up

The following suggested bar and chain types are based on the most common original equipment combination. Additional Husqvarna bars and chains are available from your local dealer.

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
535i XP	.325 mini	0.043	14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
			14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
540i XP	.325 mini	0.043	16	64	X-Precision	596553664	SP21G X-Cut	596553364	5/32
			16	66	X-Force	596199766	SP33G X-Cut	581643666	3/16
	.325 Pixel	0.050	18	72	X-Force	596199772	SP33G X-Cut	581643672	3/16
543 XP			16	66	X-Force	596199866	H25	591099072	3/16
	.325 Pixel	0.058	18	72	X-Force	596199872	H25	591099078	3/16
			16	66	X-Force	596199766	SP33G X-Cut	581643666	3/16
			16	66	X-Force	596008966	SP33G X-Cut	581643666	3/16
	005 D: 1	050	18	72	X-Force	596199772	SP33G X-Cut	581643672	3/16
	.325 Pixel	050	18	72	X-Force	596008972	SP33G X-Cut	581643672	3/16
545			20	80	X-Force	596199780	SP33G X-Cut	581643680	3/16
MARKII			20	78	X-Force	596008978	SP33G X-Cut	581643678	3/16
550 X P			16	66	X-Force	596199866	H25	591099066	3/16
MARK II			16	66	X-Force	596009066	H25	591099066	3/16
			18	72	X-Force	596199872	H25	591099072	3/16
	0.325	058	18	72	X-Force	596009072	H25	591099072	3/16
			20	78	X-Force	596009678	H25	591099078	3/16
			20	78	X-Force	596009078	H25	591099078	3/16
			16	60	X-Tough	596687260	C83 X-Cut	585550060	7/32
			18	68	X-Tough	596687268	C83 X-Cut	585550068	7/32
	3/8	0.050	20	72	X-Tough	596687272	C83 X-Cut	585550072	7/32
			24	84	X-Tough	596687284	C83 X-Cut	585550084	7/32
555	3/8 0.058		16	60	X-Tough	596688260	C85 X-Cut	581626960	7/32
			18	68	X-Tough	596688268	C85 X-Cut	581626968	7/32
		0.058	20	72	X-Tough	596688272	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596688284	C85 X-Cut	581626984	7/32
			16	60	X-Tough	596687460	C83 X-Cut	585550060	7/32
			18	68	X-Tough	596687468	C83 X-Cut	585550068	7/32
	3/8	0.050	20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
365			24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
372 XP			28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
562 XP 565			16	60	X-Tough	596689160	C85 X-Cut	581626960	7/32
572 XP			18	68	X-Tough	596689168	C85 X-Cut	581626968	7/32
	3/8	0.058	20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
			24	84	X-Tough	596007584	C85 X-Cut	581626984	7/32
			28	93	X-Tough	596007593	C85 X-Cut	581626993	7/32
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
	2.0	0.050	24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
	3/8	0.050	28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
			20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
585	2/0	0.050	24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
	3/8	0.058	28	93	X-Tough	596689193	C85 X-Cut	581626993	7/32
			32	104	X-Tough	596689105	C85 X-Cut	581626905	7/32
			28	93	X-Tough	596689693	H83	591164093	Square
	3/8	0.063	32	105	X-Tough	596689605	H83	591164005	Square
		0.000	36	115	X-Tough	596689615	H83	591164015	Square

REAR HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
	2.0	0.050	24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
	3/8	0.050	28	93	X-Tough Light	599656793	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
			20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
	3/8	0.058	24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
592 XP	3/8	0.058	28	93	X-Tough	596689193	X-Cut C85	591164093	7/32
			32	105	X-Tough	596689105	C85 X-Cut	581626905	7/32
			28	93	X-Tough	596689693	C83 X-Cut	585550093	Square
			32	105	X-Tough	596689605	H83	591164005	Square
	3/8	0.063	32	105	X-Tough Light	599958405	H83	591164005	Square
			36	115	X-Tough	596689615	H83	591164015	Square
			36	115	X-Tough Light	599958415	H83	591164015	Square
			18	68	X-Tough	596687468	C83 X-Cut	585550068	7/32
			20	72	X-Tough	596687472	C83 X-Cut	585550072	7/32
	3/8	0.050	24	84	X-Tough	596687484	C83 X-Cut	585550084	7/32
			28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
			32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
390 XP 395 XP			18	68	X-Tough	596689168	C85 X-Cut	581626968	7/32
			20	72	X-Tough	596689172	C85 X-Cut	581626972	7/32
	3/8		24	84	X-Tough	596689184	C85 X-Cut	581626984	7/32
	3/8	0.058	28	93	X-Tough	596689193	C85 X-Cut	581626993	7/32
			32	105	X-Tough	596689105	C85 X-Cut	581626905	7/32
			36	115	X-Tough	596689115	C85 X-Cut	581626915	7/32
	2/9	0.050	28	93	X-Tough	596687493	C83 X-Cut	585550093	7/32
2120 VP	3/8	0.050	32	105	X-Tough	596687405	C83 X-Cut	585550005	7/32
3120 XP	3/8	0.058	32	105	X-Tough	596689105	C85 X-Cut	581626905	7/32
	0.404	0.063	32	95	X-Tough	596690095	H64S	591164495	7/32

TOP HANDLE CHAINSAWS

MODEL	PITCH	GAUGE	BAR LENGTH	DRIVE LINKS	BAR MODEL	BAR ITEM NO.	CHAIN MODEL	CHAIN ITEM NO.	FILE SIZE
T525	3/8 Mini	0.050	12	45	X-Precision	596009745	S93G X-Cut	585422145	5/32
T535i XP	.325 Mini	0.043	12	51	X-Precision	596553651	SP21G X-Cut	596553351	5/32
			12	45	Laminated	596009745	S93G X-Cut	585422145	5/32
T435	3/8 Mini	0.050	14	52	Laminated	596009752	S93G X-Cut	585422152	5/32
			16	56	Laminated	596009756	S93G X-Cut	585422156	5/32
T540 XP	.325 Mini	0.050	14	52	X-Precision	596553659	SP21G X-Cut	596553359	5/32
1540 88	.325 MINI	0.050	16	56	X-Precision	596553664	SP21G X-Cut	596553364	5/32
			12	51	X-Precision	596553651	SP21G X-Cut	596553351	5/32
T540i XP	KP .325 Mini 0.043	0.043	14	59	X-Precision	596553659	SP21G X-Cut	596553359	5/32
		16	64	X-Precision	596553664	SP21G X-Cut	596553364	5/32	

X-CUT[™] CHAINS AND X-FORCE[™] BARS

Designed by Husqvarna

At Husqvarna, we're experts at making chainsaws. We know how essential the guide bar and chain are for total performance. That's why we see them as extensions of the chainsaw, not add-ons. We used our expertise to develop optimal guide bars and chains specifically for Husqvarna chainsaws. To provide perfect fit and performance, our X-CUT™ chains are developed side by side with our chainsaws in our manufacturing facilities in Sweden. This process has significantly improved the chains and made a real difference to the output of the chainsaw. Once you've tried it, we think you'll agree.



Materials and manufacturing processes are refined to the extreme, giving the X-CUT[™] chain impressive sharpness out of the box, and even more importantly sharpness that lasts considerably longer before filing is needed.

The X-CUT[™] chain is pre-stretched at the factory so you can work for longer before re-tensioning is needed. No unnecessary chain tension required. The risk of damaging the cutting system with a slack chain is also decreased.

Increased bar width for improved durability

BHUSQVarna

Optimized center plate design for reduced weight and a more robust,

long-life bar





MINIMUM DOWNTIME. MAXIMUM RESULTS Husqvarna X-CUT™

X-CUT[™] chains are the first chains to have been developed, designed and manufactured by Husqvarna - and it has all been done in the city of Huskvarna, Sweden, where our chainsaws are developed and tested. Husgvarna X-CUT[™] chains are designed to maximize your output, allowing you to work longer without interruptions. You will feel the difference, and you will produce more in the long run.

DURABLE. LIGHTWEIGHT GUIDE BARS Husqvarna X-FORCE™

X-FORCE[™] guide bars are Husqvarna's answer to the challenge of designing the perfect guide bar - a bar that's both lightweight and lowmaintenance to minimize your burden, yet durable enough to withstand tough work over a long time. Husqvarna X-FORCE[™] guide bars are developed in tandem with Husqvarna X-CUT[™] chains, optimized for Husqvarna chainsaws. The result is a cutting system that makes your chainsaw perform on an entirely new level - delivering a fast, precise kerf with minimal friction loss.

A carefully balanced combination of construction, materials and processes mean excellent, dynamic durability. Wear on the cutting system is reduced - and so is the need for service.

Thanks to the intuitive golden tie strap function, you easily can locate the starting point, simplifying the filing of the chain

Optimized profile for lower wear and longer lifetime

body.

X-CUT[™] chain is made for making

faster cuts, and it's ready to be

used straight out of the box. This

your results. The smooth cutting

reduces the feed force needed,

making the work easier on your

improves your efficiency - and

EXTRA DURABLE SOLID GUIDE BARS Husqvarna X-TOUGH[™] and X-TOUGH[™] LIGHT

Reinforced, maintenancefree nose sprocket

X-TOUGH[™] is the perfect match for your Husqvarna chainsaw when a durable, robust guide bar is your top priority. Designed with a solid steel body and RSN mount for maximum durability, X-TOUGH[™] bars' high stiffness make straight cuts easier in almost any environment, with minimal pinching. X-TOUGH[™] LIGHT offers a similarly robust performance with 10-15% less weight, increasing maneuverability, especially with longer guide bars.



HUSQVARNA X-CUT™ SP21G

SP21G is a semi-chisel .325"mini 1.1 mm chain with low kickback, specially developed to increase the cutting speed and efficiency for full-time use battery chainsaws. The chain is energy efficient and the optimized geometry delivers a consistently smooth cut, and excellent bore cut as well as improved handling and maneuverability - key characteristics when performing tree care. Fits the .325"mini X-PRECISION™ bars.



HUSQVARNA X-CUT™ S93G

This semi-chisel 3 /8"mini 1.3 mm S93G chain is developed to fit smaller rear- and top-handle saws. Optimized geometry and grinding provides high cutting speed as well as low kickback. High efficiency balanced against the available power from the chainsaw will enable a smooth and precise cut.



Semi-chisel Pixel .325" 1.3 mm chain with low kickback

and low stretch. The narrow kerf equals impressive

cutting efficiency. Developed for professional use on

mid-size chainsaws, up to 55cc. Original equipment on

HUSQVARNA X-CUT™ C83 & C85


HUSQVARNA X-CUT™ SP33G

Superior cutting efficiency in clean conditions. An advanced chisel 3 /8" 1.5 mm chain for 60–90cc chainsaws. Made for full-time professional use. The chain is made entirely by Husqvarna to ensure you get the best possible output from your chainsaw. With superior cutting efficiency, a sharpness that lasts and low stretch, it gives you better results, less need for maintenance and lower costs.

Husqvarna 尚Husqvarna[®]


HUSOVARNA X-FORCE[™] BARS

The X-FORCE[™] laminated bars offer easier maintenance and increased productivity. Depending on the model, these benefits come from features such as updated profiles, larger nose sprocket, cutouts in the center plate, additional bearings, supported shields, and the removal of the grease hole. Available in 3/8" (15-20"), 3/8" mini (12-16") and .325" (13-20").




HUSQVARNA X-PRECISION™ BARS

The X-PRECISION[™] bars are designed specifically for use with the X-CUT[™] SP21G chain on Husqvarna battery-powered professional chainsaws. The optimized overall geometry and small nose radius provide efficient cutting with precise control, excellent bore cutting properties and reduced risk of kickback. Available in .325"mini (10-16").




HUSOVARNA LAMINATED BARS WITH NOSE SPROCKET

The gentle curve and small nose radius reduce the risk of kickback and facilitates good cutting control. Coated bars to protect against scratches and corrosion. Available in 3/8"mini (10-16").



HUSQVARNA X-TOUGH™ BARS WITH HARD NOSE

Solid bars are used for hard species of timber, thick bark and in very sandy, dusty or sooty conditions. The bars are coated to protect against scratches and corrosion. Available in 3/8" (18-28") and .404" (24-42").



HUSOVARNA X-TOUGH™ BARS WITH REPLACEABLE SPROCKET NOSE

Solid RSN bar with great durability and robustness. The load is transferred to the high-quality roller bearing. The bars are coated to protect against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3/8" (16-28"), .325" (18") and .404" (24-42").



HUSQVARNA X-TOUGH™ LIGHT BARS WITH REPLACEABLE SPROCKET NOSE

A lightweight solid RSN bar. Improves the maneuverability while maintaining durability and robustness. The load is transferred to the high-quality roller bearing. Wear-resistant paint protects against scratches and corrosion. Replaceable tip is available as a spare part. Available in 3 /8" (20-36").

Husqvarna

HUSOVARNA CARVING BAR

Carving bars have a smaller nose radius and are suitable for sculpting and other precision work. Available in 1/4" (10-12").

PIXEL CUTTING EQUIPMENT - FASTER AND LIGHTER

The slim design of Pixel cutting equipment makes a narrower cut which means an increase in cutting speed. The reduction in weight moves the center of gravity of the saw towards the rear. Together with a somewhat smaller rotating mass the gyro force is also reduced. Both of these are important factors, for example when limbing.



When you spend entire days working in the forest, you want to be sure to have all the equipment you need. And you want it easily accessible, but without constraints, all to be able to work efficiently and comfortably. A chainsaw from Husqvarna is of course a great start. And when you add the right professional tools within reach, you get the job done easier, safer and quicker.





Complete tool belt with two holsters, lifting hook, lifting tong, rear tool carrier and 15 m measuring tape. The tool belt is extra wide, to provide more support for the back.



Husqvarna



REAR TOOL CARRIER

With large storage pocket for first aid kit, spare chain and carburetor screwdriver. Holster for file, file gauge, combination spanner and tape measure



Holster for 8" Timber Tongs, Lifting Hook and Felling Wedges.



7. WEDGE POCKET Pocket for multiple wedges, with individual sections keeping them in place.





TOOL BELT FLEXI – CARRIER KIT



A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle specially developed for forestry work. Intuitive and easy to personalize with easily attached holders, pockets and harness.

Tool belt FLEXI. Harness. Accessory bag. File and combi-tool holder. Universal bag. Carrier hook. Wedge pocket.

The caliper holster from our classic tool belt can also be used with tool belt FLEXI. **13. BREAKING BAR HOLSTER**



GRAPHITE CRAYONS Weather resistant graphite crayons for marking on dry and wet wood. Hexagonal, diameter 12 x 120 mm, 12 pcs/ package

CRAYON HOLDER

to the tool belt or harness.

WITH REEL



MEASURING TAPE

1. TOOL BELT FLEXI

impact bar etc.

kept in its place.

9. CARRIER HOOK

cans or other equipment.

10. SPRAY CAN HOLDER

12. CALLIPER HOLSTER

8. UNIVERSAL TOOL HOLDER

A flexible and ergonomic tool belt with excellent weight distribution and adjustable, one-hand-release belt buckle.

Multi-purpose holder for carrying tools such as an axe,

A multi-purpose hook for carrying various tools, water

Holster for a spray can that makes sure it is securely

Holder for one round and one flat file, plus combi-tool.

The holder effectively prevents broken or lost tools.

11. FILE AND COMBI-TOOL HOLDER

Easy to use, lightweight design, ideal for measuring logs and stems. Can be adjusted without tools. Marked on both sides. Robust with aluminum top.

Holder with spring-loaded metal reel for 12 mm crayons. Robust design with a metal reel that can be attached



KALIX CLIMBING ROPE 16 Strand construction. ½" diameter. Easy to grip. Great friction hitch interface. Polyester cover over nylon core. High abrasion resistance. Excellent energy absorption. Low Stretch. 8,260 lb tensile strength. 6740 lb MBS Rating



STRYKA CLIMBING ROPE

Double-braid construction features a robust polvester 24-strand sheath, minimal elongation, soft handling and easy knotability, ideal for single rope and double rope climbing techniques. 6744 lb MBS Rating



EYE-N-EYE PRUSIK Polyester/aramid cover with polyester. High abrasion resistance. Heat resistance. Excellent rope interface. Works well with hitch



climber pulleys.

BREAKING BAR WITH CANT HOOK

Fully forged with plastic handle, repeat heel and turning hook.



2-IN-1 SAFETY LANYARD

Double action aluminum snap hooks. Lightweight hardware. Prevents accidental opening. Sewn eye terminations. Eliminates knot tying. Red hip prusik. 16 strand rope construction. High abrasion resistance. Blue core alerts user of damage/worn sheath.

CHAINSAW STRAP, ARBORIST

To be used together with a chainsaw hook for connecting the chainsaw to a belt. Elastic design. Measures 20" when relaxed and 49" fully stretched out.

CHAINSAW HOOKS, ARBORIST

For easy connection of a chainsaw to a harness, Robust construction, Optimized for T540 XP®, T540i XP® and T535i XP®.

THROW WEIGHTS, ARBORIST

High-quality weights made with highly durable Cordura fabric. Easy to attach safely to the throwline. The orange color also provides good visibility

CARABINER, ARBORIST

Made from hot forged 707 Aluminum for high strength and low weight. Triple locking system prevents accidental opening. Key lock gate nose limits snagging of rope and clothing, CE Certified per EN 362:2004/B.



CLEARING AXE

With hickory shaft and double-edged blade that's reversible and replaceable.





Short-handled for moving logs. Polished metal head with sharply curved tip. Part of the wooden handle is painted in orange for improved visibility.





FELLING WEDGES

Made of high-impact ABS plastic. Helps the tree fall in the right direction.

LIFTING / TIMBER TONGS

Sharp tongs with grinded edges. Special hardened steel with treated surface makes them robust and less sensitive to rust.

LIFTING HOOK

Extended hook with a longer, wider opening to give a better grip when working. Special hardened steel with treated surface makes it robust and less sensitive to rust.



THROWLINE, ARBORIST

Made from high-strength, low-stretch Dyneema® fiber. The urethane coating makes it abrasion resistant and easy to tie and to throw without tangling. The orange color also provides good visibility, 1.75mm, 560 lb tensile strength.



THROW LINE CUBE, ARBORIST

Foldable 16-inch fabric cube, ideal for keeping the throwline clean and free from tangles, when thrown into the canopy.



CHAINSAW EYELET, ARBORIST

For arborists who use a standard chainsaw. Offers a safe way to connect the chainsaw to the chainsaw strop. Has an overload release.



28 L ROPE BAG, ARBORIST

Holds up to 250' of 1/2" rope. Cinch top closure keeps rope clean and drv. External daisv chains for external gear storage. Covered top handles for added comfort

Feed your Husqvarna equipment a healthy diet

If you want your equipment to perform at its best, day in day out, you want to be sure to only use the best fuel and lubricants. When you choose from our range, you can rely on getting the very same exceptional quality we used when we developed and tested your Husqvarna product.



Engineering approved lubricant guaranteed to keep your power equipment running like new.



Less deposits and cleaner parts extends engine life by reducing risk of ring sticking.



Meets industry's highest standard for 2-stroke oil performance. *XP+ only



Lower operating temperature, reducing the risk of engine failure.

Optimize your machine's performance

Give your Husgvarna product what it needs. Our selection of oil and fuel products is made of the highest guality components, developed by Husqvarna, for your Husqvarna products. It meets all the high demands that you put on your product.

Benefits of X-GUARD premium bar & chain oil







Great all-around, every day use bar and chain oil.

For use below 32°F (0°C).

28 days or less.



X-GUARD

ACEITE PARA BARRA Y CADENA

BAR & CHAL

X-GUARD

X-GUARD PREMIUM BAR AND CHAIN OIL

Formulated from virgin base stock oils, Husqvarna's X-Guard lubricant reduces friction and wear on cutting bars and chains, extending the life of cutting equipment. X-Guard's reduced sling formulation includes a premium tackifier additive, which ensures the lubrication is maintained on the cutting formance.

equipment for optimal perf					
All Season	1 Qt				
All Season	1 Gal				
All Season	55 Gal				
Low Temp	1 Gal				
Low Temp	55 Gal				
Bio	1 Gal				



X-GUARD DIELECTRIC BAR & CHAIN OIL

Husqvarna X-Guard Premium Dielectric Bar & Chain Oil is designed for use in tools that are tested to meet OSHA 1910.269. It is formulated with additives to resist conducting electricity and to maintain dielectric strength up to 36KV in the event of a current or voltage being applied to it. Additionally, the premium blend of base stocks and tackifier additives reduces high speed throw-off and extends bar. chain and sprocket life by protecting against wear. 1 qt





















XP+ SYNTHETIC BLEND 2-STROKE OIL

Husqvarna XP+ 2-Stroke Oil has been engineered to maximize your engine's performance. The Husqvarna XP+ low smoke formulation is also specifically engineered to ensure lowest operating temperature, preventing premature engine bearing failures.

2.6 oz	1 Gal
5.2 oz	5 Gal
6.4 oz	55 Gal
128.07	



HP SYNTHETIC BLEND 2-STROKE OIL

The semi-synthetic base oils and high quality additives used in the Husqvarna HP formulation ensure optimal lubricity and detergency, resulting in lower operating temperature and less deposits in the crankcase

2.6 oz	1 Gal
5.2 oz	5 Gal
6.4 oz	55 Gal
12.8 oz	







XP+ 2-STROKE FUEL + OIL

Husqvarna ETHANOL FREE, High Octane Fuel is mixed with Husqvarna's best synthetic oil blend. OCTANE RATING: (R+M)/2 METHOD 95. This product was specifically formulated to provide optimal equipment performance. Fuel does not degrade or oxidize like pump gas and stays fresh for years. Easier, more dependable starts Protects fuel systems and saves carburetors. Avoids costly rebuilds and downtime. Convenient, ready to use, no mixing required JASO-FD certified premium synthetic oil blend. 1 Ot

.859 Gal 4.75 Gal 48 Gal

Stay safe. Move freely.

Good protective equipment must withstand demanding conditions and provide the required protection. That's why we use nothing but high-quality materials. Our range of protective clothing is developed to match the different requirements of every type of work. In fact, our extensive range of safety clothing, offering the latest innovations in design and materials, will provide you with the level of protection and comfort you need to get the job done.



EXPLORE ONLINE

find our extensive range online at nusqvarna.com/us/personal-protective-equipment



GROUND WORK GEAR Tailored for brushcutting and trimming

If you spend your days working with a trimmer or a brushcutter, you should check out our Technical series for brushcutting. It's designed with lightweight, yet durable materials, with extra padding to reduce the strain on your shoulders and to protect your right hip, so you can work comfortably in a harness all day, in any conditions. Learn more on pages 70.

A pleasure to work in

COMFORT

Our range of protective clothing is designed to keep ou comfortable and focused throughout the day. The clothes are carefully crafted for perfect fit, with lightweight stretch fabric, extra padding and pre-bent materials in the right places, so you can move freely with minimum effort. Ventilated jackets, trousers and helmets help you stay cool, even when you work hard.

PROTECTION



Don't compromise on safety

Working outdoors can sometimes be hazardous. To minimize the risk of injury, be sure to choose the right protective gear. The Technical Extreme and Technical ranges are specifically developed for the tough demands of professional forestry and landscaping, with high-quality materials, saw protection and user-friendly design, efficiently protecting your limbs, head, ears and eyes from harm.



ARBORIST HELMET TECHNOLOGY

Exceptional protection and comfort

MAXIMUM VENTILATION Thanks to air intakes and an internal outflow channel that guarantees breathability while preventing entry of debris. HIGH-TECH AND MAXIMUM COMFORT Fabric dries quickly, encouraging

the expansion and dispersion of moisture.

RING TO HOOK Loop on the chin strap allows the helmet to be connected to the harness.

Keep your head cool and protected

HUSQVARNA ELEVATION (CLASS C)

Designed for the professional arborist who requires comfort, safety and style while working. Ventilated for breathability. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (sold separately).

Meets both ANSI/ISEA Z89.1 - 2014 and CSA Z94.1 - 2015 Type 1, Class C. Maximum 10-year shelf life. Backed by a 3-year warranty.





HUSQVARNA SPIRE™ (CLASS E)

Designed for the professional arborist who requires comfort, safety and style while working. Orange color for visibility. Universal fit with a wheel ratchet depth adjustment. Front clips allow for addition of head lamp. Compatible with Husqvarna's arborist helmet ear muffs (sold separately) and three visor styles, including clear, mirror and smoke (all sold separately). Meets both ANSI Z89.1 - 2014 and CSA Z94.1 - 2015, Type I, Class E. Meets and exceeds ISEA / ANSI Z89.1 - 2014, Type I with Electrical Insulation - Rated to Class E. Maximum 10-year shelf life. Backed by a 3-year warranty.



ARBORIST VISOR Polycarbonate, impact-resistant visor is anti-fog and scratch-resistant. Can be easily raised or lowered and provides excellent visibility.



Well ventilated Ventilated for optimal breathability and comfort

during demanding work and warm conditions.



Comfortable chinstrap The four-point chinstrap is made from washable ecoleather for maximum comfort and convenient fit.



Extended lea

BHusqvar

PROTECTIVE TROUSERS, TECHNICAL EXTREME ARBOR

Chainsaw pant tailored around an arborist's environment and needs with a Euro design/feel. High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear at the lowest possible weight. Lightweight reinforcements throughout. Comes with "easy to remove" suspenders. No back

pockets and lower ventilation zippers not to interfere with harness. Side pockets

with reversed direction of zippers for easy access. Loops to hang carabiners. Double

front pockets. Reinforced smooth area for spikes. 6 layers of protection meets CAN/

Made for arborists designed

for climbing

BN0 1923-450-M91.

An extra inch has been added to make sure the trouser stays over the boot when climbing, for protection and comfort.





stretch


CLOTHING FOR ARBORISTS

Tailored for high-level tree care and pruning

As a professional arborist, you have very special demands when it comes to protective clothing in terms of safety, mobility and comfort. When designing and manufacturing Husqvarna's arborist clothing, we choose the best items in our Technical and Technical Extreme collections and re-design them to create the ultimate gear for arborists.

Durable and lightweight reinforcements High tech materials with Dyneema®, Cordura® and Kevlar® for maximum resistance to wear and tear in the areas most needed. Extra reinforced crotch with

Easy access pockets







TECHNICAL JACKET

Lightweight, ventilated and safe, Husqvarna's Technical jacket is designed to meet the needs of many professional jobs. With 4-Way stretch Hi-Viz, material and many gear pockets the Technical jacket is a must have for outdoor tree care professionals. 4-Way stretch material and prebent arms for optimum movement. Lightweight design for comfort. High visibility orange and reflective highlight for additional safety. Reinforced elbows using Cordura®.

TECHNICAL

Dress up for a productive workday

The Husqvarna Technical clothing range is designed and manufactured to perform all day, every day. Task-optimized design meets modern styling, while tough, light stretch fabrics, reinforced panels, pre-bent knees and elbows offer high resistance, durability and performance. You'll look good. And you'll work even better.



WORK T-SHIRT, TECHNICAL

Light and cool t-shirt made from recycled polyester. With zipper front, extended back and easy access zipped front pocket. The t-shirt is ideal for use in warmer weather. The material transports moisture away from the body and dries quickly. Available with long or short sleeves. Size S-XXL.







TECHNICAL CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. Phone and gear pockets for added versatility. Reinforced knees using Cordura®. Certified chainsaw protective pant - these pants are tested in accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL HI-VIZ CHAINSAW PANTS

Husqvarna protective pants have been completely redesigned taking into consideration all customer needs including weight, temperature, fit, convenience and most importantly safety. The Technical Hi-Viz Pants are setting a standard for Husqvarna protective pants and offer may features and benefits any chainsaw user will appreciate. 4-Way stretch material and pre-bent knees for optimum movement. Ventilation areas (legs, back pockets) for breathability. Lightweight design for all day comfort. High visibility orange and reflective highlight for additional safety. Phone and gear pockets for added versatility. Certified chainsaw protective pant. Reinforced knees using Cordura®. These pants are tested in Accordance with ASTM F1897 (US) for leg protection for chainsaw users.

TECHNICAL APRON WRAP CHAINSAW CHAPS

Apron wrap chap made in 1000 Denier Polyester with PU coating. It contains 5 layers of TEK WARP protective material. Felling wedge and gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent and hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® certified. Meets OSHA regulation 1910–266.



FUNCTIONAL



FUNCTIONAL IMPACT WORK PANTS

Great all-around pants for landscaping, brushcutting, and many other outdoor work activities. Lightweight poly cotton shell for allday comfort. Ventilation on back of the legs for breathability. Reflective Husqvarna logo for high visibility. Gear pocket. 500D Cordura articulated knee and leg. 2 layers of Veratex felt for shin protection.

FUNCTIONAL APRON CHAINSAW CHAPS

5 Layer Frontal Apron Chainsaw Chaps. 600 Denier Polyester with PVC Coating with TEK WARP PROTECTIVE LAYERS. Felling wedge pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle). Wash in cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1. UL® Certified. Meets OSHA Regulation 1910–266.





The knees are pre-bent and have been tailored to offer maximum mobility without compromising safety.



Adjust for perfect fit

The clothes come with elastic drawstrings at the waist and at the lower bottom of the jacket, allowing you to adjust your gear for perfect fit.

CLASSIC





CLASSIC CHAINSAW PANTS

Husqvarna protective pants were designed taking into consideration all customer needs including comfort, weight, temperature, fit, convenience and most importantly safety. Our chainsaw pants are setting a standard with features any chainsaw user will appreciate. Durable material to hold up in various conditions. Light weight design for all day comfort. Reflective Husqvarna logo for high visibility. Reinforced knees. Ventilation on back of legs for breathability. Phone pocket. True fit sizing. Certified chainsaw protective pant - these pants are tested in Accordance with ASTM F1897 (US) for leg protection for chainsaw users.



CLASSIC CHAINSAW CHAPS

5 layer frontal apron chainsaw chaps contain PVC coated 600 denier polyester with Tek warp protective layers. Tool/Gear pocket. Acetal Delrin buckles. Adjustable waist size up to 38" (overall length is from waist to ankle) . Wash in Cold water mild detergent & hang to dry. Never use chlorine bleach. Meets ASTM F1897, ANSI Z133.1, UL® Certified. Meets OSHA Regulation 1910–266.



Well ventilated

Openings at the yoke and at the lower back make for good ventilation. Zippers in the armpits and at the back of the legs let you adjust the airflow to your liking.



Easy-access pockets

The jacket has two pockets on the chest and a dedicated first-aid pocket. The trousers feature two front pockets, two back pockets, a leg pocket and a ruler pocket.

Safety gear that doesn't restrict you

Your safety is our top priority. At Husqvarna we leverage feedback from our wide network of long-term, professional users combined with extensive research to develop a comprehensive line of ergonomically designed protective equipment.





Lightweight with great visibility

A robust, yet lightweight helmet with an ergonomic design – packed with smart solutions that lessen the weight, enable a more personal fit and ensure a better head temperature even during long shifts. It also offers an improved field of vision and a headlamp slot. Fluorescent orange





Cool and comfortable The ventilation system keeps your head cool and comfortable, even during hard work in hot weather.



Easily adjustable The one-hand wheel ratchet allows the user to quickly and easily change the size with one hand.



- 14

Free view visor The unique design gives a clear line of sight with the visor in upper position.

UV expiration indicator The protective capability decreases when exposed to sunlight. The indicator shows the condition of the helmet and when it is time to replace it.

FACE & HEARING PROTECTION

Comfortable hearing protectors where you can adjust the pressure by 20%. Ideal for grass clearing and trimming. Features a cover between the visor and headband, protecting your head from grass and rain. Always use mesh visor in combination with protective glasses.



HEARING PROTECTION WITH HEADBAND

Hearing protection where you can adjust the pressure by 20%. With soft, airy padding in the headband. The hearing protectors are developed for optimal ergonomics.



Beyond easy partnership

Buying a Husqvarna product means buying into a complete support system of quality and reliability. One essential part of the experience is being able to feel confident that your products always receive the best possible care, and that the correct spare parts and right components are used. Through our dedicated dealer network, you'll have access to expert know-how and servicing options as well as a rapid delivery system for Husqvarna Genuine parts when time is of the essence. Husqvarna Care has been developed to provide you and your business with the uptime and cost efficiency necessary for a truly successful operation. We care. So that you don't have to worry.



WARRANTY

The protection your products deserve

Even the most reliable tools need a reliable warranty. Our gaspowered professional chainsaws come with a standard oneyear warranty. And our battery-powered chainsaws are covered for two-years. More than giving you added peace of mind, this warranty supports our commitment to provide professionals with tools of high quality, dependability and reliability.

HUSQVARNA DEALERS

Knowledge and expertise

Husqvarna has a worldwide dealer network and your local Husqvarna dealer is always ready to assist you with professional products for your specific application needs as well as maintenance advice and service assistance. If you haven't already located your Husqvarna dealer, simply use the dealer locator at www.husqvarna.com

HUSQVARNA GENUINE PARTS

Original parts for genuine performance

Husqvarna Genuine Parts make sure your Husqvarna product can maintain performance at its peak potential, over time. They are tailor-made to fulfill the same requirements as the factoryfitted parts in the original product. Regular maintenance and service, using Husqvarna Genuine Parts perfectly matched to the product, is the best way to ensure continuous uptime, a long service life, as well as a safe and smooth Husqvarna experience.

B Husqvarna[®]

husqvarna.com @husqvarnausa @husqvarnaca