

LOW ROLL™ / LOW ROLL II™ TRAINING BODY AND TRAINING FUZE



SAFELY TEACH DISTRACTION DEVICE® DEPLOYMENT SKILLS

LOW ROLL™ TRAINING BODY AND TRAINING FUZE

The Defense Technology® Low Roll™/ Low Roll II™ Training Body and Training Fuze is designed for instructional use on safe handling procedures of a Distraction Device® unit. Though this device has no charge, it will produce 120 dB of sound and a reduced flash. Designed for instructors, students, law enforcement and military personnel, these training models are reloadable and made for unlimited use, providing the ability to offer the option to introduce or run dynamic drills with a higher level of safety, frequency and confidence.

FEATURES

MODEL 8933T LOW ROLL™ OR 8922T LOW ROLL II™ TRAINING BODY

- Same weight and function as the tactical Low Roll and Low Roll II devices
- Color-coded military training blue
- Low Roll and Low Roll II bodies only accept the 1697T or 1697TSC Training Fuzes

MODEL 1697T/1697TSC LOW ROLL™ TRAINING FUZE

- Military-style M201A1 fuze
- Delivers a 120 dB of sound at 5 feet
- Color-coded military training blue
- Non-ATF controlled item

Defense Technology® highly recommends the use of gloves, eye and hearing protection when deploying.

FIRST DEFENSE® MK-9 WITH REFLEX TRIGGER



*NEW ERGONOMIC DESIGN FOR
ENHANCED OFFICER SAFETY*

MK-9 WITH REFLEX™ TRIGGER

The newest addition to Defense Technology's aerosol projector product line is the unique Reflex™ Trigger actuator. This intuitive system utilizes a pistol grip and trigger and is more ergonomic to deploy and actuate than existing aerosol spray systems. The Reflex Trigger also features two different safety mechanisms that can be actuated with one hand and does not involve safety pins that could later be used as weapons. Unlike other aerosol projectors, the Defense Technology MK-9 with Reflex Trigger allows the device to be firmly held using a pistol grip and using the index finger to actuate the trigger. This grip makes it difficult to twist the aerosol projector from the hand and allows easy access to both the trigger and push-button safety mechanisms. The MK-9 aerosol projector with Reflex Trigger actuator represents a significant improvement in aerosol delivery systems, and will result in more effective deployment and enhanced officer safety.



PUSH-BUTTON SAFETY

FEATURES

- Ergonomic design incorporating natural pistol grip and trigger
- Simple on-off thumb safety can be actuated with one hand
- Optional secondary removable trigger block safety
- Natural grip reduces the potential for the can to be twisted out of the hand
- Compatible with existing pouches and holsters

MK-9S OC VAPOR



SHOWN WITH WAND ADAPTER WHICH AIDS IN TARGETED APPLICATION (SOLD SEPARATELY)

IDEAL FOR CONFINED SPACE EXTRACTION

MK-9S OC VAPOR

The Defense Technology® MK-9S OC Vapor delivers an intense concentration of major capsaicinoids. It is a non-flammable, EDW-safe formula that produces a high volume mist, exceeding CRT and DOT flammability protocols. This Defense Technology OC Vapor inflames the mucous membranes and upper respiratory tract, resulting in an intense burning sensation and a dramatic cough reaction. Unlike stream delivery products, OC Vapor affects the respiratory tract and any exposed skin, diminishing a person's ability to continue violent actions. Onset is immediate and extreme. Regardless of whether exposure is in an open area or in a confined space, the targets immediately focus on their own discomfort.

Once the subject is removed from the contaminated area to fresh air, the respiratory effects are resolved within minutes. This formulation evaporates in a very short distance, eliminating the need for extensive area clean up or personal decontamination procedures.

Environmental decontamination is minimal as the product dissipates a short distance from the container.

FEATURES

- High volume dispersal of intense .7% major capsaicinoids
- Delivers 8–10 short bursts
- Formulation requires transportation within a steel canister
- Total weight of 12.7 ounces
- Effective range of over 15 feet
- Available wand adapter (sold separately) aids in targeted application or penetrating under doors, food ports and window gaskets

MULTI-PORT™ II DISTRACTION DEVICE® AND TRAINING KIT



SAFELY TEACH DISTRACTION DEVICE DEPLOYMENT SKILLS

MULTI-PORT™ II DISTRACTION DEVICE®

The Defense Technology® Multi-Port™ II Distraction Device® utilizes a M201A1 type fuze with a steel body. This device will produce 175 dB of sound at 5 feet. This is a non-reloadable Distraction Device that incorporates a water-resistant charge tube, and is designed to fit in tactical pockets easily and deliver the safest and most effective stimuli in the industry.

FEATURES

- Traditional Defense Technology Distraction Device performance and output
- Single-use Distraction Device
- 175 dB of sound at 5 feet
- Standard water-resistant charge tube
- Once live unit is expended, Distraction Device body can be configured as a training device

Defense Technology® highly recommends the use of gloves, eye and hearing protection when deploying.

MULTI-PORT II TRAINING KIT AND TRAINING FUZE

The Defense Technology Multi-Port II Training Kit is designed for instructional use on safe handling procedures of a Distraction Device unit. Though this device has no charge, it will produce 120 dB of sound at 5 feet and a reduced flash. Designed for instructors, students, law enforcement and military personnel, these training models are reloadable and made for unlimited use, providing the ability to offer the option to introduce or run dynamic drills with a higher level of safety, frequency and confidence.

FEATURES

- Training kit includes a blue training label and 12 training fuzes
- Color-coded military training blue
- Training bodies only accept the 1697T-KIT or 1697TSC-KIT training fuzes
- Military-style M201A1 fuze
- Delivers 120 dB of sound at 5 feet
- Non-ATF controlled item

⚠ WARNING: This product can expose you to chemicals including Lead Salts and Hexavalent Chromium, which are known to the State of California to cause cancer, and Lead Salts, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to <http://www.P65Warnings.ca.gov>.

OC AEROSOLS



*THE FINEST TRAINING AIDS
FOR THE FINEST PRODUCTS*

OC AEROSOLS

STREAM / CONE / FOAM / VAPOR / GEL

First Defense® is the world's most widely used pepper spray in law enforcement and corrections. In recognizing the diverse environments and challenges our public safety professionals face each day, our comprehensive First Defense line utilizes a color code system to identify the intensity of that product.

The First Defense family of OC aerosol sprays is EDW safe.

CHOOSING YOUR PEPPER SPRAY IS EASY, JUST ANSWER THESE THREE QUESTIONS AND USE THE CHART BELOW:

1. WHAT INTENSITY DO YOU NEED?
2. HOW DO YOU WANT TO DELIVER THE OC?
3. HOW MUCH PRODUCT WILL YOU NEED?



	MK-2	MK-3	MK-4	MK-6	MK-8	MK-9	MK-46V	MK-46H
.2%	STREAM	STREAM FOAM 360°	STREAM FOAM 360°	STREAM	STREAM	STREAM	STREAM	STREAM
.4%	STREAM CONE	STREAM CONE FOAM 360°	STREAM CONE FOAM 360°	STREAM		STREAM FOAM	STREAM	STREAM
.7%	STREAM	STREAM CONE 360°	STREAM CONE 360°	STREAM CONE	STREAM CONE	STREAM CONE VAPOR	STREAM	STREAM
1.3%	STREAM CONE FOAM	STREAM CONE FOAM GEL 360°	STREAM CONE FOAM GEL 360°	STREAM CONE	CONE	STREAM CONE FOAM GEL	STREAM	STREAM
OC/CS	STREAM	STREAM 360°	STREAM 360°			STREAM 360°	STREAM	STREAM
CS		GEL 360°	GEL 360°			GEL 360°		
INERT	STREAM CONE FOAM	STREAM CONE FOAM GEL 360°	STREAM CONE FOAM GEL 360°	STREAM	STREAM	STREAM CONE FOAM GEL	STREAM	STREAM

.2% White Band

56125	MK-2 Stream
5439	MK-3 Stream/360°
5036	MK-3 Foam
5039	MK-3 Stream
5049	MK-4 Stream
5046	MK-4 Foam
5449	MK-4 Stream/360°
5069	MK-6 Stream
56185	MK-8 Stream
5099	MK-9 Stream
5746	MK-46V Stream
5846L	MK-46H Stream
5546	MK-46R Stream

.4% Yellow Band

56325	MK-2 Stream
56324	MK-2 Cone
5239	MK-3 Stream
5239A	MK-3 Stream/360°
56334	MK-3 Cone
56332	MK-3 Foam
5249	MK-4 Stream
5249A	MK-4 Stream/360°
56344	MK-4 Cone
56342	MK-4 Foam
5269	MK-6 Stream
5299	MK-9 Stream
56392	MK-9 Foam
56346V	MK-46V Stream
56346H	MK-46H Stream
56346R	MK-46R Stream

.7% Orange Band

56725	MK-2 Stream
3005	MK-3 Stream
56733	MK-3 Stream/360°
3035	MK-3 Cone
4005	MK-4 Stream
56343	MK-4 Stream/360°
4035	MK-4 Cone
6005	MK-6 Stream
56764	MK-6 Cone
56785	MK-8 Stream
56784	MK-8 Cone
56795	MK-9 Stream
9005	MK-9 Fogger
43896	MK-9 Vapor
43890	MK-9 Vapor
	w/ Wand Adapter
56746V	MK-46V Stream
56746H	MK-46H Stream
56746R	MK-46R Stream

CS Gray Band

56931	MK-3 Gel
56231	MK-3 Gel/360°
56941	MK-4 Gel
56241	MK-4 Gel/360°
56991	MK-9 Gel
56291	MK-9 Gel/360°

1.3% Red Band

56825	MK-2 Stream
56824	MK-2 Cone
56822	MK-2 Foam
43345	MK-3 Stream
56833	MK-3 Stream/360°
43344	MK-3 Cone
56842	MK-3 Foam
56831	MK-3 Gel
56531	MK-3 Gel/360°
43445	MK-4 Stream
56843	MK-4 Stream/360°
43444	MK-4 Cone
56832	MK-4 Foam
56841	MK-4 Gel
56541	MK-4 Gel/360°
43665	MK-6 Stream
56864	MK-6 Cone
56884	MK-8 Cone
56895	MK-9 Stream
43953	MK-9 Fogger
43950	MK-9 Fogger
	w/ Wand Adapter
56792	MK-9 Foam
56891	MK-9 Gel
56591	MK-9 Gel/360°
43046	MK-46V Stream
56846H	MK-46H Stream
43046R	MK-46R Stream

OC/CS Gray Band

56025	MK-2 Stream*
56035	MK-3 Stream*
56045	MK-4 Stream*
56095	MK-9 Stream*
56046V	MK-46V Stream*
56046H	MK-46H Stream*
56046R	MK-46R Stream*

Inert

5129	MK-2 Stream
5125	MK-2 Cone*
5126	MK-2 Foam
5139	MK-3 Stream
5439I	MK-3 Stream/360°
5139F	MK-3 Cone*
5136	MK-3 Foam
56431	MK-3 Gel
56631	MK-3 Gel/360°
5149	MK-4 Stream
5449I	MK-4 Stream/360°
5149F	MK-4 Cone*
5146	MK-4 Foam
56441	MK-4 Gel
56641	MK-4 Gel/360°
5169	MK-6 Stream
5189	MK-8 Stream
5199	MK-9 Stream
5199F	MK-9 Fogger*
5196	MK-9 Foam
56491	MK-9 Gel
56691	MK-9 Gel/360°
49950	MK-9 Fogger
	w/ Wand Adapter*
5546I	MK-46R Stream



STREAM AEROSOL SIZE SPECS

MK-2:	7-10 Short bursts	10-12 ft.
MK-3:	10-12 Short bursts	10-12 ft.
MK-4:	20-25 Short bursts	10-12 ft.
MK-6:	12-14 Short bursts	10-12 ft.
MK-8:	5-7 Short bursts	10-12 ft.
MK-9:	14 Short bursts	18-20 ft.
MK-46:	26 Short bursts	25-30 ft.



STREAM: Provides a target-specific, strong concentrated stream to allow for greater standoff



CONE: Provides a wide spray pattern delivery method making it easier to acquire a target



FOAM: Provides a dispersion method for powerful fast-acting foam that coats the face upon contact



GEL: Provides a targeted gel stream for reduced cross contamination potential



VAPOR: Provides a delivery method ideal for the correctional environment; propellant evaporates inches from nozzle leaving only the OC in flight



360°: Provides a target-specific, strong concentrated stream to allow for greater standoff; aerosol projector can disperse OC from any angle

*Non-EDW Safe