Brodart Contract Furniture2023 Price List and Specifications

Table of Contents

General Specifications and Mo		Shelving Collection	
General Specifications	GEN 1 - GEN 8	Classic Shelving	
Modifications & Up Charges	MOD 1 - MOD 8	Shelving	
Collections		Shelving and Accessories	CLA 49 - CLA 56
The Abridge Collection	ARR 1 - ARR 44	Geometrix	
Circulation Desks		General Specifications and Legend	
Reading Tables		Linear Shelving	
Computer Tables		Arc (Curved) Shelving	
Media Workstations & Carrels		3-Way Towers and Components Finishing Panels for Shelving	
PAC Stations	ABR 35	Mobile Shelving (Linear and Arc)	
Dictionary / Atlas Stands		Back Panels (Linear, Arc, and Mobile)	
Shelving Continuous Tops		Trim (Curved and Mobile)	
Lounge Furniture	ABR 40 - ABR 44	Seating (Linear and Arc)	
The Chancellor's Collection	CHA 1 - CHA 36	Tables	
Circulation Desks		Quarx	ODV 1 ODV 44
Reading Tables	CHA 16 - CHA 19	General Specifications	
Computer Tables		Finishing Chart	
Media Workstations & Carrels		Shelving	
Dictionary / Atlas Stands		Finishing Panels	
Shelving Continuous Tops		Junctions	
Lounge Furniture	CHA 34 - CHA 36	Components	
The Epoch Collection	EPO 1 - EPO 60	Panels	
Circulation Desks		Seating	
Reading Tables		Tables	
Computer Tables		Displays	
Conference Tables		Transportation Series	QRX 37 - QRX 38
Media Workstations & Carrels	EPO 39 - EPO 48	Lodge Series	QRX 39 - QRX 42
PAC / OPAC Stations	EPO 49 - EPO 50	Mobile Shelving	QRX 43 - QRX 44
Dictionary / Atlas Stands	EPO 51 - EPO 52	Reprise	DED 1 DED 56
CD/DVD Cabinets	EPO 51 - EPO 53	Shelving	
Shelving Continuous Tops & End Panels		Shelving and Accessories	
Lounge Furniture	EPO 58 - EPO 60	Trim (Linear)	
The Horizons Collection	HOR 1 - HOR 28	Side and Top Panels	
Circulation Desks		Circulation Desks	
Reading Tables		Tables	
Media Stations		Tables	
Book Browsers	HOR 25 - HOR 26	Array Tables	
Shelving End Panels	HOR 27	mTables	
Cutout Designs	HOR 28	Resource Tables	
The Matrix Collection	MAT 1 - MAT 44		
Circulation Desks		Seating	
Reading Tables		Seating	
Computer Tables		B-Series Chairs	
Media Workstations & Carrels	MAT 32 - MAT 38	Calyx Chairs & Stools	
PAC Stations		Calyx Swivel and Swivel Tilt Chair	
Dictionary / Atlas Stands	MAT 40	Carver Chairs D-Series Chairs	
Shelving Continuous Tops & End Panels	MAT 41 - MAT 44	Essex Chairs	
		Melis Chairs	
The Maxim Collection (Circulation Desks)	MAX 1 - MAX 16	Metro Chairs	
The Ouorum 94T Collection	000 1 - 000 32	Netta Chairs	
Reading Tables		Parallax Chairs	
Café Tables		Pellego Chairs	
Computer Tables		Two Position Chairs	
Media Workstations & Carrels			
PAC Stations		Lounge Furniture	
Desk and Credenzas	QUO 21 - QUO 23	Lounge	
Dictionary / Atlas Stands	QUO 24	L1 Series	
Newspaper Rack & EOR Station		L4 Series L5 Series	
Picture Book Table		LX Series	
Shelving Continuous Tops & End Panels	QUO 27 - QUO 30	Cirro Soft Seating	
Lounge Furniture	QUO 31 - QUO 32	Cirio sort seating	CIN 1 - CIN 2
Activity Furniture	ACT 1 - ACT 8	Miscellaneous Furniture and	l Electrical
Collection Accessories	ACC 1 ACC 1	Casework (Base, Wall & Storage Cabinets)	CAS 1 - CAS 28
Collection Accessories	ACC 1 - ACC 4	Display Furniture	
		Wood Book Trucks	
			FIF 1 FIF 20
		Electrical	ELE I - ELE 70

-TOC 2 - F11-1-230-COV

General Specifications

Materials and Finishes, Quality Standards, and Performance Tests and Results

General Information Brodart Contract Furniture

ORDERING INSTRUCTIONS

Your order can be entered and acknowledged promptly only if you supply us with certain essential information. A clean purchase order is needed to be entered into the manufacturing production process (Product Number, Quantity, Fabric, Finish, Species, Layouts, Photos, ect.). If any of these items are missing, your purchase order cannot be processed.

- a. Each item to be purchased must be identified by a complete catalog number.
- b. The quantity of each item to be purchased.
- c. If an item is modified in any way, the letters "MOD" must be used as a suffix on the catalog number.
- d. Unit price and extended price as determined from the Brodart price list, or a quotation from Brodart.
- e. If shop drawings are needed, note this requirement on your purchase order. You must supply architectural prints of pertinent building areas when requesting shop drawings.

Failure to supply essential order information may result in delays in the processing of your order.

TERMS AND CONDITIONS

Prices

These prices supersede all previously issued prices. All prices herein are list prices, unless otherwise noted, and are subject to change without notice. Prices stated are for our standard finishes, laminates, and materials. Any deviations from 'standard' are subject to an up charge. Up charges for specials will be quoted upon request.

Discounts

Discounts can be obtained by contacting a Project Coordinator. When obtaining discounts, you must be prepared to provide total list price information, estimated delivery dates, as well as all other information located on the *Discount Request Form*.

Payment Terms

Net 30 days from date of invoice, F.O.B. Factory

Taxes

Any sales or excise tax, or any other tax or government charge now or hereafter levied upon the product, sale, use or shipment of goods shall, at the Company's option, be charged to the customer.

Orders

All orders are subject to acceptance by Brodart Co., 280 North Road, Clinton County Industrial Park, McElhattan, PA 17748.

Acknowledgments

Brodart will ship products as detailed on the acknowledgment. Please confirm that all items are ordered as intended. Brodart will not accept responsibility for products shipped as acknowledged.

Cancellations

All orders are considered firm and cannot be cancelled without Brodart's approval. A cancellation charge will be required based on costs incurred. Minimum cancellation charge will be \$50.00

Order Changes

Changes to orders already in process are subject to a charge covering the making of the change. You will be required to indicate your acceptance of the additional costs before Brodart can proceed with the change. Minimum charge is \$50.00, other charges are as follows: Within 8 weeks of ship date - minimum charge is \$150.00 plus any material costs incurred. Once the job is within 6 weeks and is in full production - minimum charge is \$350.00 for the change and any material and labor costs involved. Brodart reserves the right to deny change requests within 6 weeks of the ship date.

All product ships from McElhattan, PA with the following exceptions:

Gondola Display Shelving Units:

For units ordered in quantities of 5 or less (or the only products on the order); units are shipped from 280 North Road with all other Furniture. For units ordered in quantities of 6 or more; product will ship direct from Columbus, Ohio.

Claims - Freight

All shipments are delivered to common carriers in good condition. Brodart's liability ceases once the order is delivered to the carrier. If your order is received short or damaged, you should note on your freight bill and file a claim immediately with the carrier.

Claims - Product

Claims against Brodart for defects, errors or shortages must be made by the purchaser, in writing, within 30 days after delivery. Failure to make such claim shall constitute full acceptance of the merchandise.

Returns

No Merchandise may be returned for credit without our previous agreement. Unauthorized returns will not be accepted.

Warranty

Brodart warrants that the Furniture designed and manufactured by it will be free of defects in material and workmanship for a period of twenty-five (25) years for furniture and five (5) years for seating. Please refer to the official warranty documents for more information.

Product Specifications

Product specifications are subject to change without notice.

Environmental

Brodart focuses on implementing environmental management practices that ensure our operations are conducted in a manner that respects, protects, and sustains the natural environment. For the most up-to-date information on Brodart's environmental policy including CARB, and more, please visit https://www.brodartfurniture.com/about/environmental-efforts or contact a Brodart Furniture representative.

Modified/Custom Products

Modifications in dimension, wood species, and design are available for an additional fee. Completely customized products are available as well on a per-project and per-quote basis. The following part numbers will be used based on the type of product:

CUSTOM	Custom Furniture	TABLEMOD	Custom Table
SHELVMOD	Custom Shelving	COMPMOD	Custom Computer Furniture
LOUNGEMOD	Custom Lounge Furniture	CARRELMOD	Custom Carrels
HARDWAREMOD	Custom Hardware	CIRCMOD	Custom Circulation
DISPLAYMOD	Custom Display Units	CHAIRMOD	Custom Chair
REPRISEMOD	Custom Reprise	QUARXMOD	Custom Quarx
GEOLSEMOD	Custom Geometrix TFL Seating	GEOVSEMOD	Custom Geometrix Veneer Seating
GEOLSHMOD	Custom Geometrix TFL Shelving	GEOVSHMOD	Custom Geometrix Veneer Shelving
GEOLTBMOD	Custom Geometrix TFL Table	GEOVTBMOD	Custom Geometrix Veneer Table

For any charges not listed in this Price List, please contact a Project Coordinator.

Product Options Brodart Contract Furniture

TABLE 1					
		WOOD FINISH OPTIC	NS		
Clear	133	Natural	089	Antique	343
Porcelain	654	Solar	716	Victorian	790
Dark	801	Mocha	812	Champagne	837
Pigmente	d Stains	(Formulated for Maple Woo	od, ava	ilable on Oak Wood):	
Grasshopper	570	Pumpkin	515	Ginger	GNG
Storm	546	Fern	FRN	Mustard	MUS
Peaceful Blue	520	Cranberry	CRN	Sky	SKY
Dark Chocolate	580				

Finish Note: The wood finishes listed above are specifically formulated for the wood species listed. Color may vary significantly if the stain is used on a different species of wood. Color may vary on the same wood species due to grain and texture differences. Solid wood and matching veneer have distinct grain and color variations. Harmonious color variations will appear in each Brodart furniture piece.

Custom Finish: Custom finishes on orders over \$5,000.00 **NET** will not require a special finish fee. On orders under \$5,000.00 **NET**, one-step custom finishes are available at an up-charge of \$250.00 **NET** per color, per order. On orders where the finish is a multi-step or hand-wiped finish, a special up charge will be applied. Contact Brodart for a quotation.

HIGH-PRESSURE LAMINATES: WilsonArt Standard Laminates are preferred for Brodart Furniture. Up-charges for Premium Laminates will incur, please contact your project coordinator. Please note that these selections may require a change in lead time as well. For an up-to-date listing of available WilsonArt Laminates, please visit: www.wilsonartcontract.com/.

TABLE 2			
Laminate Manufacturer	Up-Charge		
Wilsonart	Premium Laminates can incur an upcharge between 0%-45%. Please contact your project coordinator.		
Pionite	Premium Laminates can incur an upcharge between 0%-45%. Please contact your project coordinator.		
Nevamar	Premium Laminates can incur an upcharge between 0%-45%. Please contact your project coordinator.		
Formica	Premium Laminates can incur an upcharge between 0%-45%. Please contact your project coordinator.		
Marmoleum	Premium Laminates can incur an upcharge between 0%-45%. Please contact your project coordinator.		

Alternatives to high-pressure laminate are available as well. If an alternative to high-pressure laminate (such as Corian) is desired, please refer to the "modifications" sections throughout this price list or contact your Project Coordinator for more information.

METAL OPTIONS (<u>Powder Paint Guidelines & Up-Charges</u>): Brodart's standard paint colors are available at no charge. Custom powder paints are available as well; please call Brodart for pricing and availability.

TABLE 3					
		METAL OP	TIONS		
		Fine Text	ure		
Pale Yellow	R3500099	Anthracite	R3500097	Bronze Mist	R3500065
Black	R3500050				
		Hammert	one		
Antique White	R3500093	Sapphire	R3500087	Midnight	R3500113
Antique Copper	R3500090	Antique Gold	R3500091		
		Metalli	ic		
Champagne	R3500112	Copper	R3500073	Beige	R3500071
Bronze	R3500072	Bengal Silver	R3500096	Anthracite	R3500070
		Smooth Texture, N	leutral Tones		
Bright White	R3500103	Almond	R3500057	Sand	R3500051
Chocolate Brown	R3500055	Dove Gray	R3500104	Slate Gray	R3500053
Classic Black	R3500111	Bengal Black	R3500095	Burgundy	R3500061
Smooth Texture, Vivid Tones					
Hollyberry Red	R3500105	Orange Grove	R3500106	Chrome Yellow	R3500110
Island Green	R3500109	Lapis Blue	R3500108	Royal Blue	R3500060
Plum Purple	R3500107	Hunter Green	R3500063		

REPRISE SHELVING COLOR OPTIONS: Specify a color option for the body and base shelf of shelving unit (Base Colors Only). Specify color option for shelves (Base Colors or Accent Colors for shelves).

TABLE 4					
	BRODART STANDARD LAMINATES				
Accent Colors Base Colors					
Orange Grove	OG	Canadian Gray	CG		
Hollyberry Red	НВ	Classic Maple	CA		
Plum Purple	PC	Classic Black	СВ		
Island Green	IG	Bright White	BW		
Lapis Blue	LB	Biltmore Cherry	BC		
Chrome Yellow	CY	Bannister Oak	ВК		
		Pewter Mesh	PM		
		Looks Likatre	LT		
		Sarum Twill	ST		

FABRIC OPTIONS: Yardage requirements are listed under each product line. Yardages indicated in this price list are for non-directional 54" wide upholstery fabric. Additional yardage will be required if your upholstery fabric deviates in any way from "non-directional 54" wide".

TABLE 5		
FABRIC OPTIONS		
CFStinson or Douglass	www.brodartfurniture.com/products/custom-options/fabrics.asp	
Cirro Vinyls	<u>Use Zander vinyl from spradlingvinyl.com</u>	

Fabric Grade Information: Brodart offers fabrics in Grades 1-5 as listed in this price list. Fabrics can be selected from either CFStinson or Douglass via www.brodartfurniture.com/products/custom-options/fabrics.asp. Any fabrics listed on these sites as COM or coming from any other supplier must be handled as outlined in the "COM Fabrics" section of this price list.

California Technical Bulletin #133 treatment is available on all Crypton Upholstery at a charge of \$50.00/yard (list)

COM Fabrics: All fabrics sent to Brodart must be shipped PREPAID and tagged with the Project Name, Item Number, Sales Order Number (if available), and Project Manager's name. Ship to: *Brodart Co., 280 North Road, Clinton County Industrial Park, McElhattan, PA 17748 Attention: Furniture Marketing.*

Installation Hardware Kit: Full installation hardware kits are available upon request and include shelf pins, bolts, screws, washers, bushings, and brackets. For a complete list, please contact your Project Coordinator.

INSTHARDWARE

\$50.00 NET Per Kit

ACRYLICS: Standard Brodart Resin Offering. 1/4" thick, sandstone finish on both sides is the STANDARD. Variations may incur an up-charge.

TABLE 6			
RESIN OPTIONS			
Product Colors			
C3 (up to 3 layers)	Titanium, Sable, Marsh and Atlantic		
Cirque	Silver		
Linen	White		
Regency	Silver		
Struck	Cayenne, Jute and Kelp		

Contact your designated Project Coordinator for ordering instructions.

TABLE 7			
Activity Panel Color			
Black	Blue		
Gray	Green		
Pink	Red		
Sand	White		
Yellow			

TABLE 8		
Drawer Color		
Flame Red	Royal Blue	
Grass Green	Silver	
Magnolia	Sunshine Yellow	

		TABLE 9	Ð		
		TACKBOARD COLOR	OPTIONS		
Mushroom Medley	2208	Oyster Shell	2206	Hot Salsa	2210
Brown Rice	2187	Potato Skin	2182	Tangerine Zest	2211
Blanched Almond	2186	Duck Egg	2162	Fresh Pineapple	2212
Nutmeg Spice	2166	Poppy Seed	2204	Baby Lettuce	2213
Cinnamon Bark	2207	Black Olive	2209	Blue Berry	2214



-GEN 8 - F11-1-230-GEN

Modifications & Up Charges

Modificiations & Up Charges

Catalog No.	Description	Price
Replace End Panels	s with Knee Space Panels	
	To order, change COO to MOD and insert "knee panel on (left or right)" to your description	\$132
Removal of Gromm	et and Bushing Holes from and End Panel	
	Per Panel	\$178
Pemoval of Gromm	ets from Work Surface	
Nemoval of Gromm	Per Work Surface	\$215
Out Davis la Dissass	atom of a Ones Half (assessments VV 044 000)	
Cut Down in Dimen	sion of a Open Unit (example: XX-014-C00) 1 Dimension Cut Down	\$215
	2 Dimension Cut Down	\$304
	3 Dimension Cut Down	\$429
Out Davin in Dimon	nion of a Cumboard (Draway Hait (avantale, VV 101 000)	
oat bown in bimen	sion of a Cupboard/Drawer Unit (example: XX-121-C00) 1 Dimension Cut Down	\$429
	2 Dimension Cut Down	\$608
	3 Dimension Cut Down	\$784
Change Work Surfa	ce Height (For Surface Between Panels Only)	
Change Work Suria	Per Unit	\$215
Move A Box/File Di	Per Unit, specify location	\$220
	r ei onit, specify location	3220
Factory Installed Ad	dd On Patron Ledge (Patron Ledge must be ordered separately)	
	Single-Wide per Unit	\$394
	Double-Wide per Unit	\$487
Add A Lock To A Dra	awer or Door	
	PerLock	\$160
Key A Lock Differen	ntly from All Other Locks	
•	Per Lock	\$160
Replace Standard 1	Tons with Sun Tons	
nopiaco Camaara I	Per Unit	\$215
Place Continuous T	ops on A Circulation Desk Unit	
i lace Collulluous I	Per Unit, Must use Sub Tops	\$126
	. o. o.i.g inuocuoo ouo ropo	4120
Change Standard T	op/Edge Band to Corian	
	Please send a Special Pricing Form to your Project Coordinator	SPECIAL PRICING

Catalog No.	Description	Price
Casters for Tab	les	
LG-CST-S00	Caster to Convert Table to be Mobile-Includes a Brake (Price is per leg)	\$103
LG-CST-S02	Caster to Convert Metal Legs for Array Tables to be Mobile (Price is per leg)	\$187
MTCASTER	Caster to Convert M-Tables, Mobile Tables and Resource Tables Only (Price is per leg)	\$34
Cut Down in Dir	mension of Leg Base Tables*	
	1 Dimension Cut Down	\$215
	2 Dimension Cut Down	\$305
	Note: Dimension Cut Down pricing listed is for cuts on square and rectangular table ONLY. All others will require special pricing.	
Cut Down in Dir	mension of Apron/Panel Base Tables	
	1 Dimension Cut Down	\$394
	2 Dimension Cut Down	\$573
	Note: Dimension Cut Down pricing listed is for cuts on square and rectangular table ONLY.	
	All others will require special pricing.	
Change 29"H Ta	able to 32"H	\$186
_	Note: Not available for mTables/Resource Tables/Mobile Tables	
Tapered Leg Op	otion: Up-Charge	\$238
	Any Series Table.	
Change Standa	ard Top/Edge Band to Corian Please send a Special Pricing Form to your Project Coordinator.	SPECIAL PRICING
Add Grommets	Grommets can be added to all table sizes. Please specify the size of grommet (and location) and add the grommet list price to the table list price.	SPECIAL PRICING
Center Leg on 6	60"W to 72"W	SPECIAL PRICING
_	Tables 60 "W to 72 "W will automatically receive a center leg for stability.	

Please contact your Project Coordinator for up-charge.

Catalog No.	Description	Price					
**Accessories for Computer Furniture (example: Keyboard Trays & CPU Holders) can be found in the Circualtion Desk Accessories Section page CIR 4.							
Casters for Comp	uter Tables						
LG-CST-S00	Caster to Convert Table to be Mobile-Includes a Brake (Price is per leg)	\$103					
MTCASTER	Caster to Convert M-Tables Only (Price is per leg)	\$34					
Cut Down in Dime	ension of Computer Tables without Privacy Panel						
	1 Dimension Cut Down	\$215					
	2 Dimension Cut Down	\$305					
	Note: Dimension Cut Down pricing listed is for cuts on square and rectangular table ONLY. All others will require special pricing.						
Cut Down in Dime	ension of Computer Tables with Privacy Panel 1 Dimension Cut Down 2 Dimension Cut Down Note: Dimension Cut Down pricing listed is for cuts on square and rectangular table ONLY. All others will require special pricing.	\$394 \$575					
Cut Down in Dime	ension of any Workstations/Carrel Unit Per Dimension, Per Unit	\$429					
Add an ADA Stati	on to any Carrel Unit Per Unit, Must Specify Location of Unit	\$338					
Change Standard	Top/Edge Band to Corian Please send a Special Pricing Form to your Project Coordinator.	SPECIAL PRICING					

Modificiations & Up Charges

Catalog No.	Description	Price
Add Edge Band	on back side of Single-Faced Continuous Tops	
	16% Per Continous Top	16%
	Note: Charge is for adding the same style band that is on the unit.	
Add Drop Edge	Band to Continuous Tops	
	8% Per Continous Top	8%
Add Mitered Co	rners to Butt-Joint Series	
MOD	Per Continous Top	\$323
Change in Size	of Continuous Tops	
_	0% - Add 0" - 2"	0%
	16% - Add 2" - 4"	16%
	21% - Add 4" - 6"	21%
	Note: 0% for Reduction in Top Size.	0%
Change Standa	rd Top/Edge Band to Corian	
J	Please send a Special Pricing Form to your Project Coordinator	SPECIAL PRICING
Change in Size	of End Panels	
J	0% - Add 0" - 2"	0%
	16% - Add 2" - 4"	16%
	21% - Add 4" - 6"	21%
	Note: 0% for Reduction in Top Size.	0%

	Catalog No.	Description (Ib	/t. 0ak os.) Price	Mapl Pric
Dust Covers	Outding No.	Dust Covers (15)	1 1100	1 110
for use on high shelving)		(for use on high shelving) 1/4" Plywood, Cleats & Screws		
L/4" Plywood, Cleats & Screws		(ior doc on high onothing) 1/ 1 1 tyroods, cloded a conone		
	SHELVMOD	Dust Cover for 10 "D Unit	5 \$228	\$24
	SHELVMOD	Dust Cover for 12 "D Unit	7 \$235	\$24
	SHELVMOD	Dust Cover for 16"D Unit	9 \$241	\$25
	SHELVMOD	Dust Cover for 20 "D Unit 1	0 \$254	\$27
	SHELVMOD	Dust Cover for 24"D Unit 1	4 \$259	\$27
	SHELVMOD	Dust Cover for 32 "D Unit 1	8 \$291	\$30
Shelving Modifications		Shelving Modifications		
	BNE	Bullnose End Panels, Add to Unit Price	20%	209
Bullnose Fascia on Shelving Top	BNS	Bullnose Shelves, Add to Unit Price	11%	119
Dumose Fascia on Shelvillg 10p	BNT	Bullnose Fascia on Shelving Top, Single-Faced	\$79	\$8
	BNT	Bullnose Fascia on Shelving Top, Double-Faced	\$165	\$17
	_	Fig. 15 to 10 to 15 to 1		4-
	FT	Fluted Fascia on Shelving Top, Single-Faced	\$79	\$8
Fluted Fascia on Shelving Top	FT	Fluted Fascia on Shelving Top, Double-Faced	\$165	\$17
	DT	Dentil Fascia on Shelving Top, Single-Faced	\$79	\$8
	DT	Dentil Fascia on Shelving Top, Double-Faced	\$165	\$17
THERETHERE		2018.1 400.0 01.0 01.0 1.1. g (op) 200.0 1 4000	7200	¥
Dentil Fascia on Shelving Top	AT	Arched Fascia on Shelving Top, Single-Faced	\$79	\$8
	AT	Arched Fascia on Shelving Top, Double-Faced	\$165	\$17
	SBS	Sloping Base Shelving Option (per shelf)	\$53	\$5
ArchedFascia on Shelving Top		Note: Sloping Base Shelf Price includes deletion of Standard Bas	e Shelf.	
Undersizing (Cut-Down)		Undersizing (Cut-Down)		
	MOD	Undersized Backs and Partitions (Specify Dimensions of Unit)	\$31	N/
	MOD	Cut-Down Height, Shelving Starter Unit Undersize Only	\$119	N/
	MOD	Cut-Down Height, Shelving Adder Unit Undersize Only	\$73	N/
	MOD	Cut-Down Width, Wood Shelving Unit, Undersize	\$266	N/
	MOD	Cut-Down Width, Omega or Omega Book Stop Shelving Unit, Unde	rsize \$505	N/
	MOD	Shelving Range Reducer Panel/Step Down Shelving	\$539	N/.
	mos	(S/F or D/F, LAYOUT - SKETCH REQUIRED)	4000	147
Oversizing		Oversizing		
	MOD	Oversized Backs and Partitions up to 42"W	\$160	\$16
	MOD	Oversized Width Shelving, Wood Only (Oversize to 42" MAX)	\$719	\$75
		Note: Omega Shelving cannot be supplied oversized.		

	Laminate Price	Maple Price	0ak Price	Description	Catalog No.
Finish and Band Back Sid				Finish and Band Back Side of Shelving Unit (Backs Ordered Separately)	
of Shelving Un	AL /A	0420	0445	Finish and David David Cida of C/F Chahin at Haif Chaden	MOD
	N/A N/A	\$436 \$323	\$415 \$308	Finish and Band Back Side of S/F Shelving Unit Starter Finish and Band Back Side of S/F Shelving Unit Adder	MOD MOD
Convert Unit to Mobil				Convert Unit to Mobile (Price includes base facing, hardware and partition.)	
	\$1,173	\$1,173	\$1,173	Unit must be 60-1/2"H or less and a minimum of 20"D	MOD
Filler Pane				Filler Panel	
	N/A	\$39	\$37	Plywood (per sq. ft Excluding Edge Banding)	MOD
	N/A	\$33 \$7	\$37 \$7	Veneer Edge Banding, 1" x 1/4" (per lineal ft.)	MOD
	\$6	N/A	N/A	PVC Edge Banding (per lineal ft.)	MOD
	N/A	N/A \$173	\$165	Comer Filler Cap (per sq. ft.)	MOD
	\$156	\$173 N/A	N/A	Corner Filler Cap with HPL (per sq. ft.)	MOD
Deletion of Shelve				Deletion of Shelves	
	\$-39	\$-45	\$-42	Deletion of 10" Shelf (per shelf)	MOD
	\$-46	\$-52	\$-50	Deletion of 12" Shelf (per shelf)	MOD
	N/A	\$-108	\$-100	Deletion of 12" Picture Book Shelf (per shelf)	MOD
	\$-34	\$-34	\$-34	Deletion of 10" Omega Shelf (per shelf)	MOD
	\$-42	\$-42	\$-42	Deletion of 12 " Omega Shelf (per shelf)	MOD
	\$-92	\$-92	\$-92	Deletion of 12" Omega Picture Book Shelf (per shelf)	MOD
Clip & Strip Shelvin	shelving prices	ge over standard	16% Upchai	Clip & Strip Shelving	
		nging	n be ordered by cha	All shelving (with the exception of Glass Door Shelving) is listed as Pin & Ho Clip & Strip shelving is available for Wood or Laminate Shelves ONLY and ca the CL1 prefix on the starter unit to CL3, and changing the CL2 prefix on the	
			adder unit to CL4.	Example: CL3 861 C00 or CL4 861 C00.	
Sub Tops for Shelvin			dder unit to CL4.	Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the C00 extension on the	
Sub Tops for Shelvin			dder unit to CL4.	Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately)	
Sub Tops for Shelvin	N/A	\$-4 0	s -40	Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the C00 extension on the catalog number to C02.	
Sub Tops for Shelvin	N/A N/A	\$-40 \$-79		Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the C00 extension on the catalog number to C02. Example: CL1 861 C02.	
Sub Tops for Shelvin	-		\$-40	Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the C00 extension on the catalog number to C02. Example: CL1 861 C02. 10", 12" and 16" Shelving Units with Sub Tops (list deduct per unit)	
	-		\$-40	Example: CL3 861 C00 or CL4 861 C00. Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the C00 extension on the catalog number to C02. Example: CL1 861 C02. 10", 12" and 16" Shelving Units with Sub Tops (list deduct per unit) 20", 24" and 32" Shelving Units with Sub Tops (list deduct per unit)	
Individual HPL Tops for Shelvin	-		\$-40	Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the COO extension on the catalog number to CO2. Example: CL1 861 CO2. 10", 12" and 16" Shelving Units with Sub Tops (list deduct per unit) 20", 24" and 32" Shelving Units with Sub Tops (list deduct per unit) Individual HPL Tops for Shelving are available and can be ordered by changing the COO extension on the catalog number to CO3.	
Individual HPL Tops for Shelvin	-		\$-40	Sub Tops for Shelving (to accept continuous HPL tops (sold separately) are available and can be ordered by changing the COO extension on the catalog number to CO2. Example: CL1 861 CO2. 10", 12" and 16" Shelving Units with Sub Tops (list deduct per unit) 20", 24" and 32" Shelving Units with Sub Tops (list deduct per unit) Individual HPL Tops for Shelving are available and can be ordered by changing the COO extension on the catalog number to CO3.	

		Description	Oak Price	Maple Price
Panel Style		Panel Styles Up-charge is to be added to the STARTER UNIT price of the unit receiving the design. Any additional species/modification up-charges should be added over and above this charge.		
	Chancellor Panel	Upcharge for Chancellor Sketch Face Design - No Top Cap (per panel)	68%	68%
	Epoch	Upcharge for Epoch with Painted Metal Inlay Design (per panel) Arched Top with $1/4$ " Painted Metal Inlay 4 " from the bottom of the Panel. Note: Due to the arch on the Epoch series panels, if continuous tops are used, they MUST be inset (not overhang).	15%	15%
	Panel	Upcharge for Epoch with Chrome Metal Inlay Design (per panel) Arched Top with 1/4" Chrome Metal Inlay 4" from the bottom of the Panel. Note: Due to the arch on the Epoch series panels, if continuous tops are used, they MUST be inset (not overhang).	20%	20%
	Horizon Panel	Upcharge for Horizon Cut-Out with Laminate Inlay Design (per panel) With specified Cut-Outs and Laminate Inlay (overall panel thickness will be 1-1/4").	87%	87%
	Matrix Panel	Upcharge for Matrix Panel with Black Matrix Design Stencil (per panel)	12%	12%

The Abridge Collection

General Specifications

DESKTOP

Standard desktop is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The desk top receives a solid Northern-grown Red Oak or maple flush edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape on the patron side. A 1/4", solid Northern-grown Red Oak or maple edge band is applied to the remaining three sides of the desk top, with top and bottom edges have a 1/8" radius. All edges are applied to the desktop after the laminate and backer sheets are applied, constituting an external edge band. Desktop is positioned over the end panels of the desk module, flush with the outside edges of the end panels.

END PANEL

Desk module end panel is 1" thick, 3-ply, 45# density particleboard core with select plain-sliced slip matched Northern-grown Red Oak or maple veneer on both sides. Exposed edges are externally banded with a 1" x 1.6mm thick Northern-grown Red Oak or maple veneer edge band. The end panel and front panel are joined with 3/4" x 3/4" thick solid hardwood cleats screwed to the inside surface of the panel. Each end panel receives a 3" diameter egress grommet to provide for wire passage and two adjustable glides to allow leveling of the individual units.

FRONT PANEL

The front panel is 3/4" thick; 45# density particleboard core comprised of select rift cut Northern-grown Red Oak veneers or maple plain sliced slip matched veneers. Exposed edges are externally banded with a 3/4" x 1.6mm thick, veneer edge band. A 6"H x 3/4"D recessed, ebonized, toe space is incorporated at the bottom of the panel. The front panel is positioned over the end panels of the desk module, flush with the outside edges of the end panels. Double wide units have two front panels to give the appearance of two individual units.

WORK SURFACE

Work surface is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The exposed edge receives a 1/4" thick, Northern-grown Red Oak or maple solid internal edge band in straight design. The back edge of the work surface has a plastic black strip, 1-1/2"W, which projects above the work surface 1/4" to act as a retainer. The work surface is 24-1/2"D and is positioned 1-1/2" away from the front panel, creating a cord drop space. Adjustable work surfaces positioned at heights of 36", 32" or 27" are available in single wide standing height desks.


Note: See Brodart optional electrical accessories for electrical power-distribution system for desk modules.

SHELVES

Shelves are constructed of 7-ply, furniture-grade veneer-core hardwood plywood, with Northern-grown Red Oak plain sliced face veneer or maple plain sliced face veneer. Exposed edges receive a 1.6mm thick, solid-oak or maple edge band.

DRAWER

Drawer is constructed of solid Northern-grown Red Oak or maple with 1/4" thick wood bottom panel. Drawer has 3-ply particleboard fronts with select oak-face veneer or maple veneer. Box drawer has extension slides with 100# load capacity. File drawer has full-extension slides with 100# load capacity. Double Units: 32-3/16"H x 70"W x 30"D




Abridge Flush Edge Band

DESK DIMENSIONS


Standing-Height Desk, overall: 39-3/16"Hx35"Wx30"D or39-3/16"Hx70"Wx30"D.

Sitting-Height Desk, overall: 32-3/16"Hx35"Wx30"D or32-3/16"Hx70"Wx30"D.



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
ABOCIRSW39PLS	ABMCIRSW39PLS	Standing Height Desk with Patron Service Ledge	39-3/16" x 35" x 30"	140	\$3,255	\$3,548	Single-Wide Desk with Patron Service Ledge
		Inside dimensions: $33"Wx26-3/7-7/8"$ patron ledge is at a heigh Note: Adjustable-height work su at heights of $36", 32"$ or $27"$.	t of 39-1/4"H.				
ABOCIRSW32PLS	ABMCIRSW32PLS	Sitting Height Desk with Patron Service Ledge	32-3/16" x 35" x 30"	125	\$3,093	\$3,370	
		Inside dimensions: 33"W x 26-3, 7-7/8" patron ledge is at a heigh Note: Work surface is fixed at 27	t of 32-3/16"H.				
ABOCIRSW39S	ABMCIRSW39S	Standing Height Desk without Patron Service Ledge	39-3/16" x35" x30"	135	\$2,841	\$3,096	Single-Wide Desk without Patron Service Ledge
		Inside dimensions: 33 "W x 26-3, work surface is at 39-3/16" H. Tw grommets are located in the work	o 3" diamenter				without Paroni Service Leage
ABOCIRSW32S	ABMCIRSW32S	Sitting Height Desk without Patron Service Ledge	32-3/16" x35" x30"	120	\$2,602	\$2,836	
		Inside dimensions: 33"W x 26-3/work surface is at 32-3/16"H. Tw grommets are located in the work	o 3" diamenter				
ABOCIRSW39BRS	ABMCIRSW39BRS	Standing Height Book Return Unit		135	\$2,754	\$3,002	Book Return Unit
		Inside dimensions: 33 "W x 26-3/ work surface is at 39-3/16" H. Ur finished opening centered in the f of books and a book chute to dire depressible book truck. (Depressi Two 3" diameter grommets are lo	nit has a 5"H x 12"W front panel for passage ct the books over a mobile ble book truck not include				
ABOCIRSW32BRS	ABMCIRSW32BRS	Sitting Height Book Return Unit	32-3/16" x 35" x 30"	120	\$2,592	\$2,825	
		Inside dimensions: 33"W x 26-3, work surface is at 32-3/16"H. Ur finished opening centered in the f of books and a book chute to dire depressible book truck. (Depressi Two 3" diameter grommets are lo	nit has a 5"H x 12"W front panel for passage ct the books over a mobile ble book truck not include				0

Standing Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
Cupboard and Open Shelf	ABOCIRSW39COSS	ABMCIRSW39COSS	Standing Height Cupboard and Open Shelf	39-3/16" x 35" x 30"	175	\$5,414	\$5,902	
0			This unit has one fixed and tw shelves. A hidden drawer is p the lockable storage compar grommets are located in the	ositioned above tment. Two 3" diameter				
	ABOCIRSW32COSS	ABMCIRSW32COSS	Sitting Height Cupboard	32-3/16" x 35" x 30"	160	\$5,061	\$5,516	
			This unit has one fixed and or shelf. A hidden drawer is pos the lockable storage compar grommets are located in the	itioned above tment. Two 3" diameter				
Full Width Drawer, Cupboard and Drawers	ABOCIRSW39FCDS	ABMCIRSW39FCDS	Standing Height Full Width Drawer, Cupboard and Draw	39-3/16" x 35" x 30" ers	225	\$7,417	\$8,085	
			This unit has one full-width d two file drawers, and a lockal compartment. Two 3" diame are located in the work surfact Note: Available in 39" H on	ble storage tter grommets ce.				



Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

The Abridge Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
ABOCIRSW390SDS	ABMCIRSW390SDS	Standing Height Open Shelf and Drawer Unit	39-3/16" x 35" x 30"	200	\$6,060	\$6,606	Open Shelf and Drawer Unit
		This unit has one lockable bo and two file drawers. Shelf se two adjustable shelves, and o Two 3" diameter grommets a	ection has one fixed base shelf.	face.			
ABOCIRSW320SDS	ABMCIRSW320SDS	Sitting Height Open Shelf and Drawer Unit	32-3/16" x 35" x 30"	180	\$5,531	\$6,029	
		This unit has one lockable bo and one file drawer. Shelf sec one adjustable shelf, and one Two 3" diameter grommets a	ction has e fixed base shelf.	face.			
ABOCIRSW39CSDS	ABMCIRSW39CSDS	Standing Height Cash Drawe	r Unit39-3/16" x 35" x 3	0"150	\$4,119	\$4,491	Cash Drawer Unit
		Inside dimensions: 33"W x 2 The work surface is at 39-3/3 has locking drawer with a coi Two 3" diameter grommets a	16"H. Desk n and currency tray.	face.			0 0
ABOCIRSW32CSDS	ABMCIRSW32CSDS	Sitting Height Cash Drawer U	•	135	\$3,944	\$4,298	
		The work surface is at 32-3/3 has locking drawer with a coi Two 3" diameter grommets a	16 "H. Desk n and currency tray.	face.			
ABOCIRSW32ADAS	ABMCIRSW32ADAS	Sitting Height ADA Station	32-3/16" x 35" x 30"	185	\$3,093	\$3,370	ADA Station
		The ADA transaction station i designed to provide wheelch on the patrons' side. The kne on the patrons' side is 22-1/ staff side is 16". Two 3" diar are located in the work surfac egress with sleeve is located	air access e space depth '4" and on the neter grommets ce. One 3-1/2" diameter	passage.			

Standing	Sitting	Oak Catalog No.			Wt. (lbs.)	Oak Price	Maple Price	
Full Width Drawer Unit		ABOCIRSW39FS	ABMCIRSW39FS	Standing Height Full Width Drawer Unit	39-3/16" x 35" x 30"	160	\$4,237	\$4,617
				This drawer unit has a full-wi 10"H x 33"W x 18-3/4"D. grommets are located in the Note: Available in 39" H on	Two 3" diameter work surface.			

Full Width Drawer and Cupboard Unit



ABOCIRSW39FCS ABMCIRSW39FCS Standing Height Full Width **Drawer and Cupboard Unit**

39-3/16" x 35" x 30"

220

\$4,710 \$5,135

This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are located in the work surface.

Discharge Unit	ABOCIRSW39DS	ABMCIRSW39DS	Standing Height Discharge Unit 39-3/16" x 35" x 30"	165	\$4,429	\$4,828
			These units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H. Note: Standing-height roll unders do not work with this u	ınit.		
	ABOCIRSW32DS	ABMCIRSW32DS	Sitting Height Discharge Unit 32-3/16" x 35" x 30"	145	\$4,192	\$4,568
			These units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.			

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Oak	Maple October No.	December	H-W-D	Wt.	0ak	Maple	Standing	Sitting
Catalog No.	Catalog No.	Description	HxWxD	(lbs.)	Price	Price		Open Shelf Unit
ABOCIRSW390SS	ABMCIRSW390SS	Standing Height Open Shelf Unit This unit has a full-depth fixed bas shelf and two full-depth adjustabl Two 3" diameter grommets are lo the work surface.	se e shelves.	175	\$3,298	\$3,594		
ABOCIRSW320SS	ABMCIRSW320SS	Sitting Height Open Shelf Unit	32-3/16" x 35" x 30"	155	\$2,943	\$3,208		
		This unit has a full-depth fixed bas shelf and two full-depth adjustabl Two 3" diameter grommets are lo the work surface.	e shelves.				0	
ABOCIRSW39CS	ABMCIRSW39CS	Standing Height Cupboard Unit	39-3/16" x 35" x 30"	200	\$4,096	\$4,464	(Face)	Cupboard Unit
		This unit has a full-depth fixed bas shelf and two full-depth adjustabl Hinged doors have a catch, lock a Two 3" diameter grommets are lo work surface.	e shelves. nd door pulls.			C	0	
ABOCIRSW32CS	ABMCIRSW32CS	Sitting Height Cupboard Unit	32-3/16" x 35" x 30"	180	\$3,908	\$4,260		
		This unit has a full-depth fixed bas shelf and one full-depth adjustabl Hinged doors have a catch, lock a Two 3" diameter grommets are lo work surface.	e shelf. nd door pulls.				0	
ABOCIRSW39FOSS	ABMCIRSW39FOSS	Standing Height Full Width Drawer and Open Shelves	39-3/16" x 35" x 30"	180	\$4,003	\$4,363	Full Wid	tth Drawer and Open Shelves
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable full-depth shelf. Two 3" diameter grommets are located in the work				c		
ABOCIRSW32F0SS	S ABMCIRSW32FOSS	Sitting Height Full Width Drawer and Open Shelves This unit has a full-width drawer 10"Hx33"Wx18-3/4"D.	32-3/16" x35" x30"	165	\$3,767	\$4,107	0	
		Also, one fixed and one adjustable full-depth shelf. Two 3" diameter grommets are located in the work						

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.


Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Media Storage Unit		ABOCIRSW39MSS	ABMCIRSW39MSS	Standing Height Media Storage Unit	39-3/16" x 35" x 30"	225	\$5,657	\$6,166
				This unit has four full-width 8-1/2"Hx33"Wx24"Dx containing five compartme	with each			
		ABOCIRSW32MSS	ABMCIRSW32MSS	Sitting Height Media Storage Unit	32-3/16" x 35" x 30"	205	\$5,200	\$5,667
0		0		This unit has three full-widt 8-1/2"Hx33"Wx24"Dx containing five compartme	with each			

	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
ABOCIRDW39PL35S	ABMCIRDW39PL35S	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$4,708	\$5,132		ouble-Wide Desk on Service Ledge
		Work Surface at 35"H Inside dimensions are 68"W x 2 The 7-7/8"D patron ledge is at Two 3" diameter grommets are Note: Standing-height roll under	a height of 39-3/16". located in the work surfac		0	O		
ABOCIRDW32PLS	ABMCIRDW32PLS	Sitting Height Double-Wide Desk with Patron Service Ledge	32-3/16" x 70" x 30"	210	\$4,440	\$4,840		
		Work Surface at 28"H Inside dimensions are 68"W x 2 The 7-7/8"D patron ledge is at Two 3" diameter grommets are	a height of 32-3/16".	e.		C		
ABOCIRDW39PL28S	ABMCIRDW39PL28S	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$4,589	\$5,002		
		Work Surface at 28"H Inside dimensions are 68"W x 2 The 7-7/8"D patron ledge is at Two 3" diameter grommets are Note: Standing-height roll und	a height of 39-3/16". located in the work surfac					
ABOCIRDW39S	ABMCIRDW39S	Standing Height Double-Wide Desk without Patron Service Led	•	230	\$4,183	\$4,558		ouble-Wide Desk on Service Ledge
		Inside dimensions are 68 "W x 2 The work surface is at 39-3/16' diameter grommets are located	26-3/4"D. " H. Two 3"		0	0	0	
ABOCIRDW32S	ABMCIRDW32S	Sitting Height Double-Wide	32-3/16" x 70" x 30"	195	\$3,973	\$4,331		

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Inside dimensions are 68"Wx26-3/4"D. The work surface is at 32-3/16"H. Two 3" diameter grommets are located in the work surface.


Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Double-Wide Doub Work Desk	le Pedestal	ABOCIRDW32DPS	ABMCIRDW32DPS	Sitting Height Double-Wide Double Pedestal Work Desk	32-3/16" x 70" x 30"	260	\$9,654	\$10,522
	3			Inside dimensions are 68 "W x This unit has two drawer pedes on each side consisting of one one file drawer with hanging fi Two center drawers are mount Two 3" diameter grommets ar Note: Available in 32-3/16"	stals, one mounted locking drawer at top; le rack at bottom. ed between the two pedest re located in the work surfac			



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
ABOCIR9039MCS	ABMCIR9039MCS	Standing Height 90 Degree Multi-Purpose Corner	39-3/16" x 71-3/4" x 3		\$6,147	\$6,701	Multi	90 Degree -Purpose Corner
		Unit has 29-5/16"W port ar angled areas to the left and r grommet is located in the wo with sleeve is located in each	ight of the desk module. O rk-surface top. One 3-1/2	ne 3" diame !" diameter	eter	0		0
ABOCIR9032MCS	ABMCIR9032MCS	Sitting Height 90 Degree Multi-Purpose Corner	32-3/16" x 71-3/4" x 3	30" 215	\$5,883	\$6,411		
		Unit has 29-5/16"W port ar angled areas to the left and r grommet is located in the wo with sleeve is located in each	ight of the desk module. O rk-surface top. One 3-1/2	ne 3" diame !" diameter	eter		0	0
ABOCIR9039MCPS	ABMCIR9039MCPS	Standing Height 90 Degree Multi-Purpose with Patron Se		30" 245	\$7,987	\$8,706	90 Degree Multi with Patro	-Purpose Corner n Service Ledge
		Unit has 29-5/16"W port ar of 39-3/16". Work surface two angled areas to the left a is located in the work surface located in each end panel for	is at 35"H. Storage shelve and right of the module. Or top. One 3-1/2"diamete	s are locate ne 3" diame	d in the ter grommet	0		0
ABOCIR9032MCPS	ABMCIR9032MCPS	Sitting Height 90 Degree Multi-Purpose with Patron Se	32-3/16" x 71-3/4" x 3 ervice Ledge	30" 210	\$7,651	\$8,340		•
		Unit has 29-5/16"W port ar Work surface is at 28"H. Sto and right of the module. One 3-1/2" diameter egress with	orage shelves are located in 3" diameter grommet is l	n the two ang ocated in the	gled areas to t e work surface	he left top. One	0	0
ABOCIR9039CCS	ABMCIR9039CCS	Standing Height 90 Degree Closed Corner Unit	39-3/16"H	140	\$3,287	\$3,582	Clo	90 Degree
		This 90 degree unit is used to This is not available with patr in each end panel for wire pa	on ledge. One 3-1/2" dia	meter egress	s is located	0	0	
ABOCIR9032CCS	ABMCIR9032CCS	Sitting Height 90 Degree Closed Corner Unit	32-3/16"H	120	\$3,127	\$3,408		
		This 90 degree unit is used to This is not available with patu in each end panel for wire pa	ron ledge. One 3-1/2" dia	meter egress	s is located		0	


Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
45 Degree Closed C	orner Unit	ABOCIR4539CCS	ABMCIR4539CCS	Standing Height 45 Degree Closed Corner Unit	39-3/16" x 22-7/8" x 30	" 130	\$3,054	\$3,329
				This corner unit is used to cre This unit is not available with		circulatio	n desk.	
	\[\]	ABOCIR4532CCS	ABMCIR4532CCS	Sitting Height 45 Degree Closed Corner Unit	32-3/16" x 22-7/8" x 30	" 110	\$2,892	\$3,152
				This corner unit is used to cre This unit is not available with		circulatio	n desk.	

90 Degree Open Curved Corner with Patron Service Ledge



ABOCIR90390CCPS ABMCIR90390CCPS Standing Height 90 Degree 39-3/16" x 70-1/8" x 30" 245 Open Curved Corner with Patron Service Ledge

> The 7-7/8"D patron ledge is at a height of 39-3/16". The work surface is at 35"H. Unit has 26-5/8"W port area. Storage shelves are located in the two angled areas to the left and right of the desk module. One 3" diameter grommet is located in the work surface top. One 3-12" diameter egress with sleeve is located in each end panel for wire passage.



32-3/16" x 70-1/8" x 30" 210 \$9.601 \$10,464 Open Curved Corner with Patron Service Ledge

The 7-7/8"D patron ledge is at a height of 32-3/16". The work surface is at 35"H. Unit has 26-5/8"W port area. Storage shelves are located in the two angled areas to the left and right of the desk module. One 3" diameter grommet is located in the work surface top. One 3-12" diameter egress with sleeve is located in each end panel for wire passage.



90 Degree Open Curved Corner

ABOCIR9039OCCS

ABMCIR90390CCS

Standing Height 90 Degree 39-3/16" x 70-1/8" x 30" 245 Open Curved Corner

\$9,576

\$10,860

Work surface is at 39-3/16" H. Unit has 26-5/8" W port area. Storage shelves are located in the two angled areas to the left and right of the desk module. One 3" diameter grommet is located in the work-surface top. One 3-1/2" diameter egress with sleeve is located in each end panel for wire passage.

ABOCIR90320CCS

ABMCIR90320CCS

Sitting Height 90 Degree **Open Curved Corner**

32-3/16" x 70-1/8" x 30" 210

\$8,460

\$9,222

Work surface is at 32-3/16"H. Unit has 26-5/8"W port area. Storage shelves are located in the two angled areas to the left and right of the desk module. One 3" diameter grommet is located in the work-surface top. One 3-1/2" diameter egress with sleeve is located in each end panel for wire passage.

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing S	Sitting
ABOCIR6039CCPS	ABMCIR6039CCPS	Standing Height 60 Degree Curved Corner with Patron Se	39-3/16" x 80-3/4" x 30' ervice Ledge		\$11,999	\$13,079	60 Degree Curved C with Patron Service I	
		35-7/16"H. Unit has 49-1/ two angled areas to the left a	s at a height of 39-3/16". The 16" W port area. Storage she and right of the desk module. O rrk surface top. One 3-1/2" d panel for wire passage.	ves are loc Ine 3" dia	ated in the meter	0		
ABOCIR6032CCPS	ABMCIR6032CCPS	Sitting Height 60 Degree Curved Corner with Patron Se	32-3/16" x 80-3/4" x 30' ervice Ledge	210	\$11,569	\$12,610		
		Unit has 49-1/16" W port at left and right of the desk mod	s at a height of 32-3/16". The rea. Storage shelves are locate dule. One 3" diameter gromm gress with sleeve is located in	ed in the tw et is locate	o angled areased in the work s	s to the surface		0
ABOCIR6039CCS	ABMCIR6039CCS	Curved Corner Work surface is at 39-3/16" are located in the two angled 3" diameter grommet is loca	39-3/16" x 80-3/4" x 30 defined and right of the left and right of	area. Stora he desk mo ne 3-1/2"	odule. One	\$11,819	60 Degree Curved C	corner
ABOCIR6032CCS	ABMCIR6032CCS	located in the two angled are	32-3/16" x 80-3/4" x 30 ¹ H. Unit has 49-1/16"W port eas to the left and right of the cork surface top. One 3-1/2" driving passage.	area. Stora lesk modul	le. One 3" diar	meter		
ABOCIR9039CCCS	ABMCIR9039CCCS	Standing Height 90 Degree Closed Corner Unit	39-3/16"Hx30"D	140	\$4,248	\$4,631	90 Degree C	
		This 90 degree unit is used to This unit is provided with a cu	o form a right-angle tum in a d urved front panel.	esk arrang	ement.			
ABOCIR9032CCCS	ABMCIR9032CCCS	Sitting Height 90 Degree Closed Corner Unit	32-3/16"Hx30"D	120	\$3,968	\$4,325		
		This 90 degree unit is used to This unit is provided with a cu	o form a right-angle turn in a d urved front panel.	esk arrang	ement.			

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
45 Degree Curved Closed Corner Unit		ABOCIR4539CCCS	ABMCIR4539CCCS	Standing Height 45 Degree Curved Closed Corner Unit	39-3/16" x 22-3/8" x 30)" 130	\$3,884	\$4,233
				This unit is used to create a 45 It is not available with patron		ition desk.		
		ABOCIR4532CCCS	ABMCIR4532CCCS	Sitting Height 45 Degree Curved Closed Corner Unit	32-3/16" x 22-3/8" x 30)" 110	\$3,603	\$3,928
	0			This unit is used to create a 4! It is not available with patron		ition desk.		
90 Degree Open Corn	er Shelf	ABOCIR90390CSS	ABMCIR90390CSS	Standing Height 90 Degree Open Corner Shelf	39-3/16"H x30"D	140	\$3,022	\$3,294
				This 90 degree unit is used to Has one fixed base shelf and Note: Units must be modified on open corner units.	wo adjustable shelves.			ough
		ABOCIR90320CSS	ABMCIR90320CSS	Sitting Height 90 Degree Open Corner Shelf	32-3/16"H x30"D	120	\$2,797	\$3,049
				This 90 degree unit is used to Has one fixed base shelf and the Note: Units must be modified on open corner units.	wo adjustable shelves.		_	ough
90 Degree Square Co	rner Unit	ABOCIR9039SCS	ABMCIR9039SCS	Standing Height 90 Degree Square Corner Unit	39-3/16" x 30" x 30"	160	\$3,269	\$3,564
0 0				This square corner unit is used One 3" diameter egress is loc a continuous ABS tube.		_		
		ABOCIR9032SCS	ABMCIR9032SCS	Sitting Height 90 Degree Square Corner Unit	32-3/16" x 30" x 30"	140	\$3,083	\$3,360
0	0			This square corner unit is used One 3" diameter egress is loc a continuous ABS tube.		_		

The Abridge Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
ABOCIREP39S	ABMCIREP39S	Detachable End Panels (Pair)	37-1/2" x 1" x 26-3/4"	52	\$1,259	\$1,372	Detachable End Panels (Pair)
		End panels are 1" thick, 3-ply particleboard core with plain-s veneers. Exposed edges are ex with 1.6mm thick, solid Northo	cliced oak or maple cternally banded	e band.			0 0
ABOCIREP32S	ABMCIREP32S	Detachable End Panels (Pair) End panels are 1" thick, 3-ply particleboard core with plain-s	, 45# density	42	\$1,202	\$1,310	
		veneers. Exposed edges are ex with 1.6mm thick, solid North	ternally banded	e band.			

ABOCIRSWPL7HS	ABMCIRSWPL7HS	Single-Wide Add On 7"H Patron Ledge	7" x 35" x 7-7/8"	10	\$624	\$682	Single-Wide Add On 7"H Patron Ledge
		Unit is designed to be added of without a patron ledge. The Pato the desktop by means of #8 the work surface into the ledge	atron Ledge Assembly will att 3 x 2-1/2" screws inserted th				

ABOCIRDWPL7HS	ABMCIRDWPL7HS	Double-Wide Add On 7"H Patron Ledge	7" x70" x 7-7/8"	20	\$790	\$861	Double-Wide Add On 7"H Patron Ledge
			Patron Ledge Assembly will at #8 x 2-1/2" screws inserted t				

General Specifications

TABLETOP

Tabletop is 1-3/16" thick, 9-ply solid hardwood plywood or 3-ply 45# density particleboard, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. Edges are solid Northern-grown Red Oak or maple. Top receives an external solid drop edge Northern-grown Red Oak or maple band 5/8" x 1-5/8" thick, radiused 1/2" to form a waterfall shape.

Note: Tables with a depth exceeding 48" receive only 1-3/16" thick, 3-ply, 45# density particleboard core.

APRON (OPTIONAL)

A 4"H x 1" thick solid Northern-grown Red Oak or maple apron is fitted between the legs and behind the extended tabletop edge band. Starting 1/2" in from each end, the apron receives a radius that peaks at 2" in the center. The ends of each apron receive a 1/2" radius. Aprons are attached to the table using wood cleats screwed to the underside of the tabletop. Aprons on round tables go straight between the legs

Note: Aprons are not available for trapezoid shaped tables or Pedestal Base tables.

LEG

The leg is glued up 2-1/4" solid Northern-grown Red Oak or maple. The leg is molded into a triangle shape with the front face receiving a 2" radius and outside edges receiving a 1/2" radius that tapers to a 90° right angle. A 1/4" wide x 1/16" deep horizontal vein line is routed 2" up from the bottom of the leg. A 1/8" chamfer is placed at the bottom of the leg. Each leg receives a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut which is further recessed into the leg by means of a counter-sink boring which accepts the upper two-thirds of the glide. Legs attach to tabletops by means of a 5" square x 5/16" thick cold-rolled steel plate. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted into the leg. The assembled leg is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended table edge band.

TABLETOP SUPPORT


For maximum rigidity, rectangular tables 60" wide or more receive a V-shaped, 14-gauge steel keel securely fastened to the underside of the tabletop. Tables 48"D and more than 60"W, receive two steel keels parallel to the length of the table. Tables 90" or wider receive two extra legs located under the center of the table to provide added support.

Note: Center support legs will be glued up, 2-1/4" square solid


Northern-grown Red Oak or maple. All vertical edges of legs receive a 1/2" radius. Bottom edges of legs are chamfered 1/8". Each leg has a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a counter-sunk boring which accepts the upper two-thirds of the glide.

PEDESTAL

Pedestal base will be solid Northern-grown Red Oak or maple. The base consists of four assembled leg components comprised of 6/4 solid material assembled using mortise and tenon construction. The upper horizontal part of the each base leg will receive borings for attaching the assembly to the tabletop. The lower horizontal piece will receive a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut which is further recessed into the leg by means of a counter-sink boring which accepts the upper two-thirds of the glide. All pedestal base edges will receive a 1/4" radius. The four assembled base components will connect to a 2-1/4" x 2-1/4" solid Northern-grown red oak or maple post using metal to metal hardware fasteners forming a one piece pedestal. Table tops are attached to base by bolting through the upper horizontal members of base into internal and external threaded bushings embedded in the under side of the table top.



Abridge Drop Edge Band



Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price	
Round Oak Table							Round Table
ABOT36RD29BRTWS	ABOT36RD29ARTWS	Adult Table	29"Hx36" Diameter	100	\$1,815	\$1,681	
ABOT36RD27BRTWS	ABOT36RD27ARTWS	Youth Table	27-1/2"Hx36" Diameter	100	\$1,815	\$1,681	
ABOT36RD25BRTWS	ABOT36RD25ARTWS	Juvenile Table	25"Hx36" Diameter	100	\$1,815	\$1,681	
ABOT42RD29BRTWS	ABOT42RD29ARTWS	Adult Table	29"H x 42" Diameter	110	\$1,942	\$1,778	
	ABOT42RD27ARTWS		27-1/2"H x 42" Diameter	110	\$1,942	\$1,778	
	ABOT42RD25ARTWS		25"H x 42" Diameter	110	\$1,942	\$1,778	
			00	400	,	,	D H M
	ABOT48RD29ARTWS ABOT48RD27ARTWS		29"H x 48" Diameter	120 120	\$2,014 \$2,014	\$1,825	_
	ABOT48RD25ARTWS		27-1/2"H x 48" Diameter 25"H x 48" Diameter	120	\$2,014 \$2,014	\$1,825 \$1,825	
ADOITOND23DNIW3	ADOITOND2JANIW3	Juvenine rable	25 II X 40 Diameter		32,014	\$1,623	
N/A	ABOT60RD29ARTWS		29"H x 60" Diameter	120	N/A	\$2,189	
N/A	ABOT60RD27ARTWS		27-1/2"H x 60" Diameter	120	N/A	\$2,189	
N/A	ABOT60RD25ARTWS	Juvenile Table	25"H x 60" Diameter	120	N/A	\$2,189	
Round Maple Table	<u>)</u>						
<u>-</u>	ABMT36RD29ARTWS	Adult Table	29"Hx36" Diameter	100	\$1,851	\$1,716	
	ABMT36RD27ARTWS		27-1/2"Hx36" Diameter	100	\$1,851 \$1,851	\$1,716 \$1,716	
	ABMT36RD25ARTWS		25"Hx36" Diameter	100	\$1,851	\$1,716	
					,	,	
	ABMT42RD29ARTWS		29"H x 42" Diameter	110	\$1,994	\$1,828	
	ABMT42RD27ARTWS ABMT42RD25ARTWS		27-1/2"H x 42" Diameter 25"H x 42" Diameter	110	\$1,994 \$4,004	\$1,828	
ABIVI142KD25BK1W5	ABIVI142RD25AR1W5	Juvenile rable	25"HX42" Diameter	110	\$1,994	\$1,828	
ABMT48RD29BRTWS	ABMT48RD29ARTWS	Adult Table	29"H x 48" Diameter	120	\$2,069	\$1,881	
ABMT48RD27BRTWS	ABMT48RD27ARTWS	Youth Table	27-1/2"H x 48" Diameter	120	\$2,069	\$1,881	
ABMT48RD25BRTWS	ABMT48RD25ARTWS	Juvenile Table	25"H x 48" Diameter	120	\$2,069	\$1,881	
N/A	ABMT60RD29ARTWS	Adult Table	29"H x 60" Diameter	120	N/A	\$2,254	
N/A	ABMT60RD27ARTWS		27-1/2"H x 60" Diameter	120	N/A	\$2,254	
N/A	ABMT60RD25ARTWS	Juvenile Table	25"H x 60" Diameter	120	N/A	\$2,254	
<u>Square Oak Table</u>							Square Table
	ABOT303029ARTWS	Adult Table	29" x 30" x 30"	110	\$1,402	\$1,237	
ABOT303027BRTWS	ABOT303027ARTWS	Youth Table	27-1/2" x 30" x 30"	110	\$1,402	\$1,237	1000
ABOT303025BRTWS	ABOT303025ARTWS	Juvenile Table	25" x 30" x 30"	110	\$1,402	\$1,237	
ABOT363629BRTWS	ABOT363629ARTWS	Adult Table	29" x 36" x 36"	110	\$1,543	\$1,361	
ABOT363627BRTWS	ABOT363627ARTWS	Youth Table	27-1/2" x 36" x 36"	110	\$1,543	\$1,361	
ABOT363625BRTWS	ABOT363625ARTWS	Juvenile Table	25" x 36" x 36"	110	\$1,543	\$1,361	p - H B
ABOT424229RRTWS	ABOT424229ARTWS	Adult Table	29" x 42" x 42"	110	\$1,564	\$1,400	in and
	ABOT424227ARTWS		27-1/2" x 42" x 42"	110	\$1,564	\$1,400 \$1,400	
	ABOT424225ARTWS		25" x 42" x 42"	110	\$1,564	\$1,400 \$1,400	
	ABOT484829ARTWS		29" x 48" x 48"	110	\$1,676	\$1,483	
	ABOT484827ARTWS		27-1/2" x 48" x 48"	110	\$1,676	\$1,483	
ABU1484825BR1W5	ABOT484825ARTWS	Juvenile lable	25" x 48" x 48"	110	\$1,676	\$1,483	
<u>Square Maple Tabl</u>	<u>e</u>						
ABMT303029BRTWS	ABMT303029ARTWS	Adult Table	29" x 30" x 30"	110	\$1,419	\$1,253	
ABMT303027BRTWS	ABMT303027ARTWS	Youth Table	27-1/2" x 30" x 30"	110	\$1,419	\$1,253	
ABMT303025BRTWS	ABMT303025ARTWS	Juvenile Table	25" x 30" x 30"	110	\$1,419	\$1,253	
ABMT363629BRTWS	ABMT363629ARTWS	Adult Table	29" x 36" x 36"	110	\$1,561	\$1,381	
	ABMT363627ARTWS		27-1/2" x 36" x 36"	110	\$1,561	\$1,381	
	ABMT363625ARTWS		25" x 36" x 36"	110	\$1,561	\$1,381	
	ABMT424229ARTWS		29" x 42" x 42"	110	\$1,589	\$1,423	
	ABMT424227ARTWS		27-1/2" x 42" x 42"	110	\$1,589 \$1,589	\$1,423 \$1,423	
ADIVI1424225BR1WS	ABMT424225ARTWS	Juvernie rabie	25" x 42" x 42"	110	\$1,589	\$1,423	
ABMT484829BRTWS	ABMT484829ARTWS	Adult Table	29" x 48" x 48"	110	\$1,695	\$1,507	
ABMT484827BRTWS	ABMT484829ARTWS ABMT484827ARTWS ABMT484825ARTWS	Youth Table	29" x 48" x 48" 27-1/2" x 48" x 48"	110 110	\$1,695 \$1,695	\$1,507 \$1,507	

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4. Note: Optional Wood Aprons for Tables are located on page ABR 21.

	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price
Four-Reader	Four-Reader Recta	ngular Oak Table					
Rectrangular Table	AB0T306029BRTWS	ABOT306029ARTWS	Adult Table	29" x 30" x 60"	120	\$1,879	\$1,469
	AB0T306027BRTWS	ABOT306027ARTWS	Youth Table	27-1/2" x 30" x 60"	120	\$1,879	\$1,469
	AB0T306025BRTWS	AB0T306025ARTWS	Juvenile Table	25" x 30" x 60"	120	\$1,879	\$1,469
	ABOT307229BRTWS	ABOT307229ARTWS	Adult Table	29" x 30" x 72"	140	\$2,009	\$1,630
	ABOT307227BRTWS	ABOT307227ARTWS	Youth Table	27-1/2" x 30" x 72"	140	\$2,009	\$1,630
F B	AB0T307225BRTWS	AB0T307225ARTWS	Juvenile Table	25" x 30" x 72"	140	\$2,009	\$1,630
	Four-Reader Recta	ngular Maple Table					
	ABMT306029BRTWS	ABMT306029ARTWS	Adult Table	29" x 30" x 60"	120	\$1,983	\$1,550
	ABMT306027BRTWS	ABMT306027ARTWS	Youth Table	27-1/2" x 30" x 60"	120	\$1,983	\$1,550
	ABMT306025BRTWS	ABMT306025ARTWS	Juvenile Table	25" x 30" x 60"	120	\$1,983	\$1,550
	ABMT307229BRTWS	ABMT307229ARTWS	Adult Table	29" x 30" x 72"	140	\$2,102	\$1,71
	ABMT307227BRTWS	ABMT307227ARTWS	Youth Table	27-1/2" x 30" x 72"	140	\$2,102	\$1,710
	ABMT307225BRTWS	ABMT307225ARTWS	Juvenile Table	25" x 30" x 72"	140	\$2,102	\$1,710

Six-Reader	Six-Reader Rectangular Oak Table						
Rectrangular Table	AB0T366029BRTWS	ABOT366029ARTWS	Adult Table	29" x 36" x 60"	120	\$1,958	\$1,570
	AB0T366027BRTWS	ABOT366027ARTWS	Youth Table	27-1/2" x 36" x 60"	120	\$1,958	\$1,570
	AB0T366025BRTWS	ABOT366025ARTWS	Juvenile Table	25" x 36" x 60"	120	\$1,958	\$1,570
	ABOT367229BRTWS	ABOT367229ARTWS	Adult Table	29" x 36" x 72"	140	\$2,075	\$1,804
	AB0T367227BRTWS	AB0T367227ARTWS	Youth Table	27-1/2" x 36" x 72"	140	\$2,075	\$1,804
6	AB0T367225BRTWS	ABOT367225ARTWS	Juvenile Table	25" x 36" x 72"	140	\$2,075	\$1,804
	AB0T487229BRTWS	ABOT487229ARTWS	Adult Table	29" x 48" x 72"	170	\$2,267	\$1,988
	AB0T487227BRTWS	AB0T487227ARTWS	Youth Table	27-1/2" x 48" x 72"	170	\$2,267	\$1,988
	AB0T487225BRTWS	ABOT487225ARTWS	Juvenile Table	25" x 48" x 72"	170	\$2,267	\$1,988
	Six-Reader Rectangular Maple Table						
	ABMT366029BRTWS	ABMT366029ARTWS	Adult Table	29" x 36" x 60"	120	\$1,983	\$1,594
	ABMT366027BRTWS	ABMT366027ARTWS	Youth Table	27-1/2" x 36" x 60"	120	\$1,983	\$1,594
	ABMT366025BRTWS	ABMT366025ARTWS	Juvenile Table	25" x 36" x 60"	120	\$1,983	\$1,594
	ABMT367229BRTWS	ABMT367229ARTWS	Adult Table	29" x 36" x 72"	140	\$2,102	\$1,831
	ABMT367227BRTWS	ABMT367227ARTWS	Youth Table	27-1/2" x 36" x 72"	140	\$2,102	\$1,831
	ABMT367225BRTWS	ABMT367225ARTWS	Juvenile Table	25" x 36" x 72"	140	\$2,102	\$1,831
	ABMT487229BRTWS	ABMT487229ARTWS	Adult Table	29" x 48" x 72"	170	\$2,296	\$2,017
	ABMT487227BRTWS	ABMT487227ARTWS	Youth Table	27-1/2" x 48" x 72"	170	\$2,296	\$2,017
	ABMT487225BRTWS	ABMT487225ARTWS	Juvenile Table	25" x 48" x 72"	170	\$2,296	\$2,017

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Optional Wood Aprons for Tables are located on page ABR 21.

Plywood Core	Particleboard Core				Plywood Core		
Catalog No.	Catalog No.	Description	HxWxD	(lbs.)	Price	Price	
Rectangular Oak Ta	able with Center Sup	port Legs					Rectangular Table with
ABOT309029BRTWS	ABOT309029ARTWS	Adult Table	29" x 30" x 90"	165	\$2,653	\$2,158	Center Support Legs
AB0T309027BRTWS	AB0T309027ARTWS	Youth Table 27	-1/2" x 30" x 90"	165	\$2,653	\$2,158	
ABOT309025BRTWS	ABOT309025ARTWS	Juvenile Table	25" x 30" x 90"	165	\$2,653	\$2,158	
ABOT369029BRTWS	ABOT369029ARTWS	Adult Table	29" x 36" x 90"	165	\$2,653	\$2,275	t e
ABOT369027BRTWS	AB0T369027ARTWS	Youth Table 27	-1/2" x 36" x 90"	165	\$2,653	\$2,275	
ABOT369025BRTWS	ABOT369025ARTWS	Juvenile Table	25" x 36" x 90"	165	\$2,653	\$2,275	8
AB0T489029BRTWS	AB0T489029ARTWS	Adult Table	29" x 48" x 90"	185	\$2,795	\$2,413	
AB0T489027BRTWS	ABOT489027ARTWS	Youth Table 27	-1/2" x 48" x 90"	185	\$2,795	\$2,413	
AB0T489025BRTWS	ABOT489025ARTWS	Juvenile Table	25" x 48" x 90"	185	\$2,795	\$2,413	
Rectangular Maple	Table with Center S	upport Legs					
ABMT309029BRTWS	ABMT309029ARTWS	Adult Table	29" x 30" x 90"	165	\$2,687	\$2,193	
ABMT309027BRTWS	ABMT309027ARTWS	Youth Table 27	-1/2" x 30" x 90"	165	\$2,687	\$2,193	
ABMT309025BRTWS	ABMT309025ARTWS	Juvenile Table	25" x 30" x 90"	165	\$2,687	\$2,193	
ABMT369029BRTWS	ABMT369029ARTWS	Adult Table	29" x 36" x 90"	165	\$2,687	\$2,307	
ABMT369027BRTWS	ABMT369027ARTWS	Youth Table 27	-1/2" x 36" x 90"	165	\$2,687	\$2,307	
ABMT369025BRTWS	ABMT369025ARTWS	Juvenile Table	25" x 36" x 90"	165	\$2,687	\$2,307	
ABMT489029BRTWS	ABMT489029ARTWS	Adult Table	29" x 48" x 90"	185	\$2,833	\$2,451	
ABMT489027BRTWS	ABMT489027ARTWS	Youth Table 27	-1/2" x 48" x 90"	185	\$2,833	\$2,451	
ABMT489025BRTWS	ABMT489025ARTWS	Juvenile Table	25" x 48" x 90"	185	\$2,833	\$2,451	
	<u>le</u>						Trapezoid Table
ABOT60TR29BRTWS	ABOT60TR29ARTWS	Adult Table	29" x 30" x 30" x 60"	120	\$2,166	\$1,765	
ABOT60TR27BRTWS	ABOT60TR27ARTWS	Youth Table 27	-1/2" x 30" x 30" x 60"	120	\$2,166	\$1,765	A
ABOT60TR25BRTWS	ABOT60TR25ARTWS	Juvenile Table	25" x 30" x 30" x 60"	120	\$2,166	\$1,765	
Trapezoid Maple Ta	<u>able</u>						H H
ABMT60TR29BRTWS	ABMT60TR29ARTWS	Adult Table	29" x 30" x 30" x 60"	120	\$2,261	\$1,777	E .
ABMT60TR27BRTWS	ABMT60TR27ARTWS	Youth Table 27	-1/2" x 30" x 30" x 60"	120	\$2,261	\$1,777	-
ABMT60TR25BRTWS	ABMT60TR25ARTWS	Juvenile Table	25" x 30" x 30" x 60"	120	\$2,261	\$1,777	

 $\textbf{Note:} \ \ \textbf{Aprons are} \ \ \textbf{NOT} \ \ \textbf{available for Trapezoid Tables}.$

Catalog No.	Description	Price	
LG-CST-S00	Caster add-on to make any table mobile.	\$102	Caster
	3-inch black nylon hooded twin-wheel caster with a brake.		for Abridge Tables
	Add one caster pertable leg (sold each)		

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Optional Wood Aprons for Tables are located on page ABR 21.

	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price
Round Table	Round Oak Table						
with Pedestal Base		ABOT36RD29AWPDS	Adult Table	29"H x 36" Diameter	100	\$2,465	\$2,358
	ABOT36RD27BWPDS	ABOT36RD27AWPDS	Youth Table	27-1/2"H x 36" Diameter	100	\$2,465	\$2,358
	ABOT36RD25BWPDS	ABOT36RD25AWPDS	Juvenile Table	25"Hx36" Diameter	100	\$2,465	\$2,358
	ABOT42RD29BWPDS	ABOT42RD29AWPDS	Adult Table	29"H x 42" Diameter	110	\$2,570	\$2,438
		ABOT42RD27AWPDS		27-1/2"H x 42" Diameter	110	\$2,570	\$2,438
		AB0T42RD25AWPDS		25"H x 42" Diameter	110	\$2,570	\$2,438
	ADOTAODDOODWDDC	AB0T48RD29AWPDS	Adult Table	29"H x 48" Diameter	120	\$2,622	\$2,473
		ABOT48RD27AWPDS		27-1/2"H x 48" Diameter	120	\$2,622 \$2,622	\$2,473 \$2,473
		ABOT48RD25AWPDS		25"H x 48" Diameter	120	\$2,622	\$2,473
						,	
	N/A N/A	ABOT60RD29AWPDS ABOT60RD27AWPDS		29"H x 60" Diameter 27-1/2"H x 60" Diameter	120 120	N/A N/A	\$3,019 \$3,019
	N/A N/A	ABOT60RD25AWPDS		25"H x 60" Diameter	120	N/A N/A	\$3,019 \$3,019
	II/ A	ADDIOONDZSAWI DS	Juvernic rabic	25 II X 00 Diameter	120	N/A	45,01 5
	Round Maple Table	<u>e</u>					
	ABMT36RD29BWPDS	ABMT36RD29AWPDS	Adult Table	29"H x 36" Diameter	100	\$2,500	\$2,393
	ABMT36RD27BWPDS	ABMT36RD27AWPDS	Youth Table	27-1/2"H x 36" Diameter	100	\$2,500	\$2,393
	ABMT36RD25BWPDS	ABMT36RD25AWPDS	Juvenile Table	25"H x 36" Diameter	100	\$2,500	\$2,393
	ABMT42RD29BWPDS	ABMT42RD29AWPDS	Adult Table	29"H x 42" Diameter	110	\$2,616	\$2,485
		ABMT42RD27AWPDS		27-1/2"H x 42" Diameter	110	\$2,616	\$2,485
		ABMT42RD25AWPDS		25"H x 42" Diameter	110	\$2,616	\$2,485
	ADMT/ODDOODWDDO	ADMT40DD00AWDD0	Adult Tabla	20"Hy 40" Diameter	120		
		6 ABMT48RD29AWPDS 6 ABMT48RD27AWPDS		29"H x 48" Diameter 27-1/2"H x 48" Diameter	120 120	\$2,677 \$2,677	\$2,525 \$2,525
		ABMT48RD25AWPDS		25"H x 48" Diameter	120	\$2,677	\$2,525
						,	
	N/A	ABMT60RD29AWPDS		29"H x 60" Diameter	120	N/A	\$3,033
	N/A N/A	ABMT60RD27AWPDS ABMT60RD25AWPDS		27-1/2"H x 60" Diameter 25"H x 60" Diameter	120 120	N/A N/A	\$3,033 \$3,033
	IV A	ADMITOORDZOAWI DO	Javonno Tabio	20 HX 00 Diameter	120	II, A	40,000
Square Table	Square Oak Table						
with Pedestal Base	ABOT303029BWPDS	ABOT303029AWPDS	Adult Table	29" x 30" x 30"	110	\$2,133	\$2,000
	ABOT303027BWPDS	ABOT303027AWPDS	Youth Table	27-1/2" x 30" x 30"	110	\$2,133	\$2,000
	ABOT303025BWPDS	ABOT303025AWPDS	Juvenile Table	25" x 30" x 30"	110	\$2,133	\$2,000
	ABOT363629BWPDS	ABOT363629AWPDS	Adult Table	29" x 36" x 36"	110	\$2,218	\$2,088
		AB0T363627AWPDS		27-1/2" x 36" x 36"	110	\$2,218	\$2,088
	ABOT363625BWPDS	ABOT363625AWPDS	Juvenile Table	25" x 36" x 36"	110	\$2,218	\$2,088
	AROT424229RWPDS	AB0T424229AWPDS	Adult Table	29" x 42" x 42"	110	\$2,263	\$2,131
		ABOT424227AWPDS		27-1/2" x 42" x 42"	110	\$2,263	\$2,131
		AB0T424225AWPDS		25" x 42" x 42"	110	\$2,263	\$2,131
	ADOTA94920DWDDC	AB0T484829AWPDS	Adult Table	29" x 48" x 48"	110	\$2,351	\$2,213
		ABOT484827AWPDS		27-1/2" x 48" x 48"	110	\$2,351 \$2,351	\$2,213 \$2,213
		ABOT484825AWPDS		25" x 48" x 48"	110	\$2,351	\$2,213
						. ,	. ,
	Square Maple Tab	<u>le</u>					
		ABMT303029AWPDS	Adult Table	29" x 30" x 30"	110	\$2,158	\$2,027
		ABMT303027AWPDS		27-1/2" x 30" x 30"	110	\$2,158	\$2,027
	ABMT303025BWPDS	ABMT303025AWPDS	Juvenile Table	25" x 30" x 30"	110	\$2,158	\$2,027
	ABMT363629BWPDS	ABMT363629AWPDS	Adult Table	29" x 36" x 36"	110	\$2,238	\$2,109
		ABMT363627AWPDS		27-1/2" x36" x36"	110	\$2,238	\$2,109
		ABMT363625AWPDS		25" x 36" x 36"	110	\$2,238	\$2,109
	ΔRMT424220RW/DDC	ABMT424229AWPDS	Adult Table	29" x 42" x 42"	110	\$2,291	\$2,158
		ABMT424227AWPDS		27-1/2" x 42" x 42"	110	\$2,291 \$2,291	\$2,158 \$2,158
		ABMT424225AWPDS		25" x 42" x 42"	110	\$2,291	\$2,158
		ABMT484829AWPDS		29" x 48" x 48"	110	\$2,378 \$2,378	\$2,227 \$2,227
		ABMT484827AWPDS		27-1/2" x 48" x 48"	110	\$2,378	\$2,227
	ABMT484825BWPDS	Δ RMT Δ 8 Δ 8 Δ 5 Δ 8 Δ 8 Δ 8 Δ 8 Δ 8 Δ 9 Δ 8 Δ 8 Δ 9 Δ 8 Δ 8 Δ 9 Δ 8 Δ 9 Δ 8 Δ 9 Δ 9 Δ 8 Δ 9	IIIVANIIA I ahia	25" x 48" x 48"	110	\$2,378	\$2,227

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4. Note: Aprons are NOT available for Pedestal Base Tables.

Optional Wood Curved Aprons for Tables

An Apron is a 4"H x 1" thick, curved oak or maple piece of wood that is fitted between the legs of a table. The Apron is attached to the table using wood cleats that are screwed to the underside of the tabletop. These Aprons are optional and must be ordered separately.

Note: Aprons are not available for Trapezoid Shaped Tables or Pedestal Base Tables.

0ak	Maple		Wt.	0ak	Maple
Catalog No.	Catalog No.	Description	(lbs.)	Price	Price
ABOAK36RDCAS	ABMAK36RDCAS	For 36" Diameter Table	5	\$360	\$385
ABOAK42RDCAS	ABMAK42RDCAS	For 42" Diameter Table	5	\$425	\$448
ABOAK48RDCAS	ABMAK48RDCAS	For 48" Diameter Table	5	\$454	\$486
ABOAK60RDCAS	ABMAK60RDCAS	For 60" Diameter Table	8	\$499	\$537
ABOAK3030CAS	ABMAK3030CAS	For 30" Square Table	5	\$376	\$394
ABOAK3636CAS	ABMAK3636CAS	For 36" Square Table	5	\$360	\$385
ABOAK4242CAS	ABMAK4242CAS	For 42" Square Table	5	\$425	\$448
ABOAK4848CAS	ABMAK4848CAS	For 48" Square Table	5	\$455	\$486
ABOAK3060CAS	ABMAK3060CAS	For 30" x 60" Table	5	\$438	\$465
ABOAK3072CAS	ABMAK3072CAS	For 30" x 72" Table	5	\$487	\$516
ABOAK3090CAS	ABMAK3090CAS	For 30" x 90" Table	5	\$531	\$568
ABOAK3660CAS	ABMAK3660CAS	For 36" x 60" Table	8	\$448	\$477
ABOAK3672CAS	ABMAK3672CAS	For 36" x 72" Table	8	\$495	\$531
ABOAK3690CAS	ABMAK3690CAS	For 36" x 90" Table	10	\$543	\$582
ABOAK4872CAS	ABMAK4872CAS	For 48" x 72" Table	10	\$621	\$562
ABOAK4890CAS	ABMAK4890CAS	For 48" x 90" Table	12	\$571	\$615

TABLETOP

Tabletop is 1-3/16" thick, 3-ply 45# density particle board, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. Edges are solid Northern-grown Red Oak or maple. The top receives a solid drop edge band of Northern-grown Red Oak or maple, 5/8" x 1-5/8" thick, radiused 1/2" to form a waterfall shape.

Note: Standing Height Tables are Apron construction.

TABLETOP SUPPORT

For maximum rigidity, rectangular tables 60" or more wide receive a V-shaped, 14-gauge steel keel securely fastened to the underside of the tabletop. Tables 48"D and more than 60"W, receive two steel keels parallel to the length of the table. Tables 72" or wider receive two extra legs located under the center of the table to provide added support.

Note: Center support legs will be glued up, 2-1/4" square solid Northern-grown Red Oak or maple. All vertical edges of legs receive a 1/2" radius. Bottom edges of legs are chamfered 1/8". Each leg has a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a counter-sunk boring which accepts the upper two thirds of the glide.

PRIVACY PANEL

The privacy panel consists of end panels and a back constructed of 3/4" thick veneered particleboard 6"H x 10-7/16"D. The front edges of the privacy panel end panels receive a 3" radius. Exposed panel edges are banded with 1.6mm solid oak or maple. The privacy panel attaches securely to the tabletop by screws passing through the tabletop and into the privacy panel panels. The privacy panel is finished to match the table and designed to obscure wires exiting computer equipment, to eliminate incidental tampering and create defined patron space.

LEG WITHOUT APRON

The leg is glued up 2-1/4" solid Northern-grown Red Oak or maple. The leg is molded into a triangle shape with the front face receiving a 2" radius and outside edges receiving a 1/2" radius that tapers to a 90° right angle. A 1/4" wide x 1/16" deep vein line is routed 2" up from the bottom of the leg. A 1/8" chamfer is placed at the bottom of the leg. Each leg receives a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersink boring which accepts the upper two-thirds of the glide. Legs attach to tabletops by means of a 5" square x 5/16" thick cold rolled steel plate. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted into the leg. The assembled leg is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended table edge band.

LEG WITH APRON

Leg is glued up 2-1/4" solid Northern-grown Red Oak or maple. The leg is molded into a triangle shape with the front face receiving a 2" radius and outside edges receiving a 1/2" radius that tapers to a 90° right angle. A 1/4" wide x 1/16" deep vein line is routed 2" up from the bottom of the leg. A 1/8" chamfer is placed at the bottom of the leg. Each leg receives a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut which is further recessed into the leg by means of a countersink boring that accepts the upper two-thirds of the glide. Legs attach to the aprons by means of formed 14-gauge steel corner brackets. Each leg is bolted to the corner bracket with two 5/16" - 18 hex head bolts which pass through the bracket and engage threaded bushings, embedded into the leg and cross-pinned with a 3/16" diameter steel pin.

APRON (Standard for Standing Height, Optional for Sitting Height)
A 4"H x 1" thick solid Northern-grown Red Oak or maple apron is fitted between the legs and behind the extended tabletop edge band. Starting 1/2" in from each end, the apron receives a radius that peaks at 2" in the center. The ends of each apron receive a 1/2" radius. Aprons are attached to the table by means of wood cleats and formed 14-gauge steel corner brackets. Aprons on round tables go straight between the legs.

LEG (CENTER)


Center support legs will be glued up, 2-1/4" square solid Northerngrown Red Oak or maple. All vertical edges of legs receive a 1/2" radius. Bottom edges of legs are chamfered 1/8". Each leg has a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a counter-sunk boring which accepts the upper two-thirds of the glide. Legs attach to tabletops by means of a 5" square x 5/16" thick cold-rolled steel plate. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted into the leg. The assembled leg is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended table edge band.


ELECTRICAL

Each position on an Information Access Table receives one 3" diameter grommet for wire passage and J-channel wire manager to hold excess wires. Grommets are ABS black plastic with notched removable cap. J-channel is 18-gauge steel with electrostatically applied black powder paint and is mounted to the underside of the tabletop.

TABLETOP HEIGHT

Standing Height: 39" (with Apron) Sitting Height: 27-1/2" (without Apron)





Abridge Drop Edge Band

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
One Position Computer Tables	ABOITG0243027RTWS	ABMITG0243027RTWS	Sitting Height	27-1/2" x 30" x 24"	80	\$1,418	\$1,473
	ABOITG0303027RTWS	ABMITG0303027RTWS	Sitting Height	27-1/2" x 30" x 30"	80	\$1,511	\$1,570
Two Position Computer Tables	ABOITG0246027RTWS	ABMITG0246027RTWS	Sitting Height	27-1/2" x 60" x 24"	80	\$2,014	\$2,095
	ABOITG0306027RTWS	ABMITG0306027RTWS	Sitting Height	27-1/2" x 60" x 30"	80	\$2,168	\$2,255
One Position Computer Table with 6"H Privacy Panel	ABOITGS243627RTWS ABOITGS363627RTWS	ABMITGS243627RTWS ABMITGS363627RTWS	Sitting Height Sitting Height	27-1/2" x 36" x 24" 27-1/2" x 36" x 36"	70 80	\$1,755 \$1,908	\$1,896 \$2,060
Two Position Computer Table with 6"H Privacy Panel	ABOITGS247227RTWS	ABMITGS247227RTWS	Sitting Height	27-1/2" x 72" x 24"	150	\$2,341	\$2,542
	ABOITGS367227RTWS	ABMITGS367227RTWS	Sitting Height	27-1/2" x 72" x 36"	150	\$2,545	\$2,748
Three Position Computer Table with 6"H Privacy Panel	ABOITGS249027RTWS ABOITGS369027RTWS	ABMITGS249027RTWS ABMITGS369027RTWS	Sitting Height Sitting Height	27-1/2" x 90" x 24" 27-1/2" x 90" x 36"	180 170	\$3,139 \$3,410	\$3,407 \$3,683



Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Optional Wood Aprons for Computer Tables are located on page ABR 26.

Note: Curved /	Apron is Stand	ard on Standin	g Height Tables.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	
ABOITGO303039RTAS	ABMITG0303039RTAS	Standing Height	39" x 30" x 30"	85	\$1,648	\$1,722	One Position Computer Tables
ABOITGO306039RTAS	ABMITG0306039RTAS	Standing Height	39" x 60" x 30"	115	\$2,281	\$2,363	Two Position Computer Tables
ABOITGS363639RTAS	ABMITGS363639RTAS	Standing Height	39" x 36" x 36"	85	\$1,985	\$2,140	One Position Computer Table with 6"H Privacy Panel
ABOITGS367239RTAS	ABMITGS367239RTAS	Standing Height	39" x 72" x 36"	150	\$2,650	\$2,860	Two Position Computer Table with 6"H Privacy Panel
ABOITGS369039RTAS	ABMITGS369039RTAS	Standing Height	39" x 90" x 36"	180	\$3,551	\$3,835	Three Position Computer Table with 6"H Privacy Panel

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Optional Wood Aprons for Computer Tables are located on page ABR 26.

The Abridge Collection

Optional Wood Curved Aprons for Sitting Height Computer Tables

An Apron is a 4"H x 1" thick, curved oak or maple piece of wood that is fitted between the legs of a table. The Apron is attached to the table using wood cleats that are screwed to the underside of the tabletop. These Aprons are optional and must be ordered separately.

Note: Curved Apron is Standard on Standing Height Tables.

0ak	Maple		Wt.	0ak	Maple
Catalog No.	Catalog No.	Description	(lbs.)	Price	Price
ABOAK2430CAS	ABMAK2430CAS	For 24" x 30" Table	5	\$356	\$370
ABOAK2436CAS	ABMAK2436CAS	For 24" x 36" Table	5	\$340	\$356
ABOAK2460CAS	ABMAK2460CAS	For 24" x 60" Table	5	\$417	\$436
ABOAK2472CAS	ABMAK2472CAS	For 24" x 72" Table	5	\$465	\$487
ABOAK2490CAS	ABMAK2490CAS	For 24" x 90" Table	8	\$510	\$533
ABOAK3030CAS	ABMAK3030CAS	For 30" Square Table	5	\$376	\$394
ABOAK3636CAS	ABMAK3636CAS	For 36" Square Table	5	\$438	\$465
ABOAK3060CAS	ABMAK3060CAS	For 30" x 60" Table	5	\$360	\$385
ABOAK3672CAS	ABMAK3672CAS	For 36" x 72" Table	8	\$495	\$531
ABOAK3690CAS	ABMAK3690CAS	For 36" x 90" Table	10	\$543	\$582

WORK SURFACE

Work surface is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The front edge of the work surface receives a drop edge band of Northern-grown Red Oak or maple, 5/8" x 1-5/8" thick with a 1/2" radius to form a waterfall shape. The back edge of the work surface has a black plastic strip, 1-1/2"W, which projects above the work surface 1/4" to act as a retainer.

Work surface is 27-1/2"D with an additional 1-1/2"W cord drop available in two widths: 48" and 36", and adjustable in heights to 27", 32" and 39". Workstation is of modular starter and adder design. Work surface is attached to end and intermediate panels by means of two metal 23" long "Z" brackets with 5/16" x #18 hex-head bolts engaging embedded internal and external threaded bushings. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end, intermediate and back panels with 3/4" x 3/4" steel, black painted angle brackets and black #8 screws.

END PANEL

End panel consists of a framed panel and plinth base assembly. The framed panel assembly consists of Northern-grown Red Oak or maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain-sliced slip-matched Northern-grown Red Oak or maple. The top rail is 2"H x 1" thick and side stiles are 1" x 1" with a 1" radius. The plinth base is composed of one piece of 5/4 solid Northern-grown Red Oak or maple 2-1/4"H x 1" thick. The plinth base receives a molded shape at the top which consists of a 1" radius ending in a 1/4"W reveal and is attached to the bottom of the frame panel assembly by means of three #8 x 3" long flat-head screws and wood glue. The bottom of the plinth receives two 7/8" diameter chrome adjustable glides located 1-1/4" from the plinth ends. End panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

INTERMEDIATE PANEL

Intermediate panels are 1" thick, 3-ply 45# density particleboard core, with select plain-sliced slip-matched Northern-grown Red Oak or maple veneers. The panel will receive a 1.6mm solid oak or maple band on all four (4) sides. Each panel receives a 3" diameter egress grommet to provide for wire passage and two 7/8" diameter chrome adjustable glides located 1-1/4" from the ends. Intermediate panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

BACK PANEL

Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The back panel on double-faced units receives a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

SHELF


A 12"D storage shelf, located under the work surface, extends the full width of the station.

ELECTRICAL

To hide excess wires, a 1-1/2" separation between the work surface and back panel is provided.

WORKING SPACE HEIGHTS

Adjustable at 27", 32" and 39"



Abridge Drop Edge Band

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (Ibs.)	Oak Price	Maple Price	
Single-Faced Information Access	36" Wide Adju	ıstable Height W	orking Spac	e <u>e</u>				
ingle-Faced Information Access Vorkstations/Carrels	ABOICSFS36S	ABMICSFS36S	S/F Starter	47-3/4" x 38" x 34-1/2"	85	\$2,573	\$2,953	
	ABOICSFA36S	ABMICSFA36S	S/F Adder	47-3/4" x 37" x 34-1/2"	75	\$1,996	\$2,211	
	48" Wide Adju	48" Wide Adjustable Height Working Space						
	ABOICSFS48S	ABMICSFS48S	S/F Starter	47-3/4" x 49-3/4" x 34-1/2"	90	\$2,735	\$3,111	
Starter	ABOICSFA48S	ABMICSFA48S	S/F Adder	47-3/4" x 49" x 34-1/2"	80	\$2,124	\$2,345	
Adder	2							

Double-Faced Information Access	36" Wide Adju	istable Height W	orking Space	<u>9</u>				
Workstations/Carrels	ABOICDFS36S	ABMICDFS36S	D/F Starter	47-3/4" x 38" x 68"	140	\$4,670	\$5,236	
	ABOICDFA36S	ABMICDFA36S	D/F Adder	47-3/4" x 37" x 68"	126	\$3,571	\$4,115	
	48" Wide Adjustable Height Working Space							
	ABOICDFS48S	ABMICDFS48S	D/F Starter	47-3/4" x 49-3/4" x 68"	150	\$5,068	\$5,797	
	ABOICDFA48S	ABMICDFA48S	D/F Adder	47-3/4" x 49" x 68"	136	\$3,984	\$4,410	
Starter	2							
Adder								

Pinwheel Design	36" Wide Adjustable Height Working Space							
Information Access Workstations/Carrels	ABOICPIN36S	ABMICPIN36S	Pinwheel	47-3/4" x 75" x 75"	375	\$7,904	\$9,062	
	48" Wide Adjustable Height Working Space							
	ABOICPIN48S	ABMICPIN48S	Pinwheel	47-3/4" x 99" x 99"	425	\$8,558	\$9,721	

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

WORKSTATION

Workstation is of modular starter and adder design, with an overall height 35-1/4". Work surfaces are available in 36", 48", 73", 97", and 110" widths. A knee-space panel, located below the work surface, supports all work surfaces greater than 48"W. Work surface height is at 27-1/2" and depth is 22-1/2" with a 1-1/2"W cord drop. The work surface is attached to end and intermediate panels by means of two metal 16" long "Z" brackets with 5/16" x #18 hex-head bolts engaging embedded internal and external threaded bushings. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end, intermediate, and back panels with 1" x 1" steel, black painted angle brackets and black #8 screws.

WORK SURFACE

Work surface is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The front edge of the work surface receives a drop edge band of Northern-grown Red Oak or Maple, 5/8" x 1-5/8" thick with a 1/2" radius to form a waterfall shape. The back edge of the work surface has a plastic black strip, 1-1/2"W, which projects above the work surface 1/4" to act as a retainer.

END PANEL

End panel consists of a framed panel assembly. The framed panel assembly consists of Northern-grown Red Oak or Maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain-sliced slip-matched Northern-grown Red Oak or Maple routed on two (2) edges. The top and bottom rails are 2"H x 1" thick and side bands are 1" x 1" with a 1" radius. The bottom rail is screwed on using #8 x 3" long flat-head screws and wood glue. The side bands receive a 1/4" x 1/16" vein line 2" up from the bottom of the panel. The bottom of the end panel receives two 7/8" diameter chrome adjustable glides located 1-1/2" from the ends. End panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

INTERMEDIATE PANEL

Intermediate panel is 1" thick, 3-ply 45# density particleboard core, with select plain sliced slip matched Northern-grown Red Oak or Maple veneers. The panel receives a 1" x 1.6mm solid oak or maple band. Each panel receives a 3" diameter egress grommet to provide for wire passage and two 7/8" diameter chrome adjustable glides located 1-1/2" from the ends. Intermediate panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

BACK PANEL/PARTITION

Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or Maple face veneers. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The partition on double-faced units receives a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

SHELF


Shelf is 3/4" thick x 5"D 45# density particleboard core with face veneers of select Northern-grown Red Oak or Maple. Shelf is banded on the front edge with a 1.6mm solid oak or maple band. The shelf is attached to end and intermediate panels with 1" x 1" steel, black painted angle brackets and black #8 screws. Back corners of shelf have a 3" x 3" cutout to allow for the passage of electrical cords. The shelf is positioned 11-13/16" below the bottom of the work surface.

WIRE MANAGEMENT DOOR

The wire management door is positioned between the bottom of the work surface and the shelf and is designed to form a concealed wire management channel 5"D x 11-5/16"H. The door is 1/4" thick with select oak or maple face veneers. The door slides in two aluminum tracks, one that is attached to the bottom of the work surface while the other is attached to the top of the shelf.

KNEE-SPACE PANEL

All 72" and 96"W workstations, as well as functional corner units, have a knee-space panel positioned under the work surface for additional work-surface support. Units 110"W have two knee-space panels. The knee-space panel is 1" thick, 3 ply 45# density particleboard core with select Northern-grown Red Oak or Maple face veneers. The panel is banded on exposed edges with a 1.6mm solid oak or maple band. The knee-space panel is attached to the back panel using a 1" square, solid oak or maple post. Panels attach to the post using recessed metal fasteners and shoulder screws. The knee-space panel is angled in the back to create a space to allow passage of electrical and data cords. The knee-space panel receives one 7/8" diameter chrome adjustable glide.




Abridge Drop Edge Band

	Oak Maple Catalog No. Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Single-Faced One-Position	36" Wide Working Space					
	ABOMMSSF1S36S ABMMMSSF1S36S	One-Position S/F Starter	35-1/4" x 38" x 26"	130	\$2,610	\$2,798
Ctarton	ABOMMSSF1A36S ABMMMSSF1A36S	One-Position S/FAdder	35-1/4" x37" x26"	100	\$1,786	\$1,944
Starter	48" Wide Working Space					
	ABOMMSSF1S48S ABMMMSSF1S48S	One-Position S/F Starter	35-1/4" x 50" x 26"	155	\$2,806	\$3,018
7	ABOMMSSF1A48S ABMMMSSF1A48S	One-Position S/FAdder	35-1/4" x 49" x 26"	125	\$1,923	\$2,096
Adder						
Oouble-Faced One-Position	00011454-14-4-4-0					
ouble-raced One-Position	36" Wide Working Space ABOMMSDF1S36S ABMMMSDF1S36S	One-Position D/F Starter	35-1/4" x38" x51"	215	64 111	¢4.40ı
	ABOMMSDF1A36S ABMMMSDF1A36S	One-Position D/FAdder	35-1/4 x36 x51 35-1/4"x37"x51"	155	\$4,111 \$3,022	\$4,400 \$3,348
		,	•		. ,	. ,
	48" Wide Working Space	One Destrict D. (EQ.)	05 4 /4" 50" 54"	055	04.0=-	A4 = c
	ABOMMSDF1S48S ABMMMSDF1S48S ABOMMSDF1A48S ABMMMSDF1A48S	One-Position D/F Starter One-Position D/F Adder	35-1/4" x50" x51" 35-1/4" x49" x51"	255 195	\$4,371 \$3,296	\$4,711 \$3,586
Starter		,	,		. 2,230	75,000
Adder						
Single-Faced Two-Position						
onigie-raceu iwo-rosidon	36" Wide Working Space					
	ABOMMSSF2S36S ABMMMSSF2S36S ABOMMSSF2A36S ABMMMSSF2A36S	Two-Position S/F Starter Two-Position S/F Adder	35-1/4" x 75" x 26" 35-1/4" x 74" x 26"	195 165	\$3,654 \$2,816	\$3,956 \$3,085
	ADDITION 2A303 ADMINISTRAÇÃO	TWO-1 OSIGOTIO/ 1 Added	33-1/4 X14 X20	103	72,010	93,00 0
	48" Wide Working Space					
Starter	ABOMMSSF2S48S ABMMMSSF2S48S	Two-Position S/F Starter	35-1/4" x99" x26"	235	\$4,057	\$4,40
	ABOMMSSF2A48S ABMMMSSF2A48S	Two-Position S/F Adder	35-1/4" x 98" x 26"	205	\$3,022	\$3,31
Adder						
Oouble-Faced Two-Position	36" Wide Working Space					
	ABOMMSDF2S36S ABMMMSDF2S36S ABOMMSDF2A36S ABMMMSDF2A36S	Two-Position D/F Starter Two-Position D/F Adder	35-1/4" x 75" x 51" 35-1/4" x 74" x 51"	330 270	\$5,849 \$4,762	\$6,27 \$5,16
	ADUNINISDEZASOS ADININISDEZASOS	IWO'T USIGUIT D/ F AUGEI	JO-1/4 X14 XJI	210	y -1 ,10∠	99, 1 0
	48" Wide Working Space					
	ABOMMSDF2S48S ABMMMSDF2S48S	Two-Position D/F Starter	35-1/4" x99" x51"	410 155	\$6,360 \$5,270	\$6,882
Starter	ABOMMSDF2A48S ABMMMSDF2A48S	Two-Position D/F Adder	35-1/4" x 98" x 51"	155	\$5,279	\$5,733
	Please snecify Wood Finish (1	Table 1) and High-Pressure Lam	ninate (Table 2).			

	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
36" Wide Work	ing Space						Single-Faced Three-Position
ABOMMSSF3S36S ABOMMSSF3A36S		Three-Position S/F Starter Three-Position S/F Adder	35-1/4" x 112" x 26" 35-1/4" x 111" x 26"	260 230	\$4,736 \$3,708	\$5,147 \$4,080	Starter

36" Wide Working Space						Double-Faced Three-Position
ABOMMSDF3S36S ABMMMSDF3S36S	Three-Position D/F Starter	35-1/4" x 112" x 51"	445	\$7,543	\$8,108	
ABOMMSDF3A36S ABMMMSDF3A36S	Three-Position D/FAdder	35-1/4" x111" x51"	385	\$6,731	\$7,583	Starter
						Adder
ABOMMSCNRSS ABMMMSCNRSS	90-Degree Functional Starte	r 35-1/4" x 62" x 26"	225	\$4,929	\$5,344	90° Functional Corner Uni



Adder

TABLETOP

Tabletop is 1-3/16" thick, 3-ply 45# density particle board, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. Edges are solid Northern-grown Red Oak or maple. Top receives a Northern-grown Red Oak or maple external solid flush edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape.

PRIVACY PANEL


Privacy panels consist of two panels constructed of 3/4" thick Northern-grown Red oak or maple veneered particleboard. The two panels are 6"H x 45"W and intersect in the middle of the tabletop to form an "X". Privacy panels receive keyways and shoulder screws for assembly. The front edge of the privacy panel end panel receives a 3" radius. Exposed panel edges are banded with 1.6mm solid oak or maple. The privacy panel attaches securely to the tabletop by screws passing through the tabletop and into the privacy panel. Panels are finished to match the table edge band. Privacy panel is designed to obscure wires exiting computer equipment, to eliminate incidental tampering and create defined patron space.

TABLE BASE

Table base is panel and post construction. Posts are 1-3/4" square, with a 3/4"W x 1/8"D groove to receive panels. Each post has a 1-1/4" diameter, adjustable glide. Base back and vertical panels are 3/4" 3-ply 45# Northern-grown Red Oak or Maple veneered particleboard. Back panels are 23-1/2"H with a 4" base clearance for wire management access. Vertical panels are 26-5/16"H and receive two rubber cushioned chrome glides per panel. Base is assembled using metal to metal hardware fasteners and is attached to tabletop using 12" x 3/4" x 3/4" wood cleats.

WORKING SPACE HEIGHT

Fixed at 27" with a grommet in each position for wire passage.



Abridge Flush Edge Band

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Square Working Space	AB0PAC4PS27GSS	ABMPAC4PS27GSS	Square with Privacy Panel	33-1/2" x 48-1/4" x 48-1/4"	360	\$3,284	\$3,759
	ABOPAC4PS27GOS	ABMPAC4PS27GOS	Square without Privacy Panel	27-1/2" x 48-1/4" x 48-1/4"	350	\$2,872	\$3,347





WORK SURFACE

Work surface are 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The desk top receives a solid Northern-grown Red Oak or maple flush edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape on the patron side. Edge band is applied to the desktop after the laminate and backer sheets are applied, constituting an external edge band.

VERTICAL PANEL

Vertical panel is 1" thick, with select plain-sliced slip-matched Northern-grown Red Oak or maple veneers. The panel receives a 1" x 1.6mm solid oak or maple band. Each panel receives a 3" diameter egress grommet to provide for wire passage and two 7/8" diameter chrome adjustable glides located 1-1/4" from the ends. The intermediate panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

BACK PANEL

Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The top and bottom edges of the back panel receive 1.6mm solid oak or maple bands. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The back panel receives a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

ELECTRICAL ACCESS DOOR

Access door is 3/4" thick and comprised of select face veneers of Northern-grown Red Oak or maple over a particleboard core. Panel is externally banded on all four sides with a 1.6mm solid oak or maple edge band. Access door has a full-length hinge and lock and can be located in any one of the back panels on the station.

CPU/UTILITY SHELF

Shelf is 3/4" thick x 15"D, 7-ply veneer-core oak or maple plywood construction. Front edge receives a 1/2" solid oak or maple band.

CENTER CAP

Cap is constructed of 3/4" particleboard core with plastic and backer. Available in full-hexagon, half-hexagon, or square configuration; the cap closes the center opening by mounting at the top rear edge of end panels on systems arranged in full- or half-hexagon configuration.


AVAILABLE WORKING SPACE

Depth of monitor and keyboard combined cannot exceed 29".

WORKING SPACE HEIGHTS

Working space is adjustable to: Standing Height: 39"

ADA Height: 32" Sitting Height: 27"



Abridge Flush Edge Band

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
ABOPAC6PAHS	ABMPAC6PAHS	Six position with angular tops.	42-1/4" x 99-1/4" x 99-1/4"	629	\$11,800	\$13,444	Six Position PAC Station
ABOPAC4PAHS	ABMPAC4PAHS	Four position with angular tops.	42-1/4" x 75-1/2" x 75-1/2"	510	\$10,056	\$10,747	Four Position PAC Station
ABOPAC3PAHS	ABMPAC3PAHS	Three position with angular tops.	42-1/4" x 99-1/2" x 47-1/2"	401	\$7,360	\$8,512	Three Position PAC Station
		Composed of one sta	rter unit and two adder units.				

WORK SURFACE

Work surface is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The exposed work surface edge receives a Northern-grown Red Oak or maple drop edge band 5/8" x 1-3/16" thick with a 1/2" radius to form a waterfall shape. The back edge of the work surface has a metal black strip, 1-1/2"W, which projects above the work surface 1/4" to act as a retainer.

END PANEL

End panel consists of a framed panel and plinth base assembly. The framed panel assembly consists of solid Northern-grown Red Oak or maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain sliced slip matched Northern grown Red Oak or maple routed on three sides. The top rail is 2"H x 1" thick and side stiles are 1" x 1" with a 1" radius. The plinth base is composed of one piece of 5/4 solid Northern-grown Red Oak or maple 2-1/4"H x 1" thick. The plinth base receives a molded shape at the top which consists of a 1" radius ending in a 1/4"W reveal and is attached to the bottom of the frame panel assembly by means of three #8 x 3" long flat-head screws and wood glue. The bottom of the plinth receives two 7/8" diameter chrome adjustable glides located 1-1/4" from the plinth ends. End panel attaches to back panels by means of recessed metal fasteners and shoulder screws.

BACK PANEL

Back panel is select Northern-grown Red Oak or maple face veneer 3/4" thick, 3-ply 45# density particleboard core of. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The back panel on double-face units receives a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

SHELF (MONITOR)


Monitor shelf is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. Laminate has a lo-glare finish resistant to scratches, fading and staining that meets or exceeds NEMA standards. The exposed work surface edge receives a Northern-grown Red Oak or maple flush edge band 5/8" x 1-3/16" thick with a 1/2" radius to form a waterfall shape. Shelf receives one 3" diameter grommet for wire passage.

SHELF (PRINTER)

Printer shelf shall have a fascia, 1-3/4"H x 3/4" thick of solid oak banded to a 3/4" 3-ply 45# density particleboard core of specified depth. The top front corner shall have a 1/8" radius. Glue blocks will also be provided at the intersection of the fascia and top panel. Printer shelf is mounted as pull out shelf on 100# capacity nylon glides.

SHELF (FIXED)

Shelf is constructed of 3-ply 45# density particleboard core, with Northern-grown Red Oak plain sliced face veneer or maple plain sliced face veneer. Exposed edges receive a 1.6mm thick, solid-oak or maple edge band.



Abridge Drop Edge Band

	0ak	Maple			Wt.	0ak	Maple
	Catalog No.	Catalog No.	Description	HxWxD	(lbs.)	Price	Price
Self Check Out Station	AB0SCS323643S	ABMSCS323643S	Self Check Out Station	43-1/2" x 36" x 32"	220	\$2,367	\$2,939



END OF RANGE PAC STATION - Free Standing


Unit is designed to fit at the end of a double-faced shelving range. Standard tops are 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The desk top receives a solid Northern-grown Red Oak or maple flush edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape. Edge band is applied to the top after the laminate and backer sheets are applied, constituting an external edge band.

End panel consists of a framed panel and plinth base assembly. The framed panel assembly consists of Northern-grown Red Oak or maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain-sliced slip-matched Northern-grown Red Oak or maple routed on two sides and splined. The top rail is 2"H x 1" thick and side stiles are 1" x 1" with a 1" radius. The plinth base is composed of one piece of 5/4 solid Northern-grown Red Oak or maple 2-1/4" H x 1" thick. The plinth base receives a molded shape at the top which consists of a 1" radius ending in a 1/4" W reveal and is attached to the bottom of the frame panel assembly by means of three #8 x 3" long flat-head screws and wood glue. The bottom of the plinth receives two 7/8" diameter chrome adjustable glides located 1-1/4" from the plinth ends. End panel attaches to back panels by means of recessed metal fasteners and shoulder screws. Inside faces of end panels allow for shelf adjustment on 32mm center. Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band. Unit has two full-depth fixed shelves with 3" diameter grommets and one pullout shelf for the keyboard. Space above the fixed shelves is 11".

END OF RANGE PAC STATION - Panel Mounted

This unit is designed to be attached to a double-faced end panel. Standard top is 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The top receives a solid Northern-grown Red Oak or maple flush edge band $58" \times 1-3/16"$ thick, radiused 1/2" to form a waterfall shape on the front and two sides with a 1/4" band on the back edge. Edge band is applied to the top after the laminate and backer sheets are applied, constituting an external edge band.

All panels are 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The base of the unit consists of tapered end panels, a back panel, an access panel for wire management and a removable front cover panel that provides access to the wire management. The back and access panel are 9-7/8" wide. The back panel receives a grommet at the base and the access panel receives a 6"wide opening. The front cover is solid and attaches to the access panel.




Abridge Flush Edge Band

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
ABOPACEOR39S	ABMPACEOR39S	Free-Standing End-of-Range	39" x23-1/2" x20"	110	\$2,321	\$2,596	End-Of-Range Station
ABOPACEOR32S	ABMPACEOR32S	Free-Standing End-of-Range	32" x23-1/2" x20"	100	\$2,115	\$2,413	
ABOPACEPM39S	ABMPACEPM39S	Panel Mounted End-of-Range	39" x22-1/2" x 18-1/8"	80	\$1,291	\$1,402	
ABOPACEPM32S	ABMPACEPM32S	Panel Mounted End-of-Range	32" x 22-1/2" x 18-1/8"	70	\$1,140	\$1,240	
		End Panel Mounted PAC Station	for Wood or Steel Shelving End Pa	inels.			
		Note: Shelving End Panels are o	ordered separately and units MUS	T be attached			

DICTIONARY STAND

Bottom shelf is stationary.

Standard tops are 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. The desk top receives a solid Northern-grown Red Oak or maple flush external edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape on the front and back. A 5/8" x 5/8" book retainer is positioned along the bottom edge of sloped top. End panel consists of a framed panel and plinth base assembly similar to all other Abridge end panels. Inside faces of end panels allow for shelf adjustment on 32mm center. Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band.



Abridge Flush Edge Band

ATLAS STAND

Standard tops are 1-3/16" thick, 3-ply, 45# density particleboard core, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction and receives a solid Northern-grown Red Oak or maple flush external edge band 5/8" x 1-3/16" thick, radiused 1/2" to form a waterfall shape on the front and back. A 5/8" x 5/8" book retainer is positioned along the bottom edge of sloped top. End panel consists of a framed panel and plinth base assembly similar to all other Abridge end panels. The bottom of the plinth receives two 7/8" diameter chrome adjustable glides located 1-1/4" from the plinth ends. Back panel is 3/4" thick, 45# density particleboard core of select Northern-grown Red Oak or maple face veneers. The top and bottom edge of the back panel receives 1.6mm solid oak or maple band. Each unit has five pullout shelves on nylon rollers. Stops on shelves prevent accidental removal. Shelves are 25-3/4"W x 23-7/8"D, with 3" between shelves. Children's height unit contains four pull-out shelves with 2-1/2" between shelves.

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
Dictionary Stand	AB0DCS162545S	ABMDCS162545S	Adult Dictionary Stand	45-1/2" x 24-3/8" x 16-1/2"	210	\$2,221	\$2,421	
	ABODC\$162538\$	ABMDCS162538S	Youth Dictionary Stand	38-1/2" x 24-3/8" x 16-1/2"	200	\$2,221	\$2,421	
Atlas Stand	AB0ATS293045S	ABMATS293045S	Adult Atlas Stand	45-1/2" x 28-3/8" x 29"	250	\$3,952	\$4,308	
	ABOATS293038S	ABMATS293038S	Youth Atlas Stand	38-1/2" x 28-3/8" x 29"	240	\$3,952	\$4,308	

Catalog No. To Cover ONE UNITA ABOCTW10SFC1S ABOCTW12SFC1S ABOCTW20DFC1S ABOCTW24DFC1S To Cover TWO UNITA ABOCTW10SFC2S	ABMCTW10SFC1S ABMCTW12SFC1S ABMCTW20DFC1S ABMCTW24DFC1S	Description 10"D, Single-Faced 12"D, Single-Faced 20"D, Double-Faced 24"D, Double-Faced	Wt. (lbs.) 11 14 23	Price \$340 \$345	Price \$357
ABOCTW10SFC1S ABOCTW12SFC1S ABOCTW20DFC1S ABOCTW24DFC1S To Cover TWO UNITAL ABOCTW10SFC2S	ABMCTW10SFC1S ABMCTW12SFC1S ABMCTW20DFC1S ABMCTW24DFC1S	12"D, Single-Faced 20"D, Double-Faced	14	•	\$357
ABOCTW10SFC1S ABOCTW12SFC1S ABOCTW20DFC1S ABOCTW24DFC1S To Cover TWO UNIT ABOCTW10SFC2S	ABMCTW10SFC1S ABMCTW12SFC1S ABMCTW20DFC1S ABMCTW24DFC1S	12"D, Single-Faced 20"D, Double-Faced	14	•	\$357
ABOCTW12SFC1S ABOCTW20DFC1S ABOCTW24DFC1S To Cover TWO UNIT ABOCTW10SFC2S	ABMCTW12SFC1S ABMCTW20DFC1S ABMCTW24DFC1S	12"D, Single-Faced 20"D, Double-Faced	14	•	3331
ABOCTW20DFC1S ABOCTW24DFC1S To Cover TWO UNIT ABOCTW10SFC2S	ABMCTW20DFC1S ABMCTW24DFC1S	20"D, Double-Faced		Ş 343	\$362
ABOCTW24DFC1S To Cover TWO UNIT ABOCTW10SFC2S	ABMCTW24DFC1S	•	23	\$482	\$502 \$506
To Cover TWO UNI ABOCTW10SFC2S		24 D, Double-Faceu	27	\$ 482 \$537	\$500 \$563
ABOCTW10SFC2S	<u>TS</u>		21	\$33 <i>1</i>	\$303
	ABMCTW10SFC2S	10"D, Single-Faced	22	\$449	\$471
ABOCTW12SFC2S	ABMCTW12SFC2S	12"D, Single-Faced	28	\$447	\$500
ABOCTW20DFC2S	ABMCTW20DFC2S	20"D, Double-Faced	46	\$676	\$709
ABOCTW24SFC2S	ABMCTW24SFC2S	24"D, Double-Faced	54	\$849	\$892
To Cover THREE U	NITE				
ABOCTW10SFC3S	ABMCTW10SFC3S	10"D, Single-Faced	33	\$586	\$616
ABOCTW10SFC3S		. •	33 42	\$625	\$656
ABOCTW220FC3S	ABMCTW20DEC2S	12"D, Single-Faced	42 69	\$625 \$851	\$656 \$894
	ABMCTW24DFC3S	20"D, Double-Faced		•	
ABOCTW24DFC2S	ABMCTW24DFC2S	24"D, Double-Faced	81	\$899	\$944
To Cover FOUR UN	<u>IITS</u>				
ABOCTW10SFC4S	ABMCTW10SFC4S	10"D, Single-Faced	44	\$895	\$941
ABOCTW12SFC4S	ABMCTW12SFC4S	12"D, Single-Faced	56	\$950	\$998
ABOCTW20DFC4S	ABMCTW20DFC4S	20"D, Double-Faced	92	\$1,333	\$1,400
ABOCTW24SFC4S	ABMCTW24SFC4S	24"D, Double-Faced	108	\$1,435	\$1,506
To Cover FIVE UNIT	TC				
To Cover FIVE UNIT		1011D Cingle Feed	EE	64.024	¢4 00F
ABOCTW10SFC5S	ABMCTW10SFC5S	10"D, Single-Faced	55	\$1,034	\$1,085
ABOCTW12SFC5S	ABMCTW12SFC5S	12"D, Single-Faced	70	\$1,102	\$1,158
ABOCTW20DFC5S	ABMCTW20DFC5S	20"D, Double-Faced	115	\$1,527	\$1,603
ABOCTW24DFC5S	ABMCTW24DFC5S	24"D, Double-Faced	135	\$1,749	\$1,836
To Cover SIX UNITS	<u>s</u>				
ABOCTW10SFC6S	ABMCTW10SFC6S	10"D, Single-Faced	66	\$1,169	\$1,228
ABOCTW12SFC6S	ABMCTW12SFC6S	12"D, Single-Faced	84	\$1,251	\$1,313
ABOCTW20DFC6S	ABMCTW20DFC6S	20"D, Double-Faced	138	\$1,703	\$1,788
ABOCTW24DFC6S	ABMCTW24DFC6S	24"D, Double-Faced	162	\$1,795	\$1,886
To Cover SEVEN U	NITE				
ABOCTW10SFC7S	ABMCTW10SFC7S	10"D, Single-Faced	77	\$1,507	\$1,583
		-	98		
ABOCTW12SFC7S	ABMCTW20DEC75	12"D, Single-Faced		\$1,598 \$2,483	\$1,678
ABOCTW20DFC7S ABOCTW24DFC7S	ABMCTW20DFC7S ABMCTW24DFC7S	20"D, Double-Faced 24"D, Double-Faced	161 189	\$2,183 \$2,332	\$2,292 \$2,449
ADDOMETRICIS	ADMOTHE TO 1010	24 D, Double-1 decu	103	42,332	Ų <u>2,</u> 113
To Cover EIGHT UN	<u>VITS</u>				
ABOCTW10SFC8S	ABMCTW10SFC8S	10"D, Single-Faced	88	\$1,616	\$1,697
ABOCTW12SFC8S	ABMCTW12SFC8S	12"D, Single-Faced	112	\$1,728	\$1,814
ABOCTW20DFC8S	ABMCTW20DFC8S	20"D, Double-Faced	184	\$2,379	\$2,499
ABOCTW24DFC8S	ABMCTW24DFC8S	24"D, Double-Faced	216	\$2,644	\$2,776
To Cover NINE UNI	ITS				
ABOCTW10SFC9S	ABMCTW10SFC9S	10"D, Single-Faced	99	\$1,756	\$1,843
ABOCTW12SFC8S	ABMCTW12SFC9S	12"D, Single-Faced	126	\$1,876	\$1,969
ABOCTW220DFC8S	ABMCTW20DFC9S	20"D, Double-Faced	207	\$2,556	\$2,684
ABOCTW24DFC8S	ABMCTW24DFC9S	24"D, Double-Faced	243	\$2,692	\$2,827

Note: Single-Faced Tops are banded on both ends and on the front edge only. Back edge is not banded. Double-Faced Tops are banded on both ends and on the front and back edges.

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

The Abridge Collection

0ak	Maple			0ak	Maple
Catalog No.	Catalog No.	Description	Wt. (Ibs.)	Price	Price
To Cover ONE U		10115 01 1 5			****
ABOCTS10SFC1S	ABMCTS10SFC1S	10"D, Single-Faced	11	\$370	\$389
ABOCTS12SFC1S	ABMCTS12SFC1S	12"D, Single-Faced	14	\$373	\$391
BOCTS20DFC1S	ABMCTS20DFC1S	20"D, Double-Faced	23	\$521	\$547
BOCTS24DFC1S	ABMCTS24DFC1S	24"D, Double-Faced	27	\$586	\$616
o Cover TWO U	<u>NITS</u>				
BOCTS10SFC2S	ABMCTS10SFC2S	10"D, Single-Faced	22	\$486	\$510
ABOCTS12SFC2S	ABMCTS12SFC2S	12"D, Single-Faced	28	\$516	\$542
ABOCTS20DFC2S	ABMCTS20DFC2S	20"D, Double-Faced	46	\$735	\$771
ABOCTS24SFC2S	ABMCTS24SFC2S	24"D, Double-Faced	54	\$920	\$966
o Cover THREE	UNITS				
BOCTS10SFC3S	ABMCTS10SFC3S	10"D, Single-Faced	33	\$634	\$666
BOCTS12SFC3S	ABMCTS12SFC3S	12"D, Single-Faced	42	\$679	\$712
ABOCTS20DFC3S	ABMCTS20DFC3S	20"D, Double-Faced	69	\$926	\$972
ABOCTS24DFC2S	ABMCTS24DFC2S	24"D, Double-Faced	81	\$972	\$1,020
		Z-T D, Double-1 docu	01	7312	91,020
O Cover FOUR		10115 01 7 - 1			
BOCTS10SFC4S	ABMCTS10SFC4S	10"D, Single-Faced	44	\$976	\$1,024
BOCTS12SFC4S	ABMCTS12SFC4S	12"D, Single-Faced	56	\$1,034	\$1,085
BOCTS20DFC4S	ABMCTS20DFC4S	20"D, Double-Faced	92	\$1,380	\$1,448
BOCTS24SFC4S	ABMCTS24SFC4S	24"D, Double-Faced	108	\$1,559	\$1,636
o Cover FIVE U	<u>NITS</u>				
BOCTS10SFC5S	ABMCTS10SFC5S	10"D, Single-Faced	55	\$1,117	\$1,172
BOCTS12SFC5S	ABMCTS12SFC5S	12"D, Single-Faced	70	\$1,198	\$1,258
BOCTS20DFC5S	ABMCTS20DFC5S	20"D, Double-Faced	115	\$1,659	\$1,743
BOCTS24DFC5S	ABMCTS24DFC5S	24"D, Double-Faced	135	\$1,898	\$1,993
Cover SIX UN	IITS				
BOCTS10SFC6S	ABMCTS10SFC6S	10"D, Single-Faced	66	\$1,267	\$1,329
BOCTS12SFC6S	ABMCTS12SFC6S	12 "D, Single-Faced	84	\$1,267 \$1,364	\$1,329 \$1,432
BOCTS20DFC6S	ABMCTS20DFC6S	20"D, Double-Faced	138	\$1,364 \$1,851	\$1, 4 32 \$1,942
BOCTS24DFC6S	ABMCTS24DFC6S	24 "D, Double-Faced	162	\$1,9 5 1	\$1,942 \$2,047
				. , -	. /
<u>'o Cover SEVEN</u> BOCTS10SFC7S	ABMCTS10SFC7S	10"D Single-Faced	77	\$1,608	\$1,687
BOCTS12SFC7S	ABMCTS12SFC7S	10"D, Single-Faced 12"D, Single-Faced	98	\$1, 0 08 \$1,717	\$1,803
BOCTS20DFC7S	ABMCTS20DFC7S	20"D, Double-Faced	161	\$1,717 \$2,389	\$1,803 \$2,509
BOCTS24DFC7S	ABMCTS24DFC7S	24 "D, Double-Faced	189	\$2,585 \$2,535	\$2,509 \$2,662
		,		,-,- 	, - 5_
O Cover EIGHT		1011D Circl 5	00	04.750	44.022
BOCTS10SFC8S	ABMCTS10SFC8S	10"D, Single-Faced	88	\$1,756	\$1,843
BOCTS12SFC8S	ABMCTS12SFC8S	12"D, Single-Faced	112	\$1,876	\$1,969
BOCTS20DFC8S	ABMCTS20DFC8S	20"D, Double-Faced	184	\$2,584	\$2,714
BOCTS24DFC8S	ABMCTS24DFC8S	24"D, Double-Faced	216	\$2,872	\$3,015
o Cover NINE L	<u>INITS</u>				
BOCTS10SFC9S	ABMCTS10SFC9S	10"D, Single-Faced	99	\$1,904	\$1,999
BOCTS12SFC8S	ABMCTS12SFC9S	12"D, Single-Faced	126	\$2,043	\$2,145
BOCTS20DFC8S	ABMCTS20DFC9S	20"D, Double-Faced	207	\$2,776	\$2,915
	ABMCTS24DFC9S	24"D, Double-Faced	243	\$2,925	\$3,071

Note: Edge Band on long side only. Tops are designed to be inset betweend end panels. If edge bands are desired on short edges, please enter the part as a modification and specify which bands to be included.


To ensure that tops for steel shelving work with each manufacturer and top method, please specify the exact width and depth of tops. Add 15% for HPL on top and bottom (Steel Shelving ONLY).

END PANELS

End panel consists of a framed panel and plinth base assembly. The framed panel assembly consists of Northern-grown Red Oak or Maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain sliced slip matched Northern-grown Red Oak or maple routed on two sides. The top rail is 2"H x 1" thick and side stiles are 1" x 1" with a 1" radius. The plinth base is composed of one piece of 5/4 solid Northern grown Red Oak or maple 2-1/4"H x 1" thick. The plinth base receives a molded shape at the top which consists of a 1" radius ending in a 1/4"W reveal and is attached to the bottom of the frame panel assembly by means of three #8 x 3" long flat-head screws and wood glue. End panels are not machined. No fastening hardware is provided with end panels.

End panels for steel shelving with continuous tops or canopy top inset are designed to have the canopy top "inset" between the end panels.

Note: Exact height and depth of panel must be specified when ordering.



End Panel with Canopy Top Inset

0ak	Maple			0ak	Maple	
Catalog No.	Catalog No.	Description	Wt. (lbs.)	Price	Price	
AB0EPSSFP4313S	ABMEPSSFP4313S	43-3/4" x 13-7/8"	14	\$532	\$558	Single-Faced End Panels
AB0EPSSFP4315S	ABMEPSSFP4315S	43-3/4" x 15-7/8"	16	\$544	\$571	
AB0EPSSFP6713S	ABMEPSSFP6713S	67-3/4" x 13-7/8"	21	\$608	\$639	
AB0EPSSFP6715S	ABMEPSSFP6715S	67-3/4" x 15-7/8"	26	\$629	\$661	
AB0EPSSFP7913S	ABMEPSSFP7913S	79-3/4" x 13-7/8"	25	\$682	\$715	
AB0EPSSFP7915S	ABMEPSSFP7915S	79-3/4" x 15-7/8"	30	\$704	\$739	
AB0EPSSFP8513S	ABMEPSSFP8513S	85-3/4" x 13-7/8"	28	\$721	\$758	
AB0EPSSFP8515S	ABMEPSSFP8515S	85-3/4" x 15-7/8"	33	\$744	\$782	
AB0EPSSFP9113S	ABMEPSSFP9113S	91-3/4" x 13-7/8"	29	\$766	\$806	
AB0EPSSFP9115S	ABMEPSSFP9115S	91-3/4" x 15-7/8"	35	\$802	\$842	
						Double-Faced End Panels
AB0EPSDFP4324S	ABMEPSDFP4324S	43-3/4" x 24-3/8"	27	\$598	\$629	
ABOEPSDFP4328S	ABMEPSDFP4328S	43-3/4" x 28-3/8"	33	\$625	\$657	
AB0EPSDFP6724S	ABMEPSDFP6724S	67-3/4" x 24-3/8"	43	\$717	\$754	
ABOEPSDFP6728S	ABMEPSDFP6728S	67-3/4" x 28-3/8"	52	\$762	\$800	
AB0EPSDFP7924S	ABMEPSDFP7924S	79-3/4" x 24-3/8"	51	\$793	\$834	
AB0EPSDFP7928S	ABMEPSDFP7928S	79-3/4" x 28-3/8"	61	\$838	\$878	
AB0EPSDFP8524S	ABMEPSDFP8524S	85-3/4" x 24-3/8"	55	\$834	\$874	
AB0EPSDFP8528S	ABMEPSDFP8528S	85-3/4" x 28-3/8"	66	\$877	\$921	
ABOEPSDFP9124S	ABMEPSDFP9124S	91-3/4" x 24-3/8"	59	\$880	\$925	
AB0EPSDFP9128S	ABMEPSDFP9128S	91-3/4" x 28-3/8"	60	\$927	\$974	
		Please specify Wood Finish (Tal	ble 1). Details can be fou	nd on nage GEN 4		
			2 _j . 20m.100m 0010m	311 Pugo WEIT 31		

CHAIR FRAME

The end frames are constructed of a framed panel and plinth base assembly. The framed panel assembly consists of solid Northern-grown Red Oak or maple hardwood rails and stiles with a veneered panel. The panel is 3/4" thick plain sliced slip matched Northern grown Red Oak or Maple routed on three sides. The top rail is 2"H x 1" thick and side stiles are 1" x 1" with a 1" radius. The plinth base is composed of one piece of 5/4 solid Northern-grown Red Oak or maple 2-1/4"H x 1" thick. The plinth base receives a molded shape at the top which consists of a 1" radius ending in a 1/4"W reveal and is attached to the bottom of the frame panel assembly by means of three #8 x 3" long flat-head screws and wood glue. The bottom of the plinth receives two 7/8" diameter chrome adjustable glides located 1-1/4" from the plinth ends.

The front stretcher and front seat rail are 3"W x 1" thick Northern-grown Red Oak or maple. The back seat rail is 2-3/4"W x 1" thick solid red oak or maple. The cross stretcher and seat rails are mortised, tenoned, and glued into the side frames.

UPHOLSTERED SEAT AND BACK

The seat and back frame are a single piece of 3/4" bent plywood. The seat portion is fitted with a Dimatrol Webbing and then covered with black cambric fabric for comfort. This is then covered with 3-1/2" foam, which is also used on the chair back. The entire seat and back assembly is covered with the specified upholstery fabric except for the underside of the seat which is covered with a black cambric fabric. Brodart upholstery materials meet requirements of the following fire codes:

Calif. Technical Bulletin #117 (sec. E part 1); CS-191-53 class 1.

Catalog No.	Description	Overall H x W x D	Wt. (lbs.)	COM Price	Wood/G1 Price	Grade 2 Price	Grade 3 Price	Grade 4 Price	Grade 5 Price	
One Seat Lou	inge, Oak Wood									One Sea
ABOLNG1SS	Lounge	31" x 27" x 29-1/2'	65	\$3,540	\$3,413	\$4,299	\$4,601	\$4,924	\$5,267	
ABOLNG1SRTS	Lounge w/Right Table Arm	31" x 27" x 29-1/2'	70	\$3,922	\$3,691	\$4,635	\$4,959	\$5,305	\$5,678	
ABOLNG1SLTS	Lounge w/Left Table Arm	31" x 27" x 29-1/2'	70	\$3,922	\$3,691	\$4,635	\$4,959	\$5,305	\$5,678	
One Seat Lou	inge, Maple Wood									
ABMLNG1SS	Lounge	31" x 27" x 29-1/2'	65	\$3,698	\$3,562	\$4,487	\$4,806	\$5,139	\$5,500	
ABMLNG1SRTS	Lounge w/Right Table Arm	31" x 27" x 29-1/2'	70	\$3,983	\$3,838	\$4,837	\$5,174	\$5,539	\$5,924	-
ABMLNG1SLTS	Lounge w/Left Table Arm	31" x 27" x 29-1/2"	70	\$3,983	\$3,838	\$4,837	\$5,174	\$5,539	\$5,924	1

Two Seat Lou	nge, Oak Wood									Two Sea
ABOLNG2SS	Lounge	31" x 51" x 29-1/2"	110	\$5,132	\$4,887	\$6,158	\$6,590	\$7,052	\$7,545	
ABOLNG2SRTS	Lounge w/Right Table Arm	31" x 51" x 29-1/2"	115	\$5,417	\$5,157	\$6,501	\$6,956	\$7,441	\$7,963	
ABOLNG2SLTS	Lounge w/Left Table Arm	31" x 51" x 29-1/2"	115	\$5,417	\$5,157	\$6,501	\$6,956	\$7,441	\$7,963	
<u>Two Seat Lou</u>	nge, Maple Wood									
ABMLNG2SS	Lounge	31" x 51" x 29-1/2"	110	\$5,313	\$5,061	\$6,379	\$6,824	\$7,302	\$7,814	
ABMLNG2SRTS	Lounge w/Right Table Arm	31" x 51" x 29-1/2"	115	\$5,601	\$5,334	\$6,721	\$7,193	\$7,697	\$8,234	
ABMLNG2SLTS	Lounge w/Left Table Arm	31" x 51" x 29-1/2"	115	\$5,601	\$5,334	\$6,721	\$7,193	\$7,697	\$8,234	
Fabric Require	ments: 6 yards per ch	air. Non-directiona	ıl. 54"	wide.						
	, , , , , , , , , , , , , , , , , , ,	,	, -							

ABOLNGBAS Lounge 31" x 42" x 29-1/2" 110 \$5,364 \$5,109 \$6,438 \$6,889 \$7,369 \$7,886 ABOLNGBARTS Lounge w/Right Table Arm 31" x 42" x 29-1/2" 115 \$5,647 \$5,380 \$6,779 \$7,255 \$7,760 \$8,305 ABOLNGBALTS Lounge w/Left Table Arm 31" x 42" x 29-1/2" 115 \$5,647 \$5,380 \$6,779 \$7,255 \$7,760 \$8,305 ABOLNGBALTS Lounge w/Left Table Arm 31" x 42" x 29-1/2" 115 \$5,647 \$5,380 \$6,779 \$7,255 \$7,760 \$8,305 ABOLNGBAS Lounge All and a state of the stat	atric Lounge	Bai									nge, Oak Wood	Bariatric Loui
ABOLNGBALTS Lounge w/Left Table Arm 31" x 42" x 29-1/2" 115 \$5,647 \$5,380 \$6,779 \$7,255 \$7,760 \$8,305 Bariatric Lounge, Maple Wood ABMLNGBAS Lounge 31" x 42" x 29-1/2" 110 \$5,544 \$5,282 \$6,656 \$7,121 \$7,618 \$8,154		B	\$7,886	\$7,369	\$6,889	\$6,438	\$5,109	\$5,364	110	31" x 42" x 29-1/2"	Lounge	ABOLNGBAS
Bariatric Lounge, Maple Wood ABMLNGBAS Lounge 31" x 42" x 29-1/2" 110 \$5,544 \$5,282 \$6,656 \$7,121 \$7,618 \$8,154			\$8,305	\$7,760	\$7,255	\$6,779	\$5,380	\$5,647	115	31" x 42" x 29-1/2"	Lounge w/Right Table Arm	ABOLNGBARTS
ABMLNGBAS Lounge 31" x 42" x 29-1/2" 110 \$5,544 \$5,282 \$6,656 \$7,121 \$7,618 \$8,154	18-1		\$8,305	\$7,760	\$7,255	\$6,779	\$5,380	\$5,647	115	31" x 42" x 29-1/2"	Lounge w/Left Table Arm	ABOLNGBALTS
	3										ng <u>e, Maple Wood</u>	Bariatric Loui
ABMLNGBARTS Lounge w/Right Table Arm 31" x 42" x 29-1/2" 115 \$5,831 \$5,553 \$6,997 \$7,485 \$8,010 \$8,571	9		\$8,154	\$7,618	\$7,121	\$6,656	\$5,282	\$5,544	110	31" x 42" x 29-1/2"	Lounge	ABMLNGBAS
			\$8,571	\$8,010	\$7,485	\$6,997	\$5,553	\$5,831	115	31" x 42" x 29-1/2"	Lounge w/Right Table Arm	ABMLNGBARTS
ABMLNGBALTS Lounge w/Left Table Arm 31" x 42" x 29-1/2" 115 \$5,831 \$5,553 \$6,997 \$7,485 \$8,010 \$8,571		R	\$8,571	\$8,010	\$7,485	\$6,997	\$5,553	\$5,831	115	31" x 42" x 29-1/2"	Lounge w/Left Table Arm	ABMLNGBALTS
Fabric Requirements: 5 yards per chair, Non-directional, 54" wide.	7	-										

Please specify Wood Finish (Table 1), High-Pressure Laminate; if applicable (Table 2) and Upholstery (Table 5). Details can be found on pages GEN 4 and GEN 5.

TABLETOP

Tabletop is 1-3/16" thick, 3-ply 45# density particleboard, with a high-pressure laminate top surface .050" thick and a backing sheet .020" thick for balanced construction. Edges are solid Northern-grown Red Oak or maple. Top receives an external solid drop edge Northern-grown Red Oak or maple band 5/8" x 1-5/8" thick, radiused 1/2" to form a waterfall shape.


APRON (OPTIONAL)

A 4"H x 1" thick solid Northern-grown Red Oak or maple apron is fitted between the legs and behind the extended tabletop edge band. Starting 1/2" in from each end, the apron receives a radius that peaks at 2" in the center. The ends of each apron receive a 1/2" radius. Aprons are attached to the table using wood cleats screwed to the underside of the tabletop. Aprons on round tables are fitted between the legs and follow the curvature of the edge band.

Note: Aprons are not available for trapezoid shaped tables or Pedestal Base tables.

LEG

The leg is glued up 2-1/4" solid Northern-grown Red Oak or maple. The leg is molded into a triangle shape with the front face receiving a 2" radius and outside edges receiving a 1/2" radius that tapers to a 90 ° right angle. A 1/4" wide x 1/16" deep horizontal vein line is routed 2" up from the bottom of the leg. A 1/8" chamfer is placed at the bottom of the leg. Each leg receives a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut which is further recessed into the leg by means of a counter-sink boring which accepts the upper two-thirds of the glide. Legs attach to tabletops by means of a 5" square x 5/16" thick cold-rolled steel plate. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted into the leg. The assembled leg is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended table edge band.



Abridge Drop Edge Band

Oak Catalog No. ABOT30RD16ARTWS ABOT36RD16ARTWS	Maple Catalog No. ABMT30RD16ARTWS ABMT36RD16ARTWS	Description Round Table Round Table	H x W x D 16"H x 30" Diameter 16"H x 36" Diameter	Wt. (lbs.) 60 60	0ak Price \$1,848 \$1,909	Maple Price \$2,070 \$2,137	Round Table
AB0T242422ARTWS	ABMT242422ARTWS	Square End Table	22" x 24" x 24"	45	\$1,362	\$1,523	Square Table
AB0T303016ARTWS	ABMT303016ARTWS	Square Lounge Table	16" x 30" x 30"	51	\$1,690	\$1,895	
AB0T243022ARTWS	ABMT243022ARTWS	Rectangular End Table	22" x 30" x 24"	48	\$1,423	\$1,593	Rectangular Table
AB0T244816ARTWS	ABMT244816ARTWS	Rectangular Lounge Table	16" x 48" x 24"	46	\$1,917	\$2,146	

-ABR 44- F11-1-23G-ABR

The Chancellor's Collection

DESKTOP

Standard desk top is 1-3/16" thick, 3-ply, 45# density particleboard core with a top surface of high-pressure laminate .050" thick. A backing sheet not less than .020" thick is also applied for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tops receive a 1" W x 1-3/16" thick solid-oak undercut chamfered edge band; applied to top core after lamination of the face plastic. The edge band is beveled at a 39 $^\circ$ angle with a 3/8" radius bullnose at the leading edge. A 1/4" thick, solid Northern-grown red oak edge band is applied to the remaining three sides, with top and bottom edges radiused to 1/8". All edges are applied to the desk top after the top and bottom laminate sheets are applied, constituting an external edge band. Desk tops are positioned over the end panels of the desk module, flush with the outside edges of the end panels.

DESK END PANELS

Desk module end panels are 1" thick, 3-ply 45# density particleboard core with select plain-sliced oak veneer on both sides. Exposed edges are externally banded with a 1" x 1/16" thick, Northern-grown oak edge band. The end panels and front panel are joined and secured with 3/4" x 3/4" thick solid hardwood cleats screwed to the inside surfaces of the panels. The bottom of each end panel receives two adjustable glides to allow leveling of the individual units. Each end panel receives a 3" diameter egress and grommet to provide for wire passage.

FRONT PANEL

The front panel is 3/4" thick, 45# density particleboard core comprised of select plain-sliced, slip-matched oak veneer on the inside face. Veneer on outside face is a combination of plain-sliced ash veneer surrounded by rift-cut oak veneer to form a framed appearance. The "frame" is composed of 3-1/4"W rift-cut, oak veneer strips along both vertical edges and the bottom edge, and a 3-1/4"W rift cut oak veneer strip at the top edge shaped to form an internal arc. Panels are externally banded with 1.6mm solid oak on all vertical and horizontal edges, and all edges are eased. The front incorporates a 6"H x 3/4"D recessed and ebonized toe space at the bottom of the panel. The front panel is positioned over the end panels of the desk module, flush with the outside edges of the end panels. Double wide units have two front panels to give the appearance of two individual units.

ADJUSTABLE WORK SURFACE


Work surfaces are 1-3/16" thick, 3-ply particleboard core, including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. The exposed edge receives a 1/4" thick, solid Northern-grown red oak internal edge band in straight design. The back edge of the work surface has a black strip, 1-1/2"W, which projects above the work surface 1/4" to act as a retainer. The work surface is 24-1/2"D and is positioned 1-1/2" away from the front panel, creating a cord drop space. Adjustable work surfaces are available in single-wide standing-height desks. Work surfaces in standing-height desks (catalog numbers 73-012-S00) may be positioned at heights of 36", 32" or 27".

SHELVES

Shelves are constructed of 7-ply, furniture-grade hardwood, and veneer-core plywood with plain-sliced solid-oak face veneer. Fronts are banded with solid oak. Exposed edges receive a 1.6mm thick solid-oak edge band.

DRAWERS

Drawers are constructed of solid hardwood with 1/4" thick wood bottom panel. Drawers have 3-ply particleboard fronts with select oak face veneers. Box drawers have extension slides with 100# load capacity. File drawers have full-extension slides with 100# load capacity.



Chancellor's Series Edge Band


DESK DIMENSIONS

Standing-Height Desk, overall:

39-1/4"Hx35"Wx30-3/8"D or39-1/4"Hx70"Wx30-3/8"D.

Sitting-Height Desk, overall:

 $32\text{-}1/4\text{"Hx}35\text{"Wx}30\text{-}3/8\text{"D}\,\text{or}32\text{-}1/4\text{"Hx}70\text{"Wx}30\text{-}3/8\text{"D}.$



The Chancellor's Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
CH2-012-S00 OAK	CH2-012-S00 MAP	Standing Height Desk with Patron Service Ledge	39-3/16" x 35" x 30"	140	\$3,990	\$4,350	Single-Wide Desk with Patron Service Ledge
		Inside dimensions: $33\text{ "W} \times 26\text{ -}3$ 7-7/8" patron ledge is at a heig Note: Adjustable-height work si at heights of 36", 32" or 27".	ht of 39-3/16"H.				0
CH2-E12-S00 OAK	CH2-E12-S00 MAP	Sitting Height Desk with Patron Service Ledge	32-3/16" x 35" x 30"	125	\$3,798	\$4,140	
		Inside dimensions: 33 "W x 26-3 7-7/8" patron ledge is at a heig Note: Work surface is fixed at 2	ht of 32-3/16"H.				
CH2-014-S00 OAK	CH2-014-S00 MAP	Standing Height Desk without Patron Service Ledge	39-3/16" x 35" x 30"	135	\$3,551	\$3,871	Single-Wide Desk without Patron Service Ledge
		Inside dimensions: 33 "W x 26-3 work surface is at 39-3/16" H. To grommets are located in the work	wo 3" diamenter				0
CH2-E14-S00 OAK	CH2-E14-S00 MAP	Sitting Height Desk without Patron Service Ledge	32-3/16" x 35" x 30"	120	\$3,287	\$3,583	
		Inside dimensions: 33 "W x 26-3 work surface is at 32-3/16" H. To grommets are located in the work	wo 3" diamenter				0
CH2-015-S00 OAK	CH2-015-S00 MAP	Standing Height Book Return Un	it 39-3/16" x35" x30"	135	\$3,457	\$3,768	Book Return Unit
		Inside dimensions: 33 "W x 26-3 work surface is at 39-3/16" H. U finished opening centered in the of books and a book chute to dir depressible book truck. (Depress Two 3" diameter grommets are I	init has a 5"H x 12"W front panel for passage ect the books over a mobile sible book truck not included).				
CH2-E15-S00 OAK	CH2-E15-S00 MAP	Sitting Height Book Return Unit	32-3/16" x 35" x 30"	120	\$3,275	\$3,570	
		Inside dimensions: 33 "W x 26-3 work surface is at 32-3/16" H. U finished opening centered in the of books and a book chute to direct depressible book truck. (Depress Two 3" diameter grommets are I	init has a 5"H x 12"W front panel for passage ect the books over a mobile sible book truck not included).				0

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

Standing Sitting Cupboard and Open Shelf		Oak Catalog No. CH2-121-S00 OAK	Maple Catalog No. CH2-121-S00 MAP	Description Standing Height Cupboard and Open Shelf This unit has one fixed and two a shelves. A hidden drawer is posit the lockable storage compartment.	ioned above	Wt. (lbs.) 175	Oak Price \$6,293	Maple Price \$6,861
		CH2-E21-S00 OAK	CH2-E21-S00 MAP	grommets are located in the work Sitting Height Cupboard This unit has one fixed and one a shelf. A hidden drawer is position the lockable storage compartme grommets are located in the work	160	\$5,894	\$6,425	
Full Width Drawer, Cupboard and Drawers		CH2-122-S00 OAK	CH2-122-S00 MAP	Standing Height Full Width Drawer, Cupboard and Drawers This unit has one full-width draw two file drawers, and a lockable of compartment. Two 3" diameter are located in the work surface. Note: Available in 39"H only.	storage	225	\$8,427	\$9,185



The Chancellor's Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
CH2-124-S00 OAK	CH2-124-S00 MAP	Standing Height Open Shelf and Drawer Unit	39-3/16" x 35" x 30"	200	\$6,980	\$7,608	Open Shelf and Drawer Unit
		This unit has one lockable box drater and two file drawers. Shelf section two adjustable shelves, and one fit Two 3" diameter grommets are lockable.	has xed base shelf.				
CH2-E24-S00 OAK	CH2-E24-S00 MAP	Sitting Height Open Shelf and Drawer Unit	32-3/16" x 35" x 30"	125	\$6,398	\$6,974	
		This unit has one lockable box drar and one file drawer. Shelf section one adjustable shelf, and one fixer Two 3" diameter grommets are loc	has d base shelf.				
CH2-131-S00 OAK	CH2-131-S00 MAP	Standing Height Cash Drawer Unit	39-3/16" x 35" x 30"	150	\$4,922	\$5,365	Cash Drawer Unit
		Inside dimensions: 33 "W x 26-3/ The work surface is at 39-3/16 "H has locking drawer with a coin and Two 3" diameter grommets are loc	. Desk I currency tray.			·	0
CH2-E31-S00 OAK	CH2-E31-S00 MAP	Sitting Height Cash Drawer Unit	32-3/16" x35" x30"	135	\$4,714	\$5,138	
		Inside dimensions: 33 "W x 26-3/ The work surface is at 32-3/16 "H has locking drawer with a coin and Two 3" diameter grommets are lo	. Desk I currency tray.				
CH2-E32-S00 OAK	CH2-E32-S00 MAP	Sitting Height ADA Station	32-3/16" x 35" x 40-1/2	" 185	\$3,699	\$4,032	ADA Station
		The ADA transaction station is designed to provide wheelchair ac on the patrons' side. The knee spa on the patrons' side is 22-1/4" a staff side is 16". Two 3" diameter are located in the work surface. Or egress with sleeve is located in each	nce depth nd on the grommets ne 3-1/2" diameter	ge.			0

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (Ibs.)	0ak Price	Maple Price
Full Width Drawer Uni	t	CH2-133-S00 OAK	CH2-133-S00 MAP	Standing Height Full Width Drawer Unit	39-3/16" x 35" x 30"	160	\$5,046	\$5,501
				This drawer unit has a full-width 10"Hx33"Wx18-3/4"D. Tw grommets are located in the wo Note: Available in 39-3/16"H	o 3" diameter ork surface.			

Full Width Drawer and Cupboard Unit



CH2-135-S00 OAK CH2-135-S00 MAP

Standing Height Full Width **Drawer and Cupboard Unit** 39-3/16" x 35" x 30"

\$6,051 \$5,552

This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are located in the work surface.

Note: Available in 39-3/16" H only.

Discharge Unit CH2-172-S00 OAK **CH2-172-S00 MAP** Standing Height Discharge Unit 39-3/16" x 35" x 30" \$5,718 165 **\$5,246** These units have a full-width well with seven removable wood trays for 5 "H x 3 "W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H. Note: Standing-height roll unders do not work with this unit. CH2-E72-S00 OAK CH2-E72-S00 MAP Sitting Height Discharge Unit 32-3/16" x 35" x 30" \$4,980 \$5,428 These units have a full-width well with seven removable wood trays for 5 "H x 3 "W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.

The Chancellor's Collection

Oak	Maple Catalog No.	Description	HxWxD	Wt.	Oak Price	Maple Price	Standing	Sitting
Catalog No. CH2-174-S00 OAK	CH2-174-S00 MAP	Standing Height Open Shelf Unit	39-3/16" x 35" x 30"	(lbs.) 175	\$4,048	\$4,412		Open Shelf Unit
0112-114-300 OAK	CH2-17-500 MAP	This unit has a full-depth fixed base shelf and two full-depth adjustable: Two 3" diameter grommets are locathe work surface.	shelves.	173	44,040	V1,112	0	
CH2-E74-S00 OAK	CH2-E74-S00 MAP	Sitting Height Open Shelf Unit	32-3/16" x 35" x 30"	155	\$3,647	\$3,974		
		This unit has a full-depth fixed base shelf and two full-depth adjustable: Two 3" diameter grommets are locathe work surface.					0	
CH2-176-S00 OAK	CH2-176-S00 MAP	Standing Height Cupboard Unit	39-3/16" x35" x30"	200	\$4,897	\$5,337		Cupboard Unit
		This unit has a full-depth fixed base shelf and two full-depth adjustable: Hinged doors have a catch, lock and Two 3" diameter grommets are loca work surface.	l door pulls.					
CH2-E76-S00 OAK	CH2-E76-S00 MAP	Sitting Height Cupboard Unit	32-3/16" x 35" x 30"	180	\$4,676	\$5,097		
		This unit has a full-depth fixed base shelf and one full-depth adjustable Hinged doors have a catch, lock and Two 3" diameter grommets are loca work surface.	l door pulls.				0	
CH2-234-S00 OAK	CH2-234-S00 MAP	Standing Height Full Width Drawer and Open Shelves	39-3/16" x35" x30"	180	\$4,800	\$5,233	Full \	Width Drawer and Open Shelves
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work st	ırface.					
CH2-E34-S00 OAK	CH2-E34-S00 MAP	Sitting Height Full Width Drawer and Open Shelves	32-3/16" x35" x30"	165	\$4,525	\$4,932		99
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work su	urface.				0	

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Media Storage Unit		CH2-236-S00 OAK	CH2-236-S00 MAP	Standing Height Media Storage Unit	39-3/16" x 35" x 30"	225	\$6,667	\$7,267
				This unit has four full-width drawers 8-1/2"H x 33"W x 24"D with each containing five compartments for me				
		CH2-E36-S00 OAK	CH2-E36-S00 MAP	Sitting Height Media Storage Unit	32-3/16" x 35" x 30"	205	\$6,181	\$6,737
0				This unit has three full-width drawer 8-1/2"H x 33"W x 24"D with each containing five compartments for me				


The Chancellor's Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
CH2-011-S00 OAK	CH2-011-S00 MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$5,758	\$6,275	Doub with Patron S	le-Wide Desk ervice Ledge,
		Work Surface at 35"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc Note: Standing-height roll unders	neight of 39-3/16". Eated in the work surface.		0			
CH2-E11-S00 OAK	CH2-E11-S00 MAP	Sitting Height Double-Wide Desk with Patron Service Ledge	32-3/16" x 70" x 30"	210	\$5,761	\$6,281		
		Work Surface at 28"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc	eight of 32-3/16".					
CH2-011-SEA OAK	CH2-011-SEA MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$6,091	\$6,639		
		Work Surface at 28"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc Note: Standing-height roll unders	neight of 39-3/16". eated in the work surface.		0			
CH2-013-S00 OAK	CH2-013-S00 MAP	Standing Height Double-Wide	39-3/16" x 70" x 30"	230	\$5,517	\$6,015		le-Wide Desk
		Desk without Patron Service Ledge Inside dimensions are 68 "W x 26- The work surface is at 39-3/16" H diameter grommets are located in	3/4"D. .Two 3"		0	0	without Patron S	ervice Leage
CH2-E13-S00 OAK	CH2-E13-S00 MAP	Sitting Height Double-Wide Desk without Patron Service Ledge	32-3/16" x 70" x 30"	195	\$5,257	\$5,731		

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

The work surface is at 32-3/16" H. Two 3" diameter grommets are located in the work surface.

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Double-Wide Doub Work Desk	le Pedestal	CH2-E37-S00 OAK	CH2-E37-S00 MAP	Sitting Height Double-Wide Double Pedestal Work Desk	32-3/16" x 70" x 30"	260	\$11,602	\$12,647
				Inside dimensions are 68 "W x This unit has two drawer pedes on each side consisting of one one file drawer with hanging fil Two center drawers are mounte Two 3" diameter grommets are Note: Available in 32-3/16"	tals, one mounted locking drawer at top; e rack at bottom. ed between the two pedestals e located in the work surface.			



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
CH2-010-S00 OAK	CH2-010-S00 MAP	Standing Height 90 Degree Multi-Purpose Corner	39-3/16" x 71-3/4" x 30"		\$9,580	\$10,441	Mı	90 Degree ulti-Purpose Corner
		Unit has 29-5/16"W port are angled areas to the left and rig grommet is located in the work with sleeve is located in each of	ght of the desk module. One 3 k-surface top. One 3-1/2" dia	' diameter		0		0
CH2-E10-S00 OAK	CH2-E10-S00 MAP	Sitting Height 90 Degree Multi-Purpose Corner	32-3/16" x 71-3/4" x 30"	215	\$9,093	\$9,912		•
		Unit has 29-5/16"W port are angled areas to the left and rig grommet is located in the work with sleeve is located in each of	ght of the desk module. One 3 k-surface top. One 3-1/2" dia	' diameter			0	0
CH2-017-S00 OAK	CH2-017-S00 MAP	Standing Height 90 Degree Multi-Purpose with Patron Ser	39-3/16" x 71-3/4" x 30" vice Ledge	245	\$12,503	\$13,628	_	ulti-Purpose Corner tron Service Ledge
		Unit has 29-5/16"W port are Work surface is at 35"H. Stor and right of the module. One 3 One 3-1/2"diameter egress v	age shelves are located in the " diameter grommet is locate	two angled d in the wo	l areas to th rk surface t	e left op.		0
CH2-E17-S00 OAK	CH2-E17-S00 MAP	Sitting Height 90 Degree Multi-Purpose with Patron Ser	32-3/16" x 71-3/4" x 30" vice Ledge	210	\$11,876	\$12,945		•
		Unit has 29-5/16"W port are Work surface is at 28"H. Stor and right of the module. One One 3-1/2" diameter egress v	age shelves are located in the 3" diameter grommet is locat	two angled	areas to th	e left top.		0
CH2-016-S00 OAK	CH2-016-S00 MAP	Standing Height 90 Degree Closed Corner Unit	39-3/16"H	140	\$4,361	\$4,752		90 Degree Closed Corner Unit
		This 90 degree unit is used to This is not available with patro in each end panel for wire pas	n ledge. One 3-1/2" diamete	r egress is l				
CH2-E16-S00 OAK	CH2-E16-S00 MAP	Sitting Height 90 Degree Closed Corner Unit	32-3/16"H	120	\$4,209	\$4,588		
		This 90 degree unit is used to This is not available with patro in each end panel for wire pas	n ledge. One 3-1/2" diamete	r egress is l				

Standing	Sitting	Oak	Maple	Danadatlan	11 W D	Wt.	0ak	Maple			
45 Degree Closed Co		Catalog No. CH2-018-S00 OAK	Catalog No. CH2-018-S00 MAP	Description Standing Height 45 Degree	H x W x D 39-3/16" x 22-7/8" x 30"	(lbs.) 130	Price \$4,361	Price \$4,752			
				Closed Corner Unit This corner unit is used to create a 45 degree angle in the circulation desk. This unit is not available with a patron ledge.							
		CH2-E18-S00 OAK	CH2-E18-S00 MAP	Sitting Height 45 Degree Closed Corner Unit	32-3/16" x 22-7/8" x 30"	110	\$4,209	\$4,588			
	\			This comer unit is used to creat This unit is not available with a	e a 45 degree angle in the circula patron ledge.	ation des	k.				
90 Degree Open Cur with Patron Service		CH2-040-S00 OAK	CH2-040-S00 MAP	Standing Height 90 Degree Open Curved Corner with Patro	39-3/16" x 70-1/8" x 30" n Service Ledge	245	\$15,464	\$16,854			
0	0			Unit has 26-5/8"W port area. and right of the desk module. 0	t a height of 39-3/16". The work Storage shelves are located in the One 3" diameter grommet is loca th sleeve is located in each end p	e two an ted in the	gled areas e work surf	to the left ace top.			
		CH2-E40-S00 OAK	CH2-E40-S00 MAP	Sitting Height 90 Degree Open Curved Corner with Patro	32-3/16" x 70-1/8" x 30" n Service Ledge	210	\$14,578	\$15,891			
0		0		Unit has 26-5/8"W port area. and right of the desk module. O	t a height of 32-3/16". The work Storage shelves are located in th One 3" diameter grommet is loca ith sleeve is located in each end p	e two an ted in the	gled areas work surf	to the left ace top.			
90 Degree Open Cur	ved Corner	CH2-041-S00 OAK	CH2-041-S00 MAP	Standing Height 90 Degree	39-3/16" x 70-1/8" x 30"	245	\$13,692	\$14,924			
0	0			in the two angled areas to the le	. Unit has 26-5/8"W port area. S eft and right of the desk module. op. One 3-1/2" diameter egress age.	One 3"	diameter g	rommet			
		CH2-E41-S00 OAK	CH2-E41-S00 MAP	Sitting Height 90 Degree Open Curved Corner	32-3/16" x 70-1/8" x 30"	210	\$12,903	\$14,065			
0		0		Work surface is at 32-3/16"H. in the two angled areas to the le	. Unit has 26-5/8"W port area. S eft and right of the desk module. op. One 3-1/2" diameter egress age.	One 3"	diameter g	rommet			

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

The Chancellor's Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
CH2-047-S00 OAK	CH2-047-S00 MAP	Standing Height 60 Degree Curved Corner with Patron Se	39-3/16" x 80-3/4" x 30" rvice Ledge	245	\$17,996	\$19,616	60 Degree Cu with Patron Se	
		The 7-7/8"D patron ledge is Unit has 49-1/16" W port an left and right of the desk mod top. One 3-1/2" diameter eg	ea. Storage shelves are locate ule. One 3" diameter gromme	d in the tw et is locate	o angled are d in the work	eas to the surface		0
CH2-E47-S00 OAK	CH2-E47-S00 MAP	Sitting Height 60 Degree Curved Corner with Patron Se	32-3/16" x 80-3/4" x 30" rvice Ledge	210	\$17,044	\$18,579		
		The 7-7/8"D patron ledge is Unit has 49-1/16" W port an left and right of the desk mod top. One 3-1/2" diameter eg	ea. Storage shelves are locate ule. One 3" diameter gromme	d in the tw et is locate	o angled are d in the work	eas to the c surface		0
CH2-048-S00 OAK	CH2-048-S00 MAP	Standing Height 60 Degree Curved Corner	39-3/16" x 80-3/4" x 30"	245	\$16,234	\$17,696	60 Degree Cu	rved Corner
		Work surface is at 39-3/16" located in the two angled area grommet is located in the wollocated in each end panel for	as to the left and right of the d k surface top. One 3-1/2" di	esk modu	le. One 3" di	ameter eve is		0
CH2-E48-S00 OAK	CH2-E48-S00 MAP	Sitting Height 60 Degree Curved Corner	32-3/16" x 80-3/4" x 30"	210	\$15,399	\$16,785	•	
		Work surface is at 32-3/16" located in the two angled are: grommet is located in the wollocated in each end panel for	as to the left and right of the d k surface top. One 3-1/2" di	esk modu	le. One 3" di	ameter	0	0
CH2-055-S00 OAK	CH2-055-S00 MAP	Standing Height 90 Degree Closed Corner Unit	39-3/16"Hx30"D	140	\$7,000	\$7,629		gree Curved Corner Unit
		This 90 degree unit is used to This unit is provided with a cu		esk arrang	ement.			
CH2-E55-S00 OAK	CH2-E55-S00 MAP	Sitting Height 90 Degree Closed Corner Unit	32-3/16"Hx30"D	120	\$6,513	\$7,099		
		This 90 degree unit is used to		sk arrang	ement.			

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

This unit is provided with a curved front panel.

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
45 Degree Curved Closed Corner Unit		CH2-058-S00 0AK	CH2-058-S00 MAP	Standing Height 45 Degree Curved Closed Corner Unit	39-3/16" x 22-3/8" x 30"	130	\$7,000	\$7,629
				This unit is used to create a 45 It is not available with patron le	•	desk.		
		CH2-E58-S00 0AK	CH2-E58-S00 MAP	Sitting Height 45 Degree Curved Closed Corner Unit	32-3/16" x 22-3/8" x 30"	110	\$6,513	\$7,099
				This unit is used to create a 45 It is not available with patron le	= =	desk.		
90 Degree Open Co	orner Shelf	CH2-143-S00 OAK	CH2-143-S00 MAP	Standing Height 90 Degree Open Comer Shelf	39-3/16"H x30"D	140	\$4,379	\$4,774
				This 90 degree unit is used to for Has one fixed base shelf and to Note: Units must be modified on open corner units.	vo adjustable shelves.	_		ugh
		CH2-E43-S00 0AK	CH2-E43-S00 MAP	Sitting Height 90 Degree Open Corner Shelf	32-3/16"H x30"D	120	\$4,190	\$4,568
				This 90 degree unit is used to for Has one fixed base shelf and tw Note: Units must be modified on open corner units.	vo adjustable shelves.	_		ugh
90 Degree Square	Corner Unit	CH2-150-S00 0AK	CH2-150-S00 MAP	Standing Height 90 Degree Square Corner Unit	39-3/16" x 30" x 30"	160	\$5,076	\$5,532
0 0	7			This square corner unit is used One 3" diameter egress is loca a continuous ABS tube.				
		CH2-E50-S00 0AK	CH2-E50-S00 MAP	Sitting Height 90 Degree Square Corner Unit	32-3/16" x 30" x 30"	140	\$4,828	\$5,262
0				This square corner unit is used One 3" diameter egress is loca a continuous ABS tube.				

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

The Chancellor's Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
CH2-178-S00 OAK	CH2-178-S00 MAP	Detachable End Panels (Pair)	39" x 1" x 26-3/4"	52	\$2,637	\$2,874	Detachable End Panels (Pair)
		End panels are 1" thick, 3-ply, particleboard core with plain-sli veneers. Exposed edges are exte with 1.6mm thick, solid Norther	ced oak or maple ernally banded	e band.	•		
CH2-E78-S00 OAK	CH2-E78-S00 MAP	Detachable End Panels (Pair)	32" x 1" x 26-3/4"	42	\$2,332	\$2,542	
		End panels are 1" thick, 3-ply, 4 particleboard core with plain-sli veneers. Exposed edges are exte with 1.6mm thick, solid Norther	ced oak or maple emally banded	e band.			

CH2-196-S00 OAK

CH2-196-S00 MAP

Single-Wide Add On 7" x 35" x 7-7/8" 10 \$751 \$818

Single-Wide Add On 7"H Patron Ledge

Unit is designed to be added onto a single wide desk without a patron ledge. The Patron Ledge Assembly will attach to the desktop by means of #8 x 2-1/2" screws inserted through the work surface into the ledge assembly.

CH2-197-S00 OAK CH2-197-S00 MAP Double-Wide Add On 7" x70" x 7-7/8" 20 \$999 \$1,089 Double-Wide Add On 7"H Patron Ledge
Unit is designed to be added onto a double wide desk without a patron ledge. The Patron Ledge Assembly will attach to the desktop by means of #8 x 2-1/2" screws inserted through

the work surface into the ledge assembly.

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core with a .050" high-pressure laminate face and a .020" thick backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled at a 39° angle with a 3/8" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered at all four corners with corners radiused 1/8".

TABLE LEGS - SQUARE WITH APRON


Legs are 2-1/2"W square and glued-up face to face from three solid-oak blanks. All glue joints are tight and smooth. All vertical edges receive a 1/4" radius. Legs receive a horizontal vein line 5/32"W x 3/32"D on the two outside faces of the leg positioned 3-11/32" below the top of the legs. This vein line matches the horizontal vein line on the apron. An identical vein line is positioned 3-1/4" above the bottom of the leg. At the bottom of this vein line the two back sides of the leg taper to a dimension of 1-7/8" x 1-7/8" at the bottom of the leg. Legs receive a 1-1/2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide. Tables are of apron design with a 3-1/2" x 1" thick apron screwed to the underside of the tabletop. A 5/32"W x 3/32"D vein line is positioned at the bottom front surface of the apron to mirror the top horizontal vein line on the table leg. The legs attach to the aprons by means of formed 14-gauge steel corner brackets. Each leg is bolted to the corner bracket with two 5/16" - 18 hex-head bolts which pass through the bracket and engage threaded bushings embedded into the leg and cross-pinned with a 3/16" diameter steel pin.

TABLE LEGS - SQUARE WITHOUT APRON


Legs are 2-1/2"W, square shape, and glued-up face to face from three solid-oak blanks. All glue joints are tight and smooth. All vertical edges receive a 1/4" radius. Legs receive a horizontal vein line 5/32"W x 3/32"D on the two outside faces of the leg positioned 3-11/32" below the top of the legs. An identical vein line is positioned 3-1/4" above the bottom of the leg. At the bottom of this vein line the two back sides of the leg taper to a dimension of 1-7/8" x 1-7/8" at the bottom of the leg. Table is designed without an apron, with legs attaching to the tabletop by means of a 5" square x 5/16" thick steel plate. Plates are painted flat black and have no sharp edges. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted in the leg. The steel plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge bands extend 1/2" below the tabletop. Each leg has a 1-1/2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide.

TABLE LEGS - ROUND WITH APRON


Legs are solid, glued-up oak, face-to-face glued from three to four oak blanks. All glue joints are tight and smooth. Table is of apron design with a 3-1/2"W x 1" thick apron screwed to the underside of the tabletop. A 1/4"D "V" groove is positioned 1/2" from the bottom edge of the apron. The bottom edge is radiused 1/4" to mirror the decorative raised rings on the cylindrical portion of the leg. The top of the leg is 2-7/8" square, radiused 1/4" on the vertical edges. The leg then transitions to a 2-1/2" diameter. A 5/8"W x 2-3/4" diameter ring is positioned 3/16" below squared portion of the leg and is radiused 3/8" to accent the transition from square to round. A second ring is positioned 2" from the bottom of the leg. Each leg has a 2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide. The legs attach to the aprons by means of formed 14-gauge steel corner brackets. Each leg is bolted to the corner bracket with two 5/16" - 18 hex head bolts which pass through the bracket and engage threaded bushings, embedded into the leg and cross-pinned with a 3/16" diameter steel pin.



Chancellor's Series Drop Edge







Chancellor's Series Leg Without Apron

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Without Apron	With Apron
	ered Square Legs w	<u> </u>		()				Round Tab
	<u> </u>	-	20 II v 20 Diamatas	100	CO 050	62 444		
CH2-109-S00 OAK CH2-129-S00 OAK	CH2-109-S00 MAP CH2-129-S00 MAP	Round Table Round Table	29"H x 38" Diameter 29"H x 44" Diameter	100 90	\$2,856 \$3,036	\$3,114 \$3,310		71
CH2-129-300 OAK CH2-141-S00 OAK	CH2-141-S00 MAP	Round Table	29 "H x 50" Diameter	100	\$3,036 \$3,036	\$3,310 \$3,310		
CH2-130-S00 OAK	CH2-130-S00 MAP	Round Table	29"H x 62" Diameter	110	\$3,870	\$4,219	\forall	\forall
Table with Chami	ered Square Legs w	ith Apron						
CH2-A09-S00 OAK	CH2-A09-S00 MAP	Round Table	29"Hx38" Diameter	100	\$2,997	\$3,267		
CH2-A29-S00 OAK	CH2-A29-S00 MAP	Round Table	29"Hx 44" Diameter	90	\$3,180	\$3,466		
CH2-A41-S00 OAK	CH2-A41-S00 MAP	Round Table	29"H x 50" Diameter	100	\$3,180	\$3,466	Ц	
CH2-A30-S00 OAK	CH2-A30-S00 MAP	Round Table	29"H x 62" Diameter	110	\$4,068	\$4,434	· ·	\bigoplus
	ered Square Legs w	ithout Apron						Square Tab
CH2-191-S00 OAK	CH2-191-S00 MAP	Square Table	29" x 32-3/4" x 32-3/4"	100	\$2,476	\$2,699		. · · · · · · ·
CH2-191-500 OAK CH2-137-S00 OAK	CH2-137-S00 MAP	Square Table	29" x 44-3/4" x 44-3/4"	100	\$2,476 \$2,656	\$2,895		4
CH2-157-500 OAK	CH2-154-S00 MAP	Square Table	29" x 50-3/4" x 50-3/4"	100	\$2,838	\$2,695 \$3,094		
	ered Square Legs w	·	,, .		,	,•••	y	
CH2-A91-S00 OAK	CH2-A91-S00 MAP	Square Table	29" x 32-3/4" x 32-3/4"	100	60 610	\$2,845		
CH2-A91-S00 OAK CH2-A37-S00 OAK	CH2-A37-S00 MAP	Square Table	29 x 44-3/4" x 44-3/4"	100 100	\$2,610 \$2,790	\$2,645 \$3,041	• `	
CH2-A57-S00 OAK	CH2-A54-S00 MAP	Square Table	29" x 50-3/4" x 50-3/4"	100	\$2,790 \$2,971	\$3,041 \$3,239	\forall	
5112-A34-300 OAK	0112-A04-300 MAI	Square rabic	23 730-3/4 730-3/4	100	92,311	45,25 5		\bigcup
Table with Chamf	ered Square Legs w	ithout Apron					Red	tangular Tab
CH2-194-S00 OAK	CH2-194-S00 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$2,704	\$2,948		
CH2-195-S00 OAK	CH2-195-S00 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$2,838	\$3,094		
CH2-144-S00 OAK	CH2-144-S00 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$2,760	\$3,008		
CH2-138-S00 OAK	CH2-138-S00 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$2,894	\$3,154		iggle
CH2-145-S00 OAK	CH2-145-S00 MAP	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$3,275	\$3,570	Д	
Table with Chamf	ered Square Legs w	ith Apron					Ħ	_
CH2-A94-S00 OAK	CH2-A94-S00 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$2,838	\$3,094		
CH2-A95-S00 OAK	CH2-A95-S00 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$2,971	\$3,239		
		· ·			•			
CH2-A44-S00 OAK	CH2-A44-S00 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$2,894	\$3,154	\forall	,
CH2-A38-S00 OAK	CH2-A38-S00 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,036	\$3,310		
CH2-A45-S00 OAK	CH2-A45-S00 MAP	RectangularTable	29" x 74-3/4" x 50-3/4"	160	\$3,447	\$3,757	Ų	I
Table with Chami	ered Square Legs w	ithout Apron					Rectand	ular Table wi
CH2-198-S00 OAK	CH2-198-S00 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$3,415	\$3,723		r Support Les
CH2-146-S00 OAK	CH2-146-S00 MAP	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$3,415 \$3,475	\$3,723 \$3,788	Conto	
CH2-140-300 OAK	CH2-134-S00 MAP	Rectangular Table	29" x 92-3/4" x 50-3/4"	200	\$3,475 \$3,990	\$3,766 \$4,350 ^{<}		
	-	<u> </u>	,, -		. ,	. ,		
Table with Chamf	^t ered Square Legs w	<u>ith Apron</u>					\mathbb{H}	A
CH2-A98-S00 OAK	CH2-A98-S00 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$3,549	\$3,869	-	
CH2-A46-S00 OAK	CH2-A46-S00 MAP	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$3,657	\$3,986	₩	
CH2-A34-S00 OAK	CH2-A34-S00 MAP	RectangularTable	29" x 92-3/4" x 50-3/4"	200	\$4,209	\$4,588		

100

100

100

\$2,610

\$2,790

\$2,971

\$2,845

\$3,041

\$3,239

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Round Table	Table with Tradition	nal Round Legs with	<u>Apron</u>				
	CH2-R09-S00 0AK	CH2-R09-S00 MAP	Round Table	29"Hx38" Diameter	100	\$2,997	\$3,267
	CH2-R29-S00 0AK	CH2-R29-S00 MAP	Round Table	29"H x 44" Diameter	90	\$3,180	\$3,466
	CH2-R41-S00 0AK	CH2-R41-S00 MAP	Round Table	29"H x 50" Diameter	100	\$3,180	\$3,466
	CH2-R30-S00 0AK	CH2-R30-S00 MAP	Round Table	29"H x 62" Diameter	110	\$4,068	\$4,434

		<u>lpron</u>	nal Round Legs with A	Table with Traditio	are Table
" x 32-3/4"	29" x 32-3/4" x	Square Table	CH2-R91-S00 MAP	CH2-R91-S00 0AK	
" x 44-3/4"	29" x 44-3/4" x	Square Table	CH2-R37-S00 MAP	CH2-R37-S00 0AK	
" x 50-3/4"	29" x 50-3/4" x	Square Table	CH2-R54-S00 MAP	CH2-R54-S00 0AK	
	29" x 50-3/4	Square Table	CH2-R54-S00 MAP	CH2-R54-S00 0AK	

Rectangular Table	Table with Tradition	onal Round Legs with	A <u>pron</u>				
	CH2-R94-S00 0AK	CH2-R94-S00 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$2,838	\$3,094
	CH2-R95-S00 0AK	CH2-R95-S00 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$2,971	\$3,239
	CH2-R44-S00 0AK	CH2-R44-S00 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$2,894	\$3,154
y y	CH2-R38-S00 0AK	CH2-R38-S00 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,036	\$3,310
	CH2-R45-S00 0AK	CH2-R45-S00 MAP	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$3,447	\$3,757

Rectangular Table with	Table with Traditio	nal Round Legs with	Apron				
Center Support Legs	CH2-R98-S00 0AK	CH2-R98-S00 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$3,549	\$3,869
	CH2-R46-S00 0AK	CH2-R46-S00 MAP	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$3,657	\$3,986
	CH2-R34-S00 0AK	CH2-R34-S00 MAP	Rectangular Table	29" x 92-3/4" x 50-3/4"	200	\$4,209	\$4,588


TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core with a .050" high-pressure laminate face and a .020" thick backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled at a 39° angle with a 3/8" radius bullnose at the leading edge. The edge band extends 1-3/4" beyond the vertical ends of the panel base and is notched at each end at a 45° angle.

TABLE END PANELS

Table end panels are 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer on the inside face. Veneer on outside face is sketched to form a "framed" appearance. The frame is composed of 3-1/4" rift-cut, oak-veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" rift cut oak veneer strip shaped to form a 1-1/2"H

internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. Panels are externally banded with $\bf 1.6mm$ thick solid oak on the two vertical and top edges. All panel edges are eased. Each panel has two $\bf 1-1/4$ " diameter chrome, adjustable glides. End panels extend $\bf 1/4$ " above tabletop work surface.



Chancellor's Series Drop Edge

e with Panel Base
_

TABLETOP

Standard tabletops are 1-3/16" thick, 3-ply particleboard core including a top surface of .050" thick high-pressure laminate, and a backing sheet .020" thick for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading, and stainingin accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled at a 39° angle with 3/8" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered at all four corners with corners radiused 1/8". Note: All Standing-Height Tables are made with an apron. All Sitting-Height Tables are made without an apron to allow adequate leg clearance.

TABLE LEGS - SQUARE WITH APRON

Legs are 2-1/2"W, square shape, glued-up face to face from three solid-oak blanks. All glue joints are tight and smooth. All vertical edges receive a 1/4" radius. Legs receive a horizontal vein line 5/32"W x 3/32"D on the two outside faces of the leg positioned 3-11/32" below the top of the legs. This vein line matches the horizontal vein line on the apron. An identical vein line is positioned 3-1/4" above the bottom of the leg. At the bottom of this vein line the two back sides of the leg taper to a dimension of 1-7/8" x 1-7/8" at the bottom of the leg. Legs receive a 1-1/2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide. Tables are of apron design with a 3-1/2" x 1" thick apron screwed to the underside of the tabletop. A 5/32"W x 3/32"D vein line is positioned at the bottom front surface of the apron to mirror the top horizontal vein line on the table leg. The legs attach to the aprons by means of formed 14-gauge steel corner brackets. Each leg is bolted to the corner bracket with two 5/16" - 18 hex-head bolts which pass through the bracket and engage threaded bushings embedded into the leg and cross-pinned with a 3/16" diameter steel pin.

TABLE LEGS - SOUARE WITHOUT APRON

Legs are 2-1/2"W, square shape, glued-up face to face from three solid-oak blanks. All glue joints are tight and smooth. All vertical edges receive a 1/4" radius. Legs receive a horizontal vein line 5/32"W x 3/32"D on the two outside faces of the leg positioned 3-11/32" below the top of the legs. An identical vein line is positioned 3-1/4" above the bottom of the leg. At the bottom of this vein line the two back sides of the leg taper to a dimension of 1-7/8" x 1-7/8" at the bottom of the leg. Tables are without an apron, with legs attaching to the tabletop by means of a 5" square x 5/16" thick steel plate. Plates are painted flat black and have no sharp edges. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted in the leg. The steel plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended edge band. Edge bands extend 1/2" below the tabletop. Each leg has a 1-1/2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide. Additional leg(s) added to the center of the table for extra support are 2-1/4"square with a 1/2" radius on vertical edges.

EQUIPMENT SHIELD PRIVACY PANEL


Privacy panels are 10"H, constructed of 1" thick veneer-core plywood. Exposed panel edges are banded with 1.6mm solid oak. The privacy panel attaches securely to the tabletop by screws passing through the tabletop and into the privacy panels. Privacy panels are finished to match the table edge band. Privacy panels are designed to obscure wires exiting computer equipment and to eliminate incidental tampering.

ELECTRICAL

Tables receive 3" grommets in the tabletop for wire passage, and J-channel wire managers are mounted under the tabletop to hold excess wires. Grommets are ABS, black plastic with notched removable cap. J-channel is 18-gauge steel with electrostatically applied black powder paint.

TABLETOP HEIGHT

Standing Height: 39" (with Apron) Sitting Height: 27-1/2" (without Apron)



Chancellor's Series Drop Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting with Apron without Apron
CH2-645-S00 OAK	CH2-645-S00 MAP	Sitting Height	27-1/2" x 32-3/4" x 26-3/4"	80	\$2,188	\$2,385	One Position
CH2-665-S00 OAK	CH2-665-S00 MAP	Sitting Height	27-1/2" x 32-3/4" x 32-3/4"	80	\$2,610	\$2,845	Computer Tables
CH2-649-S00 OAK	CH2-649-S00 MAP	Sitting Height	27-1/2" x 62-3/4" x 26-3/4"	110	\$3,391	\$3,696	Two Position
CH2-669-S00 OAK	CH2-669-S00 MAP	Sitting Height	27-1/2" x 62-3/4" x 32-3/4"	110	\$3,532	\$3,851	Computer Tables
CH2-643-S00 OAK	CH2-643-S00 MAP	Sitting Height	27-1/2" x 38-3/4" x 26-3/4"	70	\$2,666	\$2,905	One Position Computer Table with 10"H Privacy Panel
CH2-663-S00 OAK	CH2-663-S00 MAP	Sitting Height	27-1/2" x 38-3/4" x 38-3/4"	70	\$2,800	\$3,051	
CH2-643-S05 OAK	CH2-643-S05 MAP	Standing Height	39" x 38-3/4" x 26-3/4"	75	\$2,894	\$3,154	
CH2-663-S05 OAK	CH2-663-S05 MAP	Standing Height	39" x 38-3/4" x 38-3/4"	75	\$3,028	\$3,300	
CH2-642-S00 OAK	CH2-642-S00 MAP	Sitting Height	27-1/2" x 74-3/4" x 26-3/4"	150	\$3,819	\$4,163	Two Position Computer Table with 10"H Privacy Panel
CH2-662-S00 OAK	CH2-662-S00 MAP	Sitting Height	27-1/2" x 74-3/4" x 38-3/4"	150	\$4,009	\$4,369	
CH2-642-S05 OAK	CH2-642-S05 MAP	Standing Height	39" x 74-3/4" x 26-3/4"	155	\$4,161	\$4,535	
CH2-662-S05 OAK	CH2-662-S05 MAP	Standing Height	39" x 74-3/4" x 38-3/4"	155	\$4,352	\$4,745	
CH2-644-S00 OAK	CH2-644-S00 MAP	Sitting Height	27-1/2" x 92-3/4" x 26-3/4"	180	\$4,580	\$4,994	Three Position Computer Table with 10"H Privacy Panel
CH2-664-S00 OAK	CH2-664-S00 MAP	Sitting Height	27-1/2" x 92-3/4" x 38-3/4"	180	\$4,865	\$5,303	
CH2-644-S05 OAK	CH2-644-S05 MAP	Standing Height	39" x 92-3/4" x 26-3/4"	185	\$5,056	\$5,511	
CH2-664-S05 OAK	CH2-664-S05 MAP	Standing Height	39" x 92-3/4" x 38-3/4"	185	\$5,342	\$5,823	

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

CARRELS

Carrels are designed in a modular starter and adder system. The carrel top is $36"W\ x\ 28-1/2"D$. A 1-1/2"W cord drop runs the width of the carrel between work surface and back panel to allow passage of electrical cords. The carrel shelf is $36"W\ x\ 8"D$. End panels and intermediate panels are 48"H and 30"D. The carrel top is attached to end panels and intermediate panels by means of a steel, angled "Z" bracket inserted into a route on the underside of the carrel top and screwed. The opposing leg of the "Z" bracket bolts to end panels or intermediate panels with 5/16"-18 hex-head bolts into metal bushings. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end and intermediate panels with $3/4"\ x\ 3/4"$ aluminum or steel angle brackets painted black, with black #8 screws.

CARREL TOP

The carrel top is 1-3/16" thick, 45# density particleboard core including a top surface of .050" thick, high-pressure laminate and a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. The exposed edge is banded with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band laminated to the work surface core after lamination of the face plastic. The edge band is beveled to a 3/8" radius bullnose at the leading edge. Bevel is at a 39 $^{\circ}$ angle. The edge band extends 1-3/4" beyond the vertical end and intermediate panels and is notched at each end at a 45 $^{\circ}$ angle. The back edge of the top has a black plastic strip 1-1/2"W which projects above the work surface 1/4" to act as a retainer. All work surfaces are adjustable in height to 29" (Sitting) and 32" (Wheelchair).

END AND INTERMEDIATE PANELS


End and intermediate panels are 1-3/16" thick, 3-ply 45# particleboard core. The inside face of end panels and both faces of intermediate panels are select plain-sliced, slip-matched oak veneer. Veneer on the outside face of end panels is sketched to form a "framed" appearance. The "frame" is composed of 3-1/4" rift-cut, oak-veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" rift cut oak veneer strip shaped to form a 1-1/2"H internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. On the double-faced end panel a 3"W rift-cut, oak veneer strip is positioned between the top and bottom oak veneer strips and located at the center of the end panel. The vertical edges of the end panel receive a 1.6mm solid oak external edge band. The top edge of the panel receives a 2-1/4"W x 1-1/4"H solid oak top cap. Top cap is 1-3/16"W at the bottom sloping outward on both sides at a 60° angle. Both the front and back edges of the top cap receive a 3/8" radius. Each panel has two 1-1/4" diameter chrome adjustable glides.

BACK PANEL

The back panel is 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer on both faces. Top edge of the back panel is shaped to form an arc. Panels extend to within 1" of the bottom of end panels. Panels are banded externally with 1.6mm thick solid oak on top and bottom edges. Banded edges are eased.


CARREL SHELF

The carrel shelf is 3/4" thick x 8"D, 45# density particleboard core with select AA slip-matched oak veneer. The shelf has a 1-3/4"W x 3/4" thick solid-oak external band on the exposed edge.



Chancellor's Series Drop Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
36" Wide Worki	ng Space						Single-Faced
CH2-160-S00 OAK	CH2-160-S00 MAP	S/F Starter	49" x 39-1/2" x 32-1/2"	165	\$4,551	\$4,960	Modular Study Carrel
CH2-159-S00 OAK	CH2-159-S00 MAP	S/F Adder	49" x 37-3/4" x 32-1/2"	115	\$3,429	\$3,737	




36"	Wide	Working Space	

 CH2-161-S00 OAK
 CH2-161-S00 MAP
 D/F Starter
 49" x 39-1/2" x 61-1/4"
 305
 \$6,541
 \$7,130

 CH2-162-S00 OAK
 CH2-162-S00 MAP
 D/F Adder
 49" x 37-3/4" x 61-1/4"
 205
 \$4,800
 \$5,233

Double-Faced Modular Study Carrel





WORKSTATIONS

Workstations are designed in a modular starter and adder system. The workstation tops are 36" or 48"W x 28-1/2"D. A 1-1/2"W cord drop runs the width of the carrel between work surface and back panel to allow passage of electrical cords. The workstation shelf is 36" or 48"W x 8"D. End panels and intermediate panels are 48"H and 30"D. The workstation top is attached to end and intermediate panels by means of a steel, angled "Z" bracket inserted into a route on the underside of the workstation top and screwed. The opposing leg of the "Z" bracket bolts to end panels or intermediate panels with 5/16"-18 hex-head bolts into metal bushings. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end, intermediate, and back panels with 3/4" x 3/4" aluminum or steel angle brackets painted black with black #8 screws.

WORKSTATION TOP

The workstation top is 1-3/16" thick, 45# density particleboard core including a top surface of .050" thick, high-pressure laminate and a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading, and staining in accordance with NEMA standards. The exposed edge is banded with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band laminated to the work surface core after lamination of the face plastic. The edge band is beveled to a 3/8" radius bullnose at the leading edge. Bevel is at a 39° angle. The edge band extends 1-3/4" beyond the vertical end and intermediate panels and is notched at each end at a 45° angle. The back edge of the top has a black metal band 1-1/2"W which projects above the work surface 1/4" to act as a retainer. All work surfaces are adjustable in heights to 27" (Sitting), 32" (Wheelchair), and 39" (Standing).

END AND INTERMEDIATE PANELS

End and intermediate panels are 1-3/16" thick, 3-ply 45# particleboard core. The inside face of end panels and both faces of intermediate panels are select plain-sliced, slip-matched oak veneer. Veneer on the outside face of end panels is sketched to form a "framed" appearance. The "frame" is composed of 3-1/4" rift-cut, oak-veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" rift-cut oak veneer strip shaped to form a 1-1/2"H internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. On the double-faced end panel a 3"W rift-cut, oak veneer strip is positioned between the top and bottom oak veneer strips and located at the center of the end panel. The vertical edges of the end panels receive a 1.6mm solid oak external edge band. The top edge of the panel receives a 2-1/4"W x 1-1/4"H solid oak top cap. The top cap is 1-3/16"W at the bottom sloping outward on both sides at a 60° angle. Both front and back edges of the top cap receive a 3/8" radius. Each panel has two 1-1/4" diameter chrome adjustable glides.

BACK PANEL


The back panel is 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer on both faces. Top edge of the back panel is shaped to form an arc. Panels extend to within 1" of the bottom of end panels. Panels are banded externally with 1.6mm thick solid oak on all edges. Banded edges are eased.

WORKSTATION SHELF

The workstation shelf is 3/4" thick x 8"D, 45# density particleboard core with select AA slip-matched oak veneer. The shelf has a 3/4" thick solid oak external band on the exposed edge. The shelf is located under the work surface and extends the full width of the workstation.

WORK SURFACE HEIGHTS

Adjustable at 27", 32" and 39".



Chancellor's Series Drop Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Starter	Adder
							Single-Fac	ed Information Access
36" Wide Workin	ng Space							Workstations/Carrels
CH2-673-S00 OAK	CH2-673-S00 MAP	S/F Starter	49" x 39-1/2" x 32-1/2"	165	\$4,551	\$4,960		,
CH2-672-S00 OAK	CH2-672-S00 MAP	S/F Adder	49" x 37-3/4" x 32-1/2"	115	\$3,429	\$3,737		
48" Wide Workir	ng Space							
CH2-460-S00 OAK	CH2-460-S00 MAP	S/F Starter	49" x 51-1/2" x 32-1/2"	195	\$4,931	\$5,375		
CH2-459-S00 OAK	CH2-459-S00 MAP	S/F Adder	49" x 49-3/4" x 32-1/2"	145	\$3,941	\$4,296		
							Starter 🗜	Adda
								Adder

86" Wide Worki	ng Space						Double-Faced Information Access
H2-674-S00 OAK	CH2-674-S00 MAP	D/F Starter	49" x 39-1/2" x 61-1/4"	306	\$6,541	\$7,130	Workstations/Carrels
H2-675-S00 OAK	CH2-675-S00 MAP	D/F Adder	49" x 37-3/4" x 61-1/4"	205	\$4,800	\$5,233	
l8" Wide Worki	ng Space						
H2-461-S00 OAK	CH2-461-S00 MAP	D/F Starter	49" x 51-1/2" x 61-1/4"	366	\$7,360	\$8,023	
H2-462-S00 OAK	CH2-462-S00 MAP	D/F Adder	49" x 49-3/4" x 61-1/4"	265	\$5,637	\$6,145	
							Starter

WORKSTATIONS

Workstations are of modular starter and adder design, with an overall height 33". Workstations are available in 36", 48", 72", 96", and 108" widths. A knee-space panel located below the work surface supports all work surfaces greater than 48"W. Work surface height is at 27-1/2". Work surface depth is 27-1/2" with an additional 1-1/2"W cord drop between the work surface and back panel to allow passage of electrical cords. Work surface is attached to end and intermediate panels by means of two metal 22-1/2" long "Z" brackets with 5/16" – 18 hex-head bolts engaging internally and externally threaded bushings embedded into panels. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end and intermediate panels and back panels with 1" x 1" steel, black painted angle brackets and black #8 screws.

WORK SURFACE

Standard work surface is 1-3/16" thick, 3-ply, 45# density particleboard including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Front edges of work surfaces have a 1-3/4" thick x 2"W solid oak external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled at a 39 $^{\circ}$ angle with 3/8" radius bullnosed at the leading edge. The back edge of the top has a black plastic strip 1-1/2"W which projects above the work surface 1/4" to act as a retainer.

END AND INTERMEDIATE PANELS

End and intermediate panels are 1-1/8" thick, 45# density particleboard core with select face veneers of Northern-grown red oak. The end panels on starer units receive the Chancellor's Collection veneer sketch face pattern on the outside face surface. These end panels also have the Chancellor's Collection solid red oak top edge cap. This wood cap measures 2-5/16"W x 1-1/4" thick and has a 3/8" radius on all four of the top edges. These edges also bevel downward at a 60° angle. All other edges are banded with a 1.6mm oak veneer band. Intermediate panels receive a 3" diameter grommet below the work surface to allow passage of electrical and data wires. Each panel receives two 1-1/4" adjustable glides.

BACK PANEL

Back panel is 3/4" thick, 45# density particleboard core with face veneers of select Northern-grown red oak. The top and bottom edges of the back panel receives 1.66mm veneer solid oak edge bands. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The back panel on double-faced units receive a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

SHELF


Shelf is 3/4" thick x 8"D 45# density particleboard core with face veneers of select Northern-grown red oak. Shelf is banded on the front edge with a 1.6mm solid oak band. Shelf attaches to end and intermediate panels by means of a pair of metal "L" brackets. Back corners of shelf have a 3" x 3" cutout to allow for the passage of electrical cords. The shelf is positioned 10" below the bottom of the work surface.

WIRE MANAGEMENT DOOR

The wire management door is positioned between the bottom of the work surface and the shelf and is designed to form a concealed wire management channel 8-1/2"H x 9-1/2"D. The door is 1/4" thick with select oak face veneers. The door slides in two aluminum tracks, one that is attached to the bottom of the work surface while the other is attached to the top of the shelf.

KNEE-SPACE PANEL

All 72" and 96"W workstations, as well as functional corner units, have a knee-space panel positioned under the work surface for additional work-surface support. Units 108"W have two knee-space panels. The knee-space panel is 1-1/8" thick, 45# density particleboard core with select face veneers of Northern-grown red oak. The panel is banded on exposed edges with a 1.6mm solid oak band. The knee-space panel is attached to the back panel using a 1-3/4" square, solid-oak post, grooved to receive the knee space panel and back panels. Panels attach to the post using recessed metal fasteners and shoulder screws. The knee-space panel is angled in the back to create a space to allow passage of electrical and data cords. The knee-space panel receives two 1-1/4" diameter black adjustable glides.



Chancellor's Series Edge Band

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
36" Wide Workii	ng Space						Single-Faced One-Position
CH2-S31-SS0 OAK	CH2-S31-SS0 MAP	One-Position S/F Starter	36" x 37-1/2" x 31"	130	\$4,405	\$4,801	Starter
CH2-S31-SA0 OAK	CH2-S31-SA0 MAP	One-Position S/F Adder	39" x 36-1/2" x 31"	100	\$2,922	\$3,186	Starter
48" Wide Workii	ng Space						
CH2-S41-SS0 OAK	CH2-S41-SS0 MAP	One-Position S/F Starter	36" x 49-1/4" x 31"	155	\$4,610	\$5,024	Adder
CH2-S41-SA0 OAK	CH2-S41-SA0 MAP	One-Position S/F Adder	39" x 48" x 31"	125	\$2,997	\$3,267	
	ng Snace						Double-Faced One-Position
CH2-D31-SS0 OAK	CH2-D31-SS0 MAP	One-Position D/F Starter	33-1/2" x 37-1/2" x 59-1/2"	215	\$6,598	\$7,191	
CH2-D31-SAO OAK	CH2-D31-SA0 MAP	One-Position D/FAdder	33-1/2" x 36-1/2" x 59-1/2"	155	\$4,681	\$5,101	
48" Wide Workii	ng Space						Starter
CH2-D41-SS0 OAK	CH2-D41-SS0 MAP	One-Position D/F Starter	33-1/2" x 49-1/4" x 59-1/2"	255	\$6,943	\$7,569	
CH2-D41-SAO OAK	CH2-D41-SA0 MAP	One-Position D/FAdder	33-1/2" x 48" x 59-1/2"	195	\$4,918	\$5,359	
	nd Snaco						Adder Single-Faced Two-Positior
CH2-S32-SS0 OAK	CH2-S32-SS0 MAP	Two-Position	33-1/2" x 74" x 31"	195	\$5,841	\$6,367	
CH2-S32-SA0 OAK	CH2-S32-SA0 MAP	S/F Starter Two-Position S/F Adder	33-1/2" x 73" x 31"	165	\$4,373	\$4,767	Starter
48" Wide Workii	ng Space						
CH2-S42-SS0 OAK	CH2-S42-SS0 MAP	Two-Position S/F Starter	33-1/2" x 97-1/4" x 31"	235	\$6,224	\$6,784	
CH2-S42-SA0 OAK	CH2-S42-SA0 MAP	Two-Position S/F Adder	33-1/2" x 96" x 31"	205	\$4,610	\$5,024	Adder
36" Wide Workii			00.4 (0). =4 == : :=:	000	AC 25=	40 2 0-	Double-Faced Two-Position
CH2-D32-SS0 OAK	CH2-D32-SS0 MAP	Two-Position D/F Starter	33-1/2" x 74" x 59-1/2"	330	\$8,805	\$9,597	
CH2-D32-SAO OAK	CH2-D32-SA0 MAP	Two-Position D/F Adder	33-1/2" x 73" x 59-1/2"	270	\$6,984	\$7,613	
48" Wide Workii	ng Space						Starter
CH2-D42-SSO OAK	CH2-D42-SS0 MAP	Two-Position D/F Starter	33-1/2" x 97-1/4" x 59-1/2"	410	\$7,457	\$8,129	
CH2-D42-SA0 OAK	CH2-D42-SA0 MAP	Two-Position D/F Adder	33-1/2" x 96" x 59-1/2"	155	\$9,409	\$10,257	

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

Starter	Adder	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Single-Faced Thr	ree-Position	CH2-S33-SS0 OAK	CH2-S33-SSO MAP	Three-Position S/F Starter	36" x 110-1/2" x 31"	260	\$7,389	\$8,054
7	Starter	CH2-S33-SA0 OAK	CH2-S33-SA0 MAP	Three-Position S/F Adder	36" x 109-1/4" x 31"	230	\$5,762	\$6,281
Double-Faced Th	ree-Position	CH2-D33-SS0 0AK	CH2-D33-SSO MAP	Three-Position D/F Starter	36" x 110-1/2" x 59-1/2"	445	\$9,538	\$10,397
	Starter	CH2-D33-SA0 OAK	CH2-D33-SA0 MAP	Three Position D/F Adder	36" x 109-1/4" x 59-1/2"	385	\$11,364	\$12,387
90° Functional (CH2-SCR-SS0 OAK	CH2-SCR-SS0 MAP	90-Degree Functional Corner Starter	36" x 62" x 31"	225	\$9,444	\$10,294
Adde		CH2-SCR-SAO OAK	CH2-SCR-SA0 MAP	90-Degree Functional Comer Adder	36" x 62" x 31"	195	\$7,785	\$8,485

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

STATION TOP

Each top is 46-3/4"W at the front, tapering to 21-3/16" at the rear. Tops are 28-3/4"D. A 1-1/2"W cord drop runs the width of the station between the top and back panel to allow passage of electrical and data cords. Station tops are 1-3/16" thick, 45# density particleboard core including a top surface of .050" thick, high-pressure laminate and a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading, and staining in accordance with NEMA standards. The front edge of the top is banded with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band laminated to the work surface core after lamination of the face plastic. The edge band is beveled to a 3/8" radius bullnose at the leading edge. Bevel is at a 39° angle.

END AND INTERMEDIATE PANELS

End and intermediate panels are 1-3/16" thick, 45# density particleboard core. Veneer on both faces of the panels is sketched to form a framed appearance. The "frame" is composed of 3-1/4" rift-cut, oak-veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" rift-cut oak veneer strip shaped to form a 1-1/2"H internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. The vertical edges of the end panel receives a 1.6mm solid-oak external edge band. The top edge of the panel receives a 2-1/4"W x 1-1/4"H solid-oak top cap. The top cap is 1-3/16"W at the bot-tom sloping outward on both sides at a 30° angle. Both the front and back edges of the top cap receive a 3/8" radius. Each panel has two 1-1/4" diameter chrome adjustable glides with solid plinth.

ELECTRICAL ACCESS DOOR (One for each 3- or 6- station unit)

Access door is 3/4" thick, comprised of select face veneers of Northerngrown red oak over a particleboard core. Panel is externally banded on all four sides with a 1.6mm thick solid-oak edge band. Door has a full-length hinge and a lock. Access door is located on one back panel, which can be located anywhere in the PAC station.

BACK PANEL

The back panel is 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer on both faces. The panel is internally banded with 1.6mm thick solid oak on both the bottom edge and the top edge. Back panels are attached to end and intermediate panels using hidden metal keyways and shoulder screws. Back panels have a 3" diameter grommeted egress for electrical cords to pass to the center hub of half-hexagon or full-hexagon station configuration.

SHELVES


Shelves are 3/4" thick, select oak-veneered 45# density particleboard with a 5/8" thick x 1-3/4"H solid-oak front edge band.

CENTER CAP

The center cap is 3/4" thick, 45# density particleboard, with high-pressure laminate to match the tops, and shaped to enclose half-hexagon and full-hexagon station configurations.


WORKING SPACE

The working space is adjustable to: Standing Height 39", ADA Height 32" and Sitting Height 27".



Chancellor's Series Drop Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
CH2-682-S00 OAK	CH2-682-S00 MAP	Six position with	43-1/2" x 98-1/2" x 98-1/2"	500	\$23,091	\$25,169	Six Position
		angular tops.					



Three position with 43-1/2" x 9 angular tops. Composed of one starter unit and two adder units.


43-1/2" x 98-1/2" x 47-1/2"

265

\$12,474

\$13,597

Three Position PAC Station



TOPS

Tops are 1-3/16" thick, 3-ply 45# density particleboard including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thick. Front edges are externally banded with a 1-3/16" thick x 1"W solid-oak undercut chamfered edge band applied to top core after lamination of the face plastic. The edge band is beveled at a 39° angle with a 3/8" radius bullnose at the leading edge. The back and side edges of top are straight and externally banded with a 1/4" thick oak band. Tops slope at an 8° angle. A 5/8" x 5/8" solid-oak book retainer strip is fastened to the top surface at the front of the sloped top.

END PANELS

End panels are 1-3/16" thick select, plain-sliced, oak-veneered 45# density particleboard. The inside face of end panels is select plain-sliced, slip-matched oak veneer. Veneer on the outside face of end panels is sketched to form a "framed" appearance. The "frame" is composed of 3-1/4" rift-cut, oak veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" riftcut oak veneer strip shaped to form a 1-1/2"W internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. The vertical edges of the end panel receive a 1.6mm solid oak external edge band. Each panel has two 1-1/4" diameter chrome adjustable glides.

BACK PANEL


The back panel is 3/4" thick select, plain-sliced, oak-veneered 45# density particleboard banded on the bottom.

DICTIONARY STAND SHELVES

Dictionary stands have one adjustable and one fixed base shelf. Shelves are 3/4" thick, oak-veneered plywood having a 1.6mm veneer edge band.

ATLAS STAND SHELVES

Atlas stands have five pullout shelves. Pullout shelves are 3/4" thick, oak-veneered plywood. Front edges of each shelf have a 2-1/4" x 3/4" solid-oak hardwood fascia. Shelves operate on metal slides with nylon rollers. Each shelf has an automatic shelf stop to prevent accidental removal.



Chance	llor's	Series	Edge
--------	--------	--------	------

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Dictionary Stand	CH2-869-S00 OAK	CH2-869-S00 MAP	Dictionary Stand	45" x 25-7/8" x 15-3/4"	200	\$3,466	\$3,777





Atlas Stand	CH2-871-S00 OAK	CH2-871-S00 MAP	Atlas Stand	45" x 29-1/4" x 29- 3/4"	250	\$5,618	\$6,124



Oak	Maple			Oak	Maple
Catalog No.	Catalog No.	Description	Wt. (lbs.)	Price	Price
	- Cuttain of 1101		174 (1861)	1 1100	
To Cover ONE UN	<u>IIT</u>				
CH2-W10-S01 OAK	CH2-W10-S01 MAP	10"D, Single-Faced	11	\$461	\$484
CH2-W12-S01 OAK	CH2-W12-S01 MAP	12"D, Single-Faced	14	\$488	\$513
CH2-W20-S01 OAK	CH2-W20-S01 MAP	20"D, Double-Faced	23	\$801	\$840
CH2-W24-S01 OAK	CH2-W24-S01 MAP	24"D, Double-Faced	27	\$855	\$898
To Cover TWO UN	<u>NITS</u>				
CH2-W10-S02 OAK	CH2-W10-S02 MAP	10"D, Single-Faced	22	\$632	\$663
CH2-W12-S02 OAK	CH2-W12-S02 MAP	12"D, Single-Faced	28	\$684	\$717
CH2-W20-S02 OAK	CH2-W20-S02 MAP	20"D, Double-Faced	46	\$1,128	\$1,185
CH2-W24-S02 OAK	CH2-W24-S02 MAP	24"D, Double-Faced	54	\$1,250	\$1,312
To Cover THREE	<u>UNITS</u>				
CH2-W10-S03 OAK	CH2-W10-S03 MAP	10"D, Single-Faced	33	\$787	\$827
CH2-W12-S03 OAK	CH2-W12-S03 MAP	12"D, Single-Faced	42	\$876	\$920
CH2-W20-S03 OAK	CH2-W20-S03 MAP	20"D, Double-Faced	69	\$1,526	\$1,602
CH2-W24-S03 OAK	CH2-W24-S03 MAP	24"D, Double-Faced	81	\$1,583	\$1,662
To Cover FOUR U	INITS				
CH2-W10-S04 OAK	CH2-W10-S04 MAP	10"D, Single-Faced	44	\$1,063	\$1,116
CH2-W12-S04 OAK	CH2-W12-S04 MAP	12"D, Single-Faced	56	\$1,172	\$1,231
CH2-W20-S04 OAK	CH2-W20-S04 MAP	20"D, Double-Faced	92	\$1,902	\$1,996
CH2-W24-S04 OAK	CH2-W24-S04 MAP	24"D, Double-Faced	108	\$2,144	\$2,250
To Cover FIVE UN	IITS				
CH2-W10-S05 OAK	CH2-W10-S05 MAP	10"D, Single-Faced	55	\$1,205	\$1,266
CH2-W12-S05 OAK	CH2-W12-S05 MAP	12"D, Single-Faced	70	\$1,366	\$1,435
CH2-W20-S05 OAK	CH2-W20-S05 MAP	20"D, Double-Faced	115	\$2,299	\$2,415
CH2-W24-S05 OAK	CH2-W24-S05 MAP	24"D, Double-Faced	135	\$2,476	\$2,600
To Cover SIX UNI	ITS				
CH2-W10-S06 OAK	CH2-W10-S06 MAP	10"D, Single-Faced	66	\$1,380	\$1,448
CH2-W12-S06 OAK	CH2-W12-S06 MAP	12"D, Single-Faced	84	\$1,556	\$1,633
CH2-W20-S06 OAK	CH2-W20-S06 MAP	20"D, Double-Faced	138	\$2,700	\$2,836
CH2-W24-S06 OAK	CH2-W24-S06 MAP	24"D, Double-Faced	162	\$2,811	\$2,951
To Cover SEVEN	IINITS				
CH2-W10-S07 OAK	CH2-W10-S07 MAP	10"D, Single-Faced	77	\$1,653	\$1,736
CH2-W12-S07 OAK	CH2-W12-S07 MAP	12"D, Single-Faced	98	\$1,853 \$1,853	\$1,730 \$1,945
CH2-W20-S07 OAK	CH2-W20-S07 MAP	20"D, Double-Faced	161	\$3,072	\$3,225
CH2-W24-S07 OAK	CH2-W24-S07 MAP	24"D, Double-Faced	189	\$3,371	\$3,539
To Cover EIGHT U				•	•
CH2-W10-S08 OAK	CH2-W10-S08 MAP	10"D, Single-Faced	88	\$1,812	\$1,903
CH2-W12-S08 OAK	CH2-W12-S08 MAP	12"D, Single-Faced	112	\$2,045	\$1,303 \$2,147
CH2-W20-S08 OAK	CH2-W20-S08 MAP	20"D, Double-Faced	184	\$3,472	\$3,646
CH2-W24-S08 OAK	CH2-W24-S08 MAP	24"D, Double-Faced	216	\$3,685	\$3,869
				•	•
To Cover NINE UI CH2-W10-S09 OAK	CH2-W10-S09 MAP	10"D, Single-Faced	99	\$2,023	\$2,124
CH2-W10-S09 OAK	CH2-W10-309 MAP	12 "D, Single-Faced	126	\$2,023 \$2,291	\$2,124 \$2,405
CH2-W20-S09 OAK	CH2-W20-S09 MAP	20"D, Double-Faced	207	\$3,925	\$4,122
CH2-W24-S09 OAK	CH2-W24-S09 MAP	24"D, Double-Faced	243	\$4,091	\$4,296
J 1127 JUJ OAN	3112 112-7-303 IIIAF	== D, Double-I docu	270	Q-1,031	77,230

Note: Single-Faced Tops are banded on both ends and on the front edge only. Back edge is not banded. Double-Faced Tops are banded on both ends and on the front and back edges.

0ak	Maple			Oak	Maple
Catalog No.	Catalog No.	Description	Wt. (lbs.)	Price	Price
To Cover ONE UNI	Τ				
CH2-S10-S01 OAK	CH2-S10-S01 MAP	10"D, Single-Faced	11	\$461	\$484
CH2-S12-S01 OAK	CH2-S12-S01 MAP	12"D, Single-Faced	14	\$488	\$513
CH2-S20-S01 OAK	CH2-S20-S01 MAP	20"D, Double-Faced	23	\$801	\$840
CH2-S24-S01 OAK	CH2-S24-S01 MAP	24"D, Double-Faced	27	\$855	\$898
To Cover TWO UNI	ITS				
CH2-S10-S02 OAK	CH2-S10-S02 MAP	10"D, Single-Faced	22	\$632	\$663
CH2-S12-S02 OAK	CH2-S12-S02 MAP	12"D, Single-Faced	28	\$684	\$717
CH2-S20-S02 OAK	CH2-S20-S02 MAP	20"D, Double-Faced	46	\$1,128	\$1,185
CH2-S24-S02 OAK	CH2-S24-S02 MAP	24"D, Double-Faced	54	\$1,250	\$1,103 \$1,312
		,		· -,	, -,
<u>To Cover THREE U</u>		40115 0: 4 5 1	00	4707	A007
CH2-S10-S03 OAK	CH2-S10-S03 MAP	10"D, Single-Faced	33	\$787	\$827
CH2-S12-S03 OAK	CH2-S12-S03 MAP	12"D, Single-Faced	42	\$876	\$920
CH2-S20-S03 OAK	CH2-S20-S03 MAP	20"D, Double-Faced	69	\$1,526 \$1.593	\$1,602 \$1,602
CH2-S24-S03 OAK	CH2-S24-S03 MAP	24"D, Double-Faced	81	\$1,583	\$1,662
To Cover FOUR UN	<u>IITS</u>				
CH2-S10-S04 OAK	CH2-S10-S04 MAP	10"D, Single-Faced	44	\$1,063	\$1,116
CH2-S12-S04 OAK	CH2-S12-S04 MAP	12"D, Single-Faced	56	\$1,172	\$1,231
CH2-S20-S04 OAK	CH2-S20-S04 MAP	20"D, Double-Faced	92	\$1,902	\$1,996
CH2-S24-S04 OAK	CH2-S24-S04 MAP	24"D, Double-Faced	108	\$2,144	\$2,250
To Cover FIVE UNI	TS				
CH2-S10-S05 OAK	CH2-S10-S05 MAP	10"D, Single-Faced	55	\$1,205	\$1,266
CH2-S12-S05 OAK	CH2-S12-S05 MAP	12"D, Single-Faced	70	\$1,36 6	\$1,435
CH2-S20-S05 OAK	CH2-S20-S05 MAP	20"D, Double-Faced	115	\$ 2,299	\$2,415
CH2-S24-S05 OAK	CH2-S24-S05 MAP	24"D, Double-Faced	135	\$2,476	\$2,600
T. O O		•		. ,	. ,
To Cover SIX UNIT		10"D Cindo Food	ec.	61 200	¢1 //O
CH2-S10-S06 OAK	CH2-S10-S06 MAP	10"D, Single-Faced	66	\$1,380	\$1,448
CH2-S12-S06 OAK	CH2-S12-S06 MAP	12"D, Single-Faced	84	\$1,556	\$1,633
CH2-S20-S06 OAK CH2-S24-S06 OAK	CH2-S20-S06 MAP CH2-S24-S06 MAP	20"D, Double-Faced 24"D, Double-Faced	138 162	\$2,700 \$2,811	\$2,836 \$2,951
		24 D, DOUDIE-FACEO	102	₹2,011	32,331
To Cover SEVEN U		10115 01 1		.	
CH2-S10-S07 OAK	CH2-S10-S07 MAP	10"D, Single-Faced	77	\$1,653	\$1,736
CH2-S12-S07 OAK	CH2-S12-S07 MAP	12"D, Single-Faced	98	\$1,853	\$1,945
CH2-S20-S07 OAK	CH2-S20-S07 MAP	20"D, Double-Faced	161	\$3,072	\$3,225
CH2-S24-S07 OAK	CH2-S24-S07 MAP	24"D, Double-Faced	189	\$3,371	\$3,539
<u>To Cover EIGHT UI</u>					
CH2-S10-S08 OAK	CH2-S10-S08 MAP	10"D, Single-Faced	88	\$1,812	\$1,903
CH2-S12-S08 OAK	CH2-S12-S08 MAP	12"D, Single-Faced	112	\$2,045	\$2,147
CH2-S20-S08 OAK	CH2-S20-S08 MAP	20"D, Double-Faced	184	\$3,472	\$3,646
CH2-S24-S08 OAK	CH2-S24-S08 MAP	24"D, Double-Faced	216	\$3,685	\$3,869
To Cover NINE UN	<u>ITS</u>				
CH2-S10-S09 OAK	CH2-S10-S09 MAP	10"D, Single-Faced	99	\$2,023	\$2,124
CH2-S12-S09 OAK	CH2-S12-S09 MAP	12"D, Single-Faced	126	\$2,291	\$2,405
CH2-S20-S09 OAK	CH2-S20-S09 MAP	20"D, Double-Faced	207	\$3,925	\$4,122
CH2-S24-S09 OAK	CH2-S24-S09 MAP	24"D, Double-Faced	243	\$4,091	\$4,296

Note: Edge Band on long side only. Tops are designed to be inset betweend end panels. If edge bands are desired on short edges, please enter the part as a modification and specify which bands to be included.

To ensure that tops for steel shelving work with each manufacturer and top method, please specify the exact width and depth of tops. Add 15% for HPL on top and bottom (Steel Shelving ONLY).

END PANELS: STEEL SHELVING

End panels are 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer. The vertical edges of the end panel receives a 1.6mm solid oak external edge band. The top edge of the panel receives a 1-3/4"W x 1-1/4"H solid oak top cap. The top cap is 1-3/16"W at the bottom sloping outward at a 30 $^{\circ}$ angle. Both ends of the top cap receive a 3/8" radius. The vertical edges of the end panel receive a 1.6mm solid-oak external edge band. All panel

edges are eased. Exact height and depth of panel must be specified when ordering. End panels are not machined. No fastening hardware is provided with end panels.

Note: Please use the part number below and specify exact sizes of end panels and whether continuous tops are to be "inset" (between the panels) or overhung out over the panels.

Oak Catalog No.	Maple Catalog No.	Description	Wt. (lbs.)	Oak Price	Maple Price	With Top Caps	Without Top Caps
CH2-702-MOD OAK	CH2-702-MOD MAP	43-3/4" x 13-7/8"	10	\$777	\$817	Sing	le-Faced End Panels
CH2-703-MOD OAK	CH2-703-MOD MAP	43-3/4" x 15-7/8"	12	\$803	\$844		(can not be framed)
CH2-705-MOD OAK	CH2-705-MOD MAP	67-3/4" x 13-7/8"	16	\$889	\$933		
CH2-706-MOD OAK	CH2-706-MOD MAP	67-3/4" x 15-7/8"	19	\$928	\$975		
CH2-708-MOD OAK	CH2-708-MOD MAP	79-3/4" x 13-7/8"	15	\$964	\$1,012		
CH2-709-MOD OAK	CH2-709-MOD MAP	79-3/4" x 15-7/8"	24	\$1,008	\$1,060		
CH2-711-MOD OAK	CH2-711-MOD MAP	85-3/4" x 13-7/8"	18	\$999	\$1,050		
CH2-712-MOD OAK	CH2-712-MOD MAP	85-3/4" x 15-7/8"	27	\$1,062	\$1,115		
CH2-714-MOD OAK	CH2-714-MOD MAP	91-3/4" x 13-7/8"	20	\$1,045	\$1,098		
CH2-715-MOD OAK	CH2-715-MOD MAP	91-3/4" x 15-7/8"	29	\$1,104	\$1,159		
						~	4

END PANELS: STEEL SHELVING

End panels are 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched oak veneer on the inside face. Oak veneer on outside face of end panels is sketched to form a "framed" appearance. The "frame" is composed of 3-1/4" rift-cut, oak-veneer strips along both vertical edges and a 3-1/4" solid wood plinth at the bottom edge. At the top edge is a 3-1/4" rift-cut oak veneer strip shaped to form a 1-1/2"H internal arc. Within the frame is select plain-sliced, slip-matched ash veneer. The vertical edges of the end panel receives a 1-6mm solid oak external edge band. The top edge of the panel receives a 1-3/4"W x

1-1/4"H solid oak top cap. The top cap is 1-3/16"W at the bottom sloping outward at a 30° angle. Both ends of the top cap receive a 3/8" radius. The vertical edges of the end panel receive a 1.6mm solid-oak external edge band. All panel edges are eased. Exact height and depth of panel must be specified when ordering. End panels are not machined. No fastening hardware is provided with end panels.

Note: Please use the part number below and specify exact sizes of end panels and whether continuous tops are to be "inset" (between the panels) or overhung out over the panels.

Oak Catalog No.	Maple Catalog No.	Description	Wt. (lbs.)	Oak Price	Maple Price	
CH2-722-MOD OAK	CH2-722-MOD MAP	43-3/4" x 24-3/8"	20	\$974	\$1,022	Double-Faced End Panels
CH2-723-MOD OAK	CH2-723-MOD MAP	43-3/4" x 28-3/8"	24	\$1,012	\$1,063	
CH2-725-MOD OAK	CH2-725-MOD MAP	67-3/4" x 24-3/8"	32	\$1,160	\$1,219	
CH2-726-MOD OAK	CH2-726-MOD MAP	67-3/4" x 28-3/8"	38	\$1,250	\$1,312	
CH2-728-MOD OAK	CH2-728-MOD MAP	79-3/4" x 24-3/8"	30	\$1,278	\$1,342	
CH2-729-MOD OAK	CH2-729-MOD MAP	79-3/4" x 28-3/8"	48	\$1,383	\$1,452	
CH2-731-MOD OAK	CH2-731-MOD MAP	85-3/4" x 24-3/8"	36	\$1,333	\$1,400	
CH2-732-MOD OAK	CH2-732-MOD MAP	85-3/4" x 28-3/8"	54	\$1,457	\$1,529	
CH2-734-MOD OAK	CH2-734-MOD MAP	91-3/4" x 24-3/8"	40	\$1,400	\$1,470	
CH2-735-MOD OAK	CH2-735-MOD MAP	91-3/4" x 28-3/8"	58	\$1,522	\$1,598	

Note: Heights noted do **NOT** include the top cap. End panels that are to have continuous tops overhung will **NOT** receive a top cap.

Please specify Wood Finish (Table 1). Details can be found on page GEN 4.

CHAIR FRAME

The end frames are constructed of legs that are 1-1/4" thick x 2-1/2"W, and a top arm rail that is 1" thick by 2-1/2"W. All parts are constructed from solid oak. All joints are mortised, tenoned, and glued to form a solid unit. Within the end frame is a 1" thick, 45# density particleboard core, veneered panel. The panel is flush to the inside of the end frame leaving a 1/4" inset reveal on the outside face of the frame. The inside face of the end panel receives select plain-sliced, slip-matched oak veneer. The veneer on the outside face of the panel is sketched to form a "framed" appearance. The frame is composed of a horizontal 2-1/2" rift-cut, oak-veneer strip along the bottom edge of the panel, and a horizontal 3-1/4"W rift-cut oak-veneer strip along the top edge, shaped to form a 1-1/2"H internal arc. The solid oak legs of the end frames form the vertical sides of the "frame". Within the frame is select plain-sliced, slip-matched ash veneer. The front stretcher and front seat rail are 3"W x 1" thick solid red oak. The back seat rail is 2-3/4"W x 1" thick solid red oak. The cross stretcher and seat rails are mortised, tenoned, and glued into the side frames.

UPHOLSTERED SEAT AND BACK


The seat and back frame are a single piece of 3/4" bent plywood. The seat portion is fitted with a Dimatrol Webbing and then covered with black cambric fabric for comfort. This is then covered with 3-1/2" foam, which is also used on the chair back. The entire seat and back assembly is covered with the specified upholstery fabric except for the underside of the seat which is covered with a black cambric fabric. Brodart upholstery materials meet requirements of the following fire codes: Calif. Technical Bulletin #117 (sec. E part 1); CS-191-53 class 1. Fabrics which meet Calif. Technical Bulletin #133 are available.

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply, 45# density particleboard core with a .050" high-pressure laminate face and a .020" thick backing sheet on the underside. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2"W solid-oak external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled at a 39° angle with a 3/8" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered at all four corners and corners radiused 1/8".

TABLE LEGS

Table legs are 2-1/2"W, square shape, glued up face to face from three solid-oak blanks. All glue joints are tight and smooth. All vertical edges receive a 1/4" radius. Legs receive a horizontal vein line 5/32"W x 3/32"D on the two outside faces of the leg positioned 3-11/32" below the top of the legs. This vein line matches the horizontal vein line on the apron. An identical vein line is positioned 3-1/4" above the bottom of the leg. At the bottom of this vein line the two back sides of the leg taper to a dimension of 1-7/8" x 1-7/8" at the bottom of the leg. Legs receive a 1-1/2" diameter adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the leg by means of a countersunk boring which accepts the upper two-thirds of the glide. Table is an apron design with a 3-1/2" x 1" thick apron screwed to the underside of the tabletop. A 5/32"W x 3/32"D vein line is positioned at the bottom front surface of the apron to mirror the top horizontal vein line on the table leg. The legs attach to the aprons by means of formed 14-gauge steel corner brackets. Each leg is bolted to the corner bracket with two 5/16" - 18 hex-head bolts which pass through the bracket and engage threaded bushings embedded into the leg and cross-pinned with a 3/16" diameter steel pin.



Chancellor's Series Edge

The Chancellor's Collections

Catalog No.	Overall H x W x D	Wt. (lbs.)	COM Price	Wood/G1 Price	Grade 2 Price	Grade 3 Price	Grade 4 Price	Grade 5 Price	
One Seat Lounge,	Oak Wood								One Seat
CH2-101-S00 OAK	31" x 29-1/2" x 29-3/8"	65	\$3,021	\$2,912	\$3,672	\$3,901	\$4,251	\$4,495	
One Seat Lounge,	Maple Wood								
CH2-101-S00 MAP	31" x 29-1/2" x 29-3/8"	65	\$3,383	\$3,262	\$4,111	\$4,370	\$4,760	\$5,034	
Fahric Requirements	s· 2 vards ner chair Non-	-direction:	al 54" wid	e					

Two Seat Lounge, O	ak Wood							
CH2-201-S00 OAK	31" x 53-1/2" x 29-3/8"	110	\$4,278	\$4,059	\$5,583	\$5,978	\$5,926	\$6,266
Two Seat Lounge, M	aple Wood							
CH2-201-S00 MAP	31" x 53-1/2" x 29-3/8"	110	\$4,791	\$4,545	\$6,253	\$6,696	\$6,639	\$7,018

Two Seat

Fabric Requirements: 4 yards per chair, Non-directional, 54" wide.

Fabric Requirements: 6 yards per chair, Non-directional, 54" wide.

Three Seat Lounge	<u>, Oak Wood</u>							
CH2-301-S00 OAK	31" x 77-7/8" x 29-3/8"	162	\$5,397	\$5,068	\$7,355	\$7,946	\$7,401	\$7,826
Three Seat Lounge	<u>, Maple Wood</u>							
CH2-301-S00 MAP	31" x 77-7/8" x 29-3/8"	162	\$6.044	\$5.677	\$8,238	\$8.900	\$8.289	\$8,766



 $Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ Upholstery\ (Table\ 5).\ Details\ can\ be\ found\ on\ pages\ GEN\ 4\ and\ GEN\ 5.$

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Round Table	Table with Chamfer	ed Square Legs with	<u>Apron</u>				
	CH2-610-S00 OAK	CH2-610-S00 MAP	Round Table	16"H x 38" Diameter	70	\$2,274	\$2,546
	Table with Chamfer	ed Square Legs with	<u>Apron</u>				
	CH2-621-S00 OAK	CH2-621-S00 MAP	Square Table	16" x32" x32"	47	\$1,906	\$2,134
Rectangular Table	Table with Chamfer	ed Square Legs with	<u>Apron</u>				
	CH2-611-S00 OAK	CH2-611-S00 MAP	Rectangular Table	16" x 50" x 26"	60	\$1,778	\$1,992

The Epoch Collection

DESKTOP

Standard desktops are 1-3/16" thick 3-ply, 45# density, particleboard core, with a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Tops receive a 2"W x 1-3/4" T solid Northern-grown hard maple edge band on the patron side, and edges beveled down at a 20° angle with a 1/2" radius at the leading edge forming a bullnose shape. A 1/4" thick, solid Northern-grown hard maple edge band is applied to the remaining three sides, with top and bottom edges radiused to 1/8". All edges are applied to the desktop after the top and bottom laminate sheets are applied, constituting an external edge band. Desktops are positioned over the end panels of the desk module, flush with the outside edges of the end panels.

UPRIGHT UNIT PANELS

Desk module end panels are 1" thick, 3-ply, 45# density particleboard core with select plain-sliced maple veneers on both sides. Exposed edges are externally banded with a 1" x 1/16" thick, solid Northern-grown maple edge band. The end panels and front panel are joined and secured with 3/4" x 3/4" thick solid hardwood cleats screwed to the inside surfaces of the panels. The bottom of each end panel receives two adjustable glides to allow leveling of the individual units. Each end panel receives a 3" diameter egress and grommet to provide for wire passage.

FRONT PANELS

The front panel is 3/4" thick, comprised of the select plain-sliced face veneers of Northern-grown maple over a 45# density particleboard core. Exposed edges are externally banded with a 3/4" x 1.6 mm thick, solid Northern-grown maple edge band. The front incorporates a 6"H x 3/4"D recessed, ebonized, toe space at the bottom of the panel. The front panel is positioned over the end panels of the desk module, flush with the outside edges of the end panels. Doublewide units have two front panels to give the appearance of two individual units, for a uniform look.

OFFSET RESIN PANEL FRONT DESIGN

A tinted, 1/4" thick resin panel accent is attached to the front panels 12"H. Single units have one resin panel accent, while double and square corner units have two. The resin panel is held back 1" from each end of the unit. A 2-1/2" diameter x 1/2" thick metal cap nut is used to bolt the resin panel to the front panel, a felt or rubber washer is used against both surfaces of the resin panel, and loc-tite is used on the bolt to keep the cap nut from turning after positioned. The cap nuts are centered in 3-1/2" from the end of the resin panel and down 3" and 4-1/2". There are four cap nuts on each piece of resin panel (Also see tinted resin panel specifications). The cap nuts are chrome plated or powder-coated as specified (see chrome specifications).

CHROME/POWDER COAT DESIGN

A steel bar 1/4" thick x 1-1/4"W is recessed 3/16"D down 3-5/16" from the top of the front panel and run from the left edge to the right edge, and 1-1/2" down from the bottom of this bar a second bar is recessed 3/16"D into the front panel. This second bar is like the first bar except it has a 6" x 1-1/4" x 1/4" protrusion, centered and welded in place and pointing down when placed on the front. Each bar is glued in place so it cannot be removed. The bars are either chrome plated or power-coated as specified. (See chrome specifications).

ADJUSTABLE WORK SURFACE

Work surfaces are 1-3/16" thick, 3-ply particleboard core, including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards.

The exposed edge receives a 5/8" thick solid Northern-grown red oak internal edge band in a straight design. The back of the work surface has a black plastic band 1-1/2"W, which projects above the work surface 1/4" to act as a retainer. The work surface is 24-1/2"D and is positioned 1-1/2" away from the front panel, creating a cord drop space. Adjustable work surfaces are available in single wide standing height desks. Work surfaces in standing-height desks (catalog number 73-012) may be positioned at heights of 36", 32", or 27".

CHROME PLATING SPECIFICATION


Where "chrome plated" is specified, Brodart uses a decorative chromium electro-plated finish, which protects against tarnish and minimizes scratching.

Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

OFFSET RESIN PANEL SPECIFICATIONS

Unless otherwise specified all offset resin panels are 1/4" thick. The customer must specify the tint color that they require from those offered by Brodart.

The offset resin panel is held in place by 1/4" thick solid wood maple molding on both sides of the resin which is sanded flush with the panel surfaces.



SHELVES

Shelves are constructed of 7-ply, furniture grade hardwood veneer-core plywood, with plain-sliced maple face veneer. Exposed edges receive a 1/4" thick, solid maple edge band.


DRAWERS


Drawers are constructed of solid hardwood with a 1/4" thick wood bottom panel. Drawers have 3-ply particleboard fronts with select maple face veneer. Box drawers have extension slides with 100# load capacity. File drawers have full-extension slides with 100# load capacity.

DESK DIMENSIONS


Standing-height Desk, overall: 39-3/16"H x 35"W x 31-3/8"D or 39-3/16"H x 70"W x 31-3/8"D.

Sitting-Height Desk, overall: 32-3/16"H x 35"W x 31-3/8"D or 32-3/16"H x 70"W x 31-3/8"D.





Offset Resin Panel Design



Metal "T" Front Design

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
Single-Wide Desk with Patron Service Ledge	59-012-S02 OAK 59-012-S00 OAK	59-012-S02 MAP 59-012-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x35" x31-3/8" 39-3/16" x35" x31-3/8"	140 140	\$4,346 \$4,693	\$4,736 \$5,115
			Inside dimensions: 33"W x 26-3/4"l 7-7/8" patron ledge is at a standing Note: Adjustable-height work surfac at heights of 36", 32" or 27".	D. The height of 39-3/16"H.		,	ŕ
	59-E12-S02 OAK 59-E12-S00 OAK	59-E12-S02 MAP 59-E12-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front Inside dimensions: 33"W x 26-3/4" 7-7/8" patron ledge is at a sitting he Note: Work surface is fixed at 27"H.	ight of 32-3/16"H.	125 125	\$4,038 \$4,363	\$4,401 \$4,756
Single-Wide Desk without Patron Service Ledge	59-014-S02 OAK 59-014-S00 OAK	59-014-S02 MAP 59-014-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x35" x31-3/8" 39-3/16" x35" x31-3/8"	135 135	\$4,195 \$4,529	\$4,573 \$4,936
0			Inside dimensions: 33 "W x 26-3/4" work surface is at a standing height or grommets are located in the work surf	f 39-3/16" H. Two 3" diamento	er	,	ŕ
	59-E14-S02 OAK 59-E14-S00 OAK	59-E14-S02 MAP 59-E14-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front Inside dimensions: 33 "W x 26-3/4" work surface is at a sitting height of 3: grommets are located in the work surface	2-3/16" H. Two 3" diamenter	120 120	. ,	\$4,346 \$4,691
Book Return Unit	59-015-S02 OAK 59-015-S00 OAK	59-015-S02 MAP 59-015-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front Inside dimensions: 33"W x 26-3/4"I work surface is at a standing height 3 finished opening centered in the front of books and a book chute to direct th depressible book truck. (Depressible Two 3" diameter grommets are locate	9-3/16"H. Unit has a 5"H x 12 panel for passage he books over a mobile book truck not included).	135	\$4,835 \$5,223	\$5,271 \$5,693
	59-E15-S02 OAK 59-E15-S00 OAK	59-E15-S02 MAP 59-E15-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front Inside dimensions: 33"W x 26-3/4"I work surface is at a sitting height 32-finished opening centered in the front of books and a book chute to direct th depressible book truck. (Depressible Two 3" diameter grommets are located	3/16"H. Unit has a 5"H x 12"\ panel for passage he books over a mobile book truck not included).	120	\$4,570 \$4,937	\$4,981 \$5,381

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

The Epoch Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
	59C-012-S02 MAP 59C-012-S00 MAP		39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	140 140	\$3,963 \$4,754	\$4,320 \$5,182	Single-Wide Desk with Patron Service Ledge
		Inside dimensions: $33\text{ "W x }26\text{-}3/4$ 7-7/8" patron ledge is at a standi Note: Adjustable-height work sur at heights of $36\text{ "},32\text{ "}$ or 27 " .	ng height of 39-3/16"H.				0
59C-E12-S02 OAK	59C-E12-S02 MAP	Desk w/Painted Metal "T" Front	32-3/16" x 35" x 31-3/8"	125	\$3,654	\$3,984	
59C-E12-S00 OAK	59C-E12-S00 MAP	Desk w/Chrome Metal "T" Front	32-3/16" x 35" x 31-3/8"	125	\$4,387	\$4,780	
		Inside dimensions: 33 "W x 26-3/47-7/8" patron ledge is at a sitting Note: Work surface is fixed at 27 to 1 to	height of 32-3/16"H.				
59C-014-S02 OAK	59C-014-S02 MAP	Desk w/Painted Metal "T" Front	39-3/16" x 35" x 31-3/8"	135	\$3,809	\$4,151	Single-Wide Desk

 59C-014-S02 OAK
 59C-014-S02 MAP
 Desk w/Painted Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 135
 \$3,809
 \$4,151

 59C-014-S00 OAK
 59C-014-S00 MAP
 Desk w/Chrome Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 135
 \$4,570
 \$4,981

Inside dimensions: $33\text{"W} \times 26\text{-}3/4\text{"D}$. The work surface is at a standing height of 39-3/16"H. Two 3" diamenter grommets are located in the work surface.

 59C-E14-S02 OAK
 59C-E14-S02 MAP
 Desk w/Painted Metal "T" Front
 32-3/16" x 35" x 31-3/8"
 120
 \$3,604
 \$3,928

 59C-E14-S00 OAK
 59C-E14-S00 MAP
 Desk w/Chrome Metal "T" Front
 32-3/16" x 35" x 31-3/8"
 120
 \$4,325
 \$4,714

Inside dimensions: $33\text{"W} \times 26\text{-}3/4\text{"D}$. The work surface is at a sitting height of 32-3/16"H. Two 3" diamenter grommets are located in the work surface.

04 \$3,928 25 \$4,714

 59C-015-S02 OAK
 59C-015-S02 MAP
 Desk w/Painted Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 135
 \$4,453
 \$4,854

 59C-015-S00 OAK
 59C-015-S00 MAP
 Desk w/Chrome Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 135
 \$5,343
 \$5,824

Inside dimensions: $33\text{"W} \times 26\text{-}3/4\text{"D}$. The work surface is at a standing height 39-3/16"H. Unit has a $5\text{"H} \times 12\text{"W}$ finished opening centered in the front panel for passage of books and a book chute to direct the books over a mobile depressible book truck. (Depressible book truck not included). Two 3" diameter grommets are located in the work surface.

59C-E15-S02 MAP Deskw/Painted Metal "T" Front 32-3/16" x35" x31-3/8" 120 \$4,187 \$4,564 **59C-E15-S00 MAP** Deskw/Chrome Metal "T" Front 32-3/16" x35" x31-3/8" 120 \$5,027 \$5,479

Inside dimensions: $33\text{"W} \times 26\text{-}3/4\text{"D}$. The work surface is at a sitting height 32-3/16"H. Unit has a $5\text{"H} \times 12\text{"W}$ finished opening centered in the front panel for passage of books and a book chute to direct the books over a mobile depressible book truck. (Depressible book truck not included). Two 3" diameter grommets are located in the work surface.




without Patron Service Ledge



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Cupboard an	d Open Shelf	59-121-S02 OAK 59-121-S00 OAK	59-121-S02 MAP 59-121-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	175 175	\$6,101 \$6,587	\$6,649 \$7,179
0	0			This standing height unit has one fixe shelves. A hidden drawer is positione the lockable storage compartment. T grommets are located in the work sur	d above wo 3" diameter			
		59-E21-S02 OAK 59-E21-S00 OAK	59-E21-S02 MAP 59-E21-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	160 160	\$5,461 \$5,897	\$5,953 \$6,427
0				This sitting height unit has one fixed shelf. A hidden drawer is positioned a the lockable storage compartment. T grommets are located in the work sur				
Full Width Dr Cupboard an	,	59-122-S02 OAK 59-122-S00 OAK	59-122-S02 MAP 59-122-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	225 225	\$8,704 \$9,398	\$9,488 \$10,243
0				This standing height unit has one full two file drawers, and a lockable stora compartment. Two 3" diameter grom are located in the work surface. Note: Available in 39-3/16"H only	nge nmets			



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

59C-122-S02 OAK 59C-122-S02 MAP

59C-122-S00 OAK 59C-122-S00 MAP

The Epoch Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-121-S02 OAK 59C-121-S00 OAK	59C-121-S02 MAP 59C-121-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"		\$5,716 \$6,859	\$6,230 \$7,476	Cupboard and Open Shelf
		This standing height unit has one fix shelves. A hidden drawer is position the lockable storage compartment, grommets are located in the work s	ned above Two 3" diameter				
	59C-E21-S02 MAP 59C-E21-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"		\$5,078 \$6,092	\$5,534 \$6,640	
		This sitting height unit has one fixed shelf. A hidden drawer is positioned the lockable storage compartment. grommets are located in the work s	d above Two 3" diameter				

39-3/16" x 35" x 31-3/8" 225

39-3/16" x 35" x 31-3/8" 225

\$8,265 \$9,010

\$9,922 \$10,815

This standing height unit has one full-width drawer, two file drawers, and a lockable storage compartment. Two 3" diameter grommets

Desk w/Painted Metal "T" Front

Desk w/Chrome Metal "T" Front

Note: Available in 39-3/16"H only.

are located in the work surface.

Full Width Drawer, **Cupboard and Drawers**



39-3/16" x 35" x 31-3/8" 225 **59C-123-S02 OAK 59C-123-S02 MAP** Desk w/Painted Metal "T" Front \$7,321 \$7,980 **59C-123-S00 OAK 59C-123-S00 MAP** Desk w/Chrome Metal "T" Front 39-3/16" x 35" x 31-3/8" 225 \$8,787 \$9,577

> This standing height unit has one locking box drawer and two file drawers. Cupboard section has two adjustable shelves and locking door on hinges. Two 3" diameter grommets are

located in the work surface.

59C-E23-S02 OAK 59C-E23-S02 MAP Desk w/Painted Metal "T" Front 32-3/16" x 35" x 31-3/8" 205 \$6,304 \$6,871 59C-E23-S00 OAK 59C-E23-S00 MAP Desk w/Chrome Metal "T" Front 32-3/16" x 35" x 31-3/8" 205 \$7,565 \$8,246

> This sitting height unit has one locking file drawer and one file drawer. Cupboard section has one adjustable shelf and locking door on hinges. Two 3" diameter grommets are located in the work surface.



Cupboard and Drawer Unit

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Open Shelf and D	rawer Unit	59-124-S02 OAK 59-124-S00 OAK	59-124-S02 MAP 59-124-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x35" x31-3/8" 39-3/16" x35" x31-3/8"	200 200	\$7,003 \$7,564	\$7,634 \$8,244
0				This standing height unit has one lock and two file drawers. Shelf section has two adjustable shelves, and one fixed Two 3" diameter grommets are locate	base shelf.			
		59-E24-S02 OAK 59-E24-S00 OAK	59-E24-S02 MAP 59-E24-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	180 180	\$6,182 \$6,676	\$6,737 \$7,277
0				This sitting height unit has one lockab and one file drawer. Shelf section has one adjustable shelf, and one fixed ba Two 3" diameter grommets are locate	le box drawer			
Cash Drawer Unit		59-131-S02 OAK 59-131-S00 OAK	59-131-S02 MAP 59-131-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x35" x31-3/8" 39-3/16" x35" x31-3/8"		\$4,714 \$5,089	\$5,137 \$5,548
0				Inside dimensions: 33 "W x 26-3/4" In the work surface is at a standing heigh has locking drawer with a coin and cur Two 3" diameter grommets are located	nt 39-3/16"H. Desk rrency tray.			
		59-E31-S02 OAK 59-E31-S00 OAK	59-E31-S02 MAP 59-E31-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	135 135	\$4,478 \$4,838	\$4,882 \$5,274
0	0			Inside dimensions: 33"W x 26-3/4"E The work surface is at a sitting height 3 has locking drawer with a coin and cur Two 3" diameter grommets are locate	32-3/16"H. Desk rrency tray.			
ADA Station		59-E32-S00 OAK	59-E32-S00 MAP	Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 42-1/8"	185	\$3,398	\$3,703
0				The sitting height ADA transaction stated designed to provide wheelchair access on the patrons' side. The knee space on the patrons' side is 22-1/4" and of staff side is 16". Two 3" diameter groare located in the work surface. One 3 egress with sleeve is located in each e Note: Available in 32-3/16"H only.	s depth on the mmets -1/2" diameter			

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

The Epoch Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
59C-124-S02 OAK	59C-124-S02 MAP	Desk w/Painted Metal "T" Front	39-3/16" x 35" x 31-3/8"	200	\$6,620	\$7,216	Open Shelf and D	rawer Uni
59C-124-S00 OAK	59C-124-S00 MAP	Desk w/Chrome Metal "T" Front	39-3/16" x 35" x 31-3/8"	200	\$7,943	\$8,658		
		This standing height unit has one lo and two file drawers. Shelf section two adjustable shelves, and one fix Two 3" diameter grommets are loc	has ed base shelf.				0	
59C-E24-S02 OAK	59C-E24-S02 MAP	Desk w/Painted Metal "T" Front	32-3/16" x 35" x 31-3/8"	180	\$5,798	\$6,319		
59C-E24-S00 OAK	59C-E24-S00 MAP	Desk w/Chrome Metal "T" Front	32-3/16" x 35" x 31-3/8"	180	\$6,957	\$7,582	V	
		This sitting height unit has one lock and one file drawer. Shelf section h one adjustable shelf, and one fixed Two 3" diameter grommets are loc	as base shelf.					

59C-131-S00 OAK 59C-131-S00 MAP Desk w/Chrome Metal "T" Front 39-3/16" x 35" x 31-3/8" 150 \$5,193 \$5,66 Inside dimensions: 33" W x 26-3/4" D.

The work surface is at a standing height 39-3/16" H. Desk

has locking drawer with a coin and currency tray.

Two 3" diameter grommets are located in the work surface.

59C-E31-S02 OAK 59C-E31-S02 MAP Desk w/Painted Metal "T" Front 32-3/16" x 35" x 31-3/8" 135 \$4,096 \$4,464 **59C-E31-S00 OAK 59C-E31-S00 MAP** Desk w/Chrome Metal "T" Front 32-3/16" x 35" x 31-3/8" 135 \$4,916 \$5,358

Inside dimensions: $33\text{"W} \times 26\text{-}3/4\text{"D}$. The work surface is at a sitting height 32-3/16"H. Desk has locking drawer with a coin and currency tray. Two 3" diameter grommets are located in the work surface.

0 0

59C-E32-S00 OAK 59C-E32-S00 MAP Deskw/Chrome Metal "T" Front 32-3/16" x 35" x 42-1/8" 185 \$3,398 \$3,703

The sitting height ADA transaction station is designed to provide wheelchair access on the patrons' side. The knee space depth on the patrons' side is 22-1/4" and on the staff side is 16". Two 3" diameter grommets are located in the work surface. One 3-1/2" diameter egress with sleeve is located in each end panel for wire passage. **Note:** Available in 32-3/16"H only.



ADA Station

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Full Width Drawer Unit		59-133-S02 OAK 59-133-S00 OAK	59-133-S02 MAP 59-133-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x35" x31-3/8" 39-3/16" x35" x31-3/8"	160 160	\$5,018 \$5,420	\$5,469 \$5,908
				This standing height drawer unit has a full-width drawer 10"H x 32-7/8"W x 18-1/4"D. Two 3" diameter grommets are located in the work surface. Note: Available in 39-3/16"H only.				

Full Width Drawer and Cupboard Unit



59-135-S02 OAK 59-135-S02 MAP Desk w/Painted Resin Panel Front 39-3/16" x 35" x 31-3/8" 220 \$6,376 \$6,949 59-135-S00 OAK 59-135-S00 MAP Desk w/Chrome Resin Panel Front 39-3/16" x 35" x 31-3/8" 220 \$6,886 \$7,506

> This standing height unit has a full-width drawer 10"Hx32-7/8"Wx18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are located in the work surface.

Note: Available in 39-3/16"H only.

Discharge Unit



59-172-S02 OAK 59-172-S02 MAP Desk w/Painted Resin Panel Front 39-3/16" x 35" x 31-3/8" 165 \$6.469 \$7.050 59-172-S00 OAK 59-172-S00 MAP Desk w/Chrome Resin Panel Front 39-3/16" x 35" x 31-3/8" 165 \$6,985 \$7,613

> These standing height units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H.

Note: Standing-height roll unders do not work with this unit.

\$6,166

\$6,720

\$7,260

59-E72-S02 OAK 59-E72-S02 MAP Desk w/Painted Resin Panel Front 32-3/16" x 35" x 31-3/8" 145 59-E72-S00 OAK 59-E72-S00 MAP Desk w/Chrome Resin Panel Front 32-3/16" x 35" x 31-3/8" 145 \$6,660

> These sitting height units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-133-S02 OAK	59C-133-S02 MAP	Desk w/Painted Metal "T" Front	39-3/16" x 35" x 31-3/8"	160	\$4,633	\$5,051	Full Width Drawer Unit
59 C-1 33- S 00 O AK	59C-133-S00 MAP	Desk w/Chrome Metal "T" Front	39-3/16" x 35" x 31-3/8"	160	\$5,559	\$6,059	
		This standing height drawer unit ha 10"H x 32-7/8"W x 18-1/4"D. To grommets are located in the work s Note: Available in 39-3/16"H only	wo 3" diameter urface.				

59C-135-S02 OAK 59C-135-S02 MAP 59C-135-S00 OAK 59C-135-S00 MAP

 Desk w/Painted Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 220
 \$5,992
 \$6,531

 Desk w/Chrome Metal "T" Front
 39-3/16" x 35" x 31-3/8"
 220
 \$7,192
 \$7,840

 This standing height unit has a full-width drawer
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 40
 4

10"H x 32-7/8"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are located in the work surface.

Note: Available in 39-3/16"H only.

Full Width Drawer and Cupboard Unit



59C-172-S02 OAK 59C-172-S02 MAP Desk 59C-172-S00 OAK 59C-172-S00 MAP Desk

Desk w/ Painted Metal "T" Front 39-3/16" x 35" x 31-3/8" 165 \$6,081 \$6,628 Desk w/ Chrome Metal "T" Front 39-3/16" x 35" x 31-3/8" 165 \$7,298 \$7,955

These standing height units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H. Note: Standing-height roll unders do not work with this unit.

Discharge Unit

59C-E72-S02 OAK 59C-E72-S02 MAP 59C-E72-S00 OAK 59C-E72-S00 MAP

Desk w/Painted Metal "T" Front 32-3/16" x 35" x 31-3/8" 145 \$5,781 \$6,302

Desk w/Chrome Metal "T" Front 32-3/16" x 35" x 31-3/8" 145 \$6,940 \$7,564

These sitting height units have a full-width well with seven removable wood trays for 5 "H x 3 "W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Open Shelf Unit		59-174-S02 OAK 59-174-S00 OAK	59-174-S02 MAP 59-174-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	175 175	\$5,065 \$5,469	\$5,521 \$5,961
0				This standing height unit has a full-dep shelf and two full-depth adjustable sh Two 3" diameter grommets are locate the work surface.	elves.			
		59-E74-S02 OAK 59-E74-S00 OAK	59-E74-S02 MAP 59-E74-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	155 155	\$4,620 \$4,990	\$5,035 \$5,439
0				This sitting height unit has a full-depth shelf and two full-depth adjustable sh Two 3" diameter grommets are locate the work surface.	elves.			
Cupboard Unit		59-176-S02 OAK 59-176-S00 OAK	59-176-S02 MAP 59-176-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	200 200	\$5,901 \$6,374	\$6,433 \$6,948
	0			This standing height unit has a full-depshelf and two full-depth adjustable shave a catch, lock and door pulls. Two are located in the work surface.	pth fixed base elves. Hinged doors		*****	,,,
		59-E76-S02 OAK 59-E76-S00 OAK	59-E76-S02 MAP 59-E76-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	180 180	\$5,434 \$5,868	\$5,923 \$6,396
0	0			This sitting height unit has a full-depth shelf and one full-depth adjustable shave a catch, lock and door pulls. Two 3 are located in the work surface.	elf. Hinged doors h			
Full Width Draw	ver and	59-234-S02 OAK 59-234-S00 OAK	59-234-S02 MAP 59-234-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8" 39-3/16" x 35" x 31-3/8"	180 180	\$5,724 \$6,183	\$6,239 \$6,739
				This standing height unit has a full-wid 10"H x 32-7/8"W x 18-3/4"D. Also and one adjustable, full-depth shelf. I grommets are located in the work surf	ith drawer , one fixed Two 3" diameter			,
		59-E34-S02 OAK 59-E34-S00 OAK	59-E34-S02 MAP 59-E34-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8" 32-3/16" x 35" x 31-3/8"	165 165	\$5,325 \$5,753	\$5,803 \$6,270
0		55 25 1 500 5 1.11	55 25 . 300 mAi	This sitting height unit has a full-width 10"H x 32-7/8"W x 18-3/4"D. Also and one adjustable, full-depth shelf. I grommets are located in the work surf	drawer , one fixed Two 3" diameter	_ 30	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	75,210

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-174-S02 OAK 59C-174-S00 OAK	59C-174-S02 MAP 59C-174-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front		175 175	\$4,682 \$5,616	\$5,104 \$6,123	Open Shelf Unit
		This standing height unit has a full shelf and two full-depth adjustable Two 3" diameter grommets are loothe work surface.	e shelves.				
59C-E74-S02 OAK 59C-E74-S00 OAK	59C-E74-S02 MAP 59C-E74-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$4,236 \$5,081	\$4,617 \$5,538	
		This sitting height unit has a full-do shelf and two full-depth adjustable. Two 3" diameter grommets are loot the work surface.	e shelves.				
59C-176-S02 OAK 59C-176-S00 OAK	59C-176-S02 MAP 59C-176-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front		200 200	\$5,518 \$6,621	\$6,015 \$7,217	Cupboard Unit
		This standing height unit has a full shelf and two full-depth adjustable have a catch, lock and door pulls. are located in the work surface.	e shelves. Hinged doors				
59C-E76-S02 OAK 59C-E76-S00 OAK	59C-E76-S02 MAP 59C-E76-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front		180 180	\$5,050 \$6,060	\$5,505 \$6,606	
		This sitting height unit has a full-de shelf and one full-depth adjustabl ave a catch, lock and door pulls. To are located in the work surface.	e shelf. Hinged doors h				
59C-234-S02 OAK 59C-234-S00 OAK	59C-234-S02 MAP 59C-234-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front		180 180	\$5,342 \$6,409	\$5,823 \$6,985	Full Width Drawer and Open Shelves
		This standing height unit has a full 10"H x 32-7/8"W x 18-3/4"D. A full-depth shelf. Two 3" diameter	also, one fixed and one adjusta		ce.		
59C-E34-S02 OAK 59C-E34-S00 OAK	59C-E34-S02 MAP 59C-E34-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front		165 165	\$4,942 \$5,932	\$5,387 \$6,465	
		This sitting height unit has a full-w 10"H x 32-7/8"W x 18-3/4"D. A full-depth shelf. Two 3" diameter	also, one fixed and one adjusta		ce.		

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Single-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Media Storage	dedia Storage Unit	59-236-S02 OAK	59-236-S02 MAP	Desk w/Painted Resin Panel Front	39-3/16" x 35" x 31-3/8"	225	\$7,953	\$8,669
G		59-236-S00 OAK	59-236-S00 MAP	Desk w/Chrome Resin Panel Front	39-3/16" x 35" x 31-3/8"	225	\$8,589	\$9,362
				This standing height unit has four full-	-width drawers			
				8-1/2"Hx33"Wx24"D with each				
				containing five compartments for me	dia storage.			
		59-E36-S02 OAK	59-E36-S02 MAP	Desk w/Painted Resin Panel Front	32-3/16" x 35" x 31-3/8"	205	\$7,400	\$8,065
		59-E36-S00 OAK	59-E36-S00 MAP	Desk w/Chrome Resin Panel Front	32-3/16" x 35" x 31-3/8"	205	\$7,992	\$8,712
0				This sitting height unit has three full-v $8-1/2$ "H x 33 "W x 24 "D with each containing five compartments for meaning five compartments for meaning five compartments for meaning five compartments five compartments for meaning five compartments f				

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting	
59C-236-S02 OAK 59C-236-S00 OAK	59C-236-S02 MAP 59C-236-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front This standing height unit has four f 8-1/2"Hx33"Wx24"D with eac containing five compartments for r	39-3/16" x 35" x 31-3/8" full-width drawers th		\$7,420 \$8,903	\$8,089 \$9,704	Media Storage U		
59C-E36-S02 OAK 59C-E36-S00 OAK	59C-E36-S02 MAP 59C-E36-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front This sitting height unit has three fu 8-1/2"Hx33"Wx24"D with eac containing five compartments for r	32-3/16" x 35" x 31-3/8" Il-width drawers h		\$6,866 \$8,240	\$7,484 \$8,981			

Circulation Desks with Offset Resin Panel Fronts, Double-Wide

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
Double-Wide D with Patron Se		59-011-S02 OAK 59-011-S00 OAK	59-011-S02 MAP 59-011-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 70" x 31-3/8" 39-3/16" x 70" x 31-3/8"	245 245	\$7,505 \$8,105	\$8,181 \$8,834
				Work Surface at 35-1/2"H Inside dimensions are 68"W x 26-3 The 7-7/8"D patron ledge is at a sta Two 3" diameter grommets are loca Note: Standing-height roll unders of	anding height of 39-3/16". ted in the work surface.			
		59-E11-S02 OAK 59-E11-S00 OAK	59-E11-S02 MAP 59-E11-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 70" x 31-3/8" 32-3/16" x 70" x 31-3/8"	210 210	\$7,048 \$7,610	\$7,683 \$8,296
0				Desk with Patron Service Ledge Work Surface at 28-1/2" H Inside dimensions are 68" W x 26-3 The 7-7/8"D patron ledge is at a sit Two 3" diameter grommets are loca	ting height of 32-3/16".			
		59-011-SE2 OAK 59-011-SEA OAK	59-011-SE2 MAP 59-011-SEA MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 70" x 31-3/8" 39-3/16" x 70" x 31-3/8"	245 245	\$7,520 \$8,122	\$8,197 \$8,853
				Desk with Patron Service Ledge Work Surface at 28-1/2"H Inside dimensions are 68"W x 26-3 The 7-7/8"D patron ledge is at a sta Two 3" diameter grommets are loca Note: Standing-height roll unders of	/4"D. anding height of 39-3/16". ted in the work surface.	0	V -7,	10,000
Double-Wide D	esk 1 Service Ledge	59-013-S02 OAK 59-013-S00 OAK	59-013-S02 MAP 59-013-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 70" x 31-3/8" 39-3/16" x 70" x 31-3/8"	230 230	\$7,376 \$7,969	\$8,041 \$8,686
0	0 0	33 010 300 0AR	33013300 MAI	Inside dimensions are 68"W x 26-3 The work surface is at 39-3/16" H. diameter grommets are located in the	/4"D. Гwo 3"	230	V1,303	40,000
			59-E13-S02 MAP 59-E13-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front		195 195	\$7,022 \$7,583	\$7,653 \$8,267
0	0 0			Inside dimensions are $68"Wx26-3$ The work surface is at $32-3/16"H$.	•			

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

diameter grommets are located in the work surface.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-011-S02 OAK 59C-011-S00 OAK	59C-011-S02 MAP 59C-011-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front	,	245 245	\$6,737 \$8,085	\$7,343 \$8,812	Double-Wide Desk with Patron Service Ledge,
		Work Surface at 35-1/2"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a s Two 3" diameter grommets are loo Note: Standing-height roll unders	standing height of 39-3/16". cated in the work surface.			S	
59C-E11-S02 OAK 59C-E11-S00 OAK	59C-E11-S02 MAP 59C-E11-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front Desk with Patron Service Ledge Work Surface at 28-1/2"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a s Two 3" diameter grommets are loc	32-3/16" x 70" x 31-3/8" 3/4"D. sitting height of 32-3/16".	210 210	\$6,280 \$7,536	\$6,845 \$8,214	
59C-011-SE2 OAK 59C-011-SEA OAK	59C-011-SE2 MAP 59C-011-SEA MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front Desk with Patron Service Ledge Work Surface at 28-1/2"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a s Two 3" diameter grommets are loc	39-3/16" x 70" x 31-3/8" 3/4"D. standing height of 39-3/16".		\$6,750 \$8,100	\$7,357 \$8,828	

Note: Standing-height roll unders do not work with this unit.

\$6,611

\$7,934

\$7,206

\$8,648

59C-013-S00 OAK 59C-013-S00 MAP Desk w/Chrome Metal "T" Front 39-3/16" x 70" x 31-3/8" 230

Inside dimensions are 68"W x 26-3/4"D.


The work surface is at 39-3/16" H. Two 3"

59C-013-S02 OAK 59C-013-S02 MAP Desk w/Painted Metal "T" Front 39-3/16" x 70" x 31-3/8" 230

The work surface is at 39-3/16" H. Two 3" diameter grommets are located in the work surface.

59C-E13-S02 OAK 59C-E13-S02 MAP Desk w/Painted Metal "T" Front 32-3/16" x 70" x 31-3/8" 195 \$6,254 \$6,817 **59C-E13-S00 OAK 59C-E13-S00 MAP** Desk w/Chrome Metal "T" Front 32-3/16" x 70" x 31-3/8" 195 \$7,504 \$8,179

Inside dimensions are 68 "W x 26-3/4"D. The work surface is at 32-3/16" H. Two 3" diameter grommets are located in the work surface.




Double-Wide Desk

without Patron Service Ledge

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Circulation Desks with Offset Resin Panel Fronts, Double-Wide

Standing Si	tting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Double-Wide Double Pede Work Desk	estal	59-E37-S02 OAK 59-E37-S00 OAK	59-E37-S02 MAP 59-E37-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front Inside dimensions are 68"W x 26-3, This sitting height unit has two drawe on each side consisting of one lockin one file drawer with hanging file rack Two center drawers are mounted bet Two 3" diameter grommets are locat Note: Available in 32-3/16" H only	er pedestals, one mounted og drawer at top; at bottom. ween the two pedestals. ted in the work surface.		\$11,237 \$12,136	\$12,247 \$13,227



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing	Sitting
59C-E37-S02 OAK 59C-E37-S00 OAK	59C-E37-S02 MAP 59C-E37-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front	,	260 260	. ,	\$11,836 \$14,202	Double-Wide Do	work Desk
		Inside dimensions are 68"W x 26. This sitting height unit has two dra on each side consisting of one loci one file drawer with hanging file ra Two center drawers are mounted b. Two 3" diameter grommets are lownote: Available in 32-3/16" Hours are side of the	wer pedestals, one mounted king drawer at top; lock at bottom. loetween the two pedestals. cated in the work surface.					

59C-238-S02 OAK 59C-238-S02 MAP

Desk w/Painted Metal "T" Front 39-3/16" x 70" x 31-3/8" 230 **59C-238-S00 OAK 59C-238-S00 MAP** Desk w/Chrome Metal "T" Front 39-3/16" x 70" x 31-3/8" 230 **\$11,120 \$12,122**

\$9,270 \$10,104

Double-Wide Single Pedestal Work Desk

Inside dimensions are 68"W x 26-3/4"D.

This standing height unit has one drawer pedestal mounted on the left side consisting of one locking drawer at top; two file drawers with Pendaflex hangers at the bottom. Two 3" diameter grommets are located in the work surface.

59C-E38-S00 OAK

59C-E38-S02 OAK 59C-E38-S02 MAP Desk w/Painted Metal "T" Front 32-3/16" x 70" x 31-3/8" 195 \$8,572 \$9,343 **59C-E38-S00 MAP** Desk w/Chrome Metal "T" Front 32-3/16" x 70" x 31-3/8" 195 **\$10,284 \$11,210**

> Inside dimensions are 68 "W x 26-3/4"D. This sitting height unit has one drawer pedestal mounted

on the left side consisting of one locking file drawer at top; one file drawer at the bottom, both with hanging file racks. Two 3" diameter grommets are located in the work surface.



Circulation Desks with Offset Resin Panel Fronts, Corner

Standing S	itting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
90 Degree Multi-Purpose Corner		59-010-S02 OAK 59-010-S00 OAK	59-010-S02 MAP 59-010-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 71-3/4" x 30" 39-3/16" x 71-3/4" x 30"		\$12,343 \$13,328	
0				This unit is a standing height unit and in the two angled areas to the left an is located in the work-surface top. O end panel for wire passage.	d right of the desk module. One	3" dian	neter grom	met
		59-E10-S02 OAK 59-E10-S00 OAK	59-E10-S02 MAP 59-E10-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 71-3/4" x 30" 32-3/16" x 71-3/4" x 30"		\$12,205 \$13,183	
0	0			This unit is a sitting height unit and h in the two angled areas to the left an is located in the work-surface top. O end panel for wire passage.	d right of the desk module. One	3" dian	neter gromi	met
90 Degree Multi-Purpose with Patron Service Ledge		59-017-S02 OAK 59-017-S00 OAK	59-017-S02 MAP 59-017-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 71-3/4" x 30" 39-3/16" x 71-3/4" x 30"		\$14,339 \$15,221	,
	0			This unit is a standing height unit and is at a height of 39-3/16". Work surareas to the left and right of the mod top. One 3-1/2" diameter egress with	rface is at 35"H. Storage shelv ule. One 3" diameter grommet	es are lo is locate	cated in the	e two angle ork surface
		59-E17-S02 OAK 59-E17-S00 OAK	59-E17-S02 MAP 59-E17-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 71-3/4" x 30" 32-3/16" x 71-3/4" x 30"		\$14,181 \$15,027	
	0			This unit is a sitting height unit and height of 32-3/16". Work surface is to the left and right of the module. O One 3-1/2" diameter egress with sl	as a 29-5/16"W port area. The at 28"H. Storage shelves are ne 3" diameter grommet is loc	e 7-7/8' ocated i ated in t	"D patron le in the two a he work sur	edge is at a ngled areas face top.
90 Degree Open Curved with Patron Service Ledg		59-040-S02 OAK 59-040-S00 OAK	59-040-S02 MAP 59-040-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front			\$15,940 \$17,214	. ,
0	0			The 7-7/8"D patron ledge is at a hei This unit is a sitting height unit and h two angled areas to the left and right the work surface top. One 3-12" dia passage.	as a 26-5/8"W port area. Stor of the desk module. One 3" di	rage she ameter g	lves are loc grommet is	located in
			59-E40-S02 MAP 59-E40-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 70-1/8" x 30" 32-3/16" x 70-1/8" x 30"		\$15,764 \$17,024	,
0	0			The 7-7/8"D patron ledge is at a hei This unit is a sitting height unit and h two angled areas to the left and right the work surface top. One 3-12" diam passage.	as a 26-5/8"W port area. Stor of the desk module. One 3" di	age she ameter g	lves are loc grommet is	located in

and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-010-S02 OAK 59C-010-S00 OAK	59C-010-S02 MAP 59C-010-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$11,400 \$13,679		90 Degree Multi-Purpose Corner
		This unit is a standing height unit a located in the two angled areas to grommetis located in the work-sur located in each end panel for wire	the left and right of the desk m face top. One 3-1/2" diamete	odule. (One 3" diai	neter	
59C-E10-S02 OAK 59C-E10-S00 OAK	59C-E10-S02 MAP 59C-E10-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$11,256 \$13,510	,	
		This unit is a sitting height unit and in the two angled areas to the left is located in the work-surface top. end panel for wire passage.	and right of the desk module. C)ne 3" c	liameter gr	ommet	
59C-017-S02 OAK 59C-017-S00 OAK	59C-017-S02 MAP 59C-017-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$12,711 \$14,960	. ,	90 Degree Multi-Purpose Corner with Patron Service Ledge
		This unit is a standing height unit a is at a height of 39-3/16". Work angled areas to the left and right o work surface top. One 3-1/2"dia wire passage.	surface is at 35"H. Storage sh f the module. One 3" diameter	elves ar r gromn	e located ir net is locate	the two	
59C-E17-S02 OAK 59C-E17-S00 OAK	59C-E17-S02 MAP 59C-E17-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$12,490 \$14,636		
		This unit is a sitting height unit and a height of 32-3/16". Work sur areas to the left and right of the m top. One 3-1/2" diameter egress	face is at 28"H. Storage shelve odule. One 3" diameter gromm	es are lo net is lo	ocated in the	e two angle e work surfa	d 0 0 0
59C-040-S02 OAK 59C-040-S00 OAK	59C-040-S02 MAP 59C-040-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$14,164 \$16,997	•	90 Degree Open Curved Corner with Patron Service Ledge
		The 7-7/8"D patron ledge is at a limit that two angled areas to the left located in the work surface top. Or panel for wire passage.	I has a 26-5/8"W port area. S and right of the desk module. C	itorage :)ne 3" (shelves are diameter gr	located ommet is	
59C-E40-S02 OAK 59C-E40-S00 OAK	59C-E40-S02 MAP 59C-E40-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$13,987 \$16,787		
		The 7-7/8"D patron ledge is at a This unit is a sitting height unit and angled areas to the left and right of surface top. One 3-12" diameter	I has a 26-5/8"W port area. S f the desk module. One 3" dia egress with sleeve is located in	itorage : meter g each e	shelves are rommet is I nd panel fo	located in to ocated in the rwire passa	ne work 0 0
	Ple	ease specify Wood Finish (Table 1), Details can	High-Pressure Laminate (Tab be found on pages GEN 4 and	•		olor (Table	3).

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
90 Degree Open Cur	ved Corner	59-041-S02 OAK 59-041-S00 OAK	59-041-S02 MAP 59-041-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 70-1/8" x 30" 39-3/16" x 70-1/8" x 30"		\$15,569 \$16,813	,
0	0			Standing height unit with work surfact shelves are located in the two angled diameter grommet is located in the v located in each end panel for wire pa	l areas to the left and right of th vork-surface top. One 3-1/2" (e desk r	nodule. On	e3"
		59-E41-S02 OAK 59-E41-S00 OAK	59-E41-S02 MAP 59-E41-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 70-1/8" x 30" 32-3/16" x 70-1/8" x 30"		\$15,340 \$16,569	,
0	0	,	`	Sitting height unit with work surface shelves are located in the two angled diameter grommet is located in the vis located in each end panel for wire	l areas to the left and right of th vork-surface top. One 3-1/2" (e desk r	nodule. On	e 3"
60 Degree Curved Co		59-047-S02 OAK 59-047-S00 OAK	59-047-S02 MAP 59-047-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	39-3/16" x 80-3/4" x 30" 39-3/16" x 80-3/4" x 30"		\$18,375 \$19,844	. ,
0	0			The 7-7/8"D patron ledge is at a hei 35-7/16"H. Unit has 49-1/16" W p to the left and right of the desk modu top. One 3-1/2" diameter egress with the desk modular top.	oort area. Storage shelves are lo le. One 3" diameter grommet i	cated in s locate	n the two an d in the wor	gled areas k surface
		59-E47-S02 OAK 59-E47-S00 OAK	59-E47-S02 MAP 59-E47-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	32-3/16" x 80-3/4" x 30" 32-3/16" x 80-3/4" x 30"		\$18,171 \$19,623	,
0	0			The 7-7/8"D patron ledge is at a hei 35-7/16"H. Unit has 49-1/16" W p to the left and right of the desk modu top. One 3-1/2" diameter egress with the desk modular top.	oort area. Storage shelves are lo le. One 3" diameter grommet i	cated in s locate	n the two an d in the wor	gled areas k surface
60 Degree Curved Co	orner	59-048-S02 OAK 59-048-S00 OAK	59-048-S02 MAP 59-048-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front	, ,		\$17,716 \$19,132	,
0	ce is at 39-3/16"H. Unit has 49 I areas to the left and right of th vork surface top. One 3-1/2" o	e desk r	nodule. One	3"				
			59-E48-S02 MAP 59-E48-S00 MAP	Desk w/Painted Resin Panel Front Desk w/Chrome Resin Panel Front			\$17,510 \$18,911	. ,
0	0			Standing height unit with work surfact shelves are located in the two angled diameter grommet is located in the valued in each end panel for wire pa	ce is at 32-3/16"H. Unit has 49 I areas to the left and right of th vork surface top. One 3-1/2" o	9-1/16 e desk r	"W port area	a. Storage e 3 "
		Diogeo enocife Was d	inich (Table 1) Lliet D.	occura Laminata (Tabla 2) Matal Ca	or (Table 2)			

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
59C-041-S02 OAK 59C-041-S00 OAK	59C-041-S02 MAP 59C-041-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$13,792 \$16,550	•	90 Degree Open Curved Corner
		Standing height unit with work sur Storage shelves are located in the One 3" diameter grommet is local with sleeve is located in each end	two angled areas to the left an ted in the work-surface top. On	d right o	of the desk	module.	0 0
59C-E41-S02 OAK 59C-E41-S00 OAK	59C-E41-S02 MAP 59C-E41-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			,	•	•
		Sitting height unit with work surfact shelves are located in the two and diameter grommet is located in the sleeve is located in each end pane	led areas to the left and right of e work-surface top. One 3-1/2	the de	sk module.	One 3"	
59C-047-S02 OAK 59C-047-S00 OAK	59C-047-S02 MAP 59C-047-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$16,917 \$20,299		60 Degree Curved Corner with Patron Service Ledge
		The 7-7/8"D patron ledge is at a lis at 35-7/16"H. Unit has 49-1/1 angled areas to the left and right of the work surfacetop. One 3-1/2" for wire passage.	L6" W port area. Storage shelve f the desk module. One 3" dia	es are lo meter g	ocated in th rommet is l	e two ocated in	
59C-E47-S02 OAK 59C-E47-S00 OAK	59C-E47-S02 MAP 59C-E47-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$16,711 \$20,054		
		The 7-7/8"D patron ledge is at a 35-7/16"H. Unit has 49-1/16" to the left and right of the desk mo top. One 3-1/2" diameter egress	N port area. Storage shelves ar dule. One 3" diameter gromm	e locate et is loc	ed in the two ated in the	angled are work surfac	eas
59C-048-S02 OAK 59C-048-S00 OAK	59C-048-S02 MAP 59C-048-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			\$16,257 \$19,508		60 Degree Curved Corner
		Standing height unit with work sur Storage shelves are located in the One 3" diameter grommet is loca with sleeve is located in each end	two angled areas to the left an	d right	of the desk	module.	
59C-E48-S02 OAK 59C-E48-S00 OAK	59C-E48-S02 MAP 59C-E48-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front			,	,	
		Standing height unit with work sur shelves are located in the two ang diameter grommet is located in the located in each end panel for wire	led areas to the left and right one work surface top. One 3-1/2	f the de	sk module.	One 3"	
	Ple	ase specify Wood Finish (Table 1),	High-Pressure Laminate (Tab	le 2) ar	nd Metal C	olor (Table	3).

Details can be found on pages GEN 4 and GEN 5.


Circulation Desks with Offset Resin Panel Fronts, Corner

Standing Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
90 Degree Square Corner Uni		59-150-S02 MAP	Desk w/Painted Resin Panel Front	39-3/16" x 30" x 30"	160	\$8,534	\$9,302
	59-150-S00 OAK	59-150-S00 MAP	Desk w/Chrome Resin Panel Front	39-3/16" x30" x30"	160	\$9,213	\$10,042
			This square corner unit is used to form		_		
			One 3" diameter egress is located in a continuous ABS tube.	each end panel for wire pass	age throug	(n	
	59-E50-S02 OAK	59-E50-S02 MAP	Desk w/Painted Resin Panel Front	32-3/16" x 30" x 30"	140	\$7,044	\$7,678
	59-E50-S00 OAK	59-E50-S00 MAP	Desk w/Chrome Resin Panel Front	32-3/16" x 30" x 30"	140	\$7,609	\$8,294
			This square corner unit is used to form		_		
0	0		One 3" diameter egress is located in a continuous ABS tube.	each end panel for wire pass	age throug	(h	
•							

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing	Sitting
59C-150-S02 OAK 59C-150-S00 OAK	59C-150-S02 MAP 59C-150-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front	39-3/16" x 30" x 30" 39-3/16" x 30" x 30"	160 160	\$7,766 \$9,320	\$8,465 \$10,159	90 Degree Square	Corner Unit
		This square comer unit is used to fo One 3" diameter egress is located in a continuous ABS tube.		•			0 0	
59C-E50-S02 OAK 59C-E50-S00 OAK	59C-E50-S02 MAP 59C-E50-S00 MAP	Desk w/Painted Metal "T" Front Desk w/Chrome Metal "T" Front This square comer unit is used to fo One 3" diameter egress is located in a continuous ABS tube.		•		\$6,844 \$8,211	0	0

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Detachable End Panels (Pair)	59-178-S00 OAK	59-178-S00 MAP	Detachable End Panels (Pair) End panels are 1" thick, 3-ply, 45# c particleboard core with plain-sliced c veneers. Exposed edges are externall with 1.6mm thick, Northern-grown 0.	oak or maple ly banded	52	\$2,212	\$2,411
•	59-E78-S00 OAK	59-E78-S00 MAP	Detachable End Panels (Pair) End panels are 1" thick, 3-ply, 45# of particleboard core with plain-sliced of veneers. Exposed edges are externall with 1.6mm thick, Northern-grown 0.00	oak or maple ly banded	42	\$1,879	\$2,048
Single-Wide Add On 7"H Patron Ledge	59-196-S00 OAK	59-196-S00 MAP	Single-Wide Add On 7"H Patron Ledge Unit is designed to be added onto a s without a patron ledge. The Patron Le to the desktop by means of #8 x 2-1, the work surface into the ledge asser	edge Assembly will attach '2" screws inserted through	10	\$1,194	\$1,301



7" x70" x 7-7/8" Double-Wide Add On 20 \$1,348 \$1,469 7"H Patron Ledge

Unit is designed to be added onto a double wide desk without a patron ledge. The Patron Ledge Assembly will attach to the desktop by means of #8 x 2-1/2" screws inserted through the work surface into the ledge assembly.

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core or with a .050" high-pressure laminate with a .020" thick phenolic backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2" wide solid maple external chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled down at a 20° angle with a 1/2" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered at all four corners and corners radiused 1/8".

LEGS (CHROME)


Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Leg and plate are painted or plated to match the leg (see chrome specifications) and have no sharp edges. The plate is attached to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The bracket is attached to the leg plate and leg using metal to metal fasteners. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

LEG (WIRE MANAGEMENT)


A 1/2" wide slot is located in the back of the leg underneath the angle support bracket, 5/8" down from the top of the leg to within 3-3/8" of the bottom of the leg. To insert cords, a snap on slot cover of 1/8" bent metal and finished to match the leg is supplied to snap on after the cord is put into the slot. The snap on cover allows for a 1" egress at the top and bottom of the slot for cords.


CHROME PLATING SPECIFICATION


Where chrome plated is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.



Epoch Edge Detail







	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core
Round Table	Round Oak Table	with Chrome Leg	<u>'s</u>				
	59C-109-S00 OAK	59C-109-S02 OAK	Round Table	29"Hx38" Diameter	100	\$3,587	\$3,394
	59C-129-S00 OAK	59C-129-S02 OAK	Round Table	29"H x 44" Diameter	110	\$3,727	\$3,532
	59C-141-S00 OAK	59C-141-S02 OAK	Round Table	29"H x 50" Diameter	120	\$3,957	\$3,681
11 11	N/A	59C-130-S02 OAK	Round Table	29"H x 62" Diameter	140	N/A	\$4,449
11 11	Round Maple Tal	ble with Chrome L	egs				
	59C-109-S00 MAP	59C-109-S02 MAP	Round Table	29"Hx38" Diameter	100	\$3,909	\$3,700
	59C-129-S00 MAP	59C-129-S02 MAP	Round Table	29"H x 44" Diameter	110	\$4,062	\$3,851
	59C-141-S00 MAP	59C-141-S02 MAP	Round Table	29"H x 50" Diameter	120	\$4,313	\$4,012
	N/A	59C-130-S02 MAP	Round Table	29"H x 62" Diameter	140	N/A	\$4,849
Square Table	Square Oak Tabl	e with Chrome Leg	gs.				
	59C-191-S00 OAK	59C-191-S02 OAK	Square Table	29" x 32-3/4" x 32-3/4"	100	\$3,710	\$3,309
	59C-137-S00 OAK	59C-137-S02 OAK	Square Table	29" x 44-3/4" x 44-3/4"	100	\$3,849	\$3,448
PI	59C-154-S00 OAK	59C-154-S02 OAK	Square Table	29" x 50-3/4" x 50-3/4"	100	\$4,004	\$3,604
1 11 1	Square Maple Ta	ble with Chrome I	Legs				
	59C-191-S00 MAP	59C-191-S02 MAP	Square Table	29" x 32-3/4" x 32-3/4"	100	\$4,043	\$3,607
	59C-137-S00 MAP	59C-137-S02 MAP	Square Table	29" x 44-3/4" x 44-3/4"	100	\$4,195	\$3,760
	59C-154-S00 MAP	59C-154-S02 MAP	Square Table	29" x 50-3/4" x 50-3/4"	100	\$4,364	\$3,928
Four Reader	Rectangular Oak	Table with Chrom	ne Legs				
Rectangular Table	59C-194-S00 OAK	59C-194-S02 OAK	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$4,058	\$3,81
	59C-195-S00 OAK	59C-19T-S02 OAK	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$4,205	\$3,972
elv-	59C-144-S00 OAK	59C-144-S02 OAK	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$4,203 \$4,151	\$3,90
	59C-138-S00 OAK	59C-138-S02 OAK	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$4,297	\$4,064
	59C-145-S00 OAK	59C-145-S02 OAK	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$4,645	\$4,35
	Rectangular Maj	ole Table with Chro	ome Legs				
	59C-194-S00 MAP	59C-194-S02 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$4,422	\$4,157
	59C-195-S00 MAP	59C-195-S02 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$4,584	\$4,329
	59C-144-S00 MAP	59C-144-S02 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$4,525	\$4,260
	59C-138-S00 MAP	59C-138-S02 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$4,683	\$4,431
	59C-145-S00 MAP	59C-145-S02 MAP	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$5,063	\$4,747
Six Reader Rectangular Table	Rectangular Nak	Table with Chrom	ne I egs				
with Center Support Legs	59C-198-S00 OAK	59C-198-S02 OAK	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$5,940	\$5,596
0-	59C-198-S00 OAK	59C-198-S02 OAK	Rectangular Table	29" x 92-3/4" x 38-3/4" 29" x 92-3/4" x 38-3/4"	150	\$5,940 \$6,033	\$5,688
	59C-134-S00 OAK	59C-134-S02 OAK	Rectangular Table	29" x 92-3/4" x 50-3/4"	200	\$6,583	\$6,011
	Rectangular Mai	ole Table with Chro	nme l egs	, ,			
	59C-198-S00 MAP	59C-198-S02 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$6.47E	\$6,100
	59C-198-S00 MAP	59C-198-S02 MAP	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$6,475 \$6,577	\$6,100 \$6,199
	59C-140-S00 MAP	59C-134-S02 MAP	Rectangular Table	29" x 92-3/4" x 50-3/4"	150 200	\$7,175	\$6,552
	330-101-300 MAI	030-10-302 IVIAI	Recuirgulai Table	23 ×32-3/4 ×30-3/4	200	VI,113	40,332
Chrome Wire	59C-945-S00		Optional Leg	29"H	12		\$784
Management Leg			. 3				

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core or with a .050" high-pressure laminate face a .020" thick phenolic backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 2" wide x 1-3/4" thick solid maple external chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled down at a 20° angle with a 1/2" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered and receive 1/8" radius on all corners.

LEGS (POWDER-COATED)


Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Legs and plates are electrostatic powder-coat painted and have no sharp edges. The plate attaches to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The steel bracket is attached to the leg plate and leg using metal to metal fasteners. The strap may be electrostatic powder-coat painted or chrome plated. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

LEG (WIRE MANAGEMENT)


A 1/2" wide slot is located in the back of the leg underneath the angle support bracket, 5/8" down from the top of the leg to within 3-3/8" of the bottom of the leg. To insert cords, a snap on slot cover of 1/8" bent metal and finished to match the leg is supplied to snap on after the cord is put into the slot. The snap on cover allows for a 1" egress at the top and bottom of the slot for cords.


CHROME PLATING SPECIFICATION


Where chrome plated is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.



Epoch Series Edge







	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core		
Round Table		e with Powder-Coa	<u> </u>		(
				00 II 20 Dit	400	60.004	60.700		
	59-109-S00 OAK	59-109-S02 OAK	Round Table	29"H x 38" Diameter	100	\$2,901	\$2,708		
DOW VENT	59-129-S00 OAK	59-129-S02 OAK	Round Table	29"H x 44" Diameter	110	\$3,040	\$2,849		
ri 11	59-141-S00 OAK	59-141-S02 OAK	Round Table Round Table	29"H x 50" Diameter	120	\$3,271	\$2,995		
11 11	N/A	59-130-S02 OAK	Round Table	29"H x 62" Diameter	140	N/A	\$3,761		
11 11	Round Maple Ta	ble with Powder-C	Coated Legs						
	59-109-S00 MAP	59-109-S02 MAP	Round Table	29"H x 38" Diameter	100	\$3,163	\$2,951		
	59-129-S00 MAP	59-129-S02 MAP	Round Table	29"H x 44" Diameter	110	\$3,313	\$3,105		
	59-141-S00 MAP	59-141-S02 MAP	Round Table	29"H x 50" Diameter	120	\$3,565	\$3,263		
	N/A	59-130-S02 MAP	Round Table	29"H x 62" Diameter	140	N/A	\$4,100		
 Square Table	Square Oak Tab	le with Powder-Co	ated Legs						
	59-191-S00 OAK	59-191-S02 OAK	Square Table	29" x 32-3/4" x 32-3/4"	100	\$2,814	\$2,621		
	59-137-S00 OAK	59-137-S02 OAK	Square Table	29" x 44-3/4" x 44-3/4"	100	\$2,953	\$2,762		
	59-154-S00 OAK	59-154-S02 OAK	Square Table	29" x 50-3/4" x 50-3/4"	100	\$3,110	\$2,916		
1 11 1	Sausro Manlo T	able with Powder-	Coated Lags						
	_		_	0011 00 0 /411 00 0 /411	400		20.05		
1 1	59-191-S00 MAP	59-191-S02 MAP	Square Table	29" x 32-3/4" x 32-3/4"	100	\$3,068	\$2,856		
	59-137-S00 MAP	59-137-S02 MAP	Square Table	29" x 44-3/4" x 44-3/4"	100	\$3,218	\$3,011		
	59-154-S00 MAP	59-154-S02 MAP	Square Table	29" x 50-3/4" x 50-3/4"	100	\$3,390	\$3,179		
Four Reader	Rectangular Oal	k Table with Powd	er-Coated Legs						
Rectangular Table	59-194-S00 OAK	59-194-S02 OAK	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$3,338	\$3,096		
	59-195-S00 OAK	59-195-S02 OAK	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$3,477	\$3,245		
	59-144-S00 OAK	59-144-S02 OAK	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$3,432	\$3,191		
	59-138-S00 OAK	59-138-S02 OAK	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,572	\$3,342		
1 1 1 1	59-145-S00 OAK	59-145-S02 OAK	RectangularTable	29" x 74-3/4" x 50-3/4"	160	\$3,962	\$3,594		
' '	Rectangular Maple Table with Powder-Coated Legs								
	59-194-S00 MAP	59-194-S02 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$3,638	\$3,375		
	59-195-S00 MAP	59-195-S02 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$3,789	\$3,538		
	59-144-S00 MAP	59-144-S02 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$3,741	\$3,478		
	59-138-S00 MAP	59-138-S02 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,895	\$3,642		
	59-145-S00 MAP	59-145-S02 MAP	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$4,319	\$3,918		
Six Reader Rectangular Table	_	k Table with Powd	_						
with Center Support Legs	59-198-S00 OAK	59-198-S02 OAK	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$4,854	\$4,505		
	59-146-S00 OAK	59-146-S02 OAK	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$4,946	\$4,599		
	59-134-S00 OAK	59-134-S02 OAK	RectangularTable	29" x 92-3/4" x 50-3/4"	200	\$5,491	\$4,971		
1 '1 11	Rectangular Ma	<u>ple Table with Pov</u>	vder-Coated Leg	<u>(s</u>					
	59-198-S00 MAP	59-198-S02 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$5,290	\$4,910		
	59-146-S00 MAP	59-146-S02 MAP	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$5,391	\$5,013		
	59-134-S00 MAP	59-134-S02 MAP	Rectangular Table	29" x 92-3/4" x 50-3/4"	200	\$5,986	\$5,419		
Powder-Coated Wire Management Leg	59-945-S00		Optional Leg	29"H	12		\$39		
PI	ease specify Wood Finisl	n (Table 1), High-Pressur Details can be foun		ınd Metal Color; if applicable	(Table :	3).			

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core or lumbercore with a .050" high-pressure laminate face a .020" thick phenolic backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 2" wide x 1-3/4" thick solid maple external chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled down at a 20° angle with a 1/2" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered and receive 1/8" radius on all corners.

LEGS (WOOD)


Legs are 2-1/2" round wood. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Plates are electrostatic powder coat painted and have no sharp edges. The plate attaches to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The steel bracket is attached to the leg plate and leg using metal to metal fasteners. The strap may be electrostatic powder-coat painted or chrome plated. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

LEG (WIRE MANAGEMENT)

A 1/2" wide slot is located in the back of the leg underneath the angle support bracket, 5/8" down from the top of the leg to within 3-3/8" of the bottom of the leg. To insert cords, a snap on slot cover of 1/8" bent metal and finished to match the leg is supplied to snap on after the cord is put into the slot. The snap on cover allows for a 1" egress at the top and bottom of the slot for cords.


CHROME PLATING SPECIFICATION


Where chrome plated is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.



Epoch Series Edge







	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price
Round Table	Round Oak Table	with Wood Legs					
	59W-109-S00 OAK	59W-109-S02 OAK	Round Table	29"Hx38" Diameter	100	\$2,901	\$2,708
AVE WALL	59W-129-S00 OAK	59W-129-S02 OAK	Round Table	29"H x 44" Diameter	110	\$3,040	\$2,849
	59W-141-S00 OAK	59W-141-S02 OAK	Round Table	29"H x 50" Diameter	120	\$3,271	\$2,995
	N/A	59W-130-S02 OAK	Round Table	29"H x 62" Diameter	140	N/A	\$3,761
	Round Maple Tal	ole with Wood Leg	<u>s</u>				
	59W-109-S00 MAP	59W-109-S02 MAP	Round Table	29"Hx38" Diameter	100	\$3,163	\$2,951
	59W-129-S00 MAP	59W-129-S02 MAP	Round Table	29"H x 44" Diameter	110	\$3,313	\$3,105
	59W-141-S00 MAP	59W-141-S02 MAP	Round Table	29"H x 50" Diameter	120	\$3,565	\$3,263
	N/A	59W-130-S02 MAP	Round Table	29"H x 62" Diameter	140	N/A	\$4,100
 Square Table	Square Oak Table	e with Wood Legs					
	59W-191-S00 OAK	59W-191-S02 OAK	Square Table	29" x 32-3/4" x 32-3/4"	100	\$2,814	\$2,621
	59W-137-S00 OAK	59W-137-S02 OAK	Square Table	29" x 44-3/4" x 44-3/4"	100	\$2,953	\$2,762
	59W-154-S00 OAK	59W-154-S02 OAK	Square Table	29" x 50-3/4" x 50-3/4"	100	\$3,110	\$2,916
	Square Maple Ta	ble with Wood Le	<u>{s</u>				
	59W-191-S00 MAP	59W-191-S02 MAP	Square Table	29" x 32-3/4" x 32-3/4"	100	\$3,068	\$2,856
	59W-137-S00 MAP	59W-137-S02 MAP	Square Table	29" x 44-3/4" x 44-3/4"	100	\$3,218	\$3,011
	59W-154-S00 MAP	59W-154-S02 MAP	Square Table	29" x 50-3/4" x 50-3/4"	100	\$3,390	\$3,179
Four Reader	Rectangular Oak	Table with Wood	Legs				
Rectangular Table	59W-194-S00 OAK	59W-194-S02 OAK	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$3,338	\$3,096
	59W-195-S00 OAK	59W-195-S02 OAK	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$3,477	\$3,247
TIV	59W-144-S00 OAK	59W-144-S02 OAK	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$3,432	\$3,191
1	59W-138-S00 OAK	59W-138-S02 OAK	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,572	\$3,342
	59W-145-S00 OAK	59W-145-S02 OAK	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$3,962	\$3,594
	Rectangular Map	ole Table with Woo	od Legs				
_	59W-194-S00 MAP	59W-194-S02 MAP	Rectangular Table	29" x 62-3/4" x 32-3/4"	110	\$3,638	\$3,375
	59W-195-S00 MAP	59W-195-S02 MAP	Rectangular Table	29" x 74-3/4" x 32-3/4"	130	\$3,789	\$3,540
	59W-144-S00 MAP	59W-144-S02 MAP	Rectangular Table	29" x 62-3/4" x 38-3/4"	110	\$3,741	\$3,478
	59W-138-S00 MAP	59W-138-S02 MAP	Rectangular Table	29" x 74-3/4" x 38-3/4"	130	\$3,895	\$3,542
	59W-145-S00 MAP	59W-145-S02 MAP	Rectangular Table	29" x 74-3/4" x 50-3/4"	160	\$4,319	\$3,918
 Six Reader Rectangular Table	Rectangular Nak	Table with Wood	l age				
with Center Support Legs	59W-198-S00 OAK	59W-198-S02 OAK	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$4,854	\$4,505
	59W-146-S00 OAK	59W-146-S02 OAK	Rectangular Table	29" x 92-3/4" x 38-3/4"	150	\$4,946	\$4,599
	59W-134-S00 OAK	59W-134-S02 OAK	•	29" x 92-3/4" x 50-3/4"	200	\$5,491	\$4,971
	Rectangular Man	ole Table with Woo	nd Legs				
	59W-198-S00 MAP	59W-198-S02 MAP	Rectangular Table	29" x 92-3/4" x 32-3/4"	150	\$5,290	\$4,910
	59W-146-S00 MAP	59W-146-S02 MAP	•	29" x 92-3/4" x 38-3/4"	150	\$5,290 \$5,391	\$5,013
	59W-134-S00 MAP	59W-134-S02 MAP	•	29" x 92-3/4" x 50-3/4"	200	\$5,986	\$5,419
Wood Wire	59W-945-S00 OAK		Optional Oak Leg	29"H	12		\$464
Management Leg	59W-945-S00 MAP		Optional Maple Leg	29"H	12		\$464

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core with a .050" high-pressure laminate face and a .020" thick backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2"W solid-maple external undercut chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled down at a 20° angle with a 1/2" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered on all corners and receive a 1/8" radius.

LEGS (CHROME)

Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Leg and plate are painted or plated to match the leg (see chrome specifications) and have no sharp edges. The plate is attached to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The bracket is attached to the leg plate and leg using metal to metal fasteners. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

LEGS (POWDER-COATED)


Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Legs and plates are electrostatic powder-coat painted and have no sharp edges. The plate attaches to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The steel bracket is attached to the leg plate and leg using metal to metal fasteners. The strap may be electrostatic powder-coat painted or chrome plated. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

PRIVACY PANEL


Privacy panels are 10"H, constructed of 1" thick, 9-ply hardwood veneer-core plywood. Exposed panel edges are banded with 1.6mm solid maple. The privacy panel attaches securely to the tabletop by screws passing through the tabletop and into the privacy panels. Privacy panel is finished to match the table edge band. Privacy panel is designed to hide computer wires and to eliminate incidental tampering.

ELECTRICAL

Tables have 3" grommets for wire passage and J-channel wire managers mounted under the table to hold excess wires. Grommets are ABS, black plastic, with notched removable cap. J-channel wire managers are 18-gauge steel with electrostatic applied black powder-coat paint.



Epoch Series Edge



	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
One Position Computer Tables	Table with Chro	ome Legs					
	59C-645-S00 OAK 59C-665-S00 OAK	59C-645-S00 MAP 59C-665-S00 MAP	Sitting Height Sitting Height	27-1/2" x 32-3/4" x 26-3/4" 27-1/2" x 32-3/4" x 32-3/4"	80 80	\$4,374 \$4,428	\$4,768 \$4,828
	Table with Pow	der-Coated Legs					
	59-645-S00 OAK 59-665-S00 OAK	59-645-S00 MAP 59-665-S00 MAP	Sitting Height Sitting Height	27-1/2" x 32-3/4" x 26-3/4" 27-1/2" x 32-3/4" x 32-3/4"	80 80	\$3,115 \$3,193	\$3,394 \$3,480
Two Position Computer Tables	Table with Chro	ome Legs					
	59C-649-S00 OAK 59C-669-S00 OAK	59C-649-S00 MAP 59C-669-S00 MAP	Sitting Height Sitting Height	27-1/2" x 62-3/4" x 26-3/4" 27-1/2" x 62-3/4" x 32-3/4"	110 110	\$5,157 \$5,235	\$5,620 \$5,706
The same of the sa	Table with Pow	der-Coated Legs					
	59-649-S00 OAK 59-669-S00 OAK	59-649-S00 MAP 59-669-S00 MAP	Sitting Height Sitting Height	27-1/2" x 62-3/4" x 26-3/4" 27-1/2" x 62-3/4" x 32-3/4"	110 110	\$4,225 \$4,303	\$4,606 \$4,689
One Position Computer Table	Table with Chro	ome Legs					
with 10"H Privacy Panel	59C-643-S00 OAK 59C-663-S00 OAK	59C-643-S00 MAP 59C-663-S00 MAP	Sitting Height Sitting Height	27-1/2" x 38-3/4" x 26-3/4" 27-1/2" x 38-3/4" x 38-3/4"	70 70	\$4,783 \$4,726	\$5,213 \$5,152
	Table with Pow	der-Coated Legs					
	59-643-S00 OAK 59-663-S00 OAK	59-643-S00 MAP 59-663-S00 MAP	Sitting Height Sitting Height	27-1/2" x 38-3/4" x 26-3/4" 27-1/2" x 38-3/4" x 38-3/4"	70 70	\$3,531 \$3,643	\$3,848 \$3,971
Two Position Computer Table	Table with Chro	ome Legs					
with 10"H Privacy Panel	59C-642-S00 OAK	59C-642-S00 MAP	Sitting Height	27-1/2" x 74-3/4" x 26-3/4"	150	\$5,923	\$6,457
	59C-662-S00 OAK	59C-662-S00 MAP	Sitting Height	27-1/2" x 74-3/4" x 38-3/4"	150	\$6,140	\$6,692
	Table with Pow 59-642-S00 OAK	<u>der-Coated Legs</u> 59-642-S00 MAP		27-1/2" x 74-3/4" x 26-3/4"	150	\$4,504	\$4,909
	59-662-S00 OAK	59-662-S00 MAP	Sitting Height Sitting Height	27-1/2" x 74-3/4" x 38-3/4"	150 150	\$4,726	\$5,152
Three Position Computer Table	Table with Observed						
Three Position Computer Table with 10"H Privacy Panel	Table with Chro 59C-644-S00 OAK	<u>59C-644-S00 MAP</u>	Sitting Height	27-1/2" x 92-3/4" x 26-3/4"	180	\$7,167	\$7,812
	59C-664-S00 OAK	59C-664-S00 MAP	Sitting Height	27-1/2" x 92-3/4" x 38-3/4"	180	\$7,441	\$8,111
	Table with Pow	der-Coated Legs					
	59-644-S00 OAK 59-664-S00 OAK	59-644-S00 MAP 59-664-S00 MAP	Sitting Height Sitting Height	27-1/2" x 92-3/4" x 26-3/4" 27-1/2" x 92-3/4" x 38-3/4"	180 180	\$5,583 \$5,854	\$6,086 \$6,380

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color; if applicable (Table 3). Details can be found on pages GEN 4 and GEN 5.

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard, with a.050" thick high-pressure laminate top surface and a.020" thick backing sheet for balanced construction. Top receives a 2" x 1-3/4" thick external solid drop edge band of Northern-grown Red Oak or maple. Edge band is beveled down at a 20° angle with a 1/2" bullnose leading edge. Square and rectangular tabletop edge bands are mitered at all four corners and radius 1/8".

LEG (METAL)

Legs are 2-1/2" round 16-gauge cold-rolled steel tubing. Legs receive a 9" x 3" x 1/2" cold-rolled steel angle bracket placed at a 45° angle that is attached to a 5" square x 5/16" thick cold-rolled steel plate for connection to the tabletop. Legs are attached to the leg plate and bracket using metal to metal fasteners. The steel angle bracket receives two cutout designs replicating the edge band profile. The leg plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the drop edge band. Edge band extends 1/2" below the tabletop. Each leg receives a 2-1/2"D x 1"H adjustable glide mounted in a recessed threaded insert. Leg and plate are painted or plated to match (see chrome specifications) and have no sharp edges.

LEG (WOOD)

Legs are 2-1/2" round, glued up solid Northern-grown Red Oak or maple. Legs receive a 9" x 3" x 1/2" cold-rolled steel angle bracket placed at a 45° angle that is attached to a 5" square x 5/16" thick cold-rolled steel plate for connection to the tabletop. Legs are attached to the leg plate and bracket using metal to metal fasteners. The steel angle bracket receives two cutout designs replicating the edge band profile. The leg plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internal and external threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the drop edge band. Edge band extends 1/2" below the tabletop. Each leg receives a 2-1/2"D x 1"H adjustable glide mounted in a recessed threaded insert. Leg and plate are painted or plated to match (see chrome specifications) and have no sharp edges.


Note: Angle Bracket and Glide can be individually chrome plated (see chrome specifications) or painted any of Brodart's powder-coat paints as specified.

LEG (WIRE MANAGEMENT)


When specified, a wire management leg will be provided. This leg has a 1/2" wide slot located in the back of the leg underneath the angle support bracket, 3/8" down from the top of the leg and 3-3/8" from the bottom of the leg. A spring loaded cover of 1/8" bent metal and finished to match the leg is _____. The cover allows for a 1" egress at the top and bottom of the slot for cords.

CHROME PLATING SPECIFICATION

Where chrome plating is specified, Brodart provides a decorative chrome electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture-grade finish.



Epoch Series Edge



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price		
Table with Powe	der-Coat Painted l	Metal Legs						ISO Tables
590CIGS29AEPMS	59MCIGS29AEPMS	Standing Height Starter	29" x 42-11/16" x 30-1/2"	80	\$6,339	\$6,782		
590CIGA29AEPMS	59MCIGA29AEPMS	Standing Height Adder	29" x 42-11/16" x 30-1/2"	70	\$4,296	\$4,596		
590CIGS27AEPMS	59MCIGS27AEPMS	Sitting Height Starter	27-1/2" x 42-11/16" x 30-1/2"	80	\$6,339	\$6,782		Starter
590CIGA27AEPMS	59MCIGA27AEPMS	Sitting Height Adder	27-1/2" x 42-11/16" x 30-1/2"	70	\$4,296	\$4,596	1 '	
Table with Woo	d Legs						ı	
590CIGS29AEWMS	59MCIGS29AEWMS	Standing Height Starter	29" x 42-11/16" x 30-1/2"	80	\$6,021	\$6,443		
590CIGA29AEWMS	59MCIGA29AEWMS	Standing Height Adder	29" x 42-11/16" x 30-1/2"	70	\$4,138	\$4,427		Adder
590CIGS27AEWMS	59MCIGS27AEWMS	Sitting Height Starter	27-1/2" x 42-11/16" x 30-1/2"	80	\$6,021	\$6,443		
590CIGA27AEWMS	59MCIGA27AEWMS	Sitting Height Adder	27-1/2" x 42-11/16" x 30-1/2"	70	\$4,138	\$4,427		

Note: For electrical and wire management options for the products listed above, please refer to the Electrical Accessories section of this price list...

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color; if applicable (Table 3). Details can be found on pages GEN 4 and GEN 5.

TABLETOPS

Table tops are 1-3/16" thick, 3-ply 45# density particleboard, with plain-sliced slip matched Northern-grown Red Oak or Maple veneer on both sides. Top receives a 2" x 1-3/4" thick external drop edge band of solid Northern-grown Red Oak or Maple. The band is beveled down at a 20° angle with a 1/2" bullnose leading edge. Square and rectangular tabletop edge bands are mitered at all four corners and radius 1/8".

Note: Tops for tables 96" and smaller will receive the grain of the veneer running in the "long" direction. Tops for tables 96" and longer will receive the grain running in the "short" direction.


BASE - WOOD

The base consists of a top and bottom horizontal stretcher connected by a vertical panel. The top and bottom horizontal pieces will be solid Northern-grown Red Oak or Maple. The vertical panel will be 1-3/16" thick, 3-ply 45# density particleboard, with plain-sliced slip matched Northern-grown Red Oak or Maple veneer on both sides. The upper horizontal part of the each base will receive borings for attaching the assembly to the table top. The lower horizontal piece will receive a 1-1/2" diameter, adjustable glide mounted in a recessed tee-nut which is further recessed into the leg by means of a counter-sink boring which accepts the upper two-thirds of the glide. Table tops are attached to base by bolting through the upper horizontal members of base into internal and external threaded bushings embedded in the underside of the table top.

The assembled base components will connect to each other via two horizontal rails. Rails will be constructed of 1-3/16" thick, 3-ply 45# density particleboard, with plain-sliced slip matched Northern-grown Red Oak or Maple veneer on both sides and attach to base and also provide support for the tabletop.

BASE - WOOD & METAL

The wood and metal base construction is the same as the standard wood base with the addition of two 2-1/2" round 16-gauge cold-rolled steel tubing fitted between the pedestal top and bottom rails. Tubing will be Legs will be finished with electrostatic applied epoxy powder-coat paint.



Epoch Series Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
590C0N367229WPDS	59MC0N367229WPDS	Two Pedestal Base	29" x 72" x 36"	125	\$9,026	\$9,771	Two Pedestal Base
590C0N489629WPDS	59MC0N489629WPDS	Two Pedestal Base	29" x 96" x 48"	190	\$15,871	\$17,311	




590C0N5414429WPDS 59MC0N5414429WPD	S Three Pedestal Base	29" x 144" x 54"	350	\$27,070	\$29,509	Three Pedestal Base
590C0N5418029WPDS 59MC0N5418029WPD	S Three Pedestal Base	29" x 180" x 54"	410	\$28,737	\$31,340	



590C0N5424029WPDS	59MC0N5424029WPDS	Four Pedestal Base	29" x 240" x 54"	550	\$36,673	\$40.007	Four Pedestal Base
3300011372702311173	331110011372702311173	Tour reuesiar base	23 X240 XJ4	JJ0	430,013	9 7 0,00 <i>1</i>	. ou oucota. Bacc




	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Two Pedestal Base	590C0N367229WMPS	59MC0N367229WMPS	Two Pedestal Base	29" x 72" x 36"	125	\$9,694	\$10,440
	590C0N489629WMPS	59MC0N489629WMPS	Two Pedestal Base	29" x 96" x 48"	190	\$16,545	\$17,979





Four Pedestal Base	590C0N5424029WMPS 59MC0N5424029WMPS Four Pedestal Base	29" x 240" x 54"	550	\$38.022	\$41.332



WORKSTATIONS

Workstations are designed in a modular starter/adder configuration and available in single or double-face system. The workstation top is 36" or 47-5/8"W x 28-1/2"D. A 1-1/2"W cord drop runs the width of the carrel between work surface and back panel to allow passage of electrical cords. The workstation support shelf is 8"D. End and intermediate panels are 47-1/2"H and 33-1/8"D. The work surface attaches to end and intermediate panel by (2) metal "Z" brackets with 5/16" - 18 hex-head bolts engaging internally and externally threaded bushings embedded into panels. The back panel is attached to end and intermediate panel using hidden metal keyway attachments. The workstation support shelf is attached to end, intermediate and back panels with 3/4" x 3/4" black steel angle brackets and black #8 screws.

WORKSTATION TOP

The workstation top is 1-3/16" thick, 45# density particleboard core with a top surface of .050" thick high-pressure laminate and .020" thick phenolic backing sheet for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. The exposed edge is banded with a 2"W x 1-3/4" thick solid hard maple external chamfered edge band laminated to the work surface core after lamination of the face plastic. The edge band is beveled at a 20° angle with a 1/2" radius bullnose at the leading edge. The back edge of the top has a black plastic strap 1-1/2"W that projects above the work surface 1/4" to act as a retainer. All work surfaces are 29"H.

END AND INTERMEDIATE PANELS

End and intermediate panels are 1-3/16" thick, 3-ply 45# particleboard core select plain-sliced, slip-matched maple veneer. Vertical and top edges of the end and intermediate panel have 1.6mm thick maple edge band. Each panel has two 1-1/4" diameter chrome adjustable glides. Starter end panels have an arched window inserted 3-1/4" down from the center of the top edge of the panel. The 3-form is 4"H x 16"W and is held in place with 1/4" thick maple molding on both sides of the window (see window specifications). The molding is sanded flush with the panel surfaces. End panels have a 1/4" x 1/4" x 1/4" x 1/4" square rod embedded 4" up from the bottom edge. The square rod can be chrome plated or powder coated as ordered (see chrome specs).

BACK PANEL

The back panel is 3/4" thick 3-ply 45# density particleboard core with plain-sliced slip matched maple veneer on both faces. The top and bottom edges have 16mm maple edge banding. The back panel is attached the end or intermediate panel using metal keyway attachments.

WORKSTATION SUPPORT SHELF


The workstation support is 3/4" thick, 45# density particleboard core with select AA slip-matched maple veneer. The support has a 3/4" thick solid maple external band on the exposed edge. The support is located under the work surface and extends the full width of the workstation.

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart provides a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

WINDOW SPECIFICATIONS

Unless otherwise specified all resin window panels are 1/4" thick. Customers must specify the color they require from those offered by Brodart. The resin window is held in place by 1/4" thick solid wood maple molding, on both sides of the window. The molding is sanded flush with the panel surfaces.



Epoch Series Edge

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Information Access Workstations/Car	rels 36" Wide Worki	nd Snace	<u> </u>				
with Resin Window and Painted Accer	oo mac moral		S/F Starter	47-1/2" x 38-1/4" x 33"	165	\$6,193	\$6,751
	59-672-S00 OAK	59-672-S00 MAP	S/F Adder	47-1/2" x 37-1/4" x 33"	115	\$2,834	\$3,089
	000120000		5 , 1 7.445.	, _		7 _,00 :	40,000
	48" Wide Worki	ng Space					
	59GP-460-S00 OAK	59GP-460-S00 MAP	S/F Starter	47-1/2" x 50" x 33"	195	\$6,414	\$6,991
	59-459-S00 OAK	59-459-S00 MAP	S/F Adder	47-1/2" x 48-3/4" x 33"	145	\$3,055	\$3,329
Starter Adder							
Information Access Workstations/Car		ng Space					
with Resin Window and Chrome Acces	nt 59GC-673-S00 OAK	59GC-673-S00 MAP	S/F Starter	47-1/2" x 38-1/4" x 33"	165	\$7,208	\$7,857
	59-672-S00 OAK	59-672-S00 MAP	S/F Adder	47-1/2" x 37-1/4" x 33"	115	\$2,834	\$3,089
	48" Wide Worki	nd Engag					
	59GC-460-S00 OAK		S/F Starter	47 1 /0" v EO" v 22"	195	67.467	\$8,139
	59-459-S00 OAK	59-459-S00 MAP	S/F Adder	47-1/2" x 50" x 33" 47-1/2" x 48-3/4" x 33"	145	\$7,467 \$3,055	\$3,329
	00 100 000 0/III	00 100 000 11111	O/ 1 / ladoi	11 1/2 × 10 0/1 × 00	1.0	40,000	40,020
Starter Adder							
Information Access Workstations/Car	rels <u>36" Wide Worki</u>	ng Space					
with Painted Metal "T" Accent	59TP-673-S00 OAK	59TP-673-S00 MAP	S/F Starter	47-1/2" x 38-1/4" x 33"	165	\$5,263	\$5,737
	59-672-S00 OAK	59-672-S00 MAP	S/F Adder	47-1/2" x 37-1/4" x 33"	115	\$2,834	\$3,089
	400 14/54 - 14/ - 14/5						
	48" Wide Worki						
	59TP-460-S00 OAK 59-459-S00 OAK	59TP-460-S00 MAP 59-459-S00 MAP	S/F Starter S/F Adder	47-1/2" x 50" x 33" 47-1/2" x 48-3/4" x 33"	195 145	\$5,450 \$3,055	\$5,940 \$3,329
	55-455-300 UAR	33-433-300 WAF	3/ F Audel	41-1/2	145	33,033	33,323
Starter Adder							
Information Access Workstations/Car	rels 36" Wide Worki	ng Space					
with Chrome Metal "T" Accent	59TC-673-S00 OAK	59TC-673-S00 MAP	S/F Starter	47-1/2" x 38-1/4" x 33"	165	\$6,341	\$6,911
	59-672-S00 OAK	59-672-S00 MAP	S/F Adder	47-1/2" x 37-1/4" x 33"	115	\$2,834	\$3,089
	48" Wide Worki	ng Space					
	59TC-460-S00 OAK	59TC-460-S00 MAP	S/F Starter	47-1/2" x 50" x 33"	195	\$6,567	\$7,158
	59-459-S00 OAK	59-459-S00 MAP	S/F Adder	47-1/2" x 48-3/4" x 33"	145	\$3,055	\$3,329
	7						
Starter Adder							

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	
36" Wide Worki	ind Snace						Information Access Workstations/Carrels
59GP-674-S00 OAK	59GP-674-S00 MAP	D/F Starter	47-1/2" x 38-1/4" x 66-1/4"	306	\$11,995	\$13,074	with Resin Window and Painted Accent
59-675-S00 OAK	59-675-S00 MAP	D/F Adder	47-1/2" x37-1/4" x66-1/4"	205	\$5,897	\$6,427	
48" Wide Worki	ing Snace	·					
59GP-461-S00 OAK	59GP-461-S00 MAP	D/F Starter	47-1/2" x 50" x 66-1/4"	366	\$12,671	\$13,811	
59-462-S00 OAK	59-462-S00 MAP	D/F Adder	47-1/2" x 48-3/4" x 66-1/4"	265	\$5,793	\$6,314	Starter
							Adder
36" Wide Worki	ing Space						Information Access Workstations/Carrels
59GC-674-S00 OAK	59GC-674-S00 MAP	D/F Starter	47-1/2" x 38-1/4" x 66-1/4"	165	\$13,966	\$15,223	with Resin Window and Chrome Accent
59-675-S00 OAK	59-675-S00 MAP	D/F Adder	47-1/2" x 37-1/4" x 66-1/4"	205	\$5,897	\$6,427	
48" Wide Worki	ing Space						
59GC-461-S00 OAK	59GC-461-S00 MAP	D/F Starter	47-1/2" x 50" x 66-1/4"	195	\$14,753	\$16,081	
59-462-S00 OAK	59-462-S00 MAP	D/F Adder	47-1/2" x 48-3/4" x 66-1/4"	265	\$5,793	\$6,314	
							Starter
36" Wide Worki 59TP-674-S00 OAK	ing Space 59TP-674-S00 MAP	D/F Starter	47-1/2" x 38-1/4" x 66-1/4"	165	\$10,193	\$11,110	Information Access Workstations/Carrels with Painted Metal "T" Accent
59-675-S00 OAK	59-675-S00 MAP	D/F Adder	47-1/2" x 37-1/4" x 66-1/4"	205	\$5,897	\$6,427	
48" Wide Worki	ing Snace						
59TP-461-S00 OAK	59TP-461-S00 MAP	D/F Starter	47-1/2" x 50" x 66-1/4"	195	\$10,769	\$11,738	
59-462-S00 OAK	59-462-S00 MAP	D/F Adder	47-1/2" x 48-3/4" x 66-1/4"	265	\$5,793	\$6,314	
							Starter
							Adder
36" Wide Worki	ing Space						Information Access Workstations/Carrels
59TC-674-S00 OAK	59TC-674-S00 MAP	D/F Starter	47-1/2" x 38-1/4" x 66-1/4"	165	\$12,281	\$13,386	with Chrome Metal "T" Accent
59-675-S00 OAK	59-675-S00 MAP	D/F Adder	47-1/2" x 37-1/4" x 66-1/4"	205	\$5,897	\$6,427	
48" Wide Worki	ing Space						
59TC-461-S00 OAK	59TC-461-S00 MAP	D/F Starter	47-1/2" x 50" x 66-1/4"	195	\$12,976	\$14,143	
59-462-S00 OAK	59-462-S00 MAP	D/F Adder	47-1/2" x 48-3/4" x 66-1/4"	265	\$5,793	\$6,314	
							Starter
							Adder

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

WORKSTATIONS

Workstations are of modular starter and adder design, with overall height 37". Workstations are available in 36", 48", 72", 96" and 108" width. A knee-space panel located below the work surface supports all work surfaces greater than 48"W. Work surface height is 27-1/2". Work surface depth is 27-3/16" with an additional 1-1/2"W cord drop between the work surface and back panel to allow passage of electrical cords. Work surface is attached to end and intermediate panels by means of two metal 22-1/2" long "Z" brackets with 5/16" - 18 hex-head bolts engaging internally and externally threaded bushings embedded in the panels. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end and intermediate panels and back panels with 3/4" x 3/4" steel, black-painted angle brackets and black #8 screws.

WORK SURFACE

Standard work surface is 1-3/16" thick, 3-ply, 45# density particleboard, including a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a low-glare finish resistant to scratches, fading, staining, etc. High-pressure laminate meets or exceeds NEMA standards. Front edge of work surface has a 2" x 1- 3/4" solid maple edge band in a beveled bullnose shape, the same as the reading tables. The back edge of the top has a black plastic strap 1-1/2"W that projects above the work surface 1/4" to act as a retainer.

END AND INTERMEDIATE PANELS

End and intermediate panels are 1-3/16" thick, 45# density particleboard core with select face veneers of maple. All edges are banded with a 1.6mm edge band. The end panels have an accent window 8-1/2"W x 3-3/4"H (see window specs). They have a 1/4" x 1/4" square rod embedded 3/16"D up 4" from the bottom edge and chrome plated or powder coated as ordered (see chrome specs). Intermediate panels have a 3" diameter grommet below the work surface to allow passage of electrical and data wires. Each panel has two 1-1/4" adjustable glides.

BACK PANEL

Back panel is 3/4" thick, 45# density particleboard core with face veneers of select maple. The top and bottom edges of the back panel have 1.6mm thick solid maple edge bands. Back panels attach to end and intermediate panels by recessed metal fasteners and shoulder screws. The back panel on double-faced units has a 3" diameter grommet below the work surface to allow passage of electrical and data wires.

SHELF

Shelf is 3/4" thick x 8" D 45# density particleboard core with face veneers of select maple. Shelf is banded on the front edge with a 16 mm solid maple band. It attaches to end and intermediate panels by a pair of metal "L" brackets. Back corners of shelf have a 3" x 3" cutout to allow for the passage of electrical cords. The shelf is positioned 10" below the bottom of the work surface.

WIRE MANAGEMENT DOOR

The wire management door, positioned between the bottom of the work surface and the shelf, is designed to form a concealed wire management channel 8-1/2" H x 9-1/2" D. The door is 1/4" thick with select maple face veneers. The door slides in two aluminum tracks, one attaches to the bottom of the work surface while the other attaches to the top of the shelf.

KNEE-SPACE PANEL


All 72" and 96" W workstations, as well as functional corner units, have a knee-space panel under the work surface for additional work surface support. Units 108" W have two knee-space panels. The knee-space panel is 1-3/16" thick, 45# density particleboard core with select face veneers of maple. It is banded on exposed edges with a 1.6 mm solid maple band. The knee-space panel attaches to the back panel using a 1-3/4" square, solid maple post, grooved to receive the knee-space panel and back panels. Panels attach to the post using recessed metal fasteners and shoulder screws. The knee-space panel is angled in the back to create a space to allow passage of electrical and data cords. The knee-space panel has two 1-1/4" diameter black adjustable glides.

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

WINDOW SPECIFICATIONS

Unless otherwise specified, all resin window panels are 1/4" thick resin material. Customers must specify the color they require from those offered by Brodart. The resin window is held in place by 1/4" thick solid wood maple molding, on both sides of the resin. The molding is sanded flush with the panel surfaces.



Epoch Series Edge

\$80 Wilde Working Space \$90 PS31 SS 00 AM	Oak	Maple	Description	H-W-D	Wt.	0ak Drice	Maple	
980-Valle Working Space 980-Valls Sto OAK 990-S31-SS0 MAP 980-S31-SS0 MAP 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S33-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 195 980-S32-SS0 MAP 100-Poilton ID/F Stater 37" x74" x33.1/4" 100 100-Poilton ID/F Stater 100-Poilton ID/F Stater 100-Poilton ID/F Stater 100-Poilton ID/F Stater 100-Poilton ID/F	Catalog No.	Catalog No.	Description	HXWXD	(IDS.)	Price	Price	Cingle Feed One Besition
## Seption 1 Seption 23 Seption 23 Seption 23 Seption 24 Seption 24 Seption 24 Seption 24 Seption 24 Seption 25 Sep	36" Wide Worki	ng Space						Single-Faced One-Position
## Wife Working Space ### Wide Working Space ### Wide Working Space ### Wide Working Space ### ### Working Space ### ### Working Space ### ### Working Space	59GP-S31-SS0 OAK	59GP-S31-SS0 MAP	•	, ,	130	\$4,232	\$4,613	
### Wide Working Space ###	59GC-S31-SS0 OAK	59GC-S31-SS0 MAP	•		130	\$4,908	\$5,349	
Sept	59-S31-SA0 OAK		One-Position S/F Adder	37" x 36-1/2" x 33-1/4"	100	\$2,835	\$3,090	Starter
with Resin Window and Painted Accent with Resin Window and Chrome Accent one Position 5/F Starter with Resin Window and Chrome Accent one Position 5/F Starter with Resin Window and Chrome Accent one Position 5/F Starter with Resin Window and Chrome Accent one Position 5/F Starter with Resin Window and Painted Accent one Position D/F Starter with Resin Window and Painted Accent with Resin Window and Painted Accent with Resin Window and Painted Accent one Position D/F Starter with Resin Window and Painted Accent with Resin Wi	<u>48" Wide Worki</u>	ng Space						
will Resin Working Space 989C-031-SS0 0AK 596C-031-SS0 MAP One-Position D/F Starter 37* x37-1/2* x63-1/2* 155 \$6,335 \$6,905 \$190-131-SS0 0AK 596C-031-SS0 MAP One-Position D/F Starter 37* x37-1/2* x63-1/2* 155 \$6,335 \$6,905 \$190-131-SS0 0AK 596C-031-SS0 MAP One-Position D/F Starter 37* x37-1/2* x63-1/2* 155 \$7,349 \$8,010 \$190-131-SS0 0AK 596D-031-SS0 MAP One-Position D/F Starter 37* x37-1/2* x63-1/2* 155 \$7,349 \$8,010 \$190-131-SS0 0AK 596D-031-SS0 0AK 596D-031-SS0 MAP One-Position D/F Starter 37* x37-1/2* x63-1/2* 155 \$4,543 \$4,952 \$181-131-131-131-131-131-131-131-131-131-	59GP-S41-SS0 OAK	59GP-S41-SS0 MAP	•		155	\$4,458	\$4,859	Adder
Double-Faced One-Position Patient 37* x37-1/2* x63-1/2* 155 56,335 56,005	59GC-S41-SS0 OAK	59GC-S41-SS0 MAP	•		155	\$5,171	\$5,637	
980-P31-SS0 AM S90-P31-SS0 MAP	59-S41-SA0 OAK	59-S41-SA0 MAP	One-Position S/F Adder	37" x 48" x 33-1/4"	125	\$2,916	\$3,179	
with Besin Window and Painted Accent One Position D/F Starter with Resin Window and Chrome Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position D/F Starter with Resin Window and Painted Accent One Position S/F Starter Wind Working Space 990C-932-SS0 OAK 990C-932-	36" Wide Worki	ng Space						Double-Faced One-Position
Sign C-031-SS0 OAK Sign C-031-SS0 MAP Sign C-031-SS0 MAP Sign C-031-SS0 OAK Sign D-041-SS0 OAK Sign D-	59GP-D31-SS0 OAK	59GP-D31-SS0 MAP	•	, ,	155	\$6,335	\$6,905	
Sep	59GC-D31-SS0 OAK	59GC-D31-SS0 MAP	One-Position D/F Starter	37" x 37-1/2" x 63-1/2"	155	\$7,349	\$8,010	
## Segn-D41-SS0 MAK Segn-D41-SS0 MAP One-Position D/F Starter 37" x49-1/4" x63-1/2" 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$6,713 \$7,316 with Resin Window and Chrome Accent 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$6,713 \$7,316 with Resin Window and Painted Accent 195 \$4,375 \$4,769 Adder 37" x49" x48" x63-1/2" 195 \$4,375 \$4,769 Adder 37" x74" x33-1/4" 195 \$5,588 \$6,091 with Resin Window and Painted Accent 37" x74" x33-1/4" 195 \$6,481 \$7,065 \$6,582 \$4,591 \$6,481 \$7,065 \$6,582 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,592 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6,992 \$6,792 \$7,335 \$6	59-D31-SA0 OAK	59-D31-SA0 MAP			155	\$4,543	\$4,952	Starter
### Wide Working Space ### Window and Painted Accent One-Position D/F Starter with Resin Window and Chrome Accent One-Position D/F Starter with Resin Window and Chrome Accent One-Position D/F Adder ### 37" x 48" x 63-1/2" ### 195	48" Wide Worki	ng Space						
## Wide Working Space	59GP-D41-SS0 OAK	59GP-D41-SS0 MAP	•	, ,	195	\$6,713	\$7,316	
36" Wide Working Space 99GP-S32-SS0 0AK 59GP-S32-SS0 MAP	59GC-D41-SS0 OAK	59GC-D41-SS0 MAP	,		195	\$7,787	\$8,489	Adder
### Pro-Position S/F Starter with Resin Window and Painted Accent with Resin Window and Painted Accent with Resin Window and Painted Accent with Resin Window and Chrome Accent with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Painted Accent Two-Position S/F Starter with Resin Window and Painted Accent with Resin Window and Painted Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Chrome Accent Two-Position S/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Po	59-D41-SA0 OAK	59-D41-SA0 MAP	One-Position D/F Adder	37" x 48" x 63-1/2"	195	\$4,375	\$4,769	
### Sign Sign Sign Sign Sign Sign Sign Sign	36" Wide Worki	ing Snace						Single-Faced Two-Position
### Sepace ### Se	59GP-S32-SS0 OAK		•	,	195	\$5,588	\$6,091	
\$9-\$32-\$A0 OAK \$9-\$32-\$A0 MAP Two-Position S/F Adder \$7" x 73" x 33-1/4" 165 \$4,212 \$4,591 \$18" Wide Working Space \$96P-\$42-\$S0 OAK \$96P-\$42-\$S0 MAP Two-Position S/F Starter \$7" x 97-1/4" x 33-1/4" 235 \$5,965 \$6,502 with Resin Window and Painted Accent \$7" x 96" x 33-1/4" 235 \$6,918 \$7,539 \$442-\$A0 OAK \$9-\$342-\$A0 OAK \$99-\$342-\$A0 OAK \$99-\$342-\$A0 OAK \$99-\$342-\$A0 OAK \$99-\$342-\$30 OAK \$99-\$32-\$\$S0 OAK \$96P-\$32-\$\$S0 OAK \$96P-\$32-\$\$S0 OAK \$99-\$32-\$\$S0 OAK \$99-\$32-\$\$O O	59GC-S32-SS0 OAK	59GC-S32-SS0 MAP	Two-Position S/F Starter	37" x 74" x 33-1/4"	195	\$6,481	\$7,065	
### Sign	59-S32-SA0 OAK	59-S32-SA0 MAP			165	\$4,212	\$4,591	Starter
with Resin Window and Painted Accent Two-Position S/F Starter 37" x 97-1/4" x 33-1/4" 235 \$6,918 \$7,539 with Resin Window and Chrome Accent Two-Position S/F Adder 37" x 96" x 33-1/4" 205 \$4,432 \$4,832 Double-Faced Two-Position Segr-D32-SS0 MAP Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Adder Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Painted Accent Two-Position D/F Starter with Resin Window and Chrome Accent with Resin Window and Chrome Accent Two-Position D/F Starter with Resin Window and Chrome Accent	<u>48" Wide Worki</u>	ng Space						
### SegC-S42-SS0 MAP Two-Position S/F Starter 37" x97-1/4" x33-1/4" 235 \$6,918 \$7,539 with Resin Window and Chrome Accent 37" x96" x33-1/4" 205 \$4,432 \$4,832 \$699-542-SA0 MAP Two-Position D/F Starter 37" x74" x63-1/2" 330 \$8,421 \$9,179 with Resin Window and Painted Accent 37" x74" x63-1/2" 330 \$9,769 \$10,648 \$96C-D32-SS0 MAP Two-Position D/F Starter 37" x74" x63-1/2" 330 \$9,769 \$10,648 \$9032-SA0 MAP Two-Position D/F Adder 37" x73" x63-1/2" 270 \$6,729 \$7,335 \$10,900 \$10,90	59GP-S42-SS0 OAK	59GP-S42-SS0 MAP	,		235	\$5,965	\$6,502	Adday
### Double-Faced Two-Position ### With Resin Window and Painted Accent ### With Resin Window and Painted Accent ### With Resin Window and Painted Accent ### Wide Working Space ### Wide Working Space #### B9GP-D42-SS0 MAP Two-Position D/F Starter	59GC-S42-SS0 OAK	59GC-S42-SS0 MAP	,		235	\$6,918	\$7,539	Addel
59GP-D32-SS0 0AK 59GP-D32-SS0 MAP	59-S42-SA0 OAK	59-S42-SA0 MAP	Two-Position S/F Adder	37" x 96" x 33-1/4"	205	\$4,432	\$4,832	
59GP-D32-SS0 0AK 59GP-D32-SS0 MAP	<u>36" Wide Wo</u> rki	ng Space						Double-Faced Two-Position
59GC-D32-SS0 0AK 59GC-D32-SS0 MAP Two-Position D/F Starter 37" x 74" x 63-1/2" 330 \$9,769 \$10,648 with Resin Window and Painted Accent 59-D32-SA0 0AK 59-D32-SA0 MAP Two-Position D/F Adder 37" x 73" x 63-1/2" 270 \$6,729 \$7,335 Starter 48" Wide Working Space 59GP-D42-SS0 0AK 59GP-D42-SS0 0AK 59GP-D42-SS0 0AK 59GC-D42-SS0 0AK 59GC	59GP-D32-SS0 OAK		•	•	330	\$8,421	\$9,179	
59-D32-SA0 MAP Two-Position D/F Adder 37" x 73" x 63-1/2" 270 \$6,729 \$7,335 Starter 48" Wide Working Space 59GP-D42-SS0 MAP Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$8,691 \$9,473 with Resin Window and Painted Accent 59GC-D42-SS0 OAK 59GC-D42-SS0 MAP Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$10,083 \$10,990 with Resin Window and Chrome Accent	59GC-D32-SS0 OAK	59GC-D32-SS0 MAP	Two-Position D/F Starter	37" x 74" x 63-1/2"	330	\$9,769	\$10,648	
59GP-D42-SS0 OAK 59GP-D42-SS0 MAP Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$8,691 \$9,473 with Resin Window and Painted Accent Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$10,083 \$10,990 with Resin Window and Chrome Accent Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$10,083 \$10,990 with Resin Window and Chrome Accent 37" x 96" x 63-1/2" 355 \$6,652 \$7,250	59-D32-SA0 OAK	59-D32-SA0 MAP			270	\$6,729	\$7,335	Starter
with Resin Window and Painted Accent Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$10,083 \$10,990 with Resin Window and Chrome Accent Two-Position D/F Adder 37" x 96" x 63-1/2" 355 \$6.652 \$7.250	48" Wide Worki	ng Space						
59GC-D42-SS0 0AK 59GC-D42-SS0 MAP Two-Position D/F Starter 37" x 97-1/4" x 63-1/2" 355 \$10,083 \$10,990 with Resin Window and Chrome Accent	59GP-D42-SS0 OAK	59GP-D42-SS0 MAP	•	, ,	355	\$8,691	\$9,473	
50.D/2.SA0.0AK	59GC-D42-SS0 OAK	59GC-D42-SS0 MAP	Two-Position D/F Starter	37" x 97-1/4" x 63-1/2"	355	\$10,083	\$10,990	
	59-D42-SA0 OAK	59-D42-SA0 MAP			355	\$6,652	\$7,250	Adder

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.


	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Single-Faced One-Position	36" Wide Workin	of Snaca	-				
	59TP-S31-SS0 OAK	59TP-S31-SS0 MAP	One-Position S/F Starter	37" x 37-1/2" x 33-1/4"	130	\$3,596	\$3,919
	59TC-S31-SS0 OAK	59TC-S31-SS0 MAP	with Painted Metal "T" Accent One-Position S/F Starter	37" x 37-1/2" x 33-1/4"	130	\$4,360	\$4,752
Starter	59-S31-SA0 OAK	59-S31-SA0 MAP	with Chrome "T" Accent One-Position S/F Adder	37" x 36-1/2" x 33-1/4"	100	\$2,835	\$3,090
	48" Wide Workin	g Space					
Adder	59TP-S41-SS0 OAK	59TP-S41-SS0 MAP	One-Position S/F Starter with Painted Metal "T" Accent	37" x 49-1/4" x 33-1/4"	155	\$3,788	\$4,129
Adder	59TC-S41-SS0 OAK	59TC-S41-SS0 MAP	One-Position S/F Starter with Chrome "T" Accent	37" x 49-1/4" x 33-1/4"	155	\$4,591	\$5,003
	59-S41-SA0 OAK	59-S41-SA0 MAP	One-Position S/F Adder	37" x 48" x 33-1/4"	125	\$2,916	\$3,179
Double-Faced One-Position	36" Wide Workin	g <u>Space</u>					
	59TP-D31-SS0 OAK	59TP-D31-SS0 MAP	One-Position D/F Starter with Painted Metal "T" Accent	37" x 37-1/2" x 63-1/2"	155	\$5,385	\$5,869
	59TC-D31-SS0 OAK	59TC-D31-SS0 MAP	One-Position D/F Starter with Chrome "T" Accent	37" x 37-1/2" x 63-1/2"	155	\$6,525	\$7,113
Starter	59-D31-SA0 OAK	59-D31-SA0 MAP	One-Position D/F Adder	37" x 37-1/2" x 63-1/2"	155	\$4,543	\$4,952
	48" Wide Workin	g Space					
	59TP-D41-SS0 OAK	59TP-D41-SS0 MAP	One-Position D/F Starter with Painted Metal "T" Accent	37" x 49-1/4" x 63-1/2"	195	\$5,707	\$6,221
Adder	59TC-D41-SS0 OAK	59TC-D41-SS0 MAP	One-Position D/F Starter with Chrome "T" Accent	37" x 49-1/4" x 63-1/2"	195	\$6,914	\$7,536
	59-D41-SA0 OAK	59-D41-SA0 MAP	One-Position D/F Adder	37" x 48" x 63-1/2"	195	\$4,375	\$4,769
Single-Faced Two-Position	36" Wide Workin	g <u>Space</u>					
	59TP-S32-SS0 OAK	59TP-S32-SS0 MAP	Two-Position S/F Starter with Painted Metal "T" Accent	37" x 74" x 33-1/4"	195	\$4,751	\$5,177
	59TC-S32-SS0 OAK	59TC-S32-SS0 MAP	Two-Position S/F Starter with Chrome "T" Accent	37" x 74" x 33-1/4"	195	\$5,756	\$6,274
Starter	59-S32-SA0 OAK	59-S32-SA0 MAP	Two-Position S/F Adder	37" x 73" x 33-1/4"	165	\$4,212	\$4,591
	48" Wide Workin	g Space					
Adder	59TP-S42-SS0 OAK	59TP-S42-SS0 MAP	Two-Position S/F Starter with Painted Metal "T" Accent	37" x 97-1/4" x 33-1/4"	235	\$5,068	\$5,525
	59TC-S42-SS0 OAK	59TC-S42-SS0 MAP	Two-Position S/F Starter with Chrome "T" Accent	37" x 97-1/4" x 33-1/4"	235	\$6,141	\$6,694
	59-S42-SA0 OAK	59-S42-SA0 MAP	Two-Position S/F Adder	37" x 96" x 33-1/4"	205	\$4,432	\$4,832
Double-Faced Two-Position	36" Wide Workin	g Space					
	59TP-D32-SS0 OAK	59TP-D32-SS0 MAP	Two-Position D/F Starter with Painted Metal "T" Accent	37" x 74" x 63-1/2"	330	\$7,158	\$7,802
	59TC-D32-SS0 OAK	59TC-D32-SS0 MAP	Two-Position D/F Starter with Chrome "T" Accent	37" x 74" x 63-1/2"	330	\$8,672	\$9,454
Starter	59-D32-SA0 OAK	59-D32-SA0 MAP	Two-Position D/F Adder	37" x 73" x 63-1/2"	270	\$6,729	\$7,335
	48" Wide Workin	g Space					
	59TP-D42-SS0 OAK	59TP-D42-SS0 MAP	Two-Position D/F Starter with Painted Metal "T" Accent	37" x 97-1/4" x 63-1/2"	355	\$7,387	\$8,052
	59TC-D42-SS0 OAK	59TC-D42-SS0 MAP	Two-Position D/F Starter with Chrome "T" Accent	37" x 97-1/4" x 63-1/2"	355	\$8,952	\$9,758
Adder	59-D42-SA0 OAK	59-D42-SA0 MAP	Two-Position D/F Adder	37" x 96" x 63-1/2"	355	\$6,652	\$7,250

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
36" Wide Worki	ng Space						Single-Faced Three-Position
59GP-S33-SS0 OAK	59GP-S33-SS0 MAP	Three-Position S/F Starter with Resin Window and Painte	37" x 110-1/2" x 33-1/4" d Accent	260	\$7,062	\$7,698	
59GC-S33-SS0 OAK	59GC-S33-SS0 MAP	Three-Position S/F Starter with Resin Window and Chrom	37" x 110-1/2" x 33-1/4" e Accent	260	\$8,192	\$8,929	
59-S33-SA0 OAK	59-S33-SA0 MAP	Three-Position S/F Adder	37" x 109-1/4" x 33-1/4"	230	\$5,522	\$6,019	Starter

00,14,14,14,14						Double Food Three Position
36" Wide Worki	ng Space					Double-Faced Three-Position
59GP-D33-SS0 OAK	59GP-D33-SS0 MAP	Three-Position D/F Starter with Resin Window and Painte	37" x 110-1/2" x 33-1/4" d Accent	445	\$9,114	\$9,934
59GC-D33-SS0 OAK	59GC-D33-SS0 MAP	Three-Position D/F Starter with Resin Window and Chrom	37" x 110-1/2" x 33-1/4" e Accent	445	\$10,574	\$11,526
59-D33-SA0 OAK	59-D33-SA0 MAP	Three Position D/FAdder	37" x 109-1/4" x 33-1/4"	385	\$10,095	\$11,002
						Starter
						Adder

59GP-SCR-SS0 OAK	59GP-SCR-SS0 MAP	90-Degree Functional	37" x 62" x 33-1/4"	225	\$8,997	\$9,807
		Corner Starter with Resin Wind	ow and Painted Accent			
59GC-SCR-SS0 OAK	59GC-SCR-SS0 MAP	90-Degree Functional	37" x 62" x 33-1/4"	225	\$10,437	\$11,376
		Corner Starter with Resin Wind	ow and Chrome Accent			
59-SCR-SAO OAK	59-SCR-SA0 MAP	90-Degree Functional	37" x 62" x 33-1/4"	195	\$7,452	\$8,123
		Corner Adder				




Adder



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Single-Faced Three-Position	36" Wide Work Su	rface					
	59TP-S33-SS0 OAK	59TP-S33-SS0 MAP	Three-Position S/F Starter with Painted Metal "T" Accent	37" x 110-1/2" x 33-1/4"	260	\$6,003	\$6,542
Starter	59TC-S33-SS0 OAK	59TC-S33-SS0 MAP	Three-Position S/F Starter with Chrome "T" Accent	37" x 110-1/2" x 33-1/4"	260	\$7,274	\$7,929
Starter	59-S33-SA0 OAK	59-S33-SA0 MAP	Three-Position S/F Adder	37" x 109-1/4" x 33-1/4"	230	\$5,522	\$6,019
Adder							



90° Functional Corner Unit	59TP-SCR-SS0 OAK	59TP-SCR-SS0 MAP	90-Degree Functional Corner Starter with Painted M	37" x 62" x 33-1/4"	225	\$7,647	\$8,335
	59TC-SCR-SSO OAK	59TC-SCR-SS0 MAP		37" x 62" x 33-1/4"	225	\$9,267	\$10,101
Starter	59-SCR-SAO OAK	59-SCR-SAO MAP	90-Degree Functional Corner Adder	37" x 62" x 33-1/4"	195	\$7,452	\$8,123

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

WORK SURFACE

Each work surface is constructed of durable particleboard, and has a high-pressure laminate face that creates a protective, low-glare finish resistant to scratches, fading, and staining. All work surfaces measure a spacious 62"W x 44-1/2"D with a 62" radius, and are 29"H. Twoposition units have one top, and four-position units have two.

WORK SURFACE DIVIDER PANEL

Workstation divider panels are designed to provide semi-privacy and workspace definition. In a contemporary twist, all workstation divider panels feature an eye-catching window. Divider panels are made of sturdy, maple-veneered particleboard and measure 17-1/2"H x 42"W x 1-3/4" thick. Four-position units have two work surface divider panels.

WORK SURFACE BASE

All work surface bases measure 27-5/16"H and are made of two pieces of 3/4" maple-veneered particleboard with spacer, which brings the total thickness to 1-3/4". A 3" grommet hole is positioned in the upper rear corner of each panel, creating a convenient wire passage. Four-position units have two work surface bases.

END PANELS

End panels are made of durable, maple-veneered particleboard measuring 47"H. The veneer grain runs vertical on the end panels and all edges receive a 1.6mm thick maple band. In the four-position unit, 3" grommets in the panels are located under the work surface for a convenient wire passage.

CENTER POST

Workstation center posts measure 47-1/4"H x 2-1/4"W x 1-3/4" thick on two-position stations. Four-position center posts measure 47-1/4"H x 1-3/4"W x 1-3/4" thick. All posts are made of solid hard maple and have a 1/2" adjustable floor glide.

ELECTRICAL COMPONENTS

As standard equipment, two-position units have two Brodart model #73-200-S00 lift-up black electrical grommets, which include duplex outlets and data jack ports. Each component measures 6" x 4-1/2" and is located in the corner of each work surface. Four-position units have four lift-up grommets.


As standard equipment, the two- and four-position units have one #73-210-S00 2-1/4" diameter black flexible wire manager, which allows wires to be kept together and out of sight. The wire manager is easily movable, but is weighted at the bottom for secure positioning.

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart provides a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. The brilliance of the chrome plating enhances the overall look of the piece and creates a high-quality furniture grade finish

WINDOW SPECIFICATIONS

Unless otherwise specified, all resin window panels are 1/4" thick, resin material. Customers may specify the preferred tint color from those offered by Brodart. Window panels are securely held in place by 1/4" thick solid wood maple molding on both sides.



Epoch Series Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
59-822-S00 OAK	59-822-S00 MAP	S/FTwo Position Computer Workstation	47-1/2" x 60" x 46-3/4"	290	\$8,068	\$8,794	Two Position Computer Workstation
59-824-S00 OAK	59-824-S00 MAP	D/F Four Position Computer Workstation	47-1/2" x 60" x 90-3/16"	480	\$14,570	\$15,881	Four Position Computer Workstation

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

STATION TOP

Each top is 47"W at the front, tapering to 21-3/16" at the rear. Tops are 28-1/2"D plus a 1-1/2"W cord drop runs the width of the station between the top and back panel to allow passage of electrical and data cords. Station tops are 1-3/16" thick, 45# density particleboard core including a top surface of .050" thick, high-pressure laminate and a backing sheet .020" thick, for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. The front edge of the top is banded with a 2" x 1-3/4"W solid maple external edge band glued to the work surface core after lamination of the face plastic. The edge band is beveled at 20° to a 1/2" radius bullnose at the leading edge.

VERTICAL PANELS

End and intermediate panels are 1-3/16" thick, 45# density particleboard core. Veneer on both faces of the panels are plain-sliced maple and slip matched. The vertical edges of the panel and top edge receive a 1.6mm edge band.

ELECTRICAL ACCESS DOOR

(One for each 3- or 6-station unit) Access door is 3/4" thick, comprised of select face veneers of maple over a particleboard core. Panel is externally banded on all four sides with a 1/4" thick solid maple edge band. Door have a full-length hinge and have a lock. Access door is located on one back panel, which can be located anywhere in the PAC station.

BACK PANEL

The back panel is 1-3/16" thick, 3-ply 45# density particle-board core with select plain-sliced, slip-matched maple veneer on both faces. The panel is externally banded with 1.6mm thick solid maple on both the bottom edge and the top edge.

Back panels are attached to end and intermediate panels using hidden metal keyways and shoulder screws. Back panels have a 3" diameter grommeted egress for electrical cords to pass to the center hub of half-hexagon station configurations.

SHELVES


Shelves are 3/4" thick, select maple veneered 45# density particleboard having a 5/8" thick 1-3/4"H solid maple front edge band.

CENTER CAP

The center caps are 3/4" thick, 45# density particleboard, with high-pressure laminate to match the tops and shaped to enclose half-hexagon and full-hexagon station configurations.


WORKING SPACE

The working space is adjustable to: Standing Height 39", ADA Height 32" and Sitting Height 27".




Epoch Series Edge

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Six Position PAC Station	59-682-S00 OAK	59-682-S00 MAP	Six position with	45-1/4" x 101-1/2" x 101-1/2"	500	\$15,393	\$16,777
			angular tops.				



Three Position PAC Station 59-685-S00 OAK 59-685-S00 MAP Three position with 45-1/4" x 101-1/2" x 50-3/4" 265 \$9,608 \$10,473 angular tops. Composed of one starter unit and two adder units.



Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

This unit consists of a C.P.U. cabinet, a work surface, end panels and monitor shield.

C.P.U. STORAGE CABINET

The C.P.U. storage cabinet is constructed of 3/4" maple veneer plywood, that matches the end panels. The cabinet is 22-1/4"H x 24"W x 23-1/2"D. Inside cabinet dimensions are 20"H x 22-1/2"W x 22"D. The front has two doors, that can be locked. The cabinet is attached to the underside of the work surface. The bottom of the cabinet has a 3" grommet in each rear corner for wire passage.

WORK SURFACE

The work surface is 1-3/16" thick, 3-ply 45# density particleboard core with .050" high-pressure laminate face and a .020" thick phenolic backing sheet on the underside. The high-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining in accordance with NEMA standards.

The front edge of the work surface an external maple edge band 2"W \times 1-3/4" T to match the shape of the edge on the tables. The rear edge has an external 5/8"W \times 1-5/8" T bullnose solid maple band. A 3" grommet centered 6" from the back edge allows wires and heat to escape the cabinet.

END PANELS

The end panels measure 48-5/32"H x 33-1/8"W x 1-3/16" thick and include 1/2"H leveling glides. The end panels are plain sliced, slip matched maple veneers on a particleboard core of 45# density. The edges receive 1.6mm thick maple bands with top and vertical edges bullnosed. The vertical edges are also tapered down 2° from top to bottom. The top edge is arched with a 47-3/8" radius. A resin panel window 3-3/4"H \times 8-1/2"W is inserted 3-1/4" down from the center of the top edge (see Window Specifications). The resin is held in place with

1/4" thick maple molding on both sides of the window. The molding is sanded flush on both panel surfaces. A 1/4" x 1/4" x 3/16" chrome plated or powder-coat painted square steel rod is embedded 4" from the bottom edge of the panel.

MONITOR SHIELD


A monitor shield is bolted to the work surface 1-5/8" from the rear edge. It is 9"H x 18"W with a 9" radius shape. The material is 1/8" thick steel, black textured powder-coated.

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

WINDOW SPECIFICATIONS

Unless otherwise specified, all resin window panels are 1/4" thick. Customers must specify the tint color they require from those offered by Brodart. Resin is held in place by 1/4" thick solid wood maple molding, on both sides of the window. The molding is sanded flush with the panel surfaces.



Epoch Series Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
59GP-039-S00 OAK	59GP-039-S00 MAP	OPAC Station with	48-1/8" x 26-1/4" x 33"	296	\$4,556	\$4,967	OPAC Station
		Resin Window and Painted Ad	ccent				
59GC-039-S00 OAK	59GC-039-S00 MAP	OPAC Station with	48-1/8" x 26-1/4" x 33"	296	\$5,365	\$5,847	
		Resin Window and Chrome Ad	ccent				
59TP-039-S00 OAK	59TP-039-S00 MAP	OPAC Station with	48-1/8" x 26-1/4" x 33"	296	\$3,414	\$3,722	
		Painted Metal "T" Accent					
59TC-039-S00 OAK	59TC-039-S00 MAP	OPAC Station with	48-1/8" x 26-1/4" x 33"	296	\$4,645	\$5,063	
		Painted Chrome "T" Accent					
							1 1 1
		Please specify Wood Finish (Ta	able 1). High-Pressure Lami	nate (Tabl	e 2). Metal C	olor (Table	3)

and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

TOP

The sloped top is 1-3/16" thick, 3-ply particleboard including a top surface of .050" thick high-pressure laminate, with a backing sheet not less than .020" thick. The back edge band is solid wood 1/4" thick and the front edge is 2" wide x 1-3/4" thick with the Epoch shape.

STAND

The back edge is internal and the front edge is external. A $5/8" \times 5/8" \times 5/8"$ solid wood book retainer strip is positioned at the front edge of the sloped top. The back, bottom, and shelf are 3/4" thick furniture grade plywood. The ends are 1-3/16" thick furniture-grade plywood with a bullnosed 5/8" thick edge on the top and vertical edges and 5/8" thick flat edge on the bottom edge. The bottom has adjustable floor glides. The vertical edges of the end panels angle out from the bottom at 92° the top edge has a 17-5/8" radius.


Toward the top center of each end panel is a resin window 9" x 3". The type of window is specified on the order, as many patterns and colors are available. A metal strip 1/4" x 1/4" is embedded 3/16" deep into the panel on the ouside 4" up from the bottom edge. This strip is chrome or powder-coat as specified.

METAL "T" ACCENT

A 1-1/4" x 1/4" metal strip with a 6" center leg is embedded 3/16" deep across the panel towards the top and is chromed or powder-coated as specified.

SHELVES

There is one adjustable shelf that rests on $5/15-18 \times 1$ " pins.



Epoch Series Edge

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
Dictionary Stand	59GP-869-S00 OAK	59GP-869-S00 MAP	Dictionary Stand	47-1/2" x 24-3/8" x 18-11/16"	200	\$4,978	\$5,425
6			with Resin Window a	and Painted Accent			
	59GC-869-S00 OAK	59GC-869-S00 MAP	Dictionary Stand	47-1/2" x 24-3/8" x 18-11/16"	200	\$5,787	\$6,308
			with Resin Window a	and Chrome Accent			
	59TP-869-S00 OAK	59TP-869-S00 MAP	Dictionary Stand	47-1/2" x 24-3/8" x 18-11/16"	200	\$4,258	\$4,640
			with Painted Metal '	"T" Accent			
	59TC-869-S00 OAK	59TC-869-S00 MAP	Dictionary Stand	47-1/2" x 24-3/8" x 18-11/16"	200	\$5,127	\$5,590
			with Painted Chrom	e "T" Accent			

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

TOP

The sloped top is 1-3/16" thick, 3-ply particleboard including a top surface of .050" thick high-pressure laminate, with a backing sheet not less than .020" thick. The back edge band is solid wood 1/4" thick and the front edge is 2" wide x 1-3/4" thick with the Epoch shape.

STAND

The back edge is internal and the front edge is external. A $5/8" \times 5/8" \times 5/8"$ solid wood book retainer strip is positioned at the front edge of the sloped top. The back, bottom, and shelf are 3/4" thick furniture grade plywood. The ends are 1-3/16" thick furniture grade plywood with a bullnosed 5/8" thick edge on the top and vertical edges and 5/8" thick flat edge on the bottom edge. The bottom has adjustable floor glides. The vertical edges of the end panels angle out from the bottom at 92° the top edge has a 17-5/8" radius.


Toward the top center of each end panel is a resin window 9" x 3". The type of window is specified on the order, as many patterns and colors are available. A metal strip 1/4" x 1/4" is embedded 3/16" deep into the panel on the ouside 4" up from the bottom edge. This strip is chrome or powder-coat as specified.

METAL "T" ACCENT

A 1-1/4" x 1/4" metal strip with a 6" center leg is embedded 3/16" deep across the panel towards the top and is chromed or powder-coated as specified.

SHELVES

There is one adjustable shelf that rests on $5/15-18 \times 1$ " pins.



Epoch Series Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	
59GP-871-S00 OAK	59GP-871-S00 MAP	Atlas Stand with	47-9/16" x 28-3/8" x 33-1/8"	225	\$6,112	\$6,663	Atlas Stand
		Resin Window and	Painted Accent				
59GC-871-S00 OAK	59GC-871-S00 MAP	Atlas Stand with	47-9/16" x 28-3/8" x 33-1/8"	225	\$6,920	\$7,543	
		Resin Window and	Chrome Accent				
59TP-871-S00 OAK	59TP-871-S00 MAP	Atlas Stand with	47-9/16" x 28-3/8" x 33-1/8"	225	\$5,372	\$5,857	
		Painted Metal "T"	Accent				
59TC-871-S00 OAK	59TC-871-S00 MAP	Atlas Stand with	47-9/16" x 28-3/8" x 33-1/8"	225	\$6,211	\$6,770	
		Painted Chrome "T	" Accent				

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

This spacious unit consists of a cabinet of 3/4" thick maple veneer plywood 51-3/16"H x 36-7/8"W x 28-7/16"D. It has a 3/4" thick maple veneer plywood back with five drawers for storage or display of DVD or CD cases. This unit has design end panels to match other pieces in the Epoch Series. Approximate capacity for CD's is 624 for 525 for DVD's.

DRAWERS

The drawers are constructed of 1/2" solid maple with a maple plywood bottom and front banded on all edges with 1.6mm solid maple. The grain direction runs vertically and the five drawer fronts are cut out of one sheet so that the grain all matches each other on each drawer front. The drawer bottom is cut to allow for five metal tracks with a metal follower block in each track to run from front to back of the drawer. This follower block is adjustable and holds the CD's and DVD's in an upright position. Each drawer to receive 100# load capacity full extension drawer slides. Each drawer receives two chrome drawer pulls for easy opening and closing. The unit has a mechanism that allows only one drawer to be open at a time so that the unit does not tip over.

END PANELS


End panels measure 51-3/16"H x 28-7/16"W x 1-3/16" thick with plain sliced slip matched hard maple veneers and 45# density particleboard core. The edges are banded with 1.6mm solid maple. The front and rear vertical edges taper down 2° from the top edge. The top edge is arched at a 52" radius. Down 3-3/4" from the top edge a window of resin is centered on the panel. The size of the window with molding is 29-1/4" vertically x 2-1/2"W. (See Window Specifications) a square 1/4" x 1/4" rod is inserted into the surface of the end panel 3/16"D and is chrome plated or powder-coated as specified by the owner. (See Chrome Plating Specifications).

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart uses a decorative chromium electro-plated finish, which protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

WINDOW SPECIFICATIONS

Unless otherwise specified all resin window panels are 1/4" thick. The customer must specify the resin color that they require from those offered by Brodart. The resin is held in place by 1/4" thick solid wood maple molding on both sides of the resin. The molding is sanded flush with the panel surfaces.



Epoch Series Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Starter	Adder
59GP-771-S03 OAK	59GP-771-S03 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$10,838	\$11,814		Display Unit
		Resin Window and	Painted Accent					
59GC-771-S03 OAK	59GC-771-S03 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$11,922	\$12,995		
		Resin Window and	Chrome Accent					
59TP-771-S03 OAK	59TP-771-S03 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$10,751	\$11,719		
		Painted Metal "T"	Accent				- ASSES	
59TC-771-S03 OAK	59TC-771-S03 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$12,902	\$14,063	- XXXX	
		Painted Chrome "T	" Accent					
59-771-S04 OAK	59-771-S04 MAP	Adder Unit	51-3/16" x35-11/16" x28-7/16"	230	\$10,073	\$10,979		
							200	

59GP-771-S00 OAK	59GP-771-S00 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$10,973	\$11,960		Storage Unit
		Resin Window and	Painted Accent					
59GC-771-S00 OAK	59GC-771-S00 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$13,670	\$14,900		
		Resin Window and	Chrome Accent					
59TP-771-S00 OAK	59TP-771-S00 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$10,877	\$11,857	F	
		Painted Metal "T"	Accent					
59TC-771-S00 OAK	59TC-771-S00 MAP	Starter Unit with	51-3/16" x 36-7/8" x 28-7/16"	250	\$13,052	\$14,226		-
		Painted Chrome "1	" Accent		,	,		
							_	
59-771-S02 OAK	59-771-S02 MAP	Adder Unit	51-3/16" x 35-11/16" x 28-7/16"	230	\$10,208	\$11,126		
					1-0,-00	·,	- T	

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

Oak	Maple			Oak	Maple
Catalog No.	Catalog No.	Description	Wt. (lbs.)	Price	Price
To Cover ONE UI	NIT				
59-W10-S01 OAK	59-W10-S01 MAP	10"D, Single-Faced	11	\$454	\$477
59-W12-S01 OAK	59-W12-S01 MAP	12"D, Single-Faced	14	\$479	\$503
59-W20-S01 OAK	59-W20-S01 MAP	20"D, Double-Faced	23	\$785	\$824
59-W24-S01 OAK	59-W24-S01 MAP	24"D, Double-Faced	27	\$838	\$879
To Cover TWO U	NITS				
59-W10-S02 OAK	59-W10-S02 MAP	10"D, Single-Faced	22	\$618	\$649
59-W12-S02 OAK	59-W12-S02 MAP	12"D, Single-Faced	28	\$673	\$706
59-W20-S02 OAK	59-W20-S02 MAP	20"D, Double-Faced	46	\$1,106	\$1,161
59-W24-S02 OAK	59-W24-S02 MAP	24"D, Double-Faced	54	\$1,228	\$1,289
To Cover THREE	UNITS				
59-W10-S03 OAK	59-W10-S03 MAP	10"D, Single-Faced	33	\$771	\$809
59-W12-S03 OAK	59-W12-S03 MAP	12"D, Single-Faced	42	\$860	\$903
59-W20-S03 OAK	59-W20-S03 MAP	20"D, Double-Faced	69	\$1,496	\$1,571
59-W24-S03 OAK	59-W24-S03 MAP	24"D, Double-Faced	81	\$1,553	\$1,630
To Cover FOUR U	INITS				
59-W10-S04 OAK	59-W10-S04 MAP	10"D, Single-Faced	44	\$1,044	\$1,096
59-W12-S04 OAK	59-W12-S04 MAP	12"D, Single-Faced	56	\$1,150	\$1,208
59-W20-S04 OAK	59-W20-S04 MAP	20"D, Double-Faced	92	\$1,865	\$1,958
59-W24-S04 OAK	59-W24-S04 MAP	24"D, Double-Faced	108	\$2,102	\$2,207
To Cover FIVE UI	NITS				
59-W10-S05 OAK	59-W10-S05 MAP	10"D, Single-Faced	55	\$1,183	\$1,243
59-W12-S05 OAK	59-W12-S05 MAP	12"D, Single-Faced	70	\$1,339	\$1,407
59-W20-S05 OAK	59-W20-S05 MAP	20"D, Double-Faced	115	\$2,255	\$2,368
59-W24-S05 OAK	59-W24-S05 MAP	24"D, Double-Faced	135	\$2,427	\$2,548
To Cover SIX UN	ITS				
59-W10-S06 OAK	59-W10-S06 MAP	10"D, Single-Faced	66	\$1,351	\$1,419
59-W12-S06 OAK	59-W12-S06 MAP	12"D, Single-Faced	84	\$1,527	\$1,603
59-W20-S06 OAK	59-W20-S06 MAP	20"D, Double-Faced	138	\$2,650	\$2,782
59-W24-S06 OAK	59-W24-S06 MAP	24"D, Double-Faced	162	\$2,757	\$2,894
To Cover SEVEN	UNITS				
59-W10-S07 OAK	59-W10-S07 MAP	10"D, Single-Faced	77	\$1,624	\$1,706
59-W12-S07 OAK	59-W12-S07 MAP	12"D, Single-Faced	98	\$1,819	\$1,909
59-W20-S07 OAK	59-W20-S07 MAP	20"D, Double-Faced	161	\$3,014	\$3,165
59-W24-S07 OAK	59-W24-S07 MAP	24"D, Double-Faced	189	\$3,306	\$3,472
To Cover EIGHT	<u>UNITS</u>				
59-W10-S08 OAK	59-W10-S08 MAP	10"D, Single-Faced	88	\$1,779	\$1,869
59-W12-S08 OAK	59-W12-S08 MAP	12"D, Single-Faced	112	\$2,007	\$2,108
59-W20-S08 OAK	59-W20-S08 MAP	20"D, Double-Faced	184	\$3,407	\$3,577
59-W24-S08 OAK	59-W24-S08 MAP	24"D, Double-Faced	216	\$3,616	\$3,798
To Cover NINE U	<u>NITS</u>				
59-W10-S09 OAK	59-W10-S09 MAP	10"D, Single-Faced	99	\$1,987	\$2,086
59-W12-S09 OAK	59-W12-S09 MAP	12"D, Single-Faced	126	\$2,245	\$2,358
59-W20-S09 OAK	59-W20-S09 MAP	20"D, Double-Faced	207	\$3,849	\$4,042
		24"D, Double-Faced	243	\$4,012	. ,

Note: Edge banding on the end of tops receive mitred corners. Single-Faced Tops are banded on both ends and on the front edge only. Back edge is not banded. Double-Faced Tops are banded on both ends and on the front and back edges.

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

0ak	Maple			0ak	Maple
Catalog No.	Catalog No.	Description	Wt. (lbs.)	Price	Price
To Cover ONE UN	IT				
59-S10-S01 OAK	59-S10-S01 MAP	10"D, Single-Faced	11	\$454	\$477
59-S12-S01 OAK	59-S12-S01 MAP	12"D, Single-Faced	14	\$479	\$503
59-S20-S01 OAK	59-S20-S01 MAP	20"D, Double-Faced	23	\$785	\$824
59-S24-S01 OAK	59-S24-S01 MAP	24"D, Double-Faced	27	\$838	\$879
To Cover TWO UN	<u>IITS</u>				
59-S10-S02 OAK	59-S10-S02 MAP	10"D, Single-Faced	22	\$618	\$649
59-S12-S02 OAK	59-S12-S02 MAP	12 "D, Single-Faced	28	\$673	\$706
59-S20-S02 OAK	59-S20-S02 MAP	20"D, Double-Faced	46	\$1,106	\$1,161
59-S24-S02 OAK	59-S24-S02 MAP	24"D, Double-Faced	54	\$1,228	\$1,289
To Cover THREE U	JNITS				
59-S10-S03 OAK	59-S10-S03 MAP	10"D, Single-Faced	33	\$771	\$809
59-S12-S03 OAK	59-S12-S03 MAP	12"D, Single-Faced	42	\$860	\$903
59-S20-S03 OAK	59-S20-S03 MAP	20"D, Double-Faced	69	\$1,496	\$1,571
59-S24-S03 OAK	59-S24-S03 MAP	24"D, Double-Faced	81	\$1,553	\$1,630
To Cover FOUR U	NITS				
59-S10-S04 OAK	59-S10-S04 MAP	10"D, Single-Faced	44	\$1,044	\$1,096
59-S12-S04 OAK	59-S12-S04 MAP	12"D, Single-Faced	56	\$1,150	\$1,208
59-S20-S04 OAK	59-S20-S04 MAP	20"D, Double-Faced	92	\$1,865	\$1,958
59-S24-S04 OAK	59-S24-S04 MAP	24"D, Double-Faced	108	\$2,102	\$2,207
To Cover FIVE UN	ITS				
59-S10-S05 OAK	59-S10-S05 MAP	10"D, Single-Faced	55	\$1,183	\$1,243
59-S12-S05 OAK	59-S12-S05 MAP	12"D, Single-Faced	70	\$1,339	\$1,407
59-S20-S05 OAK	59-S20-S05 MAP	20"D, Double-Faced	115	\$2,255	\$2,368
59-S24-S05 OAK	59-S24-S05 MAP	24"D, Double-Faced	135	\$2,427	\$2,548
To Cover SIX UNI	rs				
59-S10-S06 OAK	59-S10-S06 MAP	10"D, Single-Faced	66	\$1,351	\$1,419
59-S12-S06 OAK	59-S12-S06 MAP	12"D, Single-Faced	84	\$1,527	\$1,603
59-S20-S06 OAK	59-S20-S06 MAP	20"D, Double-Faced	138	\$2,650	\$2,782
59-S24-S06 OAK	59-S24-S06 MAP	24"D, Double-Faced	162	\$2,757	\$2,894
To Cover SEVEN U	UNITS				
59-S10-S07 OAK	59-S10-S07 MAP	10"D, Single-Faced	77	\$1,624	\$1,706
59-S12-S07 OAK	59-S12-S07 MAP	12"D, Single-Faced	98	\$1,819	\$1,909
59-S20-S07 OAK	59-S20-S07 MAP	20"D, Double-Faced	161	\$3,014	\$3,165
59-S24-S07 OAK	59-S24-S07 MAP	24"D, Double-Faced	189	\$3,306	\$3,472
To Cover EIGHT U	<u>NITS</u>				
59-S10-S08 OAK	59-S10-S08 MAP	10"D, Single-Faced	88	\$1,779	\$1,869
59-S12-S08 OAK	59-S12-S08 MAP	12"D, Single-Faced	112	\$2,007	\$2,108
59-S20-S08 OAK	59-S20-S08 MAP	20"D, Double-Faced	184	\$3,407	\$3,577
59-S24-S08 OAK	59-S24-S08 MAP	24"D, Double-Faced	216	\$3,616	\$3,798
To Cover NINE UN	<u>IITS</u>				
59-S10-S09 OAK	59-S10-S09 MAP	10"D, Single-Faced	99	\$1,987	\$2,086
59-S12-S09 OAK	59-S12-S09 MAP	12"D, Single-Faced	126	\$2,245	\$2,358
59-S20-S09 OAK	59-S20-S09 MAP	20"D, Double-Faced	207	\$3,849	\$4,042
59-S24-S09 OAK	59-S24-S09 MAP	24"D, Double-Faced	243	\$4,012	\$4,212

Note: Edge Band on long side only. Tops are designed to be inset betweend end panels. If edge bands are desired on short edges, please enter the part as a modification and specify which bands to be included.

To ensure that tops for steel shelving work with each manufacturer and top method, please specify the exact width and depth of tops. Add 15% for HPL on top and bottom (Steel Shelving ONLY).

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

END PANELS

End panels are 1-3/16" thick, 3-ply 45# density particleboard core with select plain-sliced, slip-matched maple veneer on the inside and outside face. The vertical edges and top edge of the end panel have a 1.6mm maple external edge band. All panel edges are eased. Exact height and depth of panel must be specified when ordering. End panels are not machined for fastening. No fastening hardware is provided with end panels.

Double-face end panels have an accent window 3-3/4"H \times 8-1/2"W. They have a 1/4" \times 1/4" square steel rod that is embedded 3/16"D up 4" from the bottom edge and be chrome plated or powder-coated as ordered (see chrome specs). Single-face panels do not receive the accent window.

CHROME PLATING SPECIFICATION

Where "chrome plated" is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.

WINDOW SPECIFICATIONS

Unless otherwise specified, all resin window panels are 1/4" thick. Customers must specify the tint color they require from those offered by Brodart. The resin is held in place by 1/4" thick solid wood maple molding on both sides of the resin. The molding is sanded flush with the panel surfaces.

Note: Exact height and depth of panel must be specified when ordering. Epoch style end panels cannot be used with continuous tops that are overhung (out over the panels).

Note: Heights noted are to the bottom of the curve on the top of the panel.

Oak Catalog No.	Maple Catalog No.	Description	Wt. (lbs.)	Oak Price	Maple Price	
Single-Faced wit	th Painted Metal Strip					Single-Faced End Panels
59P-702 MOD OAK	59P-702 MOD MAP	43-3/4" x 13-7/8"	14	\$565	\$594	
59P-703 MOD OAK	59P-703 MOD MAP	43-3/4" x 15-7/8"	16	\$598	\$628	
59P-705 MOD OAK	59P-705 MOD MAP	67-3/4" x 13-7/8"	21	\$651	\$684	
9P-706 MOD OAK	59P-706 MOD MAP	67-3/4" x 15-7/8"	26	\$683	\$717	
59P-708 MOD OAK	59P-708 MOD MAP	79-3/4" x 13-7/8"	25	\$733	\$770	
59P-709 MOD OAK	59P-709 MOD MAP	79-3/4" x 15-7/8"	30	\$766	\$804	
9P-711 MOD OAK	59P-711 MOD MAP	85-3/4" x 13-7/8"	28	\$742	\$779	
9P-712 MOD OAK	59P-712 MOD MAP	85-3/4" x 15-7/8"	33	\$771	\$811	
9P-714 MOD OAK	59P-714 MOD MAP	91-3/4" x 13-7/8"	29	\$747	\$785	
69P-715 MOD OAK	59P-715 MOD MAP	91-3/4" x 15-7/8"	35	\$779	\$818	
Single-Faced wid	th Chrome Metal Strip					
59C-702 MOD OAK	59C-702 MOD MAP	43-3/4" x 13-7/8"	14	\$651	\$684	
9C-703 MOD OAK	59C-703 MOD MAP	43-3/4" x 15-7/8"	16	\$683	\$717	-
59C-705 MOD OAK	59C-705 MOD MAP	67-3/4" x 13-7/8"	21	\$738	\$775	
9C-706 MOD OAK	59C-706 MOD MAP	67-3/4" x 15-7/8"	26	\$769	\$808	
9C-708 MOD OAK	59C-708 MOD MAP	79-3/4" x 13-7/8"	25	\$820	\$861	
59C-709 MOD OAK	59C-709 MOD MAP	79-3/4" x 15-7/8"	30	\$851	\$894	
9C-711 MOD OAK	59C-711 MOD MAP	85-3/4" x 13-7/8"	28	\$828	\$868	
9C-711 MOD OAK	59C-711 MOD MAP	85-3/4" x 15-7/8"	33	\$858	\$901	
				•		
59C-714 MOD OAK 59C-715 MOD OAK	59C-714 MOD MAP 59C-715 MOD MAP	91-3/4" x 13-7/8" 91-3/4" x 15-7/8"	29 35	\$834 \$867	\$876 \$910	
	ith Painted Metal Strip					Double-Faced End Panels
59P-722 MOD OAK	59P-722 MOD MAP	43-3/4" x 24-3/8"	27	\$1,361 \$4,383	\$1,430 \$4.453	
9P-723 MOD OAK	59P-723 MOD MAP	43-3/4" x 28-3/8"	33	\$1,383	\$1,453	
59P-725 MOD OAK	59P-725 MOD MAP	67-3/4" x 24-3/8"	43	\$1,696	\$1,781	
69P-726 MOD OAK	59P-726 MOD MAP	67-3/4" x 28-3/8"	52	\$1,717	\$1,803	
59P-728 MOD OAK	59P-728 MOD MAP	79-3/4" x 24-3/8"	51	\$1,841	\$1,933	
9P-729 MOD OAK	59P-729 MOD MAP	79-3/4" x 28-3/8"	61	\$1,860	\$1,954	
59P-731 MOD OAK	59P-731 MOD MAP	85-3/4" x 24-3/8"	55	\$1,853	\$1,945	
59P-732 MOD OAK	59P-732 MOD MAP	85-3/4" x 28-3/8"	66	\$1,873	\$1,966	
59P-734 MOD OAK	59P-734 MOD MAP	91-3/4" x 24-3/8"	59	\$1,863	\$1,956	
59P-735 MOD OAK	59P-735 MOD MAP	91-3/4" x 28-3/8"	60	\$1,884	\$1,978	
Double-Faced w	ith Chrome Metal Strip					
9C-722 MOD OAK	59C-722 MOD MAP	43-3/4" x 24-3/8"	27	\$1,446	\$1,518	
59C-723 MOD OAK	59C-723 MOD MAP	43-3/4" x 28-3/8"	33	\$1,468	\$1,541	
	59C-725 MOD MAP	67-3/4" x 24-3/8"	43	\$1,783	\$1,873	
9C-725 MOD OAK		67-3/4" x 28-3/8"	52	\$1,803	\$1,893	
	59C-726 MOD MAP	01-3/4 120-3/0				
59C-726 MOD OAK	59C-726 MOD MAP 59C-728 MOD MAP	79-3/4" x 24-3/8"	51	\$1,927	\$2,023	
59C-726 MOD OAK 59C-728 MOD OAK			51 61	\$1,927 \$1,947	\$2,023 \$2,045	
59C-726 MOD OAK 59C-728 MOD OAK 59C-729 MOD OAK	59C-728 MOD MAP	79-3/4" x 24-3/8"				
59C-726 MOD OAK 59C-728 MOD OAK 59C-729 MOD OAK 59C-731 MOD OAK	59C-728 MOD MAP 59C-729 MOD MAP	79-3/4" x 24-3/8" 79-3/4" x 28-3/8"	61	\$1,947	\$2,045	
59C-725 MOD OAK 59C-726 MOD OAK 59C-728 MOD OAK 59C-729 MOD OAK 59C-731 MOD OAK 59C-732 MOD OAK 59C-734 MOD OAK	59C-728 MOD MAP 59C-729 MOD MAP 59C-731 MOD MAP	79-3/4" x 24-3/8" 79-3/4" x 28-3/8" 85-3/4" x 24-3/8"	61 55	\$1,947 \$1,939	\$2,045 \$2,036	

Note: Epoch style end panels cannot be used with continuous tops that are overhung (out over the panels).

Please specify Wood Finish (Table 1), Metal Color (Table 3) and Resin Option; if applicable (Table 6). Details can be found on pages GEN 4, GEN 5 and GEN 6.

TABLETOPS

Tabletops are 1-3/16" thick, 3-ply 45# density particleboard core or with a .050" high-pressure laminate with a .020" thick phenolic backing sheet on the underside. High-pressure laminate has a low-glare finish resistant to scratches, fading and staining in accordance with NEMA standards. Tabletops are banded on exposed edges with a 1-3/4" thick x 2" wide solid maple external chamfered edge band applied to the table core after lamination of the face plastic. The edge band is beveled down at a 20° angle with a 1/2" radius bullnose at the leading edge. Square and rectangular tabletop edge bands are mitered at all four corners and corners radiused 1/8".

TABLE LEG- (POWDER-COATED)

Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Legs and plates are electrostatic powder-coat painted and have no sharp edges. The plate attaches to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The steel bracket is attached to the leg plate and leg using metal to metal fasteners. The strap may be electrostatic powder-coat painted or chrome plated. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

TABLE LEG-(CHROME)

Legs are 2-1/2" round, 16-gauge steel tubing. The table is without an apron, with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Leg and plate are painted or plated to match the leg (see chrome specifications) and have no sharp edges. The plate is attached to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The bracket is attached to the leg plate and leg using metal to metal fasteners. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.

TABLE LEG- (WOOD)


Legs are 2-1/2" round wood. The table is apronless design with legs attached to the tabletop by a 5" square x 5/16" thick steel plate. Plates are electrostatic powder coat painted and have no sharp edges. The plate attaches to the leg by a 9" x 3" x 3/8" steel angle bracket placed at a 45° angle. The steel angle bracket receives two cutout designs replicating the edge band profile. The steel bracket is attached to the leg plate and leg using metal to metal fasteners. The strap may be electrostatic powder-coat painted or chrome plated. The leg plate is attached to the tabletop by (5) 5/16" x 1" machine bolts engaging internally and externally threaded bushings embedded in the underside of the tabletop. Leg plates are positioned behind, and hidden by the extended edge band. Edge band extends 1/2" below the tabletop. Each leg has 2-1/2"D x 1"H adjustable glide mounted into a recessed threaded insert.


CHROME PLATING SPECIFICATION


Where chrome plated is specified, Brodart uses a decorative chromium electro-plated finish that protects against tarnish and minimizes scratching. Brodart Class AA chrome plating requires a .004" to .005" thick layer of bright nickel and a layer of chromium to produce a high-quality furniture grade finish.


TABLETOP HEIGHT


All tables are 16" high.











Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	
59-610-S00 OAK	59-610-S00 MAP	Round Table with Powder-Coated	16"Hx38" Diameter Legs	66	\$2,352	\$2,633	Round Table
59 C -610-S00 0 AK	59C-610-S00 MAP	Round Table with Chrome Legs	16"Hx38" Diameter	66	\$2,823	\$3,159	PUNT
59W-610-S00 OAK	59W-610-S00 MAP	Round Table with Wood Legs	16"H x 38" Diameter	66	\$2,352	\$2,633	
59-621-S00 OAK	59-621-S00 MAP	Square Table	16" x30" x30"	51	\$1,969	\$2,206	Square Table
59C-621-S00 0AK	59C-621-S00 MAP	with Powder-Coated Square Table	Legs 16" x 30" x 30"	51	\$2,363	\$2,646	The state of the s
		with Chrome Legs			,	,	
59W-621-S00 OAK	59W-621-S00 MAP	Square Table with Wood Legs	16" x 30" x 30"	51	\$1,969	\$2,206	
							Parker delay Table
59-611-S00 OAK	59-611-S00 MAP	Rectangular Table with Powder-Coated	16" x 48" x 24" Legs	46	\$1,838	\$2,058	Rectangular Table
59C-611-S00 OAK	59C-611-S00 MAP	Rectangular Table with Chrome Legs	16" x 48" x 24"	46	\$2,205	\$2,469	TAT
59W-611-S00 OAK	59W-611-S00 MAP	Rectangular Table with Wood Legs	16" x 48" x 24"	46	\$1,838	\$2,058	

Please specify Wood Finish (Table 1), High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

-EPO 60- F11-1-23G-EPO

The Horizons Collection

DESKTOP

Standard desktops are 1-3/16" thick, 3-ply, 45# density, particleboard core, with a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Top receives a 5/8" thick x 1-3/16" solid maple edge band on the patron side with edges radiused to form a bullnose shape. A 1/4" thick, solid maple edge band is applied to the remaining three sides, with top and bottom edges radiused to 1/8". All edges are applied to the desktop after the top and bottom laminate sheets are applied, constituting an external edge band. Desktop is positioned over the end panels of the desk module, flush with the outside edges of the end panels.

END PANEL

Desk module end panels are 1" thick, 3-ply, 45# density particleboard core with select plain-sliced maple veneer on both sides. Exposed edges are externally banded with a maple band. The end panels and front panel are joined and secured with 3/4" x 3/4" thick solid hardwood cleats screwed to the inside surfaces of the panels. The bottom of each end panel receives two adjustable glides to allow leveling of the individual units. Each end panel receives a 3" diameter egress and grommet to provide for wire passage.

FRONT PANEL

The front panel is 3/4" thick, comprised of select plain-sliced face veneers maple over a 45# density particle board core. Exposed edges are externally banded with a maple band. The front incorporates a 6"H x 3/4"D recessed, ebonized, toe space at the bottom of the panel. The front panel is positioned over the end panels of the desk module, flush with the outside edges of the end panels. Double wide units have two front panels to give the appearance of two individual units. At the top of the front panel, a 6"W x 1/4" thick maple plywood accent panel is attached that runs the full width of the desk unit front. The grain direction runs horizontally. This panel has a large cutout design as selected by the customer. The inside edges of the cutout and outer edges of the accent panel are blackened to provide a finished appearance. When the cutout design is large enough, a matching cutout of colored high-pressure laminate is inlaid in the cutout.

WORK SURFACE

Work surfaces are 1-3/16" thick, 3-ply particleboard core, including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. The exposed edge receives a 1/4" thick, solid maple internal edge band in straight design. The back edge of the work surface has a black plastic band 1-1/2"W which projects above the work surface 1/4" to act as a retainer. The work surface is 24-1/2"D and is positioned 1-1/2" away from the front panel, creating a cord drop space. Adjustable work surfaces are available in single wide standing height desks. Work surfaces in standing-height desks (catalog number 77-012) may be positioned at heights of 36", 32" or 27".


Note: See Brodart optional electrical accessories for electrical power distribution system for desk modules.

SHELVES

Shelves are constructed of 7-ply veneer-core plywood, with plain sliced maple face veneer. Exposed edges receive a maple edge band.

DRAWER

Drawers aree constructed of solid hardwood with 1/4" thick wood bottom panel. Drawers have 3-ply particleboard fronts with select maple-face veneer. Box drawers have extension slides with 100# load capacity. File drawers have full-extension slides with 100# load capacity.




Horizons Flush Edge

DESK DIMENSIONS


Standing-Height Desk, overall: 39-3/16"Hx35"Wx30"D or39-3/16"Hx70"Wx30"D.

Sitting-Height Desk, overall: 32-3/16"H x 35"W x 30"D or 32-3/16"H x 70"W x 30"D.



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
77-012-S00 OAK	77-012-S00 MAP	Standing Height Desk with Patron Service Ledge	39-3/16" x 35" x 30"	140	\$4,079	\$4,440	Single-Wide Desk with Patron Service Ledge
		Inside dimensions: 33"W x 26-3/47-7/8" patron ledge is at a height Note: Adjustable-height work surfat heights of 36", 32" or 27".	of 39-3/16"H.				0
77-E12-S00 OAK	77-E12-S00 MAP	Sitting Height Desk with Patron Service Ledge	32-3/16" x 35" x 30"	125	\$3,905	\$4,257	
		Inside dimensions: 33"W x 26-3/47-7/8" patron ledge is at a height Note: Work surface is fixed at 27'	of 32-3/16"H.				
77-014-S00 OAK	77-014-S00 MAP	Standing Height Desk without Patron Service Ledge	39-3/16" x 35" x 30"	135	\$3,646	\$3,973	Single-Wide Desk without Patron Service Ledge
		Inside dimensions: 33 "W x 26-3/4 work surface is at 39-3/16" H. Two grommets are located in the work s	o 3" diamenter surface.				
77-E14-S00 OAK	77-E14-S00 MAP	Sitting Height Desk without Patron Service Ledge	32-3/16" x 35" x 30"	120	\$3,344	\$3,645	
		Inside dimensions: 33 "W x 26-3/4 work surface is at 32-3/16" H. Two grommets are located in the work s	3" diamenter				0
77-015-S00 OAK	77-015-S00 MAP	Standing Height Book Return Unit	39-3/16" x 35" x 30"	135	\$3,556	\$3,876	Book Return Unit
		Inside dimensions: 33 "W x 26-3/4 work surface is at 39-3/16"H. Uni finished opening centered in the fro of books and a book chute to direct depressible book truck. (Depressib Two 3" diameter grommets are loc	t has a 5"H x 12"W ont panel for passage t the books over a mobile ole book truck not included).				0
77-E15-S00 OAK	77-E15-S00 MAP	Sitting Height Book Return Unit	32-3/16" x 35" x 30"	120	\$3,388	\$3,694	
		Inside dimensions: 33 "W x 26-3/4 work surface is at 32-3/16"H. Uni finished opening centered in the fro of books and a book chute to direct depressible book truck. (Depressib Two 3" diameter grommets are loc	t has a 5"H x 12"W ont panel for passage t the books over a mobile ole book truck not included).				0 . **

Standing Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Cupboard and Open Shelf	77-121-S00 OAK	77-121-S00 MAP	Standing Height Cupboard and Open Shelf	39-3/16" x 35" x 30"	175	\$6,300	\$6,866
0			This unit has one fixed and two adj shelves. A hidden drawer is positio the lockable storage compartment grommets are located in the works	ned above t. Two 3" diameter			
	77-E21-S00 OAK	77-E21-S00 MAP	Sitting Height Cupboard	32-3/16" x 35" x 30"	160	\$5,937	\$6,470
			This unit has one fixed and one adj shelf. A hidden drawer is positione the lockable storage compartment grommets are located in the works	d above t. Two 3" diameter			
Full Width Drawer, Cupboard and Drawers	77-122-S00 OAK	77-122-S00 MAP	Standing Height Full Width Drawer, Cupboard and Drawers	39-3/16" x35" x30"	225	\$8,366	\$9,119
			This unit has one full-width drawer, two file drawers, and a lockable str compartment. Two 3" diameter grare located in the work surface. Note: Available in 39"H only.	orage			



Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Specify Cutout Design. Details can be found on page HOR 28.

The Horizons Collection

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
77-124-S00 OAK	77-124-S00 MAP	Standing Height Open Shelf and Drawer Unit	39-3/16" x 35" x 30"	200	\$6,970	\$7,598	Open Shelf and Drawer Unit
		This unit has one lockable box drav and two file drawers. Shelf section two adjustable shelves, and one for Two 3" diameter grommets are loc	has red base shelf.				
77-E24-S00 OAK	77-E24-S00 MAP	Sitting Height Open Shelf and Drawer Unit	32-3/16" x 35" x 30"	125	\$6,453	\$7,033	
		This unit has one lockable box draw and one file drawer. Shelf section I one adjustable shelf, and one fixed Two 3" diameter grommets are loc	nas I base shelf.				
77-131-S00 OAK	77-131-S00 MAP	Standing Height Cash Drawer Unit	39-3/16" x 35" x 30"	150	\$4,963	\$5,410	Cash Drawer Unit
		Inside dimensions: 33 "W x 26-3/1 The work surface is at 39-3/16" H. has locking drawer with a coin and Two 3" diameter grommets are loc	Desk currency tray.				0 0
77-E31-S00 OAK	77-E31-S00 MAP	Sitting Height Cash Drawer Unit	32-3/16" x 35" x 30"	135	\$6,427	\$7,006	
		Inside dimensions: 33 "W x 26-3/4 The work surface is at 32-3/16"H. has locking drawer with a coin and Two 3" diameter grommets are loc	Desk currency tray.				
77-E32-S00 OAK	77-E32-S00 MAP	Sitting Height ADA Station	32-3/16" x 35" x 40-1/2	" 185	\$3,344	\$3,645	ADA Station
		The ADA transaction station is designed to provide wheelchair act on the patrons' side. The knee spa on the patrons' side is 22-1/4" ar staff side is 16". Two 3" diameter are located in the work surface. On egress with sleeve is located in each	ce depth nd on the grommets e 3-1/2" diameter	Э.			

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
Full Width Dra	wer Unit	77-133-S00 OAK	77-133-S00 MAP	Standing Height Full Width Drawer Unit	39-3/16" x 35" x 30"	160	\$5,083	\$5,542
0				This drawer unit has a full-width 10 "H x 33 "W x 18-3/4"D. Two grommets are located in the wor Note: Available in 39-3/16"H o	3" diameter k surface.			

Full Width Drawer and Cupboard Unit



77-135-S00 OAK 77-135-S00 MAP Standing Height Full Width **Drawer and Cupboard Unit** 39-3/16" x 35" x 30"

\$5,572

220

\$6,074

This unit has a full-width drawer 10"Hx33"Wx18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are

located in the work surface.

Note: Available in 39-3/16"H only.

77-172-S00 OAK 77-172-S00 MAP Standing Height Discharge Unit 39-3/16" x 35" x 30" \$5,282 \$5,756 **Discharge Unit** These units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H. Note: Standing-height roll unders do not work with this unit. 77-E72-S00 OAK 77-E72-S00 MAP Sitting Height Discharge Unit 32-3/16" x 35" x 30" \$5,039 \$5,491 These units have a full-width well with seven removable wood trays for 5"H x 3"W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.


Note: Specify Cutout Design. Details can be found on page HOR 28.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing Sitting
77-174-S00 OAK	77-174-S00 MAP	Standing Height Open Shelf Unit	39-3/16" x 35" x 30"	175	\$4,118	\$4,488	Open Shelf Unit
		This unit has a full-depth fixed base shelf and two full-depth adjustable s Two 3" diameter grommets are local the work surface.	ted in				
77-E74-S00 OAK	77-E74-S00 MAP	Sitting Height Open Shelf Unit	32-3/16" x 35" x 30"	155	\$3,750	\$4,087	
		This unit has a full-depth fixed base shelf and two full-depth adjustable s Two 3" diameter grommets are local the work surface.					
77-176-S00 OAK	77-176-S00 MAP	Standing Height Cupboard Unit	39-3/16" x 35" x 30"	200	\$4,940	\$5,383	Cupboard Unit
		This unit has a full-depth fixed base shelf and two full-depth adjustable s Hinged doors have a catch, lock and Two 3" diameter grommets are local work surface.	door pulls.				0
77-E76-S00 OAK	77-E76-S00 MAP	Sitting Height Cupboard Unit	32-3/16" x 35" x 30"	180	\$4,746	\$5,173	
		This unit has a full-depth fixed base shelf and one full-depth adjustable s Hinged doors have a catch, lock and Two 3" diameter grommets are local work surface.	door pulls.				0
77-234-S00 OAK	77-234-S00 MAP	Standing Height Full Width Drawer and Open Shelves	39-3/16" x 35" x 30"	180	\$4,845	\$5,282	Full Width Drawer and Open Shelves
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work su	rface.				
77-E34-S00 OAK	77-E34-S00 MAP	Sitting Height Full Width Drawer and Open Shelves	32-3/16" x 35" x 30"	165	\$4,602	\$5,017	
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work su	ırface.				

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Media Storage	Unit	77-236-S00 OAK	77-236-S00 MAP	Standing Height Media Storage Unit	39-3/16" x35" x30"	225	\$6,258	\$6,821
0				This unit has four full-width drawers 8-1/2"H x 33"W x 24"D with each containing five compartments for me	edia storage.			
		77-E36-S00 OAK	77-E36-S00 MAP	Sitting Height Media Storage Unit	32-3/16" x 35" x 30"	205	\$5,810	\$6,333
0				This unit has three full-width drawers 8-1/2"Hx33"Wx24"D with each containing five compartments for me				

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing Sitting
77-011-S00 OAK	77-011-S00 MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$6,286	\$6,851	Double-Wide Desk with Patron Service Ledge,
		Work Surface at 35"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a I Two 3" diameter grommets are loo Note: Standing-height roll unders	height of 39-3/16". cated in the work surface.		0		
77-E11-S00 OAK	77-E11-S00 MAP	Sitting Height Double-Wide Desk with Patron Service Ledge	32-3/16" x 70" x 30"	210	\$6,011	\$6,552	
		Work Surface at 28"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a I Two 3" diameter grommets are loo	height of 32-3/16".				
77-011-SEA OAK	77-011-SEA MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$6,302	\$6,869	
		Work Surface at 28 "H Inside dimensions are 68 "W x 26- The 7-7/8"D patron ledge is at a I Two 3" diameter grommets are loo Note: Standing-height roll unders	height of 39-3/16". cated in the work surface.		0		
77.042.000.0AV	77.040.000 MAD	Charding Unight Double Wild	20.2 (40) 70) 20)	020	05.744	00.000	
77-013-S00 OAK	77-013-S00 MAP	Standing Height Double-Wide Desk without Patron Service Ledge		230	\$5,744	\$6,262	Double-Wide Desk without Patron Service Ledge
		Inside dimensions are 68 "W x 26- The work surface is at 39-3/16" H diameter grommets are located in	I. Two 3"		0		
77-E13-S00 OAK	77-E13-S00 MAP	Sitting Height Double-Wide Desk without Patron Service Ledge	32-3/16" x 70" x 30"	195	\$5,529	\$6,027	
		Inside dimensions are 68 "W x 26 The work surface is at 32-3/16" H diameter grommets are located in	I. Two 3"				

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Double-Wide Do Work Desk	ouble Pedestal	77-E37-S00 OAK	77-E37-S00 MAP	Sitting Height Double-Wide Double Pedestal Work Desk	32-3/16" x 70" x 30"	260	\$11,385	\$12,410
				Inside dimensions are 68 "W x 26" This unit has two drawer pedestal on each side consisting of one loc one file drawer with hanging file ratwo center drawers are mounted Two 3" diameter grommets are loc Note: Available in 32-3/16" Ho	s, one mounted sking drawer at top; ack at bottom. between the two pedestals. ccated in the work surface.			



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
77-010-S00 OAK	77-010-S00 MAP	Standing Height 90 Degree Multi-Purpose Corner	39-3/16" x 71-3/4" x 36	0" 250	\$9,872	\$10,761	Multi-Pı	90 Degree urpose Corner
		Unit has 29-5/16"W port area angled areas to the left and right grommet is located in the workwith sleeve is located in each en	nt of the desk module. One 3" -surface top. One 3-1/2" diar	diameter	SS	0		?
77-E10-S00 OAK	77-E10-S00 MAP	Sitting Height 90 Degree Multi-Purpose Corner	32-3/16" x 71-3/4" x 36	0" 215	\$9,450	\$10,301		0
		Unit has 29-5/16"W port area angled areas to the left and righ grommet is located in the work- with sleeve is located in each en	nt of the desk module. One 3" -surface top. One 3-1/2" diar	diameter	ss			
77-017-S00 OAK	77-017-S00 MAP	Standing Height 90 Degree Multi-Purpose with Patron Serv	39-3/16" x 71-3/4" x 30	0" 245	\$12,709	\$13,852	90 Degree Multi-Pu	urpose Corner Service Ledge
		Unit has 29-5/16"W port area 39-3/16". Work surface is at 3 areas to the left and right of the work surface top. One 3-1/2"d panel for wire passage.	35"H. Storage shelves are loc e module. One 3" diameter gro	ated in the ommet is lo	two angle cated in th			
77-E17-S00 OAK	77-E17-S00 MAP	Sitting Height 90 Degree Multi-Purpose with Patron Serv	32-3/16" x 71-3/4" x 30	0" 210	\$12,147	\$13,240		
		Unit has 29-5/16"W port area Work surface is at 28"H. Stora and right of the module. One 3 3-1/2" diameter egress with sl	The 7-7/8"D patron ledge is ge shelves are located in the to diameter grommet is located	wo angled d in the wo	areas to th rk surface t	e left	0	0
77-016-S00 OAK	77-016-S00 MAP	Standing Height 90 Degree Closed Corner Unit	39-3/16"H	140	\$4,644	\$5,062	Close	90 Degree
		This 90 degree unit is used to fo This is not available with patron in each end panel for wire pass:	ledge. One 3-1/2" diameter	egress is lo		0	0	
77-E16-S00 OAK	77-E16-S00 MAP	Sitting Height 90 Degree Closed Corner Unit	32-3/16"H	120	\$4,448	\$4,848	0	0
		This 90 degree unit is used to fo This is not available with patron in each end panel for wire pass	ledge. One 3-1/2" diameter	egress is lo				

Standing	Citting	0ak	Maple			Wt.	Oak	Maple
Standing	Sitting .	Catalog No.	Catalog No.	Description	HxWxD	(lbs.)	Price	Price
45 Degree Curve Closed Corner Ur		77-018-S00 OAK	77-018-S00 MAP	Standing Height 45 Degree Curved Closed Corner Unit	39-3/16" x 22-3/8" x 30	" 130	\$4,644	\$5,062
		0		This unit is used to create a 45 de It is not available with patron ledg		lesk.		
		77-E18-S00 OAK	77-E18-S00 MAP	Sitting Height 45 Degree Curved Closed Corner Unit	32-3/16" x 22-3/8" x 30	" 110	\$4,448	\$4,848
				This unit is used to create a 45 de It is not available with patron ledg	= =	lesk.		
90 Degree Open	Corner Shelf	77-143-S00 OAK	77-143-S00 MAP	Standing Height 90 Degree Open Comer Shelf	39-3/16"H x30"D	140	\$4,286	\$4,672
				This 90 degree unit is used to forr Has one fixed base shelf and two Note: Units must be modified on on open corner units.	adjustable shelves.			gh
Î		77-E43-S00 OAK	77-E43-S00 MAP	Sitting Height 90 Degree Open Corner Shelf	32-3/16"H x30"D	120	\$4,102	\$4,472
ļ				This 90 degree unit is used to forr Has one fixed base shelf and two Note: Units must be modified on on open comer units.	adjustable shelves.	_		gh
90 Degree Squar	re Corner Unit	77-150-S00 OAK	77-150-S00 MAP	Standing Height 90 Degree Square Comer Unit	39-3/16" x 30" x 30"	160	\$5,098	\$5,556
0	0			This square corner unit is used to One 3" diameter egress is locate a continuous ABS tube.		_		
		77-E50-S00 OAK	77-E50-S00 MAP	Sitting Height 90 Degree Square Corner Unit	32-3/16" x 30" x 30"	140	\$4,676	\$5,098
	0 0			This square corner unit is used to One 3" diameter egress is locate a continuous ABS tube.				

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Specify Cutout Design. Details can be found on page HOR 28.

Oak	Maple			Wt.	0ak	Maple	
Catalog No.	Catalog No.	Description	HxWxD	(lbs.)	Price	Price	
77-178-S00 OAK	77-178-S00 MAP	Detachable End Panels (Pair)	37-1/2" x 1" x 26-3/4"	52	\$2,730	\$2,975	Detachable End Panels (Pair)
		End panels are 1" thick, 3-ply, 45 particleboard core with plain-slict veneers. Exposed edges are exter with 1.6mm thick, solid Northern-	ed oak or maple nally banded	nd.			
77-E78-S00 OAK	77-E78-S00 MAP	Detachable End Panels (Pair)	30-1/2" x 1" x 26-3/4"	42	\$2,671	\$2,911	
		End panels are 1" thick, 3-ply, 45 particleboard core with plain-slic veneers. Exposed edges are exter with 1.6mm thick, solid Northem-	ed oak or maple nally banded	nd.			

77-196-S00 OAK	77-196-S00 MAP	Single-Wide Add On 7"H Patron Ledge	7" x 35" x 7-7/8"	10	\$645	\$704	Single-Wide Add On 7"H Patron Ledge
		, ,	atron Ledge Assembly will attach 3 x 2-1/2" screws inserted throug	th			

77-197-S00 OAK	77-197-S00 MAP	Double-Wide Add On 7"H Patron Ledge	7" x70" x 7-7/8"	20	\$815	\$889	Double-Wide Add On 7"H Patron Ledge
		, ,	tron Ledge Assembly will attach $x 2-1/2$ " screws inserted throug	gh			

TABLETOPS

Standard tabletops are 1-3/16" thick, 9-ply plywood core, or a 1-3/16" thick particleboard core, including a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Edges are solid maple. Drop edge band is 5/8" thick x 1-5/8" externally banded to form a bullnose.


TABLE LEGS

Legs are solid maple wood, 2-1/2" diameter. Each leg has a 3-1/2" diameter x 2-5/8"H glued-up maple bun-foot. Each bun-foot has a 2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the bun-foot by means of a counter-sunk boring which accepts the upper two-thirds of the glide.


Legs attach to tabletops by means of a 5" square x 5/16" thick steel plate. The plate is attached to the leg by a 5/16" x 2-1/2" machine bolt engaging a 5/8" diameter barrel nut inserted into the leg. The steel plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internally and externally threaded bushings in the underside of the tabletop. Leg plates are positioned behind, and be hidden by, the extended table edge band.

TABLETOP SUPPORT

For maximum rigidity, rectangular tables, 60" or more wide, receive a V-shaped, 14-gauge steel keel securely fastened to the underside of the tabletop. Tables 48"D and more than 60" W, receive two steel keels parallel to the length of the table. Tables 90" or wider receive two extra matching legs located under the center of the table to provide added support.



Horizons Drop Edge



Horizons Wood Leg



Horizons External Edge Band

Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price	
Round Oak Tabl	<u>e</u>						Round Table
77-109-S00 OAK	77-109-S02 OAK	Adult Table	29"H x 36" Diameter	100	\$2,515	\$2,411	
77-Y09-S00 OAK	77-Y09-S02 OAK	Youth Table	27-1/2"Hx36" Diameter	100	\$2,515	\$2,411	
77-J09-S00 OAK	77-J09-S02 OAK	Juvenile Table	25"H x 36" Diameter	100	\$2,515	\$2,411	
77-129-S00 OAK	77-129-S02 OAK	Adult Table	29"H x 42" Diameter	110	\$2,665	\$2,559	
77-Y29-S00 OAK	77-Y29-S02 OAK	Youth Table	27-1/2"H x 42" Diameter	110	\$2,665	\$2,559	
77-J29-S00 OAK	77-J29-S02 OAK	Juvenile Table	25"H x 42" Diameter	110	\$2,665	\$2,559	ШП ВП
77-141-S00 OAK	77-141-S02 OAK	Adult Table	29"H x 48" Diameter	120	\$2,665	\$2,559	0 H 0 H
77-Y41-S00 OAK	77-Y41-S02 OAK	Youth Table	27-1/2"H x 48" Diameter	120	\$2,665	\$2,559	0
77-J41-S00 OAK	77-J41-S02 OAK	Juvenile Table	25"H x 48" Diameter	120	\$2,665	\$2,559	
N/A	77-130-S02 OAK	Adult Table	29"H x 60" Diameter	140	N/A	\$3,125	
N/A N/A	77-Y30-S02 OAK 77-J30-S02 OAK	Youth Table Juvenile Table	27-1/2"H x 60" Diameter 25"H x 60" Diameter	140 140	N/A N/A	\$3,125 \$3,125	
IV A	11-350-302 OAK	Juvelille Table	25 HX 00 Diameter	140	II/A	33,123	
Round Maple Ta	<u>ible</u>						
77-109-S00 MAP	77-109-S02 MAP	Adult Table	29"Hx36" Diameter	100	\$2,742	\$2,628	
77-Y09-S00 MAP	77-Y09-S02 MAP	Youth Table	27-1/2"Hx36" Diameter	100	\$2,742	\$2,628	
77-J09-S00 MAP	77-J09-S02 MAP	Juvenile Table	25"H x 36" Diameter	100	\$2,742	\$2,628	
77-129-S00 MAP	77-129-S02 MAP	Adult Table	29"H x 42" Diameter	110	\$2,904	\$2,789	
77-Y29-S00 MAP	77-Y29-S02 MAP	Youth Table	27-1/2"H x 42" Diameter	110	\$2,904	\$2,789	
77-J29-S00 MAP	77-J29-S02 MAP	Juvenile Table	25"H x 42" Diameter	110	\$2,904	\$2,789	
77-141-S00 MAP	77-141-S02 MAP	Adult Table	29"H x 48" Diameter	120	\$2,904	\$2,789	
77-Y41-S00 MAP	77-Y41-S02 MAP	Youth Table	27-1/2"H x 48" Diameter	120	\$2,904	\$2,789	
77-J41-S00 MAP	77-J41-S02 MAP	Juvenile Table	25"H x 48" Diameter	120	\$2,904	\$2,789	
N/A	77-130-S02 MAP	Adult Table	29"H x 60" Diameter	140	N/A	\$3,405	
N/A	77-Y30-S02 MAP	Youth Table	27-1/2"H x 60" Diameter	140	N/A	\$3,405	
N/A	77-J30-S02 MAP	Juvenile Table	25"H x 60" Diameter	140	N/A	\$3,405	
Square Oak Tab	<u>le</u>						Square Table
77-191-S00 OAK	77-191-S02 OAK	Adult Table	29" x 30" x 30"	110	\$1,983	\$1,803	
77-Y91-S00 OAK	77-Y91-S02 OAK	Youth Table	27-1/2" x 30" x 30"	110	\$1,983	\$1,803	
77-J91-S00 OAK	77-J91-S02 OAK	Juvenile Table	25" x 30" x 30"	110	\$1,983	\$1,803	
77-137-S00 OAK	77-137-S02 OAK	Adult Table	29" x 42" x 42"	110	\$2,131	\$1,950	
77-Y37-S00 OAK	77-Y37-S02 OAK	Youth Table	27-1/2" x 42" x 42"	110	\$2,131	\$1,950	
77-J37-S00 OAK	77-J37-S02 OAK	Juvenile Table	25" x 42" x 42"	110	\$2,131	\$1,950	
77-154-S00 OAK	77-154-S02 OAK	Adult Table	29" x 48" x 48"	110	\$2,296	\$2,115	Д П В П
77-Y54-S00 OAK	77-Y54-S02 OAK	Youth Table	27-1/2" x 48" x 48"	110	\$2,296	\$2,115	<u> </u>
77-J54-S00 OAK	77-J54-S02 OAK	Juvenile Table	25" x 48" x 48"	110	\$2,296	\$2,115	
Square Maple Ta	able						
77-191-S00 MAP	77-191-S02 MAP	Adult Table	29" x 30" x 30"	110	\$2,161	\$1,963	
77-Y91-S00 MAP	77-Y91-S02 MAP	Youth Table	27-1/2" x 30" x 30"	110	\$2,161	\$1,963	
77-J91-S00 MAP	77-J91-S02 MAP	Juvenile Table	25" x 30" x 30"	110	\$2,161	\$1,963	
77-137-S00 MAP	77-137-S02 MAP	Adult Table	29" x 42" x 42"	110	\$2,323	\$2,125	
77-Y37-S00 MAP	77-Y37-S02 MAP	Youth Table	27-1/2" x 42" x 42"	110	\$2,323	\$2,125	
77-J37-S00 MAP	77-J37-S02 MAP	Juvenile Table	25" x 42" x 42"	110	\$2,323	\$2,125	
77-154-S00 MAP	77-154-S02 MAP	Adult Table	29" x 48" x 48"	110	\$2,503 \$2,503	\$2,305 \$2,305	
77-Y54-S00 MAP 77-J54-S00 MAP	77-Y54-S02 MAP 77-J54-S02 MAP	Youth Table Juvenile Table	27-1/2" x 48" x 48" 25" x 48" x 48"	110 110	\$2,503 \$2,503	\$2,305 \$2,305	

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price				
Four-Reader	Four-Reader Re	Four-Reader Rectangular Oak Table									
Rectrangular Table	77-194-S00 OAK	77-194-S02 OAK	Adult Table	29" x 30" x 60"	120	\$2,343	\$2,119				
	77-Y94-S00 OAK	77-Y94-S02 OAK	Youth Table	27-1/2" x 30" x 60"	120	\$2,343	\$2,119				
	77-J94-S00 OAK	77-J94-S02 OAK	Juvenile Table	25" x 30" x 60"	120	\$2,343	\$2,119				
	77-195-S00 OAK	77-195-S02 OAK	Adult Table	29" x 30" x 72"	140	\$2,515	\$2,292				
N 2 II	77-Y95-S00 OAK	77-Y95-S02 OAK	Youth Table	27-1/2" x 30" x 72"	140	\$2,515	\$2,292				
Ĥ	77-J95-S00 OAK	77-J95-S02 OAK	Juvenile Table	25" x 30" x 72"	140	\$2,515	\$2,292				
	Four-Reader Re	ctangular Maple 1	<u>able</u>								
	77-194-S00 MAP	77-194-S02 MAP	Adult Table	29" x 30" x 60"	120	\$2,556	\$2,310				
	77-Y94-S00 MAP	77-Y94-S02 MAP	Youth Table	27-1/2" x 30" x 60"	120	\$2,556	\$2,310				
	77-J94-S00 MAP	77-J94-S02 MAP	Juvenile Table	25" x 30" x 60"	120	\$2,556	\$2,310				
	77-195-S00 MAP	77-195-S02 MAP	Adult Table	29" x 30" x 72"	140	\$2,742	\$2,497				
	77-Y95-S00 MAP	77-Y95-S02 MAP	Youth Table	27-1/2" x 30" x 72"	140	\$2,742	\$2,497				
	77-J95-S00 MAP	77-J95-S02 MAP	Juvenile Table	25" x 30" x 72"	140	\$2,742	\$2,497				

Six-Reader	Six-Reader Rec	tangular Oak Tabl	<u>e</u>				
Rectrangular Table	77-144-S00 OAK	77-144-S02 OAK	Adult Table	29" x 36" x 60"	120	\$2,443	\$2,217
_	77-Y44-S00 OAK	77-Y44-S02 OAK	Youth Table	27-1/2" x 36" x 60"	120	\$2,443	\$2,217
	77-J44-S00 OAK	77-J44-S02 OAK	Juvenile Table	25" x 36" x 60"	120	\$2,443	\$2,217
	77-138-S00 OAK	77-138-S02 OAK	Adult Table	29" x 36" x 72"	140	\$2,614	\$2,389
l Ü l	77-Y38-S00 OAK	77-Y38-S02 OAK	Youth Table	27-1/2" x 36" x 72"	140	\$2,614	\$2,389
9	77-J38-S00 OAK	77-J38-S02 OAK	Juvenile Table	25" x 36" x 72"	140	\$2,614	\$2,389
8	77-145-S00 OAK	77-145-S02 OAK	Adult Table	29" x 48" x 72"	170	\$3,376	\$2,809
	77-Y45-S00 OAK	77-Y45-S02 OAK	Youth Table	27-1/2" x 48" x 72"	170	\$3,376	\$2,809
	77-J45-S00 OAK	77-J45-S02 OAK	Juvenile Table	25" x 48" x 72"	170	\$3,376	\$2,809
	Six-Reader Rec	tangular Maple Ta	<u>ıble</u>				
	77-144-S00 MAP	77-144-S02 MAP	Adult Table	29" x 36" x 60"	120	\$2,664	\$2,417
	77-Y44-S00 MAP	77-Y44-S02 MAP	Youth Table	27-1/2" x 36" x 60"	120	\$2,664	\$2,417
	77-J44-S00 MAP	77-J44-S02 MAP	Juvenile Table	25" x 36" x 60"	120	\$2,664	\$2,417
	77-138-S00 MAP	77-138-S02 MAP	Adult Table	29" x 36" x 72"	140	\$2,850	\$2,605
	77-Y38-S00 MAP	77-Y38-S02 MAP	Youth Table	27-1/2" x 36" x 72"	140	\$2,850	\$2,605
	77-J38-S00 MAP	77-J38-S02 MAP	Juvenile Table	25" x 36" x 72"	140	\$2,850	\$2,605
	77-145-S00 MAP	77-145-S02 MAP	Adult Table	29" x 48" x 72"	170	\$3,680	\$3,061
	77-Y45-S00 MAP	77-Y45-S02 MAP	Youth Table	27-1/2" x 48" x 72"	170	\$3,680	\$3,061
	77-J45-S00 MAP	77-J45-S02 MAP	Juvenile Table	25" x 48" x 72"	170	\$3,680	\$3,061

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price	
Rectangular Oa	k Table with Cente	er Support Le	eg <u>s</u>				Rectangular Table with
7-198-S00 OAK	77-198-S02 OAK	Adult Table	29" x 30" x 90"	165	\$3,350	\$3,141	Center Support Legs
7-Y98-S00 OAK	77-Y98-S02 OAK	Youth Table	27-1/2" x 30" x 90"	165	\$3,350	\$3,141	
7-J98-S00 OAK	77-J98-S02 OAK	Juvenile Table	25" x 30" x 90"	165	\$3,350	\$3,141	
7-146-S00 OAK	77-146-S02 OAK	Adult Table	29" x 36" x 90"	165	\$3,450	\$3,239	
7-Y46-S00 OAK	77-Y46-S02 OAK	Youth Table	27-1/2" x 36" x 90"	165	\$3,450	\$3,239	
7-J46-S00 OAK	77-J46-S02 OAK	Juvenile Table	25" x 36" x 90"	165	\$3,450	\$3,239	
7-134-S00 OAK	77-134-S02 OAK	Adult Table	29" x 48" x 90"	185	\$3,776	\$3,531	O U
7-Y34S00 OAK	77-Y34-S02 OAK	Youth Table	27-1/2" x 48" x 90"	185	\$3,776	\$3,531	
7-J34-S00 OAK	77-J34-S02 OAK	Juvenile Table	25" x 48" x 90"	185	\$3,776	\$3,531	
Rectangular Ma	ple Table with Ce	nter Support	Legs				
7-198-S00 MAP	77-198-S02 MAP	Adult Table	29" x 30" x 90"	165	\$3,653	\$3,423	
7-Y98-S00 MAP	77-Y98-S02 MAP	Youth Table	27-1/2" x 30" x 90"	165	\$3,653	\$3,423	
7-J98-S00 MAP	77-J98-S02 MAP	Juvenile Table	25" x 30" x 90"	165	\$3,653	\$3,423	
7-146-S00 MAP	77-146-S02 MAP	Adult Table	29" x 36" x 90"	165	\$3,760	\$3,531	
7-Y46-S00 MAP	77-Y46-S02 MAP	Youth Table	27-1/2" x 36" x 90"	165	\$3,760	\$3,531	
7-J46-S00 MAP	77-J46-S02 MAP	Juvenile Table	25" x 36" x 90"	165	\$3,760	\$3,531	
7-134-S00 MAP	77-134-S02 MAP	Adult Table	29" x 48" x 90"	185	\$4,117	\$3,848	
7-Y34-S00 MAP	77-Y34-S02 MAP	Youth Table	27-1/2" x 48" x 90"	185	\$4,117	\$3,848	
7-J34-S00 MAP	77-J34-S02 MAP	Juvenile Table	25" x 48" x 90"	185	\$4,117	\$3,848	

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

TABLETOPS


Standard tabletops are 1-3/16" thick, 5-ply solid-lumber core, except 90"W tables which have a 1-3/16" thick particleboard core, including a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Edges are solid maple. Drop edge band is 5/8" thick x 1-5/8" externally banded to form a bullnose.

TABLE LEGS


Each leg is 2-1/2" diameter, 16-gauge steel tubing and has a 3-1/2" diameter x 2-5/8"H glued-up maple bun-foot as a design feature. Each bun-foot has a 2" diameter, adjustable glide mounted in a recessed tee-nut. The glide is further recessed into the bun-foot by means of a counter-sunk boring which accepts the upper two-thirds of the glide. Legs attach to tabletops by means of a 5" square x 5/16" thick cold-rolled steel plate. The plate is fillet-welded to the leg. The steel plate is attached to the tabletop by five 5/16" x 1" machine bolts engaging internally and externally threaded bushings in the underside of the tabletop. Leg plates are positioned behind, and be hidden by, the extended table edge band.

TABLETOP SUPPORT

For maximum rigidity, rectangular tables, 60" or more wide, receive a V-shaped, 14-gauge steel keel securely fastened to the underside of the tabletop. Tables 48"D and more than 60"W, receive two steel keels parallel to the length of the table. Tables 90" or wider receive two extra matching legs located under the center of the table to provide added support.



Horizons Drop Edge



Horizons Metal Leg



Horizons External Edge Band

Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price	
Round Oak Table	<u> </u>						Round Table
77M-109-S00 OAK	77M-109-S02 OAK	Adult Table	29"Hx36" Diameter	100	\$2,648	\$2,483	
77M-Y09-S00 OAK	77M-Y09-S02 OAK	Youth Table	27-1/2"Hx36" Diameter	100	\$2,648	\$2,483	
77M-J09-S00 OAK	77M-J09-S02 OAK	Juvenile Table	25"H x 36" Diameter	100	\$2,648	\$2,483	
77M-129-S00 0AK	77M-129-S02 OAK	Adult Table	29"H x 42" Diameter	110	\$2,796	\$2,630	
77M-Y29-S00 OAK		Youth Table	27-1/2"H x 42" Diameter	110	\$2,796	\$2,630	
77M-J29-S00 OAK		Juvenile Table	25"H x 42" Diameter	110	\$2,796	\$2,630	
77M 1/11 COO OAK	77M-141-S02 OAK	Adult Table	29"H x 48" Diameter	120	\$2,796	\$2,630	
	77M-Y41-S02 OAK	Youth Table	27-1/2"H x 48" Diameter	120	\$2,796 \$2,796	\$2,630 \$2,630	
	77M-J41-S02 OAK	Juvenile Table	25"H x 48" Diameter	120	\$2,796	\$2,630 \$2,630	
N/A	77M-130-S02 OAK		29"H x 60" Diameter	140	N/A	\$3,158	
N/A	77M-Y30-S02 OAK		27-1/2"Hx 60" Diameter	140	N/A	\$3,158	
N/A	77M-J30-S02 OAK	Juvenile Table	25"H x 60" Diameter	140	N/A	\$3,158	
Round Maple Tal	ble						
77M-109-S00 MAP	77M-109-S02 MAP	Adult Table	29"Hx36" Diameter	100	\$2,886	\$2,706	
77M-Y09-S00 MAP	77M-Y09-S02 MAP	Youth Table	27-1/2"Hx36" Diameter	100	\$2,886	\$2,706	
77M-J09-S00 MAP	77M-J09-S02 MAP	Juvenile Table	25"H x 36" Diameter	100	\$2,886	\$2,706	
77M-129-S00 MAP	77M-129-S02 MAP	Adult Table	29"H x 42" Diameter	110	\$3,047	\$2,867	
	77M-Y29-S02 MAP	Youth Table	27-1/2"H x 42" Diameter	110	\$3,047	\$2,867	
77M-J29-S00 MAP		Juvenile Table	25"H x 42" Diameter	110	\$3,047	\$2,867	
77M-141-S00 MAP	77M-141-S02 MAP	Adult Table	29"H x 48" Diameter	120	\$3,047	\$2,867	
77M-Y41-S00 MAP	77M-Y41-S02 MAP	Youth Table	27-1/2"H x 48" Diameter	120	\$3,047	\$2,867	
77M-J41-S00 MAP	77M-J41-S02 MAP	Juvenile Table	25"H x 48" Diameter	120	\$3,047	\$2,867	
N/A	77M-130-S02 MAP	Adult Table	29"H x 60" Diameter	140	N/A	\$3,441	
N/A	77M-Y30-S02 MAP	Youth Table	27-1/2"H x 60" Diameter	140	N/A	\$3,441	
N/A	77M-J30-S02 MAP	Juvenile Table	25"H x 60" Diameter	140	N/A	\$3,441	
	•						
	5 77M-191-S02 OAK	Adult Table	29" x30" x30"	110	¢2 120	¢1 027	Square Table
77M-191-S00 OAK		Youth Table	29 x30 x30 27-1/2"x30"x30"	110	\$2,139 \$2,139	\$1,927 \$1,927	
77M-191-300 OAK		Juvenile Table	25" x 30" x 30"	110	\$2,139 \$2,139	\$1,927 \$1,927	
	77M-137-S02 OAK		29" x 42" x 42"	110	\$2,287	\$2,075	
	77M-Y37-S02 OAK		27-1/2" x 42" x 42"	110	\$2,287	\$2,075	
	77M-J37-S02 OAK		25" x 42" x 42"	110	\$2,287	\$2,075	
	77M-154-S02 OAK		29" x 48" x 48"	110	\$2,451	\$2,240	
	77M-Y54-S02 OAK		27-1/2" x 48" x 48"	110	\$2,451	\$2,240	
77M-J54-SUU UAK	77M-J54-S02 OAK	Juvenile lable	25" x 48" x 48"	110	\$2,451	\$2,240	0
Square Maple Ta	ble						
	77M-191-S02 MAP		29" x 30" x 30"	110	\$2,331	\$2,099	
	77M-Y91-S02 MAP		27-1/2" x 30" x 30"	110	\$2,331	\$2,099	
77M-J91-S00 MAP	77M-J91-S02 MAP	Juvenile Table	25" x 30" x 30"	110	\$2,331	\$2,099	
77M-137-S00 MAP	77M-137-S02 MAP	Adult Table	29" x 42" x 42"	110	\$2,493	\$2,261	
77M-Y37-S00 MAP	77M-Y37-S02 MAP	Youth Table	27-1/2" x 42" x 42"	110	\$2,493	\$2,261	
77M-137-S00 MAP	77M-J37-S02 MAP	Juvenile Table	25" x 42" x 42"	110	\$2,493	\$2,261	
7710-307-300 MAI							
	77M-154-S02 MAP	Adult Table	29" x 48" x 48"	110	\$2,673	\$2,442	
77M-154-S00 MAP	77M-154-S02 MAP 77M-Y54-S02 MAP		29" x 48" x 48" 27-1/2" x 48" x 48"	110 110	\$2,673 \$2,673	\$2,442 \$2,442	

Please specify Wood Finish (Table 1) High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

	Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price			
Four-Reader	Four-Reader Rectangular Oak Table									
Rectrangular Table	77M-194-S00 OAK	77M-194-S02 OAK	Adult Table	29" x 30" x 60"	120	\$2,508	\$2,247			
	77M-Y94-S00 OAK	77M-Y94-S02 OAK	Youth Table	27-1/2" x 30" x 60"	120	\$2,508	\$2,247			
	77M-J94-S00 OAK	77M-J94-S02 OAK	Juvenile Table	25" x 30" x 60"	120	\$2,508	\$2,247			
	77M-195-S00 OAK	77M-195-S02 OAK	Adult Table	29" x 30" x 72"	140	\$2,641	\$2,420			
	77M-Y95-S00 OAK	77M-Y95-S02 OAK	Youth Table	27-1/2" x 30" x 72"	140	\$2,641	\$2,420			
	77M-J95-S00 OAK	77M-J95-S02 OAK	Juvenile Table	25" x 30" x 72"	140	\$2,641	\$2,420			
	Four-Reader Rectangular Maple Table									
	77M-194-S00 MAP	77M-194-S02 MAP	Adult Table	29" x 30" x 60"	120	\$2,733	\$2,449			
	77M-Y94-S00 MAP	77M-Y94-S02 MAP	Youth Table	27-1/2" x 30" x 60"	120	\$2,733	\$2,449			
	77M-J94-S00 MAP	77M-J94-S02 MAP	Juvenile Table	25" x 30" x 60"	120	\$2,733	\$2,449			
	77M-195-S00 MAP	77M-195-S02 MAP	Adult Table	29" x 30" x 72"	140	\$2,879	\$2,637			
	77M-Y95-S00 MAP	77M-Y95-S02 MAP	Youth Table	27-1/2" x 30" x 72"	140	\$2,879	\$2,637			
	77M-J95-S00 MAP	77M-J95-S02 MAP	Juvenile Table	25" x 30" x 72"	140	\$2,879	\$2,637			

Six-Reader	Six-Reader Recta	angular Oak Table					
Rectrangular Table	77M-144-S00 OAK	77M-144-S02 OAK	Adult Table	29" x 36" x 60"	120	\$2,574	\$2,343
	77M-Y44-S00 OAK	77M-Y44-S02 OAK	Youth Table	27-1/2" x 36" x 60"	120	\$2,574	\$2,343
	77M-J44-S00 OAK	77M-J44-S02 OAK	Juvenile Table	25" x 36" x 60"	120	\$2,574	\$2,343
	77M-138-S00 OAK	77M-138-S02 OAK	Adult Table	29" x 36" x 72"	140	\$2,741	\$2,510
	77M-Y38-S00 OAK	77M-Y38-S02 OAK	Youth Table	27-1/2" x 36" x 72"	140	\$2,741	\$2,516
°	77M-J38-S00 OAK	77M-J38-S02 OAK	Juvenile Table	25" x 36" x 72"	140	\$2,741	\$2,516
Ü	77M-145-S00 OAK	77M-145-S02 OAK	Adult Table	29" x 48" x 72"	170	\$3,502	\$2,936
	77M-Y45-S00 OAK	77M-Y45-S02 OAK	Youth Table	27-1/2" x 48" x 72"	170	\$3,502	\$2,936
	77M-J45-S00 OAK	77M-J45-S02 OAK	Juvenile Table	25" x 48" x 72"	170	\$3,502	\$2,936
	Six-Reader Recta	angular Maple Tab	<u>le</u>				
	77M-144-S00 MAP	77M-144-S02 MAP	Adult Table	29" x 36" x 60"	120	\$2,805	\$2,556
	77M-Y44-S00 MAP	77M-Y44-S02 MAP	Youth Table	27-1/2" x 36" x 60"	120	\$2,805	\$2,556
	77M-J44-S00 MAP	77M-J44-S02 MAP	Juvenile Table	25" x 36" x 60"	120	\$2,805	\$2,556
	77M-138-S00 MAP	77M-138-S02 MAP	Adult Table	29" x 36" x 72"	140	\$2,987	\$2,743
	77M-Y38-S00 MAP	77M-Y38-S02 MAP	Youth Table	27-1/2" x 36" x 72"	140	\$2,987	\$2,743
	77M-J38-S00 MAP	77M-J38-S02 MAP	Juvenile Table	25" x 36" x 72"	140	\$2,987	\$2,743
	77M-145-S00 MAP	77M-145-S02 MAP	Adult Table	29" x 48" x 72"	170	\$3,818	\$3,199
	77M-Y45-S00 MAP	77M-Y45-S02 MAP	Youth Table	27-1/2" x 48" x 72"	170	\$3,818	\$3,199
	77M-J45-S00 MAP	77M-J45-S02 MAP	Juvenile Table	25" x 48" x 72"	170	\$3,818	\$3,199

 $Please\ specify\ Wood\ Finish\ (Table\ 1)\ High-Pressure\ Laminate\ (Table\ 2)\ and\ Metal\ Color\ (Table\ 3).\ Details\ can\ be\ found\ on\ pages\ GEN\ 4\ and\ GEN\ 5.$

Plywood Core Catalog No.	Particleboard Core Catalog No.	Description	HxWxD	Wt. (lbs.)	Plywood Core Price	Particleboard Core Price	
Rectangular Oak	Table with Center	Support Le	g <u>s</u>				Rectangular Table with
77M-198-S00 OAK	77M-198-S02 OAK	Adult Table	29" x 30" x 90"	165	\$3,350	\$3,323	Center Support Legs
77M-Y98-S00 OAK	77M-Y98-S02 OAK	Youth Table	27-1/2" x 30" x 90"	165	\$3,350	\$3,323	
77M-J98-S00 OAK	77M-J98-S02 OAK	Juvenile Table	25" x 30" x 90"	165	\$3,350	\$3,323	
77M-146-S00 OAK	77M-146-S02 OAK	Adult Table	29" x 36" x 90"	165	\$3,686	\$3,421	
77M-Y46-S00 OAK	77M-Y46-S02 OAK	Youth Table	27-1/2" x 36" x 90"	165	\$3,686	\$3,421	
77M-J46-S00 OAK	77M-J46-S02 OAK	Juvenile Table	25" x 36" x 90"	165	\$3,686	\$3,421	
77M-134-S00 OAK	77M-134-S02 OAK	Adult Table	29" x 48" x 90"	185	\$4,012	\$3,767	8
77M-Y34S00 OAK	77M-Y34-S02 OAK	Youth Table	27-1/2" x 48" x 90"	185	\$4,012	\$3,767	
77M-J34-S00 OAK	77M-J34-S02 OAK	Juvenile Table	25" x 48" x 90"	185	\$4,012	\$3,767	
Rectangular Ma	ple Table with Cen	ter Support	Legs				
77M-198-S00 MAP	77M-198-S02 MAP	Adult Table	29" x 30" x 90"	165	\$3,653	\$3,623	
77M-Y98-S00 MAP	77M-Y98-S02 MAP	Youth Table	27-1/2" x 30" x 90"	165	\$3,653	\$3,623	
77M-J98-S00 MAP	77M-J98-S02 MAP	Juvenile Table	25" x 30" x 90"	165	\$3,653	\$3,623	
77M-146-S00 MAP	77M-146-S02 MAP	Adult Table	29" x 36" x 90"	165	\$4,019	\$3,729	
77M-Y46-S00 MAP	77M-Y46-S02 MAP	Youth Table	27-1/2" x 36" x 90"	165	\$4,019	\$3,729	
77M-J46-S00 MAP	77M-J46-S02 MAP	Juvenile Table	25" x 36" x 90"	165	\$4,019	\$3,729	
77M-134-S00 MAP	77M-134-S02 MAP	Adult Table	29" x 48" x 90"	185	\$4,374	\$4,107	
77M-Y34-S00 MAP	77M-Y34-S02 MAP	Youth Table	27-1/2" x 48" x 90"	185	\$4,374	\$4,107	
77M-J34-S00 MAP	77M-J34-S02 MAP	Juvenile Table	25" x 48" x 90"	185	\$4,374	\$4,107	

Please specify Wood Finish (Table 1) High-Pressure Laminate (Table 2) and Metal Color (Table 3). Details can be found on pages GEN 4 and GEN 5.

WORKSTATIONS

Workstations are of modular starter and adder design, with overall height 33". Workstations are available in 36", 48", 72", 96" and 108" widths. A knee-space panel located below the work surface supports all work surfaces greater than 48"W. Work surface height is 27-1/2". Work surface depth is 27-1/2" with an additional 1-1/2"W cord drop between the work surface and back panel to allow passage of electrical cords. Work surface is attached to end and intermediate panels by means of two metal 22-1/2" long "Z" brackets with 5/16" – 18 hex-head bolts engaging internally and externally threaded bushings embedded into panels. The back panel is attached to end and intermediate panels using hidden metal keyways and shoulder screws. The shelf is attached to end and intermediate panels and back panels with 3/4" x 3/4" steel, black painted angle brackets and black #8 screws.

WORK SURFACE

Standard work surface is 1-3/16" thick, 3-ply, 45# density particleboard, including a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thickness for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Front edge of work surface has a 5/8" x 1-5/8" solid maple edge band in a half-round bullnose shape. The back edge of the top has a black plastic band 1-1/2"W which projects above the work surface 1/4" to act as a retainer.

END AND INTERMEDIATE PANELS

End panels are 1" thick, constructed of 3/4" particleboard and a 1/4" thick board containing the cutouts with a colored laminate in between (optional). Intermediate panels are 1-3/16" thick particleboard with select face veneers of maple wood. All edges are banded with a 5/8" maple wood edge band. Intermediate panels receive a 3" diameter grommet below the work surface to allow passage of electrical and data wires. Each panel receives two 1-1/4" adjustable glides.

BACK PANEL

Back panel is 3/4" thick, 45# density particleboard core with face veneers of select maple wood. The top and bottom edges of the back panel receive 1.6mm thick maple wood edge bands. Back panels attach to end and intermediate panels by means of recessed metal fasteners and shoulder screws. The back panel on double-faced units receives a 3" diameter grommet located below the work surface to allow passage of electrical and data wires.

DESIGN CUTOUTS

The wooden 1" thick end panels have a laser cut out design as selected by the customer. The inside edges of the cutout are blackened to provide a finished appearance. Cutouts are available on starter units only (end panels).

SHELF


Shelf is 3/4" thick x 8"D 45# density particleboard core with face veneers of select maple wood. Shelf is banded on the front edge with a 1.6mm maple wood band. Shelf attachs to end and intermediate panels by means of a pair of metal "L" brackets. Back corners of shelf have a 3" x 3" cutout to allow for the passage of electrical cords. The shelf is positioned 10" below the bottom of the work surface.

WIRE MANAGEMENT DOOR

The wire management door is positioned between the bottom of the work surface and the shelf and is designed to form a concealed wire management channel 8-1/2"H x 9-1/2"D. The door is 1/4" thick with select maple wood face veneers. The door slides in two aluminum tracks, one that is attached to the bottom of the work surface while the other is attached to the top of the shelf.

KNEE-SPACE PANEL

All 72" and 96"W workstations, as well as functional corner units, have a knee-space panel positioned under the work surface for additional work surface support. Units 108"W have two knee-space panels. The knee-space panel is 1-1/8" thick, 45# density particleboard core with select face veneers of maple wood. The panel is banded on exposed edges with a 1.6mm maple wood band. The knee-space panel is attached to the back panel using a 1-3/4" square post, grooved to receive the knee space panel and back panels. Panels attach to the post using recessed metal fasteners and shoulder screws. The knee-space panel is angled in the back to create a space to allow passage of electrical and data cords. The knee-space panel receives two 1-1/4" diameter black adjustable glides.



Horizons Drop Edge

	Maple Price	Oak Price	Wt. (lbs.)	HxWxD	Description	Maple Catalog No.	Oak Catalog No.
Single-Faced One-Posi						ng Space	36" Wide Workir
Sta	\$3,139	\$2,879	130	33-1/2" x 37-1/2" x 31"	One-Position S/F Starter	77-S31-SS0 MAP	77-S31-SS0 OAK
The state of the s	\$2,341	\$2,147	100	33-1/2" x 36-1/2" x 31"	One-Position S/F Adder	77-S31-SA0 MAP	77-\$31-\$A0 OAK
Ac						ng Space	48" Wide Workiı
	\$3,337	\$3,061	155	33-1/2" x 49-1/4" x 31"	One-Position S/F Starter	77-S41-SS0 MAP	77-S41-SS0 OAK
	\$2,487	\$2,281	125	33-1/2" x 48" x 31"	One-Position S/FAdder	77-S41-SA0 MAP	77-S41-SA0 OAK
Double-Faced One-Posi						ng Space	36" Wide Workir
Sta	\$5,724	\$5,251	215	33-1/2" x 37-1/2" x 59-1/2"	One-Position D/F Starter	77-D31-SS0 MAP	77-D31-SS0 OAK
	\$4,171	\$3,826	155	33-1/2" x 36-1/2" x 59-1/2"	One-Position D/F Adder	77-D31-SA0 MAP	77-D31-SA0 OAK
Ac						ng Space	48" Wide Workir
	\$6,067	\$5,566	255	33-1/2" x 49-1/4" x 59-1/2"	One-Position D/F Starter	77-D41-SS0 MAP	77-D41-SS0 OAK
	\$4,486	\$4,115	195	33-1/2" x 48" x 59-1/2"	One-Position D/F Adder	77-D41-SA0 MAP	77-D41-SA0 OAK
Single-Faced Two-Posi						ng Space	
Sta	\$4,223	\$3,875	195	33-1/2" x 74" x 31"	Two-Position S/F Starter	77-S32-SS0 MAP	77-S32-SS0 OAK
	\$3,375	\$3,096	165	33-1/2" x 73" x 31"	Two-Position S/F Adder	77-S32-SA0 MAP	77-S32-SAO OAK
						ng Space	48" Wide Workiı
Ac	\$4,546	\$4,171	235	33-1/2" x 97-1/4" x 31"	Two-Position S/F Starter	77-S42-SS0 MAP	77-S42-SS0 OAK
	\$3,679	\$3,375	205	33-1/2" x 96" x 31"	Two-Position S/F Adder	77-S42-SA0 MAP	77-S42-SA0 OAK
Double-Faced Two-Posi						ng Space	36" Wide Workir
Sta	\$7,622	\$6,992	330	33-1/2" x 74" x 59-1/2"	Two-Position D/F Starter	77-D32-SS0 MAP	77-D32-SS0 OAK
	\$6,105	\$5,601	270	33-1/2" x 73" x 59-1/2"	Two-Position D/F Adder	77-D32-SA0 MAP	77-D32-SA0 OAK
Ac	\$8,177	\$7,501	410	33-1/2" x 97-1/4" x 59-1/2"	Two-Position	1<u>g Space</u> 77-D42-SSO MAP	48" Wide Worki: 77-D42-SS0 OAK
		7.,001	0		D/F Starter		
	\$6,653	\$6,103	155	33-1/2" x 96" x 59-1/2"	Two-Position D/F Adder	77-D42-SA0 MAP	77-D42-SA0 OAK

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Specify Cutout Design. Details can be found on page HOR 28.

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Single-Faced Three-Position	36" Wide Working	Space					
Starter	77-S33-SSO OAK	77-S33-SS0 MAP	Three-Position S/F Starter	33-1/2" x 110-1/2" x 31"	260	\$5,059	\$5,513
Adder	77- 533-5A0 O AK	77-S33-SA0 MAP	Three-Position S/F Adder	33-1/2" x 109-1/4" x 31"	230	\$4,074	\$4,440
Double-Faced Three-Position	36" Wide Working	<u>Space</u>					
Starter	77-D33-SSO OAK	77-D33-SS0 MAP	Three-Position D/F Starter	33-1/2" x 110-1/2" x 59-1/2"	445	\$9,143	\$9,966
Adder	77-D33-SA0 OAK	77-D33-SA0 MAP	Three Position D/F Adder	33-1/2" x 109-1/4" x 59-1/2"	385	\$7,680	\$8,371
90° Functional Corner Unit	36" Wide Working						
Starter	77-SCR-SSO OAK	77-SCR-SSO MAP	90-Degree Functi Corner Starter	onal 33-1/2" x 62" x 31"	225	\$6,054	\$6,599
Adder	77-SCR-SAO OAK	77-SCR-SAO MAP		onal 33-1/2" x 62" x 31"	195	\$5,435	\$5,924
			Corner Adder				

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Specify Cutout Design. Details can be found on page HOR 28.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	
77-112-S00 OAK	77-112-S00 MAP	D/F Book Browser with 2 Cutouts per pa	33-3/4" x 57-3/4" x 35-3/4" nel	300	\$7,982	\$8,701	Mobile Book Browser
		The bottom portion h movable on four hidd for a total of 700#'s. Design cutouts: Ti	ruction. The top portion has (8) 13" as (8) 16-1/2" H x 13" W x 17" D storen casters (which are supplied). Each the wooden 1" thick end panels have the customer. The inside edges of the	orage compa h caster has a 34" radiu	rtments. The u a load rating o s on the top ec	nit is f 175# Ige and hav	e with 2 Cutouts per Panel
77-262-S00 OAK	77-262-S00 MAP	D/F Book Browser with 3 Cutouts per pa	23" x 25" x 25" nel ruction. The top portion has (4) 10-3	200	\$3,316	\$3,614	Double-Faced Book Browser with 3 Cutouts per Pane
		compartments. Each Design cutouts: Ti	end panel receives two floor leveling ne wooden 1" thick end panels have thosen by the customer. The inside e	gglides. a 24" radiu	s on the top ed	lge	
77-263-S00 OAK	77-263-S00 MAP	with 2 Cutouts per pa	wser24-3/4" x 25" x 23*3/4" nel ruction. The top portion has (2) 10-3	140 3/8"Wx9-1	\$3,593 3/16"D displ	\$3,917	Single-Faced Mobile Book Browser with Seat and 2 Cutouts per Panel
		·	l as (1) bench seat. Each end panel ne wooden 1" thick end panels have				74.
		=	chosen by the customer. The inside e		-	_	
77-264-S00 OAK	77-264-S00 MAP	D/F Book Mobile Bro	wser 24-5/8" x 25" x 45"	190	\$4,650	\$5,068	Double-Faced Mobile Book Browser with Seat
		Maple plywood const	ruction. The top portion has (4) 10-3 I as (2) bench seats, 23 " W x 10 " D			-	and 4 Cutouts per Panel

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.

Note: Specify Cutout Design. Details can be found on page HOR 28.

to provide a finished appearance.

Design cutouts: The wooden 1" thick end panels have a 52-1/2" radius on the top edge and have a laser cut chosen by the customer. The inside edges of the cutout are blackened

	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Picture Book Displayer with Cutout	77-140-S00 OAK	77-140-S00 MAP	Picture Book Table with 3 Cutouts per panel	31-1/2" x 48-1/2" x 34-1/2"	100	\$4,299	\$4,687
	77-142-S00 OAK	77-142-S00 MAP	Picture Book Table with 3 Cutouts per panel	31-1/2" x 78-1/2" x 34-1/2"	190	\$4,778	\$5,208
3 - 3			high-pressure laminate, w construction. High-pressur staining that meets or exce thick, externally banded to	hick, particleboard core, including a ith a backing sheet not less than .02 re laminate has a lo-glare finish resi eeds NEMA standards. Edges are so of form a bullnose. Loaded in the cen 3-3/4"W running the full length of	20" thickn stant to sc lid maple. ter of the t	ess for balar cratches, fadi . The edge ba	nced ing, and and is 5/8"
			_	oden 1" thick end panels have a 24 en by the customer. The inside edges arance.		•	-
			Note: Hassocks for Pictur page DIS 16.	e Book Tables are located in the Dis	play Spec	ialty Seating	Section

General Specifications

END PANELS

The end panel is of maple plywood construction 1-14" thick with 1.6mm banded edges. The end panel has a large cutout design as selected by the customer. The inside edges of the cutouts are blackened to provide a finished appearance.

End panels are not machined. No fastening hardware is provided with end panels.

End panels for steel shelving with continuous tops or canopy top inset are designed to have the canopy top "inset" between the end panels.

Note: Exact height and depth of panel must be specified when ordering.

Oak Catalog No.	Maple Catalog No.	Description	# of Cutouts per Panel	Wt. (lbs.)	Oak Price	Maple Price	
77L-702-MOD OAK	77L-702-MOD MAP	43-3/4" x 13-7/8"	3	14	\$1,257	\$1,320	Single-Faced w/Laser Cutouts
77L-703-MOD OAK	77L-703-MOD MAP	43-3/4" x 15-7/8"	3	16	\$1,266	\$1,328	& Laminate Inlays End Panels
77L-705-MOD OAK	77L-705-MOD MAP	67-3/4" x 13-7/8"	4	21	\$1,582	\$1,660	
77L-706-MOD OAK	77L-706-MOD MAP	67-3/4" x 15-7/8"	4	26	\$1,595	\$1,675	Ç* #
77L-708-MOD OAK	77L-708-MOD MAP	79-3/4" x 13-7/8"	4	25	\$1,686	\$1,770	
77L-709-MOD OAK	77L-709-MOD MAP	79-3/4" x 15-7/8"	4	30	\$1,705	\$1,789	\$\frac{1}{2}\tau_{\text{*}}
77L-711-MOD OAK	77L-711-MOD MAP	85-3/4" x 13-7/8"	4	28	\$1,735	\$1,822	
77L-712-MOD OAK	77L-712-MOD MAP	85-3/4" x 15-7/8"	4	33	\$1,756	\$1,844	
77L-714-MOD OAK	77L-714-MOD MAP	91-3/4" x 13-7/8"	5	29	\$1,903	\$1,999	₹
77L-715-MOD OAK	77L-715-MOD MAP	91-3/4" x 15-7/8"	5	35	\$1,923	\$2,020	
							SAN
77L-722-MOD OAK	77L-722-MOD MAP	43-3/4" x 24-3/8"	3	27	\$1,361	\$1,430	Double-Faced w/Laser Cutouts
77L-723-MOD OAK	77L-723-MOD MAP	43-3/4" x 28-3/8"	3	33	\$1,382	\$1,452	& Laminate Inlays End Panels
77L-725-MOD OAK	77L-725-MOD MAP	67-3/4" x 24-3/8"	4	43	\$1,774	\$1,863	
77L-726-MOD OAK	77L-726-MOD MAP	67-3/4" x 28-3/8"	4	52	\$1,799	\$1,890	4
77L-728-MOD OAK	77L-728-MOD MAP	79-3/4" x 24-3/8"	4	51	\$1,889	\$1,983	7*
77L-729-MOD OAK	77L-729-MOD MAP	79-3/4" x 28-3/8"	4	61	\$1,917	\$2,012	
	77L731-MOD MAP	85-3/4" x 24-3/8"	4	55	\$1,945	\$2,043	Emas =
77L-731-MOD OAK	77L-732-MOD MAP	85-3/4" x 28-3/8"	4	66	\$1,977	\$2,075	2000
	11L-132-WIOD WAP						l II
77L-732-MOD OAK	77L-732-MOD MAP	91-3/4" x 24-3/8"	5	59	\$2,119	\$2,225	
77L-732-MOD OAK 77L-734-MOD OAK		91-3/4" x 24-3/8" 91-3/4" x 28-3/8"	5 5	59 60	\$2,119 \$2,150	\$2,225 \$2,256	
77L-731-MOD OAK 77L-732-MOD OAK 77L-734-MOD OAK 77L-735-MOD OAK	77L-734-MOD MAP						

Please specify Wood Finish (Table 1) and High-Pressure Laminate (Table 2). Details can be found on page GEN 4.


Note: Specify Cutout Design. Details can be found on page HOR 28.

General Specifications

CUTOUTS

The following standard cutouts are available at no charge. Cutouts must be specified for each product and each location on the furniture item. All cutouts are available in most positions on the furniture. Please contact Brodart for a cutout location page for each specific product you have interest in. Custom designs are available on a quote-per-design basis.

Note: The cutout size varies depending on location.



-HOR28 - F11-1-23-HOR

The Matrix Collection

General Specifications

DESKTOP

Standard desktops are 1-3/16" thick, 45# density particleboard core, with a top surface of .050" thick, high-pressure laminate, with a backing sheet not less than .020" thick for balanced construction. High-pressure laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. Top receives a 5/8" thick, solid northern-grown white maple edge band on the patron side, and it is of a straight design with a 1/4" radius on the top and bottom edges. The remaining three edges receive a 1/4" solid white maple band with 1/8 radius. All four edges are externally banded being applied after the laminate and backing. The top sits flush with the unit's ends and back side and overhangs 2-1/2" at the front side. (See band variation on adjustable or set in work surfaces.)

END PANELS

Desk module end panels are 1" thick, 45# density particleboard core with grade A-A plain-sliced northern grown white maple veneers, slip-matched on both faces. The four edges are banded with matching maple wood banding. The end panels and front panel are joined together with 3/4" x 3/4" cleats and screws. The bottom of each end receives two adjustable leveling glides. Each end also has a 3" diameter grommet hole for power and data cord passage.

DETACHABLE END PANELS

Detachable end panels are 1" thick, 45# density particleboard core with grade A-A plain-sliced northern grown white maple veneers, slip-matched on both faces. The four edges are banded with matching maple wood banding. The decorative end panel has four bolting holes to attach at the end of a range of desk units. These detachable end panels are offered as a pair. The outside face on the panels receive a series of black 1/2" design squares, two rows of ten squares and one row of nine squares. The design pattern of squares is centered left to right and begins 3-3/4" down from the top edge of the panel.

FRONT PANELS

The front panel is 3/4" thick, 45# density particleboard core with Grade A-A plain-sliced, northern-grown white maple veneers, slip-matched on both faces. The edges are banded with matching white maple wood. Connected to the bottom area of the front is a 6"H x 3/4"D recessed, ebonized kick plate. The front panel is positioned over the front edges of the end panels of the desk module, flush with the outside edges of the desk unit. Double-wide units have two front panels to maintain the uniform look of 35"W units for aesthetic purposes. The front panels of all units receive a series of black 1/2" design squares to form a design pattern. Single-wide units receive two rows of 14 squares and one row of 13 squares. Double-wide units receive twice as many squares. The design pattern of squares is centered left to right and begins 3-3/4" down from the top edge of each front. All corner units receive a matching design pattern of 1/2" black squares.

ADJUSTABLE WORK SURFACE (Available on limited units)

Work surfaces are 1-3/16" thick, 45# density particleboard core, including a top surface of .050" thick, high-pressure laminate with a backing sheet not less than .020" thick for balanced construction. Plastic laminate has a lo-glare finish resistant to scratches, fading, and staining that meets or exceeds NEMA standards. The exposed edge at the rear of the desk receives a 1/4" thick, maple internal edge band in straight design with a 1/4" radius on the top and bottom edges. Available in standing height unit only and adjustable to 36", 32" and 27"H.

SHELVES

Shelves are constructed of plywood with matching wood veneers, the front edge receive a matching maple wood band.

DRAWERS

Drawers are constructed of solid hardwood with 1/4" thick plywood bottom panel. Fronts are 3/4" thick with matching maple veneer faces and banded edges. Box drawers have 3/4" full extension metal slides, and file drawers have full extension metal slides; each are 100 lb. load capacity.


ELECTRICAL

See Brodart optional electrical accessories for electrical power distribution and wire management components.

DESK DIMENSIONS

Standing-Height Desk, Overall: Single Units: 39-3/16"H x 35"W x 30"D Double Units: 39-3/16"H x 70"W x 30"D Sitting-Height Desk, Overall:


Single Units: 32-3/16"H x 35"W x 30"D Double Units: 32-3/16"H x 70"W x 30"D



Matrix Series Flush Edge

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
93-012-S00 OAK	93-012-S00 MAP	Standing Height Desk with Patron Service Ledge	39-3/16" x 35" x 30"	140	\$3,517	\$3,833	Single-Wide Desk with Patron Service Ledge
		Inside dimensions: 33"W x 26-3/47-7/8" patron ledge is at a height on Note: Adjustable-height work surfat heights of 36", 32" or 27".	of 39-3/16"H.				0
93-E12-S00 OAK	93-E12-S00 MAP	Sitting Height Desk with Patron Service Ledge	32-3/16" x 35" x 30"	125	\$3,348	\$3,649	
		Inside dimensions: 33"W x 26-3/4 7-7/8" patron ledge is at a height o Note: Work surface is fixed at 27"	of 32-3/16"H.				
93-014-S00 OAK	93-014-S00 MAP	Standing Height Desk without Patron Service Ledge	39-3/16" x35" x30"	135	\$3,088	\$3,366	Single-Wide Desk without Patron Service Ledge
		Inside dimensions: 33"W x 26-3/4 work surface is at 39-3/16"H. Two grommets are located in the work s	3" diamenter				0
93-E14-S00 OAK	93-E14-S00 MAP	Sitting Height Desk without Patron Service Ledge	32-3/16" x35" x30"	120	\$2,787	\$3,038	
		Inside dimensions: 33 "W x 26-3/4 work surface is at 32-3/16" H. Two grommets are located in the work s	3" diamenter				0
93-015-S00 OAK	93-015-S00 MAP	Standing Height Book Return Unit	39-3/16" x35" x30"	135	\$3,000	\$3,269	Book Return Unit
		Inside dimensions: 33 "W x 26-3/4 work surface is at 39-3/16" H. Unit finished opening centered in the fro of books and a book chute to direct depressible book truck. (Depressibl Two 3" diameter grommets are local	has a 5"H x 12"W int panel for passage the books over a mobile le book truck not included).				0
93-E15-S00 OAK	93-E15-S00 MAP	Sitting Height Book Return Unit	32-3/16" x 35" x 30"	120	\$2,832	\$3,085	
		Inside dimensions: 33 "W x 26-3/4 work surface is at 32-3/16" H. Unit finished opening centered in the fro of books and a book chute to direct depressible book truck. (Depressibl Two 3" diameter grommets are local	has a 5"H x 12"W int panel for passage the books over a mobile le book truck not included).				0

Standing Sitting Cupboard and Open Shelf	Oak Catalog No. 93-121-S00 OAK	Maple Catalog No. 93-121-S00 MAP	Description Standing Height Cupboard and Open Shelf	HxWxD 39-3/16"x35"x30"	Wt. (lbs.)	Oak Price \$5,744	Maple Price \$6,262
0			This unit has one fixed and two adj shelves. A hidden drawer is position the lockable storage compartmen grommets are located in the work	oned above t. Two 3" diameter			
	93-E21-S00 OAK	93-E21-S00 MAP	Sitting Height Cupboard	32-3/16" x 35" x 30"	160	\$5,382	\$5,867
0			This unit has one fixed and one ad shelf. A hidden drawer is positione the lockable storage compartmen grommets are located in the work	ed above t. Two 3" diameter			
Full Width Drawer, Cupboard and Drawers	93-122-S00 OAK	93-122-S00 MAP	Standing Height Full Width Drawer, Cupboard and Drawers	39-3/16" x 35" x 30"	225	\$7,813	\$8,515
			This unit has one full-width drawer two file drawers, and a lockable st compartment. Two 3" diameter grare located in the work surface. Note: Available in 39"H only.	orage			



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
93-124-S00 OAK	93-124-S00 MAP	Standing Height Open Shelf and Drawer Unit	39-3/16" x 35" x 30"	200	\$6,415	\$6,992	Open Shelf and Drawer Unit
		This unit has one lockable box dra and two file drawers. Shelf section two adjustable shelves, and one f Two 3" diameter grommets are lo	n has ixed base shelf.				
93-E24-S00 OAK	93-E24-S00 MAP	Sitting Height Open Shelf and Drawer Unit	32-3/16" x 35" x 30"	125	\$5,897	\$6,428	
		This unit has one lockable box dra and one file drawer. Shelf section one adjustable shelf, and one fixe Two 3" diameter grommets are lo	has ed base shelf.				
93-131-S00 OAK	93-131-S00 MAP	Standing Height Cash Drawer Uni	t 39-3/16" x 35" x 30"	150	\$4,410	\$4,807	Cash Drawer Unit
		Inside dimensions: 33"W x 26-3/ The work surface is at 39-3/16"H has locking drawer with a coin and Two 3" diameter grommets are lo	l. Desk d currency tray.				
93-E31-S00 OAK	93-E31-S00 MAP	Sitting Height Cash Drawer Unit Inside dimensions: 33 "W x 26-3/ The work surface is at 32-3/16"H has locking drawer with a coin and Two 3" diameter grommets are lo	l. Desk d currency tray.	135	\$4,227	\$4,608	
93-E32-S00 OAK	93-E32-S00 MAP	Sitting Height ADA Station	32-3/16" x 35" x 40-1/2"	185	\$3,348	\$3,649	ADA Station
		The ADA transaction station is designed to provide wheelchair at on the patrons' side. The knee spon the patrons' side is 22-1/4" a staff side is 16". Two 3" diamete are located in the work surface. O egress with sleeve is located in each	ace depth and on the r grommets ne 3-1/2" diameter	ı.			

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Full Width Dra	wer Unit	93-133-S00 OAK	93-133-S00 MAP	Standing Height Full Width Drawer Unit	39-3/16" x 35" x 30"	160	\$4,529	\$4,936
0				This drawer unit has a full-width 10"H x 33"W x 18-3/4"D. Two grommets are located in the wor Note: Available in 39" H only.	3" diameter			

Full Width Drawer and Cupboard Unit



93-135-S00 OAK 93-135-S00 MAP Standing Height Full Width **Drawer and Cupboard Unit** 39-3/16" x 35" x 30"

\$5,469

\$5,018

This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Hinged doors have a catch, lock and door pulls. Two 3" diameter grommets are located in the work surface.


Discharge Unit 39-3/16" x 35" x 30" 165 **\$4,726 \$5,152** 93-172-S00 OAK 93-172-S00 MAP Standing Height Discharge Unit These units have a full-width well with seven removable wood trays for 5 "H x 3 "W cards. The 7-7/8" patron ledge is at a height of 39-3/16"H. Note: Standing-height roll unders do not work with this unit. 93-E72-S00 OAK 93-E72-S00 MAP Sitting Height Discharge Unit 32-3/16" x 35" x 30" \$4,886 These units have a full-width well with seven removable wood trays for 5 "H x 3 "W cards. The 7-7/8" patron ledge is at a height of 32-3/16"H.

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price	Standing Sitting
93-174-S00 OAK	93-174-S00 MAP	Standing Height Open Shelf Unit	39-3/16" x 35" x 30"	175	\$3,561	\$3,881	Open Shelf Unit
		This unit has a full-depth fixed base shelf and two full-depth adjustable s Two 3" diameter grommets are locathe work surface.	shelves.		,	,	
93-E74-S00 OAK	93-E74-S00 MAP	Sitting Height Open Shelf Unit	32-3/16" x 35" x 30"	155	\$3,195	\$3,481	
		This unit has a full-depth fixed base shelf and two full-depth adjustables Two 3" diameter grommets are locathe work surface.					
93-176-S00 OAK	93-176-S00 MAP	Standing Height Cupboard Unit	39-3/16" x35" x30"	200	\$4,384	\$4,778	Cupboard Unit
		This unit has a full-depth fixed base shelf and two full-depth adjustable shinged doors have a catch, lock and Two 3" diameter grommets are loca work surface.	l door pulls.				
93-E76-S00 OAK	93-E76-S00 MAP	Sitting Height Cupboard Unit	32-3/16" x 35" x 30"	180	\$4,192	\$4,569	
		This unit has a full-depth fixed base shelf and one full-depth adjustable shinged doors have a catch, lock and Two 3" diameter grommets are loca work surface.	l door pulls.				
93-234-S00 OAK	93-234-S00 MAP	Standing Height Full Width Drawer and Open Shelves	39-3/16" x 35" x 30"	180	\$4,290	\$4,676	Full Width Drawer and Open Shelves
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work su	urface.				
93-E34-S00 OAK	93-E34-S00 MAP	Sitting Height Full Width Drawer and Open Shelves	32-3/16" x 35" x 30"	165	\$4,047	\$4,411	
		This unit has a full-width drawer 10"H x 33"W x 18-3/4"D. Also, one fixed and one adjustable, full-depth shelf. Two 3" diameter grommets are located in the work su	urface.				

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Wedia Storage Unit		93-236-S00 OAK	93-236-S00 MAP	Standing Height Media Storage Unit	39-3/16" x35" x30"	225	\$6,112	\$6,663
0				This unit has four full-width drawers 8-1/2"H x 33"W x 24"D with each containing five compartments for me	edia storage.			
		93-E36-S00 OAK	93-E36-S00 MAP	Sitting Height Media Storage Unit	32-3/16" x 35" x 30"	205	\$5,666	\$6,176
0		<u></u>		This unit has three full-width drawers 8-1/2"H x 33"W x 24"D with each containing five compartments for me				

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sitting
93-011-S00 OAK	93-011-S00 MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$5,173	\$5,639	Double-Wide Desk with Patron Service Ledge,
		Work Surface at 35"H Inside dimensions are 68"W x 26-3 The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc Note: Standing-height roll unders	eight of 39-3/16". ated in the work surface.		0		
93-E11-S00 OAK	93-E11-S00 MAP	Sitting Height Double-Wide Desk with Patron Service Ledge	32-3/16" x 70" x 30"	210	\$4,895	\$5,336	
		Work Surface at 28"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc	eight of 32-3/16".				
93-011-SEA OAK	93-011-SEA MAP	Standing Height Double-Wide Desk with Patron Service Ledge	39-3/16" x 70" x 30"	245	\$5,186	\$5,653	
		Work Surface at 28"H Inside dimensions are 68"W x 26- The 7-7/8"D patron ledge is at a h Two 3" diameter grommets are loc Note: Standing-height roll unders	eight of 39-3/16". ated in the work surface.		0		
93-013-S00 OAK	93-013-S00 MAP	Standing Height Double-Wide	39-3/16" x 70" x 30"	230	\$4,632	\$5,047	Double-Wide Desk without Patron Service Ledge
		Desk without Patron Service Ledge Inside dimensions are 68"W x 26- The work surface is at 39-3/16" H. diameter grommets are located in t	3/4"D. .Two 3"		0		
93-E13-S00 OAK	93-E13-S00 MAP	Sitting Height Double-Wide	32-3/16" x 70" x 30"	195	\$4,416	\$4,813	
		Desk without Patron Service Ledge Inside dimensions are 68 "W x 26- The work surface is at 32-3/16" H. diameter grommets are located in	3/4"D. .Two 3"				

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
Double-Wide D Work Desk	ouble Pedestal	93-E37-S00 OAK	93-E37-S00 MAP	Sitting Height Double-Wide Double Pedestal Work Desk Inside dimensions are 68 "W x 26 This unit has two drawer pedestal on each side consisting of one loo one file drawer with hanging file ra Two center drawers are mounted Two 3" diameter grommets are loo Note: Available in 32-3/16" Ho	s, one mounted sking drawer at top; ack at bottom. between the two pedestals. ccated in the work surface.	260	\$10,276	\$11,201



Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing Sit
93-010-S00 OAK	93-010-S00 MAP	Standing Height 90 Degree Multi-Purpose Corner	39-3/16" x 71-3/4" x 30	' 250	\$8,760	\$9,548	90 Deg Multi-Purpose Coi
		Unit has 29-5/16"W port area. angled areas to the left and righ grommet is located in the workwith sleeve is located in each en	t of the desk module. One 3" d surface top. One 3-1/2" diam	iameter	ss	0	
93-E10-S00 OAK	93-E10-S00 MAP	Sitting Height 90 Degree Multi-Purpose Corner Unit has 29-5/16"W port area. angled areas to the left and righ grommet is located in the work- with sleeve is located in each en	t of the desk module. One 3" d surface top. One 3-1/2" diam	the two		\$9,091	
93-017-S00 OAK	93-017-S00 MAP	Standing Height 90 Degree Multi-Purpose with Patron Servi	39-3/16" x 71-3/4" x 30 ce Ledge	' 245	\$11,602	\$12,646	90 Degree Multi-Purpose Cor with Patron Service Le
		Unit has 29-5/16"W port area. Work surface is at 35"H. Storag and right of the module. One 3" One 3-1/2"diameter egress wi	ge shelves are located in the two diameter grommet is located i	angled on the wor	areas to the k surface to	e left op.	
93-E17-S00 OAK	93-E17-S00 MAP	Sitting Height 90 Degree Multi-Purpose with Patron Servi	32-3/16" x 71-3/4" x 30° ce Ledge	' 210	\$11,038	\$12,031	
		Unit has 29-5/16"W port area. Work surface is at 28"H. Storaş and right of the module. One 3' 3-1/2" diameter egress with sk	ge shelves are located in the two diameter grommet is located in	angled n the wo	areas to the	e left	0
93-016-S00 OAK	93-016-S00 MAP	Standing Height 90 Degree Closed Corner Unit	39-3/16"H	140	\$4,087	\$4,455	90 Deg Closed Corner V
		This 90 degree unit is used to fo This is not available with patron in each end panel for wire passa	ledge. One 3-1/2" diameter e	gress is lo		0	0
93-E16-S00 OAK	93-E16-S00 MAP	Sitting Height 90 Degree Closed Comer Unit This 90 degree unit is used to fo		_		\$4,239	0
		This is not available with patron in each end panel for wire passa	- :	_	ocated		

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price
45 Degree Clos	sed Corner Unit	93-018-S00 OAK	93-018-S00 MAP	Standing Height 45 Degree Closed Corner Unit	39-3/16" x 22-7/8" x 30	• •	\$4,087	\$4,455
0				This comer unit is used to create a This unit is not available with a pa		ation des	sk.	
	******	93-E18-S00 OAK	93-E18-S00 MAP	Sitting Height 45 Degree Closed Corner Unit	32-3/16" x 22-7/8" x 30	110	\$3,890	\$4,239
				This comer unit is used to create a This unit is not available with a pa		ation des	sk.	
90 Degree Ope	en Curved Corner	93-040-S00 OAK	93-040-S00 MAP	Standing Height 90 Degree Open Curved Corner with Patron S	39-3/16" x 70-1/8" x 30 Service Ledge	' 245	\$12,950	\$14,115
0	0			The 7-7/8"D patron ledge is at a Unit has 26-5/8"W port area. St and right of the desk module. One One 3-12" diameter egress with	orage shelves are located in t e 3" diameter grommet is loca	he two an	igled areas e work surfa	to the left ace top.
		93-E40-S00 OAK	93-E40-S00 MAP	Sitting Height 90 Degree Open Curved Corner with Patron S	32-3/16" x 70-1/8" x 30 ⁻¹ Service Ledge	210	\$12,318	\$13,427
0		0		The 7-7/8"D patron ledge is at a Unit has 26-5/8"W port area. St and right of the desk module. One 0ne 3-12" diameter egress with	orage shelves are located in t e 3" diameter grommet is loca	he two an ated in th	igled areas e work surfa	to the left ace top.
90 Degree Ope	en Curved Corner	93-041-S00 OAK	93-041-S00 MAP	Standing Height 90 Degree Open Curved Corner	39-3/16" x 70-1/8" x 30	' 245	\$11,233	\$12,243
0	0			Work surface is at 39-3/16"H. Ur in the two angled areas to the left is located in the work-surface top, in each end panel for wire passag	and right of the desk module. One 3-1/2" diameter egres	One 3"	diameter g	rommet
*		93-E41-S00 OAK	93-E41-S00 MAP	Sitting Height 90 Degree Open Curved Corner	32-3/16" x 70-1/8" x 30	' 210	\$10,693	\$11,656
0		0		Work surface is at 32-3/16"H. Up in the two angled areas to the left is located in the work-surface top in each end panel for wire passag	and right of the desk module. One 3-1/2" diameter egres	One 3"	diameter g	rommet

Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	Oak Price	Maple Price	Standing	Sitting
93-047-S00 OAK	93-047-S00 MAP	Standing Height 60 Degree Curved Corner with Patron Servi	39-3/16" x 80-3/4" x 30" ce Ledge	245	\$15,681	\$17,092	60 Degree Curve with Patron Servi	
		The 7-7/8"D patron ledge is at Unit has 49-1/16" W port area. the left and right of the desk mo surface top. One 3-1/2" diame wire passage.	Storage shelves are located in dule. One 3" diameter gromme	the two a t is locat	angled area ed in the w	os to Ork		,
93-E47-S00 OAK	93-E47-S00 MAP	Sitting Height 60 Degree Curved Corner with Patron Servi	32-3/16" x 80-3/4" x 30" ce Ledge	210	\$14,913	\$16,255		
		The 7-7/8"D patron ledge is at Unit has 49-1/16" W port area. left and right of the desk module top. One 3-1/2" diameter egre	Storage shelves are located in e. One 3" diameter grommet is I	the two a ocated i	angled area n the work	s to the surface	0	0
93-048-S00 OAK	93-048-S00 MAP	Standing Height 60 Degree Curved Corner	39-3/16" x 80-3/4" x 30"	245	\$13,969	\$15,226	60 Degree Curve	ed Corner
		Work surface is at 39-3/16"H. located in the two angled areas grommet is located in the work s located in each end panel for wi	to the left and right of the desk r surface top. One 3-1/2" diame	nodule.	One 3" dia	meter 📉	0	,
93-E48-S00 OAK	93-E48-S00 MAP	Sitting Height 60 Degree Curved Corner	32-3/16" x 80-3/4" x 30"	210	\$13,309	\$14,507	•	
		Work surface is at 32-3/16"H. located in the two angled areas grommet is located in the work s located in each end panel for wi	to the left and right of the desk r surface top. One 3-1/2" diame	nodule.	One 3" dia	meter	0	0
93-055-S00 OAK	93-055-S00 MAP	Standing Height 90 Degree Closed Corner Unit	39-3/16"Hx30"D	140	\$4,887	\$5,327	~	ee Curved
		This 90 degree unit is used to fo This unit is provided with a curve	= =	rrangem	ent.			
93-E55-S00 OAK	93-E55-S00 MAP	Sitting Height 90 Degree Closed Corner Unit	32-3/16"Hx30"D	120	\$4,432	\$4,832	Marine.	
		This 90 degree unit is used to fo This unit is provided with a curve		rrangem	ent.			

 ${\bf Please\ specify\ Wood\ Finish\ (Table\ 1)\ and\ High-Pressure\ Laminate\ (Table\ 2).\ \ Details\ can\ be\ found\ on\ page\ GEN\ 4.}$

Standing	Sitting	Oak Catalog No.	Maple Catalog No.	Description	HxWxD	Wt. (lbs.)	0ak Price	Maple Price
45 Degree Curved 93-058-S00 OAK 93-058-S00 MAP Closed Corner Unit		Standing Height 45 Degree Curved Closed Corner Unit	39-3/16" x 22-3/8" x 30	" 130	\$4,887	\$5,327		
				This unit is used to create a 45 de It is not available with patron ledg		lesk.		
	777777777	93-E58-S00 OAK	93-E58-S00 MAP	Sitting Height 45 Degree Curved Closed Corner Unit	32-3/16" x 22-3/8" x 30	" 110	\$4,432	\$4,832
				This unit is used to create a 45 de It is not available with patron ledg		lesk.		
90 Degree Oper	n Corner Shelf	93-143-S00 OAK	93-143-S00 MAP	Standing Height 90 Degree Open Corner Shelf	39-3/16"H x30"D	140	\$4,290	\$4,676
				This 90 degree unit is used to for Has one fixed base shelf and two Note: Units must be modified on on open corner units.	adjustable shelves.			gh
	V	93-E43-S00 OAK	93-E43-S00 MAP	Sitting Height 90 Degree Open Corner Shelf	32-3/16"H x30"D	120	\$4,106	\$4,476
				This 90 degree unit is used to forr Has one fixed base shelf and two Note: Units must be modified on on open corner units.	adjustable shelves.	_		gh
90 Degree Squa	are Corner Unit	93-150-S00 OAK	93-150-S00 MAP	Standing Height 90 Degree Square Corner Unit	39-3/16" x 30" x 30"	160	\$4,685	\$5,106
0	0			This square corner unit is used to One 3" diameter egress is locate a continuous ABS tube.		-		
		93-E50-S00 OAK	93-E50-S00 MAP	Sitting Height 90 Degree Square Corner Unit	32-3/16" x 30" x 30"	140	\$4,264	\$4,646
	0 0			This square corner unit is used to One 3" diameter egress is locate a continuous ABS tube.		-		