

ENTRY 1 FR US BOLTLESS BALLISTIC SHIELD

PROTECH®

The first of a series of Type IIIA ballistic shields, the Entry 1 FR US features our patent-pending boltless ballistic shield & lens cap design. This new model creates a high-performing and ultimately safer product as ballistic properties are not compromised with bolts and hardware. The Entry 1 FR US also boasts a lighter weight at just 13.75 lbs. Independently tested to the modified NIJ 0108.01 Type IIIA handgun threats, the Entry 1 FR US is ideal for high-speed entry operations.



Shows patent-pending molded lens cap design, body side of shield

FEATURES

- Innovative patent-pending boltless shield design with molded ballistic lens cap
- 18 Degree curvature for wraparound protection and maximized peripheral vision
- 24"x36" Base Shield with 7"x10" triangular viewport
- Cut-out silhouette for long-arm weapon support
- 3-Position handle and additional forearm strap
- Quick release breakaway strap
- Weighs approximately 13.75 lbs. (6.2 kg)

SPECIAL THREATS

- Tokarev 7.62x25-mm, 85 gr. FMJ - 5 Impacts
- FN 5.7x28-mm, 40 gr. SS197/Blue Tip - 5 Impacts
- Win. Ranger 9-mm, 127 gr. +P+SXT - 5 Impacts
- .357 Sig, 125 gr. TMJ - 5 Impacts
- .44-magnum, 240 gr. SJHP - 5 Impacts

MODIFIED / ABBREVIATED NIJ 0108.01 TYPE IIIA TEST PERFORMANCE

9 mm, 124 gr. FMJ	3 Impacts
.44-mag, 240 gr. swcgc	3 Impacts

HW-ICW-2015-10-SB NIJ 0101.06 TYPE III ICW PLATE

PROTECH®

PROTECH® Tactical's newest lightweight ceramic and polyethylene composite Type III plate – the HW-ICW – is a plate tested to defeat the NIJ 0101.06 Type III M80 round, as well as several special threats when worn in conjunction with HW-2015-10-SB. Weighing in at approximately 3.87 lbs. in a SAPI Medium Cut, this model is 1" thin with a multi-curve design.



FEATURES

- NIJ 0101.06 Type III Compliant
- In-Conjunction-With HW-2015-10-SB
- Ceramic/Polyethylene Composite
- Durable Black Nylon Covering
- 1.0" [2.54 cm] thinness
- Weighs 3.87 lbs. [1.76 kg] in SAPI Medium Cut

AVAILABLE SIZES/CUTS

- SAPI Small
- SAPI Medium
- SAPI Large
- SAPI X-Large

TEST PROTOCOL

7.62 x 51mm, 147 gr. [NATO] [FMJ] [M80] – 6 Impacts

SPECIAL THREATS PERFORMANCE

- 7.62 x 39mm, 123 gr. [MSC (Mild Steel Core)] – 6 Impacts
- 5.56 x 45mm, 55 gr. [M193] – 6 Impacts
- 5.56 x 45mm, 62 gr. [M855] – 6 Impacts

HW-ICW – INDEPENDENTLY TESTED TYPE III ICW PLATE

PROTECH®

PROTECH® Tactical's newest lightweight ceramic and polyethylene composite Type III plate – the HW-ICW – is a plate tested to defeat the NIJ 0101.06 Type III M80 round, as well as several special threats when worn in conjunction with Safariland® soft armor packages. Weighing in at approximately 3.87 lbs. in a SAPI Medium Cut, this model is 1" thin with a multi-curve design.



FEATURES

- Independently Tested against NIJ 0101.06 M80 Round
- In-Conjunction-With various soft armor packages (See table Below)
- Ceramic/Polyethylene Composite
- Durable Black Nylon Covering
- 1.0" [2.54 cm] thinness
- Weighs 3.87 lbs. [1.76 kg] in SAPI Medium Cut

AVAILABLE SIZES/CUTS

- SAPI Small
- SAPI Medium
- SAPI Large
- SAPI X-Large

TEST PROTOCOL

7.62 x 51mm, 147 gr. [NATO] [FMJ] [M80] – 6 Impacts

SPECIAL THREATS

ICW BALLISTIC PACKAGES	TEST ROUNDS (SPECIAL THREAT ROUNDS)	IMPACTS
Type IIIA SM02	5.56 x 45mm, 55 gr. [M193] 5.56 x 45mm, 62 gr. [M855] 7.62 x 39mm, 123 gr [PS Ball]	6 Impacts 6 Impacts 6 Impacts
Type IIIA SX02	5.56 x 45mm, 55 gr. [M193] 5.56 x 45mm, 62 gr. [M855] 7.62 x 39mm, 123 gr [PS Ball]	6 Impacts 6 Impacts 6 Impacts
Type IIIA XT03	5.56 x 45mm, 55 gr. [M193] 5.56 x 45mm, 62 gr. [M855] 7.62 x 39mm, 123 gr [PS Ball]	6 Impacts 6 Impacts 6 Impacts
Type IIIA MR02	5.56 x 45mm, 55 gr. [M193] 5.56 x 45mm, 62 gr. [M855] 7.62 x 39mm, 123 gr [PS Ball]	6 Impacts 6 Impacts 6 Impacts
Type IIIA SX03	5.56 x 45mm, 55 gr. [M193] 5.56 x 45mm, 62 gr. [M855] 7.62 x 39mm, 123 gr [PS Ball]	6 Impacts 6 Impacts 6 Impacts