

SCREENS

August 2023 Price List

AIS

SCREENS PRODUCT INFORMATION AND FINISH OPTIONS**SCREENS PRODUCT INFORMATION**

Screen Types	7
Screen Materials	8
Screen Mount Types	9
Where Used Information	10
Sized For Information	13
Handedness and Cut-Out Information	14
Screen Model Number Logic	17

SCREEN FINISH OPTIONS

Tackable Fabric Options	18
Paint Options	19
Laminate Options	20

SCREENS SIZED FOR NOMINAL = ACTUAL SIZE**CHANNEL SCREENS FOR NOMINAL = ACTUAL SIZES**

Lexan Nominal = Actual Size Territory Surface Mount Channel Screens	22
Glass Nominal = Actual Size Territory Surface Mount Channel Screens	23
PET Nominal = Actual Size Territory Surface Mount Channel Screens	25
Lexan Nominal = Actual Size Territory Under Surface Mount Channel Screens	26
Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens	27
PET Nominal = Actual Size Territory Under Surface Mount Channel Screens	29
Lexan Nominal = Actual Size Front/Rear Surface Mount Channel Screens	30
Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens	31
PET Nominal = Actual Size Front/Rear Surface Mount Channel Screens	33
Lexan Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens	34
Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens	35
PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens	37
Lexan Nominal = Actual Size Panel Top Surface Mount Channel Screens	39
Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens	40
PET Nominal = Actual Size Panel Top Surface Mount Channel Screens	43
Lexan Gallery Panel Side Mount Channel Screens	45
PET Gallery Panel Side Mount Channel Screens	46

CLIP SCREENS FOR NOMINAL = ACTUAL SIZES

Lexan Nominal = Actual Size Territory Surface Mount Clip Screens	47
Glass Nominal = Actual Size Territory Surface Mount Clip Screens	48
Lexan Nominal = Actual Size Territory Under Surface Mount Clip Screens	50
Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens	52
Lexan Nominal = Actual Size Territory Freestanding Clip Screens	54
Lexan Nominal = Actual Size Front/Rear Surface Mount Clip Screens	55
Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens	57
Lexan Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens	59
Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens	61
Lexan Nominal = Actual Size Freestanding Clip Screens	63
Lexan Nominal = Actual Size Panel Top Surface Mount Clip Screens	65
Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens	66
Glass Nominal = Actual Size Modesty Mount Clip Screens	70

LITE SCREENS FOR NOMINAL = ACTUAL SIZES

PET Nominal = Actual Size Territory Surface Mount Lite Screens	72
PET Nominal = Actual Size Territory Under Surface Mount Lite Screens.	73
PET Nominal = Actual Size Territory Freestanding Lite Screens	74
PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens	75
PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens	77
PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens	79
PET Nominal = Actual Size Panel Top Surface Mount Lite Screens	81

SLIMLINE SCREENS FOR NOMINAL = ACTUAL SIZES

Nominal = Actual Size Territory Surface Mount Slimline Screens	83
Nominal = Actual Size Territory Under Surface Mount Slimline Screens	84
Nominal = Actual Size Front/Rear Surface Mount Slimline Screens	85
Nominal = Actual Size Front/Rear Under Surface Mount Slimline Screens	86
Nominal = Actual Size Front/Rear Freestanding Slimline Screens	87

SCREENS SIZED FOR DIVI PANEL DIMENSIONS

CHANNEL SCREENS FOR DIVI PANEL DIMENSIONS

Lexan Divi Panel Top Surface Mount Channel Screens	89
Glass Divi Panel Top Surface Mount Channel Screens	90
PET Divi Panel Top Surface Mount Channel Screens.	94
Lexan Divi Gallery Panel Side Mount Channel Screens	96
PET Divi Gallery Panel Side Mount Channel Screens	97

CLIP SCREENS FOR DIVI PANEL DIMENSIONS

Lexan Divi Panel Top Surface Mount Clip Screens	98
Glass Divi Panel Top Surface Mount Clip Screens	99

LITE SCREENS FOR DIVI PANEL DIMENSIONS

PET Divi Panel Top Surface Mount Lite Screens	102
---	-----

SCREENS SIZED FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

CHANNEL SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Lexan Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens	105
Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens	106
PET Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens	108
Lexan Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens	109
Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens	110
PET Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens	112

CLIP SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Lexan Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens	113
Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens	114
Lexan Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens.	116
Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens.	118
Lexan Day-to-Day & Calibrate HAT Depth Territory Freestanding Clip Screens	120

SLIMLINE SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Day-to-Day & Calibrate HAT Depth Territory Surface Mount Slimline Screens.	121
Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Slimline Screens	122

SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

CHANNEL SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens	169
Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens	170
PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens	172
Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens	174
Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens	175
PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens	177

CLIP SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens	179
Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens	181
Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens	183
Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens	185
Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Clip Screens	187

LITE SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Lite Screens	189
PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Lite Screens	191
PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Lite Screens	193

SLIMLINE SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Slimline Screens	195
Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Slimline Screens	196
Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Slimline Screens	197

L-WRAP SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT**L-WRAP LITE SCREENS FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT**

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens	232
PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens	250

L-WRAP SCREENS SIZED FOR NOMINAL = ACTUAL SIZE**L-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE**

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens	269
PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens	287

U-WRAP SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT**U-WRAP LITE SCREENS FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT**

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens	306
PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens	315

U-WRAP SCREENS SIZED FOR NOMINAL = ACTUAL SIZE**U-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE**

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens	325
PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens	334

L-WRAP ENCLOSURES WITH WIRE MANAGERS**PET L-WRAP ENCLOSURES WITH WIRE MANAGERS**

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers	343
PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers	355
PET Benching HAT L-Wrap Enclosures with Wire Managers	367

U-WRAP ENCLOSURES WITH WIRE MANAGERS**U-WRAP ENCLOSURES WITH WIRE MANAGERS**

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers	380
PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers	386
PET Benching HAT U-Wrap Enclosures with Wire Managers	392

SCREENS WITH WIRE MANAGERS**PET SCREENS WITH WIRE MANAGERS**

PET Nominal = Actual Size Screens with Wire Managers	399
PET Day-to-Day, Calibrate & Benching HAT Screens with Wire Managers	400


CARE AND MAINTENANCE

Please see online care and maintenance guide online: [Care and Maintenance Procedures](#)


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit: [Warranty & Terms and Conditions](#)


Screen Types




Channel Screens




Clip Screens



Lite Clip PET Screens



Slimline Framed Screens



Universal Spine
Insert Screens

Channel Screens

- The Channel style screen has a painted aluminum channel which holds a frameless piece of 1/4" thick or 3/8" thick Glass, 1/4" thick Lexan or a 1/2" thick piece of PET.
- The materials are held by set screws on one side which are then covered by a cover extrusion and endcaps.
- Channel screens can be mounted directly to a worksurface, panel, storage element or gallery panel or attached to a number of different brackets or feet depending on mount type chosen.
- Channel screens can be applied horizontally or vertically, attached to Gallery Panels.
- Channel dimensions: 1" H and 1" D.

Clip Screens

- The Clip style screen is a frameless piece of 1/4" thick or 3/8" thick Glass or 1/4" thick Lexan held by a matte silver aluminum diecast clamp assembly which is attached either directly to a worksurface, panel, storage element or gallery panel or attached to a number of different brackets or feet depending on Mount Type chosen.
- Clip dimensions: 2 1/8" H, 2 1/3" W and 1 1/2" D.
- Screens mounted to surfaces will receive 2 clips for surfaces 24" – 54" wide, 3 clips for surfaces 60" – 72" wide and 4 clips for surfaces 78" – 84" wide.
- Under Surface Mount Clip and Freestanding Clip can easily convert to surface mount Clip Screens.
- Standard in Metallic Silver.
- Lexan clip screens can have a 2" cut out for wire management or transactions.
- When blending PET Lite Screens and Lexan Clip Screens, please understand that the clips will be different. PET uses Lite Clips. Lexan uses the AIS clip for clear screens.

Lite Clip PET Screens

- The Lite Clip PET screen has painted steel "U" shaped brackets of various sorts that hold 1/2" thick PET for a variety of Mount Types, as well as "L" shaped brackets which attach on one side with screws for Partial Modesty applications.
- Lite Clip PET Screens can be ordered as L-wraps or U-wraps with scored, bendable sections of the screen placed at surface corners.
- Surface Mount Lite clip dimensions: 2 3/8" H x 2" W
- Under Surface Mount Lite clip dimensions: 4" H x 2" W
- Screens mounted to surfaces will receive 2 lite clips for surfaces 24" – 54" wide, 3 lite clips for surfaces 60" – 72" wide and 4 lite clips for surfaces 78" – 84" wide.
- When blending PET Lite Screens and Lexan Clip Screens, please understand that the clips will be different. PET uses Lite Clips. Lexan uses the AIS clip for clear screens.

Slimline Framed Screens


- The slimline framed screen has a painted aluminum frame which holds either fabric, vinyl, whiteboard or laminate inserts on the front and back.
- The bottom corners of the frame have re-inforced threaded holes which allow attachment of various brackets and feet depending on the mount type chosen.
- The fabric version of this screen is tackable, while the whiteboard version can be used with dry erase markers.
- This screen can be specified with different materials front and back.

Universal Spine Insert Screen


- Oxygen, Aloft and Day-to-Day Powerbeam all share the same FIXED HEIGHT top spine element called the Universal Spine.
- The Universal Spine can hold frameless "Inserts" of Glass, Lexan or PET without any other mounting hardware or channels required.
- These insert screens are only for use on Oxygen, Aloft or Powerbeam Spines.

Note: Screens come with all necessary mounting hardware (clips, channel, feet, brackets, etc) at prices shown.


Screen Materials




1/4" Clear Glass




3/8" Clear Glass



1/4" Clear Lexan



PET



Fabric, Vinyl,
Whiteboard or Laminate

Glass Material

- Tempered glass screens have 90 degree polished corners.
- AIS Glass is standard tempered glass with standard iron content. Request samples from literature center.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Glass is easily cleaned with common janitorial supplies.
- 1/4" Glass weighs 2.88 lbs per square foot.
- 3/8" Glass weighs 4.32 lbs per square foot

Lexan Polycarbonate Material


- Lexan screens have 1.5" radius corners and are clear.
- Polycarbonate has specific chemicals that should NOT be used when cleaning (please refer to the AIS Cleaning and Maintenance Guide online).
- 1/4" Lexan weighs 1.44 lbs per square foot.
- Due to the inherent properties of polycarbonate material, slight bowing is possible with Lexan screens.
- AIS cannot ensure the alignment adjacencies of both glass and Lexan materials in clip and channel screens.
- Do not confuse Lexan polycarbonate with Plexi or Plexiglass. There are important differences.
 - Lexan polycarbonate is 200x stronger than plexiglass and is building-code friendly. (Note: local code compliance is the responsibility of the dealer and customer.)
 - Plexi or plexiglass is made of acrylic and does not meet NFPA fire testing requirements. AIS does not use plexiglass on any of our screens.
 - Plexi or plexiglass is very rigid and cracks easier than Lexan polycarbonate.

PET Material


- PET screens have 1.5" radius corners
- PET, stands for polyethylene terephthalate and is a form of polyester. PET Screens are a sustainable material made from plastic bottles and provide a lightweight solution for dividing space.
- PET screens weigh 0.88 lbs per square foot and are 1/2" (12mm) thick.
- Available in four color options: Lite Grey, Medium Grey, Tan and Vibrant Blue.

Fabric, Vinyl, Whiteboard and Laminate Materials

- Tackable fabric, vinyl, whiteboard and laminate are available on Slimline screens.
- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side.
- Upcharges for Grade C and D are listed per side.
- Whiteboards are standard list and have no upcharge.
- Fabric and laminate materials are applied vertically on screens. 66" and 72" wide screens run horizontally.




Fabric/laminate applied vertically
(up to 60" wide)




Fabric/laminate applied horizontally
(for 66" and 72" wide)


Screen Mount Types




Surface Mount



Under Surface Mount



Freestanding Mount



Universal Spine Mount

Surface Mount

- Surface mount screens screw directly into a worksurface, panel or storage element with hardware provided and will leave holes in worksurface, panel or storage element when screen is removed.

Under Surface Mount

- Under surface mount screens are held by brackets that screw into the underside of a worksurface to prevent marring the top of a surface.
- Under surface mount screens fits worksurfaces with thicknesses between 1.0" – 1 3/16".
- As there are often different legs or supports used for worksurfaces, it is important to specify the correct "Where Used" and "Sized For" fields when using under surface mount screens.

Freestanding Mount

- Freestanding screens have 12" deep (6" on each side) low profile painted steel feet with rubber pads.
- Freestanding Clip screen are on non-marring freestanding feet.
- Non-marring freestanding feet dimensions: 2 3/8" x 12".
- Freestanding screens available in clear lexan only.

Universal Spine Mount


- This mount type applies to SLIMLINE SCREENS ONLY, when mounting on top of the Universal Spine used on Aloft, Oxygen and Powerbeam.

Where Used Information

The "Where Used" choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.


Territory on Worksurface

The "Territory" choice refers to screens that are used "between" users generally, at their left or right, or shared between them in certain cases, dividing their "territory." Often Territory Screens correlate to the table's DEPTH.




Front/Rear on Worksurface

The "Front/Rear" choice is for screens mounted on what is generally the long sides of a table, either the front or the back, and is correlated to the WIDTH. Front/Rear screens can also be freestanding and thus sometimes are placed in the center dividing the long axis of a table.




Partial Modesty on Worksurface

Partial Modesty on Worksurface corresponds to a rectangular PET or Slimline Screen that mounts such that the screen also hangs below the bottom of the surface form a modesty. These screens mount to one side of a surface.



Panel Top

Panel top refers to screens that mount on the tops of various panel systems. Usually these screens have specific hardware or dimensions for matching certain panel systems.




Where Used Information

The "Where Used" choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.


Universal Spine

The Universal Spine Choice under Where Used refers to a screen designed to be mounted to the Aloft, Oxygen or Day-to-Day Powerbeam Spine, now known as the Universal Spine.




L-Wrap on Worksurface

L-Wrap on Worksurface corresponds to Surface Mounted or Undersurface Mounted PET screens that have a folding section on one side to form a 90 degree angle. These screens have a width component and a depth component.




L-Wrap Partial Modesty on Worksurface

L-Wrap Partial Modesty on Worksurface corresponds to PET screens that have a folding section on one side to form a 90 degree angle that also hang below the bottom of the surface to form a modesty. These screens have a width component and a depth component.



U-Wrap on Worksurface

U-Wrap on Worksurface corresponds to Surface Mounted or Undersurface Mounted PET screens that have a folding section on two sides to form a 90 degree angle on each end. These screens have a width component and a depth component.




Where Used Information

The "Where Used" choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.


U-Wrap Partial Modesty on Worksurface

U-Wrap Partial Modesty on Worksurface corresponds to PET screens that have a folding section on two sides to form a 90 degree angle on both ends that also hang below the bottom of the surface form a modesty. These screens have a width component and a depth component.



Gallery Panel Side Mount

Some Lexan and PET Channel Screens can be used vertically and mounted to the side of a gallery panel, corresponding to its height.



Sized For Information

"Sized For" refers to the specific dimension scenario a screen is being used for. For instance, Height Adjustable Tables have smaller surfaces than fixed height tables for pinch point clearance. A screen mounting on the left or right or rear of a Height Adjustable Table is smaller in actual width than a Fixed Height Table because the HAT table is smaller.

Nominal Size = Actual Size

This parameter choice means different things depending on other parameter choices but generally it means the condition that a screen is being sized for measures very close to what the dimension description calls out. For instance, the dimension calls for 48" wide (the Nominal dimension) and the product the screen is being mounted to or placed on actually measures 48" wide (the actual dimension). Choose this when putting screens on standard AIS workstation worksurfaces or storage elements which meet the Nominal = Actual condition. Heights for worksurface mounted screens will be sized for a scenario where the fixed worksurface height is at AIS standard height of 28 5/8" high and you want the top of the screen to align to a standard AIS product horizon of 42", 46", 50", 58", 66" (Matrix), 74" or 82" (Matrix). This dimension is nominal dimension + 3/8" i.e. 12" = 12 3/8" high.

Divi Panel Dimensions

Divi panel widths measure 1/8" wider than nominal, and Divi panel heights measure close to nominal height i.e. 66" = 66". Choose this condition when placing product on Divi panels.

Day-to-Day & Calibrate HAT Depth

Day-to-Day, E-Series and Calibrate Height Adjustable Table depths measure nominal less 1". Choose this parameter when mounting screens aligning with these tables depths.

Aloft & Benching HAT Depth

The Aloft Bench and Benching Height Adjustable Tables share the same worksurface depth of nominal less 2 1/4". Choose this parameter when mounting screens aligning with these bench or tables depths.

Oxygen Worksurface Depth

The Oxygen Bench has a worksurface depth of nominal less 1 1/2". Choose this parameter when mounting screens aligning with Oxygen bench depths.

Day-to-Day, E-Series, Calibrate & Benching HAT Width

Day-to-Day, E-Series, Calibrate & Benching Height Adjustable Tables all share the same width of nominal less 2". Choose this parameter when mounting screens aligning with these table widths.

Aloft Worksurface Width

Aloft Benching has a worksurface width of nominal less 1". Choose this parameter when mounting screens aligning with Aloft worksurface width.

L-Wrap for Day-to-Day, E-Series and Calibrate HAT


L-Wrap Screens have a depth as well as a width parameter and require a specific choice for the combination of the two. Day to Day, E-Series and Calibrate Height Adjustable Tables have a depth dimension of nominal less 1" and a width dimension of nominal less 2". Choose this parameter when mounting L-wrap screens to Day to Day, E-Series and Calibrate Height Adjustable Tables.

L-Wrap for Benching HAT


L-Wrap Screens have a depth as well as a width parameter and require a specific choice for the combination of the two. Benching Height Adjustable Tables have a depth dimension of nominal less 2 1/4" and a width dimension of nominal less 2". Choose this parameter when mounting L-wrap screens to a Benching Height Adjustable Table.

Handedness and Cut-Out Information


Screen Handedness




Screen Cut-Outs




PET L-Wrap Enclosures with Wire Managers Details




3" surface height shown




12" and higher surface height shown




PET U-Wrap Enclosures with Wire Managers Details



3" and higher surface height shown




12" and higher surface height shown



PET Screen with Wire Managers Product Information

PET Screens with Wire Managers Details



Screen Model Number Logic

Example shown below is a 12" wide x 54" high lexan 3/8" freestanding clip screen without cut-outs. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.

Y	-	2	R	3	A	4	U	12	54	B										
Material 1 - Lexan 1/4 (Lx250) 3 - Glass 1/4 (GL250) 4 - Glass 3/8 (GL375) 5 - PET (PET) 6 - Fabric, Vinyl, Whiteboard, Laminate (FVWL)			Where Used T – Territory on Worksurface R – Front/Rear on Worksurface S – Partial Modesty on Worksurface P – Panel Top U – Universal Spine C – L-Wrap on Worksurface M – L-Wrap Partial Modesty on Worksurface N – U Wrap on Worksurface Q – U-Wrap Partial Modesty on Worksurface D – Territory Drop on Worksurface E – L-Wrap Drop on Worksurface F – U-Wrap Drop G – Gallery Panel Side Mount			Screen Type 1 – Slimline Framed Screen 2 – Channel Screen 3 – Clip Screen 4 – Lite Clip Screen			Sized For A – Nominal Size = Actual Size B –Divi Panel Dimensions D – E Series, Day-to-Day and Calibrate HAT Depth E – Aloft & Benching HAT Depth F – Oxygen WS Depth G – Day-to-Day, Calibrate & Benching HAT Width H – Aloft WS Width J – L-Wrap for E Series, Day-to-Day and Calibrate HAT K – L-Wrap for Benching HAT M – L-Wrap for Nominal Size = Actual Size N – U-Wrap for E Series, Day-to-Day and Calibrate HAT P – U-Wrap for Benching HAT Q – U-Wrap for Nominal Size = Actual Size R – All Gallery Panels except Divi S – Divi Gallery Panels			Mount Type 1 – Surface Mount 2 – Under Surface Mount 4 – Freestanding 6 – Spine Mount			Handedness L – Left R – Right S – Shared U – Universal A – Aloft Non-Handed B – Benching HAT Non-Handed C – Benching HAT Left D – Benching HAT Right			Width	Height	Cut-Out A – With Cutout B – Without Cutout

Tackable Fabric Options

VERTICAL SURFACE FABRICS

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Please Note: A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

Custom Paints

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- Important Custom Paint Note: Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

Laminate Options

LAMINATE OPTIONS	
Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecu	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

LAMINATE OPTIONS	
Name	Grade
Gridlock in L.A.	B
Fonthill Pear	B
Grey Mesh	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potteryware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
White Spektrum	B
Windswept Potteryware	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C


Screens Sized for Nominal = Actual Size

Lexan Nominal = Actual Size Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	24	22.75	Y-1T2A1U1224B	605
16	24	22.75	Y-1T2A1U1624B	655
20	24	22.75	Y-1T2A1U2024B	704



LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	30	28.75	Y-1T2A1U1230B	642
16	30	28.75	Y-1T2A1U1630B	704
20	30	28.75	Y-1T2A1U2030B	766



Surface Mount Channel


Specify	Notes
• Paint Selection (Grade C +10) (Grade C +10)	• Offered in all AIS paint finishes. • Lexan available only in clear.

Glass Nominal = Actual Size Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-3T2A1U1224B	535	+30	+110
16	24	22.75	Y-3T2A1U1624B	661	+40	+147
20	24	22.75	Y-3T2A1U2024B	606	+50	+184



GLASS 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	30	28.75	Y-3T2A1U1230B	542	+38	+138
16	30	28.75	Y-3T2A1U1630B	687	+50	+184
20	30	28.75	Y-3T2A1U2030B	659	+63	+230



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 3/8" NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-4T2A1U1224B	718	+30	+60
16	24	22.75	Y-4T2A1U1624B	684	+40	+80
20	24	22.75	Y-4T2A1U2024B	780	+50	+100
24	24	22.75	Y-4T2A1U2424B	855	+60	+120



GLASS 3/8" NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	30	28.75	Y-4T2A1U1230B	722	+38	+75
16	30	28.75	Y-4T2A1U1630B	764	+50	+100
20	30	28.75	Y-4T2A1U2030B	884	+63	+125
24	30	28.75	Y-4T2A1U2430B	975	+75	+150



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Nominal = Actual Size Territory Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	24	22.75	Y-5T2A1U1224B	464
16	24	22.75	Y-5T2A1U1624B	485
20	24	22.75	Y-5T2A1U2024B	507
24	24	22.75	Y-5T2A1U2424B	531
28	24	22.75	Y-5T2A1U2824B	551
32	24	22.75	Y-5T2A1U3224B	574

PET NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	30	28.75	Y-5T2A1U1230B	480
16	30	28.75	Y-5T2A1U1630B	507
20	30	28.75	Y-5T2A1U2030B	535
24	30	28.75	Y-5T2A1U2430B	563
28	30	28.75	Y-5T2A1U2830B	589
32	30	28.75	Y-5T2A1U3230B	616



Surface Mount Channel

Specify

Notes

• Paint Selection (Grade C +10)


• Offered in all AIS paint finishes.

Lexan Nominal = Actual Size Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

LEXAN 1/4" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Actual D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	22.75	Y-1T2A2L1224B	Y-1T2A2R1224B	735
16	24	22.75	Y-1T2A2L1624B	Y-1T2A2R1624B	786
20	24	22.75	Y-1T2A2L2024B	Y-1T2A2R2024B	834
12	30	28.75	Y-1T2A2L1230B	Y-1T2A2R1230B	771
16	30	28.75	Y-1T2A2L1630B	Y-1T2A2R1630B	834
20	30	28.75	Y-1T2A2L2030B	Y-1T2A2R2030B	897



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4"	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 1/4" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Actual D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
			Model Number	Model Number			
12	24	22.75	Y-3T2A2L1224B	Y-3T2A2R1224B	665	+30	+110
16	24	22.75	Y-3T2A2L1624B	Y-3T2A2R1624B	791	+40	+147
20	24	22.75	Y-3T2A2L2024B	Y-3T2A2R2024B	736	+50	+184
12	30	28.75	Y-3T2A2L1230B	Y-3T2A2R1230B	672	+38	+138
16	30	28.75	Y-3T2A2L1630B	Y-3T2A2R1630B	816	+50	+184
20	30	28.75	Y-3T2A2L2030B	Y-3T2A2R2030B	790	+63	+230



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8"	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 3/8" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Actual D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
			Model Number	Model Number			
12	24	22.75	Y-4T2A2L1224B	Y-4T2A2R1224B	847	+30	+60
16	24	22.75	Y-4T2A2L1624B	Y-4T2A2R1624B	814	+40	+80
20	24	22.75	Y-4T2A2L2024B	Y-4T2A2R2024B	911	+50	+100
24	24	22.75	Y-4T2A2L2424B	Y-4T2A2R2424B	985	+60	+120
12	30	28.75	Y-4T2A2L1230B	Y-4T2A2R1230B	850	+38	+75
16	30	28.75	Y-4T2A2L1630B	Y-4T2A2R1630B	895	+50	+100
20	30	28.75	Y-4T2A2L2030B	Y-4T2A2R2030B	1,015	+63	+125
24	30	28.75	Y-4T2A2L2430B	Y-4T2A2R2430B	1,103	+75	+150



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Nominal = Actual Size Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Actual D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	22.75	Y-5T2A2L1224B	Y-5T2A2R1224B	593
16	24	22.75	Y-5T2A2L1624B	Y-5T2A2R1624B	615
20	24	22.75	Y-5T2A2L2024B	Y-5T2A2R2024B	638
24	24	22.75	Y-5T2A2L2424B	Y-5T2A2R2424B	659
28	24	22.75	Y-5T2A2L2824B	Y-5T2A2R2824B	682
32	24	22.75	Y-5T2A2L3224B	Y-5T2A2R3224B	704
12	30	28.75	Y-5T2A2L1230B	Y-5T2A2R1230B	610
16	30	28.75	Y-5T2A2L1630B	Y-5T2A2R1630B	638
20	30	28.75	Y-5T2A2L2030B	Y-5T2A2R2030B	665
24	30	28.75	Y-5T2A2L2430B	Y-5T2A2R2430B	693
28	30	28.75	Y-5T2A2L2830B	Y-5T2A2R2830B	720
32	30	28.75	Y-5T2A2L3230B	Y-5T2A2R3230B	747



Left Hand



Right Hand



Under Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

Lexan Nominal = Actual Size Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-1R2A1U1224B	605
12	30	Y-1R2A1U1230B	642
12	36	Y-1R2A1U1236B	679
12	42	Y-1R2A1U1242B	717
12	48	Y-1R2A1U1248B	755
12	54	Y-1R2A1U1254B	791
12	60	Y-1R2A1U1260B	829
12	66	Y-1R2A1U1266B	867
12	72	Y-1R2A1U1272B	903
12	78	Y-1R2A1U1278B	939
12	84	Y-1R2A1U1284B	976
16	24	Y-1R2A1U1624B	655
16	30	Y-1R2A1U1630B	704
16	36	Y-1R2A1U1636B	755
16	42	Y-1R2A1U1642B	804
16	48	Y-1R2A1U1648B	855
16	54	Y-1R2A1U1654B	903
16	60	Y-1R2A1U1660B	954
16	66	Y-1R2A1U1666B	1,002
16	72	Y-1R2A1U1672B	1,052
16	78	Y-1R2A1U1678B	1,102
16	84	Y-1R2A1U1684B	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-1R2A1U2024B	704
20	30	Y-1R2A1U2030B	766
20	36	Y-1R2A1U2036B	829
20	42	Y-1R2A1U2042B	890
20	48	Y-1R2A1U2048B	954
20	54	Y-1R2A1U2054B	1,017
20	60	Y-1R2A1U2060B	1,080
20	66	Y-1R2A1U2066B	1,141
20	72	Y-1R2A1U2072B	1,204
20	78	Y-1R2A1U2078B	1,267
20	84	Y-1R2A1U2084B	1,329



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2A1U1224B	535	+30	+110
12	30	Y-3R2A1U1230B	542	+38	+138
12	36	Y-3R2A1U1236B	549	+45	+165
12	42	Y-3R2A1U1242B	578	+53	+193
12	48	Y-3R2A1U1248B	607	+60	+220
12	54	Y-3R2A1U1254B	727	+68	+248
12	60	Y-3R2A1U1260B	666	+75	+275
12	66	Y-3R2A1U1266B	695	+83	+303
12	72	Y-3R2A1U1272B	724	+90	+330
12	78	Y-3R2A1U1278B	753	+98	+358
12	84	Y-3R2A1U1284B	779	+105	+385
16	24	Y-3R2A1U1624B	661	+40	+147
16	30	Y-3R2A1U1630B	687	+50	+184
16	36	Y-3R2A1U1636B	727	+60	+220
16	42	Y-3R2A1U1642B	756	+70	+257
16	48	Y-3R2A1U1648B	789	+80	+294
16	54	Y-3R2A1U1654B	840	+90	+330
16	60	Y-3R2A1U1660B	887	+100	+367
16	66	Y-3R2A1U1666B	899	+110	+404
16	72	Y-3R2A1U1672B	920	+120	+440
16	78	Y-3R2A1U1678B	937	+130	+477
16	84	Y-3R2A1U1684B	954	+140	+514

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2A1U2024B	606	+50	+184
20	30	Y-3R2A1U2030B	659	+63	+230
20	36	Y-3R2A1U2036B	695	+75	+275
20	42	Y-3R2A1U2042B	765	+88	+321
20	48	Y-3R2A1U2048B	816	+100	+367
20	54	Y-3R2A1U2054B	869	+113	+413
20	60	Y-3R2A1U2060B	922	+125	+459
20	66	Y-3R2A1U2066B	975	+138	+505
20	72	Y-3R2A1U2072B	1,028	+150	+550
20	78	Y-3R2A1U2078B	1,082	+163	+596
20	84	Y-3R2A1U2084B	1,133	+175	+642



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2A1U1224B	718	+30	+60
12	30	Y-4R2A1U1230B	722	+38	+75
12	36	Y-4R2A1U1236B	786	+45	+90
12	42	Y-4R2A1U1242B	848	+53	+105
12	48	Y-4R2A1U1248B	914	+60	+120
12	54	Y-4R2A1U1254B	979	+68	+135
12	60	Y-4R2A1U1260B	1,045	+75	+150
12	66	Y-4R2A1U1266B	1,109	+83	+165
12	72	Y-4R2A1U1272B	1,173	+90	+180
12	78	Y-4R2A1U1278B	1,239	+98	+195
12	84	Y-4R2A1U1284B	1,304	+105	+210
16	24	Y-4R2A1U1624B	684	+40	+80
16	30	Y-4R2A1U1630B	764	+50	+100
16	36	Y-4R2A1U1636B	801	+60	+120
16	42	Y-4R2A1U1642B	891	+70	+140
16	48	Y-4R2A1U1648B	988	+80	+160
16	54	Y-4R2A1U1654B	1,056	+90	+180
16	60	Y-4R2A1U1660B	1,087	+100	+200
16	66	Y-4R2A1U1666B	1,184	+110	+220
16	72	Y-4R2A1U1672B	1,258	+120	+240
16	78	Y-4R2A1U1678B	1,280	+130	+260
16	84	Y-4R2A1U1684B	1,344	+140	+280

GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2A1U2024B	780	+50	+100
20	30	Y-4R2A1U2030B	884	+63	+125
20	36	Y-4R2A1U2036B	984	+75	+150
20	42	Y-4R2A1U2042B	1,086	+88	+175
20	48	Y-4R2A1U2048B	1,184	+100	+200
20	54	Y-4R2A1U2054B	1,287	+113	+225
20	60	Y-4R2A1U2060B	1,387	+125	+250
20	66	Y-4R2A1U2066B	1,489	+138	+275
20	72	Y-4R2A1U2072B	1,587	+150	+300
20	78	Y-4R2A1U2078B	1,687	+163	+325
20	84	Y-4R2A1U2084B	1,788	+175	+350
24	24	Y-4R2A1U2424B	855	+60	+120
24	30	Y-4R2A1U2430B	975	+75	+150
24	36	Y-4R2A1U2436B	1,093	+90	+180
24	42	Y-4R2A1U2442B	1,212	+105	+210
24	48	Y-4R2A1U2448B	1,331	+120	+240
24	54	Y-4R2A1U2454B	1,450	+135	+270
24	60	Y-4R2A1U2460B	1,571	+150	+300
24	66	Y-4R2A1U2466B	1,690	+165	+330
24	72	Y-4R2A1U2472B	1,807	+180	+360
24	78	Y-4R2A1U2478B	1,925	+195	+390
24	84	Y-4R2A1U2484B	2,044	+210	+420



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

• Offered in all AIS paint finishes.

• Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Nominal = Actual Size Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5R2A1U2824B	551
28	30	Y-5R2A1U2830B	589
28	36	Y-5R2A1U2836B	627
28	42	Y-5R2A1U2842B	666
28	48	Y-5R2A1U2848B	705
28	54	Y-5R2A1U2854B	742
28	60	Y-5R2A1U2860B	779
28	66	Y-5R2A1U2866B	820
28	72	Y-5R2A1U2872B	858
28	78	Y-5R2A1U2878B	897
28	84	Y-5R2A1U2884B	935

PET NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5R2A1U3224B	574
32	30	Y-5R2A1U3230B	616
32	36	Y-5R2A1U3236B	659
32	42	Y-5R2A1U3242B	705
32	48	Y-5R2A1U3248B	748
32	54	Y-5R2A1U3254B	791
32	60	Y-5R2A1U3260B	835
32	66	Y-5R2A1U3266B	877
32	72	Y-5R2A1U3272B	922
32	78	Y-5R2A1U3278B	966
32	84	Y-5R2A1U3284B	1,010



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

Lexan Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS**

H	W	Model Number	List
12	24	Y-1R2A2U1224B	735
12	30	Y-1R2A2U1230B	771
12	36	Y-1R2A2U1236B	808
12	42	Y-1R2A2U1242B	846
12	48	Y-1R2A2U1248B	885
12	54	Y-1R2A2U1254B	921
12	60	Y-1R2A2U1260B	958
12	66	Y-1R2A2U1266B	996
12	72	Y-1R2A2U1272B	1,032
12	78	Y-1R2A2U1278B	1,069
12	84	Y-1R2A2U1284B	1,105
16	24	Y-1R2A2U1624B	786
16	30	Y-1R2A2U1630B	834
16	36	Y-1R2A2U1636B	885
16	42	Y-1R2A2U1642B	935
16	48	Y-1R2A2U1648B	985
16	54	Y-1R2A2U1654B	1,032
16	60	Y-1R2A2U1660B	1,085
16	66	Y-1R2A2U1666B	1,132
16	72	Y-1R2A2U1672B	1,182
16	78	Y-1R2A2U1678B	1,233
16	84	Y-1R2A2U1684B	1,284

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS**

H	W	Model Number	List
20	24	Y-1R2A2U2024B	834
20	30	Y-1R2A2U2030B	897
20	36	Y-1R2A2U2036B	958
20	42	Y-1R2A2U2042B	1,021
20	48	Y-1R2A2U2048B	1,085
20	54	Y-1R2A2U2054B	1,146
20	60	Y-1R2A2U2060B	1,210
20	66	Y-1R2A2U2066B	1,272
20	72	Y-1R2A2U2072B	1,333
20	78	Y-1R2A2U2078B	1,396
20	84	Y-1R2A2U2084B	1,460



Under Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2A2U1224B	665	+30	+110
12	30	Y-3R2A2U1230B	672	+38	+138
12	36	Y-3R2A2U1236B	680	+45	+165
12	42	Y-3R2A2U1242B	709	+53	+193
12	48	Y-3R2A2U1248B	737	+60	+220
12	54	Y-3R2A2U1254B	858	+68	+248
12	60	Y-3R2A2U1260B	796	+75	+275
12	66	Y-3R2A2U1266B	826	+83	+303
12	72	Y-3R2A2U1272B	854	+90	+330
12	78	Y-3R2A2U1278B	881	+98	+358
12	84	Y-3R2A2U1284B	910	+105	+385
16	24	Y-3R2A2U1624B	791	+40	+147
16	30	Y-3R2A2U1630B	816	+50	+184
16	36	Y-3R2A2U1636B	858	+60	+220
16	42	Y-3R2A2U1642B	886	+70	+257
16	48	Y-3R2A2U1648B	918	+80	+294
16	54	Y-3R2A2U1654B	970	+90	+330
16	60	Y-3R2A2U1660B	1,018	+100	+367
16	66	Y-3R2A2U1666B	1,029	+110	+404
16	72	Y-3R2A2U1672B	1,050	+120	+440
16	78	Y-3R2A2U1678B	1,066	+130	+477
16	84	Y-3R2A2U1684B	1,085	+140	+514

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2A2U2024B	736	+50	+184
20	30	Y-3R2A2U2030B	790	+63	+230
20	36	Y-3R2A2U2036B	826	+75	+275
20	42	Y-3R2A2U2042B	896	+88	+321
20	48	Y-3R2A2U2048B	947	+100	+367
20	54	Y-3R2A2U2054B	998	+113	+413
20	60	Y-3R2A2U2060B	1,052	+125	+459
20	66	Y-3R2A2U2066B	1,103	+138	+505
20	72	Y-3R2A2U2072B	1,158	+150	+550
20	78	Y-3R2A2U2078B	1,211	+163	+596
20	84	Y-3R2A2U2084B	1,263	+175	+642



Under Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2A2U1224B	847	+30	+60
12	30	Y-4R2A2U1230B	850	+38	+75
12	36	Y-4R2A2U1236B	914	+45	+90
12	42	Y-4R2A2U1242B	979	+53	+105
12	48	Y-4R2A2U1248B	1,045	+60	+120
12	54	Y-4R2A2U1254B	1,109	+68	+135
12	60	Y-4R2A2U1260B	1,173	+75	+150
12	66	Y-4R2A2U1266B	1,239	+83	+165
12	72	Y-4R2A2U1272B	1,304	+90	+180
12	78	Y-4R2A2U1278B	1,369	+98	+195
12	84	Y-4R2A2U1284B	1,434	+105	+210
16	24	Y-4R2A2U1624B	814	+40	+80
16	30	Y-4R2A2U1630B	895	+50	+100
16	36	Y-4R2A2U1636B	931	+60	+120
16	42	Y-4R2A2U1642B	1,022	+70	+140
16	48	Y-4R2A2U1648B	1,118	+80	+160
16	54	Y-4R2A2U1654B	1,184	+90	+180
16	60	Y-4R2A2U1660B	1,217	+100	+200
16	66	Y-4R2A2U1666B	1,315	+110	+220
16	72	Y-4R2A2U1672B	1,388	+120	+240
16	78	Y-4R2A2U1678B	1,410	+130	+260
16	84	Y-4R2A2U1684B	1,474	+140	+280

GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2A2U2024B	911	+50	+100
20	30	Y-4R2A2U2030B	1,015	+63	+125
20	36	Y-4R2A2U2036B	1,113	+75	+150
20	42	Y-4R2A2U2042B	1,214	+88	+175
20	48	Y-4R2A2U2048B	1,315	+100	+200
20	54	Y-4R2A2U2054B	1,417	+113	+225
20	60	Y-4R2A2U2060B	1,516	+125	+250
20	66	Y-4R2A2U2066B	1,617	+138	+275
20	72	Y-4R2A2U2072B	1,718	+150	+300
20	78	Y-4R2A2U2078B	1,817	+163	+325
20	84	Y-4R2A2U2084B	1,917	+175	+350
24	24	Y-4R2A2U2424B	985	+60	+120
24	30	Y-4R2A2U2430B	1,103	+75	+150
24	36	Y-4R2A2U2436B	1,223	+90	+180
24	42	Y-4R2A2U2442B	1,343	+105	+210
24	48	Y-4R2A2U2448B	1,462	+120	+240
24	54	Y-4R2A2U2454B	1,581	+135	+270
24	60	Y-4R2A2U2460B	1,700	+150	+300
24	66	Y-4R2A2U2466B	1,818	+165	+330
24	72	Y-4R2A2U2472B	1,938	+180	+360
24	78	Y-4R2A2U2478B	2,056	+195	+390
24	84	Y-4R2A2U2484B	2,175	+210	+420



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5R2A2U1224B	593
12	30	Y-5R2A2U1230B	610
12	36	Y-5R2A2U1236B	627
12	42	Y-5R2A2U1242B	643
12	48	Y-5R2A2U1248B	659
12	54	Y-5R2A2U1254B	677
12	60	Y-5R2A2U1260B	693
12	66	Y-5R2A2U1266B	709
12	72	Y-5R2A2U1272B	725
12	78	Y-5R2A2U1278B	740
12	84	Y-5R2A2U1284B	758
16	24	Y-5R2A2U1624B	615
16	30	Y-5R2A2U1630B	638
16	36	Y-5R2A2U1636B	659
16	42	Y-5R2A2U1642B	682
16	48	Y-5R2A2U1648B	704
16	54	Y-5R2A2U1654B	725
16	60	Y-5R2A2U1660B	747
16	66	Y-5R2A2U1666B	768
16	72	Y-5R2A2U1672B	791
16	78	Y-5R2A2U1678B	813
16	84	Y-5R2A2U1684B	835

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5R2A2U2024B	638
20	30	Y-5R2A2U2030B	665
20	36	Y-5R2A2U2036B	693
20	42	Y-5R2A2U2042B	720
20	48	Y-5R2A2U2048B	748
20	54	Y-5R2A2U2054B	775
20	60	Y-5R2A2U2060B	803
20	66	Y-5R2A2U2066B	830
20	72	Y-5R2A2U2072B	858
20	78	Y-5R2A2U2078B	885
20	84	Y-5R2A2U2084B	911
24	24	Y-5R2A2U2424B	659
24	30	Y-5R2A2U2430B	693
24	36	Y-5R2A2U2436B	725
24	42	Y-5R2A2U2442B	759
24	48	Y-5R2A2U2448B	791
24	54	Y-5R2A2U2454B	825
24	60	Y-5R2A2U2460B	858
24	66	Y-5R2A2U2466B	889
24	72	Y-5R2A2U2472B	922
24	78	Y-5R2A2U2478B	955
24	84	Y-5R2A2U2484B	989



Under Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount

PET FRONT/REAR UNDER SURFACE MOUNT
CHANNEL SCREENS (ACTUAL DIMENSION)

H	W	Model Number	List
28	24	Y-5R2A2U2824B	682
28	30	Y-5R2A2U2830B	720
28	36	Y-5R2A2U2836B	758
28	42	Y-5R2A2U2842B	796
28	48	Y-5R2A2U2848B	835
28	54	Y-5R2A2U2854B	873
28	60	Y-5R2A2U2860B	910
28	66	Y-5R2A2U2866B	950
28	72	Y-5R2A2U2872B	988
28	78	Y-5R2A2U2878B	1,026
28	84	Y-5R2A2U2884B	1,063

PET FRONT/REAR UNDER SURFACE MOUNT
CHANNEL SCREENS (ACTUAL DIMENSION)

H	W	Model Number	List
32	24	Y-5R2A2U3224B	704
32	30	Y-5R2A2U3230B	747
32	36	Y-5R2A2U3236B	790
32	42	Y-5R2A2U3242B	835
32	48	Y-5R2A2U3248B	877
32	54	Y-5R2A2U3254B	921
32	60	Y-5R2A2U3260B	965
32	66	Y-5R2A2U3266B	1,008
32	72	Y-5R2A2U3272B	1,052
32	78	Y-5R2A2U3278B	1,097
32	84	Y-5R2A2U3284B	1,140



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Offered in all AIS paint finishes.

Lexan Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Panel Top	Channel	Nominal = Actual Size	Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
12	24	Y-1P2A1U1224B	605
12	30	Y-1P2A1U1230B	642
12	36	Y-1P2A1U1236B	679
12	42	Y-1P2A1U1242B	717
12	48	Y-1P2A1U1248B	755
12	54	Y-1P2A1U1254B	791
12	60	Y-1P2A1U1260B	829
12	66	Y-1P2A1U1266B	867
12	72	Y-1P2A1U1272B	903
12	78	Y-1P2A1U1278B	939
12	84	Y-1P2A1U1284B	976
16	24	Y-1P2A1U1624B	655
16	30	Y-1P2A1U1630B	704
16	36	Y-1P2A1U1636B	755
16	42	Y-1P2A1U1642B	804
16	48	Y-1P2A1U1648B	855
16	54	Y-1P2A1U1654B	903
16	60	Y-1P2A1U1660B	954
16	66	Y-1P2A1U1666B	1,002
16	72	Y-1P2A1U1672B	1,052
16	78	Y-1P2A1U1678B	1,102
16	84	Y-1P2A1U1684B	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-1P2A1U2024B	704
20	30	Y-1P2A1U2030B	766
20	36	Y-1P2A1U2036B	829
20	42	Y-1P2A1U2042B	890
20	48	Y-1P2A1U2048B	954
20	54	Y-1P2A1U2054B	1,017
20	60	Y-1P2A1U2060B	1,080
20	66	Y-1P2A1U2066B	1,141
20	72	Y-1P2A1U2072B	1,204
20	78	Y-1P2A1U2078B	1,267
20	84	Y-1P2A1U2084B	1,329



On Panel Top



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Channel	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P2A1U0824B	432	+30	+110
8	30	Y-3P2A1U0830B	463	+38	+138
8	36	Y-3P2A1U0836B	493	+45	+165
8	42	Y-3P2A1U0842B	523	+53	+193
8	48	Y-3P2A1U0848B	553	+60	+220
8	54	Y-3P2A1U0854B	584	+68	+248
8	60	Y-3P2A1U0860B	614	+75	+275
8	66	Y-3P2A1U0866B	644	+83	+303
8	72	Y-3P2A1U0872B	674	+90	+330
8	78	Y-3P2A1U0878B	705	+98	+358
8	84	Y-3P2A1U0884B	735	+105	+385
12	24	Y-3P2A1U1224B	535	+30	+110
12	30	Y-3P2A1U1230B	542	+38	+138
12	36	Y-3P2A1U1236B	549	+45	+165
12	42	Y-3P2A1U1242B	578	+53	+193
12	48	Y-3P2A1U1248B	607	+60	+220
12	54	Y-3P2A1U1254B	727	+68	+248
12	60	Y-3P2A1U1260B	666	+75	+275
12	66	Y-3P2A1U1266B	695	+83	+303
12	72	Y-3P2A1U1272B	724	+90	+330
12	78	Y-3P2A1U1278B	753	+98	+358
12	84	Y-3P2A1U1284B	779	+105	+385

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P2A1U1624B	661	+40	+147
16	30	Y-3P2A1U1630B	687	+50	+184
16	36	Y-3P2A1U1636B	727	+60	+220
16	42	Y-3P2A1U1642B	756	+70	+257
16	48	Y-3P2A1U1648B	789	+80	+294
16	54	Y-3P2A1U1654B	840	+90	+330
16	60	Y-3P2A1U1660B	887	+100	+367
16	66	Y-3P2A1U1666B	899	+110	+404
16	72	Y-3P2A1U1672B	920	+120	+440
16	78	Y-3P2A1U1678B	937	+130	+477
16	84	Y-3P2A1U1684B	954	+140	+514



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Channel	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3P2A1U2024B	606	+50	+184
20	30	Y-3P2A1U2030B	659	+63	+230
20	36	Y-3P2A1U2036B	695	+75	+275
20	42	Y-3P2A1U2042B	765	+88	+321
20	48	Y-3P2A1U2048B	816	+100	+367
20	54	Y-3P2A1U2054B	869	+113	+413
20	60	Y-3P2A1U2060B	922	+125	+459
20	66	Y-3P2A1U2066B	975	+138	+505
20	72	Y-3P2A1U2072B	1,028	+150	+550
20	78	Y-3P2A1U2078B	1,082	+163	+596
20	84	Y-3P2A1U2084B	1,133	+175	+642

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
24	24	Y-3P2A1U2424B	647	+60	+220
24	30	Y-3P2A1U2430B	710	+75	+275
24	36	Y-3P2A1U2436B	773	+90	+330
24	42	Y-3P2A1U2442B	834	+105	+385
24	48	Y-3P2A1U2448B	897	+120	+440
24	54	Y-3P2A1U2454B	958	+135	+495
24	60	Y-3P2A1U2460B	1,021	+150	+550
24	66	Y-3P2A1U2466B	1,085	+165	+605
24	72	Y-3P2A1U2472B	1,145	+180	+660
24	78	Y-3P2A1U2478B	1,206	+195	+715
24	84	Y-3P2A1U2484B	1,267	+210	+770



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Panel Top	Channel	Nominal = Actual Size	Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P2A1U0824B	648	+30	+60
8	30	Y-4P2A1U0830B	702	+38	+75
8	36	Y-4P2A1U0836B	756	+45	+90
8	42	Y-4P2A1U0842B	810	+53	+105
8	48	Y-4P2A1U0848B	864	+60	+120
8	54	Y-4P2A1U0854B	918	+68	+135
8	60	Y-4P2A1U0860B	972	+75	+150
8	66	Y-4P2A1U0866B	1,026	+83	+165
8	72	Y-4P2A1U0872B	1,080	+90	+180
8	78	Y-4P2A1U0878B	1,134	+98	+195
8	84	Y-4P2A1U0884B	1,188	+105	+210
12	24	Y-4P2A1U1224B	718	+30	+60
12	30	Y-4P2A1U1230B	722	+38	+75
12	36	Y-4P2A1U1236B	786	+45	+90
12	42	Y-4P2A1U1242B	848	+53	+105
12	48	Y-4P2A1U1248B	914	+60	+120
12	54	Y-4P2A1U1254B	979	+68	+135
12	60	Y-4P2A1U1260B	1,045	+75	+150
12	66	Y-4P2A1U1266B	1,109	+83	+165
12	72	Y-4P2A1U1272B	1,173	+90	+180
12	78	Y-4P2A1U1278B	1,239	+98	+195
12	84	Y-4P2A1U1284B	1,304	+105	+210

GLASS 3/8" NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P2A1U1624B	684	+40	+80
16	30	Y-4P2A1U1630B	764	+50	+100
16	36	Y-4P2A1U1636B	801	+60	+120
16	42	Y-4P2A1U1642B	891	+70	+140
16	48	Y-4P2A1U1648B	988	+80	+160
16	54	Y-4P2A1U1654B	1,056	+90	+180
16	60	Y-4P2A1U1660B	1,087	+100	+200
16	66	Y-4P2A1U1666B	1,184	+110	+220
16	72	Y-4P2A1U1672B	1,258	+120	+240
16	78	Y-4P2A1U1678B	1,280	+130	+260
16	84	Y-4P2A1U1684B	1,344	+140	+280
20	24	Y-4P2A1U2024B	780	+50	+100
20	30	Y-4P2A1U2030B	884	+63	+125
20	36	Y-4P2A1U2036B	984	+75	+150
20	42	Y-4P2A1U2042B	1,086	+88	+175
20	48	Y-4P2A1U2048B	1,184	+100	+200
20	54	Y-4P2A1U2054B	1,287	+113	+225
20	60	Y-4P2A1U2060B	1,387	+125	+250
20	66	Y-4P2A1U2066B	1,489	+138	+275
20	72	Y-4P2A1U2072B	1,587	+150	+300
20	78	Y-4P2A1U2078B	1,687	+163	+325
20	84	Y-4P2A1U2084B	1,788	+175	+350



On Panel Top



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
12	24	Y-5P2A1U1224B	464
12	30	Y-5P2A1U1230B	480
12	36	Y-5P2A1U1236B	497
12	42	Y-5P2A1U1242B	512
12	48	Y-5P2A1U1248B	531
12	54	Y-5P2A1U1254B	546
12	60	Y-5P2A1U1260B	563
12	66	Y-5P2A1U1266B	578
12	72	Y-5P2A1U1272B	594
12	78	Y-5P2A1U1278B	612
12	84	Y-5P2A1U1284B	627
16	24	Y-5P2A1U1624B	485
16	30	Y-5P2A1U1630B	507
16	36	Y-5P2A1U1636B	531
16	42	Y-5P2A1U1642B	551
16	48	Y-5P2A1U1648B	574
16	54	Y-5P2A1U1654B	594
16	60	Y-5P2A1U1660B	616
16	66	Y-5P2A1U1666B	639
16	72	Y-5P2A1U1672B	661
16	78	Y-5P2A1U1678B	683
16	84	Y-5P2A1U1684B	705

PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5P2A1U2024B	507
20	30	Y-5P2A1U2030B	535
20	36	Y-5P2A1U2036B	563
20	42	Y-5P2A1U2042B	589
20	48	Y-5P2A1U2048B	617
20	54	Y-5P2A1U2054B	645
20	60	Y-5P2A1U2060B	673
20	66	Y-5P2A1U2066B	699
20	72	Y-5P2A1U2072B	727
20	78	Y-5P2A1U2078B	755
20	84	Y-5P2A1U2084B	780
24	24	Y-5P2A1U2424B	531
24	30	Y-5P2A1U2430B	563
24	36	Y-5P2A1U2436B	594
24	42	Y-5P2A1U2442B	628
24	48	Y-5P2A1U2448B	661
24	54	Y-5P2A1U2454B	694
24	60	Y-5P2A1U2460B	727
24	66	Y-5P2A1U2466B	760
24	72	Y-5P2A1U2472B	793
24	78	Y-5P2A1U2478B	826
24	84	Y-5P2A1U2484B	859



On Panel Top



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.

PET Nominal = Actual Size Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
28	24	Y-5P2A1U2824B	551
28	30	Y-5P2A1U2830B	589
28	36	Y-5P2A1U2836B	627
28	42	Y-5P2A1U2842B	666
28	48	Y-5P2A1U2848B	705
28	54	Y-5P2A1U2854B	742
28	60	Y-5P2A1U2860B	779
28	66	Y-5P2A1U2866B	820
28	72	Y-5P2A1U2872B	858
28	78	Y-5P2A1U2878B	897
28	84	Y-5P2A1U2884B	935

PET NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5P2A1U3224B	574
32	30	Y-5P2A1U3230B	616
32	36	Y-5P2A1U3236B	659
32	42	Y-5P2A1U3242B	705
32	48	Y-5P2A1U3248B	748
32	54	Y-5P2A1U3254B	791
32	60	Y-5P2A1U3260B	835
32	66	Y-5P2A1U3266B	877
32	72	Y-5P2A1U3272B	922
32	78	Y-5P2A1U3278B	966
32	84	Y-5P2A1U3284B	1,010



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.

Lexan Gallery Panel Side Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 3/8"	Gallery Panel Side Mount	Channel	All Gallery Panels except Divi	Surface Mount

LEXAN 3/8" GALLERY PANEL SIDE MOUNT CHANNEL SCREENS


H	W	Model Number	List
42	12	Y-2G2R1U4212B	885
42	18	Y-2G2R1U4218B	918
42	24	Y-2G2R1U4224B	947
46	12	Y-2G2R1U4612B	1,073
46	18	Y-2G2R1U4618B	1,138
46	24	Y-2G2R1U4624B	1,106
50	12	Y-2G2R1U5012B	1,157
50	18	Y-2G2R1U5018B	1,201
50	24	Y-2G2R1U5024B	1,393

LEXAN 3/8" GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
58	12	Y-2G2R1U5812B	1,489
58	18	Y-2G2R1U5818B	1,329
58	24	Y-2G2R1U5824B	1,383
66	12	Y-2G2R1U6612B	1,455
66	18	Y-2G2R1U6618B	1,710
66	24	Y-2G2R1U6624B	1,836



On Gallery Panel



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)


Notes

- Can not be used with Divi.
- Offered in all AIS paint finishes.
- Lexan available only in clear.


PET Gallery Panel Side Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Gallery Panel Side Mount	Channel	All Gallery Panels except Divi	Surface Mount

PET GALLERY PANEL SIDE MOUNT CHANNEL SCREENS				PET GALLERY PANEL SIDE MOUNT CHANNEL SCREENS			
H	W	Model Number	List	H	W	Model Number	List
42	12	Y-5G2R1U4212B	495	58	12	Y-5G2R1U5812B	645
42	18	Y-5G2R1U4218B	504	58	18	Y-5G2R1U5818B	606
42	24	Y-5G2R1U4224B	511	58	24	Y-5G2R1U5824B	624
46	12	Y-5G2R1U4612B	543	66	12	Y-5G2R1U6612B	638
46	18	Y-5G2R1U4618B	559	66	18	Y-5G2R1U6618B	702
46	24	Y-5G2R1U4624B	549	66	24	Y-5G2R1U6624B	734
50	12	Y-5G2R1U5012B	564				
50	18	Y-5G2R1U5018B	574				
50	24	Y-5G2R1U5024B	623				



On Gallery Panel



Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Can not be used with Divi.
• Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• Offered in all AIS paint finishes.

Lexan Nominal = Actual Size Territory Surface Mount Clip Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS



H	D	Model Number	List
12	24	Y-1T3A1U1224B	605
16	24	Y-1T3A1U1624B	655
20	24	Y-1T3A1U2024B	704
12	30	Y-1T3A1U1230B	642
16	30	Y-1T3A1U1630B	704
20	30	Y-1T3A1U2030B	766

LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS

H	D	Model Number	List
12	24	Y-1T3A1U1224A	605
16	24	Y-1T3A1U1624A	655
20	24	Y-1T3A1U2024A	704
12	30	Y-1T3A1U1230A	642
16	30	Y-1T3A1U1630A	704
20	30	Y-1T3A1U2030A	766



Surface Mount Clip



Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Nominal = Actual Size Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Surface Mount


GLASS 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3A1U1224B	535	+30	+110
16	24	Y-3T3A1U1624B	661	+40	+147
20	24	Y-3T3A1U2024B	606	+50	+184



GLASS 1/4" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-3T3A1U1230B	542	+38	+138
16	30	Y-3T3A1U1630B	687	+50	+184
20	30	Y-3T3A1U2030B	659	+63	+230



Surface Mount Clip


Specify	Notes
	• Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Territory on Worksurface	Clip	Nominal = Actual Size	Surface Mount


GLASS 3/8" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3A1U1224B	718	+30	+60
16	24	Y-4T3A1U1624B	684	+40	+80
20	24	Y-4T3A1U2024B	780	+50	+100
24	24	Y-4T3A1U2424B	855	+60	+120



GLASS 3/8" NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-4T3A1U1230B	722	+38	+75
16	30	Y-4T3A1U1630B	764	+50	+100
20	30	Y-4T3A1U2030B	884	+63	+125
24	30	Y-4T3A1U2430B	975	+75	+150



Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

LEXAN 1/4" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	D	Actual D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	23	Y-1T3A2L1224B	Y-1T3A2R1224B	605
16	24	23	Y-1T3A2L1624B	Y-1T3A2R1624B	655
20	24	23	Y-1T3A2L2024B	Y-1T3A2R2024B	704
12	30	29	Y-1T3A2L1230B	Y-1T3A2R1230B	642
16	30	29	Y-1T3A2L1630B	Y-1T3A2R1630B	704
20	30	29	Y-1T3A2L2030B	Y-1T3A2R2030B	766



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Lexan available only in clear.

Lexan Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

LEXAN 1/4" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	D	Actual D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	23	Y-1T3A2L1224A	Y-1T3A2R1224A	605
16	24	23	Y-1T3A2L1624A	Y-1T3A2R1230A	655
20	24	23	Y-1T3A2L2024A	Y-1T3A2R1624A	704
12	30	29	Y-1T3A2L1230A	Y-1T3A2R2024A	642
16	30	29	Y-1T3A2L1630A	Y-1T3A2R2030A	704
20	30	29	Y-1T3A2L2030A	Y-1T3A2R2424A	766



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 1/4" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


H	D	Actual D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
			Model Number	Model Number			
12	24	23	Y-3T3A2L1224B	Y-3T3A2R1224B	535	+30	+110
16	24	23	Y-3T3A2L1624B	Y-3T3A2R1624B	661	+40	+147
20	24	23	Y-3T3A2L2024B	Y-3T3A2R2024B	606	+50	+184
12	30	29	Y-3T3A2L1230B	Y-3T3A2R1230B	542	+38	+138
16	30	29	Y-3T3A2L1630B	Y-3T3A2R1630B	687	+50	+184
20	30	29	Y-3T3A2L2030B	Y-3T3A2R2030B	659	+63	+230



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8"	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 3/8" NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


H	D	Actual D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
			Model Number	Model Number			
12	24	23	Y-4T3A2L1224B	Y-4T3A2R1224B	718	+30	+60
16	24	23	Y-4T3A2L1624B	Y-4T3A2R1624B	684	+40	+80
20	24	23	Y-4T3A2L2024B	Y-4T3A2R2024B	780	+50	+100
24	24	23	Y-4T3A2L2424B	Y-4T3A2R2424B	855	+60	+120
12	30	29	Y-4T3A2L1230B	Y-4T3A2R1230B	722	+38	+75
16	30	29	Y-4T3A2L1630B	Y-4T3A2R1630B	764	+50	+100
20	30	29	Y-4T3A2L2030B	Y-4T3A2R2030B	884	+63	+125
24	30	29	Y-4T3A2L2430B	Y-4T3A2R2430B	975	+75	+150



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes



- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Nominal = Actual Size Territory Freestanding Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Clip	Nominal = Actual Size	Freestanding

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS**



H	D	Model Number	List
12	24	Y-1T3A4U1224B	735
16	24	Y-1T3A4U1624B	786
20	24	Y-1T3A4U2024B	834
12	30	Y-1T3A4U1230B	771
16	30	Y-1T3A4U1630B	834
20	30	Y-1T3A4U2030B	897



Freestanding Clip

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
TERRITORY FREESTANDING CLIP SCREENS WITH CUT-OUTS**

H	D	Model Number	List
12	24	Y-1T3A4U1224A	735
16	24	Y-1T3A4U1624A	786
20	24	Y-1T3A4U2024A	834
12	30	Y-1T3A4U1230A	771
16	30	Y-1T3A4U1630A	834
20	30	Y-1T3A4U2030A	897



Freestanding Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.
- Non-marring feet measure 2 3/8" x 12".

Lexan Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3A1U1224B	605
12	30	Y-1R3A1U1230B	642
12	36	Y-1R3A1U1236B	679
12	42	Y-1R3A1U1242B	717
12	48	Y-1R3A1U1248B	755
12	54	Y-1R3A1U1254B	791
12	60	Y-1R3A1U1260B	829
12	66	Y-1R3A1U1266B	867
12	72	Y-1R3A1U1272B	903
12	78	Y-1R3A1U1278B	939
12	84	Y-1R3A1U1284B	976
16	24	Y-1R3A1U1624B	655
16	30	Y-1R3A1U1630B	704
16	36	Y-1R3A1U1636B	755
16	42	Y-1R3A1U1642B	804
16	48	Y-1R3A1U1648B	855
16	54	Y-1R3A1U1654B	903
16	60	Y-1R3A1U1660B	954
16	66	Y-1R3A1U1666B	1,002
16	72	Y-1R3A1U1672B	1,052
16	78	Y-1R3A1U1678B	1,102
16	84	Y-1R3A1U1684B	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3A1U2024B	704
20	30	Y-1R3A1U2030B	766
20	36	Y-1R3A1U2036B	829
20	42	Y-1R3A1U2042B	890
20	48	Y-1R3A1U2048B	954
20	54	Y-1R3A1U2054B	1,017
20	60	Y-1R3A1U2060B	1,080
20	66	Y-1R3A1U2066B	1,141
20	72	Y-1R3A1U2072B	1,204
20	78	Y-1R3A1U2078B	1,267
20	84	Y-1R3A1U2084B	1,329




24 - 48 Wide



54 - 66 Wide



72 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Lexan Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
12	24	Y-1R3A1U1224A	605
12	30	Y-1R3A1U1230A	642
12	36	Y-1R3A1U1236A	679
12	42	Y-1R3A1U1242A	717
12	48	Y-1R3A1U1248A	755
12	54	Y-1R3A1U1254A	791
12	60	Y-1R3A1U1260A	829
12	66	Y-1R3A1U1266A	867
12	72	Y-1R3A1U1272A	903
12	78	Y-1R3A1U1278A	939
12	84	Y-1R3A1U1284A	976
16	24	Y-1R3A1U1624A	655
16	30	Y-1R3A1U1630A	704
16	36	Y-1R3A1U1636A	755
16	42	Y-1R3A1U1642A	804
16	48	Y-1R3A1U1648A	855
16	54	Y-1R3A1U1654A	903
16	60	Y-1R3A1U1660A	954
16	66	Y-1R3A1U1666A	1,002
16	72	Y-1R3A1U1672A	1,052
16	78	Y-1R3A1U1678A	1,102
16	84	Y-1R3A1U1684A	1,154

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
20	24	Y-1R3A1U2024A	704
20	30	Y-1R3A1U2030A	766
20	36	Y-1R3A1U2036A	829
20	42	Y-1R3A1U2042A	890
20	48	Y-1R3A1U2048A	954
20	54	Y-1R3A1U2054A	1,017
20	60	Y-1R3A1U2060A	1,080
20	66	Y-1R3A1U2066A	1,141
20	72	Y-1R3A1U2072A	1,204
20	78	Y-1R3A1U2078A	1,267
20	84	Y-1R3A1U2084A	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3A1U1224B	535	+30	+110
12	30	Y-3R3A1U1230B	542	+38	+138
12	36	Y-3R3A1U1236B	549	+45	+165
12	42	Y-3R3A1U1242B	578	+53	+193
12	48	Y-3R3A1U1248B	607	+60	+220
12	54	Y-3R3A1U1254B	727	+68	+248
12	60	Y-3R3A1U1260B	666	+75	+275
12	66	Y-3R3A1U1266B	695	+83	+303
12	72	Y-3R3A1U1272B	724	+90	+330
12	78	Y-3R3A1U1278B	753	+98	+358
12	84	Y-3R3A1U1284B	779	+105	+385
16	24	Y-3R3A1U1624B	661	+40	+147
16	30	Y-3R3A1U1630B	687	+50	+184
16	36	Y-3R3A1U1636B	727	+60	+220
16	42	Y-3R3A1U1642B	756	+70	+257
16	48	Y-3R3A1U1648B	789	+80	+294
16	54	Y-3R3A1U1654B	840	+90	+330
16	60	Y-3R3A1U1660B	887	+100	+367
16	66	Y-3R3A1U1666B	899	+110	+404
16	72	Y-3R3A1U1672B	920	+120	+440
16	78	Y-3R3A1U1678B	937	+130	+477
16	84	Y-3R3A1U1684B	954	+140	+514

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3A1U2024B	606	+50	+184
20	30	Y-3R3A1U2030B	659	+63	+230
20	36	Y-3R3A1U2036B	695	+75	+275
20	42	Y-3R3A1U2042B	765	+88	+321
20	48	Y-3R3A1U2048B	816	+100	+367
20	54	Y-3R3A1U2054B	869	+113	+413
20	60	Y-3R3A1U2060B	922	+125	+459
20	66	Y-3R3A1U2066B	975	+138	+505
20	72	Y-3R3A1U2072B	1,028	+150	+550
20	78	Y-3R3A1U2078B	1,082	+163	+596
20	84	Y-3R3A1U2084B	1,133	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3A1U1224B	718	+30	+60
12	30	Y-4R3A1U1230B	722	+38	+75
12	36	Y-4R3A1U1236B	786	+45	+90
12	42	Y-4R3A1U1242B	848	+53	+105
12	48	Y-4R3A1U1248B	914	+60	+120
12	54	Y-4R3A1U1254B	979	+68	+135
12	60	Y-4R3A1U1260B	1,045	+75	+150
12	66	Y-4R3A1U1266B	1,109	+83	+165
12	72	Y-4R3A1U1272B	1,173	+90	+180
12	78	Y-4R3A1U1278B	1,239	+98	+195
12	84	Y-4R3A1U1284B	1,304	+105	+210
16	24	Y-4R3A1U1624B	684	+40	+80
16	30	Y-4R3A1U1630B	764	+50	+100
16	36	Y-4R3A1U1636B	801	+60	+120
16	42	Y-4R3A1U1642B	891	+70	+140
16	48	Y-4R3A1U1648B	988	+80	+160
16	54	Y-4R3A1U1654B	1,056	+90	+180
16	60	Y-4R3A1U1660B	1,087	+100	+200
16	66	Y-4R3A1U1666B	1,184	+110	+220
16	72	Y-4R3A1U1672B	1,258	+120	+240
16	78	Y-4R3A1U1678B	1,280	+130	+260
16	84	Y-4R3A1U1684B	1,344	+140	+280

GLASS 3/8" NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3A1U2024B	780	+50	+100
20	30	Y-4R3A1U2030B	884	+63	+125
20	36	Y-4R3A1U2036B	984	+75	+150
20	42	Y-4R3A1U2042B	1,086	+88	+175
20	48	Y-4R3A1U2048B	1,184	+100	+200
20	54	Y-4R3A1U2054B	1,287	+113	+225
20	60	Y-4R3A1U2060B	1,387	+125	+250
20	66	Y-4R3A1U2066B	1,489	+138	+275
20	72	Y-4R3A1U2072B	1,587	+150	+300
20	78	Y-4R3A1U2078B	1,687	+163	+325
20	84	Y-4R3A1U2084B	1,788	+175	+350
24	24	Y-4R3A1U2424B	855	+60	+120
24	30	Y-4R3A1U2430B	975	+75	+150
24	36	Y-4R3A1U2436B	1,093	+90	+180
24	42	Y-4R3A1U2442B	1,212	+105	+210
24	48	Y-4R3A1U2448B	1,331	+120	+240
24	54	Y-4R3A1U2454B	1,450	+135	+270
24	60	Y-4R3A1U2460B	1,571	+150	+300
24	66	Y-4R3A1U2466B	1,690	+165	+330
24	72	Y-4R3A1U2472B	1,807	+180	+360
24	78	Y-4R3A1U2478B	1,925	+195	+390
24	84	Y-4R3A1U2484B	2,044	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE FRONT/REAR
UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3A2U1224B	605
12	30	Y-1R3A2U1230B	642
12	36	Y-1R3A2U1236B	679
12	42	Y-1R3A2U1242B	717
12	48	Y-1R3A2U1248B	755
12	54	Y-1R3A2U1254B	791
12	60	Y-1R3A2U1260B	829
12	66	Y-1R3A2U1266B	867
12	72	Y-1R3A2U1272B	903
12	78	Y-1R3A2U1278B	939
12	84	Y-1R3A2U1284B	976
16	24	Y-1R3A2U1624B	655
16	30	Y-1R3A2U1630B	704
16	36	Y-1R3A2U1636B	755
16	42	Y-1R3A2U1642B	804
16	48	Y-1R3A2U1648B	855
16	54	Y-1R3A2U1654B	903
16	60	Y-1R3A2U1660B	954
16	66	Y-1R3A2U1666B	1,002
16	72	Y-1R3A2U1672B	1,052
16	78	Y-1R3A2U1678B	1,102
16	84	Y-1R3A2U1684B	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE FRONT/REAR
UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3A2U2024B	704
20	30	Y-1R3A2U2030B	766
20	36	Y-1R3A2U2036B	829
20	42	Y-1R3A2U2042B	890
20	48	Y-1R3A2U2048B	954
20	54	Y-1R3A2U2054B	1,017
20	60	Y-1R3A2U2060B	1,080
20	66	Y-1R3A2U2066B	1,141
20	72	Y-1R3A2U2072B	1,204
20	78	Y-1R3A2U2078B	1,267
20	84	Y-1R3A2U2084B	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Lexan Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE FRONT/REAR
UNDER SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3A2U1224A	605
12	30	Y-1R3A2U1230A	642
12	36	Y-1R3A2U1236A	679
12	42	Y-1R3A2U1242A	717
12	48	Y-1R3A2U1248A	755
12	54	Y-1R3A2U1254A	791
12	60	Y-1R3A2U1260A	829
12	66	Y-1R3A2U1266A	867
12	72	Y-1R3A2U1272A	903
12	78	Y-1R3A2U1278A	939
12	84	Y-1R3A2U1284A	976
16	24	Y-1R3A2U1624A	655
16	30	Y-1R3A2U1630A	704
16	36	Y-1R3A2U1636A	755
16	42	Y-1R3A2U1642A	804
16	48	Y-1R3A2U1648A	855
16	54	Y-1R3A2U1654A	903
16	60	Y-1R3A2U1660A	954
16	66	Y-1R3A2U1666A	1,002
16	72	Y-1R3A2U1672A	1,052
16	78	Y-1R3A2U1678A	1,102
16	84	Y-1R3A2U1684A	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE FRONT/REAR
UNDER SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3A2U2024A	704
20	30	Y-1R3A2U2030A	766
20	36	Y-1R3A2U2036A	829
20	42	Y-1R3A2U2042A	890
20	48	Y-1R3A2U2048A	954
20	54	Y-1R3A2U2054A	1,017
20	60	Y-1R3A2U2060A	1,080
20	66	Y-1R3A2U2066A	1,141
20	72	Y-1R3A2U2072A	1,204
20	78	Y-1R3A2U2078A	1,267
20	84	Y-1R3A2U2084A	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3A2U1224B	535	+30	+110
12	30	Y-3R3A2U1230B	542	+38	+138
12	36	Y-3R3A2U1236B	549	+45	+165
12	42	Y-3R3A2U1242B	578	+53	+193
12	48	Y-3R3A2U1248B	607	+60	+220
12	54	Y-3R3A2U1254B	727	+68	+248
12	60	Y-3R3A2U1260B	666	+75	+275
12	66	Y-3R3A2U1266B	695	+83	+303
12	72	Y-3R3A2U1272B	724	+90	+330
12	78	Y-3R3A2U1278B	753	+98	+358
12	84	Y-3R3A2U1284B	779	+105	+385
16	24	Y-3R3A2U1624B	661	+40	+147
16	30	Y-3R3A2U1630B	687	+50	+184
16	36	Y-3R3A2U1636B	727	+60	+220
16	42	Y-3R3A2U1642B	756	+70	+257
16	48	Y-3R3A2U1648B	789	+80	+294
16	54	Y-3R3A2U1654B	840	+90	+330
16	60	Y-3R3A2U1660B	887	+100	+367
16	66	Y-3R3A2U1666B	899	+110	+404
16	72	Y-3R3A2U1672B	920	+120	+440
16	78	Y-3R3A2U1678B	937	+130	+477
16	84	Y-3R3A2U1684B	954	+140	+514

GLASS 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3A2U2024B	606	+50	+184
20	30	Y-3R3A2U2030B	659	+63	+230
20	36	Y-3R3A2U2036B	695	+75	+275
20	42	Y-3R3A2U2042B	765	+88	+321
20	48	Y-3R3A2U2048B	816	+100	+367
20	54	Y-3R3A2U2054B	869	+113	+413
20	60	Y-3R3A2U2060B	922	+125	+459
20	66	Y-3R3A2U2066B	975	+138	+505
20	72	Y-3R3A2U2072B	1,028	+150	+550
20	78	Y-3R3A2U2078B	1,082	+163	+596
20	84	Y-3R3A2U2084B	1,133	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

**GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS**


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3A2U1224B	718	+30	+60
12	30	Y-4R3A2U1230B	722	+38	+75
12	36	Y-4R3A2U1236B	786	+45	+90
12	42	Y-4R3A2U1242B	848	+53	+105
12	48	Y-4R3A2U1248B	914	+60	+120
12	54	Y-4R3A2U1254B	979	+68	+135
12	60	Y-4R3A2U1260B	1,045	+75	+150
12	66	Y-4R3A2U1266B	1,109	+83	+165
12	72	Y-4R3A2U1272B	1,173	+90	+180
12	78	Y-4R3A2U1278B	1,239	+98	+195
12	84	Y-4R3A2U1284B	1,304	+105	+210
16	24	Y-4R3A2U1624B	684	+40	+80
16	30	Y-4R3A2U1630B	764	+50	+100
16	36	Y-4R3A2U1636B	801	+60	+120
16	42	Y-4R3A2U1642B	891	+70	+140
16	48	Y-4R3A2U1648B	988	+80	+160
16	54	Y-4R3A2U1654B	1,056	+90	+180
16	60	Y-4R3A2U1660B	1,087	+100	+200
16	66	Y-4R3A2U1666B	1,184	+110	+220
16	72	Y-4R3A2U1672B	1,258	+120	+240
16	78	Y-4R3A2U1678B	1,280	+130	+260
16	84	Y-4R3A2U1684B	1,344	+140	+280

**GLASS 3/8" NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS**


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3A2U2024B	780	+50	+100
20	30	Y-4R3A2U2030B	884	+63	+125
20	36	Y-4R3A2U2036B	984	+75	+150
20	42	Y-4R3A2U2042B	1,086	+88	+175
20	48	Y-4R3A2U2048B	1,184	+100	+200
20	54	Y-4R3A2U2054B	1,287	+113	+225
20	60	Y-4R3A2U2060B	1,387	+125	+250
20	66	Y-4R3A2U2066B	1,489	+138	+275
20	72	Y-4R3A2U2072B	1,587	+150	+300
20	78	Y-4R3A2U2078B	1,687	+163	+325
20	84	Y-4R3A2U2084B	1,788	+175	+350
24	24	Y-4R3A2U2424B	855	+60	+120
24	30	Y-4R3A2U2430B	975	+75	+150
24	36	Y-4R3A2U2436B	1,093	+90	+180
24	42	Y-4R3A2U2442B	1,212	+105	+210
24	48	Y-4R3A2U2448B	1,331	+120	+240
24	54	Y-4R3A2U2454B	1,450	+135	+270
24	60	Y-4R3A2U2460B	1,571	+150	+300
24	66	Y-4R3A2U2466B	1,690	+165	+330
24	72	Y-4R3A2U2472B	1,807	+180	+360
24	78	Y-4R3A2U2478B	1,925	+195	+390
24	84	Y-4R3A2U2484B	2,044	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Nominal = Actual Size Freestanding Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Freestanding

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3A4U1224B	735
12	30	Y-1R3A4U1230B	771
12	36	Y-1R3A4U1236B	808
12	42	Y-1R3A4U1242B	846
12	48	Y-1R3A4U1248B	885
12	54	Y-1R3A4U1254B	921
12	60	Y-1R3A4U1260B	1,024
12	66	Y-1R3A4U1266B	1,061
12	72	Y-1R3A4U1272B	1,098
12	78	Y-1R3A4U1278B	1,199
12	84	Y-1R3A4U1284B	1,236
16	24	Y-1R3A4U1624B	786
16	30	Y-1R3A4U1630B	834
16	36	Y-1R3A4U1636B	885
16	42	Y-1R3A4U1642B	935
16	48	Y-1R3A4U1648B	985
16	54	Y-1R3A4U1654B	1,032
16	60	Y-1R3A4U1660B	1,149
16	66	Y-1R3A4U1666B	1,198
16	72	Y-1R3A4U1672B	1,248
16	78	Y-1R3A4U1678B	1,362
16	84	Y-1R3A4U1684B	1,414

LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3A4U2024B	834
20	30	Y-1R3A4U2030B	897
20	36	Y-1R3A4U2036B	958
20	42	Y-1R3A4U2042B	1,021
20	48	Y-1R3A4U2048B	1,085
20	54	Y-1R3A4U2054B	1,146
20	60	Y-1R3A4U2060B	1,275
20	66	Y-1R3A4U2066B	1,335
20	72	Y-1R3A4U2072B	1,399
20	78	Y-1R3A4U2078B	1,527
20	84	Y-1R3A4U2084B	1,589




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.
- Non-marring feet measure 2 3/8" x 12".

Lexan Nominal = Actual Size Freestanding Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Freestanding

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
12	24	Y-1R3A4U1224A	735
12	30	Y-1R3A4U1230A	771
12	36	Y-1R3A4U1236A	808
12	42	Y-1R3A4U1242A	846
12	48	Y-1R3A4U1248A	885
12	54	Y-1R3A4U1254A	921
12	60	Y-1R3A4U1260A	1,024
12	66	Y-1R3A4U1266A	1,061
12	72	Y-1R3A4U1272A	1,098
12	78	Y-1R3A4U1278A	1,199
12	84	Y-1R3A4U1284A	1,236
16	24	Y-1R3A4U1624A	786
16	30	Y-1R3A4U1630A	834
16	36	Y-1R3A4U1636A	885
16	42	Y-1R3A4U1642A	935
16	48	Y-1R3A4U1648A	985
16	54	Y-1R3A4U1654A	1,032
16	60	Y-1R3A4U1660A	1,149
16	66	Y-1R3A4U1666A	1,198
16	72	Y-1R3A4U1672A	1,248
16	78	Y-1R3A4U1678A	1,362
16	84	Y-1R3A4U1684A	1,414

**LEXAN 1/4" NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
20	24	Y-1R3A4U2024A	834
20	30	Y-1R3A4U2030A	897
20	36	Y-1R3A4U2036A	958
20	42	Y-1R3A4U2042A	1,021
20	48	Y-1R3A4U2048A	1,085
20	54	Y-1R3A4U2054A	1,146
20	60	Y-1R3A4U2060A	1,275
20	66	Y-1R3A4U2066A	1,335
20	72	Y-1R3A4U2072A	1,399
20	78	Y-1R3A4U2078A	1,527
20	84	Y-1R3A4U2084A	1,589




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.
- Non-marring feet measure 2 3/8" x 12".

Lexan Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Panel Top	Clip	Nominal = Actual Size	Surface Mount

LEXAN 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List
12	24	Y-1P3A1U1224B	605
12	30	Y-1P3A1U1230B	642
12	36	Y-1P3A1U1236B	679
12	42	Y-1P3A1U1242B	717
12	48	Y-1P3A1U1248B	755
12	54	Y-1P3A1U1254B	791
12	60	Y-1P3A1U1260B	829
12	66	Y-1P3A1U1266B	867
12	72	Y-1P3A1U1272B	903
12	78	Y-1P3A1U1278B	939
12	84	Y-1P3A1U1284B	976
16	24	Y-1P3A1U1624B	655
16	30	Y-1P3A1U1630B	704
16	36	Y-1P3A1U1636B	755
16	42	Y-1P3A1U1642B	804
16	48	Y-1P3A1U1648B	855
16	54	Y-1P3A1U1654B	903
16	60	Y-1P3A1U1660B	954
16	66	Y-1P3A1U1666B	1,002
16	72	Y-1P3A1U1672B	1,052
16	78	Y-1P3A1U1678B	1,102
16	84	Y-1P3A1U1684B	1,154

LEXAN 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List
20	24	Y-1P3A1U2024B	704
20	30	Y-1P3A1U2030B	766
20	36	Y-1P3A1U2036B	829
20	42	Y-1P3A1U2042B	890
20	48	Y-1P3A1U2048B	954
20	54	Y-1P3A1U2054B	1,017
20	60	Y-1P3A1U2060B	1,080
20	66	Y-1P3A1U2066B	1,141
20	72	Y-1P3A1U2072B	1,204
20	78	Y-1P3A1U2078B	1,267
20	84	Y-1P3A1U2084B	1,329




24 - 48 Wide




54 - 66 Wide



72 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P3A1U0824B	432	30	110
8	30	Y-3P3A1U0830B	463	38	138
8	36	Y-3P3A1U0836B	493	45	165
8	42	Y-3P3A1U0842B	523	53	193
8	48	Y-3P3A1U0848B	553	60	220
8	54	Y-3P3A1U0854B	584	68	248
8	60	Y-3P3A1U0860B	614	75	275
8	66	Y-3P3A1U0866B	644	83	303
8	72	Y-3P3A1U0872B	674	90	330
8	78	Y-3P3A1U0878B	705	98	358
8	84	Y-3P3A1U0884B	735	105	385
12	24	Y-3P3A1U1224B	535	+30	+110
12	30	Y-3P3A1U1230B	542	+38	+138
12	36	Y-3P3A1U1236B	549	+45	+165
12	42	Y-3P3A1U1242B	578	+53	+193
12	48	Y-3P3A1U1248B	607	+60	+220
12	54	Y-3P3A1U1254B	637	+68	+248
12	60	Y-3P3A1U1260B	666	+75	+275
12	66	Y-3P3A1U1266B	695	+83	+303
12	72	Y-3P3A1U1272B	724	+90	+330
12	78	Y-3P3A1U1278B	753	+98	+358
12	84	Y-3P3A1U1284B	779	+105	+385

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P3A1U1624B	661	+40	+147
16	30	Y-3P3A1U1630B	687	+50	+184
16	36	Y-3P3A1U1636B	727	+60	+220
16	42	Y-3P3A1U1642B	756	+70	+257
16	48	Y-3P3A1U1648B	789	+80	+294
16	54	Y-3P3A1U1654B	840	+90	+330
16	60	Y-3P3A1U1660B	887	+100	+367
16	66	Y-3P3A1U1666B	899	+110	+404
16	72	Y-3P3A1U1672B	920	+120	+440
16	78	Y-3P3A1U1678B	937	+130	+477
16	84	Y-3P3A1U1684B	954	+140	+514




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

• Paint Selection

Notes


- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 1/4" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3P3A1U2024B	606	+50	+184
20	30	Y-3P3A1U2030B	659	+63	+230
20	36	Y-3P3A1U2036B	695	+75	+275
20	42	Y-3P3A1U2042B	765	+88	+321
20	48	Y-3P3A1U2048B	816	+100	+367
20	54	Y-3P3A1U2054B	869	+113	+413
20	60	Y-3P3A1U2060B	922	+125	+459
20	66	Y-3P3A1U2066B	975	+138	+505
20	72	Y-3P3A1U2072B	1,028	+150	+550
20	78	Y-3P3A1U2078B	1,082	+163	+596
20	84	Y-3P3A1U2084B	1,133	+175	+642




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P3A1U0824B	648	30	60
8	30	Y-4P3A1U0830B	702	38	75
8	36	Y-4P3A1U0836B	756	45	90
8	42	Y-4P3A1U0842B	810	53	105
8	48	Y-4P3A1U0848B	864	60	120
8	54	Y-4P3A1U0854B	918	68	135
8	60	Y-4P3A1U0860B	972	75	150
8	66	Y-4P3A1U0866B	1,026	83	165
8	72	Y-4P3A1U0872B	1,080	90	180
8	78	Y-4P3A1U0878B	1,134	98	195
8	84	Y-4P3A1U0884B	1,188	105	210
12	24	Y-4P3A1U1224B	718	+30	+60
12	30	Y-4P3A1U1230B	722	+38	+75
12	36	Y-4P3A1U1236B	786	+45	+90
12	42	Y-4P3A1U1242B	848	+53	+105
12	48	Y-4P3A1U1248B	914	+60	+120
12	54	Y-4P3A1U1254B	979	+68	+135
12	60	Y-4P3A1U1260B	1,045	+75	+150
12	66	Y-4P3A1U1266B	1,109	+83	+165
12	72	Y-4P3A1U1272B	1,173	+90	+180
12	78	Y-4P3A1U1278B	1,239	+98	+195
12	84	Y-4P3A1U1284B	1,304	+105	+210

GLASS 3/8" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P3A1U1624B	684	+40	+80
16	30	Y-4P3A1U1630B	764	+50	+100
16	36	Y-4P3A1U1636B	801	+60	+120
16	42	Y-4P3A1U1642B	891	+70	+140
16	48	Y-4P3A1U1648B	988	+80	+160
16	54	Y-4P3A1U1654B	1,056	+90	+180
16	60	Y-4P3A1U1660B	1,087	+100	+200
16	66	Y-4P3A1U1666B	1,184	+110	+220
16	72	Y-4P3A1U1672B	1,258	+120	+240
16	78	Y-4P3A1U1678B	1,280	+130	+260
16	84	Y-4P3A1U1684B	1,344	+140	+280




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

• Paint Selection

Notes


- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 3/8" NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4P3A1U2024B	780	+50	+100
20	30	Y-4P3A1U2030B	884	+63	+125
20	36	Y-4P3A1U2036B	984	+75	+150
20	42	Y-4P3A1U2042B	1,086	+88	+175
20	48	Y-4P3A1U2048B	1,184	+100	+200
20	54	Y-4P3A1U2054B	1,287	+113	+225
20	60	Y-4P3A1U2060B	1,387	+125	+250
20	66	Y-4P3A1U2066B	1,489	+138	+275
20	72	Y-4P3A1U2072B	1,587	+150	+300
20	78	Y-4P3A1U2078B	1,687	+163	+325
20	84	Y-4P3A1U2084B	1,788	+175	+350




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes



- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Nominal = Actual Size Modesty Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4" or Glass 3/8"	Bottom of Worksurface	Clip	Nominal = Actual Size	Modesty Mount

GLASS NOMINAL = ACTUAL FRAMELESS MODESTY MOUNT GLASS SCREENS

H	W	Model Number	Clear 1/4"	Grey Tinted 1/4"	Frosted 1/4"	Clear 3/8"	Frosted 3/8"
8	24	A-FGMM0824	896	+33	+68	+75	+136
8	30	A-FGMM0830	903	+41	+85	+78	+170
8	36	A-FGMM0836	965	+49	+102	+81	+204
8	42	A-FGMM0842	981	+57	+119	+84	+232
8	48	A-FGMM0848	994	+65	+135	+87	+270
8	54	A-FGMM0854	1,008	+73	+152	+91	+304
8	60	A-FGMM0860	1,039	+81	+169	+94	+338
8	66	A-FGMM0866	1,091	+89	+186	+97	+372
8	72	A-FGMM0872	1,097	+97	+203	+101	+406
12	24	A-FGMM1224	888	+38	+79	+141	+158
12	30	A-FGMM1230	896	+47	+99	+160	+198
12	36	A-FGMM1236	901	+57	+119	+180	+238
12	42	A-FGMM1242	929	+66	+138	+208	+276
12	48	A-FGMM1248	961	+76	+158	+236	+316
12	54	A-FGMM1254	1,080	+85	+178	+259	+356
12	60	A-FGMM1260	1,017	+94	+197	+291	+394
12	66	A-FGMM1266	1,048	+104	+217	+319	+434
12	72	A-FGMM1272	1,075	+113	+237	+347	+474



1/2" Pre-Drilled Holes



Modesty Mounted Clip

Specify

- Glass Thickness - 1/4" or 3/8"
- Glass Selection

Notes



- Frameless Modesty-Mount Glass Screens are designed to mount from the bottom of worksurfaces or other flat surfaces.
- Screens include two mounting brackets which are available in a matte chrome finish only, screens over 48" in length come with a third bracket.
- Modesty-Mount Glass Screens have a 1/2" pre-drilled holes to accept 1/4" set screws which work in conjunction with the mounting brackets. The set screws act as a safety device to prevent the glass from slipping from the brackets.
- Lexan available only in clear.

Glass Nominal = Actual Size Modesty Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4" or Glass 3/8"	Bottom of Worksurface	Clip	Nominal = Actual Size	Modesty Mount

GLASS NOMINAL = ACTUAL FRAMELESS MODESTY MOUNT GLASS SCREENS

H	W	Model Number	Clear 1/4"	Grey Tinted 1/4"	Frosted 1/4"	Clear 3/8"	Frosted 3/8"
16	24	A-FGMM1624	1,016	+43	+90	+18	+180
16	30	A-FGMM1630	1,041	+54	+113	+59	+226
16	36	A-FGMM1636	1,080	+65	+135	+57	+270
16	42	A-FGMM1642	1,107	+76	+158	+105	+316
16	48	A-FGMM1648	1,140	+86	+180	+153	+360
16	54	A-FGMM1654	1,192	+97	+203	+165	+406
16	60	A-FGMM1660	1,240	+108	+225	+153	+450
16	66	A-FGMM1666	1,250	+119	+248	+220	+496
16	72	A-FGMM1672	1,277	+129	+270	+260	+540



1/2" Pre-Drilled Holes



Modesty Mounted Clip

Specify

- Glass Thickness - 1/4" or 3/8"
- Glass Selection

Notes



- Frameless Modesty-Mount Glass Screens are designed to mount from the bottom of worksurfaces or other flat surfaces.
- Screens include two mounting brackets which are available in a matte chrome finish only, screens over 48" in length come with a third bracket.
- Modesty-Mount Glass Screens have a 1/2" pre-drilled holes to accept 1/4" set screws which work in conjunction with the mounting brackets. The set screws act as a safety device to prevent the glass from slipping from the brackets.
- Lexan available only in clear.

PET Nominal = Actual Size Territory Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Surface Mount

**PET NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT LITE SCREENS**

H	D	Model Number	List
12	24	Y-5T4A1U1224B	494
16	24	Y-5T4A1U1624B	506
20	24	Y-5T4A1U2024B	518
24	24	Y-5T4A1U2424B	533
28	24	Y-5T4A1U2824B	544
32	24	Y-5T4A1U3224B	557
12	30	Y-5T4A1U1230B	504
16	30	Y-5T4A1U1630B	518
20	30	Y-5T4A1U2030B	535
24	30	Y-5T4A1U2430B	549
28	30	Y-5T4A1U2830B	567
32	30	Y-5T4A1U3230B	583



Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes



- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Territory Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
TERRITORY UNDER SURFACE MOUNT LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4A2U1224B	494
16	24	Y-5T4A2U1624B	506
20	24	Y-5T4A2U2024B	518
24	24	Y-5T4A2U2424B	533
28	24	Y-5T4A2U2824B	544
32	24	Y-5T4A2U3224B	557
12	30	Y-5T4A2U1230B	504
16	30	Y-5T4A2U1630B	518
20	30	Y-5T4A2U2030B	535
24	30	Y-5T4A2U2430B	549
28	30	Y-5T4A2U2830B	567
32	30	Y-5T4A2U3230B	583



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes



- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Territory Freestanding Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Freestanding

**PET NOMINAL = ACTUAL SIZE
TERRITORY FREESTANDING LITE SCREENS**

H	D	Model Number	List
12	24	Y-5T4A4U1224B	624
16	24	Y-5T4A4U1624B	637
20	24	Y-5T4A4U2024B	648
24	24	Y-5T4A4U2424B	663
28	24	Y-5T4A4U2824B	674
32	24	Y-5T4A4U3224B	687
12	30	Y-5T4A4U1230B	634
16	30	Y-5T4A4U1630B	648
20	30	Y-5T4A4U2030B	665
24	30	Y-5T4A4U2430B	680
28	30	Y-5T4A4U2830B	697
32	30	Y-5T4A4U3230B	713



Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A1U1224B	494
12	30	Y-5R4A1U1230B	504
12	36	Y-5R4A1U1236B	512
12	42	Y-5R4A1U1242B	521
12	48	Y-5R4A1U1248B	533
12	54	Y-5R4A1U1254B	542
12	60	Y-5R4A1U1260B	549
12	66	Y-5R4A1U1266B	562
12	72	Y-5R4A1U1272B	571
12	78	Y-5R4A1U1278B	578
12	84	Y-5R4A1U1284B	589
16	24	Y-5R4A1U1624B	506
16	30	Y-5R4A1U1630B	518
16	36	Y-5R4A1U1636B	533
16	42	Y-5R4A1U1642B	544
16	48	Y-5R4A1U1648B	557
16	54	Y-5R4A1U1654B	571
16	60	Y-5R4A1U1660B	583
16	66	Y-5R4A1U1666B	596
16	72	Y-5R4A1U1672B	607
16	78	Y-5R4A1U1678B	619
16	84	Y-5R4A1U1684B	634

PET NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A1U2024B	518
20	30	Y-5R4A1U2030B	535
20	36	Y-5R4A1U2036B	549
20	42	Y-5R4A1U2042B	567
20	48	Y-5R4A1U2048B	583
20	54	Y-5R4A1U2054B	599
20	60	Y-5R4A1U2060B	614
20	66	Y-5R4A1U2066B	631
20	72	Y-5R4A1U2072B	646
20	78	Y-5R4A1U2078B	663
20	84	Y-5R4A1U2084B	678
24	24	Y-5R4A1U2424B	533
24	30	Y-5R4A1U2430B	549
24	36	Y-5R4A1U2436B	571
24	42	Y-5R4A1U2442B	589
24	48	Y-5R4A1U2448B	607
24	54	Y-5R4A1U2454B	627
24	60	Y-5R4A1U2460B	646
24	66	Y-5R4A1U2466B	666
24	72	Y-5R4A1U2472B	684
24	78	Y-5R4A1U2478B	704
24	84	Y-5R4A1U2484B	724




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4A1U2824B	544
28	30	Y-5R4A1U2830B	567
28	36	Y-5R4A1U2836B	589
28	42	Y-5R4A1U2842B	612
28	48	Y-5R4A1U2848B	634
28	54	Y-5R4A1U2854B	656
28	60	Y-5R4A1U2860B	678
28	66	Y-5R4A1U2866B	700
28	72	Y-5R4A1U2872B	724
28	78	Y-5R4A1U2878B	746
28	84	Y-5R4A1U2884B	767
32	24	Y-5R4A1U3224B	557
32	30	Y-5R4A1U3230B	583
32	36	Y-5R4A1U3236B	607
32	42	Y-5R4A1U3242B	634
32	48	Y-5R4A1U3248B	659
32	54	Y-5R4A1U3254B	684
32	60	Y-5R4A1U3260B	710
32	66	Y-5R4A1U3266B	736
32	72	Y-5R4A1U3272B	761
32	78	Y-5R4A1U3278B	788
32	84	Y-5R4A1U3284B	810




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A2U1224B	494
12	30	Y-5R4A2U1230B	504
12	36	Y-5R4A2U1236B	512
12	42	Y-5R4A2U1242B	521
12	48	Y-5R4A2U1248B	533
12	54	Y-5R4A2U1254B	542
12	60	Y-5R4A2U1260B	549
12	66	Y-5R4A2U1266B	562
12	72	Y-5R4A2U1272B	571
12	78	Y-5R4A2U1278B	578
12	84	Y-5R4A2U1284B	589
16	24	Y-5R4A2U1624B	506
16	30	Y-5R4A2U1630B	518
16	36	Y-5R4A2U1636B	533
16	42	Y-5R4A2U1642B	544
16	48	Y-5R4A2U1648B	557
16	54	Y-5R4A2U1654B	571
16	60	Y-5R4A2U1660B	583
16	66	Y-5R4A2U1666B	596
16	72	Y-5R4A2U1672B	607
16	78	Y-5R4A2U1678B	619
16	84	Y-5R4A2U1684B	634

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A2U2024B	518
20	30	Y-5R4A2U2030B	535
20	36	Y-5R4A2U2036B	549
20	42	Y-5R4A2U2042B	567
20	48	Y-5R4A2U2048B	583
20	54	Y-5R4A2U2054B	599
20	60	Y-5R4A2U2060B	614
20	66	Y-5R4A2U2066B	631
20	72	Y-5R4A2U2072B	646
20	78	Y-5R4A2U2078B	663
20	84	Y-5R4A2U2084B	678
24	24	Y-5R4A2U2424B	533
24	30	Y-5R4A2U2430B	549
24	36	Y-5R4A2U2436B	571
24	42	Y-5R4A2U2442B	589
24	48	Y-5R4A2U2448B	607
24	54	Y-5R4A2U2454B	627
24	60	Y-5R4A2U2460B	646
24	66	Y-5R4A2U2466B	666
24	72	Y-5R4A2U2472B	684
24	78	Y-5R4A2U2478B	704
24	84	Y-5R4A2U2484B	724




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

**PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS**


H	W	Model Number	List
28	24	Y-5R4A2U2824B	544
28	30	Y-5R4A2U2830B	567
28	36	Y-5R4A2U2836B	589
28	42	Y-5R4A2U2842B	612
28	48	Y-5R4A2U2848B	634
28	54	Y-5R4A2U2854B	656
28	60	Y-5R4A2U2860B	678
28	66	Y-5R4A2U2866B	700
28	72	Y-5R4A2U2872B	724
28	78	Y-5R4A2U2878B	746
28	84	Y-5R4A2U2884B	767
32	24	Y-5R4A2U3224B	557
32	30	Y-5R4A2U3230B	583
32	36	Y-5R4A2U3236B	607
32	42	Y-5R4A2U3242B	634
32	48	Y-5R4A2U3248B	659
32	54	Y-5R4A2U3254B	684
32	60	Y-5R4A2U3260B	710
32	66	Y-5R4A2U3266B	736
32	72	Y-5R4A2U3272B	761
32	78	Y-5R4A2U3278B	788
32	84	Y-5R4A2U3284B	810




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Freestanding

PET NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A4U1224B	624
12	30	Y-5R4A4U1230B	634
12	36	Y-5R4A4U1236B	643
12	42	Y-5R4A4U1242B	652
12	48	Y-5R4A4U1248B	663
12	54	Y-5R4A4U1254B	672
12	60	Y-5R4A4U1260B	746
12	66	Y-5R4A4U1266B	756
12	72	Y-5R4A4U1272B	765
12	78	Y-5R4A4U1278B	839
12	84	Y-5R4A4U1284B	848
16	24	Y-5R4A4U1624B	637
16	30	Y-5R4A4U1630B	648
16	36	Y-5R4A4U1636B	663
16	42	Y-5R4A4U1642B	674
16	48	Y-5R4A4U1648B	687
16	54	Y-5R4A4U1654B	699
16	60	Y-5R4A4U1660B	777
16	66	Y-5R4A4U1666B	791
16	72	Y-5R4A4U1672B	803
16	78	Y-5R4A4U1678B	880
16	84	Y-5R4A4U1684B	895

PET NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A4U2024B	648
20	30	Y-5R4A4U2030B	665
20	36	Y-5R4A4U2036B	680
20	42	Y-5R4A4U2042B	697
20	48	Y-5R4A4U2048B	713
20	54	Y-5R4A4U2054B	728
20	60	Y-5R4A4U2060B	808
20	66	Y-5R4A4U2066B	827
20	72	Y-5R4A4U2072B	841
20	78	Y-5R4A4U2078B	922
20	84	Y-5R4A4U2084B	938
24	24	Y-5R4A4U2424B	663
24	30	Y-5R4A4U2430B	680
24	36	Y-5R4A4U2436B	699
24	42	Y-5R4A4U2442B	720
24	48	Y-5R4A4U2448B	737
24	54	Y-5R4A4U2454B	758
24	60	Y-5R4A4U2460B	841
24	66	Y-5R4A4U2466B	861
24	72	Y-5R4A4U2472B	879
24	78	Y-5R4A4U2478B	964
24	84	Y-5R4A4U2484B	984




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Freestanding

**PET NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING LITE SCREENS**


H	W	Model Number	List
28	24	Y-5R4A4U2824B	674
28	30	Y-5R4A4U2830B	697
28	36	Y-5R4A4U2836B	720
28	42	Y-5R4A4U2842B	740
28	48	Y-5R4A4U2848B	764
28	54	Y-5R4A4U2854B	787
28	60	Y-5R4A4U2860B	873
28	66	Y-5R4A4U2866B	897
28	72	Y-5R4A4U2872B	918
28	78	Y-5R4A4U2878B	1,006
28	84	Y-5R4A4U2884B	1,028
32	24	Y-5R4A4U3224B	687
32	30	Y-5R4A4U3230B	713
32	36	Y-5R4A4U3236B	737
32	42	Y-5R4A4U3242B	764
32	48	Y-5R4A4U3248B	790
32	54	Y-5R4A4U3254B	814
32	60	Y-5R4A4U3260B	906
32	66	Y-5R4A4U3266B	931
32	72	Y-5R4A4U3272B	956
32	78	Y-5R4A4U3278B	1,048
32	84	Y-5R4A4U3284B	1,071




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

PET Nominal = Actual Size Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5P4A1U1224B	494
12	30	Y-5P4A1U1230B	504
12	36	Y-5P4A1U1236B	512
12	42	Y-5P4A1U1242B	521
12	48	Y-5P4A1U1248B	533
12	54	Y-5P4A1U1254B	542
12	60	Y-5P4A1U1260B	549
12	66	Y-5P4A1U1266B	562
12	72	Y-5P4A1U1272B	571
12	78	Y-5P4A1U1278B	578
12	84	Y-5P4A1U1284B	589
16	24	Y-5P4A1U1624B	506
16	30	Y-5P4A1U1630B	518
16	36	Y-5P4A1U1636B	533
16	42	Y-5P4A1U1642B	544
16	48	Y-5P4A1U1648B	557
16	54	Y-5P4A1U1654B	571
16	60	Y-5P4A1U1660B	583
16	66	Y-5P4A1U1666B	596
16	72	Y-5P4A1U1672B	607
16	78	Y-5P4A1U1678B	619
16	84	Y-5P4A1U1684B	634

PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5P4A1U2024B	518
20	30	Y-5P4A1U2030B	535
20	36	Y-5P4A1U2036B	549
20	42	Y-5P4A1U2042B	567
20	48	Y-5P4A1U2048B	583
20	54	Y-5P4A1U2054B	599
20	60	Y-5P4A1U2060B	614
20	66	Y-5P4A1U2066B	631
20	72	Y-5P4A1U2072B	646
20	78	Y-5P4A1U2078B	663
20	84	Y-5P4A1U2084B	678
24	24	Y-5P4A1U2424B	533
24	30	Y-5P4A1U2430B	549
24	36	Y-5P4A1U2436B	571
24	42	Y-5P4A1U2442B	589
24	48	Y-5P4A1U2448B	607
24	54	Y-5P4A1U2454B	627
24	60	Y-5P4A1U2460B	646
24	66	Y-5P4A1U2466B	666
24	72	Y-5P4A1U2472B	684
24	78	Y-5P4A1U2478B	704
24	84	Y-5P4A1U2484B	724




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Nominal = Actual Size	Surface Mount

**PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS**


H	W	Model Number	List
28	24	Y-5P4A1U2824B	544
28	30	Y-5P4A1U2830B	567
28	36	Y-5P4A1U2836B	589
28	42	Y-5P4A1U2842B	612
28	48	Y-5P4A1U2848B	634
28	54	Y-5P4A1U2854B	656
28	60	Y-5P4A1U2860B	678
28	66	Y-5P4A1U2866B	700
28	72	Y-5P4A1U2872B	724
28	78	Y-5P4A1U2878B	746
28	84	Y-5P4A1U2884B	767

**PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS**


H	W	Model Number	List
32	24	Y-5P4A1U3224B	557
32	30	Y-5P4A1U3230B	583
32	36	Y-5P4A1U3236B	607
32	42	Y-5P4A1U3242B	634
32	48	Y-5P4A1U3248B	659
32	54	Y-5P4A1U3254B	684
32	60	Y-5P4A1U3260B	710
32	66	Y-5P4A1U3266B	736
32	72	Y-5P4A1U3272B	761
32	78	Y-5P4A1U3278B	788
32	84	Y-5P4A1U3284B	810




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

Nominal = Actual Size Territory Surface Mount Slimline Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Nominal = Actual Size	Surface Mount


NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	Y-6T1A1U1224B	647	+7	+14
16	24	Y-6T1A1U1624B	715	+11	+22
20	24	Y-6T1A1U2024B	648	+15	+30
24	24	Y-6T1A1U2424B	693	+18	+36
28	24	Y-6T1A1U2824B	767	+21	+42



NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	30	Y-6T1A1U1230B	555	+7	+14
16	30	Y-6T1A1U1630B	715	+11	+22
20	30	Y-6T1A1U2030B	787	+15	+30
24	30	Y-6T1A1U2430B	830	+18	+36
28	30	Y-6T1A1U2830B	912	+21	+42



Surface Mount Slimline


Specify	Notes
• Paint Selection (+15 for Grade C) • Fabric, Vinyl, Whiteboard or Laminate Selection	• Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge. • Offered in all AIS paint finishes.

Nominal = Actual Size Territory Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Nominal = Actual Size	Under Surface Mount	Left or Right

NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT SLIMLINE SCREENS


H	D	Left Hand	Right Hand	List	Fabric Grade C	Fabric Grade D
		Model Number	Model Number			
12	24	A-STWL1230	A-STWR1230	647	+7	+14
16	24	A-STWL1630	A-STWR1630	715	+11	+22
20	24	A-STWL2024	A-STWR2024	648	+15	+30
24	24	A-STWL2424	A-STWR2424	693	+18	+36
28	24	A-STWL2824	A-STWR2824	767	+21	+42
12	30	A-STWL1224	A-STWR1224	555	+7	+14
16	30	A-STWL1630	A-STWR1630	715	+11	+22
20	30	A-STWL2030	A-STWR2030	787	+15	+30
24	30	A-STWL2430	A-STWR2430	830	+18	+36
28	30	A-STWL2830	A-STWR2830	912	+21	+42



Left Hand



Right Hand



Under Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Nominal = Actual Size Front/Rear Surface Mount Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Surface Mount

NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1A1U1236B	582	+7	+14
12	42	Y-6R1A1U1242B	613	+7	+14
12	48	Y-6R1A1U1248B	645	+7	+14
12	54	Y-6R1A1U1254B	678	+7	+14
12	60	Y-6R1A1U1260B	709	+7	+14
12	66	Y-6R1A1U1266B	920	+7	+14
12	72	Y-6R1A1U1272B	979	+7	+14
16	36	Y-6R1A1U1636B	650	+11	+22
16	42	Y-6R1A1U1642B	685	+11	+22
16	48	Y-6R1A1U1648B	722	+11	+22
16	54	Y-6R1A1U1654B	758	+11	+22
16	60	Y-6R1A1U1660B	793	+11	+22
16	66	Y-6R1A1U1666B	972	+11	+22
16	72	Y-6R1A1U1672B	1,032	+11	+22
20	36	Y-6R1A1U2036B	720	+15	+30
20	42	Y-6R1A1U2042B	759	+15	+30
20	48	Y-6R1A1U2048B	798	+15	+30
20	54	Y-6R1A1U2054B	835	+15	+30
20	60	Y-6R1A1U2060B	874	+15	+30
20	66	Y-6R1A1U2066B	1,022	+15	+30
20	72	Y-6R1A1U2072B	1,088	+15	+30

NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1A1U2436B	789	+18	+36
24	42	Y-6R1A1U2442B	831	+18	+36
24	48	Y-6R1A1U2448B	874	+18	+36
24	54	Y-6R1A1U2454B	912	+18	+36
24	60	Y-6R1A1U2460B	956	+18	+36
24	66	Y-6R1A1U2466B	1,071	+18	+36
24	72	Y-6R1A1U2472B	1,141	+18	+36
28	36	Y-6R1A1U2836B	858	+21	+42
28	42	Y-6R1A1U2842B	904	+21	+42
28	48	Y-6R1A1U2848B	951	+21	+42
28	54	Y-6R1A1U2854B	991	+21	+42
28	60	Y-6R1A1U2860B	1,037	+21	+42
28	66	Y-6R1A1U2866B	1,122	+21	+42
28	72	Y-6R1A1U2872B	1,197	+21	+42



Surface Mount Slimline

Specify

Notes

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Nominal = Actual Size Front/Rear Under Surface Mount Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Under Surface Mount

NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	A-SWMR1236	582	+7	+14
12	42	A-SWMR1242	613	+7	+14
12	48	A-SWMR1248	645	+7	+14
12	54	A-SWMR1254	678	+7	+14
12	60	A-SWMR1260	709	+7	+14
12	66	A-SWMR1266	920	+7	+14
12	72	A-SWMR1272	979	+7	+14
16	36	A-SWMR1636	650	+11	+22
16	42	A-SWMR1642	685	+11	+22
16	48	A-SWMR1648	722	+11	+22
16	54	A-SWMR1654	758	+11	+22
16	60	A-SWMR1660	793	+11	+22
16	66	A-SWMR1666	972	+11	+22
16	72	A-SWMR1672	1,032	+11	+22
20	36	A-SWMR2036	720	+15	+30
20	42	A-SWMR2042	759	+15	+30
20	48	A-SWMR2048	798	+15	+30
20	54	A-SWMR2054	835	+15	+30
20	60	A-SWMR2060	874	+15	+30
20	66	A-SWMR2066	1,022	+15	+30
20	72	A-SWMR2072	1,088	+15	+30

NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	A-SWMR2436	789	+18	+36
24	42	A-SWMR2442	831	+18	+36
24	48	A-SWMR2448	874	+18	+36
24	54	A-SWMR2454	912	+18	+36
24	60	A-SWMR2460	956	+18	+36
24	66	A-SWMR2466	1,071	+18	+36
24	72	A-SWMR2472	1,141	+18	+36
28	36	A-SWMR2836	858	+21	+42
28	42	A-SWMR2842	904	+21	+42
28	48	A-SWMR2848	951	+21	+42
28	54	A-SWMR2854	991	+21	+42
28	60	A-SWMR2860	1,037	+21	+42
28	66	A-SWMR2866	1,122	+21	+42
28	72	A-SWMR2872	1,197	+21	+42



Under Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Nominal = Actual Size Front/Rear Freestanding Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Freestanding

NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1A4U1236B	582	+7	+14
12	42	Y-6R1A4U1242B	613	+7	+14
12	48	Y-6R1A4U1248B	645	+7	+14
12	54	Y-6R1A4U1254B	678	+7	+14
12	60	Y-6R1A4U1260B	709	+7	+14
12	66	Y-6R1A4U1266B	920	+7	+14
12	72	Y-6R1A4U1272B	979	+7	+14
16	36	Y-6R1A4U1636B	650	+11	+22
16	42	Y-6R1A4U1642B	685	+11	+22
16	48	Y-6R1A4U1648B	722	+11	+22
16	54	Y-6R1A4U1654B	758	+11	+22
16	60	Y-6R1A4U1660B	793	+11	+22
16	66	Y-6R1A4U1666B	972	+11	+22
16	72	Y-6R1A4U1672B	1,032	+11	+22
20	36	Y-6R1A4U2036B	720	+15	+30
20	42	Y-6R1A4U2042B	759	+15	+30
20	48	Y-6R1A4U2048B	798	+15	+30
20	54	Y-6R1A4U2054B	835	+15	+30
20	60	Y-6R1A4U2060B	874	+15	+30
20	66	Y-6R1A4U2066B	1,022	+15	+30
20	72	Y-6R1A4U2072B	1,088	+15	+30

NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1A4U2436B	789	+18	+36
24	42	Y-6R1A4U2442B	831	+18	+36
24	48	Y-6R1A4U2448B	874	+18	+36
24	54	Y-6R1A4U2454B	912	+18	+36
24	60	Y-6R1A4U2460B	956	+18	+36
24	66	Y-6R1A4U2466B	1,071	+18	+36
24	72	Y-6R1A4U2472B	1,141	+18	+36
28	36	Y-6R1A4U2836B	858	+21	+42
28	42	Y-6R1A4U2842B	904	+21	+42
28	48	Y-6R1A4U2848B	951	+21	+42
28	54	Y-6R1A4U2854B	991	+21	+42
28	60	Y-6R1A4U2860B	1,037	+21	+42
28	66	Y-6R1A4U2866B	1,122	+21	+42
28	72	Y-6R1A4U2872B	1,197	+21	+42



Freestanding Slimline

Specify

Notes

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Non-marring feet measure 2 3/8" x 12".

Screens Sized for Divi Panel Dimensions

Lexan Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

LEXAN 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
12	24	Y-1P2B1U1224B	605
12	30	Y-1P2B1U1230B	642
12	36	Y-1P2B1U1236B	679
12	42	Y-1P2B1U1242B	717
12	48	Y-1P2B1U1248B	755
12	54	Y-1P2B1U1254B	791
12	60	Y-1P2B1U1260B	829
12	66	Y-1P2B1U1266B	867
12	72	Y-1P2B1U1272B	903
12	78	Y-1P2B1U1278B	939
12	84	Y-1P2B1U1284B	976
16	24	Y-1P2B1U1624B	655
16	30	Y-1P2B1U1630B	704
16	36	Y-1P2B1U1636B	755
16	42	Y-1P2B1U1642B	804
16	48	Y-1P2B1U1648B	855
16	54	Y-1P2B1U1654B	903
16	60	Y-1P2B1U1660B	954
16	66	Y-1P2B1U1666B	1,002
16	72	Y-1P2B1U1672B	1,052
16	78	Y-1P2B1U1678B	1,102
16	84	Y-1P2B1U1684B	1,154

LEXAN 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-1P2B1U2024B	704
20	30	Y-1P2B1U2030B	766
20	36	Y-1P2B1U2036B	829
20	42	Y-1P2B1U2042B	890
20	48	Y-1P2B1U2048B	954
20	54	Y-1P2B1U2054B	1,017
20	60	Y-1P2B1U2060B	1,080
20	66	Y-1P2B1U2066B	1,141
20	72	Y-1P2B1U2072B	1,204
20	78	Y-1P2B1U2078B	1,267
20	84	Y-1P2B1U2084B	1,329



On Panel Top



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P2B1U0824B	432	30	110
8	30	Y-3P2B1U0830B	463	38	138
8	36	Y-3P2B1U0836B	493	45	165
8	42	Y-3P2B1U0842B	523	53	193
8	48	Y-3P2B1U0848B	553	60	220
8	54	Y-3P2B1U0854B	584	68	248
8	60	Y-3P2B1U0860B	614	75	275
8	66	Y-3P2B1U0866B	644	83	303
8	72	Y-3P2B1U0872B	674	90	330
8	78	Y-3P2B1U0878B	705	98	358
8	84	Y-3P2B1U0884B	735	105	385
12	24	Y-3P2B1U1224B	535	+30	+110
12	30	Y-3P2B1U1230B	542	+38	+138
12	36	Y-3P2B1U1236B	549	+45	+165
12	42	Y-3P2B1U1242B	578	+53	+193
12	48	Y-3P2B1U1248B	607	+60	+220
12	54	Y-3P2B1U1254B	727	+68	+248
12	60	Y-3P2B1U1260B	666	+75	+275
12	66	Y-3P2B1U1266B	695	+83	+303
12	72	Y-3P2B1U1272B	724	+90	+330
12	78	Y-3P2B1U1278B	753	+98	+358
12	84	Y-3P2B1U1284B	779	+105	+385

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P2B1U1624B	661	+40	+147
16	30	Y-3P2B1U1630B	687	+50	+184
16	36	Y-3P2B1U1636B	727	+60	+220
16	42	Y-3P2B1U1642B	756	+70	+257
16	48	Y-3P2B1U1648B	789	+80	+294
16	54	Y-3P2B1U1654B	840	+90	+330
16	60	Y-3P2B1U1660B	887	+100	+367
16	66	Y-3P2B1U1666B	899	+110	+404
16	72	Y-3P2B1U1672B	920	+120	+440
16	78	Y-3P2B1U1678B	937	+130	+477
16	84	Y-3P2B1U1684B	954	+140	+514



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3P2B1U2024B	606	+50	+184
20	30	Y-3P2B1U2030B	659	+63	+230
20	36	Y-3P2B1U2036B	695	+75	+275
20	42	Y-3P2B1U2042B	765	+88	+321
20	48	Y-3P2B1U2048B	816	+100	+367
20	54	Y-3P2B1U2054B	869	+113	+413
20	60	Y-3P2B1U2060B	922	+125	+459
20	66	Y-3P2B1U2066B	975	+138	+505
20	72	Y-3P2B1U2072B	1,028	+150	+550
20	78	Y-3P2B1U2078B	1,082	+163	+596
20	84	Y-3P2B1U2084B	1,133	+175	+642

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
24	24	Y-3P2B1U2424B	647	+60	+220
24	30	Y-3P2B1U2430B	710	+75	+275
24	36	Y-3P2B1U2436B	773	+90	+330
24	42	Y-3P2B1U2442B	834	+105	+385
24	48	Y-3P2B1U2448B	897	+120	+440
24	54	Y-3P2B1U2454B	958	+135	+495
24	60	Y-3P2B1U2460B	1,021	+150	+550
24	66	Y-3P2B1U2466B	1,085	+165	+605
24	72	Y-3P2B1U2472B	1,145	+180	+660
24	78	Y-3P2B1U2478B	1,206	+195	+715
24	84	Y-3P2B1U2484B	1,267	+210	+770



On Panel Top



Surface Mount Channel

Specify

Notes

• Paint Selection (Grade C +10)

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P2B1U0824B	648	30	60
8	30	Y-4P2B1U0830B	702	38	75
8	36	Y-4P2B1U0836B	756	45	90
8	42	Y-4P2B1U0842B	810	53	105
8	48	Y-4P2B1U0848B	864	60	120
8	54	Y-4P2B1U0854B	918	68	135
8	60	Y-4P2B1U0860B	972	75	150
8	66	Y-4P2B1U0866B	1,026	83	165
8	72	Y-4P2B1U0872B	1,080	90	180
8	78	Y-4P2B1U0878B	1,134	98	195
8	84	Y-4P2B1U0884B	1,188	105	210
12	24	Y-4P2B1U1224B	718	+30	+60
12	30	Y-4P2B1U1230B	722	+38	+75
12	36	Y-4P2B1U1236B	786	+45	+90
12	42	Y-4P2B1U1242B	848	+53	+105
12	48	Y-4P2B1U1248B	914	+60	+120
12	54	Y-4P2B1U1254B	979	+68	+135
12	60	Y-4P2B1U1260B	1,045	+75	+150
12	66	Y-4P2B1U1266B	1,109	+83	+165
12	72	Y-4P2B1U1272B	1,173	+90	+180
12	78	Y-4P2B1U1278B	1,239	+98	+195
12	84	Y-4P2B1U1284B	1,304	+105	+210

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P2B1U1624B	684	+40	+80
16	30	Y-4P2B1U1630B	764	+50	+100
16	36	Y-4P2B1U1636B	801	+60	+120
16	42	Y-4P2B1U1642B	891	+70	+140
16	48	Y-4P2B1U1648B	988	+80	+160
16	54	Y-4P2B1U1654B	1,056	+90	+180
16	60	Y-4P2B1U1660B	1,087	+100	+200
16	66	Y-4P2B1U1666B	1,184	+110	+220
16	72	Y-4P2B1U1672B	1,258	+120	+240
16	78	Y-4P2B1U1678B	1,280	+130	+260
16	84	Y-4P2B1U1684B	1,344	+140	+280



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4P2B1U2024B	780	+50	+100
20	30	Y-4P2B1U2030B	884	+63	+125
20	36	Y-4P2B1U2036B	984	+75	+150
20	42	Y-4P2B1U2042B	1,086	+88	+175
20	48	Y-4P2B1U2048B	1,184	+100	+200
20	54	Y-4P2B1U2054B	1,287	+113	+225
20	60	Y-4P2B1U2060B	1,387	+125	+250
20	66	Y-4P2B1U2066B	1,489	+138	+275
20	72	Y-4P2B1U2072B	1,587	+150	+300
20	78	Y-4P2B1U2078B	1,687	+163	+325
20	84	Y-4P2B1U2084B	1,788	+175	+350

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
24	24	Y-4P2B1U2424B	855	+60	+120
24	30	Y-4P2B1U2430B	975	+75	+150
24	36	Y-4P2B1U2436B	1,093	+90	+180
24	42	Y-4P2B1U2442B	1,212	+105	+210
24	48	Y-4P2B1U2448B	1,331	+120	+240
24	54	Y-4P2B1U2454B	1,450	+135	+270
24	60	Y-4P2B1U2460B	1,571	+150	+300
24	66	Y-4P2B1U2466B	1,690	+165	+330
24	72	Y-4P2B1U2472B	1,807	+180	+360
24	78	Y-4P2B1U2478B	1,925	+195	+390
24	84	Y-4P2B1U2484B	2,044	+210	+420



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
12	24	Y-5P2B1U1224B	464
12	30	Y-5P2B1U1230B	480
12	36	Y-5P2B1U1236B	497
12	42	Y-5P2B1U1242B	512
12	48	Y-5P2B1U1248B	531
12	54	Y-5P2B1U1254B	546
12	60	Y-5P2B1U1260B	563
12	66	Y-5P2B1U1266B	578
12	72	Y-5P2B1U1272B	594
12	78	Y-5P2B1U1278B	612
12	84	Y-5P2B1U1284B	627
16	24	Y-5P2B1U1624B	485
16	30	Y-5P2B1U1630B	507
16	36	Y-5P2B1U1636B	531
16	42	Y-5P2B1U1642B	551
16	48	Y-5P2B1U1648B	574
16	54	Y-5P2B1U1654B	594
16	60	Y-5P2B1U1660B	616
16	66	Y-5P2B1U1666B	639
16	72	Y-5P2B1U1672B	661
16	78	Y-5P2B1U1678B	683
16	84	Y-5P2B1U1684B	705

PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5P2B1U2024B	507
20	30	Y-5P2B1U2030B	535
20	36	Y-5P2B1U2036B	563
20	42	Y-5P2B1U2042B	589
20	48	Y-5P2B1U2048B	617
20	54	Y-5P2B1U2054B	645
20	60	Y-5P2B1U2060B	673
20	66	Y-5P2B1U2066B	699
20	72	Y-5P2B1U2072B	727
20	78	Y-5P2B1U2078B	755
20	84	Y-5P2B1U2084B	780
24	24	Y-5P2B1U2424B	531
24	30	Y-5P2B1U2430B	563
24	36	Y-5P2B1U2436B	594
24	42	Y-5P2B1U2442B	628
24	48	Y-5P2B1U2448B	661
24	54	Y-5P2B1U2454B	694
24	60	Y-5P2B1U2460B	727
24	66	Y-5P2B1U2466B	760
24	72	Y-5P2B1U2472B	793
24	78	Y-5P2B1U2478B	826
24	84	Y-5P2B1U2484B	859



On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.

PET Divi Panel Top Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Divi Panel Dimensions	Surface Mount

PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS


H	W	Model Number	List
28	24	Y-5P2B1U2824B	551
28	30	Y-5P2B1U2830B	589
28	36	Y-5P2B1U2836B	627
28	42	Y-5P2B1U2842B	666
28	48	Y-5P2B1U2848B	705
28	54	Y-5P2B1U2854B	742
28	60	Y-5P2B1U2860B	779
28	66	Y-5P2B1U2866B	820
28	72	Y-5P2B1U2872B	858
28	78	Y-5P2B1U2878B	897
28	84	Y-5P2B1U2884B	935

PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5P2B1U3224B	574
32	30	Y-5P2B1U3230B	616
32	36	Y-5P2B1U3236B	659
32	42	Y-5P2B1U3242B	705
32	48	Y-5P2B1U3248B	748
32	54	Y-5P2B1U3254B	791
32	60	Y-5P2B1U3260B	835
32	66	Y-5P2B1U3266B	877
32	72	Y-5P2B1U3272B	922
32	78	Y-5P2B1U3278B	966
32	84	Y-5P2B1U3284B	1,010



On Panel Top



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.

Lexan Divi Gallery Panel Side Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 3/8"	Gallery Panel Side Mount	Channel	Divi Gallery Panels	Surface Mount

LEXAN 3/8" DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS


H	W	Model Number	List
42	12	Y-2G2S1U4212B	885
42	18	Y-2G2S1U4218B	947
42	24	Y-2G2S1U4224B	1,073
50	12	Y-2G2S1U5012B	1,138
50	18	Y-2G2S1U5018B	1,106
50	24	Y-2G2S1U5024B	1,201

LEXAN 3/8" DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
58	12	Y-2G2S1U5812B	1,393
58	18	Y-2G2S1U5818B	1,489
58	24	Y-2G2S1U5824B	1,329
66	12	Y-2G2S1U6612B	1,455
66	18	Y-2G2S1U6618B	1,710
66	24	Y-2G2S1U6624B	1,836



On Divi Gallery Panel



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi gallery panels only.
- Offered in all AIS paint finishes.
- Lexan available only in clear.

PET Divi Gallery Panel Side Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Gallery Panel Side Mount	Channel	Divi Gallery Panels	Surface Mount

PET DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS


H	W	Model Number	List
42	12	Y-5G2S1U4212B	495
42	18	Y-5G2S1U4218B	511
42	24	Y-5G2S1U4224B	543
50	12	Y-5G2S1U5012B	559
50	18	Y-5G2S1U5018B	549
50	24	Y-5G2S1U5024B	574

PET DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
58	12	Y-5G2S1U5812B	623
58	18	Y-5G2S1U5818B	645
58	24	Y-5G2S1U5824B	606
66	12	Y-5G2S1U6612B	638
66	18	Y-5G2S1U6618B	702
66	24	Y-5G2S1U6624B	734



On Divi Gallery Panel



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- For use with Divi gallery panels only.
- Offered in all AIS paint finishes.

Lexan Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Panel Top	Clip	Divi Panel Dimensions	Surface Mount

LEXAN 1/4" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List
12	24	Y-1P3B1U1224B	605
12	30	Y-1P3B1U1230B	642
12	36	Y-1P3B1U1236B	679
12	42	Y-1P3B1U1242B	717
12	48	Y-1P3B1U1248B	755
12	54	Y-1P3B1U1254B	791
12	60	Y-1P3B1U1260B	829
12	66	Y-1P3B1U1266B	867
12	72	Y-1P3B1U1272B	903
12	78	Y-1P3B1U1278B	939
12	84	Y-1P3B1U1284B	976
16	24	Y-1P3B1U1624B	655
16	30	Y-1P3B1U1630B	704
16	36	Y-1P3B1U1636B	755
16	42	Y-1P3B1U1642B	804
16	48	Y-1P3B1U1648B	855
16	54	Y-1P3B1U1654B	903
16	60	Y-1P3B1U1660B	954
16	66	Y-1P3B1U1666B	1,002
16	72	Y-1P3B1U1672B	1,052
16	78	Y-1P3B1U1678B	1,102
16	84	Y-1P3B1U1684B	1,154

LEXAN 1/4" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List
20	24	Y-1P3B1U2024B	704
20	30	Y-1P3B1U2030B	766
20	36	Y-1P3B1U2036B	829
20	42	Y-1P3B1U2042B	890
20	48	Y-1P3B1U2048B	954
20	54	Y-1P3B1U2054B	1,017
20	60	Y-1P3B1U2060B	1,080
20	66	Y-1P3B1U2066B	1,141
20	72	Y-1P3B1U2072B	1,204
20	78	Y-1P3B1U2078B	1,267
20	84	Y-1P3B1U2084B	1,329




24 - 48 Wide




54 - 66 Wide



72 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Panel Top	Clip	Divi Panel Dimensions	Surface Mount

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P3B1U0824B	432	30	110
8	30	Y-3P3B1U0830B	463	38	138
8	36	Y-3P3B1U0836B	493	45	165
8	42	Y-3P3B1U0842B	523	53	193
8	48	Y-3P3B1U0848B	553	60	220
8	54	Y-3P3B1U0854B	584	68	248
8	60	Y-3P3B1U0860B	614	75	275
8	66	Y-3P3B1U0866B	644	83	303
8	72	Y-3P3B1U0872B	674	90	330
8	78	Y-3P3B1U0878B	705	98	358
8	84	Y-3P3B1U0884B	735	105	385
12	24	Y-3P3B1U1224B	529	+30	+110
12	30	Y-3P3B1U1230B	542	+38	+138
12	36	Y-3P3B1U1236B	549	+45	+165
12	42	Y-3P3B1U1242B	578	+53	+193
12	48	Y-3P3B1U1248B	607	+60	+220
12	54	Y-3P3B1U1254B	619	+68	+248
12	60	Y-3P3B1U1260B	666	+75	+275
12	66	Y-3P3B1U1266B	695	+83	+303
12	72	Y-3P3B1U1272B	724	+90	+330
12	78	Y-3P3B1U1278B	753	+98	+358
12	84	Y-3P3B1U1284B	779	+105	+385

GLASS 1/4" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P3B1U1624B	616	+40	+147
16	30	Y-3P3B1U1630B	659	+50	+184
16	36	Y-3P3B1U1636B	695	+60	+220
16	42	Y-3P3B1U1642B	756	+70	+257
16	48	Y-3P3B1U1648B	789	+80	+294
16	54	Y-3P3B1U1654B	840	+90	+330
16	60	Y-3P3B1U1660B	887	+100	+367
16	66	Y-3P3B1U1666B	899	+110	+404
16	72	Y-3P3B1U1672B	920	+120	+440
16	78	Y-3P3B1U1678B	937	+130	+477
16	84	Y-3P3B1U1684B	954	+140	+514
20	24	Y-3P3B1U2024B	661	+50	+184
20	30	Y-3P3B1U2030B	687	+63	+230
20	36	Y-3P3B1U2036B	727	+75	+275
20	42	Y-3P3B1U2042B	765	+88	+321
20	48	Y-3P3B1U2048B	816	+100	+367
20	54	Y-3P3B1U2054B	869	+113	+413
20	60	Y-3P3B1U2060B	922	+125	+459
20	66	Y-3P3B1U2066B	975	+138	+505
20	72	Y-3P3B1U2072B	1,028	+150	+550
20	78	Y-3P3B1U2078B	1,082	+163	+596
20	84	Y-3P3B1U2084B	1,133	+175	+642




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Panel Top	Clip	Divi Panel Dimensions	Surface Mount

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P3B1U0824B	648	30	60
8	30	Y-4P3B1U0830B	702	38	75
8	36	Y-4P3B1U0836B	756	45	90
8	42	Y-4P3B1U0842B	810	53	105
8	48	Y-4P3B1U0848B	864	60	120
8	54	Y-4P3B1U0854B	918	68	135
8	60	Y-4P3B1U0860B	1,045	75	150
8	66	Y-4P3B1U0866B	1,026	83	165
8	72	Y-4P3B1U0872B	1,080	90	180
8	78	Y-4P3B1U0878B	1,134	98	195
8	84	Y-4P3B1U0884B	1,188	105	210
12	24	Y-4P3B1U1224B	718	+30	+60
12	30	Y-4P3B1U1230B	722	+38	+75
12	36	Y-4P3B1U1236B	786	+45	+90
12	42	Y-4P3B1U1242B	848	+53	+105
12	48	Y-4P3B1U1248B	914	+60	+120
12	54	Y-4P3B1U1254B	979	+68	+135
12	60	Y-4P3B1U1260B	1,045	+75	+150
12	66	Y-4P3B1U1266B	1,109	+83	+165
12	72	Y-4P3B1U1272B	1,173	+90	+180
12	78	Y-4P3B1U1278B	1,239	+98	+195
12	84	Y-4P3B1U1284B	1,304	+105	+210

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P3B1U1624B	684	+40	+80
16	30	Y-4P3B1U1630B	764	+50	+100
16	36	Y-4P3B1U1636B	801	+60	+120
16	42	Y-4P3B1U1642B	891	+70	+140
16	48	Y-4P3B1U1648B	988	+80	+160
16	54	Y-4P3B1U1654B	1,056	+90	+180
16	60	Y-4P3B1U1660B	1,087	+100	+200
16	66	Y-4P3B1U1666B	1,184	+110	+220
16	72	Y-4P3B1U1672B	1,258	+120	+240
16	78	Y-4P3B1U1678B	1,280	+130	+260
16	84	Y-4P3B1U1684B	1,344	+140	+280




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Panel Top	Clip	Divi Panel Dimensions	Surface Mount

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4P3B1U2024B	780	+50	+100
20	30	Y-4P3B1U2030B	884	+63	+125
20	36	Y-4P3B1U2036B	984	+75	+150
20	42	Y-4P3B1U2042B	1,086	+88	+175
20	48	Y-4P3B1U2048B	1,184	+100	+200
20	54	Y-4P3B1U2054B	1,287	+113	+225
20	60	Y-4P3B1U2060B	1,387	+125	+250
20	66	Y-4P3B1U2066B	1,489	+138	+275
20	72	Y-4P3B1U2072B	1,587	+150	+300
20	78	Y-4P3B1U2078B	1,687	+163	+325
20	84	Y-4P3B1U2084B	1,788	+175	+350

GLASS 3/8" DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
24	24	Y-4P3B1U2424B	855	+50	+100
24	30	Y-4P3B1U2430B	975	+63	+125
24	36	Y-4P3B1U2436B	1,093	+75	+150
24	42	Y-4P3B1U2442B	1,212	+88	+175
24	48	Y-4P3B1U2448B	1,331	+100	+200
24	54	Y-4P3B1U2454B	1,450	+113	+225
24	60	Y-4P3B1U2460B	1,571	+125	+250
24	66	Y-4P3B1U2466B	1,690	+138	+275
24	72	Y-4P3B1U2472B	1,807	+150	+300
24	78	Y-4P3B1U2478B	1,925	+163	+325
24	84	Y-4P3B1U2484B	2,044	+175	+350




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Divi Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Divi Panel Dimensions	Surface Mount

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5P4B1U1224B	494
12	30	Y-5P4B1U1230B	504
12	36	Y-5P4B1U1236B	512
12	42	Y-5P4B1U1242B	521
12	48	Y-5P4B1U1248B	533
12	54	Y-5P4B1U1254B	542
12	60	Y-5P4B1U1260B	549
12	66	Y-5P4B1U1266B	562
12	72	Y-5P4B1U1272B	571
12	78	Y-5P4B1U1278B	578
12	84	Y-5P4B1U1284B	589
16	24	Y-5P4B1U1624B	506
16	30	Y-5P4B1U1630B	518
16	36	Y-5P4B1U1636B	533
16	42	Y-5P4B1U1642B	544
16	48	Y-5P4B1U1648B	557
16	54	Y-5P4B1U1654B	571
16	60	Y-5P4B1U1660B	583
16	66	Y-5P4B1U1666B	596
16	72	Y-5P4B1U1672B	607
16	78	Y-5P4B1U1678B	619
16	84	Y-5P4B1U1684B	634

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5P4B1U2024B	518
20	30	Y-5P4B1U2030B	535
20	36	Y-5P4B1U2036B	549
20	42	Y-5P4B1U2042B	567
20	48	Y-5P4B1U2048B	583
20	54	Y-5P4B1U2054B	599
20	60	Y-5P4B1U2060B	614
20	66	Y-5P4B1U2066B	631
20	72	Y-5P4B1U2072B	646
20	78	Y-5P4B1U2078B	663
20	84	Y-5P4B1U2084B	678
24	24	Y-5P4B1U2424B	533
24	30	Y-5P4B1U2430B	549
24	36	Y-5P4B1U2436B	571
24	42	Y-5P4B1U2442B	589
24	48	Y-5P4B1U2448B	607
24	54	Y-5P4B1U2454B	627
24	60	Y-5P4B1U2460B	646
24	66	Y-5P4B1U2466B	666
24	72	Y-5P4B1U2472B	684
24	78	Y-5P4B1U2478B	704
24	84	Y-5P4B1U2484B	724




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- PET screen inserts are 1/2" (12mm) thick.

PET Divi Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Divi Panel Dimensions	Surface Mount

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5P4B1U2824B	544
28	30	Y-5P4B1U2830B	567
28	36	Y-5P4B1U2836B	589
28	42	Y-5P4B1U2842B	612
28	48	Y-5P4B1U2848B	634
28	54	Y-5P4B1U2854B	656
28	60	Y-5P4B1U2860B	678
28	66	Y-5P4B1U2866B	700
28	72	Y-5P4B1U2872B	724
28	78	Y-5P4B1U2878B	746
28	84	Y-5P4B1U2884B	767

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5P4B1U3224B	557
32	30	Y-5P4B1U3230B	583
32	36	Y-5P4B1U3236B	607
32	42	Y-5P4B1U3242B	634
32	48	Y-5P4B1U3248B	659
32	54	Y-5P4B1U3254B	684
32	60	Y-5P4B1U3260B	710
32	66	Y-5P4B1U3266B	736
32	72	Y-5P4B1U3272B	761
32	78	Y-5P4B1U3278B	788
32	84	Y-5P4B1U3284B	810




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- PET screen inserts are 1/2" (12mm) thick.



Screens Sized for Day-to-Day & Calibrate HAT Depths

Lexan Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List
12	24	Y-1T2D1U1224B	605
16	24	Y-1T2D1U1624B	655
20	24	Y-1T2D1U2024B	704
12	30	Y-1T2D1U1230B	642
16	30	Y-1T2D1U1630B	704
20	30	Y-1T2D1U2030B	766



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes



- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T2D1U1224B	665	+30	+110
12	30	Y-3T2D1U1230B	672	+38	+138
16	24	Y-3T2D1U1624B	791	+40	+147
16	30	Y-3T2D1U1630B	816	+50	+184
20	24	Y-3T2D1U2024B	736	+40	+147
20	30	Y-3T2D1U2030B	790	+50	+184



Surface Mount Channel



Specify	Notes
• Paint Selection (Grade C +10)	• Offered in all AIS paint finishes.
	• Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 3/8" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T2D1U1224B	847	+30	+60
12	30	Y-4T2D1U1230B	850	+38	+75
16	24	Y-4T2D1U1624B	814	+30	+60
16	30	Y-4T2D1U1630B	895	+38	+75
20	24	Y-4T2D1U2024B	911	+50	+100
20	30	Y-4T2D1U2030B	1,015	+63	+125
24	24	Y-4T2D1U2424B	985	+60	+120
24	30	Y-4T2D1U2430B	1,103	+75	+150



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes



- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List
12	24	Y-5T2D1U1224B	464
16	24	Y-5T2D1U1624B	485
20	24	Y-5T2D1U2024B	507
24	24	Y-5T2D1U2424B	531
28	24	Y-5T2D1U2824B	551
32	24	Y-5T2D1U3224B	574
12	30	Y-5T2D1U1230B	480
16	30	Y-5T2D1U1630B	507
20	30	Y-5T2D1U2030B	535
24	30	Y-5T2D1U2430B	563
28	30	Y-5T2D1U2830B	589
32	30	Y-5T2D1U3230B	616



Surface Mount Channel


Specify	Notes
• Paint Selection (Grade C +10) • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• Offered in all AIS paint finishes.

Lexan Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Left Hand	Right Hand	List
		Model Number	Model Number	
12	24	Y-1T2D2L1224B	Y-1T2D2R1224B	735
16	24	Y-1T2D2L1624B	Y-1T2D2R1624B	786
20	24	Y-1T2D2L2024B	Y-1T2D2R2024B	834
12	30	Y-1T2D2L1230B	Y-1T2D2R1230B	771
16	30	Y-1T2D2L1630B	Y-1T2D2R1630B	834
20	30	Y-1T2D2L2030B	Y-1T2D2R2030B	897



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Lexan available only in clear.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

**GLASS 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS**


H	D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
		Model Number	Model Number			
12	24	Y-3T2D2L1224B	Y-3T2D2R1224B	665	+30	+110
12	30	Y-3T2D2L1230B	Y-3T2D2R1230B	672	+38	+138
16	24	Y-3T2D2L1624B	Y-3T2D2R1624B	791	+40	+147
16	30	Y-3T2D2L1630B	Y-3T2D2R1630B	816	+50	+184
20	24	Y-3T2D2L2024B	Y-3T2D2R2024B	736	+50	+184
20	30	Y-3T2D2L2030B	Y-3T2D2R2030B	790	+63	+230



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8"	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 3/8" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
		Model Number	Model Number			
12	24	Y-4T2D2L1224B	Y-4T2D2R1224B	847	+30	+60
12	30	Y-4T2D2L1230B	Y-4T2D2R1230B	850	+38	+75
16	24	Y-4T2D2L1624B	Y-4T2D2R1624B	814	+40	+80
16	30	Y-4T2D2L1630B	Y-4T2D2R1630B	895	+50	+100
20	24	Y-4T2D2L2024B	Y-4T2D2R2024B	911	+50	+100
20	30	Y-4T2D2L2030B	Y-4T2D2R2030B	1,015	+63	+125
24	24	Y-4T2D2L2424B	Y-4T2D2R2424B	985	+60	+120
24	30	Y-4T2D2L2430B	Y-4T2D2R2430B	1,103	+75	+150



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes


- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

PET DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


H	D	Left Hand	Right Hand	List
		Model Number	Model Number	
12	24	Y-5T2D2L1224B	Y-5T2D2R1224B	593
16	24	Y-5T2D2L1624B	Y-5T2D2R1624B	615
20	24	Y-5T2D2L2024B	Y-5T2D2R2024B	638
24	24	Y-5T2D2L2424B	Y-5T2D2R2424B	659
28	24	Y-5T2D2L2824B	Y-5T2D2R2824B	682
32	24	Y-5T2D2L3224B	Y-5T2D2R3224B	704
12	30	Y-5T2D2L1230B	Y-5T2D2R1230B	610
16	30	Y-5T2D2L1630B	Y-5T2D2R1630B	638
20	30	Y-5T2D2L2030B	Y-5T2D2R2030B	665
24	30	Y-5T2D2L2430B	Y-5T2D2R2430B	693
28	30	Y-5T2D2L2830B	Y-5T2D2R2830B	720
32	30	Y-5T2D2L3230B	Y-5T2D2R3230B	747



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Offered in all AIS paint finishes.

Lexan Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Surface Mount

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS



H	D	Model Number	List
12	24	Y-1T3D1U1224B	605
16	24	Y-1T3D1U1624B	655
20	24	Y-1T3D1U2024B	704
12	30	Y-1T3D1U1230B	642
16	30	Y-1T3D1U1630B	704
20	30	Y-1T3D1U2030B	766

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS

H	D	Model Number	List
12	24	Y-1T3D1U1224A	605
16	24	Y-1T3D1U1624A	655
20	24	Y-1T3D1U2024A	704
12	30	Y-1T3D1U1230A	642
16	30	Y-1T3D1U1630A	704
20	30	Y-1T3D1U2030A	766



Surface Mount Clip



Surface Mount Clip

Specify

Notes



- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3D1U1224B	535	+30	+110
12	30	Y-3T3D1U1230B	542	+38	+138
16	24	Y-3T3D1U1624B	661	+40	+147
16	30	Y-3T3D1U1630B	687	+50	+184
20	24	Y-3T3D1U2024B	606	+50	+184
20	30	Y-3T3D1U2030B	659	+63	+230



Surface Mount Clip



Specify	Notes
	• Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 3/8" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3D1U1224B	718	+30	+60
12	30	Y-4T3D1U1230B	722	+38	+75
16	24	Y-4T3D1U1624B	684	+40	+80
16	30	Y-4T3D1U1630B	764	+50	+100
20	24	Y-4T3D1U2024B	780	+50	+100
20	30	Y-4T3D1U2030B	884	+63	+125
24	24	Y-4T3D1U2424B	855	+60	+120
24	30	Y-4T3D1U2430B	975	+75	+150



Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	D	Left Hand	Right Hand	List
		Model Number	Model Number	
12	24	Y-1T3D2L1224B	Y-1T3D2R1224B	605
16	24	Y-1T3D2L1624B	Y-1T3D2R1624B	655
20	24	Y-1T3D2L2024B	Y-1T3D2R2024B	704
12	30	Y-1T3D2L1230B	Y-1T3D2R1230B	642
16	30	Y-1T3D2L1630B	Y-1T3D2R1630B	704
20	30	Y-1T3D2L2030B	Y-1T3D2R2030B	766



Left Hand



Right Hand



Under Surface Mount Clip


Specify	Notes
	• Clips available in Metallic Silver only. • Lexan available only in clear.

Lexan Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Lexan 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	D	Left Hand	Right Hand	List
		Model Number	Model Number	
12	24	Y-1T3D2L1224A	Y-1T3D2R1224A	605
16	24	Y-1T3D2L1624A	Y-1T3D2R1624A	655
20	24	Y-1T3D2L2024A	Y-1T3D2R2024A	704
12	30	Y-1T3D2L1230A	Y-1T3D2R1230A	642
16	30	Y-1T3D2L1630A	Y-1T3D2R1630A	704
20	30	Y-1T3D2L2030A	Y-1T3D2R2030A	766



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes


- Clips available in Metallic Silver only.
- Lexan available only in clear.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


H	D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
		Model Number	Model Number			
12	24	Y-3T3D2L1224B	Y-3T3D2R1224B	535	+30	+110
12	30	Y-3T3D2L1230B	Y-3T3D2R1230B	542	+38	+138
16	24	Y-3T3D2L1624B	Y-3T3D2R1624B	661	+40	+147
16	30	Y-3T3D2L1630B	Y-3T3D2R1630B	687	+50	+184
20	24	Y-3T3D2L2024B	Y-3T3D2R2024B	606	+50	+184
20	30	Y-3T3D2L2030B	Y-3T3D2R2030B	659	+63	+230



Left Hand



Right Hand



Under Surface Mount Clip


Specify	Notes
	• Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 3/8" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


H	D	Left Hand	Right Hand	List	Tinted Glass	Frosted Glass
		Model Number	Model Number			
12	24	Y-4T3D2L1224B	Y-4T3D2R1224B	718	+30	+60
12	30	Y-4T3D2L1230B	Y-4T3D2R1230B	722	+38	+75
16	24	Y-4T3D2L1624B	Y-4T3D2R1624B	684	+40	+80
16	30	Y-4T3D2L1630B	Y-4T3D2R1630B	764	+50	+100
20	24	Y-4T3D2L2024B	Y-4T3D2R2024B	780	+50	+100
20	30	Y-4T3D2L2030B	Y-4T3D2R2030B	884	+63	+125
24	24	Y-4T3D2L2424B	Y-4T3D2R2424B	855	+60	+120
24	30	Y-4T3D2L2430B	Y-4T3D2R2430B	975	+75	+150



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Day-to-Day & Calibrate HAT Depth Territory Freestanding Clip Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Freestanding

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS



H	D	Model Number	List
12	24	Y-1T3D4U1224B	735
16	24	Y-1T3D4U1624B	786
20	24	Y-1T3D4U2024B	834
12	30	Y-1T3D4U1230B	771
16	30	Y-1T3D4U1630B	834
20	30	Y-1T3D4U2030B	897

LEXAN 1/4" DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY FREESTANDING CLIP SCREENS WITH CUT-OUTS

H	D	Model Number	List
12	24	Y-1T3D4U1224A	735
16	24	Y-1T3D4U1624A	786
20	24	Y-1T3D4U2024A	834
12	30	Y-1T3D4U1230A	771
16	30	Y-1T3D4U1630A	834
20	30	Y-1T3D4U2030A	897



Freestanding Clip



Freestanding Clip


Specify	Notes
	• Clips available in Metallic Silver only. • Lexan available only in clear. • Non-marring feet measure 2 3/8" x 12".

Day-to-Day & Calibrate HAT Depth Territory Surface Mount Slimline Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Day-to-Day & Calibrate HAT Depth	Freestanding


DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	Y-6T1D1U1224B	647	+7	+14
16	24	Y-6T1D1U1624B	715	+11	+22
20	24	Y-6T1D1U2024B	648	+15	+30
24	24	Y-6T1D1U2424B	693	+18	+36
28	24	Y-6T1D1U2824B	767	+21	+42



DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	30	Y-6T1D1U1230B	555	+7	+14
16	30	Y-6T1D1U1630B	715	+11	+22
20	30	Y-6T1D1U2030B	787	+15	+30
24	30	Y-6T1D1U2430B	830	+18	+36
28	30	Y-6T1D1U2830B	912	+21	+42



Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes


- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

DAY-TO-DAY & CALIBRATE HAT DEPTH
TERRITORY UNDER SURFACE MOUNT SLIMLINE SCREENS


H	D	Left Hand	Right Hand	List	Fabric Grade C	Fabric Grade D
		Model Number	Model Number			
12	24	T-TSHL1224	T-TSHR1224	555	+7	+14
16	24	T-TSHL1624	T-TSHR1624	604	+11	+22
20	24	T-TSHL2024	T-TSHR2024	648	+15	+30
24	24	T-TSHL2424	T-TSHR2424	693	+18	+36
28	24	T-TSHL2824	T-TSHR2824	767	+21	+42
12	30	T-TSHL1230	T-TSHR1230	647	+7	+14
16	30	T-TSHL1630	T-TSHR1630	715	+11	+22
20	30	T-TSHL2030	T-TSHR2030	787	+15	+30
24	30	T-TSHL2430	T-TSHR2430	830	+18	+36
28	30	T-TSHL2830	T-TSHR2830	912	+21	+42



Left Hand



Right Hand



Under Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Screens Sized for Day-to-Day, Calibrate & Benching HAT Widths

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
12	24	Y-1R2G1U1224B	605
12	30	Y-1R2G1U1230B	642
12	36	Y-1R2G1U1236B	679
12	42	Y-1R2G1U1242B	717
12	48	Y-1R2G1U1248B	755
12	54	Y-1R2G1U1254B	791
12	60	Y-1R2G1U1260B	829
12	66	Y-1R2G1U1266B	867
12	72	Y-1R2G1U1272B	903
12	78	Y-1R2G1U1278B	939
12	84	Y-1R2G1U1284B	976
16	24	Y-1R2G1U1624B	655
16	30	Y-1R2G1U1630B	704
16	36	Y-1R2G1U1636B	755
16	42	Y-1R2G1U1642B	804
16	48	Y-1R2G1U1648B	855
16	54	Y-1R2G1U1654B	903
16	60	Y-1R2G1U1660B	954
16	66	Y-1R2G1U1666B	1,002
16	72	Y-1R2G1U1672B	1,052
16	78	Y-1R2G1U1678B	1,102
16	84	Y-1R2G1U1684B	1,154

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
20	24	Y-1R2G1U2024B	704
20	30	Y-1R2G1U2030B	766
20	36	Y-1R2G1U2036B	829
20	42	Y-1R2G1U2042B	890
20	48	Y-1R2G1U2048B	954
20	54	Y-1R2G1U2054B	1,017
20	60	Y-1R2G1U2060B	1,080
20	66	Y-1R2G1U2066B	1,141
20	72	Y-1R2G1U2072B	1,204
20	78	Y-1R2G1U2078B	1,267
20	84	Y-1R2G1U2084B	1,329



Surface Mount Channel

Specify

Notes

• Paint Selection (Grade C +10)

• Offered in all AIS paint finishes.

• Lexan available only in clear.

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2G1U1224B	535	+30	+110
12	30	Y-3R2G1U1230B	542	+38	+138
12	36	Y-3R2G1U1236B	549	+45	+165
12	42	Y-3R2G1U1242B	578	+53	+193
12	48	Y-3R2G1U1248B	607	+60	+220
12	54	Y-3R2G1U1254B	727	+68	+248
12	60	Y-3R2G1U1260B	666	+75	+275
12	66	Y-3R2G1U1266B	695	+83	+303
12	72	Y-3R2G1U1272B	724	+90	+330
12	78	Y-3R2G1U1278B	753	+98	+358
12	84	Y-3R2G1U1284B	779	+105	+385
16	24	Y-3R2G1U1624B	661	+40	+147
16	30	Y-3R2G1U1630B	687	+50	+184
16	36	Y-3R2G1U1636B	727	+60	+220
16	42	Y-3R2G1U1642B	756	+70	+257
16	48	Y-3R2G1U1648B	789	+80	+294
16	54	Y-3R2G1U1654B	840	+90	+330
16	60	Y-3R2G1U1660B	887	+100	+367
16	66	Y-3R2G1U1666B	899	+110	+404
16	72	Y-3R2G1U1672B	920	+120	+440
16	78	Y-3R2G1U1678B	937	+130	+477
16	84	Y-3R2G1U1684B	954	+140	+514

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2G1U2024B	606	+50	+184
20	30	Y-3R2G1U2030B	659	+63	+230
20	36	Y-3R2G1U2036B	695	+75	+275
20	42	Y-3R2G1U2042B	765	+88	+321
20	48	Y-3R2G1U2048B	816	+100	+367
20	54	Y-3R2G1U2054B	869	+113	+413
20	60	Y-3R2G1U2060B	922	+125	+459
20	66	Y-3R2G1U2066B	975	+138	+505
20	72	Y-3R2G1U2072B	1,028	+150	+550
20	78	Y-3R2G1U2078B	1,082	+163	+596
20	84	Y-3R2G1U2084B	1,133	+175	+642



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

SCREENS

CHANNEL SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2G1U1224B	718	+30	+60
12	30	Y-4R2G1U1230B	722	+38	+75
12	36	Y-4R2G1U1236B	786	+45	+90
12	42	Y-4R2G1U1242B	848	+53	+105
12	48	Y-4R2G1U1248B	914	+60	+120
12	54	Y-4R2G1U1254B	979	+68	+135
12	60	Y-4R2G1U1260B	1,045	+75	+150
12	66	Y-4R2G1U1266B	1,109	+83	+165
12	72	Y-4R2G1U1272B	1,173	+90	+180
12	78	Y-4R2G1U1278B	1,239	+98	+195
12	84	Y-4R2G1U1284B	1,304	+105	+210
16	24	Y-4R2G1U1624B	684	+40	+80
16	30	Y-4R2G1U1630B	764	+50	+100
16	36	Y-4R2G1U1636B	801	+60	+120
16	42	Y-4R2G1U1642B	891	+70	+140
16	48	Y-4R2G1U1648B	988	+80	+160
16	54	Y-4R2G1U1654B	1,056	+90	+180
16	60	Y-4R2G1U1660B	1,087	+100	+200
16	66	Y-4R2G1U1666B	1,184	+110	+220
16	72	Y-4R2G1U1672B	1,258	+120	+240
16	78	Y-4R2G1U1678B	1,280	+130	+260
16	84	Y-4R2G1U1684B	1,344	+140	+280

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2G1U2024B	780	+50	+100
20	30	Y-4R2G1U2030B	884	+63	+125
20	36	Y-4R2G1U2036B	984	+75	+150
20	42	Y-4R2G1U2042B	1,086	+88	+175
20	48	Y-4R2G1U2048B	1,184	+100	+200
20	54	Y-4R2G1U2054B	1,287	+113	+225
20	60	Y-4R2G1U2060B	1,387	+125	+250
20	66	Y-4R2G1U2066B	1,489	+138	+275
20	72	Y-4R2G1U2072B	1,587	+150	+300
20	78	Y-4R2G1U2078B	1,687	+163	+325
20	84	Y-4R2G1U2084B	1,788	+175	+350
24	24	Y-4R2G1U2424B	855	+60	+120
24	30	Y-4R2G1U2430B	975	+75	+150
24	36	Y-4R2G1U2436B	1,093	+90	+180
24	42	Y-4R2G1U2442B	1,212	+105	+210
24	48	Y-4R2G1U2448B	1,331	+120	+240
24	54	Y-4R2G1U2454B	1,450	+135	+270
24	60	Y-4R2G1U2460B	1,571	+150	+300
24	66	Y-4R2G1U2466B	1,690	+165	+330
24	72	Y-4R2G1U2472B	1,807	+180	+360
24	78	Y-4R2G1U2478B	1,925	+195	+390
24	84	Y-4R2G1U2484B	2,044	+210	+420



Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

• Offered in all AIS paint finishes.

• Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
12	24	Y-5R2G1U1224B	464
12	30	Y-5R2G1U1230B	480
12	36	Y-5R2G1U1236B	497
12	42	Y-5R2G1U1242B	512
12	48	Y-5R2G1U1248B	531
12	54	Y-5R2G1U1254B	546
12	60	Y-5R2G1U1260B	563
12	66	Y-5R2G1U1266B	578
12	72	Y-5R2G1U1272B	594
12	78	Y-5R2G1U1278B	612
12	84	Y-5R2G1U1284B	627
16	24	Y-5R2G1U1624B	485
16	30	Y-5R2G1U1630B	507
16	36	Y-5R2G1U1636B	531
16	42	Y-5R2G1U1642B	551
16	48	Y-5R2G1U1648B	574
16	54	Y-5R2G1U1654B	594
16	60	Y-5R2G1U1660B	616
16	66	Y-5R2G1U1666B	639
16	72	Y-5R2G1U1672B	661
16	78	Y-5R2G1U1678B	683
16	84	Y-5R2G1U1684B	705

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
20	24	Y-5R2G1U2024B	507
20	30	Y-5R2G1U2030B	535
20	36	Y-5R2G1U2036B	563
20	42	Y-5R2G1U2042B	589
20	48	Y-5R2G1U2048B	617
20	54	Y-5R2G1U2054B	645
20	60	Y-5R2G1U2060B	673
20	66	Y-5R2G1U2066B	699
20	72	Y-5R2G1U2072B	727
20	78	Y-5R2G1U2078B	755
20	84	Y-5R2G1U2084B	780
24	24	Y-5R2G1U2424B	531
24	30	Y-5R2G1U2430B	563
24	36	Y-5R2G1U2436B	594
24	42	Y-5R2G1U2442B	628
24	48	Y-5R2G1U2448B	661
24	54	Y-5R2G1U2454B	694
24	60	Y-5R2G1U2460B	727
24	66	Y-5R2G1U2466B	760
24	72	Y-5R2G1U2472B	793
24	78	Y-5R2G1U2478B	826
24	84	Y-5R2G1U2484B	859



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
28	24	Y-5R2G1U2824B	551
28	30	Y-5R2G1U2830B	589
28	36	Y-5R2G1U2836B	627
28	42	Y-5R2G1U2842B	666
28	48	Y-5R2G1U2848B	705
28	54	Y-5R2G1U2854B	742
28	60	Y-5R2G1U2860B	779
28	66	Y-5R2G1U2866B	820
28	72	Y-5R2G1U2872B	858
28	78	Y-5R2G1U2878B	897
28	84	Y-5R2G1U2884B	935

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
32	24	Y-5R2G1U3224B	574
32	30	Y-5R2G1U3230B	616
32	36	Y-5R2G1U3236B	659
32	42	Y-5R2G1U3242B	705
32	48	Y-5R2G1U3248B	748
32	54	Y-5R2G1U3254B	791
32	60	Y-5R2G1U3260B	835
32	66	Y-5R2G1U3266B	877
32	72	Y-5R2G1U3272B	922
32	78	Y-5R2G1U3278B	966
32	84	Y-5R2G1U3284B	1,010



Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-1R2G2U1224B	735
12	30	Y-1R2G2U1230B	771
12	36	Y-1R2G2U1236B	808
12	42	Y-1R2G2U1242B	846
12	48	Y-1R2G2U1248B	885
12	54	Y-1R2G2U1254B	921
12	60	Y-1R2G2U1260B	958
12	66	Y-1R2G2U1266B	996
12	72	Y-1R2G2U1272B	1,032
12	78	Y-1R2G2U1278B	1,069
12	84	Y-1R2G2U1284B	1,105
16	24	Y-1R2G2U1624B	786
16	30	Y-1R2G2U1630B	834
16	36	Y-1R2G2U1636B	885
16	42	Y-1R2G2U1642B	935
16	48	Y-1R2G2U1648B	985
16	54	Y-1R2G2U1654B	1,032
16	60	Y-1R2G2U1660B	1,085
16	66	Y-1R2G2U1666B	1,132
16	72	Y-1R2G2U1672B	1,182
16	78	Y-1R2G2U1678B	1,233
16	84	Y-1R2G2U1684B	1,284

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-1R2G2U2024B	834
20	30	Y-1R2G2U2030B	897
20	36	Y-1R2G2U2036B	958
20	42	Y-1R2G2U2042B	1,021
20	48	Y-1R2G2U2048B	1,085
20	54	Y-1R2G2U2054B	1,146
20	60	Y-1R2G2U2060B	1,210
20	66	Y-1R2G2U2066B	1,272
20	72	Y-1R2G2U2072B	1,333
20	78	Y-1R2G2U2078B	1,396
20	84	Y-1R2G2U2084B	1,460



Under Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Lexan available only in clear.

SCREENS

CHANNEL SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2G2U1224B	665	+30	+110
12	30	Y-3R2G2U1230B	672	+38	+138
12	36	Y-3R2G2U1236B	680	+45	+165
12	42	Y-3R2G2U1242B	709	+53	+193
12	48	Y-3R2G2U1248B	737	+60	+220
12	54	Y-3R2G2U1254B	858	+68	+248
12	60	Y-3R2G2U1260B	796	+75	+275
12	66	Y-3R2G2U1266B	826	+83	+303
12	72	Y-3R2G2U1272B	854	+90	+330
12	78	Y-3R2G2U1278B	881	+98	+358
12	84	Y-3R2G2U1284B	910	+105	+385
16	24	Y-3R2G2U1624B	791	+40	+147
16	30	Y-3R2G2U1630B	816	+50	+184
16	36	Y-3R2G2U1636B	858	+60	+220
16	42	Y-3R2G2U1642B	886	+70	+257
16	48	Y-3R2G2U1648B	918	+80	+294
16	54	Y-3R2G2U1654B	970	+90	+330
16	60	Y-3R2G2U1660B	1,018	+100	+367
16	66	Y-3R2G2U1666B	1,029	+110	+404
16	72	Y-3R2G2U1672B	1,050	+120	+440
16	78	Y-3R2G2U1678B	1,066	+130	+477
16	84	Y-3R2G2U1684B	1,085	+140	+514

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2G2U2024B	736	+50	+184
20	30	Y-3R2G2U2030B	790	+63	+230
20	36	Y-3R2G2U2036B	826	+75	+275
20	42	Y-3R2G2U2042B	896	+88	+321
20	48	Y-3R2G2U2048B	947	+100	+367
20	54	Y-3R2G2U2054B	998	+113	+413
20	60	Y-3R2G2U2060B	1,052	+125	+459
20	66	Y-3R2G2U2066B	1,103	+138	+505
20	72	Y-3R2G2U2072B	1,158	+150	+550
20	78	Y-3R2G2U2078B	1,211	+163	+596
20	84	Y-3R2G2U2084B	1,263	+175	+642



Under Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

• Offered in all AIS paint finishes.

• Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2G2U1224B	847	+30	+60
12	30	Y-4R2G2U1230B	850	+38	+75
12	36	Y-4R2G2U1236B	914	+45	+90
12	42	Y-4R2G2U1242B	979	+53	+105
12	48	Y-4R2G2U1248B	1,045	+60	+120
12	54	Y-4R2G2U1254B	1,109	+68	+135
12	60	Y-4R2G2U1260B	1,173	+75	+150
12	66	Y-4R2G2U1266B	1,239	+83	+165
12	72	Y-4R2G2U1272B	1,304	+90	+180
12	78	Y-4R2G2U1278B	1,369	+98	+195
12	84	Y-4R2G2U1284B	1,434	+105	+210
16	24	Y-4R2G2U1624B	814	+40	+80
16	30	Y-4R2G2U1630B	895	+50	+100
16	36	Y-4R2G2U1636B	931	+60	+120
16	42	Y-4R2G2U1642B	1,022	+70	+140
16	48	Y-4R2G2U1648B	1,118	+80	+160
16	54	Y-4R2G2U1654B	1,184	+90	+180
16	60	Y-4R2G2U1660B	1,217	+100	+200
16	66	Y-4R2G2U1666B	1,315	+110	+220
16	72	Y-4R2G2U1672B	1,388	+120	+240
16	78	Y-4R2G2U1678B	1,410	+130	+260
16	84	Y-4R2G2U1684B	1,474	+140	+280

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2G2U2024B	911	+50	+100
20	30	Y-4R2G2U2030B	1,015	+63	+125
20	36	Y-4R2G2U2036B	1,113	+75	+150
20	42	Y-4R2G2U2042B	1,214	+88	+175
20	48	Y-4R2G2U2048B	1,315	+100	+200
20	54	Y-4R2G2U2054B	1,417	+113	+225
20	60	Y-4R2G2U2060B	1,516	+125	+250
20	66	Y-4R2G2U2066B	1,617	+138	+275
20	72	Y-4R2G2U2072B	1,718	+150	+300
20	78	Y-4R2G2U2078B	1,817	+163	+325
20	84	Y-4R2G2U2084B	1,917	+175	+350
24	24	Y-4R2G2U2424B	985	+60	+120
24	30	Y-4R2G2U2430B	1,103	+75	+150
24	36	Y-4R2G2U2436B	1,223	+90	+180
24	42	Y-4R2G2U2442B	1,343	+105	+210
24	48	Y-4R2G2U2448B	1,462	+120	+240
24	54	Y-4R2G2U2454B	1,581	+135	+270
24	60	Y-4R2G2U2460B	1,700	+150	+300
24	66	Y-4R2G2U2466B	1,818	+165	+330
24	72	Y-4R2G2U2472B	1,938	+180	+360
24	78	Y-4R2G2U2478B	2,056	+195	+390
24	84	Y-4R2G2U2484B	2,175	+210	+420



Under Surface Mount Channel

Specify

• Paint Selection (Grade C +10)

Notes

• Offered in all AIS paint finishes.

• Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5R2G2U1224B	593
12	30	Y-5R2G2U1230B	610
12	36	Y-5R2G2U1236B	627
12	42	Y-5R2G2U1242B	643
12	48	Y-5R2G2U1248B	659
12	54	Y-5R2G2U1254B	677
12	60	Y-5R2G2U1260B	693
12	66	Y-5R2G2U1266B	709
12	72	Y-5R2G2U1272B	725
12	78	Y-5R2G2U1278B	740
12	84	Y-5R2G2U1284B	758
16	24	Y-5R2G2U1624B	615
16	30	Y-5R2G2U1630B	638
16	36	Y-5R2G2U1636B	659
16	42	Y-5R2G2U1642B	682
16	48	Y-5R2G2U1648B	704
16	54	Y-5R2G2U1654B	725
16	60	Y-5R2G2U1660B	747
16	66	Y-5R2G2U1666B	768
16	72	Y-5R2G2U1672B	791
16	78	Y-5R2G2U1678B	813
16	84	Y-5R2G2U1684B	835

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5R2G2U2024B	638
20	30	Y-5R2G2U2030B	665
20	36	Y-5R2G2U2036B	693
20	42	Y-5R2G2U2042B	720
20	48	Y-5R2G2U2048B	748
20	54	Y-5R2G2U2054B	775
20	60	Y-5R2G2U2060B	803
20	66	Y-5R2G2U2066B	830
20	72	Y-5R2G2U2072B	858
20	78	Y-5R2G2U2078B	885
20	84	Y-5R2G2U2084B	911
24	24	Y-5R2G2U2424B	659
24	30	Y-5R2G2U2430B	693
24	36	Y-5R2G2U2436B	725
24	42	Y-5R2G2U2442B	759
24	48	Y-5R2G2U2448B	791
24	54	Y-5R2G2U2454B	825
24	60	Y-5R2G2U2460B	858
24	66	Y-5R2G2U2466B	889
24	72	Y-5R2G2U2472B	922
24	78	Y-5R2G2U2478B	955
24	84	Y-5R2G2U2484B	989



Under Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Channel Screens



Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5R2G2U2824B	682
28	30	Y-5R2G2U2830B	720
28	36	Y-5R2G2U2836B	758
28	42	Y-5R2G2U2842B	796
28	48	Y-5R2G2U2848B	835
28	54	Y-5R2G2U2854B	873
28	60	Y-5R2G2U2860B	910
28	66	Y-5R2G2U2866B	950
28	72	Y-5R2G2U2872B	988
28	78	Y-5R2G2U2878B	1,026
28	84	Y-5R2G2U2884B	1,063

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5R2G2U3224B	704
32	30	Y-5R2G2U3230B	747
32	36	Y-5R2G2U3236B	790
32	42	Y-5R2G2U3242B	835
32	48	Y-5R2G2U3248B	877
32	54	Y-5R2G2U3254B	921
32	60	Y-5R2G2U3260B	965
32	66	Y-5R2G2U3266B	1,008
32	72	Y-5R2G2U3272B	1,052
32	78	Y-5R2G2U3278B	1,097
32	84	Y-5R2G2U3284B	1,140



Under Surface Mount Channel

Specify

Notes

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- Offered in all AIS paint finishes.

SCREENS

CLIP SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3G1U1224B	605
12	30	Y-1R3G1U1230B	642
12	36	Y-1R3G1U1236B	679
12	42	Y-1R3G1U1242B	717
12	48	Y-1R3G1U1248B	755
12	54	Y-1R3G1U1254B	791
12	60	Y-1R3G1U1260B	829
12	66	Y-1R3G1U1266B	867
12	72	Y-1R3G1U1272B	903
12	78	Y-1R3G1U1278B	939
12	84	Y-1R3G1U1284B	976
16	24	Y-1R3G1U1624B	655
16	30	Y-1R3G1U1630B	704
16	36	Y-1R3G1U1636B	755
16	42	Y-1R3G1U1642B	804
16	48	Y-1R3G1U1648B	855
16	54	Y-1R3G1U1654B	903
16	60	Y-1R3G1U1660B	954
16	66	Y-1R3G1U1666B	1,002
16	72	Y-1R3G1U1672B	1,052
16	78	Y-1R3G1U1678B	1,102
16	84	Y-1R3G1U1684B	1,154

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3G1U2024B	704
20	30	Y-1R3G1U2030B	766
20	36	Y-1R3G1U2036B	829
20	42	Y-1R3G1U2042B	890
20	48	Y-1R3G1U2048B	954
20	54	Y-1R3G1U2054B	1,017
20	60	Y-1R3G1U2060B	1,080
20	66	Y-1R3G1U2066B	1,141
20	72	Y-1R3G1U2072B	1,204
20	78	Y-1R3G1U2078B	1,267
20	84	Y-1R3G1U2084B	1,329




24 - 48 Wide



54 - 66 Wide



72 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3G1U1224A	605
12	30	Y-1R3G1U1230A	642
12	36	Y-1R3G1U1236A	679
12	42	Y-1R3G1U1242A	717
12	48	Y-1R3G1U1248A	755
12	54	Y-1R3G1U1254A	791
12	60	Y-1R3G1U1260A	829
12	66	Y-1R3G1U1266A	867
12	72	Y-1R3G1U1272A	903
12	78	Y-1R3G1U1278A	939
12	84	Y-1R3G1U1284A	976
16	24	Y-1R3G1U1624A	655
16	30	Y-1R3G1U1630A	704
16	36	Y-1R3G1U1636A	755
16	42	Y-1R3G1U1642A	804
16	48	Y-1R3G1U1648A	855
16	54	Y-1R3G1U1654A	903
16	60	Y-1R3G1U1660A	954
16	66	Y-1R3G1U1666A	1,002
16	72	Y-1R3G1U1672A	1,052
16	78	Y-1R3G1U1678A	1,102
16	84	Y-1R3G1U1684A	1,154

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3G1U2024A	704
20	30	Y-1R3G1U2030A	766
20	36	Y-1R3G1U2036A	829
20	42	Y-1R3G1U2042A	890
20	48	Y-1R3G1U2048A	954
20	54	Y-1R3G1U2054A	1,017
20	60	Y-1R3G1U2060A	1,080
20	66	Y-1R3G1U2066A	1,141
20	72	Y-1R3G1U2072A	1,204
20	78	Y-1R3G1U2078A	1,267
20	84	Y-1R3G1U2084A	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

SCREENS

CLIP SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3G1U1224B	535	+30	+110
12	30	Y-3R3G1U1230B	542	+38	+138
12	36	Y-3R3G1U1236B	549	+45	+165
12	42	Y-3R3G1U1242B	578	+53	+193
12	48	Y-3R3G1U1248B	607	+60	+220
12	54	Y-3R3G1U1254B	727	+68	+248
12	60	Y-3R3G1U1260B	666	+75	+275
12	66	Y-3R3G1U1266B	695	+83	+303
12	72	Y-3R3G1U1272B	724	+90	+330
12	78	Y-3R3G1U1278B	753	+98	+358
12	84	Y-3R3G1U1284B	779	+105	+385
16	24	Y-3R3G1U1624B	661	+40	+147
16	30	Y-3R3G1U1630B	687	+50	+184
16	36	Y-3R3G1U1636B	727	+60	+220
16	42	Y-3R3G1U1642B	756	+70	+257
16	48	Y-3R3G1U1648B	789	+80	+294
16	54	Y-3R3G1U1654B	840	+90	+330
16	60	Y-3R3G1U1660B	887	+100	+367
16	66	Y-3R3G1U1666B	899	+110	+404
16	72	Y-3R3G1U1672B	920	+120	+440
16	78	Y-3R3G1U1678B	937	+130	+477
16	84	Y-3R3G1U1684B	954	+140	+514

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3G1U2024B	606	+50	+184
20	30	Y-3R3G1U2030B	659	+63	+230
20	36	Y-3R3G1U2036B	695	+75	+275
20	42	Y-3R3G1U2042B	765	+88	+321
20	48	Y-3R3G1U2048B	816	+100	+367
20	54	Y-3R3G1U2054B	869	+113	+413
20	60	Y-3R3G1U2060B	922	+125	+459
20	66	Y-3R3G1U2066B	975	+138	+505
20	72	Y-3R3G1U2072B	1,028	+150	+550
20	78	Y-3R3G1U2078B	1,082	+163	+596
20	84	Y-3R3G1U2084B	1,133	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3G1U1224B	718	+30	+60
12	30	Y-4R3G1U1230B	722	+38	+75
12	36	Y-4R3G1U1236B	786	+45	+90
12	42	Y-4R3G1U1242B	848	+53	+105
12	48	Y-4R3G1U1248B	914	+60	+120
12	54	Y-4R3G1U1254B	979	+68	+135
12	60	Y-4R3G1U1260B	1,045	+75	+150
12	66	Y-4R3G1U1266B	1,109	+83	+165
12	72	Y-4R3G1U1272B	1,173	+90	+180
12	78	Y-4R3G1U1278B	1,239	+98	+195
12	84	Y-4R3G1U1284B	1,304	+105	+210
16	24	Y-4R3G1U1624B	684	+40	+80
16	30	Y-4R3G1U1630B	764	+50	+100
16	36	Y-4R3G1U1636B	801	+60	+120
16	42	Y-4R3G1U1642B	891	+70	+140
16	48	Y-4R3G1U1648B	988	+80	+160
16	54	Y-4R3G1U1654B	1,056	+90	+180
16	60	Y-4R3G1U1660B	1,087	+100	+200
16	66	Y-4R3G1U1666B	1,184	+110	+220
16	72	Y-4R3G1U1672B	1,258	+120	+240
16	78	Y-4R3G1U1678B	1,280	+130	+260
16	84	Y-4R3G1U1684B	1,344	+140	+280

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3G1U2024B	780	+50	+100
20	30	Y-4R3G1U2030B	884	+63	+125
20	36	Y-4R3G1U2036B	984	+75	+150
20	42	Y-4R3G1U2042B	1,086	+88	+175
20	48	Y-4R3G1U2048B	1,184	+100	+200
20	54	Y-4R3G1U2054B	1,287	+113	+225
20	60	Y-4R3G1U2060B	1,387	+125	+250
20	66	Y-4R3G1U2066B	1,489	+138	+275
20	72	Y-4R3G1U2072B	1,587	+150	+300
20	78	Y-4R3G1U2078B	1,687	+163	+325
20	84	Y-4R3G1U2084B	1,788	+175	+350
24	24	Y-4R3G1U2424B	855	+60	+120
24	30	Y-4R3G1U2430B	975	+75	+150
24	36	Y-4R3G1U2436B	1,093	+90	+180
24	42	Y-4R3G1U2442B	1,212	+105	+210
24	48	Y-4R3G1U2448B	1,331	+120	+240
24	54	Y-4R3G1U2454B	1,450	+135	+270
24	60	Y-4R3G1U2460B	1,571	+150	+300
24	66	Y-4R3G1U2466B	1,690	+165	+330
24	72	Y-4R3G1U2472B	1,807	+180	+360
24	78	Y-4R3G1U2478B	1,925	+195	+390
24	84	Y-4R3G1U2484B	2,044	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

SCREENS

CLIP SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3G2U1224B	605
12	30	Y-1R3G2U1230B	642
12	36	Y-1R3G2U1236B	679
12	42	Y-1R3G2U1242B	717
12	48	Y-1R3G2U1248B	755
12	54	Y-1R3G2U1254B	791
12	60	Y-1R3G2U1260B	829
12	66	Y-1R3G2U1266B	867
12	72	Y-1R3G2U1272B	903
12	78	Y-1R3G2U1278B	939
12	84	Y-1R3G2U1284B	976
16	24	Y-1R3G2U1624B	655
16	30	Y-1R3G2U1630B	704
16	36	Y-1R3G2U1636B	755
16	42	Y-1R3G2U1642B	804
16	48	Y-1R3G2U1648B	855
16	54	Y-1R3G2U1654B	903
16	60	Y-1R3G2U1660B	954
16	66	Y-1R3G2U1666B	1,002
16	72	Y-1R3G2U1672B	1,052
16	78	Y-1R3G2U1678B	1,102
16	84	Y-1R3G2U1684B	1,154

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3G2U2024B	704
20	30	Y-1R3G2U2030B	766
20	36	Y-1R3G2U2036B	829
20	42	Y-1R3G2U2042B	890
20	48	Y-1R3G2U2048B	954
20	54	Y-1R3G2U2054B	1,017
20	60	Y-1R3G2U2060B	1,080
20	66	Y-1R3G2U2066B	1,141
20	72	Y-1R3G2U2072B	1,204
20	78	Y-1R3G2U2078B	1,267
20	84	Y-1R3G2U2084B	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

**LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT
CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
12	24	Y-1R3G2U1224A	605
12	30	Y-1R3G2U1230A	642
12	36	Y-1R3G2U1236A	679
12	42	Y-1R3G2U1242A	717
12	48	Y-1R3G2U1248A	755
12	54	Y-1R3G2U1254A	791
12	60	Y-1R3G2U1260A	829
12	66	Y-1R3G2U1266A	867
12	72	Y-1R3G2U1272A	903
12	78	Y-1R3G2U1278A	939
12	84	Y-1R3G2U1284A	976
16	24	Y-1R3G2U1624A	655
16	30	Y-1R3G2U1630A	704
16	36	Y-1R3G2U1636A	755
16	42	Y-1R3G2U1642A	804
16	48	Y-1R3G2U1648A	855
16	54	Y-1R3G2U1654A	903
16	60	Y-1R3G2U1660A	954
16	66	Y-1R3G2U1666A	1,002
16	72	Y-1R3G2U1672A	1,052
16	78	Y-1R3G2U1678A	1,102
16	84	Y-1R3G2U1684A	1,154

**LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT
CLIP SCREENS WITH CUT-OUTS**


H	W	Model Number	List
20	24	Y-1R3G2U2024A	704
20	30	Y-1R3G2U2030A	766
20	36	Y-1R3G2U2036A	829
20	42	Y-1R3G2U2042A	890
20	48	Y-1R3G2U2048A	954
20	54	Y-1R3G2U2054A	1,017
20	60	Y-1R3G2U2060A	1,080
20	66	Y-1R3G2U2066A	1,141
20	72	Y-1R3G2U2072A	1,204
20	78	Y-1R3G2U2078A	1,267
20	84	Y-1R3G2U2084A	1,329




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.

SCREENS

CLIP SCREENS FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3G2U1224B	535	+30	+110
12	30	Y-3R3G2U1230B	542	+38	+138
12	36	Y-3R3G2U1236B	549	+45	+165
12	42	Y-3R3G2U1242B	578	+53	+193
12	48	Y-3R3G2U1248B	607	+60	+220
12	54	Y-3R3G2U1254B	727	+68	+248
12	60	Y-3R3G2U1260B	666	+75	+275
12	66	Y-3R3G2U1266B	695	+83	+303
12	72	Y-3R3G2U1272B	724	+90	+330
12	78	Y-3R3G2U1278B	753	+98	+358
12	84	Y-3R3G2U1284B	779	+105	+385
16	24	Y-3R3G2U1624B	661	+40	+147
16	30	Y-3R3G2U1630B	687	+50	+184
16	36	Y-3R3G2U1636B	727	+60	+220
16	42	Y-3R3G2U1642B	756	+70	+257
16	48	Y-3R3G2U1648B	789	+80	+294
16	54	Y-3R3G2U1654B	840	+90	+330
16	60	Y-3R3G2U1660B	887	+100	+367
16	66	Y-3R3G2U1666B	899	+110	+404
16	72	Y-3R3G2U1672B	920	+120	+440
16	78	Y-3R3G2U1678B	937	+130	+477
16	84	Y-3R3G2U1684B	954	+140	+514

GLASS 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3G2U2024B	606	+50	+184
20	30	Y-3R3G2U2030B	659	+63	+230
20	36	Y-3R3G2U2036B	695	+75	+275
20	42	Y-3R3G2U2042B	765	+88	+321
20	48	Y-3R3G2U2048B	816	+100	+367
20	54	Y-3R3G2U2054B	869	+113	+413
20	60	Y-3R3G2U2060B	922	+125	+459
20	66	Y-3R3G2U2066B	975	+138	+505
20	72	Y-3R3G2U2072B	1,028	+150	+550
20	78	Y-3R3G2U2078B	1,082	+163	+596
20	84	Y-3R3G2U2084B	1,133	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Glass Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3G2U1224B	718	+30	+60
12	30	Y-4R3G2U1230B	722	+38	+75
12	36	Y-4R3G2U1236B	786	+45	+90
12	42	Y-4R3G2U1242B	848	+53	+105
12	48	Y-4R3G2U1248B	914	+60	+120
12	54	Y-4R3G2U1254B	979	+68	+135
12	60	Y-4R3G2U1260B	1,045	+75	+150
12	66	Y-4R3G2U1266B	1,109	+83	+165
12	72	Y-4R3G2U1272B	1,173	+90	+180
12	78	Y-4R3G2U1278B	1,239	+98	+195
12	84	Y-4R3G2U1284B	1,304	+105	+210
16	24	Y-4R3G2U1624B	684	+40	+80
16	30	Y-4R3G2U1630B	764	+50	+100
16	36	Y-4R3G2U1636B	801	+60	+120
16	42	Y-4R3G2U1642B	891	+70	+140
16	48	Y-4R3G2U1648B	988	+80	+160
16	54	Y-4R3G2U1654B	1,056	+90	+180
16	60	Y-4R3G2U1660B	1,087	+100	+200
16	66	Y-4R3G2U1666B	1,184	+110	+220
16	72	Y-4R3G2U1672B	1,258	+120	+240
16	78	Y-4R3G2U1678B	1,280	+130	+260
16	84	Y-4R3G2U1684B	1,344	+140	+280

GLASS 3/8" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3G2U2024B	780	+50	+100
20	30	Y-4R3G2U2030B	884	+63	+125
20	36	Y-4R3G2U2036B	984	+75	+150
20	42	Y-4R3G2U2042B	1,086	+88	+175
20	48	Y-4R3G2U2048B	1,184	+100	+200
20	54	Y-4R3G2U2054B	1,287	+113	+225
20	60	Y-4R3G2U2060B	1,387	+125	+250
20	66	Y-4R3G2U2066B	1,489	+138	+275
20	72	Y-4R3G2U2072B	1,587	+150	+300
20	78	Y-4R3G2U2078B	1,687	+163	+325
20	84	Y-4R3G2U2084B	1,788	+175	+350
24	24	Y-4R3G2U2424B	855	+60	+120
24	30	Y-4R3G2U2430B	975	+75	+150
24	36	Y-4R3G2U2436B	1,093	+90	+180
24	42	Y-4R3G2U2442B	1,212	+105	+210
24	48	Y-4R3G2U2448B	1,331	+120	+240
24	54	Y-4R3G2U2454B	1,450	+135	+270
24	60	Y-4R3G2U2460B	1,571	+150	+300
24	66	Y-4R3G2U2466B	1,690	+165	+330
24	72	Y-4R3G2U2472B	1,807	+180	+360
24	78	Y-4R3G2U2478B	1,925	+195	+390
24	84	Y-4R3G2U2484B	2,044	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Freestanding

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3G4U1224B	735
12	30	Y-1R3G4U1230B	771
12	36	Y-1R3G4U1236B	808
12	42	Y-1R3G4U1242B	846
12	48	Y-1R3G4U1248B	885
12	54	Y-1R3G4U1254B	921
12	60	Y-1R3G4U1260B	1,024
12	66	Y-1R3G4U1266B	1,061
12	72	Y-1R3G4U1272B	1,098
12	78	Y-1R3G4U1278B	1,199
12	84	Y-1R3G4U1284B	1,236
16	24	Y-1R3G4U1624B	786
16	30	Y-1R3G4U1630B	834
16	36	Y-1R3G4U1636B	885
16	42	Y-1R3G4U1642B	935
16	48	Y-1R3G4U1648B	985
16	54	Y-1R3G4U1654B	1,032
16	60	Y-1R3G4U1660B	1,149
16	66	Y-1R3G4U1666B	1,198
16	72	Y-1R3G4U1672B	1,248
16	78	Y-1R3G4U1678B	1,362
16	84	Y-1R3G4U1684B	1,414

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING CLIP SCREENS WITHOUT CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3G4U2024B	834
20	30	Y-1R3G4U2030B	897
20	36	Y-1R3G4U2036B	958
20	42	Y-1R3G4U2042B	1,021
20	48	Y-1R3G4U2048B	1,085
20	54	Y-1R3G4U2054B	1,146
20	60	Y-1R3G4U2060B	1,275
20	66	Y-1R3G4U2066B	1,335
20	72	Y-1R3G4U2072B	1,399
20	78	Y-1R3G4U2078B	1,527
20	84	Y-1R3G4U2084B	1,589




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.
- Non-marring feet measure 2 3/8" x 12".

Lexan Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4"	Front/Rear on Worksurface	Clip	Day-to-Day, Calibrate & Benching HAT Width	Freestanding

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
12	24	Y-1R3G4U1224A	735
12	30	Y-1R3G4U1230A	771
12	36	Y-1R3G4U1236A	808
12	42	Y-1R3G4U1242A	846
12	48	Y-1R3G4U1248A	885
12	54	Y-1R3G4U1254A	921
12	60	Y-1R3G4U1260A	1,024
12	66	Y-1R3G4U1266A	1,061
12	72	Y-1R3G4U1272A	1,098
12	78	Y-1R3G4U1278A	1,199
12	84	Y-1R3G4U1284A	1,236
16	24	Y-1R3G4U1624A	786
16	30	Y-1R3G4U1630A	834
16	36	Y-1R3G4U1636A	885
16	42	Y-1R3G4U1642A	935
16	48	Y-1R3G4U1648A	985
16	54	Y-1R3G4U1654A	1,032
16	60	Y-1R3G4U1660A	1,149
16	66	Y-1R3G4U1666A	1,198
16	72	Y-1R3G4U1672A	1,248
16	78	Y-1R3G4U1678A	1,362
16	84	Y-1R3G4U1684A	1,414

LEXAN 1/4" DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING CLIP SCREENS WITH CUT-OUTS


H	W	Model Number	List
20	24	Y-1R3G4U2024A	834
20	30	Y-1R3G4U2030A	897
20	36	Y-1R3G4U2036A	958
20	42	Y-1R3G4U2042A	1,021
20	48	Y-1R3G4U2048A	1,085
20	54	Y-1R3G4U2054A	1,146
20	60	Y-1R3G4U2060A	1,275
20	66	Y-1R3G4U2066A	1,335
20	72	Y-1R3G4U2072A	1,399
20	78	Y-1R3G4U2078A	1,527
20	84	Y-1R3G4U2084A	1,589




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Lexan available only in clear.
- Non-marring feet measure 2 3/8" x 12".

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4G1U1224B	494
12	30	Y-5R4G1U1230B	504
12	36	Y-5R4G1U1236B	512
12	42	Y-5R4G1U1242B	521
12	48	Y-5R4G1U1248B	533
12	54	Y-5R4G1U1254B	542
12	60	Y-5R4G1U1260B	549
12	66	Y-5R4G1U1266B	562
12	72	Y-5R4G1U1272B	571
12	78	Y-5R4G1U1278B	578
12	84	Y-5R4G1U1284B	589
16	24	Y-5R4G1U1624B	506
16	30	Y-5R4G1U1630B	518
16	36	Y-5R4G1U1636B	533
16	42	Y-5R4G1U1642B	544
16	48	Y-5R4G1U1648B	557
16	54	Y-5R4G1U1654B	571
16	60	Y-5R4G1U1660B	583
16	66	Y-5R4G1U1666B	596
16	72	Y-5R4G1U1672B	607
16	78	Y-5R4G1U1678B	619
16	84	Y-5R4G1U1684B	634

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4G1U2024B	518
20	30	Y-5R4G1U2030B	535
20	36	Y-5R4G1U2036B	549
20	42	Y-5R4G1U2042B	567
20	48	Y-5R4G1U2048B	583
20	54	Y-5R4G1U2054B	599
20	60	Y-5R4G1U2060B	614
20	66	Y-5R4G1U2066B	631
20	72	Y-5R4G1U2072B	646
20	78	Y-5R4G1U2078B	663
20	84	Y-5R4G1U2084B	678
24	24	Y-5R4G1U2424B	533
24	30	Y-5R4G1U2430B	549
24	36	Y-5R4G1U2436B	571
24	42	Y-5R4G1U2442B	589
24	48	Y-5R4G1U2448B	607
24	54	Y-5R4G1U2454B	627
24	60	Y-5R4G1U2460B	646
24	66	Y-5R4G1U2466B	666
24	72	Y-5R4G1U2472B	684
24	78	Y-5R4G1U2478B	704
24	84	Y-5R4G1U2484B	724




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G1U2824B	544
28	30	Y-5R4G1U2830B	567
28	36	Y-5R4G1U2836B	589
28	42	Y-5R4G1U2842B	612
28	48	Y-5R4G1U2848B	634
28	54	Y-5R4G1U2854B	656
28	60	Y-5R4G1U2860B	678
28	66	Y-5R4G1U2866B	700
28	72	Y-5R4G1U2872B	724
28	78	Y-5R4G1U2878B	746
28	84	Y-5R4G1U2884B	767

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G1U3224B	557
32	30	Y-5R4G1U3230B	583
32	36	Y-5R4G1U3236B	607
32	42	Y-5R4G1U3242B	634
32	48	Y-5R4G1U3248B	659
32	54	Y-5R4G1U3254B	684
32	60	Y-5R4G1U3260B	710
32	66	Y-5R4G1U3266B	736
32	72	Y-5R4G1U3272B	761
32	78	Y-5R4G1U3278B	788
32	84	Y-5R4G1U3284B	810




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

**PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS**


H	W	Model Number	List
12	24	Y-5R4G2U1224B	494
12	30	Y-5R4G2U1230B	504
12	36	Y-5R4G2U1236B	512
12	42	Y-5R4G2U1242B	521
12	48	Y-5R4G2U1248B	533
12	54	Y-5R4G2U1254B	542
12	60	Y-5R4G2U1260B	549
12	66	Y-5R4G2U1266B	562
12	72	Y-5R4G2U1272B	571
12	78	Y-5R4G2U1278B	578
12	84	Y-5R4G2U1284B	589
16	24	Y-5R4G2U1624B	506
16	30	Y-5R4G2U1630B	518
16	36	Y-5R4G2U1636B	533
16	42	Y-5R4G2U1642B	544
16	48	Y-5R4G2U1648B	557
16	54	Y-5R4G2U1654B	571
16	60	Y-5R4G2U1660B	583
16	66	Y-5R4G2U1666B	596
16	72	Y-5R4G2U1672B	607
16	78	Y-5R4G2U1678B	619
16	84	Y-5R4G2U1684B	634

**PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS**


H	W	Model Number	List
20	24	Y-5R4G2U2024B	518
20	30	Y-5R4G2U2030B	535
20	36	Y-5R4G2U2036B	549
20	42	Y-5R4G2U2042B	567
20	48	Y-5R4G2U2048B	583
20	54	Y-5R4G2U2054B	599
20	60	Y-5R4G2U2060B	614
20	66	Y-5R4G2U2066B	631
20	72	Y-5R4G2U2072B	646
20	78	Y-5R4G2U2078B	663
20	84	Y-5R4G2U2084B	678
24	24	Y-5R4G2U2424B	533
24	30	Y-5R4G2U2430B	549
24	36	Y-5R4G2U2436B	571
24	42	Y-5R4G2U2442B	589
24	48	Y-5R4G2U2448B	607
24	54	Y-5R4G2U2454B	627
24	60	Y-5R4G2U2460B	646
24	66	Y-5R4G2U2466B	666
24	72	Y-5R4G2U2472B	684
24	78	Y-5R4G2U2478B	704
24	84	Y-5R4G2U2484B	724




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G2U2824B	544
28	30	Y-5R4G2U2830B	567
28	36	Y-5R4G2U2836B	589
28	42	Y-5R4G2U2842B	612
28	48	Y-5R4G2U2848B	634
28	54	Y-5R4G2U2854B	656
28	60	Y-5R4G2U2860B	678
28	66	Y-5R4G2U2866B	700
28	72	Y-5R4G2U2872B	724
28	78	Y-5R4G2U2878B	746
28	84	Y-5R4G2U2884B	767

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G2U3224B	557
32	30	Y-5R4G2U3230B	583
32	36	Y-5R4G2U3236B	607
32	42	Y-5R4G2U3242B	634
32	48	Y-5R4G2U3248B	659
32	54	Y-5R4G2U3254B	684
32	60	Y-5R4G2U3260B	710
32	66	Y-5R4G2U3266B	736
32	72	Y-5R4G2U3272B	761
32	78	Y-5R4G2U3278B	788
32	84	Y-5R4G2U3284B	810




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Freestanding

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4G4U1224B	624
12	30	Y-5R4G4U1230B	634
12	36	Y-5R4G4U1236B	643
12	42	Y-5R4G4U1242B	652
12	48	Y-5R4G4U1248B	663
12	54	Y-5R4G4U1254B	672
12	60	Y-5R4G4U1260B	746
12	66	Y-5R4G4U1266B	756
12	72	Y-5R4G4U1272B	765
12	78	Y-5R4G4U1278B	839
12	84	Y-5R4G4U1284B	848
16	24	Y-5R4G4U1624B	637
16	30	Y-5R4G4U1630B	648
16	36	Y-5R4G4U1636B	663
16	42	Y-5R4G4U1642B	674
16	48	Y-5R4G4U1648B	687
16	54	Y-5R4G4U1654B	699
16	60	Y-5R4G4U1660B	777
16	66	Y-5R4G4U1666B	791
16	72	Y-5R4G4U1672B	803
16	78	Y-5R4G4U1678B	880
16	84	Y-5R4G4U1684B	895

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4G4U2024B	648
20	30	Y-5R4G4U2030B	665
20	36	Y-5R4G4U2036B	680
20	42	Y-5R4G4U2042B	697
20	48	Y-5R4G4U2048B	713
20	54	Y-5R4G4U2054B	728
20	60	Y-5R4G4U2060B	808
20	66	Y-5R4G4U2066B	827
20	72	Y-5R4G4U2072B	841
20	78	Y-5R4G4U2078B	922
20	84	Y-5R4G4U2084B	938
24	24	Y-5R4G4U2424B	663
24	30	Y-5R4G4U2430B	680
24	36	Y-5R4G4U2436B	699
24	42	Y-5R4G4U2442B	720
24	48	Y-5R4G4U2448B	737
24	54	Y-5R4G4U2454B	758
24	60	Y-5R4G4U2460B	841
24	66	Y-5R4G4U2466B	861
24	72	Y-5R4G4U2472B	879
24	78	Y-5R4G4U2478B	964
24	84	Y-5R4G4U2484B	984




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

PET Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day, Calibrate & Benching HAT Width	Freestanding

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G4U2824B	674
28	30	Y-5R4G4U2830B	697
28	36	Y-5R4G4U2836B	720
28	42	Y-5R4G4U2842B	740
28	48	Y-5R4G4U2848B	764
28	54	Y-5R4G4U2854B	787
28	60	Y-5R4G4U2860B	873
28	66	Y-5R4G4U2866B	897
28	72	Y-5R4G4U2872B	918
28	78	Y-5R4G4U2878B	1,006
28	84	Y-5R4G4U2884B	1,028

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G4U3224B	687
32	30	Y-5R4G4U3230B	713
32	36	Y-5R4G4U3236B	737
32	42	Y-5R4G4U3242B	764
32	48	Y-5R4G4U3248B	790
32	54	Y-5R4G4U3254B	814
32	60	Y-5R4G4U3260B	906
32	66	Y-5R4G4U3266B	931
32	72	Y-5R4G4U3272B	956
32	78	Y-5R4G4U3278B	1,048
32	84	Y-5R4G4U3284B	1,071




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

Day-to-Day, Calibrate & Benching HAT Width Front/Rear Surface Mount Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day, Calibrate & Benching HAT Width	Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1G1U1236B	582	+7	+14
12	42	Y-6R1G1U1242B	613	+7	+14
12	48	Y-6R1G1U1248B	645	+7	+14
12	54	Y-6R1G1U1254B	678	+7	+14
12	60	Y-6R1G1U1260B	709	+7	+14
12	66	Y-6R1G1U1266B	920	+7	+14
12	72	Y-6R1G1U1272B	979	+7	+14
16	36	Y-6R1G1U1636B	650	+11	+22
16	42	Y-6R1G1U1642B	685	+11	+22
16	48	Y-6R1G1U1648B	722	+11	+22
16	54	Y-6R1G1U1654B	758	+11	+22
16	60	Y-6R1G1U1660B	793	+11	+22
16	66	Y-6R1G1U1666B	972	+11	+22
16	72	Y-6R1G1U1672B	1,032	+11	+22
20	36	Y-6R1G1U2036B	720	+15	+30
20	42	Y-6R1G1U2042B	759	+15	+30
20	48	Y-6R1G1U2048B	798	+15	+30
20	54	Y-6R1G1U2054B	835	+15	+30
20	60	Y-6R1G1U2060B	874	+15	+30
20	66	Y-6R1G1U2066B	1,022	+15	+30
20	72	Y-6R1G1U2072B	1,088	+15	+30

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1G1U2436B	789	+18	+36
24	42	Y-6R1G1U2442B	831	+18	+36
24	48	Y-6R1G1U2448B	874	+18	+36
24	54	Y-6R1G1U2454B	912	+18	+36
24	60	Y-6R1G1U2460B	956	+18	+36
24	66	Y-6R1G1U2466B	1,071	+18	+36
24	72	Y-6R1G1U2472B	1,141	+18	+36
28	36	Y-6R1G1U2836B	858	+21	+42
28	42	Y-6R1G1U2842B	904	+21	+42
28	48	Y-6R1G1U2848B	951	+21	+42
28	54	Y-6R1G1U2854B	991	+21	+42
28	60	Y-6R1G1U2860B	1,037	+21	+42
28	66	Y-6R1G1U2866B	1,122	+21	+42
28	72	Y-6R1G1U2872B	1,197	+21	+42



Surface Mount Slimline

Specify	Notes
• Paint Selection (Grade C +10) • Fabric, Vinyl, Whiteboard or Laminate Selection	• Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge. • Offered in all AIS paint finishes.

Day-to-Day, Calibrate & Benching HAT Width Front/Rear Under Surface Mount Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	T-SWMR1236	582	+7	+14
12	42	T-SWMR1242	614	+7	+14
12	48	T-SWMR1248	645	+7	+14
12	54	T-SWMR1254	678	+7	+14
12	60	T-SWMR1260	709	+7	+14
12	66	T-SWMR1266	920	+7	+14
12	72	T-SWMR1272	979	+7	+14
16	36	T-SWMR1636	650	+11	+22
16	42	T-SWMR1642	685	+11	+22
16	48	T-SWMR1648	722	+11	+22
16	54	T-SWMR1654	758	+11	+22
16	60	T-SWMR1660	793	+11	+22
16	66	T-SWMR1666	972	+11	+22
16	72	T-SWMR1672	1,032	+11	+22
20	36	T-SWMR2036	720	+15	+30
20	42	T-SWMR2042	759	+15	+30
20	48	T-SWMR2048	798	+15	+30
20	54	T-SWMR2054	835	+15	+30
20	60	T-SWMR2060	874	+15	+30
20	66	T-SWMR2066	1,022	+15	+30
20	72	T-SWMR2072	1,088	+15	+30

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	T-SWMR2436	789	+18	+36
24	42	T-SWMR2442	831	+18	+36
24	48	T-SWMR2448	874	+18	+36
24	54	T-SWMR2454	912	+18	+36
24	60	T-SWMR2460	956	+18	+36
24	66	T-SWMR2466	1,071	+18	+36
24	72	T-SWMR2472	1,141	+18	+36
28	36	T-SWMR2836	858	+21	+42
28	42	T-SWMR2842	904	+21	+42
28	48	T-SWMR2848	951	+21	+42
28	54	T-SWMR2854	991	+21	+42
28	60	T-SWMR2860	1,037	+21	+42
28	66	T-SWMR2866	1,122	+21	+42
28	72	T-SWMR2872	1,197	+21	+42



Under Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
-