

Day-to-Day, Calibrate & Benching HAT Width Front/Rear Freestanding Slimline Screens



Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day, Calibrate & Benching HAT Width	Freestanding

**PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FREESTANDING SLIMLINE SCREENS**

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1G4U1236B	582	+7	+14
12	42	Y-6R1G4U1242B	613	+7	+14
12	48	Y-6R1G4U1248B	645	+7	+14
12	54	Y-6R1G4U1254B	678	+7	+14
12	60	Y-6R1G4U1260B	709	+7	+14
12	66	Y-6R1G4U1266B	920	+7	+14
12	72	Y-6R1G4U1272B	979	+7	+14
16	36	Y-6R1G4U1636B	650	+11	+22
16	42	Y-6R1G4U1642B	685	+11	+22
16	48	Y-6R1G4U1648B	722	+11	+22
16	54	Y-6R1G4U1654B	758	+11	+22
16	60	Y-6R1G4U1660B	793	+11	+22
16	66	Y-6R1G4U1666B	972	+11	+22
16	72	Y-6R1G4U1672B	1,032	+11	+22
20	36	Y-6R1G4U2036B	720	+15	+30
20	42	Y-6R1G4U2042B	759	+15	+30
20	48	Y-6R1G4U2048B	798	+15	+30
20	54	Y-6R1G4U2054B	835	+15	+30
20	60	Y-6R1G4U2060B	874	+15	+30
20	66	Y-6R1G4U2066B	1,022	+15	+30
20	72	Y-6R1G4U2072B	1,088	+15	+30

**PET DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTH
FREESTANDING SLIMLINE SCREENS**

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1G4U2436B	789	+18	+36
24	42	Y-6R1G4U2442B	831	+18	+36
24	48	Y-6R1G4U2448B	874	+18	+36
24	54	Y-6R1G4U2454B	912	+18	+36
24	60	Y-6R1G4U2460B	956	+18	+36
24	66	Y-6R1G4U2466B	1,071	+18	+36
24	72	Y-6R1G4U2472B	1,141	+18	+36
28	36	Y-6R1G4U2836B	858	+21	+42
28	42	Y-6R1G4U2842B	904	+21	+42
28	48	Y-6R1G4U2848B	951	+21	+42
28	54	Y-6R1G4U2854B	991	+21	+42
28	60	Y-6R1G4U2860B	1,037	+21	+42
28	66	Y-6R1G4U2866B	1,122	+21	+42
28	72	Y-6R1G4U2872B	1,197	+21	+42



Freestanding Slimline

Specify	Notes
• Paint Selection (Grade C +10) • Fabric, Vinyl, Whiteboard or Laminate Selection	• Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge. • Offered in all AIS paint finishes. • Non-marring feet measure 2 3/8" x 12".


L-Wrap Screens Sized for Day-to-Day, Calibrate & E-Series HAT

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	12	Y-5C4J2L121224B	Y-5C4J2R121224B	627
12	30	12	Y-5C4J2L121230B	Y-5C4J2R121230B	638
12	36	12	Y-5C4J2L121236B	Y-5C4J2R121236B	646
12	42	12	Y-5C4J2L121242B	Y-5C4J2R121242B	656
12	48	12	Y-5C4J2L121248B	Y-5C4J2R121248B	666
12	54	12	Y-5C4J2L121254B	Y-5C4J2R121254B	675
12	60	12	Y-5C4J2L121260B	Y-5C4J2R121260B	684
12	66	12	Y-5C4J2L121266B	Y-5C4J2R121266B	695
12	72	12	Y-5C4J2L121272B	Y-5C4J2R121272B	704
12	78	12	Y-5C4J2L121278B	Y-5C4J2R121278B	713
12	24	18	Y-5C4J2L121824B	Y-5C4J2R121824B	638
12	30	18	Y-5C4J2L121830B	Y-5C4J2R121830B	646
12	36	18	Y-5C4J2L121836B	Y-5C4J2R121836B	656
12	42	18	Y-5C4J2L121842B	Y-5C4J2R121842B	666
12	48	18	Y-5C4J2L121848B	Y-5C4J2R121848B	675
12	54	18	Y-5C4J2L121854B	Y-5C4J2R121854B	684
12	60	18	Y-5C4J2L121860B	Y-5C4J2R121860B	695
12	66	18	Y-5C4J2L121866B	Y-5C4J2R121866B	704
12	72	18	Y-5C4J2L121872B	Y-5C4J2R121872B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	24	Y-5C4J2L122424B	Y-5C4J2R122424B	646
12	30	24	Y-5C4J2L122430B	Y-5C4J2R122430B	656
12	36	24	Y-5C4J2L122436B	Y-5C4J2R122436B	666
12	42	24	Y-5C4J2L122442B	Y-5C4J2R122442B	675
12	48	24	Y-5C4J2L122448B	Y-5C4J2R122448B	684
12	54	24	Y-5C4J2L122454B	Y-5C4J2R122454B	695
12	60	24	Y-5C4J2L122460B	Y-5C4J2R122460B	704
12	66	24	Y-5C4J2L122466B	Y-5C4J2R122466B	713
12	24	30	Y-5C4J2L123024B	Y-5C4J2R123024B	656
12	30	30	Y-5C4J2L123030B	Y-5C4J2R123030B	666
12	36	30	Y-5C4J2L123036B	Y-5C4J2R123036B	675
12	42	30	Y-5C4J2L123042B	Y-5C4J2R123042B	684
12	48	30	Y-5C4J2L123048B	Y-5C4J2R123048B	695
12	54	30	Y-5C4J2L123054B	Y-5C4J2R123054B	704
12	60	30	Y-5C4J2L123060B	Y-5C4J2R123060B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	36	Y-5C4J2L123624B	Y-5C4J2R123624B	666
12	30	36	Y-5C4J2L123630B	Y-5C4J2R123630B	675
12	36	36	Y-5C4J2L123636B	Y-5C4J2R123636B	684
12	42	36	Y-5C4J2L123642B	Y-5C4J2R123642B	695
12	48	36	Y-5C4J2L123648B	Y-5C4J2R123648B	704
12	54	36	Y-5C4J2L123654B	Y-5C4J2R123654B	713
12	24	42	Y-5C4J2L124224B	Y-5C4J2R124224B	675
12	30	42	Y-5C4J2L124230B	Y-5C4J2R124230B	684
12	36	42	Y-5C4J2L124236B	Y-5C4J2R124236B	695
12	42	42	Y-5C4J2L124242B	Y-5C4J2R124242B	704
12	48	42	Y-5C4J2L124248B	Y-5C4J2R124248B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	12	Y-5C4J2L161224B	Y-5C4J2R161224B	646
16	30	12	Y-5C4J2L161230B	Y-5C4J2R161230B	659
16	36	12	Y-5C4J2L161236B	Y-5C4J2R161236B	672
16	42	12	Y-5C4J2L161242B	Y-5C4J2R161242B	684
16	48	12	Y-5C4J2L161248B	Y-5C4J2R161248B	697
16	54	12	Y-5C4J2L161254B	Y-5C4J2R161254B	710
16	60	12	Y-5C4J2L161260B	Y-5C4J2R161260B	724
16	66	12	Y-5C4J2L161266B	Y-5C4J2R161266B	736
16	72	12	Y-5C4J2L161272B	Y-5C4J2R161272B	748
16	78	12	Y-5C4J2L161278B	Y-5C4J2R161278B	761
16	24	18	Y-5C4J2L161824B	Y-5C4J2R161824B	659
16	30	18	Y-5C4J2L161830B	Y-5C4J2R161830B	672
16	36	18	Y-5C4J2L161836B	Y-5C4J2R161836B	684
16	42	18	Y-5C4J2L161842B	Y-5C4J2R161842B	697
16	48	18	Y-5C4J2L161848B	Y-5C4J2R161848B	710
16	54	18	Y-5C4J2L161854B	Y-5C4J2R161854B	724
16	60	18	Y-5C4J2L161860B	Y-5C4J2R161860B	736
16	66	18	Y-5C4J2L161866B	Y-5C4J2R161866B	748
16	72	18	Y-5C4J2L161872B	Y-5C4J2R161872B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	24	Y-5C4J2L162424B	Y-5C4J2R162424B	672
16	30	24	Y-5C4J2L162430B	Y-5C4J2R162430B	684
16	36	24	Y-5C4J2L162436B	Y-5C4J2R162436B	697
16	42	24	Y-5C4J2L162442B	Y-5C4J2R162442B	710
16	48	24	Y-5C4J2L162448B	Y-5C4J2R162448B	724
16	54	24	Y-5C4J2L162454B	Y-5C4J2R162454B	736
16	60	24	Y-5C4J2L162460B	Y-5C4J2R162460B	748
16	66	24	Y-5C4J2L162466B	Y-5C4J2R162466B	761
16	24	30	Y-5C4J2L163024B	Y-5C4J2R163024B	684
16	30	30	Y-5C4J2L163030B	Y-5C4J2R163030B	697
16	36	30	Y-5C4J2L163036B	Y-5C4J2R163036B	710
16	42	30	Y-5C4J2L163042B	Y-5C4J2R163042B	724
16	48	30	Y-5C4J2L163048B	Y-5C4J2R163048B	736
16	54	30	Y-5C4J2L163054B	Y-5C4J2R163054B	748
16	60	30	Y-5C4J2L163060B	Y-5C4J2R163060B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	36	Y-5C4J2L163624B	Y-5C4J2R163624B	697
16	30	36	Y-5C4J2L163630B	Y-5C4J2R163630B	710
16	36	36	Y-5C4J2L163636B	Y-5C4J2R163636B	724
16	42	36	Y-5C4J2L163642B	Y-5C4J2R163642B	736
16	48	36	Y-5C4J2L163648B	Y-5C4J2R163648B	748
16	54	36	Y-5C4J2L163654B	Y-5C4J2R163654B	761
16	24	42	Y-5C4J2L164224B	Y-5C4J2R164224B	710
16	30	42	Y-5C4J2L164230B	Y-5C4J2R164230B	724
16	36	42	Y-5C4J2L164236B	Y-5C4J2R164236B	736
16	42	42	Y-5C4J2L164242B	Y-5C4J2R164242B	748
16	48	42	Y-5C4J2L164248B	Y-5C4J2R164248B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	12	Y-5C4J2L201224B	Y-5C4J2R201224B	666
20	30	12	Y-5C4J2L201230B	Y-5C4J2R201230B	682
20	36	12	Y-5C4J2L201236B	Y-5C4J2R201236B	697
20	42	12	Y-5C4J2L201242B	Y-5C4J2R201242B	713
20	48	12	Y-5C4J2L201248B	Y-5C4J2R201248B	729
20	54	12	Y-5C4J2L201254B	Y-5C4J2R201254B	746
20	60	12	Y-5C4J2L201260B	Y-5C4J2R201260B	761
20	66	12	Y-5C4J2L201266B	Y-5C4J2R201266B	776
20	72	12	Y-5C4J2L201272B	Y-5C4J2R201272B	794
20	78	12	Y-5C4J2L201278B	Y-5C4J2R201278B	808
20	24	18	Y-5C4J2L201824B	Y-5C4J2R201824B	682
20	30	18	Y-5C4J2L201830B	Y-5C4J2R201830B	697
20	36	18	Y-5C4J2L201836B	Y-5C4J2R201836B	713
20	42	18	Y-5C4J2L201842B	Y-5C4J2R201842B	729
20	48	18	Y-5C4J2L201848B	Y-5C4J2R201848B	746
20	54	18	Y-5C4J2L201854B	Y-5C4J2R201854B	761
20	60	18	Y-5C4J2L201860B	Y-5C4J2R201860B	776
20	66	18	Y-5C4J2L201866B	Y-5C4J2R201866B	794
20	72	18	Y-5C4J2L201872B	Y-5C4J2R201872B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	24	Y-5C4J2L202424B	Y-5C4J2R202424B	697
20	30	24	Y-5C4J2L202430B	Y-5C4J2R202430B	713
20	36	24	Y-5C4J2L202436B	Y-5C4J2R202436B	729
20	42	24	Y-5C4J2L202442B	Y-5C4J2R202442B	746
20	48	24	Y-5C4J2L202448B	Y-5C4J2R202448B	761
20	54	24	Y-5C4J2L202454B	Y-5C4J2R202454B	776
20	60	24	Y-5C4J2L202460B	Y-5C4J2R202460B	794
20	66	24	Y-5C4J2L202466B	Y-5C4J2R202466B	808
20	24	30	Y-5C4J2L203024B	Y-5C4J2R203024B	713
20	30	30	Y-5C4J2L203030B	Y-5C4J2R203030B	729
20	36	30	Y-5C4J2L203036B	Y-5C4J2R203036B	746
20	42	30	Y-5C4J2L203042B	Y-5C4J2R203042B	761
20	48	30	Y-5C4J2L203048B	Y-5C4J2R203048B	776
20	54	30	Y-5C4J2L203054B	Y-5C4J2R203054B	794
20	60	30	Y-5C4J2L203060B	Y-5C4J2R203060B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	36	Y-5C4J2L203624B	Y-5C4J2R203624B	729
20	30	36	Y-5C4J2L203630B	Y-5C4J2R203630B	746
20	36	36	Y-5C4J2L203636B	Y-5C4J2R203636B	761
20	42	36	Y-5C4J2L203642B	Y-5C4J2R203642B	776
20	48	36	Y-5C4J2L203648B	Y-5C4J2R203648B	794
20	54	36	Y-5C4J2L203654B	Y-5C4J2R203654B	808
20	24	42	Y-5C4J2L204224B	Y-5C4J2R204224B	746
20	30	42	Y-5C4J2L204230B	Y-5C4J2R204230B	761
20	36	42	Y-5C4J2L204236B	Y-5C4J2R204236B	776
20	42	42	Y-5C4J2L204242B	Y-5C4J2R204242B	794
20	48	42	Y-5C4J2L204248B	Y-5C4J2R204248B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	12	Y-5C4J2L241224B	Y-5C4J2R241224B	684
24	30	12	Y-5C4J2L241230B	Y-5C4J2R241230B	704
24	36	12	Y-5C4J2L241236B	Y-5C4J2R241236B	724
24	42	12	Y-5C4J2L241242B	Y-5C4J2R241242B	740
24	48	12	Y-5C4J2L241248B	Y-5C4J2R241248B	761
24	54	12	Y-5C4J2L241254B	Y-5C4J2R241254B	779
24	60	12	Y-5C4J2L241260B	Y-5C4J2R241260B	800
24	66	12	Y-5C4J2L241266B	Y-5C4J2R241266B	818
24	72	12	Y-5C4J2L241272B	Y-5C4J2R241272B	837
24	78	12	Y-5C4J2L241278B	Y-5C4J2R241278B	858
24	24	18	Y-5C4J2L241824B	Y-5C4J2R241824B	704
24	30	18	Y-5C4J2L241830B	Y-5C4J2R241830B	724
24	36	18	Y-5C4J2L241836B	Y-5C4J2R241836B	740
24	42	18	Y-5C4J2L241842B	Y-5C4J2R241842B	761
24	48	18	Y-5C4J2L241848B	Y-5C4J2R241848B	779
24	54	18	Y-5C4J2L241854B	Y-5C4J2R241854B	800
24	60	18	Y-5C4J2L241860B	Y-5C4J2R241860B	818
24	66	18	Y-5C4J2L241866B	Y-5C4J2R241866B	837
24	72	18	Y-5C4J2L241872B	Y-5C4J2R241872B	858



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	24	Y-5C4J2L242424B	Y-5C4J2R242424B	724
24	30	24	Y-5C4J2L242430B	Y-5C4J2R242430B	740
24	36	24	Y-5C4J2L242436B	Y-5C4J2R242436B	761
24	42	24	Y-5C4J2L242442B	Y-5C4J2R242442B	779
24	48	24	Y-5C4J2L242448B	Y-5C4J2R242448B	800
24	54	24	Y-5C4J2L242454B	Y-5C4J2R242454B	818
24	60	24	Y-5C4J2L242460B	Y-5C4J2R242460B	837
24	66	24	Y-5C4J2L242466B	Y-5C4J2R242466B	858
24	24	30	Y-5C4J2L243024B	Y-5C4J2R243024B	740
24	30	30	Y-5C4J2L243030B	Y-5C4J2R243030B	761
24	36	30	Y-5C4J2L243036B	Y-5C4J2R243036B	779
24	42	30	Y-5C4J2L243042B	Y-5C4J2R243042B	800
24	48	30	Y-5C4J2L243048B	Y-5C4J2R243048B	818
24	54	30	Y-5C4J2L243054B	Y-5C4J2R243054B	837
24	60	30	Y-5C4J2L243060B	Y-5C4J2R243060B	858



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	36	Y-5C4J2L243624B	Y-5C4J2R243624B	761
24	30	36	Y-5C4J2L243630B	Y-5C4J2R243630B	779
24	36	36	Y-5C4J2L243636B	Y-5C4J2R243636B	800
24	42	36	Y-5C4J2L243642B	Y-5C4J2R243642B	818
24	48	36	Y-5C4J2L243648B	Y-5C4J2R243648B	837
24	54	36	Y-5C4J2L243654B	Y-5C4J2R243654B	858
24	24	42	Y-5C4J2L244224B	Y-5C4J2R244224B	779
24	30	42	Y-5C4J2L244230B	Y-5C4J2R244230B	800
24	36	42	Y-5C4J2L244236B	Y-5C4J2R244236B	818
24	42	42	Y-5C4J2L244242B	Y-5C4J2R244242B	837
24	48	42	Y-5C4J2L244248B	Y-5C4J2R244248B	858



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	12	Y-5C4J2L281224B	Y-5C4J2R281224B	704
28	30	12	Y-5C4J2L281230B	Y-5C4J2R281230B	726
28	36	12	Y-5C4J2L281236B	Y-5C4J2R281236B	748
28	42	12	Y-5C4J2L281242B	Y-5C4J2R281242B	769
28	48	12	Y-5C4J2L281248B	Y-5C4J2R281248B	794
28	54	12	Y-5C4J2L281254B	Y-5C4J2R281254B	815
28	60	12	Y-5C4J2L281260B	Y-5C4J2R281260B	837
28	66	12	Y-5C4J2L281266B	Y-5C4J2R281266B	860
28	72	12	Y-5C4J2L281272B	Y-5C4J2R281272B	881
28	78	12	Y-5C4J2L281278B	Y-5C4J2R281278B	904
28	24	18	Y-5C4J2L281824B	Y-5C4J2R281824B	726
28	30	18	Y-5C4J2L281830B	Y-5C4J2R281830B	748
28	36	18	Y-5C4J2L281836B	Y-5C4J2R281836B	769
28	42	18	Y-5C4J2L281842B	Y-5C4J2R281842B	794
28	48	18	Y-5C4J2L281848B	Y-5C4J2R281848B	815
28	54	18	Y-5C4J2L281854B	Y-5C4J2R281854B	837
28	60	18	Y-5C4J2L281860B	Y-5C4J2R281860B	860
28	66	18	Y-5C4J2L281866B	Y-5C4J2R281866B	881
28	72	18	Y-5C4J2L281872B	Y-5C4J2R281872B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	24	Y-5C4J2L282424B	Y-5C4J2R282424B	748
28	30	24	Y-5C4J2L282430B	Y-5C4J2R282430B	769
28	36	24	Y-5C4J2L282436B	Y-5C4J2R282436B	794
28	42	24	Y-5C4J2L282442B	Y-5C4J2R282442B	815
28	48	24	Y-5C4J2L282448B	Y-5C4J2R282448B	837
28	54	24	Y-5C4J2L282454B	Y-5C4J2R282454B	860
28	60	24	Y-5C4J2L282460B	Y-5C4J2R282460B	881
28	66	24	Y-5C4J2L282466B	Y-5C4J2R282466B	904
28	24	30	Y-5C4J2L283024B	Y-5C4J2R283024B	769
28	30	30	Y-5C4J2L283030B	Y-5C4J2R283030B	794
28	36	30	Y-5C4J2L283036B	Y-5C4J2R283036B	815
28	42	30	Y-5C4J2L283042B	Y-5C4J2R283042B	837
28	48	30	Y-5C4J2L283048B	Y-5C4J2R283048B	860
28	54	30	Y-5C4J2L283054B	Y-5C4J2R283054B	881
28	60	30	Y-5C4J2L283060B	Y-5C4J2R283060B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	36	Y-5C4J2L283624B	Y-5C4J2R283624B	794
28	30	36	Y-5C4J2L283630B	Y-5C4J2R283630B	815
28	36	36	Y-5C4J2L283636B	Y-5C4J2R283636B	837
28	42	36	Y-5C4J2L283642B	Y-5C4J2R283642B	860
28	48	36	Y-5C4J2L283648B	Y-5C4J2R283648B	881
28	54	36	Y-5C4J2L283654B	Y-5C4J2R283654B	904
28	24	42	Y-5C4J2L284224B	Y-5C4J2R284224B	815
28	30	42	Y-5C4J2L284230B	Y-5C4J2R284230B	837
28	36	42	Y-5C4J2L284236B	Y-5C4J2R284236B	860
28	42	42	Y-5C4J2L284242B	Y-5C4J2R284242B	881
28	48	42	Y-5C4J2L284248B	Y-5C4J2R284248B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
32	24	12	Y-5C4J2L321224B	Y-5C4J2R321224B	786
32	30	12	Y-5C4J2L321230B	Y-5C4J2R321230B	820
32	36	12	Y-5C4J2L321236B	Y-5C4J2R321236B	856
32	42	12	Y-5C4J2L321242B	Y-5C4J2R321242B	890
32	48	12	Y-5C4J2L321248B	Y-5C4J2R321248B	927
32	54	12	Y-5C4J2L321254B	Y-5C4J2R321254B	962
32	60	12	Y-5C4J2L321260B	Y-5C4J2R321260B	997
32	66	12	Y-5C4J2L321266B	Y-5C4J2R321266B	1,033
32	72	12	Y-5C4J2L321272B	Y-5C4J2R321272B	1,069
32	78	12	Y-5C4J2L321278B	Y-5C4J2R321278B	1,105
32	24	18	Y-5C4J2L321824B	Y-5C4J2R321824B	820
32	30	18	Y-5C4J2L321830B	Y-5C4J2R321830B	856
32	36	18	Y-5C4J2L321836B	Y-5C4J2R321836B	890
32	42	18	Y-5C4J2L321842B	Y-5C4J2R321842B	927
32	48	18	Y-5C4J2L321848B	Y-5C4J2R321848B	962
32	54	18	Y-5C4J2L321854B	Y-5C4J2R321854B	997
32	60	18	Y-5C4J2L321860B	Y-5C4J2R321860B	1,033
32	66	18	Y-5C4J2L321866B	Y-5C4J2R321866B	1,069
32	72	18	Y-5C4J2L321872B	Y-5C4J2R321872B	1,105



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
32	24	24	Y-5C4J2L322424B	Y-5C4J2R322424B	856
32	30	24	Y-5C4J2L322430B	Y-5C4J2R322430B	890
32	36	24	Y-5C4J2L322436B	Y-5C4J2R322436B	927
32	42	24	Y-5C4J2L322442B	Y-5C4J2R322442B	962
32	48	24	Y-5C4J2L322448B	Y-5C4J2R322448B	997
32	54	24	Y-5C4J2L322454B	Y-5C4J2R322454B	1,033
32	60	24	Y-5C4J2L322460B	Y-5C4J2R322460B	1,069
32	66	24	Y-5C4J2L322466B	Y-5C4J2R322466B	1,105
32	24	30	Y-5C4J2L323024B	Y-5C4J2R323024B	890
32	30	30	Y-5C4J2L323030B	Y-5C4J2R323030B	927
32	36	30	Y-5C4J2L323036B	Y-5C4J2R323036B	962
32	42	30	Y-5C4J2L323042B	Y-5C4J2R323042B	997
32	48	30	Y-5C4J2L323048B	Y-5C4J2R323048B	1,033
32	54	30	Y-5C4J2L323054B	Y-5C4J2R323054B	1,069
32	60	30	Y-5C4J2L323060B	Y-5C4J2R323060B	1,105



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
32	24	36	Y-5C4J2L323624B	Y-5C4J2R323624B	927
32	30	36	Y-5C4J2L323630B	Y-5C4J2R323630B	962
32	36	36	Y-5C4J2L323636B	Y-5C4J2R323636B	997
32	42	36	Y-5C4J2L323642B	Y-5C4J2R323642B	1,033
32	48	36	Y-5C4J2L323648B	Y-5C4J2R323648B	1,069
32	54	36	Y-5C4J2L323654B	Y-5C4J2R323654B	1,105
32	24	42	Y-5C4J2L324224B	Y-5C4J2R324224B	962
32	30	42	Y-5C4J2L324230B	Y-5C4J2R324230B	997
32	36	42	Y-5C4J2L324236B	Y-5C4J2R324236B	1,033
32	42	42	Y-5C4J2L324242B	Y-5C4J2R324242B	1,069
32	48	42	Y-5C4J2L324248B	Y-5C4J2R324248B	1,105



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	12	Y-5M4J2L221224B	Y-5M4J2R221224B	675
22	30	12	Y-5M4J2L221230B	Y-5M4J2R221230B	693
22	36	12	Y-5M4J2L221236B	Y-5M4J2R221236B	710
22	42	12	Y-5M4J2L221242B	Y-5M4J2R221242B	727
22	48	12	Y-5M4J2L221248B	Y-5M4J2R221248B	746
22	54	12	Y-5M4J2L221254B	Y-5M4J2R221254B	763
22	60	12	Y-5M4J2L221260B	Y-5M4J2R221260B	779
22	66	12	Y-5M4J2L221266B	Y-5M4J2R221266B	798
22	72	12	Y-5M4J2L221272B	Y-5M4J2R221272B	815
22	78	12	Y-5M4J2L221278B	Y-5M4J2R221278B	833
22	24	18	Y-5M4J2L221824B	Y-5M4J2R221824B	693
22	30	18	Y-5M4J2L221830B	Y-5M4J2R221830B	710
22	36	18	Y-5M4J2L221836B	Y-5M4J2R221836B	727
22	42	18	Y-5M4J2L221842B	Y-5M4J2R221842B	746
22	48	18	Y-5M4J2L221848B	Y-5M4J2R221848B	763
22	54	18	Y-5M4J2L221854B	Y-5M4J2R221854B	779
22	60	18	Y-5M4J2L221860B	Y-5M4J2R221860B	798
22	66	18	Y-5M4J2L221866B	Y-5M4J2R221866B	815
22	72	18	Y-5M4J2L221872B	Y-5M4J2R221872B	833



Left Hand



Right Hand



Under Surface Mount Lite


Specify	Notes
• Paint Selection for Lite Clip • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth. • PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	24	Y-5M4J2L222424B	Y-5M4J2R222424B	710
22	30	24	Y-5M4J2L222430B	Y-5M4J2R222430B	727
22	36	24	Y-5M4J2L222436B	Y-5M4J2R222436B	746
22	42	24	Y-5M4J2L222442B	Y-5M4J2R222442B	763
22	48	24	Y-5M4J2L222448B	Y-5M4J2R222448B	779
22	54	24	Y-5M4J2L222454B	Y-5M4J2R222454B	798
22	60	24	Y-5M4J2L222460B	Y-5M4J2R222460B	815
22	66	24	Y-5M4J2L222466B	Y-5M4J2R222466B	833
22	24	30	Y-5M4J2L223024B	Y-5M4J2R223024B	727
22	30	30	Y-5M4J2L223030B	Y-5M4J2R223030B	746
22	36	30	Y-5M4J2L223036B	Y-5M4J2R223036B	763
22	42	30	Y-5M4J2L223042B	Y-5M4J2R223042B	779
22	48	30	Y-5M4J2L223048B	Y-5M4J2R223048B	798
22	54	30	Y-5M4J2L223054B	Y-5M4J2R223054B	815
22	60	30	Y-5M4J2L223060B	Y-5M4J2R223060B	833



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	36	Y-5M4J2L223624B	Y-5M4J2R223624B	746
22	30	36	Y-5M4J2L223630B	Y-5M4J2R223630B	763
22	36	36	Y-5M4J2L223636B	Y-5M4J2R223636B	779
22	42	36	Y-5M4J2L223642B	Y-5M4J2R223642B	798
22	48	36	Y-5M4J2L223648B	Y-5M4J2R223648B	815
22	54	36	Y-5M4J2L223654B	Y-5M4J2R223654B	833
22	24	42	Y-5M4J2L224224B	Y-5M4J2R224224B	763
22	30	42	Y-5M4J2L224230B	Y-5M4J2R224230B	779
22	36	42	Y-5M4J2L224236B	Y-5M4J2R224236B	798
22	42	42	Y-5M4J2L224242B	Y-5M4J2R224242B	815
22	48	42	Y-5M4J2L224248B	Y-5M4J2R224248B	833



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	12	Y-5M4J2L261224B	Y-5M4J2R261224B	695
26	30	12	Y-5M4J2L261230B	Y-5M4J2R261230B	715
26	36	12	Y-5M4J2L261236B	Y-5M4J2R261236B	736
26	42	12	Y-5M4J2L261242B	Y-5M4J2R261242B	756
26	48	12	Y-5M4J2L261248B	Y-5M4J2R261248B	776
26	54	12	Y-5M4J2L261254B	Y-5M4J2R261254B	798
26	60	12	Y-5M4J2L261260B	Y-5M4J2R261260B	818
26	66	12	Y-5M4J2L261266B	Y-5M4J2R261266B	839
26	72	12	Y-5M4J2L261272B	Y-5M4J2R261272B	860
26	78	12	Y-5M4J2L261278B	Y-5M4J2R261278B	880
26	24	18	Y-5M4J2L261824B	Y-5M4J2R261824B	715
26	30	18	Y-5M4J2L261830B	Y-5M4J2R261830B	736
26	36	18	Y-5M4J2L261836B	Y-5M4J2R261836B	756
26	42	18	Y-5M4J2L261842B	Y-5M4J2R261842B	776
26	48	18	Y-5M4J2L261848B	Y-5M4J2R261848B	798
26	54	18	Y-5M4J2L261854B	Y-5M4J2R261854B	818
26	60	18	Y-5M4J2L261860B	Y-5M4J2R261860B	839
26	66	18	Y-5M4J2L261866B	Y-5M4J2R261866B	860
26	72	18	Y-5M4J2L261872B	Y-5M4J2R261872B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	24	Y-5M4J2L262424B	Y-5M4J2R262424B	736
26	30	24	Y-5M4J2L262430B	Y-5M4J2R262430B	756
26	36	24	Y-5M4J2L262436B	Y-5M4J2R262436B	776
26	42	24	Y-5M4J2L262442B	Y-5M4J2R262442B	798
26	48	24	Y-5M4J2L262448B	Y-5M4J2R262448B	818
26	54	24	Y-5M4J2L262454B	Y-5M4J2R262454B	839
26	60	24	Y-5M4J2L262460B	Y-5M4J2R262460B	860
26	66	24	Y-5M4J2L262466B	Y-5M4J2R262466B	880
26	24	30	Y-5M4J2L263024B	Y-5M4J2R263024B	756
26	30	30	Y-5M4J2L263030B	Y-5M4J2R263030B	776
26	36	30	Y-5M4J2L263036B	Y-5M4J2R263036B	798
26	42	30	Y-5M4J2L263042B	Y-5M4J2R263042B	818
26	48	30	Y-5M4J2L263048B	Y-5M4J2R263048B	839
26	54	30	Y-5M4J2L263054B	Y-5M4J2R263054B	860
26	60	30	Y-5M4J2L263060B	Y-5M4J2R263060B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	36	Y-5M4J2L263624B	Y-5M4J2R263624B	776
26	30	36	Y-5M4J2L263630B	Y-5M4J2R263630B	798
26	36	36	Y-5M4J2L263636B	Y-5M4J2R263636B	818
26	42	36	Y-5M4J2L263642B	Y-5M4J2R263642B	839
26	48	36	Y-5M4J2L263648B	Y-5M4J2R263648B	860
26	54	36	Y-5M4J2L263654B	Y-5M4J2R263654B	880
26	24	42	Y-5M4J2L264224B	Y-5M4J2R264224B	798
26	30	42	Y-5M4J2L264230B	Y-5M4J2R264230B	818
26	36	42	Y-5M4J2L264236B	Y-5M4J2R264236B	839
26	42	42	Y-5M4J2L264242B	Y-5M4J2R264242B	860
26	48	42	Y-5M4J2L264248B	Y-5M4J2R264248B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	12	Y-5M4J2L341224B	Y-5M4J2R341224B	798
34	30	12	Y-5M4J2L341230B	Y-5M4J2R341230B	835
34	36	12	Y-5M4J2L341236B	Y-5M4J2R341236B	873
34	42	12	Y-5M4J2L341242B	Y-5M4J2R341242B	911
34	48	12	Y-5M4J2L341248B	Y-5M4J2R341248B	950
34	54	12	Y-5M4J2L341254B	Y-5M4J2R341254B	988
34	60	12	Y-5M4J2L341260B	Y-5M4J2R341260B	1,025
34	66	12	Y-5M4J2L341266B	Y-5M4J2R341266B	1,062
34	72	12	Y-5M4J2L341272B	Y-5M4J2R341272B	1,100
34	78	12	Y-5M4J2L341278B	Y-5M4J2R341278B	1,139
34	24	18	Y-5M4J2L341824B	Y-5M4J2R341824B	835
34	30	18	Y-5M4J2L341830B	Y-5M4J2R341830B	873
34	36	18	Y-5M4J2L341836B	Y-5M4J2R341836B	911
34	42	18	Y-5M4J2L341842B	Y-5M4J2R341842B	950
34	48	18	Y-5M4J2L341848B	Y-5M4J2R341848B	988
34	54	18	Y-5M4J2L341854B	Y-5M4J2R341854B	1,025
34	60	18	Y-5M4J2L341860B	Y-5M4J2R341860B	1,062
34	66	18	Y-5M4J2L341866B	Y-5M4J2R341866B	1,100
34	72	18	Y-5M4J2L341872B	Y-5M4J2R341872B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	24	Y-5M4J2L342424B	Y-5M4J2R342424B	873
34	30	24	Y-5M4J2L342430B	Y-5M4J2R342430B	911
34	36	24	Y-5M4J2L342436B	Y-5M4J2R342436B	950
34	42	24	Y-5M4J2L342442B	Y-5M4J2R342442B	988
34	48	24	Y-5M4J2L342448B	Y-5M4J2R342448B	1,025
34	54	24	Y-5M4J2L342454B	Y-5M4J2R342454B	1,062
34	60	24	Y-5M4J2L342460B	Y-5M4J2R342460B	1,100
34	66	24	Y-5M4J2L342466B	Y-5M4J2R342466B	1,139
34	24	30	Y-5M4J2L343024B	Y-5M4J2R343024B	911
34	30	30	Y-5M4J2L343030B	Y-5M4J2R343030B	950
34	36	30	Y-5M4J2L343036B	Y-5M4J2R343036B	988
34	42	30	Y-5M4J2L343042B	Y-5M4J2R343042B	1,025
34	48	30	Y-5M4J2L343048B	Y-5M4J2R343048B	1,062
34	54	30	Y-5M4J2L343054B	Y-5M4J2R343054B	1,100
34	60	30	Y-5M4J2L343060B	Y-5M4J2R343060B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	36	Y-5M4J2L343624B	Y-5M4J2R343624B	950
34	30	36	Y-5M4J2L343630B	Y-5M4J2R343630B	988
34	36	36	Y-5M4J2L343636B	Y-5M4J2R343636B	1,025
34	42	36	Y-5M4J2L343642B	Y-5M4J2R343642B	1,062
34	48	36	Y-5M4J2L343648B	Y-5M4J2R343648B	1,100
34	54	36	Y-5M4J2L343654B	Y-5M4J2R343654B	1,139
34	24	42	Y-5M4J2L344224B	Y-5M4J2R344224B	988
34	30	42	Y-5M4J2L344230B	Y-5M4J2R344230B	1,025
34	36	42	Y-5M4J2L344236B	Y-5M4J2R344236B	1,062
34	42	42	Y-5M4J2L344242B	Y-5M4J2R344242B	1,100
34	48	42	Y-5M4J2L344248B	Y-5M4J2R344248B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	12	Y-5M4J2L381224B	Y-5M4J2R381224B	826
38	30	12	Y-5M4J2L381230B	Y-5M4J2R381230B	867
38	36	12	Y-5M4J2L381236B	Y-5M4J2R381236B	909
38	42	12	Y-5M4J2L381242B	Y-5M4J2R381242B	951
38	48	12	Y-5M4J2L381248B	Y-5M4J2R381248B	994
38	54	12	Y-5M4J2L381254B	Y-5M4J2R381254B	1,036
38	60	12	Y-5M4J2L381260B	Y-5M4J2R381260B	1,077
38	66	12	Y-5M4J2L381266B	Y-5M4J2R381266B	1,122
38	72	12	Y-5M4J2L381272B	Y-5M4J2R381272B	1,163
38	78	12	Y-5M4J2L381278B	Y-5M4J2R381278B	1,206
38	24	18	Y-5M4J2L381824B	Y-5M4J2R381824B	867
38	30	18	Y-5M4J2L381830B	Y-5M4J2R381830B	909
38	36	18	Y-5M4J2L381836B	Y-5M4J2R381836B	951
38	42	18	Y-5M4J2L381842B	Y-5M4J2R381842B	994
38	48	18	Y-5M4J2L381848B	Y-5M4J2R381848B	1,036
38	54	18	Y-5M4J2L381854B	Y-5M4J2R381854B	1,077
38	60	18	Y-5M4J2L381860B	Y-5M4J2R381860B	1,122
38	66	18	Y-5M4J2L381866B	Y-5M4J2R381866B	1,163
38	72	18	Y-5M4J2L381872B	Y-5M4J2R381872B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	24	Y-5M4J2L382424B	Y-5M4J2R382424B	909
38	30	24	Y-5M4J2L382430B	Y-5M4J2R382430B	951
38	36	24	Y-5M4J2L382436B	Y-5M4J2R382436B	994
38	42	24	Y-5M4J2L382442B	Y-5M4J2R382442B	1,036
38	48	24	Y-5M4J2L382448B	Y-5M4J2R382448B	1,077
38	54	24	Y-5M4J2L382454B	Y-5M4J2R382454B	1,122
38	60	24	Y-5M4J2L382460B	Y-5M4J2R382460B	1,163
38	66	24	Y-5M4J2L382466B	Y-5M4J2R382466B	1,206
38	24	30	Y-5M4J2L383024B	Y-5M4J2R383024B	951
38	30	30	Y-5M4J2L383030B	Y-5M4J2R383030B	994
38	36	30	Y-5M4J2L383036B	Y-5M4J2R383036B	1,036
38	42	30	Y-5M4J2L383042B	Y-5M4J2R383042B	1,077
38	48	30	Y-5M4J2L383048B	Y-5M4J2R383048B	1,122
38	54	30	Y-5M4J2L383054B	Y-5M4J2R383054B	1,163
38	60	30	Y-5M4J2L383060B	Y-5M4J2R383060B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	36	Y-5M4J2L383624B	Y-5M4J2R383624B	994
38	30	36	Y-5M4J2L383630B	Y-5M4J2R383630B	1,036
38	36	36	Y-5M4J2L383636B	Y-5M4J2R383636B	1,077
38	42	36	Y-5M4J2L383642B	Y-5M4J2R383642B	1,122
38	48	36	Y-5M4J2L383648B	Y-5M4J2R383648B	1,163
38	54	36	Y-5M4J2L383654B	Y-5M4J2R383654B	1,206
38	24	42	Y-5M4J2L384224B	Y-5M4J2R384224B	1,036
38	30	42	Y-5M4J2L384230B	Y-5M4J2R384230B	1,077
38	36	42	Y-5M4J2L384236B	Y-5M4J2R384236B	1,122
38	42	42	Y-5M4J2L384242B	Y-5M4J2R384242B	1,163
38	48	42	Y-5M4J2L384248B	Y-5M4J2R384248B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	12	Y-5M4J2L421224B	Y-5M4J2R421224B	850
42	30	12	Y-5M4J2L421230B	Y-5M4J2R421230B	898
42	36	12	Y-5M4J2L421236B	Y-5M4J2R421236B	944
42	42	12	Y-5M4J2L421242B	Y-5M4J2R421242B	991
42	48	12	Y-5M4J2L421248B	Y-5M4J2R421248B	1,037
42	54	12	Y-5M4J2L421254B	Y-5M4J2R421254B	1,086
42	60	12	Y-5M4J2L421260B	Y-5M4J2R421260B	1,131
42	66	12	Y-5M4J2L421266B	Y-5M4J2R421266B	1,179
42	72	12	Y-5M4J2L421272B	Y-5M4J2R421272B	1,224
42	78	12	Y-5M4J2L421278B	Y-5M4J2R421278B	1,274
42	24	18	Y-5M4J2L421824B	Y-5M4J2R421824B	898
42	30	18	Y-5M4J2L421830B	Y-5M4J2R421830B	944
42	36	18	Y-5M4J2L421836B	Y-5M4J2R421836B	991
42	42	18	Y-5M4J2L421842B	Y-5M4J2R421842B	1,037
42	48	18	Y-5M4J2L421848B	Y-5M4J2R421848B	1,086
42	54	18	Y-5M4J2L421854B	Y-5M4J2R421854B	1,131
42	60	18	Y-5M4J2L421860B	Y-5M4J2R421860B	1,179
42	66	18	Y-5M4J2L421866B	Y-5M4J2R421866B	1,224
42	72	18	Y-5M4J2L421872B	Y-5M4J2R421872B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	24	Y-5M4J2L422424B	Y-5M4J2R422424B	944
42	30	24	Y-5M4J2L422430B	Y-5M4J2R422430B	991
42	36	24	Y-5M4J2L422436B	Y-5M4J2R422436B	1,037
42	42	24	Y-5M4J2L422442B	Y-5M4J2R422442B	1,086
42	48	24	Y-5M4J2L422448B	Y-5M4J2R422448B	1,131
42	54	24	Y-5M4J2L422454B	Y-5M4J2R422454B	1,179
42	60	24	Y-5M4J2L422460B	Y-5M4J2R422460B	1,224
42	66	24	Y-5M4J2L422466B	Y-5M4J2R422466B	1,274
42	24	30	Y-5M4J2L423024B	Y-5M4J2R423024B	991
42	30	30	Y-5M4J2L423030B	Y-5M4J2R423030B	1,037
42	36	30	Y-5M4J2L423036B	Y-5M4J2R423036B	1,086
42	42	30	Y-5M4J2L423042B	Y-5M4J2R423042B	1,131
42	48	30	Y-5M4J2L423048B	Y-5M4J2R423048B	1,179
42	54	30	Y-5M4J2L423054B	Y-5M4J2R423054B	1,224
42	60	30	Y-5M4J2L423060B	Y-5M4J2R423060B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	36	Y-5M4J2L423624B	Y-5M4J2R423624B	1,037
42	30	36	Y-5M4J2L423630B	Y-5M4J2R423630B	1,086
42	36	36	Y-5M4J2L423636B	Y-5M4J2R423636B	1,131
42	42	36	Y-5M4J2L423642B	Y-5M4J2R423642B	1,179
42	48	36	Y-5M4J2L423648B	Y-5M4J2R423648B	1,224
42	54	36	Y-5M4J2L423654B	Y-5M4J2R423654B	1,274
42	24	42	Y-5M4J2L424224B	Y-5M4J2R424224B	1,086
42	30	42	Y-5M4J2L424230B	Y-5M4J2R424230B	1,131
42	36	42	Y-5M4J2L424236B	Y-5M4J2R424236B	1,179
42	42	42	Y-5M4J2L424242B	Y-5M4J2R424242B	1,224
42	48	42	Y-5M4J2L424248B	Y-5M4J2R424248B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	12	Y-5M4J2L461224B	Y-5M4J2R461224B	877
46	30	12	Y-5M4J2L461230B	Y-5M4J2R461230B	928
46	36	12	Y-5M4J2L461236B	Y-5M4J2R461236B	981
46	42	12	Y-5M4J2L461242B	Y-5M4J2R461242B	1,031
46	48	12	Y-5M4J2L461248B	Y-5M4J2R461248B	1,085
46	54	12	Y-5M4J2L461254B	Y-5M4J2R461254B	1,133
46	60	12	Y-5M4J2L461260B	Y-5M4J2R461260B	1,186
46	66	12	Y-5M4J2L461266B	Y-5M4J2R461266B	1,237
46	72	12	Y-5M4J2L461272B	Y-5M4J2R461272B	1,289
46	78	12	Y-5M4J2L461278B	Y-5M4J2R461278B	1,341
46	24	18	Y-5M4J2L461824B	Y-5M4J2R461824B	928
46	30	18	Y-5M4J2L461830B	Y-5M4J2R461830B	981
46	36	18	Y-5M4J2L461836B	Y-5M4J2R461836B	1,031
46	42	18	Y-5M4J2L461842B	Y-5M4J2R461842B	1,085
46	48	18	Y-5M4J2L461848B	Y-5M4J2R461848B	1,133
46	54	18	Y-5M4J2L461854B	Y-5M4J2R461854B	1,186
46	60	18	Y-5M4J2L461860B	Y-5M4J2R461860B	1,237
46	66	18	Y-5M4J2L461866B	Y-5M4J2R461866B	1,289
46	72	18	Y-5M4J2L461872B	Y-5M4J2R461872B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	24	Y-5M4J2L462424B	Y-5M4J2R462424B	981
46	30	24	Y-5M4J2L462430B	Y-5M4J2R462430B	1,031
46	36	24	Y-5M4J2L462436B	Y-5M4J2R462436B	1,085
46	42	24	Y-5M4J2L462442B	Y-5M4J2R462442B	1,133
46	48	24	Y-5M4J2L462448B	Y-5M4J2R462448B	1,186
46	54	24	Y-5M4J2L462454B	Y-5M4J2R462454B	1,237
46	60	24	Y-5M4J2L462460B	Y-5M4J2R462460B	1,289
46	66	24	Y-5M4J2L462466B	Y-5M4J2R462466B	1,341
46	24	30	Y-5M4J2L463024B	Y-5M4J2R463024B	1,031
46	30	30	Y-5M4J2L463030B	Y-5M4J2R463030B	1,085
46	36	30	Y-5M4J2L463036B	Y-5M4J2R463036B	1,133
46	42	30	Y-5M4J2L463042B	Y-5M4J2R463042B	1,186
46	48	30	Y-5M4J2L463048B	Y-5M4J2R463048B	1,237
46	54	30	Y-5M4J2L463054B	Y-5M4J2R463054B	1,289
46	60	30	Y-5M4J2L463060B	Y-5M4J2R463060B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	36	Y-5M4J2L463624B	Y-5M4J2R463624B	1,085
46	30	36	Y-5M4J2L463630B	Y-5M4J2R463630B	1,133
46	36	36	Y-5M4J2L463636B	Y-5M4J2R463636B	1,186
46	42	36	Y-5M4J2L463642B	Y-5M4J2R463642B	1,237
46	48	36	Y-5M4J2L463648B	Y-5M4J2R463648B	1,289
46	54	36	Y-5M4J2L463654B	Y-5M4J2R463654B	1,341
46	24	42	Y-5M4J2L464224B	Y-5M4J2R464224B	1,133
46	30	42	Y-5M4J2L464230B	Y-5M4J2R464230B	1,186
46	36	42	Y-5M4J2L464236B	Y-5M4J2R464236B	1,237
46	42	42	Y-5M4J2L464242B	Y-5M4J2R464242B	1,289
46	48	42	Y-5M4J2L464248B	Y-5M4J2R464248B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

L-Wrap Screens Sized for Nominal = Actual Size


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5C4M2L121224B	Y-5C4M2R121224B	627
12	30	12	Y-5C4M2L121230B	Y-5C4M2R121230B	638
12	36	12	Y-5C4M2L121236B	Y-5C4M2R121236B	646
12	42	12	Y-5C4M2L121242B	Y-5C4M2R121242B	656
12	48	12	Y-5C4M2L121248B	Y-5C4M2R121248B	666
12	54	12	Y-5C4M2L121254B	Y-5C4M2R121254B	675
12	60	12	Y-5C4M2L121260B	Y-5C4M2R121260B	684
12	66	12	Y-5C4M2L121266B	Y-5C4M2R121266B	695
12	72	12	Y-5C4M2L121272B	Y-5C4M2R121272B	704
12	78	12	Y-5C4M2L121278B	Y-5C4M2R121278B	713
12	24	18	Y-5C4M2L121824B	Y-5C4M2R121824B	638
12	30	18	Y-5C4M2L121830B	Y-5C4M2R121830B	646
12	36	18	Y-5C4M2L121836B	Y-5C4M2R121836B	656
12	42	18	Y-5C4M2L121842B	Y-5C4M2R121842B	666
12	48	18	Y-5C4M2L121848B	Y-5C4M2R121848B	675
12	54	18	Y-5C4M2L121854B	Y-5C4M2R121854B	684
12	60	18	Y-5C4M2L121860B	Y-5C4M2R121860B	695
12	66	18	Y-5C4M2L121866B	Y-5C4M2R121866B	704
12	72	18	Y-5C4M2L121872B	Y-5C4M2R121872B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5C4M2L122424B	Y-5C4M2R122424B	646
12	30	24	Y-5C4M2L122430B	Y-5C4M2R122430B	656
12	36	24	Y-5C4M2L122436B	Y-5C4M2R122436B	666
12	42	24	Y-5C4M2L122442B	Y-5C4M2R122442B	675
12	48	24	Y-5C4M2L122448B	Y-5C4M2R122448B	684
12	54	24	Y-5C4M2L122454B	Y-5C4M2R122454B	695
12	60	24	Y-5C4M2L122460B	Y-5C4M2R122460B	704
12	66	24	Y-5C4M2L122466B	Y-5C4M2R122466B	713
12	24	30	Y-5C4M2L123024B	Y-5C4M2R123024B	656
12	30	30	Y-5C4M2L123030B	Y-5C4M2R123030B	666
12	36	30	Y-5C4M2L123036B	Y-5C4M2R123036B	675
12	42	30	Y-5C4M2L123042B	Y-5C4M2R123042B	684
12	48	30	Y-5C4M2L123048B	Y-5C4M2R123048B	695
12	54	30	Y-5C4M2L123054B	Y-5C4M2R123054B	704
12	60	30	Y-5C4M2L123060B	Y-5C4M2R123060B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	36	Y-5C4M2L123624B	Y-5C4M2R123624B	666
12	30	36	Y-5C4M2L123630B	Y-5C4M2R123630B	675
12	36	36	Y-5C4M2L123636B	Y-5C4M2R123636B	684
12	42	36	Y-5C4M2L123642B	Y-5C4M2R123642B	695
12	48	36	Y-5C4M2L123648B	Y-5C4M2R123648B	704
12	54	36	Y-5C4M2L123654B	Y-5C4M2R123654B	713
12	24	42	Y-5C4M2L124224B	Y-5C4M2R124224B	675
12	30	42	Y-5C4M2L124230B	Y-5C4M2R124230B	684
12	36	42	Y-5C4M2L124236B	Y-5C4M2R124236B	695
12	42	42	Y-5C4M2L124242B	Y-5C4M2R124242B	704
12	48	42	Y-5C4M2L124248B	Y-5C4M2R124248B	713



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	12	Y-5C4M2L161224B	Y-5C4M2R161224B	646
16	30	12	Y-5C4M2L161230B	Y-5C4M2R161230B	659
16	36	12	Y-5C4M2L161236B	Y-5C4M2R161236B	672
16	42	12	Y-5C4M2L161242B	Y-5C4M2R161242B	684
16	48	12	Y-5C4M2L161248B	Y-5C4M2R161248B	697
16	54	12	Y-5C4M2L161254B	Y-5C4M2R161254B	710
16	60	12	Y-5C4M2L161260B	Y-5C4M2R161260B	724
16	66	12	Y-5C4M2L161266B	Y-5C4M2R161266B	736
16	72	12	Y-5C4M2L161272B	Y-5C4M2R161272B	748
16	78	12	Y-5C4M2L161278B	Y-5C4M2R161278B	761
16	24	18	Y-5C4M2L161824B	Y-5C4M2R161824B	659
16	30	18	Y-5C4M2L161830B	Y-5C4M2R161830B	672
16	36	18	Y-5C4M2L161836B	Y-5C4M2R161836B	684
16	42	18	Y-5C4M2L161842B	Y-5C4M2R161842B	697
16	48	18	Y-5C4M2L161848B	Y-5C4M2R161848B	710
16	54	18	Y-5C4M2L161854B	Y-5C4M2R161854B	724
16	60	18	Y-5C4M2L161860B	Y-5C4M2R161860B	736
16	66	18	Y-5C4M2L161866B	Y-5C4M2R161866B	748
16	72	18	Y-5C4M2L161872B	Y-5C4M2R161872B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	24	Y-5C4M2L162424B	Y-5C4M2R162424B	672
16	30	24	Y-5C4M2L162430B	Y-5C4M2R162430B	684
16	36	24	Y-5C4M2L162436B	Y-5C4M2R162436B	697
16	42	24	Y-5C4M2L162442B	Y-5C4M2R162442B	710
16	48	24	Y-5C4M2L162448B	Y-5C4M2R162448B	724
16	54	24	Y-5C4M2L162454B	Y-5C4M2R162454B	736
16	60	24	Y-5C4M2L162460B	Y-5C4M2R162460B	748
16	66	24	Y-5C4M2L162466B	Y-5C4M2R162466B	761
16	24	30	Y-5C4M2L163024B	Y-5C4M2R163024B	684
16	30	30	Y-5C4M2L163030B	Y-5C4M2R163030B	697
16	36	30	Y-5C4M2L163036B	Y-5C4M2R163036B	710
16	42	30	Y-5C4M2L163042B	Y-5C4M2R163042B	724
16	48	30	Y-5C4M2L163048B	Y-5C4M2R163048B	736
16	54	30	Y-5C4M2L163054B	Y-5C4M2R163054B	748
16	60	30	Y-5C4M2L163060B	Y-5C4M2R163060B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	36	Y-5C4M2L163624B	Y-5C4M2R163624B	697
16	30	36	Y-5C4M2L163630B	Y-5C4M2R163630B	710
16	36	36	Y-5C4M2L163636B	Y-5C4M2R163636B	724
16	42	36	Y-5C4M2L163642B	Y-5C4M2R163642B	736
16	48	36	Y-5C4M2L163648B	Y-5C4M2R163648B	748
16	54	36	Y-5C4M2L163654B	Y-5C4M2R163654B	761
16	24	42	Y-5C4M2L164224B	Y-5C4M2R164224B	710
16	30	42	Y-5C4M2L164230B	Y-5C4M2R164230B	724
16	36	42	Y-5C4M2L164236B	Y-5C4M2R164236B	736
16	42	42	Y-5C4M2L164242B	Y-5C4M2R164242B	748
16	48	42	Y-5C4M2L164248B	Y-5C4M2R164248B	761



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	12	Y-5C4M2L201224B	Y-5C4M2R201224B	666
20	30	12	Y-5C4M2L201230B	Y-5C4M2R201230B	682
20	36	12	Y-5C4M2L201236B	Y-5C4M2R201236B	697
20	42	12	Y-5C4M2L201242B	Y-5C4M2R201242B	713
20	48	12	Y-5C4M2L201248B	Y-5C4M2R201248B	729
20	54	12	Y-5C4M2L201254B	Y-5C4M2R201254B	746
20	60	12	Y-5C4M2L201260B	Y-5C4M2R201260B	761
20	66	12	Y-5C4M2L201266B	Y-5C4M2R201266B	776
20	72	12	Y-5C4M2L201272B	Y-5C4M2R201272B	794
20	78	12	Y-5C4M2L201278B	Y-5C4M2R201278B	808
20	24	18	Y-5C4M2L201824B	Y-5C4M2R201824B	682
20	30	18	Y-5C4M2L201830B	Y-5C4M2R201830B	697
20	36	18	Y-5C4M2L201836B	Y-5C4M2R201836B	713
20	42	18	Y-5C4M2L201842B	Y-5C4M2R201842B	729
20	48	18	Y-5C4M2L201848B	Y-5C4M2R201848B	746
20	54	18	Y-5C4M2L201854B	Y-5C4M2R201854B	761
20	60	18	Y-5C4M2L201860B	Y-5C4M2R201860B	776
20	66	18	Y-5C4M2L201866B	Y-5C4M2R201866B	794
20	72	18	Y-5C4M2L201872B	Y-5C4M2R201872B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	24	Y-5C4M2L202424B	Y-5C4M2R202424B	697
20	30	24	Y-5C4M2L202430B	Y-5C4M2R202430B	713
20	36	24	Y-5C4M2L202436B	Y-5C4M2R202436B	729
20	42	24	Y-5C4M2L202442B	Y-5C4M2R202442B	746
20	48	24	Y-5C4M2L202448B	Y-5C4M2R202448B	761
20	54	24	Y-5C4M2L202454B	Y-5C4M2R202454B	776
20	60	24	Y-5C4M2L202460B	Y-5C4M2R202460B	794
20	66	24	Y-5C4M2L202466B	Y-5C4M2R202466B	808
20	24	30	Y-5C4M2L203024B	Y-5C4M2R203024B	713
20	30	30	Y-5C4M2L203030B	Y-5C4M2R203030B	729
20	36	30	Y-5C4M2L203036B	Y-5C4M2R203036B	746
20	42	30	Y-5C4M2L203042B	Y-5C4M2R203042B	761
20	48	30	Y-5C4M2L203048B	Y-5C4M2R203048B	776
20	54	30	Y-5C4M2L203054B	Y-5C4M2R203054B	794
20	60	30	Y-5C4M2L203060B	Y-5C4M2R203060B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	36	Y-5C4M2L203624B	Y-5C4M2R203624B	729
20	30	36	Y-5C4M2L203630B	Y-5C4M2R203630B	746
20	36	36	Y-5C4M2L203636B	Y-5C4M2R203636B	761
20	42	36	Y-5C4M2L203642B	Y-5C4M2R203642B	776
20	48	36	Y-5C4M2L203648B	Y-5C4M2R203648B	794
20	54	36	Y-5C4M2L203654B	Y-5C4M2R203654B	808
20	24	42	Y-5C4M2L204224B	Y-5C4M2R204224B	746
20	30	42	Y-5C4M2L204230B	Y-5C4M2R204230B	761
20	36	42	Y-5C4M2L204236B	Y-5C4M2R204236B	776
20	42	42	Y-5C4M2L204242B	Y-5C4M2R204242B	794
20	48	42	Y-5C4M2L204248B	Y-5C4M2R204248B	808



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	12	Y-5C4M2L241224B	Y-5C4M2R241224B	684
24	30	12	Y-5C4M2L241230B	Y-5C4M2R241230B	704
24	36	12	Y-5C4M2L241236B	Y-5C4M2R241236B	724
24	42	12	Y-5C4M2L241242B	Y-5C4M2R241242B	740
24	48	12	Y-5C4M2L241248B	Y-5C4M2R241248B	761
24	54	12	Y-5C4M2L241254B	Y-5C4M2R241254B	779
24	60	12	Y-5C4M2L241260B	Y-5C4M2R241260B	800
24	66	12	Y-5C4M2L241266B	Y-5C4M2R241266B	818
24	72	12	Y-5C4M2L241272B	Y-5C4M2R241272B	837
24	78	12	Y-5C4M2L241278B	Y-5C4M2R241278B	858
24	24	18	Y-5C4M2L241824B	Y-5C4M2R241824B	704
24	30	18	Y-5C4M2L241830B	Y-5C4M2R241830B	724
24	36	18	Y-5C4M2L241836B	Y-5C4M2R241836B	740
24	42	18	Y-5C4M2L241842B	Y-5C4M2R241842B	761
24	48	18	Y-5C4M2L241848B	Y-5C4M2R241848B	779
24	54	18	Y-5C4M2L241854B	Y-5C4M2R241854B	800
24	60	18	Y-5C4M2L241860B	Y-5C4M2R241860B	818
24	66	18	Y-5C4M2L241866B	Y-5C4M2R241866B	837
24	72	18	Y-5C4M2L241872B	Y-5C4M2R241872B	858



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	24	Y-5C4M2L242424B	Y-5C4M2R242424B	724
24	30	24	Y-5C4M2L242430B	Y-5C4M2R242430B	740
24	36	24	Y-5C4M2L242436B	Y-5C4M2R242436B	761
24	42	24	Y-5C4M2L242442B	Y-5C4M2R242442B	779
24	48	24	Y-5C4M2L242448B	Y-5C4M2R242448B	800
24	54	24	Y-5C4M2L242454B	Y-5C4M2R242454B	818
24	60	24	Y-5C4M2L242460B	Y-5C4M2R242460B	837
24	66	24	Y-5C4M2L242466B	Y-5C4M2R242466B	858
24	24	30	Y-5C4M2L243024B	Y-5C4M2R243024B	740
24	30	30	Y-5C4M2L243030B	Y-5C4M2R243030B	761
24	36	30	Y-5C4M2L243036B	Y-5C4M2R243036B	779
24	42	30	Y-5C4M2L243042B	Y-5C4M2R243042B	800
24	48	30	Y-5C4M2L243048B	Y-5C4M2R243048B	818
24	54	30	Y-5C4M2L243054B	Y-5C4M2R243054B	837
24	60	30	Y-5C4M2L243060B	Y-5C4M2R243060B	858



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS						
H	W	D	Left Hand	Right Hand	List	
			Model Number	Model Number		
24	24	36	Y-5C4M2L243624B	Y-5C4M2R243624B	761	
24	30	36	Y-5C4M2L243630B	Y-5C4M2R243630B	779	
24	36	36	Y-5C4M2L243636B	Y-5C4M2R243636B	800	
24	42	36	Y-5C4M2L243642B	Y-5C4M2R243642B	818	
24	48	36	Y-5C4M2L243648B	Y-5C4M2R243648B	837	
24	54	36	Y-5C4M2L243654B	Y-5C4M2R243654B	858	
24	24	42	Y-5C4M2L244224B	Y-5C4M2R244224B	779	
24	30	42	Y-5C4M2L244230B	Y-5C4M2R244230B	800	
24	36	42	Y-5C4M2L244236B	Y-5C4M2R244236B	818	
24	42	42	Y-5C4M2L244242B	Y-5C4M2R244242B	837	
24	48	42	Y-5C4M2L244248B	Y-5C4M2R244248B	858	



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	12	Y-5C4M2L281224B	Y-5C4M2R281224B	704
28	30	12	Y-5C4M2L281230B	Y-5C4M2R281230B	726
28	36	12	Y-5C4M2L281236B	Y-5C4M2R281236B	748
28	42	12	Y-5C4M2L281242B	Y-5C4M2R281242B	769
28	48	12	Y-5C4M2L281248B	Y-5C4M2R281248B	794
28	54	12	Y-5C4M2L281254B	Y-5C4M2R281254B	815
28	60	12	Y-5C4M2L281260B	Y-5C4M2R281260B	837
28	66	12	Y-5C4M2L281266B	Y-5C4M2R281266B	860
28	72	12	Y-5C4M2L281272B	Y-5C4M2R281272B	881
28	78	12	Y-5C4M2L281278B	Y-5C4M2R281278B	904
28	24	18	Y-5C4M2L281824B	Y-5C4M2R281824B	726
28	30	18	Y-5C4M2L281830B	Y-5C4M2R281830B	748
28	36	18	Y-5C4M2L281836B	Y-5C4M2R281836B	769
28	42	18	Y-5C4M2L281842B	Y-5C4M2R281842B	794
28	48	18	Y-5C4M2L281848B	Y-5C4M2R281848B	815
28	54	18	Y-5C4M2L281854B	Y-5C4M2R281854B	837
28	60	18	Y-5C4M2L281860B	Y-5C4M2R281860B	860
28	66	18	Y-5C4M2L281866B	Y-5C4M2R281866B	881
28	72	18	Y-5C4M2L281872B	Y-5C4M2R281872B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5C4M2L282424B	Y-5C4M2R282424B	748
28	30	24	Y-5C4M2L282430B	Y-5C4M2R282430B	769
28	36	24	Y-5C4M2L282436B	Y-5C4M2R282436B	794
28	42	24	Y-5C4M2L282442B	Y-5C4M2R282442B	815
28	48	24	Y-5C4M2L282448B	Y-5C4M2R282448B	837
28	54	24	Y-5C4M2L282454B	Y-5C4M2R282454B	860
28	60	24	Y-5C4M2L282460B	Y-5C4M2R282460B	881
28	66	24	Y-5C4M2L282466B	Y-5C4M2R282466B	904
28	24	30	Y-5C4M2L283024B	Y-5C4M2R283024B	769
28	30	30	Y-5C4M2L283030B	Y-5C4M2R283030B	794
28	36	30	Y-5C4M2L283036B	Y-5C4M2R283036B	815
28	42	30	Y-5C4M2L283042B	Y-5C4M2R283042B	837
28	48	30	Y-5C4M2L283048B	Y-5C4M2R283048B	860
28	54	30	Y-5C4M2L283054B	Y-5C4M2R283054B	881
28	60	30	Y-5C4M2L283060B	Y-5C4M2R283060B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	36	Y-5C4M2L283624B	Y-5C4M2R283624B	794
28	30	36	Y-5C4M2L283630B	Y-5C4M2R283630B	815
28	36	36	Y-5C4M2L283636B	Y-5C4M2R283636B	837
28	42	36	Y-5C4M2L283642B	Y-5C4M2R283642B	860
28	48	36	Y-5C4M2L283648B	Y-5C4M2R283648B	881
28	54	36	Y-5C4M2L283654B	Y-5C4M2R283654B	904
28	24	42	Y-5C4M2L284224B	Y-5C4M2R284224B	815
28	30	42	Y-5C4M2L284230B	Y-5C4M2R284230B	837
28	36	42	Y-5C4M2L284236B	Y-5C4M2R284236B	860
28	42	42	Y-5C4M2L284242B	Y-5C4M2R284242B	881
28	48	42	Y-5C4M2L284248B	Y-5C4M2R284248B	904



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS						
			Left Hand	Right Hand		
H	W	D	Model Number	Model Number	List	
32	24	12	Y-5C4M2L321224B	Y-5C4M2R321224B	786	
32	30	12	Y-5C4M2L321230B	Y-5C4M2R321230B	820	
32	36	12	Y-5C4M2L321236B	Y-5C4M2R321236B	856	
32	42	12	Y-5C4M2L321242B	Y-5C4M2R321242B	890	
32	48	12	Y-5C4M2L321248B	Y-5C4M2R321248B	927	
32	54	12	Y-5C4M2L321254B	Y-5C4M2R321254B	962	
32	60	12	Y-5C4M2L321260B	Y-5C4M2R321260B	997	
32	66	12	Y-5C4M2L321266B	Y-5C4M2R321266B	1,033	
32	72	12	Y-5C4M2L321272B	Y-5C4M2R321272B	1,069	
32	78	12	Y-5C4M2L321278B	Y-5C4M2R321278B	1,105	
32	24	18	Y-5C4M2L321824B	Y-5C4M2R321824B	820	
32	30	18	Y-5C4M2L321830B	Y-5C4M2R321830B	856	
32	36	18	Y-5C4M2L321836B	Y-5C4M2R321836B	890	
32	42	18	Y-5C4M2L321842B	Y-5C4M2R321842B	927	
32	48	18	Y-5C4M2L321848B	Y-5C4M2R321848B	962	
32	54	18	Y-5C4M2L321854B	Y-5C4M2R321854B	997	
32	60	18	Y-5C4M2L321860B	Y-5C4M2R321860B	1,033	
32	66	18	Y-5C4M2L321866B	Y-5C4M2R321866B	1,069	
32	72	18	Y-5C4M2L321872B	Y-5C4M2R321872B	1,105	



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	24	Y-5C4M2L322424B	Y-5C4M2R322424B	856
32	30	24	Y-5C4M2L322430B	Y-5C4M2R322430B	890
32	36	24	Y-5C4M2L322436B	Y-5C4M2R322436B	927
32	42	24	Y-5C4M2L322442B	Y-5C4M2R322442B	962
32	48	24	Y-5C4M2L322448B	Y-5C4M2R322448B	997
32	54	24	Y-5C4M2L322454B	Y-5C4M2R322454B	1,033
32	60	24	Y-5C4M2L322460B	Y-5C4M2R322460B	1,069
32	66	24	Y-5C4M2L322466B	Y-5C4M2R322466B	1,105
32	24	30	Y-5C4M2L323024B	Y-5C4M2R323024B	890
32	30	30	Y-5C4M2L323030B	Y-5C4M2R323030B	927
32	36	30	Y-5C4M2L323036B	Y-5C4M2R323036B	962
32	42	30	Y-5C4M2L323042B	Y-5C4M2R323042B	997
32	48	30	Y-5C4M2L323048B	Y-5C4M2R323048B	1,033
32	54	30	Y-5C4M2L323054B	Y-5C4M2R323054B	1,069
32	60	30	Y-5C4M2L323060B	Y-5C4M2R323060B	1,105



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes


- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.


PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right


PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS					
H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
32	24	36	Y-5C4M2L323624B	Y-5C4M2R323624B	927
32	30	36	Y-5C4M2L323630B	Y-5C4M2R323630B	962
32	36	36	Y-5C4M2L323636B	Y-5C4M2R323636B	997
32	42	36	Y-5C4M2L323642B	Y-5C4M2R323642B	1,033
32	48	36	Y-5C4M2L323648B	Y-5C4M2R323648B	1,069
32	54	36	Y-5C4M2L323654B	Y-5C4M2R323654B	1,105
32	24	42	Y-5C4M2L324224B	Y-5C4M2R324224B	962
32	30	42	Y-5C4M2L324230B	Y-5C4M2R324230B	997
32	36	42	Y-5C4M2L324236B	Y-5C4M2R324236B	1,033
32	42	42	Y-5C4M2L324242B	Y-5C4M2R324242B	1,069
32	48	42	Y-5C4M2L324248B	Y-5C4M2R324248B	1,105



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	12	Y-5M4M2L221224B	Y-5M4M2R221224B	675
22	30	12	Y-5M4M2L221230B	Y-5M4M2R221230B	693
22	36	12	Y-5M4M2L221236B	Y-5M4M2R221236B	710
22	42	12	Y-5M4M2L221242B	Y-5M4M2R221242B	727
22	48	12	Y-5M4M2L221248B	Y-5M4M2R221248B	746
22	54	12	Y-5M4M2L221254B	Y-5M4M2R221254B	763
22	60	12	Y-5M4M2L221260B	Y-5M4M2R221260B	779
22	66	12	Y-5M4M2L221266B	Y-5M4M2R221266B	798
22	72	12	Y-5M4M2L221272B	Y-5M4M2R221272B	815
22	78	12	Y-5M4M2L221278B	Y-5M4M2R221278B	833
22	24	18	Y-5M4M2L221824B	Y-5M4M2R221824B	693
22	30	18	Y-5M4M2L221830B	Y-5M4M2R221830B	710
22	36	18	Y-5M4M2L221836B	Y-5M4M2R221836B	727
22	42	18	Y-5M4M2L221842B	Y-5M4M2R221842B	746
22	48	18	Y-5M4M2L221848B	Y-5M4M2R221848B	763
22	54	18	Y-5M4M2L221854B	Y-5M4M2R221854B	779
22	60	18	Y-5M4M2L221860B	Y-5M4M2R221860B	798
22	66	18	Y-5M4M2L221866B	Y-5M4M2R221866B	815
22	72	18	Y-5M4M2L221872B	Y-5M4M2R221872B	833



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	24	Y-5M4M2L222424B	Y-5M4M2R222424B	710
22	30	24	Y-5M4M2L222430B	Y-5M4M2R222430B	727
22	36	24	Y-5M4M2L222436B	Y-5M4M2R222436B	746
22	42	24	Y-5M4M2L222442B	Y-5M4M2R222442B	763
22	48	24	Y-5M4M2L222448B	Y-5M4M2R222448B	779
22	54	24	Y-5M4M2L222454B	Y-5M4M2R222454B	798
22	60	24	Y-5M4M2L222460B	Y-5M4M2R222460B	815
22	66	24	Y-5M4M2L222466B	Y-5M4M2R222466B	833
22	24	30	Y-5M4M2L223024B	Y-5M4M2R223024B	727
22	30	30	Y-5M4M2L223030B	Y-5M4M2R223030B	746
22	36	30	Y-5M4M2L223036B	Y-5M4M2R223036B	763
22	42	30	Y-5M4M2L223042B	Y-5M4M2R223042B	779
22	48	30	Y-5M4M2L223048B	Y-5M4M2R223048B	798
22	54	30	Y-5M4M2L223054B	Y-5M4M2R223054B	815
22	60	30	Y-5M4M2L223060B	Y-5M4M2R223060B	833



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
22	24	36	Y-5M4M2L223624B	Y-5M4M2R223624B	746
22	30	36	Y-5M4M2L223630B	Y-5M4M2R223630B	763
22	36	36	Y-5M4M2L223636B	Y-5M4M2R223636B	779
22	42	36	Y-5M4M2L223642B	Y-5M4M2R223642B	798
22	48	36	Y-5M4M2L223648B	Y-5M4M2R223648B	815
22	54	36	Y-5M4M2L223654B	Y-5M4M2R223654B	833
22	24	42	Y-5M4M2L224224B	Y-5M4M2R224224B	763
22	30	42	Y-5M4M2L224230B	Y-5M4M2R224230B	779
22	36	42	Y-5M4M2L224236B	Y-5M4M2R224236B	798
22	42	42	Y-5M4M2L224242B	Y-5M4M2R224242B	815
22	48	42	Y-5M4M2L224248B	Y-5M4M2R224248B	833



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	12	Y-5M4M2L261224B	Y-5M4M2R261224B	695
26	30	12	Y-5M4M2L261230B	Y-5M4M2R261230B	715
26	36	12	Y-5M4M2L261236B	Y-5M4M2R261236B	736
26	42	12	Y-5M4M2L261242B	Y-5M4M2R261242B	756
26	48	12	Y-5M4M2L261248B	Y-5M4M2R261248B	776
26	54	12	Y-5M4M2L261254B	Y-5M4M2R261254B	798
26	60	12	Y-5M4M2L261260B	Y-5M4M2R261260B	818
26	66	12	Y-5M4M2L261266B	Y-5M4M2R261266B	839
26	72	12	Y-5M4M2L261272B	Y-5M4M2R261272B	860
26	78	12	Y-5M4M2L261278B	Y-5M4M2R261278B	880
26	24	18	Y-5M4M2L261824B	Y-5M4M2R261824B	715
26	30	18	Y-5M4M2L261830B	Y-5M4M2R261830B	736
26	36	18	Y-5M4M2L261836B	Y-5M4M2R261836B	756
26	42	18	Y-5M4M2L261842B	Y-5M4M2R261842B	776
26	48	18	Y-5M4M2L261848B	Y-5M4M2R261848B	798
26	54	18	Y-5M4M2L261854B	Y-5M4M2R261854B	818
26	60	18	Y-5M4M2L261860B	Y-5M4M2R261860B	839
26	66	18	Y-5M4M2L261866B	Y-5M4M2R261866B	860
26	72	18	Y-5M4M2L261872B	Y-5M4M2R261872B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	24	Y-5M4M2L262424B	Y-5M4M2R262424B	736
26	30	24	Y-5M4M2L262430B	Y-5M4M2R262430B	756
26	36	24	Y-5M4M2L262436B	Y-5M4M2R262436B	776
26	42	24	Y-5M4M2L262442B	Y-5M4M2R262442B	798
26	48	24	Y-5M4M2L262448B	Y-5M4M2R262448B	818
26	54	24	Y-5M4M2L262454B	Y-5M4M2R262454B	839
26	60	24	Y-5M4M2L262460B	Y-5M4M2R262460B	860
26	66	24	Y-5M4M2L262466B	Y-5M4M2R262466B	880
26	24	30	Y-5M4M2L263024B	Y-5M4M2R263024B	756
26	30	30	Y-5M4M2L263030B	Y-5M4M2R263030B	776
26	36	30	Y-5M4M2L263036B	Y-5M4M2R263036B	798
26	42	30	Y-5M4M2L263042B	Y-5M4M2R263042B	818
26	48	30	Y-5M4M2L263048B	Y-5M4M2R263048B	839
26	54	30	Y-5M4M2L263054B	Y-5M4M2R263054B	860
26	60	30	Y-5M4M2L263060B	Y-5M4M2R263060B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
26	24	36	Y-5M4M2L263624B	Y-5M4M2R263624B	776
26	30	36	Y-5M4M2L263630B	Y-5M4M2R263630B	798
26	36	36	Y-5M4M2L263636B	Y-5M4M2R263636B	818
26	42	36	Y-5M4M2L263642B	Y-5M4M2R263642B	839
26	48	36	Y-5M4M2L263648B	Y-5M4M2R263648B	860
26	54	36	Y-5M4M2L263654B	Y-5M4M2R263654B	880
26	24	42	Y-5M4M2L264224B	Y-5M4M2R264224B	798
26	30	42	Y-5M4M2L264230B	Y-5M4M2R264230B	818
26	36	42	Y-5M4M2L264236B	Y-5M4M2R264236B	839
26	42	42	Y-5M4M2L264242B	Y-5M4M2R264242B	860
26	48	42	Y-5M4M2L264248B	Y-5M4M2R264248B	880



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	12	Y-5M4M2L341224B	Y-5M4M2R341224B	798
34	30	12	Y-5M4M2L341230B	Y-5M4M2R341230B	835
34	36	12	Y-5M4M2L341236B	Y-5M4M2R341236B	873
34	42	12	Y-5M4M2L341242B	Y-5M4M2R341242B	911
34	48	12	Y-5M4M2L341248B	Y-5M4M2R341248B	950
34	54	12	Y-5M4M2L341254B	Y-5M4M2R341254B	988
34	60	12	Y-5M4M2L341260B	Y-5M4M2R341260B	1,025
34	66	12	Y-5M4M2L341266B	Y-5M4M2R341266B	1,062
34	72	12	Y-5M4M2L341272B	Y-5M4M2R341272B	1,100
34	78	12	Y-5M4M2L341278B	Y-5M4M2R341278B	1,139
34	24	18	Y-5M4M2L341824B	Y-5M4M2R341824B	835
34	30	18	Y-5M4M2L341830B	Y-5M4M2R341830B	873
34	36	18	Y-5M4M2L341836B	Y-5M4M2R341836B	911
34	42	18	Y-5M4M2L341842B	Y-5M4M2R341842B	950
34	48	18	Y-5M4M2L341848B	Y-5M4M2R341848B	988
34	54	18	Y-5M4M2L341854B	Y-5M4M2R341854B	1,025
34	60	18	Y-5M4M2L341860B	Y-5M4M2R341860B	1,062
34	66	18	Y-5M4M2L341866B	Y-5M4M2R341866B	1,100
34	72	18	Y-5M4M2L341872B	Y-5M4M2R341872B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	24	Y-5M4M2L342424B	Y-5M4M2R342424B	873
34	30	24	Y-5M4M2L342430B	Y-5M4M2R342430B	911
34	36	24	Y-5M4M2L342436B	Y-5M4M2R342436B	950
34	42	24	Y-5M4M2L342442B	Y-5M4M2R342442B	988
34	48	24	Y-5M4M2L342448B	Y-5M4M2R342448B	1,025
34	54	24	Y-5M4M2L342454B	Y-5M4M2R342454B	1,062
34	60	24	Y-5M4M2L342460B	Y-5M4M2R342460B	1,100
34	66	24	Y-5M4M2L342466B	Y-5M4M2R342466B	1,139
34	24	30	Y-5M4M2L343024B	Y-5M4M2R343024B	911
34	30	30	Y-5M4M2L343030B	Y-5M4M2R343030B	950
34	36	30	Y-5M4M2L343036B	Y-5M4M2R343036B	988
34	42	30	Y-5M4M2L343042B	Y-5M4M2R343042B	1,025
34	48	30	Y-5M4M2L343048B	Y-5M4M2R343048B	1,062
34	54	30	Y-5M4M2L343054B	Y-5M4M2R343054B	1,100
34	60	30	Y-5M4M2L343060B	Y-5M4M2R343060B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
34	24	36	Y-5M4M2L343624B	Y-5M4M2R343624B	950
34	30	36	Y-5M4M2L343630B	Y-5M4M2R343630B	988
34	36	36	Y-5M4M2L343636B	Y-5M4M2R343636B	1,025
34	42	36	Y-5M4M2L343642B	Y-5M4M2R343642B	1,062
34	48	36	Y-5M4M2L343648B	Y-5M4M2R343648B	1,100
34	54	36	Y-5M4M2L343654B	Y-5M4M2R343654B	1,139
34	24	42	Y-5M4M2L344224B	Y-5M4M2R344224B	988
34	30	42	Y-5M4M2L344230B	Y-5M4M2R344230B	1,025
34	36	42	Y-5M4M2L344236B	Y-5M4M2R344236B	1,062
34	42	42	Y-5M4M2L344242B	Y-5M4M2R344242B	1,100
34	48	42	Y-5M4M2L344248B	Y-5M4M2R344248B	1,139



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	12	Y-5M4M2L381224B	Y-5M4M2R381224B	826
38	30	12	Y-5M4M2L381230B	Y-5M4M2R381230B	867
38	36	12	Y-5M4M2L381236B	Y-5M4M2R381236B	909
38	42	12	Y-5M4M2L381242B	Y-5M4M2R381242B	951
38	48	12	Y-5M4M2L381248B	Y-5M4M2R381248B	994
38	54	12	Y-5M4M2L381254B	Y-5M4M2R381254B	1,036
38	60	12	Y-5M4M2L381260B	Y-5M4M2R381260B	1,077
38	66	12	Y-5M4M2L381266B	Y-5M4M2R381266B	1,122
38	72	12	Y-5M4M2L381272B	Y-5M4M2R381272B	1,163
38	78	12	Y-5M4M2L381278B	Y-5M4M2R381278B	1,206
38	24	18	Y-5M4M2L381824B	Y-5M4M2R381824B	867
38	30	18	Y-5M4M2L381830B	Y-5M4M2R381830B	909
38	36	18	Y-5M4M2L381836B	Y-5M4M2R381836B	951
38	42	18	Y-5M4M2L381842B	Y-5M4M2R381842B	994
38	48	18	Y-5M4M2L381848B	Y-5M4M2R381848B	1,036
38	54	18	Y-5M4M2L381854B	Y-5M4M2R381854B	1,077
38	60	18	Y-5M4M2L381860B	Y-5M4M2R381860B	1,122
38	66	18	Y-5M4M2L381866B	Y-5M4M2R381866B	1,163
38	72	18	Y-5M4M2L381872B	Y-5M4M2R381872B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	24	Y-5M4M2L382424B	Y-5M4M2R382424B	909
38	30	24	Y-5M4M2L382430B	Y-5M4M2R382430B	951
38	36	24	Y-5M4M2L382436B	Y-5M4M2R382436B	994
38	42	24	Y-5M4M2L382442B	Y-5M4M2R382442B	1,036
38	48	24	Y-5M4M2L382448B	Y-5M4M2R382448B	1,077
38	54	24	Y-5M4M2L382454B	Y-5M4M2R382454B	1,122
38	60	24	Y-5M4M2L382460B	Y-5M4M2R382460B	1,163
38	66	24	Y-5M4M2L382466B	Y-5M4M2R382466B	1,206
38	24	30	Y-5M4M2L383024B	Y-5M4M2R383024B	951
38	30	30	Y-5M4M2L383030B	Y-5M4M2R383030B	994
38	36	30	Y-5M4M2L383036B	Y-5M4M2R383036B	1,036
38	42	30	Y-5M4M2L383042B	Y-5M4M2R383042B	1,077
38	48	30	Y-5M4M2L383048B	Y-5M4M2R383048B	1,122
38	54	30	Y-5M4M2L383054B	Y-5M4M2R383054B	1,163
38	60	30	Y-5M4M2L383060B	Y-5M4M2R383060B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
38	24	36	Y-5M4M2L383624B	Y-5M4M2R383624B	994
38	30	36	Y-5M4M2L383630B	Y-5M4M2R383630B	1,036
38	36	36	Y-5M4M2L383636B	Y-5M4M2R383636B	1,077
38	42	36	Y-5M4M2L383642B	Y-5M4M2R383642B	1,122
38	48	36	Y-5M4M2L383648B	Y-5M4M2R383648B	1,163
38	54	36	Y-5M4M2L383654B	Y-5M4M2R383654B	1,206
38	24	42	Y-5M4M2L384224B	Y-5M4M2R384224B	1,036
38	30	42	Y-5M4M2L384230B	Y-5M4M2R384230B	1,077
38	36	42	Y-5M4M2L384236B	Y-5M4M2R384236B	1,122
38	42	42	Y-5M4M2L384242B	Y-5M4M2R384242B	1,163
38	48	42	Y-5M4M2L384248B	Y-5M4M2R384248B	1,206



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	12	Y-5M4M2L421224B	Y-5M4M2R421224B	850
42	30	12	Y-5M4M2L421230B	Y-5M4M2R421230B	898
42	36	12	Y-5M4M2L421236B	Y-5M4M2R421236B	944
42	42	12	Y-5M4M2L421242B	Y-5M4M2R421242B	991
42	48	12	Y-5M4M2L421248B	Y-5M4M2R421248B	1,037
42	54	12	Y-5M4M2L421254B	Y-5M4M2R421254B	1,086
42	60	12	Y-5M4M2L421260B	Y-5M4M2R421260B	1,131
42	66	12	Y-5M4M2L421266B	Y-5M4M2R421266B	1,179
42	72	12	Y-5M4M2L421272B	Y-5M4M2R421272B	1,224
42	78	12	Y-5M4M2L421278B	Y-5M4M2R421278B	1,274
42	24	18	Y-5M4M2L421824B	Y-5M4M2R421824B	898
42	30	18	Y-5M4M2L421830B	Y-5M4M2R421830B	944
42	36	18	Y-5M4M2L421836B	Y-5M4M2R421836B	991
42	42	18	Y-5M4M2L421842B	Y-5M4M2R421842B	1,037
42	48	18	Y-5M4M2L421848B	Y-5M4M2R421848B	1,086
42	54	18	Y-5M4M2L421854B	Y-5M4M2R421854B	1,131
42	60	18	Y-5M4M2L421860B	Y-5M4M2R421860B	1,179
42	66	18	Y-5M4M2L421866B	Y-5M4M2R421866B	1,224
42	72	18	Y-5M4M2L421872B	Y-5M4M2R421872B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	24	Y-5M4M2L422424B	Y-5M4M2R422424B	944
42	30	24	Y-5M4M2L422430B	Y-5M4M2R422430B	991
42	36	24	Y-5M4M2L422436B	Y-5M4M2R422436B	1,037
42	42	24	Y-5M4M2L422442B	Y-5M4M2R422442B	1,086
42	48	24	Y-5M4M2L422448B	Y-5M4M2R422448B	1,131
42	54	24	Y-5M4M2L422454B	Y-5M4M2R422454B	1,179
42	60	24	Y-5M4M2L422460B	Y-5M4M2R422460B	1,224
42	66	24	Y-5M4M2L422466B	Y-5M4M2R422466B	1,274
42	24	30	Y-5M4M2L423024B	Y-5M4M2R423024B	991
42	30	30	Y-5M4M2L423030B	Y-5M4M2R423030B	1,037
42	36	30	Y-5M4M2L423036B	Y-5M4M2R423036B	1,086
42	42	30	Y-5M4M2L423042B	Y-5M4M2R423042B	1,131
42	48	30	Y-5M4M2L423048B	Y-5M4M2R423048B	1,179
42	54	30	Y-5M4M2L423054B	Y-5M4M2R423054B	1,224
42	60	30	Y-5M4M2L423060B	Y-5M4M2R423060B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
42	24	36	Y-5M4M2L423624B	Y-5M4M2R423624B	1,037
42	30	36	Y-5M4M2L423630B	Y-5M4M2R423630B	1,086
42	36	36	Y-5M4M2L423636B	Y-5M4M2R423636B	1,131
42	42	36	Y-5M4M2L423642B	Y-5M4M2R423642B	1,179
42	48	36	Y-5M4M2L423648B	Y-5M4M2R423648B	1,224
42	54	36	Y-5M4M2L423654B	Y-5M4M2R423654B	1,274
42	24	42	Y-5M4M2L424224B	Y-5M4M2R424224B	1,086
42	30	42	Y-5M4M2L424230B	Y-5M4M2R424230B	1,131
42	36	42	Y-5M4M2L424236B	Y-5M4M2R424236B	1,179
42	42	42	Y-5M4M2L424242B	Y-5M4M2R424242B	1,224
42	48	42	Y-5M4M2L424248B	Y-5M4M2R424248B	1,274



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	12	Y-5M4M2L461224B	Y-5M4M2R461224B	877
46	30	12	Y-5M4M2L461230B	Y-5M4M2R461230B	928
46	36	12	Y-5M4M2L461236B	Y-5M4M2R461236B	981
46	42	12	Y-5M4M2L461242B	Y-5M4M2R461242B	1,031
46	48	12	Y-5M4M2L461248B	Y-5M4M2R461248B	1,085
46	54	12	Y-5M4M2L461254B	Y-5M4M2R461254B	1,133
46	60	12	Y-5M4M2L461260B	Y-5M4M2R461260B	1,186
46	66	12	Y-5M4M2L461266B	Y-5M4M2R461266B	1,237
46	72	12	Y-5M4M2L461272B	Y-5M4M2R461272B	1,289
46	78	12	Y-5M4M2L461278B	Y-5M4M2R461278B	1,341
46	24	18	Y-5M4M2L461824B	Y-5M4M2R461824B	928
46	30	18	Y-5M4M2L461830B	Y-5M4M2R461830B	981
46	36	18	Y-5M4M2L461836B	Y-5M4M2R461836B	1,031
46	42	18	Y-5M4M2L461842B	Y-5M4M2R461842B	1,085
46	48	18	Y-5M4M2L461848B	Y-5M4M2R461848B	1,133
46	54	18	Y-5M4M2L461854B	Y-5M4M2R461854B	1,186
46	60	18	Y-5M4M2L461860B	Y-5M4M2R461860B	1,237
46	66	18	Y-5M4M2L461866B	Y-5M4M2R461866B	1,289
46	72	18	Y-5M4M2L461872B	Y-5M4M2R461872B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	24	Y-5M4M2L462424B	Y-5M4M2R462424B	981
46	30	24	Y-5M4M2L462430B	Y-5M4M2R462430B	1,031
46	36	24	Y-5M4M2L462436B	Y-5M4M2R462436B	1,085
46	42	24	Y-5M4M2L462442B	Y-5M4M2R462442B	1,133
46	48	24	Y-5M4M2L462448B	Y-5M4M2R462448B	1,186
46	54	24	Y-5M4M2L462454B	Y-5M4M2R462454B	1,237
46	60	24	Y-5M4M2L462460B	Y-5M4M2R462460B	1,289
46	66	24	Y-5M4M2L462466B	Y-5M4M2R462466B	1,341
46	24	30	Y-5M4M2L463024B	Y-5M4M2R463024B	1,031
46	30	30	Y-5M4M2L463030B	Y-5M4M2R463030B	1,085
46	36	30	Y-5M4M2L463036B	Y-5M4M2R463036B	1,133
46	42	30	Y-5M4M2L463042B	Y-5M4M2R463042B	1,186
46	48	30	Y-5M4M2L463048B	Y-5M4M2R463048B	1,237
46	54	30	Y-5M4M2L463054B	Y-5M4M2R463054B	1,289
46	60	30	Y-5M4M2L463060B	Y-5M4M2R463060B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

Notes

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
46	24	36	Y-5M4M2L463624B	Y-5M4M2R463624B	1,085
46	30	36	Y-5M4M2L463630B	Y-5M4M2R463630B	1,133
46	36	36	Y-5M4M2L463636B	Y-5M4M2R463636B	1,186
46	42	36	Y-5M4M2L463642B	Y-5M4M2R463642B	1,237
46	48	36	Y-5M4M2L463648B	Y-5M4M2R463648B	1,289
46	54	36	Y-5M4M2L463654B	Y-5M4M2R463654B	1,341
46	24	42	Y-5M4M2L464224B	Y-5M4M2R464224B	1,133
46	30	42	Y-5M4M2L464230B	Y-5M4M2R464230B	1,186
46	36	42	Y-5M4M2L464236B	Y-5M4M2R464236B	1,237
46	42	42	Y-5M4M2L464242B	Y-5M4M2R464242B	1,289
46	48	42	Y-5M4M2L464248B	Y-5M4M2R464248B	1,341



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

U-Wrap Screens Sized for Day-to-Day, Calibrate & E-Series HAT

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N4N2U121242B	656
12	48	12	1	Y-5N4N2U121248B	666
12	54	12	1	Y-5N4N2U121254B	675
12	60	12	1	Y-5N4N2U121260B	684
12	66	12	1	Y-5N4N2U121266B	695
12	72	12	2	Y-5N4N2U121272B	704
12	78	12	2	Y-5N4N2U121278B	713
12	84	12	2	Y-5N4N2U121284B	740
16	42	12	1	Y-5N4N2U161242B	684
16	48	12	1	Y-5N4N2U161248B	697
16	54	12	1	Y-5N4N2U161254B	710
16	60	12	1	Y-5N4N2U161260B	724
16	66	12	1	Y-5N4N2U161266B	736
16	72	12	2	Y-5N4N2U161272B	748
16	78	12	2	Y-5N4N2U161278B	761
16	84	12	2	Y-5N4N2U161284B	800

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N4N2U201242B	713
20	48	12	1	Y-5N4N2U201248B	729
20	54	12	1	Y-5N4N2U201254B	746
20	60	12	1	Y-5N4N2U201260B	761
20	66	12	1	Y-5N4N2U201266B	776
20	72	12	2	Y-5N4N2U201272B	794
20	78	12	2	Y-5N4N2U201278B	808
20	84	12	2	Y-5N4N2U201284B	858
24	42	12	1	Y-5N4N2U241242B	740
24	48	12	1	Y-5N4N2U241248B	761
24	54	12	1	Y-5N4N2U241254B	779
24	60	12	1	Y-5N4N2U241260B	800
24	66	12	1	Y-5N4N2U241266B	818
24	72	12	2	Y-5N4N2U241272B	837
24	78	12	2	Y-5N4N2U241278B	858
24	84	12	2	Y-5N4N2U241284B	914



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N4N2U281242B	769
28	48	12	1	Y-5N4N2U281248B	794
28	54	12	1	Y-5N4N2U281254B	815
28	60	12	1	Y-5N4N2U281260B	837
28	66	12	1	Y-5N4N2U281266B	860
28	72	12	2	Y-5N4N2U281272B	881
28	78	12	2	Y-5N4N2U281278B	904
28	84	12	2	Y-5N4N2U281284B	971
32	42	12	1	Y-5N4N2U321242B	890
32	48	12	1	Y-5N4N2U321248B	927
32	54	12	1	Y-5N4N2U321254B	962
32	60	12	1	Y-5N4N2U321260B	997
32	66	12	1	Y-5N4N2U321266B	1,033
32	72	12	2	Y-5N4N2U321272B	1,069
32	78	12	2	Y-5N4N2U321278B	1,105
32	84	12	2	Y-5N4N2U321284B	1,212

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N4N2U121842B	666
12	48	18	1	Y-5N4N2U121848B	675
12	54	18	1	Y-5N4N2U121854B	684
12	60	18	2	Y-5N4N2U121860B	695
12	66	18	2	Y-5N4N2U121866B	704
12	72	18	2	Y-5N4N2U121872B	713
12	78	18	2	Y-5N4N2U121878B	753
12	84	18	2	Y-5N4N2U121884B	761
16	42	18	1	Y-5N4N2U161842B	697
16	48	18	1	Y-5N4N2U161848B	710
16	54	18	1	Y-5N4N2U161854B	724
16	60	18	2	Y-5N4N2U161860B	736
16	66	18	2	Y-5N4N2U161866B	748
16	72	18	2	Y-5N4N2U161872B	761
16	78	18	2	Y-5N4N2U161878B	810
16	84	18	2	Y-5N4N2U161884B	826



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N4N2U201842B	729
20	48	18	1	Y-5N4N2U201848B	746
20	54	18	1	Y-5N4N2U201854B	761
20	60	18	2	Y-5N4N2U201860B	776
20	66	18	2	Y-5N4N2U201866B	794
20	72	18	2	Y-5N4N2U201872B	808
20	78	18	2	Y-5N4N2U201878B	873
20	84	18	2	Y-5N4N2U201884B	888
24	42	18	1	Y-5N4N2U241842B	761
24	48	18	1	Y-5N4N2U241848B	779
24	54	18	1	Y-5N4N2U241854B	800
24	60	18	2	Y-5N4N2U241860B	818
24	66	18	2	Y-5N4N2U241866B	837
24	72	18	2	Y-5N4N2U241872B	858
24	78	18	2	Y-5N4N2U241878B	934
24	84	18	2	Y-5N4N2U241884B	952

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N4N2U281842B	794
28	48	18	1	Y-5N4N2U281848B	815
28	54	18	1	Y-5N4N2U281854B	837
28	60	18	2	Y-5N4N2U281860B	860
28	66	18	2	Y-5N4N2U281866B	881
28	72	18	2	Y-5N4N2U281872B	904
28	78	18	2	Y-5N4N2U281878B	994
28	84	18	2	Y-5N4N2U281884B	1,017
32	42	18	1	Y-5N4N2U321842B	927
32	48	18	1	Y-5N4N2U321848B	962
32	54	18	1	Y-5N4N2U321854B	997
32	60	18	2	Y-5N4N2U321860B	1,033
32	66	18	2	Y-5N4N2U321866B	1,069
32	72	18	2	Y-5N4N2U321872B	1,105
32	78	18	2	Y-5N4N2U321878B	1,249
32	84	18	2	Y-5N4N2U321884B	1,284



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N4N2U122442B	675
12	48	24	2	Y-5N4N2U122448B	684
12	54	24	2	Y-5N4N2U122454B	695
12	60	24	2	Y-5N4N2U122460B	704
12	66	24	2	Y-5N4N2U122466B	713
12	72	24	2	Y-5N4N2U122472B	761
12	78	24	2	Y-5N4N2U122478B	769
12	84	24	2	Y-5N4N2U122484B	779
16	42	24	1	Y-5N4N2U162442B	710
16	48	24	2	Y-5N4N2U162448B	724
16	54	24	2	Y-5N4N2U162454B	736
16	60	24	2	Y-5N4N2U162460B	748
16	66	24	2	Y-5N4N2U162466B	761
16	72	24	2	Y-5N4N2U162472B	826
16	78	24	2	Y-5N4N2U162478B	837
16	84	24	2	Y-5N4N2U162484B	850

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N4N2U202442B	746
20	48	24	2	Y-5N4N2U202448B	761
20	54	24	2	Y-5N4N2U202454B	776
20	60	24	2	Y-5N4N2U202460B	794
20	66	24	2	Y-5N4N2U202466B	808
20	72	24	2	Y-5N4N2U202472B	888
20	78	24	2	Y-5N4N2U202478B	904
20	84	24	2	Y-5N4N2U202484B	921
24	42	24	1	Y-5N4N2U242442B	779
24	48	24	2	Y-5N4N2U242448B	800
24	54	24	2	Y-5N4N2U242454B	818
24	60	24	2	Y-5N4N2U242460B	837
24	66	24	2	Y-5N4N2U242466B	858
24	72	24	2	Y-5N4N2U242472B	952
24	78	24	2	Y-5N4N2U242478B	971
24	84	24	2	Y-5N4N2U242484B	991



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N4N2U282442B	815
28	48	24	2	Y-5N4N2U282448B	837
28	54	24	2	Y-5N4N2U282454B	860
28	60	24	2	Y-5N4N2U282460B	881
28	66	24	2	Y-5N4N2U282466B	904
28	72	24	2	Y-5N4N2U282472B	1,017
28	78	24	2	Y-5N4N2U282478B	1,037
28	84	24	2	Y-5N4N2U282484B	1,061
32	42	24	1	Y-5N4N2U322442B	962
32	48	24	2	Y-5N4N2U322448B	997
32	54	24	2	Y-5N4N2U322454B	1,033
32	60	24	2	Y-5N4N2U322460B	1,069
32	66	24	2	Y-5N4N2U322466B	1,105
32	72	24	2	Y-5N4N2U322472B	1,284
32	78	24	2	Y-5N4N2U322478B	1,320
32	84	24	2	Y-5N4N2U322484B	1,355

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N4N2U123042B	684
12	48	30	2	Y-5N4N2U123048B	695
12	54	30	2	Y-5N4N2U123054B	704
12	60	30	2	Y-5N4N2U123060B	713
12	66	30	2	Y-5N4N2U123066B	769
12	72	30	2	Y-5N4N2U123072B	779
12	78	30	2	Y-5N4N2U123078B	790
12	84	30	2	Y-5N4N2U123084B	800
16	42	30	2	Y-5N4N2U163042B	724
16	48	30	2	Y-5N4N2U163048B	736
16	54	30	2	Y-5N4N2U163054B	748
16	60	30	2	Y-5N4N2U163060B	761
16	66	30	2	Y-5N4N2U163066B	837
16	72	30	2	Y-5N4N2U163072B	850
16	78	30	2	Y-5N4N2U163078B	864
16	84	30	2	Y-5N4N2U163084B	875



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N4N2U203042B	761
20	48	30	2	Y-5N4N2U203048B	776
20	54	30	2	Y-5N4N2U203054B	794
20	60	30	2	Y-5N4N2U203060B	808
20	66	30	2	Y-5N4N2U203066B	904
20	72	30	2	Y-5N4N2U203072B	921
20	78	30	2	Y-5N4N2U203078B	937
20	84	30	2	Y-5N4N2U203084B	952
24	42	30	2	Y-5N4N2U243042B	800
24	48	30	2	Y-5N4N2U243048B	818
24	54	30	2	Y-5N4N2U243054B	837
24	60	30	2	Y-5N4N2U243060B	858
24	66	30	2	Y-5N4N2U243066B	971
24	72	30	2	Y-5N4N2U243072B	991
24	78	30	2	Y-5N4N2U243078B	1,009
24	84	30	2	Y-5N4N2U243084B	1,029

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N4N2U283042B	837
28	48	30	2	Y-5N4N2U283048B	860
28	54	30	2	Y-5N4N2U283054B	881
28	60	30	2	Y-5N4N2U283060B	904
28	66	30	2	Y-5N4N2U283066B	1,037
28	72	30	2	Y-5N4N2U283072B	1,061
28	78	30	2	Y-5N4N2U283078B	1,085
28	84	30	2	Y-5N4N2U283084B	1,105
32	42	30	2	Y-5N4N2U323042B	997
32	48	30	2	Y-5N4N2U323048B	1,033
32	54	30	2	Y-5N4N2U323054B	1,069
32	60	30	2	Y-5N4N2U323060B	1,105
32	66	30	2	Y-5N4N2U323066B	1,320
32	72	30	2	Y-5N4N2U323072B	1,355
32	78	30	2	Y-5N4N2U323078B	1,390
32	84	30	2	Y-5N4N2U323084B	1,426



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	36	2	Y-5N4N2U123642B	695
12	48	36	2	Y-5N4N2U123648B	704
12	54	36	2	Y-5N4N2U123654B	713
12	60	36	2	Y-5N4N2U123660B	779
12	66	36	2	Y-5N4N2U123666B	790
12	72	36	2	Y-5N4N2U123672B	800
12	78	36	2	Y-5N4N2U123678B	808
12	84	36	2	Y-5N4N2U123684B	818
16	42	36	2	Y-5N4N2U163642B	736
16	48	36	2	Y-5N4N2U163648B	748
16	54	36	2	Y-5N4N2U163654B	761
16	60	36	2	Y-5N4N2U163660B	850
16	66	36	2	Y-5N4N2U163666B	864
16	72	36	2	Y-5N4N2U163672B	875
16	78	36	2	Y-5N4N2U163678B	888
16	84	36	2	Y-5N4N2U163684B	901

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	36	2	Y-5N4N2U203642B	776
20	48	36	2	Y-5N4N2U203648B	794
20	54	36	2	Y-5N4N2U203654B	808
20	60	36	2	Y-5N4N2U203660B	921
20	66	36	2	Y-5N4N2U203666B	937
20	72	36	2	Y-5N4N2U203672B	952
20	78	36	2	Y-5N4N2U203678B	968
20	84	36	2	Y-5N4N2U203684B	985
24	42	36	2	Y-5N4N2U243642B	818
24	48	36	2	Y-5N4N2U243648B	837
24	54	36	2	Y-5N4N2U243654B	858
24	60	36	2	Y-5N4N2U243660B	991
24	66	36	2	Y-5N4N2U243666B	1,009
24	72	36	2	Y-5N4N2U243672B	1,029
24	78	36	2	Y-5N4N2U243678B	1,049
24	84	36	2	Y-5N4N2U243684B	1,066



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	36	2	Y-5N4N2U283642B	860
28	48	36	2	Y-5N4N2U283648B	881
28	54	36	2	Y-5N4N2U283654B	904
28	60	36	2	Y-5N4N2U283660B	1,061
28	66	36	2	Y-5N4N2U283666B	1,085
28	72	36	2	Y-5N4N2U283672B	1,105
28	78	36	2	Y-5N4N2U283678B	1,128
28	84	36	2	Y-5N4N2U283684B	1,150
32	42	36	2	Y-5N4N2U323642B	1,033
32	48	36	2	Y-5N4N2U323648B	1,069
32	54	36	2	Y-5N4N2U323654B	1,105
32	60	36	2	Y-5N4N2U323660B	1,355
32	66	36	2	Y-5N4N2U323666B	1,390
32	72	36	2	Y-5N4N2U323672B	1,426
32	78	36	2	Y-5N4N2U323678B	1,462
32	84	36	2	Y-5N4N2U323684B	1,498

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	42	2	Y-5N4N2U124242B	704
12	48	42	2	Y-5N4N2U124248B	713
12	54	42	2	Y-5N4N2U124254B	790
12	60	42	2	Y-5N4N2U124260B	800
12	66	42	2	Y-5N4N2U124266B	808
12	72	42	2	Y-5N4N2U124272B	818
12	78	42	2	Y-5N4N2U124278B	829
12	84	42	2	Y-5N4N2U124284B	837
16	42	42	2	Y-5N4N2U164242B	748
16	48	42	2	Y-5N4N2U164248B	761
16	54	42	2	Y-5N4N2U164254B	864
16	60	42	2	Y-5N4N2U164260B	875
16	66	42	2	Y-5N4N2U164266B	888
16	72	42	2	Y-5N4N2U164272B	901
16	78	42	2	Y-5N4N2U164278B	914
16	84	42	2	Y-5N4N2U164284B	927



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	42	2	Y-5N4N2U204242B	794
20	48	42	2	Y-5N4N2U204248B	808
20	54	42	2	Y-5N4N2U204254B	937
20	60	42	2	Y-5N4N2U204260B	952
20	66	42	2	Y-5N4N2U204266B	968
20	72	42	2	Y-5N4N2U204272B	985
20	78	42	2	Y-5N4N2U204278B	999
20	84	42	2	Y-5N4N2U204284B	1,017
24	42	42	2	Y-5N4N2U244242B	837
24	48	42	2	Y-5N4N2U244248B	858
24	54	42	2	Y-5N4N2U244254B	1,009
24	60	42	2	Y-5N4N2U244260B	1,029
24	66	42	2	Y-5N4N2U244266B	1,049
24	72	42	2	Y-5N4N2U244272B	1,066
24	78	42	2	Y-5N4N2U244278B	1,087
24	84	42	2	Y-5N4N2U244284B	1,105

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	42	2	Y-5N4N2U284242B	881
28	48	42	2	Y-5N4N2U284248B	904
28	54	42	2	Y-5N4N2U284254B	1,085
28	60	42	2	Y-5N4N2U284260B	1,105
28	66	42	2	Y-5N4N2U284266B	1,128
28	72	42	2	Y-5N4N2U284272B	1,150
28	78	42	2	Y-5N4N2U284278B	1,171
28	84	42	2	Y-5N4N2U284284B	1,194
32	42	42	2	Y-5N4N2U324242B	1,069
32	48	42	2	Y-5N4N2U324248B	1,105
32	54	42	2	Y-5N4N2U324254B	1,390
32	60	42	2	Y-5N4N2U324260B	1,426
32	66	42	2	Y-5N4N2U324266B	1,462
32	72	42	2	Y-5N4N2U324272B	1,498
32	78	42	2	Y-5N4N2U324278B	1,533
32	84	42	2	Y-5N4N2U324284B	1,571



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	12	1 PC	Y-5Q4N2U221242B	727
22	48	12	1 PC	Y-5Q4N2U221248B	746
22	54	12	1 PC	Y-5Q4N2U221254B	763
22	60	12	1 PC	Y-5Q4N2U221260B	779
22	66	12	1 PC	Y-5Q4N2U221266B	798
22	72	12	2 PC	Y-5Q4N2U221272B	815
22	78	12	2 PC	Y-5Q4N2U221278B	833
22	84	12	2 PC	Y-5Q4N2U221284B	886
26	42	12	1 PC	Y-5Q4N2U261242B	756
26	48	12	1 PC	Y-5Q4N2U261248B	776
26	54	12	1 PC	Y-5Q4N2U261254B	798
26	60	12	1 PC	Y-5Q4N2U261260B	818
26	66	12	1 PC	Y-5Q4N2U261266B	839
26	72	12	2 PC	Y-5Q4N2U261272B	860
26	78	12	2 PC	Y-5Q4N2U261278B	880
26	84	12	2 PC	Y-5Q4N2U261284B	942

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	12	1 PC	Y-5Q4N2U301242B	938
30	48	12	1 PC	Y-5Q4N2U301248B	971
30	54	12	1 PC	Y-5Q4N2U301254B	1,006
30	60	12	1 PC	Y-5Q4N2U301260B	1,037
30	66	12	1 PC	Y-5Q4N2U301266B	1,071
30	72	12	2 PC	Y-5Q4N2U301272B	1,105
30	78	12	2 PC	Y-5Q4N2U301278B	1,139
30	84	12	2 PC	Y-5Q4N2U301284B	1,171
34	42	12	1 PC	Y-5Q4N2U341242B	911
34	48	12	1 PC	Y-5Q4N2U341248B	950
34	54	12	1 PC	Y-5Q4N2U341254B	988
34	60	12	1 PC	Y-5Q4N2U341260B	1,025
34	66	12	1 PC	Y-5Q4N2U341266B	1,062
34	72	12	2 PC	Y-5Q4N2U341272B	1,100
34	78	12	2 PC	Y-5Q4N2U341278B	1,139
34	84	12	2 PC	Y-5Q4N2U341284B	1,252



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q4N2U381242B	951
38	48	12	1 PC	Y-5Q4N2U381248B	994
38	54	12	1 PC	Y-5Q4N2U381254B	1,036
38	60	12	1 PC	Y-5Q4N2U381260B	1,077
38	66	12	1 PC	Y-5Q4N2U381266B	1,122
38	72	12	2 PC	Y-5Q4N2U381272B	1,163
38	78	12	2 PC	Y-5Q4N2U381278B	1,206
38	84	12	2 PC	Y-5Q4N2U381284B	1,332
42	42	12	1 PC	Y-5Q4N2U421242B	991
42	48	12	1 PC	Y-5Q4N2U421248B	1,037
42	54	12	1 PC	Y-5Q4N2U421254B	1,086
42	60	12	1 PC	Y-5Q4N2U421260B	1,131
42	66	12	1 PC	Y-5Q4N2U421266B	1,179
42	72	12	2 PC	Y-5Q4N2U421272B	1,224
42	78	12	2 PC	Y-5Q4N2U421278B	1,274
42	84	12	2 PC	Y-5Q4N2U421284B	1,414

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q4N2U221842B	746
22	48	18	1 PC	Y-5Q4N2U221848B	763
22	54	18	1 PC	Y-5Q4N2U221854B	779
22	60	18	2 PC	Y-5Q4N2U221860B	798
22	66	18	2 PC	Y-5Q4N2U221866B	815
22	72	18	2 PC	Y-5Q4N2U221872B	833
22	78	18	2 PC	Y-5Q4N2U221878B	903
22	84	18	2 PC	Y-5Q4N2U221884B	921
26	42	18	1 PC	Y-5Q4N2U261842B	776
26	48	18	1 PC	Y-5Q4N2U261848B	798
26	54	18	1 PC	Y-5Q4N2U261854B	818
26	60	18	2 PC	Y-5Q4N2U261860B	839
26	66	18	2 PC	Y-5Q4N2U261866B	860
26	72	18	2 PC	Y-5Q4N2U261872B	880
26	78	18	2 PC	Y-5Q4N2U261878B	964
26	84	18	2 PC	Y-5Q4N2U261884B	985



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q4N2U301842B	1,006
30	48	18	1 PC	Y-5Q4N2U301848B	1,037
30	54	18	1 PC	Y-5Q4N2U301854B	1,071
30	60	18	2 PC	Y-5Q4N2U301860B	1,105
30	66	18	2 PC	Y-5Q4N2U301866B	1,139
30	72	18	2 PC	Y-5Q4N2U301872B	1,171
30	78	18	2 PC	Y-5Q4N2U301878B	1,206
30	84	18	2 PC	Y-5Q4N2U301884B	1,239
34	42	18	1 PC	Y-5Q4N2U341842B	950
34	48	18	1 PC	Y-5Q4N2U341848B	988
34	54	18	1 PC	Y-5Q4N2U341854B	1,025
34	60	18	2 PC	Y-5Q4N2U341860B	1,062
34	66	18	2 PC	Y-5Q4N2U341866B	1,100
34	72	18	2 PC	Y-5Q4N2U341872B	1,139
34	78	18	2 PC	Y-5Q4N2U341878B	1,290
34	84	18	2 PC	Y-5Q4N2U341884B	1,328

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q4N2U381842B	994
38	48	18	1 PC	Y-5Q4N2U381848B	1,036
38	54	18	1 PC	Y-5Q4N2U381854B	1,077
38	60	18	2 PC	Y-5Q4N2U381860B	1,122
38	66	18	2 PC	Y-5Q4N2U381866B	1,163
38	72	18	2 PC	Y-5Q4N2U381872B	1,206
38	78	18	2 PC	Y-5Q4N2U381878B	1,374
38	84	18	2 PC	Y-5Q4N2U381884B	1,419
42	42	18	1 PC	Y-5Q4N2U421842B	1,037
42	48	18	1 PC	Y-5Q4N2U421848B	1,086
42	54	18	1 PC	Y-5Q4N2U421854B	1,131
42	60	18	2 PC	Y-5Q4N2U421860B	1,179
42	66	18	2 PC	Y-5Q4N2U421866B	1,224
42	72	18	2 PC	Y-5Q4N2U421872B	1,274
42	78	18	2 PC	Y-5Q4N2U421878B	1,461
42	84	18	2 PC	Y-5Q4N2U421884B	1,508



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q4N2U222442B	763
22	48	24	2 PC	Y-5Q4N2U222448B	779
22	54	24	2 PC	Y-5Q4N2U222454B	798
22	60	24	2 PC	Y-5Q4N2U222460B	815
22	66	24	2 PC	Y-5Q4N2U222466B	833
22	72	24	2 PC	Y-5Q4N2U222472B	921
22	78	24	2 PC	Y-5Q4N2U222478B	938
22	84	24	2 PC	Y-5Q4N2U222484B	956
26	42	24	1 PC	Y-5Q4N2U262442B	798
26	48	24	2 PC	Y-5Q4N2U262448B	818
26	54	24	2 PC	Y-5Q4N2U262454B	839
26	60	24	2 PC	Y-5Q4N2U262460B	860
26	66	24	2 PC	Y-5Q4N2U262466B	880
26	72	24	2 PC	Y-5Q4N2U262472B	985
26	78	24	2 PC	Y-5Q4N2U262478B	1,006
26	84	24	2 PC	Y-5Q4N2U262484B	1,026

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q4N2U302442B	1,071
30	48	24	2 PC	Y-5Q4N2U302448B	1,105
30	54	24	2 PC	Y-5Q4N2U302454B	1,139
30	60	24	2 PC	Y-5Q4N2U302460B	1,171
30	66	24	2 PC	Y-5Q4N2U302466B	1,206
30	72	24	2 PC	Y-5Q4N2U302472B	1,239
30	78	24	2 PC	Y-5Q4N2U302478B	1,274
30	84	24	2 PC	Y-5Q4N2U302484B	1,307
34	42	24	1 PC	Y-5Q4N2U342442B	988
34	48	24	2 PC	Y-5Q4N2U342448B	1,025
34	54	24	2 PC	Y-5Q4N2U342454B	1,062
34	60	24	2 PC	Y-5Q4N2U342460B	1,100
34	66	24	2 PC	Y-5Q4N2U342466B	1,139
34	72	24	2 PC	Y-5Q4N2U342472B	1,328
34	78	24	2 PC	Y-5Q4N2U342478B	1,366
34	84	24	2 PC	Y-5Q4N2U342484B	1,404



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q4N2U382442B	1,036
38	48	24	2 PC	Y-5Q4N2U382448B	1,077
38	54	24	2 PC	Y-5Q4N2U382454B	1,122
38	60	24	2 PC	Y-5Q4N2U382460B	1,163
38	66	24	2 PC	Y-5Q4N2U382466B	1,206
38	72	24	2 PC	Y-5Q4N2U382472B	1,419
38	78	24	2 PC	Y-5Q4N2U382478B	1,461
38	84	24	2 PC	Y-5Q4N2U382484B	1,503
42	42	24	1 PC	Y-5Q4N2U422442B	1,086
42	48	24	2 PC	Y-5Q4N2U422448B	1,131
42	54	24	2 PC	Y-5Q4N2U422454B	1,179
42	60	24	2 PC	Y-5Q4N2U422460B	1,224
42	66	24	2 PC	Y-5Q4N2U422466B	1,274
42	72	24	2 PC	Y-5Q4N2U422472B	1,508
42	78	24	2 PC	Y-5Q4N2U422478B	1,554
42	84	24	2 PC	Y-5Q4N2U422484B	1,602

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q4N2U223042B	779
22	48	30	2 PC	Y-5Q4N2U223048B	798
22	54	30	2 PC	Y-5Q4N2U223054B	815
22	60	30	2 PC	Y-5Q4N2U223060B	833
22	66	30	2 PC	Y-5Q4N2U223066B	938
22	72	30	2 PC	Y-5Q4N2U223072B	956
22	78	30	2 PC	Y-5Q4N2U223078B	972
22	84	30	2 PC	Y-5Q4N2U223084B	991
26	42	30	2 PC	Y-5Q4N2U263042B	818
26	48	30	2 PC	Y-5Q4N2U263048B	839
26	54	30	2 PC	Y-5Q4N2U263054B	860
26	60	30	2 PC	Y-5Q4N2U263060B	880
26	66	30	2 PC	Y-5Q4N2U263066B	1,006
26	72	30	2 PC	Y-5Q4N2U263072B	1,026
26	78	30	2 PC	Y-5Q4N2U263078B	1,047
26	84	30	2 PC	Y-5Q4N2U263084B	1,066



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q4N2U303042B	1,139
30	48	30	2 PC	Y-5Q4N2U303048B	1,171
30	54	30	2 PC	Y-5Q4N2U303054B	1,206
30	60	30	2 PC	Y-5Q4N2U303060B	1,239
30	66	30	2 PC	Y-5Q4N2U303066B	1,274
30	72	30	2 PC	Y-5Q4N2U303072B	1,307
30	78	30	2 PC	Y-5Q4N2U303078B	1,341
30	84	30	2 PC	Y-5Q4N2U303084B	1,373
34	42	30	2 PC	Y-5Q4N2U343042B	1,025
34	48	30	2 PC	Y-5Q4N2U343048B	1,062
34	54	30	2 PC	Y-5Q4N2U343054B	1,100
34	60	30	2 PC	Y-5Q4N2U343060B	1,139
34	66	30	2 PC	Y-5Q4N2U343066B	1,366
34	72	30	2 PC	Y-5Q4N2U343072B	1,404
34	78	30	2 PC	Y-5Q4N2U343078B	1,442
34	84	30	2 PC	Y-5Q4N2U343084B	1,480

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q4N2U383042B	1,077
38	48	30	2 PC	Y-5Q4N2U383048B	1,122
38	54	30	2 PC	Y-5Q4N2U383054B	1,163
38	60	30	2 PC	Y-5Q4N2U383060B	1,206
38	66	30	2 PC	Y-5Q4N2U383066B	1,461
38	72	30	2 PC	Y-5Q4N2U383072B	1,503
38	78	30	2 PC	Y-5Q4N2U383078B	1,545
38	84	30	2 PC	Y-5Q4N2U383084B	1,586
42	42	30	2 PC	Y-5Q4N2U423042B	1,131
42	48	30	2 PC	Y-5Q4N2U423048B	1,179
42	54	30	2 PC	Y-5Q4N2U423054B	1,224
42	60	30	2 PC	Y-5Q4N2U423060B	1,274
42	66	30	2 PC	Y-5Q4N2U423066B	1,554
42	72	30	2 PC	Y-5Q4N2U423072B	1,602
42	78	30	2 PC	Y-5Q4N2U423078B	1,647
42	84	30	2 PC	Y-5Q4N2U423084B	1,694



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	36	2 PC	Y-5Q4N2U223642B	798
22	48	36	2 PC	Y-5Q4N2U223648B	815
22	54	36	2 PC	Y-5Q4N2U223654B	833
22	60	36	2 PC	Y-5Q4N2U223660B	956
22	66	36	2 PC	Y-5Q4N2U223666B	972
22	72	36	2 PC	Y-5Q4N2U223672B	991
22	78	36	2 PC	Y-5Q4N2U223678B	1,008
22	84	36	2 PC	Y-5Q4N2U223684B	1,026
26	42	36	2 PC	Y-5Q4N2U263642B	839
26	48	36	2 PC	Y-5Q4N2U263648B	860
26	54	36	2 PC	Y-5Q4N2U263654B	880
26	60	36	2 PC	Y-5Q4N2U263660B	1,026
26	66	36	2 PC	Y-5Q4N2U263666B	1,047
26	72	36	2 PC	Y-5Q4N2U263672B	1,066
26	78	36	2 PC	Y-5Q4N2U263678B	1,088
26	84	36	2 PC	Y-5Q4N2U263684B	1,107

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	36	2 PC	Y-5Q4N2U303642B	1,206
30	48	36	2 PC	Y-5Q4N2U303648B	1,239
30	54	36	2 PC	Y-5Q4N2U303654B	1,274
30	60	36	2 PC	Y-5Q4N2U303660B	1,307
30	66	36	2 PC	Y-5Q4N2U303666B	1,341
30	72	36	2 PC	Y-5Q4N2U303672B	1,373
30	78	36	2 PC	Y-5Q4N2U303678B	1,406
30	84	36	2 PC	Y-5Q4N2U303684B	1,440
34	42	36	2 PC	Y-5Q4N2U343642B	1,062
34	48	36	2 PC	Y-5Q4N2U343648B	1,100
34	54	36	2 PC	Y-5Q4N2U343654B	1,139
34	60	36	2 PC	Y-5Q4N2U343660B	1,404
34	66	36	2 PC	Y-5Q4N2U343666B	1,442
34	72	36	2 PC	Y-5Q4N2U343672B	1,480
34	78	36	2 PC	Y-5Q4N2U343678B	1,517
34	84	36	2 PC	Y-5Q4N2U343684B	1,555



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	36	2 PC	Y-5Q4N2U383642B	1,122
38	48	36	2 PC	Y-5Q4N2U383648B	1,163
38	54	36	2 PC	Y-5Q4N2U383654B	1,206
38	60	36	2 PC	Y-5Q4N2U383660B	1,503
38	66	36	2 PC	Y-5Q4N2U383666B	1,545
38	72	36	2 PC	Y-5Q4N2U383672B	1,586
38	78	36	2 PC	Y-5Q4N2U383678B	1,629
38	84	36	2 PC	Y-5Q4N2U383684B	1,672
42	42	36	2 PC	Y-5Q4N2U423642B	1,179
42	48	36	2 PC	Y-5Q4N2U423648B	1,224
42	54	36	2 PC	Y-5Q4N2U423654B	1,274
42	60	36	2 PC	Y-5Q4N2U423660B	1,602
42	66	36	2 PC	Y-5Q4N2U423666B	1,647
42	72	36	2 PC	Y-5Q4N2U423672B	1,694
42	78	36	2 PC	Y-5Q4N2U423678B	1,741
42	84	36	2 PC	Y-5Q4N2U423684B	1,788

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	42	2 PC	Y-5Q4N2U224242B	815
22	48	42	2 PC	Y-5Q4N2U224248B	833
22	54	42	2 PC	Y-5Q4N2U224254B	972
22	60	42	2 PC	Y-5Q4N2U224260B	991
22	66	42	2 PC	Y-5Q4N2U224266B	1,008
22	72	42	2 PC	Y-5Q4N2U224272B	1,026
22	78	42	2 PC	Y-5Q4N2U224278B	1,043
22	84	42	2 PC	Y-5Q4N2U224284B	1,061
26	42	42	2 PC	Y-5Q4N2U264242B	860
26	48	42	2 PC	Y-5Q4N2U264248B	880
26	54	42	2 PC	Y-5Q4N2U264254B	1,047
26	60	42	2 PC	Y-5Q4N2U264260B	1,066
26	66	42	2 PC	Y-5Q4N2U264266B	1,088
26	72	42	2 PC	Y-5Q4N2U264272B	1,107
26	78	42	2 PC	Y-5Q4N2U264278B	1,129
26	84	42	2 PC	Y-5Q4N2U264284B	1,150



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Day-to-Day, Calibrate & E-Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	42	2 PC	Y-5Q4N2U304242B	1,274
30	48	42	2 PC	Y-5Q4N2U304248B	1,307
30	54	42	2 PC	Y-5Q4N2U304254B	1,341
30	60	42	2 PC	Y-5Q4N2U304260B	1,373
30	66	42	2 PC	Y-5Q4N2U304266B	1,406
30	72	42	2 PC	Y-5Q4N2U304272B	1,440
30	78	42	2 PC	Y-5Q4N2U304278B	1,474
30	84	42	2 PC	Y-5Q4N2U304284B	1,508
34	42	42	2 PC	Y-5Q4N2U344242B	1,100
34	48	42	2 PC	Y-5Q4N2U344248B	1,139
34	54	42	2 PC	Y-5Q4N2U344254B	1,442
34	60	42	2 PC	Y-5Q4N2U344260B	1,480
34	66	42	2 PC	Y-5Q4N2U344266B	1,517
34	72	42	2 PC	Y-5Q4N2U344272B	1,555
34	78	42	2 PC	Y-5Q4N2U344278B	1,593
34	84	42	2 PC	Y-5Q4N2U344284B	1,631

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT
U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	42	2 PC	Y-5Q4N2U384242B	1,163
38	48	42	2 PC	Y-5Q4N2U384248B	1,206
38	54	42	2 PC	Y-5Q4N2U384254B	1,545
38	60	42	2 PC	Y-5Q4N2U384260B	1,586
38	66	42	2 PC	Y-5Q4N2U384266B	1,629
38	72	42	2 PC	Y-5Q4N2U384272B	1,672
38	78	42	2 PC	Y-5Q4N2U384278B	1,714
38	84	42	2 PC	Y-5Q4N2U384284B	1,757
42	42	42	2 PC	Y-5Q4N2U424242B	1,224
42	48	42	2 PC	Y-5Q4N2U424248B	1,274
42	54	42	2 PC	Y-5Q4N2U424254B	1,647
42	60	42	2 PC	Y-5Q4N2U424260B	1,694
42	66	42	2 PC	Y-5Q4N2U424266B	1,741
42	72	42	2 PC	Y-5Q4N2U424272B	1,788
42	78	42	2 PC	Y-5Q4N2U424278B	1,835
42	84	42	2 PC	Y-5Q4N2U424284B	1,882



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

U-Wrap Screens Sized for Nominal = Actual Size

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N4Q2U121242B	656
12	48	12	1	Y-5N4Q2U121248B	666
12	54	12	1	Y-5N4Q2U121254B	675
12	60	12	1	Y-5N4Q2U121260B	684
12	66	12	1	Y-5N4Q2U121266B	695
12	72	12	2	Y-5N4Q2U121272B	704
12	78	12	2	Y-5N4Q2U121278B	713
12	84	12	2	Y-5N4Q2U121284B	742
16	42	12	1	Y-5N4Q2U161242B	684
16	48	12	1	Y-5N4Q2U161248B	697
16	54	12	1	Y-5N4Q2U161254B	710
16	60	12	1	Y-5N4Q2U161260B	724
16	66	12	1	Y-5N4Q2U161266B	736
16	72	12	2	Y-5N4Q2U161272B	748
16	78	12	2	Y-5N4Q2U161278B	761
16	84	12	2	Y-5N4Q2U161284B	800

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N4Q2U201242B	713
20	48	12	1	Y-5N4Q2U201248B	729
20	54	12	1	Y-5N4Q2U201254B	746
20	60	12	1	Y-5N4Q2U201260B	761
20	66	12	1	Y-5N4Q2U201266B	776
20	72	12	2	Y-5N4Q2U201272B	794
20	78	12	2	Y-5N4Q2U201278B	808
20	84	12	2	Y-5N4Q2U201284B	858
24	42	12	1	Y-5N4Q2U241242B	740
24	48	12	1	Y-5N4Q2U241248B	761
24	54	12	1	Y-5N4Q2U241254B	779
24	60	12	1	Y-5N4Q2U241260B	800
24	66	12	1	Y-5N4Q2U241266B	818
24	72	12	2	Y-5N4Q2U241272B	837
24	78	12	2	Y-5N4Q2U241278B	858
24	84	12	2	Y-5N4Q2U241284B	914



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N4Q2U281242B	769
28	48	12	1	Y-5N4Q2U281248B	794
28	54	12	1	Y-5N4Q2U281254B	815
28	60	12	1	Y-5N4Q2U281260B	837
28	66	12	1	Y-5N4Q2U281266B	860
28	72	12	2	Y-5N4Q2U281272B	881
28	78	12	2	Y-5N4Q2U281278B	904
28	84	12	2	Y-5N4Q2U281284B	971
32	42	12	1	Y-5N4Q2U321242B	890
32	48	12	1	Y-5N4Q2U321248B	927
32	54	12	1	Y-5N4Q2U321254B	962
32	60	12	1	Y-5N4Q2U321260B	997
32	66	12	1	Y-5N4Q2U321266B	1,033
32	72	12	2	Y-5N4Q2U321272B	1,069
32	78	12	2	Y-5N4Q2U321278B	1,105
32	84	12	2	Y-5N4Q2U321284B	1,213

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N4Q2U121842B	666
12	48	18	1	Y-5N4Q2U121848B	675
12	54	18	1	Y-5N4Q2U121854B	684
12	60	18	2	Y-5N4Q2U121860B	695
12	66	18	2	Y-5N4Q2U121866B	704
12	72	18	2	Y-5N4Q2U121872B	713
12	78	18	2	Y-5N4Q2U121878B	753
12	84	18	2	Y-5N4Q2U121884B	763
16	42	18	1	Y-5N4Q2U161842B	697
16	48	18	1	Y-5N4Q2U161848B	710
16	54	18	1	Y-5N4Q2U161854B	724
16	60	18	2	Y-5N4Q2U161860B	736
16	66	18	2	Y-5N4Q2U161866B	748
16	72	18	2	Y-5N4Q2U161872B	761
16	78	18	2	Y-5N4Q2U161878B	813
16	84	18	2	Y-5N4Q2U161884B	827



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N4Q2U201842B	729
20	48	18	1	Y-5N4Q2U201848B	746
20	54	18	1	Y-5N4Q2U201854B	761
20	60	18	2	Y-5N4Q2U201860B	776
20	66	18	2	Y-5N4Q2U201866B	794
20	72	18	2	Y-5N4Q2U201872B	808
20	78	18	2	Y-5N4Q2U201878B	873
20	84	18	2	Y-5N4Q2U201884B	889
24	42	18	1	Y-5N4Q2U241842B	761
24	48	18	1	Y-5N4Q2U241848B	779
24	54	18	1	Y-5N4Q2U241854B	800
24	60	18	2	Y-5N4Q2U241860B	818
24	66	18	2	Y-5N4Q2U241866B	837
24	72	18	2	Y-5N4Q2U241872B	858
24	78	18	2	Y-5N4Q2U241878B	935
24	84	18	2	Y-5N4Q2U241884B	954

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N4Q2U281842B	794
28	48	18	1	Y-5N4Q2U281848B	815
28	54	18	1	Y-5N4Q2U281854B	837
28	60	18	2	Y-5N4Q2U281860B	860
28	66	18	2	Y-5N4Q2U281866B	881
28	72	18	2	Y-5N4Q2U281872B	904
28	78	18	2	Y-5N4Q2U281878B	995
28	84	18	2	Y-5N4Q2U281884B	1,018
32	42	18	1	Y-5N4Q2U321842B	927
32	48	18	1	Y-5N4Q2U321848B	962
32	54	18	1	Y-5N4Q2U321854B	997
32	60	18	2	Y-5N4Q2U321860B	1,033
32	66	18	2	Y-5N4Q2U321866B	1,069
32	72	18	2	Y-5N4Q2U321872B	1,105
32	78	18	2	Y-5N4Q2U321878B	1,249
32	84	18	2	Y-5N4Q2U321884B	1,285



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N4Q2U122442B	675
12	48	24	2	Y-5N4Q2U122448B	684
12	54	24	2	Y-5N4Q2U122454B	695
12	60	24	2	Y-5N4Q2U122460B	704
12	66	24	2	Y-5N4Q2U122466B	713
12	72	24	2	Y-5N4Q2U122472B	763
12	78	24	2	Y-5N4Q2U122478B	771
12	84	24	2	Y-5N4Q2U122484B	779
16	42	24	1	Y-5N4Q2U162442B	710
16	48	24	2	Y-5N4Q2U162448B	724
16	54	24	2	Y-5N4Q2U162454B	736
16	60	24	2	Y-5N4Q2U162460B	748
16	66	24	2	Y-5N4Q2U162466B	761
16	72	24	2	Y-5N4Q2U162472B	827
16	78	24	2	Y-5N4Q2U162478B	837
16	84	24	2	Y-5N4Q2U162484B	850

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N4Q2U202442B	746
20	48	24	2	Y-5N4Q2U202448B	761
20	54	24	2	Y-5N4Q2U202454B	776
20	60	24	2	Y-5N4Q2U202460B	794
20	66	24	2	Y-5N4Q2U202466B	808
20	72	24	2	Y-5N4Q2U202472B	889
20	78	24	2	Y-5N4Q2U202478B	906
20	84	24	2	Y-5N4Q2U202484B	921
24	42	24	1	Y-5N4Q2U242442B	779
24	48	24	2	Y-5N4Q2U242448B	800
24	54	24	2	Y-5N4Q2U242454B	818
24	60	24	2	Y-5N4Q2U242460B	837
24	66	24	2	Y-5N4Q2U242466B	858
24	72	24	2	Y-5N4Q2U242472B	954
24	78	24	2	Y-5N4Q2U242478B	971
24	84	24	2	Y-5N4Q2U242484B	991



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N4Q2U282442B	815
28	48	24	2	Y-5N4Q2U282448B	837
28	54	24	2	Y-5N4Q2U282454B	860
28	60	24	2	Y-5N4Q2U282460B	881
28	66	24	2	Y-5N4Q2U282466B	904
28	72	24	2	Y-5N4Q2U282472B	1,018
28	78	24	2	Y-5N4Q2U282478B	1,038
28	84	24	2	Y-5N4Q2U282484B	1,061
32	42	24	1	Y-5N4Q2U322442B	962
32	48	24	2	Y-5N4Q2U322448B	997
32	54	24	2	Y-5N4Q2U322454B	1,033
32	60	24	2	Y-5N4Q2U322460B	1,069
32	66	24	2	Y-5N4Q2U322466B	1,105
32	72	24	2	Y-5N4Q2U322472B	1,285
32	78	24	2	Y-5N4Q2U322478B	1,320
32	84	24	2	Y-5N4Q2U322484B	1,355

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N4Q2U123042B	684
12	48	30	2	Y-5N4Q2U123048B	695
12	54	30	2	Y-5N4Q2U123054B	704
12	60	30	2	Y-5N4Q2U123060B	713
12	66	30	2	Y-5N4Q2U123066B	771
12	72	30	2	Y-5N4Q2U123072B	779
12	78	30	2	Y-5N4Q2U123078B	791
12	84	30	2	Y-5N4Q2U123084B	800
16	42	30	2	Y-5N4Q2U163042B	724
16	48	30	2	Y-5N4Q2U163048B	736
16	54	30	2	Y-5N4Q2U163054B	748
16	60	30	2	Y-5N4Q2U163060B	761
16	66	30	2	Y-5N4Q2U163066B	837
16	72	30	2	Y-5N4Q2U163072B	850
16	78	30	2	Y-5N4Q2U163078B	864
16	84	30	2	Y-5N4Q2U163084B	876



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N4Q2U203042B	761
20	48	30	2	Y-5N4Q2U203048B	776
20	54	30	2	Y-5N4Q2U203054B	794
20	60	30	2	Y-5N4Q2U203060B	808
20	66	30	2	Y-5N4Q2U203066B	906
20	72	30	2	Y-5N4Q2U203072B	921
20	78	30	2	Y-5N4Q2U203078B	937
20	84	30	2	Y-5N4Q2U203084B	954
24	42	30	2	Y-5N4Q2U243042B	800
24	48	30	2	Y-5N4Q2U243048B	818
24	54	30	2	Y-5N4Q2U243054B	837
24	60	30	2	Y-5N4Q2U243060B	858
24	66	30	2	Y-5N4Q2U243066B	971
24	72	30	2	Y-5N4Q2U243072B	991
24	78	30	2	Y-5N4Q2U243078B	1,010
24	84	30	2	Y-5N4Q2U243084B	1,029

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N4Q2U283042B	837
28	48	30	2	Y-5N4Q2U283048B	860
28	54	30	2	Y-5N4Q2U283054B	881
28	60	30	2	Y-5N4Q2U283060B	904
28	66	30	2	Y-5N4Q2U283066B	1,038
28	72	30	2	Y-5N4Q2U283072B	1,061
28	78	30	2	Y-5N4Q2U283078B	1,085
28	84	30	2	Y-5N4Q2U283084B	1,105
32	42	30	2	Y-5N4Q2U323042B	997
32	48	30	2	Y-5N4Q2U323048B	1,033
32	54	30	2	Y-5N4Q2U323054B	1,069
32	60	30	2	Y-5N4Q2U323060B	1,105
32	66	30	2	Y-5N4Q2U323066B	1,320
32	72	30	2	Y-5N4Q2U323072B	1,355
32	78	30	2	Y-5N4Q2U323078B	1,392
32	84	30	2	Y-5N4Q2U323084B	1,426



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	36	2	Y-5N4Q2U123642B	695
12	48	36	2	Y-5N4Q2U123648B	704
12	54	36	2	Y-5N4Q2U123654B	713
12	60	36	2	Y-5N4Q2U123660B	779
12	66	36	2	Y-5N4Q2U123666B	791
12	72	36	2	Y-5N4Q2U123672B	800
12	78	36	2	Y-5N4Q2U123678B	808
12	84	36	2	Y-5N4Q2U123684B	820
16	42	36	2	Y-5N4Q2U163642B	736
16	48	36	2	Y-5N4Q2U163648B	748
16	54	36	2	Y-5N4Q2U163654B	761
16	60	36	2	Y-5N4Q2U163660B	850
16	66	36	2	Y-5N4Q2U163666B	864
16	72	36	2	Y-5N4Q2U163672B	876
16	78	36	2	Y-5N4Q2U163678B	889
16	84	36	2	Y-5N4Q2U163684B	901

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	36	2	Y-5N4Q2U203642B	776
20	48	36	2	Y-5N4Q2U203648B	794
20	54	36	2	Y-5N4Q2U203654B	808
20	60	36	2	Y-5N4Q2U203660B	921
20	66	36	2	Y-5N4Q2U203666B	937
20	72	36	2	Y-5N4Q2U203672B	954
20	78	36	2	Y-5N4Q2U203678B	969
20	84	36	2	Y-5N4Q2U203684B	985
24	42	36	2	Y-5N4Q2U243642B	818
24	48	36	2	Y-5N4Q2U243648B	837
24	54	36	2	Y-5N4Q2U243654B	858
24	60	36	2	Y-5N4Q2U243660B	991
24	66	36	2	Y-5N4Q2U243666B	1,010
24	72	36	2	Y-5N4Q2U243672B	1,029
24	78	36	2	Y-5N4Q2U243678B	1,049
24	84	36	2	Y-5N4Q2U243684B	1,068



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	36	2	Y-5N4Q2U283642B	860
28	48	36	2	Y-5N4Q2U283648B	881
28	54	36	2	Y-5N4Q2U283654B	904
28	60	36	2	Y-5N4Q2U283660B	1,061
28	66	36	2	Y-5N4Q2U283666B	1,085
28	72	36	2	Y-5N4Q2U283672B	1,105
28	78	36	2	Y-5N4Q2U283678B	1,128
28	84	36	2	Y-5N4Q2U283684B	1,151
32	42	36	2	Y-5N4Q2U323642B	1,033
32	48	36	2	Y-5N4Q2U323648B	1,069
32	54	36	2	Y-5N4Q2U323654B	1,105
32	60	36	2	Y-5N4Q2U323660B	1,355
32	66	36	2	Y-5N4Q2U323666B	1,392
32	72	36	2	Y-5N4Q2U323672B	1,426
32	78	36	2	Y-5N4Q2U323678B	1,463
32	84	36	2	Y-5N4Q2U323684B	1,498

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	42	2	Y-5N4Q2U124242B	704
12	48	42	2	Y-5N4Q2U124248B	713
12	54	42	2	Y-5N4Q2U124254B	791
12	60	42	2	Y-5N4Q2U124260B	800
12	66	42	2	Y-5N4Q2U124266B	808
12	72	42	2	Y-5N4Q2U124272B	820
12	78	42	2	Y-5N4Q2U124278B	829
12	84	42	2	Y-5N4Q2U124284B	837
16	42	42	2	Y-5N4Q2U164242B	748
16	48	42	2	Y-5N4Q2U164248B	761
16	54	42	2	Y-5N4Q2U164254B	864
16	60	42	2	Y-5N4Q2U164260B	876
16	66	42	2	Y-5N4Q2U164266B	889
16	72	42	2	Y-5N4Q2U164272B	901
16	78	42	2	Y-5N4Q2U164278B	914
16	84	42	2	Y-5N4Q2U164284B	927



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	42	2	Y-5N4Q2U204242B	794
20	48	42	2	Y-5N4Q2U204248B	808
20	54	42	2	Y-5N4Q2U204254B	937
20	60	42	2	Y-5N4Q2U204260B	954
20	66	42	2	Y-5N4Q2U204266B	969
20	72	42	2	Y-5N4Q2U204272B	985
20	78	42	2	Y-5N4Q2U204278B	999
20	84	42	2	Y-5N4Q2U204284B	1,018
24	42	42	2	Y-5N4Q2U244242B	837
24	48	42	2	Y-5N4Q2U244248B	858
24	54	42	2	Y-5N4Q2U244254B	1,010
24	60	42	2	Y-5N4Q2U244260B	1,029
24	66	42	2	Y-5N4Q2U244266B	1,049
24	72	42	2	Y-5N4Q2U244272B	1,068
24	78	42	2	Y-5N4Q2U244278B	1,088
24	84	42	2	Y-5N4Q2U244284B	1,105

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	42	2	Y-5N4Q2U284242B	881
28	48	42	2	Y-5N4Q2U284248B	904
28	54	42	2	Y-5N4Q2U284254B	1,085
28	60	42	2	Y-5N4Q2U284260B	1,105
28	66	42	2	Y-5N4Q2U284266B	1,128
28	72	42	2	Y-5N4Q2U284272B	1,151
28	78	42	2	Y-5N4Q2U284278B	1,172
28	84	42	2	Y-5N4Q2U284284B	1,196
32	42	42	2	Y-5N4Q2U324242B	1,069
32	48	42	2	Y-5N4Q2U324248B	1,105
32	54	42	2	Y-5N4Q2U324254B	1,392
32	60	42	2	Y-5N4Q2U324260B	1,426
32	66	42	2	Y-5N4Q2U324266B	1,463
32	72	42	2	Y-5N4Q2U324272B	1,498
32	78	42	2	Y-5N4Q2U324278B	1,535
32	84	42	2	Y-5N4Q2U324284B	1,571



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q4Q2U381242B	951
38	48	12	1 PC	Y-5Q4Q2U381248B	994
38	54	12	1 PC	Y-5Q4Q2U381254B	1,036
38	60	12	1 PC	Y-5Q4Q2U381260B	1,077
38	66	12	1 PC	Y-5Q4Q2U381266B	1,122
38	72	12	2 PC	Y-5Q4Q2U381272B	1,163
38	78	12	2 PC	Y-5Q4Q2U381278B	1,206
38	84	12	2 PC	Y-5Q4Q2U381284B	1,332
42	42	12	1 PC	Y-5Q4Q2U421242B	991
42	48	12	1 PC	Y-5Q4Q2U421248B	1,037
42	54	12	1 PC	Y-5Q4Q2U421254B	1,086
42	60	12	1 PC	Y-5Q4Q2U421260B	1,131
42	66	12	1 PC	Y-5Q4Q2U421266B	1,179
42	72	12	2 PC	Y-5Q4Q2U421272B	1,224
42	78	12	2 PC	Y-5Q4Q2U421278B	1,274
42	84	12	2 PC	Y-5Q4Q2U421284B	1,414

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q4Q2U221842B	746
22	48	18	1 PC	Y-5Q4Q2U221848B	763
22	54	18	1 PC	Y-5Q4Q2U221854B	779
22	60	18	2 PC	Y-5Q4Q2U221860B	798
22	66	18	2 PC	Y-5Q4Q2U221866B	815
22	72	18	2 PC	Y-5Q4Q2U221872B	833
22	78	18	2 PC	Y-5Q4Q2U221878B	904
22	84	18	2 PC	Y-5Q4Q2U221884B	921
26	42	18	1 PC	Y-5Q4Q2U261842B	776
26	48	18	1 PC	Y-5Q4Q2U261848B	798
26	54	18	1 PC	Y-5Q4Q2U261854B	818
26	60	18	2 PC	Y-5Q4Q2U261860B	839
26	66	18	2 PC	Y-5Q4Q2U261866B	860
26	72	18	2 PC	Y-5Q4Q2U261872B	880
26	78	18	2 PC	Y-5Q4Q2U261878B	964
26	84	18	2 PC	Y-5Q4Q2U261884B	985



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q4Q2U301842B	1,006
30	48	18	1 PC	Y-5Q4Q2U301848B	1,038
30	54	18	1 PC	Y-5Q4Q2U301854B	1,072
30	60	18	2 PC	Y-5Q4Q2U301860B	1,105
30	66	18	2 PC	Y-5Q4Q2U301866B	1,139
30	72	18	2 PC	Y-5Q4Q2U301872B	1,172
30	78	18	2 PC	Y-5Q4Q2U301878B	1,207
30	84	18	2 PC	Y-5Q4Q2U301884B	1,239
34	42	18	1 PC	Y-5Q4Q2U341842B	950
34	48	18	1 PC	Y-5Q4Q2U341848B	988
34	54	18	1 PC	Y-5Q4Q2U341854B	1,025
34	60	18	2 PC	Y-5Q4Q2U341860B	1,062
34	66	18	2 PC	Y-5Q4Q2U341866B	1,100
34	72	18	2 PC	Y-5Q4Q2U341872B	1,139
34	78	18	2 PC	Y-5Q4Q2U341878B	1,291
34	84	18	2 PC	Y-5Q4Q2U341884B	1,329

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q4Q2U381842B	994
38	48	18	1 PC	Y-5Q4Q2U381848B	1,036
38	54	18	1 PC	Y-5Q4Q2U381854B	1,077
38	60	18	2 PC	Y-5Q4Q2U381860B	1,122
38	66	18	2 PC	Y-5Q4Q2U381866B	1,163
38	72	18	2 PC	Y-5Q4Q2U381872B	1,206
38	78	18	2 PC	Y-5Q4Q2U381878B	1,375
38	84	18	2 PC	Y-5Q4Q2U381884B	1,420
42	42	18	1 PC	Y-5Q4Q2U421842B	1,037
42	48	18	1 PC	Y-5Q4Q2U421848B	1,086
42	54	18	1 PC	Y-5Q4Q2U421854B	1,131
42	60	18	2 PC	Y-5Q4Q2U421860B	1,179
42	66	18	2 PC	Y-5Q4Q2U421866B	1,224
42	72	18	2 PC	Y-5Q4Q2U421872B	1,274
42	78	18	2 PC	Y-5Q4Q2U421878B	1,461
42	84	18	2 PC	Y-5Q4Q2U421884B	1,508



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q4Q2U222442B	763
22	48	24	2 PC	Y-5Q4Q2U222448B	779
22	54	24	2 PC	Y-5Q4Q2U222454B	798
22	60	24	2 PC	Y-5Q4Q2U222460B	815
22	66	24	2 PC	Y-5Q4Q2U222466B	833
22	72	24	2 PC	Y-5Q4Q2U222472B	921
22	78	24	2 PC	Y-5Q4Q2U222478B	939
22	84	24	2 PC	Y-5Q4Q2U222484B	956
26	42	24	1 PC	Y-5Q4Q2U262442B	798
26	48	24	2 PC	Y-5Q4Q2U262448B	818
26	54	24	2 PC	Y-5Q4Q2U262454B	839
26	60	24	2 PC	Y-5Q4Q2U262460B	860
26	66	24	2 PC	Y-5Q4Q2U262466B	880
26	72	24	2 PC	Y-5Q4Q2U262472B	985
26	78	24	2 PC	Y-5Q4Q2U262478B	1,006
26	84	24	2 PC	Y-5Q4Q2U262484B	1,026

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q4Q2U302442B	1,072
30	48	24	2 PC	Y-5Q4Q2U302448B	1,105
30	54	24	2 PC	Y-5Q4Q2U302454B	1,139
30	60	24	2 PC	Y-5Q4Q2U302460B	1,172
30	66	24	2 PC	Y-5Q4Q2U302466B	1,207
30	72	24	2 PC	Y-5Q4Q2U302472B	1,239
30	78	24	2 PC	Y-5Q4Q2U302478B	1,274
30	84	24	2 PC	Y-5Q4Q2U302484B	1,308
34	42	24	1 PC	Y-5Q4Q2U342442B	988
34	48	24	2 PC	Y-5Q4Q2U342448B	1,025
34	54	24	2 PC	Y-5Q4Q2U342454B	1,062
34	60	24	2 PC	Y-5Q4Q2U342460B	1,100
34	66	24	2 PC	Y-5Q4Q2U342466B	1,139
34	72	24	2 PC	Y-5Q4Q2U342472B	1,329
34	78	24	2 PC	Y-5Q4Q2U342478B	1,366
34	84	24	2 PC	Y-5Q4Q2U342484B	1,404



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q4Q2U382442B	1,036
38	48	24	2 PC	Y-5Q4Q2U382448B	1,077
38	54	24	2 PC	Y-5Q4Q2U382454B	1,122
38	60	24	2 PC	Y-5Q4Q2U382460B	1,163
38	66	24	2 PC	Y-5Q4Q2U382466B	1,206
38	72	24	2 PC	Y-5Q4Q2U382472B	1,420
38	78	24	2 PC	Y-5Q4Q2U382478B	1,461
38	84	24	2 PC	Y-5Q4Q2U382484B	1,504
42	42	24	1 PC	Y-5Q4Q2U422442B	1,086
42	48	24	2 PC	Y-5Q4Q2U422448B	1,131
42	54	24	2 PC	Y-5Q4Q2U422454B	1,179
42	60	24	2 PC	Y-5Q4Q2U422460B	1,224
42	66	24	2 PC	Y-5Q4Q2U422466B	1,274
42	72	24	2 PC	Y-5Q4Q2U422472B	1,508
42	78	24	2 PC	Y-5Q4Q2U422478B	1,554
42	84	24	2 PC	Y-5Q4Q2U422484B	1,602

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q4Q2U223042B	779
22	48	30	2 PC	Y-5Q4Q2U223048B	798
22	54	30	2 PC	Y-5Q4Q2U223054B	815
22	60	30	2 PC	Y-5Q4Q2U223060B	833
22	66	30	2 PC	Y-5Q4Q2U223066B	939
22	72	30	2 PC	Y-5Q4Q2U223072B	956
22	78	30	2 PC	Y-5Q4Q2U223078B	975
22	84	30	2 PC	Y-5Q4Q2U223084B	991
26	42	30	2 PC	Y-5Q4Q2U263042B	818
26	48	30	2 PC	Y-5Q4Q2U263048B	839
26	54	30	2 PC	Y-5Q4Q2U263054B	860
26	60	30	2 PC	Y-5Q4Q2U263060B	880
26	66	30	2 PC	Y-5Q4Q2U263066B	1,006
26	72	30	2 PC	Y-5Q4Q2U263072B	1,026
26	78	30	2 PC	Y-5Q4Q2U263078B	1,048
26	84	30	2 PC	Y-5Q4Q2U263084B	1,068



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q4Q2U303042B	1,139
30	48	30	2 PC	Y-5Q4Q2U303048B	1,172
30	54	30	2 PC	Y-5Q4Q2U303054B	1,207
30	60	30	2 PC	Y-5Q4Q2U303060B	1,239
30	66	30	2 PC	Y-5Q4Q2U303066B	1,274
30	72	30	2 PC	Y-5Q4Q2U303072B	1,308
30	78	30	2 PC	Y-5Q4Q2U303078B	1,341
30	84	30	2 PC	Y-5Q4Q2U303084B	1,373
34	42	30	2 PC	Y-5Q4Q2U343042B	1,025
34	48	30	2 PC	Y-5Q4Q2U343048B	1,062
34	54	30	2 PC	Y-5Q4Q2U343054B	1,100
34	60	30	2 PC	Y-5Q4Q2U343060B	1,139
34	66	30	2 PC	Y-5Q4Q2U343066B	1,366
34	72	30	2 PC	Y-5Q4Q2U343072B	1,404
34	78	30	2 PC	Y-5Q4Q2U343078B	1,442
34	84	30	2 PC	Y-5Q4Q2U343084B	1,481

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q4Q2U383042B	1,077
38	48	30	2 PC	Y-5Q4Q2U383048B	1,122
38	54	30	2 PC	Y-5Q4Q2U383054B	1,163
38	60	30	2 PC	Y-5Q4Q2U383060B	1,206
38	66	30	2 PC	Y-5Q4Q2U383066B	1,461
38	72	30	2 PC	Y-5Q4Q2U383072B	1,504
38	78	30	2 PC	Y-5Q4Q2U383078B	1,545
38	84	30	2 PC	Y-5Q4Q2U383084B	1,587
42	42	30	2 PC	Y-5Q4Q2U423042B	1,131
42	48	30	2 PC	Y-5Q4Q2U423048B	1,179
42	54	30	2 PC	Y-5Q4Q2U423054B	1,224
42	60	30	2 PC	Y-5Q4Q2U423060B	1,274
42	66	30	2 PC	Y-5Q4Q2U423066B	1,554
42	72	30	2 PC	Y-5Q4Q2U423072B	1,602
42	78	30	2 PC	Y-5Q4Q2U423078B	1,647
42	84	30	2 PC	Y-5Q4Q2U423084B	1,694



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	36	2 PC	Y-5Q4Q2U223642B	798
22	48	36	2 PC	Y-5Q4Q2U223648B	815
22	54	36	2 PC	Y-5Q4Q2U223654B	833
22	60	36	2 PC	Y-5Q4Q2U223660B	956
22	66	36	2 PC	Y-5Q4Q2U223666B	975
22	72	36	2 PC	Y-5Q4Q2U223672B	991
22	78	36	2 PC	Y-5Q4Q2U223678B	1,009
22	84	36	2 PC	Y-5Q4Q2U223684B	1,026
26	42	36	2 PC	Y-5Q4Q2U263642B	839
26	48	36	2 PC	Y-5Q4Q2U263648B	860
26	54	36	2 PC	Y-5Q4Q2U263654B	880
26	60	36	2 PC	Y-5Q4Q2U263660B	1,026
26	66	36	2 PC	Y-5Q4Q2U263666B	1,048
26	72	36	2 PC	Y-5Q4Q2U263672B	1,068
26	78	36	2 PC	Y-5Q4Q2U263678B	1,089
26	84	36	2 PC	Y-5Q4Q2U263684B	1,109

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	36	2 PC	Y-5Q4Q2U303642B	1,207
30	48	36	2 PC	Y-5Q4Q2U303648B	1,239
30	54	36	2 PC	Y-5Q4Q2U303654B	1,274
30	60	36	2 PC	Y-5Q4Q2U303660B	1,308
30	66	36	2 PC	Y-5Q4Q2U303666B	1,341
30	72	36	2 PC	Y-5Q4Q2U303672B	1,373
30	78	36	2 PC	Y-5Q4Q2U303678B	1,408
30	84	36	2 PC	Y-5Q4Q2U303684B	1,441
34	42	36	2 PC	Y-5Q4Q2U343642B	1,062
34	48	36	2 PC	Y-5Q4Q2U343648B	1,100
34	54	36	2 PC	Y-5Q4Q2U343654B	1,139
34	60	36	2 PC	Y-5Q4Q2U343660B	1,404
34	66	36	2 PC	Y-5Q4Q2U343666B	1,442
34	72	36	2 PC	Y-5Q4Q2U343672B	1,481
34	78	36	2 PC	Y-5Q4Q2U343678B	1,519
34	84	36	2 PC	Y-5Q4Q2U343684B	1,556



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	36	2 PC	Y-5Q4Q2U383642B	1,122
38	48	36	2 PC	Y-5Q4Q2U383648B	1,163
38	54	36	2 PC	Y-5Q4Q2U383654B	1,206
38	60	36	2 PC	Y-5Q4Q2U383660B	1,504
38	66	36	2 PC	Y-5Q4Q2U383666B	1,545
38	72	36	2 PC	Y-5Q4Q2U383672B	1,587
38	78	36	2 PC	Y-5Q4Q2U383678B	1,630
38	84	36	2 PC	Y-5Q4Q2U383684B	1,672
42	42	36	2 PC	Y-5Q4Q2U423642B	1,179
42	48	36	2 PC	Y-5Q4Q2U423648B	1,224
42	54	36	2 PC	Y-5Q4Q2U423654B	1,274
42	60	36	2 PC	Y-5Q4Q2U423660B	1,602
42	66	36	2 PC	Y-5Q4Q2U423666B	1,647
42	72	36	2 PC	Y-5Q4Q2U423672B	1,694
42	78	36	2 PC	Y-5Q4Q2U423678B	1,741
42	84	36	2 PC	Y-5Q4Q2U423684B	1,788

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	42	2 PC	Y-5Q4Q2U224242B	815
22	48	42	2 PC	Y-5Q4Q2U224248B	833
22	54	42	2 PC	Y-5Q4Q2U224254B	975
22	60	42	2 PC	Y-5Q4Q2U224260B	991
22	66	42	2 PC	Y-5Q4Q2U224266B	1,009
22	72	42	2 PC	Y-5Q4Q2U224272B	1,026
22	78	42	2 PC	Y-5Q4Q2U224278B	1,045
22	84	42	2 PC	Y-5Q4Q2U224284B	1,061
26	42	42	2 PC	Y-5Q4Q2U264242B	860
26	48	42	2 PC	Y-5Q4Q2U264248B	880
26	54	42	2 PC	Y-5Q4Q2U264254B	1,048
26	60	42	2 PC	Y-5Q4Q2U264260B	1,068
26	66	42	2 PC	Y-5Q4Q2U264266B	1,089
26	72	42	2 PC	Y-5Q4Q2U264272B	1,109
26	78	42	2 PC	Y-5Q4Q2U264278B	1,130
26	84	42	2 PC	Y-5Q4Q2U264284B	1,151



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	42	2 PC	Y-5Q4Q2U304242B	1,274
30	48	42	2 PC	Y-5Q4Q2U304248B	1,308
30	54	42	2 PC	Y-5Q4Q2U304254B	1,341
30	60	42	2 PC	Y-5Q4Q2U304260B	1,373
30	66	42	2 PC	Y-5Q4Q2U304266B	1,408
30	72	42	2 PC	Y-5Q4Q2U304272B	1,441
30	78	42	2 PC	Y-5Q4Q2U304278B	1,474
30	84	42	2 PC	Y-5Q4Q2U304284B	1,508
34	42	42	2 PC	Y-5Q4Q2U344242B	1,100
34	48	42	2 PC	Y-5Q4Q2U344248B	1,139
34	54	42	2 PC	Y-5Q4Q2U344254B	1,442
34	60	42	2 PC	Y-5Q4Q2U344260B	1,481
34	66	42	2 PC	Y-5Q4Q2U344266B	1,519
34	72	42	2 PC	Y-5Q4Q2U344272B	1,556
34	78	42	2 PC	Y-5Q4Q2U344278B	1,593
34	84	42	2 PC	Y-5Q4Q2U344284B	1,631

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	42	2 PC	Y-5Q4Q2U384242B	1,163
38	48	42	2 PC	Y-5Q4Q2U384248B	1,206
38	54	42	2 PC	Y-5Q4Q2U384254B	1,545
38	60	42	2 PC	Y-5Q4Q2U384260B	1,587
38	66	42	2 PC	Y-5Q4Q2U384266B	1,630
38	72	42	2 PC	Y-5Q4Q2U384272B	1,672
38	78	42	2 PC	Y-5Q4Q2U384278B	1,716
38	84	42	2 PC	Y-5Q4Q2U384284B	1,757
42	42	42	2 PC	Y-5Q4Q2U424242B	1,224
42	48	42	2 PC	Y-5Q4Q2U424248B	1,274
42	54	42	2 PC	Y-5Q4Q2U424254B	1,647
42	60	42	2 PC	Y-5Q4Q2U424260B	1,694
42	66	42	2 PC	Y-5Q4Q2U424266B	1,741
42	72	42	2 PC	Y-5Q4Q2U424272B	1,788
42	78	42	2 PC	Y-5Q4Q2U424278B	1,835
42	84	42	2 PC	Y-5Q4Q2U424284B	1,882



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

PET L-Wrap Enclosures with Wire Managers


PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	12	Y-5M8M2L031224B	Y-5M8M2R031224B	714
3	30	12	Y-5M8M2L031230B	Y-5M8M2R031230B	733
3	36	12	Y-5M8M2L031236B	Y-5M8M2R031236B	750
3	42	12	Y-5M8M2L031242B	Y-5M8M2R031242B	768
3	48	12	Y-5M8M2L031248B	Y-5M8M2R031248B	788
3	54	12	Y-5M8M2L031254B	Y-5M8M2R031254B	806
3	60	12	Y-5M8M2L031260B	Y-5M8M2R031260B	825
3	66	12	Y-5M8M2L031266B	Y-5M8M2R031266B	843
3	72	12	Y-5M8M2L031272B	Y-5M8M2R031272B	860
3	78	12	Y-5M8M2L031278B	Y-5M8M2R031278B	880
3	24	18	Y-5M8M2L031824B	Y-5M8M2R031824B	733
3	30	18	Y-5M8M2L031830B	Y-5M8M2R031830B	750
3	36	18	Y-5M8M2L031836B	Y-5M8M2R031836B	768
3	42	18	Y-5M8M2L031842B	Y-5M8M2R031842B	788
3	48	18	Y-5M8M2L031848B	Y-5M8M2R031848B	806
3	54	18	Y-5M8M2L031854B	Y-5M8M2R031854B	825
3	60	18	Y-5M8M2L031860B	Y-5M8M2R031860B	843
3	66	18	Y-5M8M2L031866B	Y-5M8M2R031866B	860
3	72	18	Y-5M8M2L031872B	Y-5M8M2R031872B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
3	24	24	Y-5M8M2L032424B	Y-5M8M2R032424B	750
3	30	24	Y-5M8M2L032430B	Y-5M8M2R032430B	768
3	36	24	Y-5M8M2L032436B	Y-5M8M2R032436B	788
3	42	24	Y-5M8M2L032442B	Y-5M8M2R032442B	806
3	48	24	Y-5M8M2L032448B	Y-5M8M2R032448B	825
3	54	24	Y-5M8M2L032454B	Y-5M8M2R032454B	843
3	60	24	Y-5M8M2L032460B	Y-5M8M2R032460B	860
3	66	24	Y-5M8M2L032466B	Y-5M8M2R032466B	880
3	24	30	Y-5M8M2L033024B	Y-5M8M2R033024B	768
3	30	30	Y-5M8M2L033030B	Y-5M8M2R033030B	788
3	36	30	Y-5M8M2L033036B	Y-5M8M2R033036B	806
3	42	30	Y-5M8M2L033042B	Y-5M8M2R033042B	825
3	48	30	Y-5M8M2L033048B	Y-5M8M2R033048B	843
3	54	30	Y-5M8M2L033054B	Y-5M8M2R033054B	860
3	60	30	Y-5M8M2L033060B	Y-5M8M2R033060B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	12	Y-5M8M2L121224B	Y-5M8M2R121224B	744
12	30	12	Y-5M8M2L121230B	Y-5M8M2R121230B	763
12	36	12	Y-5M8M2L121236B	Y-5M8M2R121236B	782
12	42	12	Y-5M8M2L121242B	Y-5M8M2R121242B	801
12	48	12	Y-5M8M2L121248B	Y-5M8M2R121248B	820
12	54	12	Y-5M8M2L121254B	Y-5M8M2R121254B	839
12	60	12	Y-5M8M2L121260B	Y-5M8M2R121260B	858
12	66	12	Y-5M8M2L121266B	Y-5M8M2R121266B	877
12	72	12	Y-5M8M2L121272B	Y-5M8M2R121272B	897
12	78	12	Y-5M8M2L121278B	Y-5M8M2R121278B	916
12	24	18	Y-5M8M2L121824B	Y-5M8M2R121824B	763
12	30	18	Y-5M8M2L121830B	Y-5M8M2R121830B	782
12	36	18	Y-5M8M2L121836B	Y-5M8M2R121836B	801
12	42	18	Y-5M8M2L121842B	Y-5M8M2R121842B	820
12	48	18	Y-5M8M2L121848B	Y-5M8M2R121848B	839
12	54	18	Y-5M8M2L121854B	Y-5M8M2R121854B	858
12	60	18	Y-5M8M2L121860B	Y-5M8M2R121860B	877
12	66	18	Y-5M8M2L121866B	Y-5M8M2R121866B	897
12	72	18	Y-5M8M2L121872B	Y-5M8M2R121872B	916



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5M8M2L122424B	Y-5M8M2R122424B	782
12	30	24	Y-5M8M2L122430B	Y-5M8M2R122430B	801
12	36	24	Y-5M8M2L122436B	Y-5M8M2R122436B	820
12	42	24	Y-5M8M2L122442B	Y-5M8M2R122442B	839
12	48	24	Y-5M8M2L122448B	Y-5M8M2R122448B	858
12	54	24	Y-5M8M2L122454B	Y-5M8M2R122454B	877
12	60	24	Y-5M8M2L122460B	Y-5M8M2R122460B	897
12	66	24	Y-5M8M2L122466B	Y-5M8M2R122466B	916
12	24	30	Y-5M8M2L123024B	Y-5M8M2R123024B	801
12	30	30	Y-5M8M2L123030B	Y-5M8M2R123030B	820
12	36	30	Y-5M8M2L123036B	Y-5M8M2R123036B	839
12	42	30	Y-5M8M2L123042B	Y-5M8M2R123042B	858
12	48	30	Y-5M8M2L123048B	Y-5M8M2R123048B	877
12	54	30	Y-5M8M2L123054B	Y-5M8M2R123054B	897
12	60	30	Y-5M8M2L123060B	Y-5M8M2R123060B	916



Left Hand



Right Hand


Specify	Notes
• Paint Selection • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• Specify based on table that enclosure is paired with. • PET screen inserts are 1/2" (12mm) thick. • 12" wide wings get one bracket, 18" wide and over wings get two brackets. • 3/8" gap allows for installation of clamp-on monitors and accessories. • Unhooks from worksurface for easy access to wire management. Access from user side. • Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	12	Y-5M8M2L161224B	Y-5M8M2R161224B	765
16	30	12	Y-5M8M2L161230B	Y-5M8M2R161230B	788
16	36	12	Y-5M8M2L161236B	Y-5M8M2R161236B	809
16	42	12	Y-5M8M2L161242B	Y-5M8M2R161242B	833
16	48	12	Y-5M8M2L161248B	Y-5M8M2R161248B	855
16	54	12	Y-5M8M2L161254B	Y-5M8M2R161254B	877
16	60	12	Y-5M8M2L161260B	Y-5M8M2R161260B	900
16	66	12	Y-5M8M2L161266B	Y-5M8M2R161266B	924
16	72	12	Y-5M8M2L161272B	Y-5M8M2R161272B	948
16	78	12	Y-5M8M2L161278B	Y-5M8M2R161278B	968
16	24	18	Y-5M8M2L161824B	Y-5M8M2R161824B	788
16	30	18	Y-5M8M2L161830B	Y-5M8M2R161830B	809
16	36	18	Y-5M8M2L161836B	Y-5M8M2R161836B	833
16	42	18	Y-5M8M2L161842B	Y-5M8M2R161842B	855
16	48	18	Y-5M8M2L161848B	Y-5M8M2R161848B	877
16	54	18	Y-5M8M2L161854B	Y-5M8M2R161854B	900
16	60	18	Y-5M8M2L161860B	Y-5M8M2R161860B	924
16	66	18	Y-5M8M2L161866B	Y-5M8M2R161866B	948
16	72	18	Y-5M8M2L161872B	Y-5M8M2R161872B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	24	Y-5M8M2L162424B	Y-5M8M2R162424B	809
16	30	24	Y-5M8M2L162430B	Y-5M8M2R162430B	833
16	36	24	Y-5M8M2L162436B	Y-5M8M2R162436B	855
16	42	24	Y-5M8M2L162442B	Y-5M8M2R162442B	877
16	48	24	Y-5M8M2L162448B	Y-5M8M2R162448B	900
16	54	24	Y-5M8M2L162454B	Y-5M8M2R162454B	924
16	60	24	Y-5M8M2L162460B	Y-5M8M2R162460B	948
16	66	24	Y-5M8M2L162466B	Y-5M8M2R162466B	968
16	24	30	Y-5M8M2L163024B	Y-5M8M2R163024B	833
16	30	30	Y-5M8M2L163030B	Y-5M8M2R163030B	855
16	36	30	Y-5M8M2L163036B	Y-5M8M2R163036B	877
16	42	30	Y-5M8M2L163042B	Y-5M8M2R163042B	900
16	48	30	Y-5M8M2L163048B	Y-5M8M2R163048B	924
16	54	30	Y-5M8M2L163054B	Y-5M8M2R163054B	948
16	60	30	Y-5M8M2L163060B	Y-5M8M2R163060B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	12	Y-5M8M2L201224B	Y-5M8M2R201224B	795
20	30	12	Y-5M8M2L201230B	Y-5M8M2R201230B	819
20	36	12	Y-5M8M2L201236B	Y-5M8M2R201236B	843
20	42	12	Y-5M8M2L201242B	Y-5M8M2R201242B	866
20	48	12	Y-5M8M2L201248B	Y-5M8M2R201248B	888
20	54	12	Y-5M8M2L201254B	Y-5M8M2R201254B	912
20	60	12	Y-5M8M2L201260B	Y-5M8M2R201260B	937
20	66	12	Y-5M8M2L201266B	Y-5M8M2R201266B	960
20	72	12	Y-5M8M2L201272B	Y-5M8M2R201272B	985
20	78	12	Y-5M8M2L201278B	Y-5M8M2R201278B	1,007
20	24	18	Y-5M8M2L201824B	Y-5M8M2R201824B	819
20	30	18	Y-5M8M2L201830B	Y-5M8M2R201830B	843
20	36	18	Y-5M8M2L201836B	Y-5M8M2R201836B	866
20	42	18	Y-5M8M2L201842B	Y-5M8M2R201842B	888
20	48	18	Y-5M8M2L201848B	Y-5M8M2R201848B	912
20	54	18	Y-5M8M2L201854B	Y-5M8M2R201854B	937
20	60	18	Y-5M8M2L201860B	Y-5M8M2R201860B	960
20	66	18	Y-5M8M2L201866B	Y-5M8M2R201866B	985
20	72	18	Y-5M8M2L201872B	Y-5M8M2R201872B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	24	Y-5M8M2L202424B	Y-5M8M2R202424B	843
20	30	24	Y-5M8M2L202430B	Y-5M8M2R202430B	866
20	36	24	Y-5M8M2L202436B	Y-5M8M2R202436B	888
20	42	24	Y-5M8M2L202442B	Y-5M8M2R202442B	912
20	48	24	Y-5M8M2L202448B	Y-5M8M2R202448B	937
20	54	24	Y-5M8M2L202454B	Y-5M8M2R202454B	960
20	60	24	Y-5M8M2L202460B	Y-5M8M2R202460B	985
20	66	24	Y-5M8M2L202466B	Y-5M8M2R202466B	1,007
20	24	30	Y-5M8M2L203024B	Y-5M8M2R203024B	866
20	30	30	Y-5M8M2L203030B	Y-5M8M2R203030B	888
20	36	30	Y-5M8M2L203036B	Y-5M8M2R203036B	912
20	42	30	Y-5M8M2L203042B	Y-5M8M2R203042B	937
20	48	30	Y-5M8M2L203048B	Y-5M8M2R203048B	960
20	54	30	Y-5M8M2L203054B	Y-5M8M2R203054B	985
20	60	30	Y-5M8M2L203060B	Y-5M8M2R203060B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS						
			Left Hand	Right Hand		
H	W	D	Model Number	Model Number	List	
24	24	12	Y-5M8M2L241224B	Y-5M8M2R241224B	877	
24	30	12	Y-5M8M2L241230B	Y-5M8M2R241230B	918	
24	36	12	Y-5M8M2L241236B	Y-5M8M2R241236B	961	
24	42	12	Y-5M8M2L241242B	Y-5M8M2R241242B	1,003	
24	48	12	Y-5M8M2L241248B	Y-5M8M2R241248B	1,046	
24	54	12	Y-5M8M2L241254B	Y-5M8M2R241254B	1,087	
24	60	12	Y-5M8M2L241260B	Y-5M8M2R241260B	1,128	
24	66	12	Y-5M8M2L241266B	Y-5M8M2R241266B	1,169	
24	72	12	Y-5M8M2L241272B	Y-5M8M2R241272B	1,210	
24	78	12	Y-5M8M2L241278B	Y-5M8M2R241278B	1,253	
24	24	18	Y-5M8M2L241824B	Y-5M8M2R241824B	918	
24	30	18	Y-5M8M2L241830B	Y-5M8M2R241830B	961	
24	36	18	Y-5M8M2L241836B	Y-5M8M2R241836B	1,003	
24	42	18	Y-5M8M2L241842B	Y-5M8M2R241842B	1,046	
24	48	18	Y-5M8M2L241848B	Y-5M8M2R241848B	1,087	
24	54	18	Y-5M8M2L241854B	Y-5M8M2R241854B	1,128	
24	60	18	Y-5M8M2L241860B	Y-5M8M2R241860B	1,169	
24	66	18	Y-5M8M2L241866B	Y-5M8M2R241866B	1,210	
24	72	18	Y-5M8M2L241872B	Y-5M8M2R241872B	1,253	



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	24	Y-5M8M2L242424B	Y-5M8M2R242424B	961
24	30	24	Y-5M8M2L242430B	Y-5M8M2R242430B	1,003
24	36	24	Y-5M8M2L242436B	Y-5M8M2R242436B	1,046
24	42	24	Y-5M8M2L242442B	Y-5M8M2R242442B	1,087
24	48	24	Y-5M8M2L242448B	Y-5M8M2R242448B	1,128
24	54	24	Y-5M8M2L242454B	Y-5M8M2R242454B	1,169
24	60	24	Y-5M8M2L242460B	Y-5M8M2R242460B	1,210
24	66	24	Y-5M8M2L242466B	Y-5M8M2R242466B	1,253
24	24	30	Y-5M8M2L243024B	Y-5M8M2R243024B	1,003
24	30	30	Y-5M8M2L243030B	Y-5M8M2R243030B	1,046
24	36	30	Y-5M8M2L243036B	Y-5M8M2R243036B	1,087
24	42	30	Y-5M8M2L243042B	Y-5M8M2R243042B	1,128
24	48	30	Y-5M8M2L243048B	Y-5M8M2R243048B	1,169
24	54	30	Y-5M8M2L243054B	Y-5M8M2R243054B	1,210
24	60	30	Y-5M8M2L243060B	Y-5M8M2R243060B	1,253



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	12	Y-5M8M2L281224B	Y-5M8M2R281224B	909
28	30	12	Y-5M8M2L281230B	Y-5M8M2R281230B	954
28	36	12	Y-5M8M2L281236B	Y-5M8M2R281236B	1,001
28	42	12	Y-5M8M2L281242B	Y-5M8M2R281242B	1,047
28	48	12	Y-5M8M2L281248B	Y-5M8M2R281248B	1,093
28	54	12	Y-5M8M2L281254B	Y-5M8M2R281254B	1,140
28	60	12	Y-5M8M2L281260B	Y-5M8M2R281260B	1,184
28	66	12	Y-5M8M2L281266B	Y-5M8M2R281266B	1,234
28	72	12	Y-5M8M2L281272B	Y-5M8M2R281272B	1,280
28	78	12	Y-5M8M2L281278B	Y-5M8M2R281278B	1,327
28	24	18	Y-5M8M2L281824B	Y-5M8M2R281824B	954
28	30	18	Y-5M8M2L281830B	Y-5M8M2R281830B	1,001
28	36	18	Y-5M8M2L281836B	Y-5M8M2R281836B	1,047
28	42	18	Y-5M8M2L281842B	Y-5M8M2R281842B	1,093
28	48	18	Y-5M8M2L281848B	Y-5M8M2R281848B	1,140
28	54	18	Y-5M8M2L281854B	Y-5M8M2R281854B	1,184
28	60	18	Y-5M8M2L281860B	Y-5M8M2R281860B	1,234
28	66	18	Y-5M8M2L281866B	Y-5M8M2R281866B	1,280
28	72	18	Y-5M8M2L281872B	Y-5M8M2R281872B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5M8M2L282424B	Y-5M8M2R282424B	1,001
28	30	24	Y-5M8M2L282430B	Y-5M8M2R282430B	1,047
28	36	24	Y-5M8M2L282436B	Y-5M8M2R282436B	1,093
28	42	24	Y-5M8M2L282442B	Y-5M8M2R282442B	1,140
28	48	24	Y-5M8M2L282448B	Y-5M8M2R282448B	1,184
28	54	24	Y-5M8M2L282454B	Y-5M8M2R282454B	1,234
28	60	24	Y-5M8M2L282460B	Y-5M8M2R282460B	1,280
28	66	24	Y-5M8M2L282466B	Y-5M8M2R282466B	1,327
28	24	30	Y-5M8M2L283024B	Y-5M8M2R283024B	1,047
28	30	30	Y-5M8M2L283030B	Y-5M8M2R283030B	1,093
28	36	30	Y-5M8M2L283036B	Y-5M8M2R283036B	1,140
28	42	30	Y-5M8M2L283042B	Y-5M8M2R283042B	1,184
28	48	30	Y-5M8M2L283048B	Y-5M8M2R283048B	1,234
28	54	30	Y-5M8M2L283054B	Y-5M8M2R283054B	1,280
28	60	30	Y-5M8M2L283060B	Y-5M8M2R283060B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
3	24	12	Y-5M8J2L031224B	Y-5M8J2R031224B	714
3	30	12	Y-5M8J2L031230B	Y-5M8J2R031230B	733
3	36	12	Y-5M8J2L031236B	Y-5M8J2R031236B	750
3	42	12	Y-5M8J2L031242B	Y-5M8J2R031242B	768
3	48	12	Y-5M8J2L031248B	Y-5M8J2R031248B	788
3	54	12	Y-5M8J2L031254B	Y-5M8J2R031254B	806
3	60	12	Y-5M8J2L031260B	Y-5M8J2R031260B	825
3	66	12	Y-5M8J2L031266B	Y-5M8J2R031266B	843
3	72	12	Y-5M8J2L031272B	Y-5M8J2R031272B	860
3	78	12	Y-5M8J2L031278B	Y-5M8J2R031278B	880
3	24	18	Y-5M8J2L031824B	Y-5M8J2R031824B	733
3	30	18	Y-5M8J2L031830B	Y-5M8J2R031830B	750
3	36	18	Y-5M8J2L031836B	Y-5M8J2R031836B	768
3	42	18	Y-5M8J2L031842B	Y-5M8J2R031842B	788
3	48	18	Y-5M8J2L031848B	Y-5M8J2R031848B	806
3	54	18	Y-5M8J2L031854B	Y-5M8J2R031854B	825
3	60	18	Y-5M8J2L031860B	Y-5M8J2R031860B	843
3	66	18	Y-5M8J2L031866B	Y-5M8J2R031866B	860
3	72	18	Y-5M8J2L031872B	Y-5M8J2R031872B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
3	24	24	Y-5M8J2L032424B	Y-5M8J2R032424B	750
3	30	24	Y-5M8J2L032430B	Y-5M8J2R032430B	768
3	36	24	Y-5M8J2L032436B	Y-5M8J2R032436B	788
3	42	24	Y-5M8J2L032442B	Y-5M8J2R032442B	806
3	48	24	Y-5M8J2L032448B	Y-5M8J2R032448B	825
3	54	24	Y-5M8J2L032454B	Y-5M8J2R032454B	843
3	60	24	Y-5M8J2L032460B	Y-5M8J2R032460B	860
3	66	24	Y-5M8J2L032466B	Y-5M8J2R032466B	880
3	24	30	Y-5M8J2L033024B	Y-5M8J2R033024B	768
3	30	30	Y-5M8J2L033030B	Y-5M8J2R033030B	788
3	36	30	Y-5M8J2L033036B	Y-5M8J2R033036B	806
3	42	30	Y-5M8J2L033042B	Y-5M8J2R033042B	825
3	48	30	Y-5M8J2L033048B	Y-5M8J2R033048B	843
3	54	30	Y-5M8J2L033054B	Y-5M8J2R033054B	860
3	60	30	Y-5M8J2L033060B	Y-5M8J2R033060B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	12	Y-5M8J2L121224B	Y-5M8J2R121224B	744
12	30	12	Y-5M8J2L121230B	Y-5M8J2R121230B	763
12	36	12	Y-5M8J2L121236B	Y-5M8J2R121236B	782
12	42	12	Y-5M8J2L121242B	Y-5M8J2R121242B	801
12	48	12	Y-5M8J2L121248B	Y-5M8J2R121248B	820
12	54	12	Y-5M8J2L121254B	Y-5M8J2R121254B	839
12	60	12	Y-5M8J2L121260B	Y-5M8J2R121260B	858
12	66	12	Y-5M8J2L121266B	Y-5M8J2R121266B	877
12	72	12	Y-5M8J2L121272B	Y-5M8J2R121272B	897
12	78	12	Y-5M8J2L121278B	Y-5M8J2R121278B	916
12	24	18	Y-5M8J2L121824B	Y-5M8J2R121824B	763
12	30	18	Y-5M8J2L121830B	Y-5M8J2R121830B	782
12	36	18	Y-5M8J2L121836B	Y-5M8J2R121836B	801
12	42	18	Y-5M8J2L121842B	Y-5M8J2R121842B	820
12	48	18	Y-5M8J2L121848B	Y-5M8J2R121848B	839
12	54	18	Y-5M8J2L121854B	Y-5M8J2R121854B	858
12	60	18	Y-5M8J2L121860B	Y-5M8J2R121860B	877
12	66	18	Y-5M8J2L121866B	Y-5M8J2R121866B	897
12	72	18	Y-5M8J2L121872B	Y-5M8J2R121872B	916



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5M8J2L122424B	Y-5M8J2R122424B	782
12	30	24	Y-5M8J2L122430B	Y-5M8J2R122430B	801
12	36	24	Y-5M8J2L122436B	Y-5M8J2R122436B	820
12	42	24	Y-5M8J2L122442B	Y-5M8J2R122442B	839
12	48	24	Y-5M8J2L122448B	Y-5M8J2R122448B	858
12	54	24	Y-5M8J2L122454B	Y-5M8J2R122454B	877
12	60	24	Y-5M8J2L122460B	Y-5M8J2R122460B	897
12	66	24	Y-5M8J2L122466B	Y-5M8J2R122466B	916
12	24	30	Y-5M8J2L123024B	Y-5M8J2R123024B	801
12	30	30	Y-5M8J2L123030B	Y-5M8J2R123030B	820
12	36	30	Y-5M8J2L123036B	Y-5M8J2R123036B	839
12	42	30	Y-5M8J2L123042B	Y-5M8J2R123042B	858
12	48	30	Y-5M8J2L123048B	Y-5M8J2R123048B	877
12	54	30	Y-5M8J2L123054B	Y-5M8J2R123054B	897
12	60	30	Y-5M8J2L123060B	Y-5M8J2R123060B	916



Left Hand



Right Hand


Specify	Notes
• Paint Selection • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• Specify based on table that enclosure is paired with. • PET screen inserts are 1/2" (12mm) thick. • 12" wide wings get one bracket, 18" wide and over wings get two brackets. • 3/8" gap allows for installation of clamp-on monitors and accessories. • Unhooks from worksurface for easy access to wire management. Access from user side. • Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	12	Y-5M8J2L161224B	Y-5M8J2R161224B	765
16	30	12	Y-5M8J2L161230B	Y-5M8J2R161230B	788
16	36	12	Y-5M8J2L161236B	Y-5M8J2R161236B	809
16	42	12	Y-5M8J2L161242B	Y-5M8J2R161242B	833
16	48	12	Y-5M8J2L161248B	Y-5M8J2R161248B	855
16	54	12	Y-5M8J2L161254B	Y-5M8J2R161254B	877
16	60	12	Y-5M8J2L161260B	Y-5M8J2R161260B	900
16	66	12	Y-5M8J2L161266B	Y-5M8J2R161266B	924
16	72	12	Y-5M8J2L161272B	Y-5M8J2R161272B	948
16	78	12	Y-5M8J2L161278B	Y-5M8J2R161278B	968
16	24	18	Y-5M8J2L161824B	Y-5M8J2R161824B	788
16	30	18	Y-5M8J2L161830B	Y-5M8J2R161830B	809
16	36	18	Y-5M8J2L161836B	Y-5M8J2R161836B	833
16	42	18	Y-5M8J2L161842B	Y-5M8J2R161842B	855
16	48	18	Y-5M8J2L161848B	Y-5M8J2R161848B	877
16	54	18	Y-5M8J2L161854B	Y-5M8J2R161854B	900
16	60	18	Y-5M8J2L161860B	Y-5M8J2R161860B	924
16	66	18	Y-5M8J2L161866B	Y-5M8J2R161866B	948
16	72	18	Y-5M8J2L161872B	Y-5M8J2R161872B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS					
H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	24	Y-5M8J2L162424B	Y-5M8J2R162424B	809
16	30	24	Y-5M8J2L162430B	Y-5M8J2R162430B	833
16	36	24	Y-5M8J2L162436B	Y-5M8J2R162436B	855
16	42	24	Y-5M8J2L162442B	Y-5M8J2R162442B	877
16	48	24	Y-5M8J2L162448B	Y-5M8J2R162448B	900
16	54	24	Y-5M8J2L162454B	Y-5M8J2R162454B	924
16	60	24	Y-5M8J2L162460B	Y-5M8J2R162460B	948
16	66	24	Y-5M8J2L162466B	Y-5M8J2R162466B	968
16	24	30	Y-5M8J2L163024B	Y-5M8J2R163024B	833
16	30	30	Y-5M8J2L163030B	Y-5M8J2R163030B	855
16	36	30	Y-5M8J2L163036B	Y-5M8J2R163036B	877
16	42	30	Y-5M8J2L163042B	Y-5M8J2R163042B	900
16	48	30	Y-5M8J2L163048B	Y-5M8J2R163048B	924
16	54	30	Y-5M8J2L163054B	Y-5M8J2R163054B	948
16	60	30	Y-5M8J2L163060B	Y-5M8J2R163060B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	12	Y-5M8J2L201224B	Y-5M8J2R201224B	795
20	30	12	Y-5M8J2L201230B	Y-5M8J2R201230B	819
20	36	12	Y-5M8J2L201236B	Y-5M8J2R201236B	843
20	42	12	Y-5M8J2L201242B	Y-5M8J2R201242B	866
20	48	12	Y-5M8J2L201248B	Y-5M8J2R201248B	888
20	54	12	Y-5M8J2L201254B	Y-5M8J2R201254B	912
20	60	12	Y-5M8J2L201260B	Y-5M8J2R201260B	937
20	66	12	Y-5M8J2L201266B	Y-5M8J2R201266B	960
20	72	12	Y-5M8J2L201272B	Y-5M8J2R201272B	985
20	78	12	Y-5M8J2L201278B	Y-5M8J2R201278B	1,007
20	24	18	Y-5M8J2L201824B	Y-5M8J2R201824B	819
20	30	18	Y-5M8J2L201830B	Y-5M8J2R201830B	843
20	36	18	Y-5M8J2L201836B	Y-5M8J2R201836B	866
20	42	18	Y-5M8J2L201842B	Y-5M8J2R201842B	888
20	48	18	Y-5M8J2L201848B	Y-5M8J2R201848B	912
20	54	18	Y-5M8J2L201854B	Y-5M8J2R201854B	937
20	60	18	Y-5M8J2L201860B	Y-5M8J2R201860B	960
20	66	18	Y-5M8J2L201866B	Y-5M8J2R201866B	985
20	72	18	Y-5M8J2L201872B	Y-5M8J2R201872B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5M8J2L202424B	Y-5M8J2R202424B	843
20	30	24	Y-5M8J2L202430B	Y-5M8J2R202430B	866
20	36	24	Y-5M8J2L202436B	Y-5M8J2R202436B	888
20	42	24	Y-5M8J2L202442B	Y-5M8J2R202442B	912
20	48	24	Y-5M8J2L202448B	Y-5M8J2R202448B	937
20	54	24	Y-5M8J2L202454B	Y-5M8J2R202454B	960
20	60	24	Y-5M8J2L202460B	Y-5M8J2R202460B	985
20	66	24	Y-5M8J2L202466B	Y-5M8J2R202466B	1,007
20	24	30	Y-5M8J2L203024B	Y-5M8J2R203024B	866
20	30	30	Y-5M8J2L203030B	Y-5M8J2R203030B	888
20	36	30	Y-5M8J2L203036B	Y-5M8J2R203036B	912
20	42	30	Y-5M8J2L203042B	Y-5M8J2R203042B	937
20	48	30	Y-5M8J2L203048B	Y-5M8J2R203048B	960
20	54	30	Y-5M8J2L203054B	Y-5M8J2R203054B	985
20	60	30	Y-5M8J2L203060B	Y-5M8J2R203060B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	12	Y-5M8J2L241224B	Y-5M8J2R241224B	877
24	30	12	Y-5M8J2L241230B	Y-5M8J2R241230B	918
24	36	12	Y-5M8J2L241236B	Y-5M8J2R241236B	961
24	42	12	Y-5M8J2L241242B	Y-5M8J2R241242B	1,003
24	48	12	Y-5M8J2L241248B	Y-5M8J2R241248B	1,046
24	54	12	Y-5M8J2L241254B	Y-5M8J2R241254B	1,087
24	60	12	Y-5M8J2L241260B	Y-5M8J2R241260B	1,128
24	66	12	Y-5M8J2L241266B	Y-5M8J2R241266B	1,169
24	72	12	Y-5M8J2L241272B	Y-5M8J2R241272B	1,210
24	78	12	Y-5M8J2L241278B	Y-5M8J2R241278B	1,253
24	24	18	Y-5M8J2L241824B	Y-5M8J2R241824B	918
24	30	18	Y-5M8J2L241830B	Y-5M8J2R241830B	961
24	36	18	Y-5M8J2L241836B	Y-5M8J2R241836B	1,003
24	42	18	Y-5M8J2L241842B	Y-5M8J2R241842B	1,046
24	48	18	Y-5M8J2L241848B	Y-5M8J2R241848B	1,087
24	54	18	Y-5M8J2L241854B	Y-5M8J2R241854B	1,128
24	60	18	Y-5M8J2L241860B	Y-5M8J2R241860B	1,169
24	66	18	Y-5M8J2L241866B	Y-5M8J2R241866B	1,210
24	72	18	Y-5M8J2L241872B	Y-5M8J2R241872B	1,253



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5M8J2L242424B	Y-5M8J2R242424B	961
24	30	24	Y-5M8J2L242430B	Y-5M8J2R242430B	1,003
24	36	24	Y-5M8J2L242436B	Y-5M8J2R242436B	1,046
24	42	24	Y-5M8J2L242442B	Y-5M8J2R242442B	1,087
24	48	24	Y-5M8J2L242448B	Y-5M8J2R242448B	1,128
24	54	24	Y-5M8J2L242454B	Y-5M8J2R242454B	1,169
24	60	24	Y-5M8J2L242460B	Y-5M8J2R242460B	1,210
24	66	24	Y-5M8J2L242466B	Y-5M8J2R242466B	1,253
24	24	30	Y-5M8J2L243024B	Y-5M8J2R243024B	1,003
24	30	30	Y-5M8J2L243030B	Y-5M8J2R243030B	1,046
24	36	30	Y-5M8J2L243036B	Y-5M8J2R243036B	1,087
24	42	30	Y-5M8J2L243042B	Y-5M8J2R243042B	1,128
24	48	30	Y-5M8J2L243048B	Y-5M8J2R243048B	1,169
24	54	30	Y-5M8J2L243054B	Y-5M8J2R243054B	1,210
24	60	30	Y-5M8J2L243060B	Y-5M8J2R243060B	1,253



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	12	Y-5M8J2L281224B	Y-5M8J2R281224B	909
28	30	12	Y-5M8J2L281230B	Y-5M8J2R281230B	954
28	36	12	Y-5M8J2L281236B	Y-5M8J2R281236B	1,001
28	42	12	Y-5M8J2L281242B	Y-5M8J2R281242B	1,047
28	48	12	Y-5M8J2L281248B	Y-5M8J2R281248B	1,093
28	54	12	Y-5M8J2L281254B	Y-5M8J2R281254B	1,140
28	60	12	Y-5M8J2L281260B	Y-5M8J2R281260B	1,184
28	66	12	Y-5M8J2L281266B	Y-5M8J2R281266B	1,234
28	72	12	Y-5M8J2L281272B	Y-5M8J2R281272B	1,280
28	78	12	Y-5M8J2L281278B	Y-5M8J2R281278B	1,327
28	24	18	Y-5M8J2L281824B	Y-5M8J2R281824B	954
28	30	18	Y-5M8J2L281830B	Y-5M8J2R281830B	1,001
28	36	18	Y-5M8J2L281836B	Y-5M8J2R281836B	1,047
28	42	18	Y-5M8J2L281842B	Y-5M8J2R281842B	1,093
28	48	18	Y-5M8J2L281848B	Y-5M8J2R281848B	1,140
28	54	18	Y-5M8J2L281854B	Y-5M8J2R281854B	1,184
28	60	18	Y-5M8J2L281860B	Y-5M8J2R281860B	1,234
28	66	18	Y-5M8J2L281866B	Y-5M8J2R281866B	1,280
28	72	18	Y-5M8J2L281872B	Y-5M8J2R281872B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue


Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


PET Day-to-Day, Calibrate & E-Series HAT L-Wrap Enclosures with Wire Managers

Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E-Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E-SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS					
			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5M8J2L282424B	Y-5M8J2R282424B	1,001
28	30	24	Y-5M8J2L282430B	Y-5M8J2R282430B	1,047
28	36	24	Y-5M8J2L282436B	Y-5M8J2R282436B	1,093
28	42	24	Y-5M8J2L282442B	Y-5M8J2R282442B	1,140
28	48	24	Y-5M8J2L282448B	Y-5M8J2R282448B	1,184
28	54	24	Y-5M8J2L282454B	Y-5M8J2R282454B	1,234
28	60	24	Y-5M8J2L282460B	Y-5M8J2R282460B	1,280
28	66	24	Y-5M8J2L282466B	Y-5M8J2R282466B	1,327
28	24	30	Y-5M8J2L283024B	Y-5M8J2R283024B	1,047
28	30	30	Y-5M8J2L283030B	Y-5M8J2R283030B	1,093
28	36	30	Y-5M8J2L283036B	Y-5M8J2R283036B	1,140
28	42	30	Y-5M8J2L283042B	Y-5M8J2R283042B	1,184
28	48	30	Y-5M8J2L283048B	Y-5M8J2R283048B	1,234
28	54	30	Y-5M8J2L283054B	Y-5M8J2R283054B	1,280
28	60	30	Y-5M8J2L283060B	Y-5M8J2R283060B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
3	24	12	Y-5M8K2L031224B	Y-5M8K2R031224B	714
3	30	12	Y-5M8K2L031230B	Y-5M8K2R031230B	733
3	36	12	Y-5M8K2L031236B	Y-5M8K2R031236B	750
3	42	12	Y-5M8K2L031242B	Y-5M8K2R031242B	768
3	48	12	Y-5M8K2L031248B	Y-5M8K2R031248B	788
3	54	12	Y-5M8K2L031254B	Y-5M8K2R031254B	806
3	60	12	Y-5M8K2L031260B	Y-5M8K2R031260B	825
3	66	12	Y-5M8K2L031266B	Y-5M8K2R031266B	843
3	72	12	Y-5M8K2L031272B	Y-5M8K2R031272B	860
3	78	12	Y-5M8K2L031278B	Y-5M8K2R031278B	880
3	24	18	Y-5M8K2L031824B	Y-5M8K2R031824B	733
3	30	18	Y-5M8K2L031830B	Y-5M8K2R031830B	750
3	36	18	Y-5M8K2L031836B	Y-5M8K2R031836B	768
3	42	18	Y-5M8K2L031842B	Y-5M8K2R031842B	788
3	48	18	Y-5M8K2L031848B	Y-5M8K2R031848B	806
3	54	18	Y-5M8K2L031854B	Y-5M8K2R031854B	825
3	60	18	Y-5M8K2L031860B	Y-5M8K2R031860B	843
3	66	18	Y-5M8K2L031866B	Y-5M8K2R031866B	860
3	72	18	Y-5M8K2L031872B	Y-5M8K2R031872B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
3	24	24	Y-5M8K2L032424B	Y-5M8K2R032424B	750
3	30	24	Y-5M8K2L032430B	Y-5M8K2R032430B	768
3	36	24	Y-5M8K2L032436B	Y-5M8K2R032436B	788
3	42	24	Y-5M8K2L032442B	Y-5M8K2R032442B	806
3	48	24	Y-5M8K2L032448B	Y-5M8K2R032448B	825
3	54	24	Y-5M8K2L032454B	Y-5M8K2R032454B	843
3	60	24	Y-5M8K2L032460B	Y-5M8K2R032460B	860
3	66	24	Y-5M8K2L032466B	Y-5M8K2R032466B	880
3	24	30	Y-5M8K2L033024B	Y-5M8K2R033024B	768
3	30	30	Y-5M8K2L033030B	Y-5M8K2R033030B	788
3	36	30	Y-5M8K2L033036B	Y-5M8K2R033036B	806
3	42	30	Y-5M8K2L033042B	Y-5M8K2R033042B	825
3	48	30	Y-5M8K2L033048B	Y-5M8K2R033048B	843
3	54	30	Y-5M8K2L033054B	Y-5M8K2R033054B	860
3	60	30	Y-5M8K2L033060B	Y-5M8K2R033060B	880



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	12	Y-5M8K2L121224B	Y-5M8K2R121224B	744
12	30	12	Y-5M8K2L121230B	Y-5M8K2R121230B	763
12	36	12	Y-5M8K2L121236B	Y-5M8K2R121236B	782
12	42	12	Y-5M8K2L121242B	Y-5M8K2R121242B	801
12	48	12	Y-5M8K2L121248B	Y-5M8K2R121248B	820
12	54	12	Y-5M8K2L121254B	Y-5M8K2R121254B	839
12	60	12	Y-5M8K2L121260B	Y-5M8K2R121260B	858
12	66	12	Y-5M8K2L121266B	Y-5M8K2R121266B	877
12	72	12	Y-5M8K2L121272B	Y-5M8K2R121272B	897
12	78	12	Y-5M8K2L121278B	Y-5M8K2R121278B	916
12	24	18	Y-5M8K2L121824B	Y-5M8K2R121824B	763
12	30	18	Y-5M8K2L121830B	Y-5M8K2R121830B	782
12	36	18	Y-5M8K2L121836B	Y-5M8K2R121836B	801
12	42	18	Y-5M8K2L121842B	Y-5M8K2R121842B	820
12	48	18	Y-5M8K2L121848B	Y-5M8K2R121848B	839
12	54	18	Y-5M8K2L121854B	Y-5M8K2R121854B	858
12	60	18	Y-5M8K2L121860B	Y-5M8K2R121860B	877
12	66	18	Y-5M8K2L121866B	Y-5M8K2R121866B	897
12	72	18	Y-5M8K2L121872B	Y-5M8K2R121872B	916



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
12	24	24	Y-5M8K2L122424B	Y-5M8K2R122424B	782
12	30	24	Y-5M8K2L122430B	Y-5M8K2R122430B	801
12	36	24	Y-5M8K2L122436B	Y-5M8K2R122436B	820
12	42	24	Y-5M8K2L122442B	Y-5M8K2R122442B	839
12	48	24	Y-5M8K2L122448B	Y-5M8K2R122448B	858
12	54	24	Y-5M8K2L122454B	Y-5M8K2R122454B	877
12	60	24	Y-5M8K2L122460B	Y-5M8K2R122460B	897
12	66	24	Y-5M8K2L122466B	Y-5M8K2R122466B	916
12	24	30	Y-5M8K2L123024B	Y-5M8K2R123024B	801
12	30	30	Y-5M8K2L123030B	Y-5M8K2R123030B	820
12	36	30	Y-5M8K2L123036B	Y-5M8K2R123036B	839
12	42	30	Y-5M8K2L123042B	Y-5M8K2R123042B	858
12	48	30	Y-5M8K2L123048B	Y-5M8K2R123048B	877
12	54	30	Y-5M8K2L123054B	Y-5M8K2R123054B	897
12	60	30	Y-5M8K2L123060B	Y-5M8K2R123060B	916



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	12	Y-5M8K2L161224B	Y-5M8K2R161224B	765
16	30	12	Y-5M8K2L161230B	Y-5M8K2R161230B	788
16	36	12	Y-5M8K2L161236B	Y-5M8K2R161236B	809
16	42	12	Y-5M8K2L161242B	Y-5M8K2R161242B	833
16	48	12	Y-5M8K2L161248B	Y-5M8K2R161248B	855
16	54	12	Y-5M8K2L161254B	Y-5M8K2R161254B	877
16	60	12	Y-5M8K2L161260B	Y-5M8K2R161260B	900
16	66	12	Y-5M8K2L161266B	Y-5M8K2R161266B	924
16	72	12	Y-5M8K2L161272B	Y-5M8K2R161272B	948
16	78	12	Y-5M8K2L161278B	Y-5M8K2R161278B	968
16	24	18	Y-5M8K2L161824B	Y-5M8K2R161824B	788
16	30	18	Y-5M8K2L161830B	Y-5M8K2R161830B	809
16	36	18	Y-5M8K2L161836B	Y-5M8K2R161836B	833
16	42	18	Y-5M8K2L161842B	Y-5M8K2R161842B	855
16	48	18	Y-5M8K2L161848B	Y-5M8K2R161848B	877
16	54	18	Y-5M8K2L161854B	Y-5M8K2R161854B	900
16	60	18	Y-5M8K2L161860B	Y-5M8K2R161860B	924
16	66	18	Y-5M8K2L161866B	Y-5M8K2R161866B	948
16	72	18	Y-5M8K2L161872B	Y-5M8K2R161872B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
16	24	24	Y-5M8K2L162424B	Y-5M8K2R162424B	809
16	30	24	Y-5M8K2L162430B	Y-5M8K2R162430B	833
16	36	24	Y-5M8K2L162436B	Y-5M8K2R162436B	855
16	42	24	Y-5M8K2L162442B	Y-5M8K2R162442B	877
16	48	24	Y-5M8K2L162448B	Y-5M8K2R162448B	900
16	54	24	Y-5M8K2L162454B	Y-5M8K2R162454B	924
16	60	24	Y-5M8K2L162460B	Y-5M8K2R162460B	948
16	66	24	Y-5M8K2L162466B	Y-5M8K2R162466B	968
16	24	30	Y-5M8K2L163024B	Y-5M8K2R163024B	833
16	30	30	Y-5M8K2L163030B	Y-5M8K2R163030B	855
16	36	30	Y-5M8K2L163036B	Y-5M8K2R163036B	877
16	42	30	Y-5M8K2L163042B	Y-5M8K2R163042B	900
16	48	30	Y-5M8K2L163048B	Y-5M8K2R163048B	924
16	54	30	Y-5M8K2L163054B	Y-5M8K2R163054B	948
16	60	30	Y-5M8K2L163060B	Y-5M8K2R163060B	968



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	12	Y-5M8K2L201224B	Y-5M8K2R201224B	795
20	30	12	Y-5M8K2L201230B	Y-5M8K2R201230B	819
20	36	12	Y-5M8K2L201236B	Y-5M8K2R201236B	843
20	42	12	Y-5M8K2L201242B	Y-5M8K2R201242B	866
20	48	12	Y-5M8K2L201248B	Y-5M8K2R201248B	888
20	54	12	Y-5M8K2L201254B	Y-5M8K2R201254B	912
20	60	12	Y-5M8K2L201260B	Y-5M8K2R201260B	937
20	66	12	Y-5M8K2L201266B	Y-5M8K2R201266B	960
20	72	12	Y-5M8K2L201272B	Y-5M8K2R201272B	985
20	78	12	Y-5M8K2L201278B	Y-5M8K2R201278B	1,007
20	24	18	Y-5M8K2L201824B	Y-5M8K2R201824B	819
20	30	18	Y-5M8K2L201830B	Y-5M8K2R201830B	843
20	36	18	Y-5M8K2L201836B	Y-5M8K2R201836B	866
20	42	18	Y-5M8K2L201842B	Y-5M8K2R201842B	888
20	48	18	Y-5M8K2L201848B	Y-5M8K2R201848B	912
20	54	18	Y-5M8K2L201854B	Y-5M8K2R201854B	937
20	60	18	Y-5M8K2L201860B	Y-5M8K2R201860B	960
20	66	18	Y-5M8K2L201866B	Y-5M8K2R201866B	985
20	72	18	Y-5M8K2L201872B	Y-5M8K2R201872B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
20	24	24	Y-5M8K2L202424B	Y-5M8K2R202424B	843
20	30	24	Y-5M8K2L202430B	Y-5M8K2R202430B	866
20	36	24	Y-5M8K2L202436B	Y-5M8K2R202436B	888
20	42	24	Y-5M8K2L202442B	Y-5M8K2R202442B	912
20	48	24	Y-5M8K2L202448B	Y-5M8K2R202448B	937
20	54	24	Y-5M8K2L202454B	Y-5M8K2R202454B	960
20	60	24	Y-5M8K2L202460B	Y-5M8K2R202460B	985
20	66	24	Y-5M8K2L202466B	Y-5M8K2R202466B	1,007
20	24	30	Y-5M8K2L203024B	Y-5M8K2R203024B	866
20	30	30	Y-5M8K2L203030B	Y-5M8K2R203030B	888
20	36	30	Y-5M8K2L203036B	Y-5M8K2R203036B	912
20	42	30	Y-5M8K2L203042B	Y-5M8K2R203042B	937
20	48	30	Y-5M8K2L203048B	Y-5M8K2R203048B	960
20	54	30	Y-5M8K2L203054B	Y-5M8K2R203054B	985
20	60	30	Y-5M8K2L203060B	Y-5M8K2R203060B	1,007



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	12	Y-5M8K2L241224B	Y-5M8K2R241224B	877
24	30	12	Y-5M8K2L241230B	Y-5M8K2R241230B	918
24	36	12	Y-5M8K2L241236B	Y-5M8K2R241236B	961
24	42	12	Y-5M8K2L241242B	Y-5M8K2R241242B	1,003
24	48	12	Y-5M8K2L241248B	Y-5M8K2R241248B	1,046
24	54	12	Y-5M8K2L241254B	Y-5M8K2R241254B	1,087
24	60	12	Y-5M8K2L241260B	Y-5M8K2R241260B	1,128
24	66	12	Y-5M8K2L241266B	Y-5M8K2R241266B	1,169
24	72	12	Y-5M8K2L241272B	Y-5M8K2R241272B	1,210
24	78	12	Y-5M8K2L241278B	Y-5M8K2R241278B	1,253
24	24	18	Y-5M8K2L241824B	Y-5M8K2R241824B	918
24	30	18	Y-5M8K2L241830B	Y-5M8K2R241830B	961
24	36	18	Y-5M8K2L241836B	Y-5M8K2R241836B	1,003
24	42	18	Y-5M8K2L241842B	Y-5M8K2R241842B	1,046
24	48	18	Y-5M8K2L241848B	Y-5M8K2R241848B	1,087
24	54	18	Y-5M8K2L241854B	Y-5M8K2R241854B	1,128
24	60	18	Y-5M8K2L241860B	Y-5M8K2R241860B	1,169
24	66	18	Y-5M8K2L241866B	Y-5M8K2R241866B	1,210
24	72	18	Y-5M8K2L241872B	Y-5M8K2R241872B	1,253



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
24	24	24	Y-5M8K2L242424B	Y-5M8K2R242424B	961
24	30	24	Y-5M8K2L242430B	Y-5M8K2R242430B	1,003
24	36	24	Y-5M8K2L242436B	Y-5M8K2R242436B	1,046
24	42	24	Y-5M8K2L242442B	Y-5M8K2R242442B	1,087
24	48	24	Y-5M8K2L242448B	Y-5M8K2R242448B	1,128
24	54	24	Y-5M8K2L242454B	Y-5M8K2R242454B	1,169
24	60	24	Y-5M8K2L242460B	Y-5M8K2R242460B	1,210
24	66	24	Y-5M8K2L242466B	Y-5M8K2R242466B	1,253
24	24	30	Y-5M8K2L243024B	Y-5M8K2R243024B	1,003
24	30	30	Y-5M8K2L243030B	Y-5M8K2R243030B	1,046
24	36	30	Y-5M8K2L243036B	Y-5M8K2R243036B	1,087
24	42	30	Y-5M8K2L243042B	Y-5M8K2R243042B	1,128
24	48	30	Y-5M8K2L243048B	Y-5M8K2R243048B	1,169
24	54	30	Y-5M8K2L243054B	Y-5M8K2R243054B	1,210
24	60	30	Y-5M8K2L243060B	Y-5M8K2R243060B	1,253



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	12	Y-5M8K2L281224B	Y-5M8K2R281224B	909
28	30	12	Y-5M8K2L281230B	Y-5M8K2R281230B	954
28	36	12	Y-5M8K2L281236B	Y-5M8K2R281236B	1,001
28	42	12	Y-5M8K2L281242B	Y-5M8K2R281242B	1,047
28	48	12	Y-5M8K2L281248B	Y-5M8K2R281248B	1,093
28	54	12	Y-5M8K2L281254B	Y-5M8K2R281254B	1,140
28	60	12	Y-5M8K2L281260B	Y-5M8K2R281260B	1,184
28	66	12	Y-5M8K2L281266B	Y-5M8K2R281266B	1,234
28	72	12	Y-5M8K2L281272B	Y-5M8K2R281272B	1,280
28	78	12	Y-5M8K2L281278B	Y-5M8K2R281278B	1,327
28	24	18	Y-5M8K2L281824B	Y-5M8K2R281824B	954
28	30	18	Y-5M8K2L281830B	Y-5M8K2R281830B	1,001
28	36	18	Y-5M8K2L281836B	Y-5M8K2R281836B	1,047
28	42	18	Y-5M8K2L281842B	Y-5M8K2R281842B	1,093
28	48	18	Y-5M8K2L281848B	Y-5M8K2R281848B	1,140
28	54	18	Y-5M8K2L281854B	Y-5M8K2R281854B	1,184
28	60	18	Y-5M8K2L281860B	Y-5M8K2R281860B	1,234
28	66	18	Y-5M8K2L281866B	Y-5M8K2R281866B	1,280
28	72	18	Y-5M8K2L281872B	Y-5M8K2R281872B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes


- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	Left Hand	Right Hand	List
			Model Number	Model Number	
28	24	24	Y-5M8K2L282424B	Y-5M8K2R282424B	1,001
28	30	24	Y-5M8K2L282430B	Y-5M8K2R282430B	1,047
28	36	24	Y-5M8K2L282436B	Y-5M8K2R282436B	1,093
28	42	24	Y-5M8K2L282442B	Y-5M8K2R282442B	1,140
28	48	24	Y-5M8K2L282448B	Y-5M8K2R282448B	1,184
28	54	24	Y-5M8K2L282454B	Y-5M8K2R282454B	1,234
28	60	24	Y-5M8K2L282460B	Y-5M8K2R282460B	1,280
28	66	24	Y-5M8K2L282466B	Y-5M8K2R282466B	1,327
28	24	30	Y-5M8K2L283024B	Y-5M8K2R283024B	1,047
28	30	30	Y-5M8K2L283030B	Y-5M8K2R283030B	1,093
28	36	30	Y-5M8K2L283036B	Y-5M8K2R283036B	1,140
28	42	30	Y-5M8K2L283042B	Y-5M8K2R283042B	1,184
28	48	30	Y-5M8K2L283048B	Y-5M8K2R283048B	1,234
28	54	30	Y-5M8K2L283054B	Y-5M8K2R283054B	1,280
28	60	30	Y-5M8K2L283060B	Y-5M8K2R283060B	1,327



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

U-Wrap Enclosures with Wire Managers

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8Q2U031242B	768
3	48	12	1	Y-5Q8Q2U031248B	788
3	54	12	1	Y-5Q8Q2U031254B	806
3	60	12	1	Y-5Q8Q2U031260B	825
3	66	12	1	Y-5Q8Q2U031266B	843
3	72	12	2	Y-5Q8Q2U031272B	860
3	78	12	2	Y-5Q8Q2U031278B	880
3	84	12	2	Y-5Q8Q2U031284B	936
3	42	18	1	Y-5Q8Q2U031842B	788
3	48	18	1	Y-5Q8Q2U031848B	806
3	54	18	1	Y-5Q8Q2U031854B	825
3	60	18	2	Y-5Q8Q2U031860B	843
3	66	18	2	Y-5Q8Q2U031866B	860
3	72	18	2	Y-5Q8Q2U031872B	880
3	78	18	2	Y-5Q8Q2U031878B	954
3	84	18	2	Y-5Q8Q2U031884B	972

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8Q2U032442B	806
3	48	24	2	Y-5Q8Q2U032448B	825
3	54	24	2	Y-5Q8Q2U032454B	843
3	60	24	2	Y-5Q8Q2U032460B	860
3	66	24	2	Y-5Q8Q2U032466B	880
3	72	24	2	Y-5Q8Q2U032472B	972
3	78	24	2	Y-5Q8Q2U032478B	991
3	84	24	2	Y-5Q8Q2U032484B	1,010
3	42	30	2	Y-5Q8Q2U033042B	825
3	48	30	2	Y-5Q8Q2U033048B	843
3	54	30	2	Y-5Q8Q2U033054B	860
3	60	30	2	Y-5Q8Q2U033060B	880
3	66	30	2	Y-5Q8Q2U033066B	991
3	72	30	2	Y-5Q8Q2U033072B	1,010
3	78	30	2	Y-5Q8Q2U033078B	1,029
3	84	30	2	Y-5Q8Q2U033084B	1,047



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8Q2U121242B	801
12	48	12	1	Y-5Q8Q2U121248B	820
12	54	12	1	Y-5Q8Q2U121254B	839
12	60	12	1	Y-5Q8Q2U121260B	858
12	66	12	1	Y-5Q8Q2U121266B	877
12	72	12	2	Y-5Q8Q2U121272B	897
12	78	12	2	Y-5Q8Q2U121278B	916
12	84	12	2	Y-5Q8Q2U121284B	976
12	42	18	1	Y-5Q8Q2U121842B	820
12	48	18	1	Y-5Q8Q2U121848B	839
12	54	18	1	Y-5Q8Q2U121854B	858
12	60	18	2	Y-5Q8Q2U121860B	877
12	66	18	2	Y-5Q8Q2U121866B	897
12	72	18	2	Y-5Q8Q2U121872B	916
12	78	18	2	Y-5Q8Q2U121878B	994
12	84	18	2	Y-5Q8Q2U121884B	1,015

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8Q2U122442B	839
12	48	24	2	Y-5Q8Q2U122448B	858
12	54	24	2	Y-5Q8Q2U122454B	877
12	60	24	2	Y-5Q8Q2U122460B	897
12	66	24	2	Y-5Q8Q2U122466B	916
12	72	24	2	Y-5Q8Q2U122472B	1,015
12	78	24	2	Y-5Q8Q2U122478B	1,032
12	84	24	2	Y-5Q8Q2U122484B	1,051
12	42	30	2	Y-5Q8Q2U123042B	858
12	48	30	2	Y-5Q8Q2U123048B	877
12	54	30	2	Y-5Q8Q2U123054B	897
12	60	30	2	Y-5Q8Q2U123060B	916
12	66	30	2	Y-5Q8Q2U123066B	1,032
12	72	30	2	Y-5Q8Q2U123072B	1,051
12	78	30	2	Y-5Q8Q2U123078B	1,071
12	84	30	2	Y-5Q8Q2U123084B	1,090



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8Q2U161242B	833
16	48	12	1	Y-5Q8Q2U161248B	855
16	54	12	1	Y-5Q8Q2U161254B	877
16	60	12	1	Y-5Q8Q2U161260B	900
16	66	12	1	Y-5Q8Q2U161266B	924
16	72	12	2	Y-5Q8Q2U161272B	948
16	78	12	2	Y-5Q8Q2U161278B	968
16	84	12	2	Y-5Q8Q2U161284B	1,037
16	42	18	1	Y-5Q8Q2U161842B	855
16	48	18	1	Y-5Q8Q2U161848B	877
16	54	18	1	Y-5Q8Q2U161854B	900
16	60	18	2	Y-5Q8Q2U161860B	924
16	66	18	2	Y-5Q8Q2U161866B	948
16	72	18	2	Y-5Q8Q2U161872B	968
16	78	18	2	Y-5Q8Q2U161878B	1,060
16	84	18	2	Y-5Q8Q2U161884B	1,085

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8Q2U162442B	877
16	48	24	2	Y-5Q8Q2U162448B	900
16	54	24	2	Y-5Q8Q2U162454B	924
16	60	24	2	Y-5Q8Q2U162460B	948
16	66	24	2	Y-5Q8Q2U162466B	968
16	72	24	2	Y-5Q8Q2U162472B	1,085
16	78	24	2	Y-5Q8Q2U162478B	1,107
16	84	24	2	Y-5Q8Q2U162484B	1,129
16	42	30	2	Y-5Q8Q2U163042B	900
16	48	30	2	Y-5Q8Q2U163048B	924
16	54	30	2	Y-5Q8Q2U163054B	948
16	60	30	2	Y-5Q8Q2U163060B	968
16	66	30	2	Y-5Q8Q2U163066B	1,107
16	72	30	2	Y-5Q8Q2U163072B	1,129
16	78	30	2	Y-5Q8Q2U163078B	1,152
16	84	30	2	Y-5Q8Q2U163084B	1,173



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8Q2U201242B	1,032
20	48	12	1	Y-5Q8Q2U201248B	1,070
20	54	12	1	Y-5Q8Q2U201254B	1,107
20	60	12	1	Y-5Q8Q2U201260B	1,141
20	66	12	1	Y-5Q8Q2U201266B	1,179
20	72	12	2	Y-5Q8Q2U201272B	1,217
20	78	12	2	Y-5Q8Q2U201278B	1,253
20	84	12	2	Y-5Q8Q2U201284B	1,289
20	42	18	1	Y-5Q8Q2U201842B	1,107
20	48	18	1	Y-5Q8Q2U201848B	1,141
20	54	18	1	Y-5Q8Q2U201854B	1,179
20	60	18	2	Y-5Q8Q2U201860B	1,217
20	66	18	2	Y-5Q8Q2U201866B	1,253
20	72	18	2	Y-5Q8Q2U201872B	1,289
20	78	18	2	Y-5Q8Q2U201878B	1,327
20	84	18	2	Y-5Q8Q2U201884B	1,363

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8Q2U202442B	1,179
20	48	24	2	Y-5Q8Q2U202448B	1,217
20	54	24	2	Y-5Q8Q2U202454B	1,253
20	60	24	2	Y-5Q8Q2U202460B	1,289
20	66	24	2	Y-5Q8Q2U202466B	1,327
20	72	24	2	Y-5Q8Q2U202472B	1,363
20	78	24	2	Y-5Q8Q2U202478B	1,402
20	84	24	2	Y-5Q8Q2U202484B	1,438
20	42	30	2	Y-5Q8Q2U203042B	1,253
20	48	30	2	Y-5Q8Q2U203048B	1,289
20	54	30	2	Y-5Q8Q2U203054B	1,327
20	60	30	2	Y-5Q8Q2U203060B	1,363
20	66	30	2	Y-5Q8Q2U203066B	1,402
20	72	30	2	Y-5Q8Q2U203072B	1,438
20	78	30	2	Y-5Q8Q2U203078B	1,475
20	84	30	2	Y-5Q8Q2U203084B	1,511



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8Q2U241242B	1,003
24	48	12	1	Y-5Q8Q2U241248B	1,046
24	54	12	1	Y-5Q8Q2U241254B	1,087
24	60	12	1	Y-5Q8Q2U241260B	1,128
24	66	12	1	Y-5Q8Q2U241266B	1,169
24	72	12	2	Y-5Q8Q2U241272B	1,210
24	78	12	2	Y-5Q8Q2U241278B	1,253
24	84	12	2	Y-5Q8Q2U241284B	1,379
24	42	18	1	Y-5Q8Q2U241842B	1,046
24	48	18	1	Y-5Q8Q2U241848B	1,087
24	54	18	1	Y-5Q8Q2U241854B	1,128
24	60	18	2	Y-5Q8Q2U241860B	1,169
24	66	18	2	Y-5Q8Q2U241866B	1,210
24	72	18	2	Y-5Q8Q2U241872B	1,253
24	78	18	2	Y-5Q8Q2U241878B	1,420
24	84	18	2	Y-5Q8Q2U241884B	1,461

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8Q2U242442B	1,087
24	48	24	2	Y-5Q8Q2U242448B	1,128
24	54	24	2	Y-5Q8Q2U242454B	1,169
24	60	24	2	Y-5Q8Q2U242460B	1,210
24	66	24	2	Y-5Q8Q2U242466B	1,253
24	72	24	2	Y-5Q8Q2U242472B	1,461
24	78	24	2	Y-5Q8Q2U242478B	1,503
24	84	24	2	Y-5Q8Q2U242484B	1,546
24	42	30	2	Y-5Q8Q2U243042B	1,128
24	48	30	2	Y-5Q8Q2U243048B	1,169
24	54	30	2	Y-5Q8Q2U243054B	1,210
24	60	30	2	Y-5Q8Q2U243060B	1,253
24	66	30	2	Y-5Q8Q2U243066B	1,503
24	72	30	2	Y-5Q8Q2U243072B	1,546
24	78	30	2	Y-5Q8Q2U243078B	1,587
24	84	30	2	Y-5Q8Q2U243084B	1,629



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8Q2U281242B	1,047
28	48	12	1	Y-5Q8Q2U281248B	1,093
28	54	12	1	Y-5Q8Q2U281254B	1,140
28	60	12	1	Y-5Q8Q2U281260B	1,184
28	66	12	1	Y-5Q8Q2U281266B	1,234
28	72	12	2	Y-5Q8Q2U281272B	1,280
28	78	12	2	Y-5Q8Q2U281278B	1,327
28	84	12	2	Y-5Q8Q2U281284B	1,466
28	42	18	1	Y-5Q8Q2U281842B	1,093
28	48	18	1	Y-5Q8Q2U281848B	1,140
28	54	18	1	Y-5Q8Q2U281854B	1,184
28	60	18	2	Y-5Q8Q2U281860B	1,234
28	66	18	2	Y-5Q8Q2U281866B	1,280
28	72	18	2	Y-5Q8Q2U281872B	1,327
28	78	18	2	Y-5Q8Q2U281878B	1,512
28	84	18	2	Y-5Q8Q2U281884B	1,561

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8Q2U282442B	1,140
28	48	24	2	Y-5Q8Q2U282448B	1,184
28	54	24	2	Y-5Q8Q2U282454B	1,234
28	60	24	2	Y-5Q8Q2U282460B	1,280
28	66	24	2	Y-5Q8Q2U282466B	1,327
28	72	24	2	Y-5Q8Q2U282472B	1,561
28	78	24	2	Y-5Q8Q2U282478B	1,606
28	84	24	2	Y-5Q8Q2U282484B	1,654
28	42	30	2	Y-5Q8Q2U283042B	1,184
28	48	30	2	Y-5Q8Q2U283048B	1,234
28	54	30	2	Y-5Q8Q2U283054B	1,280
28	60	30	2	Y-5Q8Q2U283060B	1,327
28	66	30	2	Y-5Q8Q2U283066B	1,606
28	72	30	2	Y-5Q8Q2U283072B	1,654
28	78	30	2	Y-5Q8Q2U283078B	1,700
28	84	30	2	Y-5Q8Q2U283084B	1,746



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8N2U031242B	768
3	48	12	1	Y-5Q8N2U031248B	788
3	54	12	1	Y-5Q8N2U031254B	806
3	60	12	1	Y-5Q8N2U031260B	825
3	66	12	1	Y-5Q8N2U031266B	843
3	72	12	2	Y-5Q8N2U031272B	860
3	78	12	2	Y-5Q8N2U031278B	880
3	84	12	2	Y-5Q8N2U031284B	936
3	42	18	1	Y-5Q8N2U031842B	788
3	48	18	1	Y-5Q8N2U031848B	806
3	54	18	1	Y-5Q8N2U031854B	825
3	60	18	2	Y-5Q8N2U031860B	843
3	66	18	2	Y-5Q8N2U031866B	860
3	72	18	2	Y-5Q8N2U031872B	880
3	78	18	2	Y-5Q8N2U031878B	954
3	84	18	2	Y-5Q8N2U031884B	972

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8N2U032442B	806
3	48	24	2	Y-5Q8N2U032448B	825
3	54	24	2	Y-5Q8N2U032454B	843
3	60	24	2	Y-5Q8N2U032460B	860
3	66	24	2	Y-5Q8N2U032466B	880
3	72	24	2	Y-5Q8N2U032472B	972
3	78	24	2	Y-5Q8N2U032478B	991
3	84	24	2	Y-5Q8N2U032484B	1,010
3	42	30	2	Y-5Q8N2U033042B	825
3	48	30	2	Y-5Q8N2U033048B	843
3	54	30	2	Y-5Q8N2U033054B	860
3	60	30	2	Y-5Q8N2U033060B	880
3	66	30	2	Y-5Q8N2U033066B	991
3	72	30	2	Y-5Q8N2U033072B	1,010
3	78	30	2	Y-5Q8N2U033078B	1,029
3	84	30	2	Y-5Q8N2U033084B	1,047



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8N2U121242B	801
12	48	12	1	Y-5Q8N2U121248B	820
12	54	12	1	Y-5Q8N2U121254B	839
12	60	12	1	Y-5Q8N2U121260B	858
12	66	12	1	Y-5Q8N2U121266B	877
12	72	12	2	Y-5Q8N2U121272B	897
12	78	12	2	Y-5Q8N2U121278B	916
12	84	12	2	Y-5Q8N2U121284B	976
12	42	18	1	Y-5Q8N2U121842B	820
12	48	18	1	Y-5Q8N2U121848B	839
12	54	18	1	Y-5Q8N2U121854B	858
12	60	18	2	Y-5Q8N2U121860B	877
12	66	18	2	Y-5Q8N2U121866B	897
12	72	18	2	Y-5Q8N2U121872B	916
12	78	18	2	Y-5Q8N2U121878B	994
12	84	18	2	Y-5Q8N2U121884B	1,015

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8N2U122442B	839
12	48	24	2	Y-5Q8N2U122448B	858
12	54	24	2	Y-5Q8N2U122454B	877
12	60	24	2	Y-5Q8N2U122460B	897
12	66	24	2	Y-5Q8N2U122466B	916
12	72	24	2	Y-5Q8N2U122472B	1,015
12	78	24	2	Y-5Q8N2U122478B	1,032
12	84	24	2	Y-5Q8N2U122484B	1,051
12	42	30	2	Y-5Q8N2U123042B	858
12	48	30	2	Y-5Q8N2U123048B	877
12	54	30	2	Y-5Q8N2U123054B	897
12	60	30	2	Y-5Q8N2U123060B	916
12	66	30	2	Y-5Q8N2U123066B	1,032
12	72	30	2	Y-5Q8N2U123072B	1,051
12	78	30	2	Y-5Q8N2U123078B	1,071
12	84	30	2	Y-5Q8N2U123084B	1,090



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8N2U161242B	833
16	48	12	1	Y-5Q8N2U161248B	855
16	54	12	1	Y-5Q8N2U161254B	877
16	60	12	1	Y-5Q8N2U161260B	900
16	66	12	1	Y-5Q8N2U161266B	924
16	72	12	2	Y-5Q8N2U161272B	948
16	78	12	2	Y-5Q8N2U161278B	968
16	84	12	2	Y-5Q8N2U161284B	1,037
16	42	18	1	Y-5Q8N2U161842B	855
16	48	18	1	Y-5Q8N2U161848B	877
16	54	18	1	Y-5Q8N2U161854B	900
16	60	18	2	Y-5Q8N2U161860B	924
16	66	18	2	Y-5Q8N2U161866B	948
16	72	18	2	Y-5Q8N2U161872B	968
16	78	18	2	Y-5Q8N2U161878B	1,060
16	84	18	2	Y-5Q8N2U161884B	1,085

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8N2U162442B	877
16	48	24	2	Y-5Q8N2U162448B	900
16	54	24	2	Y-5Q8N2U162454B	924
16	60	24	2	Y-5Q8N2U162460B	948
16	66	24	2	Y-5Q8N2U162466B	968
16	72	24	2	Y-5Q8N2U162472B	1,085
16	78	24	2	Y-5Q8N2U162478B	1,107
16	84	24	2	Y-5Q8N2U162484B	1,129
16	42	30	2	Y-5Q8N2U163042B	900
16	48	30	2	Y-5Q8N2U163048B	924
16	54	30	2	Y-5Q8N2U163054B	948
16	60	30	2	Y-5Q8N2U163060B	968
16	66	30	2	Y-5Q8N2U163066B	1,107
16	72	30	2	Y-5Q8N2U163072B	1,129
16	78	30	2	Y-5Q8N2U163078B	1,152
16	84	30	2	Y-5Q8N2U163084B	1,173



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8N2U201242B	1,032
20	48	12	1	Y-5Q8N2U201248B	1,070
20	54	12	1	Y-5Q8N2U201254B	1,107
20	60	12	1	Y-5Q8N2U201260B	1,141
20	66	12	1	Y-5Q8N2U201266B	1,179
20	72	12	2	Y-5Q8N2U201272B	1,217
20	78	12	2	Y-5Q8N2U201278B	1,253
20	84	12	2	Y-5Q8N2U201284B	1,289
20	42	18	1	Y-5Q8N2U201842B	1,107
20	48	18	1	Y-5Q8N2U201848B	1,141
20	54	18	1	Y-5Q8N2U201854B	1,179
20	60	18	2	Y-5Q8N2U201860B	1,217
20	66	18	2	Y-5Q8N2U201866B	1,253
20	72	18	2	Y-5Q8N2U201872B	1,289
20	78	18	2	Y-5Q8N2U201878B	1,327
20	84	18	2	Y-5Q8N2U201884B	1,363

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8N2U202442B	1,179
20	48	24	2	Y-5Q8N2U202448B	1,217
20	54	24	2	Y-5Q8N2U202454B	1,253
20	60	24	2	Y-5Q8N2U202460B	1,289
20	66	24	2	Y-5Q8N2U202466B	1,327
20	72	24	2	Y-5Q8N2U202472B	1,363
20	78	24	2	Y-5Q8N2U202478B	1,402
20	84	24	2	Y-5Q8N2U202484B	1,438
20	42	30	2	Y-5Q8N2U203042B	1,253
20	48	30	2	Y-5Q8N2U203048B	1,289
20	54	30	2	Y-5Q8N2U203054B	1,327
20	60	30	2	Y-5Q8N2U203060B	1,363
20	66	30	2	Y-5Q8N2U203066B	1,402
20	72	30	2	Y-5Q8N2U203072B	1,438
20	78	30	2	Y-5Q8N2U203078B	1,475
20	84	30	2	Y-5Q8N2U203084B	1,511



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8N2U241242B	1,003
24	48	12	1	Y-5Q8N2U241248B	1,046
24	54	12	1	Y-5Q8N2U241254B	1,087
24	60	12	1	Y-5Q8N2U241260B	1,128
24	66	12	1	Y-5Q8N2U241266B	1,169
24	72	12	2	Y-5Q8N2U241272B	1,210
24	78	12	2	Y-5Q8N2U241278B	1,253
24	84	12	2	Y-5Q8N2U241284B	1,379
24	42	18	1	Y-5Q8N2U241842B	1,046
24	48	18	1	Y-5Q8N2U241848B	1,087
24	54	18	1	Y-5Q8N2U241854B	1,128
24	60	18	2	Y-5Q8N2U241860B	1,169
24	66	18	2	Y-5Q8N2U241866B	1,210
24	72	18	2	Y-5Q8N2U241872B	1,253
24	78	18	2	Y-5Q8N2U241878B	1,420
24	84	18	2	Y-5Q8N2U241884B	1,461

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8N2U242442B	1,087
24	48	24	2	Y-5Q8N2U242448B	1,128
24	54	24	2	Y-5Q8N2U242454B	1,169
24	60	24	2	Y-5Q8N2U242460B	1,210
24	66	24	2	Y-5Q8N2U242466B	1,253
24	72	24	2	Y-5Q8N2U242472B	1,461
24	78	24	2	Y-5Q8N2U242478B	1,503
24	84	24	2	Y-5Q8N2U242484B	1,546
24	42	30	2	Y-5Q8N2U243042B	1,128
24	48	30	2	Y-5Q8N2U243048B	1,169
24	54	30	2	Y-5Q8N2U243054B	1,210
24	60	30	2	Y-5Q8N2U243060B	1,253
24	66	30	2	Y-5Q8N2U243066B	1,503
24	72	30	2	Y-5Q8N2U243072B	1,546
24	78	30	2	Y-5Q8N2U243078B	1,587
24	84	30	2	Y-5Q8N2U243084B	1,629



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8N2U281242B	1,047
28	48	12	1	Y-5Q8N2U281248B	1,093
28	54	12	1	Y-5Q8N2U281254B	1,140
28	60	12	1	Y-5Q8N2U281260B	1,184
28	66	12	1	Y-5Q8N2U281266B	1,234
28	72	12	2	Y-5Q8N2U281272B	1,280
28	78	12	2	Y-5Q8N2U281278B	1,327
28	84	12	2	Y-5Q8N2U281284B	1,466
28	42	18	1	Y-5Q8N2U281842B	1,093
28	48	18	1	Y-5Q8N2U281848B	1,140
28	54	18	1	Y-5Q8N2U281854B	1,184
28	60	18	2	Y-5Q8N2U281860B	1,234
28	66	18	2	Y-5Q8N2U281866B	1,280
28	72	18	2	Y-5Q8N2U281872B	1,327
28	78	18	2	Y-5Q8N2U281878B	1,512
28	84	18	2	Y-5Q8N2U281884B	1,561

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8N2U282442B	1,140
28	48	24	2	Y-5Q8N2U282448B	1,184
28	54	24	2	Y-5Q8N2U282454B	1,234
28	60	24	2	Y-5Q8N2U282460B	1,280
28	66	24	2	Y-5Q8N2U282466B	1,327
28	72	24	2	Y-5Q8N2U282472B	1,561
28	78	24	2	Y-5Q8N2U282478B	1,606
28	84	24	2	Y-5Q8N2U282484B	1,654
28	42	30	2	Y-5Q8N2U283042B	1,184
28	48	30	2	Y-5Q8N2U283048B	1,234
28	54	30	2	Y-5Q8N2U283054B	1,280
28	60	30	2	Y-5Q8N2U283060B	1,327
28	66	30	2	Y-5Q8N2U283066B	1,606
28	72	30	2	Y-5Q8N2U283072B	1,654
28	78	30	2	Y-5Q8N2U283078B	1,700
28	84	30	2	Y-5Q8N2U283084B	1,746



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8P2U031242B	768
3	48	12	1	Y-5Q8P2U031248B	788
3	54	12	1	Y-5Q8P2U031254B	806
3	60	12	1	Y-5Q8P2U031260B	825
3	66	12	1	Y-5Q8P2U031266B	843
3	72	12	2	Y-5Q8P2U031272B	860
3	78	12	2	Y-5Q8P2U031278B	880
3	84	12	2	Y-5Q8P2U031284B	936
3	42	18	1	Y-5Q8P2U031842B	788
3	48	18	1	Y-5Q8P2U031848B	806
3	54	18	1	Y-5Q8P2U031854B	825
3	60	18	2	Y-5Q8P2U031860B	843
3	66	18	2	Y-5Q8P2U031866B	860
3	72	18	2	Y-5Q8P2U031872B	880
3	78	18	2	Y-5Q8P2U031878B	954
3	84	18	2	Y-5Q8P2U031884B	972

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8P2U032442B	806
3	48	24	2	Y-5Q8P2U032448B	825
3	54	24	2	Y-5Q8P2U032454B	843
3	60	24	2	Y-5Q8P2U032460B	860
3	66	24	2	Y-5Q8P2U032466B	880
3	72	24	2	Y-5Q8P2U032472B	972
3	78	24	2	Y-5Q8P2U032478B	991
3	84	24	2	Y-5Q8P2U032484B	1,010
3	42	30	2	Y-5Q8P2U033042B	825
3	48	30	2	Y-5Q8P2U033048B	843
3	54	30	2	Y-5Q8P2U033054B	860
3	60	30	2	Y-5Q8P2U033060B	880
3	66	30	2	Y-5Q8P2U033066B	991
3	72	30	2	Y-5Q8P2U033072B	1,010
3	78	30	2	Y-5Q8P2U033078B	1,029
3	84	30	2	Y-5Q8P2U033084B	1,047



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount

PET BENCHING HAT U-WRAP ENCLOSURES
WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8P2U121242B	801
12	48	12	1	Y-5Q8P2U121248B	820
12	54	12	1	Y-5Q8P2U121254B	839
12	60	12	1	Y-5Q8P2U121260B	858
12	66	12	1	Y-5Q8P2U121266B	877
12	72	12	2	Y-5Q8P2U121272B	897
12	78	12	2	Y-5Q8P2U121278B	916
12	84	12	2	Y-5Q8P2U121284B	976
12	42	18	1	Y-5Q8P2U121842B	820
12	48	18	1	Y-5Q8P2U121848B	839
12	54	18	1	Y-5Q8P2U121854B	858
12	60	18	2	Y-5Q8P2U121860B	877
12	66	18	2	Y-5Q8P2U121866B	897
12	72	18	2	Y-5Q8P2U121872B	916
12	78	18	2	Y-5Q8P2U121878B	994
12	84	18	2	Y-5Q8P2U121884B	1,015

PET BENCHING HAT U-WRAP ENCLOSURES
WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8P2U122442B	839
12	48	24	2	Y-5Q8P2U122448B	858
12	54	24	2	Y-5Q8P2U122454B	877
12	60	24	2	Y-5Q8P2U122460B	897
12	66	24	2	Y-5Q8P2U122466B	916
12	72	24	2	Y-5Q8P2U122472B	1,015
12	78	24	2	Y-5Q8P2U122478B	1,032
12	84	24	2	Y-5Q8P2U122484B	1,051
12	42	30	2	Y-5Q8P2U123042B	858
12	48	30	2	Y-5Q8P2U123048B	877
12	54	30	2	Y-5Q8P2U123054B	897
12	60	30	2	Y-5Q8P2U123060B	916
12	66	30	2	Y-5Q8P2U123066B	1,032
12	72	30	2	Y-5Q8P2U123072B	1,051
12	78	30	2	Y-5Q8P2U123078B	1,071
12	84	30	2	Y-5Q8P2U123084B	1,090



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8P2U161242B	833
16	48	12	1	Y-5Q8P2U161248B	855
16	54	12	1	Y-5Q8P2U161254B	877
16	60	12	1	Y-5Q8P2U161260B	900
16	66	12	1	Y-5Q8P2U161266B	924
16	72	12	2	Y-5Q8P2U161272B	948
16	78	12	2	Y-5Q8P2U161278B	968
16	84	12	2	Y-5Q8P2U161284B	1,037
16	42	18	1	Y-5Q8P2U161842B	855
16	48	18	1	Y-5Q8P2U161848B	877
16	54	18	1	Y-5Q8P2U161854B	900
16	60	18	2	Y-5Q8P2U161860B	924
16	66	18	2	Y-5Q8P2U161866B	948
16	72	18	2	Y-5Q8P2U161872B	968
16	78	18	2	Y-5Q8P2U161878B	1,060
16	84	18	2	Y-5Q8P2U161884B	1,085

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8P2U162442B	877
16	48	24	2	Y-5Q8P2U162448B	900
16	54	24	2	Y-5Q8P2U162454B	924
16	60	24	2	Y-5Q8P2U162460B	948
16	66	24	2	Y-5Q8P2U162466B	968
16	72	24	2	Y-5Q8P2U162472B	1,085
16	78	24	2	Y-5Q8P2U162478B	1,107
16	84	24	2	Y-5Q8P2U162484B	1,129
16	42	30	2	Y-5Q8P2U163042B	900
16	48	30	2	Y-5Q8P2U163048B	924
16	54	30	2	Y-5Q8P2U163054B	948
16	60	30	2	Y-5Q8P2U163060B	968
16	66	30	2	Y-5Q8P2U163066B	1,107
16	72	30	2	Y-5Q8P2U163072B	1,129
16	78	30	2	Y-5Q8P2U163078B	1,152
16	84	30	2	Y-5Q8P2U163084B	1,173



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benchling HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benchling HAT	Under Surface Mount

PET BENCHLING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8P2U201242B	1,032
20	48	12	1	Y-5Q8P2U201248B	1,070
20	54	12	1	Y-5Q8P2U201254B	1,107
20	60	12	1	Y-5Q8P2U201260B	1,141
20	66	12	1	Y-5Q8P2U201266B	1,179
20	72	12	2	Y-5Q8P2U201272B	1,217
20	78	12	2	Y-5Q8P2U201278B	1,253
20	84	12	2	Y-5Q8P2U201284B	1,289
20	42	18	1	Y-5Q8P2U201842B	1,107
20	48	18	1	Y-5Q8P2U201848B	1,141
20	54	18	1	Y-5Q8P2U201854B	1,179
20	60	18	2	Y-5Q8P2U201860B	1,217
20	66	18	2	Y-5Q8P2U201866B	1,253
20	72	18	2	Y-5Q8P2U201872B	1,289
20	78	18	2	Y-5Q8P2U201878B	1,327
20	84	18	2	Y-5Q8P2U201884B	1,363

PET BENCHLING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8P2U202442B	1,179
20	48	24	2	Y-5Q8P2U202448B	1,217
20	54	24	2	Y-5Q8P2U202454B	1,253
20	60	24	2	Y-5Q8P2U202460B	1,289
20	66	24	2	Y-5Q8P2U202466B	1,327
20	72	24	2	Y-5Q8P2U202472B	1,363
20	78	24	2	Y-5Q8P2U202478B	1,402
20	84	24	2	Y-5Q8P2U202484B	1,438
20	42	30	2	Y-5Q8P2U203042B	1,253
20	48	30	2	Y-5Q8P2U203048B	1,289
20	54	30	2	Y-5Q8P2U203054B	1,327
20	60	30	2	Y-5Q8P2U203060B	1,363
20	66	30	2	Y-5Q8P2U203066B	1,402
20	72	30	2	Y-5Q8P2U203072B	1,438
20	78	30	2	Y-5Q8P2U203078B	1,475
20	84	30	2	Y-5Q8P2U203084B	1,511



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8P2U241242B	1,003
24	48	12	1	Y-5Q8P2U241248B	1,046
24	54	12	1	Y-5Q8P2U241254B	1,087
24	60	12	1	Y-5Q8P2U241260B	1,128
24	66	12	1	Y-5Q8P2U241266B	1,169
24	72	12	2	Y-5Q8P2U241272B	1,210
24	78	12	2	Y-5Q8P2U241278B	1,253
24	84	12	2	Y-5Q8P2U241284B	1,379
24	42	18	1	Y-5Q8P2U241842B	1,046
24	48	18	1	Y-5Q8P2U241848B	1,087
24	54	18	1	Y-5Q8P2U241854B	1,128
24	60	18	2	Y-5Q8P2U241860B	1,169
24	66	18	2	Y-5Q8P2U241866B	1,210
24	72	18	2	Y-5Q8P2U241872B	1,253
24	78	18	2	Y-5Q8P2U241878B	1,420
24	84	18	2	Y-5Q8P2U241884B	1,461

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8P2U242442B	1,087
24	48	24	2	Y-5Q8P2U242448B	1,128
24	54	24	2	Y-5Q8P2U242454B	1,169
24	60	24	2	Y-5Q8P2U242460B	1,210
24	66	24	2	Y-5Q8P2U242466B	1,253
24	72	24	2	Y-5Q8P2U242472B	1,461
24	78	24	2	Y-5Q8P2U242478B	1,503
24	84	24	2	Y-5Q8P2U242484B	1,546
24	42	30	2	Y-5Q8P2U243042B	1,128
24	48	30	2	Y-5Q8P2U243048B	1,169
24	54	30	2	Y-5Q8P2U243054B	1,210
24	60	30	2	Y-5Q8P2U243060B	1,253
24	66	30	2	Y-5Q8P2U243066B	1,503
24	72	30	2	Y-5Q8P2U243072B	1,546
24	78	30	2	Y-5Q8P2U243078B	1,587
24	84	30	2	Y-5Q8P2U243084B	1,629



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Benching HAT U-Wrap Enclosures with Wire Managers



Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount

PET BENCHING HAT U-WRAP ENCLOSURES
WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8P2U281242B	1,047
28	48	12	1	Y-5Q8P2U281248B	1,093
28	54	12	1	Y-5Q8P2U281254B	1,140
28	60	12	1	Y-5Q8P2U281260B	1,184
28	66	12	1	Y-5Q8P2U281266B	1,234
28	72	12	2	Y-5Q8P2U281272B	1,280
28	78	12	2	Y-5Q8P2U281278B	1,327
28	84	12	2	Y-5Q8P2U281284B	1,466
28	42	18	1	Y-5Q8P2U281842B	1,093
28	48	18	1	Y-5Q8P2U281848B	1,140
28	54	18	1	Y-5Q8P2U281854B	1,184
28	60	18	2	Y-5Q8P2U281860B	1,234
28	66	18	2	Y-5Q8P2U281866B	1,280
28	72	18	2	Y-5Q8P2U281872B	1,327
28	78	18	2	Y-5Q8P2U281878B	1,512
28	84	18	2	Y-5Q8P2U281884B	1,561

PET BENCHING HAT U-WRAP ENCLOSURES
WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8P2U282442B	1,140
28	48	24	2	Y-5Q8P2U282448B	1,184
28	54	24	2	Y-5Q8P2U282454B	1,234
28	60	24	2	Y-5Q8P2U282460B	1,280
28	66	24	2	Y-5Q8P2U282466B	1,327
28	72	24	2	Y-5Q8P2U282472B	1,561
28	78	24	2	Y-5Q8P2U282478B	1,606
28	84	24	2	Y-5Q8P2U282484B	1,654
28	42	30	2	Y-5Q8P2U283042B	1,184
28	48	30	2	Y-5Q8P2U283048B	1,234
28	54	30	2	Y-5Q8P2U283054B	1,280
28	60	30	2	Y-5Q8P2U283060B	1,327
28	66	30	2	Y-5Q8P2U283066B	1,606
28	72	30	2	Y-5Q8P2U283072B	1,654
28	78	30	2	Y-5Q8P2U283078B	1,700
28	84	30	2	Y-5Q8P2U283084B	1,746



Specify

- Paint Selection
- Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

PET Screens with Wire Managers

PET Nominal = Actual Size Screens with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Partial Modesty on WS	Screen w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
3	42	Y-5S7A2U0342B	609
3	48	Y-5S7A2U0348B	629
3	54	Y-5S7A2U0354B	652
3	60	Y-5S7A2U0360B	672
3	66	Y-5S7A2U0366B	693
3	72	Y-5S7A2U0372B	713
3	78	Y-5S7A2U0378B	736
3	84	Y-5S7A2U0384B	765
12	42	Y-5S7A2U1242B	634
12	48	Y-5S7A2U1248B	655
12	54	Y-5S7A2U1254B	678
12	60	Y-5S7A2U1260B	699
12	66	Y-5S7A2U1266B	722
12	72	Y-5S7A2U1272B	744
12	78	Y-5S7A2U1278B	766
12	84	Y-5S7A2U1284B	796
16	42	Y-5S7A2U1642B	661
16	48	Y-5S7A2U1648B	683
16	54	Y-5S7A2U1654B	706
16	60	Y-5S7A2U1660B	728
16	66	Y-5S7A2U1666B	752
16	72	Y-5S7A2U1672B	775
16	78	Y-5S7A2U1678B	798
16	84	Y-5S7A2U1684B	830

PET NOMINAL = ACTUAL SIZE SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
20	42	Y-5S7A2U2042B	682
20	48	Y-5S7A2U2048B	710
20	54	Y-5S7A2U2054B	738
20	60	Y-5S7A2U2060B	767
20	66	Y-5S7A2U2066B	796
20	72	Y-5S7A2U2072B	825
20	78	Y-5S7A2U2078B	854
20	84	Y-5S7A2U2084B	887
24	42	Y-5S7A2U2442B	710
24	48	Y-5S7A2U2448B	739
24	54	Y-5S7A2U2454B	768
24	60	Y-5S7A2U2460B	799
24	66	Y-5S7A2U2466B	830
24	72	Y-5S7A2U2472B	858
24	78	Y-5S7A2U2478B	888
24	84	Y-5S7A2U2484B	925
28	42	Y-5S7A2U2842B	735
28	48	Y-5S7A2U2848B	767
28	54	Y-5S7A2U2854B	801
28	60	Y-5S7A2U2860B	835
28	66	Y-5S7A2U2866B	869
28	72	Y-5S7A2U2872B	900
28	78	Y-5S7A2U2878B	935
28	84	Y-5S7A2U2884B	970



Specify	Notes
• Paint Selection • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• PET Screens are designed to mount to AIS worksurfaces. Specify based on system it is paired with. • PET screen inserts are 1/2" (12mm) thick. • 3/8" gap allows for installation of clamp-on monitors and accessories. • Unhooks from worksurface for easy access to wire management. Access from user side.

PET Day-to-Day, Calibrate & Benching HAT Screens with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Partial Modesty on WS	Screen w/ Wire Manager	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
3	42	Y-5S7G2U0342B	609
3	48	Y-5S7G2U0348B	629
3	54	Y-5S7G2U0354B	652
3	60	Y-5S7G2U0360B	672
3	66	Y-5S7G2U0366B	693
3	72	Y-5S7G2U0372B	713
3	78	Y-5S7G2U0378B	736
3	84	Y-5S7G2U0384B	765
12	42	Y-5S7G2U1242B	634
12	48	Y-5S7G2U1248B	655
12	54	Y-5S7G2U1254B	678
12	60	Y-5S7G2U1260B	699
12	66	Y-5S7G2U1266B	722
12	72	Y-5S7G2U1272B	744
12	78	Y-5S7G2U1278B	766
12	84	Y-5S7G2U1284B	796
16	42	Y-5S7G2U1642B	661
16	48	Y-5S7G2U1648B	683
16	54	Y-5S7G2U1654B	706
16	60	Y-5S7G2U1660B	728
16	66	Y-5S7G2U1666B	752
16	72	Y-5S7G2U1672B	775
16	78	Y-5S7G2U1678B	798
16	84	Y-5S7G2U1684B	830

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
20	42	Y-5S7G2U2042B	682
20	48	Y-5S7G2U2048B	710
20	54	Y-5S7G2U2054B	738
20	60	Y-5S7G2U2060B	767
20	66	Y-5S7G2U2066B	796
20	72	Y-5S7G2U2072B	825
20	78	Y-5S7G2U2078B	854
20	84	Y-5S7G2U2084B	887
24	42	Y-5S7G2U2442B	710
24	48	Y-5S7G2U2448B	739
24	54	Y-5S7G2U2454B	768
24	60	Y-5S7G2U2460B	799
24	66	Y-5S7G2U2466B	830
24	72	Y-5S7G2U2472B	858
24	78	Y-5S7G2U2478B	888
24	84	Y-5S7G2U2484B	925
28	42	Y-5S7G2U2842B	735
28	48	Y-5S7G2U2848B	767
28	54	Y-5S7G2U2854B	801
28	60	Y-5S7G2U2860B	835
28	66	Y-5S7G2U2866B	869
28	72	Y-5S7G2U2872B	900
28	78	Y-5S7G2U2878B	935
28	84	Y-5S7G2U2884B	970



Specify	Notes
• Paint Selection • Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue	• PET Screens are designed to mount to AIS worksurfaces. Specify based on system it is paired with. • PET screen inserts are 1/2" (12mm) thick. • 3/8" gap allows for installation of clamp-on monitors and accessories. • Unhooks from worksurface for easy access to wire management. Access from user side.



National Showrooms:

Leominster

AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago

The Merchandise Mart
Suite 1086
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales

GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged
Office Furniture and Furniture Services

For additional information on AIS:

Dealer Showrooms, Representative
Directory, Project Case Studies, Online
Catalog & Product Showcase
Visit: **www.ais-inc.com**