

# SUPPORT & STORAGE

March 2023 Price List

**AIS**

**PRODUCT INFORMATION**

Support, Storage and Screens Statement of Line . . . . .	3
Support, Storage and Screen Finish Options. . . . .	7

**SUPPORT**

Support Product Details . . . . .	10
Full Laminate Support Panels. . . . .	12
A-Legs . . . . .	14
N-Legs . . . . .	15
O-Legs . . . . .	16
Combination Legs. . . . .	17
Freestanding Legs . . . . .	18
Day-to-Day Electric Height Adjustable Table Bases . . . . .	21
E Series Electric Height Adjustable Table Bases . . . . .	22
Panel Mounted Shelf Cantilevers and Shelf Surfaces . . . . .	23
Worksurface Risers, U-Channels and Flat Plates. . . . .	24

**STORAGE**

Storage Accessories . . . . .	30
L Series Freestanding Conversion Kits and Laminate Top Spanners. . . . .	34
L Series BBF Wardrobe Towers with Cupboard . . . . .	35
L Series FF Wardrobe Towers with Cupboard . . . . .	36
L Series BBF Wardrobe Towers with Side Access . . . . .	37
Freestanding Type C Hutches . . . . .	39
Freestanding Laminate Front Type C Hutches . . . . .	40
Freestanding Type D Hutches. . . . .	41
Freestanding Open Shelf Hutches and Bar Pulls . . . . .	42
Matrix Mounted Open Overheads . . . . .	43
Matrix Mounted Cabinet Door Overheads . . . . .	44
Matrix Mounted Sliding Door Overheads . . . . .	45
Matrix, Divi, MWall and AO2 Shared Open Overheads . . . . .	46
Type C Flipper Door Units. . . . .	47
Type D Flipper Door Units. . . . .	48
Sliding Door Units. . . . .	49
Suspended Utility Storage and Accessories . . . . .	50

**WARRANTY & TERMS AND CONDITIONS**


For Warranty & Terms and Conditions please visit:

<https://aiscmsprod.blob.core.windows.net/infocenter/AISTermsWarranty.pdf>


**Note:** For Calibrate Height Adjustable Table Storage Bases please refer to Calibrate Series Price List.

### SUPPORT


#### SUPPORT PANELS



Full Laminate Support Panel A  
12 - 96 Depths




Full Laminate Support Panel B  
12 - 96 Depths




Full Laminate Support Panel C  
12 - 96 Depths



Full Laminate Support Panel D  
12 - 96 Depths




Full Laminate Support Panel E  
12 - 96 Depths




Full Laminate Support Panel F  
12 - 96 Depths


#### LEGS AND BASES




1 x 2 Post Freestanding A-Leg



2.5 x 2.5 Post A-Leg




2.5 x 2.5 Post N-Leg  
With or Without Caster




O-Leg



Combination Support Legs



Combination Nesting Legs



Straight Leg



Slim Leg



Tapered Leg




Slant Leg




Round Combination Leg  
With or Without Caster




Square Post Leg  
With or Without Caster




Steel T-Base Legs  
With or Without Caster




Steel C-Base Legs  
With or Without Caster




Steel X-Base Legs  
With or Without Caster




Steel Disc Base



Arc Aluminum T-Base Legs  
With or Without Caster




Arc Aluminum Double  
T-Base Legs  
With or Without Caster




Aluminum X-Base Legs  
With or Without Caster




Day-to-Day Height  
Adjustable Table Base on Glides




Day-to-Day 90° Electric Height  
Adj. Table Bases on Glides




Day-to-Day 120° Electric Height  
Adj. Table Bases on Glides




E Series Electric Height Adj.  
Table Bases on Glides




Panel Mounted Shelf  
Cantilevers




Shelf Surfaces



Worksurface Risers




U-Channels




Flat Plates


### HUTCHES



**Freestanding Type C Hutches**  
Metal or Laminate Front, Fabric/Fabric or  
White Board/Fabric Utility Board  
*Metal Front, Fabric/Fabric Board Shown*




**Freestanding Solid Type D Hutches**  
Fabric/Fabric or  
White Board/Fabric Utility Board  
*Fabric/Fabric Board Shown*




**Freestanding Open Shelf Hutches**  
Fabric/Fabric or  
White Board/Fabric Utility Board  
*Fabric/Fabric Board Shown*


### OVERHEADS




**8" High Open Overheads**




**8" High Open Overheads**




**Sliding Door Overheads**  
Laminate or Acrylic Door  
*Laminate Door Shown*




**Cabinet Door Overheads**  
Laminate or Acrylic Door  
*Laminate Door Shown*




**Shared Open Overheads**  
System Specific




**Type C Flipper Door Units (Cleat Mount)**  
Metal/Fabric or Laminate Door  
*Metal/Fabric Door Shown*



**Type D Flipper Door Units (Cleat Mount)**



**Sliding Door Unit (Cleat Mount)**  
Metal or Laminate Door  
*Metal Door Shown*




**Cabinet Door Unit (Cleat Mount)**  
Metal or Laminate Door  
*Metal Door Shown*


Storage

STORAGE


SUSPENDED UTILITY STORAGE




Powered Suspended  
Utility Storage



Non-Powered Suspended  
Utility Storage



Suspended Utility Pencil Tray



Hanging Folder Kits

## Upholstery Fabric Options

## UPHOLSTERY OPTIONS

Name	Grade
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Zagger	A
Beehave	B
Gem	B
Stamper	B
Blazer	D

## Performance Alta™

Frock	B
Mirage	B
Prospect	B
Sway	B

## CF Stinson Alliance Upholstery

Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E

## Mayer Alliance Upholstery

Rumba	B
Fedora	C
Havana	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D

## Momentum Alliance Program

Bobby	B
Grid	B
Origin	B
Odyssey	C
Tradition	C
Canter	D
Cover Cloth	D
Point	D
Beta	E
Boom II	E
Faux Felt	E

**Note:** All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at [applied-textiles.com](http://applied-textiles.com)

## C.O.M. Fabric Policy

- Please view all pre-approved COMs here:  
<https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms>
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

## Tackboard Fabric Options

## VERTICAL SURFACE FABRICS

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

## C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

## Paint, Edgeband, Laminate and Tempered Glass Options

## PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

## Custom Paints

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

## TEMPERED GLASS OPTIONS

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

## EDGEBOARD OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecu	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

## Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

## STORAGE LAMINATE OPTIONS

Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Neo Walnut	B
Phantom Ecu	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B




## Support Product Details

### Product Detail 1 Full Laminate Support Panels

Full Laminate Support Panels are used to create freestanding worksurface applications such as desk shells, returns, corner bases, tables as well as private office floor support. Each full panel is 27 5/8" tall with a 1 1/2" glide. When used in conjunction with standard AIS worksurfaces, heights to the top of the worksurface will range from 28 5/8" to 29 1/2" tall. The worksurface mounting plates are attached to the top of the panels as shown, thus leaving the brackets hidden from view and keeping vertical surface laminates free of holes for reversing and re-configuration. Each FLSP includes 2 - 3 worksurface mounting plates, 2 - 3 glides, one worksurface splice plate, and the appropriate quantity of pins, cams, and screws. All hardware is installed when components are field installed, based on required orientation of FLSPs. Note: FLSPs A - D are nominal width less 1/8" (i.e.: 24 - 1/8 = 23 7/8). FLSP E is nominal less 2 1/4" to accommodate the thickness of the two panels on either side (ie: 72 - 2 1/4 = 69 3/4). FLSP F is nominal less 1 3/16" to accommodate the thickness of a single panel on one side (ie: 12 - 1 3/16 = 10 13/16).


FLSPs are connected with a series of pins and lock cams providing a rigid yet simple means of connection. Each type of FLSP has a different function and configuration of male pins and female cams. The six available full laminate support panels (FLSP) are reversible by turning upside down, thus simplifying specification and reconfiguration. Each FLSP is available in widths from 12" to 96" in 6" increments, creating unlimited combinations of worksurface support elements. For this reason, FLSPs are ordered separately. The following pages are a guide to FLSP applications.

A simple way to understand the applications for FLSPs are to consider their use in combinations like those listed below. These simple configurations will be used over and over in freestanding furniture applications. Each configuration can have FLSPs of varying widths and depths to accommodate almost any worksurface size.




#### Desk Base with Flush Modesty

Desk Base with Flush Modesty consist of two FLSP A's and one FLSP E. The FLSP A's can be any size from 12" to 96", with either matching lengths or different lengths.




#### Desk Base with Recessed Modesty

Desk Base with Recessed Modesty consists of two FLSP B's and one FLSP E. The FLSP B's can be any size from 12" to 96", with either matching lengths or different lengths.



#### Corner Base with Flush Modesties

Corner Base with Flush Modesties consists of (Left to right, clockwise) one FLSP F, one FLSP D, one FLSP E, and one FLSP A. Each FLSP can be any desired length.





#### T-Base

T-Base consists of one FLSP C in the back and one FLSP F centered in the front. Each FLSP can be any desired length.

### Product Detail 2 Full Laminate Support Panel Configurations

#### Configuration Example 1



This freestanding corner unit consists of two desk bases, one corner base, and three worksurfaces.



- 1. FLSP E 48" Wide
- 2. FLSP A 12" Wide
- 3. FLSP D 48" Wide
- 4. FLSP A 24" Wide
- 5. FLSP F 12" Wide



#### Configuration Example 2

This freestanding U-shaped unit consists of one desk base, two t-bases, two combination legs and three worksurfaces.



- 1. FLSP E 72" Wide
- 2. FLSP A 24" Wide
- 3. FLSP C 48" Wide
- 4. FLSP F 12" Wide
- 5. FLSP C 30" Wide
- 6. Combination Leg

#### Configuration Example 3




- 1. FLSP E 36" Wide
- 2. FLSP D 48" Wide
- 3. FLSP A 12" Wide
- 4. FLSP F 12" Wide
- 5. FLSP A 24" Wide
- 6. FLSP E 72" Wide
- 7. FLSP B 30" Wide
- 8. FLSP E 84" Wide


## Full Laminate Support Panels

## FULL LAMINATE SUPPORT PANELS


W	H	FLSP A (Male 1 End Flush)	FLSP B (Male 1 End Recessed)	FLSP C (Male Centered)	FLSP D (Male Both Ends Flush)	List
12	28	WFS-FLSPMEF12	WFS-FLSPMER12	WFS-FLSPMC12	WFS-FLSPMBEF12	437
18	28	WFS-FLSPMEF18	WFS-FLSPMER18	WFS-FLSPMC18	WFS-FLSPMBEF18	496
24	28	WFS-FLSPMEF24	WFS-FLSPMER24	WFS-FLSPMC24	WFS-FLSPMBEF24	558
30	28	WFS-FLSPMEF30	WFS-FLSPMER30	WFS-FLSPMC30	WFS-FLSPMBEF30	650
36	28	WFS-FLSPMEF36	WFS-FLSPMER36	WFS-FLSPMC36	WFS-FLSPMBEF36	698
42	28	WFS-FLSPMEF42	WFS-FLSPMER42	WFS-FLSPMC42	WFS-FLSPMBEF42	760
48	28	WFS-FLSPMEF48	WFS-FLSPMER48	WFS-FLSPMC48	WFS-FLSPMBEF48	852
54	28	WFS-FLSPMEF54	WFS-FLSPMER54	WFS-FLSPMC54	WFS-FLSPMBEF54	924
60	28	WFS-FLSPMEF60	WFS-FLSPMER60	WFS-FLSPMC60	WFS-FLSPMBEF60	987
66	28	WFS-FLSPMEF66	WFS-FLSPMER66	WFS-FLSPMC66	WFS-FLSPMBEF66	1,050
72	28	WFS-FLSPMEF72	WFS-FLSPMER72	WFS-FLSPMC72	WFS-FLSPMBEF72	1,140
78	28	WFS-FLSPMEF78	WFS-FLSPMER78	WFS-FLSPMC78	WFS-FLSPMBEF78	1,187
84	28	WFS-FLSPMEF84	WFS-FLSPMER84	WFS-FLSPMC84	WFS-FLSPMBEF84	1,251
90	28	WFS-FLSPMEF90	WFS-FLSPMER90	WFS-FLSPMC90	WFS-FLSPMBEF90	1,317
96	28	WFS-FLSPMEF96	WFS-FLSPMER96	WFS-FLSPMC96	WFS-FLSPMBEF96	1,395




FLSP A



FLSP B



FLSP C



FLSP D

## Specify

- Selection for Laminate
- Color Selection for 2mm Edge


## Notes

- For more information see "Full Support Laminate Panels" section in Product Details. G
- lides included with support panels.
- Grain runs vertically for sizes 60" wide and under. Grain runs horizontally for sizes 66" wide and larger.


## Full Laminate Support Panels

## FULL LAMINATE SUPPORT PANELS

FLSP E (Female Both Ends)				FLSP F (Female 1 End)			
W	H		List	W	H		List
12	28	WFS-FLSPFBE12	421	12	28	WFS-FLSPF1E12	438
18	28	WFS-FLSPFBE18	478	18	28	WFS-FLSPF1E18	497
24	28	WFS-FLSPFBE24	544	24	28	WFS-FLSPF1E24	561
30	28	WFS-FLSPFBE30	636	30	28	WFS-FLSPF1E30	652
36	28	WFS-FLSPFBE36	683	36	28	WFS-FLSPF1E36	699
42	28	WFS-FLSPFBE42	742	42	28	WFS-FLSPF1E42	760
48	28	WFS-FLSPFBE48	836	48	28	WFS-FLSPF1E48	854
54	28	WFS-FLSPFBE54	888	54	28	WFS-FLSPF1E54	926
60	28	WFS-FLSPFBE60	950	60	28	WFS-FLSPF1E60	987
66	28	WFS-FLSPFBE66	1,016	66	28	WFS-FLSPF1E66	1,050
72	28	WFS-FLSPFBE72	1,103	72	28	WFS-FLSPF1E72	1,141
78	28	WFS-FLSPFBE78	1,156	78	28	WFS-FLSPF1E78	1,188
84	28	WFS-FLSPFBE84	1,217	84	28	WFS-FLSPF1E84	1,252
90	28	WFS-FLSPFBE90	1,281	90	28	WFS-FLSPF1E90	1,318
96	28	WFS-FLSPFBE96	1,360	96	28	WFS-FLSPF1E96	1,396



FLSP E



FLSP F

## Specify


- Selection for Laminate
- Color Selection for 2mm Edge


## Notes

- For more information see “Full Support Laminate Panels” section in Product Details.
- Glides included with support panels.
- Grain runs vertically for sizes 60” wide and under. Grain runs horizontally for sizes 66” wide and larger.

A-Legs

1 X 2 POST A-LEG				2.5 X 2.5 POST A-LEG			
H	D	Model Number	List	H	D	Model Number	List
27	12	WFS-ALW2712FS	495	27	18	WFS-AL22718	712
27	24	WFS-ALW2724FS	526	27	24	WFS-AL22724	728
27	30	WFS-ALW2730FS	547	27	30	WFS-AL22730	746
				27	36	WFS-AL22736	763
				27	42	WFS-AL22742	779
				27	48	WFS-AL22748	798
				27	54	WFS-AL22754	814
				27	60	WFS-AL22760	837






Specify	Notes
<ul style="list-style-type: none"><li>• Paint Selection (+25 for Grade C)</li></ul>	<ul style="list-style-type: none"><li>• A-Legs are constructed from painted steel.</li><li>• Legs have 1 1/2" leveling glides.</li><li>• A-Leg welded construction allows for attachment to the worksurface.</li><li>• 1 x 2 A-Legs cannot be used to create freestanding tables unless anchored to another worksurface, panel or storage element. 2.5 x 2.5 A-Legs may be used to create freestanding tables.</li></ul>

## N-Legs

## 2.5 X 2.5 POST N-LEG

H	D	Model Number	List
20	18	WFS-NL22018	596
20	24	WFS-NL22024	605
20	30	WFS-NL22030	614
20	36	WFS-NL22036	625
20	42	WFS-NL22042	636
20	48	WFS-NL22048	645
20	54	WFS-NL22054	659
20	60	WFS-NL22060	668
27	18	WFS-NL22718	582
27	24	WFS-NL22724	589
27	30	WFS-NL22730	598
27	36	WFS-NL22736	606
27	42	WFS-NL22742	614
27	48	WFS-NL22748	624
27	54	WFS-NL22754	632
27	60	WFS-NL22760	644
40	24	WFS-NL24024	684
40	30	WFS-NL24030	694
40	36	WFS-NL24036	704
40	42	WFS-NL24042	714
40	48	WFS-NL24048	725
40	54	WFS-NL24054	735
40	60	WFS-NL24060	744




## Specify

## Notes

- Paint Selection  
(+25 for Grade C)

## 2.5 X 2.5 POST N-LEG WITH CASTERS

H	D	Model Number	List
27	24	WFS-NL2C2724	650
27	30	WFS-NL2C2730	664
27	36	WFS-NL2C2736	678
27	42	WFS-NL2C2742	688
27	48	WFS-NL2C2748	700
27	54	WFS-NL2C2754	714
27	60	WFS-NL2C2760	725




## Specify

## Notes

- Paint Selection  
(+25 for Grade C)

O-Legs

FREESTANDING O-LEGS			
H	D	Model Number	List
27	18	WFS-OLW2718FS-2	908
27	24	WFS-OLW2724FS-2	980
27	30	WFS-OLW2730FS-2	1,089
27	36	WFS-OLW2736FS-2	1,150



Specify	Notes
<ul style="list-style-type: none"><li>• Paint Selection (+25 for Grade C)</li></ul>	<ul style="list-style-type: none"><li>• May be used as shared leg in applications up to 72" wide.</li><li>• O-Leg for use with run off and freestanding table applications.</li><li>• Steel O-Legs have a 1" x 2" profile.</li><li>• O-Legs have 1 1/2" leveling glides.</li><li>• Not sized for use with knife edge work surfaces.</li><li>• Not for panel mounting, for panel mounting leg see panel specific price list.</li><li>• Use in conjunction with an appropriate sized U channel(s) when supporting a span of 48" or greater.</li><li>• AIS standard corner grommet locations will be obscured by this leg. Consult specials team for any grommet location near O-legs.</li></ul>

## Combination Legs

## COMBINATION SUPPORT LEGS

Model Number	List	Grade C Paint
WFS-LEG	408	+25



## Specify

## Notes

- Style Selection - Black or Brushed Steel
- Combination Support Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color.
- With a unique set of adapters, legs can be converted from standard peninsula legs to equal height mobile legs, extended mobile legs, nesting legs, or extended height legs.
- Standard legs are sold in a kit with one 24 3/4" leg (black or brushed steel), one 2 11/16" extender and one 7/16" high glide with 1" of adjustment.
- Standard legs can be converted to mobile legs and back with the same base leg unit.
- Casters are ordered separately.
- Extender, glide and caster are always black.
- Legs ship disassembled and flat.

## COMBINATION NESTING LEGS

Model Number	List	Grade C Paint
WFS-LEG24	713	+25



## Specify

## Notes

- Style Selection - Black, Brushed Steel or Painted (with upcharged)
- Combination Nesting Table Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color.
- Combination nesting table leg is sold as a kit with one 22 5/8" leg (black or brushed steel) and one 3 1/4" caster for a finish height of 25 7/8".
- Finished worksurface height with a standard 1 1/8" worksurface is 27".
- Combination nesting table legs are used for nesting worksurfaces below a standard worksurface height.
- Casters are always black.
- Legs ship disassembled and flat.

## COMBINATION SUPPORT LEG ACCESSORIES

Item	Model Number	List
Optional Caster	WFS-LEGCASTER	60
Optional Extender	WFS-LEGEXT	34
Optional Glide	WFS-LEGGLIDE	34

## Specify

## Notes

- Casters are optional.
- Order Extender and Glide if extras are needed.



Freestanding Legs

SQUARE POST LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
20	WFS-P2220	316	-	-
27	WFS-P2227	331	WFS-P22C27	370
40	WFS-P2240	354	-	-



Specify

Notes

• Paint Selection

TAPERED LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
29	T-RPKG	314	T-RPKC	303



With Glide



With Caster

Specify

Notes

• Paint Selection

• Available in Bright Metal or painted finishes.

SLIM LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
27	O-SMSG	350	O-SMSCASTER	301



Specify

Notes

• Compatible with all top widths.

SLANT LEG		
H	Model Number	List
27	O-SL	579



Specify


Notes

• Compatible with all top widths.

## Freestanding Legs

## STEEL T-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-TL332724	537	WFS-TL33C2724	544
27	30	WFS-TL332730	563	WFS-TL33C2730	567



## Specify


• Paint Selection  
(Grade C +25)

## Notes

• 24" deep unit weighs 14lbs and the 30" deep unit weighs 15lbs.

## STEEL C-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-CL332724	619	WFS-CL33C2724	626
27	30	WFS-CL332730	652	WFS-CL33C2730	658



## Specify


• Paint Selection  
(Grade C +25)

## Notes

• 24" deep unit weighs 14lbs and the 30" deep unit weighs 15lbs.

## STEEL X-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-XL332724	722	WFS-XL33C2724	867
27	30	WFS-XL332730	791	WFS-XL33C2730	904



## Specify


• Paint Selection  
(Grade C +25)

## Notes

• 24" deep unit weighs 15lbs and the 30" deep unit weighs 16lbs.  
• Max size for worksurfaces: 36" wide x 36" deep

## STEEL DISC BASE LEGS

H	D	Model Number	List	Grade C Paint
16	21	T-DBK001	1,033	+20
29	21	T-DBK002	1,158	+25
42	21	T-DBK003	1,218	+30



## Specify

• Paint Selection




## Notes

• Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm). Disc base has a thickness of .5" from ground.  
• 16" high unit weighs 43lbs, 29" high unit weighs 46lbs and the 42" high unit weighs 48lbs.  
• Disc bases have non-leveling rubber pads on bottom.  
• Max size for worksurfaces: 36" wide x 36" deep

## Freestanding Legs





## ARC ALUMINUM T-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	24	T-ABK017	543	T-ABK018	555	+20	+40
29	30	T-ABK019	576	T-ABK020	594	+22	+42
42	24	T-ABK021	584	T-ABK022	596	+20	+40
42	30	T-ABK023	593	T-ABK024	610	+22	+42

29" High  
On Glides29" High  
On Casters42" High  
On Glides42" High  
On Casters





## ARC ALUMINUM DOUBLE T-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	35	T-ABK029	879	T-ABK030	965	+30	+55
29	41	T-ABK031	1,003	T-ABK032	1,036	+32	+58
42	35	T-ABK033	1,016	T-ABK034	1,041	+30	+55
42	41	T-ABK035	1,048	T-ABK036	1,077	+32	+58

29" High  
On Glides29" High  
On Casters42" High  
On Glides42" High  
On Casters

## ARC ALUMINUM X-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	24	T-ABK005	848	T-ABK006	900	+40	+60
29	30	T-ABK007	921	T-ABK008	938	+44	+64
42	24	T-ABK009	875	T-ABK010	926	+40	+60
42	30	T-ABK011	990	T-ABK012	1,007	+44	+64

29" High  
On Glides29" High  
On Casters42" High  
On Glides42" High  
On Casters

## Specify


## Notes

- Paint Selection for Base Post
- Paint Selection for Base Foot - Painted or Bright Metal

## Day-to-Day Electric Height Adjustable Table Bases


## DAY-TO-DAY ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Color	Model Number	List
48" - 72"	24"	Black	WFS-2L-3S24B	2,666
48" - 72"	24"	Metallic Silver	WFS-2L-3S24S	2,666
48" - 72"	24"	Satin White	WFS-2L-3S24W	2,666
48" - 72"	30"	Black	WFS-2L-3S30B	2,666
48" - 72"	30"	Metallic Silver	WFS-2L-3S30S	2,666
48" - 72"	30"	Satin White	WFS-2L-3S30W	2,666




## DAY-TO-DAY 90° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L90-3S24B	3,870
24	Metallic Silver	WFS-3L90-3S24S	3,870
24	Satin White	WFS-3L90-3S24W	3,870
30	Black	WFS-3L90-3S30B	3,870
30	Metallic Silver	WFS-3L90-3S30S	3,870
30	Satin White	WFS-3L90-3S30W	3,870



## DAY-TO-DAY 120° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L120-3S24B	3,870
24	Metallic Silver	WFS-3L120-3S24S	3,870
24	Satin White	WFS-3L120-3S24W	3,870
30	Black	WFS-3L120-3S30B	3,870
30	Metallic Silver	WFS-3L120-3S30S	3,870
30	Satin White	WFS-3L120-3S30W	3,870




## Notes

- 3-stage Day-to-Day Height Adjustable Table Bases allow for quick and easy adjustment of worksurface height.
- Available in black, satin white or metallic silver.
- Bases do not include worksurfaces.
- Adjusts from 21.54"H to 47.80"H (without surface).
- Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
- Maximum worktop overhead allowed is 6" on one side.
- Weight capacity is 250lbs (incl. worksurface) for two leg and 350lbs (incl. worksurface) for three leg.
- Base width may be adjusted from 42"W to 72"W.
- 4 memory presets.
- Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
- Local compliances should meet local requirements.

E Series Electric Height Adjustable Table Bases

E SERIES ELECTRIC HEIGHT ADJUSTABLE TABLE BASES				
Surface W	Surface D	Color	Model Number	List
42" - 72"	24"	Metallic Silver	T-RB2L2S24	2,407
42" - 72"	30"	Metallic Silver	T-RB2L2S30	2,407




- Notes**
- 2-stage E Series Electric Height Adjustable Table Bases on Glides allow for quick and easy adjustment of worksurface height.
  - Available in metallic silver.
  - Bases do not include worksurfaces.
  - Adjusts from 26.26"H to 45.94"H (without surface).
  - Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
  - Maximum worktop overhead allowed is 6" on one side.
  - Weight capacity is 250lbs (incl. worksurface).
  - Base width may be adjusted from 42"W to 72"W. 4 memory presets. Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
  - Local compliances should meet local requirements.

## Panel Mounted Shelf Cantilevers and Shelf Surfaces


## PANEL MOUNTED SHELF CANTILEVERS (MATRIX, DIVI, MWALL)

Hand	Surface Depth	Actual Depth	Model Number	List	Grade C Paint
Left	12	10	WPS-CT10L	170	+10
Right	12	10	WPS-CT10R	170	+10
Pairs	12	10	WPS-CT10P	323	+20



## PANEL MOUNTED SHELF CANTILEVERS (A02)

Hand	Surface Depth	Actual Depth	Model Number	List	Grade C Paint
Left	12	10	WPS-CT10PHEL	171	+10
Right	12	10	WPS-CT10PHER	171	+10
Pairs	12	10	WPS-CT10PHE	324	+20



## Specify


- Paint Selection

## Notes

- Panel Mounted Shelf Cantilevers are 10"d and designed to work in conjunction with 12"d worksurfaces to create additional desk top shelving.
- Available for all AIS panel systems.
- For use with 12" to 16" worksurfaces only.

## SHELF SURFACES

D¹	W¹	Model Number	List	Grade C Laminate
12	24	W-CT1224	265	+17
12	30	W-CT1230	286	+18
12	36	W-CT1236	307	+19
12	42	W-CT1242	316	+20
12	48	W-CT1248	323	+21
12	54	W-CT1254	376	+24
12	60	W-CT1260	382	+24
12	66	W-CT1266	401	+27
12	72	W-CT1272	428	+27
12	78	W-CT1278	436	+28
12	84	W-CT1284	441	+28
12	90	W-CT1290	451	+29
12	96	W-CT1296	458	+29



## Specify

- Laminate Selection
- Color Selection for 2mm Edge


## Notes

- Shelf Surfaces are 1 1/16" thick. 2 mm edge banding (approximately 3/32") is made of rigid, dent-resistant PVC.

## Worksurface Risers, U-Channels and Flat Plates

### WORKSURFACE RISERS

Style	H	Model Number	List	Grade C Paint	Use
2.5 x 2.5	4	WFS-WSR25254	178	+5	Mixed Surface Height
2.5 x 2.5	6	WFS-WSR25256	185	+5	Surface to Surface Connection
2.5 x 2.5	7	WFS-WSR25257	199	+5	Surface to Surface Connection



#### Specify


- Paint Selection

#### Notes

- Worksurface Risers are a painted, extruded aluminum with a steel top plate.
- Available in 2.5" square.
- Risers may be ordered in 4", 6" or 7" heights and work in conjunction with floor storage caseloads and worksurfaces to create tiered levels.
- Bottom of riser is secured using field drilled holes in the lower unit with the supplied screws.

### FLAT PLATES

Model Number	List
WPS-FP	32




#### Specify

#### Notes

- Flat Plate is used to splice two worksurfaces together at front edge. 3.5" x 1.5" plate has four holes per side for superior adaptability and rigidity.
- Available in black only.

### U-CHANNELS

Model Number	List
WPS-VC48	129
WPS-VC60	161
WPS-VC72	192



#### Specify

#### Notes

- U-Channel mounts to underside of longer worksurfaces to provide bracing where center support cantilever is not possible.
- All worksurface support components fasten directly to worksurfaces with screws.

## Storage Product Details

**Product Detail 1**  
**Universal Storage Functional Loads**


UNIVERSAL STORAGE FUNCTIONAL LOADS			
Description	Model Number	Top-to-Bottom Drawer Functional Load (lbs)	Total Functional Load (lbs)
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24	20/45	85
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30	25/60	110
L Series Structural File-File Pedestal	S-PEDFFJ24	45/45	90
L Series Structural File-File Pedestal	S-PEDFFJ30	60/60	120
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24L	20/20/45	85
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30L	25/25/60	110
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ24L	45/45	90
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ30L	60/60	120
L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24	20/20/45	85
L Series Mobile File-File Pedestal	S-PEDFFMJ24	45/45	90
L Series Mobile Box-File Pedestal	S-PEDBFMJ24	20/45	65
L Series Mobile Box-File Pedestal with Cushion	S-PEDBFSMJ24	20/45	65
Laminate Front L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24L	20/20/45	85
Laminate Front L Series Mobile File-File Pedestal	S-PEDFFMJ24L	45/45	90
Laminate Front L Series Mobile Box-File Pedestal	S-PEDBFMJ24L	20/45	65
Laminate Front L Series Mobile Box-File Pedestal with Cushion	S-PEDBFSMJ24L	20/45	65
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D30	85/85	170
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D36	105/105	210
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D42	125/125	250
Laminate Front 2-Drawer Lateral File	S-LATJJ2D30L	85/85	170
Laminate Front 2-Drawer Lateral File	S-LATJJ2D36L	105/105	210
Laminate Front 2-Drawer Lateral File	S-LATJJ2D42L	125/125	250
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D30	85/85/85	255
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D36	105/105/105	315
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D42	125/125/125	375
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D30	85/85/85/85	340
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D36	105/105/105/105	420
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D42	125/125/125/125	500
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D30	85/85/85/85/85	425
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D36	105/105/105/105/105	525
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D42	125/125/125/125/125	625



## L Series Structural Pedestals


## L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDBBFJ24	1,072	+118
30	28	S-PEDBBFJ30	1,514	+118



## L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDFFJ24	1,072	+118
30	28	S-PEDFFJ30	1,514	+118



## Specify


## Notes

- Paint Selection

- L Series Structural Pedestals have a square front with rectangle pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys.
- Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2" to 29".
- Pedestals measure 15" wide.
- For functional loads see Universal Storage Product Details.


## LAMINATE FRONT L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDBBFJ24L	1,461	+118	+25
30	28	S-PEDBBFJ30L	1,901	+118	+25



## LAMINATE FRONT L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDFFJ24L	1,461	+118	+25
30	28	S-PEDFFJ30L	1,901	+118	+25



## Specify

## Notes

- Paint Selection
- Laminate Selection for Drawer Front
- Edge Selection for Drawer Front

- L Series Structural Pedestals have a laminate finished square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2" to 29".
- Pedestals measure 15" wide.
- Laminate face pedestals include laminate top bezel, laminate drawers and the addition of a laminate piece at the bottom for a continuous laminated look.
- For functional loads see Universal Storage Product Details.








## Storage Accessories

## PEDESTAL ACCESSORIES

Item	Model Number	List
Side-to-Side Bar	S-PEDBARJ	49
Box Drawer Pencil Tray	S-PEDDPTJ	58
Box Drawer Divider	S-PEDDD	90



## Specify

## Notes


- Pedestal Accessories can be used with all AIS standard metal case pedestals.
- Pedestal Accessories can not be used for 12" wide storage.

## REPLACEMENT PULLS


Type	Model Number	List
Silver Loop Pull	X-HAND-LOOPS	27
Silver Bar Pull	X-HAND-BARS	27
Black L Pull	X-HAND-LPB	27
Metallic Silver L Pull	X-HAND-LPMS	27
White L Pull	X-HAND-LPW	27
Rectangular Pull	X-HAND-RPS	27




Loop Pull



Bar Pull



L-Pull



Rectangular Pull


## Specify

## Notes

- Replacements only.
- Pulls work for all metal and laminate storage units with the exception of roll out/pantry towers.
- For replacement handles for roll out/pantry towers use only bar pull.

## LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	20
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	32
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	49
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	63
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	79
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	92
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	107
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	124
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	138
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	153
Master Key	RS-W1MKEY	15
Core Removal Key	RS-W1CRKEY	15
Replacement Key	RS-WK ___ (Key Number)	22




## Notes

- Lock Cores & Keys are included with all AIS storage but may be ordered separately for keying stations alike or for replacement purposes.
- Keys and Lock Cores are available in #'s 226 through 425.
- When ordering keyed alike sets, be sure to also order an LL core removal key.
- The core removal key is needed to remove the existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

L Series 2, 3, 4 and 5-Drawer Lateral Files


METAL FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30	1,884	+118
27 1/2	36	18	S-LATJJ2D36	2,019	+118
27 1/2	42	18	S-LATJJ2D42	2,192	+118



LAMINATE FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30L	2,221	+118
27 1/2	36	18	S-LATJJ2D36L	2,621	+118
27 1/2	42	18	S-LATJJ2D42L	2,844	+118





















## Freestanding Type C Hutches

FREESTANDING TYPE C METAL HUTCHES  
(FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24	2,208	+20	+13	+24	+7	+14
30	S-HCOFF30	2,319	+20	+13	+24	+7	+14
36	S-HCOFF36	2,428	+20	+13	+24	+13	+27
42	S-HCOFF42	2,651	+20	+13	+24	+13	+27
48	S-HCOFF48	2,845	+20	+13	+24	+13	+27
60	S-HCOFF60	3,034	+20	+13	+24	+13	+27

FREESTANDING TYPE C METAL HUTCHES  
(WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24	2,208	+20	+13	+24	+7	+14
30	S-HCOFW30	2,319	+20	+13	+24	+7	+14
36	S-HCOFW36	2,428	+20	+13	+24	+13	+27
42	S-HCOFW42	2,651	+20	+13	+24	+13	+27
48	S-HCOFW48	2,845	+20	+13	+24	+13	+27
60	S-HCOFW60	3,034	+20	+13	+24	+13	+27



## Specify

- Paint Selection
- Flipper Door Style - Paint or Fabric
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board


## Notes

- Freestanding Type C Metal Hutch incorporates a Type C flipper door unit with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36", 20" to bottom of flipper unit.


## Freestanding Laminate Front Type C Hutches

FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES  
(FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24L	2,397	+20	+17	+7	+14
30	S-HCOFF30L	2,507	+20	+18	+7	+14
36	S-HCOFF36L	2,762	+20	+19	+13	+27
42	S-HCOFF42L	2,837	+20	+20	+13	+27
48	S-HCOFF48L	3,224	+20	+21	+13	+27
60	S-HCOFF60L	3,425	+20	+22	+13	+27

FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES  
(WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24L	2,397	+20	+17	+7	+14
30	S-HCOFW30L	2,507	+20	+18	+7	+14
36	S-HCOFW36L	2,615	+20	+19	+13	+27
42	S-HCOFW42L	2,837	+20	+20	+13	+27
48	S-HCOFW48L	3,034	+20	+21	+13	+27
60	S-HCOFW60L	3,204	+20	+22	+13	+27



## Specify

- Paint Selection
- Laminate Selection
- Edge Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board


## Notes

- Freestanding Type C Laminate Front Metal Hutch incorporates a Type C flipper door unit (laminated door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36", 20" to bottom of flipper unit.


## Freestanding Type D Hutches

FREESTANDING TYPE D SOLID FRONT METAL HUTCHES  
(FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCDSFF24	2,529	+20	+7	+14
30	S-HCDSFF30	2,644	+20	+7	+14
36	S-HCDSFF36	2,762	+20	+13	+27
42	S-HCDSFF42	2,995	+20	+13	+27
48	S-HCDSFF48	3,017	+20	+13	+27

FREESTANDING TYPE D SOLID FRONT METAL HUTCHES  
(WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCDSFW24	2,380	+20	+7	+14
30	S-HCDSFW30	2,490	+20	+7	+14
36	S-HCDSFW36	2,762	+20	+13	+27
42	S-HCDSFW42	2,821	+20	+13	+27
48	S-HCDSFW48	3,017	+20	+13	+27



## Specify

- Paint Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

## Notes


- Freestanding Type D Metal Hutch incorporates a Type D flipper door unit (solid metal door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.



Freestanding Open Shelf Hutches and Bar Pulls


FREESTANDING OPEN SHELF METAL HUTCHES  
(FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFF24	1,732	+12	+7	+14
30	S-HOSFF30	1,834	+12	+7	+14
36	S-HOSFF36	1,932	+12	+13	+27
42	S-HOSFF42	2,148	+12	+13	+27
48	S-HOSFF48	2,329	+12	+13	+27



FREESTANDING OPEN SHELF METAL HUTCHES  
(WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFW24	1,732	+12	+7	+14
30	S-HOSFW30	1,834	+12	+7	+14
36	S-HOSFW36	1,932	+12	+13	+27
42	S-HOSFW42	2,148	+12	+13	+27
48	S-HOSFW48	2,474	+12	+13	+27




Specify	Notes
<ul style="list-style-type: none"><li>• Paint Selection</li><li>• Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)</li><li>• Fabric Selection for Utility Board</li></ul>	<ul style="list-style-type: none"><li>• Freestanding Open Shelf Metal Hutch incorporates a mid-height shelf unit, a utility board, and one low profile tasklight.</li><li>• The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.</li><li>• Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.</li><li>• Not intended for mounting on cantilevered worksurface.</li><li>• Unit mounts on floor supported base unit. Unit ships flat and is assembled in the field.</li><li>• Overall height of 28", 20" to bottom of flipper unit.</li></ul>

## Matrix Mounted Open Overheads


## MATRIX MOUNTED 8" HIGH OPEN OVERHEADS

H	W	D	Model Number	List
8	24	14	C-OMX082414	1,198
8	30	14	C-OMX083014	1,219
8	36	14	C-OMX083614	1,260
8	42	14	C-OMX084214	1,318
8	48	14	C-OMX084814	1,373
8	54	14	C-OMX085414	1,649
8	60	14	C-OMX086014	1,691
8	66	14	C-OMX086614	1,745
8	72	14	C-OMX087214	1,802



## MATRIX MOUNTED 16" HIGH OPEN OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMX162414	1,323
16	30	14	C-OMX163014	1,371
16	36	14	C-OMX163614	1,421
16	42	14	C-OMX164214	1,477
16	48	14	C-OMX164814	1,532
16	54	14	C-OMX165414	2,028
16	60	14	C-OMX166014	2,069
16	66	14	C-OMX166614	2,099
16	72	14	C-OMX167214	2,139



## Specify

- Laminate Selection for Back

## Notes

- Open Overheads have a 3/4" laminate case construction with 1mm edge band.
- Overheads are available at 8" or 16" tall by 24" - 72" wide. All nominal dimensions equal actual dimensions.
- 24"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.





## Matrix Mounted Cabinet Door Overheads

## MATRIX MOUNTED CABINET LAMINATE DOOR OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMXC162414L	2,077
16	30	14	C-OMXC163014L	2,130
16	36	14	C-OMXC163614L	2,186
16	42	14	C-OMXC164214L	2,259
16	48	14	C-OMXC164814L	2,312
16	54	14	C-OMXC165414L	3,471
16	60	14	C-OMXC166014L	3,541
16	66	14	C-OMXC166614L	3,614
16	72	14	C-OMXC167214L	3,702

## MATRIX MOUNTED CABINET ACRYLIC DOOR OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMXC162414G	2,371
16	30	14	C-OMXC163014G	2,451
16	36	14	C-OMXC163614G	2,551
16	42	14	C-OMXC164214G	2,632
16	48	14	C-OMXC164814G	2,731
16	54	14	C-OMXC165414G	4,084
16	60	14	C-OMXC166014G	4,198
16	66	14	C-OMXC166614G	4,297
16	72	14	C-OMXC167214G	4,396



## Specify

- Laminate Selection for Back, Case and Door
- Laminate or Frosted Acrylic Selection for Door


## Notes

- Cabinet Door Overheads have a 3/4" laminate case construction with 1mm edge band. Cabinet door overheads are 16" tall by 24"- 72" wide.
- Cabinet doors are locking (only center doors on 54"- 72"w) and available in laminate or frosted acrylic. All nominal dimensions equal actual dimensions.
- 24"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.


## Matrix Mounted Sliding Door Overheads

## MATRIX MOUNTED SLIDING LAMINATE DOOR OVERHEADS

Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LL	2,090
Left	16	36	14	C-OMXS163614LL	2,152
Left	16	42	14	C-OMXS164214LL	2,244
Left	16	48	14	C-OMXS164814LL	2,321
Left	16	54	14	C-OMXS165414LL	2,965
Left	16	60	14	C-OMXS166014LL	3,027
Left	16	66	14	C-OMXS166614LL	3,086
Left	16	72	14	C-OMXS167214LL	3,147
Right	16	30	14	C-OMXS163014RL	2,090
Right	16	36	14	C-OMXS163614RL	2,152
Right	16	42	14	C-OMXS164214RL	2,244
Right	16	48	14	C-OMXS164814RL	2,321
Right	16	54	14	C-OMXS165414RL	2,965
Right	16	60	14	C-OMXS166014RL	3,027
Right	16	66	14	C-OMXS166614RL	3,086
Right	16	72	14	C-OMXS167214RL	3,147




Right Hand Shown




Right Hand Shown

## MATRIX MOUNTED SLIDING ACRYLIC DOOR OVERHEADS

Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LG	2,316
Left	16	36	14	C-OMXS163614LG	2,414
Left	16	42	14	C-OMXS164214LG	2,497
Left	16	48	14	C-OMXS164814LG	2,592
Left	16	54	14	C-OMXS165414LG	3,257
Left	16	60	14	C-OMXS166014LG	3,325
Left	16	66	14	C-OMXS166614LG	3,407
Left	16	72	14	C-OMXS167214LG	3,489
Right	16	30	14	C-OMXS163014RG	2,316
Right	16	36	14	C-OMXS163614RG	2,414
Right	16	42	14	C-OMXS164214RG	2,497
Right	16	48	14	C-OMXS164814RG	2,592
Right	16	54	14	C-OMXS165414RG	3,257
Right	16	60	14	C-OMXS166014RG	3,325
Right	16	66	14	C-OMXS166614RG	3,407
Right	16	72	14	C-OMXS167214RG	3,489



Left Hand Shown



Left Hand Shown

## Specify

- Laminate Selection for Back, Case and Door
- Laminate or Frosted Acrylic Door Selection


## Notes

- Matrix Mounted Sliding Door Overheads have a 3/4" laminate case construction with 1mm edge band.
- Sliding door overheads are 16" tall by 30" - 72" wide.
- Sliding door overheads may be ordered for use with the AIS Matrix system, additionally they can be wall mounted using wall tracks or wall tile rails.
- Sliding door is locking and available in laminate or frosted acrylic.
- Sliding door is also reversible from left to right.
- All nominal dimensions equal actual dimensions.
- 30"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Sliding Door Overhead ships with straight bar pull.
- Laminate selection must be casegood compatible, see Finish Options for more details.

## Matrix, Divi, MWall and A02 Shared Open Overheads


## MATRIX SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLMX163616	2,015
16	42	16	C-SOLMX164216	2,090
16	48	16	C-SOLMX164816	2,164
16	60	16	C-SOLMX166016	2,339




## DIVI SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLDV163616	1,987
16	42	16	C-SOLDV164216	2,028
16	48	16	C-SOLDV164816	2,068
16	60	16	C-SOLDV166016	2,152




## MWall SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLMW163616	3,004
16	42	16	C-SOLMW164216	3,046
16	48	16	C-SOLMW164816	3,089
16	60	16	C-SOLMW166016	3,178



## A02 SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLHM163616	2,394
16	42	16	C-SOLHM164216	2,434
16	48	16	C-SOLHM164816	2,474
16	60	16	C-SOLHM166016	2,561




## Specify

## Notes


- Laminate Selection for Case and Divider
- Shared Open Overheads have a 3/4" laminate case construction with 1mm edge band.
- Shared open overheads are 16" tall by 16" deep and available 36" - 60" wide.
- Overheads also include a laminate divider and feature one storage space on each side of the unit.
- Units are designed to mount to the top of AIS panels and may be straddled on two side by side panels.
- Matrix mounting brackets are under the unit, where as AO2, DiVi, and MWall brackets are at the ends. These brackets consume 3" of the panel hanger frame at the top.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.



1. Stable



2. Stable



3. Not Stable

## Shared Open Overhead Stability Notes

Shared open overheads spanning two panels is allowed (see example 1).



Shared open overheads mounted to one panel but overlapping others is allowed, up to 12" per side (see example 2).

Shared open overheads mounted to a panel that is smaller in width than the shared open overhead is not allowed (see example 3).


## Type C Flipper Door Units

## TYPE C METAL/FABRIC FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	Interior W	Interior D	Model Number	List	Grade C Paint	C.O.M. Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14 1/4	24	12	S-FDUCM24	937	+20	-5	+13	+24	+232
14 1/4	30	12	S-FDUCM30	956	+20	-5	+13	+24	+232
14 1/4	36	12	S-FDUCM36	979	+20	-5	+13	+24	+232
14 1/4	42	12	S-FDUCM42	997	+20	-5	+13	+24	+232
14 1/4	48	12	S-FDUCM48	1,052	+20	-5	+13	+24	+232
14 1/4	60	12	S-FDUCM60	1,240	+20	-5	+13	+24	+232



Cleat Mount



Easy Down Mechanism (Optional)



## Specify

## Notes


- Paint Selection
  - Flipper Door Style - Paint or Fabric
  - Fabric Selection for Flipper Door
  - Easy Down Mechanism (Optional)
- Type C Flipper Door Unit provides binder height, lockable overhead storage.
  - Door opens and stores above top cover pan.
  - Flipper unit has an open back.
  - Shelf bottom will receive tasklights.
  - Easy Down Mechanisms optional for all sizes and recommended on 60"W units.
  - Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
  - Laminate Storage items follow current Calibrate Series leadtime.

## TYPE C LAMINATE FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	Interior W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Easy Down
14 1/4	24	12	S-FDUCML24	1,126	+20	+17	+232
14 1/4	30	12	S-FDUCML30	1,146	+20	+18	+232
14 1/4	36	12	S-FDUCML36	1,167	+20	+19	+232
14 1/4	42	12	S-FDUCML42	1,188	+20	+20	+232
14 1/4	48	12	S-FDUCML48	1,303	+21	+21	+232
14 1/4	60	12	S-FDUCML60	1,430	+20	+22	+232



Cleat Mount



Easy Down Mechanism (Optional)



## Specify

## Notes


- Laminate Selection for Flipper Door
  - Edge Selection for Flipper Door
  - Easy Down Mechanism (Optional)
- Type C Flipper Door Unit provides binder height, lockable overhead storage.
  - Door opens and stores above top cover pan.
  - Flipper unit has an open back.
  - Shelf bottom will receive tasklights.
  - Easy Down Mechanisms optional for all sizes and recommended on 60"W units.
  - Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
  - Laminate Storage items follow current Calibrate Series leadtime.

Type D Flipper Door Units

TYPE D SOLID FLIPPER DOOR UNITS (CLEAT MOUNT)						
Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14 1/4	24	12	S-FDUDCM24	1,107	+20	+232
14 1/4	30	12	S-FDUDCM30	1,129	+20	+232
14 1/4	36	12	S-FDUDCM36	1,151	+20	+232
14 1/4	42	12	S-FDUDCM42	1,170	+20	+232
14 1/4	48	12	S-FDUDCM48	1,221	+20	+232



Cleat Mount





Easy Down Mechanism (Optional)

Specify	Notes
<ul style="list-style-type: none"><li>• Paint Selection</li><li>• Easy Down Mechanism (Optional)</li></ul>	<ul style="list-style-type: none"><li>• Type D Flipper Door Unit provides binder height, lockable overhead storage.</li><li>• Door opens and stores above top cover pan. Flipper unit has an open back.</li><li>• Shelf bottom will receive tasklights.</li><li>• Easy Down Mechanisms are optional for all sizes.</li><li>• All flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.</li><li>• Laminate Storage items follow current Calibrate Series leadtime.</li></ul>

Sliding Door Units

METAL FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)



Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	30	12	S-MS2DOCM30	1,129	+20
14 1/4	36	12	S-MS2DOCM36	1,154	+20
14 1/4	42	12	S-MS2DOCM42	1,171	+20
14 1/4	48	12	S-MS2DOCM48	1,226	+20
14 1/4	60	12	S-MS2DOCM60	1,414	+20



Cleat Mount

LAMINATE FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	30	12	S-MS2DOCM30L	1,320	+20	+18
14 1/4	36	12	S-MS2DOCM36L	1,335	+20	+19
14 1/4	42	12	S-MS2DOCM42L	1,363	+20	+20
14 1/4	48	12	S-MS2DOCM48L	1,479	+20	+21
14 1/4	60	12	S-MS2DOCM60L	1,603	+20	+22



Cleat Mount

Specify



- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)

Notes

- Cleat Mounted Sliding Door Units provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.

METAL FRONT CABINET DOOR UNITS (CLEAT MOUNTED)



Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	24	12	S-VDOCM24	1,450	+20
14 1/4	30	12	S-VDOCM30	1,468	+20
14 1/4	36	12	S-VDOCM36	1,493	+20
14 1/4	42	12	S-VDOCM42	1,512	+20
14 1/4	48	12	S-VDOCM48	1,564	+20



Cleat Mount

LAMINATE FRONT CABINET DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	24	12	S-VDOCM24L	1,640	+20	+17
14 1/4	30	12	S-VDOCM30L	1,657	+20	+18
14 1/4	36	12	S-VDOCM36L	1,681	+20	+19
14 1/4	42	12	S-VDOCM42L	1,703	+20	+20
14 1/4	48	12	S-VDOCM48L	1,817	+20	+21



Cleat Mount

Specify

- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)


Notes

- Cabinet Door Unit - Metal Door Front - Cleat Mounted provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.




## Suspended Utility Storage and Accessories


SUSPENDED UTILITY STORAGE							
H	W	D	Condition	Powered		Non-Powered	
				Model Number	List	Model Number	List
18	12	18	A	X-SUPCA	1,738	X-SUNPCA	1,281
18	12	18	B	X-SUPCB	1,738	X-SUNPCB	1,281
18	12	18	C	X-SUPCC	1,805	X-SUNPCC	1,348




Condition A



Condition B





Condition C



Power Detail

Specify	Notes
<ul style="list-style-type: none"> <li>Laminate Selection for Drawer Face and Case</li> <li>Handle Selection</li> </ul>	<ul style="list-style-type: none"> <li>Units have interior dimensions of 8.856"W x 14.917H x 16.480"D.</li> <li>Storage unit pulls out a distance of 13.25".</li> <li>Powered units included 3 outlets and 2 USB charging ports.</li> <li>Can not be used on Calibrate Height Adjustable Tables.</li> <li>Digital locks can not be used on suspended storage.</li> <li>Laminate Storage items follow current Calibrate Series leadtime.</li> </ul>

SUSPENDED UTILITY PENCIL TRAY	
Model Number	List
X-PTC	58





Pencil Tray Detail

Specify	Notes
<ul style="list-style-type: none"> <li>Paint Selection for Unit</li> </ul>	<ul style="list-style-type: none"> <li>Unit has dimension of 5" x 8.75".</li> </ul>

SUSPENDED UTILITY STORAGE CONDITIONS	
Condition	For Use With
Condition A	E-Series Height Adjustable Tables, 24" Deep Day-to-Day Height Adjustable Tables, 24" Deep Aloft, 2018 & prior models, 24" Deep Oxygen Worksurfaces, 30" Deep
Condition B	E-Series Height Adjustable Tables, 30" Deep Day-to-Day Height Adjustable Tables, 30" Deep Aloft, all models, 30" Deep Oxygen Worksurfaces, 24" Deep
Condition C	Aloft, 2019+ models, 24" Deep

SUSPENDED UNIT FOR HANGING FOLDERS KIT	
Model Number	List
C-SUPFB	134



Shown with Folders

Specify	Notes
<ul style="list-style-type: none"> <li>Paint Selection for Unit</li> </ul>	<ul style="list-style-type: none"> <li>Hanging folder kit comes in pairs.</li> <li>Kit allows for 3.75" of storage room for folders.</li> </ul>



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 1086  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSM20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: **[www.ais-inc.com](http://www.ais-inc.com)**