

# FIRE HUNTER® USA


Art. No. 502004 men, 502005 women

**NFPA 1971-2018, NFPA 1992-2018; CSA Z195-2014; ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, HAIX® MSL System, leg height: 14 inches, sole 011

**Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



HAIX® Climate System



Rubber Toe Cap



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Climate System

Permits air circulation with every step – warm air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® MSL System

Micro Soft Light: PU foam injected throughout the sole for greater shock absorption and cold/heat insulation; extremely low weight.

## Upper Material

Waterproof leather, hydrophobic and breathable.

## HAIX® Protective Toe Cap

Anatomically formed and well-padded protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## HAIX® Protective Flexible Midsole

Flexible protective stainless steel, cast into the sole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear

## Moisture Barrier

CROSSTECH® footwear: waterproof and breathable, bacteria, chemical and bloodborne pathogen resistant. Highly abrasion resistant and softly padded with breathable foam.

## Sole

Nitrile rubber shell sole, fuel-oil resistant, self-cleaning tread, high voltage resistant to 14 KV.

## Insole

Anatomically formed, quick change, machine washable insert with excellent moisture absorption and quick drying qualities.

## Footbed

Anatomically formed TEXON (fleece) absorbs moisture and supports ankle.

## Other

Profiled rubber toe cap, large boot straps on both sides.

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

# FIRE HUNTER® PRO

Art. No. 507528 men, 507529 women

**NFPA 1971-2018, NFPA 1990 (1992)-2022; CSA Z195-2014; ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, leg height: 14 inches, sole 017

**Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



HAIX® Climate System



HAIX® Boot Jack



Durable toe cap



## Upper Material

Waterproof leather, hydrophobic and breathable.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## Moisture Barrier

CROSSTECH® footwear: waterproof and breathable, bacteria, chemical and bloodborne pathogen resistant. Highly abrasion resistant and softly padded with breathable foam.

## Insole

Moisture-absorbent non-woven Strobel insole.

## Inlay sole (Footbed)

Comfortable, anatomically formed, shock absorbing, breathable, quick change, PU injected insert with excellent moisture absorption and quick drying qualities. Machine washable at 86°F.

## HAIX® Protective toe cap

Anatomically formed and well-padded protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Protective Flexible Midsole

Flexible protective stainless steel, cast into the sole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Sole

Lightweight rubber/PU sole in a sports style with sturdy road/rough terrain profile and enhanced toe-to-heel support; wear-resistant with excellent anti-slip properties - even in cold weather. The lightweight PU shock absorption wedge provides extra walking comfort and excellent thermal insulation. The flame-resistant outer sole is non-marking and offers excellent resistance against heat, oil and fuels. It's bright yellow signal marks are visible even through thick smoke. Electrical hazard resistant to 18,000 V acc. to ASTM F2413-18 and CSA Z195-2014.

## HAIX® Vario Wide Fit System

Three different boot inserts enable you to adjust the boot to the width of your feet.

## HAIX® AF System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes. Flexible elastic components enable problem free donning and the self adjusting ankle and instep area provides optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## HAIX® Climate System

Permits air circulation with every step – warm air is released and fresh air comes in through the vent holes at the top of the boot.

## Other

Durable toe cap, boot jack, large boot straps on both sides.

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX® footwear owners also have the option of a sole retread only or a toe cap replacement only.

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), www.haix.com

# FIRE HUNTER® XTREME

Art. No. 501605 men, 501606 women



**NFPA 1971-2018, NFPA 1992-2018; CSA Z195-2014; ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, HAIX® MSL System, leg height: 14 inches, sole 011

**Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



HAIX® AF System



Rubber Toe Cap



Heel Bend



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather by direct sunlight. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Climate System

Permits air circulation with every step – moist air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® AF System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes. Flexible elastic components enable problem free donning and the self adjusting ankle and instep area provides optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## Footbed

Anatomically formed TEXON (fleece) absorbs moisture and supports ankle.

## Protective Toe Cap

Anatomically formed and well-padded steel protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Protective Flexible Midsole

Flexible protective stainless steel, cast into the sole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Moisture Barrier

CROSSTECH® footwear, waterproof and breathable, bacteria and chemical as well as bloodborne pathogen resistant. Highly abrasion resistant and softly padded with breathable foam.

## Insole

Anatomically formed, quick change, machine washable insert with excellent moisture absorption and quick drying qualities.

## Sole

Nitrile rubber shell sole, fuel-oil resistant, self-cleaning tread, high voltage resistant 14 KV.

## HAIX® MSL System

Micro Soft Light: PU foam injected throughout the sole for greater shock absorption and cold/heat insulation; extremely low weight.

## Upper Material

Waterproof leather, hydrophobic, and breathable.

## Other

Reflective strips, profiled rubber toe cap, large boot straps on both sides, shin protection

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16



# FIRE EAGLE® AIR

Art. No. 507502 men, 507503 women



**NFPA 1971-2018, NFPA 1992-2018, CSA Z195-2014, ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Ankle Flex System, HAIX® Anti Slip, HAIX® Absorption, HAIX® ID System, leg height: 14 inches, sole 017

**Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



> athletic footwear  
for firefighters  
> lightweight



HAIX® Ankle Protector System



HAIX® Boot Jack



HAIX® Ankle Flex System



HAIX® High Durability Cap System



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Ankle Flex System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes providing optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## Protective Toe Cap

Anatomically formed and well-padded composite protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Upper Material

Waterproof leather, hydrophobic and breathable.

## Moisture Barrier

CROSSTECH® footwear, waterproof and breathable. Bacteria and chemical resistant as well as bloodborne pathogen resistant. Highly abrasion resistant and softly padded with breathable fleece.

## Sole

Lightweight rubber/PU sole in a sports style with sturdy road/rough terrain profile and enhanced toe-to-heel support; wear-resistant with excellent anti-slip properties - even in cold weather. The lightweight PU shock absorption wedge provides extra walking comfort and excellent thermal insulation. The flame-resistant outer sole is non-marking and offers excellent resistance against heat and fuel-oil. Its bright yellow signal marks are visible even through thick smoke.

## HAIX® Protective Flexible Midsole

Flexible protective stainless steel, cast into the PU midsole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Footbed

Moisture-absorbent fleece insole.

## Insole

Moisture wicking comfort insert with cushioning effect and antibacterial properties. Separate heel cup ensures optimized cushioning and foot guidance. "AIRFLOW" channels. "Perfect-Fit" marking for optimized boot size choice. Washable at 86°F.

## HAIX® Vario Wide Fit System

For a more individualized fit, boots fit can be adjusted with an alternate insole. Blue – narrower fit (thickest), Red – Moderate fit (average thickness), Yellow – Wider fit (thinnest). If boots feel slightly wide, HAIX® recommends using the next thickest insole; or, if slightly narrow, to use the next thinnest insole.

## HAIX® Arch Support System

Optimal ankle support and shock absorption in the arch provided by an anatomically formed last; good foot guidance and proper hold thanks to narrow heel and ankle shaft combined with added comfort through broad front foot area.

## Other

Reflective strips, profiled toe cap, large boot straps on both sides, shin protection, boot jack

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, insoles and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners have the option of a sole retread or toe cap replacement only.

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16



# FIRE EAGLE® AIR GRIP XTREME

Art. No. 507534 men, 507535 women



**NFPA 1971-2018, NFPA 1990 (1992)-2022, CSA Z195-2014, ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Ankle Flex System, HAIX® Anti Slip, HAIX® Absorption, HAIX® ID System, leg height: 14 inches, sole 032 - Grip Xtreme

**Available sizes: Men 4 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



> athletic footwear  
for firefighters  
> lightweight



HAIX® Ankle Protector System



HAIX® Boot Jack



HAIX® Ankle Flex System



HAIX® High Durability Cap System



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Ankle Flex System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes providing optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## Protective Toe Cap

Anatomically formed and well-padded composite protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Upper Material

Waterproof leather, hydrophobic and breathable.

## Moisture Barrier

CROSSTECH® footwear, waterproof and breathable. Bacteria and chemical resistant as well as airborne pathogen resistant. Highly abrasion resistant and softly padded with breathable fleece.

## Sole

Lightweight rubber/PU sole in a sports style with sturdy road/rough terrain profile and enhanced toe-to-heel support; wear resistant rubber quality with excellent anti-slip properties for cold temperatures. Yellow elements integrated into the sole profile for excellent grip on wet and dry ice. Tread profile has a self-cleaning effect due to cone-shaped profile grooves. The lightweight PU shock absorption wedge provides extra walking comfort and excellent thermal insulation. The flame-resistant outer sole is nonmarking and offers excellent resistance against heat and fuel-oil. Electrical hazard resistant to 18 kV acc. to ASTM F2413-18 and CSA Z195-2014.

## HAIX® Protective Flexible Midsole

Flexible protective stainless steel, cast into the PU midsole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## HAIX® Climate System

Permits air circulation with every step – moist air is released and fresh air comes in through the vent holes at the top of the boot.

## Footbed

Moisture-absorbent fleece insole.

## Insole

Moisture wicking comfort insert with cushioning effect and antibacterial properties. Separate heel cup ensures optimized cushioning and foot guidance. "AIRFLOW" channels. "Perfect-Fit" marking for optimized boot size choice. Washable at 86°F.

## HAIX® Vario Wide Fit System

For a more individualized fit, boots fit can be adjusted with an alternate insole. Blue – narrower fit (thickest), Red – Moderate fit (average thickness), Yellow – Wider fit (thinnest). If boots feel slightly wide, HAIX® recommends using the next thickest insole; or, if slightly narrow, to use the next thinnest insole.

## HAIX® Arch Support System

Optimal ankle support and shock absorption in the arch provided by an anatomically formed last; good foot guidance and proper hold thanks to narrow heel and ankle shaft combined with added comfort through broad front foot area.

## Other

Reflective strips, profiled toe cap, large boot straps on both sides, shin protection, boot jack.

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, insoles and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners have the option of a sole retread or toe cap replacement only.

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

# FIRE HERO® XTREME

Art. No. 507101 men, 507102 women



**NFPA 1971-2018, NFPA 1992-2018, CSA Z195-2014, ASTM F2413-2018**

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate, HAIX® MSL, HAIX® AF, leg height: 13 inches, sole 01

**Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes**

**Available widths: Narrow, Medium, Wide**



HAIX® AF System



Rubber Toe Cap



Ankle Protection



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Climate System

Permits air circulation with every step – moist air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® MSL System

Micro Soft Light: PU foam injected throughout the sole for greater shock absorption and cold/heat insulation; extremely low weight.

## Protective Toe Cap

Anatomically formed and well-padded carbon protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## HAIX® AF System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes providing optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## Moisture Barrier

CROSSTECH® footwear, waterproof and breathable, bacteria and chemical resistant as well as bloodborne pathogen resistant. Highly abrasion resistant and softly padded with breathable foam.

## Sole

Uniquely designed rubber nitrile sole with a stable non-slipping sole edge for uneven terrain. The honeycomb tread pattern and yellow suction cups offer excellent traction on slick and wet surfaces. Ladder bar treads in the joint area for stability on ladder rungs. Oil and fuel resistant, non-chalky, and self cleaning.

## Protective Flexible Midsole

Flexible protective stainless steel, cast into the sole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear

## Upper Material

Waterproof leather, hydrophobic and breathable.

## Footbed

Anatomically formed TEXON (fleece) absorbs moisture and supports ankle.

## Other

Reflective strips, profiled rubber toe cap, large boot straps on both sides, shin protection

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509

Phone 859-281-0111, Fax 859-281-0113

Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

# FIRE EAGLE® XTREME


Art. No. 507530 men, 507531 women

NFPA 1971-2018, NFPA 1990 (1992) - 2022, NFPA 1951-2020, NFPA 1977-2022,  
CSA Z195-2014, ASTM F2413-2018

Waterproof, breathable, bacteria and chemical resistant with CROSSTECH®, leg height: 14 inches, sole 017

Available sizes: Men 5 – 16 & half sizes, Women 5 – 12 & half sizes

Available widths: Narrow, Medium, Wide



HAIX® AF System



HAIX® Boot Jack



HAIX® High Durability Cap System



## Upper Material

Waterproof leather, hydrophobic and breathable.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## Moisture Barrier

CROSSTECH® footwear, waterproof and breathable, bacteria and chemical resistant, bloodborne pathogen resistant. Highly abrasion resistant and softly padded.

## Insole

Moisture absorbent non-woven Strobel insole.

## Footbed

Comfortable, anatomically formed, shock absorbing, breathable, quick change, PU injected insert with excellent moisture absorption and quick drying qualities. Machine washable at 86°F.

## HAIX® Protective toe cap

Anatomically formed and well-padded composite protective toe cap to meet ASTM 2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Protective Flexible Midsole

Flexible protective stainless steel, cast into the PU midsole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Sole

Lightweight rubber/PU sole in a sports style with sturdy road/rough terrain profile and enhanced toe-to-heel support; wear-resistant with excellent anti-slip properties - even in cold weather. The lightweight PU shock absorption wedge provides extra walking comfort and excellent thermal insulation. The flame-resistant outer sole is non-marking and offers excellent resistance against heat, oil and fuels. It's bright yellow signal marks are visible even through thick smoke. Electrical hazard resistant to 18 kV acc. to ASTM F2413-18 and CSA Z195-2014.

## HAIX® Vario Wide Fit System

For a more individualized fit, boots fit can be adjusted with an alternate insole. Blue – narrower fit (thickest), Red – Moderate fit (average thickness), Yellow – Wider fit (thinnest). If boots feel slightly wide, HAIX® recommends using the next thickest insole; or, if slightly narrow, to use the next thinnest insole.

## HAIX® Arch Support System

Optimal ankle support and shock absorption in the arch provided by an anatomically formed last; good foot guidance and proper hold thanks to narrow heel and ankle shaft combined with added comfort through broad front foot area.

## HAIX® Ankle Flex System

Ankle Flex System refers to the functionality of a pull-on boot which enables it to adjust to different foot, ankle, and heel shapes providing optimal fit in the boot. Integrated flex-zones ensure high flexibility and prevents pressure points.

## HAIX® Climate System

Permits air circulation with every step – warm air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® Fast Lacing Fit System

Patented two zone lacing system for quick and optimal lacing adjustment and correct fit of the boot. Added safety thanks to integrated instep protection.

## HAIX® Identification System

Name field for boot labeling.

## Other

Reflective strips, profiled toe cap, large boot straps on the tongue and backside, shin and metatarsal protection, boot jack, two zone lacing, soft, close fitting leg cuff.

## Extended Wear Program

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, insoles and retreading of soles. Footwear will be cleaned and deodorized. HAIX® footwear owners have the option of a sole retread or toe cap replacement only.

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), www.haix.com

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16



# MISSOULA 2.1

Art. No. 111011



**NFPA 1977 – 2016, ASTM F2892 – 2018**

Color: black, breathable inner liner, hydrophobic and breathable split leather, leg height: 10 inches, sole VIBRAM®

**Available sizes: Men 4 – 13 & half sizes, Women 5 – 10 & half sizes**

**Available widths: Narrow, Medium, Wide**



HAIX® 2-Zone Lacing



## Upper Material

Water resistant split leather, hydrophobic and breathable, 2.8 – 3.0mm thick.

## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole. Breathable and abrasion resistant inner lining.

## Plastic/non woven Midsole

Dimensionally stable, torsion-proof, avoids punctual pressure (e.g. of stones). Laminate with moisture absorbing non-woven.

## Sole

Rubber/PU anti-slip sole with rugged profile, abrasion-proof gives a perfect side stabilization for hiking. The non-marking outer sole is fuel oil resistant. It is heat contact resistant up to 572°F.

## Heel Grip

Specially designed heel for superior footholds on steep and uneven terrain.

## Insole

Comfortable, cushioning and moisture repellent. Separate heel shape for good cushioning and foot insertion. "AIRFLOW" channels. "Perfect-Fit" mark for an optimal verification of the correct boot size.

## HAIX® 2-Zone Lacing

Two Zone Lacing System enables a separate adjustment of the boot to the foot and leg area.

## Threads and Laces

Threads and laces are made of flame resistant Nomex. All HAIX® boots come laced up.

## HAIX® ES Out System

Special heel edging for easier removal of boot.

## Other

Low-friction lacing elements, pull on loop, electrical hazard resistant

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

## HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

# AIRPOWER® R2

Art. No. 605109 men, 605110 women




## NFPA 1999-2018, ASTM F2413-2018, CSA Z195-2014

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, HAIX® AS System, Leg height: 8 inches

**Available sizes: Men 4 ½ – 15 & half sizes, Women 5 – 10 & half sizes**

**Available widths: Medium, Wide, Extra Wide**



HAIX® AS System



Heel Bend



Reinforced Zipper



### HAIX® Secura Liner®:

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

### HAIX® Sun Reflect Leather:

Reduces the heating effect of the upper leather by direct sunlight. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

### HAIX® Climate System:

Permits air circulation with every step – moist air is released and fresh air comes in through the vent holes at the top of the boot.

### HAIX® AS System:

Supports the arch of the foot in its natural, ideal position

### Upper Material:

Soft and supple waterproof leather, hydrophobic, breathable.

### Moisture Barrier:

CROSSTECH® footwear, 4 layers with inner Cambrelle lining, abrasion resistant, softly padded with breathable foam. Waterproof, breathable, bacteria and chemical resistant, bloodborne pathogen resistant.

### Protective Toe Cap:

Anatomically formed and well-padded steel protective toe cap to meet ASTM 2413-2018 and CSA Z 195-2014 standard for personal protection – protective footwear.

### Protective Flexible Midsole:

Flexible protective stainless steel, cast into the sole, to meet ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear

### Sole:

Newly developed extremely slip resistant rubber sole with PU wedge which is fuel, oil, and skid resistant, with a non-marking, self-cleaning, antistatic tread. Excellent insulation against heat and cold. Sole is heat resistant.

### Insole:

Anatomically formed, quick change, machine washable insert with excellent moisture absorption and quick drying qualities.

### Footbed:

Anatomically formed TEXON (fleece) absorbs moisture and supports ankle

### Other:

Anatomically formed and softly padded tongue, integrated heel bend, raised tip, Patented HAIX® Lacing System: combined lacing and zipper unit, reflective zone in the heel and instep bend.

### Extended Wear Program:

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

### HAIX® North America INC.

2320 Fortune Drive, Suite 120, Lexington, KY 40509

Phone 859-281-0111, Fax 859-281-0113

Toll free 866-344-HAIX (4249), www.haix.com

# AIRPOWER® XR2



Art. No. 605118 men, 605119 women

**NFPA 1999-2018, ASTM F2413-2018, CSA Z195-2014**


HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, HAIX® AS System, leg height: 8 inches

**Available sizes: Men 4½ – 15 & half sizes, Women 5 – 10 & half sizes**

**Available widths: Medium, Wide, Extra Wide**



HAIX® Climate System



HAIX® AS System



Reinforced Zipper



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather by direct sunlight. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Climate System

The HAIX Climate system uses the pumping movement, which permits air circulation with every step – warm air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® AS System

The HAIX® Arch Support System supports the natural curvature of the foot. Toes and joints have thereby sufficiently more space. Keeps foot in the best position for optimal foot health.

## Upper Material

Soft and supple waterproof leather, hydrophobic and breathable.

## Moisture Barrier

CROSSTECH® footwear, 3 layers with warp knit inner lining, highest abrasion resistance and fast drying, waterproof, breathable, NFPA 1971 blood and body fluid and common chemical resistance.

## HAIX® Composite toe cap

Anatomically formed and ultralight protective toe cap made of fiber-reinforced plastic for highest safety requirements. ASTM 2413-2018 and CSA Z 195-2014 standard for personal protection – protective footwear.

## HAIX® Protective sole

Flexible protective midsole and metal-free. ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Sole

Extremely slip resistant rubber sole with PU wedge which is fuel, oil, and skid resistant, with a non-marking, self-cleaning tread. Excellent insulation against heat and cold. Sole is heat resistant.

## Insole

Moisture-absorbent fleece insole.

## Insert

Moisture wicking comfort insert with cushioning effect and antibacterial properties. Separate heel cup ensures optimized cushioning and foot guidance. "AIRFLOW" channels. "Perfect-Fit" marking for optimized boot size choice. Washable at 86°F.

## Other

Anatomically formed and softly padded tongue, integrated heel bend, raised tip, Patented HAIX® Lacing System: combined lacing and zipper unit, smooth external TPU toe cap.

## Extended Wear Program:

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

## HAIX® North America INC.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), www.haix.com

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16



# AIRPOWER® XR2 WINTER


Art. No. 605122 men, 605123 women

**NFPA 1999-2018, ASTM F2413-2018, CSA Z195-2014**


HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® Climate System, HAIX® AS System, leg height: 8 inches

**Available sizes: Men 4½ – 15 & half sizes, Women 5 – 10 & half sizes**

**Available widths: Medium, Wide, Extra Wide**



HAIX® Climate System



HAIX® AS System



Reinforced Zipper



## HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

## HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather by direct sunlight. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

## HAIX® Climate System

The HAIX Climate system uses the pumping movement, which permits air circulation with every step – warm air is released and fresh air comes in through the vent holes at the top of the boot.

## HAIX® AS System

The HAIX® Arch Support System supports the natural curvature of the foot. Toes and joints have thereby sufficiently more space. Keeps foot in the best position for optimal foot health.

## Upper Material

Soft and supple waterproof leather, hydrophobic and breathable.

## Moisture Barrier

CROSSTECH® footwear, 3 layers with warp knit inner lining, highest abrasion resistance and fast drying, waterproof, breathable, NFPA 1999 blood and body fluid and common chemical resistance.

## HAIX® Composite toe cap

Anatomically formed and ultralight protective toe cap made of fiber-reinforced plastic for highest safety requirements. ASTM 2413-2018 and CSA Z 195-2014 standard for personal protection – protective footwear.

## HAIX® Protective sole

Flexible protective midsole and metal-free. ASTM F2413-2018 and CSA Z195-2014 standard for personal protection – protective footwear.

## Sole

Extremely slip resistant rubber winter sole with PU wedge which is fuel, oil and skid resistant, with a non-marking, self-cleaning tread. Excellent insulation against heat and cold. Sole is heat resistant.

## Insole

Moisture-absorbent fleece insole.

## Insert

Moisture wicking comfort insert with cushioning effect and antibacterial properties. Separate heel cup ensures optimized cushioning and foot guidance. "AIRFLOW" channels. "Perfect-Fit" marking for optimized boot size choice. Washable at 86°F.

## Other

Anatomically formed and softly padded tongue, integrated heel bend, raised tip, Patented HAIX® Lacing System: combined lacing and zipper unit, smooth external TPU toe cap.

## Extended Wear Program:

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.


## HAIX® North America INC.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16



**Available widths: Medium, Wide, Extra Wide**



HAIX® AS System



Reinforced Zipper



UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

# AIRPOWER® XR1 PRO

## GRIP XTREME

Art. No. 605132 men, 605133 women

NFPA 1999-2018, NFPA 1990 (1992)-2022, NFPA 1977-2022, NFPA 1951-2020, ASTM F2413-2018, CSA Z195-2014

HAIX® Secura Liner, HAIX® Sun Reflect Leather, HAIX® AS System, Leg height: 9 inches, sole 032 - Grip Xteme

Available sizes: Men 4 – 16 & half sizes, Women 5 – 10 & half sizes

Available widths: Medium, Wide, Extra Wide



HAIX® AS System



Reinforced Zipper



### HAIX® Secura Liner®

Footwear inner liner which will never pull out or wrinkle up over time; lining is firmly secured and sealed along with the upper leather beneath the sole.

### HAIX® Sun Reflect Leather

Reduces the heating effect of the upper leather by direct sunlight. Sunlight is reflected by the leather, keeping the leather and the feet cooler.

### HAIX® AS System

The HAIX® Arch Support System supports the natural curvature of the foot. Toes and joints have thereby sufficiently more space. Keeps foot in the best position for optimal foot health.

### Moisture Barrier

CROSSTECH® footwear, with warp knit inner lining, highest abrasion resistant and fast drying, waterproof, breathable, NFPA 1999 blood and body fluid and common chemical resistance.

### Upper Material

Soft and supple waterproof leather, hydrophobic, breathable.

### HAIX® Composite toe cap

Anatomically formed and ultralight protective toe cap made of fiber-reinforced plastic for highest safety requirements. ASTM 2413-2018 *Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear* and CSA Z 195-2014 *Standard on Protective Footwear*.

### HAIX® Protective sole

Flexible protective midsole and metal-free. ASTM 2413-2018 *Standard Specification for Performance Requirements for Protective (Safety) Toe Cap Footwear* and CSA Z 195-2014 *Standard on Protective Footwear*.

### Sole

Lightweight rubber/PU sole in a sports style with sturdy road/rough terrain profile and enhanced toe-to-heel support; wear resistant rubber quality with excellent anti-slip properties for cold temperatures. Yellow elements integrated into the sole profile for excellent grip on wet and dry ice. Tread profile has a self-cleaning effect due to coneshaped profile grooves. The lightweight PU shock absorption wedge provides extra walking comfort and excellent thermal insulation. The flame-resistant outer sole is non-marking and offers excellent resistance against heat and fuel-oil. Electrical hazard

resistant to 18 kV acc. to ASTM F2413-18 and CSA Z195-2014.

### Insole

Moisture wicking comfort insert with cushioning effect. Separate heel cup ensures optimized cushioning and foot guidance. "AIRFLOW" channels. "Perfect-Fit" marking for optimized boot size choice. Washable at 86 °F.

### Other

Anatomically formed and softly padded tongue, integrated heel bend, raised tip, Patented HAIX® Lacing System: combined lacing and zipper unit, smooth external TPU toe cap.

### Extended Wear Program:

Out of warranty footwear can be refurbished with original factory parts through an extended wear package. This package includes any necessary replacement or repair of stitching, profiled rubber toe caps, insoles, and retreading of soles. Footwear will be cleaned and deodorized. HAIX footwear owners also have the option of a sole retread only or a toe cap replacement only.

### HAIX® North America Inc.

2320 Fortune Drive, Suite 120, Lexington, KY 40509  
Phone 859-281-0111, Fax 859-281-0113  
Toll free 866-344-HAIX (4249), [www.haix.com](http://www.haix.com)

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16