

NOXUBEE COUNTY
66,000 GVW TANDEM AXLE
DUMP TRUCK(S)



BOARD OF SUPERVISORS

BIDDER SHALL COMPLETE BY CHECKING THE FOLLOWING.
IF NOT COMPLIANT, STATE SPECIFICALLY ITEM BEING OFFERED.

The Noxubee County Board of Supervisors intends to accept sealed bids to purchase one (1) or more Tandem Axle 66,000 GVW Dump Truck(s). This contract shall be valid until January 1, 2028. Purchase price shall be valid for one calendar year and starting the second year the awarding vendor may apply up to but not exceed a fifteen (15) percent inflation price increase once per calendar year to follow. The following are the suggested minimum specifications for one or more 2023 model or newer Tandem Axle Dump Truck(s). All bids must be equal in performance and quality pursuant to the bid specifications below, which are not intended to exclude any manufacturer's standard deviation. Any reference to manufacture's make or series of equipment stated in the following specifications is intended only to establish an acceptable standard and is not intended to limit the bidding. Noxubee County is acting under the authority of Section 31-7-13, Miss. Code of 1972 Amended, and reserves the right to reject any and all bids.

YES NO OFFERED

ENGINE & EQUIPMENT			
New & Unused 2023	<input type="checkbox"/>	<input type="checkbox"/>	_____
Conventional Cab/Set Forward Axle	<input type="checkbox"/>	<input type="checkbox"/>	_____
ENGINE & EQUIPMENT			
510 HP Engine or greater no exceptions	<input type="checkbox"/>	<input type="checkbox"/>	_____
1850 lb/ft torque or greater (no exceptions)	<input type="checkbox"/>	<input type="checkbox"/>	_____
13 engine liter displacement or greater no exceptions	<input type="checkbox"/>	<input type="checkbox"/>	_____
Air Compressor 18.7CFM or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Air Cleaner: Dry-type mounted under the hood with filter restriction indicator	<input type="checkbox"/>	<input type="checkbox"/>	_____
2-Speed fan hub	<input type="checkbox"/>	<input type="checkbox"/>	_____
1330 sq/in Cooling module or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____

	YES	NO	OFFERED
Radiator bug screen: mounted behind the grill	<input type="checkbox"/>	<input type="checkbox"/>	_____
Exhaust: 2021 EPA; Dual vertical	<input type="checkbox"/>	<input type="checkbox"/>	_____
Jump start terminals under the hood	<input type="checkbox"/>	<input type="checkbox"/>	_____
Engine block heater (120 volt minimum)	<input type="checkbox"/>	<input type="checkbox"/>	_____
Fuel/water separator: 2017 Emissions	<input type="checkbox"/>	<input type="checkbox"/>	_____
160 AMP Alternator minimum	<input type="checkbox"/>	<input type="checkbox"/>	_____
(3) or more batteries – 2000 CCA dual purpose	<input type="checkbox"/>	<input type="checkbox"/>	_____
12-Volt light system with circuit protection	<input type="checkbox"/>	<input type="checkbox"/>	_____
12-Volt Starter	<input type="checkbox"/>	<input type="checkbox"/>	_____
Body builder harness to end of frame	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRANSMISSION & EQUIPMENT			
Allison 4500 RDS series automatic transmission	<input type="checkbox"/>	<input type="checkbox"/>	_____
Transmission PTO Rear Support Spring(s)	<input type="checkbox"/>	<input type="checkbox"/>	_____
Heavy Duty Driveline:2 Dana Spicer SPL250XL or the Meritor equivalent	<input type="checkbox"/>	<input type="checkbox"/>	_____
Torque converter	<input type="checkbox"/>	<input type="checkbox"/>	_____
Park brake auto neutral	<input type="checkbox"/>	<input type="checkbox"/>	_____
FRONT AXLE & EQUIPMENT			
Meritor or the Equivalent Dana Spicer Front Axle rated at 20k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front Brakes 20k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front Drums 20k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front Hubs 20k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front auto slack adjusters	<input type="checkbox"/>	<input type="checkbox"/>	_____
20k or greater Taperleaf front springs; to include threaded bushings	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front shock absorbers	<input type="checkbox"/>	<input type="checkbox"/>	_____
Dual power steering gears 20k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
REAR AXLE & EQUIPMENT			
46k or greater Rear axle, Dana Spicer or the equivalent Meritor Brand w/heavy-wall housing	<input type="checkbox"/>	<input type="checkbox"/>	_____
Rear axle ratio: 4.56	<input type="checkbox"/>	<input type="checkbox"/>	_____
Dual rear brakes 46k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____

	YES	NO	OFFERED
Dual rear hubs 46k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Hub package for dual rear axles rated 46k	<input type="checkbox"/>	<input type="checkbox"/>	_____
Rear slack adjusters	<input type="checkbox"/>	<input type="checkbox"/>	_____
Single spring brake 3030 high output dual	<input type="checkbox"/>	<input type="checkbox"/>	_____
Bendix 4S/4M Anti-lock brake system or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
Chalmers Rear Suspension: rated at 46k or greater	<input type="checkbox"/>	<input type="checkbox"/>	_____
TIRES & WHEELS			
Front tires: Goodyear or equivalent (425/65R22.5) 20PR	<input type="checkbox"/>	<input type="checkbox"/>	_____
Rear tires: Goodyear or equivalent (11R24.5)	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front wheels & Rear wheels: Aluminum (22.5x12.25)	<input type="checkbox"/>	<input type="checkbox"/>	_____
FRAME & EQUIPMENT			
10 3/4" x 3 1/2" x 3/8" (2,132,000) RBM Steel frame or equivalent	<input type="checkbox"/>	<input type="checkbox"/>	_____
Full insert for 10 5/8 (1,149,000) RBM	<input type="checkbox"/>	<input type="checkbox"/>	_____
120,000 PSI Yield steel required	<input type="checkbox"/>	<input type="checkbox"/>	_____
Aerodynamic bumper, painted or steel	<input type="checkbox"/>	<input type="checkbox"/>	_____
Center Cast Front Tow Hooks	<input type="checkbox"/>	<input type="checkbox"/>	_____
FUEL TANK(S) & EQUIPMENT			
110 Gallon fuel tank or greater with anti-siphon device	<input type="checkbox"/>	<input type="checkbox"/>	_____
14 Gallon DEF tank; RH mount	<input type="checkbox"/>	<input type="checkbox"/>	_____
CAB & EQUIPMENT			
Fully Hucked-bolted Aluminum or Steel Cab	<input type="checkbox"/>	<input type="checkbox"/>	_____
Extended Cab or 120 BBC minimum	<input type="checkbox"/>	<input type="checkbox"/>	_____
Heater with integral defroster and A/C	<input type="checkbox"/>	<input type="checkbox"/>	_____
Adjustable telescoping tilt steering column/Smart Wheel	<input type="checkbox"/>	<input type="checkbox"/>	_____
Dash mounted air filter restriction gauge	<input type="checkbox"/>	<input type="checkbox"/>	_____
Transmission oil temperature gauge	<input type="checkbox"/>	<input type="checkbox"/>	_____
Speedometer	<input type="checkbox"/>	<input type="checkbox"/>	_____
Tachometer	<input type="checkbox"/>	<input type="checkbox"/>	_____
Fuel gauge	<input type="checkbox"/>	<input type="checkbox"/>	_____

	YES	NO	OFFERED
Engine coolant temperature gauge	<input type="checkbox"/>	<input type="checkbox"/>	_____
Engine oil pressure gauge	<input type="checkbox"/>	<input type="checkbox"/>	_____
Increased air capacity for an additional axle	<input type="checkbox"/>	<input type="checkbox"/>	_____
Wheelbase clearance for a third axle (no exceptions)	<input type="checkbox"/>	<input type="checkbox"/>	_____
Air driver seat	<input type="checkbox"/>	<input type="checkbox"/>	_____
Non-air ride (rider seat)	<input type="checkbox"/>	<input type="checkbox"/>	_____
AM/FM/WB/USB/BT Radio	<input type="checkbox"/>	<input type="checkbox"/>	_____
Cab access grab handles, LH & RH	<input type="checkbox"/>	<input type="checkbox"/>	_____
Exterior Stainless Steel sunvisor	<input type="checkbox"/>	<input type="checkbox"/>	_____
One- piece windshield or two-piece windshield	<input type="checkbox"/>	<input type="checkbox"/>	_____
Air Ride Cab	<input type="checkbox"/>	<input type="checkbox"/>	_____
Roof mounted marker lights	<input type="checkbox"/>	<input type="checkbox"/>	_____
No Doghouse protruding in cab (no exceptions)	<input type="checkbox"/>	<input type="checkbox"/>	_____
Circuit breakers replacing all but 5-amp fuses	<input type="checkbox"/>	<input type="checkbox"/>	_____
Bendix AD-HF air dryer, heated; extended purge	<input type="checkbox"/>	<input type="checkbox"/>	_____
Moisture drain valve with pull cable drain	<input type="checkbox"/>	<input type="checkbox"/>	_____
Backup: must meet SAE J994 & OSHA requirements	<input type="checkbox"/>	<input type="checkbox"/>	_____

PAINT

Color: White must have Blk body; all other colors shall have body to match cab	<input type="checkbox"/>	<input type="checkbox"/>	_____
--	--------------------------	--------------------------	-------

DUMP BODY SPECIFICATIONS

Yardage 21	<input type="checkbox"/>	<input type="checkbox"/>	_____
Body Length: 16'	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front Height: 66"	<input type="checkbox"/>	<input type="checkbox"/>	_____
Side Height Front: 66"	<input type="checkbox"/>	<input type="checkbox"/>	_____
Side Height Rear: 66"	<input type="checkbox"/>	<input type="checkbox"/>	_____
Rear Height: 72"	<input type="checkbox"/>	<input type="checkbox"/>	_____
Side Material: PLATE-1/4-AR450	<input type="checkbox"/>	<input type="checkbox"/>	_____
Front Material: PLATE-1/4/AR450	<input type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate Material: PLATE-1/4-AR450	<input type="checkbox"/>	<input type="checkbox"/>	_____

	YES	NO	OFFERED
Floor Material: PLATE-1/4-AR450	<input type="checkbox"/>	<input type="checkbox"/>	_____
Skirt Material: SHEET-7GA-A36	<input type="checkbox"/>	<input type="checkbox"/>	_____
Cabshield Style: NARROW & CENTERED	<input type="checkbox"/>	<input type="checkbox"/>	_____
Cabshield Projection: 36	<input type="checkbox"/>	<input type="checkbox"/>	_____
Cabshield Width: 65	<input type="checkbox"/>	<input type="checkbox"/>	_____
Tarp System	<input type="checkbox"/>	<input type="checkbox"/>	_____
Tailgate Type: HIGH LIFT	<input type="checkbox"/>	<input type="checkbox"/>	_____
Dump Apron: HEAVY DUTY	<input type="checkbox"/>	<input type="checkbox"/>	_____
Side Light Cutouts: LOWER FRONT	<input type="checkbox"/>	<input type="checkbox"/>	_____
Board Holder Height: NO BOARD HOLDERS	<input type="checkbox"/>	<input type="checkbox"/>	_____
Paint: BLACK; or body to match cab on colors	<input type="checkbox"/>	<input type="checkbox"/>	_____
PTO – Auto Transmission	<input type="checkbox"/>	<input type="checkbox"/>	_____
Backup Alarm	<input type="checkbox"/>	<input type="checkbox"/>	_____
Air Tailgate Kit	<input type="checkbox"/>	<input type="checkbox"/>	_____
Aluminum Skirts;	<input type="checkbox"/>	<input type="checkbox"/>	_____
Pintle Hitch	<input type="checkbox"/>	<input type="checkbox"/>	_____
Full Truck kit – with glad hands at the rear (towing package).	<input type="checkbox"/>	<input type="checkbox"/>	_____
Body must be equipped with a vibrator – no exceptions	<input type="checkbox"/>	<input type="checkbox"/>	_____

Additional Requirements:

*****Guaranteed buy back provision:** The guaranteed buy back provision at the end of (1) year will be a factor in determining the lowest and best bid.

**Vendor 12month Guarantee- _____

***Bidder(s) are to bid each unit as a complete unit. Delivery will be a consideration factor to establish lowest and best bid pursuant to Mississippi Code 31-7-13 section d.

**Please state delivery estimate (required for bid to be valid) _____

***Participating bidders must submit auction results to support the one year buy back number proposed with their un-priced proposals. **No exceptions.** Auctioneer auction results submitted by participating vendor(s) will also be a determining factor to establish the lowest and best bidder.