







PRICE LIST APRIL 2022



Price List Contents

Lounge Seating		Fixed Seating		Multi-Purpose Seating	
Amelia	4	Auditorium, Lecture Hall & Cla	ssroom	Ari	100
Amelia Mini	6	Delphie	64	Attivo	101
Ascot	7	Fisso Table	66	Cell	103
Bentlee	9	Metropolitan	68	Flex	104
Block	10	Metropolitan Opera	70	Ingrid	109
Brandon	15	Moncton	72	Kentra	111
Cameron	16	MySpace	74	Mariquita	113
Cheer	17	Omnia Evolution	76	Mindy	115
Erica	18	Premiere	78	Mork	118
Erica Mini	21	Primo	80	Net	120
Jolly	22	Stylos	82	Tazza	121
Keaton	27	Tempo	84	Zero9	123
Life	29	Thesi	86	Zero9 HD	128
Milano	32	Venus	88	20.071.2	
Mya	33	vends	00		
Naxos	34			Office Cuest Seating	
Naxos Acoustic	37	Danie Castine		Office Guest Seating	
Nest	39	Beam Seating		Boheme	131
Nibia	41	Ari Beam	90	Fila	133
PF3	43	Kentra Beam	92	Jendra	134
Point	44	Mariquita Beam	94	L'Aqua	136
Pra	46	Tazza Beam	96	Millenium	137
Privée	48	Union Beam	98	PG Series	138
Privée Wall Canopy	52	55. 2 sa	, •	Remo	140
Saudi	53			Rete	141
Scala	53 54			Zero7	142
Smile	56				
Teorema					
Tiffany	57 59				
Townsend	60				
Townsend Elite					
Walle	62 63				
Healthcare Portfolio		Hospitality Portfolio		Tables	
Alza	144	Azzurra	160	Alza	144
Casa	145	Chase	161	Naxos	35
Familia	146	Cori	164	Smile	56
Nonna	148	Erlene	168	SC	
Notte	153	Euforia	170		
Sera	154	Evangeline	172	General Information	
Silver Age	158	Evita	173	General information	
311761 7186	130	Julia	174	Key Contacts	206
		Kellee	175	Fabric Program	201
		Logica	180	Materials and Finishes	202
		Newport	186	Components and Accessories	204
		Parson	188	Warranties	216
		Sharen	189	Terms and Conditions	218
		Triston	194		
		Zenith	198		
		20111011	170		

Guest / Collaborative

2640 – Fixed Four Leg Base

2641-C - Four Leg Swivel Base, with Casters (C)

2641-G - Four Leg Swivel Base, with Glides (G)

2642 – Height Adjustable Trumpet Base

2643 - Height Adjustable Four Leg Spoke Base

Features

3D molded multi-layer beech wood shell, 0.4" (11 mm).

Seat cushion is padded with CFC-free, high-resiliency, high-density polyurethane foam and fixed to the wood shell with screws.

Fixed Four Leg Base model (Model #2640) is made of chrome-plated steel with self-leveling glides.

Four Leg Swivel Base with Casters model (Model #2641-C) is height adjustable with 360 degree swivel. Dual-Wheel Casters for soft floors are standard. Gas cylinder and base are in a polished finish.

Height adjustable bases are achieved with a pneumatic gas cylinder with $4^{\prime\prime}$ (100 mm) of height adjustment.

Options

Wood Stain Finishes are available in six standard colors: Natural, English Oak, Cherry, Mahogany, Espresso Black and Ebony.

Part #2640-CS — Custom wood stains to match, add \$170 list.

2640 Fixed Four Leg Base



Overall Height 31.75" 810 mm Overall Width 24.75 630 mm Overall Depth 22" 560 mm Arm Height 29" 705 mm Back Height 15.5" 395 mm Seat Height 17.75' 450 mm Seat Width 19" 485 mm Seat Depth 17.5" 445 mm Wt/Chair 11 kg 23 lbs. Volume 12 ft³ 0.34 m³ COM Fabric 0.75 yd 0.7 m Per Carton 1

Base Price | \$2910 Fabric Grade 2 4 5 9 6 8 Leather 2910 2925 2940 2955 2965 2980 2995 3010 3025 3090 Price (\$)

2641-CFour Leg Swivel Base, with Casters (C)



Overall Height 33" 840 mm Overall Width 24.75" 630 mm Overall Depth 21.75" 550 mm Arm Height 27.75" 735 mm Back Height 15.5" 395 mm Seat Height 18' 460 mm Seat Width 19' 485 mm Seat Depth 17.5" 445 mm Wt/Chair 27.5 lbs. 12.5 kg Volume 12 ft³ 0.34 m³ COM Fabric 0.75 yd $0.7 \, \text{m}$ Per Carton

COM COL 3 Fabric Grade 2 4 5 6 7 8 9 Leather 3155 3210 3095 3110 3125 3195 Price (\$) 3140 3165 3180 3275

2641-GFour Leg Swivel Base, with Glides (G)



Overall Height 33" 840 mm Overall Width 24.75 630 mm Overall Depth 21.75" 550 mm Arm Height 27.75 735 mm Back Height 15.5" 395 mm Seat Height 18" 460 mm Seat Width 19' 485 mm Seat Depth 17.5" 445 mm Wt/Chair 27.5 lbs. 12.5 kg Volume 12 ft³ 0.34 m³ COM Fabric 0.75 vd 0.7 m Per Carton

borgo^o

Base Price | \$3120 COM 7 9 Fabric Grade 2 3 4 5 6 8 Leather 3135 3165 3190 3235 Price (\$) 3120 3150 3180 3205 3220 3300

Boheme

Guest / Collaborative

2640 - Fixed Four Leg Base

2641-C - Four Leg Swivel Base, with Casters (C)

2641-G - Four Leg Swivel Base, with Glides (G)

2642 – Height Adjustable Trumpet Base

2643 – Height Adjustable Four Leg Spoke Base

Features

3D molded multi-layer beech wood shell, 0.4" (11 mm).

Seat cushion is padded with CFC-free, high-resiliency, high-density polyurethane foam and fixed to the wood shell with screws.

Fixed Four Leg Base model (Model #2640) is made of chrome-plated steel with self-leveling glides.

Four Leg Swivel Base with Casters model (Model #2641-C) is height adjustable with 360 degree swivel. Dual-Wheel Casters for soft floors are standard. Gas cylinder and base are in a polished finish.

Height adjustable bases are achieved with a pneumatic gas cylinder with 4" (100 mm) of height adjustment.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

Wood Stain Finishes are available in six standard colors: Natural, English Oak, Cherry, Mahogany, Espresso Black and Ebony.

Part #2640-CS — Custom wood stains to match, add \$170 list.

Part #2461-G — Glides for Four Leg Swivel Base model (Model #2641), add \$65 List.

2642
Height Adjustable Trumpet Base



Overall Height 28.5-32.5" 720-820 mm Overall Width 24.75" 630 mm Overall Depth 21.75" 550 mm Arm Height 25-29" 635-735 mm Back Height 15.5" 395 mm Seat Height 14-18" 360-460 mm Seat Width 19" 485 mm Seat Depth 17.5" 445 mm Wt/Chair 34 lbs. 15.25 kg Volume 12 ft³ 0.34 m³ COM Fabric 0.75 yd 0.7 m Per Carton

Base Price \$3515														
Fabric Grade Price (\$)														

Overall Height

2643
Height Adjustable Four Leg Spoke Base



Overall Width 27 5" 700 mm Overall Depth 27.5" 700 mm Arm Height 25.75-29.75" 655-755 mm Back Height 15.5" 395 mm Seat Height 15-19" 380-480 mm Seat Width 19" 485 mm Seat Depth 17.5" 445 mm Wt/Chair 27.5 lbs. 12.5 kg Volume 14 ft³ 0.39 m^3 COM Fabric 0.75 yd $0.7 \, \text{m}$ Per Carton

28.75-32.75" 730-830 mm

COM COL Fabric Grade 1 2 3 4 5 6 7 8 9 Leather Price (\$) 3195 3210 3220 3235 3250 3265 3280 3295 3305 3375	Ba	Base Price \$3195													



3450 – Armless Chair 3451 – Arm Chair

Features

Chair is constructed of a solid beech wood frame.

All wood is kiln-dried or air-dried to ensure the integrity of the frame.

Back and seat are constructed of rows of spaced wood strips.

Arms are made of solid wood, supported by metal Silver Gray powder coated rods.

White nylon glides.

Options

Wood Stain Finishes are available in six standard colors: Natural, English Oak, Cherry, Mahogany, Espresso Black and Ebony.

Contact Customer Service for custom wood stains.

3450 Armless Chair



Overall Height 33.5" 850 mm Overall Width 25.5" 650 mm Overall Depth 19.75" 500 mm Arm Height N/A N/A Back Height 17.25" 440 mm Seat Height 18" 460 mm Seat Width 19" 480 mm Seat Depth 14" 355 mm Wt/Chair 7.25 kg 16 lbs. Volume 16 ft³ 0.45 m³ COM Fabric N/A N/A Per Carton 1

Base Price | \$1440

Price (\$) 1440

3451 Arm Chair



Overall Height	33.5"	850 mm
Overall Width	25.5"	650 mm
Overall Depth	19.75"	500 mm
Arm Height	25.5"	650 mm
Back Height	17.25"	440 mm
Seat Height	18"	460 mm
Seat Width	19"	480 mm
Seat Depth	14"	355 mm
Wt/Chair	16 lbs.	7.25 kg
Volume	16 ft ³	0.45 m ³
COM Fabric	N/A	N/A
Per Carton	1	

Base Price | \$1790

Price (\$) 1790

06-07-2022

875-1005 mm

Office / Task

3614 - High Back 3604 - Mid Back

3634 - Drafting Stool

3614HD - High Back, Heavy Duty 3604HD - Mid Back, Heavy Duty

-TC1 = Tilt Control

-MC1 = Multi-Tilt Control

Features

Fully upholstered inner back, outer back and seat.

Contoured molded high-density foam seat and back with lumbar support.

Waterfall front edge seat design reduces pressure at the back of the knees allowing for proper blood circulation.

Avialble with both a Tilt Control (#TC1) and Multi-Tilt Control (#MT1) Mechanism

Bicycle T-arm (#UAB) with urethane arm pads with a 3" (80 mm) height adjustability.

Seat swivel and height adjustment is obtained by a 4.0" (100 mm) pneumatic gas cylinder

10.5" (270 mm) pneumatic gas cylinder on the Drafting Stool model with adjustable height foot ring (Model #3634).

Nylon Black base is standard.

Carpet Twin-Wheel Casters (#VTW).

Black finish standard on mechanism, base and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

#3620 Shallow seat at no upcharge (seat width: 18" (460 mm) seat depth: 16.5" (420 mm)).

#3625 Medium seat at no upcharge (seat width: 19" (480 mm) seat depth: 20" (510 mm)).

Energy Absorbing Foam Seat (#EAFS) only, add \$90 List.

Energy Absorbing Foam Seat and Back (#EAFSB) for the Mid Back model only (Model #3604 & 3634), add \$170 List.

Internal Back Height Adjustment (#IBC) only on MT1 and ST1 mechanism, add \$70 List.

Sliding Seat Pan (#SSP) 3" (80 mm) includes larger base only on MT1 mechanism only, add \$70 List.

Adjustable Width (#AW) arm adapter, only with use of UAL, UAB arms, add \$50 List.

Pivot Adjustable Arms (#PAA) used only with T-Arms, add \$50 List.

Swivel Pivot Arms (#SPA) used only with T-Arms, add \$50 List.

Adjustable Lumbar Support (#ALS), add \$95 List.

Part #LHP — Lumbar Headrest Pillow, add \$55 List.

Dual-upholstery option, please specify at time of order.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.



High Back

Overall Height 42.5-47.5" 1080-1210 mm Overall Width 25.5 Overall Depth Arm Height 25.25-32.25" 640-820 mm Back Height 25-28" 635-710 mm Seat Height 18.75-22.75" 475-575 mm Seat Width 20.5" 520 mm Seat Depth 19.25" 490 mm Wt/Chair 20 kg 44 lbs. Volume 19 ft³ 0.54 m³ COM Fabric 2.25 vd 2.1 m Per Carton

Ba	Base Price \$820														
COM COL Fabric Grade 1 2 3 4 5 6 7 8 9 L															
Fabric Grade	l	2	3	4	5	6	/	8	9	Leather					
TC1 Price (\$)	820	865	910	955	1000	1045	1090	1135	1180	1405					
MT1 Price (\$)	940	985	1030	1075	1120	1165	1210	1255	1300	1525					

3604

Mid Back

Overall Height 34.5-39.5" Overall Width 25.5" 650 mm Overall Depth 685 mm Arm Height 25.25-32.25" 640-820 mm Back Height 19.25-22.5" 495-575 mm Seat Height 18.75-22.75" 475-575 mm Seat Width 20.5" 520 mm Seat Depth 19.25 490 mm Wt/Chair 43 lbs. 19.5 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.75 yd 1.7 m Per Carton

Ва	Base Price \$760														
COM COL Fabric Grade 1 2 3 4 5 6 7 8 9 L															
Fabric Grade	1	2	3	4	5	6	7	8	9	Leather					
TC1 Price (\$)	760	800	840	880	920	960	1000	1040	1080	1280					
MT1 Price (\$)	890	930	970	1010	1050	1090	1130	1170	1210	1410					

3634 **Drafting Stool**



Overall Height 39.5-50" 1005-1270 mm Overall Width 25.5" 650 mm Overall Depth 685 mm Arm Height 29.5-36.5" 750-930 mm Back Height 19.5-22.5" 495-575 mm Seat Height 25-35" 635-890 mm Seat Width 20.5" 520 mm Seat Depth 19.25 490 mm Wt/Chair 38 lbs. 17.5 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.75 vd 1.7 m

Ва	ase Pric	e \$96	55				
Fabric Grade TC1 Price (\$)		2					

Per Carton



3614 – High Back

3604 – Mid Back

3634 - Drafting Stool

 ${\bf 3614HD}-{\sf High\ Back,\ Heavy\ Duty}$

 ${\bf 3604HD}-{\bf Mid~Back, Heavy~Duty}$

-TC1 = Tilt Control

-MC1 = Multi-Tilt Control

Features

Fully upholstered inner back, outer back and seat.

Contoured molded high-density foam seat and back with lumbar support.

Waterfall front edge seat design reduces pressure at the back of the knees allowing for proper blood circulation.

Avialble with both a Tilt Control (#TC1) and Multi-Tilt Control (#MT1) Mechanism

Bicycle T-arm (#UAB) with urethane arm pads with a 3" (80 mm) height adjustability.

Seat swivel and height adjustment is obtained by a 4.0" (100 mm) pneumatic gas cylinder

10.5" (270 mm) pneumatic gas cylinder on the Drafting Stool model with adjustable height foot ring (Model #3634).

Nylon Black base is standard.

Carpet Twin-Wheel Casters (#VTW).

Black finish standard on mechanism, base and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

#3620 Shallow seat at no upcharge (seat width: 18" (460 mm) seat depth: 16.5" (420 mm)).

#3625 Medium seat at no upcharge (seat width: 19" (480 mm) seat depth: 20" (510 mm)).

Energy Absorbing Foam Seat (#EAFS) only, add \$90 List.

Energy Absorbing Foam Seat and Back (#EAFSB) for the Mid Back model only (Model #3604 & 3634), add \$170 List.

Internal Back Height Adjustment (#IBC) only on MT1 and ST1 mechanism, add \$70 List.

Sliding Seat Pan (#SSP) 3" (80 mm) includes larger base only on MT1 mechanism only, add \$70 List.

Adjustable Width (#AW) arm adapter, only with use of UAL, UAB arms, add \$50 List.

Pivot Adjustable Arms (#PAA) used only with T-Arms, add \$50 List.

Swivel Pivot Arms (#SPA) used only with T-Arms, add \$50 List.

Adjustable Lumbar Support (#ALS), add \$95 List.

Part #LHP — Lumbar Headrest Pillow, add \$55 List.

Dual-upholstery option, please specify at time of order.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.

3614HDHigh Back, Heavy Duty



Overall Height 42.5-47.5" 1080-1210 mm Overall Width 25.5" 650 mm Overall Depth 27" 685 mm Arm Height 25.25-32.25" 640-820 mm Back Height 25-28" 635-710 mm Seat Height 18.75-22.75" 475-575 mm Seat Width 20.5" 520 mm 490 mm Seat Depth 19.25" Wt/Chair 44 lbs. 20 kg

19 ft³

2

2.25 vd

0.54 m³

875-1005 mm

650 mm

2.1 m

Base Price | \$1165 COM Fabric Grade 2 4 8 9 6 Leather MT1 Price (\$) 1165 1210 1255 1300 1345 1390 1435 1480 1525 1750

Volume

COM Fabric

Per Carton

Overall Height

Overall Width

3604HD Mid Back, Heavy Duty



Overall Depth 27" 685 mm Arm Height 25.25-32.25" 640-820 mm Back Height 19.25-22.5" 495-575 mm Seat Height 18.75-22.75" 475-575 mm Seat Width 20.5" 520 mm Seat Depth 19.25" 490 mm Wt/Chair 43 lbs. 19.5 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.75 yd 1.7 m Per Carton 2

34.5-39.5"

25.5"

Ba	ase Price	e \$11°	15				
Fabric Grade MT1 Price (\$)							



Office / Executive

5271 – High Back **5272** – Mid Back

-M = Mesh Seat

-U = Upholstered Seat

Features

Breathable knitted mesh back moves with the user, providing flexible and continuous support with airflow.

Seat is available upholstered and padded with CFC-free, high-density and high-resiliency polyurethane foam.

Waterfall front edge seat design reduces pressure at the back of the knees allowing for proper blood circulation.

Adjustable lumbar support is easily adjusted by the push of two buttons.

Back angle adjustment, with back tension adjustment.

High Back model (Model #5271) has height and pivoting adjustable headrest in Black mesh.

3" (80 mm) height adjustable arms, with Swivel Pivot Arms (#SPA).

Height adjustment is easily operated through a lever in the armrest.

3" (80 mm) pneumatic gas height adjustment.

Sliding Seat Pan (#SSP) allows for 2" (50 mm) of seat depth adjustment.

Five-Star Polished Aluminum Base.

Carpet Twin-Wheel Casters (#VTW).

Options

Seat is available in fabric or Black mesh.

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.



COM

1500

1605

2

1630

1645

4

1660

1675

1695

1715

1730

1750

1830

Fabric Grade

M Price (\$)

U Price (\$)

U Price (\$)

1505

1525

1540

1560

1575

1595

1610


1630

1645

1730

Overall Height Overall Width Overall Depth	43.5- 26.75 27"	48.5"	1105-123 680 mn 685 mm	า
Arm Height Back Height	24-27 27-29		610-685 685-735	
Seat Height Seat Width Seat Depth	16.5-1 19" 16.5-1		420-49! 485 mm 420-470	1
Wt/Chair Volume COM Fabric Per Carton	47 lb 21 ft ³ 1.0 yo		21 kg 0.6 m³ 0.95 m	
5 6	7	8 -	9	Leathe -

	527 Mid Ba				Overal	Height I Width I Depth	39.5-4 26.75" 27"	2.5"	1005-108 680 mm 685 mm		
						Height Height	24-27" 23"		610-685 mm 585 mm		
	112	I			Sea	: Height t Width t Depth	16.5-19 19" 16.5-18		420-495 mm 485 mm 420-470 mm		
á	-		•		CON	t/Chair Volume A Fabric Carton	44 lbs. 19 ft ³ 1.0 yd 1		20 kg 0.54 m³ 0.95 m		
Ва	se Price	\$138	5								
Fabric Grade M Price (\$)	COM 1 1385	2	COL 3	4	5 -	6	7	8 -	9	Leather -	



Office | Guest Seating - 136 - borgo.com



9015 - Executive High Back

9035 - Executive Low Back

-KTS = Knee Tilt Control

Designed by Giovanni Baccolini

Features

Neocor foam in seat and back.

Fully upholstered seat and back with stitching detail.

Metal Black powder coated loop arms with Black urethane arm caps (#MLU).

Knee Tilt Mechanism (#KT5) with 3" (80 mm) pneumatic gas cylinder.

Carpet Twin-Wheel Casters (#VTW).

Five-Star Black powder coated metal base.

Black finish standard on mechanism, base and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

Part #9015-UA — Upholstered Arm Caps (set of two), add \$50 list.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.



Overall Height 48.5-52"

1230-1320 mm

DdSe	rrice	\$1005								
Fabric Grade	СОМ 1	2	COL 3	4	5	6	7	8	9	Leather
Price (\$)	1605	1670	1735	1805	1870	1935	1995	2065	2130	2445

Overall Height

38.5-42"

980-1070 mm

9035 Overall Width 26.75" 680 mm **Executive Low Back** Overall Depth 27" 690 mm Arm Height 27-30" 685-765 mm Back Height 20.75" 530 mm Seat Height 17.75-21.25" 450-540 mm Seat Width 21.25" 540 mm Seat Depth 19" 485 mm Wt/Chair 49 lbs. 22 kg Volume 14 ft³ 0.4 m³ COM Fabric 2.75 yd 2.5 m Per Carton 1

Base Price \$ 1490													
Fabric Grade	СОМ 1	2	COL 3	4	5	6	7	8	9	Leather			
Price (\$)	1490	1550	1605	1665	1725	1770	1840	1900	1960	2250			

PG Series

PG30 - Stool

PG35 - Stool with Foot Ring

PG50 - Work Chair

PG60 - Sit Stand Stool

PG65 - Sit Stand Stool

PG80 - Work Stool

Features

Molded Black self-skin polyurethane seat and back.

4" (100 mm) pneumatic gas cylinder (Models #PG30 & PG50).

10.5" (240 mm) pneumatic gas cylinder (Models #PG35, PG60, PG65 & PG80).

Gas cylinder with adjustable height foot ring (Models #PG35, PG65 & PG80).

360 degree height adjustment lever for easy use (Models #PG30 & PG35).

Carpet Twin-Wheel Casters (#VTW).

Options

Adjustable back height (Models #PG50 & PG80).

Contact Customer Service for additional Arm options.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For Mechanism Features and Options, see page 208.





Seat Width 14" Seat Depth 14" Wt/Chair 15 lbs. Volume 5 ft³ COM Fabric N/A Per Carton

Overall Height 18-25"

Arm Height N/A

Back Height N/A

Seat Height 18-25"

22"

Overall Width

Overall Depth

6.8 kg 0.14 m³ N/A

460-635 mm

460-635 mm

355 mm

355 mm

560 mm

560 mm

N/A

N/A

Base Price | \$270

Price (\$) 270

> PG35 Stool with Foot Ring



Overall Height 24.5-36 625-915 mm Overall Width 560 mm Overall Depth 560 mm

N/A

Arm Height N/A

Back Height

Seat Height 24.5-36 625-915 mm Seat Width 14" 355 mm Seat Depth 14" 355 mm

N/A

N/A

Wt/Chair 20 lbs. 9.2 kg Volume 7 ft³ 0.2 m³ COM Fabric N/A N/A Per Carton

Base Price | \$460

Price (\$)

460

PG50 Work Chair



Base Price | \$555

555

Price (\$)

Back Height Seat Height 17-22.5" Seat Width Seat Depth

460 mm 430 mm

430-570 mm

850-990 mm

660 mm

660 mm

305 mm

N/A

Wt/Chair 27 lbs. 12 kg Volume 19 ft³ 0.54 m³ COM Fabric N/A N/A Per Carton

18"


17"

Overall Height 33.5-39"

Arm Height N/A

Overall Width 26"

Overall Depth



Office | Guest Seating - 138 borgo.com 06-07-2022

PG30 - Stool

PG35 - Stool with Foot Ring

PG50 - Work Chair

PG60 - Sit Stand Stool

PG65 - Sit Stand Stool

PG80 - Work Stool

Features

Molded Black self-skin polyurethane seat and back.

4" (100 mm) pneumatic gas cylinder (Models #PG30 & PG50).

10.5" (240 mm) pneumatic gas cylinder (Models #PG35, PG60, PG65 & PG80).

Gas cylinder with adjustable height foot ring (Models #PG35, PG65 & PG80).

360 degree height adjustment lever for easy use (Models #PG30 & PG35).

Carpet Twin-Wheel Casters (#VTW).

Options

Adjustable back height (Models #PG50 & PG80).

Contact Customer Service for additional Arm options.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For Mechanism Features and Options, see page 208.

PG60 Sit-Stand Stool



Overall Width 26" 660 mm Overall Depth 26" 660 mm Arm Height N/A N/A Back Height 6.5" 165 mm Seat Height 24.5-36 625-915 mm Seat Width 13" 330 mm Seat Depth 8.25" 210 mm Wt/Chair 20 lbs. 9.2 kg Volume 14 ft³ 0.47 m³ COM Fabric N/A N/A

790-1085 mm

Overall Height 31-42.5"

Per Carton

1

Base Price | \$935

Price (\$) 935

> **PG65** Sit-Stand Stool



Overall Height 28.5-40" 725-1015 mm Overall Width 26" 660 mm Overall Depth 26" 660 mm

Arm Height N/A N/A Back Height 4" 100 mm

Seat Height 24.5-36 625-915 mm Seat Width 14 355 mm Seat Depth 10" 255 mm

Wt/Chair 20 lbs. 9.2 kg Volume 7 ft³ 0.2 m³ COM Fabric N/A N/A Per Carton

Base Price | \$475

Price (\$) 475

PG80 Work Stool



Overall Height 39-48.5" 850-1230 mm Overall Width 26" 660 mm Overall Depth 660 mm Arm Height N/A N/A

12"


Back Height

Seat Height 23.5-33" 595-840 mm Seat Width 18" 460 mm Seat Depth 17" 430 mm

Wt/Chair 31.5 lbs. 14 kg Volume 19 ft³ 0.54 m³ COM Fabric N/A N/A Per Carton

Base Price | \$775

Price (\$) 775



305 mm

borgo.com - 139 -Office | Guest Seating

06-07-2022

5251 – High Back 5252 – Mid Back

5253 - Drafting Stool

Features

Breathable knitted mesh back moves with the user, providing flexible and continuous support with airflow.

Mesh back is stretched over a nylon reinforced with fiberglass frame.

Seat is available upholstered and padded with CFC-free, high-density and high-resiliency polyurethane foam.

Waterfall front edge seat design reduces pressure at the back of the knees allowing for proper blood circulation.

Back angle adjustment with back tension adjustment.

High Back model (Model #5251) has height and pivoting adjustable mesh headrest.

Standard with adjustable lumbar support.

3" (75 mm) height adjustable arms, with Swivel Pivot Arms (#SPA).

Seat swivel and height adjustment is obtained by a 3" (75 mm) pneumatic gas cylinder.

Sliding Seat Pan (#SSP) allows for 2" (50 mm) of seat depth adjustment.

10.5" (270 mm) pneumatic gas cylinder on the Drafting Stool model with adjustable height foot ring (Model #5253).

Carpet Twin-Wheel Casters (#VTW).

Options


Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.



5252 Mid Back						ll Height all Width all Depth	26.75		1005-1080 mm 680 mm 685 mm	
						n Height k Height			610-685 560-610	
	E				Se	at Height at Width at Depth	19"		420-495 485 mm 420-470	
						Vt/Chair Volume M Fabric er Carton	44 lb 19 ft³ 1.0 yo 1		20 kg 0.54 m³ 0.95 m	
Ba	se Price	: \$89	0							
Fabric Grade Price (\$)	COM 1 890	2 905	COL 3	4 940	5 955	6 970	7 985	8 995	9 1015	Leather 1090





Rete

3921 - Mid Back

-U = with Upholstered Back

-M = with Mesh Back

Features

Seat is fully upholstered with stitching detail.

Seat is upholstered and padded with CFC-free, high-density and high-resiliency polyurethane foam.

Start 105 mechanism, with tension knob, and five locking positions with "shock-resistance," in a Black finish.

Seat swivel and height adjustment is obtained by a 4" (100 mm) pneumatic gas cylinder.

Fixed Polished Aluminum Cantilever Arm with Black accent (#FBC).

Five-Star Polished Aluminum Base.

Carpet Twin-Wheel Casters (#VTW).

Black finish standard on mechanism and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.

3921-UMid Back, with Upholstered Back



Overall Height 37-46" 940-1170 mm Overall Width 24.5" 625 mm Overall Depth 23" 585 mm Arm Height 26.5-29" 675-740 mm Back Height 22" 560 mm Seat Height 19-23" 485-585 mm Seat Width 19" 485 mm Seat Depth 19" 485 mm Wt/Chair 18 kg 39 lbs. Volume 16 ft³ 0.45 m³ COM Fabric 3.0 yd 2.85 m Per Carton

Ва	se Price	e \$139	90				
Fabric Grade U Price (\$)				5 1690			

3921-MMid Back, with Mesh Back



Overall Height 37-46" 940-1170 mm Overall Width 24.5" 625 mm Overall Depth 23" 585 mm Arm Height 26.5-29" 675-740 mm Back Height 22" 560 mm Seat Height 19-23" 485-585 mm Seat Width 19' 485 mm Seat Depth 19" 485 mm Wt/Chair 39 lbs. 18 kg Volume 16 ft³ 0.45 m^{3} COM Fabric 1.0 yd 0.95 m

Ва	se Price	e \$118	30							
Fabric Grade	СОМ 1	2	COL 3	4	5	6	7	8	9	Leather
M Price (\$)	1180	1200	1220	1240	1260	1280	1300	1320	1340	1440

Per Carton 1



7211 – High Back, Upholstered, Armless

7213 - High Back, Upholstered, Adjustable Arms

7219 - High Back, Upholstered, Fixed Arms

7231 - Mid Back, Armless

7233 - Mid Back, Adjustable Arms

7239 - Mid Back, Fixed Arms

-P = with Polypropylene Back

-U = with Upholstered Back

-M = with Mesh Back

Designed by Giovanni Baccolini

Features

Backrest comes standard in Black polypropylene, with lumbar support in ABS, covered in soft Black polyurethane.

Mesh Back (-M) versions are made with a Black nylon frame and covered with Black nylon mesh, lumbar support is standard and made of blown Black polyurethane.

Seat cover is made of shock and scratch-proof polypropylene, reinforced with steel square tubular bars.

Foam for seat and back is fire retardant polyurethane.

Fixed polypropylene armrests come in same color to match back and seat pan, Black is standard.

4D Adjustable armrests are Black with Black polypropylene arm pads (#UA4D).

Tilting movements of the chair uses synchro multi-block, "fine" tilting adjustment and anti-return safety system.

The seat swivel and height adjustment is obtained by a 4" (100 mm) pneumatic gas cylinder.

Carpet Twin-Wheel Casters (#VTW).

Black finish standard on mechanism, base and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

Mesh Back (-M) is available in one standard color: Black. Other color options are White, Gray, Navy and Red.

Part #7211-GR — Gray Polypropylene Back Panel, Seat Pan with Fixed Arms (where applicable) comes standard with Chrome Base (minimum order of twenty), add \$165 List.

Part #7211-WT — White Polypropylene Back Panel, Seat Pan with Fixed Arms (where applicable) comes standard with Chrome Base (minimum order of twenty), add \$175 List.

Part #SSP — Synchro Control with Sliding Seat Pan, add \$70 List.

Part #MSS — Comfort Seat with Micro-Springs and Stitch Seam, add \$155 List.


Part #BASE-C — Five-Star Polished Aluminum Base, add \$140 List.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.



1075

1115

1155

1195

1230

1305

1450


1000

1040

965

Price (\$)









7211 - High Back, Upholstered, Armless

7213 - High Back, Upholstered, Adjustable Arms

7219 - High Back, Upholstered, Fixed Arms

7231 - Mid Back, Armless

7233 - Mid Back, Adjustable Arms

7239 - Mid Back, Fixed Arms

-P = with Polypropylene Back

-U = with Upholstered Back

-M = with Mesh Back

Designed by Giovanni Baccolini

Features

Backrest comes standard in Black polypropylene, with lumbar support in ABS, covered in soft Black polyurethane.

Mesh Back (-M) versions are made with a Black nylon frame and covered with Black nylon mesh, lumbar support is standard and made of blown Black polyurethane.

Seat cover is made of shock and scratch-proof polypropylene, reinforced with steel square tubular bars.

Foam for seat and back is fire retardant polyurethane.

Fixed polypropylene armrests come in same color to match back and seat pan, Black is standard.

4D Adjustable armrests are Black with Black polypropylene arm pads (#UA4D).

Tilting movements of the chair uses synchro multi-block, "fine" tilting adjustment and anti-return safety system.

The seat swivel and height adjustment is obtained by a 4" (100 mm) pneumatic gas cylinder.

Carpet Twin-Wheel Casters (#VTW).

Black finish standard on mechanism, base and casters.

Options

Upholstery options are endless with our range of standard textiles, as well as the opportunity for Customer's Own Material (#COM).

Mesh Back (-M) is available in one standard color: Black. Other color options are White, Gray, Navy and Red.

Part #7211-GR — Gray Polypropylene Back Panel, Seat Pan with Fixed Arms (where applicable) comes standard with Chrome Base (minimum order of twenty), add \$165 List.

Part #7211-WT — White Polypropylene Back Panel, Seat Pan with Fixed Arms (where applicable) comes standard with Chrome Base (minimum order of twenty), add \$175 List.

Part #SSP — Synchro Control with Sliding Seat Pan, add \$70 List.

Part #MSS — Comfort Seat with Micro-Springs and Stitch Seam, add $$155 \, \text{List}$.

Part #BASE-C — Five-Star Polished Aluminum Base, add \$140 List.

For additional Caster options, see page 204.

For additional Pneumatic Gas Cylinder options, see page 205.

For additional Arm options, see page 206.

For Mechanism Features and Options, see page 208.

7231Mid Back, Armless



Baco Prico | \$701

Overall Height 37.5-42.25" 950-1080 mm Overall Width 23.5" 600 mm Overall Depth 21.25" 540 mm Arm Height N/A N/A Back Height 20" 510 mm Seat Height 16.5-22" 430-560 mm Seat Width 20" 510 mm Seat Depth 17" 430 mm Wt/Chair 38 lbs. 17 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.25 vd 1.0 m Per Carton 2

De	ase Fric	e 3/6	55							
Fabric Grade										Leather 1020
P Price (\$) U Price (\$)									1130	1250
M Price (\$)	900	920	940	955	975	990	1015	1030	1065	1135

7233Mid Back, Adjustable Arms



Base Price | \$1020

Overall Width 24.5" 620 mm Overall Depth 21.25 540 mm Arm Height 24.5-31.5" 620-800 mm Back Height 20' 520 mm Seat Height 16.5-22" 430-560 mm Seat Width 20' 510 mm Seat Depth 17" 430 mm Wt/Chair 39 lbs. 18 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.25 yd 1.0 m Per Carton

950-1080 mm

Overall Height 37.5-42.25"

Fabric Grade P Price (\$)										
U Price (\$)	1095	1120	1150	1190	1210	1245	1275	1300	1365	1485
M Price (\$)	1135	1150	1175	1190	1210	1225	1250	1265	1300	1370

7239Mid Back, Fixed Arms



Overall Height 37.5-42.25" 950-1080 mm Overall Width 620 mm Overall Depth 21.25" 540 mm Arm Height 24.5" 620 mm Back Height 20.5" 520 mm Seat Height 16.5-22" 430-560 mm Seat Width 20" 510 mm Seat Depth 17" 430 mm Wt/Chair 39 lbs. 18 kg Volume 19 ft³ 0.54 m³ COM Fabric 1.25 yd 1.0 m Per Carton

Da	ise Frice	6 1 300	50					
Fabric Grade P Price (\$)		2	COL 3 895				9 1020	Leather 1095
U Price (\$) M Price (\$)			985 1005		1110 1080	1140 1100	1200 1135	1320 1205

Fabric Program

BORGO Fabric Program

Borgo's Fabric Partners

- CTL Leather
- Camira Fabrics
- Culp Contract
- Ennis Fabrics
- EnviroLeather
- GeoSheard Fabrics
- Green Hides

- Guildford of Maine
- Master Fabrics | Avant Garde
- Mayer Fabrics
- Momentum Textiles
- Stinson
- Ultrafabrics

Leather is Natural Genuine Top Grain.

Railroad Versus Off The Bolt

Most upholstery fabric is sold by the yard and comes 54" wide. Many upholstery fabrics are designed to that they can be RAILROADED. Meaning if you turn the bolt on end and roll the fabric from left to right, the pattern would be continuous across the roll.

Repeats in Pattern

The following allowance factors must be used when COM fabrics supplied are narrower than 54" and with horizontal pattern repeat. Use these percentage to the COM yardage requirements shown for each model.

Fabric Width	Plain Fabric	2' - 10" Repeat	11" - 20" Repeat	21" - 25" Repeat	26" - 30" Repeat
54"	0%	10%	15%	20%	25%
51" - 52"	15%	20%	25%	30%	35%
48' - 50"	30%	35%	40%	45%	50%
45" - 47"	45%	50%	55%	60%	65%
36" - 44"	60%	65%	70%	75%	90%

Application

The following applications are available to any fabric as an option and an extra charge.

- DuraBlock®
- Fire Wall
- Incased powered by Crypton®
- Nanotex®
- Crypton®

C.O.M. Fabric

C.O.M. SHIP TO ADDRESS: Borgo Contract Seating,

324 Carlingview Drive, Toronto, Ontario, M9W 5G5

Please Tag the C.O.M. Fabric with Order Number and Customer Name



CCOC-ZO-91

Caster and Glide Options

		Width	Depth	Height (not including stem)	List Price (Set of 5)
Soft Fl	ooring			(met metaamig stem)	(300 07 37
BTW LVTW VTW	Twin-Wheel Large Twin-Wheel Viscount Wheel	2" (50 mm) 2.25" (57 mm) 2" (50 mm)	1.75" (44.5 mm) 2" (50 mm) 1.75" (44.5 mm)	2.375" (60.5 mm) 2.5" (65 mm) 2.375" (60.5 mm)	\$50 \$50 \$50
Hard Fl	ooring				
ALTW PC RITW RBTW	Automatic Locking, Twin-Wheel Phenolic, Single-Wheel Rubberized, Integrated, Twin-Wheel Reverse Braking, Twin-Wheel	2" (50 mm) 2" (50 mm) 2" (50 mm) 2" (50 mm)	1.75" (44.5 mm) 0.75" (19 mm) 1.75" (44.5 mm) 1.75" (44.5 mm)	2.5" (65 mm) 3.25" (82.5 mm) 2.25" (57 mm) 2.375" (60.5 mm)	\$185 \$150 \$100 \$90
Glides					
SG ISG	Small Glides Integrated Synchro Glide	1.75" (44.5 mm) 2.75" (70 mm)	-	- 2" (50 mm)	\$60 \$70

















TW RBTW SG

Pneumatic (Gas) Cylinders

Gas Cylinders

	3" (80 mm)	4" (100 mm)	5.5" (140 mm)	8" (200 mm)	10.5" (240 mm)	4.75 (120 mm) 24 Hours	400 lbs
List Price	\$70	\$70	\$70	\$150	\$150	\$200	\$260

When placing a purchase order and substituting another size of gas cylinder up-charges will apply, PLEASE CONTACT THE FACTORY. Selection of other gas cylinders may require a different size base, etc.

Height Adjustable Foot Ring

List Price	\$175
------------	-------

Polished Chrome Base

List	Price	\$170
		T

Adjustable Lumbar Support (ALS)

"Eight out of ten people will experience back pain some time in their lives. Seventy percent of all cases of back pain are posture related." The American Academy of Orthopedic Surgeons

"Research suggests that as the population ages, back problems will become more common and the lumbar seat will become the symbol of the aging boomer." David Foote-"Boom, Bust and Echo"

The Schukra Lumbar Support, an award winning design, was initially made to answer the requirements of neurosurgeons who needed a device to support a patient's spine during critical operations. Schukra engineers use advanced techniques to develop products that have consistently expanded the envelope of consumer expectation and have provided customers with cost effective design advantages.

Schukra Lumbar Support encourages correct seating posture, which provides:

- Reduced strain for the vertebral disks
- Improved relaxation
- Optimum support for the spinal column



ONE: Constant support of the pelvis, preventing it from sliding backwards and providing balance of the spinal column



TWO: Support of each vertebral disk in the lumbar region, providing relief for the spinal column and relaxation of the back muscle

- 209 -



General Information

THREE: Vertical support of the upper body, easing neck tension and offering relief for the vertebral disks

Armrests (Fixed and Adjustable)

Fixed		Jendra	Millenium	Rete	Zero7	List Price (per pair)
	MLU (Black) MLUC (Chrome) Metal loop arm with urethane caps. Factory installed only	-	-	x x	-	\$140 \$150
	MTRX (Black) Metal loop arm with urethane caps. Factory installed only	-	-	X	-	\$125
	FBC (Chrome) Metal arm with Black urethane arm pads	-	X	X	-	\$120
Adjustable						
	UAB Bicycle t-arms with urethane arm caps 3" (75 mm) height adjustment	X	x	×	X	\$90
	UAK T-arms with oval shaped urethane arm caps 3" (75 mm) height adjustment	X	-	X	-	\$96



Armrests (Adjustable)

PAA — Pivot Adjustable Arms, used with UAB armrests only

 ${\sf SPA}-{\sf Swivel}$ Pivot Adjustable Arms, used with UAB armrests only

Adjustable		Jendra	Millenium	Rete	Zero7	List Price (per pair)
	UAWT T-arms with adjustable width and height 4" (100 mm) height adjustment	-	-	X	-	\$195
	UA2D T-arms with adjustable width and height 3 1/4" (85 mm) height adjustment	X	-	X	х	\$180
	UA4D T-arms with adjustable width, height and pivoting and sliding urethane arm pads 4 1/4" (110 mm) height adjustment	X	X	X	X	\$200
	ERGO T-arms with adjustable height and pivoting, locking gel arm pads 4 1/4" (110 mm) height adjustment	X	X	X	х	\$200
AW — Adjustable Width Arms adapted to be used with UAB and UAK armrests only, 4" (100 mm) total adjustment, 2" (50 mm) per arm Factory installed						ts only, 4" (100 mm) total \$50
GEL ARM PADS — Used with UAB armrests only						\$75



\$50

\$50

Seating Mechanisms (Manual, Gas Lift and Synchro)

All of our mechanisms come standard in a Black finish.

Gas Lift Control



GL1

Available on Models: Jolly, Nibia, etc.

6. Pneumatic Height Adjustment — To lower, pull lever up while seated; to raise, pull paddle up with your weight off the seat.

Synchro Control



PMB

Available on Models: Zero7

- Tension Knob Turn clockwise to increase tension, counterclockwise to decrease tension.
- **6.** Pneumatic Height Adjustment To lower, pull lever up while seated; to raise, pull paddle up with your weight off the seat.
- 9. Seat Angle/Tilt Lock Adjustment To change seat angle, pull paddle up while seated, push paddle down to lock when desired angle is achieved.

Tilt Control



TC1

Available on Models: Jendra

- **4. Back Angle Adjustment** While seated pull paddle up, when desired angle achieved, push paddle down to lock.
- **6. Pneumatic Height Adjustment** To lower, pull lever up while seated; to raise, pull paddle up with your weight off the seat.
- 8. Back Height Adjustment Turn clockwise to loosen, move chair back to desired height and re-tighten.
- 11. Infinite Seat Angle Adjustment Push paddle down to lock chair in position; to allow continuous movement, pull paddle down.

borgo®

Seating Mechanisms (Knee Tilt and Multi-Tilt)

All of our mechanisms come standard in a Black finish.

Knee Tilt Controls



KT1 and KT5

Available on Models: Jendra 3604, Jendra 3614 and Millenium (KT5)

- Tension Knob Turn clockwise to increase tension, counterclockwise to decrease tension.
- 5. Tilt Lock To lock chair in position, push paddle down; to allow free tilt movement, pull paddle up.
- **6. Pneumatic Height Adjustment** To lower, pull lever up while seated; to raise, pull paddle up with your weight off the seat.

START105

Available on Models: Rete

- Tension Knob Turn clockwise to increase tension, counterclockwise to decrease tension.
- 12. Multi-Function Control Arm Single lever actions the gas spindle and locks in five positions with "shock-resistance." Slide lever forward to lock tilt. Slide lever backward to unlock tilt.

Multi-Tilt Control



MT1

Available on Models: Jendra 3604 and Jendra 3614

- Tension Knob Turn clockwise to increase tension, counterclockwise to decrease tension.
- 4. Back Angle Adjustment While seated pull paddle up, when desired angle achieved, push paddle down to lock.
- **6. Pneumatic Height Adjustment** To lower, pull lever up while seated; to raise, pull paddle up with your weight off the seat.
- 7. Forward Tilt Lean back in chair, bring tilt lock paddle to the up position and rotate lever clockwise to allow the seat to angle forward; to lock in position depress tilt lock paddle into the locked position.
- 8. Back Height Adjustment Turn clockwise to loosen, slide chair back to desired height and re-tighten.
- 9. Seat Angle/Tilt Lock Adjustment To change seat angle, pull paddle up while seated, push paddle down to lock when desired angle is achieved.

00.00

Warranty

Limited Lifetime Warranty

Borgo Contract Seating warrants that all Borgo Brand Products will be free from defects in material and workmanship for as long as you, the original purchaser/user owns the product, except as STATED below. This warranty applies only to original purchaser/user obtaining the seating directly from an authorized Borgo dealer AND PAID IN FULL BY THE AUTHORIZED DEALER. Warranties are in effect from the date of invoice and on product manufactured after January 1, 2021.

This warranty <u>excludes</u> normal wear and tear, damage caused during shipment and storage, damage due to accident, improper use, negligence, abuse, unauthorized alterations, improper installation, rental usage, EXTREME CLIMATE CONDITIONS. THE WARRANTY ALSO EXCLUDES THE USE OF NON-STANDARD MATERIALS IN THE MANUFACTURING PROCESS AS SELECTED BY AND REQUESTED BY THE PURCHASER/USER. The Borgo warranty is based on normal use of an eight-hour day, five days a week by individuals weighing 300 lbs or less.

Borgo will at its option, repair or replace with comparable product, any product, part or components which fails under normal use as a result of such defect. When repairing or replacing a defective product, Borgo does not guarantee a color match in dye lots, wood grain, stain and fabric patterns. When repairing or replacing a defective product pursuant to this paragraph, the customer acknowledges that all work must be performed by an authorized Borgo dealer operating within reasonable proximity to the customer, as determined by Borgo. In the event that no authorized Borgo dealer operates within a reasonable proximity to the customer, as determined by Borgo, Borgo reserves the right to arrange to have the products in question shipped to its factory in Toronto, Canada for purposes of repairing or replacing any product under this warranty. The warranty herein shall be void in the event that any repair or replacement of a defective product is undertaken by anyone other than Borgo or an authorized Borgo dealer without the written consent of Borgo.

Borgo does not warranty labor and transportation and will not authorize any warranty on parts without the appropriate warranty numbers (*label with serial number listed underneath the seat WILL VALIDATE WARRANTY. If the label is removed the warranty is void), A WARRANTY NUMBER EXAMPLE IS, C-3604-3-504-9900001. All claims with respect to any product alleged to be defective must be submitted in writing.

Borgo makes no express or implied warranties, except as stated, as to any product and in particular makes no warranty of fitness for a particular purpose, other than the express warranties contained herein. There are no other warranties expressed or implied. Borgo shall not be liable for any consequential, economic or incidental damage arising from any product defect.

This warranty applies only to Canada and the United States.

List of Warranty Limitations:

Ten Years

- Gas Cylinder
- Soft Seating

Five Years:

- Fabric (excluding COM & COL)
- Foam (Upholstery)
- Mechanism (Ergonomic and Recliners)
- Arms
- Casters
- Glides
- Wood Chair Frames and Bases

One Year:

• Electrical Devices



5-07-2022

Warranty

Fixed Seating Warranty

Effective Date: Product Shipped after January 1, 2021

BORGO CONTRACT SEATING warrants Fixed Seating products purchased, including electrical components, hereunder to be free from defects in materials and workmanship for a period of fifteen (15) years from date of purchase. We will repair or replace, at our option, any product that we determine to be defective as a result of faulty material or workmanship. In no event shall our liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where product has been abused, mishandled or subjected to use other than for which it was designed. For the purpose of this warranty, normal wear to the product finish shall not be considered a defect. There are no other warranties expressed or implied.

EXCLUSIONS AND CONDITIONS: This warranty excludes and does not apply to:

- Conditions of other than normal wear and tear, of abuse, of neglect, of vandalism or misuse all as determined by Borgo Contract Seating in its sole discretion
- In-transit damage
- Products altered or modified by the user
- User attached accessories
- Light bulbs, lamps, ballasts or consumable components
- Products not installed by Borgo Contract Seating approved installers and/or not installed in accordance with Borgo Contract Seating Installation/Application Instructions
- Products not properly maintained in accordance with Borgo Contract Seating Operating and Maintenance Procedures
- Customers own material, leather and non-standard material and color finishes whether purchased by the customer or Borgo Contract Seating
- Natural variations occurring in wood and leather and/or color fastness and/or variations in matching of colors, grains or textures of materials shall not be considered defects
- Product color fade

In the event of repair or replacement of the defective product (or defective component thereof) there is no responsibility for the matching of color, grain, fabric or texture except to within commercially acceptable standards, as determined by Borgo Contract Seating in its sole discretion. There are no other warranties than those expressly stated above, whether expressed or implied (including, but not limited to any warranty of merchantability or fitness for any particular purpose) unless specifically agreed to in writing by Borgo Contract Seating in the specific circumstance. Borgo Contract Seating is not liable for consequential or incidental damage arising from any product defect.

WARRANTY NOTICE ADDRESS: Borgo Contract Seating,

Attn.: Fixed Seating Product Warranty/Customer Service 324 Carlingview Drive, Toronto, Ontario, M9W 5G5

or

Email: support@borgo.com

00.00



06-07-2022

Terms

Terms and Conditions

The prices published in the price book are the manufacturers suggested retail list price (or as otherwise stated) and listed in dollars, subject to change without notice. List prices are those that are in effect at time of receipt of order. BORGO will endeavor to keep the dealer up to date on price changes. If shipping date requested is beyond 90 days from the completion of the order, BORGO reserves the right to use the published list prices effective at the time of shipment.

Taxes

BORGO list prices do not include any sales tax, GST, HST, PST, excise or other applicable taxes. The purchaser is responsible to remit directly to BORGO all such taxes when invoiced. A tax exemption certificate (if applicable) must be on file with BORGO prior to the product being shipped, otherwise, all sales tax will be due and payable. Applicable taxes are extra.

Payment Terms

All orders will be invoiced 48 hours after the dealer (customer) has been notified that the order is ready to be shipped or picked up. Terms of payment are net 30 days from date of invoice, payable to Borgo Contract Seating. BORGO shall exercise the right to a 2% charge per month, or 24% per annum on any past due invoice or outstanding balance. Any products sold shall remain the property of BORGO until paid in full. The purchaser agrees to perform all acts which may be necessary to assure retention of title to said products to BORGO until the products have been pain in full.

Credit

Should the purchaser fail to fulfill the terms of payment BORGO may defer further shipments until all such payments are made or may, at its option, cancel the unshipped balance without prejudice to any other rights which BORGO may have against the purchaser. Shipments and deliveries shall at all times be subject to approval of the purchasers credit and BORGO reserves the right even after partial shipment or partial payment on account, to require from the purchasers satisfactory security for the due performance of the purchasers obligations. Refusal to furnish such security will entitle BORGO to defer any further shipments until such security is provided, or to cancel any order or so much of it as remains unperformed, without prejudices to any other rights that BORGO may have against the purchaser.

Offer of Sale

Possession of this price list or any other literature shall not imply BORGO's willingness to sell to the holder will not be constructed as a direct offer of sale. The current price list shall prevail if any conflicts arise over pricing.

Orders

BORGO has achieved ISO 9001 certification. BORGO's continued commitment to this process requires that all purchase order to be constructed as valid must be submitted in hard copy on the purchasers company letterhead or other official company documentation with an authorizing signature This procedure is mandatory for BORGO to maintain its ISO accreditation. We ask your cooperation and understanding in making sure that no verbal purchases orders are given over the telephone. Verbal orders WILL NOT be accepted.



Terms

Terms and Conditions

TO PLACE YOUR BORGO ORDER Fax your order to: 416-679-8139

All orders submitted in writing will be binding only when validated by BORGO using an official acknowledgment from with the companies excepted ship date. It is the purchasers responsibility to review the acknowledgment; any incorrect information must be communicated to BORGO within 24 hours, followed by immediate written confirmation. Any error on the purchase order will delay the manufacturing of the whole order. Once the written confirmation has been received, manufacturing of the product (purchase order) will commence.

When placing orders, please provide the following information:

- 1. Account Number
- 2. Purchaser Order Number: supply PO number form the party to be invoiced
- 3. Sold/Bill To: name and address. If Borgo is to invoice the end user, please provide end user purchase order made to Borgo or Borgo c/o dealer involved. Include the fax and phone number of destination.
- 4. Ship To: complete name and address of destination.
- 5. Shipping Instruction: Specify carrier and routing. In the event, a carrier is not specified; Borgo will determine the appropriate freight carrier and routing.
- 6. Tagging Instructions: Contact person name with phone number
- 7. SQ (Special Quotation): Please include if a number was given. It will avoid delay in processing the order.
- 8. Verbal Quote: State individual name giving the price and date of quotation
- 9. Complete Model Number: For example 3604-3(fabric grade), 108 green (fabric color), MT1 (mechanism), UAB (arms), VTW (casters), EAFS (seat foam), SSP (sliding seat pan), etc.
- 10. List Options: List all options using appropriate abbreviation with correct item code for each option.
- 11. Fabric: Pattern number and name & Color number and name. Manufacturer's name where applicable. Specify the direction in which fabric is to be cut; railroad or off the bolt.
- 12. Mechanism
- 13. Arms
- 14. Casters
- 15. Special Instruction: Any other options or accessories
- 16. Quantity
- 17. Price: List price and net price



Terms

Terms and Conditions

Information Notice to our Customers in the United States

The U.S. Customs Service must have the **federal ID number** (also called the IRS#) of the U.S. consignee (recipient) in order to clear shipments. Borgo (exporter) must provide this number on paperwork presented for U.S. Custom's clearance, as a requirement under Title 19, Code of Federal Regulations Chapter 1, Section 142.3. Failure to provide this number can, or will result in shipments being delayed until the remaining, seven numbers, example, 12-345678900 If an individual is receiving the shipment and not a company that person's social security must be provided.

E&EO (Errors and Omissions)

All acknowledgments, quotations and invoices are subject to correction for any errors and omissions.

Installation

To preserve the Limited Lifetime Warranty, BORGO recommends that its product be installed by authorized installers. Authorized installer can be contracted through a BORGO dealer.

Finishes & Materials

COM (Customer Own Material)

COL (Customer Own Leather)


A request for a fabric or surface material not standard to the BORGO product line must be approved by BORGO before acceptance of an order. Customer's own material (COM) must be shipped-freight, duties and brokerage fees prepaid and taxes properly identified with the purchaser's name, order number, ID# and fabric yardage. If the dealer must have the fabric shipped to BORGO directly from the U.S.A., the following must be adhered to, as well as the above information.

* The Canadian dealer must provide the supplier of COM fabric located in the USA with their Canadian "federal business number". This allows Canada Customs and Revenue and the brokerages to assign all appropriate costs to the dealer. If the "federal business number" is not provided by the Canadian dealer to the USA supplier there will be a \$75.00 administration charge levied as well as all obligatory GST, freight and brokerage charges will be invoiced to the dealer by Borgo. The administration charge is levied when the fabric is received by Borgo from the supplier without the dealers "federal business number" shown.

COM prices use Grade 1 pricing or the lowest price listed if Grade 1 is not available. COL prices use Grade 3 pricing. The standard Borgo warranty will not apply to COM and COL. Borgo assumes no accountability for fabric wear, defects or suitability and its application in the sole responsibility of the customer.

"Scotch-guarding" of a fabric is an optional extra at an additional cost.





Terms

Terms and Conditions

Seating and Reception Table Finishes

For the customer that requests their own wood (stain) finish on chair frames and reception tables there is a surcharge of \$200.00 NET per different stain per order. For example, one purchase order has specified three different custom stains on fifteen items, the surcharge is $$200 \times 3$$ (stains) = \$600.00 NET

Shipping and Delivery

It is up to the customer to specify the freight carrier and routing. In the event, a carrier is not given, BORGO will determine the appropriate method of transportation and routing of the shipment. All deliveries are dock to dock.

F.O.B.

All products sold are F.O.B. BORGO's plant, Toronto, Ontario, Canada unless otherwise stipulated by BORGO.

Delivery Dates

BORGO shall endeavor to deliver within the date specified on the acknowledgment. BORGO shall not incur any obligation or liability to the purchaser for failure to ship by the specified date and shall not be liable for any direct, indirect or consequential loss, damage or expense resulting from any delay.

Product Shortages

Product shortages must be noted on delivery receipts at the time of the delivery and immediately reported to the carrier for correction.

Claims

BORGO carefully prepares and inspects all products for safe shipment. BORGO is not responsible for damage that occurs in transit. The carrier upon acceptance of the shipment assumes responsibility for the shipment's safe delivery. Claims for loss or damage (even concealed damage) sustained in transit or storage, must be filed with the carrier by the consignee (recipient). Claims against BORGO for apparent defects, errors or storages must be filed within ten (10) days of receipt of products. Failure to claim within ten (10) days shall constitute acceptance of the product and a waiver of any claims against BORGO.

Storage

In the event, the purchaser is unable or unwilling to accept delivery within (5) days of the scheduled shipping date, BORGO may transfer product to storage at the purchasers risk and expense. Upon transfer to storage, the purchaser assumes risk of loss. BORGO will invoice the purchaser for storage fees and the purchaser will make payment in accordance with BORGO's standard payment terms.

Returns

No returns of product will be accepted without prior written consent and instruction from BORGO. All return shipments must be prepaid by the customer, to the BORGO manufacturing location. All returned products must be received by BORGO in original factory packaging. A minimum restocking and handling charge of 35% of the original net price will be charged to the customer on all authorized returned product. Credit will not be issued if the product can not be used as new. It is the responsibility of the party returning the product to ensure that no further damage occurs to the product during the return shipment. Any unauthorized return shipments to BORGO will not be accepted and will be forwarded back to the customer freight collect. Special order items, COM and COL will not be accepted for return under any condition.

