January 3, 2011 Updated January 1, 2016 800-424-2432





Contents
Refer to KI Terms & Conditions document or visit ki.com.

700 Series® Desk Product Offering		2	
700 Series® Desk Typicals		6	
Genesis® Specifications		8	
700 Series® Desk	Desk	10	
	P-Shape and D-Shape Desk	12	
	Returns	14	
	P-Shape and D-Shape Returns	16	
	Corner	18	
	Bridges	20	
	Credenzas	22	
	Desk with PowerUp®	24	
	Returns with PowerUp®	26	
	Corner with PowerUp®	28	
	Bridges with PowerUp®	30	
	Countertop	32	
	Overhead Storage	34	
	Tackboards/Screens	38	
	Accessories	40	
700 Series® Pedestals	Mobile and Freestanding	44	
	Hanging	50	
	Worksurface Supporting	52	
	Accessories	54	
700 Series® Curve Pedestals	Mobile and Freestanding	56	
	Hanging	60	
	Worksurface Supporting	62	
700 Series® Credenza	Credenza Files	64	
Index		66	

700 Series® Desk Product Offering



Desks

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 48 x 29 30 x 54 x 29



36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Worksurfaces P-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29


36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



D-Shape

D W H 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Returns

Full or Partial Modesty Panel $\mathsf{D} \quad \mathsf{W} \quad \mathsf{H}$ 24 x 24 x 29 24 x 30 x 29 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29 30 x 36 x 29 30 x 42 x 29





P-Shape

30 x 48 x 29

30 x 54 x 29

30 x 60 x 29

D W H 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



D-Shape

D W H 24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29

24 x 66 x 29 24 x 72 x 29


30 x 48 x 29 30 x 54 x 29 30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 48 x 29 36 x 54x 29 36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Full or Partial Modesty Panel D W H 24 x 36 x 29 24 x 42 x 29

30 x 42 x 29 30 x 48 x 29



Bridges

Full or Partial Modesty Panel D W H 20 x 36 x 29

20 x 42 x 29 20 x 48 x 29

24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29

24 x 66 x 29

24 x 72 x 29

Credenzas

Full or Partial Modesty Panel D W H 20 x 62 x 29 24 x 60 x 29 24 x 62 x 29



Returns with PowerUp Full or Partial Modesty Panel

D W 24 x 27 24 x 30 24 x 36 24 x 42 42 x 48

30 x 60



Credenzas

(Top Only) 20 x 60 24 x 60



Desks with PowerUp

Full or Partial Modesty Panel D W H 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29 24 x 72 x 29

30 x 60 x 29 30 x 66 x 29 30 x 72 x 29

36 x 60 x 29 36 x 66 x 29 36 x 72 x 29



Corners with PowerUp

Full or Partial Modesty Panel $\mathsf{D} \ \mathsf{W} \ \mathsf{H}$ 24 x 36 x 29 24 x 42 x 29

30 x 42 x 29 30 x 48 x 29



Bridges with PowerUp

Full or Partial Modesty Panel D W H 20 x 36 x 29


20 x 42 x 29 20 x 48 x 29

24 x 36 x 29 24 x 42 x 29 24 x 48 x 29 24 x 54 x 29 24 x 60 x 29 24 x 66 x 29

24 x 72 x 29

700 Series® Desk Product Offering





Counter Top w/Tackboard

D W H 12 x 60 x 15 12 x 66 x 15 12 x 72 x 15



Storage

Overheads (Open Storage) W D H 30 x 14 x 36 36 x 14 x 36 42 x 14 x 36 48 x 14 x 36 54 x 14 x 36 60 x 14 x 36 66 x 14 x 36

72 x 14 x 36

Overheads

W D H

30 x 14 x 36

36 x 14 x 36

42 x 14 x 36

48 x 14 x 36

54 x 14 x 36 60 x 14 x 36

(Closed Storage)



Tackboard/Screens



Hanging 15" wide x 20" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File

15" wide x 24" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File

15" wide x 30" deep Box/File Box/Box/Box Pencil/Box/File File/File Box/Box/File


Worksurface Supporting 15" wide x 20" deep File/File Box/Box/File

15" wide x 24" deep File/File Box/Box/File Pencil/Box/File

15" wide x 30" deep File/File Box/Box/File



W H 30 x 19 36 x 19 60 x 19 66 x 19



Corner W H 36 x 19 36 x 36 42 x 19

42 x 36

48 x 19

48 x 36

W D H 66 x 14 x 36 72 x 14 x 36

Accessories


Center Drawer with Lock Center Drawer Task Lights Fully Adjustable Keyboard Tray Fully Adjustable Keyboard Tray w/ Mouse Surface Sliding Keyboard Drawer Sliding Keyboard Drawer w/ Mouse

Surface **CPU Sling** Optional Wrist Rest Plate Dividers PowerUp Options **Grommet Options**


700 Series® Desk Product Offering

Pedestal Options Depth

When no grommets are specified:




When worksurface or end panel grommets are specified:




Dimensions are nominal. Contact customer service for exact dimensions.

Pedestal Height Options

29" High Worksurfaces








When ordering a desk shell or return with a partial modesty, Box/File hanging pedestals are recommended. Otherwise pedestals will hang below the partial modesty.






Pedestal Drawer Configurations


Hanging Pedestals



Worksurface Supporting Pedestals 29" H




62" Credenza Shell



Credenza Shell allows one to four worksurface supporting pedestals, one or two credenza laterals or a combination of both.

60" Credenza Top



Credenza top allows two or more worksurface supporting pedestals, two credenza laterals or a combination of both.

700 Series Desk Typicals

 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF Total Price	Price \$1171 \$773 \$1944
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 48" Right Return with Full Modesty Panel, Self Edge 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/R2448-SE-F/Color Total Price	Price \$1171 \$773 \$900 \$2844
 30" x 66" Desk with Partial Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 24" x 42" Bridge with Partial Modesty Panel, Self Edge 30" x 60" D-Shape Worksurface, Self Edge 	Model Number 7D/D3066-SE-P/Color S7P/1520WBBF 7D/B2442-SE-F/Color 7D/DD3060-SE/Color Total Price	Price \$1171 \$773 \$780 \$1126 \$3850
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 42" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 42" x 19" Tackboard/Screen on Return, Group 1 Fabric 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/TB6619/Uph/Color 7D/R2442-SE-F/Color S7P/1524WBBF 7D/TB4219/Uph/Color Total Price	Price \$1171 \$773 \$554 \$849 \$892 \$401 \$4640
 30" x 66" Desk with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal Box/Box/File 66" Open Overhead Storage on Desk 66" x 19" Tackboard/Screen on Desk, Group 1 Fabric 24" x 48" Right Return with Full Modesty Panel, Self Edge 700 Series Worksurface Supporting Pedestal File/File 48" x 19" Tackboard/Screen on Return, Group 1 Fabric 	Model Number 7D/D3066-SE-F/Color S7P/1520WBBF 7D/OSS66/Color 7D/TB6619/Uph/Color 7D/R2448-SE-F/Color S7P/1524WFF 7D/TB4819/Uph/Color Total Price	Price \$1171 \$773 \$663 \$554 \$900 \$816 \$421 \$5298








• 30" x 72" Desk with Partial Modesty Panel, Self Edge

700 Series Worksurface Supporting Pedestal - Box/Box/File
 700 Series Worksurface Supporting Pedestal - File/File

• 72" Closed Overhead Storage, Group 1 Fabric

• 72" Tackboard/Screen on Desk, Group 1 Fabric

Model Number	Price
7D/D3072-SE-P/Color	\$1223
S7P/1520WBBF	\$773
S7P/1524WFF	\$816
7D/OSD72/F/Color/Uph	\$1536
7D/TB7219/Uph/Color	\$600
Total Price	\$4948



• 30" x 72" Desk with Full Modesty Panel, Self Edge


• 700 Series Worksurface Supporting Pedestal - Box/Box/File

• 72" Closed Overhead Storage on Desk, Steel

• 72" x 19" Tackboard/Screen on Desk, Group 1 Fabric

• 24" x 60" Right Return with Full Modesty Panel, Self Edge

Model Number	Price
7D/D3072-SE-F	\$1223
S7P/1520WBBF	\$773
7D/OSD72/S/Color	\$1298
7D/TB7219/Uph/Color	\$600
7D/R2460-SE-F	\$984
Total Price	\$4878



• 24" x 60" Left Return with Full Modesty Panel, Self Edge


. 60" Closed Overhead Storage on Left Return, Steel • 60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric

• 24" x 42" Corner Surface with Full Modesty Panel, Self Edge

• 700 Series Worksurface Supporting Pedestal - Box/Box/File

• 24" x 60" Right Return with Full Modesty Panel, Self Edge

Model Number	Price
7D/R2460-SE-F/Color	\$984
7D/OSD60/S/Color	\$1052
7D/TB6019/Uph/Color	\$525
7D/CU2442-SE-F/Color	\$1204
S7P/1524WBBF	\$892
7D/R2460-SE-F/Color	\$984
Total Price	\$5641



- 24" x 60" Left Return with Full Modesty Panel, Self Edge

· 60" Closed Overhead Storage on Left Return, Group 1 Fabric

60" x 19" Tackboard/Screen on Left Return, Group 1 Fabric

30" x 60" P-Shaped Return (right), Self Edge

24" x 42" Corner Surface with Full Modesty Panel, Self Edge
42" x 36" Corner Tackboard/Screen, Group 1 Fabric

• 24" x 60" Right Return with Full Modesty Panel, Self Edge

• 700 Series Worksurface Supporting Pedestal - Box/Box/File

60" x 19" Tackboard/Screen on Right Return, Group 1 Fabric

• 60" Open Overhead Storage on Right Return

Model Number	Price
7D/R2460-SE-F/Color	\$984
7D/OSD60/F/Uph/Color	\$1228
7D/TB6019/Uph/Color	\$525
7D/PR3060-SE-R/Color	\$1109
7D/CU2442-SE-F/Color	\$1204
7D/CTB4236/Uph/Color	\$1305
7D/R2460-SE-F/Color	\$984
S7P/1524WBBF	\$892
7D/TB6019/Uph/Color	\$525
7D/OSS60/Color	\$641
Total Price	\$9397

700 Series® Desk Specifications

700 Series® Desk Specifications

The 700 Series® Desk line is a free standing, modular system of desks, returns, bridges, credenzas, corner units and overhead storage components. Designed for flexibility, it can be set up to suit differing customer requirements. It is shipped knock-down and accepts 700 Series® or U-Series® Pedestals.

Worksurfaces

Worksurfaces shall be 1-1/4" thick laminate top with a particle board core. Edge treatments shall be self-edge, wood edge or 74P polypropylene. All tops shall be pre-drilled for mounting of end panels, modesty panels, wire management channels, return or bridge connectors and hanging or worksurface supporting pedestals. Worksurfaces shall be available with left and right grommet options, or center PowerUp® module.

Desk Shells

Desk shells shall consist of a worksurface top, two end panels, full or partial modesty panel and wire management channel. Desks are available in depths of 24", 30" and 36", and widths of 48", 54", 60", 66" and 72" and shall be 29" high. The 36" deep desk worksurface shall have a 6" overhang. The desk shall accept a variety of hanging or worksurface supporting pedestals.

End Panels

Desk, return, corner, and credenza end panels shall be floor height and feature doublewall construction. The outer panel shall be 20-gauge with double flanges formed on both vertical edges and single flanges formed on the top and bottom. The inner panel shall be 20-gauge with flanges formed on all edges. Two keyhole pads of 16-gauge shall be welded into the top of the end panel to interface with shoulder screws for mounting to the top. The outer and inner panels shall be spot welded together, as well as fastened together at the bottom with the nut inserts that accept the leveling glides. Two 20-gauge channels shall be welded into the 36" deep end panels to provide additional reinforcement. All end panels shall feature prepunched holes through two metal thickness for connecting modesty panels.

Desks, credenzas, P-shape worksurfaces, D-shape worksurfaces and corners shall be 29th high. Returns and bridges shall be available in 29th high. Both interface with the desk or corner unit with 16-guage connectors that are screwed to the tops.

Modesty Panels

Desk, return, corner, bridge and credenza modesty panels shall span the full width of the unit connecting to the end panels. The modesty panels shall be spaced down from the top by 1-5/8" to allow for the routing of cables. They shall be available in full floor length, for privacy, or partial, which is spaced up off the floor by 8-3/8" for outlet access and increased air circulation. The modesty panels on a 36" deep desk shall be recessed by 6" for visitor knee space. All modesty panels shall be 20-gauge with double flanges formed along the top and bottom. Desk and

credenza panels shall have single flanges formed on both vertical edges. Return panels shall have offset flanges formed on one end and a single flange on the other. Bridge panels shall have offset flanges formed on both ends. The vertical flanges of all modesty panels have prepunched holes for connecting to the end panels.

Wire Management

Desks, returns, corners, bridges and credenzas shall be equipped with a wire management channel. This 20-gauge channel shall have the bottom edge hemmed for safety and strength. The wire management channel shall fasten to the underside of the top and run between end panels.

Returns

Returns shall be the same construction as the desk and credenza worksurfaces. Returns consist of a top, end panel, full or partial modesty panel and wire management channel. They are available in depths of 24" and 30". A 24" deep return is available in widths of 24", 30", 36", 42", 48", 54", 60", 66" and 72" and shall be 29" high. A 30" deep return is available in widths of 36", 42", 48", 54" and 60" and shall be 29" high. One level connector will be included with each return.

Bridges

Bridge worksurfaces shall be the same construction as the desk and credenza worksurfaces. Bridges consist of a top, full or partial modesty panel and wire management channel. They are available in depths of 20" and 24" and widths of 36", 42", 48", 54", 60", 66"and 72" and shall be 29" high. Two level connectors shall be included with 29" high units.

P-Shape Worksurfaces

P-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape worksurface shall be available for mounting right or left. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Worksurfaces

D-Shape worksurfaces shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The worksurface is standard with a supporting T-base and 14-gauge tubular leg. Product is designed to be mounted to adjacent surfaces.

D-Shape Returns

D-Shape returns shall be the same construction as the desk and credenza worksurfaces. The returns shall be available in 24", 30" or 36" depths and 36", 42", 48", 54", 60", 66" and 72" lengths and shall be 29" high. The return is standard with a supporting 14-guage tubular leg and includes a level connector.

P-Shape Returns

P-Shape returns shall be the same construction as the desk and credenza worksurfaces. The worksurfaces shall be available in 30" or 36" depths and 60", 66" and 72" lengths and shall be 29" high. The P-Shape returns shall be available for mounting right or left. The return is standard with a supporting 14-gauge tubular leg and includes a level connector.

Corner Units

Corner units shall accept 29" high returns and bridges. The corner units shall be 24" deep and 36" or 42" wide and 30" deep and 42" or 48" wide. The modesty panels shall be 20-gauge and consist of two end panels with one leveling glide each and two side panels with two leveling glides each. The end panel and side panels shall have double flanges formed along the bottom and both vertical edges. A single flange with prepunched holes shall have double flanges formed on the top and bottom and single flanges on the vertical edges. It shall be spaced down from the top by 1-5/8" to allow for the routing of cables.

Credenza Top

Credenza top shall be constructed of 1-1/4" thick particle board available in self edge, wood edge or polypropylene edge. The top shall be available 20" or 24" deep and 60" wide and shall be predrilled to accept up to four worksurface supporting pedestals.

Credenza Shell

The credenza shell consists of a 1-1/4" particleboard top available with self edge, wood edge or polypropylene edge. The top shall be available in a 20" depth and 62" width and 24" depth and 60" and 62" widths. It is available with either a full or partial modesty panel and end panels of 20-gauge steel. The credenza shall accept up to four hanging or worksurface supporting pedestals.

Overhead Storage

Units shall be standard with an open back allowing for interaction in a group situation. Overhead storage shall be available in an open or closed style. The closed style overhead storage shall have one door on 30", 36", 42", 48", 54" and 60" and two doors on 66" and 72". The door shall have a lock as standard. The closed overhead doors are available in steel or fabric covered steel.

Tackboard/Screen

The tackboard/screen shall close the back of an overhead storage unit and offer a tackable surface. The screen shall be constructed of 1-1/8" thick fabric wrapped particleboard. The screen shall be available in rectangular widths of 30", 36", 42", 48", 54" 60", 66" and 72" and 19" height. The tackboard/screen shall attach to the worksurface with 12-gauge steel metal brackets screwed into the worksurface. There shall be a 1-5/8" space between the worksurface and the tackboard/screen for cord access. Corner screen available in 36", 42", and 48" widths and 19" or 36" height.

Counterton

The countertop shall be constructed of 1-1/4" particleboard and shall be available with self edge, wood edge or polypropylene edge. The countertop shall be 15" high, 12" deep and available in 60", 66" and 72" widths. The countertop unit shall consist of three steel vertical panels and a fabric covered privacy screen/tackboard attached to the back of the unit. The end steel support panels shall be of 20-gauge formed steel. The middle support panel shall be of 18-gauge formed steel.

Task Lights

Task lights shall be offered in three levels of efficiency and cost. The standard light shall have a magnetic high-power factor ballast with rapid start, cool white T-8 fluorescent lamp. The energy efficiency model shall have an electronic ballast with rapid start, cool-white T-8 fluorescent lamp. The third model shall have 2-step (hi/low) high-power factor ballast with rapid start, cool-white T-8 fluorescent lamp which shall help reduce glare on computer screens and help reduce eye strain. Task lights shall attach to the underside of the shelf on overhead cabinets. Lights shall be UL Listed and available in black only. They shall be available as 20" wide for use with 30" and 36" wide overhead cabinets, 32" wide for 42" and 48" wide units and 48" wide for 60", 66" and 72" units.

Center Drawer

The center drawer shall mount below a 24" or 30" deep worksurface which has an 18" wide clearance. The drawer pan shall be constructed of 22-gauge steel with a hem along the front edge for safety and strength. A deep rib shall form a pencil tray and provide additional strength and a double flange across the back shall prevent spillage of contents. The drawer sides shall be 20-gauge with a hem along the top edge for safety. The drawer shall run on a pair of full extension, ball-bearing suspensions and shall be available with or without a lock, keyed randomly as standard. Field drilling for installation shall be necessary. The center drawer shall be painted to match the color of desk.

Key Options

There are various key options available depending on the component model. The key alike option (KA) allows multiple components of a workstation to be keyed alike. The key standard option (KS) allows each component to have its own randomly selected key number shipped with the individual component. The No lock core (NLC) provides more flexibility in keying workstations alike. All locks and keys for the individual components specified with no lock core will be packaged separately from the components. The location of the lock core and corresponding numbered key will be determined upon installation.

Fabric


Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied.

700 Series® Desk Specifications



The posted standard lead time will apply to the Special Cost Request.

Desk



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

©Select modesty panel style.

F	- Full	
P	- Partial	

Select grommet ontion.

	minor option.
NG	- No grommets
G	- Grommets - left and right;
add \$67	

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
91.0#	\$ 848	\$ 866	\$ 1232
97.0#	982	1003	1431
104.0#	982	1003	1431
111.0#	1064	1085	1482
118.0#	1098	1123	1548
112.0#	1041	1149	1433
112.0#	1090	1169	1474
127.0#	1130	1200	1490
137.0#	1171	1289	1619
144.0#	1223	1298	1622
148.0#	1305	1326	1670
156.0#	1336	1410	1787
165.0#	1396	1415	1796

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shape and D-Shape Desk

MODEL NUMBER										
	MODEL	D x W x H	Basic Model	Edge Style	Dir.	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
	P-Shape DeskConsists of top, end panel, support	30 x 60 x 29"	7D/PD3060							106.0#
	panel, support column and required	30 x 66 x 29"	7D/PD3066							115.0#
Right	hardware • Must be specified as either Right or Left	30 x 72 x 29"	7D/PD3072							121.0#
Shown		36 x 60 x 29"	7D/PD3660							121.0#
Available 29" high only		36 x 66 x 29"	7D/PD3666							128.0#
7DWSU		36 x 72 x 29"	7D/PD3672							138.0#
	D-Shape Desk Consists of top, end panel, support panel, support column and required hardware Available 29" high only	30 x 60 x 29"	7D/DD3060							102.0#
		30 x 66 x 29"	7D/DD3066							110.0#
		30 x 72 x 29"	7D/DD3072							116.0#
		36 x 60 x 29"	7D/DD3660							118.0#
		36 x 66 x 29"	7D/DD3666							125.0#
7DWSU		36 x 72 x 29"	7D/DD3672							131.0#
			A	B	•	0	(3	(3	(

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
34S	- 3/8" Wood band edge

select (airection.	
L	- Left	
R	- Riaht	

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



700 Series® Desk P-Shape and D-Shape Desk

		3/8" Wood	
Self Edge	74P Edge	Band Edge	
(SE)	(74P)	(34S)	
\$ 1222	\$ 1241	\$ 1518	
1268	1292	1659	
1305	1324	1685	
1309	1521	1703	
1337	1620	1932	
1394	1624	1932	
\$ 1126	\$ 1179	\$ 1411	
1163	1242	1512	
1210	1243	1512	
1273	1283	1571	
1298	1327	1653	
1335	1382	1708	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Returns

MODEL NUMBER Wood Trim/ Modesty Basic Edge Desk Laminate Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7D/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7D/R2430 П $\Box\Box$ $\Box\Box$ panel, wire management channel and 7D/R2436 24 x 36 x 29" required hardware Field changeable Right or Left 24 x 42 x 29" 7D/R2442 Includes level connector 7D/R2448 24 x 48 x 29" Partial modesty panels are raised off 7DWSU 24 x 54 x 29" 7D/R2454 floor 8-3/8" 24 x 60 x 29" 7D/R2460 Wire management access between top and modesty panel 24 x 66 x 29" 7D/R2466 · Available in 29" height only 7D/R2472 24 x 72 x 29" 7D/R3036 30 x 36 x 29" 30 x 42 x 29" 7D/R3042 30 x 48 x 29" 7D/R3048 7D/R3054 30 x 54 x 29" 7D/R3060 30 x 60 x 29" A **3** 0 0 **(3 (3**) 0 0

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

SE	- Self edge	
74P	- 74P edge	
348	- 3/8" Wood band edge	

Select modesty panel style.

P - Partial
F - Full

DSelect grommet option.

G - Grommets - left and right; add \$67 NG - No grommets

Select desk color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.			3/8" Wood	
Packaged	Self Edge	74P Edge	Band Edge	
Weight	(SE)	(74P)	(34S)	
60.0#	\$ 681	\$ 698	\$ 991	
66.0#	711	727	1041	
67.0#	831	878	1066	
73.0#	849	924	1176	
79.0#	900	936	1188	
94.0#	914	951	1335	
99.0#	984	1058	1361	
114.0#	1064	1085	1482	
120.0#	1098	1123	1548	
73.0#	904	940	1190	
81.0#	953	974	1417	
92.0#	970	1008	1426	
112.0#	979	1015	1432	
115.0#	1064	1155	1439	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

P-Shape and D-Shape Returns

		MODEL NUMBER									
			MODEL NU	MRFK			I	1			
								Wood	Trim/	Approx.	
	MODEL	D x W x H	Basic	Edge	D:-	Desk	Laminate	Edge	Edge	Packaged	
			Model	Style	Dir.	Color	Color	Color	Color	Weight	
	P-Shape ReturnConsists of top, support column and	24 x 54 x 29"	7D/PR2454		_					82.0#	
	required hardware	24 x 60 x 29"	7D/PR2460		_					66.0#	
Right	Includes level connector	24 x 66 x 29"	7D/PR2466							74.0#	
Shown	 Must be specified as either Right or Left Available in 29" high only 	24 x 72 x 29"	7D/PR2472							82.0#	
	Available in 29 high only	30 x 60 x 29"	7D/PR3060		_					85.0#	
7DWSU		30 x 66 x 29"	7D/PR3066							94.0#	
		30 x 72 x 29"	7D/PR3072							100.0#	
		36 x 60 x 29"	7D/PR3660							100.0#	
		36 x 66 x 29"	7D/PR3666							107.0#	
		36 x 72 x 29"	7D/PR3672							114.0#	
	D-Shape Return	24 x 36 x 29"	7D/DR2436							38.0#	
	 Consists of top, support column and required hardware 	24 x 42 x 29"	7D/DR2442							44.0#	
	Includes level connector	24 x 48 x 29"	7D/DR2448							50.0#	
	 Available in 29" high only 	24 x 54 x 29"	7D/DR2454							56.0#	
		24 x 60 x 29"	7D/DR2460							62.0#	
7DWSU		24 x 66 x 29"	7D/DR2466							68.0#	
		24 x 72 x 29"	7D/DR2472							72.0#	
		30 x 48 x 29"	7D/DR3048							70.0#	
		30 x 54 x 29"	7D/DR3054							76.0#	
		30 x 60 x 29"	7D/DR3060							81.0#	
		30 x 66 x 29"	7D/DR3066							89.0#	
		30 x 72 x 29"	7D/DR3072							95.0#	
		36 x 48 x 29"	7D/DR3648							78.0#	
		36 x 54 x 29"	7D/DR3654							86.0#	
		36 x 60 x 29"	7D/DR3660							94.0#	
		36 x 66 x 29"	7D/DR3666							101.0#	
		36 x 72 x 29"	7D/DR3672							107.0#	
				1	•						
			A	$oldsymbol{eta}$	0	0	•	•	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

CSelect direction.

L - Left
R - Right

Select desk color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select trim/edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations

700 Series® Desk P-Shape and D-Shape Returns

*		3/8" Wood
Self Edge	74P Edge	Band Edge
(SE)	(74P)	(34S)
\$ 762	\$ 816	\$ 1373
823	821	1446
878	886	1548
881	891	1571
1109	1132	1417
1132	1159	1520
1168	1191	1553
1148	1268	1446
1172	1458	1769
1228	1460	1769
\$ 592	\$ 626	\$ 1054
619	646	1108
653	672	1168
753	790	1204
894	970	1228
905	999	1352
953	1028	1381
937	971	1280
825	822	1332
1017	1066	1299
1029	1108	1377
1076	1110	1378
981	1015	1260
899	912	1462
1088	1121	1410
1132	1163	1489
1168	1164	1489
	•	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Corne

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Edge Basic Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color 24 x 36 x 29" 7D/CU2436 П G Corner Consists of top, two end panels, two 24 x 42 x 29" 7D/CU2442 G modesty panels and required hardware 7D/CU3042 30 x 42 x 29" G · Full modesty panels extend to floor, 30 x 48 x 29" 7D/CU3048 G partial modesty panels are raised off floor 8-3/8" 7DWSU Wire management access between top and modesty panel Includes end panel grommets for wire pass-through Includes a center grommet Available in 29" high only 0 0 Θ **3** • **(** 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

Select modesty panel style.

P - Partial F - Full

Select grommet option.

G - Grommets - center
Center grommet and end panel grommets
included

Select desk color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color.

All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).

For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



Approx.	Ť		3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34S)
86.0#	\$ 1101	\$ 1210	\$ 1440
103.0#	1204	1264	1611
193.0#	1222	1278	1621
227.0#	1257	1317	1666

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Bridges

			MODEL NUMBER									
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color		
	Bridges	20 x 36 x 29"	7D/B2036									
	 Consists of top, modesty panel, wire management channel and required 	20 x 42 x 29"	7D/B2042									
	hardware	20 x 48 x 29"	7D/B2048									
	 Includes two level connectors 	24 x 36 x 29"	7D/B2436									
7DWSU	Full modesty panels extend to the floor,	24 x 42 x 29"	7D/B2442									
	partial modesty panels are raised off floor 8-3/8"	24 x 48 x 29"	7D/B2448									
	Wire management access between top	24 x 54 x 29"	7D/B2454									
	and modesty panel	24 x 60 x 29"	7D/B2460									
	 Available in 29" height only 	24 x 66 x 29"	7D/B2466									
		24 x 72 x 29"	7D/B2472									
			A	B	O	0	3	•	G	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge	
- 74P edge	
- 3/8" Wood band edge	Ī

©Select modesty panel style.

P - Partial
F - Full

• Select grommet option.

NG - No grommets
G - Grommets - left and right;
add \$67

Select desk color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Belect trim/edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Color selection will also apply to the accessory color and grommet color.
All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS).
For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations

Approx.			3/8" Wood
Packaged	Self Edge	74P Edge	Band Edge
Weight	(SE)	(74P)	(34\$)
51.0#	\$ 763	\$ 809	\$ 999
57.0#	780	856	1109
63.0#	831	883	1118
56.0#	763	809	999
63.0#	780	856	1109
70.0#	831	883	1118
80.0#	805	830	1255
86.0#	916	937	1348
92.0#	1024	1043	1441
98.0#	1060	1082	1507

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

MODEL NUI										
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight
	Credenza Shell	20 x 62 x 29"	7D/CS2062							106.0#
	 Consists of top, two end panels, mod- esty panel and required hardware 	24 x 48 x 29"	7D/CS2448							96.0#
	 Full modesty panels extend to floor, 	24 x 60 x 29"	7D/CS2460							113.0#
	partial modesty panels are raised off	24 x 62 x 29"	7D/CS2462							118.0#
	floor 8-3/8" • Pedestals to be specified separately • 62" allows for bank of four pedestals,	24 x 66 x 29"	7D/CS2466							122.0#
		24 x 72 x 29"	7D/CS2472							129.0#
7DWSU	two 30" credenza laterals or a combina-									
	tion of both									
	Credenza Top	20 x 60"	7D/CT2060							55.0#
	Consists of top only, predrilled to accept	24 x 60"	7D/CT2460							63.0#
	up to four worksurface supporting pedestals, two 30" credenza laterals or a									
	combination of both									
7T0PU										
			A	B	0	0	(3	•	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge
- 74P edge
- 3/8" Wood band edge

)	CICCL	IIIOuesty	panei	Style.
	F	- Fu		
	P	- Pa	rtial	

- Select desk color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select wood edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Wood Color Variations



•			
Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 923	\$ 1130	\$ 1450	
987	1014	1244	
1033	1102	1381	
1031	1138	1469	
1075	1159	1525	
1126	1193	1536	
\$ 568	\$ 660	\$ 981	
660	667	997	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Desk with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge DxWxH MODEL Model Style Panel Grommets Color Color Color Color Desk 24 x 48 x 29' 7DD/D2448 П $\Box\Box$ Consists of top, two end modesty 24 x 54 x 29" 7DD/D2454 $\Box\Box$ panels, wire management channel and $\Box\Box$ 24 x 60 x 29" 7DD/D2460 required hardware One PowerUp® grommet with 108" cord 24 x 66 x 29" 7DD/D2466 is included in center of worksurface 24 x 72 x 29" 7DD/D2472 Wire management access between top 30 x 48 x 29" 7DD/D3048 and modesty panel 7DWDU 30 x 54 x 29" 7DD/D3054 Full modesty panels extend to floor, partial modesty panels are raised off 30 x 60 x 29" 7DD/D3060 floor 8-3/8" 7DD/D3066 30 x 66 x 29" Modesty panels on 36" deep desks are 7DD/D3072 30 x 72 x 29" set in 6" 36 x 60 x 29" 7DD/D3660 Pedestals to be specified separately Available in 29" high only 36 x 66 x 29" 7DD/D3666 7DD/D3672 36 x 72 x 29" 0 Θ 0 **(3**) **(3**) **(** 0 A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

- Self edge
- 74P edge
- 3/8" Wood band edge

©Select modesty panel style.

P - Partial
F - Full

Select grommet option.

D - PowerUp module only

GDM - Center PowerUp with left and right grommets; add \$35

- Select desk color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

- **G** Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Desk with PowerUp®

Approx. Packaged Weight	Self Edge (SE)	74P Edge (74P)	3/8" Wood Band Edge (34S)
91.0#	\$ 1039	\$ 1060	\$ 1423
97.0#	1172	1194	1620
104.0#	1172	1194	1620
111.0#	1255	1277	1674
118.0#	1290	1315	1738
112.0#	1235	1341	1622
119.0#	1281	1361	1663
127.0#	1321	1393	1683
137.0#	1364	1478	1809
144.0#	1415	1487	1814
148.0#	1494	1517	1861
156.0#	1525	1601	1980
165.0#	1590	1605	1986

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Returns with PowerUp®

MODEL NUMBER Wood Trim/ Modesty Desk Laminate Basic Edge Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color Returns 24 x 24 x 29" 7DD/R2424 Consists of top, end panel, modesty 24 x 30 x 29" 7DD/R2430 $\Box\Box$ panel, wire management channel and 24 x 36 x 29" 7DD/R2436 required hardware Field changeable right or left 24 x 42 x 29" 7DD/R2442 Includes level connector for 29" high 24 x 48 x 29" 7DD/R2448 Full modesty panels extend to floor, 7DWDU 24 x 54 x 29" 7DD/R2454 partial modesty panels are raised off 24 x 60 x 29" 7DD/R2460 floor 8-3/8" Wire management access between top 24 x 66 x 29" 7DD/R2466 and modesty panel 7DD/R2472 24 x 72 x 29" Available in 29" height only 7DD/R3036 30 x 36 x 29" 30 x 42 x 29" 7DD/R3042 30 x 48 x 29" 7DD/R3048 7DD/R3054 30 x 54 x 29" 7DD/R3060 30 x 60 x 29" 0 **(3**

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select modesty panel style.

- Partial - Full

Select grommet option.

- PowerUp module only - Center PowerUp with left and right grommets; add \$35

Select desk color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Θ

0

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

G

0

0

Wood Color Variations



700 Series® Desk Returns with PowerUp®

Approx.			3/8" Wood
Packaged Weight	Self Edge (SE)	74P Edge (74P)	Band Edge (34S)
60.0#	\$ 874	\$ 888	\$ 1183
66.0#	903	920	1235
70.0#	1023	1067	1257
77.0#	1040	1115	1369
80.0#	1091	1142	1377
94.0#	1106	1126	1554
99.0#	1176	1246	1524
114.0#	1255	1277	1674
120.0#	1290	1315	1738
73.0#	1096	1131	1380
81.0#	1160	1198	1609
92.0#	1168	1204	1616
120.0#	1143	1164	1621
115.0#	1255	1343	1629

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Corner with PowerUp®

MODEL NUMBER Wood Trim/ Laminate Basic Edge Modesty Desk Edge Edge MODEL DxWxH Model Style Panel Grommets Color Color Color Color 24 x 36 x 29" 7DD/CU2436 Corner Consists of top, two end panels, two 7DD/CU2442 24 x 42 x 29" modesty panels and required hardware 30 x 42 x 29" 7DD/CU3042 • One PowerUp® grommet with 108" cord 30 x 48 x 29" 7DD/CU3048 is included in center of worksurface If a center grommet is specified, it 7DWDU will be installed behind the PowerUp® module · Full modesty panels extend to the floor, partial modesty panels are raised off floor 8-3/8" Wire management access between top and modesty panel Includes end panel grommets for wire pass-through · Available 29" high only **((3**) 0 0 **(3 (3**) **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

 34S
 - 3/8" Wood band edge

Select modesty panel style.

F - Full
P - Partial

• Select grommet option.

D - PowerUp module only

GDM - Grommet behind center

PowerUp module; add \$35

- Select desk color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select laminate color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.

G Select wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Corner with PowerUp®

Approx. Packaged Self Edge 74P Edge Band Edge Weight (SE) (74P) (34S) 86.0# \$ 1291 \$ 1401 \$ 1633 103.0# 1395 1457 1801 193.0# 1412 1470 1813 227.0# 1445 1509 1857						0.15	
Weight (SE) (74P) (34S) 86.0# \$ 1291 \$ 1401 \$ 1633 103.0# 1395 1457 1801 193.0# 1412 1470 1813		Se	elf Edge	7.	4P Edge		
103.0# 1395 1457 1801 193.0# 1412 1470 1813							
193.0# 1412 1470 1813	86.0#	\$	1291	\$	1401	\$	1633
	103.0#		1395		1457		1801
227 0# 1445 1509 1857	193.0#		1412		1470		1813
LL1.V// 1770 1007	227.0#		1445		1509		1857

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

700 Series® Desk Bridges with PowerUp®

		MODEL NUMBER									
	MODEL	D x W x H	Basic Model	Edge Style	Modesty Panel	Grommets	Desk Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	
	Bridges	20 x 36 x 29"	7DD/B2036								
	Consists of top, modesty panel, wire management channel and required.	20 x 42 x 29"	7DD/B2042								
	management channel and required hardware	20 x 48 x 29"	7DD/B2048								
	One PowerUp® grommet with 108" cord	24 x 36 x 29"	7DD/B2436								
7DWDU	is included in center of worksurface	24 x 42 x 29"	7DD/B2442								
	 Includes two level connectors for 29" high 	24 x 48 x 29"	7DD/B2448								
	Full modesty panels extend to the floor, partial modesty panels are raised off	24 x 54 x 29"	7DD/B2454								
		24 x 60 x 29"	7DD/B2460								
	floor 8-3/8"	24 x 66 x 29"	7DD/B2466								
	 Wire management access between top and modesty panel 	24 x 72 x 29"	7DD/B2472								
	Available in 29" height only										
			A	B	0	O	(3	(3	Ѳ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

SE	- Self edge	
74P	- 74P edge	
348	- 3/8" Wood band edge	

Select modesty panel style.

- Full - Partial

• Select grommet option.

- PowerUp module only - Center PowerUp with left and right grommets; add \$35

Select desk color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wood edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select trim/edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Color selection will also apply to the accessory color and grommet color. All colors are monochromatic except Flannel (TFN) and Wet Sand (TWS). For the exceptions, the accessories and grommets for Flannel paint are BL and Wet Sand paint receives SA accessories and grommets.

INFORMATION

Wood Color Variations



700 Series® Desk Bridges with PowerUp®

Approx. Packaged	Self Edge	74P Edge	3/8" Wood Band Edge	
Weight	(SE)	(74P)	(34S)	
51.0#	\$ 953	\$ 1000	\$ 1191	
57.0#	971	1045	1299	
63.0#	1023	1072	1308	
56.0#	953	1000	1191	
63.0#	971	1045	1299	
70.0#	1023	1072	1308	
80.0#	999	1022	1443	
86.0#	1108	1129	1538	
92.0#	1215	1238	1634	
98.0#	1248	1275	1696	

FINISH INFORMATION

Additional Laminate Offering Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Countertop

			MODEL NUMB	ER						
	MODEL	WxDxH	Basic Model	Fabric Color	Enamel Color	Laminate Color	Wood Edge Color	Trim/ Edge Color	Approx. Packaged Weight	
	Countertop with Tackboard (74P) Edge	60 x 12 x 15"	7D/CTU60/74P						67.0#	
	(74P) Edge styleAttaches to worksurface to create a	66 x 12 x 15"	7D/CTU66/74P						73.0#	
	countertop	72 x 12 x 15"	7D/CTU72/74P						76.0#	
	 Fabric covered tackboard is included and 									
	fabric wrapped on both sides • For use on 60", 66" and 72" worksurfaces									
7DCTU	For use on oo , oo and 72 worksurfaces									
	(SE) Self Edge style Attaches to worksurface to create a	60 x 12 x 15"	7D/CTU60/SE						67.0#	
		66 x 12 x 15"	7D/CTU66/SE						73.0#	
		72 x 12 x 15"	7D/CTU72/SE						76.0#	
7DCTU										
			== (0=:100 (0.10						07.0%	
	Countertop with Tackboard (34S) Edge • (34S) Wood Edge Laminate edge style	60 x 12 x 15"	7D/CTU60/34S						67.0#	
	Attaches to worksurface to create a	66 x 12 x 15"	7D/CTU66/34S						73.0#	
	countertop	72 x 12 x 15"	7D/CTU72/34S						76.0#	
	 Fabric covered tackboard is included and fabric wrapped on both sides 									
7D0TH	For use on 60", 66" and 72" worksurfaces.									
7DCTU										
			A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	0	(3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Calcot fabria

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select laminate color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select wood edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select trim/edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

INFORMATION

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain colors. Due to natural variations of fine woods, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



 Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 1206	\$ 1222	\$ 1265	\$ 1241	\$ 1290
1265	1277	1329	1303	1353
1341	1352	1411	1380	1435
\$ 1160	\$ 1171	\$ 1216	\$ 1194	\$ 1242
1223	1240	1283	1258	1307
1297	1307	1362	1333	1384
 \$ 1389	\$ 1402	\$ 1461	\$ 1432	\$ 1486
1450	1463	1523	1492	1554
1524	1541	1604	1571	1633

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

				MODEL NUMBER				
	MODEL	WxDxH	Basic Model	Enamel Color	Assembly	Key Option	Approx. Packaged Weight	
	Open Overhead - Steel For use on rectangular worksurfaces Clearance between overhead and work-	30 x 14 x 36"	7D/0SS30				51.0#	
		36 x 14 x 36"	7D/0SS36				55.0#	
	surface is 19" to underside of shelf	42 x 14 x 36"	7D/0SS42				59.0#	
	 Formed steel wire management in end panels for cord access Overhead will accommodate task lights Tackboard/Screen, if any, must be ordered separately Ships unassembled 	48 x 14 x 36"	7D/0SS48				64.0#	
		54 x 14 x 36"	7D/0SS54				64.0#	
		60 x 14 x 36"	7D/0SS60				75.0#	
7DOSU		66 x 14 x 36"	7D/0SS66				78.0#	
		72 x 14 x 36"	7D/0SS72				80.0#	
	Closed Overhead (one door) - Steel For use on rectangular worksurface Clearance between overhead and worksurfaces is 19" to underside of self Formed steel wire management in end panels for cord access Doors recede inside overhead on rack and pinion system	30 x 14 x 36"	7D/0SD30/S				66.0#	
		36 x 14 x 36"	7D/0SD36/S				74.0#	
		42 x 14 x 36"	7D/0SD42/S				81.0#	
		48 x 14 x 36"	7D/0SD48/S				89.0#	
		54 x 14 x 36"	7D/0SD54/S				89.0#	
		60 x 14 x 36"	7D/0SD60/S				105.0#	
7DOSU	Overhead will accommodate task lights							
	 Tackboard/Screen, if any, must be 							
	ordered separately							
	Closed Overhead (two doors) - Steel	66 x 14 x 36"	7D/0SD66/S				117.0#	
	 For use on rectangular worksurfaces Clearance between overhead and work- 	72 x 14 x 36"	7D/0SD72/S				123.0#	
	surfaces is 19" to underside of shelf							
	 Formed steel wire management in end 							
	panels for cord access							
	 Two doors recede inside overhead on rack and pinion system 							
7DOSU	 Overhead will accommodate task lights 							
	Tackboard/Screen, if any, must be							
	ordered separately							
			A	B	•	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect enamel color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select assembly option.

UAS - Unassembled - Assembled; add \$141

OSelect key option.

- Key alike - Key standard NLC - No lock core



700 Series® Desk Overhead Storage

Deliver	red
Pricing	
\$ 52	
	51
	76
	97
	73
	41 63
	85
00	
\$ 88	86
	06
	29
	53
102	
105	
\$ 127	77
129	98

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Desk Overhead Storage

			MODEL NUN	/IRFK				
	MODEL	WxDxH	Basic Model	Fabric Color	Enamel Color	Assembly	Key Option	Approx. Packaged Weight
_	Closed Overhead (one door) - Fabric	30 x 14 x 36"	7D/0SD30/F					66.0#
	 For use on rectangular worksurface Clearance between overhead and work- 	36 x 14 x 36"	7D/0SD36/F					74.0#
	surfaces is 19" to underside of self	42 x 14 x 36"	7D/0SD42/F					81.0#
	Formed steel wire management in end panels for cord access Doors recede inside overhead on rack and pinion system	48 x 14 x 36"	7D/0SD48/F					89.0#
		54 x 14 x 36"	7D/0SD54/F					89.0#
		60 x 14 x 36"	7D/0SD60/F					105.0#
7DOSU	Overhead will accommodate task lights							
	Tackboard/Screen, if any, must be ordered separately							
	Closed Overhead (two doors) - Fabric	66 x 14 x 36"	7D/0SD66/F					117.0#
	 For use on rectangular worksurfaces Clearance between overhead and work- 	72 x 14 x 36"	7D/0SD72/F					123.0#
	Surfaces is 19" to underside of shelf							
	Formed steel wire management in end							
	panels for cord access							
\supset	 Two doors recede inside overhead on rack and pinion system 							
7DOSU	Overhead will accommodate task lights							
	 Tackboard/Screen, if any, must be 							
	ordered separately							
			A	B	•	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect assembly option.

UAS - Unassembled
WAS - Assembled; add \$141

Select key option.

KA - Key alike KS - Key standard - No lock core



700 Series® Desk Overhead Storage

P F. 1	abric Grade & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$	S 1078	\$ 1110	\$ 1131	\$ 1188	\$ 1240
	1101	1134	1157	1211	1265
	1130	1163	1188	1243	1300
	1151	1186	1208	1265	1323
	1223	1228	1252	1337	1345
	1228	1247	1272	1351	1391
\$	1490	\$ 1535	\$ 1566	\$ 1641	\$ 1714
	1536	1582	1615	1691	1769

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUM	IBER		
	MODEL	W II	Basic	Fabric	Enamel	
	MODEL	WxH	Model	Color	Color	Weight
	Tackboards/Screens • Fits under overstorage unit	30 x 19"	7D/TB3019			12.0#
	Metal brackets secure tackboard to back	36 x 19"	7D/TB3619			14.0#
	of desk top Brackets are painted color of the desk Allows wire pass-through Dimensions are nominal	42 x 19"	7D/TB4219			17.0#
		48 x 19"	7D/TB4819			19.0#
\$		54 x 19"	7D/TB5419			19.0#
		60 x 19"	7D/TB6019			24.0#
7DTBU		66 x 19"	7D/TB6619			27.0#
		72 x 19"	7D/TB7219			29.0#
	Corner-Tackboards/Screens	36 x 19"	7D/CTB3619			30.0#
	• Fits 36", 42" or 48" corner	36 x 36"	7D/CTB3636			59.0#
	 Available in 19" or 36" high Brackets are painted the color of the 	42 x 19"	7D/CTB4219			35.0#
	desk	42 x 36"	7D/CTB4236			69.0#
	Allows wire pass-throughDimensions are nominal	48 x 19"	7D/CTB4819			40.0#
7DTBU		48 x 36"	7D/CTB4836			78.0#
			A	B	Θ	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Select enamel color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



700 Series® Desk Tackboards/Screens

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
\$ 354	\$ 364	\$ 374	\$ 389	\$ 408	
378	387	398	414	436	
401	410	420	439	459	
421	435	445	465	486	
510	518	542	574	589	
525	534	548	586	598	
554	573	584	610	639	
600	619	632	661	691	
\$ 791	\$ 819	\$ 831	\$ 872	\$ 913	
1259	1298	1324	1384	1446	
836	862	878	921	963	
1305	1343	1370	1434	1501	
949	976	996	1042	1090	
1445	1490	1520	1597	1666	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Delivered. Shipped k.d. freight prepaid
f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NU	JMBER		
	MODEL	WxDxH	Basic Model	Enamel Color	Approx. Packaged Weight	
	Center Drawer • Mounts beneath any worksurface at least	17 x 18-1/4 x 1-5/8"	7D/18CD		13.0#	
	Mounts beleath any worksurface at least 24" deep CDL model includes lock Hardware included	17 x 18-1/4 x 1-5/8"	7D/18CDL		13.0#	
7DACU						
TDAGO						
	Plate Dividers Sold in package of three		7D/OSPD		6.0#	
*						
2D 4 011						
7DACU						
			A	₿		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select enamel color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.



Delivered Pricing \$ 185 233

\$ 57

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER			
	MODEL	W	Basic Model	Approx. Packaged Weight		
	Task Light Electronic ballast Task light attaches to underside of overhead Task light attaches to underside of overhead	24"	TLT5.24	3.9#		
		36"	TLT5.36	5.3#		
		48"	TLT5.48	6.7#		
	 Available in 24", 36" and 48" widths 					
4 0	• UL listed					
	Includes 8' cordAvailable in black only					
HRDPT	Available in black only					
			A			



Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

INFORMATION TASK LIGHT CABINET WIDTH

Cabinet Light Width Width 24" 18" 24" 24" 36" 36" 30" 36" 42"

48" 54" 48" 60" 48" 48" 48" 66" 72"



Delivered Pricing \$ 74 81 88

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBE	R				
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	
	Pedestal - BFTP	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBFTP					
	 Top surface of pedestal has black, four compartment pencil tray and black 								
	recessed pull								
	6" box drawer with partition12" file drawer with partition								
	 Anti-tip caster travels with file drawer 								
	 Counterbalance weight not required Only use 21-5/8" D peds with 30" D 								
S7PDU	desks								
	Pedestal - BF	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBF					
	 One 6" box drawer, one 12" file drawer with hanging folder partition 	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBF					
	 5th wheel in lieu of counterbalance 	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBF					
	weight								
	 Only use 21-5/8" D peds with 30" D desks 								
S7PDU									
	Pedestal - BBB	Mobile	15 x 17-5/8 x 21-3/4"	S7P/1520MBBB					
	Three 6" box drawers Sth wheel in lieu of counterbalance	Mobile	15 x 21-5/8 x 21-3/4"	S7P/1524MBBB					
	 5th wheel in lieu of counterbalance weight 	Mobile	15 x 27-5/8 x 21-3/4"	S7P/1530MBBB					
	 Only use 21-5/8" D peds with 30" D 								
	desks								
O70011									
S7PDU	Dodostol DDE	Franctondina	15 v 17 5/0 v 00 0/0"	C7D/1520CDDC					
	Pedestal - PBF • One 3" pencil drawer; one 6" box drawer;	Freestanding Mobile	15 x 17-5/8 x 22-3/8" 15 x 17-5/8 x 24-11/16"	S7P/1520FPBF S7P/1520MPBF					
	one 12" file drawer with hanging folder	Freestanding	15 x 17-5/8 x 24-11/16 15 x 21-5/8 x 22-3/8"	S7P/1520WPBF					
	partition • Mobile units include 5th wheel in lieu of	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBF					
	counterbalance weight	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBF					
O D	 Counterbalance weight recommended when freestanding unit is not under 	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBF					
	worksurface								
S7PDU	Only use 21-5/8" D peds with 30" D								
	desks • A freestanding pedestal will have a mini-								
	mal gap between the top of the pedestal								
	and the underside of the worksurface or desk it may be placed under								
	desk it may be placed under								
				A	3	0	0	(3)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

Select unit and drawer color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance

See pricing column for counterbalance
weight upcharge.

Select key option.

KA - Key alike KS - Key standard

- No lock core

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth										
Series	20"	24"	30"	36"							
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A							
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A							
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"							
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	275/8"							
True	N/A	17 ⁵ /8"	215/8"	N/A							

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZor desk with modesty panel, the pedestal will sticl out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

			Coun	nter-
			balan	nce
Approx.	Dol	livered	Weig add t	ht o liet
Approx. Packaged Weight	Pri	livered cing	price	.0 1151
79.0#	\$	883	prior	N/A
	· ·			
79.0#	\$	769		N/A
90.0#		883		N/A
93.0#		883		N/A
83.0#	\$	883		N/A
92.0#		856		N/A
95.0#		856		N/A
53.0#	\$	806	\$	183
89.0#		964		N/A
55.0#		852		158
90.0#		918		N/A
75.0#		906		92
95.0#		974		N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBI	ER			
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option
	Pedestal - FF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FFF				
	Two 12" file drawers with hanging folder	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MFF				
	partitions • Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FFF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MFF				
	standing unit is not under worksurface	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FFF				
	 Only use 21-5/8" D peds with 30" D desks 	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MFF				
4	 A freestanding pedestal will have a mini- 							
7PDU	mal gap between the top of the pedestal							
	and the underside of the worksurface or desk it may be placed under							
	desk it may be placed under							
^	Pedestal - BBF	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBF				
	 Two 6" box drawers; one 12" file drawer with hanging folder partition 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBF				
	Counterbalance weight: included in	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBF				
	mobile unit; recommended when free-	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBF				
	standing unit is not under worksurface • Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBF				
	desks	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBF				
•	· A freestanding pedestal will have a mini-							
'PDU	mal gap between the top of the pedestal							
	and the underside of the worksurface or desk it may be placed under							
	dosk it may be placed under							
				A	B	0	•	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER NLC - No lock core A Select basic model. BSelect pull option. ALBT - Aluminum Bow Tie ALMT - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) NKBT - Nickel Bow Tie RETN - Retro Nickel Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - No Counterbalance

See pricing column for counterbalance
weight upcharge.

Select key option.

KA - Key alike
KS - Key standard

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Wo	Workstation Depth										
Series	20"	24"	30"	36"								
NorkZone or NorkZone with evel 1 PowerUp	N/A	215/8"	27 ⁵ /8"	N/A								
WorkZone with evels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A								
700 Series with gromments	N/A	17 ⁵ /8"	21 ⁵ /8"	215/8"								
700 Series v/o gromments	17 5/8"	215/8"	275/8"	275/8"								
True	N/A	17 ⁵ /8"	21 ⁵ /8"	N/A								
baasa a sadaa	مطييا لمة	المصمأم مم										

hoose a pedestal whose depth is no longer nan the dimension shown.

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZor esk with modesty panel, the pedestal will sticl ut 1" from the front edge of the worksurface. Io not specify larger sized hanging pedestal nder WorkZone desks.



Mobile and Freestanding

Approx. Packaged Weight	ivered cing	b V a	Counte alance Veight dd to rice	e t
55.0#	\$ 737		\$	183
93.0#	817			N/A
55.0#	775			158
90.0#	849			N/A
75.0#	825			92
95.0#	895			N/A

57.0#	\$ 775	\$ 183
93.0#	891	N/A
60.0#	817	158
95.0#	938	N/A
80.0#	923	92
100.0#	975	N/A

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

				MODEL NUMBER						
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option		
^	Pedestal - BBBB	Freestanding	15 x 17-5/8 x 25-5/16"	S7P/1520FBBBB						
	 Four 6" box drawers Counterbalance weight: included in 	Mobile	15 x 17-5/8 x 27-5/8"	S7P/1520MBBBB						
	mobile unit; recommended when free-	Freestanding	15 x 21-5/8 x 25-5/16"	S7P/1524FBBBB						
	standing unit is not under worksurface	Mobile	15 x 21-5/8 x 27-5/8"	S7P/1524MBBBB						
	 Only use 21-5/8" D peds with 30" D desks 	Freestanding	15 x 27-5/8 x 25-5/16"	S7P/1530FBBBB						
	 A freestanding pedestal will have a mini- 	Mobile	15 x 27-5/8 x 27-5/8"	S7P/1530MBBBB						
O	mal gap between the top of the pedestal									
7PDU	and the underside of the worksurface or									
	desk it may be placed under									
			/= /= /0 00 0/0"	0=0//=00=000						
	Pedestal - PBBB • One 3" pencil drawer; three 6" box draw-	Freestanding	15 x 17-5/8 x 22-3/8"	S7P/1520FPBBB						
	ers	Mobile	15 x 17-5/8 x 24-11/16"	S7P/1520MPBBB						
	 Counterbalance weight: included in 	Freestanding	15 x 21-5/8 x 22-3/8"	S7P/1524FPBBB						
	mobile unit; recommended when free- standing unit is not under worksurface	Mobile	15 x 21-5/8 x 24-11/16"	S7P/1524MPBBB						
0	Only use 21-5/8" D peds with 30" D	Freestanding	15 x 27-5/8 x 22-3/8"	S7P/1530FPBBB						
37PDU	desks	Mobile	15 x 27-5/8 x 24-11/16"	S7P/1530MPBBB						
ורטט	 A freestanding pedestal will have a mini- mal gap between the top of the pedestal 									
	and the underside of the worksurface or									
	desk it may be placed under									
				A	ß	Œ	O	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

 ALBT
 - Aluminum Bow Tie

 ALMT
 - Aluminum Metric

 ARCN
 - Arc Nickel

 CLSC
 - Classic (inset pull)

 NKBT
 - Nickel Bow Tie

 RETN
 - Retro Nickel

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

KA	- Key alike
KS	- Key standard

- No lock core

NLC

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth								
Series	20"	24"	30"	36"					
VorkZone or VorkZone with evel 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A					
VorkZone with evels 2-5 'owerUp	N/A	N/A	17 ⁵ /8"	N/A					
'00 Series with romments	N/A	17 ⁵ /8"	215/8"	215/8"					
'00 Series v/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"					
rue	N/A	17 ⁵ /8"	215/8"	N/A					

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZonesk with modesty panel, the pedestal will stick at 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.



700 Series® Pedestals Mobile and Freestanding

Approx. Packaged Weight	Delivered Pricing	Coun balan Weig add t price	nce ht to list
59.0#	\$ 836	\$	183
95.0#	1020		N/A
66.0#	883		158
105.0#	989		N/A
78.0#	964		92
96.0#	1020		N/A

62.0#	\$ 895	18	
91.0#	1075	N/A	4
62.0#	946	15	
102.0#	1051	N/A	
73.0#	964	9	2
91.0#	1020	N/A	4

INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position. Mobile pedestals include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

N/C

Hanging

				MODEL NUMB	ER			
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
	Pedestal - BF	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBF				62.0#
	 One 6" box drawer One 12" file drawer with hanging folder	Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBF				80.0#
	partition							
4								
S7PDU S7PDU								
	Pedestal - BBB • Three 6" box drawers	Hanging	15 x 17-5/8 x 19-3/16"	S7P/1520HBBB				45.0#
		Hanging	15 x 21-5/8 x 19-3/16"	S7P/1524HBBB				50.0#
S7PDU	Padastal PDF	Hanning	45 . 47 5 /0	070/450011005				CO 0 "
	Pedestal - PBF One 3" pencil drawer	Hanging	15 x 17-5/8 x 22-1/8"	S7P/1520HPBF S7P/1524HPBF				62.0# 80.0#
	 One 6" box drawer 	Hanging	15 x 21-5/8 x 22-1/8"	3/P/1324NPBF				80.0#
	One 12" file drawer with hanging folder							
	partition							
S7PDU								
011 00								
				A	$oldsymbol{\mathbf{G}}$	$\mathbf{\Theta}$	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select pull option.

 ALBT Aluminum Bow Tie

 ALMT Aluminum Metric

 ARCN Arc Nickel

 CLSC Classic (inset pull)

 NKBT Nickel Bow Tie

 RETN Retro Nickel
- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select key option.

 KA Key alike

KA - Key alike KS - Key standard NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth								
Series	20"	24"	30"	36"					
NorkZone or NorkZone with evel 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A					
NorkZone with evels 2-5	N/A	N/A	17 ⁵ /8"	N/A					
700 Series with gromments	N/A	17 ⁵ /8"	21 ⁵ /8"	21 ⁵ /8"					
700 Series v/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	27 ⁵ /8"					
True	N/A	17 ⁵ /8"	215/8"	N/A					

hoose a pedestal whose depth is no longer nan the dimension shown.

lote: If the next largest size freestanding or nobile pedestal are specified under a WorkZon esk with modesty panel, the pedestal will stick ut 1" from the front edge of the worksurface. Io not specify larger sized hanging pedestal nder WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



•	<u>r</u>	
Deliv	ivered	
Prici	livered cing	
\$		
	705	
	165	
\$	690	
	697	
\$	797	
	835	
	000	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

		MODEL NUMBER						
				MODEL NOMBEI				
	MODEL	Features	W x D x H	Basic Model	Pull Option	Unit Color	Key Option	Approx. Packaged Weight
_	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WFF				59.0#
	 Two 12" file drawers with hanging folder partitions 	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WFF				82.0#
	Includes four leveling glides	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WFF				95.0#
S7PDU				0=0//=00//=00				0.10%
	Pedestal - BBF Two 6" box drawers One 12" file drawer with hanging folder partition Includes four leveling glides	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBF				61.0#
		Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBF				80.0#
		Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF				93.0#
S7PDU								
-	Pedestal - BBBB	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB				70.0#
	Four 6" box drawers Includes four leveling alides	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB				70.0#
	 Includes four leveling glides 	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB				81.0#
→								
S7PDU								
				A	3	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select pull option.

 ALBT Aluminum Bow Tie
 ALMT Aluminum Metric
 ARCN Arc Nickel
 CLSC Classic (inset pull)
 NKBT Nickel Bow Tie
 RETN Retro Nickel
- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select key option.

KS	 Key standard
NLC	- No lock core
KA	- Key alike

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Donth

Desking	workstation Depth							
Series	20"	24"	30"	36"				
VorkZone or VorkZone with evel 1 PowerUp	N/A	21 ⁵ / ₈ "	27 ⁵ /8"	N/A				
VorkZone with evels 2-5 owerUp	N/A	N/A	17 ⁵ /8"	N/A				
'00 Series with romments	N/A	17 ⁵ /8"	215/8"	215/8"				
'00 Series v/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	27 ⁵ /8"				
rue	N/A	17 ⁵ /8"	215/8"	N/A				

hoose a pedestal whose depth is no longer an the dimension shown.

ote: If the next largest size freestanding or obile pedestal are specified under a WorkZon sk with modesty panel, the pedestal will stick at 1" from the front edge of the worksurface. o not specify larger sized hanging pedestal nder WorkZone desks.

OPTIONS

Pedestal and Storage Option

Please contact KI Customer Service for other pedestal and storage option. Reference "How to Specify Pedestals" section to determine appropriate height and depth requirements.



700 Series® Pedestals Worksurface Supporting

D	livered cing
\$	697
	816
	848
\$	773
	892
	940
\$	883
•	902
	990

INFORMATION

Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

Lock

All units include a lock. Keying is random unless otherwise specified.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessories

			MODEL NUMBER		
				Approx.	
	MODEL	WxDxH	Basic Model	Packaged Weight	
	Glide Kit	WADAII	S7P/GK	1.0#	
f f f	 Adds 1/4" to 1" to pedestal height 		371741	1.07	
	4 per kitFor replacement only				
PDACU	For worksurface supporting pedestals				
	Pencil Tray	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	For 3" pencil and 6" box drawersBlack finish only				
	Priced each				
PDACU					
	6" Partition	12-1/8 x 4-5/8"	S7P/D6	1.0#	
	For 6" box drawersBlack enamel finish only				
	Priced each				
PDACU					
•	Hanging Folder Partition • For 12" file drawers	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	 Black enamel finish only 				
	Priced each				
PDACU					
1 200			•		
			A		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

elivered	
ricing	
Truing	
10	
9	
6	
9	
9	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Mobile and Freestanding

One 12" file drawer with hanging folder partition Mobile 15 x 17-5/8 x 24-11/16" S7CP1520MPBF S									
Features Wx Dx H Mobile 15 x 17-5/8 x 21-3/4* S7CP1520MBF Color Color Weight Mobile 15 x 27-5/8 x 21-3/4* S7CP1520MBF COLOR				MODEL NUMBE	ER				
Mobile 15 x 21-5/8 x 21-3/4* S7CP1524MBF Company of the pedestal - PBF Company of the pedestal not counterbalance weight		Features	WxDxH		Dimpled			Counter- balance	
Mobile 15 x 27-5/8 x 21-3/4* S7CP1530MBF	\sim	Mobile	15 x 17-5/8 x 21-3/4"	S7CP1520MBF					
S7CP Pedestal - BF One 6' box drawer One 12' file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Mobile 15 x 27-5/8 x 24-11/16' S7CP1520MPBF		Mobile	15 x 21-5/8 x 21-3/4"	S7CP1524MBF					
One 12" file drawer with hanging folder partition Mobile 15 x 17-5/8 x 24-11/16" S7CP1520MPBF S		Mobile	15 x 27-5/8 x 21-3/4"	S7CP1530MBF					
One 6' box drawer One 12' file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Mobile 15 x 17-5/8 x 24-11/16' S7CP1520MPBF	S7CP								
One 12° file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Mobile 15 x 17-5/8 x 24-11/16° S7CP1520MPBF	Pedestal - BF								
folder partition Mobile units include 5th wheel in lieu of counterbalance weight Mobile 15 x 17-5/8 x 24-11/16* Freestanding 15 x 21-5/8 x 22-3/8* Mobile 15 x 21-5/8 x 22-3/8* S7CP1524MPBF Freestanding 15 x 27-5/8 x 22-3/8* S7CP1524MPBF Freestanding 15 x 27-5/8 x 22-3/8* S7CP1530MPBF Predestal - PBF One 3° pencil drawer One 6° box drawer One 12° file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	• One 6" box drawer								
Mobile units include 5th wheel in lieu of counterbalance weight Mobile 15 x 17-5/8 x 24-11/16' S7CP1520MPBF									
Mobile 15 x 17-5/8 x 24-11/16" S7CP1520MPBF	Mobile units include 5th wheel in lieu								
Freestanding 15 x 21-5/8 x 22-3/8* S7CP1524FPBF	of counterbalance weight								
Mobile 15 x 21-5/8 x 24-11/16° S7CP1524MPBF									
Freestanding 15 x 27-5/8 x 22-3/8" S7CP1530FPBF Mobile 15 x 27-5/8 x 24-11/16" S7CP1530MPBF DDG DDG S7CP Pedestal - PBF One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
Mobile 15 x 27-5/8 x 24-11/16' S7CP1530MPBF									
One 3° pencil drawer One 6° box drawer One 10° file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under		Mobile	15 X 27-5/8 X 24-11/16"	S7CP1530MPBF					
One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	7CB								
One 3" pencil drawer One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
One 6" box drawer One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
One 12" file drawer with hanging folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
folder partition Mobile units include 5th wheel in lieu of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
of counterbalance weight Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	folder partition								
Counterbalance weight recommended when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
when freestanding unit is not under worksurface A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
A freestanding pedestal will have a minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under	when freestanding unit is not under								
minimal gap between the top of the pedestal and the underside of the worksurface or desk it may be placed under									
pedestal and the underside of the worksurface or desk it may be placed under									
under									
A B O D A A	under								
				A	B	0	O	(3	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

- Dimpled - Flat

See upcharge column for D option.

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight. CBW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option. - Key alike

- Key standard NLC

- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth							
Series	20"	24"	30"	36"				
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A				
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A				
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"				
700 Series w/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	27 ⁵ /8"				
True	N/A	17 ⁵ /8"	215/8"	N/A				

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZone desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to list price	Counter- balance Weight add to list price
\$ 859	\$ 1	6 N/A
985	1	8 N/A
985	1	8 N/A

\$ 1082	\$ 19	N/A
953	18	158
1029	19	N/A
1017	19	92
1091	19	N/A

INFORMATION

Heigh

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

ion N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #70.

Mobile and Freestanding

			MODEL NUMBE	R					
	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MFF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FFF						55.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MFF						90.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FFF						75.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MFF						95.0#
S7CP									
Pedestal - FF									
 Two 12" file drawers with hanging folder partitions 									
Counterbalance weight: included in									
mobile unit; recommended when freestanding unit is not under work-									
surface									
 A freestanding pedestal will have a minimal gap between the top of the 									
pedestal and the underside of the									
worksurface or desk it may be placed under									
	Mobile	15 x 17-5/8 x 27-5/8"	S7CP1520MBBF						93.0#
	Freestanding	15 x 21-5/8 x 25-5/16"	S7CP1524FBBF			0000000			60.0#
	Mobile	15 x 21-5/8 x 27-5/8"	S7CP1524MBBF						95.0#
	Freestanding	15 x 27-5/8 x 25-5/16"	S7CP1530FBBF						80.0#
	Mobile	15 x 27-5/8 x 27-5/8"	S7CP1530MBBF						100.0#
S7CP									
Pedestal - BBF									
• Two 6" box drawers; one 12" file									
drawer with hanging partition • Mobile units include 5th wheel in lieu									
of counterbalance weight									
 Counterbalance weight recommended when freestanding unit is not under 									
worksurface									
 A freestanding pedestal will have a minimal gap between the top of the 									
pedestal and the underside of the									
worksurface or desk it may be placed under									
			A	ß	Θ	O	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect flat or dimpled front.

D - Dimpled F - Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select drawer pull color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance

 See pricing column for counterbalance
 weight upcharge.
- Select key option.

 KA Key alike

KS - Key standard

NLC - No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Desking	Workstation Depth							
Series	20"	24"	30"	36"				
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A				
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A				
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"				
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	275/8"				
True	N/A	17 ⁵ /8"	215/8"	N/A				

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.



Mobile and Freestanding

Delivered Pricing	Dimpled Front add to lis price	Counter- balance Weight add to list price
\$ 915	\$	16 N/A
866		16 158
950		18 N/A
922		18 92
1003		18 N/A

\$ 997	\$ 18	N/A
915	16	158
1050	19	N/A
1034	19	92
1092	19	N/A

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #70.

Hanging

		_						
				MODEL NUMBE	R			
							B. II	
	MODEL	Features	WxDxH	Basic Model	Dimpled	Unit Color	Pull Color	Key Option
	Pedestal - BBB	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBBB				
	Three 6" box drawers	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBBB				
S7CP								
_	Pedestal - BF One 6" box drawer	Hanging	15 x 17-5/8 x 19-3/16"	S7CP1520HBF				
	One 12" file drawer with hanging folder partition	Hanging	15 x 21-5/8 x 19-3/16"	S7CP1524HBF				
S7CP								
0701	Pedestal - PBF	Hanging	15 x 17-5/8 x 22-1/8"	S7CP1520HPBF				
	 One 3" pencil drawer 	Hanging	15 x 21-5/8 x 22-1/8"	S7CP1524HPBF				
	One 6" box drawer	99	10 % 21 0/0 % 22 1/0	0.01.102.11.1.21				
	 One 12" file drawer with hanging folder partition 							
	F-10 - 1-2-11							
S7CP								
				A	B	•	O	(3

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select flat or dimpled front.

 D Dimpled

 F Flat

See upcharge column for D option.

- Select unit and drawer color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select key option.

KA	- Key alike
KS	 Key standard
NLC	- No lock core

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Donth

Desking	Workstation Depth								
Series	20"	24"	30"	36"					
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A					
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A					
700 Series with gromments	N/A	17 ⁵ /8"	215/8"	215/8"					
700 Series w/o gromments	17 ⁵ /8"	21 ⁵ /8"	27 ⁵ /8"	27 ⁵ /8"					
True	N/A	17 ⁵ /8"	215/8"	N/A					

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



Approx. Packaged Weight	Deliv Prici	ed	Fron add price	to lis e	st
	\$		\$		14
50.0#		31			14
62.0#	\$	64	\$	3	14
80.0#		39			14
62.0#	\$	94	\$	3	16
80.0#		34			18

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Supporting

				MODEL NUMBE	MODEL NUMBER					
				Basic		Unit	Pull	Key		
	MODEL	Features	WxDxH	Model	Dimpled	Color	Color	Option		
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WFF						
	Two 12" file drawers with hanging folder and this are	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WFF						
	partitions • Includes four leveling glides									
	morados roa: rotomig grado									
S7CP										
	Pedestal - BBF	Supporting	15 x 17-5/8 x 27-7/8"	S7CP1520WBBF						
	Two 6" box drawersOne 12" file drawer with hanging folder	Supporting	15 x 21-5/8 x 27-7/8"	S7CP1524WBBF						
	partition									
	Includes four leveling glides									
S7CP										
				A	B	O	•	(3		
				•		_		_		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select flat or dimpled front.

 D Dimpled

 F Flat

 See upcharge column for D option.
- Select unit and drawer color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select drawer pull color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select key option.

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

Pedestal Sizing Chart (maximum sizes recommended)

Workstation Donth

Desking	workstation Depth									
Series	20"	24"	30"	36"						
WorkZone or WorkZone with level 1 PowerUp	N/A	21 ⁵ /8"	27 ⁵ /8"	N/A						
WorkZone with levels 2-5 PowerUp	N/A	N/A	17 ⁵ /8"	N/A						
700 Series with gromments	N/A	17 ⁵ /8"	21 ⁵ /8"	215/8"						
700 Series w/o gromments	17 ⁵ /8"	215/8"	27 ⁵ /8"	275/8"						
True	N/A	17 ⁵ /8"	215/8"	N/A						

Choose a pedestal whose depth is no longer than the dimension shown.

Note: If the next largest size freestanding or mobile pedestal are specified under a WorkZon desk with modesty panel, the pedestal will stick out 1" from the front edge of the worksurface. Do not specify larger sized hanging pedestal under WorkZone desks.

INFORMATION

Height

All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Figures provided are approximate and reflect packaged product without additional accessories.



700 Series® Curve Pedestals Worksurface Supporting

Approx. Packaged Weight	Pri	livered cing	Dimpled Front add to l price	
59.0#	\$	781	\$	14
82.0#		914		16
61.0#	\$	865	\$	16
80.0#		999		18

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

700 Series® Credenza

Credenza Files

			MODEL NUME	BER				
	MODEL	W x D	Basic Model	Pull Option	Unit Color	Optional Counter- balance Weight	Key Option	Approx. Packaged Weight
	27-7/8" Credenza File - FF	30 x 18-7/8 x 27-7/8"	S7L/30240FF					120.0#
	Height to match worksurface supporting	36 x 18-7/8 x 27-7/8"	S7L/36240FF					130.0#
	pedestal, drawer fronts compatible with pedestals	42 x 18-7/8 x 27-7/8"	S7L/42240FF					145.0#
	Two 12" file drawers with FBA bars for							
	side-to-side filing							
S7LTU	 Counterbalance weight is recommended for freestanding units 							
	for free-standing units							
	27-7/8" Credenza File - BBF Height to match worksurface supporting pedestal, drawer fronts compatible with pedestals Two 6" box drawers, one 12" file drawer with FBA bars for side-to-side filing Counterbalance weight is recommended for freestanding units	30 x 18-7/8 x 27-7/8"	S7L/30240BBF					135.0#
		36 x 18-7/8 x 27-7/8"	S7L/36240BBF					145.0#
		42 x 18-7/8 x 27-7/8"	S7L/42240BBF					160.0#
S7LTU								
	Tot moodanding units							
Janton.	Counterbalance		S7L/CBW60					60.0#
	 For 2-high lateral file units or credenza file, 30", 36" or 42" 							
	Recommended when unit is not under							
	workstation							
	Factory installed, if specified							
LTACU								
			A	B	•	•	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.

ALBT ALMT - Aluminum Bow Tie - Aluminum Metric ARCN - Arc Nickel CLSC - Classic (inset pull) - Nickel Bow Tie - Retro Nickel RETN

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.

 CBW With Counterbalance

 NOCBW No Counterbalance See pricing column for counterbalance weight upcharge.
- Select key option.

- Key alike - Key standard

- No lock core

NLC



700 Series® Credenza Credenza Files

•		
Delivered Pricing	Counter balance Weight add to l price	ist
\$ 1173	\$	221
1257		221
1340		221
\$ 1377		221
1462		221
1550		221
\$ 221		N/A
Ţ <u>22</u> .		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

Model No.	Description	Page
7D/18CD	Accessories: Center Drawer	40
7D/B2036	Bridges: Bridges	20
7D/CS2062	Credenzas: Credenza Shell	22
7D/CT2060	Credenzas: Credenza Top	22
7D/CTB3619	Tackboards/Screens: Corner-Tackboards/Screens	38
7D/CTU60/34S	Countertop: Countertop with Tackboard (34S) Edge	32
7D/CTU60/74P	Countertop: Countertop with Tackboard (74P) Edge	32
7D/CTU60/SE	Countertop: Countertop with Tackboard (SE) Edge	32
7D/CU2436	Corner: Corner	18
7D/D2448	Desk: Desk	10
7D/DD3060	P-Shape and D-Shape Desk: D-Shape Desk	12
7D/DR2436	P-Shape and D-Shape Returns: D-Shape Return	16
7D/OSD30/F	Overhead Storage: Closed Overhead (one door) - Fabric	36
7D/0SD30/S	Overhead Storage: Closed Overhead (one door) - Steel	34
7D/0SD66/F	Overhead Storage: Closed Overhead (two doors) - Fabric	36
7D/0SD66/S	Overhead Storage: Closed Overhead (two doors) - Steel	34
7D/OSPD	Accessories: Plate Dividers	40
7D/0SS30	Overhead Storage: Open Overhead - Steel	34
7D/PD3060	P-Shape and D-Shape Desk: P-Shape and D-Shape Desk	12
7D/PR2454	P-Shape and D-Shape Returns: P-Shape and D-Shape Desk	16
7D/R2424	Returns: Desk	14
7D/TB3019	Tackboards/Screens: Tackboards/Screens	38
7DD/B2036	Bridges with PowerUp®: Bridges	30
7DD/CU2436	Corner with PowerUp®: Corner	28
7DD/D2448	Desk with PowerUp®: Desk	24
7DD/R2424	Returns with PowerUp®: Desk	26
S7CP1520HBBB	Hanging: Pedestal - BBB	60
S7CP1520HBF S7CP1520HPBF	Hanging: Pedestal - BF	60 60
S7CP1520MBBF	Hanging: Pedestal - PBF	58
S7CP1520MBF	Mobile and Freestanding: Pedestal - BBF Mobile and Freestanding: Pedestal - BF	56
S7CP1520MFF	Mobile and Freestanding: Pedestal - FF	58
S7CP1520MPBF	Mobile and Freestanding: Pedestal - PBF	56
S7CP1520WBBF	Worksurface Supporting: Pedestal - BBF	62
S7CP1520WFF	Worksurface Supporting: Pedestal - FF	62
S7L/30240BBF	Credenza Files: 27-7/8" Credenza File - BBF	64
S7L/30240FF	Credenza Files: 27-7/8" Credenza File - FF	64
S7L/CBW60	Credenza Files: Counterbalance	64
S7P/1520FBBBB	Mobile and Freestanding: Pedestal - BBBB	48
S7P/1520FBBF	Mobile and Freestanding: Pedestal - BBF	46
S7P/1520FFF	Mobile and Freestanding: Pedestal - FF	46
S7P/1520FPBBB	Mobile and Freestanding: Pedestal - PBBB	48
S7P/1520FPBF	Mobile and Freestanding: Pedestal - PBF	44
S7P/1520HBBB	Hanging: Pedestal - BBB	50
S7P/1520HBF	Hanging: Pedestal - BF	50
S7P/1520HPBF	Hanging: Pedestal - PBF	50
S7P/1520MBBB	Mobile and Freestanding: Pedestal - BBB	44
S7P/1520MBF	Mobile and Freestanding: Pedestal - BF	44
S7P/1520WBBBB	Worksurface Supporting: Pedestal - BBBB	52
S7P/1520WBBF	Worksurface Supporting: Pedestal - BBF	52
S7P/1520WFF	Worksurface Supporting: Pedestal - FF	52
S7P/1524MBFTP	Mobile and Freestanding: Pedestal - BFTP	44
S7P/D12	Accessories: Hanging Folder Partition	54
S7P/D6	Accessories: 6" Partition	54
S7P/GK	Accessories: Glide Kit	54
S7P/PENTRAY	Accessories: Pencil Tray	54
TLT5.24	Accessories: Task Light	42

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11489R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.