

June 12, 2018

To Whom It May Concern:

Bid Proposals for **"Security Fencing Project"**, as listed on the attached sheet will be received in the Business Office of the Central Building of the Tate County School District located at 574 Parkway Street, Coldwater, Mississippi until **10:00 a.m., Wednesday, June 27, 2018.**

For mailed proposals, the following address should be used:

Tate County School District
Attn: Sandy Patton, Business Administrator
574 Parkway St.
Coldwater, MS 38618

Bid envelopes should be sealed and clearly marked **"Security Fencing Project – Project #5806025"**.

Bids may be submitted electronically through the Project Bid Information link on the Tate County Schools.org website. No emailed bids will be accepted.

Sincerely,

Sandy Patton
School Business Administrator

Proposal

Tate County School District
574 Parkway Street
Coldwater, MS 38618

To Whom It May Concern:

Having examined the specifications outlined on the attached sheet, my firm agrees to furnish and deliver items and provide fencing and installation according to your specifications and instructions at the indicated prices. We/I, the undersigned, understand and accept the instructions and conditions under which this proposal is being submitted.

This bid consists of a Proposal, Conditions/Specifications and Proposal Summary Sheets. We/I understand that a company officer's signature is required on each form unless this has been done, the proposals may be considered incomplete and therefore rejected.

FIRM: _____

BY: _____

ADDRESS: _____

TITLE: _____

STATE: _____

TELEPHONE: _____

DATE: _____

CONDITIONS/SPECIFICATION

The Board of Trustees of the Tate County School District, Coldwater, Mississippi, will receive sealed bids in the Business Office of the Central Office Building on **Wednesday, June 27, 2018, until 10:00 a.m.** The Board of Trustees reserves the following rights.

1. To appoint or authorize a person or persons to evaluate bids, act, and make decisions on matters pertaining to bids.
2. To reject any and/or all bids of any group thereof and waive and informalities.
3. To adjust quantities of supplies involved under any item in accordance with the unit price submitted as part of the proposal.

The above bids will be opened in the Business Office, 574 Parkway Street, Coldwater, Mississippi, on **Wednesday, June 27, 2018 at 10:00 a.m...** All bids shall be submitted to this address on or before the above time and date. Envelopes containing bides shall be plainly marked **"Security Fencing Project – Project #5806025."** Any notations appearing on the outside of envelopes containing the sealed bids that are intended to amend the bids in any manner will not be considered. Bids may be submitted electronically through the Project Bid Information link on the Tate County Schools.org website. No emailed bids will be accepted.

No bids may be withdrawn following the scheduled opening date.

Suppliers must be licensed to do business in the State of Mississippi. Non-resident and resident bidders shall attach written notice to this bid when preference statutes apply in the letter of public contract. A non-resident bidder domiciled in a state having laws granting preference to local contractors shall be awarded Mississippi contracts only on the same basis as the non-resident bidder's state awards contracts to Mississippi contractors. If non-resident bidders state grants preference where the bidder is domiciled, the non-resident bidders shall cite the statute and attach the following: (1) the address written by the bidder on the form furnished by the school district is the domicile of the bidder, (2) the absence of an attached written notice of preference verifies the bidder has no preference statutes, and (3) an attached notice to bid must be assessed by the school district prior to awarding a public contract.

See the attached list of project specifications.

PRICES

Bid prices, unless otherwise specified, shall be **NET** including transportation and handling charges fully prepaid by vendor to Tate County School District, Coldwater, Mississippi. Cash discounts will be considered and time will be counted from date of

acceptance. Prices must be shown on the attached Bid Summary Sheet supplied for this purpose. All bids must be FIRM PRICES, free of any escalator clauses. Prices must include all taxes. Tate County School District will furnish tax-exemption certificates for State and Federal taxes where applicable.

Warranties and guarantees normally supplied with this type of equipment shall be included in the prices and explained on the bid form along with a complete description of quantity discounts and limitations or conditions that may apply. If sufficient space is not provided on the bid form, a separate sheet should be attached.

CERTIFICATE OF RESPONSIBILITY

All contractors who are submitting bids in excess of \$50,000 for installations are required to write their current certificate of responsibility number on the outside of the envelope before the expiration of the bid period. This number must be included on the outside of the envelope for the bid to be considered.

BONDS AND BID SECURITY:

1. A Performance Bond and Labor and Material Payment Bond will be required by the owner. The bidder agrees, if awarded the bid, to execute to the owner, within one week of notification of the pending award, a performance bond and materials and labor bond in a form acceptable to the Owner, and in the amount equal to the contract sum. Failure to submit this bond at the time of the notification of award will cause forfeiture of bid security as liquidated damages. This performance bond will be required to be in effect until all work is complete.
2. Each bid must be accompanied by Cashier's or Certified Check of the bidder, payable to Tate County School District, or a bid bond duly executed by the bidder as principal and having as surety thereon a surety company approved by the Owner in the amount of 5% of the bid. Such checks or bid bonds will be returned to all except the lowest three bidders within three (3) days after the opening of the bids, and the remaining checks or bid bonds will be returned promptly after the Owner has made the award of the contract, or, if no award has been made within forty-five (45) days after the date of the opening of the bids, upon demand of the bidder at any time thereafter, so long as he has not been notified of the acceptance of his bid. Such security shall be forfeited as liquidated damages, not penalty, by any bidder who may be awarded the contract but who fails to carry out the terms of the bid, execute the work, and post performance bond in the form and amount within the time specified.
3. Liquidated damages per diem: \$500.00 per day if equipment is not operational by September 30, 2018.

AWARD:

The Tate County School District will evaluate the bids and determine the best bid based on price, experience and references of Contractor, and the quality of the bid concerning equipment proposed, etc. The Tate County School District will be the sole judges of the

lowest and best price for the products specified and services needed by the district. The award of the bid should be within one week of accepting bids. All performance and payments bonds should be obtained and provided to the Tate County School District within one week of award so that a purchase order can be issued.

BILLING

Invoice is to be furnished in triplicate once the equipment is installed and tested for proper operation. No partial payments will be made. Records must be maintained and subject to the review of the Tate County School District.

ROYALTIES AND PATENTS

The contractor shall pay all royalties and license fees. The contractor shall defend all suits or claims for infringement of any patent rights and shall hold the Tate County School District harmless from such loss on account thereof.

INSURANCE REQUIREMENTS

The following insurance requirements must be met or the bid will be considered incomplete and therefore rejected.

- (a) Commercial General Liability – Combined Single Limit in an amount of \$1,000,000.00 per occurrence with \$2,000,000.00 aggregate;
- (b) Commercial Auto Liability – Combined Single Limit in an amount of \$1,000,000.00;
- (c) Workers' Compensation and Employer's Liability Insurance:
Workers' Compensation Limits: Statutory-State of Mississippi. Policy Shall include a waiver of subrogation in favor of Tate County School District. Employers' Liability: \$100,000.00 Each Accident; 500,000.00 Disease Policy Limit; \$100,000.00 Disease Each Employee;
- (d) The Tate County School District shall be named as an additional insured On the General Liability Policy and Automobile Policy;
- (e) Fidelity bonds shall be secured on all of Contractor's employees in amounts not less than \$5,000.00 per individual and \$25,000.00 per occurrence; and,
- (f) Proof of coverage must be placed on file with the school district by the Contractor and kept current throughout the term of this Contract.

Current insurance certificates should be attached to the bid.

DAMAGE CAUSED BY SUCCESSFUL BIDDER

The Tate County School District will hold the successful bidder responsible for damage caused to the buildings, fences, and other structures or assets of the Tate County School District under all conditions.

SUBSTITUTIONS

If an alternate item is offered, this must be noted on the Bid Summary Sheet and detailed information must be furnished on the item on which the bid is submitted. A complete description of the substitute must be provided and pre-approved by the Business Administrator of the Tate County School District.

Unless the detailed information is furnished, your bid will be considered incomplete and therefore rejected.

GENERAL NOTES:

1. The awarded bidder is responsible for cleaning up and disposing of all debris related to this project.
2. Bidder must use the bid form submitted in the bid specifications packet.
3. Data sheets or spec sheets of item submitted for bid should be included in the bid packet.
4. Bidders must submit a detailed itemized list in the bid packet for each bid. This list should contain a description of each item, manufacturer/brand name, part number, quantity, price each, extended price, laborer if applicable, and the total. The total should match the bid amount submitted on the proposal form.
5. Bids must be submitted in a sealed envelope sized 8"x10" or larger or submitted electronically. Emailed bids will not be accepted.
6. Final award of the contract is contingent upon examination by appropriate Tate County School District personnel.
7. NO refurbished items or parts will be used.
8. Winning bidder must have all equipment installed and operational completed no later than September 30, 2018. Completion of the project is extremely important. Therefore, no extensions will be available to vendors.

By submitting this bid, I hereby agree that my company can meet all specifications and conditions included in this packet and the amounts included are firm prices.

FIRM _____

BY _____

TITLE _____

PHONE # _____

Bids on Security Fencing Project – Project #5806025

Bids will be accepted until 10:00 A.M. on Wednesday, June 27, 2018 and will be opened at that time.

Bid will include firm price for equipment and installation. Only one bid price per bid will be accepted.

At the sites, the new equipment will be installed and warranted by the vendor.

For any questions contact Dr. Daryl Scoggin or Sandy Patton at 662-562-5861.

BID SUMMARY SHEET

The bidder certifies he has familiarized himself with these specifications, has carefully read them and understands their contents. Any security fencing equipment furnished by our company will meet the specifications outlined in this bid package.

Security Fencing Project – Project #5806025

\$ _____

Date: _____

Company: _____

By: _____

Signature: _____

Email: _____

Phone: _____

Purposed specifications for All Sites:

- Type of wire – 2" mesh x 9 ga 1.2 oz galvanized
- Height of fence – 6' Twisted/barbed both ends
- Dia & length of line post – 2" x 8' sps-30
- Gate posts – 3" x 9' sps-30 for walk gates; Gate posts – 4" x 1'- syl-40 for Cantilenar gates
- Top rail – 1 5/8' sps-20
- Corner posts – 3" x 9' sps-30
- End posts – 3" x 9' sps-30
- Tie wire – 9 ga aluminum
- Concrete line posts – 6" x 27"
- Concrete corner & end posts – 9" x 36'
- Concrete gate post – 9" x 36" wg / 12' x 48" cant.
- Type concrete – 2500 PSI
- Type of fittings - IND
- Wire – 7 ga galv. Bottom torsion wire
- Posts set on 10' centers maximum

Purposed specifications for Coldwater Attendance Center:

- 1469lf of galvanized 6' tall chain-link fence
- 1469lf of 15/8" galvanized top rail
- 1120lf 2" x 8' tall galvanized line post
- 162lf of 3"x9' tall galvanized terminal post
- 72" x 20' full weight cantilever gate
- 72" x36' full weight cantilever gate
- 72" x 8' single swing gate
- 72" x 10' double swing gate
- 72" x 33' full weight cantilever gate
- (2) Hysecurity DC15 Slide Gage Operators with Battery Back Up
- (2) Concrete Pads
- (2) Photobeams
- (2) Millers Edges
- (4) Saw Cut Loops with Associated Loop Detectors
- (1) Firebox and SOS (padlock provided by others)
- (2) dual Height Pedestals
- (2) Viking K1700EWP-IP Intercoms with Keypad (these will require an IP phone license each by owner. These will be programmed by PC for users to have a card for entry.)
- (2) Awid Card Readers (on lower intercoms only)
- (100) Awid Cards
- (1) Aiphone JPS-4AEDV Intercom Kit for Front Door (door station with a camera and an internal master station with 7" touchscreen to see visitor, communicate and release door)
- (1) 9600 Series Strike to work with existing exit device
- (1) Lot of Cable, Conduit and Connectors
- (2) Data and power conduit to each gate location. (1) each $\frac{3}{4}$ power and (1) each $\frac{3}{4}$ low voltage for IP intercoms

Purposed specifications needed for Independence High School:

- 1135lf of 6' tall galvanized chain-link fence
- 1135lff of 1-5/8" of galvanized top rail
- 896lf of 2" x 8' tall galvanized line post
- 81lf of 3" x 9' tall galvanized terminal post
- 72" x 30' full weight cantilever gate
- 72" x 12' double swing gate
- (1) Hysecurity DC15 Slide Gage Operators with Battery Back Up
- (1) Concrete Pads
- (1) Photobeams
- (1) Millers Edges
- (2) Saw Cut Loops with Associated Loop Detectors
- (1) Firebox and SOS (padlock provided by others)
- (1) dual Height Pedestals
- (2) Viking K1700EWP-IP Intercoms with Keypad (these will require an IP phone license each by owner. These will be programmed by PC for users to have a card for entry.)
- (1) Awid Card Readers (on lower intercoms only)
- (100) Awid Cards
- (1) Aiphone JPS-4AEDV Intercom Kit for Front Door (door station with a camera and an internal master station with 7" touchscreen to see visitor, communicate and release door)
- (1) 9600 Series Strike to work with existing exit device
- (1) Lot of Cable, Conduit and Connectors
- (2) Data and power conduit to each gate location. (1) each ¾ power and (1) each ¾ low voltage for IP intercoms

Purposed specifications needed for East Tate Elementary:

- 1608lf of 6' tall galvanized chain-link fence
- 1608lf of 1-5/8" of galvanized top rail
- 1256lf of 2" x 8' tall galvanized line post
- 162lf of 3" x 9' tall galvanized terminal post
- 72" x 23" full weight cantilever gate
- 72" x 5' single swing gate
- 72" x 26' full weight cantilever gate
- (2) Hysecurity DC15 Slide Gate Operators with Battery Back Up
- (2) Concrete Pads
- (2) Photobeams
- (2) Millers Edges
- (4) Saw Cut Loops with Associated Loop Detectors
- (1) Firebox and SOS (padlock provided by others)
- (1) dual Height Pedestals
- (2) Viking K1700EWP-IP Intercoms with Keypad (these will require an IP phone license each by owner. These will be programmed by PC for users to have a card for entry.)
- (1) Avid Card Readers (on lower intercoms only)
- (100) Avid Cards
- (1) Aiphone JPS-4AEDV Intercom Kit for Front Door (door station with a camera and an internal master station with 7" touchscreen to see visitor, communicate and release door)
- (1) 9600 Series Strike to work with existing exit device
- (1) Lot of Cable, Conduit and Connectors
- (2) Data and power conduit to each gate location. (1) each ¾ power and (1) each ¾ low voltage for IP intercoms

Purposed specifications for Strayhorn High and Strayhorn Elementary School:

- 1964lf of galvanized 6' tall chain-link fence
- 1964lf of 15/8" galvanized top rail
- 1528lf of 2" x 8' tall galvanized line post
- 225lf of 3"x9' tall galvanized terminal post
- 72" x 23' full weight cantilever gate
- 72" x 36' full weight cantilever gate
- 72" x 25' double swing gate
- 72" x 10' double swing gate
- 72" x 22' full weight cantilever gate
- (2) 72" x 25' full weight cantilever gates
- (2) Hysecurity DC 20 Swing Gate Operators with Battery Back Up
- (2) Hysecurity DC15 Slide Gate Operators with Battery Back Up
- (4) Concrete Pads
- (3) Photobeams
- (3) Millers Edges
- (7) Saw Cut Loops with Associated Loop Detectors
- (2) Firebox and SOS (padlock provided by others)
- (3) dual Height Pedestals
- (6) Viking K1700EWP-IP Intercoms with Keypad (these will require an IP phone license each by owner. These will be programmed by PC for users to have a card for entry.)
- (3) Avid Card Readers (on lower intercoms only)
- (100) Avid Cards
- (1) Aiphone JPS-4AEDV Intercom Kit for Front Door (door station with a camera and an internal master station with 7" touchscreen to see visitor, communicate and release door)
- (1) 9600 Series Strike to work with existing exit device
- (1) Lot of Cable, Conduit and Connectors
- (3) Data and power conduit to each gate location. (1) each ¾ power and (1) each ¾ low voltage for IP intercoms