OFFICE OF STATE AID ROAD CONSTRUCTION MISSISSIPPI DEPARTMENT OF TRANSPORTATION AND AND AND

STONE COUNTY BOARD OF SUPERVISORS

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Stone County, Mississippi at the Stone County Courthouse, Wiggins, Mississippi, until 10:00 am on the 20th day of May, 2024 and shortly thereafter publicly opened for the construction of 0.094 miles of BRIDGE & APPROACHES on the SILVER RUN-PROGRESS RD. being known as Project No. LSBP-66(16) in Stone County, Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

MOBILIZATION LUMP SUM LS CLEARING AND GRUBBING LUMP SUM LS REMOVAL OF BRIDGE (STA. 11+61) 1.000 UN REMOVAL OF BRIDGE (STA. 11+61) 1.000 UN (ALL DEPTHS) 886.000 SY (ALL DEPTHS) UNCLASSIFIED EXCAVATION (FM) 510.000 CY EXCESS EXCAVATION (LVM) 179.000 CY GRANULAR MATERIAL (LVM), 354.000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF ERIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	ITEM	QUANTITY	UNIT
CLEARING AND GRUBBING	ROADWAY ITEMS:		
REMOVAL OF BRIDGE (STA. 11+61) 1.000 UN REMOVAL OF EXISTING PAVEMENT 886.000 SY (ALL DEPTHS)	MOBILIZATION	LUMP SUM	LS
REMOVAL OF EXISTING PAVEMENT 886.000 SY (ALL DEPTHS) UNCLASSIFIED EXCAVATION (FM) 510.000 CY EXCESS EXCAVATION (LVM) 179.000 CY GRANULAR MATERIAL (LVM), 354.000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY EXCELSIOR BLANKET 500.000 SY EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 EA ERIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	CLEARING AND GRUBBING	LUMP SUM	LS
(ALL DEPTHS) UNCLASSIFIED EXCAVATION (FM) 510.000 CY EXCESS EXCAVATION (LVM) 179.000 CY EXCESS EXCAVATION (LVM), 354.000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	REMOVAL OF BRIDGE (STA. 11+61)	1.000	UN
UNCLASSIFIED EXCAVATION (FM) 510.000 CY EXCESS EXCAVATION (LVM) 179.000 CY GRANULAR MATERIAL (LVM), 354.000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	REMOVAL OF EXISTING PAVEMENT	886.000	SY
EXCESS EXCAVATION (LVM) 179.000 CY GRANULAR MATERIAL (LVM), 354.000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	(ALL DEPTHS)		
GRANULAR MATERIAL (LVM), 354,000 CY (CLASS 4, GROUP B) RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	UNCLASSIFIED EXCAVATION (FM)	510.000	CY
CLASS 4, GROUP B RIGHT-OF-WAY MARKERS (TYPE I)	EXCESS EXCAVATION (LVM)	179.000	CY
RIGHT-OF-WAY MARKERS (TYPE I) 15.000 EA MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	GRANULAR MATERIAL (LVM),	354.000	CY
MAINTENANCE OF TRAFFIC LUMP SUM LS ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	(CLASS 4, GROUP B)		
ADDITIONAL CONSTRUCTION SIGNS 0.000 SF REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	RIGHT-OF-WAY MARKERS (TYPE I)	15.000	EA
REFLECTORIZED TRAFFIC OBJECT MARKER 4.000 EA (ENCAPSULATED LENS) (TYPE 3) EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT 180.000 CY (CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	MAINTENANCE OF TRAFFIC	LUMP SUM	LS
EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT (CONTRACTOR FURNISHED) (LVM) SOLID SODDING EXCELSIOR BLANKET 500.000 EX HYDROSEEDING 0.670 AC EROSION MAT 214.000 EROSION MAT 214.000 EY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	ADDITIONAL CONSTRUCTION SIGNS	0.000	SF
### EROSION CONTROL ITEMS: TOPSOIL FOR SLOPE TREATMENT	REFLECTORIZED TRAFFIC OBJECT MARKER	4.000	EA
TOPSOIL FOR SLOPE TREATMENT (CONTRACTOR FURNISHED) (LVM) SOLID SODDING SOLID SODDING EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 LF	(ENCAPSULATED LENS) (TYPE 3)		
(CONTRACTOR FURNISHED) (LVM) SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) 300.000 LF BRIDGE ITEMS: 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	EROSION CONTROL ITEMS:		
SOLID SODDING 500.000 SY EXCELSIOR BLANKET 500.000 SY HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	TOPSOIL FOR SLOPE TREATMENT	180.000	СУ
EXCELSIOR BLANKET HYDROSEEDING EROSION MAT TEMPORARY SILT FENCE (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. BRIDGE ITEMS: TEST PILE CONVENTIONAL STATIC PILE LOAD TEST 14 PRESTRESSED CONCRETE PILING 500.000 SY AC 214.000 SY 42.000 LF 300.000 EA 630.000 LF	(CONTRACTOR FURNISHED) (LVM)		
HYDROSEEDING 0.670 AC EROSION MAT 214.000 SY TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	SOLID SODDING	500.000	SY
EROSION MAT EROSION MAT TEMPORARY SILT FENCE (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. BRIDGE ITEMS: TEST PILE CONVENTIONAL STATIC PILE LOAD TEST 14" PRESTRESSED CONCRETE PILING 214.000 SY 300.000 LF 22.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	EXCELSIOR BLANKET	500.000	SY
TEMPORARY SILT FENCE 920.000 LF (TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	HYDROSEEDING	0.670	AC
(TYPE II) (AOS 0.15-0.84) WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	EROSION MAT	214.000	SY
WATTLES, 20 IN. 300.000 LF BRIDGE ITEMS: TEST PILE CONVENTIONAL STATIC PILE LOAD TEST 14" PRESTRESSED CONCRETE PILING 630.000 LF	TEMPORARY SILT FENCE	920.000	\mathbf{LF}
BRIDGE ITEMS: TEST PILE CONVENTIONAL STATIC PILE LOAD TEST 14" PRESTRESSED CONCRETE PILING 630.000 LF	(TYPE II) (AOS 0.15-0.84)		
TEST PILE 2.000 EA CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	WATTLES, 20 IN.	300.000	\mathbf{LF}
CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	BRIDGE ITEMS:		
CONVENTIONAL STATIC PILE LOAD TEST 0.000 EA 14" PRESTRESSED CONCRETE PILING 630.000 LF	TEST PILE	2.000	EA
14" PRESTRESSED CONCRETE PILING 630.000 LF	CONVENTIONAL STATIC PILE LOAD TEST		 =
	14" PRESTRESSED CONCRETE PILING		
	18" PRE-FORMED PILE HOLES		LF

19' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	12.000	EA	
31' PRECAST CONCRETE SLAB UNIT, 3'-6" INTERIOR	6.000	EA	
19' PRECAST CONCRETE SLAB UNIT,	4.000	EA	
31' PRECAST CONCRETE SLAB UNIT,	2.000	EA	
BEAM TYPE RAILING WITH	138.000	LF	
CONCRETE POSTS 29' PRECAST CONCRETE CAP,	2.000	EA	
INTERMEDIATE UNIT, CONCRETE PILE 29' PRECAST CONCRETE CAP,	2.000	EA	
END UNIT, CONCRETE PILE			
7.5' PRECAST CONCRETE WING	4.000	EA	
LOOSE RIPRAP, 300 LB.	186.000	TON	
GEOTEXTILE UNDER RIPRAP	336.000	SY	
TYPE V, NON-WOVEN, AOS < 0.43			

NOTICE TO CONTRACTORS:

CONTRACT TIME:

60 Working Days

BASIS OF AWARD

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Stone County, the LSBP Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured from Jonathan K. Bond, LSBP Engineer for Stone County, Mississippi, P. O. Box 369, Wiggins. The Cost is fifty dollars (\$50.00) for plans and fifty dollars (\$50.00) for the proposal, non-refundable

Certified check or bid bond for five percent (5%) of the total bid, made payable to Stone County and the State of Mississippi must accompany each proposal.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Ronald Howard, President Stone County Board of Supervisors