

**SPECIFICATIONS AND CONTRACT DOCUMENTS
FOR SEWERAGE PRE-TREATMENT SYSTEM
FOR
EAST MISSISSIPPI CORRECTIONAL FACILITY
MERIDIAN, MISSISSIPPI**

ADDENDUM NO. 1

TO: ALL BIDDERS ON THE ABOVE REFERENCED PROJECT

FROM: Keith H. McCraney, PE


DATE: November 3, 2021

SUBJECT: **ADDENDUM NO. 1**

Clarifications and Modifications to contract documents issued for the referenced project include the following:

1. Temporary bypass pumping of sewage is required for construction of the sewerage pre-treatment system. Temporary bypass pumping system shall provide a minimum of 200 gpm flow. Temporary bypass pumping system shall include, but not be limited to, pumps, piping, generators, and necessary electrical work required to provide a fully operational and functioning system. The temporary bypass pumping of sewage is not a separate pay item but shall be absorbed as part of Pay Item No. 9 (Tie to Existing 10" Dia. Gravity Sanitary Sewer).

Submitted By:


Project Engineer

Date

11/3/2021

Acknowledged By:

Contractor

Date

THIS ADDENDUM SHALL BE SIGNED, DATED AND SUBMITTED WITH BID DOCUMENTS. FAILURE TO ACKNOWLEDGE RECEIPT OF THIS ADDENDUM AND ATTACH IT TO CONTRACT DOCUMENTS MAY BE GROUNDS FOR REJECTING PROPOSAL.