January 3, 2011 Updated March 30, 2016 800-424-2432





All Terrain® Screens			2
	Full-Height Core with		4
	Full-Height Core with	Three-Point Base	6
	Accessories		8
Rails for Paper Mana	igement Tools		
	General Information		10
	Wall Rail		12
	Panel Rail		14
lsle™			16
Worksurface Accesso	ories		
	Keyboard Tray with T	rackless Arm	18
	Corner Worksurface I	Keyboard Trays	20
	Keyboard Trays with	Standard Arms	28
	Keyboard Drawer		34
	CPU Sling		36
	Adjustable/Securable		38
	Compact CPU Holder		40
	Universal CPU Holder		42
	Wire Management		44
Pneumatic Monitor A	irms		
	Extended Arm		46
Flat Screen Support	System		48
Drop-in USB Charger			58
Qi™ Wireless Power	Grommet		60
Electrical Accessorie	S		
	PowerUp [®] and Villa		62
Index			64

All Terrain[®] Screens

General Information

SCREENS

Screen Frame

Screens shall be available in the following sizes: heights of 54" and 66"; widths of 24", 30", 36", 42" and 48".

The framework shall be constructed of extruded aluminum horizontal and vertical members. The framework shall have a powder-coat finish.

Foot and Peg Legs

The screen shall be available with four contact points with the floor, which is made up of two feet. 24" and 30" wide screens shall be available with three points of contact with the floor, which is made up of one foot and one peg leg.

The foot and peg leg shall be constructed of molded aluminum with a powder-coat finish. The foot and peg leg shall be fastened to the vertical and horizontal framework and will support the screen. The foot and peg leg will provide sufficient clearance to allow nesting of screens for storage purposes.

Casters

Casters shall be available for the screen. Four large twin-wheel casters shall be constructed with 70mm (2-3/4") diameter black tread and KI Glacier white hub. Casters shall have a swivel radius of 2-1/2". Casters shall be available in both locking and nonlocking swivel versions.

There shall be three caster options available to use with the feet and peg leg combinations: three casters are specified; two locking and one-swivel casters are used. When four casters are specified, two locking and two swivel casters are used. When two casters and one glide are specified, two locking casters are used with one glide.

Glides

Screens shall also be available with telescoping glides. Glides shall have a nominal mounting height (3-1/4") equal to the caster height, allowing casters and glides to be interchangeable without changing the screen height. Glides shall be adjustable by 1/2" from the nominal position. Each glide shall include a telescoping hood that maintains contact with the bottom of the foot or peg leg. Glide base shall be KI Glacier white molded nylon. Glide body and telescoping hood shall be black nylon. Glide base diameter shall be 2-3/4".

There shall be three glide options available to use with the feet and peg leg combinations: three glides, two casters and one glide, or four glides.

Fabric Core

The fabric screen core shall be constructed of mineral fiberboard, a fiberglass matting overlay with the fiber adhered to both sides. The finished thickness shall be 1/2". The core shall be trapped in the screen framework. The fabric core is standard with the same fabric on both sides of the cores.

Markerboard Core

The markerboard core shall be constructed of 20-gauge painted steel adhered to both sides of a corrugate core to a finished thickness of 1/2". The paint shall be colormatched to the white porcelain paint finish of other KI markerboard products. The core shall be trapped in the screen framework.

Clear Plastic Core

The clear plastic core shall be constructed of fluted, extruded, clear polycarbonate. It shall be extruded to a 10mm thickness. The core shall be trapped in the screen framework.

Edge Trim

The vertical frame extrusion shall receive an extruded magnetic edge trim.

Magnetic Edge Trim

The magnetic edge trim shall be constructed of rubber magnet extrusion. It shall be held in place by the vertical frame extrusion. The magnetic trim shall provide a means of toolless and component-less linking of screens. Magnetic trim shall provide linking at any angle. Magnetic trim shall provide linking between two screens, between three screens, and between four screens, allowing for three-way and four-way connections.

Full-Height Core Screen

The full-height core screens shall extend from the top of the screen's framework to the bottom of the screen's framework. Core options of fabric, markerboard, and clear plastic shall be available.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



All Terrain[®] Screens

			MODEL NUMBER	MUDEL NUMBER				
							Approx.	
			Basic		Paint	Fabric	Packaged	
	MODEL	WxDxH	Model	Base	Color	Color	Weight	
	Fluted Plastic Core - Four-Point Base (CP)	24 x 16 x 54"	ATS42454FHC/CP				18.0#	
	Aluminum frame	24 x 16 x 66"	ATS42466FHC/CP				20.0#	
	Cast aluminum legs	30 x 16 x 54"	ATS43054FHC/CP				18.0#	
	Magnetic trim connectors	30 x 16 x 66"	ATS43066FHC/CP				21.0#	
	Casters or glides	36 x 16 x 54"	ATS43654FHC/CP				19.0#	
	Core material same on both sides	36 x 16 x 66"	ATS43666FHC/CP				22.0#	
6		42 x 16 x 54"	ATS44254FHC/CP				20.0#	
		42 x 16 x 66"	ATS44266FHC/CP				23.0#	
		48 x 16 x 54"	ATS44854FHC/CP				21.0#	
ATS4		48 x 16 x 66"	ATS44866FHC/CP				24.0#	
	Fabric-Covered Tackboard Core - Four- Point Base (FB)	24 x 16 x 54"	ATS42454FHC/FB				18.0#	
	• Aluminum frame	24 x 16 x 66"	ATS42466FHC/FB				20.0#	
	Cast aluminum legs	30 x 16 x 54"	ATS43054FHC/FB				18.0#	
	Magnetic trim connectors	30 x 16 x 66"	ATS43066FHC/FB				21.0#	
	 Casters or glides Core material same on both sides 	36 x 16 x 54"	ATS43654FHC/FB				19.0#	
		36 x 16 x 66"	ATS43666FHC/FB				22.0#	
• >		42 x 16 x 54"	ATS44254FHC/FB				20.0#	
6		42 x 16 x 66"	ATS44266FHC/FB				23.0#	
1704		48 x 16 x 54"	ATS44854FHC/FB				21.0#	
ATS4		48 x 16 x 66" 24 x 16 x 54"	ATS44866FHC/FB ATS42454FHC/MB				24.0# 31.0#	
	Markerboard Core (Painted Steel) - Four- Point Base (MB)	24 x 16 x 54 24 x 16 x 66"	ATS42454FHC/MB				37.0#	
	Aluminum frame	24 x 10 x 00 30 x 16 x 54"	ATS43054FHC/MB				36.0#	
	Cast aluminum legs	30 x 16 x 54	ATS43054FHC/MB				43.0#	
	Magnetic trim connectors	36 x 16 x 54"	ATS43654FHC/MB				41.0#	
	 Casters or glides Core material same on both sides 	36 x 16 x 66"	ATS43666FHC/MB				49.0#	
		42 x 16 x 54"	ATS44254FHC/MB				45.0#	
• >		42 x 16 x 54 42 x 16 x 66"	ATS44266FHC/MB				40.0# 56.0#	
6		42 x 16 x 54"	ATS442001HC/MB				50.0#	
ATS4		48 x 16 x 66"	ATS44866FHC/MB				62.0#	
7.10 F		10 / 10 / 00				•		
			A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect base style. 4CW - 4 bl/wh casters (2 lock
 - ing) 4GB - 4 bl/wh glides
 - 4MW - 2 casters bl/wh, 2 glides bl/wh
- Select paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



All Terrain[®] Screens Full-Height Core with Four-Point Base

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 874					
882					
934					
938					
976					
1003					
1022					
1042					
1052					
1062					
N/A	\$ 886	\$ 898	\$ 905	\$ 900	\$ 939
N/A	890	903	914	905	948
N/A	948	959	970	963	1001
N/A	954	967	976	971	1011
N/A	987	1015	1029	1017	1096
N/A	1020	1042	1058	1045	1126
N/A	1030	1055	1073	1058	1141
N/A	1052	1079	1093	1082	1163
N/A	1067	1090	1108	1093	1176
N/A	1075	1097	1117	1101	1182
\$ 883					
887					
942					
949					
984					
1015					
1028					
1050					
1062					
1072					

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

All Terrain[®] Screens Full-Height Core with Three-Point Base

			MODEL NUMBER					
	MODEL	W x D x H	Basic Model	Base	Paint Color	Fabric Color	Approx. Packaged Weight	
▶	Fluted Plastic Core - Three-point base	24 x 16 x 54"	ATS32454FHC/CP				16.0#	
	(CP) .	24 x 16 x 66"	ATS32466FHC/CP				18.0#	
	Aluminum frameCast aluminum legs	30 x 16 x 54"	ATS33054FHC/CP				17.0#	
	 Cast auminum legs Magnetic trim connectors 	30 x 16 x 66"	ATS33066FHC/CP				19.0#	
	Casters or glides							
	Core material same on both sides							
6								
ATS3								
	Fabric-Covered Tackboard Core - Three-	24 x 16 x 54"	ATS32454FHC/FB				16.0#	
	 Point Base (FB) Aluminum frame 	24 x 16 x 66"	ATS32466FHC/FB				18.0#	
	Cast aluminum legs	30 x 16 x 54"	ATS33054FHC/FB				17.0#	
	 Magnetic trim connectors 	30 x 16 x 66"	ATS33066FHC/FB				19.0#	
	 Casters or glides Core material same on both sides 							
	Core material same on both sides							
• >								
6								
ATS3								
A155	Merkerhoerd Core (Deinted Steel)	24 x 16 x 54"	ATS32454FHC/MB				29.0#	
	Markerboard Core (Painted Steel) - Three-Point Base (MB)	24 x 16 x 66"	ATS32466FHC/MB				36.0#	
	Aluminum frame	30 x 16 x 54"	ATS33054FHC/MB				34.0#	
	Cast aluminum legs	30 x 16 x 66"	ATS33066FHC/MB				42.0#	
	 Magnetic trim connectors Casters or glides 							
	Core material same on both sides							
6								
ATS3								
			A	B	C	D	-	
			w	U	U.	U		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect base style. 2C1 - 3 bl/wh locking casters, 1 glide 3CW - 3 bl/wh casters (2 locking) 3GB - 3 bl/wh glides
- CSelect paint color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select fabric color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



All Terrain[®] Screens Full-Height Core with Three-Point Base

U	livered Pricing hupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$	853					
	855					
	915					
	918					
	N/A	\$ 864	\$ 878	\$ 887	\$ 882	\$ 920
	N/A	869	883	890	886	924
	N/A	926	939	950	942	983
	N/A	932	946	954	949	987
\$	857					
	864					
	920					
	925					

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

All Terrain[®] Screens

Accessories

8

			1		
			MODEL NUMBER		
	MODEL	Н	Basic Model	Approx. Packaged Weight	
	3" Casters - Locking	3-3/8"	2.KP80493	1.0#	
	• One caster with twin 2-15/16" diameter wheels				
HRDPT					
	3" Casters - Non-Locking	3-3/8"	2.KP80413	1.0#	
	One caster with twin 2-15/16" diameter wheels				
	Wilesis				
HRDPT					
	Glides	3-3/8"	2.KP103000BLWH	1.0#	
	Same height as casters Provides 1/2" height adjustment				
HRDPT		10 0 1 0		1.0 "	
	Magnetic Markerboard Tray2 One 16" magnetically mounted alumi- 	16 x 2-1/2"	MB.TRAY	1.0#	
	num pen and eraser tray				
	Clear aluminum anodized finish				
HRDPT	-				
	Magnetic Markerboard Kit		MB.MARKERKIT	1.0#	
	One 16" magnetically mounted alumi- num pen and eraser tray with one eraser				
	and four pens Clear aluminum anodized finish 				
HRDPT					
			•		
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

All Terrain[®] Screens

Deliv Prici	ered ng	
\$		
\$	28	
\$	30	
\$	37	
\$	89	
Ψ	00	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 or Manitowoc, Wisconsin 54220 (MB.TRAY, MB.MARKERKIT) factory. Freight class #70.

Wall Rail

10

The wall rail shall be constructed of two aluminum extrusions. One extrusion shall be fastened to the wall. The second extrusion shall be snapped onto the first extrusion. The second extrusion shall provide a means for displaying and storing KI paper management accessories.

The second extrusion shall have a machining operation performed on the end of it for aesthetic appeal and shall have a powdercoat finish. The extrusion shall be available in lengths of: 24", 36", 48", 72" and 96".

Panel Rail

The panel rail shall be constructed of one aluminum extrusion and two 16-gauge, cut and formed steel brackets. The extrusion shall mount to KI panel and wall systems.

The extrusion shall provide a means for displaying and storing KI paper management accessories. The extrusion shall have a machining operation performed on the end of it for aesthetic appeal and shall have a powder-coat finish. The extrusion shall be available in lengths of: 24", 36", 48", 72" and 96".

The extrusion shall slide along the brackets to allow for the extrusion to be "off-module" from the panel and wall system.

Rails for Paper Management Tools



12

			MODEL NUM	BER		
	MODEL	W x D x H	Basic Model	Paint Color	Approx. Packaged Weight	
	Wall Rail	24 x 3/8 x 2-1/4"	ATWR24/WM		0.5#	
	 Accommodates KI paper management accessories 	36 x 3/8 x 2-1/4"	ATWR36/WM		1.0#	
	 Sent with a second extrusion that 	48 x 3/8 x 2-1/4"	ATWR48/WM		1.0#	
	fastens to wall	72 x 3/8 x 2-1/4"	ATWR72/WM		1.5#	
	Wall rail attaches to second extrusion	96 x 3/8 x 2-1/4"	ATWR96/WM		2.0#	
ATAC						
			A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

A Select basic model.

BSelect paint color.

FINISH INFORMATION

Additional Paint Colors

Other paint colors are available with additional lead time. Contact KI.

Rails for Paper Management Tools

Del Pri	ivered cing	
\$	96	
	126	
	135	
	192	
	199	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



14

			MODEL NUM	BER		
	MODEL	W x D x H	Basic Model	Paint Color	Approx. Packaged Weight	
	Panel Rail - WireWorks® panels bracketry	24 x 3/8 x 2-1/4"	ATWR24/WW		0.5#	
\sim	(WW)	36 x 3/8 x 2-1/4"	ATWR36/WW		1.0#	
	Accommodates KI paper management	48 x 3/8 x 2-1/4"	ATWR48/WW		1.0#	
	accessoriesIncludes system furniture bracketry	72 x 3/8 x 2-1/4"	ATWR72/WW		1.5#	
	Can be hung off-module; rail must be	96 x 3/8 x 2-1/4"	ATWR96/WW		2.0#	
~	wider than panel					
	Panel Rail - System 3000® panels	24 x 3/8 x 2-1/4"	ATWR24/S3		0.5#	
\sim	bracketry (S3)	36 x 3/8 x 2-1/4"	ATWR36/S3		1.0#	
	 Accommodates KI paper management accessories 	48 x 3/8 x 2-1/4"	ATWR48/S3		1.0#	
	 Includes system furniture bracketry 	72 x 3/8 x 2-1/4"	ATWR72/S3		1.5#	
	 Can be hung off-module; rail must be 	96 x 3/8 x 2-1/4"	ATWR96/S3		2.0#	
	wider than panel					
	Panel Rail - Genius® movable wall	24 x 3/8 x 2-1/4"	ATWR24/GW		0.5#	
\sim	bracketry (GW)	36 x 3/8 x 2-1/4"	ATWR36/GW		1.0#	
	 Accommodates KI paper management accessories 	48 x 3/8 x 2-1/4"	ATWR48/GW		1.0#	
	 Includes system furniture bracketry 	72 x 3/8 x 2-1/4"	ATWR72/GW		1.5#	
	 Can be hung off-module; rail must be wider than panel 	96 x 3/8 x 2-1/4"	ATWR96/GW		2.0#	
			A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

A Select basic model.

BSelect paint color.

FINISH INFORMATION

Additional Paint Colors

Other paint colors are available with additional lead time. Contact KI.

Rails for Paper Management Tools

Dal	ivered	
Pric	ivered cing	
\$	91	
	114	
	119	
	167	
	175	
\$	91	
	114	
	119	
	167	
	175	
\$	91	
	114	
	119	
	167	
	175	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.



				MODEL NUMBER		
	MODEL	Features	DIA	Basic Model	Approx. Packaged Weight	
	lsle™	Black	25.5 H x 18"	ISLE.BL	35.0#	
	 9 - 3 prong receptacles 6 - USB power outlets Single 3 prong plug power source 108" 	Cottonwood	25.5 H x 18"	ISLE.CO	35.0#	
e		Starlight Silver	25.5 H x 18"	ISLE.SX	35.0#	
	long (15 amps)					
	Tether and anchor slots for security					
	(added separately)Designed to clear under standard height					
	tables					
	Glides only					
HRDPT						

A

HOW TO ORDER

Indicate the following information on order

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of
 - $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

4

Delivered Pricing		
\$ 1854		
1854		
1854		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Worksurface Accessories Keyboard Tray with Trackless Arm

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	 Keyboard Tray with Trackless Arm Trackless arm requires only 9-3/8" 	KTTA	10.0#
	mounting space under worksurfaceArticulating keyboard arm support		
	Mini HDPE tray with swivel mouse tray		
HRDPT	 Compliant with 5th Percentile Seated Height Range knee clearance outlined in ANSI/HFES 100-2007 Guidelines Effortless height range adjustment from -1.25 to -6.98 below the mounting surface 		
	 Lift and lock height locking method Direct mounting 		
	 Tilt angle of +10 to -15 degrees 		
	 Dial tilt soft-touch knob with tilt and height indicator 		
	 360 degree swivel allows user to move keyboard freely from side to side 		
	Available in black		
		•	

A

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

Worksurface Accessories Keyboard Tray with Trackless Arm



Delivered Pricing			
\$ 322			

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	Keyboard Tray for Corner Worksurfaces	23 x 12.3"	KOMG.23	17.0#	
ser la companya de la	without Mouse Tray				
	 Ergonomically shaped, low-profile ABS plastic keyboard tray features anti-skid 				
	grip strips				
	 Snap in foam-gel wrist rest is easy to 				
	 clean and wear resistant 23.0" glide track requires 24" deep clear- ance under worksurface 				
HRDPT	· Low profile arm design provides maxi-				
	 mum leg room Patented lift-and-lock spring-assisted counterbalancing system allows for 				
	precise height adjustment (up 3.0" and				
	down 7.75") without use of knobs or				
	levers				
	 Fully adjustable 7.5" extended length neck accommodates corner mounts 				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	 Soft touch knob provides tilt control +/-15 degrees 				
	 Available in black only 				

A

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.



Delivered Pricing		
\$ 351		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	Keyboard Tray for Corner Worksurfaces with Mouse Tray	23 x 12.3"	KOMG.23.M	17.0#	
	 Sliding mouse surface has three forward index positions for optimal ergonomic 				
	posture				
	Slide-through mousing surface adjusts easily from side to side for left or right				
	hand usage; mouse tray does not tiltErgonomically shaped, low-profile ABS				
IRDPT	plastic keyboard tray features anti-skid grip strips, built-in cable manager and				
	fence • Snap in foam-gel wrist rest is easy to				
	clean and wear resistant				
	 23.0" glide track requires 24" deep clear- ance under worksurface 				
	 Low profile arm design provides maxi- mum leg room 				
	 Patented lift-and-lock spring-assisted 				
	counterbalancing system allows for precise height adjustment (up 3.0" and				
	down 7.75") without use of knobs or levers				
	 Fully adjustable 7.5" extended length neck accommodates corner mounts 				
	 360° swivel allows user to move key- 				
	board freely from side to sideSoft touch knob provides tilt control				
	+/-15 degrees Available in black only 				
	·				
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".

Indicate the following information on order

- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.



Delivered Pricing \$ 413

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

24

			MODEL NUMBER	-	
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
A	Keyboard Tray for Corner Worksurfaces	21 x 13"	KOMG.23.PM	18.0#	
	with Tilt and Swivel Mouse Tray				
	Ergonomically shaped, rigid phenolic				
	tray is sturdier than steel, and offers				
	anti-skid grip stripsBuilt-in mouse guard with cable manage-				
	ment prevents mouse from slipping off				
	tray				
HRDPT	Adjustable and detachable swivel and tilt				
רוטחו	mouse tray attaches right or leftSnap in foam-gel wrist rest is easy to				
	clean and wear resistant				
	• 23.0" glide track requires 24" deep clear-				
	ance under worksurface				
	Low profile arm design provides maxi-				
	mum leg roomPatented lift-and-lock spring-assisted				
	counterbalancing system allows for				
	precise height adjustment (up 3.0" and				
	down 7.75") without use of knobs or				
	 levers Fully adjustable 7.5" extended length 				
	neck accommodates corner mounts				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	 Soft touch knob provides tilt control +/-15 degrees 				
	 Available in graphite tray and black arm 				
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.



Delivered Pricing \$ 596

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER		
				Approx.	
			Basic	Packaged	
	MODEL	WxD	Model	Weight	
A	Keyboard Tray for Corner Surface-Sit-to-	21 x 13"	KOMSG.23.PM	18.0#	
	Stand Tilt & Swivel Mouse Tray				
	 Ergonomically shaped, rigid phenolic 				
	tray is sturdier than steel, and offers				
· · · · ·	anti-skid grip strips				
	Built-in mouse guard with cable manage-				
	ment prevents mouse from slipping off tray				
HRDPT	 Adjustable and detachable swivel and tilt 				
	mouse tray attaches right or left				
	 Snap in foam-gel wrist rest is easy to 				
	clean and wear resistant				
	 23.0" glide track requires 24" deep clear- 				
	ance under worksurface				
	 Low profile arm design provides maxi- mum leg room 				
	 Sit-to stand spring-assisted counterbal- 				
	ancing system allows for precise height				
	adjustment (up 8.25" and down 6.0")				
	without use of knobs or levers				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	Soft touch knob provides tilt control				
	+/-15 degrees Available in graphite tray and black arm 				
	• Available ill grapfille tray and black affi				

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



De Pri	livered cing				
\$	725				

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	Keyboard Tray for Rectangular Worksur-	23 x 12.3"	KOMG.20	15.0#	
	faces without Mouse Tray				
	 Ergonomically shaped, low-profile ABS 				
CC . L	plastic keyboard tray features anti-skid				
	grip strips • Snap in foam-gel wrist rest is easy to				
	clean and wear resistant				
RDPT	20" glide track requires 21" deep clear-				
NUPI	ance under worksurface				
	Low profile arm design provides maxi-				
	mum leg room				
	 Patented lift-and-lock spring-assisted counterbalancing system allows for 				
	precise height adjustment (up 2.5" and				
	down 5.8") without use of knobs or				
	levers				
	Fully adjustable 5.5" standard length				
	neck accommodates straight desktops with limited space				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	 Soft touch knob provides tilt control 				
	+/-15 degrees				
	Available in black only				
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

form:

Quantity of each item.
 Model number, including options. See "How To Build a Model Number".

Indicate the following information on order

- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.



Delivered Pricing		
\$ 414		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	Royboara may for moorangular moritoar	23 x 12.3"	KOMG.20.M	15.0#	
	faces with Mouse Tray Sliding mouse surface has three forward 				
	 Sliding mouse surface has three forward index positions for optimal ergonomic 				
	posture				
	Slide-through mousing surface adjusts				
	easily from side to side for left or right hand usage				
	 Ergonomically shaped, stable, low- 				
DPT	profile ABS plastic keyboard tray				
	features antiskid grip strips, built-in				
	 cable manager and fence Snap in foam-gel wrist rest is easy to 				
	clean and wear resistant				
	20" glide track requires 21" deep clear-				
	ance under worksurfaceLow profile arm design provides maxi-				
	mum leg room				
	Patented lift-and-lock spring-assisted				
	counterbalancing system allows for precise height adjustment (up 2.5" and				
	down 5.8") without use of knobs or				
	levers				
	 Fully adjustable 5.5" standard length neck accommodates straight desktops 				
	with limited space				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	 Soft touch knob provides tilt control +/-15 degrees 				
	Available in black only				

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is
 - required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.



Delivered Pricing \$ 475

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	Roybouru muy for frootungulur fromour	21 x 13"	KOMG.20.PM	16.0#	
	faces with Tilt Mouse Tray				
	Ergonomically shaped, rigid phenolic				
× · · ×	tray is sturdier than steel, and offers				
	anti-skid grip strips Built-in mouse guard with cable manage- 				
\sim	ment prevents mouse from slipping off				
	tray				
RDPT	Adjustable and detachable swivel and tilt				
IDEI	mouse tray attaches right or leftSnap in foam-gel wrist rest is easy to				
	clean and wear resistant				
	 20" glide track requires 21" deep clear- 				
	ance under worksurface				
	Low profile arm design provides maxi-				
	mum leg roomPatented lift-and-lock spring-assisted				
	 Paterned intrand-lock spring-assisted counterbalancing system allows for 				
	precise height adjustment (up 2.5" and				
	down 5.8") without use of knobs or				
	levers				
	Fully adjustable 5.5" standard length				
	neck accommodates straight desktops with limited space				
	 360° swivel allows user to move key- 				
	board freely from side to side				
	Soft touch knob provides tilt control				
	+/-15 degrees				
	Available in graphite tray and black arm				
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.



Delivered				
Pri	cing			
\$	660			

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Worksurface Accessories

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
.ft.	Sliding Keyboard Drawer • Sliding drawer mounts under worksur- face • 24" has 12" telescoping slides • 30" has 16" telescoping slides • Standard with molded palm rest • Cannot be used on 24" deep corner units • Available in black only	20-7/8 x 10-1/2"	KBD.24.BL	9.0#	
. >>		20-7/8 x 10-1/2"	KBD.30.BL	9.0#	
HRDPT					
ΠΝυγι					
J	Oldeline for the send descent of the second	20-7/8 x 10-1/2"	KBDM.24.BL	11.0#	
		20-7/8 x 10-1/2"	KBDM.30.BL	10.0#	
HRDPT					

A

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

Worksurface Accessories Keyboard Drawer

C F	Deliv Prici	red g				
\$	5	205				
		82				
\$	5	96				
		255				

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Worksurface Accessories

			MODEL NUMBER		
	MODEL	W x D	Basic Model	Approx. Packaged Weight	
	CPU Sling	5-3/8 x 18"	CPU.SLING	10.0#	
	 Vertically supports and stores CPU below the worksurface 				
	 Straps have positive locking clamps 				
	Provides 5-1/2" of travel and 359° swivel				
	Maximum weight capacity is 75 lbs.				
	 Available in black only Recommended for 30" deep worksur- 				
HRDPT	faces				
	Accommodates CPU with maximum				
	circumference of 65"				
			A		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.

Worksurface Accessories

4

Delivered Pricing			
\$ 178			

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Worksurface Accessories Adjustable/Securable CPU Holder

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	 CPU Holder, No Lock Slide mechanism 17" forward slide 	KOCPUS	13.0#
	 Vertical 13-1/2" to 22-1/2" 		
	 Horizontal (side-to-side) 3-1/2" to 9" No more than 85 lbs 		
C A A A A A A A A A A A A A A A A A A A	Black only		
HRDPT	 Check under surface clearances before ordering 		
	-	'	
	 CPU Holder with Lock Integrated lock within the handle 	KOCPUL	14.0#
HRDPT	Black only	/	
	1	I	
		A	

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

Worksurface Accessories Adjustable/Securable CPU Holder

Delivered Pricing		
\$ 249		

4

\$ 338

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Worksurface Accessories

		MODEL NUMBER		
			Approx.	
		Basic	Packaged	
	MODEL	Model	Weight	
	Compact CPU Holder	KOCPUE	7.0#	
	 Vertically or horizontally supports and 			
	stores CPU below the worksurfaceAvailable in black only			
04_	 Holder in the vertical position accom- 			
	modates CPU's 5.5 to 9.8 inches wide			
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	and 15.5 to 20 inches tall			
the second	<ul> <li>Holder in the horizontal position accommodates CPU's 13.8 to 18.8 inches wide</li> </ul>			
- E	and 7.3 to 11.3 inches tall			
HRDPT	Can hold up to 70-80 lbs in the vertical			
	<ul><li>position</li><li>Can hold up to 30 lbs in the horizontal</li></ul>			
	position			
	Mounting plate overall dimensions 5.38"			
	x 3.95"			
		A		

#### HOW TO ORDER

#### HOW TO BUILD A MODEL NUMBER

### Indicate the following information on order

- form:
- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### A Select basic model.

40

### Worksurface Accessories Compact CPU Holder

Delivere Pricing	ed				
\$ 7	'1				

4

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

## Worksurface Accessories

			MODEL NUMBER			
	MODEL	Size	Basic Model	Approx. Packaged Weight		
	Deluxe Single CPU Holder	Single	KVL.1.CPU	7.0#		
Ka I	Will accommodate one CPU up to 8.9"					
	<ul> <li>wide</li> <li>Will accommodate one CPU 5.7" to 20.4'</li> </ul>					
U U	high					
	Can accommodate both standard and					
	compact CPUs					
•	<ul> <li>Neoprene padding on this holder holds CPUs securely</li> </ul>					
HRDPT	<ul> <li>Mounting plate is 4-3/4" dia</li> </ul>					
	Available in Silver					
(N)(V)	Deluxe Double CPU Holder	Dual	KVL.2.CPU	12.0#		
	<ul> <li>Will accommodate two CPUs up to 8.9" wide</li> </ul>					
	<ul> <li>Will accommodate two CPUs 5.7" to</li> </ul>					
U U	20.4" high					
	Can accommodate both standard and					
MES -	compact CPUs <ul> <li>Neoprene padding on this holder holds</li> </ul>					
	CPUs securely					
HRDPT	<ul> <li>Mounting plate is 4-3/4" dia</li> </ul>					
	Available in Silver					
			A			

#### HOW TO ORDER

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model. Indicate the following information on order

- form:
- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is
  - required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### Worksurface Accessories Universal CPU Holder

Deli Pric	red J				
\$	48				
\$	94				

14

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Worksurface Accessories

			MODEL NUMBER		
	MODEL	H x W x D	Basic Model	Approx. Packaged Weight	
3	Helix Wire Manager	8 x 5-1/2 x 6"	HELIX.PC.NB	2.5#	
ş	<ul> <li>Polished Chrome Base</li> <li>Neutral Brush</li> </ul>				
	<ul> <li>Designed to hold wires on static and</li> </ul>				
N N	adjustable tables up to 52" high				
N N	<ul> <li>Base is weighted to keep manager in position</li> </ul>				
Twwwww	<ul> <li>Attaches to the underside of the table</li> </ul>				
3					
—					
HRDPT					
			A		

#### HOW TO ORDER

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

### Worksurface Accessories Wire Management

\$ 134

14

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

# Pneumatic Monitor Arms

			MODEL NUMBER		
	MODEL	Features	Basic Model	Approx. Packaged Weight	
	Extended Arm for 6-20 lb. Monitors • Arms extends up to 18.6" from the base	Clamp Mount	K.61092.SL.CM	9.0#	
A	<ul> <li>Range of motion is 9.7-20.1" high from the center of the bracket</li> </ul>				
y u	After installation monitor can be rotated				
	to either portrait or landscape • 75/100 VESA compliant				
Ц.	<ul><li>180 degree rotation on the base</li><li>90 degree monitor pivot</li></ul>				
HRDPT	CM option comes with a standard clamp				
	<ul><li>mount/grommet kit</li><li>Finish is silver</li></ul>				
	<ul> <li>Clamp mount (CM) requires 2-3/4" of under worksurface clearance, consult</li> </ul>				
	the assembly instructions for alternative				
	mounting options				
			A		

#### HOW TO ORDER

#### HOW TO BUILD A MODEL NUMBER

#### Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### A Select basic model.

# Pneumatic Monitor Arms



D.	ماليدميمط			
De	envered			
Pr	elivered ricing			
\$	511			

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Flat Screen Support System

			MODEL NUMBER			
				Approx.		
	MODEL	Features	Basic Model	Packaged Weight		
		Silver finish	CFS01.SL	6.0#		_
	<ul> <li>12" post with table-edge mount or grom-</li> </ul>	White finish	CFS01.WH	6.0#		
	met mount	BL 1 C 1 1	CFS01.BL	6.0#		1
	<ul> <li>Swivel/tilt adapter plate for 75 &amp; 100mm hole patterns</li> </ul>	Diuon nine	01001.52	0.0.		
	<ul> <li>Plate attaches to monitor</li> </ul>					
	<ul> <li>Supports one 20# flat screen monitor</li> </ul>					
HRDPT	<ul> <li>Can be used on both freestanding tables and panel-mounted worksurfaces</li> </ul>					
	<ul> <li>360° swivel movement allows monitor to</li> </ul>					
	rotate from landscape to portrait orienta-					
	tion • Role allows manual height adjustment					
	<ul> <li>Pole allows manual height adjustment through a 9" range to accommodate user</li> </ul>					
	preference					
	<ul> <li>Includes parts for either clamp or grom- met mount</li> </ul>					
	<ul><li>met mount</li><li>Monitor is not included</li></ul>					
	• Wollton o not moladou					
~	12" Post, Dual Screen	Silver finish	CFS02.SL	8.0#		
State State State	<ul> <li>12" post with table-edge mount or grom- met mount</li> </ul>	White finish	CFS02.WH	8.0#		
	<ul> <li>met mount</li> <li>Swivel/tilt adapter plate for 75 &amp; 100mm</li> </ul>	Black finish	CFS02.BL	8.0#		
	hole patterns					
	Supports two 20# flat screen monitors					
<b>X</b>	<ul><li>back-to-back</li><li>Can be used on both freestanding tables</li></ul>					
	and panel-mounted worksurfaces					
HRDPT	<ul> <li>360° swivel movement allows monitor to</li> </ul>					
	rotate from landscape to portrait orienta- tion					
	<ul> <li>Pole allows manual height adjustment</li> </ul>					
	through a 9" range to accommodate user					
	preference					
	<ul> <li>Includes parts for either clamp or grom- met mount</li> </ul>					
	Monitors are not included					
			A			
			w			

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Grommet Mount

The grommet mount is required for use on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. Grommet Mount requires a 3/8" to 3-1/2" dia. hole for worksurfaces up to 2-1/2" thick drilled in surface on location or through a KI Special Cost Request (specify location).



#### Table-edge Mount

The table edge mount CANNOT be used on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. The table edge mount attaches on worksurfaces up to 2-1/2" thick. The lower portion of the clamp can be removed allowing the bracket to be inserted between the worksurface and panel without removing the worksurface.



1	1
N	

Del Prio	ivered cing	
\$	172	
	172	
	172	

\$ 328
328
328

#### SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180 Rotation +/-180 Worksurface Range 0-3.5" for table edge mount Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime Monitor - These products are not included.

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Flat Screen Support System

			MODEL NUMBER		
				Approx	
			Basic	Approx. Packaged	
	MODEL	Features	Model	Weight	
	12" Post, Single Screen, 10" Arm	Silver finish	CFS03.SL	7.0#	
	<ul> <li>12" post with table-edge mount or grom-</li> </ul>	White finish	CFS03.WH	7.0#	
	<ul> <li>met mount</li> <li>10" arm with one wire management clip</li> </ul>	Black finish	CFS03.BL	7.0#	
	<ul> <li>10" arm has integrated wire management</li> </ul>				
	channel and cover				
Sa la	<ul> <li>Swivel/tilt adapter plate for 75 &amp; 100mm hole patterns</li> </ul>				
16 V	<ul> <li>Supports one 20# flat screen monitor</li> </ul>				
HRDPT	Can be used on both freestanding tables				
	<ul> <li>and panel-mounted worksurfaces</li> <li>360° swivel movement allows monitor to</li> </ul>				
	<ul> <li>Solo swive movement anows monitor to rotate from landscape to portrait orienta-</li> </ul>				
	tion				
	Pole allows manual height adjustment				
	through a 9" range to accommodate user preference				
	<ul> <li>Includes parts for either clamp or grom-</li> </ul>				
	met mount				
	Monitor is not included				
	12" Post, Single Screen, Height-Adjust-	Silver finish	CFS04.SL	9.0#	
	able Double Extension Arm	White finish	CFS04.WH	9.0#	
	<ul> <li>12" post with table-edge mount or grom- met mount</li> </ul>	Black finish	CFS04.BL	9.0#	
	• One 10" arm and one 9" arm with two				
	wire management clips				
	<ul> <li>10" arm has integrated wire management channel and cover</li> </ul>				
TH.	<ul> <li>Swivel/tilt adapter plate for 75 &amp; 100mm</li> </ul>				
	hole patterns				
HRDPT	<ul> <li>Supports one 20# flat screen monitor</li> <li>Can be used on both freestanding tables</li> </ul>				
	and panel-mounted worksurfaces				
	360° swivel movement allows monitor to				
	rotate from landscape to portrait orienta- tion				
	<ul> <li>Pole allows manual height adjustment</li> </ul>				
	through a 9" range to accommodate user				
	preference				
	<ul> <li>Includes parts for either clamp or grom- met mount</li> </ul>				
	<ul> <li>Monitor is not included</li> </ul>				
	• 24" of forward/backward movement				
	<ul> <li>Arm folds back to post to maximize desk space</li> </ul>				
	σμασο				
			A		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- The absence of the  $\Box$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



#### Grommet Mount

The grommet mount is required for use on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. Grommet Mount requires a 3/8" to 3-1/2" dia. hole for worksurfaces up to 2-1/2" thick drilled in surface on location or through a KI Special Cost Request (specify location).



#### Table-edge Mount

The table edge mount CANNOT be used on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. The table edge mount attaches on worksurfaces up to 2-1/2" thick. The lower portion of the clamp can be removed allowing the bracket to be inserted between the worksurface and panel without removing the worksurface.



Delivered Pricing \$ 219 219 219																																									
\$ 219 219	Deli Pric	ivered cina	ed																																						
219												-	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	T	
219																																									
		219	9																																						

\$ 267
267
267

#### SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180 Rotation +/-180 Worksurface Range 0-3.5" for table edge mount Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime Monitor - These products are not included.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Flat Screen Support System

			MODEL NUMBER			
	MODEL	Features	Basic Model	Approx. Packaged Weight		
<u>م.</u>	12" Post, Dual Screen, Two 10" Arms	Silver finish	CFS05.SL	10.0#		
	<ul> <li>12" post with table-edge mount or grom- met mount</li> </ul>	White finish	CFS05.WH	10.0#		
	<ul> <li>Two 10" arms with two wire manage-</li> </ul>	Black finish	CFS05.BL	10.0#		
	ment clips					
	Arms have integrated wire management					
	<ul><li>channel and cover</li><li>Two swivel/tilt adapter plates for 75 &amp;</li></ul>					
L S	100mm hole patterns					
<b>X</b> I	Supports two 20# flat screen monitors					
	Can be used on both freestanding tables     and penal mounted workswrfeese					
HRDPT	<ul> <li>and panel-mounted worksurfaces</li> <li>360° swivel movement allows monitor to</li> </ul>					
	rotate from landscape to portrait orienta-					
	tion					
	<ul> <li>Pole allows manual height adjustment through a 9" range to accommodate user</li> </ul>					
	preference					
	Includes parts for either clamp or grom-					
	met mount					
	<ul><li>Monitors are not included</li><li>Monitors adjust in unison to maintain a</li></ul>					
	level plane and provide consistent vision					
	line					
			Δ	1		

### A

#### **HOW TO ORDER**

Indicate the following information on order

- form: 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives
     are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Grommet Mount

The grommet mount is required for use on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. Grommet Mount requires a 3/8" to 3-1/2" dia. hole for worksurfaces up to 2-1/2" thick drilled in surface on location or through a KI Special Cost Request (specify location).



#### Table-edge Mount The table edge mount CANNOT be used on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. The table edge mount attaches on worksurfaces up to 2-1/2" thick. The lower portion of the clamp can be removed allowing the bracket to be inserted between the worksurface and panel without removing the worksurface.



De Pri	ivered cing	
\$	419	
	419	
	419	

#### SPECIFICATIONS

4

 Tilt
 +1/-90°

 Swivel
 +1/-180

 Rotation
 +/-180

 Worksurface Range 0-3.5" for table edge

 mount

 Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime Monitor - These products are not included.

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Flat Screen Support System

			MODEL NUMBER		
	MODEL	Features	Basic Model	Approx. Packaged Weight	
	12" Post, Dual Screen, Two Height-	Silver finish	CFS06.SL	11.0#	
	Adjustable Double Extension Arm	White finish	CFS06.WH	11.0#	
	<ul> <li>12" post with table-edge mount or grom- met mount</li> </ul>	Black finish	CFS06.BL	11.0#	
	<ul> <li>Two 10" arms and two 9" arms (one 10"</li> </ul>				
	and one 9" arm per monitor) with four				
	wire management clips				
	<ul> <li>10" arms have integrated wire manage- ment channel and cover</li> </ul>				
J.	<ul> <li>Two swivel/tilt adapter plates for 75 &amp;</li> </ul>				
	100mm hole patterns				
	<ul> <li>Each extended arm supports one 20# flat screen monitor</li> </ul>				
HRDPT	Can be used on both freestanding tables				
	and panel-mounted worksurfaces				
	360° swivel movement allows monitor to				
	rotate from landscape to portrait orienta- tion				
	Pole allows manual height adjustment				
	through a 9" range to accommodate user				
	<ul><li>preference</li><li>Includes parts for either clamp or grom-</li></ul>				
	• Includes parts for entirer clamp or grom- met mount				
	<ul> <li>Monitors are not included</li> </ul>				
	• 24" of forward/backward movement				
	<ul> <li>Arm folds back to post to maximize desk space</li> </ul>				
	<ul> <li>Monitors adjust in unison to maintain a</li> </ul>				
	level plane and provide consistent vision				
	line				

A

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - The absence of the □ indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Grommet Mount

The grommet mount is required for use on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. Grommet Mount requires a 3/8" to 3-1/2" dia. hole for worksurfaces up to 2-1/2" thick drilled in surface on location or through a KI Special Cost Request (specify location).



#### Table-edge Mount The table edge mount CANNOT be used on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. The table edge mount attaches on worksurfaces up to 2-1/2" thick. The lower portion of the clamp can be removed allowing the bracket to be inserted between the worksurface and panel without removing the worksurface.



Ł	
7	•

Del Pri	ivered cing	
\$	521	
	521	
	521	

#### SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180 Rotation +/-180 Worksurface Range 0-3.5" for table edge mount Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime Monitor - These products are not included.

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Flat Screen Support System

			-		
			MODEL NUMBER		
				Approx.	
		<b>-</b> .	Basic	Packaged	
	MODEL	Features	Model	Weight	
Contraction of the Contraction o	12" Post, Triple Screen	Silver finish	CFS07.SL	13.0#	
	<ul> <li>12" post with table-edge mount or grom- met mount</li> </ul>	White finish	CFS07.WH	13.0#	
	Features 2-9-inch arms outer arms	Black finish	CFS07.BL	13.0#	
	attached to a horizontal support				
	Center screen mounts directly to pole				
	and adjusts independently of outer moni-				
	<ul> <li>tors</li> <li>Outer monitors' heights adjust in unison</li> <li>Supports monitors with a maximum horizontal dimension of 18"</li> <li>Three swivel/tile adapter plates for 75 &amp; 100mm hole patterns</li> <li>Each adapter plate supports one 20# flat screen monitor</li> <li>Can be used on both freestanding tables and panel mounted work surfaces</li> <li>360° swivel movement allows monitors to rotate from landscape to portrait orientation</li> <li>Pole allows manual height adjustment through 9" range to accommodate user preference</li> <li>Includes parts for either clamp or grom- met mount</li> <li>Wire manager included</li> </ul>				
HRDPT					
	Monitors are not included				
			A		

Ø

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Grommet Mount

The grommet mount is required for use on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. Grommet Mount requires a 3/8" to 3-1/2" dia. hole for worksurfaces up to 2-1/2" thick drilled in surface on location or through a KI Special Cost Request (specify location).



#### Table-edge Mount The table edge mount CANNOT be used on the following products: InTandem®, WorkZone®, True® and 700 Series® Desk. The table edge mount attaches on worksurfaces up to 2-1/2" thick. The lower portion of the clamp can be removed allowing the bracket to be inserted between the worksurface and panel without removing the worksurface.



Delivered Pricing \$ 609 609
\$ 609
609
609

#### SPECIFICATIONS

4

Tilt +1/-90° Swivel +1/-180 Rotation +/-180 Worksurface Range 0-3.5" for table edge mount Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime Monitor - These products are not included.

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Drop-in USB Charger

			MODEL NUMBER	
	MODEL	L	Basic Model	Approx. Packaged Weight
A		72"	USB.CHARGE.BL	1.0#
A A A A A A A A A A A A A A A A A A A	Available only in black			
6 //	<ul> <li>Snaps into the universal data tree ports (in place of the data)</li> <li>Must be plugged into separate power source</li> <li>Will work with any KI Power-Up already</li> </ul>			
X				
M	in the field <ul> <li>Cord length is 72"</li> </ul>			
	<ul> <li>4 amps combined for both USB charging ports</li> <li>Plug dimensions are 1-1/2" deep x 3-3/8"</li> </ul>			
HRDPT				
	high x 1-7/8" wide			
			A	

#### HOW TO ORDER

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.



## 4

Delivered Pricing		
\$ 96		

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

## Qi[™] Wireless Power Grommet

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Wireless Power Grommet with Power	QIGMT.BL	1.0#
	Cord • Flush surface mount • Field installable - mounts in 4" diameter hole • LED silently indicates when devices are charging		
YL			
)			
	<ul> <li>Qi[™] logo indicates any Qi[™] enabled</li> </ul>		
	<ul><li>device can be charged</li><li>Security bracket makes charger tamper</li></ul>		
	resistant		
	Has 70" power cord		
HRDPT	1		
		A	-

#### HOW TO ORDER

#### Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

60

## Qi[™] Wireless Power Grommet

4
---

Delivered Pricing			
\$ 310			

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

## Electrical Accessories

			MODEL NUM	/IBER			
	MODEL	L	Basic Model	Poly Color	Paint Color	Approx. Packaged Weight	
``````````````````````````````````````	PowerUp®	22"	14.2260.22			1.0#	
	22" cord length specifically for use on	108"	14.2260.108			1.0#	
	fixed seating tables or powered tables with multi-circuit power beams.	180"	14.2260.180			1.0#	
	<ul> <li>108" and 180" cord length for use in</li> </ul>						
*	non-powered tables						
	<ul> <li>Module designed to fit rectangular KI cutout (3" x 6.25")</li> </ul>						
RDPT	<ul> <li>Data tree is provided to allow client</li> </ul>						
	provided data jacks to be inserted in the						
	<ul><li>module</li><li>Not for use with Activ8 single circuit</li></ul>						
	components						
	Cord terminates in a 3-prong plug						
	Villa Module	36"	14.3260.36		BL	1.0#	
	<ul> <li>Module only, grommet to be ordered separately</li> </ul>	108"	14.3260.108		BL	1.0#	
	<ul> <li>Three cord length options</li> </ul>	180"	14.3260.180		BL	1.0#	
5	<ul> <li>Black only</li> <li>Mounts on the under surface below a</li> </ul>						
	<ul> <li>Mounts on the under surface below a cutout to allow power access</li> </ul>						
RDPT	Cord terminates in a 3-prong plug						
	Villa Grommet		46.3881			1.0#	
R	<ul> <li>Metal grommet design to fit in a KI</li> </ul>		40.3001			1.0#	
	cutout						
$\checkmark$	<ul> <li>Includes a brush grommet to hide the gaps</li> </ul>						
IRDPT	θαμο						
			A	6	G		

#### HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Select poly color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

63



De Pri	livered icing	
\$	109	
	109	
	109	

\$ 162 162 162		
	\$ 162	
162	162	
	162	

\$ 62

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

## Index

Model No.	Description	Page	Model No.	Description	Page
14.2260.22	PowerUp [®] and Villa: PowerUp [®]	62		for Corner Surface-Sit-to-Stand Tilt & Swivel Mouse Tray	26
14.3260.36	PowerUp [®] and Villa: Villa Module	62	KTTA	Keyboard Tray with Trackless Arm: Keyboard Tray with	
2.KP103000BLWH				Trackless Arm	18
	Accessories: Glides	8	KVL.1.CPU	Universal CPU Holder: Deluxe Single CPU Holder	42
2.KP80413	Accessories: 3" Casters - Non-Locking	8	KVL.2.CPU	Universal CPU Holder: Deluxe Double CPU Holder	42
2.KP80493	Accessories: 3" Casters - Locking	8		Accessories: Magnetic Markerboard Kit	8
46.3881 ATS32454FHC/(	PowerUp [®] and Villa: Villa Grommet	62	MB.TRAY QIGMT.BL	Accessories: Magnetic Markerboard Tray2 Wireless Power Grommet with Power Cord	8 60
A10024041110/0	Full-Height Core with Three-Point Base: Fluted Plastic			LDrop-in USB charger	58
	Core - Three-point base (CP)	6	000.01111102.0		00
ATS32454FHC/F					
	Full-Height Core with Three-Point Base: Fabric-Cov-				
	ered Tackboard Core - Three-Point Base (FB)	6			
ATS32454FHC/I					
	Full-Height Core with Three-Point Base: Markerboard Core (Painted Steel) - Three-Point Base (MB)	6			
ATS42454FHC/(		0			
A10424041110/	Full-Height Core with Four-Point Base: Fluted Plastic				
	Core - Four-Point Base (CP)	4			
ATS42454FHC/F					
	Full-Height Core with Four-Point Base: Fabric-Covered				
	Tackboard Core - Four-Point Base (FB)	4			
ATS42454FHC/I					
	Full-Height Core with Four-Point Base: Markerboard Core (Painted Steel) - Four-Point Base (MB)	4			
ATWR24/GW	Panel Rail: Panel Rail - Genius [®] movable wall bracketry (GW)	4			
ATWR24/GW	Panel Rail: Panel Rail - System 3000 [®] panels bracketry (S3)	14			
ATWR24/WM	Wall Rail: Wall Rail	12			
ATWR24/WW	Panel Rail: Panel Rail - WireWorks® panels bracketry (WW)	14			
CFS01.SL	12" Post, Single Screen	48			
CFS02.SL	12" Post, Dual Screen	48			
CFS03.SL	12" Post, Single Screen, 10" Arm	50			
CFS04.SL	12" Post, Single Screen, Height-Adjustable Double Extension Arm	50			
CFS05.SL	12" Post, Dual Screen, Two 10" Arms	50 52			
CFS06.SL	12" Post, Dual Screen, Two Height-Adjustable Double	52			
	Extension Arm	54			
CFS07.SL	12" Post, Triple Screen	56			
CPU.SLING	CPU Sling: CPU Sling	36			
HELIX.PC.NB	Wire Management: Helix Wire Manager	44			
ISLE.BL	Isle™ Extended Arm: Extended Arm for C 00 lb. Menitere	16			
K.01092.5L.0M KBD.24.BL	Extended Arm: Extended Arm for 6-20 lb. Monitors Keyboard Drawer: Sliding Keyboard Drawer	46 34			
KBDM.24.BL	Keyboard Drawer: Sliding Keyboard Drawer w/Mouse Tray	34			
KOCPUE	Compact CPU Holder: Compact CPU Holder	40			
KOCPUL	Adjustable/Securable CPU Holder: CPU Holder with Lock	38			
KOCPUS	Adjustable/Securable CPU Holder: CPU Holder, No Lock	38			
KOMG.20	Keyboard Trays with Standard Arms: Keyboard Tray for				
	Rectangular Worksurfaces without Mouse Tray	28			
KOMG.20.M	Keyboard Trays with Standard Arms: Keyboard Tray for Rectangular Worksurfaces with Mouse Tray	30			
KOMG.20.PM	Keyboard Trays with Standard Arms: Keyboard Tray for	30			
Koma.zo.i m	Rectangular Worksurfaces with Tilt Mouse Tray	32			
KOMG.23	Corner Worksurface Keyboard Trays: Keyboard Tray				
	for Corner Worksurfaces without Mouse Tray	20			
KOMG.23.M	Corner Worksurface Keyboard Trays: Keyboard Tray				
V0170 07	for Corner Worksurfaces with Mouse Tray	22			
KOMG.23.PM	Corner Worksurface Keyboard Trays: Keyboard Tray	0.4			
KOMSG.23.PM	for Corner Worksurfaces with Tilt and Swivel Mouse Tray Corner Worksurface Keyboard Trays: Keyboard Tray	24			
NUMBU.20.FIVI	oomor worksunase keyboaru nays. Keyboaru nay				



#### ΚI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11488R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.