



# ALL-IN-ONE™

## Encapsulating Carpet Brush/ Bonnet Cleaner

### DESCRIPTION

A revolutionary solution for maintaining today's carpeting. ALL-IN-ONE™ incorporates our premium ECT™ technology, which encapsulates soil and dries to a non-sticky crystal. Soil and residue then vacuum out easily! This low moisture process formula eliminates the need for rinsing and minimizes carpet downtime. Stops discoloration problems caused by wicking. ALL-IN-ONE™ also contains an effective malodor counteractant and a universal fresh fragrance.

### PRODUCT FEATURES / BENEFITS

- Multi-functional performance Brush-Bonnet-Extraction-Pre-Treatment Cleaner / Reduces inventory and simplifies employee training requirements.
- Incorporates premium ECT™ Crystal Encapsulation Technology / Entrapped soil and residue vacuum out easily for amazingly clean carpets.
- Designed for use in low moisture cleaning processes / Advanced cleaning performance cleans quickly and effectively, eliminates the need for additional rinsing, minimizes carpet downtime and saves time and labor.
- Contains malodor counteractants and a universal fresh fragrance / Truly modifies unpleasant odors and leaves behind a universal fresh scent
- Neutral pH base and does not contain anti-static agents, defoamers, or optical brighteners / Safe for use on all types of carpet, including stain resistant carpeting
- Eliminates discoloration problems from wicking
- VOC Compliant
- Free of fluorocarbons

### DIRECTIONS FOR USE

This multi-functional carpet cleaner is designed for Brush/Bonnet Cleaning, Extraction Cleaning and Pre-Treatment. ALL-IN-ONE™ is completely safe for stain resistant carpeting as well as other types of carpet. It can be used in hotels, motels, schools, offices, airports, hospitals, nursing homes, restaurants or any facility to maintain quality carpeting.

#### BRUSH / BONNET CARPET CLEANING METHOD

- 1) Pretest carpet for colorfastness in an inconspicuous area.
- 2) Remove furniture and dry vacuum thoroughly.
- 3) In a pump-up or pressure sprayer, dilute ALL-IN-ONE™ at a rate of 1:90 (1.4 oz per gallon of water).
- 4) Spray onto carpet in 6' x 12' sections at a rate of 500-600 sq. ft. per gallon of diluted product. DO NOT OVERWET THE CARPET.
- 5) BRUSH: Agitate the carpet with brush.  
BONNET: Immerse bonnet in water, wring out thoroughly, then place bonnet on machine. Scrub carpet and change bonnet pad as it becomes soiled.
- 6) After the carpet has been cleaned, the carpet should be brushed in one direction by a deck brush or carpet rake.
- 7) Do not walk on carpet until it is completely dry, then vacuum.

#### EXTRACTION CARPET CLEANING METHOD

- 1) Pretest carpet for colorfastness in an inconspicuous area.
- 2) Remove furniture and dry vacuum thoroughly.
- 3) In the Extractor's solution tank dilute ALL-IN-ONE™ at a rate of 1:128 (1 oz per gallon of water).
- 4) Extract the carpet following the equipment manufacturer's instructions.
- 5) After the carpet has been cleaned, the carpet should be brushed in one direction by a deck brush or carpet rake.
- 6) Do not walk on carpet until it is completely dry, then vacuum.

#### CARPET PRE-TREATMENT

- 1) Pretest carpet for colorfastness in an inconspicuous area.
- 2) Remove furniture and dry vacuum thoroughly.
- 3) In a pump-up or pressure sprayer, dilute ALL-IN-ONE™ at a rate of 1:90 (1.4 oz per gallon of water).
- 4) Spray onto carpet in 6' x 12' sections at a rate of 500-600 sq. ft. per gallon of diluted product. DO NOT OVERWET THE CARPET.
- 5) Allow to set for 5-10 minutes.
- 6) Extract, Brush/Bonnet as desired.

NOTE: Due to the variety of carpeting materials this product should be tested at recommended use dilution in an inconspicuous area. Use clean cloth or sponge for application and if test area indicates bleeding, color removal, carpet shrinkage or deterioration of adhesive, do not use.

### SPECIFICATIONS

Color ..... Straw  
Odor ..... Universal Fresh  
pH ..... 9.2 ± 0.5  
Specific Gravity (g/cc) ..... 1.01 ± 0.01  
Density (lbs/gal) ..... 8.4 ± 0.1  
Upper Cloud ..... >130°F  
Lower Cloud ..... <33°F  
Encapsulating ..... Yes

Dried Residue ..... Crystalline  
Foam Height ..... Medium  
Optical Brighteners ..... No  
Soil Retardants ..... Yes  
Safe on Stain Resistant Carpets ..... Yes  
Deodorization ..... Outstanding  
Cleaning ..... Excellent  
Shelf Life ..... 1 year minimum in original unopened container

### SAFETY INFORMATION

**WARNING:** CAUSES SERIOUS EYE IRRITATION.  
KEEP OUT OF REACH OF CHILDREN.

**Prevention:** Wash thoroughly after handling. Wear eye/face protection. **Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. **Storage:** Store away from incompatible materials.

**Disposal:** Dispose of waste and residues in accordance with local authority requirements.



CARPET CARE

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.



#### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at [www.nclonline.com](http://www.nclonline.com)

Meets the requirements for USDA Authorization Class A4, A8  
For Commercial and Industrial Use Only



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123  
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517  
[www.nclonline.com](http://www.nclonline.com) • e-mail: [info@nclonline.com](mailto:info@nclonline.com)


## **SAFETY DATA SHEET**

### **Section 1 - Identification**

Product Identifier	ALL-IN-ONE™ Encapsulating Carpet Brush/Bonnet Cleaner
Other means of identification	0693
Recommended use	Detergent.
Recommended restrictions	For commercial and industrial use only.
<b>Manufacturer / Importer / Supplier / Distributor Information</b>	
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

### **Section 2 - Hazard(s) Identification**

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Serious eye damage/eye irritation	2A
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol		
Signal Word	Warning	
Hazard Statement	Causes serious eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear eye/face protection.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	

### **Section 3 - Composition/Information on ingredients**

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	2-Butoxyethanol	111-76-2	5 - 10
	Sodium dioctyl sulfosuccinate	577-11-7	1 - 5

### **Section 4 - First-aid Measures**

Inhalation	Move to fresh air. Get medical attention if irritation persists.
Skin contact	Wash with soap and water. Get medical attention if irritation persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
Ingestion	Rinse mouth. Get medical attention if irritation persists.
Most Important symptoms /effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### **Section 5 - Fire-fighting measures**

# SAFETY DATA SHEET

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment /instructions</b>	Move containers from fire area if you can do it without risk.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Specific Methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## Section 6 - Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures.</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 - Exposure controlpersonal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	240 mg/m <sup>3</sup> , 50 ppm

#### US. ACGIH Threshold Limit Values

Component	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
2-Butoxyethanol (CAS 111-76-2)	TWA	24 mg/m <sup>3</sup> , 5 ppm

#### US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

\* - For sampling details, please see the source document.

#### US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

#### US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Skin designation applies.

#### US.NIOSH: Pocket Guide to Chemical Hazards

Component	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

#### US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

#### US.OSHA Table Z-1-A (29 CFR 1910.100)

Components	Exposure
2-Butoxyethanol (CAS 111-76-2)	Can be absorbed through the skin.

#### US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components	Exposure
------------	----------

# SAFETY DATA SHEET

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

## US.Tennessee. OELs Occupational Exposure Limits, Table Z1A

Components

Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Other

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## Section 9 - Physical and chemical properties

### Appearance

Physical state

Liquid.

Form

Clear-Translucent liquid.

Color

Straw.

Odor

Universal Fresh.

Odor threshold

Not available.

pH

9.2

Melting point/freezing point

Not available.

Initial boiling point and boiling range

Not available.

Flash point

None to boiling.

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Similar to water.

Vapor density

Similar to water.

Relative density

1.01 ± 0.01

Relative density temperature

75 °F (23.89 °C)

Solubilities

Completely soluble.

Partition Coefficient n-octanol/water

Not available

Auto-ignition temperature

Not Available

Decomposition temperature

Not Available

Viscosity

< 10 cSt

Viscosity Temperature

75 °F (23.89 °C)

## Section 10 - Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to Avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

No hazardous decomposition products are known.

## Section 11 - Toxicological information

### Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

No adverse effects due to inhalation are expected.

# SAFETY DATA SHEET

<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Information on toxicological effects.</b>	
<b>Acute toxicity</b>	Not expected to be acutely toxic.
Components	LevelTypeCodeSpeciesResults
2-Butoxyethanol (CAS 111-76-2)	AcuteDermalLD50Rabbit400 mg/kg
	AcuteInhalationLC50Rat450 mg/l, 4 hrs
	AcuteOralLD50Rat560 mg/kg
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.
<b>Serious eye damage/ eye irritation</b>	Causes serious eye irritation.
<b>Respiratory sensitization</b>	This product is not expected to cause respiratory sensitization.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>	
Component	ResultComment
2-Butoxyethanol (CAS 111-76-2)	3Not classifiable as to carcinogenicity to humans.
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

## Section 12 - Ecological Information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol / water log (Kow)</b>	
Components	Results
2-Butoxyethanol (CAS 111-76-2)	0.83
<b>Mobility in soil</b>	No data available.
<b>Mobility in general</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## Section 13 - Disposal considerations

<b>Disposal instructions</b>	Dispose in accordance with applicable federal, state, and local regulations.
<b>Local disposal regulations</b>	Dispose of in accordance with local regulations.
<b>Hazardous waste code</b>	Waste codes should be assigned by the user based on the application for which the product was used.
<b>Waste from residues / unused products</b>	Dispose in accordance with all applicable regulations.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## Section 14 - Transport information

<b>DOT</b>	Not regulated as dangerous goods.
<b>IATA</b>	Not regulated as dangerous goods.
<b>IMDG</b>	Not regulated as dangerous goods.
<b>Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code</b>	This substance/mixture is not intended to be transported in bulk.

## Section 15 - Regulatory Information

<b>US federal regulations</b>	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
-------------------------------	--

# SAFETY DATA SHEET

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)  
 US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)  
 CERCLA Hazardous Substance List (40 CFR 302.4)

Not regulated.  
 Not listed.

Components

Result

2-Butoxyethanol (CAS 111-76-2)

LISTED

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous chemical Yes

## SARA 313 (TRI reporting)

Chemical name	CAS #	% by wt.
2-Butoxyethanol	111-76-2	5 - 10

## Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

## US state regulations

US.Massachusetts RTK - Substance List  
 Components  
 2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Community Right-to-Know Act  
 Components  
 2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK - Hazardous Substances  
 Components  
 2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK  
 Components  
 2-Butoxyethanol (CAS 111-76-2)

US - California Proposition 65  
 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## Section 16 - Other information, including date of preparation or last version

Issue date 5/4/2015

Version # 01

**Disclaimer**  
 The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.



### Directions:

Pretest carpet for colorfastness in an inconspicuous area. Remove furniture and dry vacuum thoroughly before cleaning. After cleaning brush in one direction by a deck brush or carpet rake. Do not walk on carpet until it is completely dry, then vacuum.

### Brush / Bonnet Carpet Cleaning Method

- 1) In a pump-up or pressure sprayer, dilute ALL-IN-ONE™ at a rate of 1:90 (1.4 oz per gallon of water).
- 2) Spray onto carpet in 6' x 12' sections at a rate of 500-600 sq. ft. per gallon of diluted product. DO NOT OVERWET THE CARPET. BRUSH: Agitate the carpet with brush. BONNET: Immerse bonnet in water, wring out thoroughly, then place bonnet on machine. Scrub carpet and change bonnet pad as it becomes soiled.

### Carpet Pre-Treatment

- 1) In a pump-up or pressure sprayer, dilute ALL-IN-ONE™ at a rate of 1:90 (1.4 oz per gallon of water).
- 2) Spray onto carpet in 6' x 12' sections at a rate of 500-600 sq. ft. per gallon of diluted product. DO NOT OVERWET THE CARPET.
- 3) Allow to set for 5-10 minutes.
- 4) Extract, Brush/Bonnet as desired.

**NOTE:** For directions on extraction cleaning methods, see the technical data sheet. Due to the variety of carpeting materials this product should be tested at recommended use dilution in an inconspicuous area. If test area indicates bleeding, color removal, carpet shrinkage or deterioration of adhesive, do not use.

### Instrucciones para Uso:

Pretest alfombra para colorfastness in un inaparentes zona. Retirar los muebles de vacío y seco a fondo antes de la limpieza. Después de la limpieza pincel en una dirección por una alfombra cubierta cepillo o rastrillo. No camine sobre la alfombra hasta que esté completamente seca, entonces vacío.

### Cepillo / Bonnet Alfombra Limpieza de Forma

- 1) En una bomba de presión o rociador, diluir ALL-IN-ONE™, a razón de 1:90 (1,4 oz por galón de agua).
- 2) Spray en alfombra en 6' x 12' secciones, a razón de 500-600 metros cuadrados Pies por galón de producto diluido. No OVERWET la alfombra. CEPILLO: Agitar la alfombra con pincel. BONNET: Sumergir capó con agua, escúrralo a fondo, entonces capó lugar en la máquina. Matorrales y el cambio de alfombras capó almohadilla ya que se vuelve sucia.

### ALFOMBRA pre-tratamiento

- 1) En una bomba de presión o rociador, diluir ALL-IN-ONE™, a razón de 1:90 (1,4 oz por galón de agua).
- 2) Spray en alfombra en 6' x 12' secciones, a razón de 500-600 metros cuadrados Pies por galón de producto diluido. No OVERWET la alfombra.
- 3) Dejar establecido por 5-10 minutos.
- 4) Extracto, Brush / Bonnet como desee.

**NOTA:** Para obtener información sobre los métodos de extracción de la limpieza, véase la ficha técnica del producto. Debido a la variedad de materiales moqueta este producto debe ser probado en el uso recomendado de dilución en una zona discreta. Si la prueba indica zona de sangrado, de color eliminación, disminución o deterioro de alfombras de adhesivo, no uso.



World Class Cleaning Solutions®



Carpet Care



## Encapsulating Carpet Brush / Bonnet Cleaner

ALL-IN-ONE™ incorporates our premium ECT™ technology, which encapsulates soil and dries to a non-sticky crystal. Soil and residue then vacuum out easily! Eliminates the need for rinsing and minimizes carpet downtime and stops discoloration problems caused by wicking.

**WARNING: CAUSES SERIOUS EYE IRRITATION. / ATENCIÓN: PROVOCA IRRITACIÓN OCULAR GRAVE.**

See side panel for additional precautionary statements. / Ver panel lateral para las medidas preventivas adicionales.

NET CONTENTS: 1 GALLON / 3.79 LITERS

National Chemical Laboratories, Inc.

Philadelphia, PA 19123 USA • (800) 628-2436

www.nclonline.com

Product No.: 0693



**WARNING: CAUSES SERIOUS EYE IRRITATION. KEEP OUT OF THE REACH OF CHILDREN.**

### Precautionary statement

**Prevention:** Wash thoroughly after handling. Wear eye/face protection.

**Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage:** Store away from incompatible materials.

**Disposal:** Dispose of waste and residues in accordance with local authority requirements.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at [www.nclonline.com](http://www.nclonline.com)

**CONTAINS:** 2-Butoxyethanol CAS # 111-76-2, Sodium dioctyl sulfosuccinate CAS # 577-11-7

**ATENCIÓN: PROVOCA IRRITACIÓN OCULAR GRAVE. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**

### Consejos de prudencia

**Prevención:** Lávese cuidadosamente después de la manipulación. Use protección para los ojos/la cara.

**Respuesta:** Si en los ojos: Enjuague con cuidado con agua durante varios minutos. Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Si persiste la irritación de los ojos: obtener una opinión médica y de atención.

**Almacenamiento:** Almacenar lejos de materiales incompatibles.

**Eliminación:** Deshacerse de los desechos y residuos de conformidad con los requisitos de la autoridad.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard, 29 CFR 1910.1200. TDodos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

### Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en [www.nclonline.com](http://www.nclonline.com)

★★ MADE IN USA ★★

0693-29-0515



FOR COMMERCIAL AND INDUSTRIAL USE ONLY  
**QUESTIONS?**  
Call (800) 628-2436



To learn more about this product, scan this QR code to visit our website.



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123  
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517  
[www.nclonline.com](http://www.nclonline.com) • e-mail: [info@nclonline.com](mailto:info@nclonline.com)