

Desking & Benching

Price & Specification Guide 2023

Prices effective March 1, 2023

PDF updated March 9, 2023

All content marked in red signifies an update to the last major version of this price guide, published on March 1, 2023.

Limited Lifetime Warranty

Our unwavering commitment to our customers compels us to care, and our dedication to quality is just one of the ways we show our customers how much they mean to us.

We recognize that keeping up with the pace of change requires having products that work as hard as the people who use them. That's why each of our products is rigorously tested and certified to meet the highest industry standards.

In the unlikely event that any Allsteel product or component covered by the Allsteel Warranty should fail under normal workplace use because of defective material or workmanship, Allsteel promises to fix it. Because taking care of *people* is how Allsteel takes care of business.

For information on Allsteel's warranty coverage, visit AllsteelOffice.com.

Government Support – GovernmentSupport@hniworkplacefurnishings.com
Product, Parts, Non-Warranty Parts Orders – ProductSupport@hniworkplacefurnishings.com
Quick Ship Orders – QuickShip@hniworkplacefurnishings.com
Order Status – OrderStatus@hniworkplacefurnishings.com
General Inquiries – GeneralSupport@hniworkplacefurnishings.com

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
- Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
- Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.

- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as a downloadable PDF on Allsteel websites.

Questions or Comments?

Please call us at: **888-ALLSTEEL**
888-255-7833

Warranty	Inside Front Cover
New, Revised, and Discontinued Products	4
COM, Specials Policies, and Programs	5-8
Upholstery and Finishes	9-14
MURAL	
Finishes	16-17
Introduction to Mural	18
Statement of Line	19
Overview	20
Planning Guidelines	21-24
Working with Electrical	25-29
Fence	
Frame	30
Tiles	31
Connectors	32
Integrated Height-Adjustable Tables	
Worksurfaces	33-34
Bases	35
Wire Management	36
Privacy	
Screen Frames	37
Screens	38-44
No-Screen Kits	45
Privacy Panel	47
Bent Screen	47
Accessories	
Accessories	46-50
FURTHER	
Finishes	52
Typicals	53-54
Introduction to Further	55-56
Statement of Line	57-58
Planning Guidelines	59-67
Worksurfaces And Supports	
Working with Worksurfaces and Supports	68-85
Electrical & Data	
Working with Electrical and Data	86-98
Electrical Infeeds, Power Kits, and Components	99-100
Beam Mounted Wire Manager	101
Data Components	102
Collaborative Hub	
Working with Collaborative Hub	103
Collaborative Hub Components	104
Screens	
Tackboard Accessories	115-116
STORAGE — Laminate with Metal	
Working with Storage	117-120
Pedestals and Credenzas	122
Storage Towers	123
Adaptive	
Adaptive Typical	124
Adaptive Statement of Line	125
Working with Adaptive Worksurfaces and Supports	126-137
Working with Adaptive Electrical and Data	138-140
Controls and Electrical & Data Components	141-142

Glass Screens	
Beam Mounted Screens	162
Panel Systems Safety Glass	
Safety Glass	163
RADII	
Finishes	214
Pedestal Functionality with Work Tools	216
Freestanding and Mobile Pedestals	218-221
Pedestal Functionality with Work Tools	222-223
Undermount, L-Cube, and Work Tools	224
Undercabinet Pedestals and Caddy	225-226
Digital Lock Keys and Accessories	227
ALTITUDE	
Paint Finishes, Laminates, Eased Edge	230
Fabrics	231
Working with Height-Adjustable Tables	232-235
Altitude Height-Adjustable Tops, Bases, & Accessories	236-273
Altitude – A6	236-237
Altitude – Basic	238
Worksurfaces for Height-Adjustable Bases	239-243
Cable Management	244
Screens and Power Module	245
Altitude – Metal Screens	246-247
Power Rail Specifications	249-256
Working with Electrical and Data	257-261
Power Rail – Electrical Components	262-264
A8 Screen Kits	265
Metal Screens and Tackboard Accessories	266-267
Power Rails and Accessories	268-271
Working with Organization Rail & Accessories & Screens	272
Worksurface Mounted Rail and Accessories	273
EXTENSIONS™	
Introduction	274
Working with Ergonomic Accessories	275-276
Working with Organization Tools	277-282
Working with Illumination	283-286
Power/Data Modules	287
ACCESSORIES	
Working with Pivot Monitor Arms	288-291
APPENDIX AND INDEX	
Locking Specifications and Appendix	292-293
Touch-Up Paint	294
FSC and Storage Features & Dimensions	295-296
Fabric Grades G-J and Upholstery Grades 9-23	297
Index	298-304

Desking & Benching

New, Revised, and Discontinued Products

NEW:

Chicago Code junction boxes for Further flexible and fixed hubs — April 28, 2021

NY Code junction boxes for Further flexible and fixed hubs — May 28, 2021

Further expansion with A- and H-Leg supports

NEW FINISHES

Studio Paints

Ochre – P093

Sienna – P092

Handspun Pearl laminate LAHP — 6/1/2021

Handspun Dove laminate LAHD — 6/1/2021

Handspun Slate laminate LAHS — 6/1/2021

Handspun Chestnut laminate LAHC — 6/1/2021

Stratawood Beigewood Maple SE878

Stratawood Field Elm Maple SE599

Stratawood Belair Maple SE934

Stratawood Florence Walnut ST579

Natural Florence Walnut NT579

Quarter Florence Walnut QT579

Fawn Cypress Rift Oak RF108

Belair LWBA

Field Elm LWFE

NEW TEXTILES

Taylor

Livi with Supreen

Oxford with Supreen

Hamilton

Rush

DE-EMPHASIZED FINISHES:

Amethyst — P091

Cobalt Mica — P090

DISCONTINUED FINISHES

Conifer and Cabernet — 12/31/2020

Paint — Carob P52, Carob Plastic & Edge E8 — 12/31/2020

Painted Metal — Brilliant White PQ8 — 12/31/2019

Camelstone laminate LT6A — 10/1/2021

Greystone laminate TM65 — 10/1/2021

Whitestone laminate TM33 — 10/1/2021

Cafelle laminate — LWC Disco 12/31/2021

Cafelle edge — DG Disco 12/31/2021

Branded Oak laminate — LBO1 Disco 12/31/2021

Branded Oak edge — BO Disco 12/31/2021

Ebony Recon laminate — LER1 Disco 12/31/2021

Ebony Recon edge — DR Disco 12/31/2021

Charcoal Walnut laminate — LWCW Disco 6/30/2022

Columbian Walnut laminate — LWZ Disco 6/30/2022

Amber Cherry laminate — LWAC Disco 6/30/2022

Charcoal Walnut edge — DC Disco 6/30/2022

Columbian Walnut edge — DZ Disco 6/30/2022

Amber Cherry edge — DA Disco 6/30/2022

Canyon Zephyr laminate — LT5B Disco 6/30/2022

Desert Zephyr laminate — LT5A Disco 6/30/2022

Ebony laminate — LT3E Disco 6/30/2022

Grey Mesh laminate — LT8A Disco 6/30/2022

Parchment laminate — TM20 Disco 6/30/2022

Pewter Mesh laminate — LT8C Disco 6/30/2022

Sheer Mesh laminate — LT8B Disco 6/30/2022

White Tigris laminate — LT2A Disco 6/30/2022

DISCONTINUED TEXTILES

In Season — 12/31/2022

Attire — 12/31/2022

Seed — 12/31/2022

Dapper — Azalea, Emerald, Peony, Pool, Rose, Spice — 12/31/2022

DISCONTINUED PRODUCTS

Z-Series Monitor Arms discontinued 6/30/2020, recommended replacement is Pivot Monitor Arms.

Altitude A3 height-adjustable tables discontinued 12/31/2020, recommended replacement is Altitude A6 height-adjustable tables

COM Program

Allsteel understands that customers may at times want to specify fabrics outside of Allsteel's standard fabric offering. Our COM program was designed to make specifying COMs on Allsteel products a simpler, friendlier, and hassle-free process. This process is simple and easy to use, and is described below under "Allsteel to Supply (ATS)." If a Dealer wishes to manage the COM process themselves, they can do so by following guidelines under "Dealer to Supply (DTS)". **ATS is the preferred method for all COM fabrics.** With ATS, Company will provide acknowledgment based upon planned date of receipt of COM fabric and manage the entire process. DTS is allowed if it is not a partnership fabric or if Company does not have access to the supplier. **DTS may cause order delays and is strongly discouraged.** Find out more about Allsteel's COM process by emailing our COM Department at allsteelcomteam@allsteeloffice.com.

Allsteel to Supply (ATS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: [Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search](#) or [COM Search quick link](#). You will need to have the COM supplier's name, fabric pattern name, and color name to search for approved fabrics.
2. If your fabric is listed as an approved fabric, you may place your order directly with Allsteel Customer Support. Please use the fabric code (e.g., S216426XP) from the COM Test Request on your order in the place of the standard fabric code.

If your fabric is not listed as approved, you will need to select the "Request COM Test" link on the COM Search website. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours. Written COM price quotes hold pricing for 90 days after issue date.
4. Once the fabric has been approved by Allsteel, enter your order directly with Allsteel Customer Support. Allsteel will purchase all COM fabric directly from the COM suppliers and schedule for production.

In the event that the Dealer decides to cancel a COM fabric order, the Dealer is responsible for the cost of the fabric plus a handling charge that is equal to 10% of the fabric cost.

Dealer to Supply (DTS):

1. Select the fabric you wish to use and check the COM Search on Synergy at: [Allsteelsynergy/Design Resources/Textiles & Finishes/COM Search](#) or [COM Search quick link](#). Or call Allsteel Customer Support to see if the fabric you have chosen has already been tested and approved on the product you are interested in.

You will need to have the COM supplier's name, fabric pattern name, and color name for this inquiry.
2. If your fabric is not listed as approved, and it is not a Partnership fabric you may request a "Dealer to Supply" code. Select the "Request COM Test" link on the COM Search website. Your name, company name and email will be prepopulated fields. The secondary email, project name, and bid/contract number are optional information. The supplier, pattern, and color will show a list by clicking in the box and entering the first letter of the name and these are free form text boxes. Once that information is entered click add. (Multiple series can be added to the same request if they are the same supplier, pattern, and color.) Then click submit.
3. An email will be sent to the to the requestor stating the COM Request was successfully submitted. Up to four emails could be received: Testing materials requested, in testing, and final approval/denial with price grade and fabric code. It's rare actual test yardage is required. Testing is mainly done by reviewing the attributes of the fabric. The testing process takes approximately 48 hours.
4. Make sure to use a "Dealer to Supply" COM code (e.g., S216426ZP) and place your order directly with Allsteel Customer Support.
5. All "Dealer to Supply" orders will be charged Grade 4 pricing for seating, Grade 3 for Gather, and Grade D pricing for panels. Dealers will pay for the COM fabric separately.
6. All "Dealer to Supply" fabric must be sent on a fabric roll. Estimate the yardage required by using the yardage requirements listed in the price list by model. For questions please contact Allsteel Customer Support.
7. Place your fabric order directly with the COM Supplier with instructions for the fabric to be sent on a fabric roll to:

HNI Textile Distribution Center

COM Production Yardage — PO Number

Docks 20-22

301 Mulberry Avenue

Muscatine, IA 52761

Desking & Benching

COM Policy

[GSA Reference Page](#)

Information that **MUST** be included in the packing slip attached to the DTS fabric:

1. Dealer's Purchase Order number to Allsteel
2. Allsteel's Tracking number for the COM fabric
3. Dealer Name
4. Yards of Fabric

If the fabric shipment does not match the correct fabric and yardage, Allsteel will notify the Dealer for resolution.

If Allsteel receives fabric with incorrect labeling or fabric yardage that cannot be linked to an Allsteel furniture order, Allsteel will hold the fabric for up to 4 weeks. After 4 weeks Allsteel will dispose of the fabric. There are no exceptions to this policy.

Specific to DTS orders - The customer should send only the amount needed for the order. Excess yardage, or yardage not attached to an order will be disposed of at Allsteel's discretion.

Any canceled orders are subject to cancellation charges up to the full value of the Allsteel product canceled. Allsteel will determine the actual cancellation charge at the time the cancellation is requested.

8. For additional details on "Dealer to Supply" fabric refer to your Allsteel terms and conditions.

Additional Policy Information:

The company assumes no responsibility for the overall appearance, flammability, normal durability, colorfastness, or any other quality standards. The company reserves the right to reject a COM if the quality of the COM is not satisfactory for the product. Should this occur, the customer will be notified with an explanation when the issue is found.

The company is not responsible for fabric that has become obsolete at the COM supplier, that is of poor quality, or that is delivered late to the manufacturer from the COM supplier.


All cancellations or changes to COM orders are subject to Company approval. Because of the nature of COM, special fabrics, finishes, and structural modifications, products ordered as specials and then canceled prior to shipment are subject to cancellation costs up to the full value of the product canceled. The company determines the actual cancellation charge at the time the cancellation is requested. Upon approval, a cancellation number is issued to the Customer.

Purchase orders will not be accepted or entered unless the testing process is complete with positive results.

If all testing has been previously completed, re-testing is only necessary if fabric is to be used on a different product, or pattern direction has changed from that previously approved.

Previous test results can be obtained by a customer on the COM Search on Synergy or by calling Allsteel Customer Support.

All COM fabric will be applied to seating and panel systems Pattern Cut unless Railroad Cut is requested and approved on the COM Test Request. Any fabrics approved as a width pass, the dealer is responsible for clarifying Railroad Cut on orders containing items that are too large to support the Pattern Cut of a fabric application (any items larger than 48" high or wide).



Fire Retardant

The Dealer is responsible for ensuring that the COM fabric is certified to meet all flame retardant requirements.

For more information, please contact Allsteel Customer Support.

YARDAGE REQUIREMENTS FOR FABRIC WITH REPEATS — FOR USE ON GATHER™ PRODUCTS

Fabric Width	Plain Fabric	2"– 14" Repeat	15"– 19" Repeat	20"– 27" Repeat	28"– 36" Repeat
54"	0	+15%	+20%	+25%	+30%
53"	+6%	+19%	+24%	+28%	+36%
52"	+13%	+23%	+28%	+33%	+38%
51"	+19%	+26%	+31%	+36%	+41%
50"	+25%	+30%	+35%	+40%	+45%
49"	+30%	+35%	+40%	+45%	+50%
48"	+35%	+40%	+45%	+50%	+55%
47"	+45%	+50%	+55%	+58%	+65%

Depending upon the pattern repeat, it may be necessary to pattern cut the fabric. This will require 10% additional fabric.

To calculate multiple repeats (vertical and horizontal), add each repeat for total yardage required. For example for a fabric width of 54": 7" vertical requires 15%, 15" horizontal requires 20% total additional yardage required equals 35% (15% + 20%). Therefore, if your chair requires 2 yards of fabric, multiply 2 by 35%. Then 2.7 yards will be yardage required.

Special Paint & Stain Policy

Allsteel at its own discretion may modify its standard products with non-standard paint and stain colors to meet specific needs. Dealer is required to submit a special paint or stain request via the COM Search on Synergy. A sample of the non-standard paint or stain color desired will be required for matching. Pricing, lead time, and order information will be provided at the time of approval.

- For each new requested stain or paint, there will be a \$500 net fee to cover supplier costs to match the special item.
- For existing, previously-approved stains or paints, there is no \$500 matching fee, however, there is a sample chip fee of \$175 net for stains and \$100 net for paints.
- Samples, preferably at least 3" x 5" chips, of the exact color desired should be sent to the Allsteel Tailored Products Group. Paint matches require (3) sample chips and stain matches require (3) sample chips. Please mail these sample chips to the address below and reference the Special Item Request Number from Tailored Solutions.

Allsteel Inc.

Attn: Tailored Products Group
2210 Second Avenue
Muscatine, IA 52761

- Allsteel will color match the sample and send control samples to the address provided in the request. Dealer will review Allsteel's color match and approve by signing the back of the sample chip. Send the signed sample back to the Allsteel Tailored Products Group.
- Special paints will be assigned a paint price grade.
- Orders will not be accepted until Allsteel receives the Dealer's written approval on the color match.
- Extended lead times will apply on orders containing special paints or stains.
- Due to manufacturing techniques, materials, and quality issues, some exclusions will apply and some matches may be declined.

Important Notes

- Natural veneer is subject to nature's quality control. Differences in grain and color are naturally occurring variations and cannot be controlled by the manufacturer and cannot be considered as product defects. Natural veneer has the characteristics and beauty of a living organism; with its own variations of grain, growth, and color patterns. For these reasons, Natural veneer is preferred by many for its warmth and personal characteristics.

- Color changes will occur over time when wood is exposed to light. For this reason, when new product is ordered as an addition to existing product, there will be color variances between the old and new product. Please remember when specifying new product that although the species of veneer will be the same, additional product is being manufactured from a different tree. It may take several months for the new furniture to mature to the color level of existing product. Even with this maturation process the additional product will not be an exact match.

Special Laminate Policy

The Company at its own discretion may modify its standard products with non-standard laminates to meet specific needs. Contact the Allsteel Tailored Products Group for pre-approved Wilsonart, Formica, Nevamar and Pionite laminates and pricing for special laminates. When requesting a special laminate please supply manufacturer, along with name and pattern number of laminate.

- Extended lead times will apply on orders containing special laminates.
- Due to manufacturing techniques, materials, and quality issues, some product exclusions will apply and some requests may be declined.

Everyday Advantage®

New terms and conditions for EDA:

1. Orders must clearly state “Everyday Advantage Order” and include the appropriate Everyday Advantage contract number:
 - Everyday Advantage Std-0125, Everyday Advantage Canada-0127
2. Everyday Advantage orders are not eligible for bid pricing.
3. Program discounting includes the complete Optimize, Further, and Terrace systems lines, private office solution, Approach and Involve storage. This program also includes Acuity, Access, Evo, Inspire, Lyric, Mimeo, Nimble, Quip, Relate, Seek, and Svelte, seating. Altitude, Aware, and Structure tables are also available, along with Align pedestals, lockers and metal storage and Essentials pedestals, and Raddi storage lines. In addition, Extensions ergonomic accessories and lighting are part of the standard offering. All other product not called out is available for order on the contract but will receive standard discounting of 55%–65%.
4. All textiles and finishes except for veneer and some wood finishes are available, depending on quantity and selection, and may have extended lead times.
5. Everyday Advantage orders are not limited to a minimum or maximum.
6. All orders ship based on standard lead times. Large-quantity orders of like products may be subject to longer lead times.
7. Standard freight terms apply.
8. If driver assistance is needed, standard driver assist charges will be added at time of order entry.

Allsteel Inc. reserves the right to amend or terminate this program at anytime with 30 days written notice. Allsteel is not liable for service delays caused by force majeure (circumstances beyond Allsteel's control).

GRADE A

APPOINT PANEL	
Artichoke	APN911
Blackberry	APN932
Bronze	APN922
Carbon	APN928
Chai	APN912
Cherry	APN930
Dark Pewter	APN917
Dune	APN915
Espresso	APN923
Frost	APN934
Framboise	APN931
Jet	APN927
Lawn	APN925
Mandarin	APN929
Morel	APN909
Nimbus	APN916
Platinum	APN924
Turquoise	APN926

*BINARY †	
Blush	BNRY12
Coal	BNRY06
Cream	BNRY01
Denim	BNRY08
Diamond	BNRY03
Graphite	BNRY05
Juniper	BNRY10
Lagoon	BNRY07
Lavender	BNRY11
Mineral	BNRY04
Reef	BNRY09
Sand Dollar	BNRY02

CENTURION^w	
Apricot	CU47
Bark	CU25
Black	CU10
Espresso	CU49
Fog	CU03
Frost	CU22
Goldenrod	CU27
Indigo	CU06
Iris	CU50
Iron Ore	CU19
Jade	CU83
Marsala	CU63
Morel	CU24
Navy	CU98
Peacock	CU97
Pear	CU84
Ruby	CU67
Sapphire	CU09

CIRCUIT † ♣	
Atlas	CIRC35
Dolphin	CIRC63
Island White	CIRC14
Moon	CIRC07
Night	CIRC49
Pacific	CIRC28
Quartz	CIRC01
Sienna	CIRC56
Silk	CIRC21
Snap Pea	CIRC42

ETCH	
Axis	ECH913
Blend	ECH914
Cast	ECH912
Highlight	ECH910
Midtone	ECH911
Outline	ECH908
Shade	ECH909
Tonal	ECH916
Vanish	ECH915

^w Limited to 48" W or less

▼ Panel fabric is not available on Further.

♣ Panel fabric is not available on Optimize.

† Panel fabric is not available on Concensys.

* Not available on 72" W

GRADE A – continued

LANDSCAPE	
Cornsilk	LN15
Drift	LN05
Khaki	LN20
Sheen	LN10
Slate	LN35
Umber	LN25
Urban	LN30

LUCY	
Aspen	LC932
Cornsilk	LC930
Dusk	LC922
Fawn	LC933
Graphite	LC934
Mist	LC920
Neutra	LC924
Pewter	LC935
Snowdrop	LC928

NOBLE	
Aegean	NBLE18
Amethyst	NBLE19
Aspen	NBLE14
Aster	NBLE20
Blossom	NBLE21
Bluebell	NBLE22
Bordeaux	NBLE01
Brick	NBLE02
Chambray	NBLE10
Chamomile	NBLE23
Clementine	NBLE04
Conifer	NBLE24
Cottage	NBLE25
Darkness	NBLE26
Dawn	NBLE13
Denim	NBLE09
Desert Sand	NBLE27
Dewfall	NBLE28
Dusted Sage	NBLE29
Flax	NBLE30
Grass	NBLE07
Gunmetal	NBLE15
Harmony	NBLE31
Harvest	NBLE12
Ice Caves	NBLE32
Icicle	NBLE33
Inky	NBLE34
Iris	NBLE35
Jade	NBLE06
Knight	NBLE17
Mesa	NBLE03
Monarch	NBLE36
Pacific	NBLE08
Pitch	NBLE37
Queen Bee	NBLE38
Rainforest	NBLE05
Regal	NBLE11
Sandcastle	NBLE39
Sedona	NBLE40
Stormy	NBLE16
Sunbeam	NBLE41
Voyager	NBLE42
Windy Day	NBLE43

REFLECTIONS	
Galvanized	REF929
Ice	REF920
Loggia	REF921
Mistral	REF928
Moonstone	REF923
Pewter	REF922
Stainless	REF924
Vanilla	REF925
Winter	REF927

REFUGE	
Artesian	RFG996
Dune	RFG992
Eclipse	RFG990
Frost †	RFG993
Glacier †	RFG991
Mineral	RFG998
Tidal	RFG994

TEMPEST	
Dragonfly	TP930
Frost	TP915
Full Stream	TP980
Gold Rush	TP910
Slate	TP945
Tumbleweed	TP970
Wind Chill	TP940
Zebra	TP935

GRADE A – continued

VAST	
Vineyard	VST01
Garden	VST02
Grasslands	VST03
Bay	VST04
Open Air	VST05
Atmosphere	VST06
Ocean	VST07
Mountain Range	VST08
Highway	VST09
Tundra	VST10
Beach	VST11
Desert	VST12
Country Side	VST13

GRADE B

*ANALOG (De-emphasized)

Album	ANLG06
Cartridge	ANLG04
Cassette	ANLG09
Dial	ANLG02
Media	ANLG08
Reel	ANLG07
Signal	ANLG03
Stereo	ANLG01
Track	ANLG05

COAST † ♣

Channel	COA914
Dune	COA903
Headlands	COA910
Marsh	COA902
Pebble	COA912
Pier	COA913
Shoal	COA901
Silt	COA906
Tide	COA908

DISPERSE †

Autumn	DISP03
Branch	DISP10
Coffee Bean	DISP13
Dusk	DISP09
Emerald City	DISP08
Gold Rush	DISP02
Igloo	DISP11
Ink	DISP06
Mist	DISP12
Oatmeal	DISP15
Prince	DISP07
Reservoir	DISP01
Rose	DISP04
Spring	DISP05
Steel	DISP16
Taupe	DISP14

MICA

Anthracite	MCA911
Breeze	MCA918
Bronze	MCA913
Buff	MCA914
Cremeni	MCA917
Crystal †	MCAWIT
Dew	MCA920
Dove	MCA912
Fresh	MCA916
Mineral	MCA915
Nectar	MCA919
Shale	MCA910

SPIN PANEL

Alabaster	SPIN02
Cavern	SPIN03
Cobblestone	SPIN04
Ember	SPIN06
Flame	SPIN07
Heron	SPIN13
Oat	SPIN01
Ocean	SPIN12
Plum	SPIN15
Pool	SPIN11
Raven	SPIN10
Rhubarb	SPIN14
Tropic	SPIN08
Willow	SPIN05

TERRAIN

Bay	TRRN05
Bayou	TRRN35
Canyon	TRRN30
Cliff	TRRN45
Crest	TRRN25
Delta	TRRN10
Plateau	TRRN15
Ridge	TRRN20
Valley	TRRN40

Finishes

Pattern Name	Code	Grade	Altitude	Further Gallery End Panels	Further Storage	Gallery Panels	Systems Worksurfaces
Ash	LT3B	1	•	•			•
Silver Mesh	LT8D	1	•	•			•
Black	P	1	•	•	•	•	•
Brownstone	LM13	1	•	•	•	•	•
Bungalow	LM12	1	•	•	•	•	•
Designer White 15051	LDW1	1	•	•	•	•	•
Flint	LM16	1	•	•	•	•	•
Fossil Shale	LEH1	1	•	•	•	•	•
Loft	LM11	1	•	•	•	•	•
Muslin	LM15	1	•	•	•	•	•
Titanium	LT11	1	•	•	•	•	•
Belair	LWBA	1	•	•	•	•	•
Bourbon Cherry	H	1	•	•	•	•	•
Field Elm	LWFE	1	•	•	•	•	•
Florence Walnut	LFW1	1	•		•	•	•
Kingswood Walnut	LKI1	1	•		•	•	•
Natural Maple	LWD	1	•		•	•	•
NeoWalnut	LNU1	1	•		•	•	•
Pinnacle	PINC	1	•	•	•	•	•
Shaker Cherry	LW7C	1	•		•	•	•
Beigewood	LWBE	2	•		•	•	•
Fawn Cypress	LFC1	2	•		•	•	•
Lowell Ash	LLA1	2	•		•	•	•
Mangalore Mango	LMM1	2	•		•	•	•
Natural Recon	LNR1	2	•		•	•	•
Phantom Charcoal	LPC1	2	•		•	•	•
Phantom Ecru	LPE1	2	•		•	•	•
Portico Teak	LPT1	2	•		•	•	•
Skyline Walnut	LSW1	2	•		•	•	•
Veranda Teak	LVT1	2	•		•	•	•
Natural Walnut	LWNW	3	•		•	•	•

Finishes

System Worksurfaces

Veneer Type	Stain Name	Code	Grade	
FSC Stratawood Cherry	Cinnamon Cherry	FSCSC260	1	•
FSC Stratawood Cherry	Lowell Ash	FSCSC394	1	•
FSC Stratawood Cherry	Clear Cherry	FSCSC700	1	•
FSC Stratawood Cherry	Light Cherry	FSCSC701	1	•
FSC Stratawood Cherry	Shaker Cherry	FSCSC774	1	•
FSC Stratawood Cherry	Burnished Cherry	FSCSC777	1	•
FSC Stratawood Maple	Field Elm	FSCSE599	1	•
FSC Stratawood Maple	Clear Maple	FSCSE800	1	•
FSC Stratawood Maple	Harvest Maple	FSCSE856	1	•
FSC Stratawood Maple	Beigewood	FSCSE878	1	•
FSC Stratawood Maple	Phantom Ecu	FSCSE912	1	•
FSC Stratawood Maple	Belair	FSCSE934	1	•
FSC Stratawood Rift Oak	Clear Oak	FSCSF300	1	•
FSC Stratawood Rift Oak	Dark Rift Oak	FSCSF331	1	•
FSC Stratawood Walnut	Florence Walnut	FSCST579	1	•
FSC Stratawood Walnut	Light Walnut	FSCST601	1	•
FSC Stratawood Walnut	Skyline Walnut	FSCST625	1	•
FSC Stratawood Walnut	Pinnacle Walnut	FSCST679	1	•
FSC Stratawood Walnut	Sumatra Walnut	FSCST693	1	•
FSC Natural Cherry	Cinnamon Cherry	FSCNC260	1	•
FSC Natural Cherry	Lowell Ash	FSCNC394	1	•
FSC Natural Cherry	Medium Red Cherry	FSCNC512	1	•
FSC Natural Cherry	Clear Cherry	FSCNC700	1	•
FSC Natural Cherry	Light Cherry	FSCNC701	1	•
FSC Natural Cherry	Shaker Cherry	FSCNC774	1	•
FSC Natural Cherry	Burnished Cherry	FSCNC777	1	•
FSC Natural Maple	Natural Maple-Clear	FSCNE800	1	•
FSC Natural Maple	Harvest Maple	FSCNE856	1	•
FSC Natural Walnut	Ebony Walnut	FSCNT509	1	•
FSC Natural Walnut	Florence Walnut	FSCNT579	1	•
FSC Natural Walnut	Light Walnut	FSCNT601	1	•
FSC Natural Walnut	Skyline Walnut	FSCNT625	1	•
FSC Natural Walnut	Nutmeg Walnut	FSCNT629	1	•
FSC Natural Walnut	Pinnacle Walnut	FSCNT679	1	•
FSC Natural Walnut	Sumatra Walnut	FSCNT693	1	•
FSC Natural Rift Oak	Fawn Cypress	FSCRF108	2	•
FSC Natural Rift Oak	Light Rift Oak	FSCRF301	2	•
FSC Rift Oak	Dark Rift Oak	FSCRF331	2	•
FSC Natural Rift Oak	Phantom Ecu	FSCRF912	2	•
Natural Cherry	Cinnamon Cherry	NC260	1	•
Natural Cherry	Lowell Cherry	NC394	1	•
Natural Cherry	Medium Red Cherry	NC512	1	•
Natural Cherry	Light Cherry	NC701	1	•
Natural Cherry	Shaker Cherry	NC774	1	•
Natural Cherry	Burnished Cherry	NC777	1	•
Natural Maple	Natural Maple-Clear	NE800	1	•
Natural Maple	Harvest Maple	NE856	1	•
Natural Rift Cut Oak	Fawn Cypress	RF108	2	•
Natural Rift Cut Oak	Light Rift Oak	RF301	2	•
Natural Rift Cut Oak	Dark Rift Oak	RF331	1	•
Natural Rift Cut Oak	Phantom Ecu	RF912	2	•
Natural Walnut	Ebony Walnut	NT509	1	•
Natural Walnut	Florence Walnut	NT579	1	•
Natural Walnut	Light Walnut	NT601	1	•
Natural Walnut	Skyline Walnut	NT625	1	•
Natural Walnut	Nutmeg Walnut	NT629	1	•
Natural Walnut	Pinnacle Walnut	NT679	1	•
Natural Walnut	Sumatra Walnut	NT693	1	•

Finishes

Veneer Type	Stain Name	Code	Grade	System Worksurfaces
Stratawood Cherry	Stratawood Cherry	SC260	1	•
Stratawood Cherry	Lowell Ash	SC394	1	•
Stratawood Cherry	Clear Cherry	SC700	1	•
Stratawood Cherry	Light Cherry	SC701	1	•
Stratawood Cherry	Shaker Cherry	SC774	1	•
Stratawood Cherry	Burnished Cherry	SC777	1	•
Stratawood Maple	Field Elm	SE599	1	•
Stratawood Maple	Clear Maple	SE800	1	•
Stratawood Maple	Harvest Maple	SE856	1	•
Stratawood Maple	Beigewood	SE878	1	•
Stratawood Maple	Phantom Ecrú	SE912	1	•
Stratawood Maple	Belair	SE934	1	•
Stratawood Silver Oak	Clear	SB100	1	•
Stratawood Silver Oak	Portico Teak	SB150	1	•
Stratawood Rift Oak	Clear Oak	SF300	1	•
Stratawood Rift Oak	Dark Rift Oak	SF331	1	•
Stratawood Walnut	Florence Walnut	ST579	1	•
Stratawood Walnut	Light Walnut	ST601	1	•
Stratawood Walnut	Skyline Walnut	ST625	1	•
Stratawood Walnut	Pinnacle Walnut	ST679	1	•
Stratawood Walnut	Sumatra Walnut	ST693	1	•

Pattern Name	Code	Grade	Beam	Halo	Square	Bar	Arch
Designer White	PJW	1	•	•	•	•	
Silver	PR6	1	•	•		•	
Black	P27	1				•	
Flint	P02	1			•		
Loft	P7B	1			•		
Matte Silver	EL	1			•		
Anodized Silver	PR0	1					•
Pyrite	PJE	2	•	•	•		
Solar Black	P8X	2	•	•	•		

Finishes 214

Digital Lock Specifications 215

Pedestal Functionality with Work Tools 216

Digital Locking Guide..... 217

Freestanding and Mobile Pedestals218-221

Pedestal Functionality with Work Tools222-223

Undermount, L-Cube, and Work Tools 224

Undercabinet Pedestals..... 225

Caddy..... 226

Digital Lock Keys and Accessories 227

PAINTED METAL FINISHES

GRADE P1

Black.....	P71
Brownstone.....	P7D
Bungalow.....	P7C
Cinder.....	P7Q
Designer White.....	PJW
Flint.....	P02
Fossil.....	P28
Loft.....	P7B
Muslin.....	P4J
Parchment.....	P93
Pebble.....	P8R
Pewter.....	P8D
Salt.....	P8C
Titanium.....	P8T

GRADE P2

Champagne Metallic.....	PR5
Gunmetal Metallic.....	PR3
Silver***.....	PR6
Solar Black.....	P8X

***PR6 no upcharge on Involve; available as a Grade P2 color on stanchions. PR6 & P8X are not available on Concensus, Essentials bookcase, and vertical files.

GRADE P3

Amethyst*** (De-emphasized).....	P091
Atom.....	P8S
Blossom***.....	P8K
Bullseye.....	PJF
Cobalt Mica*** (De-emphasized).....	P090
Ember.....	P8P
Ion.....	P8N
Iris.....	P8J
Krypton.....	P8F
Ochre***.....	P093
Regatta.....	P8M
Sienna***.....	P092
Succulent***.....	P8A

Metallic paints, due to varying reflectance, may appear to have less visual color consistency than other paint finishes, even when L/A/B values are exactly the same. (L/A/B — measurable aspects of color — values are maintained within a specified range, to ensure consistent appearance of paint colors.)

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

METAL STORAGE PULLS

BEAM

Designer White.....	PJW
Silver.....	PR6
Pyrite.....	PJE
Solar Black.....	P8X

HALO

Designer White.....	PJW
Silver.....	PR6
Pyrite.....	PJE
Solar Black.....	P8X

BAR

Designer White.....	PJW
Black.....	P27
Silver.....	PR6

SQUARE

Designer White.....	PJW
Flint.....	P02
Loft.....	P7B
Matte Silver.....	EL
Pyrite.....	PJE
Solar Black.....	P8X

RADII CONSOLE—POLY LINER

Cool Grey.....	CGR
----------------	-----

RADII USB

Designer White.....	DW
Flint.....	E9
Storm.....	STRM

LOCKS

Black.....	E4
Chrome.....	ordered by base model
Matte Silver.....	EL

NOTE: Refer to individual product pages for upcharges.

RADII WORKTOOLS COLOR OPTIONS

DW- Designer White
E9- Flint

FABRICS

GRADE 1

APEX.....	APX
Basalt.....	APX25
Beet.....	APX12
Blackberry.....	APX20
Chive.....	APX05
Iris.....	APX03
Kiwi.....	APX06
Lemonade.....	APX08
Navy.....	APX13
Papaya.....	APX09
Pumice.....	APX23
Rain.....	APX19
Resort.....	APX15
Royal.....	APX14
Tiki.....	APX29
Tomato.....	APX11

CENTURION.....	CU
Apricot.....	CU47
Bark.....	CU25
Black.....	CU10
Espresso.....	CU49
Fog.....	CU03
Frost.....	CU22
Goldenrod.....	CU27
Indigo.....	CU06
Iris.....	CU50
Iron Ore.....	CU19
Jade.....	CU83
Marsala.....	CU63
Morel.....	CU24
Navy.....	CU98
Peacock.....	CU97
Pear.....	CU84
Ruby.....	CU67
Sapphire.....	CU09

FABRICS – CONTINUED

GRADE 1 – CONTINUED

CONTOURETT.....	CU
Baltic.....	UR94
Beach.....	UR23
Black.....	UR10
Bordeaux.....	UR63
Buff.....	UR22
Cloud.....	UR18
Coffee Bean.....	UR49
Crater.....	UR51
Flame.....	UR62
Graphite.....	UR19
Iron.....	UR20
Luggage.....	UR26
Marine.....	UR92
Navy.....	UR95
Nimbus.....	UR93
Ocean.....	UR96
Pumpkin.....	UR42
Quarry.....	UR24
Red.....	UR64
Safari.....	UR27
Sage.....	UR82
Steel.....	UR21
Storm.....	UR17
Taupe.....	UR28
Trunk.....	UR50

DAPPER.....	DAPR
Ash.....	DAPR20
Breeze.....	DAPR06
Canvas.....	DAPR25
Charcoal.....	DAPR01
Clover.....	DAPR22
Current.....	DAPR00
Fawn.....	DAPR35
Fern.....	DAPR85
Gerbera.....	DAPR16
Grape.....	DAPR33
Jewel.....	DAPR08
Marigold.....	DAPR65
Onyx.....	DAPR10
Orchid.....	DAPR90
Parrot.....	DAPR59
Poppy.....	DAPR19
Sapphire.....	DAPR07
Scarlet.....	DAPR45
Sepia.....	DAPR30
Sky.....	DAPR44
Slate.....	DAPR15
Sorbet.....	DAPR55
Spring.....	DAPR80
Terracotta.....	DAPR13
Titanium.....	DAPR17
Varsity.....	DAPR09
Zest.....	DAPR70

ENSEMBLE.....	ENSB
Aquamarine.....	ENSB30
Ash.....	ENSB39
Greige.....	ENSB36
Harbor.....	ENSB34
Navy.....	ENSB35
Oat.....	ENSB37
Pear.....	ENSB33
Sand.....	ENSB38
Scarlet.....	ENSB32
Slate.....	ENSB31
Stone.....	ENSB40


FABRICS – CONTINUED

GRADE 1 – CONTINUED

HAMILTON.....	HAML
Agave.....	HAML28
Azure.....	HAML10
Biscotti.....	HAML11
Cabernet.....	HAML08
Caribbean.....	HAML29
Carolina.....	HAML21
Charcoal.....	HAML17
Chocolate.....	HAML13
Cloud.....	HAML18
Dane.....	HAML16
Deep.....	HAML27
Dove Grey.....	HAML33
Dusty Rose.....	HAML07
Esmeralda.....	HAML06
Fern.....	HAML04
Fresh.....	HAML03
Garnet.....	HAML22
Granola.....	HAML19
Hearth.....	HAML34
Lilac.....	HAML14
Lime.....	HAML05
Lipstick.....	HAML09
Mellow.....	HAML25
Mossy Green.....	HAML26
Oxford.....	HAML20
Passion Fruit.....	HAML02
Pepper.....	HAML15
Powder.....	HAML12
Royalty.....	HAML31
Serene.....	HAML30
Sunny Day.....	HAML24
Sunrise.....	HAML01
Terracotta.....	HAML23
Winter Sky.....	HAML32

OPTIC.....	OP
Aurora.....	OP72
Bark.....	OP24
Canopy.....	OP84
Char.....	OP49
Ruby.....	OP42
Sand.....	OP17
Sky.....	OP83
Slate.....	OP19
Sprout.....	OP74
Starry Night.....	OP11
Storm.....	OP56

Digital Keypad Lock Specification Information (page 227)



The digital keypad lock options support applications where workstations or storage banks are shared by multiple users. This is an alternative to a standard key lock. This feature facilitates the use of storage by multiple users through eliminating the need to keep and hand-off physical keys. These locks ship in “shared mode” by default; shared mode indicates that the lock will “forget” the paired 4-digit code, allowing the unit to be used by multiple users.

Digital keypad locks:

- Ship factory installed
- Offered in a polished silver finish
- Digital keypad lock requires input of a user-selected 4-digit code
- Digital keypad powered using 2 premium lithium CR2450 batteries
- Battery life is dependent on the frequency of operation but can last up to 5-7 years

Programming Key

- A Programming Key is a device used to initialize locks out of factory default mode and register Manager Keys to the locks.
- Only one Programming Key should be specified per installation site because multiple Programming Keys are not compatible with each other.
- Once a programming key is used with a unit, it is tied to that lock. Another programming key can not be used.
- Add-on digital lock orders should be programmed with the original programming key.

Manager Key

- A Manager Key is used to bypass a locked unit; this operates as the “master” key and it is recommended that building facilitators have at least one Manager Key.
- Up to 6 Manager Keys may be registered to each lock.
- Manager Keys provide external power to locks in case of battery failure.


Description	Model	List Price
Digital Lock Keys and Accessories		
Programming Key	YPLDIGPRG	\$ 330
Manager Key	YPLDIGMGR	\$ 255

Effective March 1, 2023

Radii is a new generation of metal storage pedestals, undermounts, and Work Tools designed to accommodate more personal items and less paper. In the evolving digital age, the need to store paper files dwindles, people archive fewer documents, while the need to stow personal belongings grows. Conventional storage options that were designed for lateral paper filing don't adequately accommodate items employees stow, such as a backpack, purse, gym shoes, office supplies, or other everyday essentials workers want to keep within reach.

The desire for products to do more with less is quickly becoming a necessity. Radii delivers efficiency that is obvious in a solution that succinctly stows today's objects in a user-customizable way.

RADII STORAGE



Pedestals

- Available with casters or glides
- Casters allow clearance for pedestal to straddle Altitude foot.
- Rear casters swivel, front casters are fixed, casters do not lock.
- Freestanding pedestals are not meant to support worksurfaces.
- Drawer slides are not full extension.
- Counterweight installed when required. No additional counterweight is required.
- Case wrapper creates a utility lip at top of case from which Work Tools can hang.
- 15"W pedestals can fit a Hot File Bin sideways in drawer to serve as a space divider.
- Hot File and Side Saddle can hang on inside file drawer lip.
- Alcove unit has a single drawer with open enclosure at top to stow backpack or other personal items.
- Drawers are labeled as "Box"/"Box +" and "File"/"File +"; see dimension table below.
- Drawers labeled as "+" have a taller drawer front and added space above the drawer body that can either accept the hidden Radii accessory tray or allow for the drawer to stow larger items, such as a backpack.
- All pedestals with a drawer marked "+" ship with one accessory tray, additional trays may be purchased separately (20³/₈" H unit does not ship with or accept hidden tray).
- Radii pedestals offered with an electronic locking option
- Slim peds (10"W) with electronic locking only accept Square Pull.
- Manager and programming key purchased separately, see page 22 of Casegoods and Storage pricebook.

Pedestal Functionality Represented by
Freestanding Pedestal 21½"H
15"W x 23"D Box with Tray/File.
Additional Work Tools ordered separately.


Drawer Type	Exterior Drawer Height	Accepts Tray	Filing	
			15"W Pedestal	10"W Pedestal
Box	6"	No	No	No
Box +	9"	Yes	No	No
File	12"	No	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal
File +	15"	Yes	Front-to-Back Only, Letter Only	Side-to-Side Only, Letter or Legal

Drawer Type	Drawer Capacity*	
	15"W Pedestal	10"W Pedestal
Box	4¼"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	4¼"H x 7½"W x 21¾"D
Box +	7¼"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	7¼"H x 7½"W x 21¾"D
File	10¾"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	10¾"H x 7½"W x 21¾"D
File +	13⅝"H x 12½"W x 17¾"D (19"D Pedestals) or 21¾"D (23"D Pedestals)	13⅝"H x 7½"W x 21¾"D

*If using hidden tray in + drawer, subtract approximately 3" from usable height


Digital Lock Programming

Locks are shipped with factory default settings (only operates by pressing **C** **0π**). Each lock must be set up to operate with a Programming Key and Manager Keys.




Insert the Programming Key.

A two-tone beep will be heard and the LED will flash.




While the LED is flashing, insert one Manager Key at a time.

A beep will be heard for each Manager Key programmed.



Insert the Programming Key.

A two-tone beep will be heard and the LED will turn off.




Repeat above steps for each lock or follow instructions to Express Register Manager Keys to setup all locks.


Programming Instructions

Express Register Manager Credentials

Express Register Manager Keys The Programming Key can quickly program multiple locks to operate with the same Manager Keys.




Go to a lock already programmed to operate with the Manager Keys. Press: **C** **0π** **6** **1** **0π**. The LED will flash.




While the LED is flashing, insert the Programming Key.

A two-tone beep will be heard and the LED will turn off.



Insert the Programming Key to program each lock to operate with the same Manager Keys.

Two sets of two-tone beeps will be heard and the LED will flash twice to indicate successful programming.



End Express Registration mode.*


Go to any programmed lock.

Press: **C** **0π** then insert the Programming Key.

*The Programming Key will continue to function in Express Registration mode until it is used to operate a lock.


NOTE: For more information on digital lock use, please reference digital lock user guide(s) available on hniproduinstall.com.

See page 227 for manager key and programming key.




Freestanding Alcove and File + Pedestal 21½"H

Description	Model	P1 List Price
10"W x 23"D with Tray	APGBS24SNPT	\$ 923
15"W x 19"D with Tray	APGBP18SNPT	\$ 955




Freestanding Box + and File Pedestal 21½"H

10"W x 23"D with Tray	APGBS249TFN	\$ 985
15"W x 19"D with Tray	APGBP189TFN	\$ 1013
15"W x 23"D with Tray	APGBP249TFN	\$ 1078



Freestanding Box and File + Pedestal 21½"H

15"W x 19"D with Tray	APGBP186NPT	\$ 1013
15"W x 23"D with Tray	APGBP246NPT	\$ 1078




Freestanding Box + and File + Pedestal 24½"H

10"W x 23"D with Tray	APGCS249TPN	\$ 1080
15"W x 19"D with Tray	APGCP189TPN	\$ 1053
15"W x 23"D with Tray	APGCP249TPN	\$ 1097




Mobile Box and File Pedestal 20"H

15"W x 19"D Does not accommodate Work Tool Tray	APMAP186NFN	\$ 944
15"W x 23"D Does not accommodate Work Tool Tray	APMAP246NFN	\$ 991



Mobile Alcove/File + Pedestal 23½"H

10"W x 23"D Alcove/File with Tray	APMBS24SNPT	\$ 923
15"W x 19"D Alcove/Tray-File	APMBP18SNPT	\$ 955



Mobile Box + and File Pedestal 23½"H

10"W x 23"D with Tray	APMBS249TFN	\$ 985
15"W x 19"D with Tray	APMBP189TFN	\$ 1013
15"W x 23"D with Tray	APMBP249TFN	\$ 1078

How to specify —

Select the Model Number from above.

1st Option:

Pull Type
(if applicable):

- M Beam
- O Halo
- B Bar
- S Square

See matrix on page 13.

2nd Option:

Pull Color
(if applicable):

- M Beam / O Halo
- PJW Designer White
- PR6 Silver
- PJE Pyrite
- P8X Solar Black
- P2 upcharge +\$17/pull

- B Bar
- P27 Black
- PJW Designer White
- PR6 Silver
- S Square
- PJW Designer White
- EL Matte Silver
- P02 Flint
- P7B Loft
- PJE Pyrite
- P8X Solar Black
- P2 upcharge +\$17/pull

3rd Option:

Paint:

P1 P2 P3

See page 214 for finishes.

P2 add \$44
P3 add \$88

A P .

. . . .

P

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3

See page 214 for finishes.

- NA Match Case
- P1 add \$11
- P2 add \$33
- P3 add \$55

P

5th Option:

Tray Color:

- DW Designer White
- E9 Flint

DW

6th Option:


Lock Option:

- STD Standard
- OMT Omit Lock Core
(deduct \$20 per lock)

. . . .


Examples: APGBS24SNPT.OPR6.PR3.PR3.DW.STD

APMBP249TFN.BP27.P7B.P7B.DW.OMT




Freestanding Alcove and File + Pedestal 21½"H with Electronic Lock

Description	Model	P1 List Price
10"W x 23"D with Tray	APGBS24SNPTE	\$ 923
15"W x 19"D with Tray	APGBP18SNPTE	\$ 955




Freestanding Box + and File Pedestal 21½"H with Electronic Lock

Description	Model	P1 List Price
10"W x 23"D with Tray	APGBS249TFNE	\$ 985
15"W x 19"D with Tray	APGBP189TFNE	\$ 1013
15"W x 23"D with Tray	APGBP249TFNE	\$ 1078




Freestanding Box and File + Pedestal 21½"H with Electronic Lock

Description	Model	P1 List Price
15"W x 19"D with Tray	APGBP186NPTE	\$ 1013
15"W x 23"D with Tray	APGBP246NPTE	\$ 1078



Freestanding Box + and File + Pedestal 24½"H with Electronic Lock

Description	Model	P1 List Price
10"W x 23"D with Tray	APGCS249TPNE	\$ 1080
15"W x 19"D with Tray	APGCP189TPNE	\$ 1053
15"W x 23"D with Tray	APGCP249TPNE	\$ 1097



Mobile Box and File Pedestal 20½"H with Electronic Lock

Description	Model	P1 List Price
15"W x 19"D Does not accommodate Work Tool Tray	APMAP186NFNE	\$ 944
15"W x 23"D Does not accommodate Work Tool Tray	APMAP246NFNE	\$ 991

How to specify —

Select the Model Number from above.

1st Option:

Pull Type
(if applicable):

M Beam
O Halo
B Bar
S Square
See matrix on page 13.

2nd Option:

Pull Color
(if applicable):

M Beam / O Halo
PJW Designer White
PR6 Silver
PJE Pyrite
P8X Solar Black
P2 upcharge +\$17/pull

B Bar
P27 Black
PJW Designer White
PR6 Silver
S Square
PJW Designer White
EL Matte Silver
P02 Flint
P7B Loft
PJE Pyrite
P8X Solar Black
P2 upcharge +\$17/pull

3rd Option:

Paint:

P1 P2 P3
See page 214 for finishes.
P2 add \$44
P3 add \$88

A P | | | | | | | | | | . |

| | | | .

P | | | .

Continued below ▼

4th Option:

Front Paint:

P1 P2 P3
See page 214 for finishes.
NA Match Case
P1 add \$11
P2 add \$33
P3 add \$55

P | | | .

5th Option:

Tray Color:

DW Designer White
E9 Flint

| | | .


6th Option:

Lock Option:


EBNL Digital Lock add \$409
See page 227 for required manager key and programming key.

| | | | |



Example: APGBS24NPTE.SPR6.PDW.PDW.E9.EBNL




Description	Model	P1 List Price
Mobile Alcove/File + Pedestal 23½"H with Electronic Lock		
10"W x 23"D Alcove/File with Tray	APMBS24SNPTE	\$ 923
15"W x 19"D Alcove/Tray-File	APMBP18SNPTE	\$ 955




Mobile Box + and File Pedestal 23 3/4" H with Electronic Lock		
10"W x 23"D with Tray	APMBS249TFNE	\$ 985
15"W x 19"D with Tray	APMBP189TFNE	\$ 1013
15"W x 23"D with Tray	APMBP249TFNE	\$ 1078



Mobile Box and File + Pedestal 23 $\frac{3}{8}$ "H with Electronic Lock		
15"W x 19"D with Tray	APMBP186NPTE	\$ 1013
15"W x 23"D with Tray	APMBP246NPTE	\$ 1078



Mobile Box + and File + Pedestal 26 3/4" H with Electronic Lock		
10"W x 23"D with Tray	APMCS249TPNE	\$ 1080
15"W x 19"D with Tray	APMCP189TPNE	\$ 1053
15"W x 23"D with Tray	APMCP249TPNE	\$ 1097



<p>How to specify —</p> <p>Select the Model Number from above.</p>	<p>1st Option:</p> <p>Pull Type <i>(if applicable):</i></p> <p>M Beam O Halo B Bar S Square</p> <p>See matrix on page 13.</p>	<p>2nd Option:</p> <p>Pull Color <i>(if applicable):</i></p> <p>M Beam / O Halo</p> <div style="display: flex;"> <div style="margin-right: 20px;"> PJW Designer White PR6 Silver PJE Pyrite P8X Solar Black </div> <div> P2 upcharge +\$17/pull </div> </div>	<p>3rd Option:</p> <p>Paint:</p> <div style="text-align: center;"> P1 P2 P3 </div> <p>See page 214 for finishes.</p> <p>P2 add \$44 P3 add \$88</p>
<div style="display: flex; align-items: center;"> <div style="width: 30px; height: 30px; background-color: #ccc; margin-right: 5px;"></div> <div style="font-weight: bold; font-size: 1.2em;">A P .</div> </div>	<div style="display: flex; align-items: center;"> <div style="width: 30px; height: 30px; background-color: #ccc; margin-right: 5px;"></div> <div style="font-weight: bold; font-size: 1.2em;"> .</div> </div>	<div style="display: flex; align-items: center;"> <div style="width: 30px; height: 30px; background-color: #ccc; margin-right: 5px;"></div> <div style="font-weight: bold; font-size: 1.2em;"> .</div> </div>	<div style="display: flex; align-items: center;"> <div style="width: 30px; height: 30px; background-color: #ccc; margin-right: 5px;"></div> <div style="font-weight: bold; font-size: 1.2em;">P .</div> </div>

Continued below ▼

<p><i>4th Option:</i></p> <p>Front Paint:</p> <p>P1 P2 P3</p> <p>See page 214 for finishes.</p> <p>NA Match Case</p> <p>P1 add \$11</p> <p>P2 add \$33</p> <p>P3 add \$55</p> <p>P .</p>	<p><i>5th Option:</i></p> <p>Tray Color:</p> <p>DW Designer White</p> <p>E9 Flint</p> <p> .</p>	<p><i>6th Option:</i></p> <p>Lock Option:</p> <p>EBNL Digital Lock add \$409</p> <p>Flint</p> <p>See page 227 for required manager key and programming key.</p> <p> </p>
---	---	---

Example: APGBS24NPTE.SPR6.PDW.PDW.E9.EBNL

For specification information see page 215.

GSA SIN PENDING



Description	Model	List Price
Digital Lock Keys and Accessories		
Programming Key	YPLDIGPRG	\$ 330
Manager Key	YPLDIGMGR	\$ 255

How to specify —
Select the
Model Number
from above.

Y

P

L

Example: YPLDIGPRG

- Software support packages furnished to the customer, either by Allsteel® or by another source, which support the sale of Allsteel products are superseded by printed price lists.
 - Prices are subject to change without notice. All orders are subject to prices in effect at the time of order.
 - Please refer to your Allsteel Dealer Sales and Discount Policies for order placement information, terms and conditions.
 - Additional copies of this Specification and Price List are available upon request from Allsteel Literature at 1-866-255-7833.
- Ordering information appears at the bottom of each product page complete with examples on how to specify. Fabric and finish pages are referenced at the bottom of product pages.

This publication is available as an interactive or downloadable PDF at www.allsteeloffice.com.

Questions or Comments?
Please call us at: **888-ALLSTEEL**
888-255-7833

Paint Finishes, Laminates, Eased Edge 230

Fabrics..... 231

Working with Height-Adjustable Tables 232-235

Altitude Height-Adjustable Tops, Bases,
& Accessories 236-273

 Altitude – A6..... 236-237

 Altitude – Basic 238

 Worksurfaces for Height-Adjustable Bases 239-243

 Cable Management..... 244

 Screens and Power Module..... 245

 Altitude - Metal Screens..... 246-247

 Power Rail Specifications..... 249-256

 Working with Electrical and Data..... 257-261

 Power Rail – Electrical Components..... 262-264

 A8 Screen Kits..... 265

 Metal Screens and Tackboard Accessories 266-267

 Power Rails and Accessories 268-271

Working with Organization Rail & Accessories & Screens..... 272

Worksurface Mounted Rail and Accessories 273



BASE COLORS

GRADE P1

Black	P71
Brownstone	P7D
Cinder	P7Q
Designer White	PJW
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Nickel	P8L
Parchment	P93
Pebble	P8R
Pewter	P8D
Salt	P8C
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Night Bronze	P8B
Platinum Metallic	PR2
Silver	PR6

GRADE P3

Bullseye*	PJF
Regatta*	P8M
***Altitude Basic is only offered in one finish, Silver (SVR)	

POWER RAIL
PAINT COLORS

GRADE P1

Black	P71
Brownstone	P7D
Bungalow	P7C
Cinder	P7Q
Designer White	PJW
Flint	P02
Fossil	P28
Loft	P7B
Muslin	P4J
Pebble	P8R
Pewter	P8D
Salt	P8C
Titanium	P8T

GRADE P2

Champagne Metallic	PR5
Gunmetal Metallic	PR3
Night Bronze	P8B
Pyrite	PJE
Silver	PR6
Solar Black	P8X

GRADE P3

Amethyst (<i>De-emphasized</i>)	P091
Atom	P8S
Blossom***	P8K
Cobalt Mica (<i>De-emphasized</i>)	P090
Ember	P8P
Ion	P8N
Iris	P8J
Krypton	P8F
Ochre	P093
Regatta	P8M
Sienna	P092
Succulent***	P8A

***These colors are intended to be an inspirational option for the trending market. Product application is limited and color availability is approximately two years to coincide with evolving workplace trends.

A8 SCREEN BRACKET
PAINT COLORS

GRADE P1

Black	P71
Designer White	PJW

GRADE P2

Silver	PR6
--------------	-----

LAMINATES

GRADE L1

SOLID COLORS

Black	P
Brownstone*	LM13
Bungalow*	LM12
Designer White*	LDW1
Flint*	LM16
Fossil Shale*	LEH1
Loft*	LM11
Muslin*	LM15
Titanium*	LT11

ABSTRACT

Ash	LT3B
Handspun Pearl	LAHP
Handspun Dove	LAHD
Handspun Slate	LAHS
Handspun Chestnut	LAHC
Silver Mesh	LT8D

WOODGRAIN

Belair	LWBA
Bourbon Cherry	H
Field Elm	LWFE
Florence Walnut	LFW1
Kingswood Walnut	LK11
Natural Maple	LWD
NeoWalnut	LNU1
Pinnacle	PINC
Shaker Cherry	LW7C

GRADE L2

Beigewood	LWBE
Fawn Cypress	LFC1
Lowell Ash	LLA1
Mangalore Mango	LMM1
Natural Recon	LNR1
Phantom Charcoal	LPC1
Phantom Ecru	LPE1
Portico Teak	LPT1
Skyline Walnut	LSW1
Veranda Teak	LVT1

GRADE L3

Natural Walnut	LWNW
----------------------	------

EASED EDGE LAMINATES

GRADE L1

Designer White	LDW1
Loft	LM11
Natural Maple	LWD

GRADE L2

Natural Recon	LNR1
---------------------	------

STRAIGHT/ROUNDED
EDGE COLORS

Beigewood	DE
Belair	BA
Black	E4
Bourbon Cherry	H
Brownstone	EY
Bungalow	EX
Designer White	DW
Fawn Cypress	FC
Field Elm	FE
Flint	E9
Florence Walnut	FW
Fossil	EH
Kingswood Walnut	KI
Loft	EV
Lowell Ash	DL
Mangalore Mango	MM
Muslin	EU
Natural Maple	DD
Natural Recon	NR
Natural Walnut	DN
NeoWalnut	NU
Parchment	EN
Phantom Charcoal	PC
Phantom Ecru	PE
Pinnacle	PI
Platinum Metallic	EP
Plyband	PL
Portico Teak	DP
Shaker Cherry	DF
Skyline Walnut	SW
Titanium	TI
Veranda Teak	VT

ELECTRICAL & DATA
COMPONENTS

Black	E4
Brownstone	EY
Designer White	DW
Flint	E9
Loft	EV
Muslin	EU
Silver	ES

All of Allsteel's tables are level® – 2 certified to the ANSI/BIFMA e3 Furniture Sustainability Standard. See www.levelcertified.org for more information.

NOTE: Refer to individual product pages for upcharges.

Fabrics

For use with Screen Kits.

GSA Reference Page

GRADE A

NOBLE	
Aspen	NBLE14
Bordeaux.....	NBLE01
Brick	NBLE02
Chambray	NBLE10
Clementine	NBLE04
Dawn	NBLE13
Denim	NBLE09
Grass.....	NBLE07
Gunmetal.....	NBLE15
Harvest	NBLE12
Jade.....	NBLE06
Knight.....	NBLE17
Mesa	NBLE03
Pacific	NBLE08
Rainforest	NBLE05
Regal.....	NBLE11
Stormy	NBLE16


GRADE D

BLAZER LITE	
<i>(100% Pure New Wool)</i>	
Haven	PCAMBLT40
Retreat	PCAMBLT39
Solace.....	PCAMBLT70


ALTITUDE

Altitude height-adjustable bases are available in five styles:


A6




T-leg with
Rectangular Worksurface




T-leg with
Corner Cove Worksurface




C-leg with
Rectangular Worksurface




C-leg with
Corner Cove Worksurface



Altitude HAT
with Freestanding Mobile
Alcove Radii




Altitude HAT
with Freestanding Mobile
Alcove Radii



Altitude Power Rail


A6 Clearance Dimensions

Rectangle



Base Style:	A6-T Base				A6-C Base			
Dimension Location:	E1	W1	W2	E2	E1	W1	W2	E2
Altitude Top: (Surface dimensions are nominal. Actual widths are reduced by 2")	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg	Edge of table to outside of leg	Between legs	Between legs	Edge of table to the outside of leg
24" x 48" Rectangle*	2½"	35¼"	—	10⅞"	2½"	35¼"	—	14⅞"
24" x 54" Rectangle	2½"	41¼"	—	10⅞"	2½"	41¼"	—	14⅞"
24" x 60" Rectangle	2½"	47¼"	—	10⅞"	2½"	47¼"	—	14⅞"
24" x 66" Rectangle	2½"	53¼"	—	10⅞"	2½"	53¼"	—	14⅞"
24" x 72" Rectangle	2½"	59¼"	—	10⅞"	2½"	59¼"	—	14⅞"
30" x 48" Rectangle	2½"	35¼"	—	13⅞"	2½"	35¼"	—	17⅞"
30" x 54" Rectangle	2½"	41¼"	—	13⅞"	2½"	41¼"	—	17⅞"
30" x 60" Rectangle	2½"	47¼"	—	13⅞"	2½"	47¼"	—	17⅞"
30" x 66" Rectangle	2½"	53¼"	—	13⅞"	2½"	53¼"	—	17⅞"
30" x 72" Rectangle	2½"	59¼"	—	13⅞"	2½"	59¼"	—	17⅞"
60" x 36" Corner Cove	2½"	43"	26"	10⅞"	2½"	43"	29½"	14⅞"
60" x 48" Corner Cove	2½"	43"	32"	10⅞"	2½"	43"	35½"	14⅞"
72" x 36" Corner Cove	2½"	55"	26"	10⅞"	2½"	55"	29½"	14⅞"
72" x 48" Corner Cove	2½"	55"	32"	10⅞"	2½"	55"	35½"	14⅞"

Bottom Views



ALTITUDE

Feature	Altitude Basic	A6
Range Adjustment	26¼" – 43½" H + Adjustable Glide	2-Stage 26½" to 45¼" + ½" Adjustable Glide
Base Only, Without Work Surface		3-Stage 21¼" to 47½" + ½" Adjustable Glide
Range Adjustment	27⅞" to 44⅞" H + Adjustable Glide	2-Stage 27⅞" to 46⅞" + ½" Adjustable Glide
Includes Standard Allsteel 1½" Work Surface		3-Stage 22⅞" to 48⅞" + ½" Adjustable Glide
Foot Configuration	<ul style="list-style-type: none"> T Foot Standard leveling glide 	<ul style="list-style-type: none"> T Foot or C Foot Standard options include leveling glide, slide glides, and casters Foot Control
Leg Options	2 leg	2 and 3 leg
UL Certified Weight Rating	180 lbs	<ul style="list-style-type: none"> 250 lbs for 2 leg 350 lbs for 2-leg Max 320 lbs for 3-leg 500 lbs for 3-leg Max
Cross Bar Design	Yes	A6 models ordered prior to 4/5/2021 have cross bar understructure, A6 models ordered after 4/5/2021 do not
Colors	Silver Only	20 Allsteel Paint Finishes offered, see Altitude Tables Finishes page
Control Pad	Up/down only	Basic up/down, memory preset, paddle, foot pedal
Wire Management	Allsteel standard options available Hinged trough not recommended	Allsteel standard options available
Power Access	Desktop power modules available	Desktop power modules available
Warranty	5 years	If Purchased Before 3/1/2021: 10 Years Metal Base, 7 Years Electronics If Purchased After 3/1/2021: 10 Years for Entire Product

Height-Adjustable Worksurfaces, Bases, and Controls

Height-Adjustable Worksurfaces (page 239)

- Height-adjustable worksurfaces are available in laminate with flat edge and rectangular veneer with matching square edge.
- T-mold is used on the edge of curved worksurfaces. This will have a noticeable visual difference when directly adjacent to straight worksurfaces.
- Worksurface dimensions are nominal. Actual widths are reduced by 2" (1" each side) and worksurface depths are reduced by ¾". Corner cove depth is nominal, actual is 1" less.
- Rectangular undersized worksurface models' (model number ending in -U) actual widths and depths are reduced by 2".
- Corner Cove undersized worksurface models' (model number ending in -LD) actual dimensions are reduced by 2".
- Altitude worksurfaces are pre-drilled with mounting location for bases.
- Rectangular worksurface grommet location is limited to center location due to mounting of worksurface supports at each end of the worksurface.
- A6 load capacity is 250 lbs for 2-leg models, 320 lbs for 3-leg models, 350 lbs for 2-leg Max models, and 500 lbs for 3-leg Max models. This includes the weight of the worksurface.
- Certain two-piece top configurations may require two stiffeners depending on the footprint of your station.

Height-Adjustable Bases (pages 236-237)

- Electronic height-adjustable base units are available in six styles: A6-T Base with 2 legs, A6-C Base with 2 legs, A6-T Base with 3 legs, A6-C Base with 3 legs, A6-T Max Base with 2 legs, A6-C Max Base with 2 legs, A6-T Max Base with 3 legs, and A6-C Max Base with 3 legs.
- A6 2-stage 1.2"/sec, A6 3-stage 1.4"/sec, A6 Max .8"/sec. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again.
- Control box is powered by 110-120V/60Hz/4A. Standby power is < 0.1 Watts. Power cords on A6-T models are 10'.
- Pedestals taller than 24½" for 2-stage models and 19½" for 3-stage models when placed under table will limit range in lowest position.
- Mobile box/file pedestals will clear feet on height adjustable base but will extend past edge of worksurface in that position. See chart on page 233.
- Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table.
- All tables have adjustable glides providing ½" adjustment on A6.
- Slide glides offered as a .option and model level. Only available on 2-leg bases.
- 3-Leg standard bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 48"W.
- 3-Leg Max bases can accommodate worksurface configurations from 24"D x 48"W x 36"W to 30"D x 72"W x 72"W.
- Casters available on model level for retrofitting on 2-Leg Bases ONLY.
- Altitude A6 tables feature collision detection, a feature designed to stop table travel when the table detects an obstacle.
- Altitude A6 bases specified with a work surface 60"W and greater require the use of an external stiffener. An external stiffener is included in Altitude work surface models 60"W and greater (all models ending with letter -D). If a non-Altitude work surface is being used, an external stiffener may need to be specified separately.


A6 Control Options

- Memory Controls are now a .option.
- Up/Down: Basic Up/Down control.
- Memory Control: 4 memory pre-set options allow the user to adjust their height to their preferred heights.
- Paddle: Simple, aesthetic control with 1 memory pre-set option and reminder mode.
- Foot Control: Basic up/down wireless, hands free control. Can be paired with hand controls for multi-control option.
- Bluetooth Capability: A6 optional Bluetooth capability is sold as accessory model A6BLUETOOTH. Bluetooth is enabled through smartphone app AiDesk. Bluetooth control will only work with 2-leg A6 tables. Bluetooth control will **not** work with 3-leg A6 tables.


Altitude Basic (page 238)

- Altitude Basic can accommodate either 24"D or 30"D work surfaces
- Altitude Basic can accommodate work surfaces ranging from 48"W to 60"W, 60"W is the maximum work surface size for the Altitude Basic
- Supports weight capacity of 180 lbs.
- Control Box: 100-240V, 3.6A, 50/60Hz, 400W
- 9' grounded power cord
- 1½"/second travel speed
- Available in silver only
- Available with up/down control only
- Features "easy-to-assemble" installation

Cable & Wire Management



Cable Management Tray



Wire Management Channel

Cable Management Tray (page 244)

- Attaches under the worksurface to contain cables.
- Metal tray shelf is 4" deep. Can hold electrical power strip and/or surge protector.
- 24" and 36" lengths, use multiple units for larger worksurfaces.
- Attachment hardware included, specify paint color.

Wire Management Channel (page 244)

- Self adhesive backing to attach to panels and underside of worksurfaces.
- Flexible strips allow cabling to enter/exit and can be contained inside the 2-cavity profile.
- Each cavity provides space for a maximum of six .22" dia. cables. Total capacity = 1 sq. in.

Cord Management Chain (page 244)







- Works with Approach and Altitude A6-units.
- Used to route and conceal power/data cables from control box and other devices. Includes all mounting hardware and a plate to secure to a leveling glide.
- Houses 6 cables @ 0.300" diameter.
- Made of plastic chain with plastic attachment brackets at each end. Only comes in Black finish.

Under Worksurface Trough (page 244)

- Used to conceal wires and control box below worksurfaces. Trough can be configured at various height/width combinations to meet capacity needs — see illustrations below.
- On 48"W and 54"W worksurfaces use one 17"W trough. 54"W has space to use 2 – 17"W, if necessary.
- On 60"W, 66"W, and 72"W worksurfaces use the 36" trough.
- On 84"W worksurface use 2 – 17"W troughs.

Quad Tap (page 244)

- Under surface mounting, used on any worksurface.
- 10' Power cord. UL Listed
- 4 Simplex receptacles.
- May be used in conjunction with hinged trough to reduce the number of cords routed from a worksurface to a beam.

	Description	Model	List Price		
			P1	P2	P3
	2-Stage				
	2 Stage, 2 Leg Rectangle T Foot	A6REC2S2LTF	\$ 2088	\$ 2255	\$ 2506
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
	2 Stage, 2 Leg Rectangle C Foot	A6REC2S2LCF	\$ 2088	\$ 2255	\$ 2506
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
	3-Stage				
	A6 3 Stage, 2 Leg Rectangle T Foot	A6REC3S2LTF	\$ 2342	\$ 2530	\$ 2811
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
	A6 3 Stage, 2 Leg Rectangle C Foot	A6REC3S2LCF	\$ 2342	\$ 2530	\$ 2811
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-72"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-72"W				
	A6 Max 3 Stage, 2 Leg T Foot	A6MREC3S2LTF	\$ 3251	\$ 3511	\$ 3902
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-96"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-96"W				
	*350 LB Max Lift Capacity				
	A6 Max 3 Stage, 2 Leg C Foot	A6MREC3S2LCF	\$ 3251	\$ 3511	\$ 3902
	*Bases purchased in April 2021 or later accommodate 24"D-30"D Rectangular Worksurfaces 24"W-96"W, bases purchased prior to this date accommodate 24"D-30"D Rectangular Worksurfaces 48"W-96"W				
	*350 LB Max Lift Capacity				

How to specify —
Select the
Model Number
from above.

1st Option:

Select the
Base Paint Color
(if applicable):

P1 P2 P3

See page 230 for paint
finishes.

2nd Option:

Select Feet
Options
(if applicable):

X Standard Glides
S Slide Glides (\$148 extra)

3rd Option:

Select the Keypad
(if applicable):

UD Basic Up/Down
MEM Memory Preset
PDL Paddle

Example: A6RND3S2LCF.P8L.X.PDL