

altos

price guide

06.19.2017



teknion

contents

INTRODUCTION	3
FASCIAS	17
DOOR PACKAGES	153
FRAME KITS & COMPONENTS	177
TEK PIER	233
CLERESTORY - OPTOS PROFILE	255
LIGHTING, ELECTRICS & COMMUNICATIONS	275
MOUNTED STORAGE & ACCESSORIES	309

introduction

introduction

WHERE TO FIND THE INFORMATION YOU NEED	5
HOW TO MAKE THIS GUIDE WORK FOR YOU	6
INDEX – BY SECTION	8
INDEX – BY PRODUCT	12
HOW TO SPECIFY ALTOS	14

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

product pricing

Online Access to all current pricing in PDF format, can be found at www.teknion.com, by selecting the **products** tab, the desired product line and then **pricing module**.

Printed Price Guides by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

application guidelines

Online Access to all current Application Guides in PDF format, can be found at www.teknion.com, by selecting the **tools** tab, **application guides** and the desired product line.

Printed Application Guides by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

planning tool

Select and view typicals of our products by setting, product, or footprint. Get great ideas and save time!

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **planning tool**.

weights & volumes

Online Access to Weights & Volumes are available on www.teknion.com, by selecting the **products** tab and the desired product line. Download Weights & Volumes.

fabrics & finishes

Teknion's Fabrics and Finishes offering includes the following programs; Finishes + Materials and Teknion Textiles.

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**.

Printed Fabrics & Finishes Guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

product photography & drawings

Online Access to all photos, line drawings and renderings are available on www.teknion.com, by selecting the **tools** tab and selecting either **photography**, **CAD symbols** or **Sketchup 3D Warehouse**.

order forms

All forms (COM Request, TekniPaint and TekniStain forms) are available online at www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**. Download the form you require.

warranty/terms & conditions of sale

Online Access is available on www.teknion.com, by selecting the **Legal & Warranty** link located on the footer of the website.

installation guides

Installation Guides are available for both Online and Print. Contact your Teknion Customer Service Representative for more details.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content **OR** if you have found an error, that you please contact your Teknion Technical Services department.

how to make this guide work for you

price guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started and the subsequent sections provide detailed pricing and specification information by product type. Each of these sections contains Overview and Basics pages to explain key application and specification guidelines that will help you specify the product correctly. The detailed pricing pages follow.

6

price guide

Introduction

Index by section

Index by product

Product Maps by section

Overview and Basics by section

Pricing by section

basics page at a glance

It is recommended that you review the basics pages before you begin specifying a product. For more detailed application and planning information refer to the appropriate Application Guide available on www.teknion.com.

Product Overview Statement


Important Product Notes (If applicable)

tek pier

frame assembly basics

The Frame Assembly for Tek Pier is an Altos frame and consists of several vertical and horizontal channels allowing for Tek Pier technology and supports to be concealed within the frame.

238



Single Sided Shown

Frame Assembly for Tek Pier (FKTKP)

- Available heights include 96"-120" in 1" increments
- Available widths are 42" and 48"
- Available single sided or double sided
- Wiring system is 4 Wire (Modular and Chicago) hardware
- Available with Circuit Type 1 and Circuit Type 2 for Modular only
- Base and ceiling fascia heights are 4" and 6" high
- Fascia must be ordered separately and are available only as kits
 - Monolithic
 - Segmented Monolithic
 - Full
 - Segmented

altos price guide – June 19, 2017

Section Title

Page Title

Page Number

Product Finishes

Last update for this page

altos price guide – June 19, 2017

how to make this guide work for you (continued)

pricing details at a glance

Section Title →

Product Code/Name →

Product Illustration →

Page Number →

Product Dimensions in inches and millimeters


While sizing may be shown in both imperial and metric, products need to be ordered using imperial dimensions.

Dimensional Codes (listed throughout the text and under options on pricing pages) are nominal figures, they are not actual dimensions.

Last update for this page →

tek pier

F K T K P
Frame Assembly for Tek Pier



Single Sided Double Sided

PRODUCT OPTIONS

Elevation	Height (in 1" increments)	Width	Sides	Base/Ceiling Fascia Height	Wiring System	Electrical Circuit (for 4-Wire System)	Receptacle Amperage
W Working Wall	102 96 – 102	42, 48	1 1 Side – 1 Electrical Plate 2 2 Sides – 2 Electrical Plates	4, 6	4B 4-Wire CH Chicago	1 Circuit Type 1 2 Circuit Type 2	1 15 Amps 2 20 Amps
	107 103 – 107						
	114 108 – 114						
	120 115 – 120						

SAMPLE ORDER CODE

FKTKP W	120	42	1	4	4B	1	1
----------------	------------	-----------	----------	----------	-----------	----------	----------

**DIMENSIONS
INCHES / MM**

H (CODE)	W
102 / 2591	42 / 1067
102 / 2591	48 / 1219
107 / 2718	42 / 1067
107 / 2718	48 / 1219
113 / 2870	42 / 1067
113 / 2870	48 / 1219
120 / 3048	42 / 1067
120 / 3048	48 / 1219

If 20 Amps is specified, add 77

PRICING

1 SIDE – 1 ELECTRICAL PLATE (1)		2 SIDE – 2 ELECTRICAL PLATE (2)	
4-Wire	Chicago	4-Wire	Chicago
2788	2904	3467	3699
2840	2956	3519	3751
2855	2971	3534	3767
2908	3024	3587	3819
2904	3020	3582	3815
2956	3072	3635	3867
2907	3023	3586	3818
2959	3075	3638	3870

Product Description, What's Included, What's Excluded (where applicable) and Notes (where applicable)

The Frame Assembly for Tek Pier is a specific kit of Altos components designed to support Tek Pier installation.

WHAT'S INCLUDED
All Altos vertical and horizontal frames with clips and internal mounting plate.

WHAT'S EXCLUDED
Tek Pier assembly, fascias, worksurfaces.

NOTES
Includes Female Clips for all Fascia configurations (set for working wall) along the Vertical Posts.

Feature and finish options you may select from when specifying

Sample Order Code

Pricing table categorized by dimensions and price-relevant finishes (where applicable)

additional information

The following forms are available at www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing.

A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information.

A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

noting key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

index – by section

Section Contents	Product Code	Page No.
INTRODUCTION		
Where to find the Information you Need		5
How to Make This Guide Work For You		6
How To Specify Altos		14
FASCIAS		
Fascia Elevation Basics		24
Smart Fascias Basics		26
Filler Panel Basics		27
Specifying Fascia Heights		28
Base Fascia	FFB	30
Ceiling Fascia	FFC	32
Solid Fascia – Monolithic	FFM1	34
Solid Fascia – Full	FFF1	40
Solid Fascia – Segmented (Level I)	FFS1	46
Solid Fascia – Segmented (Level II)	FFS2	49
Solid Fascia – Segmented Monolithic (Level I)	FFSM1	50
Solid Fascia – Segmented Monolithic (Level II)	FFSM2	52
Solid Fascia – Working Wall (Level I)	FFW1	54
Solid Fascia – Working Wall (Level II)	FFW2	57
Solid Fascia – Working Wall (Level III)	FFW3	58
Solid Fascia – Working Wall Monolithic (Level I)	FFWM1	60
Solid Fascia – Working Wall Monolithic (Level III)	FFWM3	62
Glass Fascia – Single Centered	FFGC	64
Glass Fascia – Double	FFGD	68
Acoustic Fascia – Monolithic	FFAM1	72
Acoustic Fascia – Full	FFAF1	74
Acoustic Fascia – Segmented (Level I)	FFAS1	76
Acoustic Fascia – Segmented (Level II)	FFAS2	78
Acoustic Fascia – Segmented Monolithic (Level I)	FFASM1	80
Acoustic Fascia – Segmented Monolithic (Level II)	FFASM2	82
Acoustic Fascia – Working Wall (Level I)	FFAW1	84
Acoustic Fascia – Working Wall (Level II)	FFAW2	85
Acoustic Fascia – Working Wall (Level III)	FFAW3	86
Acoustic Fascia – Working Wall Monolithic (Level I)	FFAWM1	88
Acoustic Fascia – Working Wall Monolithic (Level III)	FFAWM3	90
Fabric Wrapped Base Fascia	FFRB	92
Fabric Wrapped Ceiling Fascia	FFRC	94
Fabric Wrapped Fascia – Monolithic	FFRM1	96
Fabric Wrapped Fascia – Full	FFRF1	106
Fabric Wrapped Fascia – Segmented (Level I)	FFRS1	116
Fabric Wrapped Fascia – Segmented (Level II)	FFRS2	120
Fabric Wrapped Fascia – Segmented Monolithic (Level I)	FFRSM1	122
Fabric Wrapped Fascia – Segmented Monolithic (Level II)	FFRSM2	126
Fabric Wrapped Fascia – Working Wall (Level I)	FFRW1	128
Fabric Wrapped Fascia – Working Wall (Level II)	FFRW2	132
Fabric Wrapped Fascia – Working Wall (Level III)	FFRW3	134

Section Contents	Product Code	Page No.
Fabric Wrapped Fascia – Working Wall Monolithic (Level I)	FFRWM1	136
Fabric Wrapped Fascia – Working Wall Monolithic (Level III)	FFRWM3	140
Smart Fascia – Accessory	FFMA	142
Smart Fascia – Whiteboard	FFMW	143
Smart Fascia – Tackable	FFMT	144
Framed Backpainted Glass Whiteboard	FDMWF	145
Framed Backpainted Glass – Whiteboard Double Span	FDMWFD	146
Filler Panel	FPF	147
Aluminum Fascia Kit	FFFK	148
Two-Way 90° Corner Cover	FKCN90	149
Two-Way 135° Corner Cover	FKCN132	149
Three-Way 135° Corner Cover	FKCN133	150
Three-Way 180° Corner Cover	FKCN180	150
DOOR PACKAGES		
Door Overview		156
Hinged Door Basics		157
Pivot Door Basics		158
Single Barn Door Basics		159
Double Barn Door Basics		160
Hinged Door	FDH	162
Pivot Door	FDP	163
Framed Glass Pivot Door	FDPZ	164
Hinged Glass Door	FDJ	166
Hinged Glass Double Door	FDE	167
Hinged Double Door	FDD	168
Glass Barn Door	FDC	169
Glass Barn Door – Low Profile	FDCZ	170
Solid Barn Door	FDS	171
Barn Door with Glass Insert	FDI	172
Double Glass Barn Door	FDL	173
Double Glass Barn Door – Low Profile	FDLZ	174
FRAME KITS & COMPONENTS		
Frame Kit Overview		182
Ceiling & Base Channel Basics		183
Vertical Post Basics		184
Corner & Module Connection Overview		185
90° Corner Connection Basics		186
135° Corner Connection Basics		187
Articulating Corner Basics		188
Module Connection Basics		189
Wall Gasket Basics		190
Wall Start & End Basics		191
Door Frame Basics		193
Frame Kit Component Basics		194
Ceiling Channel	FKN	196
Base Channel – Continuous	FKC	196

index – by section

Section Contents	Product Code	Page No.
Ceiling Clips	FKP	197
Horizontal Rail	FKK	198
Horizontal Rail Packages	FKH	199
Vertical Post Packages	FKV	200
Wall Start	FKW	201
Adjustable Wall End	FKE	202
Variable Angle Wall Start	FKWA	203
Wall Finished End	FKF	204
Two-Way 90° Corner Connection Frame Hardware Kit	FKCH90	205
Two-Way 135° Corner Connection Frame Hardware Kit	FKCH132	205
Three-Way 135° Corner Connection Frame Hardware Kit	FKCH133	206
Three-Way 180° Corner Connection Frame Hardware Kit	FKCH180	206
Four-Way Connection	FKC4	207
Articulating Two-Way Corner	FKCA2	208
Articulating Three-Way Corner	FKCA3	209
Three-Way 180° Module Connection	FKM3	210
Wall Gasket	FKJ	211
Vertical Reveal Cover Kit	FKJC	212
Double Door Frame Package – Full-Height	FKTF	213
Double Door Transom & Frame Package – Segmented-Height	FKTS	214
Hinged Glass Double Door Transom & Frame Package – Segmented-Height	FKTES	215
Door Frame Kit	FKD	216
Barn Door Frame Package – Full-Height for Glass Door	FKSF	217
Standard Glass Barn Door Frame – Low Profile	FKSFZ	218
Barn Door Frame Package – Full-Height for Solid/Glass Insert Door	FKRFS	219
Barn Door Transom & Frame Package – Segmented-Height for Glass Door	FKSS	220
Barn Door Transom & Frame Package – Segmented-Height for Solid/Glass Insert Door	FKRSS	220
Double Barn Door Frame Package – Full-Height for Glass Door	FKLF	221
Double Glass Barn Door Frame – Low Profile	FKLFZ	222
Glass Pivot Door Frame Kit – Low Profile	FKPFZ	223
Glass Pivot Door Solid Frame Kit	FKPSZ	224
Installation Tools	FTT	225
Horizontal Grommet	FBG	226
Recycled Cotton Insulation	FAI	227
Base Leveler	FBF	228
Horizontal End Cap	FBE	228
Horizontal Connector Bolt	FBN	228
Fascia Connector – Male	FBFM	229
Fascia Connector – Female	FBFF	229
Fascia Lock	FKL	229
Base Channel – Modular	FKB	230

Section Contents	Product Code	Page No.
TEK PIER		
What is Tek Pier		236
Frame Assembly Basics		238
Tek Pier Fascia Basics		239
Tek Pier Assembly Basics		240
Tek Pier Worksurface Basics		241
Frame Assembly for Tek Pier	FKTKP	242
Monolithic Fascia	FFMTKP	243
Full Fascia Kit	FFFTKP	244
Segmented Fascia Kit	FFSTKP	246
Segmented Monolithic Fascia Kit	FFSMTKP	248
4" Base and Ceiling Fascia Kit for Tek Pier (Opposite Side)	FFCBTKP	248
Tek Pier Assembly 1	TKP1	250
Tek Pier Assembly 2	TKP2	250
Spade Top Worksurface	TKPA	251
Pie Top Worksurface	TKPB	252
Wedge Top Worksurface	TKPC	253
CLERESTORY - OPTOS PROFILE		
Clerestory Basics		258
Clerestory Glass Module	FYCG	262
Clerestory Vertical Post	FYCFV	264
Clerestory In-Line Connection with Optos	FYCCX1	265
Clerestory Two-Way 90° Corner Connection with Optos	FYCCX2	266
Clerestory Two-Way 90° Corner Connection with Altos	FYCCA2	267
Clerestory Two-Way 90° Corner Connection	FYCCY2	268
Articulating Two-Way Connection with Optos	FYFCC2	269
Clerestory Three-Way Connection with Optos	FYCCX3	270
Clerestory Three-Way Connection	FYCCY3	271
Clerestory Three-Way Connection with Altos	FYCCA3	272
Articulating Three-Way Connection with Optos	FYFCC3	273
LIGHTING, ELECTRICS & COMMUNICATIONS		
Lighting Overview		278
Electrics & Communications Overview		279
Hardwire Electrics & Communications Basics		280
Modular Electrics Basics		282
Power Plus Communications Module Electrics Basics		284
Light Switch	ELS	286
Receptacle Module	ERM	287
Communications Module	ECM	288
Power Distribution Box	ECB	289
Communications Box	ERC	290
Single Power Box	ERAS	291
Double Power Box	ERAD	292
Two-Sided Power Box	ERAB	293
Power Harness	EB	294
Transition Harness	EBT	295

index – by section

IO

Section Contents	Product Code	Page No.
Ceiling/Underfloor Feed	E C F	296
Modular Power Distribution Box	E F A	297
Mounting Rail	E M R	298
Fascia Cover Cap	E F C C	299
Power Plus Communications Module – Single	E R G M S	300
Power Plus Communications Module – Double	E R G M D	301
Power Plus Communications Module – Triple	E R G M T	302
Power Plus Communications Module – Quad	E R G M Q	304
Power Plus Communications Module Starter Cable	E R S C	306
MOUNTED STORAGE & ACCESSORIES		
Accessory Basics		313
Coat Hook	F M C H	314
Art Hook	F M A H	315
Office Signage	F M O S	316
Touch-Up Kits	K T	317

index – by product

Product Name	Product Code	Page No.
4" Base and Ceiling Fascia Kit – for Tek Pier (Opposite Side)	FFCBTKP	248
Acoustic Fascia – Full	FFAF1	74
Acoustic Fascia – Monolithic	FFAM1	72
Acoustic Fascia – Segmented (Level I)	FFAS1	76
Acoustic Fascia – Segmented (Level II)	FFAS2	78
Acoustic Fascia – Segmented Monolithic (Level I)	FFASM1	80
Acoustic Fascia – Segmented Monolithic (Level II)	FFASM2	82
Acoustic Fascia – Working Wall (Level I)	FFAW1	84
Acoustic Fascia – Working Wall (Level II)	FFAW2	85
Acoustic Fascia – Working Wall (Level III)	FFAW3	86
Acoustic Fascia – Working Wall Monolithic (Level I)	FFAWM1	88
Acoustic Fascia – Working Wall Monolithic (Level III)	FFAWM3	90
Adjustable Wall End	FKE	202
Aluminum Fascia Kit	FFFK	148
Art Hook	FMAH	315
Articulating Three-Way Connection with Optos	FYFCC3	273
Articulating Three-Way Corner	FKCA3	209
Articulating Two-Way Connection with Optos	FYFCC2	269
Articulating Two-Way Corner	FKCA2	208
Barn Door Frame Package – Full-Height for Glass Door	FKSF	217
Barn Door Frame Package – Full-Height for Solid/Glass Insert Door	FKRFS	219
Barn Door Transom & Frame Package – Segmented-Height for Glass Door	FKSS	220
Barn Door Transom & Frame Package – Segmented-Height for Solid/Glass Insert Door	FKRSS	220
Barn Door with Glass Insert	FDI	172
Base Channel – Continuous	FKC	196
Base Channel – Modular	FKB	230
Base Fascia	FFB	30
Base Leveler	FBB	228
Ceiling Channel	FKN	196
Ceiling Clips	FKP	197
Ceiling Fascia	FFC	32
Ceiling/Underfloor Feed	ECF	296
Clerestory Glass Module	FYCG	262
Clerestory In-Line Connection with Optos	FYCCX1	265
Clerestory Three-Way Connection	FYCCY3	271
Clerestory Three-Way Connection with Altos	FYCCA3	272
Clerestory Three-Way Connection with Optos	FYCCX3	270
Clerestory Two-Way 90° Corner Connection	FYCCY2	268
Clerestory Two-Way 90° Corner Connection with Altos	FYCCA2	267
Clerestory Two-Way 90° Corner Connection with Optos	FYCCX2	266
Clerestory Vertical Post	FYCFV	264
Coat Hook	FMCH	314
Communications Box	ERC	290
Communications Module	ECM	288
Door Frame Kit	FKD	216

Product Name	Product Code	Page No.
Double Barn Door Frame Package – Full-Height for Glass Door	FKLF	221
Double Door Frame Package – Full-Height	FKTF	213
Double Door Transom & Frame Package – Segmented-Height	FKTS	214
Double Glass Barn Door	FDL	173
Double Glass Barn Door – Low Profile	FDLZ	174
Double Glass Barn Door Frame – Low Profile	FKLFZ	222
Double Power Box	ERAD	292
Fabric Wrapped Base Fascia	FFRB	92
Fabric Wrapped Ceiling Fascia	FFRC	94
Fabric Wrapped Fascia – Full	FFRF1	106
Fabric Wrapped Fascia – Monolithic	FFRM1	96
Fabric Wrapped Fascia – Segmented (Level I)	FFRS1	116
Fabric Wrapped Fascia – Segmented (Level II)	FFRS2	120
Fabric Wrapped Fascia – Segmented Monolithic (Level I)	FFRSM1	122
Fabric Wrapped Fascia – Segmented Monolithic (Level II)	FFRSM2	126
Fabric Wrapped Fascia – Working Wall (Level I)	FFRW1	128
Fabric Wrapped Fascia – Working Wall (Level II)	FFRW2	132
Fabric Wrapped Fascia – Working Wall (Level III)	FFRW3	134
Fabric Wrapped Fascia – Working Wall Monolithic (Level I)	FFRWM1	136
Fabric Wrapped Fascia – Working Wall Monolithic (Level III)	FFRWM3	140
Fascia Connector – Female	FBFF	229
Fascia Connector – Male	FBFM	229
Fascia Cover Cap	EFCC	299
Fascia Lock	FKL	229
Filler Panel	FPF	147
Four-Way Connection	FKC4	207
Frame Assembly for Tek Pier	FKTKP	242
Framed Backpainted Glass – Whiteboard Double Span	FDMWFD	146
Framed Backpainted Glass Whiteboard	FDMWF	145
Framed Glass Pivot Door	FDPZ	164
Full Fascia Kit	FFFTKP	244
Glass Barn Door	FDC	169
Glass Barn Door – Low Profile	FDCZ	170
Glass Fascia – Double	FFGD	68
Glass Fascia – Single Centered	FFGC	64
Glass Pivot Door Frame Kit – Low Profile	FKPFZ	223
Glass Pivot Door Solid Frame Kit	FKPSZ	224
Hinged Door	FDH	162
Hinged Double Door	FDD	168
Hinged Glass Door	FDJ	166
Hinged Glass Double Door	FDE	167
Hinged Glass Double Door Transom & Frame Package – Segmented-Height	FKTES	215
Horizontal Connector Bolt	FBN	228

index – by product

Product Name	Product Code	Page No.
Horizontal End Cap	FBE	228
Horizontal Grommet	FBG	226
Horizontal Rail	FKK	198
Horizontal Rail Packages	FKH	199
Installation Tools	FTT	225
Light Switch	ELS	286
Modular Power Distribution Box	EFA	297
Monolithic Fascia	FFMTKP	243
Mounting Rail	EMR	298
Office Signage	FMS	316
Pie Top Worksurface	TKPB	252
Pivot Door	FDP	163
Power Distribution Box	ECB	289
Power Harness	EB	294
Power Plus Communications Module – Double	ERGMD	301
Power Plus Communications Module – Quad	ERGMQ	304
Power Plus Communications Module – Single	ERGMS	300
Power Plus Communications Module – Triple	ERGMT	302
Power Plus Communications Module Starter Cable	ERSC	306
Receptacle Module	ERM	287
Recycled Cotton Insulation	FAI	227
Segmented Fascia Kit	FFSTKP	246
Segmented Monolithic Fascia Kit	FFSMTKP	248
Single Power Box	ERAS	291
Smart Fascia – Accessory	FFMA	142
Smart Fascia – Tackable	FFMT	144
Smart Fascia – Whiteboard	FFMW	143
Solid Barn Door	FDS	171
Solid Fascia – Full	FFF1	40
Solid Fascia – Monolithic	FFM1	34
Solid Fascia – Segmented (Level I)	FFS1	46
Solid Fascia – Segmented (Level II)	FFS2	49
Solid Fascia – Segmented Monolithic (Level I)	FFSM1	50
Solid Fascia – Segmented Monolithic (Level II)	FFSM2	52
Solid Fascia – Working Wall (Level I)	FFW1	54
Solid Fascia – Working Wall (Level II)	FFW2	57
Solid Fascia – Working Wall (Level III)	FFW3	58
Solid Fascia – Working Wall Monolithic (Level I)	FFWM1	60
Solid Fascia – Working Wall Monolithic (Level III)	FFWM3	62
Spade Top Worksurface	TKPA	251
Standard Glass Barn Door Frame – Low Profile	FKSFZ	218
Tek Pier Assembly 1	TKP1	250
Tek Pier Assembly 2	TKP2	250
Three-Way 135° Corner Connection Frame Hardware Kit	FKCH133	206
Three-Way 135° Corner Cover	FKCN133	150
Three-Way 180° Corner Connection Frame Hardware Kit	FKCH180	206
Three-Way 180° Corner Cover	FKCN180	150
Three-Way 180° Module Connection	FKM3	210
Touch-Up Kits	KT	317


Product Name	Product Code	Page No.
Transition Harness	EBT	295
Two-Sided Power Box	ERAB	293
Two-Way 135° Corner Connection Frame Hardware Kit	FKCH132	205
Two-Way 135° Corner Cover	FKCN132	149
Two-Way 90° Corner Connection Frame Hardware Kit	FKCH90	205
Two-Way 90° Corner Cover	FKCN90	149
Variable Angle Wall Start	FKWA	203
Vertical Post Packages	FKV	200
Vertical Reveal Cover Kit	FKJC	212
Wall Finished End	FKF	204
Wall Gasket	FKJ	211
Wall Start	FKW	201
Wedge Top Worksurface	TKPC	253

how to specify altos

Step 1 – Fascia & Door Packages

Specifying Fascia types and sizes determines the footprint of the Altos office.


- Fascias include surfaces only and conceal the structural supports which must be specified
- Specify Fascia packages to meet required wall lengths and locations
- Locate door packages, including transom and ceiling fascias as required



Step 2 – Frame Kits

Frames are specified to correspond to Fascia specifications.


- Calculate quantities and specify Ceiling Channel, Ceiling Clips, if applicable and Wall Gasket
- Specify the Vertical Posts and Horizontal Rails as determined by Fascia elevations
- Specify corner connections and appropriate method for attaching Altos walls to the building (Wall Start, Adjustable Wall End, Filler Panel, etc.)



Step 3 – Power & Communication

The electronics & communication locations should be determined in conjunction with the Fascias so that the appropriate Fascias are ordered

- Locate electrical and communication outlets
- Select method of providing power and communications (by contractor or Altos product)
- Specify appropriate product




how to specify altos (continued)

Step 4 – Worksurface & Storage

A variety of Teknion Worksurfaces & Storage components are available to compliment Altos.


- If wall mounting, worksurfaces and overhead storage must be mounted on-module (match wall module width) (Refer to Transit and Filing & Storage Price & Product Guide for applicable products)
- Specify worksurfaces, worksurface supports and storage as appropriate



15

Step 5 – Integration with Optos

- Altos walls integrate seamlessly with Optos walls
- Altos walls and Optos walls can be designed to compliment each other
- Connectors and Trims are available to connect Altos to Optos
- See Optos Price & Product Guide for details



fascias

fascias

PRODUCT MAP18

FASCIA ELEVATION BASICS24

SMART FASCIA BASICS26


FILLER PANEL BASICS27

PRODUCT LISTING30

product map

F F B Base Fascia

Page 30
Height: 4" & 6" / Width: 12" – 48" in 1" increments




F F C Ceiling Fascia

Page 32
Height: 4" & 6" / Width: 12" – 48" in 1" increments




F F M 1 Solid Fascia – Monolithic

Page 34
Height: 96" – 120" in 1" increments /
Width: 12" – 48" in 1" increments




F F F 1 Solid Fascia – Full

Page 40
Height: 84" – 112" in 1" increments /
Width: 12" – 48" in 1" increments /
Base Fascia Height: 4" & 6"



F F S 1 Solid Fascia – Segmented (Level I)

Page 46
Height: 78" & 80" / Width: 12" – 48" in
1" increments / Base Fascia Height: 4" & 6"




F F S 2 Solid Fascia – Segmented (Level II)

Page 49
Height: 6" – 32" in 1" increments /
Width: 12" – 48" in 1" increments




F F S M 1 Solid Fascia – Segmented Monolithic (Level I)

Page 50
Height: 84" / Width: 12" – 48" in 1" increments




F F S M 2 Solid Fascia – Segmented Monolithic (Level II)

Page 52
Height: 12" – 36" in 1" increments /
Width: 12" – 48" in 1" increments




F F W 1 Solid Fascia – Working Wall (Level I)

Page 54
Height: 30" & 32" / Width: 12" – 48" in
1" increments / Base Fascia Height: 4" & 6"




F F W 2 Solid Fascia – Working Wall (Level II)

Page 57
Height: 48" / Width: 12" – 48" in 1" increments




F F W 3 Solid Fascia – Working Wall (Level III)

Page 58
Height: 6" – 32" in 1" increments /
Width: 12" – 48" in 1" increments



F F W M 1 Solid Fascia – Working Wall Monolithic (Level I)

Page 60
Height: 36" / Width: 12" – 48" in 1" increments




product map

F F W M 3 Solid Fascia – Working Wall Monolithic (Level III)

Page: 62

Height: 12" – 36" in 1" increments /


Width: 12" – 48" in 1" increments

**F F G C Glass Fascia – Single Centered**

Page: 64

Height: 6" – 112" in 1" increments /

Width: 12" – 48" in 1" increments



Full Wall

Segmented Wall


Working Wall

F F G D Glass Fascia – Double

Page: 68

Height: 6" – 112" in 1" increments /

Width: 12" – 48" in 1" increments



Full Wall

Segmented Wall

Working Wall

F F A M 1 Acoustic Fascia – Monolithic

Page: 72

Height: 96" – 120" in 1" increments /


Width: 12" – 48" in 1" increments

**F F A F 1 Acoustic Fascia – Full**

Page: 74

Height: 84" – 112" in 1" increments /


Width: 12" – 48" in 1" increments

**F F A S 1 Acoustic Fascia – Segmented (Level I)**

Page: 76

Height: 78" & 80" /


Width: 12" – 48" in 1" increments

**F F A S 2 Acoustic Fascia – Segmented (Level II)**

Page: 78


Height: 12" – 32" in 1" increments /

Width: 12" – 48" in 1" increments

**F F A S M 1 Acoustic Fascia – Segmented Monolithic (Level I)**

Page: 80

Height: 84" / Width: 12" – 48" in 1" increments

**F F A S M 2 Acoustic Fascia – Segmented Monolithic (Level II)**

Page: 82

Height: 12" – 36" in 1" increments /


Width: 12" – 48" in 1" increments

**F F A W 1 Acoustic Fascia – Working Wall (Level I)**

Page: 84


Height: 30" & 32" /

Width: 12" – 48" in 1" increments

**F F A W 2 Acoustic Fascia – Working Wall (Level II)**

Page: 85


Height: 48" / Width: 12" – 48" in 1" increments

**F F A W 3 Acoustic Fascia – Working Wall (Level III)**

Page: 86

Height: 12"–32" in 1" increments /


Width: 12" – 48" in 1" increments



product map


F F A W M 1 Acoustic Fascia – Working Wall Monolithic (Level I)

Page: 88
Height: 36" / Width: 12" – 48" in 1" increments




F F A W M 3 Acoustic Fascia – Working Wall Monolithic (Level III)

Page: 90
Height: 12" – 36" in 1" increments / Width: 12" – 48" in 1" increments




F F R B Fabric Wrapped Base Fascia

Page: 92
Height: 4" & 6" / Width: 12" – 48" in 1" increments




F F R C Fabric Wrapped Ceiling Fascia

Page: 94
Height: 4" & 6" / Width: 12" – 48" in 1" increments




F F R M 1 Fabric Wrapped Fascia – Monolithic

Page: 96
Height: 96" – 120" in 1" increments / Width: 12" – 48" in 1" increments




F F R F 1 Fabric Wrapped Fascia – Full

Page: 106
Height: 84" – 112" in 1" increments / Width: 12" – 48" in 1" increments / Base/Ceiling Fascia Height: 4" & 6"




F F R S 1 Fabric Wrapped Fascia – Segmented (Level I)

Page: 116
Height: 78" & 80" / Width: 12" – 48" in 1" increments / Base/Ceiling Fascia Height: 4" & 6"




F F R S 2 Fabric Wrapped Fascia – Segmented (Level II)

Page: 120
Height: 6" – 32" in 1" increments / Width: 12" – 48" in 1" increments




F F R S M 1 Fabric Wrapped Fascia – Segmented Monolithic (Level I)

Page: 122
Height: 84" / Width: 12" – 48" in 1" increments




F F R S M 2 Fabric Wrapped Fascia – Segmented Monolithic (Level II)

Page: 126
Height: 12" – 36" / Width: 12" – 48" in 1" increments




F F R W 1 Fabric Wrapped Fascia – Working Wall (Level I)

Page: 128
Height: 30" & 32" / Width: 12" – 48" in 1" increments / Base/Ceiling Fascia Height: 4" & 6"



F F R W 2 Fabric Wrapped Fascia – Working Wall (Level II)


Page: 132
Height: 48" / Width: 12" – 48" in 1" increments




product map

F F R W 3 Fabric Wrapped Fascia – Working Wall (Level III)


Page: 134

Height: 6"–32" in 1" increments /
Width: 12" – 48" in 1" increments**F F R W M 1 Fabric Wrapped Fascia – Working Wall Monolithic (Level I)**

Page: 136


Height: 31"–36" in 1" increments /
Width: 12" – 48" in 1" increments**F F R W M 3 Fabric Wrapped Fascia – Working Wall Monolithic (Level III)**

Page: 140

Height: 12"–36" in 1" increments /
Width: 12" – 48" in 1" increments**F F M A Smart Fascia – Accessory**


Page 142

Height: 48" / Width: 30" – 48" in 1" increments

**F F M W Smart Fascia – Whiteboard**

Page 143

Height: 48" / Width: 30" – 48" in 1" increments

**F F M T Smart Fascia – Tackable**


Page 144

Height: 48" / Width: 30" – 48" in 1" increments

**F D M W F Framed Backpainted Glass Whiteboard**


Page 145

Height: 48" / Width: 24" – 48" in 1" increments


**F D M W F D Framed Backpainted Glass – Whiteboard Double Span**

Page 146

Height: 48" / Width: 48" – 96" in 2" increments

**F P F Filler Panel**

Page 147


Height: 96" – 120" in 1" increments /
Width: 24" & 30"**F F F K Aluminum Fascia Kit**

Page 148

Ceiling Height: 96" – 120" in 1" increments /
Width: 6"**F K C N 9 0 Two-Way 90° Corner Cover**


Page 149

Ceiling Height: 96" – 120" in 1" increments

**F K C N 1 3 2 Two-Way 135° Corner Cover**

Page 149


Ceiling Height: 96" – 120" in 1" increments



product map


**F K C N 1 3 3 Three-Way 135°
Corner Cover**

Page 150
Ceiling Height: 96" – 120" in 1" increments



**F K C N 1 8 0 Three-Way 180°
Corner Cover**

Page 150
Ceiling Height: 96" – 120" in 1" increments



fascia elevation basics


Fascias are used to create the faces of Altos walls and are configured into four wall types depending on the Fascia selection.

- Fascias are available in a variety of solid and glass finishes that correspond to the selected wall elevation
- Fascias are built-up to complete the front and back elevation of a wall module and solid Fascias do **not** need to be identical
- Power and communication receptacle cut outs can be specified with solid and fabric wrapped Fascias, except 4" base fascias
- The structural members are **not** included with all Fascias
- Wall elevation types must be installed from floor to ceiling
- Fascias are available in widths from 12" – 48" in 1" increments
- Acoustic Fascias are **not** available for base, ceiling or W3, S2 fascias below 12" in height; use Fabric Wrapped fascias in these applications
- The 4" and 6" base and ceiling **cannot** be mixed; both **must** be 4" or 6" only

Full Elevations

Full Fascia (FFF1, FFR1, FFA1)

- One surface Fascia between the 4" or 6" Base and Ceiling Fascia
- Available in Solid, Glass, Acoustic and Fabric Wrapped




Segmented Elevations

Segmented Fascias (FFS1, FFS2, FFRS1, FFRS2, FFAS1, FFAS2)

- Two surface Fascias between the Base and Ceiling Fascias
- FFS1 is available 78" high
- FFS2 is available from 6" - 30" to complete the height
- Available in Solid, Glass, Acoustic and Fabric Wrapped

Segmented Monolithic Fascias (FFSM1, FFSM2, FFRSM1, FFRSM2, FFASM1, FFASM2) (Not Shown)

- These Fascias incorporate the Base or Ceiling Fascia
- FFSM1 is available 84" high to provide one surface fascia for base and S1
- FFSM2 is available 12" - 36" high to provide one surface Fascia for ceiling and S2
- Available in Solid, Acoustic and Fabric Wrapped




Ceiling Fascia (FFC, FFRC)

- Provides a solid flush finish to the top of a wall elevation
- **Not** used with Monolithic Fascias (FFM1, FFSM2, FFWM3, FFAWM3, FFRWM3)
- Available in Solid and Fabric Wrapped



Base Fascia (FFB, FFRB)

- Provides a solid flush finish at the bottom of a wall elevation
- Accommodates base electrics and communications option
- 2 cut outs **cannot** be specified for Fascias less than 21" wide
- 3 cut outs **cannot** be specified for Fascias less than 30" wide
- Available in Solid and Fabric wrapped, 4" also available in Aluminum
- **Not** used with Monolithic Fascias (FFM1, FFSM1, FFWM1, FFWAM1, & FFRWM1)



No Power/Communications cut outs




Power/Communications cut outs

Monolithic Elevation

Monolithic Fascias (FFM1, FFRM1, FFAM1)

- Provides a single Fascia from floor-to-ceiling
- No Base or Ceiling Fascia
- Available in Solid, Acoustic and Fabric Wrapped



fascia elevation basics (continued)

Fascias are used to create the faces of Altos walls and are configured into four wall types depending on the Fascia selection.

Working Wall Elevations

Working Wall Fascias (FFW1, FFW2, FFW3, FFRW1, FFRW2, FFRW3, FFAW1, FFAW2, FFAW3)



- Three surface Fascias between the Base and Ceiling Fascias
- FFW1 is available 30" high and provides a one surface finish to level W1
- FFAW2 provides a one surface finish to level W2 and are always 48" high
- Accommodate Smart Fascias
- FFW3 is available 6" - 30" high to complete level W3
- Available in Solid, Glass, Acoustic and Fabric wrapped

Also available but Not Shown:


Working Wall Monolithic Fascias (FFWM1, FFWM3, FFRWM1, FFRWM3, FFAWM1, FFAWM3)

- These Fascias are used in conjunction with FFW2, FFRW2 and FFAW2 and incorporate the 4" or 6" Base or Ceiling Fascia
- FFWM1 is available 36" high to provide one solid Fascia for base and W1 and can only be used in this location
- FFWM3 is available 12" - 36" high to provide one surface Fascia for W3 and ceiling and can only be used in this location
- Available in Solid, Acoustic and Fabric wrapped

25




Also available but Not Shown:



Two-Way 135° Corner Connection (FKCN132)

Provides a full-height trim for two walls connected at 135°



Three-Way 135° Corner Connection (FKCN133)

Provides a full-height trim for three walls connected at 135°



Three-Way 180° Corner Cover (FKCN180)

Provides the full-height trim for three walls connected at 180°



Two-Way 90° Corner Cover (FKCN90)

Provides the full-height trim for two walls connected at 90° at Two-Way Connection 90° Corner


smart fascia basics

The Working Wall has the added ability of integrating Smart Fascias to provide a means of personalizing the office space while adding functionality to the vertical surface of the wall.



- Available only with Working Wall elevation at W2 location only
- Smart Fascias can be interchanged with any other Fascia of the same level and width

26





filler panel basics

The Filler Panel (FPF) is used when an Altos wall surface needs to be cut away to fit the wall around the building structure, usually at the perimeter of the building.

Height	Ceiling Height Range
102" (8'-6"	96" to 102" (8'-0" to 8'-6")
108" (9'-0"	103" to 108" (8'-7" to 9'-0")
114" (9'-6"	109" to 114" (9'-1" to 9'-6")
120" (10'-0"	115" to 120" (9'-7" to 10'-0")

27




specifying fascia heights

- To determine the correct height for Fascia F1 in the Full Configuration, Fascia S2 in the Segmented Configuration, and Fascia W3 in the Working Wall configuration, use the chart below
- One piece Flintwood fascias are only available up to 118"
- One piece Glass Fascias are only available up to 112"

6" base and ceiling fascia

	Monolithic (M1)	Full (F1)	Segmented (S2)	Segmented Monolithic (SM2)	Working (W3)	Working Monolithic (WM3)
Ceiling Height ("	X"	X"	X"	X"	X	X"
96	96	84	6	12	6	12
97	97	85	7	13	7	13
98	98	86	8	14	8	14
99	99	87	9	15	9	15
100	100	88	10	16	10	16
101	101	89	11	17	11	17
102	102	90	12	18	12	18
103	103	91	13	19	13	19
104	104	92	14	20	14	20
105	105	93	15	21	15	21
106	106	94	16	22	16	22
107	107	95	17	23	17	23
108	108	96	18	24	18	24
109	109	97	19	25	19	25
110	110	98	20	26	20	26
111	111	99	21	27	21	27
112	112	100	22	28	22	28
113	113	101	23	29	23	29
114	114	102	24	30	24	30
115	115	103	25	31	25	31
116	116	104	26	32	26	32
117	117	105	27	33	27	33
118	118	106	28	34	28	34
119	119	107	29	35	29	35
120	120	108	30	36	30	36



specifying fascia heights (continued)









- To determine the correct height for Fascia F1 in the Full Configuration, Fascia S2 in the Segmented Configuration, and Fascia W3 in the Working Wall configuration, use the chart below
- One piece Flintwood fascias are only available up to 118"
- One piece Glass Fascias are only available up to 112"

4" base and ceiling fascia


29

	Monolithic (M1)	Full (F1)	Segmented (S2)	Segmented Monolithic (SM2)	Working (W3)	Working Monolithic (WM3)
Ceiling Height (")	X"	X"	X"	X"	X	X"
96	96	88	8	12	8	12
97	97	89	9	13	9	13
98	98	90	10	14	10	14
99	99	91	11	15	11	15
100	100	92	12	16	12	16
101	101	93	13	17	13	17
102	102	94	14	18	14	18
103	103	95	15	19	15	19
104	104	96	16	20	16	20
105	105	97	17	21	17	21
106	106	98	18	22	18	22
107	107	99	19	23	19	23
108	108	100	20	24	20	24
109	109	101	21	25	21	25
110	110	102	22	26	22	26
111	111	103	23	27	23	27
112	112	104	24	28	24	28
113	113	105	25	29	25	29
114	114	106	26	30	26	30
115	115	107	27	31	27	31
116	116	108	28	32	28	32
117	117	109	29	33	29	33
118	118	110	30	34	30	34
119	119	111	31	35	31	35
120	120	112	32	36	32	36



FFB

Base Fascia



The Base Fascia provides a solid finish at the bottom of the wall section.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

6\" height is **not** available in Clear Anodized (AC).

4\" height is available in Solid and Clear Anodized (AC).

PRODUCT OPTIONS

Style	Height	Width (in 1\" increments)	Finish	Type (For Fascia Laminates Only)
1 Solid	4, 6	12 12	AC Clear Anodized	2 Type 2
2 1 Electric/Communication cut out (for all Fascias widths)		18 13 – 18	Fascia Laminate	
3 2 Electric/Communication cut outs (for Fascias 21\" to 48\" wide)		24 19 – 24	Flintwood	
4 3 Electric/Communication cut outs (for Fascias 30\" to 48\" wide)		30 25 – 30		
		36 31 – 36		
		40 37 – 40		
		42 41 – 42		
		48 43 – 48		

SAMPLE ORDER CODE

FFB 1	4	40	AC	2
-------	---	----	----	---

DIMENSIONS INCHES / MM

H	W (CODE)
04 / 102	12 / 305
04 / 102	18 / 457
04 / 102	24 / 610
04 / 102	30 / 762
04 / 102	36 / 914
04 / 102	40 / 1016
04 / 102	42 / 1067
04 / 102	48 / 1219
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate	Gr. 1	Gr. 2	Flintwood	Clear Anodized
40	41	108	53	
43	44	113	58	
45	47	117	64	
47	49	122	69	
54	56	127	74	
54	57	130	78	
55	57	132	79	
56	59	136	84	
42	43	111	n/a	
46	47	118	n/a	
50	52	124	n/a	
52	54	130	n/a	
62	66	144	n/a	
62	66	148	n/a	
63	67	150	n/a	
64	68	164	n/a	

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

Base Fascia (Continued)

DIMENSIONS
INCHES / MM

H	W (CODE)
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

H	W (CODE)
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

H	W (CODE)
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

PRICING

1 ELECTRIC/COMMUNICATION CUT OUT (2) – TYPE 2 (2)

Fascia Laminate		Flintwood	Clear Anodized
Gr. 1	Gr. 2		
60	61	129	n/a
64	65	136	n/a
68	70	142	n/a
69	72	148	n/a
79	83	162	n/a
80	84	166	n/a
81	85	168	n/a
82	86	181	n/a

2 ELECTRIC/COMMUNICATION CUT OUTS (3) – TYPE 2 (2)


Fascia Laminate		Flintwood	Clear Anodized
Gr. 1	Gr. 2		
85	87	160	n/a
87	90	166	n/a
97	101	179	n/a
98	102	184	n/a
99	103	186	n/a
100	104	199	n/a

3 ELECTRIC/COMMUNICATION CUT OUTS (4) – TYPE 2 (2)

Fascia Laminate		Flintwood	Clear Anodized
Gr. 1	Gr. 2		
105	108	184	n/a
115	119	197	n/a
116	120	202	n/a
116	120	204	n/a
118	122	217	n/a

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFC Ceiling Fascia



The Ceiling Fascia provides a solid finish at the top of the wall section.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

6" height is **not** available in Clear Anodized (AC).

4" height is available in Solid and Clear Anodized (AC).

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
4, 6	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	AC Clear Anodized Fascia Laminate Flintwood	2 Type 2

SAMPLE ORDER CODE

FFC 4	40	AC	2
--------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W (CODE)
04 / 102	12 / 305
04 / 102	18 / 457
04 / 102	24 / 610
04 / 102	30 / 762
04 / 102	36 / 914
04 / 102	40 / 1016
04 / 102	42 / 1067
04 / 102	48 / 1219
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219


PRICING

TYPE 2 (2)

Fascia Laminate		Flintwood	Clear Anodized
Gr. 1	Gr. 2		
40	41	108	53
43	44	113	58
45	47	117	64
47	49	122	69
54	56	127	74
54	57	130	78
55	57	132	79
56	59	136	84
42	43	111	n/a
46	47	118	n/a
50	52	124	n/a
52	54	130	n/a
62	66	144	n/a
62	66	148	n/a
63	67	150	n/a
64	68	164	n/a

FFM 1

Solid Fascia – Monolithic



The Solid Fascia – Monolithic finishes one side of wall with a solid finish from floor to ceiling.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Flintwood is only available up to **118"** in height.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Style	Height (in 1" increments)	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
1 Solid	102 96 – 102	12 12	Fascia Laminate	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)	108 103 – 108	18 13 – 18	Flintwood	2 Type 2
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)	114 109 – 114	24 19 – 24		
4 18" Height 1 Vertical Cut Out	120 115 – 120	30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36		
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40		
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42		
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)				
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)				
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)				
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFM1 3	108	36	MS	2
--------	-----	----	----	---

DIMENSIONS INCHES / MM

		PRICING		
		SOLID (1) – TYPE 2 (2)		
H (CODE)	W (CODE)	Fascia Laminate Gr. 1	Gr. 2	Flintwood
102 / 2591	12 / 305	151	168	368
102 / 2591	18 / 457	219	246	483
102 / 2591	24 / 610	300	340	601
102 / 2591	30 / 762	376	425	711
102 / 2591	36 / 914	531	609	814
102 / 2591	40 / 1016	539	618	879
102 / 2591	42 / 1067	544	622	917
102 / 2591	48 / 1219	557	636	1039

DIMENSIONS INCHES / MM

		PRICING		
		SOLID (1) – TYPE 2 (2)		
H (CODE)	W (CODE)	Fascia Laminate Gr. 1	Gr. 2	Flintwood
108 / 2743	12 / 305	153	170	389
108 / 2743	18 / 457	221	249	518
108 / 2743	24 / 610	303	344	621
108 / 2743	30 / 762	381	431	735
108 / 2743	36 / 914	536	614	855
108 / 2743	40 / 1016	545	624	930
108 / 2743	42 / 1067	550	629	982
108 / 2743	48 / 1219	563	643	1101

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F M 1

Solid Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2) (Continued)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
155	172	399
224	252	533
306	347	652
386	436	772
541	619	884
550	630	986
555	635	1027
569	650	1163
157	175	n/a
227	255	n/a
310	352	n/a
390	442	n/a
546	625	n/a
556	635	n/a
560	641	n/a
575	656	n/a

WORKSURFACE HEIGHT CUT OUTS (2) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
175	192	392
243	270	507
347	388	648
461	512	782
602	680	885
611	689	950
615	694	988
628	708	1110
176	194	412
245	273	541
351	391	668
466	516	807
607	685	926
617	695	1001
621	700	1053
634	714	1173
178	196	423
248	276	557
354	395	700
471	522	843
612	690	955
622	701	1057
626	706	1099
640	721	1235
181	199	n/a
250	279	n/a
358	399	n/a
476	527	n/a
617	696	n/a
627	707	n/a
632	712	n/a
646	728	n/a

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
347	388	648
432	483	758
579	656	861
587	665	926
591	670	965
604	684	1087
351	391	668
438	488	783
583	661	902
593	672	977
597	676	1029
610	691	1149
354	395	700
443	494	819
588	666	931
598	677	1033
603	682	1075
617	697	1211
358	399	n/a
448	498	n/a
593	672	n/a
603	683	n/a
608	688	n/a
623	704	n/a

18" HEIGHT 1 VERTICAL CUT OUT (4) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
175	192	392
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
176	194	412
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F M 1

Solid Fascia – Monolithic (Continued)

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
178	196	423
248	276	557
330	371	676
414	465	795
564	643	908
574	653	1010
579	658	1051
593	674	1187
181	199	n/a
250	279	n/a
334	375	n/a
419	470	n/a
570	648	n/a
579	659	n/a
584	664	n/a
599	680	n/a

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
175	192	392
243	270	507
347	388	648
461	512	782
602	680	885
611	689	950
615	694	988
628	708	1110
176	194	412
245	273	541
351	391	668
466	516	807
607	685	926
617	695	1001
621	700	1053
634	714	1173
178	196	423
248	276	557
354	395	700
471	522	843
612	690	955
622	701	1057
626	706	1099
640	721	1235
181	199	n/a
250	279	n/a
358	399	n/a
476	527	n/a
617	696	n/a
627	707	n/a
632	712	n/a
646	728	n/a

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

BASE HEIGHT 1 HORIZONTAL CUT OUT (6) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
175	192	392
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
176	194	412
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125
178	196	423
248	276	557
330	371	676
414	465	795
564	643	908
574	653	1010
579	658	1051
593	674	1187
181	199	n/a
250	279	n/a
334	375	n/a
419	470	n/a
570	648	n/a
579	659	n/a
584	664	n/a
599	680	n/a

BASE HEIGHT 2 HORIZONTAL CUT OUTS (7) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
347	388	648
432	483	758
579	656	861
587	665	926
591	670	965
604	684	1087
351	391	668
438	488	783
583	661	902
593	672	977
597	676	1029
610	691	1149

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F M 1

Solid Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

BASE HEIGHT 2 HORIZONTAL
CUT OUTS (7) – TYPE 2 (2) (Continued)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
354	395	700
443	494	819
588	666	931
598	677	1033
603	682	1075
617	697	1211
358	399	n/a
448	498	n/a
593	672	n/a
603	683	n/a
608	688	n/a
623	704	n/a

BASE HEIGHT 3 HORIZONTAL
CUT OUTS (8) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
461	512	782
602	680	885
611	689	950
615	694	988
628	708	1110
466	516	807
607	685	926
617	695	1001
621	700	1053
634	714	1173
471	522	843
612	690	955
622	701	1057
626	706	1099
640	721	1235
476	527	n/a
617	696	n/a
627	707	n/a
632	712	n/a
646	728	n/a

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

H (CODE)	W (CODE)
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
SINGLE POWER PLUS COMMUNICATION
MODULE (S) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125
248	276	557
330	371	676
414	465	795
564	643	908
574	653	1010
579	658	1051
593	674	1187
250	279	591
334	375	703
419	470	832
570	648	956
579	659	1054
584	664	1109
599	680	1249

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F M 1

Solid Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2) (Continued)

H (CODE)	W (CODE)	Fascia Laminate Gr. 1	Gr. 2	Flintwood
114 / 2896	18 / 457	248	276	557
114 / 2896	24 / 610	330	371	676
114 / 2896	30 / 762	414	465	795
114 / 2896	36 / 914	564	643	908
114 / 2896	40 / 1016	574	653	1010
114 / 2896	42 / 1067	579	658	1051
114 / 2896	48 / 1219	593	674	1187
120 / 3048	18 / 457	250	279	591
120 / 3048	24 / 610	334	375	703
120 / 3048	30 / 762	419	470	832
120 / 3048	36 / 914	570	648	956
120 / 3048	40 / 1016	579	659	1054
120 / 3048	42 / 1067	584	664	1109
120 / 3048	48 / 1219	599	680	1249

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

H (CODE)	W (CODE)	Fascia Laminate Gr. 1	Gr. 2	Flintwood
102 / 2591	24 / 610	324	364	624
102 / 2591	30 / 762	405	454	735
102 / 2591	36 / 914	555	632	838
102 / 2591	40 / 1016	563	641	902
102 / 2591	42 / 1067	567	646	941
102 / 2591	48 / 1219	580	660	1063
108 / 2743	24 / 610	327	368	644
108 / 2743	30 / 762	410	460	759
108 / 2743	36 / 914	560	638	879
108 / 2743	40 / 1016	569	648	953
108 / 2743	42 / 1067	573	652	1005
108 / 2743	48 / 1219	587	667	1125
114 / 2896	24 / 610	330	371	676
114 / 2896	30 / 762	414	465	795
114 / 2896	36 / 914	564	643	908
114 / 2896	40 / 1016	574	653	1010
114 / 2896	42 / 1067	579	658	1051
114 / 2896	48 / 1219	593	674	1187
120 / 3048	24 / 610	334	375	703
120 / 3048	30 / 762	419	470	832
120 / 3048	36 / 914	570	648	956
120 / 3048	40 / 1016	579	659	1054
120 / 3048	42 / 1067	584	664	1109
120 / 3048	48 / 1219	599	680	1249

DIMENSIONS
INCHES / MM


PRICING

18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

H (CODE)	W (CODE)	Fascia Laminate Gr. 1	Gr. 2	Flintwood
102 / 2591	30 / 762	405	454	735
102 / 2591	36 / 914	555	632	838
102 / 2591	40 / 1016	563	641	902
102 / 2591	42 / 1067	567	646	941
102 / 2591	48 / 1219	580	660	1063
108 / 2743	30 / 762	410	460	759
108 / 2743	36 / 914	560	638	879
108 / 2743	40 / 1016	569	648	953
108 / 2743	42 / 1067	573	652	1005
108 / 2743	48 / 1219	587	667	1125
114 / 2896	30 / 762	414	465	795
114 / 2896	36 / 914	564	643	908
114 / 2896	40 / 1016	574	653	1010
114 / 2896	42 / 1067	579	658	1051
114 / 2896	48 / 1219	593	674	1187
120 / 3048	30 / 762	419	470	832
120 / 3048	36 / 914	570	648	956
120 / 3048	40 / 1016	579	659	1054
120 / 3048	42 / 1067	584	664	1109
120 / 3048	48 / 1219	599	680	1249

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFF 1 Solid Fascia – Full



The Solid Fascia – Full provides a solid finish for full height wall elevation.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Style	Height (in 1" increments)	Width (in 1" increments)	Base Fascia Height	Finish	Type (For Fascia Laminates Only)
1 Solid	90 84 – 90	12 12	4, 6	Fascia Laminate Flintwood	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)	96 91 – 96	18 13 – 18			2 Type 2
3 18" Height two Vertical Cut Outs (for Fascias 21" to 48" wide)	102 97 – 102	24 19 – 24			
4 18" Height one Vertical Cut Out	108 103 – 108	30 25 – 30			
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)	112 109 – 112	36 31 – 36			
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)					

SAMPLE ORDER CODE

FFF1 2	86	30	4	MZ	2
---------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
141	157	318
214	241	452
241	270	561
304	345	631
417	472	732
424	480	802
428	485	826
440	498	927
143	159	357
216	244	468
244	274	581
309	350	674
421	477	773
430	486	834
434	491	871
446	505	989

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
151	168	368
219	246	483
300	340	601
376	425	711
531	609	814
539	618	879
544	622	917
557	636	1039
153	170	389
221	249	518
303	344	621
381	431	735
536	614	855
545	624	930
550	629	982
563	643	1101

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

Solid Fascia – Full (Continued)

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
112 / 2845	12 / 305
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

H (CODE)	W (CODE)
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

112 / 2845	12 / 305
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2) (Continued)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
154	172	396
223	251	528
305	346	634
384	435	764
539	617	874
549	628	975
553	633	1004
567	647	1151

WORKSURFACE HEIGHT CUT OUTS (2) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
165	180	341
237	265	476
289	318	608
376	416	702
488	544	803
496	552	874
499	556	897
511	569	998

167	183	381
240	267	491
292	322	628
380	421	746
493	549	844
501	558	906
505	562	943
518	576	1060

175	192	392
243	270	507
347	388	648
461	512	782
602	680	885
611	689	950
615	694	988
628	708	1110

176	194	412
245	273	541
351	391	668
466	516	807
607	685	926
617	695	1001
621	700	1053
634	714	1173

178	195	420
247	275	552
353	394	681
470	520	835
610	689	946
620	699	1046
625	704	1075
638	719	1222

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

H (CODE)	W (CODE)
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
289	318	608
352	393	678
464	520	779
472	528	850
476	532	873
488	545	974
292	322	628
356	398	722
469	525	820
477	534	882
481	538	919
494	552	1037

347	388	648
432	483	758
579	656	861
587	665	926
591	670	965
604	684	1087

351	391	668
438	488	783
583	661	902
593	672	977
597	676	1029
610	691	1149

353	394	681
441	491	811
587	665	922
596	675	1023
601	680	1052
614	695	1198

18" HEIGHT 1 VERTICAL CUT OUT (4) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
165	180	341
237	265	476
265	294	585
328	369	654
440	496	756
448	504	826
452	508	850
464	521	951

167	183	381
240	267	491
268	298	604
333	374	698
445	501	797
453	510	858
457	515	895
470	528	1013

FFF 1

Solid Fascia – Full (Continued)

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
112 / 2845	12 / 305
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

PRICING

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
175	192	392
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
176	194	412
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125
178	195	420
247	275	552
329	370	658
412	464	787
563	641	898
572	651	999
577	656	1028
591	671	1174

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
165	180	341
237	265	476
289	318	608
376	416	702
488	544	803
496	552	874
499	556	897
511	569	998
167	183	381
240	267	491
292	322	628
380	421	746
493	549	844
501	558	906
505	562	943
518	576	1060
175	192	392
243	270	507
347	388	648
461	512	782
602	680	885
611	689	950
615	694	988
628	708	1110

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
112 / 2845	12 / 305
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

H (CODE)	W (CODE)
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

H (CODE)	W (CODE)
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
176	194	412
245	273	541
351	391	668
466	516	807
607	685	926
617	695	1001
621	700	1053
634	714	1173
178	195	420
247	275	552
353	394	681
470	520	835
610	689	946
620	699	1046
625	704	1075
638	719	1222

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
237	265	476
265	294	585
328	369	654
440	496	756
448	504	826
452	508	850
464	521	951
240	267	491
268	298	604
333	374	698
445	501	797
453	510	858
457	515	895
470	528	1013
243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063
245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

Solid Fascia – Full (Continued)

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

H (CODE)	W (CODE)
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
SINGLE POWER PLUS COMMUNICATION
MODULE (S) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
247	275	552
329	370	658
412	464	787
563	641	898
572	651	999
577	656	1028
591	671	1174

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
237	265	476
265	294	585
328	369	654
440	496	756
448	504	826
452	508	850
464	521	951

240	267	491
268	298	604
333	374	698
445	501	797
453	510	858
457	515	895
470	528	1013

243	270	507
324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063

245	273	541
327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125

247	275	552
329	370	658
412	464	787
563	641	898
572	651	999
577	656	1028
591	671	1174

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

H (CODE)	W (CODE)
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
265	294	585
328	369	654
440	496	756
448	504	826
452	508	850
464	521	951

268	298	604
333	374	698
445	501	797
453	510	858
457	515	895
470	528	1013

324	364	624
405	454	735
555	632	838
563	641	902
567	646	941
580	660	1063

327	368	644
410	460	759
560	638	879
569	648	953
573	652	1005
587	667	1125

329	370	658
412	464	787
563	641	898
572	651	999
577	656	1028
591	671	1174

18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
328	369	654
440	496	756
448	504	826
452	508	850
464	521	951

333	374	698
445	501	797
453	510	858
457	515	895
470	528	1013

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F F 1

Solid Fascia – Full (Continued)

DIMENSIONS
INCHES / MM

PRICING


18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2) (Continued)

102 / 2591	30 / 762	405	454	735
102 / 2591	36 / 914	555	632	838
102 / 2591	40 / 1016	563	641	902
102 / 2591	42 / 1067	567	646	941
102 / 2591	48 / 1219	580	660	1063
108 / 2743	30 / 762	410	460	759
108 / 2743	36 / 914	560	638	879
108 / 2743	40 / 1016	569	648	953
108 / 2743	42 / 1067	573	652	1005
108 / 2743	48 / 1219	587	667	1125
112 / 2845	30 / 762	412	464	787
112 / 2845	36 / 914	563	641	898
112 / 2845	40 / 1016	572	651	999
112 / 2845	42 / 1067	577	656	1028
112 / 2845	48 / 1219	591	671	1174

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFS 1

Solid Fascia – Segmented (Level I)



The Solid Fascia – Segmented (Level I) provides a solid finish at S1 for segmented wall elevations.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Base Fascia Height	Finish	Type (for fascia laminates only)
1 Solid	78, 80	12 12	4, 6	Fascia Laminate Flintwood	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18			2 Type 2
3 18" Height two Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24			
4 18" Height one Vertical Cut Out		30 25 – 30			
5 18" Height Horizontal Cut Out (number of cut outs depend on Fascia width specified)		36 31 – 36			
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)					

SAMPLE ORDER CODE

FFS1 2	80	40	4	LW	2
---------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
138	152	289
208	234	395
234	263	502
296	336	582
406	461	655
413	469	714
417	472	735
427	483	819
138	153	292
209	236	407
235	264	508
298	338	590
408	463	671
415	471	725
419	474	758
429	486	832

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
161	176	313
231	258	419
282	310	549
368	408	653
478	532	726
485	540	786
488	544	806
498	555	891
162	177	316
233	260	431
283	312	556
369	409	661
480	535	743
487	542	796
490	546	829
500	557	904

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

Solid Fascia – Segmented (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
282	310	549
344	384	629
454	508	702
461	516	762
464	520	782
474	531	867
283	312	556
345	385	638
456	511	719
463	518	773
466	522	805
476	533	880

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
161	176	313
231	258	419
258	287	525
320	360	606
430	485	678
437	493	738
441	496	758
451	507	843
162	177	316
233	260	431
259	288	532
321	361	614
432	487	695
439	495	749
442	498	782
453	509	856

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219

H	W (CODE)
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219

H	W (CODE)
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
161	176	313
231	258	419
282	310	549
368	408	653
478	532	726
485	540	786
488	544	806
498	555	891

H	W (CODE)
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
231	258	419
258	287	525
320	360	606
430	485	678
437	493	738
441	496	758
451	507	843

H	W (CODE)
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F S 1

Solid Fascia – Segmented (Level I)
(Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
231	258	419
258	287	525
320	360	606
430	485	678
437	493	738
441	496	758
451	507	843
233	260	431
259	288	532
321	361	614
432	487	695
439	495	749
442	498	782
453	509	856

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

H	W (CODE)	Fascia Laminate		Flintwood
		Gr. 1	Gr. 2	
78 / 1981	24 / 610	258	287	525
78 / 1981	30 / 762	320	360	606
78 / 1981	36 / 914	430	485	678
78 / 1981	40 / 1016	437	493	738
78 / 1981	42 / 1067	441	496	758
78 / 1981	48 / 1219	451	507	843
80 / 2032	24 / 610	259	288	532
80 / 2032	30 / 762	321	361	614
80 / 2032	36 / 914	432	487	695
80 / 2032	40 / 1016	439	495	749
80 / 2032	42 / 1067	442	498	782
80 / 2032	48 / 1219	453	509	856

DIMENSIONS
INCHES / MM

H	W (CODE)
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
320	360	606
430	485	678
437	493	738
441	496	758
451	507	843
321	361	614
432	487	695
439	495	749
442	498	782
453	509	856

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

The Solid Fascia – Segmented (Level II) provides a solid finish at S2 location of a segmented wall or door.

WHAT'S INCLUDED

1 Fascia with connection hardware.


NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.



PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
12 06 – 12	12 12	Fascia Laminate	1 Type 1
18 13 – 18	18 13 – 18	Flintwood	2 Type 2
24 19 – 24	24 19 – 24		
30 25 – 30	30 25 – 30		
32 31 – 32	36 31 – 36		
	40 37 – 40		
	42 41 – 42		
	48 43 – 48		

SAMPLE ORDER CODE

FFS2 10	48	AG	2
---------	----	----	---

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
48	50	122
55	58	140
63	67	158
66	70	169
86	93	187
87	94	194
87	95	198
89	97	216
55	58	140
67	72	163
77	84	185
84	91	201
113	125	223
115	127	241
116	128	250
119	131	273
60	64	158
74	80	185
88	96	213
94	103	240
134	148	271
136	150	284
137	152	298
140	155	347

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING


SOLID (1) – TYPE 2 (2) (Continued)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
66	70	169
84	91	201
105	114	240
109	120	276
164	183	307
167	186	352
168	187	361
173	192	402
72	77	173
96	105	213
106	116	251
128	142	284
165	184	346
168	188	363
170	189	381
175	195	414

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFSM 1

Solid Fascia – Segmented Monolithic (Level I)



The Solid Fascia – Segmented Monolithic (Level I) provides a solid finish at S1 and base fascia for segmented wall elevations.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

No base fascia required.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
1 Solid	84	12 12	Fascia Laminate	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18	Flintwood	2 Type 2
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24		
4 18" Height 1 Vertical Cut Out		30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36		
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40		
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42		
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)				
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)				
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)				
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFSM1 2	84	40	LW	2
---------	----	----	----	---

DIMENSIONS INCHES / MM

PRICING	
SOLID (1) – TYPE 2 (2)	
H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

DIMENSIONS INCHES / MM

PRICING	
WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)	
H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

DIMENSIONS INCHES / MM

PRICING	
WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)	
H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFSM 1

Solid Fascia – Segmented
Monolithic (Level I) (Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	12 / 305
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
285	314	569
348	388	654
459	514	750
466	522	806
470	526	828
481	538	917

18" HEIGHT 1 VERTICAL CUT OUT (4) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
163	178	331
235	262	442
261	290	545
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893

18" HEIGHT HORIZONTAL
CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
163	178	331
235	262	442
285	314	569
372	412	678
483	538	774
490	546	830
494	550	852
504	562	941

BASE HEIGHT 1 HORIZONTAL
CUT OUT (6) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
163	178	331
235	262	442
261	290	545
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893

BASE HEIGHT 2 HORIZONTAL
CUT OUTS (7) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
285	314	569
348	388	654
459	514	750
466	522	806
470	526	828
481	538	917

DIMENSIONS
INCHES / MM

H	W (CODE)
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	18 / 457
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	24 / 610
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

H	W (CODE)
84 / 2134	30 / 762
84 / 2134	36 / 914
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219

PRICING

BASE HEIGHT 3 HORIZONTAL
CUT OUTS (8) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
372	412	678
483	538	774
490	546	830
494	550	852
504	562	941

18" HEIGHT VERTICAL CUT OUT FOR
SINGLE POWER PLUS COMMUNICATION
MODULE (S) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
235	262	442
261	290	545
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
235	262	442
261	290	545
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
261	290	545
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893


18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
324	364	630
435	491	727
443	498	782
446	502	804
457	514	893

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFSM2

Solid Fascia – Segmented Monolithic (Level II)



The Solid Fascia – Segmented Monolithic (Level II) provides a solid finish at S2 and ceiling fascia location of a segmented wall or door.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES

No ceiling fascia required.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
18 12 – 18	12 12	Fascia Laminate	1 Type 1
24 19 – 24	18 13 – 18	Flintwood	2 Type 2
30 25 – 30	24 19 – 24		
36 31 – 36	30 25 – 30		
	36 31 – 36		
	40 37 – 40		
	42 41 – 42		
	48 43 – 48		

SAMPLE ORDER CODE

FFSM2 10	48	AG	2
----------	----	----	---

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
55	58	140
67	72	163
77	84	185
84	91	201
113	125	223
115	127	241
116	128	250
119	131	273
60	64	158
74	80	185
88	96	213
94	103	240
134	148	271
136	150	284
137	152	298
140	155	347

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING


SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
66	70	169
84	91	201
105	114	240
109	120	276
164	183	307
167	186	352
168	187	361
173	192	402
75	81	187
98	107	223
126	139	271
130	144	307
204	230	375
207	234	401
209	236	411
214	241	459

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFW 1

Solid Fascia – Working Wall (Level I)



The Solid Fascia – Working Wall (Level I) provides a solid finish at the W1 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

For more detailed information on cut outs and cut out locations, please refer to the Application Guides.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Base Fascia Height	Finish	Type (For Fascia Laminates Only)
1 Solid	30, 32	12 12	4, 6	Fascia Laminate	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18		Flintwood	2 Type 2
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24			
4 18" Height 1 Vertical Cut Out		30 25 – 30			
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36			
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)					

SAMPLE ORDER CODE

FFW1 1	32	40	6	AG	2
---------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
66	70	169
84	91	201
105	114	240
109	120	276
164	183	307
167	186	352
168	187	361
173	192	402
72	77	173
96	105	213
106	116	251
128	142	284
165	184	346
168	188	363
170	189	381
175	195	414

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
90	94	193
107	115	225
128	138	264
157	168	323
211	230	355
238	257	424
239	259	432
244	264	473
95	101	197
120	129	237
130	140	274
175	189	331
213	232	393
240	259	434
241	261	453
246	266	486

F F W 1

Solid Fascia – Working Wall
(Level I) (Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
152	162	287
157	168	323
211	230	355
214	233	400
216	235	408
220	240	449
154	164	298
175	189	331
213	232	393
216	235	411
217	237	429
222	242	462

18" HEIGHT 1 VERTICAL CUT OUT (4) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
90	94	193
107	115	225
128	138	264
133	144	299
188	206	331
190	209	376
192	211	384
197	216	425
95	101	197
120	129	237
130	140	274
151	165	308
189	208	370
192	211	387
194	213	405
199	218	438

DIMENSIONS
INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

H	W (CODE)
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

18" HEIGHT HORIZONTAL
CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
90	94	193
107	115	225
152	162	287
181	191	347
235	254	379
238	257	424
239	259	432
244	264	473
95	101	197
120	129	237
154	164	298
199	213	355
237	256	417
240	259	434
241	261	453
246	266	486

18" HEIGHT VERTICAL CUT OUT FOR
SINGLE POWER PLUS COMMUNICATION
MODULE (S) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
107	115	225
128	138	264
133	144	299
188	206	331
190	209	376
192	211	384
197	216	425
120	129	237
130	140	274
151	165	308
189	208	370
192	211	387
194	213	405
199	218	438

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F W 1

Solid Fascia – Working Wall
(Level I) (Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
107	115	225
128	138	264
133	144	299
188	206	331
190	209	376
192	211	384
197	216	425
120	129	237
130	140	274
151	165	308
189	208	370
192	211	387
194	213	405
199	218	438

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

H	W (CODE)	Fascia Laminate		Flintwood
		Gr. 1	Gr. 2	
30 / 762	24 / 610	128	138	264
30 / 762	30 / 762	133	144	299
30 / 762	36 / 914	188	206	331
30 / 762	40 / 1016	190	209	376
30 / 762	42 / 1067	192	211	384
30 / 762	48 / 1219	197	216	425
32 / 813	24 / 610	130	140	274
32 / 813	30 / 762	151	165	308
32 / 813	36 / 914	189	208	370
32 / 813	40 / 1016	192	211	387
32 / 813	42 / 1067	194	213	405
32 / 813	48 / 1219	199	218	438

DIMENSIONS
INCHES / MM

H	W (CODE)
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
133	144	299
188	206	331
190	209	376
192	211	384
197	216	425
151	165	308
189	208	370
192	211	387
194	213	405
199	218	438

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

The Solid Fascia – Working Wall (Level II) provides a solid finish at the W2 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES


Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FFW 2 Solid Fascia – Working Wall (Level II)



57

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
48	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	Fascia Laminate Flintwood	1 Type 1 2 Type 2

SAMPLE ORDER CODE

FFW2 48	42	CD	2
----------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W (CODE)
48 / 1219	12 / 305
48 / 1219	18 / 457
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING


SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
89	97	216
126	140	273
140	155	347
173	194	402
230	258	459
234	263	504
236	265	516
242	272	574

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFW 3

Solid Fascia – Working Wall (Level III)



The Solid Fascia – Working Wall (Level III) provides a solid finish at the W3 location of a wall elevation.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
12 06 – 12	12 12	Fascia Laminate	1 Type 1
18 13 – 18	18 13 – 18	Flintwood	2 Type 2
24 19 – 24	24 19 – 24		
30 25 – 30	30 25 – 30		
32 31 – 32	36 31 – 36		
	40 37 – 40		
	42 41 – 42		
	48 43 – 48		

SAMPLE ORDER CODE

FFW3 11	30	FD	2
---------	----	----	---

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
48	50	122
55	58	140
63	67	158
66	70	169
86	93	187
87	94	194
87	95	198
89	97	216
55	58	140
67	72	163
77	84	185
84	91	201
113	125	223
115	127	241
116	128	250
119	131	273
60	64	158
74	80	185
88	96	213
94	103	240
134	148	271
136	150	284
137	152	298
140	155	347

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING


SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
66	70	169
84	91	201
105	114	240
109	120	276
164	183	307
167	186	352
168	187	361
173	192	402
72	77	173
96	105	213
106	116	251
128	142	284
165	184	346
168	188	363
170	189	381
175	195	414

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFWM1

Solid Fascia – Working Wall Monolithic (Level I)



The Solid Fascia – Working Wall Monolithic (Level I) provides a solid finish at the W1 and base fascia location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

No base fascia required.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
1 Solid	36	12 12	Fascia Laminate	1 Type 1
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18	Flintwood	2 Type 2
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24		
4 18" Height 1 Vertical Cut Out		30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36		
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40		
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42		
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)				
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)				
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)				
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFWM1 1	36	40	AG	2
----------------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
75	81	187
98	107	223
126	139	271
130	144	307
204	230	375
207	234	401
209	236	411
214	241	459

DIMENSIONS INCHES / MM

H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
98	104	211
121	131	247
173	187	319
202	216	379
275	301	446
279	305	473
280	307	482
285	312	530

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F W M 1

Solid Fascia – Working Wall
Monolithic (Level I) (Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
173	187	319
178	192	355
251	277	422
255	282	449
257	283	458
261	288	507

18" HEIGHT 1 VERTICAL CUT OUT (4) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
98	104	211
121	131	247
149	163	295
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483

18" HEIGHT HORIZONTAL
CUT OUTS (5) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
98	104	211
121	131	247
173	187	319
202	216	379
275	301	446
279	305	473
280	307	482
285	312	530

BASE HEIGHT 1 HORIZONTAL
CUT OUT (6) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
98	104	211
121	131	247
149	163	295
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483

BASE HEIGHT 2 HORIZONTAL
CUT OUTS (7) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
173	187	319
178	192	355
251	277	422
255	282	449
257	283	458
261	288	507

DIMENSIONS
INCHES / MM

H	W (CODE)
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

H	W (CODE)
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

BASE HEIGHT 3 HORIZONTAL
CUT OUTS (8) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
202	216	379
275	301	446
279	305	473
280	307	482
285	312	530

18" HEIGHT VERTICAL CUT OUT FOR
SINGLE POWER PLUS COMMUNICATION
MODULE (S) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
121	131	247
149	163	295
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483

18" HEIGHT VERTICAL CUT OUT FOR
DOUBLE POWER PLUS
COMMUNICATION MODULE (D) –
TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
121	131	247
149	163	295
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483

18" HEIGHT VERTICAL CUT OUT FOR
TRIPLE POWER PLUS COMMUNICATION
MODULE (T) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
149	163	295
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483


18" HEIGHT VERTICAL CUT OUT FOR
QUAD POWER PLUS COMMUNICATION
MODULE (Q) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
154	168	331
227	254	399
231	258	425
233	259	435
237	265	483

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFWM3

Solid Fascia – Working Wall Monolithic (Level III)



The Solid Fascia – Working Wall Monolithic (Level III) provides a solid finish at the W3 and ceiling fascia location of a wall elevation.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES

No ceiling fascia required.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish	Type (For Fascia Laminates Only)
18 12 – 18	12 12	Fascia Laminate	1 Type 1
24 19 – 24	18 13 – 18	Flintwood	2 Type 2
30 25 – 30	24 19 – 24		
36 31 – 36	30 25 – 30		
	36 31 – 36		
	40 37 – 40		
	42 41 – 42		
	48 43 – 48		

SAMPLE ORDER CODE

FFWM3 11	30	FD	2
----------	----	----	---

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219

PRICING

SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
55	58	140
67	72	163
77	84	185
84	91	201
113	125	223
115	127	241
116	128	250
119	131	273
60	64	158
74	80	185
88	96	213
94	103	240
134	148	271
136	150	284
137	152	298
140	155	347

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING


SOLID (1) – TYPE 2 (2)

Fascia Laminate Gr. 1	Gr. 2	Flintwood
66	70	169
84	91	201
105	114	240
109	120	276
164	183	307
167	186	352
168	187	361
173	192	402
75	81	187
98	107	223
126	139	271
130	144	307
204	230	375
207	234	401
209	236	411
214	241	459

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFGC

Glass Fascia – Single Centered



The Glass Fascia – Single Centered provides a Glass finish with varying levels of visual access and light transmission.

WHAT'S INCLUDED

1 Fascia with connection hardware.

NOTES

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)		Width (in 1" increments)		Frame Finish	Fascia Finish
12	06 – 12	90	84 – 90	AC Clear Anodized	A5 Clear Standard Glass
18	13 – 18	96	91 – 96		FA Frost Standard Glass
24	19 – 24	100	97 – 100		G5 Cool White Specialty Glass
30	25 – 30	104	101 – 104		Specialty Glass Gr. 6, 7, 8
32	31 – 32	108	105 – 108		
48	48	112	109 – 112		
78	78				
80	80				

SAMPLE ORDER CODE

FFGC 12	36	AC	5
---------	----	----	---

DIMENSIONS INCHES / MM

PRICING

		CLEAR ANODIZED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
12 / 305	12 / 305	243	265	265	326	347	400
12 / 305	18 / 457	270	305	305	350	372	428
12 / 305	24 / 610	298	345	345	394	419	484
12 / 305	30 / 762	325	384	384	440	467	539
12 / 305	36 / 914	353	424	424	485	515	595
12 / 305	40 / 1016	371	451	451	531	563	651
12 / 305	42 / 1067	380	464	464	575	611	707
12 / 305	48 / 1219	408	504	504	621	660	762
18 / 457	12 / 305	272	307	307	390	414	478
18 / 457	18 / 457	304	358	358	315	444	512
18 / 457	24 / 610	336	409	409	475	505	583
18 / 457	30 / 762	368	460	460	532	565	652
18 / 457	36 / 914	400	510	510	589	626	722
18 / 457	40 / 1016	421	544	544	646	687	792
18 / 457	42 / 1067	432	561	561	703	748	862
18 / 457	48 / 1219	464	612	612	760	806	930

DIMENSIONS INCHES / MM

PRICING

		CLEAR ANODIZED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
24 / 610	12 / 305	302	349	349	455	484	560
24 / 610	18 / 457	338	411	411	490	521	600
24 / 610	24 / 610	375	473	473	554	589	681
24 / 610	30 / 762	411	535	535	619	657	761
24 / 610	36 / 914	447	597	597	683	726	841
24 / 610	40 / 1016	471	638	638	748	795	921
24 / 610	42 / 1067	483	658	658	812	863	1002
24 / 610	48 / 1219	520	720	720	880	935	1077
30 / 762	12 / 305	332	391	391	530	562	648
30 / 762	18 / 457	373	464	464	568	603	694
30 / 762	24 / 610	413	537	537	647	682	791
30 / 762	30 / 762	454	610	610	726	761	886
30 / 762	36 / 914	494	683	683	805	839	982
30 / 762	40 / 1016	521	731	731	884	919	1077
30 / 762	42 / 1067	535	756	756	963	998	1174
30 / 762	48 / 1219	575	829	829	1038	1102	1272

Additional pricing is continued on the following page.

Glass Fascia – Single Centered
(Continued)DIMENSIONS
INCHES / MM

PRICING

		CLEAR ANODIZED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
32 / 813	12 / 305	342	405	405	550	583	670
32 / 813	18 / 457	384	482	482	627	664	765
32 / 813	24 / 610	426	558	558	699	741	852
32 / 813	30 / 762	468	635	635	739	783	900
32 / 813	36 / 914	510	712	712	833	883	1015
32 / 813	40 / 1016	538	763	763	919	974	1120
32 / 813	42 / 1067	552	788	788	954	1011	1163
32 / 813	48 / 1219	594	865	865	1064	1128	1297
48 / 1219	12 / 305	377	473	473	679	720	831
48 / 1219	18 / 457	432	580	580	729	772	891
48 / 1219	24 / 610	486	687	687	832	883	1018
48 / 1219	30 / 762	541	795	795	936	993	1145
48 / 1219	36 / 914	596	902	902	1039	1102	1272
48 / 1219	40 / 1016	633	973	973	1143	1212	1398
48 / 1219	42 / 1067	651	1009	1009	1246	1323	1526
48 / 1219	48 / 1219	706	1116	1116	1350	1433	1655
78 / 1981	12 / 305	589	746	746	1027	1091	1260
78 / 1981	18 / 457	665	908	908	1101	1170	1351
78 / 1981	24 / 610	742	1071	1071	1263	1340	1797
78 / 1981	30 / 762	818	1233	1233	1424	1511	1920
78 / 1981	36 / 914	895	1396	1396	1587	1682	2043
78 / 1981	40 / 1016	946	1504	1504	1748	1853	2166
78 / 1981	42 / 1067	972	1558	1558	1910	2023	2288
78 / 1981	48 / 1219	1048	1721	1721	2068	2195	2535
80 / 2032	12 / 305	592	753	753	1069	1133	1303
80 / 2032	18 / 457	670	919	919	1228	1302	1497
80 / 2032	24 / 610	748	1085	1085	1368	1450	1667
80 / 2032	30 / 762	826	1251	1251	1443	1530	1760
80 / 2032	36 / 914	904	1418	1418	1684	1785	2052
80 / 2032	40 / 1016	956	1528	1528	1829	1939	2229
80 / 2032	42 / 1067	982	1584	1584	1899	2013	2315
80 / 2032	48 / 1219	1060	1750	1750	2118	2245	2581
90 / 2286	12 / 305	618	800	800	1205	1278	1476
90 / 2286	18 / 457	704	985	985	1293	1371	1584
90 / 2286	24 / 610	789	1169	1169	1478	1568	1811
90 / 2286	30 / 762	874	1354	1354	1662	1765	2039
90 / 2286	36 / 914	960	1538	1538	1847	1961	2267
90 / 2286	40 / 1016	1017	1661	1661	2033	2158	2494
90 / 2286	42 / 1067	1045	1723	1723	2218	2355	2722
90 / 2286	48 / 1219	1130	1907	1907	2405	2554	2949

DIMENSIONS
INCHES / MM

PRICING

		CLEAR ANODIZED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
96 / 2438	12 / 305	639	833	833	1312	1394	1609
96 / 2438	18 / 457	729	1029	1029	1408	1496	1726
96 / 2438	24 / 610	818	1224	1224	1614	1714	1978
96 / 2438	30 / 762	908	1420	1420	1820	1933	2230
96 / 2438	36 / 914	998	1615	1615	2024	2152	2483
96 / 2438	40 / 1016	1057	1746	1746	2230	2370	2736
96 / 2438	42 / 1067	1087	1811	1811	2436	2589	2987
96 / 2438	48 / 1219	1177	2006	2006	2643	2806	3240
100 / 2540	12 / 305	653	855	855	1388	1471	1692
100 / 2540	18 / 457	745	1058	1058	1608	1706	1961
100 / 2540	24 / 610	838	1261	1261	1794	1900	2186
100 / 2540	30 / 762	930	1464	1464	1892	2006	2307
100 / 2540	36 / 914	1023	1667	1667	2174	2304	2650
100 / 2540	40 / 1016	1085	1802	1802	2375	2518	2896
100 / 2540	42 / 1067	1116	1870	1870	2467	2615	3008
100 / 2540	48 / 1219	1208	2073	2073	2751	2917	3353
104 / 2642	12 / 305	666	877	877	1425	1511	1738
104 / 2642	18 / 457	762	1087	1087	1653	1752	2015
104 / 2642	24 / 610	857	1297	1297	1846	1957	2250
104 / 2642	30 / 762	953	1508	1508	1957	2074	2386
104 / 2642	36 / 914	1048	1718	1718	2247	2383	2740
104 / 2642	40 / 1016	1112	1858	1858	2456	2603	2993
104 / 2642	42 / 1067	1144	1928	1928	2551	2704	3110
104 / 2642	48 / 1219	1239	2139	2139	2843	3014	3466
108 / 2743	12 / 305	680	899	899	1465	1553	1785
108 / 2743	18 / 457	778	1116	1116	1697	1800	2069
108 / 2743	24 / 610	877	1334	1334	1900	2015	2317
108 / 2743	30 / 762	975	1552	1552	2020	2141	2462
108 / 2743	36 / 914	1074	1769	1769	2320	2460	2829
108 / 2743	40 / 1016	1139	1914	1914	2536	2688	3092
108 / 2743	42 / 1067	1172	1987	1987	2633	2791	3211
108 / 2743	48 / 1219	1271	2205	2205	2937	3113	3581
112 / 2845	12 / 305	694	921	921	1502	1592	1831
112 / 2845	18 / 457	795	1146	1146	1742	1846	2124
112 / 2845	24 / 610	896	1371	1371	1955	2073	2384
112 / 2845	30 / 762	998	1596	1596	2083	2209	2540
112 / 2845	36 / 914	1099	1821	1821	2394	2538	2919
112 / 2845	40 / 1016	1167	1971	1971	2616	2773	3189
112 / 2845	42 / 1067	1200	2046	2046	2717	2880	3312
112 / 2845	48 / 1219	1302	2271	2271	3029	3212	3693

Additional pricing is continued on the following page.

F F G C

Glass Fascia – Single Centered
(Continued)DIMENSIONS
INCHES / MM

PRICING

		PAINTED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
12 / 305	12 / 305	269	291	291	352	373	426
12 / 305	18 / 457	302	337	337	382	404	460
12 / 305	24 / 610	337	384	384	433	458	523
12 / 305	30 / 762	370	429	429	485	512	584
12 / 305	36 / 914	404	475	475	536	566	646
12 / 305	40 / 1016	426	506	506	586	618	706
12 / 305	42 / 1067	437	521	521	632	668	764
12 / 305	48 / 1219	471	567	567	684	723	825
18 / 457	12 / 305	304	339	339	422	446	510
18 / 457	18 / 457	343	397	397	354	483	551
18 / 457	24 / 610	381	454	454	520	550	628
18 / 457	30 / 762	419	511	511	583	616	703
18 / 457	36 / 914	457	567	567	646	683	779
18 / 457	40 / 1016	482	605	605	707	748	853
18 / 457	42 / 1067	495	624	624	766	811	925
18 / 457	48 / 1219	534	682	682	830	876	1000
24 / 610	12 / 305	341	388	388	494	523	599
24 / 610	18 / 457	383	456	456	535	566	645
24 / 610	24 / 610	426	524	524	605	640	732
24 / 610	30 / 762	468	592	592	676	714	818
24 / 610	36 / 914	510	660	660	746	789	904
24 / 610	40 / 1016	538	705	705	815	862	988
24 / 610	42 / 1067	553	728	728	882	933	1072
24 / 610	48 / 1219	596	796	796	956	1011	1153
30 / 762	12 / 305	377	436	436	575	607	693
30 / 762	18 / 457	424	515	515	619	654	745
30 / 762	24 / 610	470	594	594	704	739	848
30 / 762	30 / 762	517	673	673	789	824	949
30 / 762	36 / 914	564	753	753	875	909	1052
30 / 762	40 / 1016	595	805	805	958	993	1151
30 / 762	42 / 1067	611	832	832	1039	1074	1250
30 / 762	48 / 1219	657	911	911	1120	1184	1354
32 / 813	12 / 305	389	452	452	597	630	717
32 / 813	18 / 457	437	535	535	680	717	818
32 / 813	24 / 610	485	617	617	758	800	911
32 / 813	30 / 762	533	700	700	804	848	965
32 / 813	36 / 914	582	784	784	905	955	1087
32 / 813	40 / 1016	614	839	839	995	1050	1196
32 / 813	42 / 1067	630	866	866	1032	1089	1241
32 / 813	48 / 1219	678	949	949	1148	1212	1381
48 / 1219	12 / 305	440	536	536	742	783	894
48 / 1219	18 / 457	502	650	650	799	842	961
48 / 1219	24 / 610	562	763	763	908	959	1094
48 / 1219	30 / 762	623	877	877	1018	1075	1227
48 / 1219	36 / 914	684	990	990	1127	1190	1360
48 / 1219	40 / 1016	725	1065	1065	1235	1304	1490
48 / 1219	42 / 1067	745	1103	1103	1340	1417	1620
48 / 1219	48 / 1219	806	1216	1216	1450	1533	1755

DIMENSIONS
INCHES / MM

PRICING

		PAINTED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
78 / 1981	12 / 305	683	840	840	1121	1185	1354
78 / 1981	18 / 457	765	1008	1008	1201	1270	1451
78 / 1981	24 / 610	849	1178	1178	1370	1447	1904
78 / 1981	30 / 762	931	1346	1346	1537	1624	2033
78 / 1981	36 / 914	1014	1515	1515	1706	1801	2162
78 / 1981	40 / 1016	1069	1627	1627	1871	1976	2289
78 / 1981	42 / 1067	1097	1683	1683	2035	2148	2413
78 / 1981	48 / 1219	1179	1852	1852	2199	2326	2666
80 / 2032	12 / 305	688	849	849	1165	1229	1399
80 / 2032	18 / 457	772	1021	1021	1330	1404	1599
80 / 2032	24 / 610	857	1194	1194	1477	1559	1776
80 / 2032	30 / 762	941	1366	1366	1558	1645	1875
80 / 2032	36 / 914	1025	1539	1539	1805	1906	2173
80 / 2032	40 / 1016	1081	1653	1653	1954	2064	2354
80 / 2032	42 / 1067	1109	1711	1711	2026	2140	2442
80 / 2032	48 / 1219	1193	1883	1883	2251	2378	2714
90 / 2286	12 / 305	725	907	907	1312	1385	1583
90 / 2286	18 / 457	817	1098	1098	1406	1484	1697
90 / 2286	24 / 610	908	1288	1288	1597	1687	1930
90 / 2286	30 / 762	999	1479	1479	1787	1890	2164
90 / 2286	36 / 914	1091	1669	1669	1978	2092	2398
90 / 2286	40 / 1016	1152	1796	1796	2168	2293	2629
90 / 2286	42 / 1067	1182	1860	1860	2355	2492	2859
90 / 2286	48 / 1219	1274	2051	2051	2549	2698	3093
96 / 2438	12 / 305	752	946	946	1425	1507	1722
96 / 2438	18 / 457	848	1148	1148	1527	1615	1845
96 / 2438	24 / 610	943	1349	1349	1739	1839	2103
96 / 2438	30 / 762	1039	1551	1551	1951	2064	2361
96 / 2438	36 / 914	1135	1752	1752	2161	2289	2620
96 / 2438	40 / 1016	1199	1888	1888	2372	2512	2878
96 / 2438	42 / 1067	1231	1955	1955	2580	2733	3131
96 / 2438	48 / 1219	1327	2156	2156	2793	2956	3390
100 / 2540	12 / 305	770	972	972	1505	1588	1809
100 / 2540	18 / 457	868	1181	1181	1731	1829	2084
100 / 2540	24 / 610	967	1390	1390	1923	2029	2315
100 / 2540	30 / 762	1065	1599	1599	2027	2141	2442
100 / 2540	36 / 914	1165	1809	1809	2316	2446	2792
100 / 2540	40 / 1016	1231	1948	1948	2521	2664	3042
100 / 2540	42 / 1067	1264	2018	2018	2615	2763	3156
100 / 2540	48 / 1219	1362	2227	2227	2905	3071	3507
104 / 2642	12 / 305	787	998	998	1546	1632	1859
104 / 2642	18 / 457	889	1214	1214	1780	1879	2142
104 / 2642	24 / 610	990	1430	1430	1979	2090	2383
104 / 2642	30 / 762	1093	1648	1648	2097	2214	2526
104 / 2642	36 / 914	1194	1864	1864	2393	2529	2886
104 / 2642	40 / 1016	1262	2008	2008	2606	2753	3143
104 / 2642	42 / 1067	1296	2080	2080	2703	2856	3262
104 / 2642	48 / 1219	1397	2297	2297	3001	3172	3624

Additional pricing is continued on the following page.

F F G C

Glass Fascia – Single Centered (Continued)


DIMENSIONS INCHES / MM

PRICING

		PAINTED					
		STANDARD GLASS		SPECIALTY GLASS			
H (CODE)	W (CODE)	Clear	Frost	Cool White	Gr. 6	Gr. 7	Gr. 8
108 / 2743	12 / 305	805	1024	1024	1590	1678	1910
108 / 2743	18 / 457	909	1247	1247	1828	1931	2200
108 / 2743	24 / 610	1014	1471	1471	2037	2152	2454
108 / 2743	30 / 762	1119	1696	1696	2164	2285	2606
108 / 2743	36 / 914	1224	1919	1919	2470	2610	2979
108 / 2743	40 / 1016	1293	2068	2068	2690	2842	3246
108 / 2743	42 / 1067	1328	2143	2143	2789	2947	3367
108 / 2743	48 / 1219	1429	2363	2363	3095	3271	3739
112 / 2845	12 / 305	823	1050	1050	1631	1721	1960
112 / 2845	18 / 457	930	1281	1281	1877	1981	2259
112 / 2845	24 / 610	1038	1513	1513	2097	2215	2526
112 / 2845	30 / 762	1146	1744	1744	2231	2357	2688
112 / 2845	36 / 914	1253	1975	1975	2548	2692	3073
112 / 2845	40 / 1016	1325	2129	2129	2774	2931	3347
112 / 2845	42 / 1067	1358	2204	2204	2875	3038	3470
112 / 2845	48 / 1219	1460	2429	2429	3187	3370	3851

FFGD

Glass Fascia – Double



The Glass Fascia – Double provides varying levels of visual access with acoustic privacy.

WHAT'S INCLUDED

1 double-sided Fascia with connection hardware.

NOTES

Architectural Fabric Glass patterns in Frosted Square Solo and Frosted Square Collective are available for Fascia widths between 30" and 48" and heights 48", 78" and 84" to 112" on the W2, S1 or F1 levels only.

Exact height and width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)				Width (in 1" increments)				Frame Finish		Fascia Finish	
12	06 – 12	80	80	12	12			AC	Clear Anodized	A5	Clear Standard Glass
18	13 – 18	90	84 – 90	18	13 – 18					FA	Frost Standard Glass
24	19 – 24	96	91 – 96	24	19 – 24					A4	Louvered Architectural Glass
30	25 – 30	100	97 – 100	30	25 – 30					A7	Frosted Square Solo
32	31 – 32	104	101 – 104	36	31 – 36					A9	Frosted Square Collections
48	48	108	105 – 108	40	37 – 40						
78	78	112	109 – 112	42	41 – 42						
				48	43 – 48						

SAMPLE ORDER CODE

FFGD 10	12	AC	6
---------	----	----	---

DIMENSIONS INCHES / MM

		PRICING			
		CLEAR ANODIZED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
12 / 305	12 / 305	269	289	329	n/a
12 / 305	18 / 457	307	336	353	n/a
12 / 305	24 / 610	345	384	393	n/a
12 / 305	30 / 762	383	432	414	n/a
12 / 305	36 / 914	421	480	449	n/a
12 / 305	40 / 1016	446	512	480	n/a
12 / 305	42 / 1067	459	527	497	n/a
12 / 305	48 / 1219	497	575	542	n/a
18 / 457	12 / 305	307	336	377	n/a
18 / 457	18 / 457	354	398	410	n/a
18 / 457	24 / 610	400	459	455	n/a
18 / 457	30 / 762	447	521	480	n/a
18 / 457	36 / 914	494	582	538	n/a
18 / 457	40 / 1016	526	623	575	n/a
18 / 457	42 / 1067	541	644	595	n/a
18 / 457	48 / 1219	588	705	652	n/a

DIMENSIONS INCHES / MM

		PRICING			
		CLEAR ANODIZED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
24 / 610	12 / 305	344	383	428	n/a
24 / 610	18 / 457	400	459	475	n/a
24 / 610	24 / 610	456	534	528	n/a
24 / 610	30 / 762	512	609	555	n/a
24 / 610	36 / 914	567	685	626	n/a
24 / 610	40 / 1016	605	735	672	n/a
24 / 610	42 / 1067	623	760	694	n/a
24 / 610	48 / 1219	679	835	767	n/a
30 / 762	12 / 305	382	431	481	n/a
30 / 762	18 / 457	447	520	543	n/a
30 / 762	24 / 610	511	609	604	n/a
30 / 762	30 / 762	576	698	635	n/a
30 / 762	36 / 914	641	787	717	n/a
30 / 762	40 / 1016	684	847	770	n/a
30 / 762	42 / 1067	705	876	800	n/a
30 / 762	48 / 1219	770	965	881	n/a

Additional pricing is continued on the following page.

F F G D

Glass Fascia – Double
(Continued)DIMENSIONS
INCHES / MM

PRICING

		CLEAR ANODIZED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
32 / 813	12 / 305	395	447	503	n/a
32 / 813	18 / 457	462	540	571	n/a
32 / 813	24 / 610	530	634	639	n/a
32 / 813	30 / 762	597	728	678	n/a
32 / 813	36 / 914	665	821	765	n/a
32 / 813	40 / 1016	710	884	821	n/a
32 / 813	42 / 1067	733	915	852	n/a
32 / 813	48 / 1219	800	1009	922	n/a
48 / 1219	12 / 305	495	573	590	n/a
48 / 1219	18 / 457	586	704	679	n/a
48 / 1219	24 / 610	678	834	753	n/a
48 / 1219	30 / 762	769	964	795	795
48 / 1219	36 / 914	860	1095	904	904
48 / 1219	40 / 1016	921	1182	987	987
48 / 1219	42 / 1067	951	1225	1023	1023
48 / 1219	48 / 1219	1043	1356	1128	1128
78 / 1981	12 / 305	730	857	857	n/a
78 / 1981	18 / 457	866	1056	1018	n/a
78 / 1981	24 / 610	1001	1255	1132	n/a
78 / 1981	30 / 762	1136	1454	1190	1190
78 / 1981	36 / 914	1272	1653	1376	1376
78 / 1981	40 / 1016	1362	1786	1486	1486
78 / 1981	42 / 1067	1407	1852	1541	1541
78 / 1981	48 / 1219	1542	2051	1709	1709
80 / 2032	12 / 305	737	867	878	n/a
80 / 2032	18 / 457	875	1071	1044	n/a
80 / 2032	24 / 610	1013	1274	1164	n/a
80 / 2032	30 / 762	1152	1478	1229	1229
80 / 2032	36 / 914	1290	1681	1420	1420
80 / 2032	40 / 1016	1382	1817	1534	1534
80 / 2032	42 / 1067	1428	1885	1592	1592
80 / 2032	48 / 1219	1567	2088	1765	1765
90 / 2286	12 / 305	848	994	988	n/a
90 / 2286	18 / 457	1001	1221	1186	n/a
90 / 2286	24 / 610	1155	1448	1319	n/a
90 / 2286	30 / 762	1308	1675	1388	1388
90 / 2286	36 / 914	1461	1901	1581	1581
90 / 2286	40 / 1016	1564	2052	1721	1721
90 / 2286	42 / 1067	1615	2128	1786	1786
90 / 2286	48 / 1219	1768	2355	1980	1980

DIMENSIONS
INCHES / MM

PRICING

		CLEAR ANODIZED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
96 / 2438	12 / 305	867	1024	1078	n/a
96 / 2438	18 / 457	1030	1264	1304	n/a
96 / 2438	24 / 610	1192	1505	1448	n/a
96 / 2438	30 / 762	1354	1745	1525	1525
96 / 2438	36 / 914	1517	1986	1738	1738
96 / 2438	40 / 1016	1625	2146	1889	1889
96 / 2438	42 / 1067	1679	2226	1961	1961
96 / 2438	48 / 1219	1841	2467	2177	2177
100 / 2540	12 / 305	881	1043	1118	n/a
100 / 2540	18 / 457	1049	1293	1355	n/a
100 / 2540	24 / 610	1217	1543	1511	n/a
100 / 2540	30 / 762	1385	1792	1600	1600
100 / 2540	36 / 914	1553	2042	1825	1825
100 / 2540	40 / 1016	1666	2209	1984	1984
100 / 2540	42 / 1067	1722	2292	2060	2060
100 / 2540	48 / 1219	1890	2541	2288	2288
104 / 2642	12 / 305	894	1063	1157	n/a
104 / 2642	18 / 457	1068	1322	1404	n/a
104 / 2642	24 / 610	1242	1581	1574	n/a
104 / 2642	30 / 762	1416	1840	1676	1676
104 / 2642	36 / 914	1590	2098	1913	1913
104 / 2642	40 / 1016	1706	2271	2078	2078
104 / 2642	42 / 1067	1764	2357	2159	2159
104 / 2642	48 / 1219	1938	2616	2398	2398
108 / 2743	12 / 305	907	1083	1197	n/a
108 / 2743	18 / 457	1087	1351	1455	n/a
108 / 2743	24 / 610	1267	1619	1637	n/a
108 / 2743	30 / 762	1447	1887	1751	1751
108 / 2743	36 / 914	1627	2155	2000	2000
108 / 2743	40 / 1016	1747	2333	2174	2174
108 / 2743	42 / 1067	1807	2423	2258	2258
108 / 2743	48 / 1219	1987	2691	2510	2510
112 / 2845	12 / 305	920	1102	1237	n/a
112 / 2845	18 / 457	1106	1380	1505	n/a
112 / 2845	24 / 610	1292	1657	1699	n/a
112 / 2845	30 / 762	1478	1934	1826	1826
112 / 2845	36 / 914	1664	2211	2087	2087
112 / 2845	40 / 1016	1788	2396	2269	2269
112 / 2845	42 / 1067	1850	2488	2357	2357
112 / 2845	48 / 1219	2036	2766	2621	2621

Additional pricing is continued on the following page.

F F G D

Glass Fascia – Double (Continued)

DIMENSIONS INCHES / MM

PRICING

		PAINTED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
12 / 305	12 / 305	295	315	355	n/a
12 / 305	18 / 457	339	368	385	n/a
12 / 305	24 / 610	384	423	432	n/a
12 / 305	30 / 762	428	477	459	n/a
12 / 305	36 / 914	472	531	500	n/a
12 / 305	40 / 1016	501	567	535	n/a
12 / 305	42 / 1067	516	584	554	n/a
12 / 305	48 / 1219	560	638	605	n/a
18 / 457	12 / 305	339	368	409	n/a
18 / 457	18 / 457	393	437	449	n/a
18 / 457	24 / 610	445	504	500	n/a
18 / 457	30 / 762	498	572	531	n/a
18 / 457	36 / 914	551	639	595	n/a
18 / 457	40 / 1016	587	684	636	n/a
18 / 457	42 / 1067	604	707	658	n/a
18 / 457	48 / 1219	658	775	722	n/a
24 / 610	12 / 305	383	422	467	n/a
24 / 610	18 / 457	445	504	520	n/a
24 / 610	24 / 610	507	585	579	n/a
24 / 610	30 / 762	569	666	612	n/a
24 / 610	36 / 914	630	748	689	n/a
24 / 610	40 / 1016	672	802	739	n/a
24 / 610	42 / 1067	693	830	764	n/a
24 / 610	48 / 1219	755	911	843	n/a
30 / 762	12 / 305	427	476	526	n/a
30 / 762	18 / 457	498	571	594	n/a
30 / 762	24 / 610	568	666	661	n/a
30 / 762	30 / 762	639	761	698	n/a
30 / 762	36 / 914	711	857	787	n/a
30 / 762	40 / 1016	758	921	844	n/a
30 / 762	42 / 1067	781	952	876	n/a
30 / 762	48 / 1219	852	1047	963	n/a
32 / 813	12 / 305	442	494	550	n/a
32 / 813	18 / 457	515	593	624	n/a
32 / 813	24 / 610	589	693	698	n/a
32 / 813	30 / 762	662	793	743	n/a
32 / 813	36 / 914	737	893	837	n/a
32 / 813	40 / 1016	786	960	897	n/a
32 / 813	42 / 1067	811	993	930	n/a
32 / 813	48 / 1219	884	1093	1006	n/a

DIMENSIONS INCHES / MM

PRICING

		PAINTED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
48 / 1219	12 / 305	558	636	653	n/a
48 / 1219	18 / 457	656	774	749	n/a
48 / 1219	24 / 610	754	910	829	n/a
48 / 1219	30 / 762	851	1046	877	877
48 / 1219	36 / 914	948	1183	992	992
48 / 1219	40 / 1016	1013	1274	1079	1079
48 / 1219	42 / 1067	1045	1319	1117	1117
48 / 1219	48 / 1219	1143	1456	1228	1228
78 / 1981	12 / 305	824	951	951	n/a
78 / 1981	18 / 457	966	1156	1118	n/a
78 / 1981	24 / 610	1108	1362	1239	n/a
78 / 1981	30 / 762	1249	1567	1303	1303
78 / 1981	36 / 914	1391	1772	1495	1495
78 / 1981	40 / 1016	1485	1909	1609	1609
78 / 1981	42 / 1067	1532	1977	1666	1666
78 / 1981	48 / 1219	1673	2182	1840	1840
80 / 2032	12 / 305	833	963	974	n/a
80 / 2032	18 / 457	977	1173	1146	n/a
80 / 2032	24 / 610	1122	1383	1273	n/a
80 / 2032	30 / 762	1267	1593	1344	1344
80 / 2032	36 / 914	1411	1802	1541	1541
80 / 2032	40 / 1016	1507	1942	1659	1659
80 / 2032	42 / 1067	1555	2012	1719	1719
80 / 2032	48 / 1219	1700	2221	1898	1898
90 / 2286	12 / 305	955	1101	1095	n/a
90 / 2286	18 / 457	1114	1334	1299	n/a
90 / 2286	24 / 610	1274	1567	1438	n/a
90 / 2286	30 / 762	1433	1800	1513	1513
90 / 2286	36 / 914	1592	2032	1712	1712
90 / 2286	40 / 1016	1699	2187	1856	1856
90 / 2286	42 / 1067	1752	2265	1923	1923
90 / 2286	48 / 1219	1912	2499	2124	2124
96 / 2438	12 / 305	980	1137	1191	n/a
96 / 2438	18 / 457	1149	1383	1423	n/a
96 / 2438	24 / 610	1317	1630	1573	n/a
96 / 2438	30 / 762	1485	1876	1656	1656
96 / 2438	36 / 914	1654	2123	1875	1875
96 / 2438	40 / 1016	1767	2288	2031	2031
96 / 2438	42 / 1067	1823	2370	2105	2105
96 / 2438	48 / 1219	1991	2617	2327	2327

Additional pricing is continued on the following page.

FFGD

Glass Fascia – Double (Continued)


DIMENSIONS INCHES / MM

PRICING

		PAINTED			
		STANDARD GLASS		ARCHITECTURAL FABRIC GLASS	
H (CODE)	W (CODE)	Clear	Frost	Louvered	Frosted Square Solo/Collective
100 / 2540	12 / 305	998	1160	1235	n/a
100 / 2540	18 / 457	1172	1416	1478	n/a
100 / 2540	24 / 610	1346	1672	1640	n/a
100 / 2540	30 / 762	1520	1927	1735	1735
100 / 2540	36 / 914	1695	2184	1967	1967
100 / 2540	40 / 1016	1812	2355	2130	2130
100 / 2540	42 / 1067	1870	2440	2208	2208
100 / 2540	48 / 1219	2044	2695	2442	2442
104 / 2642	12 / 305	1015	1184	1278	n/a
104 / 2642	18 / 457	1195	1449	1531	n/a
104 / 2642	24 / 610	1375	1714	1707	n/a
104 / 2642	30 / 762	1556	1980	1816	1816
104 / 2642	36 / 914	1736	2244	2059	2059
104 / 2642	40 / 1016	1856	2421	2228	2228
104 / 2642	42 / 1067	1916	2509	2311	2311
104 / 2642	48 / 1219	2096	2774	2556	2556
108 / 2743	12 / 305	1032	1208	1322	n/a
108 / 2743	18 / 457	1218	1482	1586	n/a
108 / 2743	24 / 610	1404	1756	1774	n/a
108 / 2743	30 / 762	1591	2031	1895	1895
108 / 2743	36 / 914	1777	2305	2150	2150
108 / 2743	40 / 1016	1901	2487	2328	2328
108 / 2743	42 / 1067	1963	2579	2414	2414
108 / 2743	48 / 1219	2145	2849	2668	2668
112 / 2845	12 / 305	1049	1231	1366	n/a
112 / 2845	18 / 457	1241	1515	1640	n/a
112 / 2845	24 / 610	1434	1799	1841	n/a
112 / 2845	30 / 762	1626	2082	1974	1974
112 / 2845	36 / 914	1818	2365	2241	2241
112 / 2845	40 / 1016	1946	2554	2427	2427
112 / 2845	42 / 1067	2008	2646	2515	2515
112 / 2845	48 / 1219	2194	2924	2779	2779

FFAM 1

Acoustic Fascia – Monolithic



The Acoustic Fascia – Monolithic provides both sound attenuating and blocking properties with a fabric finish from floor to ceiling.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
102 96 – 102	12 12	COM
108 103 – 108	18 13 – 18	Architectural Fabric
114 109 – 114	24 19 – 24	
120 115 – 120	30 25 – 30	
	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAM1 112	40	AF33
------------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
499	545	561	598	605	632	682
567	636	660	716	726	766	842
639	753	794	887	905	972	1100
706	838	885	992	1013	1090	1236
781	917	966	1077	1099	1178	1331
830	967	1015	1126	1148	1228	1380
855	991	1040	1151	1173	1252	1404
929	1065	1113	1225	1246	1326	1478
505	553	570	610	617	645	699
577	649	675	734	745	787	868
652	773	816	915	934	1005	1139
723	862	912	1025	1047	1128	1283
800	944	996	1113	1136	1220	1381
851	995	1046	1164	1187	1271	1432
876	1021	1072	1190	1212	1296	1457
953	1097	1148	1266	1288	1372	1533

Additional pricing is continued on the following page.

FFAM 1

Acoustic Fascia – Monolithic (Continued)

DIMENSIONS INCHES / MM


H (CODE)	W (CODE)
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
511	562	580	621	629	659	715
587	663	690	752	764	808	893
666	793	838	943	963	1037	1179
741	887	939	1059	1082	1167	1331
820	972	1025	1150	1174	1262	1432
872	1024	1078	1202	1226	1314	1484
898	1050	1104	1228	1252	1341	1510
977	1128	1182	1306	1330	1419	1588
518	571	590	633	641	672	732
597	676	705	770	782	829	918
679	813	861	970	991	1069	1219
758	912	966	1092	1116	1206	1378
839	999	1055	1186	1211	1304	1482
893	1053	1109	1240	1265	1358	1536
920	1079	1136	1266	1292	1385	1563
1001	1160	1217	1347	1372	1465	1643

FFAF 1

Acoustic Fascia – Full



The Acoustic Fascia – Full provides both sound attenuating and blocking properties with a fabric finish for full height wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
90 84 – 90	12 12	COM Architectural Fabric
96 91 – 96	18 13 – 18	
102 97 – 102	24 19 – 24	
108 103 – 108	30 25 – 30	
112 109 – 112	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAF1 96	36	AF33
-----------------	-----------	-------------

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
491	529	543	574	580	603	645
553	611	631	678	687	721	785
619	715	749	828	844	900	1008
680	792	831	922	939	1004	1128
748	863	904	998	1016	1083	1212
792	907	948	1043	1061	1128	1256
814	930	971	1065	1083	1150	1279
881	996	1037	1131	1150	1217	1345
498	539	553	587	593	617	662
563	625	646	697	706	742	810
632	735	771	855	871	931	1046
697	815	857	954	972	1041	1173
769	891	935	1035	1054	1126	1262
816	939	982	1082	1102	1173	1310
840	962	1006	1106	1125	1197	1334
911	1033	1077	1177	1196	1268	1405

Additional pricing is continued on the following page.

F F A F 1

Acoustic Fascia – Full (Continued)


DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	12 / 305	505	548	564	599	606	631	680
102 / 2591	18 / 457	574	639	662	715	725	763	835
102 / 2591	24 / 610	645	754	793	882	899	963	1084
102 / 2591	30 / 762	713	838	883	985	1005	1078	1218
102 / 2591	36 / 914	789	919	965	1072	1092	1168	1313
102 / 2591	40 / 1016	840	970	1016	1122	1142	1218	1363
102 / 2591	42 / 1067	865	995	1041	1147	1168	1243	1388
102 / 2591	48 / 1219	941	1071	1117	1223	1243	1319	1464
108 / 2743	12 / 305	512	558	574	612	619	646	697
108 / 2743	18 / 457	584	653	677	733	744	784	860
108 / 2743	24 / 610	659	774	815	909	927	994	1122
108 / 2743	30 / 762	729	862	909	1017	1038	1115	1263
108 / 2743	36 / 914	810	947	996	1108	1130	1210	1363
108 / 2743	40 / 1016	864	1001	1050	1162	1183	1263	1417
108 / 2743	42 / 1067	890	1028	1076	1188	1210	1290	1443
108 / 2743	48 / 1219	970	1108	1156	1269	1290	1370	1523
112 / 2845	12 / 305	517	565	581	620	628	655	708
112 / 2845	18 / 457	591	662	687	745	756	798	877
112 / 2845	24 / 610	668	787	829	927	945	1015	1148
112 / 2845	30 / 762	740	877	926	1038	1060	1140	1293
112 / 2845	36 / 914	824	966	1017	1133	1155	1238	1397
112 / 2845	40 / 1016	879	1022	1072	1188	1211	1294	1452
112 / 2845	42 / 1067	907	1049	1100	1216	1238	1321	1480
112 / 2845	48 / 1219	990	1132	1183	1299	1321	1404	1563

FFAS1

Acoustic Fascia – Segmented (Level I)



The Acoustic Fascia – Segmented (Level I) provides both sound attenuating and blocking properties with a fabric finish at S1 for segmented wall elevations.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
78, 80	12 13 – 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	COM Architectural Fabric

SAMPLE ORDER CODE

FFAS1 78	42	AF33
----------	----	------

DIMENSIONS INCHES / MM


H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
455	490	503	532	537	558	597
513	566	584	628	636	667	726
573	662	693	765	779	831	930
630	732	768	851	868	927	1040
691	797	834	920	937	999	1116
731	837	874	960	977	1039	1156
751	857	894	980	997	1059	1176
811	917	954	1041	1057	1119	1237
470	506	519	548	554	575	615
524	578	597	641	650	681	742
581	671	703	777	792	845	946
634	738	775	860	877	938	1054
695	803	842	930	947	1010	1131
736	844	882	971	988	1051	1171
756	864	903	991	1008	1071	1192
817	925	963	1052	1069	1132	1253

FFAS2

Acoustic Fascia – Segmented (Level II)



The Acoustic Fascia – Segmented (Level II) provides both sound attenuating and blocking properties with a fabric finish at S2 of a segmented wall or door.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12	12 12	COM
18 13 – 18	18 13 – 18	Architectural Fabric
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
32 31 – 32	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAS2 18	36	AF33
----------	----	------

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
182	189	192	197	198	202	210
203	213	217	225	227	233	244
224	242	248	262	265	275	294
245	265	272	288	291	303	325
261	282	289	306	309	321	344
272	293	300	317	320	332	355
278	298	306	322	326	338	361
294	315	322	339	342	354	377
203	213	216	224	225	231	241
228	242	247	259	261	269	285
253	277	286	305	309	323	349
278	305	315	337	342	358	388
299	327	337	360	365	381	413
313	341	351	374	379	395	427
320	348	358	381	386	402	434
340	369	379	402	406	423	455


Additional pricing is continued on the following page.

FFAS 2

Acoustic Fascia – Segmented
(Level II) (Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	224	236	240	250	252	259	272
24 / 610	18 / 457	253	271	277	292	295	305	325
24 / 610	24 / 610	283	313	324	348	353	371	404
24 / 610	30 / 762	311	346	358	387	392	412	451
24 / 610	36 / 914	337	373	385	415	421	442	482
24 / 610	40 / 1016	353	389	402	432	437	458	499
24 / 610	42 / 1067	362	398	411	440	446	467	507
24 / 610	48 / 1219	387	423	436	465	471	492	532
30 / 762	12 / 305	245	259	265	277	279	287	304
30 / 762	18 / 457	278	300	307	325	329	341	366
30 / 762	24 / 610	312	348	361	391	397	419	460
30 / 762	30 / 762	344	387	402	436	443	467	514
30 / 762	36 / 914	374	418	433	469	476	502	550
30 / 762	40 / 1016	394	438	453	489	496	521	570
30 / 762	42 / 1067	404	448	463	499	506	531	580
30 / 762	48 / 1219	433	477	493	528	535	561	610
32 / 813	12 / 305	252	267	273	285	288	297	314
32 / 813	18 / 457	286	309	317	336	340	354	379
32 / 813	24 / 610	321	360	374	406	412	435	478
32 / 813	30 / 762	355	400	416	452	460	486	535
32 / 813	36 / 914	387	433	449	487	495	522	573
32 / 813	40 / 1016	407	454	470	508	515	542	594
32 / 813	42 / 1067	418	464	481	518	526	553	604
32 / 813	48 / 1219	449	495	512	550	557	584	636

FFASM1**Acoustic Fascia – Segmented Monolithic (Level I)**

The Acoustic Fascia – Segmented Monolithic (Level I) provides both sound attenuating and blocking properties with a fabric finish at S1 base fascia for segmented elevations.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
84	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	COM Architectural Fabric

SAMPLE ORDER CODE


FFASM1 84	40	AF33
------------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H	W (CODE)
84 / 2133	12 / 305
84 / 2133	18 / 457
84 / 2133	24 / 610
84 / 2133	30 / 762
84 / 2133	36 / 914
84 / 2133	40 / 1016
84 / 2133	42 / 1067
84 / 2133	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
481	519	532	563	569	591	633
541	598	618	664	673	706	769
604	699	733	810	825	881	987
664	773	812	901	918	982	1104
724	837	878	970	988	1054	1181
764	877	918	1010	1028	1094	1220
784	897	938	1030	1048	1114	1240
844	957	997	1090	1108	1174	1300

FFASM2**Acoustic Fascia – Segmented Monolithic (Level II)**

The Acoustic Fascia – Segmented Monolithic (Level II) provides both sound attenuating and blocking properties with a fabric finish at S2 and ceiling fascia of a segmented wall or door.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12	12 12	COM
18 13 – 18	18 13 – 18	Architectural Fabric
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
36 31 – 36	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFASM2 30	42	AF33
------------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
191	198	200	206	207	211	219
211	222	225	234	235	241	253
232	250	256	270	273	283	302
253	273	280	296	299	311	333
269	289	297	314	317	329	352
280	300	307	324	327	340	362
285	305	313	330	333	345	368
301	321	329	346	349	361	384
208	217	221	228	230	235	246
232	246	251	263	265	273	289
257	281	289	309	312	326	353
281	309	318	341	345	361	391
300	329	339	362	366	383	414
313	341	351	374	379	395	427
319	348	358	381	385	402	433
338	367	377	400	404	421	452

Additional pricing is continued on the following page.


FFASM 2

Acoustic Fascia – Segmented
Monolithic (Level II) (Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	225	237	241	251	253	260	273
24 / 610	18 / 457	253	271	277	292	295	305	325
24 / 610	24 / 610	282	312	323	347	352	370	403
24 / 610	30 / 762	310	344	357	385	391	411	450
24 / 610	36 / 914	332	368	381	410	416	437	477
24 / 610	40 / 1016	346	382	395	425	430	451	492
24 / 610	42 / 1067	354	390	403	432	438	459	499
24 / 610	48 / 1219	376	412	425	454	460	481	521
30 / 762	12 / 305	242	256	261	273	275	284	300
30 / 762	18 / 457	273	295	303	321	324	337	362
30 / 762	24 / 610	306	343	356	386	392	413	454
30 / 762	30 / 762	338	380	395	430	436	461	508
30 / 762	36 / 914	363	407	423	458	465	491	540
30 / 762	40 / 1016	380	424	439	475	482	507	556
30 / 762	42 / 1067	388	432	447	483	490	516	565
30 / 762	48 / 1219	413	457	472	508	515	541	589
36 / 914	12 / 305	258	276	282	296	298	308	328
36 / 914	18 / 457	294	320	329	350	354	369	398
36 / 914	24 / 610	331	374	390	425	432	457	505
36 / 914	30 / 762	367	416	434	474	482	511	567
36 / 914	36 / 914	395	446	465	507	515	545	602
36 / 914	40 / 1016	413	465	483	525	533	563	621
36 / 914	42 / 1067	423	474	492	534	543	573	630
36 / 914	48 / 1219	451	502	520	562	570	601	658

FFAW 1

Acoustic Fascia – Working Wall
(Level I)

84

The Acoustic Fascia – Working Wall (Level I) provides both sound attenuating and blocking properties with a fabric finish at the W1 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
30, 32	12 12	Architectural Fabric Panel Fabric
	18 13 – 18	
	24 19 – 24	
	30 25 – 30	
	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAW1 30	48	AF21
----------	----	------

DIMENSIONS
INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 813	12 / 305
32 / 813	18 / 457
32 / 813	24 / 610
32 / 813	30 / 762
32 / 813	36 / 914
32 / 813	40 / 1016
32 / 813	42 / 1067
32 / 813	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
245	259	260	267	270	281	283	296	300			259	264	276	279	287	303
274	296	297	307	313	329	331	351	357			296	304	321	325	338	362
304	342	343	360	369	396	400	434	443			341	354	384	390	411	452
333	376	378	397	408	439	443	482	493			376	391	425	432	456	503
362	405	406	426	436	468	471	511	521			404	419	453	460	485	532
381	423	425	445	455	487	490	529	540			423	438	472	479	503	551
390	433	434	454	465	496	500	539	549			432	447	482	488	513	560
418	461	462	482	493	524	528	567	578			460	475	510	517	541	588
252	268	268	275	279	291	292	306	310			267	273	285	288	297	314
283	307	307	318	324	341	343	365	370			306	314	333	337	350	376
316	362	363	384	396	429	433	474	485			361	377	414	421	447	497
346	392	393	414	426	459	463	504	515			391	407	444	451	477	527
380	426	427	448	460	493	497	539	550			425	441	478	485	511	561
403	449	450	471	483	516	520	561	573			448	464	501	508	534	584
415	460	462	483	494	527	531	573	584			460	475	512	519	545	595
449	494	496	517	528	562	566	607	618			494	510	546	553	580	630

The Acoustic Fascia – Working Wall (Level II) provides both sound attenuating and blocking properties with a fabric finish at the W2 location of a working wall elevation.

WHAT'S INCLUDED


1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

FFAW 2 Acoustic Fascia – Working Wall (Level II)



85

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
48	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	Architectural Fabric Panel Fabric

SAMPLE ORDER CODE


FFAW2 48	48	AF33
----------	----	------

DIMENSIONS INCHES / MM

H	W (CODE)
48 / 1219	12 / 305
48 / 1219	18 / 457
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
295	316	316	326	331	346	348	367	372			315	323	339	343	355	378
334	363	364	377	384	405	408	434	441			362	372	396	400	417	448
373	410	411	428	437	464	467	501	510			409	422	452	457	478	519
413	457	458	479	490	523	527	567	578			457	472	508	515	540	589
452	504	506	530	543	581	586	634	647			504	522	564	572	602	660
478	536	538	564	579	621	626	678	692			535	555	601	610	643	707
492	552	553	581	596	640	646	700	715			551	572	620	629	664	730
531	599	601	632	649	699	705	767	784			598	622	676	687	726	801

FFAW 3**Acoustic Fascia – Working Wall
(Level III)**

The Acoustic Fascia – Working Wall (Level III) provides both sound attenuating and blocking properties with a fabric finish at the W3 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

86

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12	12 12	Architectural Fabric Panel Fabric
18 13 – 18	18 13 – 18	
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
32 31 – 32	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAW3 24	48	AF30
-----------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
183	190	190	193	195	200	200	207	208			189	192	197	199	203	210
204	214	214	219	222	229	230	240	243			214	218	226	228	234	245
225	243	243	251	256	269	270	286	290			242	249	263	265	276	295
246	266	267	276	281	296	298	316	321			266	273	289	292	304	326
263	284	284	294	299	315	316	335	341			283	291	308	311	323	346
274	295	295	305	310	326	327	347	352			295	302	319	322	334	357
279	300	301	311	316	331	333	352	357			300	307	324	327	339	362
296	317	318	327	333	348	350	369	374			317	324	341	344	356	379
203	212	213	217	219	226	227	236	238			212	215	223	225	230	241
228	243	243	250	253	264	265	278	282			243	248	259	261	270	285
255	279	280	291	297	314	317	339	345			279	287	306	310	324	350
280	308	309	322	329	349	351	377	384			308	317	340	344	360	390
302	331	331	345	352	373	375	402	409			330	340	363	368	384	416
316	345	346	359	366	387	390	416	423			344	354	378	382	399	430
323	352	353	366	373	394	397	423	430			351	361	385	389	406	437
344	373	374	387	395	415	418	444	451			373	383	406	410	427	458

Additional pricing is continued on the following page.

FFAW 3


Acoustic Fascia – Working Wall
(Level III) (Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)	Fabric Grade										Architectural Fabric					
		COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	223	235	235	241	244	253	254	265	268		235	239	249	251	258	271
24 / 610	18 / 457	253	272	272	281	285	298	300	317	321		271	278	292	295	306	326
24 / 610	24 / 610	284	315	316	330	338	360	363	391	399		315	325	350	355	373	406
24 / 610	30 / 762	315	350	351	367	376	402	405	437	446		349	362	390	396	416	455
24 / 610	36 / 914	341	377	378	395	405	431	435	468	477		377	390	419	425	446	486
24 / 610	40 / 1016	358	395	396	413	422	449	452	485	494		394	407	436	442	463	503
24 / 610	42 / 1067	367	403	404	421	431	457	461	494	503		403	416	445	451	472	512
24 / 610	48 / 1219	393	429	430	447	457	483	486	520	529		429	442	471	477	498	538
30 / 762	12 / 305	243	258	258	265	269	280	281	294	298		258	263	275	277	285	302
30 / 762	18 / 457	278	300	301	311	317	333	335	355	361		300	308	326	329	342	366
30 / 762	24 / 610	314	351	352	370	379	406	410	444	453		351	364	394	400	421	462
30 / 762	30 / 762	349	392	393	413	424	455	459	498	508		391	406	441	447	472	519
30 / 762	36 / 914	380	424	425	446	457	490	494	534	545		424	439	475	482	507	556
30 / 762	40 / 1016	400	445	446	467	478	510	514	555	565		444	460	495	502	528	577
30 / 762	42 / 1067	410	455	456	477	488	520	524	565	576		454	470	506	512	538	587
30 / 762	48 / 1219	441	486	487	507	519	551	555	595	606		485	500	536	543	569	617
32 / 813	12 / 305	250	265	266	273	277	288	290	304	308		265	271	283	286	295	312
32 / 813	18 / 457	286	310	310	321	327	344	347	368	374		309	318	337	340	354	380
32 / 813	24 / 610	324	363	365	383	393	422	425	461	471		363	377	408	415	437	481
32 / 813	30 / 762	360	406	407	428	439	472	477	518	529		405	421	457	464	490	540
32 / 813	36 / 914	393	440	441	463	475	509	513	556	568		439	456	493	501	528	579
32 / 813	40 / 1016	414	461	463	484	496	531	535	578	589		461	477	515	522	549	601
32 / 813	42 / 1067	425	472	473	495	507	541	546	588	600		471	488	526	533	560	612
32 / 813	48 / 1219	457	504	506	527	539	574	578	621	632		504	520	558	565	592	644

FFAWM 1

Acoustic Fascia – Working Wall Monolithic (Level I)



The Acoustic Fascia – Working Wall Monolithic (Level I) provides both sound attenuating and blocking properties with a fabric finish at the W1 and base fascia location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
36	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	Architectural Fabric Panel Fabric

SAMPLE ORDER CODE

FFAWM1 36	48	AF44
-----------	----	------

DIMENSIONS
INCHES / MM


H	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
249	266	267	275	279	292	294	310	314			266	272	286	289	299	318
282	308	308	321	327	346	349	372	379			307	316	337	342	357	385
315	359	360	381	392	424	428	468	478			359	374	409	416	441	489
348	398	399	423	436	472	477	523	535			397	415	455	463	492	548
379	431	433	457	470	508	513	561	574			431	449	491	499	529	587
400	452	454	478	491	529	534	582	594			452	470	512	520	550	607
410	463	464	489	502	540	544	592	605			462	480	522	530	560	618
442	494	496	520	533	571	576	623	636			493	512	554	562	592	649

FFAWM3

Acoustic Fascia – Working Wall Monolithic (Level III)



The Acoustic Fascia – Working Wall Monolithic (Level III) provides both sound attenuating and blocking properties with a fabric finish at the W3 and ceiling fascia location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12	12 12	Architectural Fabric Panel Fabric
18 13 – 18	18 13 – 18	
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
36 31 – 36	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFAWM3 18	48	AF40
-----------	----	------

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
182	189	189	192	194	199	200	206	208			189	191	197	198	202	210
203	213	214	218	221	229	230	239	242			213	217	225	227	233	244
224	242	242	250	255	267	269	285	289			241	247	262	264	274	294
245	265	265	275	280	295	296	315	320			265	272	288	291	303	325
261	282	283	292	298	313	315	334	339			282	289	306	309	321	344
272	293	293	303	308	324	325	345	350			292	300	317	320	332	355
277	298	299	309	314	329	331	350	355			298	305	322	325	337	360
294	315	315	325	330	345	347	366	371			314	322	338	342	354	377
199	209	209	213	216	223	224	232	235			209	212	220	221	227	237
224	238	238	245	249	259	260	274	277			238	243	254	257	265	281
249	273	274	285	291	308	311	333	339			273	281	300	304	318	345
273	301	302	315	322	342	344	370	376			301	310	333	337	353	383
293	322	323	336	343	364	367	393	400			322	332	355	359	376	407
307	335	336	349	357	378	380	406	414			335	345	368	373	389	421
313	342	343	356	363	384	387	413	420			342	352	375	379	396	427
333	362	363	376	383	404	407	433	440			362	372	395	399	416	447

Additional pricing is continued on the following page.

F F A W M 3


Acoustic Fascia – Working Wall
Monolithic (Level III) (Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)	Fabric Grade										Architectural Fabric					
		COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	216	228	229	234	237	246	247	259	262		228	232	242	244	251	265
24 / 610	18 / 457	244	263	263	272	276	290	291	308	313		263	269	284	286	297	317
24 / 610	24 / 610	274	304	305	319	327	350	352	380	388		304	315	339	344	362	395
24 / 610	30 / 762	302	337	338	354	363	389	392	424	433		336	349	377	383	403	442
24 / 610	36 / 914	326	362	363	380	389	416	419	453	462		362	374	404	409	431	471
24 / 610	40 / 1016	341	378	379	396	405	432	435	468	477		377	390	420	425	446	486
24 / 610	42 / 1067	349	386	387	404	413	440	443	476	485		385	398	427	433	454	494
24 / 610	48 / 1219	373	409	410	427	437	463	466	500	509		409	422	451	457	478	518
30 / 762	12 / 305	233	248	249	255	259	270	271	285	288		248	253	265	267	276	292
30 / 762	18 / 457	265	288	288	298	304	320	322	343	348		287	295	313	316	329	353
30 / 762	24 / 610	298	336	337	354	363	391	394	428	437		335	348	378	384	405	446
30 / 762	30 / 762	330	373	374	394	405	436	440	479	490		372	387	422	429	453	500
30 / 762	36 / 914	358	402	403	424	435	468	472	512	523		402	417	453	460	485	534
30 / 762	40 / 1016	376	420	422	442	453	486	490	530	541		420	435	471	478	503	552
30 / 762	42 / 1067	385	429	431	451	463	495	499	539	550		429	444	480	487	513	561
30 / 762	48 / 1219	412	457	458	479	490	522	526	567	578		456	472	507	514	540	589
36 / 914	12 / 305	250	268	268	276	281	293	295	311	315		268	274	288	290	300	320
36 / 914	18 / 457	286	312	313	325	332	351	353	377	383		312	321	342	346	361	390
36 / 914	24 / 610	323	367	368	389	400	432	436	476	486		366	382	417	424	449	497
36 / 914	30 / 762	359	409	411	434	447	483	488	534	546		408	426	467	474	503	559
36 / 914	36 / 914	390	442	444	468	481	519	524	572	584		441	460	502	510	540	597
36 / 914	40 / 1016	411	463	464	489	502	540	545	592	605		462	480	522	531	561	618
36 / 914	42 / 1067	421	473	475	499	512	550	555	603	615		472	491	533	541	571	628
36 / 914	48 / 1219	452	504	506	530	543	581	586	633	646		503	522	564	572	602	659

FFRB

Fabric Wrapped Base Fascia



PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Finish
1 Solid	4, 6	12 12	Architectural Fabric
2 1 Electric/Communication cut out (for all Fascias widths)		18 13 – 18	Panel Fabric
3 2 Electric/Communication cut outs (for Fascias 21" to 48" wide)		24 19 – 24	
4 3 Electric/Communication cut outs (for Fascias 30" to 48" wide)		30 25 – 30	
		36 31 – 36	
		40 37 – 40	
		42 41 – 42	
		48 43 – 48	

SAMPLE ORDER CODE

FFRB 4	2	12	AF32
--------	---	----	------

DIMENSIONS
INCHES / MM

H	W (CODE)
04 / 102	12 / 305
04 / 102	18 / 457
04 / 102	24 / 610
04 / 102	30 / 762
04 / 102	36 / 914
04 / 102	40 / 1016
04 / 102	42 / 1067
04 / 102	48 / 1219
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

PRICING

SOLID (1)

Fabric Grade

COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
82	86	86	88	89	91	91	95	95
86	91	91	94	95	98	99	103	104
87	93	94	96	98	102	103	108	110
95	102	102	106	107	113	114	120	122
95	104	104	108	111	117	118	126	128
96	105	106	110	113	120	120	129	132
96	106	106	111	114	121	122	131	133
97	108	109	114	117	125	126	136	139
85	89	89	91	92	95	95	99	100
90	96	96	99	100	105	105	110	112
91	99	99	102	104	109	110	117	118
102	111	111	115	117	124	125	133	135
103	113	114	118	121	129	130	139	142
103	115	115	121	124	132	133	143	146
104	116	116	122	125	134	135	146	149
105	118	119	125	128	138	140	152	155

Architectural Fabric

Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
86	87	90	90	92	96
91	93	97	97	100	106
93	95	100	101	105	111
102	104	110	112	116	124
104	107	114	115	120	130
105	109	116	118	123	134
106	110	118	119	125	136
108	112	121	123	129	142
89	90	93	94	97	101
96	98	103	104	107	113
98	101	107	108	112	120
111	114	121	122	127	137
113	117	125	127	133	144
115	119	128	130	136	149
116	120	130	131	138	152
118	123	134	136	144	159

Additional pricing is continued on the following page.

F F R B

Fabric Wrapped Base Fascia
(Continued)DIMENSIONS
INCHES / MM

H	W (CODE)
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

PRICING

1 ELECTRIC/COMMUNICATION CUT OUT (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
112	116	116	118	119	122	122	126	127		116	117	121	121	124	128
117	123	123	126	127	132	132	137	139		123	125	130	131	134	140
118	126	126	129	131	136	137	144	146		126	128	134	135	139	147
129	138	138	142	145	151	152	160	162		138	141	148	149	154	164
130	140	141	146	148	156	157	166	169		140	144	152	154	160	171
131	142	142	148	151	159	160	171	173		142	146	155	157	164	176
131	143	143	149	152	161	162	173	176		143	147	157	158	165	179
132	145	146	152	156	165	167	179	182		145	150	161	163	171	186

2 ELECTRIC/COMMUNICATION CUT OUTS (3)


Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
145	153	153	156	158	164	164	171	173		153	155	161	162	166	175
156	165	165	169	172	178	179	187	189		165	168	175	176	182	191
157	168	168	173	175	183	184	193	196		167	171	179	181	187	199
158	169	170	175	178	186	187	198	200		169	173	182	184	191	203
158	170	170	176	179	188	189	200	203		170	174	184	186	192	206
159	173	173	179	183	193	194	206	210		172	177	188	190	198	213

3 ELECTRIC/COMMUNICATION CUT OUTS (4)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
183	192	192	196	199	205	206	214	216		192	195	202	204	209	218
184	195	195	200	202	210	211	220	223		194	198	207	208	214	226
185	196	197	202	205	213	214	225	228		196	200	209	211	218	230
185	197	197	203	206	215	216	227	230		197	201	211	213	220	233
186	200	200	206	210	220	221	233	237		199	204	215	217	225	240

FFRC

Fabric Wrapped Ceiling Fascia



The Fabric Wrapped Ceiling Fascia provides a fabric finish at the top of the wall section.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
4, 6	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	Architectural Fabric Panel Fabric

SAMPLE ORDER CODE

FFRC 4	42	AF20
---------------	-----------	-------------

DIMENSIONS INCHES / MM


H	W (CODE)
04 / 102	12 / 305
04 / 102	18 / 457
04 / 102	24 / 610
04 / 102	30 / 762
04 / 102	36 / 914
04 / 102	40 / 1016
04 / 102	42 / 1067
04 / 102	48 / 1219
06 / 152	12 / 305
06 / 152	18 / 457
06 / 152	24 / 610
06 / 152	30 / 762
06 / 152	36 / 914
06 / 152	40 / 1016
06 / 152	42 / 1067
06 / 152	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
82	86	86	88	89	91	91	95	95			86	87	90	90	92	96
86	91	91	94	95	98	99	103	104			91	93	97	97	100	106
87	93	94	96	98	102	103	108	110			93	95	100	101	105	111
95	102	102	106	107	113	114	120	122			102	104	110	112	116	124
95	104	104	108	111	117	118	126	128			104	107	114	115	120	130
96	105	106	110	113	120	120	129	132			105	109	116	118	123	134
96	106	106	111	114	121	122	131	133			106	110	118	119	125	136
97	108	109	114	117	125	126	136	139			108	112	121	123	129	142
85	89	89	91	92	95	95	99	100			89	90	93	94	97	101
90	96	96	99	100	105	105	110	112			96	98	103	104	107	113
91	99	99	102	104	109	110	117	118			98	101	107	108	112	120
102	111	111	115	117	124	125	133	135			111	114	121	122	127	137
103	113	114	118	121	129	130	139	142			113	117	125	127	133	144
103	115	115	121	124	132	133	143	146			115	119	128	130	136	149
104	116	116	122	125	134	135	146	149			116	120	130	131	138	152
105	118	119	125	128	138	140	152	155			118	123	134	136	144	159

FFRM 1

Fabric Wrapped Fascia – Monolithic



Solid With Cut Outs

PRODUCT OPTIONS

Style	Height (in 1" increments)	Width (in 1" increments)	Finish
1 Solid	102 96 – 102	12 12	COM
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)	108 103 – 108	18 13 – 18	Architectural Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)	114 109 – 114	24 19 – 24	
4 18" Height 1 Vertical Cut Out	120 115 – 120	30 25 – 30	
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36	
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40	
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42	
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48	
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)			

SAMPLE ORDER CODE

FFRM1 5	116	40	TBD
----------------	------------	-----------	------------

DIMENSIONS
INCHES / MM

PRICING

		SOLID (1)						
		Architectural Fabric						
H (CODE)	W (CODE)	COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	12 / 305	315	361	377	414	421	448	498
102 / 2591	18 / 457	444	513	537	593	603	643	719
102 / 2591	24 / 610	576	713	762	874	896	976	1130
102 / 2591	30 / 762	705	837	883	991	1012	1088	1235
102 / 2591	36 / 914	735	871	920	1031	1053	1132	1285
102 / 2591	40 / 1016	754	891	939	1051	1072	1152	1304
102 / 2591	42 / 1067	764	901	949	1060	1082	1162	1314
102 / 2591	48 / 1219	793	930	978	1090	1111	1191	1343
108 / 2743	12 / 305	323	374	392	433	441	471	527
108 / 2743	18 / 457	456	532	559	621	633	678	762
108 / 2743	24 / 610	596	748	803	928	952	1041	1211
108 / 2743	30 / 762	725	871	923	1043	1066	1151	1315
108 / 2743	36 / 914	758	910	964	1088	1112	1201	1370
108 / 2743	40 / 1016	780	932	986	1110	1134	1222	1392
108 / 2743	42 / 1067	791	943	996	1121	1145	1233	1403
108 / 2743	48 / 1219	823	975	1029	1153	1177	1266	1435

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRM 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

SOLID (1) (Continued)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
114 / 2896	12 / 305	323	374	392	433	441	471	527
114 / 2896	18 / 457	456	532	559	621	633	678	762
114 / 2896	24 / 610	596	748	803	928	952	1041	1211
114 / 2896	30 / 762	725	871	923	1043	1066	1151	1315
114 / 2896	36 / 914	758	910	964	1088	1112	1201	1370
114 / 2896	40 / 1016	780	932	986	1110	1134	1222	1392
114 / 2896	42 / 1067	791	943	996	1121	1145	1233	1403
114 / 2896	48 / 1219	823	975	1029	1153	1177	1266	1435
120 / 3048	12 / 305	328	381	400	443	452	483	542
120 / 3048	18 / 457	462	542	570	636	648	695	784
120 / 3048	24 / 610	605	766	822	954	980	1073	1252
120 / 3048	30 / 762	735	889	943	1069	1093	1183	1355
120 / 3048	36 / 914	770	929	986	1116	1142	1235	1413
120 / 3048	40 / 1016	793	952	1009	1139	1164	1258	1436
120 / 3048	42 / 1067	804	964	1020	1151	1176	1269	1447
120 / 3048	48 / 1219	838	998	1055	1185	1210	1303	1481

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	12 / 305	342	388	404	441	448	475	526
102 / 2591	18 / 457	471	540	564	620	630	670	746
102 / 2591	24 / 610	641	779	827	940	962	1041	1194
102 / 2591	30 / 762	786	918	965	1072	1093	1170	1316
102 / 2591	36 / 914	816	953	1001	1113	1134	1214	1366
102 / 2591	40 / 1016	836	972	1021	1132	1154	1233	1385
102 / 2591	42 / 1067	845	982	1030	1142	1163	1243	1395
102 / 2591	48 / 1219	875	1011	1059	1171	1192	1272	1424
108 / 2743	12 / 305	346	394	412	451	458	486	540
108 / 2743	18 / 457	477	550	575	634	645	687	768
108 / 2743	24 / 610	651	796	848	966	989	1073	1235
108 / 2743	30 / 762	796	935	985	1098	1120	1201	1356
108 / 2743	36 / 914	828	972	1023	1141	1164	1248	1409
108 / 2743	40 / 1016	848	993	1044	1162	1184	1268	1429
108 / 2743	42 / 1067	859	1003	1054	1172	1195	1279	1439
108 / 2743	48 / 1219	890	1034	1085	1203	1225	1310	1470
114 / 2896	12 / 305	351	401	419	461	469	498	555
114 / 2896	18 / 457	483	559	586	648	660	705	789
114 / 2896	24 / 610	660	814	868	993	1017	1106	1276
114 / 2896	30 / 762	806	953	1005	1124	1147	1233	1396
114 / 2896	36 / 914	839	991	1045	1169	1193	1282	1451
114 / 2896	40 / 1016	861	1013	1067	1191	1215	1304	1473
114 / 2896	42 / 1067	872	1024	1078	1202	1226	1314	1484
114 / 2896	48 / 1219	905	1057	1110	1235	1258	1347	1516
120 / 3048	12 / 305	355	408	427	470	479	510	569
120 / 3048	18 / 457	489	569	598	663	675	722	811
120 / 3048	24 / 610	670	831	888	1019	1044	1138	1317
120 / 3048	30 / 762	816	970	1025	1150	1175	1264	1436
120 / 3048	36 / 914	851	1011	1067	1198	1223	1316	1494
120 / 3048	40 / 1016	874	1034	1090	1221	1246	1339	1517
120 / 3048	42 / 1067	885	1045	1102	1232	1257	1350	1528
120 / 3048	48 / 1219	920	1079	1136	1266	1291	1385	1563

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R M 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	24 / 610	641	779	827	940	962	1041	1194
102 / 2591	30 / 762	759	891	937	1045	1066	1142	1289
102 / 2591	36 / 914	789	926	974	1085	1107	1187	1339
102 / 2591	40 / 1016	809	945	993	1105	1126	1206	1358
102 / 2591	42 / 1067	818	955	1003	1115	1136	1216	1368
102 / 2591	48 / 1219	848	984	1032	1144	1165	1245	1397
108 / 2743	24 / 610	651	796	848	966	989	1073	1235
108 / 2743	30 / 762	769	908	957	1071	1093	1174	1329
108 / 2743	36 / 914	801	945	996	1114	1137	1221	1382
108 / 2743	40 / 1016	821	965	1017	1134	1157	1241	1402
108 / 2743	42 / 1067	832	976	1027	1145	1167	1252	1412
108 / 2743	48 / 1219	863	1007	1058	1176	1198	1282	1443
114 / 2896	24 / 610	660	814	868	993	1017	1106	1276
114 / 2896	30 / 762	779	925	977	1097	1120	1206	1369
114 / 2896	36 / 914	812	964	1018	1142	1166	1255	1424
114 / 2896	40 / 1016	834	986	1040	1164	1188	1277	1446
114 / 2896	42 / 1067	845	997	1051	1175	1199	1287	1457
114 / 2896	48 / 1219	878	1029	1083	1207	1231	1320	1489
120 / 3048	24 / 610	670	831	888	1019	1044	1138	1317
120 / 3048	30 / 762	789	943	997	1123	1147	1237	1409
120 / 3048	36 / 914	824	984	1040	1171	1196	1289	1467
120 / 3048	40 / 1016	847	1006	1063	1194	1219	1312	1490
120 / 3048	42 / 1067	858	1018	1074	1205	1230	1323	1501
120 / 3048	48 / 1219	893	1052	1109	1239	1264	1357	1536

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	12 / 305	342	388	404	441	448	475	526
102 / 2591	18 / 457	471	540	564	620	630	670	746
102 / 2591	24 / 610	609	746	795	908	929	1008	1162
102 / 2591	30 / 762	732	864	910	1018	1039	1115	1262
102 / 2591	36 / 914	762	898	947	1058	1080	1159	1312
102 / 2591	40 / 1016	781	918	966	1078	1099	1179	1331
102 / 2591	42 / 1067	791	928	976	1088	1109	1189	1341
102 / 2591	48 / 1219	820	957	1005	1117	1138	1218	1370
108 / 2743	12 / 305	346	394	412	451	458	486	540
108 / 2743	18 / 457	477	550	575	634	645	687	768
108 / 2743	24 / 610	618	764	815	934	957	1041	1203
108 / 2743	30 / 762	742	881	930	1044	1066	1147	1302
108 / 2743	36 / 914	774	918	969	1087	1109	1194	1354
108 / 2743	40 / 1016	794	938	990	1107	1130	1214	1375
108 / 2743	42 / 1067	805	949	1000	1118	1140	1224	1385
108 / 2743	48 / 1219	835	980	1031	1149	1171	1255	1416

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRM 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)
114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2) (Continued)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
351	401	419	461	469	498	555
483	559	586	648	660	705	789
628	780	836	960	984	1073	1244
752	898	950	1070	1093	1179	1342
785	937	991	1115	1139	1228	1397
807	959	1013	1137	1161	1249	1419
818	970	1024	1148	1172	1260	1430
850	1002	1056	1180	1204	1293	1462
355	408	427	470	479	510	569
489	569	598	663	675	722	811
638	798	855	987	1012	1106	1284
762	916	970	1096	1120	1210	1382
797	956	1013	1144	1169	1262	1440
820	979	1036	1166	1192	1285	1463
831	991	1047	1178	1203	1296	1474
865	1025	1082	1212	1237	1330	1508

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	12 / 305	342	388	404	441	448	475	526
102 / 2591	18 / 457	471	540	564	620	630	670	746
102 / 2591	24 / 610	641	779	827	940	962	1041	1194
102 / 2591	30 / 762	786	918	965	1072	1093	1170	1316
102 / 2591	36 / 914	816	953	1001	1113	1134	1214	1366
102 / 2591	40 / 1016	836	972	1021	1132	1154	1233	1385
102 / 2591	42 / 1067	845	982	1030	1142	1163	1243	1395
102 / 2591	48 / 1219	875	1011	1059	1171	1192	1272	1424
108 / 2743	12 / 305	346	394	412	451	458	486	540
108 / 2743	18 / 457	477	550	575	634	645	687	768
108 / 2743	24 / 610	651	796	848	966	989	1073	1235
108 / 2743	30 / 762	796	935	985	1098	1120	1201	1356
108 / 2743	36 / 914	828	972	1023	1141	1164	1248	1409
108 / 2743	40 / 1016	848	993	1044	1162	1184	1268	1429
108 / 2743	42 / 1067	859	1003	1054	1172	1195	1279	1439
108 / 2743	48 / 1219	890	1034	1085	1203	1225	1310	1470
114 / 2896	12 / 305	351	401	419	461	469	498	555
114 / 2896	18 / 457	483	559	586	648	660	705	789
114 / 2896	24 / 610	660	814	868	993	1017	1106	1276
114 / 2896	30 / 762	806	953	1005	1124	1147	1233	1396
114 / 2896	36 / 914	839	991	1045	1169	1193	1282	1451
114 / 2896	40 / 1016	861	1013	1067	1191	1215	1304	1473
114 / 2896	42 / 1067	872	1024	1078	1202	1226	1314	1484
114 / 2896	48 / 1219	905	1057	1110	1235	1258	1347	1516
120 / 3048	12 / 305	355	408	427	470	479	510	569
120 / 3048	18 / 457	489	569	598	663	675	722	811
120 / 3048	24 / 610	670	831	888	1019	1044	1138	1317
120 / 3048	30 / 762	816	970	1025	1150	1175	1264	1436
120 / 3048	36 / 914	851	1011	1067	1198	1223	1316	1494
120 / 3048	40 / 1016	874	1034	1090	1221	1246	1339	1517
120 / 3048	42 / 1067	885	1045	1102	1232	1257	1350	1528
120 / 3048	48 / 1219	920	1079	1136	1266	1291	1385	1563

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R M 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)
102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

114 / 2896	12 / 305
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219

120 / 3048	12 / 305
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

BASE HEIGHT 1 HORIZONTAL CUT OUT (6) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
342	388	404	441	448	475	526
471	540	564	620	630	670	746
609	746	795	908	929	1008	1162
732	864	910	1018	1039	1115	1262
762	898	947	1058	1080	1159	1312
781	918	966	1078	1099	1179	1331
791	928	976	1088	1109	1189	1341
820	957	1005	1117	1138	1218	1370
346	394	412	451	458	486	540
477	550	575	634	645	687	768
618	764	815	934	957	1041	1203
742	881	930	1044	1066	1147	1302
774	918	969	1087	1109	1194	1354
794	938	990	1107	1130	1214	1375
805	949	1000	1118	1140	1224	1385
835	980	1031	1149	1171	1255	1416
351	401	419	461	469	498	555
483	559	586	648	660	705	789
628	780	836	960	984	1073	1244
752	898	950	1070	1093	1179	1342
785	937	991	1115	1139	1228	1397
807	959	1013	1137	1161	1249	1419
818	970	1024	1148	1172	1260	1430
850	1002	1056	1180	1204	1293	1462
355	408	427	470	479	510	569
489	569	598	663	675	722	811
638	798	855	987	1012	1106	1284
762	916	970	1096	1120	1210	1382
797	956	1013	1144	1169	1262	1440
820	979	1036	1166	1192	1285	1463
831	991	1047	1178	1203	1296	1474
865	1025	1082	1212	1237	1330	1508

BASE HEIGHT 2 HORIZONTAL CUT OUTS (7) – TYPE 2 (2)

		Architectural Fabric						
H (CODE)	W (CODE)	COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	24 / 610	641	779	827	940	962	1041	1194
102 / 2591	30 / 762	759	891	937	1045	1066	1142	1289
102 / 2591	36 / 914	789	926	974	1085	1107	1187	1339
102 / 2591	40 / 1016	809	945	993	1105	1126	1206	1358
102 / 2591	42 / 1067	818	955	1003	1115	1136	1216	1368
102 / 2591	48 / 1219	848	984	1032	1144	1165	1245	1397
108 / 2743	24 / 610	651	796	848	966	989	1073	1235
108 / 2743	30 / 762	769	908	957	1071	1093	1174	1329
108 / 2743	36 / 914	801	945	996	1114	1137	1221	1382
108 / 2743	40 / 1016	821	965	1017	1134	1157	1241	1402
108 / 2743	42 / 1067	832	976	1027	1145	1167	1252	1412
108 / 2743	48 / 1219	863	1007	1058	1176	1198	1282	1443

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R M 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

PRICING

		BASE HEIGHT 2 HORIZONTAL CUT OUTS (7) – TYPE 2 (2) (Continued)						
H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
114 / 2896	24 / 610	660	814	868	993	1017	1106	1276
114 / 2896	30 / 762	779	925	977	1097	1120	1206	1369
114 / 2896	36 / 914	812	964	1018	1142	1166	1255	1424
114 / 2896	40 / 1016	834	986	1040	1164	1188	1277	1446
114 / 2896	42 / 1067	845	997	1051	1175	1199	1287	1457
114 / 2896	48 / 1219	878	1029	1083	1207	1231	1320	1489
120 / 3048	24 / 610	670	831	888	1019	1044	1138	1317
120 / 3048	30 / 762	789	943	997	1123	1147	1237	1409
120 / 3048	36 / 914	824	984	1040	1171	1196	1289	1467
120 / 3048	40 / 1016	847	1006	1063	1194	1219	1312	1490
120 / 3048	42 / 1067	858	1018	1074	1205	1230	1323	1501
120 / 3048	48 / 1219	893	1052	1109	1239	1264	1357	1536
		BASE HEIGHT 3 HORIZONTAL CUT OUTS (8) – TYPE 2 (2)						
H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	30 / 762	786	918	965	1072	1093	1170	1316
102 / 2591	36 / 914	816	953	1001	1113	1134	1214	1366
102 / 2591	40 / 1016	836	972	1021	1132	1154	1233	1385
102 / 2591	42 / 1067	845	982	1030	1142	1163	1243	1395
102 / 2591	48 / 1219	875	1011	1059	1171	1192	1272	1424
108 / 2743	30 / 762	796	935	985	1098	1120	1201	1356
108 / 2743	36 / 914	828	972	1023	1141	1164	1248	1409
108 / 2743	40 / 1016	848	993	1044	1162	1184	1268	1429
108 / 2743	42 / 1067	859	1003	1054	1172	1195	1279	1439
108 / 2743	48 / 1219	890	1034	1085	1203	1225	1310	1470
114 / 2896	30 / 762	806	953	1005	1124	1147	1233	1396
114 / 2896	36 / 914	839	991	1045	1169	1193	1282	1451
114 / 2896	40 / 1016	861	1013	1067	1191	1215	1304	1473
114 / 2896	42 / 1067	872	1024	1078	1202	1226	1314	1484
114 / 2896	48 / 1219	905	1057	1110	1235	1258	1347	1516
120 / 3048	30 / 762	816	970	1025	1150	1175	1264	1436
120 / 3048	36 / 914	851	1011	1067	1198	1223	1316	1494
120 / 3048	40 / 1016	874	1034	1090	1221	1246	1339	1517
120 / 3048	42 / 1067	885	1045	1102	1232	1257	1350	1528
120 / 3048	48 / 1219	920	1079	1136	1266	1291	1385	1563

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRM 1

Fabric Wrapped Fascia – Monolithic (Continued)

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
471	540	564	620	630	670	746
609	746	795	908	929	1008	1162
732	864	910	1018	1039	1115	1262
762	898	947	1058	1080	1159	1312
781	918	966	1078	1099	1179	1331
791	928	976	1088	1109	1189	1341
820	957	1005	1117	1138	1218	1370
477	550	575	634	645	687	768
618	764	815	934	957	1041	1203
742	881	930	1044	1066	1147	1302
774	918	969	1087	1109	1194	1354
794	938	990	1107	1130	1214	1375
805	949	1000	1118	1140	1224	1385
835	980	1031	1149	1171	1255	1416
483	559	586	648	660	705	789
628	780	836	960	984	1073	1244
752	898	950	1070	1093	1179	1342
785	937	991	1115	1139	1228	1397
807	959	1013	1137	1161	1249	1419
818	970	1024	1148	1172	1260	1430
850	1002	1056	1180	1204	1293	1462
489	569	598	663	675	722	811
638	798	855	987	1012	1106	1284
762	916	970	1096	1120	1210	1382
797	956	1013	1144	1169	1262	1440
820	979	1036	1166	1192	1285	1463
831	991	1047	1178	1203	1296	1474
865	1025	1082	1212	1237	1330	1508

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	18 / 457	471	540	564	620	630	670	746
102 / 2591	24 / 610	609	746	795	908	929	1008	1162
102 / 2591	30 / 762	732	864	910	1018	1039	1115	1262
102 / 2591	36 / 914	762	898	947	1058	1080	1159	1312
102 / 2591	40 / 1016	781	918	966	1078	1099	1179	1331
102 / 2591	42 / 1067	791	928	976	1088	1109	1189	1341
102 / 2591	48 / 1219	820	957	1005	1117	1138	1218	1370
108 / 2743	18 / 457	477	550	575	634	645	687	768
108 / 2743	24 / 610	618	764	815	934	957	1041	1203
108 / 2743	30 / 762	742	881	930	1044	1066	1147	1302
108 / 2743	36 / 914	774	918	969	1087	1109	1194	1354
108 / 2743	40 / 1016	794	938	990	1107	1130	1214	1375
108 / 2743	42 / 1067	805	949	1000	1118	1140	1224	1385
108 / 2743	48 / 1219	835	980	1031	1149	1171	1255	1416

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRM 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
114 / 2896	18 / 457
114 / 2896	24 / 610
114 / 2896	30 / 762
114 / 2896	36 / 914
114 / 2896	40 / 1016
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	18 / 457
120 / 3048	24 / 610
120 / 3048	30 / 762
120 / 3048	36 / 914
120 / 3048	40 / 1016
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2) (Continued)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
483	559	586	648	660	705	789
628	780	836	960	984	1073	1244
752	898	950	1070	1093	1179	1342
785	937	991	1115	1139	1228	1397
807	959	1013	1137	1161	1249	1419
818	970	1024	1148	1172	1260	1430
850	1002	1056	1180	1204	1293	1462
489	569	598	663	675	722	811
638	798	855	987	1012	1106	1284
762	916	970	1096	1120	1210	1382
797	956	1013	1144	1169	1262	1440
820	979	1036	1166	1192	1285	1463
831	991	1047	1178	1203	1296	1474
865	1025	1082	1212	1237	1330	1508

18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	24 / 610	609	746	795	908	929	1008	1162
102 / 2591	30 / 762	732	864	910	1018	1039	1115	1262
102 / 2591	36 / 914	762	898	947	1058	1080	1159	1312
102 / 2591	40 / 1016	781	918	966	1078	1099	1179	1331
102 / 2591	42 / 1067	791	928	976	1088	1109	1189	1341
102 / 2591	48 / 1219	820	957	1005	1117	1138	1218	1370
108 / 2743	24 / 610	618	764	815	934	957	1041	1203
108 / 2743	30 / 762	742	881	930	1044	1066	1147	1302
108 / 2743	36 / 914	774	918	969	1087	1109	1194	1354
108 / 2743	40 / 1016	794	938	990	1107	1130	1214	1375
108 / 2743	42 / 1067	805	949	1000	1118	1140	1224	1385
108 / 2743	48 / 1219	835	980	1031	1149	1171	1255	1416
114 / 2896	24 / 610	628	780	836	960	984	1073	1244
114 / 2896	30 / 762	752	898	950	1070	1093	1179	1342
114 / 2896	36 / 914	785	937	991	1115	1139	1228	1397
114 / 2896	40 / 1016	807	959	1013	1137	1161	1249	1419
114 / 2896	42 / 1067	818	970	1024	1148	1172	1260	1430
114 / 2896	48 / 1219	850	1002	1056	1180	1204	1293	1462
120 / 3048	24 / 610	638	798	855	987	1012	1106	1284
120 / 3048	30 / 762	762	916	970	1096	1120	1210	1382
120 / 3048	36 / 914	797	956	1013	1144	1169	1262	1440
120 / 3048	40 / 1016	820	979	1036	1166	1192	1285	1463
120 / 3048	42 / 1067	831	991	1047	1178	1203	1296	1474
120 / 3048	48 / 1219	865	1025	1082	1212	1237	1330	1508

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R M 1

Fabric Wrapped Fascia – Monolithic
(Continued)DIMENSIONS
INCHES / MM


PRICING

18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
102 / 2591	30 / 762	732	864	910	1018	1039	1115	1262
102 / 2591	36 / 914	762	898	947	1058	1080	1159	1312
102 / 2591	40 / 1016	781	918	966	1078	1099	1179	1331
102 / 2591	42 / 1067	791	928	976	1088	1109	1189	1341
102 / 2591	48 / 1219	820	957	1005	1117	1138	1218	1370
108 / 2743	30 / 762	742	881	930	1044	1066	1147	1302
108 / 2743	36 / 914	774	918	969	1087	1109	1194	1354
108 / 2743	40 / 1016	794	938	990	1107	1130	1214	1375
108 / 2743	42 / 1067	805	949	1000	1118	1140	1224	1385
108 / 2743	48 / 1219	835	980	1031	1149	1171	1255	1416
114 / 2896	30 / 762	752	898	950	1070	1093	1179	1342
114 / 2896	36 / 914	785	937	991	1115	1139	1228	1397
114 / 2896	40 / 1016	807	959	1013	1137	1161	1249	1419
114 / 2896	42 / 1067	818	970	1024	1148	1172	1260	1430
114 / 2896	48 / 1219	850	1002	1056	1180	1204	1293	1462
120 / 3048	30 / 762	762	916	970	1096	1120	1210	1382
120 / 3048	36 / 914	797	956	1013	1144	1169	1262	1440
120 / 3048	40 / 1016	820	979	1036	1166	1192	1285	1463
120 / 3048	42 / 1067	831	991	1047	1178	1203	1296	1474
120 / 3048	48 / 1219	865	1025	1082	1212	1237	1330	1508

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRF 1
Fabric Wrapped Fascia – Full



PRODUCT OPTIONS

Style	Height (in 1" increments)	Width (in 1" increments)	Base/Ceiling Fascia Height	Finish
1 Solid	90 84 – 90	12 12	4, 6	COM
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)	96 91 – 96	18 13 – 18		Architectural Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)	102 97 – 102	24 19 – 24		
4 18" Height 1 Vertical Cut Out	108 103 – 108	30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)	112 109 – 112	36 31 – 36		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40		
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42		
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48		
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFRF1 1	96	44	4	TBD
---------	----	----	---	-----

The Fabric Wrapped Fascia – Full provides a fabric finish for full-height wall elevation.

WHAT’S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

See Pricing on the following page.

FFRF 1

Fabric Wrapped Fascia – Full (Continued)

DIMENSIONS INCHES / MM

PRICING

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	12 / 305	309	349	364	397	403	426	471
90 / 2286	18 / 457	435	496	517	567	576	612	679
90 / 2286	24 / 610	562	683	726	826	845	916	1053
90 / 2286	30 / 762	690	807	848	944	962	1030	1160
90 / 2286	36 / 914	718	839	882	981	1000	1070	1205
90 / 2286	40 / 1016	736	857	899	998	1017	1088	1223
90 / 2286	42 / 1067	745	866	908	1007	1026	1097	1232
90 / 2286	48 / 1219	771	892	935	1034	1053	1124	1259
96 / 2438	12 / 305	313	356	371	406	413	438	486
96 / 2438	18 / 457	442	506	529	581	591	629	701
96 / 2438	24 / 610	572	701	747	854	874	950	1094
96 / 2438	30 / 762	701	825	869	970	990	1062	1201
96 / 2438	36 / 914	730	858	904	1009	1030	1105	1248
96 / 2438	40 / 1016	749	877	923	1028	1049	1124	1267
96 / 2438	42 / 1067	758	887	933	1038	1058	1133	1277
96 / 2438	48 / 1219	787	916	961	1066	1087	1162	1305
102 / 2591	12 / 305	317	363	379	416	423	450	501
102 / 2591	18 / 457	448	516	540	596	607	646	723
102 / 2591	24 / 610	581	719	767	880	902	982	1134
102 / 2591	30 / 762	711	842	889	997	1017	1094	1241
102 / 2591	36 / 914	742	878	927	1038	1060	1139	1291
102 / 2591	40 / 1016	762	898	947	1058	1080	1159	1312
102 / 2591	42 / 1067	772	909	957	1068	1090	1170	1322
102 / 2591	48 / 1219	802	939	987	1099	1120	1200	1352
108 / 2743	12 / 305	322	370	387	426	434	462	515
108 / 2743	18 / 457	454	526	552	611	622	664	744
108 / 2743	24 / 610	592	737	789	906	929	1014	1176
108 / 2743	30 / 762	721	860	909	1023	1045	1126	1281
108 / 2743	36 / 914	754	898	949	1067	1090	1174	1335
108 / 2743	40 / 1016	775	919	970	1088	1111	1195	1356
108 / 2743	42 / 1067	786	930	981	1099	1122	1206	1367
108 / 2743	48 / 1219	818	962	1013	1131	1154	1238	1399
112 / 2845	12 / 305	325	374	392	433	441	470	525
112 / 2845	18 / 457	458	533	559	620	632	676	759
112 / 2845	24 / 610	598	749	802	924	948	1036	1204
112 / 2845	30 / 762	728	872	923	1041	1063	1147	1308
112 / 2845	36 / 914	762	911	964	1086	1110	1197	1363
112 / 2845	40 / 1016	784	933	986	1108	1132	1219	1385
112 / 2845	42 / 1067	795	944	997	1119	1143	1230	1397
112 / 2845	48 / 1219	828	978	1031	1153	1176	1263	1430

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R F 1 **Fabric Wrapped Fascia – Full** **(Continued)**

DIMENSIONS
INCHES / MM
PRICING
WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

H (CODE)	W (CODE)
90 / 2286	12 / 305
90 / 2286	18 / 457
90 / 2286	24 / 610
90 / 2286	30 / 762
90 / 2286	36 / 914
90 / 2286	40 / 1016
90 / 2286	42 / 1067
90 / 2286	48 / 1219

96 / 2438	12 / 305
96 / 2438	18 / 457
96 / 2438	24 / 610
96 / 2438	30 / 762
96 / 2438	36 / 914
96 / 2438	40 / 1016
96 / 2438	42 / 1067
96 / 2438	48 / 1219

102 / 2591	12 / 305
102 / 2591	18 / 457
102 / 2591	24 / 610
102 / 2591	30 / 762
102 / 2591	36 / 914
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219

108 / 2743	12 / 305
108 / 2743	18 / 457
108 / 2743	24 / 610
108 / 2743	30 / 762
108 / 2743	36 / 914
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

112 / 2845	12 / 305
112 / 2845	18 / 457
112 / 2845	24 / 610
112 / 2845	30 / 762
112 / 2845	36 / 914
112 / 2845	40 / 1016
112 / 2845	42 / 1067
112 / 2845	48 / 1219

Architectural Fabric

COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
336	376	391	424	430	454	499
462	523	544	594	603	639	706
627	748	791	891	910	982	1118
772	888	930	1025	1043	1111	1242
799	920	963	1062	1081	1151	1286
817	938	981	1080	1099	1169	1304
826	947	990	1089	1108	1178	1313
853	974	1017	1115	1134	1205	1340

340	383	398	434	440	465	513
469	533	556	608	619	656	728
636	766	813	918	939	1014	1158
782	906	950	1051	1071	1143	1282
811	940	985	1091	1111	1186	1330
830	959	1004	1110	1130	1205	1349
840	968	1014	1119	1139	1215	1358
868	997	1043	1148	1168	1243	1387

345	390	406	443	451	477	528
475	543	567	623	634	674	750
647	784	833	945	966	1047	1200
792	924	970	1078	1099	1175	1322
823	959	1008	1119	1141	1220	1373
843	980	1028	1140	1161	1241	1393
853	990	1038	1150	1171	1251	1403
884	1020	1069	1180	1202	1281	1433

349	397	414	453	461	489	542
481	553	579	638	649	691	771
547	668	711	810	829	899	1034
802	941	991	1104	1126	1207	1362
835	979	1030	1148	1171	1255	1416
856	1001	1052	1170	1192	1276	1437
867	1011	1062	1180	1203	1287	1448
899	1043	1095	1212	1235	1319	1480

352	401	419	460	468	497	552
485	560	586	647	659	703	786
553	678	722	824	844	917	1057
809	953	1004	1122	1144	1228	1389
843	992	1045	1167	1191	1278	1445
865	1015	1068	1190	1213	1300	1467
876	1026	1079	1201	1224	1311	1478
910	1059	1112	1234	1257	1345	1511

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRF 1

Fabric Wrapped Fascia – Full

(Continued)

DIMENSIONS

INCHES / MM

PRICING

		18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)						
		Architectural Fabric						
H (CODE)	W (CODE)	COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	24 / 610	627	748	791	891	910	982	1118
90 / 2286	30 / 762	745	861	903	998	1016	1084	1215
90 / 2286	36 / 914	772	893	936	1035	1054	1124	1259
90 / 2286	40 / 1016	790	911	954	1053	1072	1142	1277
90 / 2286	42 / 1067	799	920	963	1062	1081	1151	1286
90 / 2286	48 / 1219	826	947	989	1088	1107	1178	1313
96 / 2438	24 / 610	636	766	813	918	939	1014	1158
96 / 2438	30 / 762	755	879	923	1024	1044	1116	1255
96 / 2438	36 / 914	784	913	958	1064	1084	1159	1302
96 / 2438	40 / 1016	803	932	977	1083	1103	1178	1322
96 / 2438	42 / 1067	813	941	987	1092	1112	1187	1331
96 / 2438	48 / 1219	841	970	1015	1121	1141	1216	1360
102 / 2591	24 / 610	647	784	833	945	966	1047	1200
102 / 2591	30 / 762	765	897	943	1051	1071	1148	1295
102 / 2591	36 / 914	796	932	981	1092	1114	1193	1346
102 / 2591	40 / 1016	816	953	1001	1113	1134	1214	1366
102 / 2591	42 / 1067	826	963	1011	1123	1144	1224	1376
102 / 2591	48 / 1219	857	993	1041	1153	1174	1254	1406
108 / 2743	24 / 610	657	802	854	972	995	1079	1241
108 / 2743	30 / 762	775	914	963	1077	1099	1180	1335
108 / 2743	36 / 914	808	952	1003	1121	1144	1228	1389
108 / 2743	40 / 1016	829	974	1025	1142	1165	1249	1410
108 / 2743	42 / 1067	840	984	1035	1153	1176	1260	1421
108 / 2743	48 / 1219	872	1016	1067	1185	1208	1292	1453
112 / 2845	24 / 610	664	814	867	989	1013	1101	1269
112 / 2845	30 / 762	782	926	977	1095	1117	1201	1362
112 / 2845	36 / 914	816	965	1018	1140	1164	1251	1418
112 / 2845	40 / 1016	838	987	1040	1162	1186	1273	1440
112 / 2845	42 / 1067	849	999	1052	1174	1197	1284	1451
112 / 2845	48 / 1219	883	1032	1085	1207	1230	1317	1484

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R F 1 **Fabric Wrapped Fascia – Full** **(Continued)**

DIMENSIONS
INCHES / MM
PRICING
18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

H (CODE)	W (CODE)	Architectural Fabric						
		COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	12 / 305	336	376	391	424	430	454	499
90 / 2286	18 / 457	462	523	544	594	603	639	706
90 / 2286	24 / 610	594	716	759	858	878	948	1085
90 / 2286	30 / 762	717	834	875	971	989	1057	1187
90 / 2286	36 / 914	745	866	909	1008	1027	1097	1232
90 / 2286	40 / 1016	763	884	927	1025	1045	1115	1250
90 / 2286	42 / 1067	772	893	936	1034	1053	1124	1259
90 / 2286	48 / 1219	798	919	962	1061	1080	1151	1286
96 / 2438	12 / 305	340	383	398	434	440	465	513
96 / 2438	18 / 457	469	533	556	608	619	656	728
96 / 2438	24 / 610	604	734	779	886	906	982	1126
96 / 2438	30 / 762	728	852	896	997	1017	1089	1228
96 / 2438	36 / 914	757	886	931	1036	1057	1132	1275
96 / 2438	40 / 1016	776	905	950	1055	1076	1151	1294
96 / 2438	42 / 1067	785	914	960	1065	1085	1160	1304
96 / 2438	48 / 1219	814	943	988	1094	1114	1189	1333
102 / 2591	12 / 305	345	390	406	443	451	477	528
102 / 2591	18 / 457	475	543	567	623	634	674	750
102 / 2591	24 / 610	615	752	801	912	934	1014	1167
102 / 2591	30 / 762	738	869	916	1024	1044	1121	1268
102 / 2591	36 / 914	769	905	954	1065	1087	1166	1319
102 / 2591	40 / 1016	789	926	974	1085	1107	1187	1339
102 / 2591	42 / 1067	799	936	984	1096	1117	1197	1349
102 / 2591	48 / 1219	830	966	1014	1126	1147	1227	1379
108 / 2743	12 / 305	349	397	414	453	461	489	542
108 / 2743	18 / 457	481	553	579	638	649	691	771
108 / 2743	24 / 610	624	770	821	939	963	1047	1209
108 / 2743	30 / 762	748	887	936	1050	1072	1153	1308
108 / 2743	36 / 914	781	925	976	1094	1117	1201	1362
108 / 2743	40 / 1016	802	946	998	1115	1138	1222	1383
108 / 2743	42 / 1067	813	957	1008	1126	1149	1233	1394
108 / 2743	48 / 1219	845	989	1040	1158	1181	1265	1426
112 / 2845	12 / 305	352	401	419	460	468	497	552
112 / 2845	18 / 457	485	560	586	647	659	703	786
112 / 2845	24 / 610	630	782	834	957	981	1068	1236
112 / 2845	30 / 762	755	899	950	1068	1090	1174	1335
112 / 2845	36 / 914	789	938	991	1113	1137	1224	1390
112 / 2845	40 / 1016	811	960	1013	1135	1159	1246	1413
112 / 2845	42 / 1067	822	971	1024	1146	1170	1257	1424
112 / 2845	48 / 1219	855	1005	1058	1180	1203	1290	1457

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRF 1

Fabric Wrapped Fascia – Full (Continued)

DIMENSIONS INCHES / MM

PRICING

		18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)						
		Architectural Fabric						
H (CODE)	W (CODE)	COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	12 / 305	336	376	391	424	430	454	499
90 / 2286	18 / 457	462	523	544	594	603	639	706
90 / 2286	24 / 610	627	748	791	891	910	982	1118
90 / 2286	30 / 762	772	888	930	1025	1043	1111	1242
90 / 2286	36 / 914	799	920	963	1062	1081	1151	1286
90 / 2286	40 / 1016	817	938	981	1080	1099	1169	1304
90 / 2286	42 / 1067	826	947	990	1089	1108	1178	1313
90 / 2286	48 / 1219	853	974	1017	1115	1134	1205	1340
96 / 2438	12 / 305	340	383	398	434	440	465	513
96 / 2438	18 / 457	469	533	556	608	619	656	728
96 / 2438	24 / 610	636	766	813	918	939	1014	1158
96 / 2438	30 / 762	782	906	950	1051	1071	1143	1282
96 / 2438	36 / 914	811	940	985	1091	1111	1186	1330
96 / 2438	40 / 1016	830	959	1004	1110	1130	1205	1349
96 / 2438	42 / 1067	840	968	1014	1119	1139	1215	1358
96 / 2438	48 / 1219	868	997	1043	1148	1168	1243	1387
102 / 2591	12 / 305	345	390	406	443	451	477	528
102 / 2591	18 / 457	475	543	567	623	634	674	750
102 / 2591	24 / 610	647	784	833	945	966	1047	1200
102 / 2591	30 / 762	792	924	970	1078	1099	1175	1322
102 / 2591	36 / 914	823	959	1008	1119	1141	1220	1373
102 / 2591	40 / 1016	843	980	1028	1140	1161	1241	1393
102 / 2591	42 / 1067	853	990	1038	1150	1171	1251	1403
102 / 2591	48 / 1219	884	1020	1069	1180	1202	1281	1433
108 / 2743	12 / 305	349	397	414	453	461	489	542
108 / 2743	18 / 457	481	553	579	638	649	691	771
108 / 2743	24 / 610	657	802	854	972	995	1079	1241
108 / 2743	30 / 762	802	941	991	1104	1126	1207	1362
108 / 2743	36 / 914	835	979	1030	1148	1171	1255	1416
108 / 2743	40 / 1016	856	1001	1052	1170	1192	1276	1437
108 / 2743	42 / 1067	867	1011	1062	1180	1203	1287	1448
108 / 2743	48 / 1219	899	1043	1095	1212	1235	1319	1480
112 / 2845	12 / 305	352	401	419	460	468	497	552
112 / 2845	18 / 457	485	560	586	647	659	703	786
112 / 2845	24 / 610	664	814	867	989	1013	1101	1269
112 / 2845	30 / 762	809	953	1004	1122	1144	1228	1389
112 / 2845	36 / 914	843	992	1045	1167	1191	1278	1445
112 / 2845	40 / 1016	865	1015	1068	1190	1213	1300	1467
112 / 2845	42 / 1067	876	1026	1079	1201	1224	1311	1478
112 / 2845	48 / 1219	910	1059	1112	1234	1257	1345	1511

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R F 1 **Fabric Wrapped Fascia – Full** **(Continued)**

DIMENSIONS
INCHES / MM
PRICING
18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	18 / 457	462	523	544	594	603	639	706
90 / 2286	24 / 610	594	716	759	858	878	948	1085
90 / 2286	30 / 762	717	834	875	971	989	1057	1187
90 / 2286	36 / 914	745	866	909	1008	1027	1097	1232
90 / 2286	40 / 1016	763	884	927	1025	1045	1115	1250
90 / 2286	42 / 1067	772	893	936	1034	1053	1124	1259
90 / 2286	48 / 1219	798	919	962	1061	1080	1151	1286
96 / 2438	18 / 457	469	533	556	608	619	656	728
96 / 2438	24 / 610	604	734	779	886	906	982	1126
96 / 2438	30 / 762	728	852	896	997	1017	1089	1228
96 / 2438	36 / 914	757	886	931	1036	1057	1132	1275
96 / 2438	40 / 1016	776	905	950	1055	1076	1151	1294
96 / 2438	42 / 1067	785	914	960	1065	1085	1160	1304
96 / 2438	48 / 1219	814	943	988	1094	1114	1189	1333
102 / 2591	18 / 457	475	543	567	623	634	674	750
102 / 2591	24 / 610	615	752	801	912	934	1014	1167
102 / 2591	30 / 762	738	869	916	1024	1044	1121	1268
102 / 2591	36 / 914	769	905	954	1065	1087	1166	1319
102 / 2591	40 / 1016	789	926	974	1085	1107	1187	1339
102 / 2591	42 / 1067	799	936	984	1096	1117	1197	1349
102 / 2591	48 / 1219	830	966	1014	1126	1147	1227	1379
108 / 2743	18 / 457	481	553	579	638	649	691	771
108 / 2743	24 / 610	624	770	821	939	963	1047	1209
108 / 2743	30 / 762	748	887	936	1050	1072	1153	1308
108 / 2743	36 / 914	781	925	976	1094	1117	1201	1362
108 / 2743	40 / 1016	802	946	998	1115	1138	1222	1383
108 / 2743	42 / 1067	813	957	1008	1126	1149	1233	1394
108 / 2743	48 / 1219	845	989	1040	1158	1181	1265	1426
112 / 2845	18 / 457	485	560	586	647	659	703	786
112 / 2845	24 / 610	630	782	834	957	981	1068	1236
112 / 2845	30 / 762	755	899	950	1068	1090	1174	1335
112 / 2845	36 / 914	789	938	991	1113	1137	1224	1390
112 / 2845	40 / 1016	811	960	1013	1135	1159	1246	1413
112 / 2845	42 / 1067	822	971	1024	1146	1170	1257	1424
112 / 2845	48 / 1219	855	1005	1058	1180	1203	1290	1457

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRF 1

Fabric Wrapped Fascia – Full (Continued)

DIMENSIONS INCHES / MM

PRICING

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	18 / 457	462	523	544	594	603	639	706
90 / 2286	24 / 610	594	716	759	858	878	948	1085
90 / 2286	30 / 762	717	834	875	971	989	1057	1187
90 / 2286	36 / 914	745	866	909	1008	1027	1097	1232
90 / 2286	40 / 1016	763	884	927	1025	1045	1115	1250
90 / 2286	42 / 1067	772	893	936	1034	1053	1124	1259
90 / 2286	48 / 1219	798	919	962	1061	1080	1151	1286
96 / 2438	18 / 457	469	533	556	608	619	656	728
96 / 2438	24 / 610	604	734	779	886	906	982	1126
96 / 2438	30 / 762	728	852	896	997	1017	1089	1228
96 / 2438	36 / 914	757	886	931	1036	1057	1132	1275
96 / 2438	40 / 1016	776	905	950	1055	1076	1151	1294
96 / 2438	42 / 1067	785	914	960	1065	1085	1160	1304
96 / 2438	48 / 1219	814	943	988	1094	1114	1189	1333
102 / 2591	18 / 457	475	543	567	623	634	674	750
102 / 2591	24 / 610	615	752	801	912	934	1014	1167
102 / 2591	30 / 762	738	869	916	1024	1044	1121	1268
102 / 2591	36 / 914	769	905	954	1065	1087	1166	1319
102 / 2591	40 / 1016	789	926	974	1085	1107	1187	1339
102 / 2591	42 / 1067	799	936	984	1096	1117	1197	1349
102 / 2591	48 / 1219	830	966	1014	1126	1147	1227	1379
108 / 2743	18 / 457	481	553	579	638	649	691	771
108 / 2743	24 / 610	624	770	821	939	963	1047	1209
108 / 2743	30 / 762	748	887	936	1050	1072	1153	1308
108 / 2743	36 / 914	781	925	976	1094	1117	1201	1362
108 / 2743	40 / 1016	802	946	998	1115	1138	1222	1383
108 / 2743	42 / 1067	813	957	1008	1126	1149	1233	1394
108 / 2743	48 / 1219	845	989	1040	1158	1181	1265	1426
112 / 2845	18 / 457	485	560	586	647	659	703	786
112 / 2845	24 / 610	630	782	834	957	981	1068	1236
112 / 2845	30 / 762	755	899	950	1068	1090	1174	1335
112 / 2845	36 / 914	789	938	991	1113	1137	1224	1390
112 / 2845	40 / 1016	811	960	1013	1135	1159	1246	1413
112 / 2845	42 / 1067	822	971	1024	1146	1170	1257	1424
112 / 2845	48 / 1219	855	1005	1058	1180	1203	1290	1457

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRF 1

Fabric Wrapped Fascia – Full

(Continued)

DIMENSIONS

INCHES / MM

PRICING

18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	24 / 610	594	716	759	858	878	948	1085
90 / 2286	30 / 762	717	834	875	971	989	1057	1187
90 / 2286	36 / 914	745	866	909	1008	1027	1097	1232
90 / 2286	40 / 1016	763	884	927	1025	1045	1115	1250
90 / 2286	42 / 1067	772	893	936	1034	1053	1124	1259
90 / 2286	48 / 1219	798	919	962	1061	1080	1151	1286
96 / 2438	24 / 610	604	734	779	886	906	982	1126
96 / 2438	30 / 762	728	852	896	997	1017	1089	1228
96 / 2438	36 / 914	757	886	931	1036	1057	1132	1275
96 / 2438	40 / 1016	776	905	950	1055	1076	1151	1294
96 / 2438	42 / 1067	785	914	960	1065	1085	1160	1304
96 / 2438	48 / 1219	814	943	988	1094	1114	1189	1333
102 / 2591	24 / 610	615	752	801	912	934	1014	1167
102 / 2591	30 / 762	738	869	916	1024	1044	1121	1268
102 / 2591	36 / 914	769	905	954	1065	1087	1166	1319
102 / 2591	40 / 1016	789	926	974	1085	1107	1187	1339
102 / 2591	42 / 1067	799	936	984	1096	1117	1197	1349
102 / 2591	48 / 1219	830	966	1014	1126	1147	1227	1379
108 / 2743	24 / 610	624	770	821	939	963	1047	1209
108 / 2743	30 / 762	748	887	936	1050	1072	1153	1308
108 / 2743	36 / 914	781	925	976	1094	1117	1201	1362
108 / 2743	40 / 1016	802	946	998	1115	1138	1222	1383
108 / 2743	42 / 1067	813	957	1008	1126	1149	1233	1394
108 / 2743	48 / 1219	845	989	1040	1158	1181	1265	1426
112 / 2845	24 / 610	630	782	834	957	981	1068	1236
112 / 2845	30 / 762	755	899	950	1068	1090	1174	1335
112 / 2845	36 / 914	789	938	991	1113	1137	1224	1390
112 / 2845	40 / 1016	811	960	1013	1135	1159	1246	1413
112 / 2845	42 / 1067	822	971	1024	1146	1170	1257	1424
112 / 2845	48 / 1219	855	1005	1058	1180	1203	1290	1457

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRF 1

Fabric Wrapped Fascia – Full

(Continued)

DIMENSIONS

INCHES / MM


PRICING

18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
90 / 2286	30 / 762	717	834	875	971	989	1057	1187
90 / 2286	36 / 914	745	866	909	1008	1027	1097	1232
90 / 2286	40 / 1016	763	884	927	1025	1045	1115	1250
90 / 2286	42 / 1067	772	893	936	1034	1053	1124	1259
90 / 2286	48 / 1219	798	919	962	1061	1080	1151	1286
96 / 2438	30 / 762	728	852	896	997	1017	1089	1228
96 / 2438	36 / 914	757	886	931	1036	1057	1132	1275
96 / 2438	40 / 1016	776	905	950	1055	1076	1151	1294
96 / 2438	42 / 1067	785	914	960	1065	1085	1160	1304
96 / 2438	48 / 1219	814	943	988	1094	1114	1189	1333
102 / 2591	30 / 762	738	869	916	1024	1044	1121	1268
102 / 2591	36 / 914	769	905	954	1065	1087	1166	1319
102 / 2591	40 / 1016	789	926	974	1085	1107	1187	1339
102 / 2591	42 / 1067	799	936	984	1096	1117	1197	1349
102 / 2591	48 / 1219	830	966	1014	1126	1147	1227	1379
108 / 2743	30 / 762	748	887	936	1050	1072	1153	1308
108 / 2743	36 / 914	781	925	976	1094	1117	1201	1362
108 / 2743	40 / 1016	802	946	998	1115	1138	1222	1383
108 / 2743	42 / 1067	813	957	1008	1126	1149	1233	1394
108 / 2743	48 / 1219	845	989	1040	1158	1181	1265	1426
112 / 2845	30 / 762	755	899	950	1068	1090	1174	1335
112 / 2845	36 / 914	789	938	991	1113	1137	1224	1390
112 / 2845	40 / 1016	811	960	1013	1135	1159	1246	1413
112 / 2845	42 / 1067	822	971	1024	1146	1170	1257	1424
112 / 2845	48 / 1219	855	1005	1058	1180	1203	1290	1457

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRS1 Fabric Wrapped Fascia – Segmented (Level I)



The Fabric Wrapped Fascia – Segmented (Level I) provides a fabric finish at S1 for segmented wall elevations.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Base/Ceiling Fascia Height	Finish
1 Solid	78, 80	12 12	4, 6	COM
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width)		18 13 – 18		Architectural Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24		
4 18" Height 1 Vertical Cut Out		30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40		
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42		
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48		
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFRS1 3	78	48	6	TBD
----------------	-----------	-----------	----------	------------

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

SOLID (1)

COM	Architectural Fabric						
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6	
288	323	336	364	370	390	430	
410	463	482	525	533	564	623	
526	633	670	756	773	836	954	
656	758	794	878	894	953	1067	
680	786	823	909	926	987	1105	
695	801	838	925	941	1003	1121	
703	809	846	932	949	1010	1128	
726	832	869	955	972	1033	1151	
289	325	338	368	373	394	434	
412	466	485	530	538	570	630	
530	638	677	766	783	846	968	
660	764	801	886	903	964	1080	
684	792	830	919	936	999	1120	
700	808	846	935	952	1015	1135	
708	816	854	942	959	1023	1143	
731	839	878	966	983	1046	1167	

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRS 1

Fabric Wrapped Fascia – Segmented (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
315	350	363	391	397	417	457
437	490	509	552	560	591	650
591	698	735	822	838	900	1019
738	840	876	959	975	1034	1148
761	867	904	991	1007	1069	1187
777	882	920	1006	1023	1084	1202
784	890	927	1014	1030	1092	1210
807	913	950	1037	1053	1115	1233
316	352	365	395	400	421	462
439	493	513	557	565	597	657
594	704	742	831	848	911	1032
741	845	882	968	984	1045	1161
765	873	912	1000	1017	1080	1201
781	889	927	1016	1033	1096	1217
789	897	935	1024	1041	1104	1224
812	921	959	1047	1064	1127	1248

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
591	698	735	822	838	900	1019
711	812	849	932	948	1007	1121
734	840	877	963	980	1042	1159
750	855	893	979	995	1057	1175
757	863	900	986	1003	1065	1182
780	886	923	1009	1026	1088	1205
594	704	742	831	848	911	1032
714	818	855	941	957	1018	1134
738	846	885	973	990	1053	1174
754	862	900	989	1006	1069	1189
762	870	908	997	1014	1077	1197
785	893	932	1020	1037	1100	1221

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
315	350	363	391	397	417	457
437	490	509	552	560	591	650
558	665	702	789	806	868	987
684	785	821	905	921	980	1094
707	813	850	936	953	1015	1132
722	828	865	952	968	1030	1148
730	836	873	959	976	1038	1155
753	859	896	982	999	1061	1178
316	352	365	395	400	421	462
439	493	513	557	565	597	657
562	671	710	798	815	879	1000
687	791	828	913	930	991	1107
711	819	858	946	963	1026	1147
727	835	873	962	979	1042	1162
735	843	881	970	987	1050	1170
758	866	905	993	1010	1073	1194

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R S 1 Fabric Wrapped Fascia – Segmented (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	12 / 305
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219

80 / 2032	12 / 305
80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219

80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

H	W (CODE)
78 / 1981	18 / 457
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219

80 / 2032	18 / 457
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
315	350	363	391	397	417	457
437	490	509	552	560	591	650
591	698	735	822	838	900	1019
738	840	876	959	975	1034	1148
761	867	904	991	1007	1069	1187
777	882	920	1006	1023	1084	1202
784	890	927	1014	1030	1092	1210
807	913	950	1037	1053	1115	1233
316	352	365	395	400	421	462
439	493	513	557	565	597	657
594	704	742	831	848	911	1032
741	845	882	968	984	1045	1161
765	873	912	1000	1017	1080	1201
781	889	927	1016	1033	1096	1217
789	897	935	1024	1041	1104	1224
812	921	959	1047	1064	1127	1248

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
437	490	509	552	560	591	650
558	665	702	789	806	868	987
684	785	821	905	921	980	1094
707	813	850	936	953	1015	1132
722	828	865	952	968	1030	1148
730	836	873	959	976	1038	1155
753	859	896	982	999	1061	1178
439	493	513	557	565	597	657
562	671	710	798	815	879	1000
687	791	828	913	930	991	1107
711	819	858	946	963	1026	1147
727	835	873	962	979	1042	1162
735	843	881	970	987	1050	1170
758	866	905	993	1010	1073	1194

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
437	490	509	552	560	591	650
558	665	702	789	806	868	987
684	785	821	905	921	980	1094
707	813	850	936	953	1015	1132
722	828	865	952	968	1030	1148
730	836	873	959	976	1038	1155
753	859	896	982	999	1061	1178
439	493	513	557	565	597	657
562	671	710	798	815	879	1000
687	791	828	913	930	991	1107
711	819	858	946	963	1026	1147
727	835	873	962	979	1042	1162
735	843	881	970	987	1050	1170
758	866	905	993	1010	1073	1194

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRS 1

Fabric Wrapped Fascia – Segmented (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
78 / 1981	24 / 610
78 / 1981	30 / 762
78 / 1981	36 / 914
78 / 1981	40 / 1016
78 / 1981	42 / 1067
78 / 1981	48 / 1219
80 / 2032	24 / 610
80 / 2032	30 / 762
80 / 2032	36 / 914
80 / 2032	40 / 1016
80 / 2032	42 / 1067
80 / 2032	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)


COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
558	665	702	789	806	868	987
684	785	821	905	921	980	1094
707	813	850	936	953	1015	1132
722	828	865	952	968	1030	1148
730	836	873	959	976	1038	1155
753	859	896	982	999	1061	1178
562	671	710	798	815	879	1000
687	791	828	913	930	991	1107
711	819	858	946	963	1026	1147
727	835	873	962	979	1042	1162
735	843	881	970	987	1050	1170
758	866	905	993	1010	1073	1194

18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
684	785	821	905	921	980	1094
707	813	850	936	953	1015	1132
722	828	865	952	968	1030	1148
730	836	873	959	976	1038	1155
753	859	896	982	999	1061	1178
687	791	828	913	930	991	1107
711	819	858	946	963	1026	1147
727	835	873	962	979	1042	1162
735	843	881	970	987	1050	1170
758	866	905	993	1010	1073	1194

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRS2 Fabric Wrapped Fascia – Segmented (Level II)



The Fabric Wrapped Fascia – Segmented (Level II) provides a fabric finish at S2 of segmented wall or door.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 6 – 12	12 12	COM
18 13 – 18	18 13 – 18	Architectural Fabric
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
32 31 – 32	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFRS2 10	40	AF33
----------	----	------

DIMENSIONS INCHES / MM

		PRICING						
H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
12 / 305	12 / 305	142	149	151	157	158	162	170
12 / 305	18 / 457	156	166	169	177	178	184	194
12 / 305	24 / 610	160	173	177	187	188	195	209
12 / 305	30 / 762	184	199	204	216	218	227	243
12 / 305	36 / 914	189	206	212	226	229	239	258
12 / 305	40 / 1016	191	210	217	232	235	246	268
12 / 305	42 / 1067	193	213	220	236	239	250	272
12 / 305	48 / 1219	197	220	228	246	249	262	287
18 / 457	12 / 305	153	163	167	175	177	183	195
18 / 457	18 / 457	176	190	195	206	208	217	233
18 / 457	24 / 610	182	200	206	221	224	234	254
18 / 457	30 / 762	220	242	250	268	271	284	309
18 / 457	36 / 914	227	253	262	283	287	302	331
18 / 457	40 / 1016	231	259	269	293	297	314	345
18 / 457	42 / 1067	233	263	273	297	302	319	352
18 / 457	48 / 1219	240	273	285	312	318	337	374


Additional pricing is continued on the following page.

F F R S 2
Fabric Wrapped Fascia – Segmented
(Level II) (Continued)

DIMENSIONS
INCHES / MM**PRICING**

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	160	173	177	187	188	195	209
24 / 610	18 / 457	188	206	213	227	230	241	261
24 / 610	24 / 610	198	228	239	263	268	286	319
24 / 610	30 / 762	245	279	292	320	326	346	385
24 / 610	36 / 914	252	288	301	331	336	357	398
24 / 610	40 / 1016	258	294	306	336	341	362	403
24 / 610	42 / 1067	260	296	309	338	344	365	405
24 / 610	48 / 1219	268	304	317	346	352	373	413
30 / 762	12 / 305	179	195	200	213	215	224	241
30 / 762	18 / 457	223	246	254	273	277	290	316
30 / 762	24 / 610	235	274	287	319	325	348	391
30 / 762	30 / 762	310	355	371	407	414	440	490
30 / 762	36 / 914	320	367	383	421	428	455	507
30 / 762	40 / 1016	327	374	390	428	435	462	514
30 / 762	42 / 1067	331	377	393	431	438	465	517
30 / 762	48 / 1219	341	387	403	441	449	476	527
32 / 812	12 / 305	179	195	200	213	215	224	241
32 / 812	18 / 457	223	246	254	273	277	290	316
32 / 812	24 / 610	235	274	287	319	325	348	391
32 / 812	30 / 762	310	355	371	407	414	440	490
32 / 812	36 / 914	320	367	383	421	428	455	507
32 / 812	40 / 1016	327	374	390	428	435	462	514
32 / 812	42 / 1067	331	377	393	431	438	465	517
32 / 812	48 / 1219	341	387	403	441	449	476	527

FFRSM1 Fabric Wrapped Fascia – Segmented Monolithic (Level I)



PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Finish
1 Solid	84	12 12	COM
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18	Architectural Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24	
4 18" Height 1 Vertical Cut Out		30 25 – 30	
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36	
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40	
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42	
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48	
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)			

SAMPLE ORDER CODE

FFRSM1 3	84	40	TBD
----------	----	----	-----

DIMENSIONS INCHES / MM

PRICING

		SOLID (1)						
		Architectural Fabric						
H	W (CODE)	COM	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
84 / 2133	12 / 305	289	327	340	371	377	399	441
84 / 2133	18 / 457	412	469	489	535	544	577	640
84 / 2133	24 / 610	530	644	683	777	795	861	988
84 / 2133	30 / 762	660	769	808	897	914	978	1100
84 / 2133	36 / 914	683	797	837	930	947	1013	1140
84 / 2133	40 / 1016	699	812	852	945	963	1029	1155
84 / 2133	42 / 1067	707	820	860	953	971	1037	1163
84 / 2133	48 / 1219	730	843	884	976	994	1060	1186

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R S M 1
Fabric Wrapped Fascia –
Segmented Monolithic (Level I)
(Continued)

DIMENSIONS
INCHES / MM

H	W (CODE)
84 / 2133	12 / 305
84 / 2133	18 / 457
84 / 2133	24 / 610
84 / 2133	30 / 762
84 / 2133	36 / 914
84 / 2133	40 / 1016
84 / 2133	42 / 1067
84 / 2133	48 / 1219

PRICING
WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
316	354	368	398	404	426	469
439	496	516	562	571	604	667
594	708	749	842	860	927	1054
741	850	889	978	995	1059	1181
765	878	918	1011	1029	1095	1221
780	894	934	1026	1044	1110	1237
788	901	942	1034	1052	1118	1244
811	925	965	1057	1075	1141	1268

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
594	708	749	842	860	927	1054
714	823	862	951	968	1032	1154
738	851	891	984	1002	1068	1194
753	867	907	999	1017	1083	1210
761	874	914	1007	1025	1091	1217
784	898	938	1030	1048	1114	1241

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
316	354	368	398	404	426	469
439	496	516	562	571	604	667
562	676	716	809	827	893	1020
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
316	354	368	398	404	426	469
439	496	516	562	571	604	667
594	708	749	842	860	927	1054
741	850	889	978	995	1059	1181
765	878	918	1011	1029	1095	1221
780	894	934	1026	1044	1110	1237
788	901	942	1034	1052	1118	1244
811	925	965	1057	1075	1141	1268

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRSM 1

Fabric Wrapped Fascia –
Segmented Monolithic (Level I)
(Continued)DIMENSIONS
INCHES / MM

PRICING

H	W (CODE)
84 / 2133	12 / 305
84 / 2133	18 / 457
84 / 2133	24 / 610
84 / 2133	30 / 762
84 / 2133	36 / 914
84 / 2133	40 / 1016
84 / 2133	42 / 1067
84 / 2133	48 / 1219

BASE HEIGHT 1 HORIZONTAL CUT OUT (6) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
316	354	368	398	404	426	469
439	496	516	562	571	604	667
562	676	716	809	827	893	1020
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

BASE HEIGHT 2 HORIZONTAL CUT OUTS (7) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
594	708	749	842	860	927	1054
714	823	862	951	968	1032	1154
738	851	891	984	1002	1068	1194
753	867	907	999	1017	1083	1210
761	874	914	1007	1025	1091	1217
784	898	938	1030	1048	1114	1241

BASE HEIGHT 3 HORIZONTAL CUT OUTS (8) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
741	850	889	978	995	1059	1181
765	878	918	1011	1029	1095	1221
780	894	934	1026	1044	1110	1237
788	901	942	1034	1052	1118	1244
811	925	965	1057	1075	1141	1268

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
439	496	516	562	571	604	667
562	676	716	809	827	893	1020
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
439	496	516	562	571	604	667
562	676	716	809	827	893	1020
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R S M 1
Fabric Wrapped Fascia –
Segmented Monolithic (Level I)
(Continued)

DIMENSIONS
INCHES / MM

H	W (CODE)
84 / 2133	24 / 610
84 / 2133	30 / 762
84 / 2133	36 / 914
84 / 2133	40 / 1016
84 / 2133	42 / 1067
84 / 2133	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)


COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
562	676	716	809	827	893	1020
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
687	796	835	924	941	1005	1127
711	824	864	957	974	1041	1167
726	839	880	972	990	1056	1182
734	847	887	980	998	1064	1190
757	871	911	1003	1021	1087	1214

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRSM2 Fabric Wrapped Fascia – Segmented Monolithic (Level II)



The Fabric Wrapped Fascia – Segmented Monolithic (Level II) provides a fabric finish at S2 and base fascia for segmented wall elevations.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36	12 12 18 13 – 18 24 19 – 24 30 25 – 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	COM Architectural Fabric

SAMPLE ORDER CODE

FFRSM2 14	44	AF33
-----------	----	------

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

COM	Architectural Fabric					
	Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
137	144	146	152	153	157	165
150	160	163	171	172	178	188
154	166	170	180	182	189	202
177	191	196	208	211	219	235
180	197	203	217	220	230	249
182	201	208	223	226	237	259
184	203	210	226	230	241	263
187	209	217	236	239	252	277
147	158	161	170	171	177	189
169	183	188	199	202	210	226
174	192	198	213	216	226	246
211	233	241	259	262	275	299
216	242	251	272	276	291	320
220	248	258	281	286	302	334
221	251	261	286	290	307	341
226	260	272	299	304	324	361

Additional pricing is continued on the following page.


F F R S M 2
Fabric Wrapped Fascia –
Segmented Monolithic (Level II)
(Continued)

DIMENSIONS
INCHES / MM**PRICING**

H (CODE)	W (CODE)	COM	Architectural Fabric					
			Gr. 1	Gr.2	Gr.3	Gr. 4	Gr. 5	Gr. 6
24 / 610	12 / 305	154	166	170	180	182	189	202
24 / 610	18 / 457	180	198	205	219	222	233	253
24 / 610	24 / 610	188	218	229	254	258	276	310
24 / 610	30 / 762	233	268	280	309	314	335	373
24 / 610	36 / 914	240	276	288	318	323	344	385
24 / 610	40 / 1016	244	280	292	322	327	348	389
24 / 610	42 / 1067	246	282	294	324	329	350	391
24 / 610	48 / 1219	252	288	300	330	335	356	397
30 / 762	12 / 305	163	177	182	194	197	205	221
30 / 762	18 / 457	195	217	225	243	246	259	283
30 / 762	24 / 610	205	241	254	284	290	312	353
30 / 762	30 / 762	261	303	318	353	360	384	431
30 / 762	36 / 914	269	313	328	364	371	396	445
30 / 762	40 / 1016	274	318	333	369	376	401	450
30 / 762	42 / 1067	276	320	336	371	378	404	453
30 / 762	48 / 1219	284	328	343	379	386	411	460
32 / 812	12 / 305	174	191	197	211	214	224	243
32 / 812	18 / 457	217	242	251	272	277	292	320
32 / 812	24 / 610	228	271	286	322	328	354	402
32 / 812	30 / 762	302	352	369	410	418	447	502
32 / 812	36 / 914	311	363	381	423	431	461	519
32 / 812	40 / 1016	317	369	387	429	437	467	525
32 / 812	42 / 1067	320	372	390	432	440	470	528
32 / 812	48 / 1219	329	381	399	441	449	479	537

FFRW 1

Fabric Wrapped Fascia – Working Wall (Level I)



The Fabric Wrapped Fascia – Working Wall (Level I) provides a fabric finish at the W1 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia with or without cut outs (as specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Style	Height	Width (in 1" increments)	Base/Ceiling Fascia Height	Finish
1 Solid	30, 32	12 12	4, 6	Architectural Fabric
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18		Panel Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24		
4 18" Height 1 Vertical Cut Out		30 25 – 30		
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36		
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)		40 37 – 40		
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)		42 41 – 42		
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)		48 43 – 48		
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)				

SAMPLE ORDER CODE

FFRW1 2	32	48	6	TBD
----------------	-----------	-----------	----------	------------

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	12 / 305
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

PRICING

SOLID (1)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
163	178	178	185	189	199	201	214	218		177	183	195	197	205	222
196	218	218	229	234	251	253	273	278		217	225	243	247	259	284
205	243	244	261	270	297	301	335	344		242	255	285	291	312	353
262	305	306	326	337	368	372	411	421		304	319	354	360	385	432
270	314	316	336	347	380	384	424	435		314	329	365	372	397	446
275	319	321	341	352	385	389	429	440		319	334	370	377	402	451
277	322	323	344	355	387	391	432	443		321	337	372	379	405	454
285	329	331	351	362	395	399	439	450		329	344	380	387	412	461
171	187	188	195	199	210	212	226	230		187	192	205	207	216	234
212	236	237	248	253	271	273	294	300		236	244	263	266	280	306
222	262	263	281	291	320	323	359	369		261	275	307	313	336	379
295	341	342	363	374	407	412	453	464		340	356	392	399	425	475
303	350	352	373	385	420	424	467	478		350	366	404	411	438	490
308	355	357	379	390	425	429	472	483		355	371	409	416	443	495
311	358	359	381	393	427	431	474	486		357	374	412	419	446	498
319	366	367	389	401	435	439	482	494		365	381	419	427	454	505

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R W 1

Fabric Wrapped Fascia – Working Wall (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	12 / 305
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

H	W (CODE)
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	12 / 305
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
190	205	205	212	216	227	228	241	245		205	210	222	224	232	249
223	245	246	256	261	278	280	300	305		245	252	270	274	286	311
260	297	298	315	324	352	355	389	398		296	309	339	345	366	407
343	386	387	407	418	449	453	492	503		386	400	435	442	466	513
351	396	397	417	429	461	465	505	516		395	410	446	453	479	527
356	401	402	422	434	466	470	511	521		400	415	451	458	484	532
359	403	404	425	436	469	472	513	524		402	418	454	461	486	535
366	411	412	433	444	476	480	521	531		410	426	461	468	494	543
198	214	215	222	226	237	239	253	257		214	219	232	234	243	261
240	263	264	275	281	298	300	321	327		263	271	290	293	307	333
277	316	317	335	345	374	378	414	423		315	329	361	367	390	433
377	422	423	444	456	489	493	534	545		421	437	474	481	507	557
385	432	433	455	467	501	505	548	560		431	447	485	492	520	571
390	437	438	460	472	506	510	553	565		436	452	490	498	525	576
392	439	441	462	474	509	513	556	567		439	455	493	500	527	579
400	447	448	470	482	516	520	563	575		446	463	501	508	535	587

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
260	297	298	315	324	352	355	389	398		296	309	339	345	366	407
316	359	360	380	391	422	426	465	476		358	373	408	415	439	486
324	368	370	390	402	434	438	478	489		368	383	419	426	451	500
329	373	375	395	407	439	443	483	494		373	388	424	431	457	505
332	376	377	398	409	441	445	486	497		375	391	427	434	459	508
339	384	385	405	417	449	453	493	504		383	398	434	441	467	515
277	316	317	335	345	374	378	414	423		315	329	361	367	390	433
350	395	396	417	429	462	466	507	518		394	410	447	454	480	530
357	404	406	428	440	474	478	521	532		404	420	458	465	492	544
363	410	411	433	445	479	483	526	538		409	425	463	471	498	549
365	412	414	435	447	481	486	529	540		411	428	466	473	500	552
373	420	421	443	455	489	493	536	548		419	436	473	481	508	559

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
190	205	205	212	216	227	228	241	245		205	210	222	224	232	249
223	245	246	256	261	278	280	300	305		245	252	270	274	286	311
232	270	271	288	297	325	328	362	371		269	282	312	318	339	380
289	332	333	353	364	395	399	438	448		331	346	381	387	412	459
297	341	343	363	374	407	411	451	462		341	356	392	399	424	473
302	346	348	368	379	412	416	456	467		346	361	397	404	429	478
304	349	350	371	382	414	418	459	470		348	364	400	406	432	481
312	356	358	378	390	422	426	466	477		356	371	407	414	439	488
198	214	215	222	226	237	239	253	257		214	219	232	234	243	261
240	263	264	275	281	298	300	321	327		263	271	290	293	307	333
249	289	290	308	318	347	350	386	396		288	302	334	340	363	406
322	368	369	390	402	435	439	480	491		367	383	419	427	453	502
330	377	379	401	412	447	451	494	505		377	393	431	438	465	517
335	382	384	406	418	452	456	499	510		382	398	436	443	470	522
338	385	386	408	420	454	459	501	513		384	401	439	446	473	525
346	393	394	416	428	462	466	509	521		392	408	446	454	481	532

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRW 1

Fabric Wrapped Fascia – Working Wall (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	12 / 305
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

H	W (CODE)
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

H	W (CODE)
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

PRICING

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
190	205	205	212	216	227	228	241	245		205	210	222	224	232	249
223	245	246	256	261	278	280	300	305		245	252	270	274	286	311
260	297	298	315	324	352	355	389	398		296	309	339	345	366	407
343	386	387	407	418	449	453	492	503		386	400	435	442	466	513
351	396	397	417	429	461	465	505	516		395	410	446	453	479	527
356	401	402	422	434	466	470	511	521		400	415	451	458	484	532
359	403	404	425	436	469	472	513	524		402	418	454	461	486	535
366	411	412	433	444	476	480	521	531		410	426	461	468	494	543
198	214	215	222	226	237	239	253	257		214	219	232	234	243	261
240	263	264	275	281	298	300	321	327		263	271	290	293	307	333
277	316	317	335	345	374	378	414	423		315	329	361	367	390	433
377	422	423	444	456	489	493	534	545		421	437	474	481	507	557
385	432	433	455	467	501	505	548	560		431	447	485	492	520	571
390	437	438	460	472	506	510	553	565		436	452	490	498	525	576
392	439	441	462	474	509	513	556	567		439	455	493	500	527	579
400	447	448	470	482	516	520	563	575		446	463	501	508	535	587

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
223	245	246	256	261	278	280	300	305		245	252	270	274	286	311
232	270	271	288	297	325	328	362	371		269	282	312	318	339	380
289	332	333	353	364	395	399	438	448		331	346	381	387	412	459
297	341	343	363	374	407	411	451	462		341	356	392	399	424	473
302	346	348	368	379	412	416	456	467		346	361	397	404	429	478
304	349	350	371	382	414	418	459	470		348	364	400	406	432	481
312	356	358	378	390	422	426	466	477		356	371	407	414	439	488
240	263	264	275	281	298	300	321	327		263	271	290	293	307	333
249	289	290	308	318	347	350	386	396		288	302	334	340	363	406
322	368	369	390	402	435	439	480	491		367	383	419	427	453	502
330	377	379	401	412	447	451	494	505		377	393	431	438	465	517
335	382	384	406	418	452	456	499	510		382	398	436	443	470	522
338	385	386	408	420	454	459	501	513		384	401	439	446	473	525
346	393	394	416	428	462	466	509	521		392	408	446	454	481	532

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
223	245	246	256	261	278	280	300	305		245	252	270	274	286	311
232	270	271	288	297	325	328	362	371		269	282	312	318	339	380
289	332	333	353	364	395	399	438	448		331	346	381	387	412	459
297	341	343	363	374	407	411	451	462		341	356	392	399	424	473
302	346	348	368	379	412	416	456	467		346	361	397	404	429	478
304	349	350	371	382	414	418	459	470		348	364	400	406	432	481
312	356	358	378	390	422	426	466	477		356	371	407	414	439	488
240	263	264	275	281	298	300	321	327		263	271	290	293	307	333
249	289	290	308	318	347	350	386	396		288	302	334	340	363	406
322	368	369	390	402	435	439	480	491		367	383	419	427	453	502
330	377	379	401	412	447	451	494	505		377	393	431	438	465	517
335	382	384	406	418	452	456	499	510		382	398	436	443	470	522
338	385	386	408	420	454	459	501	513		384	401	439	446	473	525
346	393	394	416	428	462	466	509	521		392	408	446	454	481	532

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R W 1

Fabric Wrapped Fascia – Working Wall (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

PRICING


18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
232	270	271	288	297	325	328	362	371		269	282	312	318	339	380
289	332	333	353	364	395	399	438	448		331	346	381	387	412	459
297	341	343	363	374	407	411	451	462		341	356	392	399	424	473
302	346	348	368	379	412	416	456	467		346	361	397	404	429	478
304	349	350	371	382	414	418	459	470		348	364	400	406	432	481
312	356	358	378	390	422	426	466	477		356	371	407	414	439	488
249	289	290	308	318	347	350	386	396		288	302	334	340	363	406
322	368	369	390	402	435	439	480	491		367	383	419	427	453	502
330	377	379	401	412	447	451	494	505		377	393	431	438	465	517
335	382	384	406	418	452	456	499	510		382	398	436	443	470	522
338	385	386	408	420	454	459	501	513		384	401	439	446	473	525
346	393	394	416	428	462	466	509	521		392	408	446	454	481	532

18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
289	332	333	353	364	395	399	438	448		331	346	381	387	412	459
297	341	343	363	374	407	411	451	462		341	356	392	399	424	473
302	346	348	368	379	412	416	456	467		346	361	397	404	429	478
304	349	350	371	382	414	418	459	470		348	364	400	406	432	481
312	356	358	378	390	422	426	466	477		356	371	407	414	439	488
322	368	369	390	402	435	439	480	491		367	383	419	427	453	502
330	377	379	401	412	447	451	494	505		377	393	431	438	465	517
335	382	384	406	418	452	456	499	510		382	398	436	443	470	522
338	385	386	408	420	454	459	501	513		384	401	439	446	473	525
346	393	394	416	428	462	466	509	521		392	408	446	454	481	532

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRW 2**Fabric Wrapped Fascia –
Working Wall (Level II)**

132

The Fabric Wrapped Fascia – Working Wall (Level II) provides a fabric finish at the W2 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Finish
48	12 12	Architectural Fabric
	18 13 – 18	Panel Fabric
	24 19 – 24	
	30 25 – 30	
	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE


FFRW2 48	48	K402
-----------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H	W (CODE)
48 / 1219	12 / 305
48 / 1219	18 / 457
48 / 1219	24 / 610
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
198	219	219	229	234	249	251	270	275			218	226	242	246	258	281
259	288	289	302	309	330	333	359	366			287	297	320	325	341	373
272	309	310	327	336	362	366	399	408			308	321	350	356	377	417
382	426	427	448	459	492	496	536	547			426	441	477	484	509	558
395	447	449	473	486	524	529	576	589			446	465	507	515	545	602
403	461	463	489	504	546	551	603	617			460	480	526	535	568	632
408	468	470	497	513	556	562	617	631			467	488	536	546	580	646
421	489	491	522	539	589	595	657	674			488	511	566	577	616	690

FFRW 3**Fabric Wrapped Fascia –
Working Wall (Level III)**

The Fabric Wrapped Fascia – Working Wall (Level III) provides a fabric finish at the W3 location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 06–12	12 12	Architectural Fabric Panel Fabric
18 13 – 18	18 13 – 18	
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
32 31 – 32	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFRW3 12	48	AF30
-----------------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
142	149	149	152	154	159	160	166	168			149	151	157	158	162	170
156	166	166	170	173	180	181	189	192			166	169	177	178	184	194
160	173	173	179	182	191	192	203	206			173	177	187	188	195	209
184	199	199	206	210	221	222	236	239			199	204	216	218	227	243
189	206	207	215	219	232	233	249	253			206	212	226	229	239	258
191	211	211	220	225	239	241	258	263			210	217	232	235	246	268
193	213	214	223	228	242	244	263	267			213	220	236	239	250	272
197	220	221	231	237	253	255	276	282			220	228	246	249	262	287
153	163	164	169	171	179	180	189	192			163	167	175	177	183	195
176	190	190	197	201	211	212	225	229			190	195	206	208	217	233
182	200	201	209	214	227	229	245	250			200	206	221	224	234	254
220	243	243	254	259	275	277	298	303			242	250	268	271	284	309
227	253	254	266	272	291	294	318	324			253	262	283	287	302	331
231	260	261	274	281	302	305	331	338			259	269	293	297	314	345
233	263	264	278	286	308	310	338	345			263	273	297	302	319	352
240	274	274	290	299	324	327	358	366			273	285	312	318	337	374

Additional pricing is continued on the following page.

F F R W 3

Fabric Wrapped Fascia – Working Wall (Level III) (Continued)


DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
32 / 812	12 / 305
32 / 812	18 / 457
32 / 812	24 / 610
32 / 812	30 / 762
32 / 812	36 / 914
32 / 812	40 / 1016
32 / 812	42 / 1067
32 / 812	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
160	173	173	179	182	191	192	203	206			173	177	187	188	195	209
188	207	207	216	220	234	235	252	256			206	213	227	230	241	261
198	228	229	243	251	273	276	304	312			228	239	263	268	286	319
245	280	281	297	306	332	335	367	376			279	292	320	326	346	385
252	289	290	307	316	343	346	380	389			288	301	331	336	357	398
258	294	295	312	321	348	351	385	394			294	306	336	341	362	403
260	297	298	315	324	351	354	387	396			296	309	338	344	365	405
268	304	305	322	332	358	361	395	404			304	317	346	352	373	413
170	185	185	192	196	206	208	221	225			184	189	201	204	212	228
204	227	227	238	243	259	261	282	287			226	234	252	255	268	292
216	253	254	271	281	308	311	345	354			253	266	296	301	323	364
274	317	319	338	349	380	384	423	434			317	332	366	373	397	444
284	329	330	350	362	394	398	438	449			328	343	379	386	412	460
290	335	336	357	368	400	404	445	456			334	350	385	392	418	467
294	338	339	360	371	403	407	448	459			337	353	389	395	421	470
303	347	349	369	380	413	417	457	468			347	362	398	405	430	479
179	195	195	203	207	218	219	234	238			195	200	213	215	224	241
223	246	247	258	264	281	283	304	310			246	254	273	277	290	316
235	274	275	294	304	332	336	372	382			274	287	319	325	348	391
310	356	357	378	389	422	426	468	479			355	371	407	414	440	490
320	367	369	391	403	437	441	484	495			367	383	421	428	455	507
327	374	376	397	409	443	448	491	502			374	390	428	435	462	514
331	378	379	401	413	447	451	494	506			377	393	431	438	465	517
341	388	389	411	423	457	461	504	516			387	403	441	449	476	527

FFRWM 1

Fabric Wrapped Fascia –
Working Wall Monolithic (Level I)

PRODUCT OPTIONS

Style	Height (in 1" increments)	Width (in 1" increments)	Finish
1 Solid	36 31 – 36	12 12	Architectural Fabric
2 Worksurface Height (33" AFF) Cut Outs (number of cut outs depend on Fascia width specified)		18 13 – 18	Panel Fabric
3 18" Height 2 Vertical Cut Outs (for Fascias 21" to 48" wide)		24 19 – 24	
4 18" Height 1 Vertical Cut Out		30 25 – 30	
5 18" Height Horizontal Cut Outs (number of cut outs depend on Fascia width specified)		36 31 – 36	
6 Base Height 1 Horizontal Cut Out (for all Fascia widths)		40 37 – 40	
7 Base Height 2 Horizontal Cut Outs (for Fascias 21" to 48" wide)		42 41 – 42	
8 Base Height 3 Horizontal Cut Outs (for Fascias 30" to 48" wide)		48 43 – 48	
S 18" Height Vertical Cut Out for Single Power Plus Communication Module (for Fascias 13" to 48" wide)			
D 18" Height Vertical Cut Out for Double Power Plus Communication Module (for Fascias 17" to 48" wide)			
T 18" Height Vertical Cut Out for Triple Power Plus Communication Module (for Fascias 21" to 48" wide)			
Q 18" Height Vertical Cut Out for Quad Power Plus Communication Module (for Fascias 25" to 48" wide)			

SAMPLE ORDER CODE

FFRWM1 5	30	40	TBD
----------	----	----	-----

DIMENSIONS
INCHES / MM

H (CODE)	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

SOLID (1)

Fabric Grade

COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
177	194	194	203	207	220	221	237	241
219	245	246	258	264	283	286	310	316
230	274	275	296	307	339	342	382	393
304	355	356	380	392	429	434	480	492
314	366	367	392	405	443	448	495	508
320	372	373	398	411	449	453	501	514
323	375	376	401	414	452	456	504	517
331	384	385	409	423	461	465	513	526

Architectural Fabric

Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
194	200	214	216	227	246
245	254	275	279	294	323
273	289	324	331	356	404
354	372	412	420	449	504
365	383	425	434	464	521
371	389	431	439	470	527
374	392	434	442	472	530
383	401	443	451	481	539

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

FFRWM 1

Fabric Wrapped Fascia – Working Wall Monolithic (Level I) (Continued)

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

WORKSURFACE HEIGHT CUT OUTS (2) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
204	221	222	230	234	247	248	264	268		221	227	241	244	254	273
246	272	273	285	292	311	313	337	343		272	281	302	306	321	350
284	328	329	350	361	393	397	437	447		328	343	378	385	410	458
386	436	438	461	474	510	515	561	573		435	453	494	501	530	586
395	447	449	473	486	524	529	577	589		446	465	507	515	545	602
401	453	455	479	492	530	535	582	595		452	471	513	521	551	608
404	456	458	482	495	533	538	585	598		455	474	516	524	554	611
413	465	466	491	504	542	547	594	607		464	482	525	533	563	620

18" HEIGHT 2 VERTICAL CUT OUTS (3) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
284	328	329	350	361	393	397	437	447		328	343	378	385	410	458
359	409	411	434	447	483	488	534	546		408	426	467	474	503	559
368	420	422	446	459	497	502	549	562		419	438	480	488	518	575
374	426	428	452	465	503	508	555	568		425	444	486	494	524	581
377	429	430	455	468	506	511	558	571		428	446	489	497	527	584
386	438	439	464	477	515	520	567	580		437	455	497	506	536	593

18" HEIGHT 1 VERTICAL CUT OUT (4) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
204	221	222	230	234	247	248	264	268		221	227	241	244	254	273
246	272	273	285	292	311	313	337	343		272	281	302	306	321	350
257	301	302	323	334	366	370	410	420		300	316	351	358	383	431
332	382	383	407	419	456	461	507	519		381	399	439	447	476	532
341	393	394	419	432	470	475	522	535		392	410	453	461	491	548
347	399	400	425	438	476	481	528	541		398	416	458	467	497	554
350	402	403	428	441	479	484	531	544		401	419	461	470	500	557
359	411	412	437	450	488	492	540	553		410	428	470	478	508	566

18" HEIGHT HORIZONTAL CUT OUTS (5) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
204	221	222	230	234	247	248	264	268		221	227	241	244	254	273
246	272	273	285	292	311	313	337	343		272	281	302	306	321	350
284	328	329	350	361	393	397	437	447		328	343	378	385	410	458
386	436	438	461	474	510	515	561	573		435	453	494	501	530	586
395	447	449	473	486	524	529	577	589		446	465	507	515	545	602
401	453	455	479	492	530	535	582	595		452	471	513	521	551	608
404	456	458	482	495	533	538	585	598		455	474	516	524	554	611
413	465	466	491	504	542	547	594	607		464	482	525	533	563	620

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R W M 1

Fabric Wrapped Fascia – Working Wall Monolithic (Level I) (Continued)

DIMENSIONS
INCHES / MM

PRICING

H (CODE)	W (CODE)
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

BASE HEIGHT 1 HORIZONTAL CUT OUT (6) – TYPE 2 (2)

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
204	221	222	230	234	247	248	264	268			221	227	241	244	254	273
246	272	273	285	292	311	313	337	343			272	281	302	306	321	350
257	301	302	323	334	366	370	410	420			300	316	351	358	383	431
332	382	383	407	419	456	461	507	519			381	399	439	447	476	532
341	393	394	419	432	470	475	522	535			392	410	453	461	491	548
347	399	400	425	438	476	481	528	541			398	416	458	467	497	554
350	402	403	428	441	479	484	531	544			401	419	461	470	500	557
359	411	412	437	450	488	492	540	553			410	428	470	478	508	566

BASE HEIGHT 2 HORIZONTAL CUT OUTS (7) – TYPE 2 (2)

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
284	328	329	350	361	393	397	437	447			328	343	378	385	410	458
359	409	411	434	447	483	488	534	546			408	426	467	474	503	559
368	420	422	446	459	497	502	549	562			419	438	480	488	518	575
374	426	428	452	465	503	508	555	568			425	444	486	494	524	581
377	429	430	455	468	506	511	558	571			428	446	489	497	527	584
386	438	439	464	477	515	520	567	580			437	455	497	506	536	593

BASE HEIGHT 3 HORIZONTAL CUT OUTS (8) – TYPE 2 (2)

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
386	436	438	461	474	510	515	561	573			435	453	494	501	530	586
395	447	449	473	486	524	529	577	589			446	465	507	515	545	602
401	453	455	479	492	530	535	582	595			452	471	513	521	551	608
404	456	458	482	495	533	538	585	598			455	474	516	524	554	611
413	465	466	491	504	542	547	594	607			464	482	525	533	563	620

18" HEIGHT VERTICAL CUT OUT FOR SINGLE POWER PLUS COMMUNICATION MODULE (S) – TYPE 2 (2)

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
246	272	273	285	292	311	313	337	343			272	281	302	306	321	350
257	301	302	323	334	366	370	410	420			300	316	351	358	383	431
332	382	383	407	419	456	461	507	519			381	399	439	447	476	532
341	393	394	419	432	470	475	522	535			392	410	453	461	491	548
347	399	400	425	438	476	481	528	541			398	416	458	467	497	554
350	402	403	428	441	479	484	531	544			401	419	461	470	500	557
359	411	412	437	450	488	492	540	553			410	428	470	478	508	566

18" HEIGHT VERTICAL CUT OUT FOR DOUBLE POWER PLUS COMMUNICATION MODULE (D) – TYPE 2 (2)

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
246	272	273	285	292	311	313	337	343			272	281	302	306	321	350
257	301	302	323	334	366	370	410	420			300	316	351	358	383	431
332	382	383	407	419	456	461	507	519			381	399	439	447	476	532
341	393	394	419	432	470	475	522	535			392	410	453	461	491	548
347	399	400	425	438	476	481	528	541			398	416	458	467	497	554
350	402	403	428	441	479	484	531	544			401	419	461	470	500	557
359	411	412	437	450	488	492	540	553			410	428	470	478	508	566

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

Additional pricing is continued on the following page.

F F R W M 1

Fabric Wrapped Fascia – Working Wall Monolithic (Level I) (Continued)

DIMENSIONS INCHES / MM

H	W (CODE)
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

18" HEIGHT VERTICAL CUT OUT FOR TRIPLE POWER PLUS COMMUNICATION MODULE (T) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
257	301	302	323	334	366	370	410	420		300	316	351	358	383	431
332	382	383	407	419	456	461	507	519		381	399	439	447	476	532
341	393	394	419	432	470	475	522	535		392	410	453	461	491	548
347	399	400	425	438	476	481	528	541		398	416	458	467	497	554
350	402	403	428	441	479	484	531	544		401	419	461	470	500	557
359	411	412	437	450	488	492	540	553		410	428	470	478	508	566


18" HEIGHT VERTICAL CUT OUT FOR QUAD POWER PLUS COMMUNICATION MODULE (Q) – TYPE 2 (2)

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
332	382	383	407	419	456	461	507	519		381	399	439	447	476	532
341	393	394	419	432	470	475	522	535		392	410	453	461	491	548
347	399	400	425	438	476	481	528	541		398	416	458	467	497	554
350	402	403	428	441	479	484	531	544		401	419	461	470	500	557
359	411	412	437	450	488	492	540	553		410	428	470	478	508	566

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFRWM3

Fabric Wrapped Fascia – Working Wall Monolithic (Level III)



The Fabric Wrapped Fascia – Working Wall Monolithic (Level III) provides a fabric finish at the W3 and ceiling fascia location of a working wall elevation.

WHAT'S INCLUDED

1 Fascia and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Width (in 1" increments)	Finish
12 12	12 12	Architectural Fabric Panel Fabric
18 13 – 18	18 13 – 18	
24 19 – 24	24 19 – 24	
30 25 – 30	30 25 – 30	
36 31 – 36	36 31 – 36	
	40 37 – 40	
	42 41 – 42	
	48 43 – 48	

SAMPLE ORDER CODE

FFRWM3 24	48	N124
-----------	----	------

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 305	12 / 305
12 / 305	18 / 457
12 / 305	24 / 610
12 / 305	30 / 762
12 / 305	36 / 914
12 / 305	40 / 1016
12 / 305	42 / 1067
12 / 305	48 / 1219
18 / 457	12 / 305
18 / 457	18 / 457
18 / 457	24 / 610
18 / 457	30 / 762
18 / 457	36 / 914
18 / 457	40 / 1016
18 / 457	42 / 1067
18 / 457	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
137	144	144	148	149	154	155	161	163			144	146	152	153	157	165
150	160	160	165	167	174	175	184	186			160	163	171	172	178	188
154	166	166	172	175	184	185	196	199			166	170	180	182	189	202
177	191	192	199	202	213	215	228	232			191	196	208	211	219	235
180	198	198	206	211	223	225	241	245			197	203	217	220	230	249
182	202	202	211	216	230	232	249	254			201	208	223	226	237	259
184	204	204	214	219	233	235	253	258			203	210	226	230	241	263
187	210	210	221	227	243	245	266	271			209	217	236	239	252	277
147	158	158	163	166	173	174	184	186			158	161	170	171	177	189
169	183	183	190	194	204	205	219	222			183	188	199	202	210	226
174	192	193	201	206	219	221	237	242			192	198	213	216	226	246
211	233	234	244	250	266	268	288	294			233	241	259	262	275	299
216	242	243	255	262	281	283	307	313			242	251	272	276	291	320
220	248	249	262	270	291	293	319	326			248	258	281	286	302	334
221	251	252	266	274	296	298	326	333			251	261	286	290	307	341
226	260	261	277	286	310	313	344	353			260	272	299	304	324	361

Additional pricing is continued on the following page.

FFRWM 3

Fabric Wrapped Fascia – Working Wall Monolithic (Level III) (Continued)

DIMENSIONS INCHES / MM


H (CODE)	W (CODE)
24 / 610	12 / 305
24 / 610	18 / 457
24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	12 / 305
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219
36 / 914	12 / 305
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	40 / 1016
36 / 914	42 / 1067
36 / 914	48 / 1219

PRICING

Fabric Grade										Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
154	166	167	172	175	184	185	196	199		166	170	180	182	189	202
180	199	199	208	212	226	227	244	248		198	205	219	222	233	253
188	219	220	234	241	264	267	295	302		218	229	254	258	276	310
233	269	270	286	295	321	324	356	365		268	280	309	314	335	373
240	276	277	294	303	330	333	367	376		276	288	318	323	344	385
244	280	281	298	307	334	337	371	380		280	292	322	327	348	389
246	282	283	300	309	336	339	373	382		282	294	324	329	350	391
252	288	289	306	315	342	345	379	388		288	300	330	335	356	397
163	177	178	185	188	199	200	214	218		177	182	194	197	205	221
195	217	218	228	234	250	252	272	278		217	225	243	246	259	283
205	242	243	260	270	297	300	334	343		241	254	284	290	312	353
261	304	305	325	336	367	371	410	421		303	318	353	360	384	431
269	313	315	335	346	379	383	423	434		313	328	364	371	396	445
274	318	320	340	351	384	388	428	439		318	333	369	376	401	450
276	321	322	343	354	386	390	431	442		320	336	371	378	404	453
284	328	330	350	361	394	398	438	449		328	343	379	386	411	460
174	192	192	200	205	217	219	235	239		191	197	211	214	224	243
217	243	243	256	262	281	283	307	314		242	251	272	277	292	320
228	272	273	293	304	336	340	380	391		271	286	322	328	354	402
302	353	354	377	390	427	431	477	490		352	369	410	418	447	502
311	364	365	389	402	441	445	493	506		363	381	423	431	461	519
317	369	371	395	408	446	451	499	512		369	387	429	437	467	525
320	372	374	398	411	449	454	502	515		372	390	432	440	470	528
329	381	383	407	420	458	463	511	524		381	399	441	449	479	537

FFMA

Smart Fascia – Accessory



I42

Smart Fascia – Accessory is for use at W2 working wall elevations and accommodates Altos 6" and 3" shelving and Teknion's Personal Organizers.

WHAT'S INCLUDED

1 Fascia – accessory rail with connection hardware.

NOTES

Exact width **must** be specified in the order code. Range codes (i.e. 30, 36) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Solid Finish	Accessory Rail Finish	Type (For Fascia Laminates Only)
48	30 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	Fascia Laminate Flintwood	Foundation Mica	2 Type 2

SAMPLE ORDER CODE

FFMA 48	36	LW	N	2
----------------	-----------	-----------	----------	----------

**DIMENSIONS
INCHES / MM**

H	W (CODE)
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING**SOLID (1) – TYPE 2 (2)**

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
512	533	741
617	645	846
624	653	894
629	658	909
642	672	974

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

If Mica finish is specified, add 12

The Smart Fascia – Whiteboard provides a dry-erase surface for use at Level W2 working wall elevations.

WHAT'S INCLUDED


1 Fascia – Whiteboard with connection hardware.

NOTES

Exact width **must** be specified in the order code. Range codes (i.e. 30, 36) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FFMW Smart Fascia – Whiteboard



I43

PRODUCT OPTIONS

Height	Width (in 1" increments)	Frame Finish
48	30 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	AC Clear Anodized

SAMPLE ORDER CODE

FFMW 48	42	AC
----------------	-----------	-----------

DIMENSIONS INCHES / MM


H	W (CODE)
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING

386
511
529
529
529

FFMT

Smart Fascia – Tackable



I44

The Smart Fascia – Tackable provides a fabric-wrapped tackable surface for use at level W2 working wall elevations.

WHAT'S INCLUDED

1 Fascia – Tackable with connection hardware.

NOTES

Exact width **must** be specified in the order code. Range codes (i.e. 30, 36) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 1" increments)	Frame Finish	Fascia Finish
48	30 30 36 31 – 36 40 37 – 40 42 41 – 42 48 43 – 48	AC Clear Anodized	Architectural Fabric Panel Fabric

SAMPLE ORDER CODE

FFMT 48	40	AC	A002
----------------	-----------	-----------	-------------

**DIMENSIONS
INCHES / MM**

H	W (CODE)
48 / 1219	30 / 762
48 / 1219	36 / 914
48 / 1219	40 / 1016
48 / 1219	42 / 1067
48 / 1219	48 / 1219

PRICING

Fabric Grade											Architectural Fabric					
COM	Gr. A	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7			Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6
307	351	352	373	384	416	420	461	472			350	366	402	408	434	483
317	369	371	395	408	446	451	499	512			369	387	429	437	467	525
324	382	383	410	425	466	472	524	538			381	401	447	456	489	552
328	388	390	417	433	476	482	537	551			387	408	456	466	500	566
338	406	408	440	457	506	512	575	591			405	429	484	494	533	608

The Framed Backpainted Glass Whiteboard, Single Span provides a dry erase surface for use at Level W2 working wall elevations.

WHAT'S INCLUDED


1 Fascia – framed whiteboard with magnetic backer (when specified) and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 24, 48) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

F D M W F Framed Backpainted Glass Whiteboard



145

PRODUCT OPTIONS

Height	Width (in 1" increments)	Glass Finish	Magnetic Backer	Frame Finish
48	24 – 48	V Backpainted White Glass	M Magnetic Backer N No Magnetic Backer	AC Clear Anodized

SAMPLE ORDER CODE


FDMWF 48	42	V	M	AC
----------	----	---	---	----

DIMENSIONS INCHES / MM

H	W
48 / 1219	24 / 610
48 / 1219	25 / 635
48 / 1219	26 / 660
48 / 1219	27 / 686
48 / 1219	28 / 711
48 / 1219	29 / 737
48 / 1219	30 / 762
48 / 1219	31 / 787
48 / 1219	32 / 813
48 / 1219	33 / 838
48 / 1219	34 / 864
48 / 1219	35 / 889
48 / 1219	36 / 914
48 / 1219	37 / 940
48 / 1219	38 / 965
48 / 1219	39 / 991
48 / 1219	40 / 1016
48 / 1219	41 / 1041
48 / 1219	42 / 1067
48 / 1219	43 / 1092
48 / 1219	44 / 1118
48 / 1219	45 / 1143
48 / 1219	46 / 1168
48 / 1219	47 / 1194
48 / 1219	48 / 1219

PRICING

No Magnetic Backer	Magnetic Backer
557	613
573	630
588	648
604	665
620	683
635	700
651	718
667	736
683	753
698	771
714	788
730	806
746	823
762	841
778	860
795	878
811	896
827	914
844	932
860	951
876	969
893	987
909	1005
926	1023
942	1042

F D M W F D**Framed Backpainted Glass –
Whiteboard Double Span**

I46

WHAT'S INCLUDED

1 Double Span Fascia – framed whiteboard magnetic backer (when specified), and connection hardware.

NOTES

Exact width must be specified in the order code. Range codes (i.e. 30, 36) are listed for pricing purposes only. Width of the vertical spans must be of equal width.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

PRODUCT OPTIONS

Height	Width (in 2" increments)	Glass Finish	Magnetic Backer	Frame Finish
48	48 – 96	V Backpainted White Glass	M Magnetic Backer N No Magnetic Backer	AC Clear Anodized

SAMPLE ORDER CODE

FDMWFD 48	42	V	M	AC
------------------	-----------	----------	----------	-----------

**DIMENSIONS
INCHES / MM**

H	W
48 / 1219	48 / 1219
48 / 1219	50 / 1270
48 / 1219	52 / 1321
48 / 1219	54 / 1372
48 / 1219	56 / 1422
48 / 1219	58 / 1473
48 / 1219	60 / 1524
48 / 1219	62 / 1575
48 / 1219	64 / 1626
48 / 1219	66 / 1676
48 / 1219	68 / 1727
48 / 1219	70 / 1778
48 / 1219	72 / 1829
48 / 1219	74 / 1880
48 / 1219	76 / 1930
48 / 1219	78 / 1981
48 / 1219	80 / 2032
48 / 1219	82 / 2083
48 / 1219	84 / 2134
48 / 1219	86 / 2184
48 / 1219	88 / 2235
48 / 1219	90 / 2286
48 / 1219	92 / 2388
48 / 1219	94 / 2438
48 / 1219	96 / 2489

PRICING

No Magnetic Backer	Magnetic Backer
1051	1150
1085	1192
1119	1229
1153	1266
1187	1303
1221	1340
1255	1377
1289	1419
1323	1456
1357	1493
1391	1530
1425	1566
1459	1603
1489	1641
1519	1675
1549	1708
1580	1741
1610	1774
1640	1807
1670	1845
1700	1878
1730	1911
1761	1944
1791	1977
1821	2010

The Filler Panel is used when an Altos surface needs to be cut away to fit around the building structure.

WHAT'S INCLUDED

2 solid wall Fascias, gasket, adjustable horizontal rail, Base Channel – Modular (FKB), connection hardware (L-Bracket).

NOTES


Exact height and width **must** be specified in the order code. Range codes (i.e. 36, 40) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

F P F Filler Panel



I47

PRODUCT OPTIONS

Height (in 1" increments)	Width	Panel Finish	Type (For Fascia Laminates Only)
102 96–102, Ceiling Height – Full-Height	24, 30	Fascia Laminate Flintwood	1 Type 1
108 103–108, Ceiling Height – Full-Height			2 Type 2
114 109–114, Ceiling Height – Full-Height			
120 115–120, Ceiling Height – Full-Height			

SAMPLE ORDER CODE

F P F 103	30	MD	2
------------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	24 / 610
102 / 2591	30 / 762
108 / 2743	24 / 610
108 / 2743	30 / 762
114 / 2896	24 / 610
114 / 2896	30 / 762
120 / 3048	24 / 610
120 / 3048	30 / 762

PRICING

SOLID (1) – TYPE 2 (2)


Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
888	969	1484
902	985	1691
892	973	1521
907	990	1736
895	977	1558
911	995	1806
899	981	1619
915	1000	1851

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

FFFK
Aluminum Fascia Kit

WHAT'S INCLUDED
2 aluminum fascias and special horizontals.

NOTES
Only available 6" wide.



I48

PRODUCT OPTIONS

Ceiling Height (in 1" increments)		Finish	
102	96 – 102	AC	Clear Anodized
108	103 – 108		
114	109 – 114		
120	115 – 120		

SAMPLE ORDER CODE

FFFK 114	AC
----------	----

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

741
741
741
741

The Two-Way 90° Corner Cover provides a full-full-height trim for two walls connected at 90°.

WHAT'S INCLUDED

1 corner cover with fascia connectors, 1 foam backer rod.

NOTES


FKCH90 Two-Way 90° Corner Connection Hardware Kit provides the framework for a Two-Way 90° Corner connection and must be specified separately.

Exact height **must** be specified in the order code. Range codes (i.e. **102, 108**) are listed for pricing purpose only.

Corner covers are full-full-height from floor to ceiling.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKCN90 Two-Way 90° Corner Cover



149

The Two-Way 135° Corner Cover provides a full-height trim for two walls connected at 135°.

WHAT'S INCLUDED

1 inner corner cover with fascia connectors and 1 outer corner cover with fascia connectors.

NOTES

FKCH132 Two-Way 135° Corner Connection Hardware kit provides the framework for a Two-Way 135° Corner connection and must be specified separately.


Exact height **must** be specified in the order code. Range codes (i.e. **102, 108**) are listed for pricing purpose only.

Corner covers are full-height from floor to ceiling.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Not available in AC Clear Anodized.

FKCN132 Two-Way 135° Corner Cover



PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Finish
102 96 – 102	AC Clear Anodized Fascia Laminate Flintwood
108 103 – 108	
114 109 – 114	
120 115 – 120	

SAMPLE ORDER CODE

FKCN132 105	MU
--------------------	-----------

DIMENSIONS INCHES / MM

FKCN90 TWO-WAY 90° CORNER COVER				
H (CODE)	Fascia Laminate			
	Gr. 1	Gr. 2	Flintwood	Clear Anodized
	102 / 2591	338	351	538
	108 / 2743	339	352	546
	114 / 2896	340	353	554
120 / 3048	341	355	561	404

DIMENSIONS INCHES / MM


H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

FKCN132 TWO-WAY 135° CORNER COVER

Fascia Laminate		
Gr. 1	Gr. 2	Flintwood
593	616	934
595	618	1000
597	620	1014
599	623	1028

FKCN133

Three-Way 135° Corner Cover



150

The Three-Way 135° Corner Cover provides a full-height trim for three walls connected at 135°.

WHAT'S INCLUDED

1 inner corner cover with fascia connectors, 1 outer corner cover with fascia connectors and 1 foam backer rod.

NOTES

FKCH133 Three-Way 135° Corner Connection Hardware Kit provides the framework for a Three-Way 135° Corner connection and must be specified separately.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.


Corner covers are full-height from floor to ceiling.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Not available in AC Clear Anodized.

FKCN180

Three-Way 180° Corner Cover



The Three-Way 180° Corner Cover provides a full-height trim for connections of three walls.

WHAT'S INCLUDED

1 Corner cover with fascia connectors, 2 foam backer rods

NOTES

FKCH180 Three-Way Corner Connection Hardware Kit provides the framework for a Three-Way 180° Corner connection and must be specified separately.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

Corner covers are full-height from floor to ceiling.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Finish
102 96 – 102	AC Clear Anodized Fascia Laminate Flintwood
108 103 – 108	
114 109 – 114	
120 115 – 120	

SAMPLE ORDER CODE

FKCN180 105	MU
-------------	----

DIMENSIONS INCHES / MM

H (CODE)	FKCN133 THREE-WAY 135° CORNER COVER		
	Fascia Laminate Gr. 1	Gr. 2	Flintwood
102 / 2591	565	584	846
108 / 2743	566	586	962
114 / 2896	568	588	974
120 / 3048	570	590	987

DIMENSIONS INCHES / MM

H (CODE)	FKCN180 THREE-WAY 180° CORNER COVER			
	Fascia Laminate Gr. 1	Gr. 2	Flintwood	Clear Anodized
102 / 2591	174	180	281	299
108 / 2743	174	181	294	299
114 / 2896	175	181	298	299
120 / 3048	175	182	303	299

door packages

door packages

PRODUCT MAP155

DOOR OVERVIEW156

HINGED DOOR BASICS157


SINGLE BARN DOOR BASICS159

DOUBLE BARN DOOR BASICS160

PRODUCT LISTING162

F D H Hinged Door


Page 162
Height: 84", 102" - 120" in 1" increments /
Width: 40" & 42"



Right Swing Segmented Left Swing Full-Height

F D P Pivot Door


Page 163
Height: 84", 96" - 114" in 1" increments /
Width: 40" & 42"



Right Swing Segmented Left Swing Full-Height w/ Glass Insert

F D P Z Framed Glass Pivot Door


Page 164
Height: 96" - 120" in 1" increments /
Width: 40" & 42"



Segmented Full-Height

F D J Hinged Glass Door


Page 166
Height: 84", 96" - 120" in 1" increments /
Width: 40" & 42"



Right Swing Segmented Left Swing Full-Height w/ Glass Insert


F D E Hinged Glass Double Door

Page 167
Height: 84" / Width: 72" & 80"



F D D Hinged Double Door


Page 168
Height: 84", 96" - 120" in 1" increments /
Width: 72", 80" & 84"



Solid Segmented Glass Insert Full-Height

F D C Glass Barn Door


Page 169
Height: 84", 96" - 120" in 1" increments /
Width: 40", 42" & 48"



Right Slide Full-Height Left Slide Segmented


F D C Z Glass Barn Door Low Profile

Page 170
Height: 96" - 120" in 1" increments /
Width: 40" & 42"



F D S Solid Barn Door


Page 171
Height: 84", 96" - 108" in 1" increments /
Width: 40", 42" & 48"



Right Slide Full-Height Left Slide Segmented

F D I Barn Door with Glass Insert


Page 172
Height: 84", 96" - 108" in 1" increments /
Width: 40", 42" & 48"



Right Slide Full-Height Left Slide Segmented


F D L Double Glass Barn Door

Page 173
Height: 96" - 120" in 1" increments /
Width: 72" & 80"



F D L Z Double Glass Barn Door Low Profile

Page 174
Height: 96" - 120" in 1" increments /
Width: 72"




door overview

For typical openings, Altos offers a variety of doors that meet a range of privacy and functional needs – the four basic types are: Hinged, Pivot, Pocket and Barn.

- Solid doors are 1-3/4" thick
- Glass doors are 10mm thick (3/8" nominal thickness)
- Laminated glass must be specified for ceiling heights greater than 114" with 6" ceiling fascia or 112" with 4" ceiling fascia
- Doors and frames specified separately
- Low profile door styles bring the aesthetics of Optos doors into the Altos product line
- Consideration for ADA compliant locking hardware for doors needs to be determined early in the project cycle. Teknion offers a custom special solution that complies with ADA requirements, subject to local approvals. This is applicable to all Barn Doors with the exception of Double Barn Doors where there is no ADA compliant option available

156

building up door modules




Frame or Transom and Frame Kit

The frame can be customized by height, swing direction, door package type and frame finish


Door

- The door can be customized by door type, height, swing/pull direction, lever type, hardware type, drop seal and surface finish
- Doors have an adjustment range of +2-3/4" and -1/4"

lever types:




Jupiter




Saturn

hardware types:



Without Lock
(Passage Set)




Standard Lock
and Cylinder



Mortise Lock
and Standard
Cylinder



Mortise Lock and
Interchangeable
Core Cylinder



Standard Lock and
Interchangeable
Core Cylinder


- Doors specified with "Standard Cylinder" are keyed randomly (2 keys provided per door)
- Doors specified with "Interchangeable Core Cylinder" are keyed randomly (2 keys provided per door) yet can be removed by a universal control key (1 key provided per order)
- After installations, customers may choose to relocate or replace interchangeable core cylinders to suit their security needs

Hinged doors create an opening with a 180°.

! A drop seal is an option to minimize sound leakage at the bottom of the solid doors

Hinged Door (FDH)

Door Size	Clearance	Clearance when Installed at Corner
40" Wide	34.75"	33"
42" Wide	36.75"	35"



Full-Height
Creates a 180° swing


84" high (with Solid Transom)
• 84" segmented requires a transom measuring between 6" & 30" for ceiling heights between 96" & 120" in 1" increments
• Transom can be Solid or Glass

84" high (with Glass Insert and Glass Transom)
Available with clear or frost glass insert options for privacy aesthetic variation

Hinged Glass Door (FDJ)

An optional 10" high stainless steel kickplate may also be specified

Door Size	Clearance	Clearance when Installed at Corner
40" Wide	34.75"	33"
42" Wide	36.75"	35"



Full-Height


84" high (with Solid Transom)

84" high (with glass insert and Glass Transom)

- Door will be ceiling height minus ceiling fascia height
- Transom can be Solid or Glass
- Glass is Clear or Frost and has a 3/8" nominal thickness

Hinged Double Door (FDD)

Door Size	Clearance
72" Wide	67"
80" Wide	75"
84" Wide	79"



Full-Height (Solid)

84" high (with glass insert and Solid Transom)


84" high (with glass insert and Glass Transom)

- 84" segmented requires a transom measuring between 6" and 32" for ceiling heights between 96" and 120" in 1" increments
- Available with Clear or Frost glass insert options for privacy aesthetic variation – Transom can be Solid or Glass

Hinged Glass Double Door (FDE)

An optional 10" high stainless steel kickplate may also be specified

Door Size	Clearance
72" Wide	67"
80" Wide	75"



84" high (glass with glass transom)




pivot door basics

The Solid Pivot Door uses pivot hardware to attain a 90° swing. The Glass Pivot Door is a full height door that pivots open 180° with an optional adjustable door closer/door stay. It has enhanced acoustic performance offered by its continuous Frame Seal.

Pivot Door (FDP)

Door will be ceiling height minus Ceiling Fascia height

158



Pivot Door with Fascia



84" high (with Solid Transom)

- 84" segmented requires a transom measuring between 6" and 32" for ceiling heights between 96" and 120" in 1" increments
- Transom can be Solid or Glass



84" high (with glass insert and Glass Transom)

- Available with Clear or Frost glass insert options for privacy and aesthetic variation
- Pivot hardware allows for the door swing direction to be switched

Framed Glass Pivot Door (FDPZ)



Glass Pivot Door with Fascia



84" high (with Solid Transom)

- Available with Standard height and 10" high kickplate.
- Available with or without standard lock and interchangeable core cylinder or no lock
- Glass is available 6mm, 10mm or 12mm thick, tempered laminate is only available on 10mm thick glass
- Frame finishes include Anodized and Painted finishes

84" high (with Glass Transom)

- Available with Clear or Frost glass insert options for privacy and aesthetic variation

Door Size	Clearance	Clearance when Installed at Corner
40" Wide	35"	33"
42" Wide	42"	40"

- Available with 4" or 6" Ceiling Fascia or for Segmented Height with transom
- Available in 6mm or 10mm Tempered or Tempered Laminated Glass
- Two lever types available as standard: Jupiter and Saturn
- There is an optional 10" high Kickplate

single barn door basics


The Single Barn Door creates a sliding door by mounting to the outside face of wall modules.

- Please check local code requirements, as in some jurisdictions, the use of the Barn Door is limited to room occupancies of 10 people maximum
- Adds 1" to wall module depth
- Locks **cannot** be retrofitted on Barn Doors
- Segmented height doors can only be planned adjacent to segmented or working wall elevations
- Monolithic elevations **cannot** be used adjacent to segmented or full-height barn doors
- Solid and Solid with Insert **cannot** be used with 4" base and ceiling fascias
- 48" wide Glass Door is **not** available in ceiling heights greater than 108"
- Consideration for ADA compliant locking hardware for doors needs to be determined early in the project cycle. Teknion offers a custom special solution that complies with ADA requirements, subject to local approvals. This is applicable to all Barn Doors with the exception of Double Barn Doors where there is no ADA compliant option available


159

Glass and Solid Barn Door (FDC, FDS)


Segmented Height Glass Door




- May be mounted on inside or outside of wall module unless specified with lock, then it must on the outside
- Keyed lock is on the outside and thumb turn on the inside




Glass Door Full-Height



Solid Full-Height



Segmented Height with Glass Insert



Glass Barn Door Low Profile (FDCZ)



- Available in widths of 40" and 42" only
- 4" ceiling fascia height
- Door slides can be left or right and can be interior or exterior
- Available with or without standard lock and interchangeable core cylinder
- Glass is available in tempered and tempered Laminate is required over 111" high
- Can be specified with or without soft close mechanism. Trolley and Base Cover finish include Anodized and Paint
- Should **not** be used with adjacent Fabric Fascias

Door Size	Clearance
40" Wide	32"
42" Wide	34"
48" Wide	40"

double barn door basics

The Double Barn Door creates sliding doors by mounting to the inside or the outside face of wall modules.

- Please check the local code requirements, as in some jurisdictions, the use of the Barn Door is limited to room occupancies of 10 people maximum
- Adds 1" to wall module depth
- Locks **cannot** be retrofitted on Barn Doors
- Glass Barn Doors only
- Full-height format only (**not** available in segmented height)
- Only available for use with 6" ceiling fascias
- No ADA compliant locking option is available for Double Barn Doors

Door Size	Clearance
72" (2 x 36")	56"
80" (2 x 40")	64"


160

Double Barn Door (FDL)

- Adjacent module width is determined by the door width and **cannot** be a monolithic elevation
- For 72" wide doors, adjacent modules must be 29"
- For 80" wide doors, adjacent modules must be 33"

Doors may be mounted on inside or outside of wall module unless specified with lock, then they must be on the outside

- Locking or non-locking is available
- Door locks at right hand door or inside of left hand door
- When lock option is specified, left hand door (from the outside) includes a painted cover plate to match right hand door




Double Glass Barn Door Low Profile (FDLZ)

- 72" wide only
- Can only be ordered with 4" ceiling fascia configuration
- Available with or without standard lock an interchangeable core cylinder
- Available in tempered or laminated glass
- Base Cover and Trolley finish include Anodized and Painted finishes
- Should **not** be used with adjacent Fabric Fascias

F D H

Hinged Door



The Hinged Door is a solid door with a 180° swing and optional glass insert.

WHAT'S INCLUDED

1 door (optional glass insert), Brushed Chrome lever (with or without lock as specified), 1 door base stop and connection hardware.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Door Frame Kit (FKD) and Horizontal Rail Packages (FKHG).

NOTES

Door	Door Dimensions	Door Clearance
FDH_40	34.75" wide	33"
FDH_42	36.75" wide	35"

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Fascia Height **must** be specified for full height doors.

PRODUCT OPTIONS

Door Type	Height	Ceiling Fascia Height	Width	Door Swing Direction	Lever Type	Hardware Type	Drop Seal	Door Finish	Glass Insert Finish	Glass Insert Frame Finish
1 Solid	84 (84 Segmented-Height)	4, 6	40, 42	L Left Swing	J Jupiter	1 No Lock	1 No Drop Seal	Fascia Laminate	5 Clear	AC Clear
2 Solid with Glass Insert	102 (96 – 102 Ceiling Height – Full-Height)	(For Full Height Only)		R Right Swing	S Saturn	2 Standard Lock and Cylinder	2 Door with Drop Seal	Flintwood	6 Frost	Anodized
	108 (103 – 108 Ceiling Height – Full-Height)					3 Standard Lock and Interchangeable Core Cylinder				
	114 (109 – 114 Ceiling Height – Full-Height)					4 Mortise Lock and Standard Cylinder (not available for Solid with Glass Insert Doors)				
	120 (115 – 120 Ceiling Height – Full-Height)					5 Mortise Lock and Interchangeable Core Cylinder (not available for Solid with Glass Insert Doors)				

SAMPLE ORDER CODE

FDH 2	144	4	42	L	J	3	1	AT	A6	AC
-------	-----	---	----	---	---	---	---	----	----	----

DIMENSIONS CODES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

SOLID DOOR			STANDARD CLEAR GLASS INSERT			STANDARD FROST GLASS INSERT		
Fascia Laminate Gr. 1	Gr. 2	Flintwood	Fascia Laminate Gr. 1	Gr. 2	Flintwood	Fascia Laminate Gr. 1	Gr. 2	Flintwood
2587	2597	2597	3749	3774	3774	4044	4069	4069
2587	2650	2667	3828	3853	3853	4147	4172	4172
2587	2650	3044	4422	4488	4556	4779	4845	4913
2587	2650	3130	4442	4508	4669	4829	4895	5056
2966	3035	3187	4699	4724	4724	5083	5108	5108
2966	3035	3324	4839	4908	4919	5255	5324	5335
3025	3094	3337	4895	4929	4929	5306	5340	5340
3025	3094	3479	4918	4987	5131	5363	5432	5576
3055	3124	3484	4943	5012	5130	5380	5449	5567
3055	3124	3584	4966	5035	5264	5440	5509	5738

If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder is specified, add 326

If Mortise Lock and Standard Cylinder is specified, add 1082

If Mortise Lock and Interchangeable Core Cylinder is specified, add 1180

If Drop Seal is specified, add 250

The Pivot Door is a solid door with a 90° swing and optional glass insert.

WHAT'S INCLUDED

1 door (optional glass insert), Brushed Chrome lever (with or without lock as specified), 1 door base stop and connection hardware.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Door Frame Kit (FKD3) and Horizontal Rail Packages (FKHG).

NOTES


Door	Door Dimensions	Door Clearance
FDP_40	36" wide	35"
FDP_42	38" wide	37"

Door can be adjusted in the field between left and right handed orientation.

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Fascia Height **must** be specified for full height doors.



PRODUCT OPTIONS

Door Type	Height	Ceiling Fascia Height	Width	Door Swing Direction	Lever Type	Hardware Type	Solid Door Finish	Glass Insert Finish	Glass Insert Frame Finish
1 Solid	84 (84 Segmented-Height)	4, 6	40, 42	L Left Swing	J Jupiter	1 No Lock	Fascia Laminate	5 Clear	AC Clear Anodized
2 Solid with Glass Insert	102 (96 – 102 Ceiling Height – Full-Height)	(For Full Height Only)		R Right Swing	S Saturn	2 Standard Lock and Cylinder	Flintwood	6 Frost	
	108 (103 – 108 Ceiling Height – Full-Height)					3 Standard Lock and Interchangeable Core Cylinder			
	114 (109 – 114 Ceiling Height – Full-Height)					4 Standard Lock and Cylinder (for Solid Door 1)			
						5 Standard Lock and Interchangeable Core Cylinder (for Solid Door 1)			

SAMPLE ORDER CODE

FDP 2	144	4	42	L	J	3	AT	A5	AC
-------	-----	---	----	---	---	---	----	----	----

DIMENSIONS CODES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067

PRICING


SOLID DOOR			STANDARD CLEAR GLASS INSERT			STANDARD FROST GLASS INSERT		
Fascia Laminate Gr. 1	Gr. 2	Flintwood	Fascia Laminate Gr. 1	Gr. 2	Flintwood	Fascia Laminate Gr. 1	Gr. 2	Flintwood
3271	3334	3614	4371	4396	4396	4666	4691	4691
3271	3334	3688	4464	4489	4489	4783	4808	4808
3531	3600	4271	4845	4914	5177	5202	5271	5534
3531	3600	4361	4864	4933	5290	5251	5320	5677
3695	3764	4402	5026	5095	5329	5410	5479	5713
3695	3764	4583	5046	5115	5555	5462	5531	5971
3695	3764	5063	5043	5112	5568	5454	5523	5979
3695	3764	5274	5065	5134	5801	5510	5579	6246

If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder is specified, add 326

FDPZ

Framed Pivot Glass Door



Full-Height

Segmented Solid

WHAT'S INCLUDED

1 Door, 1 Door Handle.

WHAT'S EXCLUDED

Glass Pivot Door Frame Kit – Low Profile (FKPFZ).

NOTES

Door

Door Dimensions

Door Clearance

FDPZ_40

36.5" wide

36.5"

FDPZ_42

38.5" wide

38.5"

Exact width must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

164

PRODUCT OPTIONS

Door Base	Height (in 1" increments)	Ceiling Fascia Height	Width	Door Swing Direction	Lever Type	Hardware Type	Closer	Glass Thickness	Glass Type	Glass Finish	Frame Finish
1 Standard Height	84 (84 Segmented-Height)	4, 6	40, 42	L Left Swing	J Jupiter	1 No Lock	1 No Closer	06 6mm	T Tempered	Grade 6	AC Clear Anodized
2 10" High Kickplate	102 (96 – 102 Ceiling Height – Full-Height)			R Right Swing	S Saturn	2 Standard Lock and Cylinder	2 With Closer	10 10mm	L Laminated	Grade 7	
	108 (103 – 108 Ceiling Height – Full-Height)					3 Standard Lock and Interchangeable Core Cylinder					
	114 (109 – 114 Ceiling Height – Full-Height)										
	120 (115 – 120 Ceiling Height – Full-Height)										

SAMPLE ORDER CODE

FDPZ 1	114	4	40	L	J	1	2	06	T	A5	AC
--------	-----	---	----	---	---	---	---	----	---	----	----

DIMENSIONS CODES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear (6mm)	Standard Glass Clear (10mm)	Standard Glass Clear	Frost	Cool White	Specialty Glass Vanceva Gr. 6
STANDARD HEIGHT (1)					
2785	3046	3798	3915	3915	4311
2806	3081	3871	3995	3995	4380
2846	3155	4033	4172	4172	4550
2871	3195	4119	4266	4266	4733
2879	3207	4140	4288	4288	4628
2905	3251	4231	4389	4389	4824
2911	3260	4247	4404	4404	4647
2939	3306	4344	4511	4511	4850
2944	3313	4354	4521	4521	4728
2974	3362	4457	4633	4633	4936

Additional pricing is continued on the following page.

F D P Z
Framed Pivot Glass Door
(Continued)

DIMENSIONS
CODES / MM
PRICING

		TEMPERED GLASS (T)		LAMINATED GLASS (L)			
H (CODE)	W	Standard Glass Clear (6mm)	Standard Glass Clear (10mm)	Standard Glass Clear	Frost	Cool White	Specialty Glass Vanceva Gr. 6 Gr. 7
		10" HIGH KICKPLATE (2)					
102 / 2591	40 / 1016	3395	3656	4407	4525	4525	4311 4512
102 / 2591	42 / 1067	3470	3745	4535	4659	4659	4380 4581
102 / 2591	40 / 1016	3456	3764	4642	4781	4781	4833 5085
102 / 2591	42 / 1067	3535	3859	4783	4930	4930	5016 5268
108 / 2743	40 / 1016	3488	3817	4749	4898	4898	4911 5164
108 / 2743	42 / 1067	3569	3915	4895	5052	5052	5108 5360
114 / 2896	40 / 1016	3521	3870	4856	5014	5014	4930 5182
114 / 2896	42 / 1067	3603	3970	5008	5175	5175	5133 5385
120 / 3048	40 / 1016	3554	3923	4963	5130	5130	5110 5264
120 / 3048	42 / 1067	3637	4025	5120	5297	5297	5169 5471

If Standard Lock and Cylinder for 84" Segmented Height is specified, add 204

If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder for 84" Segmented Height is specified, add 317


If Standard Lock and Interchangeable Core Cylinder is specified, add 310

If Closer for 84" Segmented Height is specified, add 1040

If Closer is specified, add 1038

FDJ

Hinged Glass Door



The Hinged Glass Door provides an opening with a 180° swing.

WHAT'S INCLUDED

1 door, brushed chrome lever (with or without lock as specified), 1 door base stop, connection hardware.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Door Frame Kit (FKD5) and Horizontal Rail Packages (FKHG).

NOTES

Door	Door Dimensions	Door Clearance	At Corner
FDJ_40	36" wide	34.75"	33
FDJ_42	38" wide	36.75"	35

Door is non-handed and can be adjusted in the field between left and right handed orientation.

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Fascia Height **must** be specified for full height doors.

Tempered Glass is not available for ceiling heights greater than 114" with 6" ceiling fascia or 112" with 4" ceiling fascia.

PRODUCT OPTIONS

Height	Ceiling Height Fascia	Width	Door Swing Direction	Lever Type	Hardware Type	Kickplate	Glass Type (Full Height Only)	Glass Insert Finish
84 (84 Segmented-Height)	4, 6	40, 42	L Left Swing	J Jupiter	1 No Lock	1 No Kickplate	T Tempered	5 Clear
102 (96 – 102 Ceiling Height – Full-Height)	(For Full Height Only)		R Right Swing	S Saturn	2 Standard Lock and Cylinder	2 With Kickplate	L Laminated	6 Frost
108 (103 – 108 Ceiling Height – Full-Height)					3 Standard Lock and Interchangeable Core Cylinder			
112 (109 – 112 Ceiling Height – Full-Height)								
116 (113 – 116 Ceiling Height – Full-Height)								
120 (117 – 120 Ceiling Height – Full-Height)								

SAMPLE ORDER CODE

FDJ 98	6	42	L	J	1	2	T	5
--------	---	----	---	---	---	---	---	---

DIMENSIONS CODES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
112 / 2845	40 / 1016
112 / 2845	42 / 1067
116 / 2946*	40 / 1016
116 / 2946*	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear		Standard Glass Clear	Frost	Cool White	Specialty Glass Vanceva Gr. 6 Gr. 7
1973		n/a	3064	3064	3626 3988
2012		n/a	3151	3151	3705 4076
1934		3069	3222	3222	3878 4266
1978		3161	3322	3322	3957 4352
1988		3179	3341	3341	4330 4763
2035		3276	3448	3448	4431 4874
2024		3252	3421	3421	4425 4868
2073		3353	3531	3531	4530 4984
2107		3435	3610	3610	4488 4937
2157		3540	3725	3725	4596 5056
n/a		3508	3690	3690	4551 5006
n/a		3617	3808	3808	4663 5129

If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder is specified, add 326

If Kickplate is specified, add 583

The Hinged Glass Double Door provides a large opening with a door swing of 180°.

WHAT'S INCLUDED

2 doors, brushed chrome levers (with or without lock as specified), 2 door base stops, connection hardware.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Door Frame Kit (FKD5) and Horizontal Rail Packages (FKHG).

NOTES


Door	Door Clearance
FDE_72	67"
FDE_80"	75"

Doors are non-handed and can be adjusted in the field between left and right handed orientation.

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

F D E Hinged Glass Double Door



167

PRODUCT OPTIONS

Height	Width	Lever Type	Hardware Type	Kickplate	Glass Door Finish
84 (84 Segmented-Height)	72, 80	J Jupiter	1 No Lock	1 No Kickplate	5 Clear
		S Saturn	2 Standard Lock and Cylinder	2 With Kickplate	6 Frost
			3 Standard Lock and Interchangeable Core Cylinder		

SAMPLE ORDER CODE

FDE 84	80	J	2	2	5
--------	----	---	---	---	---

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	72 / 72
84 / 2134	80 / 80

PRICING

Standard Glass		Specialty Glass	
Clear	Frost	Gr.6	Gr.7
4826	7001	7636	8056
4979	7346	8057	8477


If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder is specified, add 310

If Kickplate is specified, add 726

F D D

Hinged Double Door



Glass Insert Full-Height

Solid Segmented

The Hinged Double Door provides a large opening with door swing of 180° and optional glass insert.

WHAT'S INCLUDED

2 doors (optional glass inserts), 2 Brushed Chrome levers (with or without lock as specified), 2 base mounted door stops and connection hardware.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Double Door Transom and Frame Package (FKTS, FKTF).

NOTES

Door	Door Dimensions	Door Clearance
FDD_72	67" wide	63.5"
FDD_80	75" wide	71.5"
FDD_84	79" wide	75.5"

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Fascia Height **must** be specified for full height doors.

PRODUCT OPTIONS

Door Type	Height	Ceiling Fascia Height	Width	Lever Type	Hardware Type	Drop Seal	Solid Door Finish	Glass Insert Finish	Glass Insert Frame Finish
1 Solid	84 (84 Segmented-Height)	4, 6	72, 80, 84	J Jupiter	1 No Lock	1 No Drop Seal	Fascia Laminate	5 Clear	AC Clear Anodized
2 Solid with Glass Insert	102 (96 – 102 Ceiling Height – Full-Height)	(For Full Height Only)		S Saturn	2 Standard Lock and Cylinder	2 With Drop Seal	Flintwood	6 Frost	
	108 (103 – 108 Ceiling Height – Full-Height)				3 Standard Lock and Interchangeable Core Cylinder				
	114 (109 – 114 Ceiling Height – Full-Height)								
	120 (115 – 120 Ceiling Height – Full-Height)								

SAMPLE ORDER CODE

FDD 2	116	6	80	J	1	2	AT	A6	AC
-------	-----	---	----	---	---	---	----	----	----

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	72 / 1829
84 / 2134	80 / 2032
84 / 2134	84 / 2134
102 / 2591	72 / 1829
102 / 2591	80 / 2032
102 / 2591	84 / 2134
108 / 2743	72 / 1829
108 / 2743	80 / 2032
108 / 2743	84 / 2134
114 / 2896	72 / 1829
114 / 2896	80 / 2032
114 / 2896	84 / 2134
120 / 3048	72 / 1829
120 / 3048	80 / 2032
120 / 3048	84 / 2134

PRICING

SOLID DOOR			STANDARD CLEAR GLASS INSERT			STANDARD FROST GLASS INSERT		
Fascia	Laminate		Fascia	Laminate		Fascia	Laminate	
Gr. 1	Gr. 2	Flintwood	Gr. 1	Gr. 2	Flintwood	Gr. 1	Gr. 2	Flintwood
5295	5320	5320	7233	7258	7258	7773	7798	7798
5661	5686	5686	7625	7650	7650	8263	8288	8288
6024	6049	6049	8171	8196	8196	8858	8883	8883
6142	6167	6167	8276	8301	8301	8930	8955	8955
6425	6550	6611	8803	8911	8911	9576	9684	9684
6425	6550	6874	8842	8967	9287	9675	9800	10120
6510	6535	6535	8749	8774	8774	9452	9477	9477
6974	6999	6999	9387	9412	9412	10218	10243	10243
7182	7272	7272	9640	9778	9801	10535	10673	10696
6707	6732	6732	8995	9020	9020	9747	9772	9772
7301	7309	7309	9755	9835	9835	10644	10724	10724
7301	7439	7500	9799	9937	10089	10757	10895	11047
6991	7016	7016	9383	9408	9408	10185	10210	10210
7360	7499	7519	9852	9990	10101	10799	10937	11048
7360	7499	7813	9899	10037	10518	10919	11057	11538

If Standard Lock and Cylinder is specified, add 203

If Standard Lock and Interchangeable Core Cylinder is specified, add 325

If Drop Seal is specified, add 684

The Glass Barn Door provides an opening with a glass sliding door mounted to the outside face of the wall.

WHAT'S INCLUDED

1 door (single), 2 Brushed Chrome door pulls (with or without lock as specified), 1 integrated door stop and guide kit, connection hardware, sliding mechanism, vertical and horizontal seals.

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Barn Door Transom and Frame Package (FKSS, FKSF).

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. **84, 102**) are listed for pricing purpose only.


While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Fascia Height **must** be specified for full height doors.

48" width is not available for ceiling heights greater than 108".

Tempered Glass is not available for ceiling heights greater than 114" with 6" ceiling fascia or 112" with 4" ceiling fascia.

F D C Glass Barn Door



PRODUCT OPTIONS

Height	Ceiling Fascia Height	Width	Door Slide Direction	Hardware Type	Glass Type (Full Height Only)	Glass Door Finish
84 (84 Segmented-Height)	4, 6	40, 42, 48	L Left Slide R Right Slide	1 No Lock 2 Standard Lock and Interchangeable Core Cylinder	T Tempered L Laminated	5 Clear 6 Frost
102 (96 – 102 Ceiling Height – Full-Height)	(For Full Height Only)					
108 (103 – 108 Ceiling Height – Full-Height)						
112 (109 – 112 Ceiling Height – Full-Height)						
116 (113 – 116 Ceiling Height – Full-Height)						
120 (116 – 120 Ceiling Height – Full-Height)						

SAMPLE ORDER CODE

FDC 96	4	48	R	1	L	A5
---------------	----------	-----------	----------	----------	----------	-----------

DIMENSIONS CODES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
112 / 2844	40 / 1016
112 / 2844	42 / 1016
116 / 2946	40 / 1016
116 / 2946	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING


TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear		Standard Glass Clear	Frost	Cool White	Specialty Glass Vanceva Gr. 6 Gr. 7
2619		n/a	3705	3705	5000 5500
2659		n/a	3793	3793	5086 5594
2782		n/a	4058	4058	5498 6048
2821		3908	4076	4076	5167 5477
2865		3999	4175	4175	5262 5578
2997		4272	4474	4474	5600 5937
2905		4053	4232	4232	5852 6215
2952		4150	4337	4337	5961 6324
3092		4439	4654	4654	6326 6706
2961		4150	4335	4335	5938 6294
3009		4250	4445	4445	6038 6400
2989		4247	4439	4439	5999 6359
3038		4351	4553	4553	6102 6469
n/a		4343	4543	4543	6060 6423
n/a		4451	4661	4661	6167 6536

If Standard Lock and Interchangeable Core Cylinder is specified, add 818

door packages

F D C Z

Glass Barn Door Low Profile



WHAT'S INCLUDED

1 Door , 2 Door pulls (with or without locks as specified), sliding mechanism and connection hardware.

WHAT'S EXCLUDED

Glass Barn Door Frame (FKSFZ), Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG).

NOTES

Door	Door Dimensions	Door Clearance
FDCZ_40	40" wide	32"
FDCZ_42	42" wide	34"

This can only be ordered with 4" Ceiling Fascia.

Tempered glass is not available for heights greater than 111".

Exact width must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

PRODUCT OPTIONS

Height	Ceiling Fascia Height	Width	Door Slide	Door Application	Hardware Type	Glass Type	Glass Finish	Soft Close Mechanism	Trolley & Base Cover Finish
102 (96 – 102 Ceiling Height – Full-Height)	4 (For Full Height Only)	40, 42	L Left R Right	I Interior E Exterior	1 No Lock 2 Standard Lock and Cylinder 3 Standard Lock and Interchangeable Core Cylinder	T Tempered L Laminated	Tempered Glass Standard Glass Laminated Glass Specialty Glass Standard Glass	1 Without Soft Close Mechanism 2 With Soft Close Mechanism	AC Clear Anodized
108 (103 – 108 Ceiling Height – Full-Height)									
114 (109 – 114 Ceiling Height – Full-Height)									
120 (115 – 120 Ceiling Height – Full-Height)									

SAMPLE ORDER CODE

FDCZ 120	4	42	R	E	1	L	H3	1	AC
-----------------	----------	-----------	----------	----------	----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

TEMPERED GLASS (T)		LAMINATED GLASS (L)				Specialty Glass Vanceva	
Standard Glass Clear		Standard Glass Clear	Frost	Cool White		Gr. 6	Gr. 7
3399		4476	4642	4642		6272	6635
3447		4569	4744	4744		6387	6750
3486		4624	4801	4801		6456	6820
3536		4723	4909	4909		6577	6941
n/a		4772	4959	4959		6644	7007
n/a		4877	5074	5074		6773	7136
n/a		4920	5118	5118		6784	7148
n/a		5031	5239	5239		6920	7283

If Soft Close Mech is specified, add 120

If Standard Lock and Interchangeable Core Cylinder is specified, add 1067

The Solid Barn Door provides an opening with a solid sliding door mounted to the outside face of the wall.

WHAT'S INCLUDED

1 door (single), 2 Brushed Chrome door pulls (with or without lock as specified), 1 door stop and guide kit, connection hardware, sliding mechanism, drop seal mechanism (as specified).

WHAT'S EXCLUDED


Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Barn Door Transom and Frame Package (FKRSS, FKRFS).

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

F D S Solid Barn Door



PRODUCT OPTIONS

Height	Ceiling Fascia Height (Full Height Only)	Width	Door Slide Direction	Hardware Type	Drop Seal	Door Finish
84 (84 Segmented-Height)	6	40, 42, 48	L Left Slide	1 No Lock	1 No Drop Seal	Fascia Laminate
102 (96 – 102 Ceiling Height – Full Height)			R Right Slide	2 Standard Lock and Interchangeable Core Cylinder	2 With Drop Seal	Flintwood
108 (103 – 108 Ceiling Height – Full Height)						

SAMPLE ORDER CODE

FDS 106	6	42	L	1	2	AT
----------------	----------	-----------	----------	----------	----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
4978	5062	5062
4978	5135	5209
4978	5135	5544
5333	5584	5639
5333	5584	5745
5333	5584	6172
5435	5686	5933
5435	5686	6046
5435	5686	6438


If Standard Lock and Interchangeable Core Cylinder is specified, add 982

If Drop Seal is specified, add 1382

door packages

FDI

Barn Door with Glass Insert



The Barn Door with Glass Insert provides an opening with a glass insert sliding door mounted to the outside face of the wall.

WHAT'S INCLUDED

1 door (single), 2 Brushed Chrome door pulls (with or without lock as specified), 1 door stop and guide kit, connection hardware, sliding mechanism, drop seal mechanism (as specified).

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (FFS, FFG), Barn Door Transom and Frame Package (FKRSS, FKRF5).

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. 84, 102) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

172

PRODUCT OPTIONS

Height	Ceiling Fascia Height (Full Height Only)	Width	Door Slide Direction	Hardware Type	Drop Seal	Door Frame Finish	Glass Finish
84 (84 Segmented-Height)	6	40, 42, 48	L Left Slide	1 No Lock	1 No Drop Seal	Fascia Laminate Flintwood	5 Clear
102 (96 – 102 Ceiling Height – Full-Height)			R Right Slide	2 Standard Lock and Interchangeable Core Cylinder	2 With Drop Seal		6 Frost
108 (103 – 108 Ceiling Height – Full-Height)							

SAMPLE ORDER CODE

FDI 96	6	48	R	1	2	MS	6
---------------	----------	-----------	----------	----------	----------	-----------	----------

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
84 / 2134	48 / 1219
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

CLEAR STANDARD GLASS			FROST STANDARD GLASS				
Fascia Laminate Gr.1	Gr. 2	Flintwood	Fascia Laminate Gr.1	Gr. 2	Flintwood		
6009	6165	6789	6289	6446	7070		
6024	6181	7026	6328	6485	7331		
6069	6226	7557	6444	6601	7931		
6398	6649	7563	7563	6733	6984	7897	7897
6416	6667	7725	7725	6779	7030	8087	8087
6471	6722	8302	8302	6917	7168	8748	8748
6517	6768	7858	7858	6878	7129	8219	8219
6537	6788	8120	8120	6928	7179	8511	8511
6596	6847	8636	8636	7077	7328	9117	9117

If Standard Lock and Interchangeable Core Cylinder is specified, add 982

If Drop Seal is specified, add 1382

The Double Glass Barn Door provides a large opening with two sliding doors mounted to the inside or outside face of the wall.

WHAT'S INCLUDED

2 doors, 4 Brushed Chrome door pulls (with or without lock as specified), 2 integrated door stops and guide kits, connection hardware, sliding mechanism, vertical and horizontal seals.

WHAT'S EXCLUDED

Ceiling Fascias (FFC, FFRC) and Double Barn Door Frame Package (FKLF).

NOTES


Door	Door Dimensions	Door Clearance
FDL_72	72" wide	56"
FDL_80	80" wide	64"

Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

Tempered glass is **not** available for ceiling heights greater than 115".

F D L Double Glass Barn Door



PRODUCT OPTIONS

Height (in 1" increments)	Width	Hardware Type	Glass Type	Glass Finish
102 (96 – 102 Ceiling Height – Full-Height)	72, 80	1 No Lock	T Tempered	Tempered Glass Standard Glass
108 (103 – 108 Ceiling Height – Full-Height)		2 Standard Lock and Interchangeable Core Cylinder	L Laminated	Laminated Glass Specialty Glass Standard Glass
114 (109 – 114 Ceiling Height – Full-Height)				
120 (115 – 120 Ceiling Height – Full-Height)				

SAMPLE ORDER CODE

FDL 102	72	1	T	A5
----------------	-----------	----------	----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	72 / 1828
102 / 2591	80 / 2032
108 / 2743	72 / 1828
108 / 2743	80 / 2032
114 / 2896	72 / 1828
114 / 2896	80 / 2032
120 / 3048	72 / 1828
120 / 3048	80 / 2032

PRICING


TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear		Standard Glass Clear Frost		Specialty Glass Vanceva Cool White Gr. 6 Gr. 7	
7006		8935	9227	9227	12335 13035
7185		9296	9621	9621	12612 13328
7187		9227	9539	9539	12587 13301
7376		9610	9957	9957	12869 13600
7802		9953	10284	10284	12831 13559
8002		10359	10727	10727	13120 13864
n/a		10565	10915	10915	13077 13819
n/a		10992	11382	11382	13371 14130

If Standard Lock and Interchangeable Core Cylinder is specified, add 1748

door packages

F D L Z

Double Glass Barn Door – Low Profile



WHAT'S INCLUDED

2 Doors, 4 Door pulls (with or without locks as specified), sliding mechanism and connection hardware.

WHAT'S EXCLUDED

Double Glass Barn Door Frame – Low Profile (FKLFZ), Ceiling Fascias (FFC, FFRC).

NOTES

This can only be ordered with 4" Ceiling Fascia.

Tempered glass is not available for heights greater than 111".

Exact width must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

I74

PRODUCT OPTIONS

Height (in 1" increments)	Ceiling Fascia Height	Width	Hardware Type	Glass Type	Glass Finish	Base Cover & Trolley Finish
102 (96 – 102 Ceiling Height – Full-Height)	4	72	1 No Lock	T Tempered	Tempered Glass Standard Glass	AC Clear Anodized
108 (103 – 108 Ceiling Height – Full-Height)			2 Standard Lock and Interchangeable Core Cylinder	L Laminated	Laminated Glass Specialty Glass Standard Glass	
114 (109 – 114 Ceiling Height – Full-Height)						
120 (115 – 120 Ceiling Height – Full-Height)						

SAMPLE ORDER CODE

FDLZ 112	4	72	1	L	A5	AC
-----------------	----------	-----------	----------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	72 / 1828
108 / 2743	72 / 1828
114 / 2896	72 / 1828
120 / 3048	72 / 1828

PRICING

TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear		Standard Glass Clear		Specialty Glass Vanceva Gr. 6 Gr. 7	
7226		9237	9536	9536	13988 14772
7389		9511	9829	9829	14385 15169
7606		10182	10520	10520	14789 15573
n/a		10553	10909	10909	15093 15876

If Standard Lock and Interchangeable Core Cylinder is specified, add 1631

frame kits &
components


frame kits & components

PRODUCT MAP	178
FRAME KIT OVERVIEW	182
CEILING & BASE CHANNEL BASICS	183
VERTICAL POST BASICS	184
CORNER & MODULE CONNECTION OVERVIEW	185
90° CORNER CONNECTION BASICS	186
135° CORNER CONNECTION BASICS	187
ARTICULATING CORNER BASICS	188
MODULE CONNECTION BASICS	189
WALL GASKET BASICS	190
WALL START & END BASICS	191
DOOR FRAME BASICS	193
FRAME KIT COMPONENT BASICS	194
PRODUCT LISTING	196

product map


F K N Ceiling Channel

Page 196
Length: 120"




F K C Base Channel – Continuous

Page 196
Length: 120"




F K P Ceiling Clips

Page 197




F K K Horizontal Rail

Page 198
Width: 12" - 48" in 1" increments




F K H Horizontal Rail Packages

Page 199
Width: 12" - 48" in 1" increments




F K V Vertical Post Packages

Page 200
Ceiling Height: 96" - 120" in 1" increments




F K W Wall Start

Page 201
Ceiling Height: 108" & 120"




F K E Adjustable Wall End

Page 202
Ceiling Height: 96" - 120" in 1" increments




F K W A Variable Angle Wall Start

Page 203
Ceiling Height: 96" - 120" in 1" increments




F K F Wall Finished End

Page 204
Ceiling Height: 108" & 120"




F K C H 9 0 Two-Way 90° Corner Connection Frame Hardware Kit

Page 205




F K C H 1 3 2 Two-Way 135° Corner Connection Frame Hardware Kit

Page 205




F K C H 1 3 3 Three-Way 135° Corner Connection Frame Hardware Kit

Page 206




F K C H 1 8 0 Three-Way 180° Corner Connection Frame Hardware Kit

Page 206



F K C 4 Four-Way Connection


Page 207



F K C A 2 Articulating Two-Way Corner

Page 208


Ceiling Height: 96" - 120" in 1" increments



F K C A 3 Articulating Three-Way Corner

Page 209


Ceiling Height: 96" - 120" in 1" increments



F K M 3 Three-Way 180° Module Connection

Page 210


Ceiling Height: 96" - 120" in 1" increments



F K J Wall Gasket

Page 211

Width: 120"



F K J C Vertical Reveal Corner Kit

Page 212

Width: 120"



F K T F Double Door Frame Package – Full-Height

Page 213

Ceiling Height: 96" - 120" in 1" increments /
Width: 72", 80" & 84"



F K T S Double Door Transom & Frame Package – Segmented-Height

Page 214

Ceiling Height: 96" - 120" in 1" increments /
Width: 72", 80" & 84"



F K T E S Hinged Glass Double Door Transom & Frame Package – Segmented- Height

Page 215


Height: 96" - 120" in 1" increments /
Width: 72" & 80"



F K D Door Frame Kit

Page 216

Ceiling Height: 84" 96" - 120" in 1" increments /
Width: 40" & 42"



product map

F K S F Barn Door Frame Package – Full-Height for Glass Door

Page 217


Ceiling Height: 96" - 108" in 1" increments /
Width: 40", 42" & 48"



F K S F Z Standard Glass Barn Door Frame – Low Profile

Page 218

Height: 96" - 120" in 1" increments /
Width: 40" & 42"



F K R F S Barn Door Frame Package – Full-Height for Solid/Glass Insert Door

Page 219

Ceiling Height: 96" - 108" in 1" increments /
Width: 40", 42" & 48"



F K S S Barn Door Transom & Frame Package – Segmented-Height for Glass Door

Page 220

Door Height: 84" / Width: 40", 42" & 48"



F K R S S Barn Door Transom & Frame Package – Segmented-Height for Solid/Glass Insert Door

Page 220


Door Height: 84" / Width: 40", 42" & 48"



F K L F Double Barn Door Frame Package – Full-Height for Glass Doors

Page 221


Ceiling Height: 96" - 120" in 1" increments /
Width: 72" & 80"



F K L F Z Double Glass Barn Door Frame – Low Profile

Page 222

Height: 96" - 120" in 1" increments /
Width: 72"



F K P F Z Glass Pivot Door Frame Kit – Low Profile

Page 223


Height: 96" - 120" in 1" increments /
Width: 40" & 42"



F K P S Z Glass Pivot Door Solid Frame Kit



Page 224

Height: 96" - 120" in 1" increments /
Width: 40" & 42"



F T T Installation Tools

Page 225




F B G Horizontal Grommet

Page 226




F A I Recycled Cotton Insulation

Page 227
Length: 50' / Width: 4'




F B B Base Leveler

Page 228




F B E Horizontal End Cap

Page 228




F B N Horizontal Connector Bolt

Page 228




F B F M Fascia Connector – Male

Page 229




F B F F Fascia Connector – Female

Page 229




F K L Fascia Lock

Page 229



F K B Base Channel – Modular

Page 230
Width: 12" - 48" in 1" increments



frame kit overview

Frame kits are used together to create the structural frame of the Altos wall. Frame kits are specified after the Fascia configurations has been determined.

Corner Cover (FKCN90) and Hardware Kit (FKCH90) (shown)


Also Available:

FKCN132 and FKCH132, FKCN133 and FKCH133, FKCN180 and FKCH180, FKCA4, FKCA2, FKCA3

Recycled Cotton Insulation (FAI) (not shown)

Recycled cotton insulation used within the Altos wall cavity to improve STC. Available as a 50' x 4' roll cut to size on site.

182




Door Frame Kit (FKD) (shown)

Also Available:

FKTE, FKTS, FKRT, FKRS, FKRSS

Frame Kit packages are for vertical posts and horizontal rails are specified to coordinate with Fascia elevations chosen



frame kits & components


ceiling & base channel basics

- ❗ A Ceiling Channel (FKN) is required over entire wall run, including openings and corner connections in all applications of Altos wall system
- See page 72 for Vertical Post Fascias

Ceiling Clip (FKP)

- Is a non-permanent method of connecting the ceiling channel to the suspended ceiling
- **Cannot** be connected to all types of ceilings – site verification required
- Non-marking and need to be ordered separately from ceiling channel
- Accommodate the changing wall locations without defacing the T-Bar

Ceiling Clip Upper



Ceiling Clip Lower

Horizontal Grommet (FBG)

(not shown)

- The Horizontal Grommet provides a finish to the Horizontal Rail cut outs
- Optional for use with solid and fabric fascias. **Cannot** be used with Glass Fascias



Wall Gasket (FKJ)

- Is a light and sound seal between the bottom of the wall system and the finished floor and the top of the wall system and the ceiling
- Minor height variations in floor and ceiling surfaces may be concealed by the wall gasket – available in 10'-0" lengths only

Vertical Reveal Cover Kit (FKJC)


The Vertical Reveal Cover provides a trim for vertical post when Platinum or Storm White gaskets are used




Horizontal Rail Package (FKH)

- Consist of horizontal rails and one Base Channel – Modular (FKB)
- Horizontal pass-through of electrics and communications is possible through the openings in the horizontal rails
- One Package is shared between the inner and outer elevation of a wall module
- Are universal and are used for both Solid and Glass Fascias
- **Must** specify base and ceiling fascia height being used
- When the 4" fascia is specified, female mounting clips are installed on the Horizontal Rail. When the 6" fascia is specified then female clips are mounted on the Vertical Posts

12", 18", 24", 30", 40", 42", 48" and in 1" increments from 12" - 48"




To determine the number of Ceiling Channels (FKN) required for the length of a wall run, take the total linear footage multiplied by 0.14



Ceiling Channel (FKN)


- Attaches to the ceiling and supports the Vertical Post Packages
- Is an inverted steel U-channel start and can be cut to size on site
- Holes are punched into the Ceiling Channel to facilitate power and communications feed from the ceiling into the wall
- Is available in 10'-0" lengths only
- Can be attached to ceiling at any angle

Ceiling Channel



Base Channel (FKC)


- Horizontal frame work of all wall assemblies
- Gap tape is provided along the underside of the channel to add stability and an acoustic barrier without mechanical attachments to the floors
- Can also be mechanically fastened to the floor if a more secure or permanent attachment is required (hardware not included)
- Available in 10" widths only





vertical post basics

The Vertical Post Package extends from finished floor to finished ceiling and is the vertical support of the Altos frame.


- Vertical Post Packages are universal and also fulfill the vertical post requirements for door openings
- The levelers allow for adjustment of $+1\frac{1}{2}$ / -0.5 " independently at the top and $+1\frac{1}{2}$ / -0.5 " independently at the bottom
- Must** specify base and ceiling fascia height being used




Vertical Post Package (FKV)




FKVG: for Single




FKVF: for Full and Monolithic Fascias




FKVS: for Segmented Fascias




FKVW: for Working Wall Fascias




FKVF: for Segmented Monolithic



FKVF: for Partial Segmented Monolithic



FKVF: for Full Working Wall Monolithic




FKVS: for Partial Working Wall Monolithic

corner & module connection overview


Altos allows 90°, 135° and 180° connections in two-way, three-way and four-way configurations, as well as mid-wall connections.

- ❗ All connections allow for passage of power and communications except FKCA2 and FKCA3
- Partial height connections are not possible
- All connections are available for ceiling heights from 96" to 120" in 1" increments



185

modular connections




90° corner connection basics

Walls can be connected at right angles in two-way, three-way and four-way configurations.




- Brackets connect post packages to form a corner
- The quantity of brackets required may vary according to wall heights or wall material
- Can enclose electrics & communications travelling from wall-to-wall or from ceiling down to glass modules
- Covers for two-Way and three-way corners are in the Fascias Section




Two-Way 90° Frame Hardware Kit (FKCH90)

Provides the framework to connect two walls at 90°.




Four-Way Connection 90° Connection (FKC4)

Creates a full-height connection between four walls which are connected at 90°.



Three-Way 180° Frame Hardware Kit (FKCH180)

Provides the framework to connect three walls at 180°.




135° corner connection basics

Walls can be connected at 135° in two-way and three-way configurations.

❗ Covers for 135° corners are in the Fascias Section.



Two-Way 135° Frame Hardware Kit (FKCN132)

Provides the frame work for two walls to be connected at 135°.



Three-Way 135° Frame Hardware Kit (FKCH133)

Provides the framework to connect to three walls at 135°.



articulating corner basics


Articulating Corners are used to change the angle of an Altos wall run.



- Articulating Corners are available in two-way and three-way configurations
- All Articulating Corners accommodate a range of adjustment from -10° to $+10^{\circ}$
- Finished in anodized aluminum



Articulating Two-Way Corner (FKCA2)

- Connects two Altos walls between 80° and 100°
- Articulating wall can be on either side of corner
- Provides both the connecting hardware and cover



Articulating Three-Way Corner (FKCA3)

- Connects two Altos walls between 80° and 100° with a third fixed Altos wall
- Both sides of corner can be angled independently, each side allows for a maximum 20° of rotation ($\pm 10^{\circ}$)
- Provides both the connecting hardware and cover




frame kits & components

module connection basics

The Three-Way 180° Module Connection provides options for on and off-module connections to an existing wall run.


Three-Way 180° Module Connection (FKM3_1) (On-Module)

- Centers the connection at the vertical reveal between Fascias
- May **not** be attached at any other location



Three-Way 180° Module Connection (FKM3_2) (Off-Module)

- Creates a connection anywhere between reveals of Fascias
- May **not** be used at the vertical reveal
- Can be used at Solid and Double glass Fascias only
- Module Connection adds 1-1/4" Creep – this added dimension comes from the connection interface




wall gasket basics


The Wall Gasket (FKG) provides a light and sound seal between the bottom of the wall system and the finished floor and the top of the wall system and the ceiling.

! Minor height variations in floor and ceiling surfaces may be concealed by the wall gasket

determining wall gasket requirements




The formula to determine the number of Wall Gaskets (FKG) required for the length of a wall run is the total linear footage of this product multiplied by 0.40 equals total number of Wall gaskets required.



wall start & end basics

Altos offers three types of wall ends for finishing Altos runs; Wall Start, Wall End and Adjustable Wall End.




The Wall Start (FKW)

- Begins or ends a wall run at the building wall, column or mullion and provides a clean connection between the building and the Altos wall
- Can accommodate between $+1/4"$ to $-1/4"$ spacing due to untrue or unlevel wall surfaces
- Adds $1-1/16"$ to the wall run
- Can be cut on site

- Intended for minimal gaps in width only; for larger gaps, an Adjustable Wall Start (FKEF, FKES, FKEW, FKEG) should be specified (same as FKES)
- Must be used with a Vertical Post package
- The Wall Start does **not** route electrics or communication from the building architecture wall

Wall Finished End (FKF)

- Is used to cap the end of a wall run where there is no connection to another wall run
- Can be cut to size extends from floor to ceiling




Adjustable Wall End (FKEF, FKES, FKEW, FKEG)

- Used to allow dimensional adjustment of wall width onsite to complete a wall run where interfacing with building architecture including mullions
- Adjustable Wall End (FKEG) accommodates adjustment range of $1-1/2"$ - $4-1/2"$ with no horizontal reveals (Flintwood option is only available to 114")



- Adjustable Wall Ends (FKES, FKEF and FKEW) accommodate adjustment range of 3" - 9" and are specified to match Full, Segmented and Working Wall elevations
- All wall connections including Fascia, horizontal rails, base channel and hardware are included but Ceiling Channel (KFN), Ceiling Clips (FKP) and Vertical Posts (FVP) must be ordered separately

wall start & end basics (continued)




Variable Angle Wall Start (FKWA)

- Used at the beginning or end of a run connecting to building wall, mullion or columns
- Accommodates minor width variation from $-1/4"$ to $+3/8"$
- When wall start is at nominal position from the building, the Altos wall can start at any angle between -45° and $+45^\circ$
- When wall start is at minimum position ($1/2"$) from building the Altos wall can start at any angle between -38° and $+38^\circ$
- Distance between rotation point of wall start and building wall is $3/4"$
- Distance between rotation point of wall start and centerline of the first vertical post is $2"$
- Must be used with a Vertical Post package
- Does **not** route electrics or communications from the building architecture
- Finished in anodized aluminum



Nominal Adjustment




Minimum Adjustment

door frame basics

Several frame packages are available for door packages. See price pages for details of these products.




- It is not recommended to install a door adjacent to a Wall End (FKE), Wall Start (FKW) or Filler Panel (FPF)
- If Fascias are required to complete assembly they must be specified separately




Double Door Frame – Full Height (FKTF)

Required for the Hinged Double Door (FDD) at full-height




Double Door Transom & Frame – Segmented Height (FKTS)

Required for the Hinged Double Door (FDD) at segmented-height




Door Frame Kit (FKD)

Required for Hinged Door (FDH), Pivot Door (FDF) or Glass Door (FDJ) – door swing orientation must be specified




Barn Door & Frame – Full Height For Glass Door (FKSF)

Required for the Glass Barn Door (FDC)




Barn Door & Frame Package – Full for Solid/Glass Insert Door (FKRFS)

Required for Solid Barn Door (FDS)




Barn Door Transom & Frame – Segmented Height For Glass Door (FKSS)

Required for use with Segmented Glass Barn Door (FDC)




Barn Door Transom & Frame – Segmented for Solid/Glass Insert Door (FKRSS)

Required for use with Solid Barn Door (FDS/FDI)



Hinged Glass Double Door Transom & Frame Package – Segmented Height (FKTES)

Required for use with Hinged Glass Double Door (FDE)




Double Barn Door Frame – Full Height for Glass Doors (FKLF)

Required for use with Double Glass Barn Doors (FDL)




Glass Pivot Door Frame Kit – Low Profile (FKPFZ/FKPSZ)

Required for use with Framed Glass Pivot Door (FDPZ)



Standard Glass Barn Door Frame – Low Profile (FKSFZ)

Required for use with Glass Barn Door (FDCZ)




Double Glass Barn Door Frame – Low Profile (FKLFZ)


Required for use with Double Glass Barn Door (FDLZ)

frame kit component basics


Altos frame kits come with all necessary connection components however, certain components can also be purchased individually if required. See Price & Product Guide for details of these products.




Base Levelers (FBB)




Horizontal Shoulder Screw (FBN)




Fascia Connector – Male (FBFM)




Fascia Connector – Female (FBFF)



Fascia Lock (FKL)




Horizontal End Cap (FBE)



Base Levelers (FKB)

F K N
Ceiling Channel



The Ceiling Channel is the top horizontal framework and holds the vertical posts in place.


WHAT’S INCLUDED
1 channel

WHAT’S EXCLUDED
Ceiling Clips (FKP) for attachment to T-Bar ceiling system.

NOTES
The Ceiling Channel comes in a 120" length only and is cut to size on site.

196

F K C
Base Channel – Continuous



The Base Channel provides stability at the floor for the Vertical Posts.

WHAT’S INCLUDED
1 channel, connection hardware and grip tape.

NOTES
Base Channel – Continuous comes in a 120" length and is cut to size on site.

FKN CEILING CHANNEL
30

FKC BASE CHANNEL – CONTINUOUS
56

Ceiling Clips are a non-permanent method used to attach the Ceiling Channel (FKN) to T-Bar ceiling system.


WHAT'S INCLUDED

10 Clips per kit.

NOTES

To estimate quantities, allow for one Ceiling Clip per tile.

FKP Ceiling Clips



PRODUCT OPTIONS


Style
1 9/16" Ceiling Clip (For use with flat tiles only)
2 15/16" Ceiling Clip (Can be used with flat or drop tiles)
3 1/4" Spacer
4 9/16" (For Ultraline 3500, 3600)
5 9/16" (For Fineline grids)
6 9/16" Ceiling Clip (For drop tiles)

SAMPLE ORDER CODE

FKP 2

STYLE	PRICING
1	70
2	70
3	23
4	89
5	89
6	59

FKK
Horizontal Rail



Horizontal Rails attach to Vertical Posts to provide lateral support.

WHAT’S INCLUDED
Horizontal Rail (quantity as per elevation) and connection hardware.

WHAT’S EXCLUDED
Base Channel – Continuous (FKC).

NOTES
Use a Horizontal Rail Package (FKH) with doors and monolithic elevations.
The Horizontal Rail must correspond to wall elevation and Fascia width.

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Elevation		Width (in 1" increments)	
F Full S Segmented W Working Wall		12 12	36 31 – 36
		18 13 – 18	40 37 – 40
		24 19 – 24	42 41 – 42
		30 25 – 30	48 43 – 48

SAMPLE ORDER CODE

FKK F	30
-------	----

DIMENSIONS
INCHES / MM


W (CODE)
12 / 305
18 / 457
24 / 610
30 / 762
36 / 914
40 / 1016
42 / 1067
48 / 1219

PRICING

Full Elevation	Segmented Elevation	Working Wall Elevation
43	60	77
53	74	96
62	89	115
72	103	135
81	117	154
87	127	166
91	132	173
100	146	192

F K H

Horizontal Rail Packages



Horizontal Rails attach to Vertical Posts to provide lateral support.

WHAT'S INCLUDED

Horizontal Rails packages include Horizontal Rails (FKK) and Base Channel - Modular (FKB).

NOTES

Horizontal Rails (single - one rail, Monolithic - one rail, Full - two rails, Segmented - three rails, Working Wall - four rails), Base Channel - Modular (not included with single deviation).

Use a Single Horizontal Rail Package (FKHG) with doors.

The Horizontal Rail must correspond to wall elevation and Fascia width.

When the 4" fascia is specified, female mounting clips are installed on the Horizontal Rail. When the 6" fascia is specified then female clips are mounted on the Vertical Posts

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Base/Ceiling Fascia height must be specified for Full Height, Segmented and Working Wall Elevations.

PRODUCT OPTIONS

Elevation	Width (in 1" increments)		Base/Ceiling Fascia Height
G Single	12 12	36 31 – 36	4, 6
M Monolithic	18 13 – 18	40 37 – 40	
F Full	24 19 – 24	42 41 – 42	
S Segmented	30 25 – 30	48 43 – 48	
W Working Wall			


SAMPLE ORDER CODE

FKH F	42	6
--------------	-----------	----------

DIMENSIONS INCHES / MM

W (CODE)	PRICING				
	Single Elevation	Monolithic Elevation	Full Elevation	Segmented Elevation	Working Wall Elevation
12 / 305	24	28	46	67	83
18 / 457	29	34	57	82	103
24 / 610	34	41	68	97	123
30 / 762	39	47	79	113	144
36 / 914	44	52	89	128	164
40 / 1016	47	56	97	138	177
42 / 1067	49	58	100	143	184
48 / 1219	53	63	111	159	204

FKV
Vertical Post Packages



Vertical Posts extend from floor to ceiling to provide the vertical structure and hold Fascias in place.

WHAT'S INCLUDED

Full, Monolithic, Segmented, Working Wall Elevations: 1 Vertical Post, 2 Base Levelers (FBB), Fascia Connectors – Female (FBFF), Horizontal Connector Bolts (FBN) as per elevation.

Single Elevation: 1 vertical post and 2 base levelers (FBB).

WHAT'S EXCLUDED

Single Elevation: Fascia Connectors and Horizontal Connector Bolts.

NOTES

Exact width **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Base/Ceiling Fascia height must be specified for Full Height and Working Wall Elevations.

PRODUCT OPTIONS

Elevation	Ceiling Height (in 1" increments)	Base/Ceiling Fascia Height
G Single	102 96 – 102	4, 6
F Full/Monolithic	108 103 – 108	
S Segmented	114 109 – 114	
W Working Wall	120 115 – 120	

SAMPLE ORDER CODE

FKV W	105	4
-------	-----	---

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

Single Elevation	Full/Monolithic Elevation	Segmented Elevation	Working Wall Elevation
192	218	232	245
197	222	236	250
201	227	241	255
206	232	246	260

The Wall Start is used to attach the Altos wall to the building architecture.

WHAT'S INCLUDED

1 Wall Start with connection hardware.


NOTES

This product is finished in Black.

The Wall Start is cut to specific height on site.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKW Wall Start



PRODUCT OPTIONS

Ceiling Height

108, 120

201

SAMPLE ORDER CODE

FKW 108

DIMENSIONS INCHES / MM



H
108 / 2743
120 / 3048

PRICING

84
84

F K E

Adjustable Wall End



The Adjustable Wall End is used between an Altos wall and the building architecture to accommodate dimensional differences.

WHAT'S INCLUDED

1 vertical structure, end trim, Fascias (as specified by width), and connection hardware.

NOTES

The Single Adjustable Wall End in Flintwood is only available up to 114" in height.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Type 1 Fascias have a Class A fire rating and minimum order quantities are required. Please contact Technical Services (US) or Specials (CAN) for pricing and details.

Type 2 Fascias have a Class B fire rating and are standard product.

PRODUCT OPTIONS

Elevation	Ceiling Height (in 1" increments)	End Trim Finish		Fascia Finish	Type (For Fascia Laminates Only)
G Single 3" Wide (1 1/2" – 4 1/2" adjustment)	102 96 – 102	AC	Clear Anodized	Fascia Laminate	1 Type 1
F Full 6" Wide (3" – 9" adjustment)	108 103 – 108			Flintwood	2 Type 2
S Segmented 6" Wide (3" – 9" adjustment)	114 109 – 114				
W Working Wall 6" Wide (3" – 9" adjustment)	120 115 – 120				

SAMPLE ORDER CODE

FKE G	100	AC	FN	2
--------------	------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048
102 / 2591
108 / 2743
102 / 2591
108 / 2743
114 / 2896
120 / 3048
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

SOLID – TYPE 2

SINGLE (G)

Fascia Laminate	Gr. 1	Gr. 2	Flintwood
542	557		747
544	559		758
545	561		768
547	563		795

FULL (F)

909	937	1400
911	939	1433

SEGMENTED (S)

1063	1093	1639
1080	1112	1657
1096	1130	1726
1113	1148	1744

WORKING WALL (W)

1173	1199	1919
1189	1217	1937
1206	1235	2006
1222	1253	2024

For Type 1 pricing, please contact Technical Services (US) or Specials (CAN) for pricing and details.

The Variable Angle Wall Start is used to attach the Altos wall to building architecture at any angle between -45° and +45°.

WHAT'S INCLUDED

1 wall start channel, 1 variable angle wall start extrusion and trim, connection hardware.


NOTES

This product is finished in Anodized Aluminum.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKWA Variable Angle Wall Start



PRODUCT OPTIONS

Ceiling Height (in 1" increments)

102 96 – 102

108 103 – 108

114 109 – 114

120 115 – 120

203

SAMPLE ORDER CODE

FKWA 114

DIMENSIONS INCHES / MM


H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

384
385
387
388

FKF

Wall Finished End



The Wall Finished End is used to finish an exposed end of wall run.

WHAT’S INCLUDED

1 Wall Finished End and connection hardware.

NOTES

The Wall finished End is cut to specific height on site.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height	Finish
108, 120	Fascia Laminate Flintwood

SAMPLE ORDER CODE

FKF 120	MS
---------	----

DIMENSIONS
INCHES / MM

H
108 / 2743
120 / 3048

PRICING

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
150	169	243
188	207	271

The Two-Way 90° Corner Connection Hardware Kit provides the framework to connect two walls at 90°.

WHAT'S INCLUDED


2 wall gaskets, connection brackets and hardware.

NOTES

FKCN90 Two-Way 90° Corner Cover provides the trim for a Two-Way 90° Corner connection and must be specified separately.

FKCH 90

Two-Way 90° Corner Connection Frame Hardware Kit



The Two-Way 135° Corner Connection Hardware Kit provides the framework to connect two walls at 135°.

WHAT'S INCLUDED

2 wall gaskets, connection brackets and hardware.


NOTES

FKCN132 Two-Way 135° Corner Cover provides the trim for a Two-Way 135° Corner connection and must be specified separately.

FKCH 132

Two-Way 135° Corner Connection Frame Hardware Kit

205



PRODUCT OPTIONS

Style	Gasket Finish
90	E Black
132	7 Platinum
	Q Storm White

SAMPLE ORDER CODE

FKCH 90	7
---------	---


FKCH90
TWO-WAY 90° CORNER CONNECTION FRAME
HARDWARE KIT

50

FKCH132
TWO-WAY 135° CORNER CONNECTION FRAME
HARDWARE KIT

80

FKCH133
Three-Way 135° Corner Connection
Frame Hardware Kit




The Three-Way 135° Corner Connection Hardware Kit provides the framework to connect three walls at 135°.

WHAT'S INCLUDED
Connection bracket and connection hardware.

NOTES
FKCN133 Three-Way 135° Corner Cover provides the trim for a Three-Way 135° Corner connection and must be specified separately.

206

FKCH180
Three-Way 180° Corner Connection
Frame Hardware Kit



The Three-Way 180° Corner Connection Hardware Kit provides the framework to connect three walls.

WHAT'S INCLUDED
Connection bracket and connection hardware.

NOTES
FKCN180 Three-Way 180° Corner Cover provides the trim for a Three-Way 180° Corner connection and must be specified separately.

FKCH133
THREE-WAY 135° CORNER CONNECTION FRAME
HARDWARE KIT

67

FKCH180
THREE-WAY 180° CORNER CONNECTION FRAME
HARDWARE KIT

42


The Four-Way Connection provides full-height connection of four wall runs.

WHAT'S INCLUDED

Connection hardware and foam backer rod.

F K C 4


Four-Way Connection



PRICING

39

FKCA2
Articulating Two-Way Corner



The Articulating Two-Way Corner connects two Altos walls between 80° and 100°.

WHAT’S INCLUDED

1 corner cover, 1 vertical trim kit and connection hardware.

NOTES

Trim components have an Anodized Aluminum finish.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Pivot Point Orientation
102 96 – 102	L Left R Right (Shown)
108 103 – 108	
114 109 – 114	
120 115 – 120	

SAMPLE ORDER CODE

FKCA2 114	L
-----------	---

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

419
420
422
423

The Articulating Three-Way Corner connects two Altos walls between 80° and 100° with an fixed Altos wall.

WHAT'S INCLUDED

1 corner cove, 2 vertical trim kits and connection hardware.


NOTES

Trim components have an Anodized Aluminum finish.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKCA3 Articulating Three-Way Corner



PRODUCT OPTIONS

Ceiling Height (in 1" increments)

102 96 – 102

108 103 – 108

114 109 – 114

120 115 – 120

209

SAMPLE ORDER CODE

FKCA3 108


DIMENSIONS INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

607
610
612
615

FKM 3
Three-Way 180° Module Connection



The Three-Way 180° Module Connections create 180° intersections by directly attaching to an Altos wall.

WHAT’S INCLUDED

1 on/off module connection, trim with connection hardware.

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (in 1" increments)		Mounting	Finish	
102	96 – 102	1 On-Module	AC	Clear Anodized
108	103 – 108	2 Off-Module		
114	109 – 114			
120	115 – 120			

SAMPLE ORDER CODE

FKM3 108	1	AC
----------	---	----

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2591
108 / 2743
114 / 2896
120 / 3048

PRICING

On-Module	Off-Module
440	280
440	280
440	280
440	280

The Wall Gasket provides a light and sound seal at the top and bottom of the wall system and accommodates minor height variations in ceiling and floor.

WHAT'S INCLUDED

1 Wall Gasket.


NOTES

This product is finished in Black, Platinum or Storm White.

Comes in a 120" width and is cut to size on site.

Used on both sides of wall at ceiling and base except at door openings.

F K J
Wall Gasket



PRODUCT OPTIONS

Finish	
E	Black
7	Platinum
Q	Storm White

SAMPLE ORDER CODE

FKJ 7

PRICING

20

F K J C
Vertical Reveal Cover Kit

The Vertical Reveal Cover provides a trim for vertical post when Platinum or Storm White Wall Gaskets are used.

WHAT’S INCLUDED
20 Vertical Reveal Covers.

NOTES
This product is finished in Black.



PRICING

1 Kit (20 pieces per Kit)	28
---------------------------	----

Double Door Frame Package – Full-Height provides the door frame and attachment hardware for use with full-height double doors.

WHAT'S INCLUDED

1 Horizontal Rail (FKK), 1 Intermediate Vertical Post, 1 door frame, connection hardware (including Chrome finished hinges).

WHAT'S EXCLUDED


Hinged Double Door (FDD), Ceiling Channel (FKN), Vertical Post Packages (FKV) and Ceiling Fascias (FFC) and Door Stop.

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKTF Double Door Frame Package – Full-Height



PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Ceiling Fascia Height	Width	Finish
102 96 – 102	4, 6	72, 80, 84	AC Clear Anodized
108 103 – 108			
114 109 – 114			
120 115 – 120			

213

SAMPLE ORDER CODE

FKTF 116	6	80	AC
-----------------	----------	-----------	-----------

DIMENSIONS INCHES / MM


H (CODE)	W
102 / 2591	72 / 1829
102 / 2591	80 / 2032
102 / 2591	84 / 2134
108 / 2743	72 / 1829
108 / 2743	80 / 2032
108 / 2743	84 / 2134
114 / 2896	72 / 1829
114 / 2896	80 / 2032
114 / 2896	84 / 2134
120 / 3048	72 / 1829
120 / 3048	80 / 2032
120 / 3048	84 / 2134

PRICING

1988
1988
1988
1988
1988
1988
1988
1988
1988
1988
1988
1988

FKTS

Double Door Transom & Frame Package – Segmented-Height



Double Door Transom & Frame Package – Segmented-Height provides the door frame and attachment hardware for use with segmented-height double doors.

WHAT'S INCLUDED

2 Horizontal Rails (FKK), 2 Intermediate Vertical Posts, 1 door frame, connection hardware (including chrome finished hinges).

WHAT'S EXCLUDED

Hinged Double Door (FDD), Solid or Glass Fascias Transom location (S2) Ceiling Channel (FKN), Vertical Post Packages (FKV) and Ceiling Fascias (FFC) and Door Stop.

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. **102, 108**) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Ceiling Fascia Height	Width	Finish
102 96 – 102	4, 6	72, 80, 84	AC Clear Anodized
108 103 – 108			
114 109 – 114			
120 115 – 120			

SAMPLE ORDER CODE

FKTS 116	6	80	AC
-----------------	----------	-----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	72 / 1829
102 / 2591	80 / 2032
102 / 2591	84 / 2134
108 / 2743	72 / 1829
108 / 2743	80 / 2032
108 / 2743	84 / 2134
114 / 2896	72 / 1829
114 / 2896	80 / 2032
114 / 2896	84 / 2134
120 / 3048	72 / 1829
120 / 3048	80 / 2032
120 / 3048	84 / 2134

PRICING

2002
2002
2002
2002
2002
2002
2002
2002
2002
2002
2002
2002
2002

Hinged Glass Double Door Transom & Frame Package – Segmented-Height provides the door frame and attachment hardware for use with segmented-height glass double doors.

WHAT'S INCLUDED

2 Horizontal Rails (FKK), 2 Intermediate Vertical Posts, 1 door frame, connection hardware (including chrome finished hinges).

WHAT'S EXCLUDED


Hinged Double Door (FDE), Solid or Glass Fascias Transom location (S2 or SM2) Ceiling Channel (FKN), Vertical Post Packages (FKV) and Ceiling Fascias (FFC) and Door Stop.

NOTES

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKTES Hinged Glass Double Door Transom & Frame Package – Segmented-Height



PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Ceiling Fascia Height	Width	Finish
102 96 – 102	4, 6	72, 80	AC Clear Anodized
108 103 – 108			
114 109 – 114			
120 115 – 120			

215

SAMPLE ORDER CODE

FKTES 110	4	72	AC
------------------	----------	-----------	-----------


DIMENSIONS INCHES / MM

H (CODE)	W
102 / 2591	72 / 1829
102 / 2591	80 / 2032
108 / 2743	72 / 1829
108 / 2743	80 / 2032
114 / 2896	72 / 1829
114 / 2896	80 / 2032
120 / 3048	72 / 1829
120 / 3048	80 / 2032

PRICING

2157
2168
2158
2169
2159
2170
2160
2171

FKD
Door Frame Kit



The Door Frame Kit provides the door frame and attachment hardware for full or segmented-height single hinged and pivot doors.

WHAT'S INCLUDED

1 Door Frame, connection hardware (including Chrome finished hinges or pivot hardware).

WHAT'S EXCLUDED

Ceiling Fascias (FFC), Solid or Glass Fascias (for segmented height), Hinged Door (FDH), Pivot Door (FDP), Glass Door (FDJ), Ceiling Channel (FKN), Vertical Post Packages (FKV) and Horizontal Rail Packages (FKHG) and Door Stop.

NOTES

Door	Door Dimensions	Door Clearance
FDH/FDP/FDJ_40	36" wide	35"
FDH/FDP/FDJ_42	38" wide	37"

Pivot door frame handedness can be changed on site.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Pivot Door Frame is only available for ceiling heights up to 114".

PRODUCT OPTIONS

Door Package Type	Height	Ceiling Fascia Height	Width	Door Swing Direction Option	Finish
1 Hinged (Solid) with Standard Lock	84 84 (Segmented-Height)	4, 6	40, 42	L Left Swing	AC Clear Anodized
2 Hinged (Solid) with Mortise Lock	102 96 – 102 (Ceiling Height – Full-Height)	(For Full Height only)		R Right Swing	
3 Pivot	108 103 – 108 (Ceiling Height – Full-Height)				
5 Hinged Glass	114 109 – 114 (Ceiling Height – Full-Height)				
	120 115 – 120 (Ceiling Height – Full-Height)				

SAMPLE ORDER CODE

FKD 1	115	4	40	L	AC
-------	-----	---	----	---	----

DIMENSIONS
INCHES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

HINGED WITH STANDARD LOCK	HINGED WITH MORTISE LOCK	PIVOT	HINGED GLASS
1365	1380	1216	1505
1365	1380	1216	1505
1393	1408	1175	1639
1393	1408	1175	1639
1395	1410	1177	1639
1395	1410	1177	1639
1399	1412	1178	1639
1399	1412	1178	1639
1399	1413	n/a	1814
1399	1413	n/a	1814

Barn Door Frame Package – Full-Height for Glass Door provides door frame and attachment hardware for full-height glass barn door.

WHAT'S INCLUDED

1 Clear Anodized Barn Door Horizontal Rail, 1 door frame, connection hardware, integrated vertical seal.

WHAT'S EXCLUDED

Glass Barn Door (FDC), Ceiling Channels (FKN), Vertical Post Packages (FKV), and Ceiling Fascias (FFC).

NOTES

Adjacent wall section must be the same width as the Barn Door Frame Package – Full-Height and **cannot** be a monolithic elevation.


Horizontal Rail is always clear anodized regardless of finish specified.

Exact height must be specified in the order code. Range codes (i.e. **102, 108**) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Ceiling Heights, 109" and greater are **not** available with 48" width.

FKSF Barn Door Frame Package – Full-Height for Glass Door



PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Ceiling Fascia Height	Width	Door Slide Direction	Finish
102 96 – 102	4, 6	40, 42, 48	L Left Slide (Shown)	AC Clear Anodized
108 103 – 108			R Right Slide	
114 109 – 114				
120 115 – 120				

SAMPLE ORDER CODE

FKSF 115	6	42	L	AC
-----------------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM


H (CODE)	W
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

1187
1187
1214
1190
1190
1217
1239
1239
1239
1239

FKSFZ

Standard Glass Barn Door Frame – Low Profile



The Low Profile Glass Barn Door Frame provides a frame for the Glass Barn Door (FDCZ).

WHAT’S INCLUDED

1 Door Frame and, connection hardware.

WHAT’S EXCLUDED

Glass Barn Door (FDCZ), Ceiling Channels (FKN), Vertical Post Packages (FKV), and Ceiling Fascias (FFC).

NOTES

This can only be ordered with 4" Ceiling Fascia.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)	Ceiling Fascia Height	Width	Door Slide Direction	Door Application	Finish
102 96 – 102	4	40, 42	L Left Slide (Shown)	I Interior	AC Clear Anodized
108 103 – 108			R Right Slide	E Exterior	
114 109 – 114					
120 115 – 120					

SAMPLE ORDER CODE

FKSFZ 110	4	40	R	I	AC
-----------	---	----	---	---	----

DIMENSIONS
INCHES / MM

H (CODE)	W
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

1923
1923
1923
1923
1923
1923
1923
1923

Barn Door Frame Package – Full-Height for Solid/Glass Insert Door provides door frame and attachment hardware for a full-height solid/glass insert door.

WHAT'S INCLUDED

1 Clear Anodized Barn Door Horizontal Rail, 1 door frame, connection hardware, one stop/catch kit.

WHAT'S EXCLUDED

Barn Door – Full-Height (FDS & FDI), Ceiling Channels (FKN), Vertical Post Packages (FKV) and Ceiling Fascias (FFC).

NOTES

Adjacent wall section must be the same width as the Barn Door Frame Package – Full-Height (FKSF) and **cannot** be a monolithic elevation.


Horizontal Rail is always clear anodized regardless of finish specified.

Exact height **must** be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purpose only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

Only available for use with 6" ceiling and base fascias.

F K R F S Barn Door Frame Package – Full-Height for Solid/Glass Insert Door



PRODUCT OPTIONS

Ceiling Height (in 1" increments)	Ceiling Fascia Height	Width	Door Slide Direction	Finish
102 96 – 102	6	40, 42, 48	L Left Slide (Shown)	AC Clear Anodized
108 103 – 108			R Right Slide	

219

SAMPLE ORDER CODE

FKSF 108	6	42	R	AC
-----------------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM


H (CODE)	W
102 / 2591	40 / 1016
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	40 / 1016
108 / 2743	42 / 1067
108 / 2743	48 / 1219

PRICING

1267
1267
1298
1268
1268
1298

FKSS

Barn Door Transom & Frame Package – Segmented-Height for Glass Door



Barn Door Transom & Frame Package – Segmented Height for Glass Door provides frame and attachment hardware for segmented height glass barn doors.

WHAT’S INCLUDED

1 Clear Anodized Barn Door Horizontal Rail, 1 Horizontal Rail (FKK), 1 door frame, connection hardware and 1 stop/catch kit.

WHAT’S EXCLUDED

Ceiling Channel (FKN), Vertical Post Packages (FKV), Ceiling Fascias (FFC), Solid or Glass Fascias (FFG) and Glass Barn Door – Segmented-Height (FDC).

NOTES


Adjacent wall section must be the same width and as the Barn Door Frame Package – Segmented-Height (FKSF) and **cannot** be full or monolithic elevation.

Horizontal Rail is always clear anodized regardless of finish specified.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

FKRSS

Barn Door Transom & Frame Package – Segmented-Height for Solid/Glass Insert Door



Barn Door Transom & Frame Package – Segmented Height for Solid/Glass Insert Door provides frame and attachment hardware for segmented height solid and solid with glass insert doors.

WHAT’S INCLUDED

1 Clear Anodized Barn Door Horizontal Rail, 1 Horizontal Rail (FKK), 1 door frame, connection hardware and 1 stop/catch kit.

WHAT’S EXCLUDED

Ceiling Channel (FKN), Vertical Post Packages (FKV), Ceiling Fascias (FFC), Solid or Glass Fascias (FFG) and Barn Door – Segmented-Height (FDS, FDI).

NOTES

Adjacent wall section must be the same width as the Barn Door Frame Package – Segmented-Height (FKSF) and **cannot** be full or monolithic elevation.

Horizontal Rail is always clear anodized regardless of finish specified.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Door Height	Width	Door Slide Direction	Finish
84	40, 42, 48	L Left Slide R Right Slide (Shown)	AC Clear Anodized

SAMPLE ORDER CODE

FKRSS 108	48	R	AC
-----------	----	---	----

DIMENSIONS INCHES / MM		FKSS BARN DOOR TRANSOM & FRAME PACKAGE – SEGMENTED HEIGHT FOR GLASS DOOR	DIMENSIONS INCHES / MM		FKRSS BARN DOOR TRANSOM & FRAME PACKAGE – SEGMENTED HEIGHT FOR SOLID/GLASS INSERT DOOR
H	W		H	W	
84 / 2134	40 / 1016	1218	84 / 2134	40 / 1016	1275
84 / 2134	42 / 1067	1218	84 / 2134	42 / 1067	1277
84 / 2134	48 / 1219	1252	84 / 2134	48 / 1219	1312

The Double Barn Door Frame Package – Full-Height for Glass Doors provides frame and attachment hardware for full height double glass barn doors.

WHAT'S INCLUDED

1 Clear Anodized Barn Door Horizontal Rail, 1 door frame, 2 dampening mechanisms and connection hardware.

WHAT'S EXCLUDED

Double Glass Barn Door (FDL), Ceiling Channels (FKN), Vertical Post Packages (FKV), and Ceiling Fascias (FFC, FFRC).

NOTES

Adjacent wall sections must be 29" for 72" wide frame or 33" for 80" wide frame and **cannot** be a monolithic elevation.

Horizontal Rail is always clear anodized regardless of finish specified.


Exact width must be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using the imperial dimensions.

Altos Double Barn Door is only available in Full Height and only for use with 6" ceiling fascias.

F K L F

Double Barn Door Frame Package – Full-Height for Glass Doors



PRODUCT OPTIONS

Ceiling Height (in 1" increments)		Width	Finish
102	96 – 102	72, 80	AC Clear Anodized
108	103 – 108		
114	109 – 114		
120	115 – 120		

221

SAMPLE ORDER CODE

FKLF 108	80	AC
-----------------	-----------	-----------

DIMENSIONS INCHES / MM


H (CODE)	W
102 / 2591	72 / 1829
102 / 2591	80 / 2032
108 / 2743	72 / 1829
108 / 2743	80 / 2032
114 / 2896	72 / 1829
114 / 2896	80 / 2032
120 / 3048	72 / 1829
120 / 3048	80 / 2032

PRICING

2447
2447
2447
2447
2447
2448
2448
2448
2448

FKLFZ

Double Glass Barn Door Frame – Low Profile



Altos Double Glass Barn Door Frame – Low Profile provides the frame for Double Glass Barn Door – Low Profile (FDLZ).

WHAT’S INCLUDED

1 Door Frame, 2 dampening mechanisms and connection hardware.

WHAT’S EXCLUDED

Double Glass Barn Door (FDLZ), Ceiling Channels (FKN), Vertical Post Packages (FKV), and Ceiling Fascias (FFC).

NOTES

This can only be ordered with 4" Ceiling Fascia.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)		Ceiling Fascia Height	Width	Frame Finish	
102	96 – 102	4	72	AC	Clear Anodized
108	103 – 108				
114	109 – 114				
120	115 – 120				

SAMPLE ORDER CODE

FKLFZ 110	4	72	AC
-----------	---	----	----

DIMENSIONS
INCHES / MM

H (CODE)	W
102 / 2591	72 / 1829
108 / 2743	72 / 1829
114 / 2896	72 / 1829
120 / 3048	72 / 1829

PRICING

2718
2718
2718
2718

WHAT'S INCLUDED

1 Door Frame with Closer (if specified), Connection Hardware.

WHAT'S EXCLUDED

Framed Glass Pivot Door (FDPZ), Ceiling Channel (FKN), Vertical Post Package (FKV)
Ceiling Fascias (FFC).


NOTES

Exact height must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

F K P F Z

Glass Pivot Door Frame Kit – Low Profile



PRODUCT OPTIONS

Height (in 1" increments)	Ceiling Fascia Height	Width	Door Slide Direction	Closer	Frame Finish
84 84 (Segmented Height)	4, 6	40, 42	L Left Slide	1 No Closer	AC Clear Anodized
102 96 – 102			R Right Slide (Shown)	2 With Closer	
108 103 – 108					
114 109 – 114					
120 115 – 120					

223

SAMPLE ORDER CODE

FKPFZ 120	4	42	L	2	AC
------------------	----------	-----------	----------	----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067


PRICING

No Closer	With Closer
1399	1401
1418	1420
1403	1404
1422	1423
1404	1406
1423	1425
1406	1408
1425	1427
1408	1409
1427	1429

frame kits & components

FKPSZ 

Glass Pivot Door Solid Frame Kit



WHAT'S INCLUDED

1 Door Frame with Closer (if specified), Connection Hardware.

WHAT'S EXCLUDED

Framed Glass Pivot Door (FDPZ), Ceiling Channel (FKN), Vertical Post Package (FKV), Ceiling Fascias (FFC).

NOTES

Exact height must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered in imperial dimensions.

PRODUCT OPTIONS

Height (in 1" increments)		Ceiling Fascia Height	Width	Door Slide Direction	Closer	Frame Finish	
84	84 (Segmented Height)	4, 6	40, 42	L Left Slide	1 No Closer	AC	Clear Anodized
102	96 – 102			R Right Slide (Shown)	2 With Closer		
108	103 – 108						
114	109 – 114						
120	115 – 120						

SAMPLE ORDER CODE

FKPSZ 120	4	42	L	2	AC
------------------	----------	-----------	----------	----------	-----------

DIMENSIONS INCHES / MM

H (CODE)	W
84 / 2134	40 / 1016
84 / 2134	42 / 1067
102 / 2591	40 / 1016
102 / 2591	42 / 1067
108 / 2743	40 / 1016
108 / 2743	42 / 1067
114 / 2896	40 / 1016
114 / 2896	42 / 1067
120 / 3048	40 / 1016
120 / 3048	42 / 1067

PRICING

No Closer	With Closer
1242	1250
1261	1269
1242	1250
1261	1269
1244	1252
1263	1271
1245	1253
1264	1272
1247	1255
1265	1274

Various tools used in the installation and removal of Altos-specified items.

WHAT'S INCLUDED

Tool as specified.

NOTES

The Male Connector Insertion tool is to attach the male clips to the fascia.

The Fascia Removal Tool is used to remove a fascia after it has been installed.


The Horizontal Rail Field Cut is used for cutting Horizontal Rails in the Filler Panel FPF.

The Foam Tape 2" x 1/4" is used to fill gaps caused by out of plumb walls.

The Foam Tape 1" x 1/8" is used to cover the vertical slots between fascias. This tape is included with the Vertical Post FKV and this roll should only be ordered if extra is required.

The Drill Stop Assembly for Male Fascia Holes and the Jig to Drill Fascias are used together to cut the Filler Panel FPF or any solid fascia on site.

FTT Installation Tools



PRODUCT OPTIONS

Style		Finish	
A Male Connector Insertion Tool	F Drill Stop Assembly for Male Fascia Holes	52	Black
C Horizontal Rail Field Cut Kit	G Jig to Drill Fascia in the Field		
D Foam Tape 2" x 1/4" (50 ft. Roll)	H Fascia Removal Tool		
E Foam Tape 1" x 1/8" (180 ft. Roll)			

SAMPLE ORDER CODE

FTT D	52
-------	----


STYLE	PRICING
A	144
C	7
D	134
E	110
F	69
G	508
H	25

F B G
Horizontal Grommet

The Horizontal Grommet provides a finish to the Horizontal Rail cut outs.

WHAT'S INCLUDED
Package of 100.

NOTES
Cannot be used with Glass Fascias.



PRICING

40


Recycled Cotton Insulation is used within Altos frame cavity to increase STC (Sound Transmission Class).

WHAT'S INCLUDED

1 50' x 4' Cotton Insulation roll.

NOTES

Roll is cut to size on site.




PRICING

444

F B B

Base Leveler



Base Leveler attaches to the top or bottom of a Vertical Post and fits into the Ceiling and Base Channels to secure wall framing.

WHAT’S INCLUDED


1 leveler.

NOTES

This product is included with Vertical Post Packages (FKV) but can be purchased separately for reconfiguration purposes.

F B E

Horizontal End Cap



Horizontal End Caps finish the ends of Horizontal Rails and attach to the Vertical Posts via Horizontal Connector Bolts.

WHAT’S INCLUDED


1 cap.

NOTES

Two end caps are included with each Horizontal Rail (FKK) but can be purchased separately for reconfiguration purposes.

F B N

Horizontal Connector Bolt



Horizontal Connector Bolts attach to each side of the Vertical Post and accept Horizontal Rails and also provide a means to mount Two-Way, Three-Way and Four-Way Corner Brackets.

WHAT’S INCLUDED

1 bolt.

NOTES

Included with all Vertical Post Packages (FKV) except single elevation.

FBB
BASE LEVELER

12

FBE
HORIZONTAL END CAP

3

FBN
HORIZONTAL CONNECTOR BOLT

3

The Fascia Connector – Male attaches to the back of a Fascia and is then secured to Female Connectors on the Vertical Posts.

WHAT'S INCLUDED

1 connector.


NOTES

This connector is finished in Granite.

Included with Fascia packages but can be purchased separately for reconfiguration purposes.

F B F M

Fascia Connector – Male



The Fascia Connector – Female mounts to the Vertical Posts and accepts Male Connectors to attach Fascias.

WHAT'S INCLUDED

1 connector.


NOTES

This connector is finished in Granite.

Included with all Vertical Post packages except single elevation but can be purchased separately for reconfiguration purposes.

F B F F

Fascia Connector – Female



229

Fascia Locks attach to Fascia Connectors – Female on one side of wall to prevent removal of the Fascia.

WHAT'S INCLUDED


50 locks.

NOTES

Fascia Locks are available in yellow finish to highlight their location.

F K L

Fascia Lock



**FBFM
FASCIA CONNECTOR – MALE**

4


**FBFF
FASCIA CONNECTOR – FEMALE**

3

**FKL
FASCIA LOCK**

50

FKB
Base Channel – Modular



The Base Channel – Modular provides stability for Vertical Posts at the floor.

WHAT’S INCLUDED

1 Base Channel, connection hardware and grip tape.

WHAT’S EXCLUDED

A Base Channel Gasket (FKG).

NOTES

Exact width **must** be specified in the order code. Range codes (i.e. 12, 18) are listed for pricing purpose only.

This product is a component of the Horizontal Rail Packages (FKH) or it can be purchased individually for retrofits and reconfiguration.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Width (in 1" increments)	
12 12	36 31 – 36
18 13 – 18	40 37 – 40
24 19 – 24	42 41 – 42
30 25 – 30	48 43 – 48

SAMPLE ORDER CODE

FKB 48

DIMENSIONS
INCHES / MM

W (CODE)
12 / 305
18 / 457
24 / 610
30 / 762
36 / 914
40 / 1016
42 / 1067
48 / 1219

PRICING

11
12
13
14
15
16
16
17

tek pier

tek pier

PRODUCT MAP235

WHAT IS TEK PIER236

FRAME ASSEMBLY BASICS238

TEK PIER FASCIA BASICS239

TEK PIER ASSEMBLY BASICS240


TEK PIER WORKSURFACE BASICS241

PRODUCT LISTING242


product map

F K T K P Frame Assembly for
Tek Pier

Page 242

**F F M T K P** Monolithic Fascia


Page 243

**F F F T K P** Full Fascia Kit


Page 244

**F F S T K P** Segmented Fascia Kit

Page 246

**F F S M T K P** Segmented
Monolithic Fascia Kit


Page 248

**F F C B T K P** 4" Base and Ceiling
Fascia Kit for Tek
Pier (Opposite Side)


Page 249

**T K P 1** Tek Pier Assembly 1


Page 250

**T K P 2** Tek Pier Assembly 2


Page 250

**T K P A** Spade Top Worksurface


Page 251

**T K P B** Pie Top Worksurface

Page 252


**T K P C** Wedge Top Worksurface

Page 253




what is tek pier

Tek Pier is a demountable wall-integrated, height adjustable, and technology-supported workspace. Designed to enable technology engagement by articulating a large monitor for individual or group use in private office and meeting room environments, this innovative solution maintains a minimal profile while providing an ergonomic collaboration experience.



- 1 The shroud moves together with the Tek Pier worksurface so whether sitting or standing, the monitor is always at an ergonomically appropriate viewing height
- 2 Lateral adjustability is provided by the articulating origami arm which is mounted to the shroud

A Tek Pier station consists of a frame assembly, fascias, Tek Pier assembly and a worksurface which all must be specified individually.



what is tek pier (continued)

Two sizes of the Tek Pier assembly are available:

- Tek Pier Assembly 1
- Tek Pier Assembly 2



Three worksurface shapes are available:

- Spade Top Worksurface
- Pie Top Worksurface
- Wedge Top Worksurface

Three configurations can be achieved depending on the worksurface shape and the Tek Pier assembly specified:

tek pier assembly 1



Spade Top



- Up to five collaborators
- Symmetrical
- Sit Stand Range 24" - 43"
- Ideal for meeting rooms and collaboration

tek pier assembly 2



Pie Top



- Up to three collaborators, one primary and two guests
- Left and right handed versions
- Sit Stand Range 24" - 43"
- Ideal for small enclaves and private offices

tek pier assembly 2


Wedge Top




- Up to three collaborators, one primary and two guests
- Left and right handed versions
- Sit Stand Range 24" - 43"
- Ideal for small enclaves and private offices

origami arm


The origami arm has six pivot points allowing the user to adjust the monitor in several locations.




Flat on wall



Extended off wall



Angled right




Angled left


frame assembly basics

The Frame Assembly for Tek Pier is an Altos frame and consists of several vertical and horizontal channels allowing for Tek Pier technology and supports to be concealed within the frame.

238



Single Sided Shown




Frame Assembly for Tek Pier (FKTKP)

- Available heights include 96"-120" in 1" increments
- Available widths are 42" and 48"
- Available single sided or double sided
- Wiring system is 4 Wire (Modular and Chicago) hardwire
- Available with Circuit Type 1 and Circuit Type 2 for Modular only
- Base and ceiling fascia heights are 4" and 6" high
- Fascias must be ordered separately and are available only as kits
 - Monolithic
 - Segmented Monolithic
 - Full
 - Segmented

tek pier fascia basics

Tek Pier Fascias are used in combination with the frame assembly to accommodate supports and provide accurate cut out locations for the Tek Pier assembly.

- Base and ceiling fascia heights are 4" or 6"
- Available 42" and 48" wide
- For determining the correct fascia height, please refer to Altos Fascia section, Specifying Fascia Heights page.
- Tek Pier cut-out for height-adjustable mechanism is available on Level 1 Fascia


**Finishes:**

Level 1 and 2 Fascia finishes include Fascia Laminates and Flintwood Stains


Base and Ceiling Fascia finishes include Fascia Laminates, Flintwood Stains and Aluminum

Aluminum finish selection is not available on 6" high Fascias


239

**Monolithic Fascia (FFMTKP)**


Fascia is available in heights of 96" - 120" in 1" increments.

**Full Fascia Kit (FFFTKP)**

Level 1 Fascia is available 84" - 112" in 1" increments.

**Segmented Fascia Kit (FFSTKP)**

- Level 1 Fascia is available 78" and 80" high
- Level 2 Fascia is available 6" - 32" in 1" increments

**Segmented Monolithic Fascia Kit (FFSMTKP)**

- Level 1 Fascia is available 84" high
- Level 2 Fascia is available 12" - 36" in 1" increments


**4" Base and Ceiling Fascia Kit for Tek Pier (Opposite Side) (FFCBTKP)**

Available 42" and 48" wide.

tek pier assembly basics

The Tek Pier assembly includes the actuators, e-chain, shroud, origami arm, shroud pan, Tek Pier electrics beam and height-adjustable leg.


Electrical orientation can be specified left or right.



Finishes:


Shroud surface finish is Glacier White solid surface

Metal finishes include Very White and Platinum paint



Tek Pier Assembly 1 (TKP1)

- Accommodates Spade Top Worksurface (TKPA)
- Must be specified on a 48" wide Frame Assembly for Tek Pier (FKTKP)
- Recommended monitor is 39" - 46" and is restricted to 35lbs




Tek Pier Assembly 2 (TKP2)

- Accommodates Wedge Top Worksurface (TKPC) and Pie Top Worksurface (TKPB)
- Must be specified on a 42" wide Frame Assembly for Tek Pier (FKTKP)
- Recommended monitor is 30" - 38" and is restricted to 35lbs

tek pier worksurface basics

Tek Pier worksurfaces are available in three shapes: Spade, Pie and Wedge Tops to match Tek Pier assembly sizes.


**Finishes:**

Worksurface top finish is Glacier White Solid Surface


Undersurface finishes include Very White and Platinum Paint

Pie Top Worksurface (left-handed)
(shown)


24I

**Spade Top Worksurface (TKPA)**

- Worksurface depth is 59"
- Worksurface length is 67-1/2"
- Must be used with Tek Pier Assembly 1 (TKP1)
- Symmetrical

**Pie Top Worksurface (TKPB)**


- Worksurface depth is 46"
- Worksurface length is 66-1/2"
- Is left or right-handed
- Must be used with Tek Pier Assembly 2 (TKP2)

**Wedge Top Worksurface (TKPC)**

- Worksurface depth is 66"
- Worksurface length is 50"
- Is left or right-handed
- Must be used with Tek Pier Assembly 2 (TKP2)

FKTKP

Frame Assembly for Tek Pier



The Frame Assembly for Tek Pier is a specific kit of Altos components designed to support Tek Pier installation.

WHAT’S INCLUDED
All Altos vertical and horizontal frames with clips and internal mounting plate.

WHAT’S EXCLUDED
Tek Pier assembly, fascias, worksurfaces.

NOTES
Includes Female Clips for all Fascia configurations (set for working wall) along the Vertical Posts.

PRODUCT OPTIONS

Elevation	Height (in 1" increments)		Width	Sides	Base/Ceiling Fascia Height	Wiring System	Electrical Circuit (For 4-Wire System)	Receptacle Amperage
W Working Wall	102	96 – 102	42, 48	1 1 Side – 1 Electrical Plate	4, 6	4B 4 Wire	1 Circuit Type 1	1 15 Amps
	107	103 – 107				CH Chicago	2 Circuit Type 2	2 20 Amps
	114	108 – 114		2 2 Sides – 2 Electrical Plates				
	120	115 – 120						

SAMPLE ORDER CODE

FKTKP W	120	42	1	4	4B	1	1
---------	-----	----	---	---	----	---	---

DIMENSIONS
INCHES / MM

H (CODE)	W
102 / 2591	42 / 1067
102 / 2591	48 / 1219
107 / 2718	42 / 1067
107 / 2718	48 / 1219
113 / 2870	42 / 1067
113 / 2870	48 / 1219
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

1 SIDE –1 ELECTRICAL PLATE (1)		2 SIDE –2 ELECTRICAL PLATE (2)	
4-Wire	Chicago	4-Wire	Chicago
2788	2904	3467	3699
2840	2956	3519	3751
2855	2971	3534	3767
2908	3024	3587	3819
2904	3020	3582	3815
2956	3072	3635	3867
2907	3023	3586	3818
2959	3075	3638	3870

If 20 Amps is specified, add 77

The Monolithic Fascia finishes one side of the wall with a solid finish from floor to ceiling and includes a cut out for installation of the Tek Pier assembly.

WHAT'S INCLUDED

Altos monolithic fascia for Tek Pier with cut out for height-adjustable mechanism.

NOTES

Similar to Altos Solid Fascia – Monolithic (FFM1) however is specific for the Tek Pier configuration.

FFMTKP Monolithic Fascia



PRODUCT OPTIONS

Style	Height (in 1" increments)	Width	Solid Finish	Type (For Fascia Laminates Only)
1 Tek Pier Height-Adjustable Cut Out	102 96 – 102	42, 48	Fascia Laminate Flintwood	2 Type 2
	108 103 – 108			
	114 109 – 114			
	120 115 – 120			

SAMPLE ORDER CODE

FFMTKP 1	84	42	LW	2
-----------------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM


H (CODE)	W
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	42 / 1067
108 / 2743	48 / 1219
114 / 2896	42 / 1067
114 / 2896	48 / 1219
120 / 3048	42 / 1067
120 / 3048	48 / 1219

PRICING

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
595	670	1165
612	688	1318
740	843	1241
757	861	1392
747	851	1316
765	869	1473
754	858	1376
773	878	1554

FFFTKP

Full Fascia Kit



The Full Fascia Kit provides a solid finish for full height wall elevations with base and ceiling fascias.

WHAT'S INCLUDED

Altos full fascia for Tek Pier cut out for height-adjustable mechanism and base and ceiling fascia in 4" and 6".

NOTES

Similar to Altos Solid Fascia – Full (FFF1) however is specific for the Tek Pier configuration.

PRODUCT OPTIONS

Style	Height (in 1" increments)	Width	Base/Ceiling Fascia Height	Full Fascia Finish	Type (For Fascia Laminates Only)	Base/Ceiling Finish	Type (For Fascia Laminates Only)
1 Tek Pier Height- Adjustable Cut Out	90 84 – 90	42, 48	4, 6	Fascia Laminate Flintwood	2 Type 2	Fascia Laminate Flintwood Aluminum	2 Type 2
	96 91 – 96						
	102 97 – 102						
	108 103 – 108						
	112 109 – 112						

SAMPLE ORDER CODE

FFFTKP 1	84	48	4	AV	2	AV	2
----------	----	----	---	----	---	----	---

DIMENSIONS
INCHES / MM

H (CODE)	W
90 / 2286	42 / 1067
90 / 2286	48 / 1219
96 / 2438	42 / 1067
96 / 2438	48 / 1219
102 / 2591	42 / 1067
102 / 2591	48 / 1219
108 / 2743	42 / 1067
108 / 2743	48 / 1219
112 / 2845	42 / 1067
112 / 2845	48 / 1219

PRICING

Fascia Laminate			Flintwood
Gr. 1	Gr. 2		
581	654		1047
594	669		1163
589	663		1113
605	680		1246
732	834		1173
749	852		1327
740	843		1241
757	861		1392
747	851		1316
765	869		1473

If Base/Ceiling Finish is specified,

42" wide, 4" Base/Ceiling Fascia Height Grade 1, add 148
 42" wide, 6" Base/Ceiling Fascia Height Grade 1, add 173
 48" wide, 4" Base/Ceiling Fascia Height Grade 1, add 151
 48" wide, 6" Base/Ceiling Fascia Height Grade 1, add 176

42" wide, 4" Base/Ceiling Fascia Height Grade 2, add 148
 42" wide, 6" Base/Ceiling Fascia Height Grade 2, add 173
 48" wide, 4" Base/Ceiling Fascia Height Grade 2, add 151
 48" wide, 6" Base/Ceiling Fascia Height Grade 2, add 176


42" wide, 4" Base/Ceiling Fascia Height Flintwood, add 342
 42" wide, 6" Base/Ceiling Fascia Height Flintwood, add 390
 48" wide, 4" Base/Ceiling Fascia Height Flintwood, add 354
 48" wide, 6" Base/Ceiling Fascia Height Flintwood, add 425

If Aluminum Base/Ceiling Finish is specified,

42" wide, 4" Base/Ceiling Fascia Height, add 205
 48" wide, 6" Base/Ceiling Fascia Height, add 218

FFSTKP

Segmented Fascia Kit



The Segmented Fascia Kit includes segmented fascias (level 1 & level 2) in solid finish, base and ceiling fascias.

WHAT'S INCLUDED

Altos Level I & II style fascias with Tek Pier cut out for height-adjustable mechanism (in Level I fascia) and base and ceiling fascia in 4" and 6".

NOTES

Similar to Altos Solid Fascia – Segmented (Level I) (FFS1) however is specific for the Tek Pier configuration.

PRODUCT OPTIONS

Level 1 Style	Level 1 Height	Level 2 Height (in 1" increments)	Width	Base/Ceiling Fascia Height	Level 1 Finish	Type (For Fascia Laminates Only)	Level 2 Finish	Type (For Fascia Laminates Only)	Base/Ceiling Finish	Type (For Fascia Laminates Only)
1 Tek Pier Height-Adjustable Cut Out	78, 80	12 6 – 12 18 13 – 18 24 19 – 24 30 25 – 30 32 31 – 32	42, 48	4, 6	Fascia Laminate Flintwood	2 Type 2	Fascia Laminate Flintwood	2 Type 2	Fascia Laminate Flintwood Aluminum	2 Type 2

SAMPLE ORDER CODE

FFSTKP 1	80	20	42	4	LW	2	LW	AC	2	
----------	----	----	----	---	----	---	----	----	---	--

DIMENSIONS
INCHES / MM

W
42 / 1067
48 / 1219

Level I Height	Level II Height	Width
78 / 1981	12 / 305	42 / 1067
78 / 1981	18 / 457	42 / 1067
78 / 1981	24 / 610	42 / 1067
78 / 1981	30 / 762	42 / 1067
78 / 1981	32 / 813	42 / 1067
78 / 1981	12 / 305	48 / 1219
78 / 1981	18 / 457	48 / 1219
78 / 1981	24 / 610	48 / 1219
78 / 1981	30 / 762	48 / 1219
78 / 1981	32 / 813	48 / 1219

PRICING

LEVEL 1 FINISH

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
573	646	987
586	660	1098

LEVEL 2 FINISH

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
81	86	195
122	133	265
212	237	395
212	237	395
219	244	489
83	88	212
124	136	289
217	242	459
217	242	459
226	251	531

Additional pricing is continued on the following page.

FFSTKP

Segmented Fascia Kit (Continued)

DIMENSIONS INCHES / MM

Level I Height	Level II Height	Width
80 / 2032	12 / 305	42 / 1067
80 / 2032	18 / 457	42 / 1067
80 / 2032	24 / 610	42 / 1067
80 / 2032	30 / 762	42 / 1067
80 / 2032	32 / 813	42 / 1067
80 / 2032	12 / 305	48 / 1219
80 / 2032	18 / 457	48 / 1219
80 / 2032	24 / 610	48 / 1219
80 / 2032	30 / 762	48 / 1219
80 / 2032	32 / 813	48 / 1219

PRICING

LEVEL 2 FINISH

Fascia Laminate		Flintwood
Gr. 1	Gr. 2	
219	244	489
219	244	489
219	244	489
219	244	489
219	244	489
226	251	531
226	251	531
226	251	531
226	251	531
226	251	531

If Base/Ceiling Finish is specified,

42" wide, 4" Base/Ceiling Fascia Height Grade 1, add 148

42" wide, 6" Base/Ceiling Fascia Height Grade 1, add 173

48" wide, 4" Base/Ceiling Fascia Height Grade 1, add 151

48" wide, 6" Base/Ceiling Fascia Height Grade 1, add 176

42" wide, 4" Base/Ceiling Fascia Height Grade 2, add 148

42" wide, 6" Base/Ceiling Fascia Height Grade 2, add 173

48" wide, 4" Base/Ceiling Fascia Height Grade 2, add 151

48" wide, 6" Base/Ceiling Fascia Height Grade 2, add 176

42" wide, 4" Base/Ceiling Fascia Height Flintwood, add 342

42" wide, 6" Base/Ceiling Fascia Height Flintwood, add 390

48" wide, 4" Base/Ceiling Fascia Height Flintwood, add 354

48" wide, 6" Base/Ceiling Fascia Height Flintwood, add 425


If Aluminum Base/Ceiling Finish is specified,

42" wide, 4" Base/Ceiling Fascia Height, add 205

48" wide, 6" Base/Ceiling Fascia Height, add 218

FFSMTKP

Segmented Monolithic Fascia Kit



The Segmented Monolithic Fascia Kit includes segmented fascias (level 1 & level 2) in solid finish.

WHAT'S INCLUDED

Altos Level I & II style fascias with Tek Pier cut out for height-adjustable mechanism (in Level I fascia).

NOTES

Similar to Altos Solid Fascia – Segmented Monolithic (Level I) (FFSM1) and Solid Fascia – Segmented Monolithic (Level II) (FFSM2) however is specific for the Tek Pier configuration.

PRODUCT OPTIONS

Style	Level 1 Height	Level 2 Height (in 1" increments)	Width	Level 1 Finish	Type (For Fascia Laminates Only)	Level 2 Finish	Type (For Fascia Laminates Only)
1 Tek Pier Height- Adjustable Cut Out	84	18 12 – 18 24 19 – 24 30 25 – 30 36 31 – 36	42, 48	Fascia Laminate Flintwood	2 Type 2	Fascia Laminate Flintwood	2 Type 2

248

SAMPLE ORDER CODE

FFFTKP 1	84	48	4	AV	2	AV	2
-----------------	-----------	-----------	----------	-----------	----------	-----------	----------

DIMENSIONS
INCHES / MM

W
42 / 1067
48 / 1219

Level I Height	Level II Height	Width
84 / 2134	18 / 457	42 / 1067
84 / 2134	24 / 610	42 / 1067
84 / 2134	30 / 762	42 / 1067
84 / 2134	36 / 914	42 / 1067
84 / 2134	18 / 457	48 / 1219
84 / 2134	24 / 610	48 / 1219
84 / 2134	30 / 762	48 / 1219
84 / 2134	36 / 914	48 / 1219

PRICING

LEVEL 1 FINISH

Fascia Laminate Gr. 1	Gr. 2	Flintwood
581	654	1047
594	669	1163

LEVEL 2 FINISH

Fascia Laminate Gr. 1	Gr. 2	Flintwood
122	133	265
152	167	332
212	237	395
219	244	489
124	136	289
156	171	363
217	242	459
226	251	531

The 4" Base and Ceiling Fascia Kit for Tek Pier (Opposite Side) provides a solid finish at the top and bottom of the opposite side of the wall section.

WHAT'S INCLUDED

Altos base and ceiling fascia for opposite side of Tek Pier wall.

NOTES

Similar to Altos Base Fascia (FFB) and Ceiling Fascia (FFC) however is specific for the Tek Pier configuration.

FFCBTKP 4" Base and Ceiling Fascia Kit for Tek Pier (Opposite Side)



PRODUCT OPTIONS

Width	Solid Finish	Type (For Fascia Laminates Only)
42, 48	Fascia Laminate Flintwood Aluminum	2 Type 2

SAMPLE ORDER CODE

FFCBTKP 42	AC	
------------	----	--


DIMENSIONS INCHES / MM

W
42 / 1067
48 / 1219

PRICING

Fascia Laminate		Flintwood	Aluminum
Gr. 1	Gr. 2		
141	148	342	205
144	151	354	218

TKP 1
Tek Pier Assembly 1




The Assembly 1 is recommended for use with 39" - 46" monitor size (max 35lbs) and must be specified on a 48" wide Frame Assembly for Tek Pier (FKTKP).

WHAT'S INCLUDED
Shroud assembly, origami mount, wall actuators, electrics beam, mounting plate, pyramid liaison, monopod linak leg.

WHAT'S EXCLUDED
Altos frame and fascia kits with electrics plate, worksurface, monitor.

NOTES
For use with Spade Top Worksurface (TKPA).

TKP 2
Tek Pier Assembly 2



The Assembly 2 is recommended for use with 30" - 38" monitor size (max 35lbs) and must be specified on a 42" wide Frame Assembly for Tek Pier (FKTKP).

WHAT'S INCLUDED
Shroud assembly, origami mount, wall actuators, electrics beam, mounting plate, pyramid liaison, monopod linak leg.

WHAT'S EXCLUDED
Altos frame and fascia kits with electrics plate, worksurface, monitor.

NOTES
For use with Pie Top Worksurface (TKPB) and Wedge Top Worksurface (TKPC).

PRODUCT OPTIONS

Shroud Surface Finish		Metal Finish	Electrical	Electrical Orientation
MV	Glacier White	83 Very White	1 Configuration	L Left
		60 Platinum		R Right

SAMPLE ORDER CODE

TKP1 MV	52	1	L
---------	----	---	---

TKP1
TEK PIER ASSEMBLY 1

10828

TKP2
TEK PIER ASSEMBLY 2

10876


The Spade Top Worksurface is only available with Tek Pier Assembly 1 (TKP1).

WHAT'S INCLUDED

Acrylic solid surface, worksurface with wood substrate under surface support.

NOTES

Ideal for meetings and collaboration for up to 5 people.

T K P A
Spade Top Worksurface**PRODUCT OPTIONS**

Worksurface Depth	Worksurface Length	Worksurface Top & Undersurface Finish	Undersurface Finish
59	67 67.5	Solid Surface	R1 Very White R2 Platinum

251

SAMPLE ORDER CODE

TKPA 59	67	MV	R1
----------------	-----------	-----------	-----------

PRICING


5420

TKPB
Pie Top Worksurface

The Pie Top Worksurface is only available with Tek Pier Assembly 2 (TKP2) and can be specified left or right handed.

WHAT'S INCLUDED
Acrylic solid surface, worksurface with wood substrate under surface support.

NOTES
Ideal for small enclaves or private offices and allows collaboration for up to 3 people.



PRODUCT OPTIONS

Worksurface Depth	Worksurface Length	Orientation	Worksurface Finish	Undersurface Finish
46	66 (66.5")	L Left R Right	MV White	R1 Very White R2 Platinum

SAMPLE ORDER CODE

TKPB 46	66	L	MV	R1
---------	----	---	----	----

PRICING

5432

The Wedge Top Worksurface is only available with Tek Pier Assembly 2 (TKP2) and can be specified left or right handed.


WHAT'S INCLUDED

Acrylic solid surface, worksurface with wood substrate under surface support.

NOTES

Ideal for small enclaves or private offices and allows collaboration for up to 3 people.

TKPC Wedge Top Worksurface



PRODUCT OPTIONS

Worksurface Depth	Worksurface Length	Orientation	Worksurface Finish	Undersurface Finish
66	50	L Left R Right	MV White	R1 Very White R2 Platinum

SAMPLE ORDER CODE

TKPC 66	50	L	MV	R2
---------	----	---	----	----

PRICING

5323

clerestory -
optos profile

clerestory - optos profile

PRODUCT MAP257


CLERESTORY BASICS258

PRODUCT LISTING262

product map

F Y C G Clerestory Glass Module


Page 262

Height: 12" - 36" in 1" increments /
Width: 12" - 48" in 1" increments


F Y F C C 3 Articulating Three-Way Connection with Optos

Page 273


Ceiling Height: 96" - 120" in 1" increments



F Y C C X 1 Clerestory In-Line Connection with Optos

Page 265

Ceiling Height: 96" - 120" in 1" increments




In-Line Connections

Two-Way Connections

F Y C C X 2 Clerestory Two-Way 90° Corner Connection with Optos

Page 266

Ceiling Height: 96" - 120" in 1" increments




Glass

Door

F Y C C A 2 Clerestory Two-Way 90° Corner Connection with Altos

Page 267


Ceiling Height: 96" - 120" in 1" increments



F Y C C Y 2 Clerestory Two-Way 90° Corner Connection

Page 268


Ceiling Height: 96" - 120" in 1" increments



F Y F C C 2 Articulating Two-Way Connection with Optos

Page 269

Ceiling Height: 96" - 120" in 1" increments




Glass

Door

F Y C C X 3 Clerestory Three-Way Connection with Optos

Page 270

Ceiling Height: 96" - 120" in 1" increments



Glass

Door

Two Doors


257

Three-Way Connections

F Y C C Y 3 Clerestory Three-Way Connection

Page 271


Ceiling Height: 96" - 120" in 1" increments



F Y C C A 3 Clerestory Three-Way Connection with Altos

Page 272


Ceiling Height: 96" - 120" in 1" increments



F Y F C C 3 Articulating Three-Way Connection with Optos

Page 273

Ceiling Height: 96" - 120" in 1" increments



Two Glass

One Glass, One Door

Two Doors


clerestory basics

An Optos clerestory module consists of Optos clerestory above 84" and Altos below.

- Tempered Glass is only available in Standard Clear
- Textured glass is not available
- For information on articulating corner connections with Optos, refer to the Corners & Connections - 10mm & 12mm section in the Optos Price Guide
- If a finished wall end is required for an Optos Clerestory module wall, use the Optos (FYFF)
- If a filler panel is required with an Optos Clerestory wall, use the Optos (FYFS)


Optos Clerestory Module (FYCG)

- Is a framed, single centered glass fascia
- Glass is 6mm and available in tempered or laminated
- Tempered glass is available in Clear
- Laminated glass is available in Clear, Frost and Vanceva Specialty Glass
- Frame is available in a Clear Anodized finish
- Available in 1" height increments of 12" - 36" and in 1" width increments of 12" - 48"




Two-Way 90° Connection with Optos (FYCCX2)

- Connects an Optos clerestory wall to a full-height Optos wall or Optos door frame at 90°
- Available in a Clear Anodized finish
- Available in 1" height increments of 96" - 120"




Two-Way 90° Corner Connection with Altos (FYCCA2)

- Connects an Optos clerestory wall with an Altos wall at 90°
- Available in a Clear Anodized finish and Fascia Laminates
- Available in 1" height increments of 96" - 120"




258




In-Line Connection with Optos (FYCCX1)

- Connects a wall with Optos clerestory in line with a full-height Optos wall
- Available in a Clear Anodized finish
- Available in 1" height increments of 96" - 120"




Three-Way Corner Connection with Altos (FYCCA3)

- Connects an Optos clerestory wall with two Altos walls
- Available in a Clear Anodized finish and Fascia Laminates
- Available in 1" height increments of 96" - 120"



Vertical Post (FYCFV)

- Is the full height vertical support for walls with Optos clerestory modules
- Includes enough Fascia connectors and bolts to support horizontal mounting at up to three levels (working wall)
- Is used to connect a clerestory module to another clerestory module or to an Optos wall or to a corner connection
- Available in 1" height increments of 96" - 120"



clerestory - optos profile

clerestory basics (continued)

An Optos clerestory module consists of Optos clerestory above 84" and Altos below.



- Tempered Glass is only available in Standard Clear
- Textured glass is not available
- For information on articulating corner connections with Optos, refer to the Corners & Connections - 10mm & 12mm section in the Optos Price Guide
- If a finished wall end is required for an Optos Clerestory module wall, use the Optos (FYFF)
- If a filler panel is required with an Optos Clerestory wall, use the Optos (FYFS)

Three-Way Connection with Optos (FYCCX3)


- Connects an Optos clerestory wall with two Optos walls or two Optos door frames
- Available in a Clear Anodized finish
- Available in 1" height increments of 96" - 120"

Three-Way Connection (FYCCY3)

- Connects three Optos clerestory walls
- Available in a Clear Anodized finish
- Available in 1" height increments of 96" - 120"

Two-Way 90° Corner Connection (FYCCY2)


- Connects two Optos clerestory walls at 90°
- Available in a Clear Anodized finish
- Available in 1" height increments of 96" - 120"




clerestory basics (continued)

Optos clerestory walls must be used in conjunction with an Optos Wall and cannot be used to create enclosures on their own.

- Optos clerestory is used above an 84" high Altos module
- Clerestory modules help to maintain a uniform and continuous look between Optos and Altos wall systems
- Planning with Optos clerestory on demising walls and back walls of private offices maximize light transmission while maintaining functionality and privacy
- Clerestory modules follow Altos planning rules
- Solid Altos Fascias below the Optos clerestory can provide added functionality such as whiteboards, tackboards and the ability to hang furniture




Altos Fascia Elevation types below Optos Clerestory are available as follows (elevations are shown 84" height):




Segmented Monolithic



Segmented




Working Wall




Working Wall Monolithic

Same horizontal trim profile



F Y C G

Clerestory Glass Module



The Clerestory Glass module integrates Optos storefronts with Altos demising walls. It provides a glass finish above 84" when used with Altos fascias below 84".

WHAT'S INCLUDED

1 framed glass module and connection hardware.

NOTES

Exact height and widths must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Height (1" increments)	Width (1" increments)	Glass Type	Glass Finish	Frame Finish
12 12	12 12	T Tempered	Tempered Glass	AC Clear Anodized
18 13 – 18	18 13 – 18	L Laminated	Standard Glass	
24 19 – 24	24 19 – 24		Laminated Glass	
30 25 – 30	30 25 – 30		Specialty Glass	
36 31 – 36	36 31 – 36		Standard Glass	
	40 37 – 40			
	42 41 – 42			
	48 43 – 48			

262

SAMPLE ORDER CODE

FYCG 30	40	T	A5	AC
---------	----	---	----	----

DIMENSIONS INCHES / MM

H (CODE)	W (CODE)
12 / 304	12 / 304
12 / 304	18 / 330-457
12 / 304	24 / 483-610
12 / 304	30 / 635-762
12 / 304	36 / 787-914
12 / 304	40 / 940- 1016
12 / 304	42 / 1041-1067
12 / 304	48 / 1092-1219
18 / 330-457	12 / 304
18 / 330-457	18 / 330-457
18 / 330-457	24 / 483-610
18 / 330-457	30 / 635-762
18 / 330-457	36 / 787-914
18 / 330-457	40 / 940- 1016
18 / 330-457	42 / 1041-1067
18 / 330-457	48 / 1092-1219
24 / 483-610	12 / 304
24 / 483-610	18 / 330-457
24 / 483-610	24 / 483-610
24 / 483-610	30 / 635-762
24 / 483-610	36 / 787-914
24 / 483-610	40 / 940- 1016
24 / 483-610	42 / 1041-1067
24 / 483-610	48 / 1092-1219

PRICING

TEMPERED GLASS (T)

Standard Glass Clear	
256	
284	
302	
325	
359	
364	
417	
425	
282	
313	
333	
360	
396	
404	
457	
469	
356	
396	
424	
460	
506	
516	
582	
598	

LAMINATED GLASS (L)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
344	378	378	400	423
364	401	401	423	448
377	415	415	438	465
394	434	434	457	485
414	450	450	486	515
427	464	464	490	520
464	509	509	538	570
468	527	527	543	576
361	397	397	419	444
382	420	420	443	470
394	434	434	459	485
411	452	452	478	506
450	496	496	523	555
465	511	511	540	572
511	563	563	594	630
533	587	587	620	656
457	503	503	532	563
483	531	531	561	595
510	562	562	593	628
561	617	617	651	690
621	683	683	721	764
644	709	709	748	793
705	775	775	819	868
740	815	815	860	912

FYCG

Clerestory Glass Module (Continued)

DIMENSIONS INCHES / MM


H (CODE)	W (CODE)
30 / 635-762	12 / 304
30 / 635-762	18 / 330-457
30 / 635-762	24 / 483-610
30 / 635-762	30 / 635-762
30 / 635-762	36 / 787-914
30 / 635-762	40 / 940- 1016
30 / 635-762	42 / 1041-1067
30 / 635-762	48 / 1092-1219
36 / 787-914	12 / 304
36 / 787-914	18 / 330-457
36 / 787-914	24 / 483-610
36 / 787-914	30 / 635-762
36 / 787-914	36 / 787-914
36 / 787-914	40 / 940- 1016
36 / 787-914	42 / 1041-1067
36 / 787-914	48 / 1092-1219

PRICING

TEMPERED GLASS (T)		LAMINATED GLASS (L)			
Standard Glass Clear		Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6 Gr. 7
382		475	523	523	552 585
425		509	560	560	592 627
457		563	620	620	654 693
496		622	685	685	723 767
545		691	761	761	803 851
559		720	793	793	837 887
625		785	863	863	911 966
645		829	912	912	963 1021
417		500	551	551	581 616
465		561	617	617	652 690
500		624	686	686	725 768
541		691	761	761	803 852
594		769	847	847	894 947
610		805	885	885	935 992
677		871	958	958	1012 1073
701		924	1017	1017	1074 1139

F Y C F V

Clerestory Vertical Post



Clerestory Vertical Posts extend from floor to ceiling frame beam to hold Clerestory Glass Modules and Altos Fascias in place.

WHAT’S INCLUDED

1 vertical post, 1 base leveler and Clerestory Bracket, female fascia connectors, horizontal shoulder screws and clerestory bracket assembly.

NOTES

Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (1" increments)	
102	96 – 102
108	103 – 108
114	109 – 114
120	115 – 120

SAMPLE ORDER CODE

FYCFV 108

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

211
217
223
227

The Clerestory In-Line Connection with Optos joins a Clerestory Module wall with an Optos wall at 180°.

WHAT'S INCLUDED

Trim and connection hardware.

WHAT'S EXCLUDED

1 vertical post (FYCFV).


NOTES

Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

F Y C C X 1

Clerestory In-line Connection with Optos



PRODUCT OPTIONS

Ceiling Height (1" increments)	Finish
102 96 – 102	AC Clear Anodized
108 103 – 108	
114 109 – 114	
120 115 – 120	

SAMPLE ORDER CODE

FYCCX1 103	AC
-------------------	-----------

265


DIMENSIONS INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

423
428
434
439

F Y C C X 2
Clerestory Two-Way 90° Corner
Connection with Optos



The Clerestory Two-Way Connection with Optos joins a Clerestory Module wall with an Optos wall at 90°.

WHAT’S INCLUDED

Trim and connection hardware.

WHAT’S EXCLUDED

1 vertical post (FYCFV) for Clerestory Module wall and 1 vertical post (FYFV) for Optos wall with Door if specified.

NOTES

Exact height must be specified in the order code. Range codes (e.g., 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (1" increments)	Optos Configuration	Finish
102 96 – 102	A Glass	AC Clear Anodized
108 103 – 108	B Door	
114 109 – 114		
120 115 – 120		

SAMPLE ORDER CODE

FYCCX2 110	A	AC
------------	---	----

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Glass (A)	Door (B)
532	337
537	343
542	348
548	353

The Clerestory Two-Way 90° Connection with Optos joins a Clerestory Module wall with an Altos wall at 90°.

WHAT'S INCLUDED

Trim and connection hardware.


WHAT'S EXCLUDED

1 vertical post (FYCFV) for Clerestory Module Wall and 1 vertical post (FKV) for Altos Wall.

NOTES

Exact height must be specified in the order code. Range codes (e.g., 102, 108) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.



PRODUCT OPTIONS

Ceiling Height (1" increments)	Clerestory Orientation	Finishes
102 96 – 102	L Left (Shown)	AC Clear Anodized
108 103 – 108	R Right	Fascia Laminate
114 109 – 114		Flintwood
120 115 – 120		

SAMPLE ORDER CODE

FYCCA2 120	L	AC
-------------------	----------	-----------

267


DIMENSIONS INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Clear Anodized	Fascia Laminate		Flintwood
	Gr. 1	Gr. 2	
357	225	240	595
357	225	240	633
373	242	260	671
373	242	260	709

FYCCY2
Clerestory Two-Way 90° Corner
Connection



The Clerestory Two-Way 90° Corner Connection joins two Clerestory Modules walls at 90°.

WHAT’S INCLUDED
Trim and connection hardware.

WHAT’S EXCLUDED
2 vertical post (FYCFV).

NOTES
Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.
While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (1" increments)	Finish
102 96 – 102 108 103 – 108 114 109 – 114 120 115 – 120	AC Clear Anodized

SAMPLE ORDER CODE

FYCCY2 103	AC
-------------------	-----------

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

317
322
327
332

The Articulating Two-Way 90° Corner Connection with Clerestory connects a straight run of Optos with a Clerestory module wall at an angle.

WHAT'S INCLUDED

1 corner cover, 1 vertical trim kit for glass and/or doors (as specified) and connection hardware.

WHAT'S EXCLUDED


1 Vertical Post (FYFV) for Door configuration, 1 Vertical Post (FYCFV) for Clerestory module wall.

NOTES

Exact width must be specified in the order code. Range codes (i.e. **102, 108**) are listed for pricing purposes only.

Trim components have an Anodized Aluminum finish.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.



PRODUCT OPTIONS

Ceiling Height (1" increments)	Configuration	Orientation
102 96-102	G Glass	L Left (shown)
108 103-108	D Door	R Right
114 109-114		
120 115-120		

SAMPLE ORDER CODE

FYFCC2 102	G	L
-------------------	----------	----------


DIMENSIONS INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Glass (G)	Door (D)
548	240
553	245
560	252
565	257

FYCCX3
Clerestory Three-Way Connection
with Optos



The Clerestory Three-Way Corner Connection with Optos joins two Optos walls at 180° with one Clerestory Module wall.

WHAT'S INCLUDED

Trim and connection hardware.

WHAT'S EXCLUDED

1 vertical post (FYCFV) for Clerestory Module wall and 1 vertical post (FYFV) for Optos wall with 1 Door if specified, or 2 vertical posts for Optos wall with 2 doors if specified.

NOTES

Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (1" increments)		Optos Configuration	Door Orientation (for One Door Optos Configuration)	Finish
102	96 – 102	A Glass	L Left (shown)	AC Clear Anodized
108	103 – 108	B One Door	R Right	
114	109 – 114	C Two Doors		
120	115 – 120			

SAMPLE ORDER CODE

FYCCX3 110	C	L	AC
-------------------	----------	----------	-----------

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Glass (A)	One Door (B)	Two Doors (C)
653	530	262
658	535	267
663	540	272
669	545	277

The Clerestory Three-Way Connection joins three Clerestory Module walls.

WHAT'S INCLUDED

Trim and connection hardware.

WHAT'S EXCLUDED

3 vertical posts (FYCFV).


NOTES

Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

F Y C C Y 3

Clerestory Three-Way Connection



PRODUCT OPTIONS

Ceiling Height (1" increments)		Finish
102	96 – 102	AC Clear Anodized
108	103 – 108	
114	109 – 114	
120	115 – 120	

SAMPLE ORDER CODE

FYCCY3 120	AC
-------------------	-----------

271


**DIMENSIONS
INCHES / MM**

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

259
264
269
274

F Y C C A 3
Clerestory Three-Way Connection
with Altos



The Clerestory Three-Way Corner Connection with Altos joins two Altos walls at 180° with one Clerestory Module wall.

WHAT’S INCLUDED

Trim and connection hardware.

WHAT’S EXCLUDED

1 vertical post (FYCFV) for Clerestory Module wall and 2 vertical posts (FKV) for Altos wall.

NOTES

Exact height must be specified in the order code. Range codes (e.g., **102, 108**) are listed for pricing purposes only.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Ceiling Height (1" increments)	Finish
102 96 – 102	AC Clear Anodized Fascia Laminate Flintwood
108 103 – 108	
114 109 – 114	
120 115 – 120	

SAMPLE ORDER CODE

FYCCA3 108	MS
-------------------	-----------

DIMENSIONS
INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Clear Anodized	Fascia Laminate		Flintwood
	Gr. 1	Gr. 2	
235	214	229	1419
235	214	229	1419
246	224	238	1444
246	224	238	1444

The Articulating Three-Way Corner Connection with Clerestory connects two straight runs of Optos with a Clerestory wall module at an angle.

WHAT'S INCLUDED

1 corner cover, 2 vertical trim kits for glass and/or doors (as specified) and connection hardware.

WHAT'S EXCLUDED

Vertical Posts (FYFV) for configurations with doors, 1 Vertical Post (FYCFV) for Clerestory wall module.

NOTES


Exact width must be specified in the order code. Range codes (i.e. 102, 108) are listed for pricing purposes only.

Trim components have an Anodized Aluminum finish.

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

F Y F C C 3

Articulating Three-Way Connection with Optos



PRODUCT OPTIONS

Ceiling Height (1" increments)	Configuration	Orientation (for One Glass, One Door Configuration only)
102 96-102	G Two Glass	L Left
108 103-108	D Two Doors	R Right (shown)
114 109-114	B One Glass, One Door	
120 115-120		

SAMPLE ORDER CODE

FYFCC3 102	G	L
-------------------	----------	----------

DIMENSIONS INCHES / MM

H (CODE)
102 / 2438 - 2591
108 / 2616 - 2743
114 / 2769 - 2896
120 / 2921 - 3048

PRICING

Glass (G)	Doors (D)	One Glass, One Door (B)
834	591	731
839	596	736
845	601	741
850	607	746

lighting, electrics &
communications

lighting, electrics & communications

PRODUCT MAP276

LIGHTING OVERVIEW278

ELECTRICS & COMMUNICATIONS OVERVIEW279

HARDWIRE ELECTRICS & COMMUNICATION BASICS280

MODULAR ELECTRICS BASICS282


POWER PLUS COMMUNICATIONS MODULE ELECTRICS BASICS . .284

PRODUCT LISTING286

product map


E L S Light Switch

Page 286




E R M Receptacle Module

Page 287




E C M Communications Module

Page 288




E C B Power Distribution Box

Page 289




E R C Communications Box

Page 290



E R A S Single Power Box


Page 291



276


E R A D Double Power Box

Page 292




E R A B Two-Sided Power Box

Page 293



E B Power Harness

Page 294
Lengths: 48", 72", 96", 120" & 144"




E B T Transition Harness

Page 295




E C F Ceiling/Underfloor Feed

Page 296
Length: 120", 240" & 360"



E F A Modular Power Distribution Box


Page 297




E M R Mounting Rail

Page 298

Length: 12" - 48" in 1" increments


**E F C C Fascia Cover Cap**

Page 299

**E R G M S Power Plus Communication Module – Single**


Page 300

Cable Length: 0', 20' & 30'

**E R G M D Power Plus Communication Module – Double**


Page 301

Cable Length: 20' & 30'

**E R G M T Power Plus Communication Module – Triple**


Page 302

Cable Length: 20' & 30'

**E R G M Q Power Plus Communication Module – Quad**


Page 304

Cable Length: 20' & 30'

**E R S C Power Plus Communication Module Starter Cable**


Page 306

Length: 1'




lighting overview

A light switch is available in Altos that allows user control of ambient lighting.



Light Switch (ELS)

- Allows for user control of individual office ambient light
- Can be installed on solid Fascias
- Is recommended to locate the cut out 42" above finished floor to the center-line of the light switch



Solid: Full
(FPVSF)



Solid: Segmented
(FPVSS)



Solid: Working Wall
(FPVSW)

lighting, electrics & communications

electrics & communications overview


There are four methods of supplying power and communications in Altos, each method functions differently. The following chart will help you select the appropriate solution.

	Field-supplied Electrics	Hardwire Electrics	Modular Electrics	Power Plus Communications Electrics
application	<ul style="list-style-type: none"> • Uses industry standard receptacles commonly used in drywall applications • Contractor provides all electrical components – only the Fascias are specified with cut outs • Client customized 	<ul style="list-style-type: none"> • Used in single office applications • Individual feed to each receptacle 	<ul style="list-style-type: none"> • Used with systems furniture applications • Allows for spine planning and routing power between receptacles 	<ul style="list-style-type: none"> • Used in single office applications • Individual feed to each box with disconnect in ceiling • Each box can hold 1 data plus 1-3 Duplex
benefits	<ul style="list-style-type: none"> • Contractor provides all electrical components • Fascia cutouts accept industry standard duplex or decora style receptacles 	<ul style="list-style-type: none"> • Industry standard receptacle module pre-wired with 20' – 0" cable • Includes standard electrical box, decora receptacle and faceplate • Standard and isolated circuits • 120 volt; 15 and 20 amp options • Communications module accepts modular furniture or decora strap faceplates • Voice/data jacks and cabling not included 	<ul style="list-style-type: none"> • Allows power to be routed between receptacles • Single and double sided power boxes correspond to wire system • Communications box accepts modular furniture faceplates • Voice/data jacks and faceplates not included 	<ul style="list-style-type: none"> • 120 volt; 15 amp and 20 amp options • Communication opening accepts modular furniture faceplates • 1 faceplate is used for the entire box
features	<ul style="list-style-type: none"> • Compatible with standard electrical wiring systems 	<ul style="list-style-type: none"> • Compatible with standard electrical wiring systems • Each receptacle fed individually • Does not route power between receptacles 	<ul style="list-style-type: none"> • Available in many wire systems • Reduces number of feeds required • Cost effective • Easy to reconfigure • Compatible with systems furniture • Requires fewer connections to building power 	<ul style="list-style-type: none"> • Available in many wire systems • Compatible with standard electrical wiring systems • Does not route power between receptacles • Single box for power and data • Easy to disconnect for relocation
wire systems	<ul style="list-style-type: none"> • Standard Circuit • Isolated Circuit 	<ul style="list-style-type: none"> • Standard Circuit • Isolated Circuit 	<ul style="list-style-type: none"> • 4B • 8T • 5D • 8N • 7G • 8K 	<ul style="list-style-type: none"> • 4B • 8T • 5D • 8N • 6G • 8K • 7G
electrical components available		<ul style="list-style-type: none"> • Receptacle Module (ERM) • Communications Module (ECM) • Power Distribution Box (ECB) • Light Switch (ELS) 	<ul style="list-style-type: none"> • Ceiling/Underfloor Feed (ECF) • Single Power Box (ERAS) • Double Power Box (ERAD) • Two-Sided Power Box (ERAB) • Communications Box (ERC) • Power Harness (EB) • Transition Harness (EBT) • Modular Power Distribution Box (EFA) • Mounting Rail (EMR) • Fascia Cover Cap (EFCC) 	<ul style="list-style-type: none"> • Power Plus Communications Module – Single (ERGMS) • Power Plus Communications Module – Double (ERGMD) • Power Plus Communications Module – Triple (ERGMT) • Power Plus Communications Module – Quad (ERGMQ) • Power Plus Communications Module Starter Cable (ERSC)

hardwire electrics & communications basics


Hardwire components consist of receptacle modules, communications modules and power distribution boxes.

- ❗ Connection to building supply must be done by a qualified electrician
- Fascia cut outs may not accept client-supplied standard electric/data boxes, receptacles and faceplates, the factory cut outs match factory electrics
- One size cut out fits both receptacle and communications modules. Any combination of Receptacles or Communications Modules are possible



Receptacle Module (ERM)

- Provides access to electrical power and can be installed at all Fascia cut outs located at base height, 18" height, and worksurface height
- Available in Standard or Isolated Ground
- Pre-wired with 20'-0" cable
- Altos receptacles are standard 120-volt with a choice of 15 or 20 amps
- Comes ready for installation and includes a standard electrical/data box, decora receptacle and faceplate
- Is not pre-wired






Communications Module (ECM)


- Voice and data are brought to the workspace via the Communications Module and can be used in all Fascia cut outs located at base height, 18" high and worksurface height
- Accepts modular furniture or decora strap faceplates
- Jacks/faceplates and cabling not included
- Can be specified to accept the pictured two faceplates
- Can be specified to accept twisted pair, fiber optic or coaxial cable

Electrical and communication cut outs installed in these locations



- One size cut out fits both receptacle and Communications Modules
- Any combination of Receptacles or Communications Module are possible



hardwire electrics & communications basics (continued)

**Power Distribution Box (ECB)**

- Simplifies the management of electrical wire cables and allows for circuit sharing between workspaces
- The most common location for a power distribution system is in the plenum above the finished ceiling
- Is a larger type of junction box with connection terminals
- It encloses circuits that distribute building power supply through the Altos wall system to receptacle modules
- Has 12 cut outs four measure 3/4" trade-size diameter and the remaining eight are 1/2" trade-size diameter
- The enclosure can be ordered with one or two terminal blocks color-coded to match wire colors
- For safety, a screw-on lid encloses all circuits
- Several circuit combinations can be accommodated by the Power Distribution Box as follows:
 - One Regular Circuit
 - Two Regular Circuits
 - One Isolated Circuit
 - One Regular/One Isolated Circuit

Standard Circuit**Isolated Ground Circuit**

Altos Receptacle Modules (ERM) and Light Switches (ELS) are compatible with standard electrical wiring systems used in drywall building applications. These consist of three wires (one circuit) for standard circuits and four wires for isolated ground circuits. This simplified approach to power eliminates the need for coordinating various circuit configurations. Receptacles can be specified as standard or isolated ground

modular electrics basics


Modular electrics consists of components that allow systems furniture to be powered directly from Altos walls.



- All components must be specified from same wire system – systems available – 4B, 5D, 7G, 8T, 8N and 8K
- Power from a single building supply may be routed to multiple offices
- Back-to-back installation of electrics and communications is possible by off-set mounting on the Fascia

Ceiling/Underfloor Feed (ECF)

- Hardwired to the building power supply and brings power to other modular electrics products
- Available in 120", 240" and 360" lengths
- Must be routed through solid Fascias or corner connections (any elevation) – **cannot** be routed through Fascias with glass





Power Harness (EB)

- Routes power between power boxes and distribution boxes
- Available in 72", 96", 120" and 144" lengths
- Links power harnesses or Transitional Harnesses (EBT) to one another
- Maximum number of Power Boxes chained by one circuit is limited by electrical loads
- Includes a jack end and a plug end for connecting – the jack end securely links to the plug end of connecting products and the plug end securely links to the jack end of connecting product

Transitional Harness (EBT)

- Includes two plug ends so that harnesses do not have to be looped from side to side
- Provides intermediate connection between Power Harness (EB) and Two-Sided Power Box (ERAB)




lighting, electrics & communications

modular electrics basics (continued)

Modular electrics consists of components that allow systems furniture to be powered directly from Altos walls.

- All components must be specified from same wire system – systems available – 4B, 5D, 7G, 8T, 8N and 8K
- Power from a single building supply may be routed to multiple offices
- Back-to-back installation of electrics and communications is possible by off-set mounting on the Fascia




Mounting Rail (EMR)

- Must be specified separately to attach the Power Box and Communications Box to the Horizontal Rail
- The specified nominal width of the Mounting Rail must equal the width of the mounting Horizontal Rail
- In addition, a Horizontal Rail-Single (FKHG) must be specified when the Power Box and Communications Box are located at the 18" high cut out on all Fascias or the 36" high cut out on Full and Segmented Fascias




Three Connector



Four Connector


Modular Power Distribution Box (EFA)

- Routes power in different directions – three-connector options routes in two directions and the four-connector options routes in three directions
- Connects directly to power boxes
- Non-directional
- A Mounting Rail (EMR) must be specified when it is positioned within a Fascia that does not have a power box
- A horizontal rail – single may be specified when located at the 18" high cut out on all Fascias or the 36" high cut out on full and segmented Fascia
- Also used adjacent to corner connections to route power to different directions




Power Box (ERAS, ERAD, ERAB)


- Supplies duplex receptacles for plug in to electrical power in 4B, 5C, 7G, 8T, 8N and 8K wire systems
- When a two-sided power box is specified a 12" transitional harness is needed
- Transition Harness (EBT) is included as an intermediate connection between the power box and the two-sided box harness



Single Power Box one duplex receptacle (ERAS)




Double Power Box two duplex receptacles (ERAD)



Two-Sided Power Box one duplex receptacle on each side (ERAB)

Communications Box (ERC)

- Delivers voice and data to the workplace and can be used in conjunction with the power box
- Accepts modular furniture faceplates
- Jacks and faceplates and conduit are not included
- Not prewired



power plus communications module electrics basics

Modular electrics consists of components that allow systems furniture to be powered directly from Altos walls.




- All components must be specified from same wire system – systems available – 4B, 5D, 6G, 7G, 8T, 8N and 8K
- Power from a single building supply may be routed to multiple offices
- Back-to-back installation of electrics and communications is possible by off-set mounting on the Fascia




Power Plus Communications Module Starter Cable (ERSC)

- Is used at every location that Power Plus Communications Modules are used to connect the electrics to the ceiling power
- Available 12" long and in 4B, 5D, 6G, 7G, 8T and 8K wiring systems



Power Plus Communications Module (ERGMS, ERGMD, ERGMT, ERGMQ)


- Provides data and 1 - 3 duplexes on one faceplate for single office applications
- Each box routes directly to the Power Plus Communications Plus Cable, power is **not** routed between modules
- Cable lengths are available 20' and 30' long, or with no conduit, which are used with data only modules
- Available 120 volt and 15 amp or 20 amp
- Available in Single (ERGMS), Double (ERGMD), Triple (ERGMT) and Quad (ERGMQ) options
- Faceplates are available in E1 Black or E2 White
- Fascias are available with cut-outs to match each Power Plus Communications Module types. See the Fascias section for more details



ELS
Light Switch

The Light Switch is field installed on Solid Fascias and allows user control of lighting.

WHAT'S INCLUDED
1 electrical box with mounting bracket, pre-wired rocker-style decora light switch with 20' cable, faceplate, mounting hardware.



PRODUCT OPTIONS

Finish	Country of Installation	Amperage	Electrical Certification
E1 Black E2 White	A Canada/U.S.A.	15 15 amps 20 20 amps	CSA Canada UL U.S.A.

SAMPLE ORDER CODE

ELS E2	A	15	UL
--------	---	----	----

PRICING

15 Amps	20 Amps
211	241

The Receptacle Module is mounted behind fascias in factory cut outs to provide electrical access at worksurface, 18" AFF or base height.


WHAT'S INCLUDED

1 electrical box with mounting bracket, pre-wired decora outlet with 20' cable, faceplate, mounting hardware.

NOTES

Isolated ground receptacle has an orange face with green triangle.

ERM Receptacle Module



PRODUCT OPTIONS

Receptacle Type	Faceplate Finish	Country of Installation	Receptacle Amperage	Electrical Certification
1 Standard	E1 Black	A Canada/U.S.A.	15 15 amps	CSA Canada
5 Isolated Ground	E2 White		20 20 amps	UL U.S.A.


SAMPLE ORDER CODE

ERM 1	E1	A	20	CSA
-------	----	---	----	-----

PRICING

STANDARD		ISOLATED GROUND	
15 Amps	20 Amps	15 Amps	20 Amps
226	294	298	322

ECM
Communications Module



The Communication Module is mounted behind Fascias in factory cut outs and accepts various manufacturing Data/Communication Faceplates for access at worksurface, 18" AFF or base height.

WHAT’S INCLUDED
1 electrical box with mounting bracket, adapter faceplate, mounting hardware.

WHAT'S EXCLUDED
Data/Communication Jacks and Data/Communication Cables.

PRODUCT OPTIONS

Faceplate Type	Finish
M Modular Furniture Faceplate D Decora Strap	E1 Black E2 White

SAMPLE ORDER CODE

ECM M	E1
-------	----

PRICING

33


The Power Distribution Box mounts in the ceiling or access floor and connects to building power supply to distribute power to multiple receptacle modules.

ECB

Power Distribution Box

WHAT'S INCLUDED

1 electrical enclosure, 1 or 2 color coded terminal blocks.



PRODUCT OPTIONS


Configuration	Country of Installation
1 One Regular Circuit 2 Two Regular Circuit 5 One Isolated Circuit 6 One Regular/One Isolated Circuit	A Canada/U.S.A.

SAMPLE ORDER CODE

ECB 1	A
--------------	----------

CONFIGURATION	PRICING
1	247
2	374
5	272
6	397

ERC
Communications Box



The Communication Box mounts to the Mounting Rail at worksurface, 18" AFF or base height to provide data/communication access.

WHAT'S INCLUDED

1 communication Box with cover plate.

WHAT'S EXCLUDED

Mounting Rail (EMR) and Single Horizontal Rail (FKHG).

NOTES

Accepts modular furniture faceplates (cut out size 2 3/4" x 1 3/8").

PRODUCT OPTIONS

Finish
E1 Black
E2 White

SAMPLE ORDER CODE

ERC E1

290

PRICING

33


The Single Power Box mounts to the mounting rail at worksurface, 18" AFF or base height to provide a duplex receptacle.

WHAT'S INCLUDED

1 power box with duplex receptacle and securement key.

WHAT'S EXCLUDED

Mounting Rail (EMR) and Single Horizontal Rail (FKHG).



PRODUCT OPTIONS

Wire System	Outlet Configuration	Country of Installation	Receptacle Amperage	Finish
4B 4-Wire	1 Circuit 1	A Canada/U.S.A.	15 15 amps	E1 Black
5D 5-Wire	2 Circuit 2		20 20 amps	E2 White
7G 7-Wire Isolated Ground	3 Circuit 3 (for use with 5D or 8T only)			
8N 8-Wire Separate Neutral	5 Circuit 5 (for use with 7G, 8T, 8N or 8K only)			
8T 8-Wire Isolated Ground	6 Circuit 6 (for use with 8K only)			
8K 8-Wire Dual Isolated				


SAMPLE ORDER CODE

ERAS 8N	1	A	15	E2
----------------	----------	----------	-----------	-----------

PRICING

15 Amps	20 Amps
142	152

ERAD
Double Power Box



The Double Power Box mounts to the mounting rail at worksurface, 18" AFF or base height to provide two duplex receptacles.

WHAT'S INCLUDED

1 power box with duplex receptacles, securement key.

WHAT'S EXCLUDED

Mounting Rail (EMR) and Single Horizontal Rail (FKHG).

PRODUCT OPTIONS

Wire System	Outlet Configuration		Country of Installation	Receptacle Amperage	Finish
4B 4-Wire	11 Circuit 1 & 1	25 Circuit 2 & 5 (for 7G, 8T, 8N or 8K only)	A Canada/ U.S.A.	15 15 amps	E1 Black
5D 5-Wire	12 Circuit 1 & 2	26 Circuit 2 & 6 (for 8K only)		20 20 amps	E2 White
7G 7-Wire Isolated Ground	13 Circuit 1 & 3 (for 5D or 8T only)	33 Circuit 3 & 3 (for 5D or 8T only)			
8T 8-Wire Isolated Ground	15 Circuit 1 & 5 (for 7G, 8T, 8N or 8K only)	35 Circuit 3 & 5 (for 8T only)			
8N 8-Wire Separate Neutral	16 Circuit 1 & 6 (for 8K only)	55 Circuit 5 & 5 (for 7G, 8T, 8N or 8K only)			
8K 8-Wire Dual Isolated	22 Circuit 2 & 2	56 Circuit 5 & 6 (for 8K only)			
	23 Circuit 2 & 3 (for 5D or 8T only)	66 Circuit 6 & 6 (for 8K only)			

SAMPLE ORDER CODE

ERAD 7G	15	A	20	E1
---------	----	---	----	----

PRICING

15 Amps	20 Amps
207	229

The Two-Sided Power Box mounts to the mounting rail at worksurface, 18" AFF or base height to provide duplex receptacles on each side of the wall.

WHAT'S INCLUDED


1 power box with duplex receptacles, 12" Transition Harness (EBT).

WHAT'S EXCLUDED

Mounting Rail (EMR) and Single Horizontal Rail (FKHG).

E R A B

Two-Sided Power Box



PRODUCT OPTIONS

Wire System	Outlet Configuration		Country of Installation	Receptacle Amperage	Finish
4B 4-Wire	11 Circuit 1 & 1	25 Circuit 2 & 5 (for 7G, 8T, 8N or 8K only)	A Canada/ U.S.A.	15 15 amps	E1 Black
5D 5-Wire	12 Circuit 1 & 2	26 Circuit 2 & 6 (for 8K only)		20 20 amps	E2 White
7G 7-Wire Isolated Ground	13 Circuit 1 & 3 (for 5D or 8T only)	33 Circuit 3 & 3 (for 5D or 8T only)			
8T 8-Wire Isolated Ground	15 Circuit 1 & 5 (for 7G, 8T, 8N or 8K only)	35 Circuit 3 & 5 (for 8T only)			
8N 8-Wire Separate Neutral	16 Circuit 1 & 6 (for 8K only)	55 Circuit 5 & 5 (for 7G, 8T, 8N or 8K only)			
8K 8-Wire Dual Isolated	22 Circuit 2 & 2	56 Circuit 5 & 6 (for 8K only)			
	23 Circuit 2 & 3 (for 5D or 8T only)	66 Circuit 6 & 6 (for 8K only)			

SAMPLE ORDER CODE


ERAB 5D	33	A	15	E2
----------------	-----------	----------	-----------	-----------

PRICING

15 Amps	20 Amps
283	304

E B

Power Harness



The Power Harness is used to connect two or more power communication boxes to a single power source.

WHAT'S INCLUDED

1 harness.

NOTES

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	48, 72, 96, 120, 144	A Canada/U.S.A.

SAMPLE ORDER CODE

EB 5D	144	A
--------------	------------	----------

DIMENSIONS INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438
120 / 3048
144 / 3658

PRICING

4-Wire (4B)
87
98
109
142
169
5-Wire (5D)
98
120
130
164
196
7-Wire Isolated Ground (7G)
109
130
142
185
217

DIMENSIONS INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438
120 / 3048
144 / 3658


PRICING

8-Wire Isolated Ground (8T)
120
142
157
207
250
8-Wire Separate Neutral (8N)
131
155
174
227
275
8-Wire Dual Isolated (8K)
144
171
189
250
302

The Transition Harness is used in conjunction with the power harness to connect power boxes.

E B T

Transition Harness



PRODUCT OPTIONS

Wire System	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	A Canada/U.S.A.

SAMPLE ORDER CODE


EBT 4B	A
---------------	----------

PRICING

82

ECF

Ceiling/Underfloor Feed



The Ceiling/Underfloor Feed connects to the building power supply to bring power to the power boxes.

WHAT'S INCLUDED

1 harness and 1 junction box.

NOTES

While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Wire System	Length	Country of Installation	Electrical Certification
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	120, 240, 360	A Canada/U.S.A.	CSA Canada UL U.S.A.

SAMPLE ORDER CODE

ECF 8K	120	A	CSA
---------------	------------	----------	------------

296

DIMENSIONS INCHES / MM

L
120 / 3048
240 / 6096
360 / 9144
120 / 3048
240 / 6096
360 / 9144
120 / 3048
240 / 6096
360 / 9144

PRICING

4-Wire (4B)
120
207
283
5-Wire (5D)
142
229
316
7-Wire Isolated Ground (7G)
164
261
348

DIMENSIONS INCHES / MM

L
120 / 3048
240 / 6096
360 / 9144
120 / 3048
240 / 6096
360 / 9144
120 / 3048
240 / 6096
360 / 9144

PRICING

8-Wire Isolated Ground (8T)
207
316
413
8-Wire Separate Neutral (8N)
227
347
454
8-Wire Dual Isolated (8K)
247
378
496

E F A

The Module Power Distribution Box routes power in two or three directions in the wall cavity.

WHAT'S INCLUDED

1 Power Distribution Box, mounting hardware.


WHAT'S EXCLUDED

Mounting Rail (EMR).

NOTES

Three – Connectors route power in two directions.

Four – Connectors route power in two or three directions.

Modular Power Distribution Box**PRODUCT OPTIONS**

Connector	Wire System	Country of Installation
T Three	4B 4-Wire	A Canada/U.S.A.
F Four	5D 5-Wire	
	7G 7-Wire Isolated Ground	
	8T 8-Wire Isolated Ground	
	8N 8-Wire Separate Neutral	
	8K 8-Wire Dual Isolated	


SAMPLE ORDER CODE

EFA F	7G	A
-------	----	---

CONNECTOR**PRICING**

	4-Wire (4B)
T	164
F	244
	5-Wire (5D)
T	169
F	250
	7-Wire Isolated Ground (7G)
T	174
F	256
	8-Wire Isolated Ground (8T)
T	179
F	266
	8-Wire Separate Neutral (8N)
T	196
F	287
	8-Wire Dual Isolated (8K)
T	212
F	316

EMR
Mounting Rail



The Mounting Rail attaches to the underside of a horizontal rail to accommodate one, two or three power and/or communication boxes.

WHAT’S INCLUDED
1 rail.

WHAT'S EXCLUDED
Horizontal Rail (FKH).

NOTES
Exact length **must** be specified in the order code. Range codes: (i.e. **12, 18**) are listed for pricing purposes only.
While sizing is shown in both imperial and metric, products need to be ordered using imperial dimensions.

PRODUCT OPTIONS

Length (in 1" increments)	
12 12	36 31 – 36
18 13 – 18	40 37 – 40
24 19 – 24	42 41 – 42
30 25 – 30	48 43 – 48

SAMPLE ORDER CODE

EMR 45

298

DIMENSIONS
INCHES / MM

L (CODE)
12 / 305
18 / 457
24 / 610
30 / 762
36 / 914
40 / 1016
42 / 1067
48 / 1219

PRICING

31
33
35
38
40
42
43
45


The Fascia Cover Cap covers any unused Fascia cut outs.

WHAT'S INCLUDED

1 blank plate to cover Fascia cut out.

E F C C

Fascia Cover Cap



PRODUCT OPTIONS

Finish

E1 Black

E2 White

SAMPLE ORDER CODE

EFCC E1

PRICING


27

299

ERGMS

Power Plus Communications

Module – Single



The Power Plus Communication Module - Single attaches to the fascia at 18" AFF to provide a single duplex receptacle or data/communication access.

WHAT’S INCLUDED

1 power box with duplex receptacle, cable with latch connector and cover plate or data/communication box with cover plate as specified.

WHAT'S EXCLUDED

Starter Cable (ERSC).

NOTES

Data Only opening accepts modular furniture faceplates (cut-out size 2.72" x 1.38").

Wiring System option is not applicable to Data Only Modules.

PRODUCT OPTIONS

Cable Length	Wiring System	Outlet Configuration	Country of Installation	Receptacle Amperage	Faceplate Finish
00 No Conduit (for data only modules)	4B 4-Wire	0 Data Only (for use with NN)	A Canada/ USA	15 15 Amp 20 20 Amp NN Data Only	E1 Black E2 White
	5D 5-Wire	1 Circuit 1 (for use with 4B, 5D, 6G, 7G, 8T, 8K)			
20 20 Foot	6G 6-Wire Isolated Ground	2 Circuit 2 (for use with 4B, 5D, 7G, 8T, 8K)			
30 30 Foot	7G 7-Wire Isolated Ground	3 Circuit 3 (for use with 5D, 8T)			
	8T 8-Wire Isolated Ground	5 Circuit 5 (for use with 6G, 7G, 8T, 8K)			
	8K 8-Wire Dual Isolated	6 Circuit 6 (for use with 8K)			
	NN Data Only				

SAMPLE ORDER CODE

20	4B	1	A	15	E1
-----------	-----------	----------	----------	-----------	-----------

300

DIMENSIONS

FEET

L (CODE)
00
20
30

PRICING

120
630
696

The Power Plus Communication Module - Double attaches to the fascia at 18" AFF to provide a duplex receptacle and data/communication access.

WHAT'S INCLUDED

1 power box with duplex receptacle, 1 data/communication box with cover plate and cable with latch connector as specified.

WHAT'S EXCLUDED


Starter Cable (ERSC).

NOTES

Data/communication opening accepts modular furniture faceplates (cut out size 2.72" x 1.38") and is always located on the right.

E R G M D

Power Plus Communications Module – Double



PRODUCT OPTIONS

Cable Length	Wiring System	Outlet Configuration	Country of Installation	Receptacle Amperage	Faceplate Finish
20 20 Foot	4B 4-Wire	10 Circuit 1 plus one data opening (for use with 4B, 5D, 6G, 7G, 8T, 8K)	A Canada/ USA	15 15 Amp	E1 Black
30 30 Foot	5D 5-Wire	20 Circuit 2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)		20 20 Amp	E2 White
	6G 6-Wire Isolated Ground	30 Circuit 3 plus one data opening (for use with 5D, 8T)			
	7G 7-Wire Isolated Ground	50 Circuit 5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
	8T 8-Wire Isolated Ground	60 Circuit 6 plus one data opening (for use with 8K)			
	8K 8-Wire Dual Isolated				

SAMPLE ORDER CODE


20	4B	1	A	15	E1
-----------	-----------	----------	----------	-----------	-----------

DIMENSIONS FEET

L
20
30

PRICING

753
819

ERGMT**Power Plus Communications
Module – Triple**

The Power Plus Communication Module - Triple attaches to the fascia at 18" AFF to provide two duplex receptacles and data/communication access.

WHAT'S INCLUDED

1 power box with 2 duplex receptacles, 1 data/communication box with cover plate and cable with latch connector as specified.

WHAT'S EXCLUDED

Starter Cable (ERSC).

NOTES

Data/communication opening accepts modular furniture faceplates (cut out size 2.72" x 1.38") and is always located on the right.

PRODUCT OPTIONS

Cable Length	Wiring System	Outlet Configuration	Country of Installation	Receptacle Amperage	Faceplate Finish
20 20 Foot	4B 4-Wire	110 Circuit 1&1 plus one data opening (for use with 4B, 5D, 6G, 7G, 8T, 8K)	A Canada/ USA	15 15 Amp	E1 Black
30 30 Foot	5D 5-Wire	120 Circuit 1&2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)			E2 White
	6G 6-Wire Isolated Ground	130 Circuit 1&3 plus one data opening (for use with 5D, 8T)		20 20 Amp	
	7G 7-Wire Isolated Ground	150 Circuit 1&5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
	8T 8-Wire Isolated Ground	160 Circuit 1&6 plus one data opening (for use with 8K)			
	8K 8-Wire Dual Isolated	220 Circuit 2&2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)			
		230 Circuit 2&3 plus one data opening (for use with 5D, 8T)			
		250 Circuit 2&5 plus one data opening (for use with 7G, 8T, 8K)			
		260 Circuit 2&6 plus one data opening (for use with 8K)			
		330 Circuit 3&3 plus one data opening (for use with 5D, 8T)			
		350 Circuit 3&5 plus one data opening (for use with 8T)			
		550 Circuit 5&5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
		560 Circuit 5&6 plus one data opening (for use with 8K)			
		660 Circuit 6&6 plus one data opening (for use with 8K)			

SAMPLE ORDER CODE


20	4B	1	A	15	E1
-----------	-----------	----------	----------	-----------	-----------

**DIMENSIONS
FEET**

L
20
30

PRICING

797
862

ERGMQ**Power Plus Communications
Module – Quad**

The Power Plus Communication Module - Quad attaches to the fascia at 18" AFF to provide three duplex receptacles and data/communication access.

WHAT'S INCLUDED

1 power box with 3 duplex receptacles, data/communication box with cover plate and cable with latch connector as specified.

WHAT'S EXCLUDED

Starter Cable (ERSC).

NOTES

Data Only opening accepts modular furniture faceplates (cut out size 2.72" x 1.38") and is always located on the right.

PRODUCT OPTIONS

Cable Length	Wiring System	Outlet Configuration	Country of Installation	Receptacle Amperage	Faceplate Finish
20 20 Foot	4B 4-Wire	1110 Circuit 1, 1, 1 plus one data opening (for use with 4B, 5D, 6G, 7G, 8T, 8K)	A Canada/ USA	15 15 Amp	E1 Black
30 30 Foot	5D 5-Wire	1120 Circuit 1, 1, 2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)		20 20 Amp	E2 White
	6G 6-Wire Isolated Ground	1220 Circuit 1, 2, 2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)			
	7G 7-Wire Isolated Ground	1230 Circuit 1, 2, 3 plus one data opening (for use with 5D, 8T)			
	8T 8-Wire Isolated Ground	1130 Circuit 1, 1, 3 plus one data opening (for use with 5D, 8T)			
	8K 8-Wire Dual Isolated	1330 Circuit 1, 3, 3 plus one data opening (for use with 5D, 8T)			
		1150 Circuit 1, 1, 5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
		1250 Circuit 1, 2, 5 plus one data opening (for use with 7G, 8T, 8K)			
		1550 Circuit 1, 5, 5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
		1160 Circuit 1, 1, 6 plus one data opening (for use with 8K)			
		1260 Circuit 1, 2, 6 plus one data opening (for use with 8K)			
		1560 Circuit 1, 5, 6 plus one data opening (for use with 8K)			
		1660 Circuit 1, 6, 6 plus one data opening (for use with 8K)			

Additional outlet configurations are continued on the following page.

SAMPLE ORDER CODE

20	4B	1	A	15	E1
-----------	-----------	----------	----------	-----------	-----------

**DIMENSIONS
FEET**

L
20
30

PRICING

833
898

The Power Plus Communication Module - Quad attaches to the fascia at 18" AFF to provide three duplex receptacles and data/communication access.

WHAT'S INCLUDED

1 power box with 3 duplex receptacles, data/communication box with cover plate and cable with latch connector as specified.

WHAT'S EXCLUDED


Starter Cable (ERSC).

NOTES

Data/communication opening accepts modular furniture faceplates (cut out size 2.72" x 1.38") and is always located on the right.

ERGMQ

Power Plus Communications Module – Quad (Continued)



PRODUCT OPTIONS

Cable Length	Wiring System	Outlet Configuration	Country of Installation	Receptacle Amperage	Faceplate Finish
20 20 Foot	4B 4-Wire	2220 Circuit 2, 2, 2 plus one data opening (for use with 4B, 5D, 7G, 8T, 8K)	A Canada/USA	15 15 Amp 20 20 Amp	E1 Black E2 White
30 30 Foot	5D 5-Wire	2230 Circuit 2, 2, 3 plus one data opening (for use with 5D, 8T)			
	6G 6-Wire Isolated Ground	2330 Circuit 2, 3, 3 plus one data opening (for use with 5D, 8T)			
	7G 7-Wire Isolated Ground	2250 Circuit 2, 2, 5 plus one data opening (for use with 7G, 8T, 8K)			
	8T 8-Wire Isolated Ground	2350 Circuit 2, 3, 5 plus one data opening (for use with 8T)			
	8K 8-Wire Dual Isolated	2550 Circuit 2, 5, 5 plus one data opening (for use with 7G, 8T, 8K)			
		2260 Circuit 2, 2, 6 plus one data opening (for use with 8K)			
		2560 Circuit 2, 5, 6 plus one data opening (for use with 8K)			
		2660 Circuit 2, 6, 6 plus one data opening (for use with 8K)			
		3330 Circuit 3, 3, 3 plus one data opening (for use with 5D, 8T)			
		3350 Circuit 3, 3, 5 plus one data opening (for use with 8T)			
		3550 Circuit 3, 5, 5 plus one data opening (for use with 8T)			
		5550 Circuit 5, 5, 5 plus one data opening (for use with 6G, 7G, 8T, 8K)			
		5560 Circuit 5, 5, 6 plus one data opening (for use with 8K)			
		5660 Circuit 5, 6, 6 plus one data opening (for use with 8K)			
		6660 Circuit 6, 6, 6 plus one data opening (for use with 8K)			

SAMPLE ORDER CODE

20	4B	1	A	15	E1
-----------	-----------	----------	----------	-----------	-----------


DIMENSIONS FEET

L
20
30

PRICING

833
898

ERSC
Power Plus Communications
Module Starter Cable



The Power Plus Communication Module Starter Cable attaches to a Power Plus Communication Module and is hard-wired on site to a building power distribution box (not included).

WHAT'S INCLUDED
1 cable with connector.

WHAT'S EXCLUDED
Power Plus Communication Modules (ERGMS, ERGMD, ERGMT or ERGMQ).

PRODUCT OPTIONS

Length	Wiring System	Country of Installation
01 1 Foot	4B 4-Wire 5D 5-Wire 6G 6-Wire Isolated Ground 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	A Canada/USA

SAMPLE ORDER CODE

01	8T	A
----	----	---

PRICING

135

mounted storage &
accessories

mounted storage & accessories

PRODUCT MAP311


ACCESSORY BASICS313

PRODUCT LISTING314

product map


F M C H Coat Hook

Page 314




F M A H Art Hook

Page 315




F M O S Office Signage

Page 316



KT Touch-Up Kits

Page 317



Small Brushes
(KT100)


Crayon
(KT401)

Marker
(KT402)

Spray Can
(KT200)


Edge Banding
(KT500)

Altos offers the following mounted storage and accessory options.



Coat Hook (FMCH)

- Allows a means of hanging coats within an Altos environment
- Mounted on-module, in the vertical reveal at varying heights
- Can be used for all wall elevation and surface finish types



Office Signage (FMOS)

- Identifies an occupant and/or location, within an Altos environment
- Coordinates with the Workstation Signage on systems furniture
- Mounted on-module, in the vertical reveal at varying heights
- Can be used for all wall elevation and surface finish types




Art Hook (FMAH)

- Provides an alternative means of hanging pictures without damaging the face of Altos fascias
- Mounted off-module, from the horizontal reveal line above the location of the art work
- Can be used for all wall elevation and surface finish types
- Each hook can support a picture weighing up to 15 lbs
- Multiples of the Art Hook can be used to accommodate large, unbalanced or heavy pictures

FMCH
Coat Hook

The Coat Hook mounts on-module in the vertical slots and can be used on any Fascia.
WHAT'S INCLUDED
1 hook and mounting hardware.



PRODUCT OPTIONS

Finish	
AC	Clear Anodized

SAMPLE ORDER CODE

FMCH AC

PRICING


67

The Art Hook hangs off-module in the horizontal reveals to support pictures up to 15 lbs and can be used on any Fascia.

WHAT'S INCLUDED

6 hangers, 6 48" cords and 6 mounting hardware kits.

F M A H
Art Hook



PRODUCT OPTIONS

Finish
7 Platinum (Mica)


SAMPLE ORDER CODE

FMAH 7

PRICING

226 (Pkg. 6)

F M O S
Office Signage



Office Signage provides a method of identification for an occupant or room.

WHAT’S INCLUDED
1 sign body and end caps, 1 clear plastic cover, mounting hardware and 1 information sheet explaining set-up for word processing output.

NOTES
Double-sided tape can be used to mount signage off-module.

PRODUCT OPTIONS

Finish
AC Clear Anodized

SAMPLE ORDER CODE

FMOS AC

PRICING

39

Touch-Up Kits are used for touching up minor scratches and chips.

WHAT'S INCLUDED

1 bottle with brush or marker or crayon.

NOTES

The Touch-Up Kits (KT100) are fast-drying lacquer paints for covering small scratches and chips on products which are made out of metal. The lacquer paints for the (KT100) are non-textured.

The Crayon (KT401) is used for covering small scratches and chips on Source/Foundation Laminate, Seamless, Flintwood and Natural Veneer surfaces.

The Marker (KT402) is used for covering small scratches and chips on Flintwood and Natural Veneer surfaces.


The Spray Can (KT200) is used for covering small scratches and chips on Foundation, Mica and Accent surfaces.

The Edge Banding (KT500) is used to cover the exposed sides of materials on Flintwood surfaces.

For instructions on the proper use of Touch-Up Paint, please refer to Care & Maintenance in the Fabrics and Finishes binder.

K T

Touch-Up Kits



PRODUCT OPTIONS

Styles	Finish Colors for (KT100)	Finish Colors for (KT401)	Finish Colors for (KT402)
100 Small Brushes	Foundation	Source Laminate	Flintwood
401 Crayon	Accent	Foundation Laminate	Natural Veneer
402 Marker		Seamless Color	
200 Spray Can		Flintwood	
500 Edge Banding		Natural Veneer	

SAMPLE ORDER CODE

KT 100	M		
---------------	----------	--	--

DIMENSIONS

H
KT401
KT100
KT500
KT402
KT200

PRICING

62
90
53
60
130

teknion

www.teknion.com

IN CANADA:

1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA:

350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN:

Europe, South and Central America
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 06-19

©Teknion 2017

®, ™ trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Some products may not be available in
all markets. Contact your local
Teknion Representative for availability.

JUN17-ALT-PG