

BACKBONE® MEDIA PLATFORM

PRICE LIST

March 28, 2012 Updated October 3, 2022

800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.




Contents
Refer to KI Terms & Conditions document or visit ki.com.


Backbone® General Information Product Color Options Stationary Unit Stationary Unit with Radius Corners Mobile Unit Master Key for Lock Core Monitor Support




Cutout Patterns for Mobile Units

Cutout Details







Enclosure

Enclosure shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Access to internal wiring shall be provided by a lockable removable door with minimum dimensions measuring 10" tall by 48" long. Ventilation is provided through openings on each end measuring a minimum 8" x 15" and covered with powder coated perforated steel panels.

The Stationary units will be supported by two 11-gauge formed and welded steel supports containing leveling glides. These powder coated supports are bolted to the lower support cross members. This unit will be topped by a 1-1/8" thick 45# particle board top.

The Mobile units will be supported by four 2.44" diameter casters and contain rare earth ganging magnets on two sides. These unit will be topped with a 3/4" thick 45# particle board top. Mobile tables are available with a Trek base. Table tops are either 3/4" or 1-1/8" thick 45# particle board topped with a minimum .030" HPL and backed

with .020" HPL backer. All Mobile Tables will have (8) rare earth magnets to provide ganging options. Tables gang to the enclosure and each other in three different configurations.

All tops will be finished with a minimum .030" thick high pressure laminate and banded with 2mm polypropylene edge material and routered for the quantity and size of the chosen switching hardware.

Monitor Support

Monitor support shall consist of 3/4" thick 45# particle board with exposed surfaces finished with a minimum of .030" thick high pressure laminate. Units have T-nuts to attach to both Stationary and Mobile units with (6) bolts. For use with Backbone tables only.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com


Unit Size


64"W x 73"L




Cutout Patterns for	Stationary Units	(Page 1 of 2)
EXTRON 5 (EX5)	EXTRON 6 (EX6)	EXTRON 7 (EX7)

EXTRON 4 (EX4)	EXTRON 5 (EX5)
CABLE CUBBY 202	CABLE CUBBY 500










66"W x 85"L




0


0 0


0

0





Cutout Patterns for Stationary Units (Page 2 of 2)

































68"W x 97"L





INFORMATION

Backbone® Product Color Options



Backbone® Product Color Options

			51.04			<u> </u>		- W			
Stationary & Mobile Surface FinishLaminate		Canyon Zephyr Castle Oak	DLCA DLCO	Cocobala Crien Linen	BLCC BLRI	Hazy Jade Honey Bee	EHJ EHY	Twilight Shadow Ultra Blue	ETI EUB	Hazy Jade	HJ HY
Belair	LBQ	Casual Linen	DLCU	Crisp Linen Desert Zephyr	BLDZ	Italian Silver Ash	EIT	Warm Grey	EWG	Honey Bee Light Tone	LG
Biltmore Cherry	LBT	Cherry Storm	DLCX	Dove Grey	BLDG	Kensington Maple	EKM	Zesty Lime	EZL	Mardi Gras	MG
Black	LBK	Classic Linen	DLCI	Fired Steel	BLIL	Light Tone	ELG	•		Misty Brown	MY
Brighton Walnut	LBW	Cloud Zephyr	DLCL	Flax Linen	BLXF	Mardi Gras	EMG	Mobile Dock Edge Color		Nemo	NE
Canyon Zephyr	LCA	Cocobala	DLCC	Florence Walnut	BLFC	Misty Brown	EMY	Belair	EBQ	Nordic	ND
Castle Oak	LC0	Crisp Linen	DLRI	Forged Steel	BLOL	Monticello Maple	EMT	Biltmore Cherry	DEBT	Poppy Red	PR
Casual Linen	LCU	Desert Zephyr	DLDZ	Friston Ash	BLFH	Multiplex	EMB	Black	DEBL	Purple Haze	PH
Cherry Storm	LCX	Dove Grey	DLDG	Frosty White	BLFW	Nemo	ENE	Blue Grey	DEGR	Rubber Ducky	RK
Classic Linen	LCI	Fired Steel	DLIL	Graphite Nebula	BLGN	Nordic	END	Brighton Walnut	DEBW	Sand	SA
Cloud Zephyr	LCL	Flax Linen	DLXF	Grey	BLGE	Poppy Red	EPR	Castle Oak	DECO	Sky Blue	SK
Cocobala	LCC	Florence Walnut	DLFC	High Rise	BLHE	Purple Haze	EPH	Cayenne Cherry Storm	DECY DECX	Starlight Silver Metallic	SX
Crisp Linen	LRI	Forged Steel	DLOL	Hollyberry	BLHY	River Cherry	ERY	Cocobala	DECC	Surf's Up	SP
Desert Zephyr	LDZ	Friston Ash	DLFH	Irish Linen	BLIH	Rubber Ducky	ERK	Cool Grey	DECG	Twilight Shadow	TI
Dove Grey	LDG	Frosty White	DLFW	Island	BLID	Sand	ESA	Earthen Clay	DEEY	Ultra Blue	UB
Fired Steel	LIL	Graphite Nebula	DLGN	Italian Silver Ash	BLIT	Sky Blue	ESK	Everglade Shade	DEEV	Warm Grey	WG
Flax Linen	LXF	Grey	DLGE	Kensington Maple	BLKM	Sterling Ash	EAZ	Flannel	DEFN	Zesty Lime	ZL
Florence Walnut	LFC	High Rise	DLHE	Lapis Blue	BLLB	Surf's Up	ESP	Friston Ash	EFH		
Forged Steel Friston Ash	LOL LFH	Hollyberry	DLHY	Markerboard White	BLMK	Twilight Shadow	ETI	Frosty White	DEFW		
Frosty White	LFW	Irish Linen Island	DLIH DLID	Misted Zephyr Monticello Maple	BLMR BLMT	Ultra Blue Warm Grey	EUB EWG	Hazy Jade	DEHJ		
Graphite Nebula	LGN	Italian Silver Ash	DLIT	Nickel Evolv	BLNV	Windsor Mahogany	EWY	Honey Bee	DEHY		
Grey	LGE	Kensington Maple	DLKM	North Sea	BLNA	Zesty Lime	EZL	Kensington Maple	DEKM		
High Rise	LHE	Lapis Blue	DLLB	Ocean	BLON	Zosty Ellilo	LZL	Light Tone	DELG		
Hollyberry	LHY	Markerboard White	DLMK	Pearl Bisque	BLPB	Stationary		Mardi Gras	DEMG		
Irish Linen	LIH	Misted Zephyr	DLMR	Pearl Silver	BLPS	Edge Color for KN Edge		Misty Brown	DEMY		
Island	LID	Monticello Maple	DLMT	Pressed Linen	BLPR	Belair	EBQ	Monticello Maple	DEMT		
Italian Silver Ash	LIT	Nickel Evolv	DLNV	River Cherry	BLRY	Biltmore Cherry	EBT	Nemo	DENE		
Kensington Maple	LKM	North Sea	DLNA	Rugged Linen	BLRG	Black	EBL	Nordic	DEND		
Lapis Blue	LLB	Ocean	DLON	Satin Stainless	BLSS	Blue Grey	EGR	Poppy Red	DEPR		
Markerboard White	LMK	Pearl Bisque	DLPB	Shadow Zephyr	BLSR	Brighton Walnut	EBW	Purple Haze	DEPH		
Misted Zephyr	LMR	Pearl Silver	DLPS	Silicon Evolv	BLSV	Castle Oak Cherry Storm	ECO ECX	River Cherry	DERY		
Monticello Maple	LMT	Pressed Linen	DLPR	Sterling Ash	BLAZ	Cool Grey	ECG	Rubber Ducky Sand	DERK DESA		
Nickel Evolv	LNV	River Cherry	DLRY	Tailored Linen	BLTL	Earthen Clay	EEY	Sky Blue	DESK		
North Sea	LNA	Rugged Linen	DLRG	Titanium Evolv	BLTV	Everglade Shade	EEV	Sterling Ash	DEAZ		
Ocean	LON	Satin Stainless	DLSS	White Nebula	BLWL	Flannel	EFN	Surf's Up	DESP		
Pearl Bisque	LPB	Shadow Zephyr	DLSR	White Sand	BLWN	Florence Walnut	EFC	Twilight Shadow	DETI		
Pearl Silver	LPS	Silicon Evolv	DLSV	Windsor Mahogany	BLWY	Friston Ash	EFH	Ultra Blue	DEUB		
Pressed Linen River Cherry	LPR	Sterling Ash	DLAZ	Stationary & Mobile		Frosty White	EFW	Warm Grey	DEWG		
Rugged Linen	LRY LRG	Tailored Linen Titanium Evolv	DLTL	Edge Color for 74P Edge		Hazy Jade	EHJ	Windsor Mahogany	DEWY		
Satin Stainless	LSS	White Nebula	DLTV DLWL	Belair	EBQ	Honey Bee	EHY	Zesty Lime	DEZL		
Shadow Zephyr	LSR	White Sand	DLWN	Biltmore Cherry	EBT	Italian Silver Ash	EIT				
Silicon evolv	LSV	Windsor Mahogany	DLWY	Black	EBL	Kensington Maple	EKM	Stationary & Mobile Leg, Foot and End Panel Color			
Sterling Ash	LAZ	WindSor Wariogarry	DEWI	Blue Grey	EGR	Light Tone	ELG		DI		
Tailored Linen	LTL	Stationary & Mobile Dock Base		Brighton Walnut	EBW	Mardi Gras	EMG	Black Blue Grey	BL GR		
Titanium evolv	LTV	Base FinishLaminate		Castle Oak	ECO	Misty Brown	EMY	Bronze Metallic	ZM		
White Nebula	LWL	Belair	BLBQ	Cayenne	ECY	Monticello Maple	EMT	Cayenne	CY		
White Sand	LWN	Biltmore Cherry	BLBT	Cherry Storm	ECX	Nemo	ENE	Champagne Metallic	CM		
Windsor Mahogany	LWY	Black	BLBK	Cocobala	ECC	Poppy Red	EPR	Cool Grey	CG		
Mahila Daak Tan		Brighton Walnut	BLBW	Cool Grey	ECG	Purple Haze	EPH	Cottonwood	CO		
Mobile Dock Top Surface FinishLaminate		Canyon Zephyr	BLCA	Earthen Clay	EEY	River Cherry	ERY	Earthen Clay	EY		
Belair	DLBQ	Castle Oak Casual Linen	BLCO BLCU	Everglade Shade	EEV	Rubber Ducky	ERK ESA	Espresso Metallic	EX		
Biltmore Cherry	DLBQ	Cherry Storm	BLCU BLCX	Flannel Florence Walnut	EFN EFC	Sand Sky Blue	ESK	Everglade Shade	EV		
Black	DLBK	Classic Linen	BLCI	Friston Ash	EFH	Sterling Ash	EAZ	Flannel	FN		
Brighton Walnut	DLBW	Cloud Zephyr	BLCL	Frosty White	EFW	Surf's Up	ESP	Glitz Metallic	GZ		
Dilgitton wantat	ערטא	Giodu Zepilyi	DLUL	TTUSTY WITHE	ELAA	out a oh	E5P				

Backbone® Stationary Unit





			MODEL N	IUMBER					
			Basic	Edge Style	Edge	Surface	Base	Foot End Panel	Media
		OVERALL SIZE		Style			Laminate	Color	Cutout
	AU 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	64"W x 73"L x 29"H							
	All laminate table and baseMedia sharing equipment must be	66"W x 85"L x 29"H	BBNST85						
	purchased separately	68"W x 97"L x 29"H	BBNST97						
A STATE OF THE STA	Reference diagram for Extron and FSR								
	grommet locations								
	End panel color is also used for the base feet								
	Support legs match WorkUp® table								
	29" high surface								
	Poolshone® Stationery Unit Cata Units	64"W x 73"L x 42"H	BBNSTC73						
\ & /	Backbone® - Stationary Unit - Cafe Height	66"W x 85"L x 42"H	BBNSTC85						
	 All laminate table and base 	68"W x 97"L x 42"H							
State	 Media sharing equipment must be purchased separately 								
	Reference diagram for Extron and FSR								
	grommet locations								
	End panel color is also used for the base feet								
BNS	Support legs match WorkUp® table								
	• 42" high surface								
			_	_	•	0	•	•	-
			A	B	G	0	(3	•	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color.
Refer to the **Product Color Options** page in this Edge color offerings are based on edge style

selections.

• Select top laminate. Refer to the **Product Color Options** page in this

Select base laminate.
Refer to the **Product Color Options** page in this

Select foot/end panel finish.

Refer to the **Product Color Options** page in this

G Select m	edia cutout.
NCO	- No cut-out
EX4	- Extron 4
EX5	- Extron 5
EX6	- Extron 6
EX7	- Extron 7
EX8	- Extron 8
FS1	- FSR (T3)
FS2	- FSR (T6)

INFORMATION

Grommet Cutouts by Table Size

Base Length Number of Grommet Cutouts 48" 4

60" 72"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone® Stationary Unit with Radius Corners



Backbone® Stationary Unit with Radius Corners

										· ·
			MODEL NU	IMBER						
	MODEL	OVERALL SIZE		_		_	Base Laminate	Foot End Panel Color	Cutout	Approx. Packaged 74P Edge Knife Edge Weight (74P) (KN)
	Backbone® - Stationary Unit with Radius									236.0# \$ 7902
\ 1	Corners	66"W x 85"L x 29"H	BBNSTR85							279.0# 8118 8443
	All laminate table and base Madia charing aguinment must be	68"W x 97"L x 29"H	BBNSTR97							325.0# 8979 9333
*****	 Media sharing equipment must be purchased separately 									
	Reference diagram for Extron and FSR									
	grommet locations									
	End panel color is also used for the base	е								
S	feet • Support legs match WorkUp® table									
	• 29" high surface									
	· ·									
	Backbone® - Stationary Unit with Radius	64"W x 73"L x 42"H	BBNSTRC73							236.0# \$ 9353
\ 1 /	Corners - Cafe Height	66"W x 85"L x 42"H	BBNSTRC85							279.0# 9616 9941
	All laminate table and base Madia charing aguinment must be	68"W x 97"L x 42"H	BBNSTRC97							325.0# 10568 10919
*****	 Media sharing equipment must be purchased separately 									
	Reference diagram for Extron and FSR									
	grommet locations									
~	 End panel color is also used for the base feet 	е								
S	Support legs match WorkUp® table									
	• 42" high surface									
			A	ß	G	O	3	(a)	Э	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge

Select edge color.
Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

• Select top laminate.

Refer to the **Product Color Options** page in this

Select base laminate.
Refer to the **Product Color Options** page in this

Select foot/end panel finish. Refer to the **Product Color Options** page in this

G Select m	edia cutout.	
NCO	- No cut-out	
EX4	- Extron 4	
EX5	- Extron 5	
EX6	- Extron 6	
EX7	- Extron 7	
EX8	- Extron 8	
FS1	- FSR (T3)	

FS2 - FSR (T6)

INFORMATION

Grommet Cutouts by Table Size

Base Length Number of Grommet Cutouts 48"

60" 72"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.





												•			
		MODEL NU	UMBER												
		Basic	Edge	Lea	Edge	Surface	End Panel Table Leg		Dock Top	Dock Base	Madia	Approx. Packaged	Trek Tahla		
	OVERALL SIZE	Model	Edge Style	Leg Option	Color	Finish	Color	Edge Color	Laminate	Laminate	Cutout	Weight	Bases		
	68"Wx76"Lx29"H		74P	TRK									\$ 10790		
0 00	70"Wx88"Lx29"H	BBNMT88	74P	TRK								400.0#	11375		
——————————————————————————————————————	72"Wx100"Lx29"H			TRK								451.0#	12419		
BBNM															
Backbone® - Mobile Unit															
Includes three tables to dock against															
the center spine with magnets															
 BBNMT76 has two 48" and one 60" 															
table															
BBNMT88 has three 60" tablesBBNMT100 has two 72" and one 60"															
table															
Media sharing equipment must be															
purchased separately • Reference cutout diagram for Extron															
and FSR grommet locations															
 Tables gang to dock 															
Perforated end panel will match table															
base colorCenter unit has hidden caster for															
added mobility															
 Tables have a 5% angle on the short 															
ends															
 Trek® casters come standard - 2 black locking and 2 black non-lockin 	1														
per table	5														
		A	B	$oldsymbol{\Theta}$	O	(3	(3	G	0	0	•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Select table leg style.
- Refer to the **Product Color Options** page in this Select media cutout.
- Edge color offerings are based on edge style selections.
- Select table leg/end panel finish. Refer to the **Product Color Options** page in this
- GSelect dock edge color.

- A Select basic model.
- Select edge style.

 74P 74P edge

 - TRK Trek style legs
- OSelect edge color.
- Select top laminate.
 Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this price list.

Select dock top laminate.

Refer to the **Product Color Options** page in this price list.

Select dock base laminate.

- FSR (T6)

Refer to the Product Color Options page in this price list.

NCO	- No cut-out
EX4	- Extron 4
EX5	- Extron 5
EX6	- Extron 6
EX7	- Extron 7
EX8	- Extron 8
FS1	- FSR (T3)

INFORMATION

Grommet Cutouts by Table Size

Base Length Number of Grommet Cutouts

48" 4 60" 72"

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Backbone® Master Key for Lock Core



Backbone® Master Key for Lock Core

		MODEL NUMBER				
		Basic	Approx. Packaged	D	livered	
	MODEL	Model	Weight		cing	
	Backbone - Master Key for Lock Core • Allows access to all Backbone® Station-	31.13.0445	1.0#	\$	6	
HRDPT	Allows access to all Backbone® Station- And Mabile papels with a single key.					
	ary and Mobile panels with a single key					

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.







			MODEL I	NUMBER		
					Approv	
			Basic	Laminate	Approx. Packaged	Delivered
	MODEL		Model	Color	Weight	Pricing
	Backbone® - Monitor Support	38"W x 59"H x 5"D	BBNMS		100.0#	\$ 2866
	 For use with Backbone® tables only All laminate construction 					
0	· Must attach to either Mobile or Station-					
	ary unitBlack grommet cover included					
	Must be ordered separately					
HRDPT						
וחטדו	Backbone® - Monitor Support - Cafe	38"W x 72H" x 5"D	RRNMSC		100.0#	\$ 3105
	Height	30 W X 7211 X 3 D	DDIVIVIOO		100.017	
	 For use with Backbone® tables only 					
	All laminate constructionMust attach to either Mobile or Station-					
	ary unit					
	 Black grommet cover included 					
HRDPT	 Must be ordered separately 					
_	Backbone® - Monitor Support-Dual Width	60"W x 59"H x 5"D	BBNMD		100.0#	\$ 3175
	For use with Backbone® tables only					
• •	 All laminate construction 					
	Must attach to either Mobile or Station-					
	ary unitBlack grommet cover included					
HRDPT	Must be ordered separately					
TINDITI						
	Backbone® - Monitor Support-Cafe	60"W x 72"H x 5"D	BBNMDC		100.0#	\$ 4283
	Height-Dual Width					
• •	For use with Backbone® tables only					
	All laminate constructionMust attach to either Mobile or Station-					
	ary unit					
	Black grommet cover includedMust be ordered separately					
	- must be ordered separatery					
HRDPT						
			A	$oldsymbol{\mathbf{B}}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect laminate color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000208/KI/PDF

