

## **BIG PUNCH**

# Instant Acting Oven & Grille Renovator

#### **DESCRIPTION**

A new type of commercial strength liquid oven cleaner that is highly effective on cold oven soils and the most rapid cleaner for warm ovens. This product contains an effective four way detergent system combined with synergistic alkaline saponification to provide extremely effective cleaning.

#### **PRODUCT FEATURES / BENEFITS**

- Super active formula / Gives easy-to-use hot or cold cleaning to eliminate lengthy cleaning times
- · Biodegradable / Promotes sound environment
- Free rinsing / Offers universal use by all food processing facilities

#### **DIRECTIONS FOR USE**

Outstanding cleaner for ovens, grills, deep fat fryers, ranges, rotisseries, hoods and filters. An absolute necessity for quick and effortless cleaning of all types of kitchen equipment in plants, restaurants, schools, hotels, motels, and institutions.

Apply evenly over surfaces using a sprayer, foamer, brush, cloth, scrub pad or steel wool. For average deposits allow the cleaner to cling to the surface for two or more minutes. For heavier soils,

allow ten minutes or more of contact time. On stubborn areas, rub with an abrasive pad or steel wool. Preheating the oven to 150 - 200°F will promote more rapid cleaning of burnt on soils. After cleaning, sponge surface to remove residues, and rinse with water.

**NOTE**: ALWAYS WEAR RUBBER GLOVES AND EYE PROTECTION WHEN USING THIS PRODUCT. NEVER SPRAY TOWARDS FACE OR EYES.

#### **SPECIFICATIONS**

Color	Yellow
Odor	Odorless
Specific Gravity (g/cc)	1.16 ± 0.01
Density (lbs/gal)	9.7 ± 0.1
pH (Concentrate)	13.6 ± 0.3
Activity	Extremely High
Viscosity (cps)	<10
Upper Cloud	> 130°F


Lower Cloud	< 25°F
Flash Point	None
Water Solubility	Complete
Rinsability	Complete
Biodegradable	Yes
Oven Cleaning Cold	Superior
Oven Cleaning Hot	Amazing
Shelf Life1 year minimum in origina	I unopened container

#### **SAFETY INFORMATION**

**DANGER:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF REACH OF CHILDREN.

**Prevention:** Do not breathe spray or mist. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately allcontaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air andkeep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poisoncenter/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.



**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at www.nclonline.com

Meets the requirements for USDA Authorization class A8.

For Commercial and Industrial Use Only





**World Class Cleaning Solutions®** 

401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail:info@nclonline.com

# **World Class Cleaning Solutions**®

### NATIONAL CHEMICAL LABORATORIES, INC.

#### SAFETY DATA SHEET

#### Section 1 - Identification

**Product Identifier** BIG PUNCH Instant Acting Oven & Grille Renovator

Other means of identification 1104

Recommended use Cold Oven & Grille Renovator

**Recommended restrictions** For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

#### Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation

Skin corrosion/irritation 1

OSHA defined hazards Label Elements Hazard Symbol

-lements



Not Classified.

Signal Word Danger

**Hazard Statement** Causes severe skin burns and eye damage.

None known.

Precautionary statement

Prevention Do not breathe spray or mist. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

1

call a poison center/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage Store locked up

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 Sodium Hydroxide
 1310-73-2
 10 - 20

 Disodium metasilicate
 6834-92-0
 1 - 5

Section 4 - First-aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if

symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

1104

Most Important symptoms /effects, acute and delayed Indication of immediate medical attention and special treatment

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed

**General Information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### Section 5 - Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

Move containers from fire area if you can do it without risk.

/instructions

No unusual fire or explosion hazards noted.

General fire hazards Specific Methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into

waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

#### Section 7 - Handling and storage

Precautions for safe handling

Do not breathe spray or mist. Do not get in eyes, on skin, or on clothing, Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the

#### Section 8 - Exposure control/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Components Type Sodium Hydroxide (CAS 1310-73-2) TWA 2 mg/m<sup>3</sup>

US. ACGIH Threshold Limit Values

Component Type Value Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m<sup>3</sup>

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components Value Type Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m<sup>3</sup> **Biological limit values** 

controls

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment

normally required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

1104

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### Section 9 - Physical and chemical properties

Appearance Clear.
Physical state Liquid.

Form Thin clear liquid.
Color Yellow.

Odor Odorless.

Odor threshold Not available.
pH 13.6

Melting point/freezing point Not available.

Initial boiling point and 212 °F (100 °C)

boiling range

Flash point > 212.0 °F (> 100.0 °C)

**Evaporation rate** Not available Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Similar to water. Vapor pressure Vapor density Similar to water. Relative density 1.16 ± 0.01 Relative density temperature 75 °F (23.89 °C) Solubilities Not available. Partition Coefficient n-Not available octanol/water

#### Section 10 - Stability and reactivity

**Reactivity** Reacts violently with strong acids. This product may react with oxidizing agents.

**Chemical stability** Material is stable under normal conditions.

Possiblity of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to Avoid

Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents.

Hazardous Decomposition No hazardous decomposition products are known.

Not Available

Not Available

75 °F (23.89 °C)

< 10 cP

**Products** 

Viscosity

#### Section 11 - Toxicological information

#### Information on likely routes of exposure

**Ingestion** Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Symptoms related to the Burning pain and severe cor

physical, chemical and toxicological characteristics

Auto-ignition temperature

**Viscosity Temperature** 

**Decomposition temperature** 

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects.

**Acute toxicity** Not expected to be acutely toxic.

Code **Species** Results Components Level Type Rabbit Sodium Hydroxide (CAS 1310-73-2) Acute Oral LD50 500 mg/kg Disodium metasilicate (CAS 6834-92-0) 661.5 - 896.3 m Acute Oral LD50 Mouse > 2.06 mg/l, 4 h Acute Inhalation LC50 Rat Rat Acute Dermal LD50 >5000 mg/kg, 2 Oral LD50 Rat 994.7 - 1335.9 r

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitization

This product is not expected to cause respiratory sensitization. This product is not expected to cause skin sensitization.

Skin sensitization Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

Prolonged inhalation may be harmful.

#### Section 12 - Ecological Information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** Mobility in soil Mobility in general

No data available. No data available.

No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

#### Section 13 - Disposal considerations

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations

Dispose of in accordance with local regulations.

Hazardous waste code

Waste codes should be assigned by the user based on the application for which the product was used. Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### Section 14 - Transport information

DOT

**UN number** UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8 Packing group П

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, N34, T7, TP2

Packaging exemption 154 Packaging non bulk 202 Packaging bulk 242

IATA

UN1824 **UN number** 

SODIUM HYDROXIDE SOLUTION UN proper shipping name

8 Transport hazard class(es) П Packaging group **Environmental hazards** Nο **ERG Code** ЯΙ

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN1824 **UN number** 

SODIUM HYDROXIDE SOLUTION UN proper shipping name

Transport hazard class(es) 8 Ш **Packaging group Environmental hazards** No.

Marine pollutant

F-A. S-B **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

1104

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code This substance/mixture is not intended to be transported in bulk.

#### Section 15 - Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result Sodium Hydroxide (CAS 1310-73-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard Categories** Immediate Hazard Yes

> Delayed Hazard No Fire Hazard Nο Pressure Hazard No Reactivity Hazard Nο

SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not listed. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

**US state regulations** 

US.Massachusetts RTK - Substance List Components

Sodium Hydroxide (CAS 1310-73-2)

US.New Jersey Worker and Community Right-to-Know Act Components

Sodium Hydroxide (CAS 1310-73-2)

US.Pennsylvania RTK - Hazardous Substances Components

Sodium Hydroxide (CAS 1310-73-2)

**US.Rhode Island RTK** Components

Sodium Hydroxide (CAS 1310-73-2)

US - California Propsition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories 

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

#### Section 16 - Other information, including date of preparation or last version

Issue date 3/13/2015 Version #

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this

product which may not be reflected in this SDS. The user should

review these regulations to ensure full compliance.

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Directions:**

Apply BIG PUNCH™ evenly over surfaces using a sprayer, foamer, brush, cloth, scrub pad or steel wool. For average deposits allow BIG PUNCH™ to cling to the surface for two or more minutes. For heavier soils, allow ten minutes or more of contact time. On stubborn areas, rub with an abrasive pad or steel wool. Preheating the oven to 150-200°F will promote more rapid cleaning of burnt-on soils. After cleaning, sponge surface to remove residues, and rinse with water

NOTE: ALWAYS WEAR RUBBER GLOVES AND EYE PROTECTION WHEN USING THIS PRODUCT. NEVER SPRAY TOWARDS FACE OR EYES.

#### Instrucciones para Uso:

Aplicar BIG PUNCH™ uniformemente las superficies excesivas usando un rociador, foamer, cepillo, paño, fregar el coiín o las lanas de acero. Para los depósitos medios permitir que el BIG PUNCH™ se aferre en la superficie por dos o más minutos. Para suelos más pesados, dar un plazo de diez minutos o más de tiempo del contacto. En áreas obstinadas, la frotación con un cojín abrasivo o las lanas de acero. Preheating el horno a 150-200°F promoverá una limpieza más rápida quemar-en de suelos. Después de limpiar, de superficie de la esponia para quitar residuos, y de la aclaración con aqua.

NOTA: PROTECCIÓN DE GOMA SIEMPRE DEL DESGASTE DE LOS GUANTES Y DE OJO AL USAR ESTE PRODUCTO. NUNCA ROCIAR HACIA CARA U OJOS.





Product No.: 1104

**Food Service** 

# Big Punch™

**Instant Acting Oven & Grille Renovator** 

High active formula that removes cooked-on grease and grime instantly with or without pre-warming your oven!

**DANGER:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

See back panel for additional precautions and treatment.

**PELIGRO:** CAUSA OUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS.

Ver panel lateral para las medidas preventivas adicionales.

**NET CONTENTS: 1 GALLON / 3.79 LITERS** 

**National Chemical Laboratories, Inc.** Philadelphia, PA 19123 USA • (800) 628-2436

www.nclonline.com



#### DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF THE REACH OF CHILDREN.

#### Precautionary statement

Prevention: Do not breathe spray or mist.

Wash thoroughly after handling. Wear protective gloves/ protective clothing/eye protection/face protection.

Response: If swallowed: Rinse mouth, Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

#### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

CONTAINS: Sodium Hydroxide CAS # 1310-73-2, Disodium metasilicate CAS # 6834-92-0

#### PELIGRO: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

#### Conseios de prudencia

Prevención: No respirar los aerosoles o neblina. Lávese cuidadosamente después de la manipulación. Usar quantes protectores y ropa de protección/protección para los ojos/la cara.

Respuesta: En caso de ingestión: Enjuagar la boca. No se debe inducir el vómito. Si en la piel (o el pelo): guitarse inmediatamente la ropa contaminada. Enjuagar con abundante agua y ducha. Si se inhala: Llevar a la persona a mantener aire fresco y cómodo para la respiración. Si en los ojos: Enjuaque con cuidado con agua durante varios minutos. Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Inmediatamente llame a un centro de envenenamientos/ médico. Tratamiento específico (ver esta etiqueta). Lavar la ropa contaminada antes de volver a utilizarlo.

Almacenamiento: Store está bloqueado.

Eliminación: Disponer de contenidos/contenedor de conformidad con local/regional/nacional/internacional.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard, 29 CFR 1910,1200. Todos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

#### Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

401 N. 10th Street • Philadelphia, PA 19123

1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail: info@nclonline.com



