

Honeywell | First Responder



PRO Series Leather and Ranger™ Series Rubber

The Toughest, Most Versatile Performance in Firefighting

Honeywell Pro Series Leather Footwear

For virtually any need that calls you from the station, there’s a Honeywell boot to fit.

And every one of our boots is backed by the most rigorous engineering – and a warranty to match.

A HONEYWELL PRO BOOT

- Rugged, Durable Construction
- Premium Cowhide Leather
- Proven Components Engineered for Superior Fit and Wear
- Made in the USA with Dedicated, Quality Craftsmanship

Honeywell PRO NightHawk 5555

Each call brings unpredictable challenges, which is why you need footwear you can depend on hour after hour, day after day, for protection – and comfort.

Introducing PRO Series NightHawk™ 5555 Boots from Honeywell: Rugged protection and durability. Remarkable comfort and agility to fuel your endurance.

Agile Construction: NightHawk boots are athletic footwear that fit right, moving with you to give you the performance you need without resistance or distraction.

NightHawk 5555 is fire boot comfort at its finest. Trusted to perform in even the toughest circumstances – just like you.

CERTIFICATIONS

NFPA 1971
Structural FF

NFPA 1992
Liquid Splash

SIZES

Widths: Medium, Wide, Extra-Wide
Half sizes: 5½ to 15½
Full sizes: 5 to 16

Made in the USA



Vibram® FIRE&ICE™ Polymer Technology
FIRE&ICE outsoles have superior traction on icy and oily surfaces. Chemical resistant and performance proven.

Vibram® Racer Outsole
Beveled heel and notched perimeter lugs to move over uneven terrain with confidence. Omni-directional tread pattern with self-cleaning lugs for great traction.



Deep Cup Outsole
Premium cement, insensitive to temperature, connects the upper to the outsole. The cup wall depth enhances support and durability of the leather upper while maintaining great flexibility.

Ortholite® Premium X-40 Insert
Developed for athletes and all-day wear applications. High-rebound performance. 3D contoured support. Breathable, moisture-wicking, anti-microbial. Open cell for quicker drying. Machine washable.

Honeywell PRO Series

A Great Look Built on Great Engineering



Model 5006 Illustrated

Honeywell PRO 5007

Technology and comfort merge in a hard-working, sleek-looking, performance-driven boot.

Engineered for comfort, safety, and control, the full-height PRO Series Model 5007 is another step forward for welted fire boots.

Along with models 4132 and 5006, the 5007 is simply unrivaled in stability and durability. And these models

break-in faster than many non-welted brands. The Leather vamp and Advance™ textile shaft supply lightweight comfort and breathability.

The PRO Series 5007: made to keep on going, supporting, and protecting.

CERTIFICATIONS

NFPA 1971 Structural FF
NFPA 1992 Liquid Splash

SIZES

Standard Widths: D, E, EEE
Half sizes: 5 ½ to 15½
Full sizes: 5 to 16

Made in the USA



Vibram® FIRE&ICE™ Polymer Technology
FIRE&ICE outsoles have superior traction on icy and oily surfaces. Chemical resistant and performance proven.

Removable Insert
Molded 3D contour for comfort and support. Moisture wicking top layer.



DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.

Honeywell PRO Series

MODEL 5006B



FEATURES



- 14" Pull-on bunker boot
- PowerBack driver's cut shaft
- Premium full-grain leather
- Advance™ (Kevlar®/Nomex®) ripstop fabric shaft
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Omaha liner
- Large Shin Guard
- FR rubber PowerToe and PowerHeel kicker
- Oblique steel toe, steel bottom plate and ladder shank

- Molded heel counter
- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- Berry compliant

Made in the USA

MODEL 4132



FEATURES



- 14" Pull-on bunker boot
- Premium full-grain leather
- Advance™ (Kevlar®/Nomex®) ripstop fabric shaft
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Cambrelle® liner
- Large Shin Guard
- Urethane-impregnated leather toe
- Oblique steel toe, steel bottom plate and ladder shank

- Molded heel counter
- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash

Made in the USA

MODEL 3009



FEATURES



- 14" Leather bunker boot
- Premium full-grain leather
- Full CROSSTECH® moisture barrier bootie with pure Kevlar® felt thermal insulation and Cambrelle® liner
- Urethane-impregnated leather toe
- Oblique steel toe, steel bottom plate and ladder shank
- Molded heel counter
- Goodyear welt construction

- Vibram® lug soles
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1971 Structural
- NFPA 1992 Liquid Splash

Made in the USA

MODEL 5050B – Struximity



FEATURES



- 14" Leather bunker boot
- Reflective wrap-around welt
- High-performance waterproof leather
- Radiant barrier layers
- Full-height CROSSTECH® moisture barrier bootie with pure Kevlar® felt insulation and Omaha liner
- Urethane-impregnated leather toe
- Oblique steel toe cap, steel bottom plate and ladder shank
- Molded heel counter

- Goodyear welt construction
- Vibram® FIRE&ICE™ lug sole
- Removable cushion insert
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1971 Proximity
- NFPA 1971 Structural
- NFPA 1992 Liquid Splash
- Berry Compliant

Made in the USA

All Structural Firefighting Models are Dual Certified for Liquid Splash Protection in HazMat Emergencies

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. CROSSTECH, GORE, and designs are trademarks of W.L. Gore & Associates, Inc.

Honeywell PRO Series

MODEL 6006



FEATURES



- 8" lace-up Quad Cert boot
- Premium full-grain leather
- Advance™ (Kevlar® / Nomex®) ripstop fabric quarter panels
- Full CROSSTECH® moisture barrier bootie with Cambrelle liner
- Pull loop for easy donning
- FR rubber PowerToe
- Steel bottom plate and shank
- Composite toe cap
- Poron® XRD™ metatarsal guard
- Molded heel counter

- Goodyear welt construction
- Vibram® lug sole
- Removable cushioned insert
- Individually barcoded
- Widths: D, EE, EEE
- Half sizes: 5½ to 15½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1951 Technical Rescue
- NFPA 1992 Liquid Splash
- NFPA 1999 EMS
- NFPA 1977 Wildland

Made in the USA

MODEL 3050B



FEATURES



- 8" wildland / station lace boot
- Premium full-grain leather
- Cambrelle® fabric boot liner
- 1.5" padded collar
- Pull tab for easy donning
- Speed-loop lace system
- Removable cushion insert
- Fiberglass shank
- Molded heel counter
- Goodyear welt construction

- Vibram® Olympia lug sole
- Individually barcoded
- Widths: Narrow, Med. Wide
- Half sizes: 5½ to 12½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1977 Wildland
- Berry Compliant

Made in the USA

MODEL 3003



FEATURES



- 8" lace wildland / station boot
- Premium full-grain leather
- Cambrelle® fabric boot liner
- Padded collar
- Pull loop for easy donning
- Optional-use Speed-zip zipper included
- Oblique steel toe cap
- Steel bottom plate and ladder shank
- Molded heel counter
- Goodyear welt construction

- Vibram® lug sole
- Individually barcoded
- Widths: D, E, EEE
- Half sizes: 5½ to 12½
- Full sizes: 5 to 16

CERTIFICATIONS

- NFPA 1977 Wildland

Made in the USA

Honeywell Ranger™ Series Rubber Boots

The lightest weight rubber boots in fire service are engineered to maximize agility and durability: Honeywell boots last. Ranger™ is the only Rubber Boot brand made in North America.

Only Ranger model products include industry-unique features (models 1000 and 6220), category best sellers (models 1500 and 2700), and traditional value (models 1600 and 2600) .

Honeywell Ranger™ Series

Honeywell Ranger Series rubber boots offer the most complete protection available in virtually any hazardous first responder environment. Roomy steel toe, steel bottom plate, and ladder shank designs protect against impacts, compression, punctures, and penetration.

- The widest choice of liner materials: Dri-Lex® AeroSpacer® mesh, Kevlar® / Nomex®, or wool felt.
- Insulated and non-insulated models.
- Natural rubber or combination of natural and butyl rubber compounds.



Model 2600
Durability on a Budget
15" Pull-on bunker boot. Economical, non-insulated model featuring classic wool felt lining.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Narrow, Medium, Wide• Half sizes: 5½ to 15½• Full sizes: 3 to 16	<ul style="list-style-type: none">• NFPA 1971 Structural• NFPA 1992 Liquid Splash• CSA Z195 Protective Footwear



Model 2700
Hip Wader
30" insulated hip boot with wool felt lining. Same great compounds and construction.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Wide• Full sizes: 6 to 15	<ul style="list-style-type: none">• CSA Z195 Protective Footwear



Model 6220
Proximity/ARFF
15" Pull-on boot. Only rubber boot on the market with proximity firefighting/aircraft rescue fire fighting (ARFF) capability.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Narrow, Medium, Wide• Half sizes: 5½ to 15½• Full sizes: 5 to 16	<ul style="list-style-type: none">• NFPA 1971 Proximity• NFPA 1971 Structural• NFPA 1992 Liquid Splash• CSA Z195 Protective Footwear



Model 1000
Comfort Driven Popularity
12" Pull-on bunker boot . This is the standard. The only rubber boot utilizing athletic AeroSpacer® mesh lining for superior cushioning underfoot, with unmatched temperature regulation and moisture management throughout. Lightweight so your legs stay fresher.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Narrow, Medium, Wide• Half sizes: 5½ to 15½• Full sizes: 3 to 16	<ul style="list-style-type: none">• NFPA 1971 Structural• NFPA 1992 Liquid Splash• CSA Z195 Protective Footwear



Model 1500
Best Seller
15" Pull-on bunker boot. Insulated lightweight model features Kevlar®/Nomex® lining with Shin Guard for additional ladder-rung protection.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Narrow, Medium, Wide• Half sizes: 5½ to 15½• Full sizes: 3 to 16	<ul style="list-style-type: none">• NFPA 1971 Structural• NFPA 1992 Liquid Splash• CSA Z195 Protective Footwear



Model 1600
Functional Excellence
15" Pull-on bunker boot model with classic wool felt lining. Insulated.

SIZES	CERTIFICATIONS
<ul style="list-style-type: none">• Widths: Narrow, Medium, Wide• Half sizes: 5½ to 15½• Full sizes: 5 to 16	<ul style="list-style-type: none">• NFPA 1971 Structural• NFPA 1992 Liquid Splash• CSA Z195 Protective Footwear

Honeywell Ranger Series Rubber Boots are crafted in North America.



SOLE CONSTRUCTION

MOLDED SOLE
All models are built on the same last with the same molded sole for consistent sizing throughout the entire line.

DuPont™ Nomex® and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

Quick Comparison Chart

Model	1000	1500	1600	2600	2700	6220
Height (measured inside - heel to top line)	12"	15"	15"	15"	30"	15"
Insulated	Yes	Yes	Yes	=	Yes	Yes
Lining	Spacer Mesh	Kevlar®/Nomex®	Wool Felt	Wool Felt	Wool Felt	Wool Blend
Steel Toe, Plate & Ladder Shank	Yes	Yes	Yes	Yes	Yes	Yes
Molded Outsole	Yes	Yes	Yes	Yes	Yes	Yes
Removable Insert	BreatheOPrene®	EVA Foam	EVA Foam	EVA Foam	EVA Foam	BreatheOPrene®
Individual Serialized Barcode	Yes	Yes	Yes	Yes	=	Yes
Made in North America	Yes	Yes	Yes	Yes	Yes	Yes
NFPA 1971 Structural	Yes	Yes	Yes	Yes	=	Yes
NFPA 1971 Proximity	=	=	=	=	=	Yes
NFPA 1992 Liquid Splash	Yes	Yes	Yes	Yes	=	Yes
CSA Z195 Protective Footwear	Yes	Yes	Yes	Yes	Yes	Yes



ULTRA-LIGHT
PROTECTION
AND COMFORT

Boot Accessories

Zippers



Accessesory/Replacement –
Boot Model 3003

- #3014 fits up to size 9.5
- #3015 fits size 10 and up

Replacement Zippers –
Boot Model 6006

- #3018 – small fits sizes 4-5 men's, 5-7 women's
- #3019 – medium fits sizes 5.5-10 men's, 7.5-12 women's
- #3020 – large fits sizes 10.5-16 men's


Inserts



Cushioned Insoles for Leather Boots

- #904 DRYZ™ 3D contour for models 6006, 5007, 5006B and 3050B
- #901 Poly 3D contour for models 4132, 5006B, 5007, 5050B, 3050B, 6006

Laces



Replacement Laces for Leather Boots

- #2024 – 63" Kevlar® for models 6006, 3050, and 3003
- #2021 – 72" Kevlar® for model 6006

DuPont™
Kevlar.

Lace Adjusters



Cord-LoK® Lace Adjusters

- #2014 – package of 2

Sizing Devices



Brannock Sizing Devices

- #900 – men's
- #00098 – women's

Exclusive Corporate Sponsor



Honeywell is proud to be the exclusive corporate sponsor of the United States Fire Administration/National Fallen Firefighter Foundation's National Fire Service Vulnerability Assessment Project

Proudly Supporting



IAFC
International Association of Fire Chiefs



The IAFF
Fire Fighters Burn Foundation



Firefighter Cancer Support Network



International Association of Black Professional Fire Fighters



International Association of Women in Fire & Emergency Services



NFFF
National Fallen Firefighters Foundation



NVFC
National Volunteer Fire Council



FDSOA
Fire Department Safety Officers Association



Congressional Fire Services Institute



ISFSI
International Society of Fire Service Instructors



NFPA
National Fire Protection Association



FEMSA
Fire Equipment Manufacturers & Suppliers Association

Honeywell Industrial Safety

Honeywell First Responder Products
#1 Innovation Court
Dayton, Ohio 45414
Tel: 800-688-6148
www.HoneywellFirstResponder.com

HFR.101

© 2017 Honeywell International Inc.

Honeywell