

2018 Boulevard Price List – U.S.

Boulevard 1 Panels, System 3 Panels,
Diet Panels, Electrical, Worksurfaces,
Storage and Accessories



ISO 9001:2008 | ISO 14001:2004 | OHSAS 18001:2007 | Teknion, 350 Fellowship Rd #100, Mt Laurel, NJ 08054
REVISED: MAY 2018

General Information

Product Review	01
Terms and Conditions	04
Finishes and Fabrics	08
Grain Direction	12
Key Alike Form	13
Introduction - Configurations	14

Boulevard 1

Graphic Panel Information B.3	
BPRP • Acoustical Raceway Panel B.5	
BPRG • Partly Glazed Raceway Panel B.7	
BPRF • Air Flow Panel B.8	
BPRAE • Raceway Panel Electrical B.10	
BPRP • Raceway Panel Filler B.10	
BPRP • Pass-Thru Raceway Panel B.10	
BPRPSD • Pass-Thru Sliding Door Kit B.11	
BPAR • Accessory Rail Panel B.11	
BPFA • Acoustical Fabric Panel B.12	
BPGF • Glazed Panel B.14	
BPFAR • Curved Fabric Panel B.14	
BPRAR • Curved Fabric Raceway Panel B.14	
BPRGR • Curved Partly Glazed Raceway Panel B.14	

BPGFR • Curved Fully Glazed Panel B.15	
BPOF • Fabric Over Panel B.15	
BPOG • Glazed Over Panel B.16	
BPOFR • Curved Fabric Over Panel B.17	
BPOGR • Curved Glazed Over Panel B.17	
BPXCF • Ceiling Filler B.17	
BPDS • Solid Door Panel B.17	
BPDH • Half Glazed Door Panel B.18	
BPDG • Solid Glazed Door Panel B.18	
BPDSL • Privacy Screen B.18	
BPDSLLOCK • Sliding Door Lock B.19	
BHP • 90 Degree Post B.19	
BHP45 • 45 Degree Post B.19	
BHP60 • 60 Degree Post B.19	
BHWA • Wall Adapter B.19	
BHWASLxx • Wall Adapter Sleeve B.20	
BHHF • High Profile Foot B.20	

BHLF • Low Profile Foot B.20	
BHPA • Panel to Panel Adapter B.20	
BHCS • Capture Strip Slot Cover B.20	
BHCE • End Strip Slot Cover B.20	
BHRC • Raceway End Cap B.21	
BVTE • Vertical End PVC Trim B.21	
BVTS • Vertical Step Down PVC Trim B.21	
BVTS • Vertical Step Down PVC Trim for 37" High Panels B.21	
BAVTE • Aluminum Vertical End Round Trim B.21	
BAVTS • Aluminum Vertical End Round Trim - Standard Step Down B.22	
BAVTSF • Aluminum Vertical End Round Trim - Step Down for 37" High Panels B.22	
BARC • Aluminum Raceway Cover B.22	
BA1VTFE • Aluminum Vertical End Trim B.22	
BA1VTFS • Aluminum Vertical End Trim - Standard Step Down B.23	
BA1VTFS • Aluminum Vertical End Trim - Standard Step Down 37" High Panels B.23	
BA1TTRF • Aluminum Top Cap B.23	
BA1PCF • Post Cap B.23	
BHBT37FT • Transaction Bracket for 37" Panels with Flat Trim B.23	

	BHT02FT • Transaction Bracket for 42" Panels with Flat Trim B.23		BPX3MA • Monolithic Acoustical Panel C.9		RCX3WMP1 • Raceway Cover with Punchouts One Side, None Other Side C.15
	RCWD • PVC Facemount Raceway Cover B.24		BPX3GMG • Monolithic Glazed Panel with Embedded Glass C.9		RCX3WMNP • Raceway Cover with No Punchouts Both Sides C.15
	FCRD • Fabric Coverd Facemount Raceway B.24		BPX3GPT • Pass-Thru Panel with Embedded Glass - Fabric Base C.10		PMB • Raceway Cover Caps C.15
	RCAD • Aluminum Raceway Cover for Face Mounted B.24		BPX3GPV • Pass-Thru Panel with Vertical Wire Channel and Embedded Glass- Fabric Base C.10		BH3PS • 90 Degree Post C.15
	PMB • Raceway Cover Caps B.24		BPX3GPF • Pass-Tru Panel with Embedded Glass - Air Flow Base C.11		BH3PS45 • 45 Degree Post C.15
	BHSL • Safety Lock B.24		BPX3GOP • Over Panel Frame with Embedded Glass C.11		BH3PS60 • 60 Degree Post C.16
	BHV • Component Wall Adapter - Single and Double B.24		BP3DS • Solid Door Panel C.11		BH3PE • Post Extension for Over Panels C.16
	BECC01 • Cable Terminal Channel B.25		BP3DH • Half Glazed Door Panel C.12		BH3PA • Off-Module Connector (Panel to Panel Adapter) C.16
	BPHC01 • Cable Terminal Channel B.25		BP3DG • Full Glazed Door Panel C.12		B3HWA • Wall Adapter C.16

Boulevard System 3

	Graphic Panel Information C.3		BPX3NETxxxx • Removable Face Tile - Electrical Tile Kit C.12		BHWASLxx • Wall Adapter Sleeve C.16
	BPX3MA • Monolithic Acoustical Panel C.5		BP3GT • Removable Face Tile - Glazed C.13		BH3CS • Capture Strip Slot Cover C.16
	BPX3MV • Monolithic Acoustical Panel with Vertical Wire Channel C.6		BP3OT • Removable Face Tile - Open Pass-Thru Kit C.13		BH3CE • End Strip Slot Cover C.17
	BPX3MG • Monolithic Glazed Panel C.6		BP3AT • Removable Face Tile - Accessory C.13		BA3VTR • Vertical Aluminum End Trim C.17
	BPX3PT • Pass-Thru Panel - Fabric Base C.7		BP3FT • Removable Face Tile - Fabric C.14		BA3VTS • Vertical Aluminum End Trim Standard Step Down C.17
	BPX3PV • Monolithic Acoustical Panel with Vertical Wire Channel C.7		BP3OPFA • Fabric Over Panel C.14		BA3VTR • Vertical PVC End Trim C.17
	BPX3PF • Pass-Tru Panel - Air Flow Base C.8		BP3OPFV • Fabric Over Panel with Vertical Wire Channel C.14		BA3VTS • Vertical PVC End Trim Standard Step Down C.17
	BPX3OP • Over Panel Frame C.8		RCX3WMP2 • Raceway Cover with Punchouts Both Sides C.15		BA3VTRF • Vertical Aluminum Flat End Trim C.18

CONTENTS



BA3VTSF • Vertical Aluminum Flat End Trim Standard Step Down
C.18

Diet



DPFF • Fabric Bottom and Fabric Top Panel
D.2



BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels
D.2



DPOF • Open Bottom and Fabric Top Panel
D.3



BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels
D.3



DPFRR • Fabric Bottom, Middle and Top Panel
D.4



DPORF • Open Bottom Fabric Middle and Top Panel
D.4



DPFFG • Fabric Bottom, Middle and Glazed Top Panel
D.5



DPOFG • Open Bottom, Middle Fabric and Glazed Top Panel
D.5



DPGF • Fabric Bottom and Glazed Top Panel
D.6



DPFS • Fabric Bottom Slat Top Panel
D.6



DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel
D.6



DPOSF • Open Bottom, Slat Middle Panel
D.7



DPOSF • Open Bottom, Slat Middle and Fabric Top Panel
D.7



DPOSG • Open Bottom, Slat Middle and Glazed Top Panel
D.7



DPFSG • Fabric Bottom, Slat Middle and Glazed Top Panel
D.8



DPOPF • Diet Over Panel
D.8



DTMP • Table Mounted Diet Panels
D.8



DPCBM • Panel Cable Manager
D.9



DPOFM • Off Module Panel Connector
D.9



DPPWA • Wall Adapter
D.9



DPCSTR • Casters
D.9



DHCFA • Diet Freestanding Panel Mobile Kit
D.9



DBSCB • Diet to Boulevard Slot Connector
D.10



DAPPF • Diet Gap Filler
D.10



DBPX • Diet to Boulevard Slim Connector in "X" Configuration
D.11



DBXPT • Diet to Boulevard Slim Connector in "T" Configuration
D.11

Electrical



BE8C11 • "I" Connector
E.4



BE8D • Duplex Receptacles
E.4



BE83BF • Reversible Base Feed (Boulevard System 3 only)
E.4



BE83BFR72 • Raceway Entry Base Feed (Boulevard System 3 only)
E.4



BE8CF1 • Ceiling Feed - Single
E.4



BE8CF2 • Ceiling Feed - Double
E.5



BE81BFxx1 • Base Feed - Single (Boulevard 1 only)
E.5



BE81BFxx1FL • Base Feed - Single (Boulevard 1 only)
E.5



BE81BFxx2 • Base Feed - Double (Boulevard 1 only)
E.5



BE81BF601 • Base Feed - Single (Boulevard 1 only)
E.6



BE81BF602 • Base Feed - Double (Boulevard 1 only)
E.6



BE8JC • Jumper Cable
E.6



BE8JM19 • Jumper Cable Mesh
E.6



BE83BTxx • Base-to-Tile Cable
E.6



BE8CPHH • Housing-to-Housing Pass-Thru Cable
E.7



BE8CPHJ • Housing-to-Jumper Pass-Thru Cable
E.7



BEJCT39 • Transaction Jumper Cable
E.7



BE81D • Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only) E.7



BE8U2D • Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only) E.8



BE83D • Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only) E.8



BE8U3FM • Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only) E.8



BE81DxxCM • Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only) E.8

CONTENTS

	BEPE • Post Extension E.9		BWCC • Curved Corner Worksurface F.6		BWP • "P" Worksurface F.11
	BHPOST • Ceiling Feed Posts E.9		BWCF • Five Sided Corner Worksurface F.7		BWMP • "D" and "P" Worksurface Modesty Panel F.11
	BE2PE • Panel Ceiling Posts E.9		BWCL • "L" Corner Worksurface F.7		BWC60 • Extended "D" Worksurface F.11
	DEK • Jumper Harness E.9		BWCK • Keyboard Corner Worksurface F.7		BWR • Radius Worksurface F.12
	DEJH • Diet Pass-Thru Kit E.10		BWAC45 • Curved Corner Worksurface for 45 Degree Angle F.8		BWRTD • Teardrop Worksurface F.12
	DEBF • Diet Base Feed E.10		BWAC60 • Curved Corner Worksurface for 60 Degree Angle F.8		BWSR • Curved Panel Worksurface F.12
	DECF • Diet Ceiling Feed E.10		BWCE • Extended Curved Corner Worksurface F.8		BWRP • Corner Radius Worksurface with Cutout F.12
	DEPE • Diet Post Extension E.10		BWCEC • Extended Curvilinear Corner Worksurface F.9		BWT • Transaction Worksurface F.12
	DERJC • Raceway Junction Cover E.10		BWK • Keyboard Worksurface F.9		BWTC • Transaction Corner Worksurface F.13
Worksurfaces			BWKLL • "L" Keyboard Worksurface F.9		BWTT • Transaction "T" Worksurface F.13
	BWS • Straight Rectangular Worksurface F.2		BWIR • "T" Island Worksurface F.10		BWTAC • Transaction Worksurface for 45 Degree Corner Worksurface F.13
	BWSP • Straight Rectangular Worksurface to span a Post F.3		BWKE • Extended Corner Keyboard Worksurface F.10		BWTAC • Transaction Worksurface for 60 Degree Corner Worksurface F.13
	BWS • Straight Rectangular Worksurface without Flex Lip or Scoops F.4		BWKK • Angle front Edge Worksurface F.10		BWTR • Transaction Top for Curved Panel F.13
	BWSW • Wedge Worksurface F.5		BWSAC • Arc Front Edge Worksurface F.10		BWTD • Transaction "D" Worksurface F.13
	BWSW • Wedge Worksurface Without Scoop F.5		BWSL • Curvilinear Arc Worksurface F.10		BWTDD • Transaction Double "D" Worksurface F.14
	BWBT • Bow Tie Worksurface F.5		BWSL • Curvelinial Arc Worksurface F.10		BWTE • Elliptical Transaction Worksurface F.14
	BWSC • Curvelinial Front Edge Worksurface F.6		BWD • "D" Worksurface F.11		BWTP • Oval Transaction Worksurface F.14

CONTENTS

	BWCD • Round Table F.14		BHBT • Transaction Bracket F.17		BSBC • KD Back Wall Conversion Kit G.4
	BWSQ • Square Table F.14		BHBT • Transaction Bracket for 37" High Boulevard 1 Panels F.18		BASD • Shelf Dividers for KD Storage G.4
	BHCL • "C" Leg F.14		BHBZ • "Z" Bracket F.18		BSOFDIV • Shelf Dividers for KD Storage G.4
	BKC • Corner Leg F.15		BWATB • FreeFit to Boulevard Bracket F.18		BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12 G.4
	BKMP • Modesty Panel F.15		DWS • Worksurface for Diet Panels F.18		BSOLC • Upmount KD Open Shelf G.4
	BHMEB • Modesty Panel Extension Bracket F.15		DHLEG • Diet Gabel Leg F.18		BSOH • High Profile Shelf G.5
	BHFG • Full Gable - Self Edged F.15		VLEGF • Fixed Height Leg F.19		BS00 • Open Overhead Storage G.5
	BHFGP • Full Gable - 3mm PVC Edged F.15		DHBRKT • Diet Worksurface Bracket F.19		BAFD • Flipper Door and Track Assembly Retrofit Kit G.5
	BHPG • "P" Shaped Full Gable - 3mm PVC Edged F.16		DHTBRKT • Diet Transaction Bracket F.19		BSOF • Overhead Flipper Door Storage Unit G.5
	BHLEG • Gable Leg F.16		DWSCSB • Diet Support Bar F.19		BHOC • Upmount Cantilever G.5
	BHML • Monoleg F.16		DHOMC • Diet Off-Module Cantilever F.19		BHOBP • Up Mount Back Panel G.6
	LATBL • Tapered Leg F.16	Storage			BSOFD • 16" Welded Overhead with Hinged Doors and Radius Handles G.6
	VVLEGLV • Leg with Leveler F.16		BSOL • KD Low Profile Shelf G.3		BSOL • Radius Low Profile Shelf G.6
	BHC • Cantilever F.17		BSOC • KD Corner Shelf Kit G.3		BSOH • Radius High Profile Shelf G.6
	BHC • Diet/Boulevard Worksurface Cantilever Support F.17		BSOH • High Profile Shelf G.3		BSKD • Radius Overhead Storage Unit G.7
	BHBC • Corner End Bracket F.17		BSOF • KD Overhead Flipper Door Storage Unit G.3		GD • Glazing Door Option for Above G.7
	BHBF • Flat Bracket F.17		BSFC • KD Overhead Flipper Door Conversion Kit G.4		BSFC • Radius Flipper Door Conversion Kit G.7
			BSKDC • Radius Up Mount Overhead Storage Unit G.7		BSKDC • Radius Up Mount Overhead Storage Unit G.7

CONTENTS

	BSADAPM • Panel Mounted Overhead Storage Unit - ADA Compliant G.8		BSTC • Pedestal/Lateral Seat Cushion G.11		CFRB • C Series “B” Opening Receding Door and Fixed Shelves G.16
	BSADAUM • Up-Mount Overhead Storage Unit - ADA Compliant G.8		BS12T502B1F • 12” BBF Storage Tower 50” High G.11		BFRB • Linear “B” Opening Receding Door and Fixed Shelves G.16
	BSADAKIT • Up-Mount Conversion Kit G.8		BS12T502F • 12” FF Storage Tower 50” High G.12		BS12S2F • 12” Opening Multi Storage Unit G.17
	BSADAxOMKIT • Off-Module Conversion Kit G.8		BS12T542B1F • 12” BBF Storage Tower 54” High G.12		BS12S • 12” Storage Cabinet with Hinged Door 2 High G.17
	BSADAKIT • Panel Mount Conversion Kit G.8		BS12T542F • 12” FF Storage Tower 54” High G.12		BS12ND • Open Storage Cabinet 2 High (WS Supporting) G.18
	BSOFD • Overhead Divider G.8		BS12T662B1F • 12” BBF Storage Tower 65 7/8” High G.12		BS12FKIT • 1212 Drawer Conversion Kit G.18
	BS12BF • One and 1/2 Height BP Pedestal G.9		BS12T662F • 12” FF Storage Tower 65 7/8” High G.13		BS12BKIT • 6612 Drawer Conversion Kit G.18
	BS12BBF • 12” Series BBF Pedestal Worksurface Supporting G.9		BS12TS0502F • 12” Side Opening FF Storage Tower 50” High G.13		BS12FFKIT • Fixed Front Door Conversion Kit G.18
	BS12FF • 12” Series FF Pedestal Worksurface Supporting G.9		BS12TS0502B1F • 12” Series Side Opening BBF Storage Tower 50” High G.13		BS12RDKIT • Receding Door with Fixed Slotted Shelf Conversion Kit G.18
	BS1230DP • 12” Combination Pedestal G.9		BS12TS0542F • 12” Side Opening FF Storage Tower 54” High G.13		Half Height Door Conversion Kit G.18
	BS12BFM • 12” BF Mobile Pedestal G.9		BS12TS0542B1F • 12” Side Opening BBF Storage Tower 54” High G.14		BAHFB • Hanging File Bars G.19
	BS12BBFM • 12” BBF Mobile Pedestal G.10		BS12T662B1F • 12” Side Opening BBF Storage Tower 65 7/8” High G.14		BAFBB • Front to Back Bars G.19
	BS12FFM • 12” FF Mobile Pedestal G.10		BS12T662F • 12” Side Opening FF Storage Tower 65 7/8” High G.14		BALAB • Legal to Letter Adapter G.19
	DHPEDB • Pedestal Bracket Kit for Diet Panels G.10		BS12F • 12” Opening Lateral File Fixed Front Drawers G.14		BAPD • Divider Plates G.19
	BS12X1HF • One and 1/2 Height Fixed Front & One 12” Fixed Front Lateral File G.10		BS12R1F • 12” Receding Door and Roll-Out Shelves G.15		BAPD • Pedestal Divider Plates G.19
	BS12X1S1F • One 1/2 Height Open Shelf & One 12” Fixed Front Lateral File G.10		BS12SWS • 12” Receding Door and Fixed Shelves G.15		BAPEDBAR • Pedestal Hanging File Bar G.19
	BS12X1SND • One 1/2 Height Open Shelf & One 12” Open Shelf Lateral Cabinet G.11		BS12B3F • 12” Opening Lateral File “B” Opening Receding Door and Fixed Shelves G.15		BAFFS • Full Flat Shelf G.19
	BS12X1S • One 1/2 Height Shelf & One 12” Shelf Lateral Cabinet with Doors G.11				

CONTENTS

	BAFS • Full Fixed Slotted Shelf G.19		CFW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet G.22		BLW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet G.26
	BAHFFS • Half Fixed Flat Shelf G.19		CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet G.23		BLW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet G.26
	BAEDPS • EDP Adapter G.20		CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet G.23		BLW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet G.26
	BAMS • Max-Stor Module G.20		CFW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet G.23		BLW3650M12L0RR • B-STOR Four High Multi Storage Pass Through Cabinet G.26
	BAMST • Max-Stor Trays G.20		CFW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet G.23		DSOMSHLF • Diet Off Module 24" Shelf G.27
	BTLP • Pencil Tray G.20		CFW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet G.23		DSTBSHLF • Diet Table Shelf G.27
	BTRP • Organizer Tray G.20		CFW3650M12L0RR • B-STOR Four High Multi Storage Pass Through Cabinet G.24		DSOH • Diet Panel Mounted Overhead G.27
	BTST • Shoe/Boot Tray G.20		BLW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet G.24		DSOS • Diet Panel Mounted Shelf G.27
	C28 • Letter Width Vertical Storage G.20		BLW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet G.24		DOHLS • Diet Overhead Support G.27
	C28 • Legal Width Vertical Storage G.21		BLW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet G.24		DSADA • Easy-Up Diet Overhead G.28
	CFW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet G.21		BLW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet G.24		BACWB • Counterweight Balance G.28
	CFW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet G.21		BLW3x50M12L0R • B-STOR Four High Multi Storage Pass Through Cabinet G.25		BA • Keys G.28
	CFW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet G.21		BLW3x50M12L0L • B-STOR Four High Multi Storage Pass Through Cabinet G.25		LO • Lock and Key G.28
	CFW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet G.22		BLW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet G.25	Accessories	
	CFW3x50M12L0R • B-STOR Four High Multi Storage Pass Through Cabinet G.22		BLW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet G.25		GAKSM01 • Keyboard Support Mechanism H.1
	CFW3x50M12L0L • B-STOR Four High Multi Storage Pass Through Cabinet G.22		BLW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet G.25		GAKSML • Slim Fit Keyboard Support H.1
	CFW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet G.22		BLW3650MDP0RR • B-STOR Four High Multi Storage Pass Through Cabinet G.26		GAKSM02 • Lift-N-Lock Keyboard Support Mechanism H.1
					GAKSM03 • Lift-N-Lock Keyboard Support Mechanism H.2

CONTENTS

	GATM01 • Tray with Sliding Mouse Support H.2		BLVELEDVD • LED Double Arm Lamp H.7		Telecom Plates H.10
	GATM02 • 27" HDPE Tray with Two Mousing Surfaces H.2		BLVELEDRS • LED Single Arm Lamp H.7		BEPB12 • Power Bar H.10
	GATM03 • Phenolic Tray with Height-Adjustable Mouse Support H.2		BLVELEDRD • LED Double Arm Lamp H.7		DABAR • Power Bar H.10
	GATM04 • HDPE Tray with Height-Adjustable Mouse Support H.3		Lamp Mounting Options H.8		DABARB • Power Bar with Mounting Bracket H.11
	Keyboard Combination Chart • Package Codes and Pricing H.3		BLUC • T5 Under Storage Task Light H.8		BABC • Wire Manager H.11
	GACPU01 • Fixed Mount CPU Holder H.3		BLEDLS • LED Under Shelf Task Light H.8		WVACS • Cable Snake H.11
	GACPU02 • CPU Holder on Glide Track H.4		BEMAE • Mini-Adapt Power Module H.9		BAVC • Vertical Wire Channel H.11
	GACPUH • Woof CPU Holder H.4		BEAxx • Desktop Data/Power Receptacle H.9		WVCM • Wire Manager H.11
	GAAKS1818 • CRT Corner Plate H.4		BRED50 • Duo Module H.9		BAR • Panel Mounted Slotted Accessory Rail H.11
	GAMCSSDE • Double Extension Monitor Arm for Single Screen H.4		BREDU51 • Duo Under Module H.9		BALB • Panel Mounted Load Bar H.11
	GAMCSSDEH • Double Extension with Height-Adjustable Monitor Arm for Single Screen H.5		BREDB52 • Duo Bezel Module H.9		BABB01 • Binder Bin H.12
	GAMCDSDE • Monitor Arms for Dual Screens H.5		BRETP53 • Trio Plus Module H.9		BAFS01 • Flip Sorter H.12
	GAMCDSDEH • Double Extension with Height-Adjustable Monitor Arms for Dual Screens H.5		BRETPU54 • Trio Plus Under Module H.9		BASS01 • Slant Sorter H.12
	GAMCSSDEHS • Dual Extension Height-Adjustable Slat Wall Monitor Arm H.5		BRETPB55 • Trio Plus Bezel Module H.9		BALT01 • Letter Tray H.12
	GAMLDM20 • Single Screen Monitor Arm for 5 to 20lbs H.6		BPGDPS20 • Power Module H.10		BAMB01 • Media Bin H.12
	GAMLDM30 • Single Screen Monitor Arm for 10 to 30lbs H.6		BPGDPS21 • Power and Data Module H.10		BAUT01 • Utility Tray H.12
	GAMLDM40 • Dual Screen Monitor Arm for 15 to 40lbs H.6		BPGDPS41 • Double Power and Data Module H.10		BAPP01 • Mail Box H.12
	BLVELEDVS • LED Single Arm Lamp H.7				

CONTENTS



BATH01 • Telephone Holder
H.12



BAPD • Pencil Drawer
H.12



BAHO • Coat Hook
H.13



BAHB3CH • Coat Hook for System 3
H.13



DAHOCH • Coat Hook for Diet
H.13



BNP • Name Plate
H.13



**BHTP01 • Bracket to connect Licence
Towers to Boulevard Panels**
H.13



BATB • Fabric Tackboard
H.13



BAWB • Write Board
H.13



**BAPAS • Glass Over Panel Boulevard 1
Round Pucks**
H.14



**BAPAS • Glass Over Panel System 3
Round Pucks**
H.14



**BAPAS • Glass Over Panel Boulevard 1
Square Pucks**
H.14



**BAPAS • Glass Over Panel System 3
Square Pucks**
H.14



BAMT12 • Marker Tray
H.14



BATP • Touch Up Paint Kit
H.14

PRODUCT OVERVIEW

BOULEVARD 1 PANELS

Features:

- Desk height power and data management
- Patented “Knuckle-Loc”, rigid connection, prevents light and sound transmission
- Built-in acoustical/tackable properties
- Sectional multi-accent design options
- Fabric surfaces are able to be replaced on-site
- Frame incorporates 1” centred slots for component adjustability
- Requires no additional top caps, end caps, trim caps, hinges, kick plates or clips
- Simple to specify
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend to 10 feet to enclose an office in fabric and glazed options
- Patented Raceway cover easily removed
- Raceway panels top and bottom portion semi tackable

Construction:

- Rigid extruded aluminum, finished frame, self-leveling 2 5/8” thick panel
- 1 1/8” sound absorbent Mineral Wool each side of hardboard septum

Sizes:

- 8 Heights: 29”, 37”, 42”, 50”, 54”, 58”, 66” 74” and 82”
- 9 Widths: 6”, 18” to 60” in 6” increments, 72” wide in selected panel configurations.

Adjustability:

- 3” glide stem permits 2 1/2” height adjustment
- Slotted at 1” increments
- Over panels, 8”, 16”, 24”, 37” and 42” for enclosed offices (Non-slotted)

Acoustic Rating

- .80NRC/26STC

Door:

- 2 door panel widths, glazed/unglazed, lockable, reversible
- 2 sliding door widths, non-lockable

Flexibility:

- Universal connector

Panel Finishes:

- 2 grades of fabric, air flow grill, glaze, tempered glass, laminate & COM

Electrical:

- Desk height 8 wire/4 circuit - 1 dedicated

Communication:

- Desk height data channel
- Raceway cover easily removed
- Fabric covered raceways available

SYSTEM 3 PANELS

Features:

- Base power and data lay-in
- Desk height power and data feed thru
- Top data lay-in
- Patented “Knuckle-Loc”, rigid connection, prevents light and sound transmission
- Removable multi-functional tile design options
- Fabric surfaces are able to be replaced on-site
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend height to enclose an office in fabric, glazed or laminate options
- Raceway cover easily removed

Construction:

- Rigid extruded aluminum

Sizes:

- 4 Heights: 34”, 42”, 50”, 54”, 66”
- 8 Widths: 18” to 60”

Adjustability:

- 3” glide stem permits 2 1/2” height adjustment
- Slotted at 1” centres
- Over panels, 8” and 16” (Non-slotted)

Door:

- 2 widths, glazed/solid, lockable, reversible
- 2 sliding door widths, non-lockable

Flexibility:

- Universal connector

Panel Finishes:

- Fabric, air flow accessory, tempered glass, laminate, whiteboard, corkboard (at base only)

ELECTRICAL FOR BOULEVARD 1 PANELS

Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in electrical
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit.
- 3N and 8K electrical available upon request.
- Snap-in installation - harnesses, junction boxes, duplexes
- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel: choice of circuits for each duplex; choice of quantity of duplexes (1 or 2 duplexes per panel)

- Electrical cords are concealed
- Separate large channel for data
- Change electrical without moving pedestals
- Lower installation/reconfiguration costs
- Data terminals snap into cable holder
- Floor or ceiling feed
- Duplexes accessible from both sides

ELECTRICAL FOR SYSTEM 3 PANELS

Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in duplex receptacles
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit
- Snap-in installation - harnesses, junction boxes, duplexes

- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel
- Data terminals snap into base raceway cover and mid panel electrical tile
- Floor or ceiling feed
- Duplexes accessible from both sides

OVERVIEW

WORKSURFACES / HARDWARE

Features:

- One universal cantilever support
- Pedestal eliminates need for end panel/cantilever
- Grommets are not needed
- Continuous cable accessibility across back
- Adjustable to any height, in 1" increments.
- Flush abutment side edge minimize seam crevice
- Metal-to-metal connections (Metal Inserts)
- Additional cable manager under worksurface

Construction:

- Medium-density particle board 1 1/16" thick

Sizes:

- 3 Depths: 18", 24" and 30"
- 12 Widths: 18" to 84" in 6" increments

Finishes:

- Tops: High Pressure Laminate, Low Pressure Laminate or Wood
- Edges: Edge banded PVC or Wood

Types:

- Transaction, keyboard, rectangular worksurface, corner, curved, D-top, P-top, Arc-top and freestanding

OVERHEAD STORAGE

Features:

- Completely enclosed unit for 16" overheads
- Shipped fully assembled or KD
- 13.5" inside height for oversized binders
- Metal-to-metal connection
- Lock secures into bottom shelf
- Doors operate smoothly
- Flipper door retrofittable on site
- Safety bracket used for extra support
- Reinforcement built in for larger unit
- Can be removed and reconfigured without disassembly

Fronts:

- Open or closed fronts

Sizes:

- Overheads - 6 widths in 6" increments
- Shelves - 7 widths in 6" increments
- 16" deep welded overhead for EDP, ring binder, letter/legal
- 12" deep KD overhead
- 15" deep KD overhead with "Soft-to-the-touch" handles

Paint:

- Dry epoxy powder coating

PEDESTALS

Features:

- Double wall construction on all drawer fronts
- Fully progressive suspension system
- Full-width pull, "HytreI®" or "Soft-to-the-touch" handles on drawer fronts
- Worksurface supporting option
- Full extension roller bearing glides on all file drawers
- Rubber bumpers for quietness
- Movable drawer divider/pencil tray
- 25" filing capacity for file drawers (only in 30" pedestal)
- Durable epoxy finish
- Keyed alike options
- Box/Box/File standard with pencil tray

Construction:

- Double wall drawer fronts
- 18-20 gauge steel

Sizes:

- 18", 24", 30" depth

Types:

- Worksurface Supporting, Mobile, Freestanding

Paint:

- Dry epoxy powder coating

COST SAVINGS

HOW BOULEVARD 1 CAN REDUCE YOUR COSTS

Finished Panel:

- No inventory costs for connectors, trim caps, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

Desk Height Electric:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfiguration costs.
- Can customize power in each panel, pay only for what is required.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Replaceable Panels:

- Panels can be re-upholstered on site.

Communications/Data Channel:

- Desk height data channel reduces time to install and change cables.

Floor to Ceiling Enclosed Office:

- Re-usable enclosed offices with doors eliminate future costs for drywall demolition, new construction, mess and extensive cash flow.
- Depreciation expense indirectly increases cash flow.

Warranty:

- Limited Lifetime Warranty on materials and workmanship.

Product:

- Priced less than most other "A" Grade panel systems.

HOW BOULEVARD SYSTEM 3 REDUCES YOUR COSTS

Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

Base Panel Electric System:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfigurations costs.
- Can customize power in each panel, pay only for what is required.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Replaceable Panel Tiles:

- Over Panels and face tiles can be added and interchanged as needs change.

Communications/Data Channel:

- Base and top lay-in communications channel reduces time to install and change cables.

Warranty:

- Limited Lifetime Warranty on materials and workmanship.

Product:

- Priced less than most other "A" Grade panel systems.

HOW DIET REDUCES YOUR COSTS

Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.
- Open bottom panels can reduce cost and improve circulation within the office.

Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.

Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

Communications Channel:

- Base communication channel reduces time to install and change cables.

Warranty:

- Limited Lifetime Warranty on materials and workmanship.

TERMS AND CONDITIONS

Terms and Conditions

This illustrated list price book has been designed to facilitate fast reference and easy use. The line drawings match actual products (where possible) to aid in instant recognition of each item, but they are graphic representations only.

Sales of Global Contract's products are made only on Global Contract's standard Terms and Conditions of sale which are contained in this list price book. The "Purchaser" in these Terms, Conditions and General Information shall refer to Dealers and those who originally purchase directly from Global Contract for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global Contract's authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global Contract's standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at the time of publication. Global Contract reserves the right to make changes at any time and without prior notice to prices, colours, materials, specifications and models offered.

Description

Each product shown or described in this list price book is standard Global Contract product. Available options are noted at the beginning of each series or at the beginning of the price list. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this Book, as well as those quoted by Global Contract, shall be Canadian dollars for orders shipped to destinations in Canada.

The price does not include any provincial or local property license, privilege, sales, use, value added, gross receipts, G.S.T. or other like taxes which may now or hereafter be applicable to, measured by or imposed upon or with respect to the transaction, the product, its sale, its value or its use, or any services performed in connection therewith.

If shipping date requested is more than 90 days from date of order, Global Contract shall have the right to use published list prices effective at the time of shipment.

Not included in the list price is special or export packing, freight, unpacking and installation. Orders are invoiced at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days. All orders are subject to the Purchaser complying with Global's prevailing credit policy.

Any product sold shall remain the property of Global Contract until fully paid for. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Global Contract until such time as the goods have been paid for in full.

Delivery shall occur and risk of loss or damage to the product shall pass to Purchaser F.O.B. point of shipment. Purchaser is responsible for filing claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Prices are suggested list prices only and are subject to change without notice. Global Contract will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser's responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

Order Information

Global Contract requires that all orders be submitted in writing. All orders submitted to Global Contract in writing will be acknowledged on Global Contract's acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgement is correct. In the event of an error, the Purchaser must notify their Global Contract Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

Purchaser must indicate if multiple shipping schedules are required. Each shipment will be invoiced at time of shipping and will be subject to payment terms described above.

When ordering, please provide the following information:

1. Account number (if possible)
2. PO number
3. "Bill to" and/or "Ship to" and name and address
4. Complete model number and selected options including textiles/finishes
5. Special instructions and tag information
6. Shipping instructions, please indicate:
 - a. pick up
 - b. Global trailer program
 - c. common carrier, provide name of carrier, your account number
7. Special quote (SQ) # (if applicable)
8. Customer's Own Material (COM), Global Contract Purchased Material (GPM), Customer's Own Leather (COL) - please see below.

9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote, a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global Contract for accuracy. Global Contract will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global Contract prior to invoicing.

The Purchaser is responsible for providing correct information when placing an order. If no option(s) are selected the system, will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Specifications and application drawing may be requested to be supplied for examination prior to approval.

Special Colours

Use of Customer's Own Material must be approved by Global Contract prior to acceptance of order. Fabric yardage requirement will be advised by factory, and additional yardage may be required if pattern requires matching. If Customers Own Material (C.O.M.) is difficult to apply or if product must be modified, extra charges will be made. Global Contract reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's own material should be shipped freights and duties paid to Global Contract, 565 Petrolia Road, North York, Ontario. Such shipment must be fully identified with purchaser's order number, Global Contract's acknowledgment number and the item for which material is intended. For C.O.M. prices, use Grade 1 price. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser.

Deposit on Special Orders

Orders for nonstandard products may, at Global Contract's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

Changes and Cancellation

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in "special order textiles" (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Global Contract reserves the right to cancel an order at any time if Special Order is in the sole judgement of Global Contract, inadequate for any reason.

Errors and Omissions

All quotations, acknowledgments and invoices are subject to corrections for any errors and omissions.

Disclaimer

Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

Finishes

Seating Finishes - Painted

Where painted frames are not a standard colour, a special quote is required.

Seating Finishes - Wood Stained

One time charge of \$415 net and 5% upcharge per chair per order for custom wood staining/colour matching. Restrictions may apply. The customer must provide a 3" x 3" colour chip/sample. Non-standard finishes must be approved by Global Contract prior to acceptance of order.

Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Global Contract Customer Service. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global Contract will not necessarily match the wood species but rather will generate a colour that will coordinate with the sample when it is applied to the wood species used in the seating frame.

Metal File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global Contract prior to acceptance of order and will be subject to a 10% upcharge on orders up to 10 units. There is no upcharge on orders of 11 units or more.

An upcharge of 10% will apply to White, Metallic and Mica finishes regardless of the number of units ordered.

Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global Contract will not be held responsible if the finishes cannot be matched.

Customer's Own Material (COM)

Use of COM must be approved by Global Contract prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Upon approval from Global Contract, send textile to the COM Department at 565 Petrolia Road, North York, ON, M3J 2X8.

If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global Contract's standard product warranty shall not apply to COM. The COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade.

Combining two grades of textiles may result in a revised grade. Please refer to "Fabric Grades Combination Chart" in the Seating list price book. For more than two textiles a special quotation is required.

GPM (Global Contract Purchased Material, Customer Specified)

Global Contract may purchase material specified by the customer. Use of GPM must be approved by Global Contract prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global Contract's standard warranty will not apply to GPM materials.

Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

Upholstery Coverings

Slight variations in colour may occur between dye lots. Although Global Contract attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Leather is a Natural Product

Natural variations occur in the colour, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its colour changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

Yardage

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

Cubic Measure

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton, (one unit per carton unless otherwise noted) and is subject to change without notice.

Delays

Global Contract's order acknowledgement will state a shipping date which Global Contract best estimate at the time the order is acknowledged. However, Global Contract shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global Contract has agreed to an unequivocal, firm shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global Contract shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgments where such delay, failure, loss or damage is the proximate result of any act or any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between labour unions or other labour disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global Contract, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Global Contract may, without causing breach or incurring liability, allocate goods which are in short supply, irrespective of the reasons therefore, among purchaser, in any manner which Global Contract, in its sole discretion, deems advisable.

Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global Contract, or in the event the Purchaser's financial condition becomes unsatisfactory to Global Contract, Global Contract shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global Contract.

Combined Shipments

Global Contract will make every effort to combine shipments and orders on written request. However, Global Contract cannot be held responsible where such request is not complied with.

Shipments

Purchaser must select, at time of order entry, one of two methods of freight payment. Global Contract will make no end-user shipments unless special arrangements have been made.

- 1) F.O.B. point of shipment, freight collect - pick up and common carrier.
- 2) F.O.B. point of shipment, freight pre-paid and invoiced to purchaser.

TERMS AND CONDITIONS

The Purchaser will determine the method of transportation and routing of shipment. In the event that the purchaser does not specify method and routing, Global Contract will have shipments expedited in the manner deemed appropriate. Contact Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8 (416) 739-5000 with questions concerning shipping information on acknowledged orders.

F.O.B.

F.O.B. point is Global Contract's factory, Toronto, Ontario, Canada.

Back Charges

Global Contract will not accept charges for expense incurred by the Purchaser in expediting shipments. Global Contract will not accept charges for the repair of damage by others.

Code Restrictions

Global Contract items are within the limitations of local codes.

Service

Service problems are normally handled by the Global Contract's authorized dealer, as appropriate. Where this cannot be accomplished on a local level, service problems should be referred to Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8, (416) 739-5000, csr@globalcontract.com.

Storage

In the event Purchaser requests postponement of delivery beyond the scheduled shipping date after the goods have become work in progress, or at the time when Global Contract is then about to make shipment, Global Contract may transfer the goods to storage for Purchaser's account and at Purchaser's risk and expense. Such transfer to storage shall be deemed delivered to Purchaser for all purposes, including invoicing and payment.

Claims

All goods are sold F.O.B. plant. Global Contract is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage. Any claims made against Global Contract for apparent defects, errors or shortages must be made by the purchaser in writing within 15 working days after any delivery. Failure by the Purchaser to do so shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Installation

Global Contract requires the use of a certified installer when installing Global Contracts' products and systems so as to avoid any installation misrepresentations and/or unnecessary delivery and installation claims.

Returns

No returns of goods will be accepted without written consent and shipping instruction of Global Contract. A restocking charge of 35% based on list pricing is made on all authorized returns for credit or refund, provided goods are received by Global Contract in the condition in which they left the factory. This may increase depending on the type of product. No credit will be given if goods cannot be reused. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Special order items are in no event subject to return. All returns must be approved and authorized in writing by Global Contract Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Tolerances

All dimensions must be limited by a specified tolerance. When not specified it is understood that Global Contract's normal tolerances and standards shall apply. When purchaser has submitted his own plans and/or specifications, Global Contract will not be responsible for the design and fitting of parts. The conforming of Global Contract products to the specified tolerance is sufficient evidence as to the correctness of the product. Standards of finish, quality and appearance shall, unless specified in writing, be the normal standards of Global Contract.

Copyright

All catalogues, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

Trademark

Most series names are Global Contract's trademarks.

Design

Many of the products produced by Global Contract are protected by Design Registrations, Design Patents and/or Patents. Designs and specifications are subject to change, discontinuance or additions without notice.

Offer of Sale

Possession of this price list or any other literature shall not imply Global Contract's willingness to sell the holder and shall not be construed as a direct offer of sale. If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global Contract or by any other source on behalf of Global Contract; and (ii) Global-Contract's current printed price lists, then the most current shall prevail.

Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

This list price book is effective as of June, 2016.

For periodic updates, please check the PDF at www.globalcontract.com. After login, select Resources then Price Lists. From here you will have the option to select any of our price lists. Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of

the product, to the original Purchaser.

WARNING - SEATING PRODUCTS

TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with hard casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

LIFETIME WARRANTY

LIFETIME WARRANTY

Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global Contract will repair or replace, at Global Contract's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after June 1, 2016.

This Lifetime Warranty is NOT applicable to customers who use Global Contract products for rental purposes, product installed by non-certified installer and is effective only for products, parts or components manufactured after August 1, 1998.

General Commercial Seating

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global Contract branded and textile program cards), mesh material and electrical devices, are warranted for five (5) years
- Control mechanisms are warranted for twelve (12) years

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 lbs.

Textiles

Global Contract warrants Global Contract branded textiles and Global Contract carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer's Own Material) or GPM (Global Contract Purchased Material) that are customer specified materials, or graded-in and purchased by Global Contract for a customer. For GPM or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at www.globalcontract.com for detailed information on cleaning and care instructions. Improper usage of disinfecting/cleaning products may void the warranty.

Seating Warranty Summary

Seating Type - General Commercial Seating
Components Warranty For Original Purchaser - lifetime

Use Time For Warranty Coverage - 8 hours/5 days per week

Exceptions

Foam/textiles/mesh/electrical devices - 5 years
control mechanisms - 10 years

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global Contract warrants all components of metal storage and filing, laminate and wood veneer surfaces, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product

to the original Purchaser.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms and task lights - five (5) years
- motorized electrical components - two (2) years
- Folding tables - one (1) year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type

Metal Storage & Filing - Lifetime Warranty
No exceptions.

Laminate/Wood Veneer Surfaces and Modular Furniture - Lifetime Warranty
Exceptions: tackboard textiles, electrical devices, task lights - 5 years

Boardroom, Conference and Training Tables - Lifetime Warranty
Exceptions: electrical devices - 5 years

Panels - Lifetime Warranty
Exceptions: panel textiles, electrical devices, task lights - 5 years

Folding Tables - 1 Year Warranty

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global Contract's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colours, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colour fastness or the matching of colour of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Products installed by a non-certified installer
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and care instructions posted on www.globalcontract.com

Global Contract's warranty does not cover the costs of transportation or labour. Repair or replacement will be at Global Contract's discretion.

Non-obsolescence Policy

All Global Contract products are designed and manufactured to withstand repeated service, repair and handling, and carry a lifetime warranty. Global Contract's goal is to ensure that products can be refurbished, disassembled or upgraded as required. In addition, standardization of many parts and components facilitate ease of maintenance, servicing, assembly, and reconfiguration or reassembly. Global Contract will provide Purchaser with product(s) of comparable function for a term equal to the warranty period. Fabrics and finishes are updated periodically to meet the growing demand of the market. As a result, some fabrics and finishes may be discontinued before expiration of the warranty period.

Global Contract makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global Contract be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

FINISHES

PANEL FINISHES

Panel Frame/Raceway/Hardware		Acrylic Glazing	
Black	BLK	Clear	CLR
Blizzard	BZD	Smoke	SMK
Charcoal	CHR	Frosted	FRS
Designer White	DWT		
Nevada	NEV	Tempered Glass	
Silver	SIL	Clear	CLR
Stonedust	SDT	Smoke	SMK
Taupe	TPE	Frosted	FRST
Tungsten	TUN		

STORAGE AND WORKSURFACE FINISHES

Metal Storage Colors - Panel Frame Matches		Worksurface PVC Edge Trim - Solids		Worksurface PVC Edge Trim - Wood Grain Matches	
Black	BLK	Pearl Dust	PDE	Absolute Acajou	AAE
Blizzard	BZD*			Asian Night	ASE
Charcoal	CHR	PVC Edge Finishes - Panel Frame Matches		Avant Cherry	ACE
Designer White	DWT	Black	BLK	Avant Honey	AHE
Nevada	NEV	Blizzard	BZD	Clear Maple	CME
Silver	SIL	Charcoal	CHR	Dark Espresso	DEE
Stone Dust	SDT*	Designer White	DWE	Quartered Mahogany	QTM
Taupe	TPE	Nevada	NEV	River Cherry	RCE
Tungsten	TUN	Silver	SIL	Shaker Cherry	SKE
* Not available for radius or linear handles.		Stonedust	SDT	Tiger Maple	TGE
		Taupe	TPE	Tiger Walnut	TWE
		Tungsten	TUN	Walnut Heights	WHE
				White Chocolate	CBE

Low Pressure Laminates (LP) Matching Panel Frame Colours

Black (Black)	159560LP
Blizzard (Blizzard)	BZDLP
Storm (Charcoal)	LPS565
True White (Designer White)	S645LP
String (Nevada)	S477LP
Custom Grey (Silver)	S548LP
Stonedust (Stonedust)	SDTLP
Hayden Grey (Taupe)	S427LP
Satin Stainless (Tungsten)	483007LP

Low Pressure Laminates (LP) Solids and Patterns

Desert Zephyr	484160LP
Grey Matrix	MR61TLP
Loden Zephyr	484460LP
Misted Zephyr	484360LP
Pearl Bisque	D48507LP
Pearl Dust	D48807LP
Studio White Matrix	MR71TLP
Titanium	481060LP

Low Pressure Laminates (LP) Wood Grain Laminates

Absolute Acajou	W150LP
Asian Night	794938LP
Avant Cherry	W357LP
Avant Honey	W356LP
Clear Maple	WM8340TLP
Dark Espresso	DESLP
Empire Mahogany	7122K07LP
Manitoba Maple	791160LP
River Cherry	793738LP
Shaker Cherry	7935K07LP
Tiger Maple	TMPLP
Tiger Walnut	TWLLP
Walnut Heights	796538LP
White Chocolate	L492LP

High Pressure Laminates (HP) Matching Panel Frame Colours

Black (Black)	159560HP
Blizzard (Blizzard)	BZDHP
Storm (Charcoal)	HP565
Designer White (Designer White)	D35460HP
String (Nevada)	S652THP
Custom Grey (Silver)	S548HP
Stonedust (Stonedust)	SDTHP
Hayden Grey (Taupe)	HP427
Stain Stainless (Tungsten)	483007Hp

High Pressure Laminates (HP) Solids and Patterns

Desert Zephyr	484160HP
Grey Matrix	MR61T
Loden Zephyr	484460HP
Misted Zephyr	484360HP
Pearl Bisque	D48507HP
Pearl Dust	D48807HP
Studio White Matrix	MR71T
Titanium	481060HP

High Pressure Laminates (HP) Wood Grain Laminates

Absolute Acajou	W150HP
Asian Night	794938HP
Avant Cherry	W357HP
Avant Honey	W356HP
Clear Maple	WM8340THP
Dark Espresso	DESHP
Empire Mahogany	7122K07HP
Manitoba Maple	791160HP
River Cherry	793738HP
Shaker Cherry	7935K07HP
Tiger Maple	TMHP
Tiger Walnut	TWLHP
Walnut Heights	796538HP
White Chocolate	T492HP

SEATING FABRICS

Please choose from the Global Furniture Group seating fabrics, Quartz, or those marked “**”. They are available for panel and seating.

- C.O.M Fabrics priced as Grade 3.

FINISHES AND FABRIC

WOOD VENEER FINISHES

Custom staining service is available, cost to match finish is \$415 net.

Walnut	
Walnut	WLW
Mahogany on Walnut	MHW
Empress Walnut	EWV
Cocoa Walnut	CAW
Latte Walnut	LTW
Natural Walnut	NLW
Umber Walnut	UBW
Dark Walnut	DWW

Cherry	
Red Cherry	RCW
Dark Cherry	DCW
Amber Cherry	ACW
Windsor Cherry	WCW
Almond Cherry	AMW
Vintage Cherry	VNW

PANEL FABRICS GRADE 1

Anchorage	(R)	
Birch		AN40
Green Apple		AN41
Lapis		AN42
Straw		AN43
Wolf		AN44
Goose		AN45
Angora		AN46
Cumin		AN47
Asteroid		AN48
Geranium		AN49
Thistle		AN50
Graphite		AN51
Slate		AN52
Quarry Blue		AN53
Onyx		AN54
Pumpkin		AN55
Red Delicious		AN56
Sunshine		AN57
Magenta		AN58
Waterfall		AN59
Green Olive		AN60
Vanilla		AN61
Cobalt		AN62

Birdseye	(R)	
Outlook		BE21
Rock		BE22
Vista		BE23
Soar		BE24
Impression		BE25
Glide		BE26
Panorama		BE27
Storm		BE28
Flight		BE29

Chance	(R)	
Mist		CN51
Dill		CN52
Island		CN53
Plaza		CN54
Tranquil		CN55
Malt		CN56
Navajo		CN57
Prairie		CN58
Cinder		CN59
Oasis		CN66

Hatchet	(R)	
Baton		HA30
Brass		HA31
Scythe		HA32
Armament		HA33
Axe		HA34
Dirk		HA35
Smoke		HA36
Blackjack		HA37

Linea	(R)	
Queue		LN41
Cord		LN42
Twine		LN43
Thread		LN44
Contour		LN45
Silhouette		LN46
Cable		LN47
Route		LN48

Note:

(R) = Recycled Fabric

FABRIC

PANEL FABRICS GRADE 1 cont

Pinpoint (R)		Loopy (R)		Tek (R)	
Bliss	PN11	Oyster	LP60	Finesse	TX60
Delight	PN12	Putty	LP61	Grain	TX61
Dune	PN13	Marble	LP62	Essence	TX62
Infusion	PN14	Hazelnut	LP63	Warp	TX64
Ebony	PN15	Latte	LP64	Mesh	TX67
Fresh	PN16	Bay	LP65	Form	TX69
Carrot	PN17	Wild Rice	LP66	Spice	TX71
Splash	PN18	Harbor	LP67	Glacier	TX72
Vibe	PN19			Spring	TX73
Gala	PN20			Harmony	TX74
		Streak (R)		Smoke	TX75
Melody (R)		Beach	SR81	Pebble	TX76
Spray	ME40	Shade	SR86		
Pond	ME41	Stretch	SR88		
Sand Bar	ME42	Sprint	SR89	Terrace (R)	
Silt	ME43	Roll	SR91	Terrace is only 57" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.	
Pebble	ME44	Dart	SR92	Lotus	TC60
Lake	ME45	Zoom	SR93	Tigerlily	TC61
Gravel	ME46	Splash	SR94	Shadow	TC62
Boulder	ME47	Whiz	SR95	Cobble	TC63
		Flash	SR96	Cherry Blossom	TC64
				Bluebell	TC65
				Apple	TC66
				Haze	TC67
				Cerise	TC68
				Twilight	TC69
				Wintergreen	TC70
				Ironwork	TC71
				Pine Cone	TC72
				Flirt	TC73
				Echo	TC74
				Glacier	TC75

Note:
(R) = Recycled Fabric

PANEL FABRICS GRADE 2

Cyclone		Meander		Quadrille (not available on Diet) (R)	
Wrought Iron	IM36	(for Boulevard only) (R)		Quadrille is only 54" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.	
Stove Pipe	IM37	Sandshell	MN71	Escapade	QU30
Stainless	IM40	Overcast	MN72	Shenanigan	QU31
Polished Pewter	IM41	Agate Taupe	MN73	Revelry	QU32
Welded Steel	IM43			Spring	QU33
Etched Bronze	IM44	Punch Card (not available on Diet) (R)		Regalia	QU34
Fired Titanium	IM46	Punch Card is only 54" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.		Soiree	QU35
Chrome	IM49	Crisp	PU61	Zest	QU36
Dark Annealed	IM50	Orange	PU62	Gambol	QU37
Karat	IM54	Alabaster	PU63	Leisure	QU38
Red Metal	IM55	Crimson	PU64	Fair	QU39
Oxidized Bronze	IM56	Sky	PU65	Fiesta	QU40
Bright Ray	IM57	Putty	PU66	Carnival	QU41
Bismuth Crystal	IM58	Burgundy	PU67	Spree	QU42
Gallium Blue	IM59	Cadet	PU68	Opus	QU43
		Silver Lining	PU69	Jubilee	QU44
Dashing (R)		Navy	PU70	Masquerade	QU45
Classic Silver	DS21	Carbon	PU71	Cabaret	QU46
Refined Marble	DS22	Peat	PU72		
Antique Sage	DS23	Abyss	PU73	Universe	
Polished Slate	DS24			Milkyway	UV01
Gentee Beige	DS25			Cream Brulee	UV02
Bespoke Tan	DS26			Whitecap	UV03
Dapper Grey	DS27			Wheat	UV04
Cement	CT67			Seneca	UV05
Mystic	CT68			Mica	UV06
				Cosmis	UV07
				Depth	UV08

Note:
(R) = Recycled Fabric

PANEL FABRIC - GRADE OPT (FOR BOULEVARD ONLY)

Pact (not available on Diet) (for Boulevard only) (R)		Script (for Boulevard only) (R)	
Midnight	PA51	Almond	SC60
Sketch	PA52	Patina	SC61
Harbour	PA53	Sterling	SC62
Dove	PA54	Slate	SC63
Putty	PA55	Charcoal	SC64
Lime	PA56	Flint	SC65
Eureka	PA57	Taupe	SC66
Delft	PA58	Feldspar	SC67
Coastal	PA59	Pebble	SC68
Nectar	PA60	Shadow	SC69
Rubine	PA61		
Roma	PA62		

Note:

(R) = Recycled Fabric

WOODGRAIN


WOOD GRAIN (WG) LAMINATE DIRECTION




* Panel general direction will default to vertical if monolithic panel and raceway panels are on same order.

All Panels

With the exception of 66" panels or higher the grain direction will be vertical




BPD
Doors.



BWS
Worksurfaces.



BWSC
Worksurfaces.



BWK
Worksurfaces.




BWCF
Corner Worksurfaces.




BWCL
Corner Worksurfaces.



BWCK
Corner Worksurfaces.



BHFG
Full Gable.



BWAC Angled Corner
Worksurfaces.



BWCE
Extended Worksurfaces.




BWCEC
Extended Worksurfaces.



BWBT
Bow Tie Worksurfaces.



BWR
Radius Worksurfaces.




BWRTD
Teardrop Worksurfaces.




BWSR
Curved Panel
Worksurfaces.




BWC
Extended "D"
Worksurfaces.




BWSL
Curvilinear
Worksurfaces.



BWD
Worksurfaces.




BWP
Worksurfaces.



BWT
Transaction
Worksurfaces.




BWTC
Corner Transaction
Worksurfaces.




BWTT
Transaction
Worksurfaces.




BWTAC
Transaction
Worksurfaces.




BWTR
Curved Transaction
Worksurfaces




BWTD "D"
Transaction
Worksurfaces.




BWTD "D"
Transaction
Worksurfaces.




BWTE
Ellipse Transaction
Worksurfaces




BWTP
Round Transaction
Worksurfaces.



BWCD
Round Tables.



BWSQ
Square Tables.



BK
Desking Worksurfaces.

KEY ALIKE FORM

- _ BAKA - Boulevard
- _ LAKA - Licence
- _ AAKA - GC ADA
- _ DAKA - Descor
- _ BRAKA - Bridges II

SO# _____

PO TAG# _____

DATE _____

KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #
401		431		461		491		521
402		432		462		492		522
403		433		463		493		523
404		434		464		494		524
405		435		465		495		525
406		436		466		496		526
407		437		467		497		527
408		438		468		498		528
409		439		469		499		529
410		440		470		500		530
411		441		471		501		531
412		442		472		502		532
413		443		473		503		533
414		444		474		504		534
415		445		475		505		535
416		446		476		506		536
417		447		477		507		537
418		448		478		508		538
419		449		479		509		539
420		450		480		510		540
421		451		481		511		541
422		452		482		512		542
423		453		483		513		543
424		454		484		514		544
425		455		485		515		545
426		456		486		516		546
427		457		487		517		547
428		458		488		518		548
429		459		489		519		549
430		460		490		520		550

NOTE: If Key Alike Instructions are not submitted to GLOBAL CONTRACT with the Customer's Purchase Order, all components will be keyed randomly.

CONFIGURATIONS

INTRODUCTION

On the following pages, we selected a grouping of Boulevard 1, System 3 and Diet configurations, some with electrical components and task lights, to give you a better understanding of our product's specifications as they relate to workstations. Our objective is to not only illustrate applications using panels and components, but also to have this serve as a pricing exercrise.

All of the value-added benefits of the Boulevard 1 are standard as follows:

- Desk height power and data capabilities.
- Finished panel including top, corner and end caps.
- Sectional panel with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

All of the value-added benefits of the Boulevard System 3 are standard as follows:

- Base power and data capabilities.
- Finished panel including top and corner.
- Monolithic or Pass-Thru panels with multiple fabric options.

- Ease of installation and reconfiguration.
- Removable fabric tiles in Pass-Thru Panels for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.



All of the value-added benefits of the Diet System are standard as follows:

- Finished panel including top, corner and end caps.
- Sectional panels with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

When specifying Boulevard 1, Boulevard System 3 or Diet, you benefit from the ability to:

- Customize the energy management.
- Minimize the number of necessary parts.
- Offer a competitive list price.



SAMPLE #1 Boulevard 1 • 4 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPRA5036	Acoustic Raceway Panel, 50"h. x 36" w.	557	2229
8	BPRA6636	Acoustic Raceway Panel, 66"h. x 36" w.	636	5084
2	BHP066	90 Degree Post, 66"h	131	262
2	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	648	1296
2	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	648	1296
2	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	431
2	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	431
8	BHC18	Cantilever, 17"d.	61	486
2	BHBC02	Corner End Brackets, set	20	39
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	557	2229
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24"d.	541	2163
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d.	545	4359
4	BLUC24	Under Storage Task Light, 24" w	159	634
SUBTOTAL PRICING (WITHOUT ELECTRICAL)				\$20,938
1	BEPE81	Post Extension, 81"h.	114	114
1	BE8CF1201	Ceiling Feed, Single	244	244
4	BE81D36	Power Distribution Housing	138	552
2	BE8D1	Duplex Receptacle, Circuit #1	25	49
2	BE8D2	Duplex Receptacle, Circuit #2	25	49
2	BE8D3	Duplex Receptacle, Circuit #3	25	48
2	BE8DA	Duplex Receptacle, Circuit #A (isolated)	25	48
2	BE8JC16	Power Distribution Harness, Male/Male, 24.5"w.	103	206
1	BE8JC20	Jumper Cable	108	108
TOTAL PRICING (ALL INCLUSIVE)				\$22,358



CONFIGURATIONS

SAMPLE #2 Boulevard 1 • Teaming



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	BPRA4236	Acoustic Raceway Panel, 42"h. x 36"w.	495	495
1	BPRA5036	Acoustic Raceway Panel, 50"h. x 36"w.	557	557
4	BPRA6636	Acoustic Raceway Panel, 66"h. x 36"w.	636	2542
2	BPRG5042	Partly Glazed Raceway Panel, 50"h. x 42"w.	747	1494
3	BHP066	90 Degree Post, 66"h.	131	392
1	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	648	648
1	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	648	648
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	215
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	215
1	BWR24HP	Radius Worksurface, 24"d.	494	494
1	BWTD1536HP	Transaction "D" Worksurface, 36"w.	150	150
4	BHC18	Cantilever, 17"d.	61	243
2	BHC24	Cantilever, 23"d.	61	122
1	BHBC02	Corner End Brackets, set	18	18
2	BHBT02	Transaction Brackets, set	24	47
2	BSOL1536	Radius LowProfile Shelf, 36"w.	164	328
2	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	557	1114
TOTAL PRICING (ALL INCLUSIVE)				\$9,723


SAMPLE #3 Boulevard 1 • Manager



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPRA4236	Acoustic Raceway Panel, 42"h. x 36"w.	495	991
2	BPRA5054	Acoustic Raceway Panel, 50"h. x 54"w.	687	1374
2	BPRA6624	Acoustic Raceway Panel, 66"h. x 24"w.	542	1084
1	BPRA6660	Acoustic Raceway Panel, 66"h. x 60"w.	822	822
2	BPOG1636	Glazed Oval Panel, 16"h. x 36"w.	227	453
2	BPOG1654	Glazed Over Panel, 16"h. x 54"w.	305	610
2	BHP066	90 Degree Post, 66"h.	131	262
2	BVTE58	Vertical End PVC Trim, 58"h.	30	60
4	BVTE66	Vertical End PVC Trim, 66"h.	33	132
2	BVTS08	Vertical Step Down PVC Trim, 8"h.	6	12
1	BWS2454SCPHP	Rectangular Worksurface, 24"d. x 54"w.	291	291
1	BWS2460SCPHP	Rectangular Worksurface, 24"d. x 60"w.	327	327
1	BWSL3672LHP	Curvilinear Island Top, 36" x 72", Left	996	996
2	BHC24	Cantilever, 23"d.	61	122
1	BHBC02	Corner End Brackets, set	18	18
1	BRT52FL	Radius Tower, Five High, 2 File Drawers, Left	2215	2215
1	BPBBF24	Radius Worksurface Support Pedestal, Box, Box, File,	507	507
1	BSKD1560	Radius Flipper Door Unit, Field Assembled, 15"d. x 60"w.	701	701
TOTAL PRICING (ALL INCLUSIVE)				\$10,975

CONFIGURATIONS



SAMPLE #6 Boulevard System 3 • 4 POD Pass-Thru



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPX3MA5036	Monolithic Acoustical Panel, 50"h. x 36"w.	451	1805
4	BPX3MA6636	Monolithic Acoustical Panel, 66"h. x 36"w.	516	2064
3	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	430	1289
1	BPX3PV6636	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 66"h. x 36"w.	459	459
4	BPX3NET1636	Removable Electrical Tile, 36"w.	167	667
12	BP3FT1636	Removable Fabric Tile, 36"w.	96	1149
2	BH3PS066	90 Degree Corner Post, 66"h.	115	231
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	75	301
2	BA3VTR66	Vertical Aluminum End Trim, 66"h.	99	198
4	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	30	119
4	BWCC3618SCPHP	Five Sided Corner Worksurface with Curved Front Edge	348	1393
4	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	203	812
4	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	203	812
8	BHC18	Cantilever, 17"d.	61	486
2	BHBC02	Corner End Brackets, set	18	35
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	557	2229
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24"d.	541	2163
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d.	545	4359
SUBTOTAL PRICING (WITHOUT ELECTRICAL)				\$20,570
1	BE83BFR72	Single Base Feed	352	352
8	BE83D36	Double Junction Box Power Distribution Housing - Base Raceway	159	1269
4	BE8D1	Duplex Receptacle, Circuit #1	25	99
4	BE8DA	Duplex Receptacle, Circuit #A (isolated)	25	99
2	BE8JC16	Jumper Cable	103	206
1	BE8JC20	Jumper Cable	108	108
TOTAL PRICING (ALL INCLUSIVE)				\$22,703



CONFIGURATIONS

SAMPLE #7 Boulevard System 3 • Supervisor



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPX3MA3442	Monolithic Acoustical Panel, 34"h. x 42"w.	357	715
4	BPX3MA5042	Monolithic Acoustical Panel, 50"h. x 42"w.	508	2031
2	BH3PS050	90 Degree Corner Post, 50"h.	94	187
2	BA3VTR34	Vertical Aluminum End Trim, 34"h.	57	113
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	75	301
2	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	30	60
1	BWCC4224SCPHP	Curved Corner Worksurface	519	519
1	BWC60244242SCPRHP	"D" Extended Worksurface	867	867
1	BWS2442SCPHP	Rectangular Worksurface, 24"d. x 42"w.	207	207
2	BHC24	Cantilever, 23"d.	61	122
1	BHBC02	Corner End Brackets, set	18	18
1	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	557	557
1	BSKDC1542	Radius Upmount Flipper Door Overhead, Field Installed, 42"w. x 15"d.	1307	1307
1	BLUC24	Task Light, 24"w.	159	159
TOTAL PRICING (ALL INCLUSIVE)				\$7,163



SAMPLE #8 Boulevard System 3 • Supervisor



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	BPX3PT5030	Pass-Thru Panel - Fabric Base, 50"h. x 30"w.	319	319
2	BPX3PT6618	Pass-Thru Panel - Fabric Base, 66"h. x 18"w.	318	637
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	430	859
1	BPX3PV5042	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 50"h. x 42"w.	412	412
2	BP3AT1636	Removable Accessory Tile, 36"w.	119	239
8	BP3FT1618	Removable Fabric Tile, 18"w.	69	552
6	BP3FT1636	Removable Fabric Tile, 36"w.	96	575
1	BP3FT1642	Removable Fabric Tile, 42"w.	103	103
1	BP3GT1630	Removable Glazed Tile, 30"w.	96	96
2	BH3PS066	90 Degree Corner Post, Boulevard System 3	115	231
1	BA3VTR50	Vertical Aluminum End Trim	75	75
5	BA3VTR66	Vertical Aluminum End Trim	99	494
1	BA3VTS16	Vertical Aluminum Step Trim	30	30
1	BWD3072HP	"D" Worksurface, 30"d. x 72"w.	638	638
1	BWS1872SCPHP	Rectangular Worksurface, 18"d. x 72"w.	352	352
1	BWS2442SCPHP	Rectangular Worksurface, 24"d. x 42"w.	207	207
1	BHC18	Cantilever, 17"d.	61	61
2	BHC24	Cantilever, 23"d.	61	122
2	BHBC02	Corner End Brackets, set	18	35
1	BS1230DPLL	Linear Double Wide Pedestal, 30"w, Left	1332	1332
2	BSKD1536	Radius Overhead Flipper Door Unit, Field Assembled, 36"w.	164	328
2	BLUC24	Under Storage Task Light, 24"w.	159	317
TOTAL PRICING (ALL INCLUSIVE)				\$8,012



CONFIGURATIONS

SAMPLE #9 Boulevard Svstem 3 • 2 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPX3MA3436	Monolithic Acoustical Panel, 34"h. x 36"w.	331	661
1	BPX3PT5024	Pass-Thru Panel - Fabric Base, 50"h. x 24"w.	288	288
4	BPX3PT5036	Pass-Thru Panel - Fabric Base, 50"h. x 36"w.	349	1397
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	430	859
2	BP3GT1636	Removable Glazed Tile, 36"w.	117	235
2	BP3FT1624	Removable Fabric Tile, 24"w.	74	148
10	BP3FT1636	Removable Fabric Tile, 36"w.	96	958
2	BP3AT1636	Accessory Tile, 36"w.	119	239
1	BH3PS034	90 Degree Corner Post, 34"h.	54	54
1	BH3PS050	90 Degree Corner Post, 50"h.	94	94
1	BH3PS066	90 Degree Corner Post, 66"h.	115	115
3	BA3VTR34	Vertical Aluminum End Trim, 34"h.	57	170
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	75	301
1	BA3VTR66	Vertical Aluminum End Trim, 66"h.	99	99
4	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	30	119
1	BWCEC367224SCPHP	Extended Corner Worksurface, 36"d. x 72"w.	648	648
1	BWCEC723624SCPHP	Extended Corner Worksurface, 36"d. x 72"w.	648	648
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	215
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	215	215
4	BHC18	Cantilever, 17"d.	61	243
3	BHBC02	Corner End Brackets, set	18	53
2	L2PBBF24	Licence Worksurface Support Pedestal, Box, Box, File, 24"d.	924	1848
2	BSKD1536GD	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d, Glazed Door	1530	3059
TOTAL PRICING (ALL INCLUSIVE)				\$12,666



SAMPLE #10 Diet • Single



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	DPOF4230	Open Bottom and Fabric Top Diet Panel, 42"h. x 30"w.	200	200
1	DPOF4236	Open Bottom and Fabric Top Diet Panel, 42"h. x 36"w.	230	230
1	DPFF4224	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 24"w.	286	286
1	DPFF4260	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 60"w.	387	387
1	DPCBM60	Diet Panel Cable Manager, 60"w.	28	28
1	DWS2436SCPHP	Rectangular Worksurface, 24"d. x 36"w. (includes brackets)	159	159
1	DWS2466SCPHP	Rectangular Worksurface, 24"d. x 66"w. (includes brackets)	343	343
1	BHBF01	Flat Bracket	14	14
1	DHOMC	Diet Off-Module Cantilever	82	82
1	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24"d.	507	507
1	DHPEDB	Pedestal Bracket Kit	26	26
1	DSADA60PM	Panel Mounted Overhead, 60"w.	832	832
1	GAKS1818	CRT Corner Plate	108	108
TOTAL PRICING (ALL INCLUSIVE)				\$3,202



CONFIGURATIONS

SAMPLE #11 Diet • 4 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	DPFF5436	Fabric Bottom and Fabric Top Diet Panel, 54"h. x 36"w.	394	789
2	DPFF5448	Fabric Bottom and Fabric Top Diet Panel, 54"h. x 48"w.	435	869
2	DPFSF5436	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54"h. x 36"w.	496	993
2	DPFSF5448	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54"h. x 36"w.	583	1166
2	DPCBM36	Diet Panel Cable Manager, 36"w.	19	37
2	DPCBM48	Diet Panel Cable Manager, 48"w.	24	47
4	DWS2436SCPHP	Rectangular Worksurface, 24"d. x 36"w. (includes brackets)	159	634
4	DWS2448SCPHP	Rectangular Worksurface, 24"d. x 48"w. (includes brackets)	249	997
4	DWS2460SCPHP	Rectangular Worksurface, 24"d. x 60"w. (includes brackets)	327	1306
16	BHBF01	Flat Bracket	9	148
4	DHLEG	Diet Gable Leg	156	622
8	DHOMC	Diet Off-Modular Cantilever	82	659
4	BPBBF24	Radius Worksurface Supporting Pedestal, Box/Box/File, 24"d.	507	2027
4	DHPEDB	Pedestal Bracket Kit	26	103
4	GAACK1818	CRT Corner Plate	108	433
TOTAL PRICING (ALL INCLUSIVE)				\$10,831


SAMPLE #12 Diet • Call Center



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
3	DPOF5442	Open Bottom and Fabric Top Diet Panel, 54"h. x 42"w.	315	946
4	DPFRF5448	Fabric Bottom, Fabric Top Diet Panel with Additional Rail	459	1838
6	DPOFM	Diet Off Module Panel Connector	33	198
8	DWS2448SCPHP	Rectangular Diet Worksurface, 24"d. x 48"w. (includes brackets)	249	1994
4	DHLEG	Diet Gable Leg	156	622
TOTAL PRICING (ALL INCLUSIVE)				\$5,597


CONFIGURATIONS

SAMPLE #13 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
3	BPRA5060	Acoustical Raceway Panel, 50"h. x 60"w, Boulevard 1	734	2203
4	DPFF4236	Fabric Bottom and Fabric Top Diet Panel. 42"h. x 36"w.	320	1281
4	DPOF4236	Open Bottom and Fabric Top Diet Panel. 42"h. x 36"w.	230	919
1	BHP050	90 Degree Post. 50" h. Boulevard 1	110	110
4	BDB1P4250X	Boulevard/Diet "X" Post Connector, 50" Boulevard, 42" Diet	110	441
4	BAVTE50	Aluminum End Trim. 50" h. Boulevard 1	79	317
6	BWBT3660SCPHP	Bow Tie Worksurface, 36"d. x 60"w.	565	3393
24	DHBRKT	Diet Worksurface Bracket	4	99
SUBTOTAL PRICING (WITHOUT ELECTRICAL)				\$8,763
1	BE81BF721	Single Base Feed	283	283
3	BE8U2D60	Double Junction Box	187	562
6	BE8D1	Duplex Receptacle, Circuit #1	25	148
6	BE8DA	Duplex Receptacle, Circuit #4 (isolated)	25	148
2	BE8CP40HH	Power Distribution Harness, Male/Male, 54.5"w.	129	258
6	RCW60D	PVC Raceway Cover, Right, for Facemount Application	44	266
TOTAL PRICING (ALL INCLUSIVE)				\$10,429



SAMPLE #14 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPRA6636	Acoustical Raceway Panel, 66"h. x 36"w, Boulevard 1	636	2542
2	DPFF4260	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 60"w.	387	775
2	BDB1P4266T	Diet/Boulevard 1 Thin Post "X" Connector, 42" Diet, 66" Boulevard 1	131	262
2	BVTE66	PVC Vertical End Trim. 66"h.	33	66
2	BWS2472SCPHP	Rectangular Worksurfaces, 24"d. x 72"w.	356	713
2	DWS2436SCPHP	Diet Rectangular Worksurfaces, 24"d. x 36"w.	159	317
2	DHOMC	Diet Off Module Cantilever	82	165
1	BHBC02	Corner End Bracket, set	20	20
2	BHBF01	Flat Bracket	9	19
1	BHCL2924	"C" Leg, 29"h. x 24"d.	188	188
2	BHC24	Cantilever, 23"d.	61	122
2	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24"d.	507	1014
2	DHPEDB	Diet Pedestal Bracket	26	52
2	BSOF1236	KD Overhead Storage, Flipper Door, 36"w.	391	783
2	BSOL1236	KD Low Profile Shelf, 36"w.	106	212
TOTAL PRICING (ALL INCLUSIVE)				\$7,247

CONFIGURATIONS



SAMPLE #15 Boulevard System3 • 4 Pod



QUANTITY	CODE	DESCRIPTION	US PRICE	LIST	US TOTAL LIST
8	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	73		75
3	BH3PS050	90 Degree Post	91		94
8	BHBC02	Corner End Bracket - set	19		20
4	BHC24	Cantilever	59		61
6	BP3GT1630	Removable Face Tile - Glazed	93		96
8	BPX3MA5042	Monolithic Acoustical Panel	493		508
6	BPX3PT5030	Pass-Thru Panel - Fabric Base	310		319
4	BS1223BFMC	12" Series BF Pedestal Mobile	582		599
4	BS1230X1SND	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	754		777
4	BS1242X1SND	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	879		905
4	BSADA42PM	Panel Mounted Overhead Storage Unit - ADA Compliant	821		846
4	BSTCP1523 (GR3)	Pedestal Seat Cushion	297		306
2	BWCD30HP	Round Table	380		391
4	BWS3084SCPHP	Straight Rectangular Worksurface	428		441
8	00464HBGP	Panel Mounting Bracket	4		4
TOTAL PRICING (ALL INCLUSIVE)					\$24,146

CONFIGURATIONS



SAMPLE #16 Boulevard System 3 • Manager



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF66	Vertical Aluminum Flat End Trim for Regular Panels	99	593
2	BABB01	Binder Bin	74	148
1	BAMB01	Media Bin	65	65
1	BAPP01	Mail Box	71	71
3	BASS01R	Slant Sorter	47	142
1	BATH01	Telephone Holder	104	104
2	BH3PS066	90 Degree Post	115	231
1	BHBC02	Corner End Bracket - set	20	20
1	BHC18	Cantilever	61	61
2	BHC24	Cantilever	61	122
1	BP3AT1630	Removable Face Tile - Accessory	99	99
2	BP3AT1636	Removable Face Tile - Accessory	119	239
8	BP3FT1624	Removable Face Tile - Fabric	74	593
3	BP3FT1630	Removable Face Tile - Fabric	79	238
14	BP3FT1636	Removable Face Tile - Fabric	96	1341
1	BPX3PT6624	Pass-Thru Panel - Fabric Base	353	353
1	BPX3PT6630	Pass-Thru Panel - Fabric Base	391	391
4	BPX3PT6636	Pass-Thru Panel - Fabric Base	430	1718
1	BS1230X1SND	One 1/2 Height Open Shelf & One 12". Open Shelf Lateral Cabinet	777	777
1	BS1236X1HFC	One 1/2 Height Fixed Front & One 12". Fixed Front Lateral File	1035	1035
1	BS1236X1SND	One 1/2 Height Open Shelf & One 12". Open Shelf Lateral Cabinet	846	846
1	BS12T662B1FLC	12" Series BBF Storage Tower 65 7/8" High	2330	2330
1	BWS2472NFLHP	Rectangular Worksurface without Flex Lip or Scoops	357	357
1	BWS3672NFLHP	Rectangular Worksurface without Flex Lip or Scoops	747	747
1	LHC58	Hat Channel for Conference Tables	81	81
1	BPX3PT6624	Pass-Thru Panel - Fabric Base, No Punch Outs	353	353
2	LLSQ3X3H28	28" Square Leg	259	517
2	LLSQ3X3H6.25	8" Spacer Leg	94	187
TOTAL PRICING (ALL INCLUSIVE)				\$13,760

CONFIGURATIONS



SAMPLE #17 Boulevard System 3 • Reception



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF34	Vertical Aluminum Flat End Trim for Regular Panels	57	340
6	BA3VTRF66	Vertical Aluminum Flat End Trim for Regular Panels	57	340
2	BA3VTSF08	Vertical Aluminum Flat End Trim, Standard Step Down	20	39
2	BH3PS034	90 Degree Post	54	107
2	BH3PS066	90 Degree Post	115	231
1	BHBC02	Corner End Bracket - set	20	20
2	BHBF01	Flat Bracket, Black only	9	19
2	BHBT02	Transaction Bracket - set	24	47
2	BHC18	Cantilever	61	122
2	BHC24	Cantilever	61	122
8	BP3FT1618	Removable Face Tile - Fabric	69	552
16	BP3FT1630	Removable Face Tile - Fabric	79	1269
1	BP3GT0860	Removable Face Tile - Glazed	198	198
4	BPX3MA3430	Monolithic Acoustical Panel	303	1211
2	BPX3MA3436	Monolithic Acoustical Panel	331	661
1	BPX3PT4260	Pass-Thru Panel - Fabric Base	473	473
2	BPX3PT6618	Pass-Thru Panel - Fabric Base	318	637
4	BPX3PT6630	Pass-Thru Panel - Fabric Base	391	1566
2	BS123022FWSC	12" Opening Lat File Fixed Front Drawers 2 High - Overall Hight 27.75" WS Supporting	996	1992
2	BS12305SC	12" Series 5 High Storage Cabinet With Hinged Door	1454	2909
1	BS1230BBFC	12" Series BBF Pedestal Worksurface Supporting	558	558
1	BS1230FFC	12" Series FF Pedestal Worksurface Supporting	558	558
1	BWS1860NFLHP	Rectangular Worksurface without Flex Lip or Scoops	313	313
1	BWS3060SCPHP	Straight Rectangular Worksurface	343	343
2	BWS3066SCPHP	Straight Rectangular Worksurface	354	709
1	BWT1560HP	Transaction Worksurface	195	195
TOTAL PRICING (ALL INCLUSIVE)				\$15,528

CONFIGURATIONS



SAMPLE #18 Boulevard System 3 Call Centre



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BRTHLEG24LL	Panel Gable Rectangular Leg	310	620
2	BRTHLEG24RL	Panel Gable Rectangular Leg	310	620
2	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	65	130
2	BHC18	Cantilever	61	122
2	BPX3GMA4236	Monolithic Acoustical Panel with Embedded Glass	917	1833
2	BS1223BFMC	12" Series BF Pedestal Mobile	599	1199
2	BSTCP1523 (GR3)	Pedestal Seat Cushion	306	612
2	BWS2472SCPHP	Straight Rectangular Worksurface	357	715
2	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	586	1172
TOTAL PRICING				\$7,023
1	BE83BFR72	Raceway Entry Base Feed for System 3 only	352	352
1	BE83D36	Power Distribution Housing - Base Raceway (System 3)	159	159
1	BE8CP36HJ	Housing-to-Jumper Pass-Thru Cable	111	111
2	BE8D1	Duplex Receptacle - Circuit #1	25	49
2	BE8DA	Duplex Receptacle - Circuit A, Isolated	25	49
TOTAL PRICING (ALL INCLUSIVE)				\$7,744

CONFIGURATIONS



SAMPLE #19 Boulevard System 3 • 4 Pod Embedded Glass



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	65	389
2	BH3PS042	90 Degree Post	83	167
1	BHBC02	Corner End Bracket - set	20	20
14	BHBF01	Flat Bracket, Black only	9	130
4	BHC18	Cantilever	61	243
8	BHC24	Cantilever	61	486
2	BHLEG	Gable Leg	149	299
8	BPX3GMA4236	Monolithic Acoustical Panel with Embedded Glass	917	7334
2	BPX3GPT4242	Pass-Thru Panel with Embedded Glass - Fabric Base	965	1930
8	BPX3NET0842	Removable Face Tile - Electrical	173	1384
2	BPX3PT4242	Pass-Thru Panel - Fabric Base	380	760
4	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	507	2027
4	BSADA42UM	Up-Mount Overhead Storage Unit - ADA Compliant	1105	4421
4	BWS2460SCPHP	Straight Rectangular Worksurface	327	1306
4	BWS2472SCPHP	Straight Rectangular Worksurface	357	1430
TOTAL PRICING				\$22,325
1	BE8CF1201	Ceiling Feed - Single	244	244
4	BE8D1	Duplex Receptacle - Circuit #1	25	99
4	BE8D2	Duplex Receptacle - Circuit #2	25	99
4	BE8D3	Duplex Receptacle - Circuit #3	25	99
4	BE8DA	Duplex Receptacle - Circuit A, Isolated	25	99
3	BE8JC16	Jumper Cable	103	309
4	BE8U3FM42	Power Distribution Housing - Face Mount Desk Height (System 3 only)	168	672
1	BEPE81	Post Extension	114	114
TOTAL PRICING (ALL INCLUSIVE)				\$24,060

CONFIGURATIONS



SAMPLE #20 Boulevard System 3 • Call Center Embedded Glass



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
8	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	65	519
3	BH3PS042	90 Degree Post	83	250
4	BHBC02	Corner End Bracket - set	20	78
6	BPX3GMA4224	Monolithic Acoustical Panel with Embedded Glass	826	4956
2	BPX3GMA4260	Monolithic Acoustical Panel with Embedded Glass	1171	2342
4	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	507	2027
4	BWS2460SCPHP	Straight Rectangular Worksurface	327	1306
TOTAL PRICING (ALL INCLUSIVE)				\$11,479

CONFIGURATIONS



SAMPLE #21 Boulevard System 3 • 2 Pod



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BA3VTRF34	Vertical Aluminum Flat End Trim for Regular Panels	57	227
6	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	75	451
4	BA3VTSF16	Vertical Aluminum Flat End Trim, Standard Step Down	30	119
4	BH3PS050	90 Degree Post	94	375
1	BHBC02	Corner End Bracket – set	20	20
2	BHC18	Cantilever	61	122
4	BHC24	Cantilever	61	243
1	BP3GT1624	Removable Face Tile – Glazed	76	76
4	BP3GT1636	Removable Face Tile – Glazed	117	470
1	BP3GT1660	Removable Face Tile – Glazed	198	198
4	BPX3MA3430	Monolithic Acoustical Panel	303	1211
1	BPX3PT5024	Pass-Thru Panel – Fabric Base	288	288
4	BPX3PT5036	Pass-Thru Panel – Fabric Base	349	1397
1	BPX3PT5060	Pass-Thru Panel – Fabric Base	473	473
2	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	507	1014
2	BWS2460SCPHP	Straight Rectangular Worksurface	327	653
2	BWS2472SCPHP	Straight Rectangular Worksurface	357	715
2	GAKS1818	CRT Corner Plate	108	216
2	GAKSP0103	GAKSM01 & GATM03	561	1123
2	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	586	1172
TOTAL PRICING (ALL INCLUSIVE)				\$10,562

CONFIGURATIONS

SAMPLE #22 Boulevard System 3 • Single



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	65	130
4	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	75	301
2	BA3VTSF08	Vertical Aluminum Flat End Trim, Standard Step Down	20	39
1	BALT01	Letter Tray	53	53
1	BAMB01	Media Bin	65	65
2	BASS01R	Slant Sorter	47	95
2	BH3PS050	90 Degree Post	94	187
1	BHBC02	Corner End Bracket - set	20	20
1	BHC18	Cantilever	61	61
1	BHC24	Cantilever	61	61
1	BHLEG	Gable Leg	149	149
1	BP3AT1636	Removable Face Tile - Accessory	119	119
1	BP3FT1636	Removable Face Tile - Fabric	96	96
1	BP3GT1636	Removable Face Tile - Glazed	117	117
2	BPX3MA4248	Monolithic Acoustical Panel	413	826
2	BPX3MA5024	Monolithic Acoustical Panel	379	758
2	BPX3PT5036	Pass-Thru Panel - Fabric Base	349	698
1	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	507	507
1	BSADA36UM	Up-Mount Overhead Storage Unit - ADA Compliant	1050	1050
1	BWS2448SCPHP	Straight Rectangular Worksurface	249	249
1	BWS2472SCPHP	Straight Rectangular Worksurface	357	357
1	GAKSP0103	GAKSM01 & GATM03	561	561
1	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	586	586
TOTAL PRICING (ALL INCLUSIVE)				\$7,085

Boulevard 1 Panel System

The Boulevard philosophy is based on simplicity. A product that is simple to install... simple to reconfigure... and simple to specify, without sacrificing delivery time or quality.

Technically superb and exceptionally precise aluminum extrusion and die-cast fittings achieve exact levels of consistency, panel after panel; everything fits, aligns, and assembles, first time, every time. Most of all it requires very few of the "small parts" associated with most systems. This cross-market integration is celebrated in Boulevard.

Truly a system of broad application, whether installed in a high-tech environment, factory application or executive office, Boulevard will perform! We invite you to share with us a product designed, built and marketed for a global economy.

Our Mission

Our mission is to continue to develop and offer innovative, quality office furniture to value-oriented customers, through a dealer network that provides consistent, high quality service. Our approach in the contract furniture industry is to focus on customer concerns and needs to develop products that minimize your costs of ownership. It represents the culmination of creativity, industry expertise, specialists, and

integrity to help you achieve cost-effective solutions to problems. Our vision is to create a company-wide environment that supports constant improvement and promotes customer satisfaction. We believe that as good as we are today, we must be better tomorrow. Thus, our desire to improve is both continuous and tireless.

Environmental Commitment

At Global Contract, protecting the next generations' environment is of paramount concern. Global Contract believes that it is our responsibility to help protect the environment for future generations. We continue to operate with the environment in mind, making wise business decisions that help protect the earth and its precious natural resources. Our manufacturing procedure incorporates the latest technology for painting products, using a dry epoxy powder or gel paint. This process produces no toxic residue, and therefore is environmentally safe, while other manufacturers still use the wet paint process. Our packaging, veneer selections, and reduction in waste programs all contribute to a better environment. In addition, our concern for the reduction of finishing emissions and wood dust has resulted in a healthier work environment in many ways, including this price book, printed on recycled paper.

Technical Information

Panels

- All panels are 2 5/8" thick.
- Lightweight aluminum box frame construction creates superior panel rigidity.
- Panel frame finish is durable epoxy powder coated.
- Hang-on capabilities at 1" increments.
- Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.
- Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- Panel sizes are actual, eliminating creepage.
- Panels come complete, eliminating need for separate top, corner end trim and clips.
- Fabric is replaceable on site.
- All panels include 2 "Capture Strip" panel connectors.
- Fabric retainer is clear.
- Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.
- Glazing available in acrylic or tempered glass for straight panels, and acrylic only for curved panels.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound Absorbent Mineral Board".
- For glazing - Smoke developed index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Tempered glass is not available for curved panels.

Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, not raceways, see "OPT" column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.
- Laminate and whiteboard options reduce the acoustical value of the panel.

Raceway Options

- Raceways are standard in PVC matching the panel frame finish.
- Fabric Covered Raceway (FRC) available. Aluminum raceway available.
- Face mount electrical raceway available.
- Face mount openings are 1.5x2.85 for electrical and 1.37x2.755 for data.
- Cable capacity in raceways is 83 - 0.220" dia. cables (cat.6).

Desk Height Management

- Desk height electrical and communication raceway system.
- State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, junction boxes, duplexes and circuit designations.
- All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- Optional facemount electrical with 2 duplexes per panel side.
- Outlet and circuit changes accomplished without disruption to workstation.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of 1, 2 or 4 duplexes per panel; choice of circuitry in each duplex.
- Unique design of fire retardant PVC raceway cover permits access to raceway without disruption to equipment on work surfaces.
- Clip-on communication management channel (BECC01 and BPH001) included with each raceway panel.
- Communication management channel accepts modular Data/Comm terminals (not supplied by Global Contract Inc.).

Posts

- Enables connection for multiple panel runs such as 90°, 45° or 60° angles and 2 way, 3 way or 4 way.
- Provides route for base, ceiling, and worksurface cable entry to a panel.
- Self levelling feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.


BOULEVARD 1

PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: **BPRA6636 CHR CHR**



AN50

Inside Lower Fabric

AN50

Inside Upper Fabric

BE21

Outside Lower Fabric


BE21

Outside Upper Fabric

How to Specify

- Specify Boulevard 1 panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify PVC raceway finish - ie. CHR (Charcoal). If PVC raceway colour not specified at time of order, default will be the panel frame colour.
- Specify all four panel fabric options if necessary.
- Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider than 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.

Example of Post: **BHP066 CHR**



How to Specify

- Specify Boulevard 1 post by code.
- Specify frame colour - ie. CHR (Charcoal).

Raceways

PVC:

- Standard, at time of order, includes 2 covers.
- Standard, when ordering individuals: RCSxxCOL.
- Curved, when ordering individuals: 10065IRS24COL for inside and 10065ORS24COL for outside.
- Facemount raceways: RCWxxD.
- Curved Facemount raceways are not available.

Fabric:

- Standard, at time of order: RCWxxFAB, \$25 per side, sold as pair, panel mounted.
- Standard, when ordering individuals: 1006FRCxx, shipped separately.
- Curved raceways: RCR24IFAB for inside and RCR24OFAB for outside.
- Facemount raceways: FCRxxD.
- Curved Facemount raceways are not available.

Aluminum:

- Standard, when ordering individuals: BARCxx,
- Facemount raceways: RACxxD.
- Curved raceways not available in aluminum.
- Curved Facemount raceways are not available.
- COL = Finish colour, xx = Size

GRAPHIC PANEL INFO

ORDERS

Each Order Must Include

Purchase Order

Layout showing where the image(s) appear in the run of panels.

A completed Price Chart, showing the location of the image(s) on each appropriate panel.

Artwork must be submitted in accordance with the following artwork specifications.

NOTE: Final artwork specification approval must be given before order can be processed.

Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

Artwork Specifications

- Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as an EPS (.eps)
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- We accept Adobe CS5 files.
- Any linked files must be included or imbedded.
- Leave any PSD files unflattened
- All fonts must be converted to outlines.
- Do not convert to CMYK, leave all images as RGB if possible
- No Word, Powerpoint, Publisher or other Microsoft files can be used.
- Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

Colour Matching

- A Pantone colour reference must be supplied or we cannot accept responsibility for correct colour.
- When it is not possible to refer to Pantone colours, we will do our best to meet your requirements.

Image Clarity

- We will advise should the selected image not lend itself to the element size requested.

NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted

to curves or the job appears not to be commercially acceptable.


Image Bleed:

To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required


- Boulevard Panels need a 5" Bleed on all sides.

Example Of Image resolution:

The resolution required for a 36 wide x 24 high Boulevard panel at 100 dpi (minimum resolution)




The resolution required for a 36 wide x 24 high Boulevard panel at 300 dpi (higher quality)



Pricing, Initial Set-Up
Charge per Order: \$185 net

BOULEVARD 1 GRAPHIC PANELS


Boulevard 1 Panels • Below Raceway Only



PANEL HEIGHT	PANEL WIDTH	LIST PRICE
29"	24"	325
29"	30"	380
29"	36"	444
29"	42"	500
29"	48"	562
29"	54"	618
29"	60"	674
29"	66"	728
29"	72"	785

- This List applies to the following panels:
- BPRAXxxx
- BPRGxxxx
- BPRPxxxx
- BPARxxxx


Boulevard 1 • Above Raceway Only



PANEL WIDTH	HEIGHT	LIST PRICE	50"	54"	58"	66"	74"	82"
24"	42"	196	229	262	333	405	468	
30"	N/A	231	264	309	396	475	554	
36"	N/A	270	313	356	452	547	642	
42"	N/A	301	356	412	515	618	728	
48"	N/A	341	402	459	579	696	832	
54"	N/A	373	436	500	633	768	895	
60"	N/A	405	475	547	697	839	982	
66"	N/A	436						
72"	N/A	475						

- This List applies to the following panels:
- BPRAXxxx
- BPRFxxxx

Boulevard Fabric Acoustic Panels



PANEL WIDTH	HEIGHT	LIST PRICE	50"	54"	58"	66"	74"	82"
24"	427	500	536	571	633	706	776	
30"	507	586	630	674	753	832	912	
36"	586	681	728	776	871	959	1054	
42"	665	768	824	880	982	1093	1196	
48"	745	863	924	982	1101	1220	1339	
54"	824	951	1019	1086	1212	1346	1481	
60"	895	1045	1117	1188	1331	1473	1615	
66"	966	1117						
72"	1045	1212						

- This List applies to the following panels:
- BPFAXxxx

Boulevard 1 Over Panels




PANEL WIDTH	HEIGHT	LIST PRICE	24"	37"	42"
24"	151	221	285	396	444
30"	179	262	341	468	522
36"	206	301	388	539	602
42"	238	341	444	618	681
48"	262	380	491	681	760
54"	294	427	547	760	839
60"	317	468	594	832	919
66"	341	500	642	895	990
72"	373	539	689	966	1069

- This List applies to the following Panels:
- BPOFxxxx


Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.

BOULEVARD 1


BPRA • Acoustical Raceway Panel



37" High



72" Wide




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPRA3718	374	382	393	37	18	2.61	18	1.58
BPRA3724	415	424	433	37	24	2.61	21	2.054
BPRA3730	455	465	476	37	30	2.61	25	2.528
BPRA3736	495	530	567	37	36	2.61	28	3.002
BPRA3742	539	575	611	37	42	2.61	32	3.476
BPRA3748	579	614	649	37	48	2.61	35	3.950
BPRA3754	621	656	692	37	54	2.61	39	4.424
BPRA3760	660	697	732	37	60	2.61	44	4.898
BPRA3766	879	921	965	37	66	2.61	50	5.499
BPRA3772	1097	1139	1183	37	72	2.61	56	6.000
BPRA4218	374	393	414	42	18	2.61	22	1.782
BPRA4224	415	435	457	42	24	2.61	28	2.317
BPRA4230	455	475	496	42	30	2.61	32	2.852
BPRA4236	495	536	579	42	36	2.61	36	3.387
BPRA4242	539	580	621	42	42	2.61	40	3.921
BPRA4248	581	624	660	42	48	2.61	44	4.456
BPRA4254	621	661	705	42	54	2.61	48	4.991
BPRA4260	660	701	744	42	60	2.61	52	5.525
BPRA4266	949	1032	1123	42	66	2.61	62	6.148
BPRA4272	1238	1321	1411	42	72	2.61	72	6.770
BPRA5018	424	445	466	50	18	2.61	25	2.106
BPRA5024	467	496	529	50	24	2.61	30	2.738
BPRA5030	512	542	576	50	30	2.61	35	3.370
BPRA5036	557	607	660	50	36	2.61	40	4.002
BPRA5042	599	649	705	50	42	2.61	45	4.634
BPRA5048	646	695	749	50	48	2.61	50	5.266
BPRA5054	687	737	792	50	54	2.61	55	5.898
BPRA5060	734	784	837	50	60	2.61	60	6.530
BPRA5066	1005	1089	1178	50	66	2.61	70	7.300
BPRA5072	1275	1359	1448	50	72	2.61	80	8.000
BPRA5418	460	479	502	54	18	2.61	27	2.250
BPRA5424	507	537	569	54	24	2.61	32	2.960
BPRA5430	550	580	613	54	30	2.61	37	3.689
BPRA5436	595	656	719	54	36	2.61	42	4.318
BPRA5442	644	705	767	54	42	2.61	47	4.934
BPRA5448	686	747	811	54	48	2.61	52	5.666
BPRA5454	734	794	857	54	54	2.61	59	6.398
BPRA5460	777	837	901	54	60	2.61	62	7.035



- Fabric above the raceway provides visual and acoustic privacy.
- Centre septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1

BPRA • Acoustical Raceway Panel ...Cont



37" High





72" Wide

PRODUCT CODE	PRICE			SIZE / H W D	WEIGHT LBS	VOL FT ³
	GR 1	GR 2	OPT*			
BPRA5818	460	479	502	58 18 2.61	28	2.431
BPRA5824	507	537	569	58 24 2.61	33	3.160
BPRA5830	550	580	613	58 30 2.61	38	3.889
BPRA5836	595	656	719	58 36 2.61	43	4.618
BPRA5842	644	705	767	58 42 2.61	48	5.347
BPRA5848	686	747	811	58 48 2.61	53	6.076
BPRA5854	734	794	857	58 54 2.61	58	6.806
BPRA5860	777	837	901	58 60 2.61	63	7.535
BPRA6618	494	523	556	66 18 2.61	32	2.755
BPRA6624	542	583	624	66 24 2.61	37	3.581
BPRA6630	590	629	674	66 30 2.61	42	4.407
BPRA6636	636	706	780	66 36 2.61	48	5.234
BPRA6642	683	753	829	66 42 2.61	53	6.060
BPRA6648	732	802	878	66 48 2.61	58	6.887
BPRA6654	776	846	920	66 54 2.61	63	7.713
BPRA6660	822	893	968	66 60 2.61	68	8.539
BPRA7418	536	563	596	74 18 2.61	34	3.079
BPRA7424	582	621	664	74 24 2.61	39	4.002
BPRA7430	629	671	713	74 30 2.61	45	4.926
BPRA7436	680	760	845	74 36 2.61	50	5.850
BPRA7442	729	810	894	74 42 2.61	55	6.773
BPRA7448	774	853	938	74 48 2.61	60	7.697
BPRA7454	822	903	989	74 54 2.61	65	8.620
BPRA7460	873	952	1037	74 60 2.61	70	9.544
BPRA8218	579	607	641	82 18 2.61	36	3.403
BPRA8224	628	679	732	82 24 2.61	42	4.424
BPRA8230	680	729	784	82 30 2.61	48	5.444
BPRA8236	730	819	916	82 36 2.61	54	6.465
BPRA8242	777	867	964	82 42 2.61	60	7.486
BPRA8248	829	917	1012	82 48 2.61	66	8.507
BPRA8254	879	968	1064	82 54 2.61	72	9.528
BPRA8260	930	1020	1115	82 60 2.61	78	10.549

- Fabric above the raceway provides visual and acoustic privacy.
- Centre septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1

BPRG • Partly Glazed Raceway Panel




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT³
	GR 1	GR 2	OPT*	H	W	D		
BPRG4218	502	510	522	42	18	2.61	22	1.782
BPRG4224	548	567	588	42	24	2.61	28	2.317
BPRG4230	594	616	637	42	30	2.61	32	2.852
BPRG4236	644	683	725	42	36	2.61	36	3.387
BPRG4242	687	728	770	42	42	2.61	40	3.921
BPRG4248	736	776	818	42	48	2.61	44	4.456
BPRG4254	784	822	866	42	54	2.61	48	4.991
BPRG4260	830	870	912	42	60	2.61	52	5.525
BPRG4266	1095	1137	1181	42	66	2.61	62	6.148
BPRG4272	1360	1402	1446	42	72	2.61	72	6.770
BPRG5018	555	563	577	50	18	2.61	24	2.106
BPRG5024	602	622	644	50	24	2.61	29	2.738
BPRG5030	651	673	692	50	30	2.61	34	3.370
BPRG5036	701	742	784	50	36	2.61	39	4.002
BPRG5042	747	787	830	50	42	2.61	44	4.634
BPRG5048	797	837	879	50	48	2.61	48	5.266
BPRG5054	846	885	929	50	54	2.61	54	5.898
BPRG5060	893	933	974	50	60	2.61	59	6.530
BPRG5066	1144	1187	1231	50	66	2.61	70	7.300
BPRG5072	1396	1438	1482	50	72	2.61	78	8.000
BPRG5418	586	595	607	54	18	2.61	27	2.250
BPRG5424	632	652	672	54	24	2.61	30	2.960
BPRG5430	682	702	723	54	30	2.61	35	3.689
BPRG5436	732	773	815	54	36	2.61	40	4.318
BPRG5442	780	820	862	54	42	2.61	45	4.934
BPRG5448	830	870	913	54	48	2.61	49	5.666
BPRG5454	879	919	961	54	54	2.61	55	6.398
BPRG5460	928	968	1010	54	60	2.61	60	7.035
BPRG5818	616	624	637	58	18	2.61	26	2.431
BPRG5824	663	682	705	58	24	2.61	31	3.160
BPRG5830	713	732	754	58	30	2.61	36	3.889
BPRG5836	763	803	846	58	36	2.61	41	4.618
BPRG5842	813	852	895	58	42	2.61	46	5.347
BPRG5848	862	902	943	58	48	2.61	51	6.076
BPRG5854	912	951	995	58	54	2.61	56	6.806
BPRG5860	963	1002	1044	58	60	2.61	61	7.535
BPRG6618	666	676	686	66	18	2.61	29	2.755
BPRG6624	718	740	760	66	24	2.61	34	3.581
BPRG6630	771	792	813	66	30	2.61	39	4.407
BPRG6636	825	864	906	66	36	2.61	45	5.234
BPRG6642	879	918	962	66	42	2.61	50	6.060
BPRG6648	932	971	1012	66	48	2.61	55	6.887
BPRG6654	982	1024	1065	66	54	2.61	60	7.713
BPRG6660	1039	1080	1123	66	60	2.61	65	8.539
BPRG7418	719	729	742	74	18	2.61	30	3.079
BPRG7424	776	797	817	74	24	2.61	35	4.002
BPRG7430	832	872	914	74	30	2.61	41	4.926
BPRG7436	886	926	968	74	36	2.61	46	5.850
BPRG7442	942	983	1025	74	42	2.61	51	6.773
BPRG7448	1000	1039	1083	74	48	2.61	56	7.697
BPRG7454	1056	1095	1137	74	54	2.61	61	8.620
BPRG7460	1121	1159	1202	74	60	2.61	66	9.544
BPRG8218	761	770	783	82	18	2.61	31	3.403
BPRG8224	821	843	863	82	24	2.61	36	4.424
BPRG8230	884	904	926	82	30	2.61	43	5.444
BPRG8236	946	988	1029	82	36	2.61	49	6.465
BPRG8242	1012	1052	1093	82	42	2.61	55	7.486
BPRG8248	1073	1113	1156	82	48	2.61	61	8.507
BPRG8254	1136	1176	1218	82	54	2.61	67	9.528
BPRG8260	1206	1246	1289	82	60	2.61	73	10.549


- Glazing above the raceway provides visual accessibility.
- Centre septum below raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Glazing replaceable on site.
- Standard glaze is acrylic.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade or finish.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1

BPRF • Air Flow Panel



37" High




72" Wide



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRF3718	417	-	-	37	18	2.61	18	1.58
BPRF3724	473	-	-	37	24	2.61	21	2.054
BPRF3730	530	-	-	37	30	2.61	25	2.528
BPRF3736	588	-	-	37	36	2.61	28	3.002
BPRF3742	645	-	-	37	42	2.61	32	3.476
BPRF3748	701	-	-	37	48	2.61	35	3.950
BPRF3754	758	-	-	37	54	2.61	39	4.424
BPRF3760	813	-	-	37	60	2.61	44	4.898
BPRF3766	1096	-	-	37	66	2.61	50	5.449
BPRF3772	1379	-	-	37	72	2.61	56	6.000
BPRF4218	431	435	441	42	18	2.61	22	1.782
BPRF4224	490	494	500	42	24	2.61	28	2.317
BPRF4230	548	552	557	42	30	2.61	32	2.852
BPRF4236	606	616	626	42	36	2.61	36	3.387
BPRF4242	664	674	684	42	42	2.61	40	3.921
BPRF4248	721	730	743	42	48	2.61	44	4.456
BPRF4254	782	790	802	42	54	2.61	48	4.991
BPRF4260	840	849	861	42	60	2.61	52	5.525
BPRF4266	1182	1225	1269	42	66	2.61	62	6.270
BPRF4272	1524	1567	1611	42	72	2.61	72	6.770
BPRF5018	482	493	505	50	18	2.61	25	2.106
BPRF5024	543	553	563	50	24	2.61	30	2.738
BPRF5030	605	615	625	50	30	2.61	35	3.370
BPRF5036	665	684	707	50	36	2.61	40	4.002
BPRF5042	729	749	770	50	42	2.61	45	4.634
BPRF5048	789	810	831	50	48	2.61	50	5.266
BPRF5054	849	870	891	50	54	2.61	55	5.898
BPRF5060	911	931	951	50	60	2.61	60	6.530
BPRF5066	1259	1301	1345	50	66	2.61	70	7.300
BPRF5072	1606	1648	1692	50	72	2.61	80	8.000
BPRF5418	518	534	549	54	18	2.61	27	2.250
BPRF5424	581	595	611	54	24	2.61	32	2.960
BPRF5430	645	660	676	54	30	2.61	37	3.689
BPRF5436	708	736	769	54	36	2.61	42	4.318
BPRF5442	768	798	831	54	42	2.61	47	4.934
BPRF5448	831	860	893	54	48	2.61	52	5.666
BPRF5454	893	923	956	54	54	2.61	57	6.398
BPRF5460	959	988	1021	54	60	2.61	62	7.035

- Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:*air flow above raceway.
- OPT* = Laminate or Whiteboard.

BPRF • Air Flow Panel ...Cont



37" High




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPRF5818	518	533	549	58	18	2.61	28	2.431
BPRF5824	581	594	611	58	24	2.61	33	3.160
BPRF5830	645	659	676	58	30	2.61	38	3.889
BPRF5836	708	736	769	58	36	2.61	43	4.618
BPRF5842	768	798	831	58	42	2.61	48	5.347
BPRF5848	831	862	894	58	48	2.61	53	6.076
BPRF5854	893	923	956	58	54	2.61	58	6.806
BPRF5860	959	988	1021	58	60	2.61	63	7.535
BPRF6618	552	572	592	66	18	2.61	32	2.755
BPRF6624	619	639	659	66	24	2.61	37	3.581
BPRF6630	682	703	723	66	30	2.61	42	4.407
BPRF6636	745	780	816	66	36	2.61	48	5.234
BPRF6642	853	889	926	66	42	2.61	53	6.060
BPRF6648	905	940	976	66	48	2.61	58	6.887
BPRF6654	981	1019	1055	66	54	2.61	63	7.713
BPRF6660	1009	1044	1082	66	60	2.61	68	8.539
BPRF7418	592	613	633	74	18	2.61	34	3.079
BPRF7424	657	677	698	74	24	2.61	39	4.002
BPRF7430	721	742	762	74	30	2.61	45	4.926
BPRF7436	789	838	892	74	36	2.61	50	5.850
BPRF7442	911	960	1014	74	42	2.61	55	6.773
BPRF7448	938	988	1042	74	48	2.61	60	7.697
BPRF7454	987	1037	1091	74	54	2.61	65	8.620
BPRF7460	1052	1101	1155	74	60	2.61	70	9.544
BPRF8218	637	666	699	82	18	2.61	36	3.403
BPRF8224	707	735	768	82	24	2.61	42	4.424
BPRF8230	770	800	833	82	30	2.61	48	5.444
BPRF8236	847	902	961	82	36	2.61	54	6.465
BPRF8242	938	995	1053	82	42	2.61	60	7.486
BPRF8248	981	1037	1095	82	48	2.61	66	8.507
BPRF8254	1089	1143	1200	82	54	2.61	72	9.528
BPRF8260	1110	1166	1224	82	60	2.61	78	10.549

- Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:*air flow above raceway.
- OPT* = Laminate or Whiteboard.


BPRAE • Raceway Panel Electrical



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRAE3706	415	425	437	37	6	2.61	24	0.6
BPRAE4206	415	435	458	42	6	2.61	26	0.7
BPRAE5006	467	497	529	50	6	2.61	29	0.8
BPRAE5406	487	517	549	54	6	2.61	31	0.9
BPRAE5806	507	538	569	58	6	2.61	32	0.9
BPRAE6606	542	582	625	66	6	2.61	35	1.0
BPRAE7406	582	622	665	74	6	2.61	37	1.1
BPRAE8206	628	679	731	82	6	2.61	41	1.2

- A 6" raceway panel allows power and communication/data entry along a straight run of panels where a standard post entry cannot be utilized.
- Sections above and below the raceway are upholstered in fabric.
- Inner lower raceway area allows for single or double power feed entry and provides 1.3" x 2.9" opening for communication/data cables.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRAE6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.


BPRA • Raceway Panel Filler



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRA3706	415	425	437	37	6	2.61	24	0.6
BPRA4206	415	435	458	42	6	2.61	26	0.7
BPRA5006	467	497	529	50	6	2.61	29	0.8
BPRA5406	487	516	549	54	6	2.61	31	0.9
BPRA5806	507	537	569	58	6	2.61	32	0.9
BPRA6606	542	582	624	66	6	2.61	35	1.0
BPRA7406	582	622	664	74	6	2.61	37	1.1
BPRA8206	628	678	731	82	6	2.61	41	1.2

- A 6" (BPRA) raceway panel for use as a filler panel.
- Sections above and below the raceway are upholstered in fabric.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRA6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.

BPRP • Pass-Thru Raceway Panel




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRP6618	666	676	686	66	18	2.61	32	2.755
BPRP6624	718	740	760	66	24	2.61	33	3.581
BPRP6630	771	792	813	66	30	2.61	38	4.407
BPRP6636	825	864	906	66	36	2.61	44	5.234
BPRP6642	879	918	962	66	42	2.61	49	6.060
BPRP6648	932	971	1012	66	48	2.61	54	6.887
BPRP6654	982	1024	1065	66	54	2.61	59	7.713
BPRP6660	1039	1080	1123	66	60	2.61	64	8.539
BPRP7418	719	745	770	74	18	2.61	31	3.079
BPRP7424	776	816	859	74	24	2.61	36	4.002
BPRP7430	832	872	914	74	30	2.61	42	4.926
BPRP7436	886	935	989	74	36	2.61	47	5.850
BPRP7442	942	982	1026	74	42	2.61	52	6.773
BPRP7448	997	1062	1133	74	48	2.61	57	7.697
BPRP7454	1056	1122	1192	74	54	2.61	62	8.620
BPRP7460	1121	1159	1202	74	60	2.61	67	9.544
BPRP8218	761	789	820	82	18	2.61	34	3.403
BPRP8224	821	861	902	82	24	2.61	40	4.424
BPRP8230	884	924	965	82	30	2.61	46	5.444
BPRP8236	946	1017	1092	82	36	2.61	52	6.465
BPRP8242	1009	1091	1175	82	42	2.61	58	7.486
BPRP8248	1073	1154	1238	82	48	2.61	64	8.507
BPRP8254	1136	1216	1301	82	54	2.61	70	9.528
BPRP8260	1206	1285	1370	82	60	2.61	76	10.549

- 12" Open cavity allows accessibility between workstations.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Pass-thru opening is 12" high starting above the raceway.
- Panel height to top of opening is fixed.

BOULEVARD 1


BPRPSD • Pass-Thru Sliding Door Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPRPSD36	270	12	36	2.61	13	1.2
BPRPSD42	304	12	42	2.61	16	1.4
BPRPSD48	340	12	48	2.61	18	1.5
BPRPSD54	374	12	54	2.61	20	1.7
BPRPSD60	408	12	60	2.61	22	2.0

- To close the opening in a Boulevard 1 Pass-Thru Panel.
- Sliding frosted tempered glass doors.

BPAR • Accessory Rail Panel





PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR 1	GR 2	OPT*	H	W	D		
BPAR6618	818	829	840	66	18	2.61	35	2.755
BPAR6624	889	909	931	66	24	2.61	42	3.581
BPAR6630	974	996	1017	66	30	2.61	49	4.407
BPAR6636	1066	1106	1149	66	36	2.61	57	5.234
BPAR6642	1178	1218	1261	66	42	2.61	65	6.060
BPAR6648	1266	1305	1348	66	48	2.61	72	6.887
BPAR6654	1359	1399	1441	66	54	2.61	79	7.713
BPAR6660	1444	1484	1526	66	60	2.61	86	8.539
BPAR7418	873	898	924	74	18	2.61	38	3.079
BPAR7424	945	987	1028	74	24	2.61	45	4.002
BPAR7430	1033	1073	1117	74	30	2.61	53	4.926
BPAR7436	1130	1178	1178	74	36	2.61	60	5.850
BPAR7442	1139	1284	1326	74	42	2.61	68	6.773
BPAR7448	1335	1403	1477	74	48	2.61	75	7.697
BPAR7454	1429	1468	1510	74	54	2.61	82	8.620
BPAR7460	1523	1563	1606	74	60	2.61	89	9.544
BPAR8218	912	939	971	82	18	2.61	41	3.403
BPAR8224	993	1030	1070	82	24	2.61	49	4.424
BPAR8230	1088	1126	1167	82	30	2.61	57	5.444
BPAR8236	1190	1260	1335	82	36	2.61	65	6.465
BPAR8242	1312	1392	1476	82	42	2.61	74	7.486
BPAR8248	1409	1489	1574	82	48	2.61	82	8.507
BPAR8254	1509	1589	1675	82	54	2.61	90	9.528
BPAR8260	1609	1687	1773	82	60	2.61	98	10.549

- 12" Accessory rail covers the standard pass-thru opening and allows users to hang accessories.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" mineral board.
- Accessory rail is 12" high starting above the raceway. Panel height to top of opening is fixed.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1

BPFA • Acoustical Fabric Panel





72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL		
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³	
BPFA2918	255	276	296	29	18	2.61	15	1.256	
BPFA2924	277	299	322	29	24	2.61	17	1.633	
BPFA2930	295	315	336	29	30	2.61	19	2.009	
BPFA2936	317	355	399	29	36	2.61	21	2.386	
BPFA2942	336	377	418	29	42	2.61	23	2.763	
BPFA2948	354	394	438	29	48	2.61	25	3.139	
BPFA2954	376	416	458	29	54	2.61	27	3.513	
BPFA2960	394	435	477	29	60	2.61	29	3.893	
BPFA2966	510	552	596	29	66	2.61	36	4.332	
BPFA2972	625	667	712	29	72	2.61	42	4.770	
BPFA4218	336	355	378	42	18	2.61	18	1.782	
BPFA4224	357	399	441	42	24	2.61	21	2.317	
BPFA4230	378	417	460	42	30	2.61	24	2.852	
BPFA4236	400	449	504	42	36	2.61	27	3.387	
BPFA4242	420	471	524	42	42	2.61	30	3.921	
BPFA4248	444	493	548	42	48	2.61	33	4.456	
BPFA4254	464	512	567	42	54	2.61	36	4.991	
BPFA4260	487	536	589	42	60	2.61	39	5.525	
BPFA4266	692	776	866	42	66	2.61	47	6.148	
BPFA4272	897	982	1070	42	72	2.61	54	6.770	
BPFA5018	379	399	419	50	18	2.61	22	2.106	
BPFA5024	403	432	465	50	24	2.61	25	2.738	
BPFA5030	425	455	489	50	30	2.61	28	3.370	
BPFA5036	448	508	572	50	36	2.61	31	4.002	
BPFA5042	472	531	594	50	42	2.61	34	4.634	
BPFA5048	493	553	617	50	48	2.61	38	5.266	
BPFA5054	517	577	641	50	54	2.61	41	5.898	
BPFA5060	540	599	664	50	60	2.61	43	6.530	
BPFA5066	747	830	920	50	66	2.61	53	7.300	
BPFA5072	954	1037	1127	50	72	2.61	62	8.000	
BPFA5418	422	442	464	54	18	2.61	23	2.250	
BPFA5424	447	476	509	54	24	2.61	26	2.960	
BPFA5430	472	502	535	54	30	2.61	30	3.689	
BPFA5436	494	554	618	54	36	2.61	34	4.318	
BPFA5442	519	580	643	54	42	2.61	38	4.934	
BPFA5448	543	603	666	54	48	2.61	41	5.666	
BPFA5454	568	628	691	54	54	2.61	43	6.398	
BPFA5460	593	653	717	54	60	2.61	46	7.035	

- Complete fabric panel without raceway.
- Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT* = Laminate or Whiteboard.

BPFA • Acoustical Fabric Panel ...Cont




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPFA5818	422	451	484	58	18	2.61	24	2.431
BPFA5824	447	488	529	58	24	2.61	27	3.160
BPFA5830	472	511	554	58	30	2.61	31	3.889
BPFA5836	494	562	639	58	36	2.61	35	4.618
BPFA5842	519	588	664	58	42	2.61	39	5.347
BPFA5848	543	614	687	58	48	2.61	42	6.076
BPFA5854	568	638	713	58	54	2.61	46	6.806
BPFA5860	593	664	740	58	60	2.61	50	7.535
BPFA6618	461	491	523	66	18	2.61	26	2.755
BPFA6624	489	528	571	66	24	2.61	29	3.581
BPFA6630	516	555	596	66	30	2.61	34	4.407
BPFA6636	542	622	708	66	36	2.61	39	5.234
BPFA6642	569	649	734	66	42	2.61	43	6.060
BPFA6648	595	676	762	66	48	2.61	47	6.887
BPFA6654	623	705	788	66	54	2.61	51	7.713
BPFA6660	649	729	814	66	60	2.61	55	8.539
BPFA7418	504	533	565	74	18	2.61	28	3.079
BPFA7424	535	584	638	74	24	2.61	32	4.002
BPFA7430	561	613	666	74	30	2.61	37	4.926
BPFA7436	590	680	776	74	36	2.61	42	5.850
BPFA7442	619	709	804	74	42	2.61	47	6.773
BPFA7448	647	736	833	74	48	2.61	51	7.697
BPFA7454	676	765	861	74	54	2.61	55	8.620
BPFA7460	706	794	891	74	60	2.61	60	9.544
BPFA8218	548	587	628	82	18	2.61	30	3.403
BPFA8224	577	625	680	82	24	2.61	35	4.424
BPFA8230	607	656	711	82	30	2.61	40	5.444
BPFA8236	637	736	843	82	36	2.61	45	6.465
BPFA8242	666	766	872	82	42	2.61	50	7.486
BPFA8248	699	799	904	82	48	2.61	55	8.507
BPFA8254	731	832	937	82	54	2.61	60	9.528
BPFA8260	762	862	968	82	60	2.61	65	10.549

- Complete fabric panel without raceway.
- Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1


BPFG • Glazed Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BPFG5824	589	58	24	2.61	21	3.160
BPFG5830	647	58	30	2.61	24	3.889
BPFG5836	707	58	36	2.61	27	4.618
BPFG5842	763	58	42	2.61	30	5.347
BPFG5848	820	58	48	2.61	33	6.076
BPFG6624	709	66	24	2.61	25	3.581
BPFG6630	768	66	30	2.61	28	4.407
BPFG6636	830	66	36	2.61	31	5.234
BPFG6642	891	66	42	2.61	34	6.060
BPFG6648	951	66	48	2.61	37	6.887
BPFG7424	742	74	24	2.61	28	4.002
BPFG7430	804	74	30	2.61	31	4.926
BPFG7436	870	74	36	2.61	34	5.850
BPFG7442	934	74	42	2.61	37	6.773
BPFG7448	997	74	48	2.61	40	7.697
BPFG8224	810	82	24	2.61	31	4.424
BPFG8230	881	82	30	2.61	34	5.444
BPFG8236	951	82	36	2.61	37	6.465
BPFG8242	1024	82	42	2.61	40	7.486
BPFG8248	1093	82	48	2.61	43	8.507

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site.
- For tempered glass, add "TG" to the end of the product code and 20% to the list price regardless of finish.


BPFGAR • Curved Fabric Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPFGAR3724	714	760	810	37	24 RA	24 RA	35	11.664
BPFGAR4224	757	806	861	42	24 RA	24 RA	40	13.241
BPFGAR5024	802	862	926	50	24 RA	24 RA	46	15.648
BPFGAR5824	851	920	997	58	24 RA	24 RA	53	18.056
BPFGAR6624	898	976	1062	66	24 RA	24 RA	60	20.463
BPFGAR7424	943	1033	1130	74	24 RA	24 RA	67	22.870
BPFGAR8224	993	1092	1197	82	24 RA	24 RA	74	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- OPT* = Laminate or Whiteboard


BPRAR • Curved Fabric Raceway Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRAR3724	933	980	1035	37	24 RA	24 RA	37	11.664
BPRAR4224	942	994	1048	42	24 RA	24 RA	45	13.241
BPRAR5024	1007	1067	1131	50	24 RA	24 RA	52	15.648
BPRAR5824	1058	1127	1202	58	24 RA	24 RA	59	18.056
BPRAR6624	1115	1195	1280	66	24 RA	24 RA	66	20.463
BPRAR7424	1164	1254	1349	74	24 RA	24 RA	73	22.870
BPRAR8224	1257	1355	1463	82	24 RA	24 RA	80	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel. Fabric Covered Raceway (FCR) available at an additional cost of \$32 per side.
- OPT* = Laminate or Whiteboard


BPRGR • Curved Partly Glazed Raceway Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPRGR4224	1038	1079	1122	42	24 RA	24 RA	45	13.241
BPRGR5024	1144	1185	1227	50	24 RA	24 RA	48	15.648
BPRGR5824	1234	1273	1316	58	24 RA	24 RA	51	18.056
BPRGR6624	1334	1375	1418	66	24 RA	24 RA	54	20.463
BPRGR7424	1423	1464	1506	74	24 RA	24 RA	57	22.87
BPRGR8224	1558	1598	1642	82	24 RA	24 RA	60	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel.
- Fabric Covered Raceway (FCR) available at an additional cost of \$32 per side.
- Tempered glass is not available on curved panels.
- OPT* = Laminate or Whiteboard


BPGFR • Curved Fully Glazed Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPGFR3724	917	37	24 RA	24 RA	35	11.664
BPGFR4224	999	42	24 RA	24 RA	40	13.241
BPGFR5024	1084	50	24 RA	24 RA	46	15.648
BPGFR5824	1170	58	24 RA	24 RA	53	18.056
BPGFR6624	1254	66	24 RA	24 RA	60	20.463
BPGFR7424	1342	74	24 RA	24 RA	67	22.870
BPGFR8224	1430	82	24 RA	24 RA	74	25.278

- 24" radius Curved Fully Glazed Panel in acrylic.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Tempered glass is not available on curved panels.

BPOF • Fabric Over Panel




PRODUCT CODE	PRICE		OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR 1	GR 2		H	W	D		
BPOF0818	129	138	151	8	18	2.61	6	0.351
BPOF0824	149	168	188	8	24	2.61	6	0.468
BPOF0830	176	197	217	8	30	2.61	8	0.730
BPOF0836	206	226	247	8	36	2.61	10	0.912
BPOF0842	227	247	268	8	42	2.61	10	0.912
BPOF0848	255	276	296	8	48	2.61	12	1.094
BPOF0854	285	304	325	8	54	2.61	12	1.094
BPOF0860	305	325	347	8	60	2.61	14	1.277
BPOF0866	416	458	503	8	66	2.61	17	1.549
BPOF0872	526	569	614	08	72	2.61	20	1.820
BPOF1618	170	180	193	16	18	2.61	8	0.730
BPOF1624	194	213	234	16	24	2.61	8	0.730
BPOF1630	221	241	262	16	30	2.61	10	0.912
BPOF1636	249	269	290	16	36	2.61	12	1.094
BPOF1642	270	290	312	16	42	2.61	12	1.094
BPOF1648	298	320	339	16	48	2.61	14	1.277
BPOF1654	327	347	369	16	54	2.61	14	1.277
BPOF1660	348	369	388	16	60	2.61	15	1.368
BPOF1666	471	513	557	16	66	2.61	20	1.774
BPOF1672	593	636	680	16	72	2.61	24	2.180
BPOF2418	233	242	254	24	18	2.61	12	1.094
BPOF2424	253	272	294	24	24	2.61	14	1.422
BPOF2430	273	294	315	24	30	2.61	17	1.750
BPOF2436	293	322	354	24	36	2.61	18	2.078
BPOF2442	313	343	376	24	42	2.61	21	2.406
BPOF2448	334	364	396	24	48	2.61	22	2.734
BPOF2454	351	373	392	24	54	2.61	24	3.063
BPOF2460	374	403	435	24	60	2.61	27	3.391
BPOF2466	502	544	588	24	66	2.61	32	3.766
BPOF2472	628	671	715	24	72	2.61	36	4.140
BPOF3718	267	287	308	37	18	2.61	17	1.580
BPOF3724	289	310	331	37	24	2.61	19	2.054
BPOF3730	311	341	374	37	30	2.61	22	2.528
BPOF3736	332	381	435	37	36	2.61	24	3.006
BPOF3742	351	402	455	37	42	2.61	28	3.476
BPOF3748	375	423	477	37	48	2.61	30	3.950
BPOF3754	394	445	499	37	54	2.61	32	4.424
BPOF3760	417	467	521	37	60	2.61	34	4.898
BPOF3766	588	672	761	37	66	2.61	41	5.449
BPOF3772	759	843	932	37	72	2.61	48	6.000
BPOF4218	336	355	378	42	18	2.61	18	1.780
BPOF4224	357	399	441	42	24	2.61	21	2.310
BPOF4230	378	417	460	42	30	2.61	24	2.850
BPOF4236	400	449	504	42	36	2.61	27	3.390
BPOF4242	420	471	524	42	42	2.61	30	3.920
BPOF4248	444	493	551	42	48	2.61	33	4.460
BPOF4254	464	512	567	42	54	2.61	36	4.990
BPOF4260	487	536	589	42	60	2.61	39	5.250
BPOF4266	685	768	858	42	66	2.61	47	6.015
BPOF4272	884	967	1057	42	72	2.61	54	6.780

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" Mineral board.
- Non-slotted.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, please order size required and price as next size up. Example: 26" high, 35" wide, order BPOF2635 at \$313 Grade 1.
- Custom heights over 42" must be quoted separately.
- Overpanels can be stacked on any panel. Example: BPOF2418 stacked on BPRA4218 to give an overall height of 66".
- When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT* = Laminate or Whiteboard.

BOULEVARD 1

BPOG • Glazed Over Panel




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BPOG0818	85	8	18	2.61	6	0.351
BPOG0824	107	8	24	2.61	6	0.468
BPOG0830	129	8	30	2.61	8	0.730
BPOG0836	149	8	36	2.61	10	0.912
BPOG0842	170	8	42	2.61	10	0.912
BPOG0848	194	8	48	2.61	12	1.094
BPOG0854	215	8	54	2.61	12	1.094
BPOG0860	236	8	60	2.61	14	1.277
BPOG0866	312	8	66	2.61	17	1.549
BPOG0872	388	8	72	2.61	20	1.820
BPOG1618	136	16	18	2.61	8	0.730
BPOG1624	165	16	24	2.61	8	0.730
BPOG1630	194	16	30	2.61	10	0.912
BPOG1636	227	16	36	2.61	12	1.094
BPOG1642	249	16	42	2.61	12	1.094
BPOG1648	278	16	48	2.61	14	1.277
BPOG1654	305	16	54	2.61	14	1.277
BPOG1660	335	16	60	2.61	15	1.368
BPOG1666	435	16	66	2.61	20	1.774
BPOG1672	535	16	72	2.61	24	2.180
BPOG2418	245	24	18	2.61	12	1.094
BPOG2424	273	24	24	2.61	14	1.422
BPOG2430	303	24	30	2.61	17	1.750
BPOG2436	334	24	36	2.61	18	2.078
BPOG2442	364	24	42	2.61	21	2.406
BPOG2448	392	24	48	2.61	22	2.734
BPOG2454	422	24	54	2.61	24	3.063
BPOG2460	452	24	60	2.61	27	3.391
BPOG2466	621	24	66	2.61	32	3.766
BPOG2472	789	24	72	2.61	36	4.140
BPOG3718	348	37	18	2.61	17	1.580
BPOG3724	382	37	24	2.61	19	2.054
BPOG3730	417	37	30	2.61	22	2.528
BPOG3736	451	37	36	2.61	24	3.006
BPOG3742	487	37	42	2.61	28	3.476
BPOG3748	519	37	48	2.61	30	3.950
BPOG3754	552	37	54	2.61	32	4.424
BPOG3760	589	37	60	2.61	34	4.898
BPOG3766	766	37	66	2.61	41	5.449
BPOG3772	943	37	72	2.61	48	6.000
BPOG4218	370	42	18	2.61	18	1.780
BPOG4224	406	42	24	2.61	21	2.310
BPOG4230	444	42	30	2.61	24	2.850
BPOG4236	478	42	36	2.61	27	3.390
BPOG4242	519	42	42	2.61	30	3.920
BPOG4248	552	42	48	2.61	33	4.460
BPOG4254	589	42	54	2.61	36	4.990
BPOG4260	624	42	60	2.61	39	5.250
BPOG4266	818	42	66	2.61	47	6.015
BPOG4272	1011	42	72	2.61	54	6.780

- Attaches to top of a panel to create floor-to-ceiling wall.
- Non-slotted.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, order size required and price as next size up. Example: 26" high, 35" wide, order BPOG2635 at \$426 in acrylic.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel. Example: BPOG2418 stacked on BPRA4218 to give an overall height of 66".
- When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- For tempered glass option, add "TG" to the end of the product code and 20% to the list price.

BOULEVARD 1

BPOFR • Curved Fabric Over Panel




PRODUCT CODE	PRICE		OPT*	SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2		H	W	D	LBS	FT ³
BPOFR2424	741	769	802	24	24 RA	24 RA	29	8.125
BPOFR3724	749	794	839	37	24 RA	24 RA	38	11.736
BPOFR4224	757	813	872	42	24 RA	24 RA	39	12.000

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" mineral board.
- Non-slotted.

- No hang-on capabilities.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOFR2624 at \$708 Grade 1.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOFR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT* = Laminate or Whiteboard.

BPOGR • Curved Glazed Over Panel




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BPOGR2424	996	24	24 RA	24 RA	20	8.125
BPOGR3724	1019	37	24 RA	24 RA	22	11.736
BPOGR4224	1029	42	24 RA	24 RA	23	12.000

- Attaches to top of a panel to create floor-to-ceiling wall.
- Non-slotted.
- Factory installed PVC snap attaches and aligns over panel to top of base panel.
- No hang-on capabilities.

- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOGR2624 at \$958.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOGR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.


BPXCF • Ceiling Filler



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BPXCF124	47	3.25	124	0.125	1	1.2


- Durable PVC designed to seal a gap between ceiling and over panel.
- Available in lengths of 124" to be pressed into over panel's horizontal wing profile.
- Can be applied during installation or retrofitted later.

BPDS • Solid Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BPDS8236R	1644	82	36	2.61	61	6.465
BPDS8242R	1790	82	42	2.61	68	7.486
BPDS8236L	1644	82	36	2.61	61	6.465
BPDS8242L	1790	82	42	2.61	68	7.486

Door Hanging Directions



Right Shown



Left Shown

Door Handle Option

Door Knob - DL01

- Lock Standard



Door Lever - DL02(Default)


- Lock Standard
- Lever complies with all handicap codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
80" x 32 1/2" in 82" x 36" frame
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- Non slotted frame.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.


BOULEVARD 1

BPDH • Half Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPDH8236R	2035	82	36	2.61	53	6.465
BPDH8242R	2226	82	42	2.61	59	7.486
BPDH8236L	2035	82	36	2.61	53	6.465
BPDH8242L	2226	82	42	2.61	59	7.486

Door Hanging Directions



Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02(Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
80" x 32 1/2" in 82" x 36" frame
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$103 for 36" wide doors and \$128 for 42" wide doors.


BPDG • Solid Glazed Door Panel



NEW!

PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPDG8236R	3259	82	36	2.61	53	6.465
BPDG8242R	3565	82	42	2.61	59	7.486
BPDG8236L	3259	82	36	2.61	53	6.465
BPDG8242L	3565	82	42	2.61	59	7.486

Door Hanging Directions



Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02(Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
80" x 32 1/2" in 82" x 36" frame
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$206 for 36" wide doors and \$256 for 42" wide doors.
- Laminate frame is 5" thick on sides and 4" at top and bottom.


BPDSL • Privacy Screen




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPDSL6636R	1641	66	36	2.61	35	5.98
BPDSL6642R	1767	66	42	2.61	42	6.93
BPDSL8136R	1969	81	36	2.61	43	7.30
BPDSL8142R	2114	81	42	2.61	50	8.45
BPDSL6636L	1641	66	36	2.61	35	5.98
BPDSL6642L	1767	66	42	2.61	42	6.93
BPDSL8136L	1969	81	36	2.61	43	7.30
BPDSL8142L	2114	81	42	2.61	50	8.45

- Must specify left or right for the direction in which the door will slide once installed.
- Caps located on the end of the frame default to the panel frame colour.
- All hardware included.
- Can be mounted on Boulevard 1 or Boulevard System 3 panels of the same width as the Privacy Screen.
- Locks not available.
- Note: Specify left or right for the direction in which the door will slide as per examples above.

Left Hang Option



Right Hang Hung



- Provides territorial privacy in an open plan environment.
- Lightweight, panel mounted sliding partition.
- Consists of translucent polycarbonate.
- Must be mounted to a straight panel of the same size.
- The face of the Privacy Screen sits 3" away from the face of the panel to which it is attached.
- Cable lay-in modules, wood trim and non-load bearing panels may be applied to the top of a panel to which the screen is attached, but not the screen itself.
- When open, the screen may interfere with access doors that open on the outside of an adjacent panel.


BPDSLLOCK • Privacy Screen Lock



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BPDSLLOCKR	246	2.65	1.2	0.9	1	0.2
BPDSLLOCKL	246	2.65	1.2	0.9	1	0.2

- Lock bracket attaches to Privacy Screen with screws
- Includes strike plate bracket which attaches to slots in connector.
- Lock included.
- Available in tungsten only.
- Requires on site installation, drilling into the Privacy Screen aluminum frame.


BHP • 90 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHP029	56	29	2.61	2.61	4	0.154
BHP037	88	37	2.61	2.61	5	0.195
BHP042	97	42	2.61	2.61	5	0.221
BHP050	110	50	2.61	2.61	6	0.263
BHP054	121	54	2.61	2.61	6	0.284
BHP058	121	58	2.61	2.61	7	0.305
BHP066	131	66	2.61	2.61	8	0.346
BHP074	142	74	2.61	2.61	9	0.388
BHP082	153	82	2.61	2.61	9	0.430
BHP106	182	106	2.61	2.61	12	0.560
BHP119	198	119	2.61	2.61	13	0.622

- Enables connection for multiple panel runs such as 90 degree, 3 way and 4 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 4 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
 - 75 cables 5.6mm (0.220") diameter
 - 60 cables 5.6mm (0.220") diameter with 1 powerfeed
 - 45 cables 5.6mm (0.220") diameter with 2 powerfeeds


BHP45 • 45 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHP4529	56	29	2.61	2.61	4	0.154
BHP4537	88	37	2.61	2.61	5	0.195
BHP4542	97	42	2.61	2.61	5	0.221
BHP4550	110	50	2.61	2.61	6	0.263
BHP4554	121	54	2.61	2.61	6	0.284
BHP4558	121	58	2.61	2.61	7	0.305
BHP4566	131	66	2.61	2.61	8	0.346
BHP4574	142	74	2.61	2.61	9	0.388
BHP4582	153	82	2.61	2.61	9	0.430
BHP45106	182	106	2.61	2.61	12	0.560
BHP45119	198	119	2.61	2.61	13	0.622

- Enables connection for two panels at 45 degrees.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- 45 degree post does not accept PVC or Wood End Trim.
- No power infeed/post extension capabilities.
- Posts are designed to accept 30 cables 5.6mm (0.220") diameter.


BHP60 • 60 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHP6029	56	29	2.61	2.61	4	0.154
BHP6037	88	37	2.61	2.61	5	0.195
BHP6042	97	42	2.61	2.61	5	0.221
BHP6050	110	50	2.61	2.61	6	0.263
BHP6054	121	54	2.61	2.61	6	0.284
BHP6058	121	58	2.61	2.61	7	0.305
BHP6066	131	66	2.61	2.61	8	0.346
BHP6074	142	74	2.61	2.61	9	0.388
BHP6082	153	82	2.61	2.61	9	0.430
BHP60106	182	106	2.61	2.61	12	0.560
BHP60119	198	119	2.61	2.61	13	0.622

- Enables connection for multiple panel runs such as 120 degrees and 3 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 3 pair of raceway end caps, and 1 post cap.
- No power infeed/post extension capabilities.

BHWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHWA029	37	29	2.61	0.375	4	0.01
BHWA037	39	37	2.61	0.375	5	0.013
BHWA042	45	42	2.61	0.375	5	0.015
BHWA050	50	50	2.61	0.375	6	0.018
BHWA054	53	54	2.61	0.375	6	0.020
BHWA058	54	58	2.61	0.375	7	0.021
BHWA066	57	66	2.61	0.375	8	0.024
BHWA074	60	74	2.61	0.375	9	0.027
BHWA082	65	82	2.61	0.375	9	0.030
BHWA106	79	106	2.61	0.375	12	0.039
BHWA119	85	119	2.61	0.375	13	0.043

- Starts a run of panels off an existing wall.
- Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- Mounting hardware not included. The mounting hardware selected must be based on the wall or wall stud material.
- Wall adapter adds 5/16" to a panel run.

BOULEVARD 1


BHWASLxx • Adapter Sleeve



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHWASL42	159	34.7 4 2	2.5	0.161
BHWASL50	171	42.7 4 2	3.6	0.198
BHWASL58	183	52.7 4 2	5.1	0.244
BHWASL66	197	58.7 4 2	6.0	0.272

- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- As opposed to the BHWA wall adapter, which connects to the panels securely to a wall, B1 and B3 Boulevard panels rest inside the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller than 66" order two Wall Adapter Sleeve and either have them cut short on site below the ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 50" and 42" high B1 and B3 panels.
- Powder coated steel; specify metal finish.
- Note: the Wall Adapter Sleeve provides flexible, connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.
- Note: No fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally wall type.
- Cannot be used to support a door or panel.


BHHF • High Profile Foot



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHHF01	249	9 1 12	4	0.130

- Provides added support to panel under load.
- Adjustable glides included.
- Made of cast aluminum and cold rolled steel.
- Cannot be used with System 3 Panels


BHLF • Low Profile Foot



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHLF01	34	9 9 25	7	0.230

- Stabilizes a run of panels.
- Attaches with supplied connectors to an end of a panel.
- Made of cold rolled steel.
- Cannot be used with System 3 Panels

BHPA • Panel to Panel Adapter



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHPA02	34	2 2.5 00.0	0.25	0.120

- Enables mid panel, off-module connection.
- Slim profile.
- Formed steel construction.
- Permanent clamps fit around base channel and fits to top rail.
- Priced as a complete kit.
- Designed for use with Boulevard 1 panels of the same height only.
- Not to be specified on panel seam or with over panels.

BHCS • Capture Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H				
BHCS29	5	29	0.21	0.09
BHCS37	6	37	0.24	0.11
BHCS42	6	42	0.28	0.13
BHCS50	7	50	0.33	0.15
BHCS54	8	54	0.31	0.17
BHCS58	8	58	0.63	0.19
BHCS66	9	66	0.40	0.19
BHCS74	10	74	0.43	0.20
BHCS82	12	82	0.47	0.20

- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- Priced per pair.
- Pliable side membranes cover panel slots.
- Included with panel components.
- Only to be ordered separately if required.

BHCE • End Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H				
BHCE29	3	29	0.10	0.04
BHCE37	4	37	0.12	0.05
BHCE42	4	42	0.14	0.06
BHCE50	5	50	0.16	0.07
BHCE54	5	54	0.31	0.08
BHCE58	5	58	0.18	0.08
BHCE66	6	66	0.20	0.09
BHCE74	7	74	0.22	0.10
BHCE82	8	82	0.23	0.11

- End strips with pliable side membrane covers panel slots at end of run.
- Priced per pair.
- Included with panel components.
- Only to be ordered separately if required.


BHRC • Raceway End Cap



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BHRC02	2	3	2.61	0.5	0.04	0.02

- Provides clean detail at the end of a panel run or post. End caps fit flush into communication and power channel entry.
- Priced per pair.
- Made of injection molded ABS.
- Included with panel components. Only to be ordered separately if required.


BVTE • Vertical End PVC Trim



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BVTE37	22	37	2.61	0.25	0.41	0.065
BVTE42	24	42	2.61	0.25	0.48	0.074
BVTE50	27	50	2.61	0.25	0.57	0.088
BVTE54	28	54	2.61	0.25	0.62	0.095
BVTE58	30	58	2.61	0.25	0.66	0.102
BVTE66	33	66	2.61	0.25	0.75	0.115
BVTE74	37	74	2.61	0.25	0.84	0.113
BVTE82	44	82	2.61	0.25	0.93	0.143

- Provides a rounded finished detail to the end of the panel run, or a post.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.


BVTS • Vertical Step Down PVC Trim



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BVTS29	6	4	2.61	0.25	0.05	0.010
BVTS37	9	8	2.61	0.25	0.09	0.015
BVTS42	10	12	2.61	0.25	0.12	0.021
BVTS50	20	16	2.61	0.25	0.18	0.029
BVTS58	22	20	2.61	0.25	0.20	0.035
BVTS66	23	24	2.61	0.25	0.27	0.043
BVTS74	25	32	2.61	0.25	0.36	0.056
BVTS82	26	38	2.61	0.25	0.45	0.067
BVTS40	24	40	2.61	0.25	0.45	0.070
BVTS48	25	48	2.61	0.25	0.54	0.084
BVTS56	27	56	2.61	0.25	0.63	0.098

- Provides a rounded finished detail to the end of the panel run where two different height panels are specified.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).


BVTS • Vertical Step Down PVC Trim for 37" High Panels



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BVTS05	6	5	2.61	0.25	0.06	0.015
BVTS13	8	13	2.61	0.25	0.15	0.029
BVTS17	9	17	2.61	0.25	0.15	0.035
BVTS21	9	21	2.61	0.25	0.24	0.043
BVTS29	19	29	2.61	0.25	0.33	0.051
BVTS37	22	37	2.61	0.25	0.41	0.067
BVTS45	24	45	2.61	0.25	0.51	0.084

- Provides a finished detail to the end of the panel run that sits next to a 37" high panel. This PVC trim will bridge the distance between the 37" and higher panel.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).

BAVTE • Aluminum Vertical End Round Trim




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAVTE37	59	37	2.61	0.125	1.2	0.03
BAVTE42	67	42	2.61	0.125	1.4	0.03
BAVTE50	79	50	2.61	0.125	1.7	0.04
BAVTE54	85	54	2.61	0.125	1.8	0.04
BAVTE58	91	58	2.61	0.125	1.9	0.04
BAVTE66	104	66	2.61	0.125	2.2	0.05
BAVTE74	122	74	2.61	0.125	2.4	0.05
BAVTE82	129	82	2.61	0.125	2.7	0.06
BAVTE119	186	119	2.61	0.125	3.9	0.08

- Provides a finished detail to the end of a panel run.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- BAVTE119 cannot ship via courier and must be combined with other product.

BOULEVARD 1


BAVTS • Aluminum Vertical End Round Trim - Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAVTS04	16	4	2.61	0.125	0.2	0.01
BAVTS08	20	8	2.61	0.125	0.3	0.02
BAVTS12	31	12	2.61	0.125	0.4	0.02
BAVTS16	31	16	2.61	0.125	0.5	0.03
BAVTS20	31	20	2.61	0.125	0.7	0.04
BAVTS24	47	24	2.61	0.125	0.8	0.04
BAVTS32	59	32	2.61	0.125	1.1	0.06
BAVTS38	70	38	2.61	0.125	1.3	0.07
BAVTS40	74	40	2.61	0.125	1.3	0.07
BAVTS48	88	48	2.61	0.125	1.6	0.08
BAVTS56	100	56	2.61	0.125	1.8	0.10

- Provides a finished detail to the end of a panel run where two different height panels are specified.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- Specify panels to be used when ordering a 29" step.


BAVTSF • Aluminum Vertical End Round Trim - Step Down for 37" High Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BAVTSF05	20	5	2.61	0.125	0.2	0.02
BAVTSF13	31	13	2.61	0.125	0.4	0.03
BAVTSF17	31	17	2.61	0.125	0.6	0.04
BAVTSF21	47	21	2.61	0.125	0.7	0.04
BAVTSF29	59	29	2.61	0.125	1.0	0.05
BAVTSF37	70	37	2.61	0.125	1.2	0.07
BAVTSF45	88	45	2.61	0.125	1.5	0.08

- Provides a finished detail to the end of a panel run adjacent to a 37" high panel.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.


BARC • Aluminum Raceway Cover



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BARC06	25	00.0	5	0.125	0.3	0.001
BARC18	28	00.0	17	0.125	1.1	0.001
BARC24	33	00.0	23	0.125	1.4	0.001
BARC30	36	00.0	29	0.125	1.8	0.002
BARC36	39	00.0	35	0.125	2.2	0.002
BARC42	42	00.0	41	0.125	2.5	0.002
BARC48	45	00.0	47	0.125	2.9	0.003
BARC54	50	00.0	53	0.125	3.2	0.003
BARC60	58	00.0	59	0.125	3.7	0.003
BARC66	65	00.0	65	0.125	4.1	0.004
BARC72	68	00.0	72	0.125	4.4	0.004


- Offers an alternative to the existing raceway options.
- Cover hinges upward for easy access to power and data/communication terminals.
- Cover may be removed for installation and reconfiguration.
- May not be used with Boulevard System 3 panels.
- Sold as singles.

Boulevard 1 • Flat Aluminum Trims



- Flat Aluminum Trims For Boulevard 1: Designed to use top and vertical trims together on the panel. Specifying vertical trims only will make them too long and will not fit correctly.
- You must specify vertical trims as a special if you are NOT using top trims.
- Post caps BA1PCF must be specified separately when using trims.

BA1VTFE • Aluminum Vertical Flat End Trim




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BA1VTFE29	26	29	2.61	0.125	0.7	0.01
BA1VTFE37	42	37	2.61	0.125	1.0	0.02
BA1VTFE42	47	42	2.61	0.125	1.2	0.03
BA1VTFE50	55	50	2.61	0.125	1.5	0.04
BA1VTFE54	60	54	2.61	0.125	1.6	0.04
BA1VTFE58	64	58	2.61	0.125	1.7	0.04
BA1VTFE66	73	66	2.61	0.125	2.0	0.05
BA1VTFE74	82	74	2.61	0.125	2.2	0.05
BA1VTFE82	91	82	2.61	0.125	2.4	0.06

- Provides a finish detail to the end of a panel run.
- Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- For use with Aluminum Top Caps.

BOULEVARD 1


BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BA1VTFS04	6	4	2.61	0.125	0.1	0.01
BA1VTFS08	12	8	2.61	0.125	0.2	0.01
BA1VTFS12	19	12	2.61	0.125	0.4	0.02
BA1VTFS16	24	16	2.61	0.125	0.6	0.02
BA1VTFS20	31	20	2.61	0.125	0.6	0.03
BA1VTFS24	33	24	2.61	0.125	0.7	0.03
BA1VTFS32	40	32	2.61	0.125	0.9	0.03
BA1VTFS38	45	38	2.61	0.125	1.1	0.03
BA1VTFS40	47	40	2.61	0.125	1.1	0.03
BA1VTFS48	52	48	2.61	0.125	1.3	0.04
BA1VTFS56	60	56	2.61	0.125	1.6	0.05

- Provides a finish detail to the end of a panel run where 2 different height panels are specified.
- Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The aluminum end trim is designed to snap at the end of the panel or post.
- Site installed.
- For use with Aluminum Top Caps.


BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down 37" High Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BA1VTFS05	11	5	2.61	0.125	0.2	0.01
BA1VTFS13	20	13	2.61	0.125	0.4	0.01
BA1VTFS17	28	17	2.61	0.125	0.4	0.01
BA1VTFS21	31	21	2.61	0.125	0.6	0.02
BA1VTFS29	36	19	2.61	0.125	0.7	0.03
BA1VTFS37	43	37	2.61	0.125	1.1	0.03
BA1VTFS45	50	45	2.61	0.125	1.3	0.04

- Provides a finish detail to the end of a panel run adjacent to a 37" high panel.
- Aluminum flat profile with injection molded top cap
- Included 2 "capture strip" panel connectors and 1 injection molded top cap.
- The aluminum end trim is designed to snap at the end of the panel or post.
- Site installed.
- Specify panels to be used when ordering a 29" step down trim.
- For use with Aluminum Top Caps.

BA1TTRF • Aluminum Top Cap



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BA1TTRF06	11	0.125	6	2.61	0.2	0.01
BA1TTRF18	12	0.125	18	2.61	0.6	0.02
BA1TTRF24	12	0.125	24	2.61	0.7	0.03
BA1TTRF30	18	0.125	30	2.61	0.9	0.04
BA1TTRF36	22	0.125	36	2.61	1.1	0.05
BA1TTRF42	27	0.125	42	2.61	1.3	0.06
BA1TTRF48	31	0.125	48	2.61	1.5	0.06
BA1TTRF54	36	0.125	54	2.61	1.6	0.07
BA1TTRF60	40	0.125	60	2.61	1.8	0.08
BA1TTRF66	44	0.125	66	2.61	2.0	0.09
BA1TTRF72	46	0.125	72	2.61	2.2	0.10

- Provides a finish detail to the top of a Boulevard 1 panel.
- Designed to snap to the top of a panel rail.
- Must be used on panels of corresponding width.
- Site installed.
- For applications using transaction tops and top mounted storage, please use BHBT02FT bracket
- To be used with Flat Vertical Trim.

BA1PCF • Post Cap



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BA1PCF	6	0.25	2.61	2.61	0.02	0.01

- Bridges the height difference when using Boulevard 1 panels only with Aluminum Horizontal Top Trims.
- Injection molded post cap to fit on top of 90 degree corner post.
- Extends post's overall height to the level corresponding with the height of aluminum horizontal top trim installed on standard Boulevard panel.
- Site installed.
- Used for Boulevard 1 panels when top aluminum horizontal trim is used.

BHBT37FT • Transaction Bracket for 37" Panels with Flat Trim



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHBT37FT	25	3.3	1.5	2.3	2.0	0.010

- Provides a secure attachment of a transaction worksurface for a 37" high panel with top trim.
- Includes a left and right bracket and bracket retainer clips.

BHBT02FT • Transaction Bracket for 42" Panels with Flat Trim




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHBT02FT	24	4	1	3	0.5	0.007

- Provides a secure attachment of a transaction worksurface for 42" high Boulevard panels with flat trim.
- Includes a left and right bracket and bracket retainer clips.

BOULEVARD 1


RCW-D • PVC Facemount Raceway Cover



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
RCW24D	26	7	24	0.125	3	0.05
RCW30D	28	7	30	0.125	3	0.06
RCW36D	31	7	36	0.125	4	0.07
RCW42D	36	7	42	0.125	5	0.08
RCW48D	39	7	48	0.125	5	0.09
RCW54D	41	7	54	0.125	6	0.10
RCW60D	44	7	60	0.125	7	0.11
RCW66D	47	7	66	0.125	7	0.12
RCW72D	50	7	72	0.125	8	0.12

- PVC raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


FCR-D • Fabric Covered Facemount Raceway



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
FCR24D	66	7	24	0.125	3	0.05
FCR30D	66	7	30	0.125	3	0.06
FCR36D	60	7	36	0.125	4	0.07
FCR42D	60	7	42	0.125	5	0.08
FCR48D	60	7	48	0.125	5	0.09
FCR54D	60	7	54	0.125	6	0.10
FCR60D	60	7	60	0.125	7	0.11
FCR66D	69	7	66	0.125	7	0.12
FCR72D	130	7	72	0.125	8	0.12

- Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


RCA-D • Aluminum Raceway Cover for Face Mounted



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
RCA24D	43	7	24	0.125	2.0	0.06
RCA30D	46	7	30	0.125	2.1	0.06
RCA36D	50	7	36	0.125	2.2	0.07
RCA42D	54	7	42	0.125	2.5	0.08
RCA48D	56	7	48	0.125	2.9	0.09
RCA54D	60	7	54	0.125	3.2	0.10
RCA60D	64	7	60	0.125	3.7	0.11
RCA66D	68	7	66	0.125	3.9	0.12
RCA72D	71	7	72	0.125	4.1	0.12

- Aluminum raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


BPMB • Raceway Cover Caps



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPMB020104B	6	1.5	3	0.125	0.04	0.02
BPMB020104G	6	1.5	3	0.125	0.04	0.02
BPMB020104W	6	1.5	3	0.125	0.04	0.02

- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- Made of injection molded ABS.
- B = Black
- W = White
- G = Grey


BHSL • Safety Lock



PRODUCT CODE	PRICE
BHSL02	24

- Provides customers a higher degree of privacy.
- Safety Lock is a set of two ready made brackets and
- It is installed from the inside of a panel adjacent to an opening the door through the raceway.
- To be used for PVC raceways only.

BHV • Component Wall Adapter - Single and Double




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHV01	59	60	0.75	0.5	4	0.009
BHV02	72	60	1.50	0.5	5	0.026

- Used to attach system components to fixed wall.
- Panel frame finish.
- The vertical wall adapter is a "U" shaped channel with a vertical row of slots with 1" centers.
- The double Component Wall Adapter has a double row of slots with 1" centers.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.

BOULEVARD 1

BECC01 • Cable Terminal Channel



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
BECC01	6	6	4.5	2.5	0.21

- Houses various combinations of voice and data cables.
- 1 included with every Raceway Panel.
- Accommodates assorted snap-in modular voice and data terminals (not supplied by Global Contract Inc).
- Black only.

BPHC01 • Cable Terminal Channel



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
BPHC01	4	2.5	1	2	0.1	0.003

- Houses various combinations of voice and data cables.
- 2 included with every Raceway Panel.
- Black only.
- For use with Boulevard 1 Panels only.

BOULEVARD 1

BOULEVARD SYSTEM 3 PANELS

Boulevard System 3 Panel System

Boulevard System 3... The next generation of BOULEVARD offers the freedom to plan the office environment 'your way', while keeping an eye on the bottom line. Boulevard System 3 boasts a rich toolbox featuring stack-on panels, complete data/communication lay-in at the top, comprehensive power and data/communication at both the base and at desk height, a selection of interchangeable tiles, monolithic panels, up-mounted storage, new ergonomic worksurface shapes & a revised colour pallet featuring recycled fabrics.... all wrapped up in a sophisticated design statement. Enjoy planning it your way and having the tools to really do it. Boulevard System 3 offers the building blocks to create the framework that perfectly suits your office environment. Combinations of fabric, glazed, open and slat wall panel surface tiles effectively support the creation of various work settings, whether open (to encourage interaction and teamwork) or traditional, with enclosed functional task organizers. Boulevard System 3 lets you plan more effectively and with more versatility than ever before. It is simple to comprehend, specify, install,

maintain and reconfigure. Offering multifunctional furnishing solutions, Boulevard System 3 can be specified on its own or used as a power/data and privacy provider, bridging freestanding/mobile furniture and panels and task related options such as worksurface shapes that help you work better. By utilizing up-mount storage, lower panel heights can be maintained without sacrificing overhead storage where and when needed. Another value-oriented tool... Consider 'Spine' planning to create a power wall that feeds data/communication to a string of perpendicular offices. Incorporate monolithic panels which offer the best cost/performance advantages for value sensitive environments with base panel raceway power/data cable distribution, while adding visual interest...and of course, reconfiguration is a breeze. Now you can have an endless visual pallet and array of practical solutions for today's ever changing and demanding workplace. When you add it all up, Boulevard System 3 gives you more value than ever before.

Technical Information

Panels

- All panels are 2 5/8" thick.
- Lightweight aluminum box frame construction creates superior panel rigidity.
- Panel frame finish is durable epoxy powder coated.
- Hang-on capabilities at 1" increments.
- Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.
- Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- Panel sizes are actual, eliminating creepage.
- Vertical end trims must be specified to give the panel a finished appearance.
- Horizontal top trims are included with all panels.
- All panels include 2 "Capture Strip" panel connectors.
- Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.
- All panels accept Over Panels (see page D.7).

Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, see "OPT" column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.
- Laminate and whiteboard options reduce the acoustical value of the panel.

Monolithic Panels

- Fabric on Monolithic Panels can be re-upholstered on site.

Pass Thru Panels

- Fabric at base of Pass-Thru Panels can be re-upholstered on site.
- Tiles cannot be re-upholstered on site.

Bottom Lay-in Raceway

- Bottom raceway snaps to the bottom of the panel and can be completely removed for unobstructed cable lay-in installation.
- Bottom lay-in raceway is 60 mm (2.380") wide x 141 mm (5.560") high.
- Maximum capacity: 70 cables 5 mm (0.200) diameter, 2 parallel 8 wire, 4 circuit power distribution.
- State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, distribution housings, duplexes and circuit designations.
- All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- Facemount electrical with 1 duplex per panel side.
- Included is 1 data/communication terminal bracket per side.

- Raceway cover openings of 2.800" x 1.345" can accommodate a single modular Data/Comm terminal plate per side (not supplied by Global Contract Inc).
- Outlet and circuit changes accomplished without disruption to work station.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of up to 4 duplexes per panel; choice of circuitry in each duplex .
- Unique design of fire retardant metal raceway cover permits access to raceway without disruption to equipment.

Horizontal Lay-in Channel (Excluding all panels with Embedded Glass)

- Integrated horizontal lay-in channel 33.5 m (1.320") wide and 38 mm (1.500") high at the top of panels and on top of the door frame.
- Maximum capacity: 36 cables 5 mm (0.200") in diameter.
- Maximum cable bending radius between two perpendicular panels: 141.2 mm (5.560") [5 mm (0.200") in diameter cables].

Vertical Wire Channel

- Where applicable, the vertical wire channel connects horizontal channel above desk height with floor level raceway.
- Opening in horizontal channel allows for vertical cable passage from top lay-in channel to base raceway.
- Integrated vertical channel 76 mm (2.990") x 27 mm (1.060").
- Maximum capacity: 60 cables 5 mm (0.200") in diameter.
- Maximum cable bending radius: 141.2 mm (5.560").

Posts

- Enables connection for multiple panel runs such as 90°, 45° or 60° angle and 2 way, 3 way or 4 way.
- Starts at the top of the bottom lay-in raceway.
- 90 degree post provides route for ceiling power and data entry to a panel raceway.
- Knuckle lock feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.
- Post has punch-outs at the top to allow for unobstructed horizontal cable passage between adjacent panels.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.
- Maximum capacity:
 - 80 cables 5mm(0.200") diameter
 - 65 cables 5mm(0.200") diameter with 1 power feed
 - 50 cables 5mm (0.200") diameter with 2 power feeds


BOULEVARD SYSTEM 3 PANELS

PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


Example of Panel: **BPX3MA6636 CHR CHR P1 AN50 BE21**



How to Specify

- Specify Boulevard System 3 panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify PVC raceway finish - ie. CHR (Charcoal). If raceway colour not specified at time of order, default will be the panel frame colour.
- Specify all two panel fabric options if necessary.
- Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider then 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.
- Specify whether punchouts are required inside and outside of raceway or if no knockouts are required.
 - P2 - Punchouts on both sides.
 - P1 - Punchouts on one side.
 - NP - No punchouts.
- For special width panels, a special must be processed and additional costs apply. Please contact your customer service representative.

Example of Post: **BH3PS066 CHR**



How to Specify

- Specify Boulevard System 3 post by code.
- Specify frame colour - ie. CHR (Charcoal).

GRAPHIC PANEL INFO

ORDERS

Each Order Must Include

Purchase Order

Layout showing where the image(s) appear in the run of panels.

A completed Price Chart, showing the location of the image(s) on each appropriate panel.

Artwork must be submitted in accordance with the following artwork specifications.

NOTE: Final artwork specification approval must be given before order can be processed.

Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

Artwork Specifications

- Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as an EPS (.eps).
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- We accept Adobe CS5 files.
- Any linked files must be included or imbedded.
- Leave any PSD files unflattened.
- All fonts must be converted to outlines.
- Do not convert to CMYK, leave all images as RGB if possible.
- No Word, Powerpoint, Publisher or other Microsoft files can be used.
- Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

Colour Matching

- A Pantone colour reference must be supplied or we cannot accept responsibility for correct colour.
- When it is not possible to refer to Pantone colours, we will do our best to meet your requirements.

Image Clarity

- We will advise should the selected image not lend itself to the element size requested.

NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted

to curves or the job appears not to be commercially acceptable.


Image Bleed:

To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required.


- Boulevard Panels need a 5" Bleed on all sides.

Example Of Image resolution:

The resolution required for a 36 wide x 24 high Boulevard panel at 100dpi (minimum resolution)




The resolution required for a 36 wide x 24 high Boulevard panel at 300dpi (higher quality)



SYSTEM 3 GRAPHIC PANELS

Pricing, Initial Set-Up
Charge per Image:\$180 net


Boulevard System 3 Tiles



PANEL WIDTH	HEIGHT	LIST PRICE
8"	16"	
24"	151	221
30"	179	262
36"	206	301
42"	238	341
48"	262	380
54"	294	427
60"	317	468
66"	341	500
72"	373	539

- This List applies to the following panels:
- BP3FTxxxx
- BP3ETxxxx


Boulevard System 3 Bottom Section of Pass-Through Panel



PANEL WIDTH	LIST PRICE
28"	
24"	317
30"	373
36"	427
42"	491
48"	547
54"	602
60"	658
66"	713
72"	768

- This List applies to the following panels:
- BPX3PTxxxx
- BPX3PVxxxx

Boulevard System 3 Monolithic Panels





PANEL WIDTH	HEIGHT	LIST PRICE			
24"	317	42"	50"	66"	
30"	373	452	539	697	
36"	427	522	618	808	
42"	491	594	689	919	
48"	547	665	792	1022	
54"	602	736	863	1133	
60"	658	808	951	1235	
66"	713	863	1022	1331	
72"	768	934	1101	1434	

- This List applies to the following panels:
- BPX3MAxxxx
- BPX3MVxxxx

Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.

BOULEVARD SYSTEM 3 PANELS

BPX3MA • Monolithic Acoustical Panel





72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPX3MA3418	248	263	279	34	18	2.61	11	1.337
BPX3MA3424	277	294	310	34	24	2.61	12	1.738
BPX3MA3430	303	319	334	34	30	2.61	13	2.139
BPX3MA3436	331	361	392	34	36	2.61	15	2.540
BPX3MA3442	357	387	420	34	42	2.61	16	2.941
BPX3MA3448	385	415	448	34	48	2.61	18	3.342
BPX3MA3454	414	444	476	34	54	2.61	20	3.743
BPX3MA3460	441	469	503	34	60	2.61	22	4.144
BPX3MA3466	603	645	689	34	66	2.61	26	4.612
BPX3MA3472	763	805	850	34	72	2.61	30	5.080
BPX3MA4218	267	287	308	42	18	2.61	12	1.782
BPX3MA4224	296	317	337	42	24	2.61	13	2.317
BPX3MA4230	325	346	367	42	30	2.61	15	2.852
BPX3MA4236	353	393	436	42	36	2.61	17	3.387
BPX3MA4242	384	424	467	42	42	2.61	19	3.921
BPX3MA4248	413	452	495	42	48	2.61	21	4.456
BPX3MA4254	444	483	525	42	54	2.61	23	4.991
BPX3MA4260	472	511	554	42	60	2.61	25	5.525
BPX3MA4266	671	752	839	42	66	2.61	29	6.148
BPX3MA4272	869	951	1038	42	72	2.61	34	6.770
BPX3MA5018	344	374	407	50	18	2.61	13	2.106
BPX3MA5024	379	409	441	50	24	2.61	15	2.738
BPX3MA5030	414	444	476	50	30	2.61	17	3.370
BPX3MA5036	451	511	576	50	36	2.61	20	4.002
BPX3MA5042	508	567	631	50	42	2.61	23	4.634
BPX3MA5048	522	583	646	50	48	2.61	24	5.266
BPX3MA5054	556	617	680	50	54	2.61	25	5.898
BPX3MA5060	593	653	717	50	60	2.61	27	6.530
BPX3MA5066	830	912	999	50	66	2.61	33	7.265
BPX3MA5072	1065	1147	1234	50	72	2.61	40	8.000
BPX3MA5418	387	417	450	54	18	2.61	14	2.406
BPX3MA5424	424	454	487	54	24	2.61	16	3.181
BPX3MA5430	450	479	511	54	30	2.61	19	3.907
BPX3MA5436	501	560	624	54	36	2.61	22	4.602
BPX3MA5442	537	596	660	54	42	2.61	25	5.306
BPX3MA5448	575	634	698	54	48	2.61	26	5.966
BPX3MA5454	609	670	732	54	54	2.61	27	7.287
BPX3MA5460	649	710	773	54	60	2.61	30	7.539
BPX3MA6618	402	450	505	66	18	2.61	14	2.755
BPX3MA6624	439	489	542	66	24	2.61	17	3.581
BPX3MA6630	476	525	581	66	30	2.61	20	4.407
BPX3MA6636	516	594	680	66	36	2.61	24	5.234
BPX3MA6642	553	633	717	66	42	2.61	26	6.060
BPX3MA6648	591	673	756	66	48	2.61	28	6.887
BPX3MA6654	627	709	793	66	54	2.61	30	7.713
BPX3MA6660	667	748	832	66	60	2.61	32	8.539

- Provides visual and acoustic privacy.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

SYSTEM 3 GRAPHIC PANELS

BPX3MV • Monolithic Acoustical Panel with Vertical Wire Channel




72" Wide

PRODUCT CODE	PRICE GR 1	GR 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BPX3MV3430	327	343	356	34	30	2.61	15	2.139
BPX3MV3436	353	383	419	34	36	2.61	17	2.540
BPX3MV3442	381	411	444	34	42	2.61	18	2.941
BPX3MV3448	410	439	472	34	48	2.61	20	3.342
BPX3MV3454	437	466	499	34	54	2.61	22	3.743
BPX3MV3460	464	493	525	34	60	2.61	24	4.144
BPX3MV3466	639	681	725	34	66	2.61	29	4.612
BPX3MV3472	813	855	899	34	72	2.61	34	5.080
BPX3MV4230	398	377	398	42	30	2.61	17	2.852
BPX3MV4236	384	424	467	42	36	2.61	19	3.387
BPX3MV4242	415	455	497	42	42	2.61	21	3.921
BPX3MV4248	444	482	525	42	48	2.61	23	4.456
BPX3MV4254	474	513	556	42	54	2.61	25	4.991
BPX3MV4260	503	542	585	42	60	2.61	27	5.525
BPX3MV4266	718	799	887	42	66	2.61	32	6.148
BPX3MV4272	933	1015	1102	42	72	2.61	38	6.770
BPX3MV5030	452	481	516	50	30	2.61	19	3.370
BPX3MV5036	490	550	614	50	36	2.61	22	4.002
BPX3MV5042	523	584	647	50	42	2.61	25	4.634
BPX3MV5048	560	621	684	50	48	2.61	26	5.266
BPX3MV5054	594	655	718	50	54	2.61	27	5.898
BPX3MV5060	631	691	755	50	60	2.61	29	6.530
BPX3MV5066	890	971	1059	50	66	2.61	35	7.265
BPX3MV5072	1147	1229	1316	50	72	2.61	40	8.000
BPX3MV5430	510	540	573	54	30	2.61	19	3.907
BPX3MV5436	548	608	672	54	36	2.61	22	4.602
BPX3MV5442	586	646	710	54	42	2.61	25	5.306
BPX3MV5448	624	684	748	54	48	2.61	26	5.966
BPX3MV5454	660	720	784	54	54	2.61	27	7.287
BPX3MV5460	697	757	820	54	60	2.61	30	7.539
BPX3MV6630	529	580	633	66	30	2.61	22	4.407
BPX3MV6636	567	647	731	66	36	2.61	26	5.234
BPX3MV6642	606	685	770	66	42	2.61	28	6.060
BPX3MV6648	645	724	810	66	48	2.61	30	6.887
BPX3MV6654	681	761	846	66	54	2.61	32	7.713
BPX3MV6660	719	799	884	66	60	2.61	34	8.539

- Provides visual and acoustic privacy and allows for vertical cable passage from top lay-in channel to bottom raceway within panel.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC. Includes integrated vertical wire channel.
- OPT* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

BPX3MG • Monolithic Glazed Panel




PRODUCT CODE	PRICE	FRST/SMK	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BPX3MG5024	604		50	24	2.61	25	2.738
BPX3MG5030	766		50	30	2.61	29	3.370
BPX3MG5036	812		50	36	2.61	33	4.002
BPX3MG5042	855		50	42	2.61	36	4.634
BPX3MG5048	901		50	48	2.61	41	5.266
BPX3MG5424	604		54	24	2.61	29	3.138
BPX3MG5430	766		54	30	2.61	34	3.807
BPX3MG5436	812		54	36	2.61	38	4.602
BPX3MG5442	855		54	42	2.61	43	5.334
BPX3MG5448	901		54	48	2.61	48	6.066
BPX3MG6624	751		66	24	2.61	33	3.581
BPX3MG6630	816		66	30	2.61	39	4.407
BPX3MG6636	882		66	36	2.61	44	5.234
BPX3MG6642	946		66	42	2.61	49	6.060
BPX3MG6648	1009		66	48	2.61	54	6.887


- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
- Glazing is standard on one side.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

BOULEVARD SYSTEM 3 PANELS


BPX3PT • Pass-Thru Panel - Fabric Base



42" High



50" High



66" High


PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR 1	GR 2	OPT*	H	W	D		
BPX3PT4218	255	276	298	42	18	2.61	14	1.689
BPX3PT4224	288	308	331	42	24	2.61	16	2.233
BPX3PT4230	319	340	362	42	30	2.61	17	2.792
BPX3PT4236	349	370	391	42	36	2.61	19	3.351
BPX3PT4242	380	400	422	42	42	2.61	21	3.908
BPX3PT4248	412	432	454	42	48	2.61	23	4.466
BPX3PT4254	442	462	484	42	54	2.61	26	5.025
BPX3PT4260	473	493	516	42	60	2.61	27	5.592
BPX3PT4266	651	693	737	42	66	2.61	32	6.148
BPX3PT4272	830	872	917	42	72	2.61	38	6.700
BPX3PT5018	255	276	298	50	18	2.61	15	2.106
BPX3PT5024	288	308	331	50	24	2.61	17	2.738
BPX3PT5030	319	340	362	50	30	2.61	18	3.370
BPX3PT5036	349	370	391	50	36	2.61	20	4.002
BPX3PT5042	379	403	422	50	42	2.61	22	4.634
BPX3PT5048	412	432	454	50	48	2.61	24	5.266
BPX3PT5054	442	462	484	50	54	2.61	27	5.898
BPX3PT5060	473	493	516	50	60	2.61	29	6.530
BPX3PT5066	651	693	737	50	66	2.61	34	7.265
BPX3PT5072	830	872	917	50	72	2.61	40	8.000
BPX3PT6618	318	340	361	66	18	2.61	19	2.755
BPX3PT6624	353	376	396	66	24	2.61	21	3.581
BPX3PT6630	391	413	434	66	30	2.61	23	4.407
BPX3PT6636	430	450	472	66	36	2.61	25	5.234
BPX3PT6642	466	488	508	66	42	2.61	27	6.060
BPX3PT6648	504	524	547	66	48	2.61	30	6.887
BPX3PT6654	541	561	584	66	54	2.61	33	7.713
BPX3PT6660	580	600	622	66	60	2.61	36	8.539

- Opening allows choice of tile above desk height.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


BPX3PV • Pass-Thru Panel with Vertical Wire Channel



42" High



50" High




66" High

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR 1	GR 2	OPT*	H	W	D		
BPX3PV4230	349	370	391	42	30	2.61	19	2.792
BPX3PV4236	380	400	422	42	36	2.61	21	3.351
BPX3PV4242	412	432	454	42	42	2.61	23	3.908
BPX3PV4248	442	462	484	42	48	2.61	23	4.466
BPX3PV4254	473	493	516	42	54	2.61	28	5.025
BPX3PV4260	505	524	548	42	60	2.61	30	5.592
BPX3PV4266	683	725	769	42	66	2.61	36	6.148
BPX3PV4272	861	903	948	42	72	2.61	42	6.700
BPX3PV5030	349	370	391	50	30	2.61	20	3.370
BPX3PV5036	380	400	422	50	36	2.61	22	4.002
BPX3PV5042	412	432	454	50	42	2.61	24	4.634
BPX3PV5048	442	462	484	50	48	2.61	26	5.266
BPX3PV5054	473	493	516	50	54	2.61	29	5.898
BPX3PV5060	505	524	548	50	60	2.61	31	6.530
BPX3PV5066	683	725	769	50	66	2.61	37	7.265
BPX3PV5072	861	903	948	50	72	2.61	44	8.000
BPX3PV6630	422	444	465	66	30	2.61	25	4.407
BPX3PV6636	459	481	504	66	36	2.61	27	5.234
BPX3PV6642	497	519	540	66	42	2.61	29	6.060
BPX3PV6648	536	556	579	66	48	2.61	32	6.887
BPX3PV6654	572	592	615	66	54	2.61	35	7.713
BPX3PV6660	608	628	650	66	60	2.61	38	8.539


- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from top lay-in channel to bottom raceway within panel.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

BOULEVARD SYSTEM 3 PANELS

BPX3PF • Pass-Tru Panel - Air Flow Base



50" High




66" High

PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BPX3PF5018	356	50	18	2.61	17	2.106
BPX3PF5024	407	50	24	2.61	18	2.738
BPX3PF5030	454	50	30	2.61	20	3.370
BPX3PF5036	503	50	36	2.61	22	4.002
BPX3PF5042	552	50	42	2.61	23	4.634
BPX3PF5048	600	50	48	2.61	26	5.266
BPX3PF5054	649	50	54	2.61	28	5.898
BPX3PF5060	698	50	60	2.61	31	6.530
BPX3PF6618	417	66	18	2.61	21	2.755
BPX3PF6624	473	66	24	2.61	23	3.581
BPX3PF6630	529	66	30	2.61	25	4.407
BPX3PF6636	586	66	36	2.61	27	5.234
BPX3PF6642	645	66	42	2.61	29	6.060
BPX3PF6648	701	66	48	2.61	32	6.887
BPX3PF6654	757	66	54	2.61	35	7.713
BPX3PF6660	814	66	60	2.61	37	8.539

- Allows air to flow freely through the bottom of the panel.

BPX3OP • Over Panel Frame





PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BPX3OP0818	61	8	18	2.61	3	0.383
BPX3OP0824	67	8	24	2.61	4	0.438
BPX3OP0830	74	8	30	2.61	4	0.656
BPX3OP0836	80	8	36	2.61	4	0.712
BPX3OP0842	87	8	42	2.61	5	0.875
BPX3OP0848	92	8	48	2.61	5	0.93
BPX3OP0854	98	8	54	2.61	6	1.04
BPX3OP0860	104	8	60	2.61	6	1.204
BPX3OP0866	151	8	66	2.61	7	1.31
BPX3OP0872	197	8	72	2.61	8	1.42
BPX3OP1618	61	16	18	2.61	4	0.638
BPX3OP1624	67	16	24	2.61	5	0.73
BPX3OP1630	74	16	30	2.61	5	1.094
BPX3OP1636	80	16	36	2.61	5	1.186
BPX3OP1642	87	16	42	2.61	6	1.459
BPX3OP1648	92	16	48	2.61	6	1.55
BPX3OP1654	98	16	54	2.61	7	1.733
BPX3OP1660	104	16	60	2.61	7	2.006
BPX3OP1666	151	16	66	2.61	9	2.165
BPX3OP1672	197	16	72	2.61	10	2.37

- Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.
- Any tile can be attached to either side to enclose the frame.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Openings in horizontal channels allow for vertical cable passage from top lay-in channel and behind the cover tiles
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.

BOULEVARD SYSTEM 3 PANELS

BPX3GMA • Monolithic Acoustical Panel with Embedded Glass




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPX3GMA3418	755	768	782	34	18	2.61	14	1.627
BPX3GMA3424	797	811	825	34	24	2.61	17	2.178
BPX3GMA3430	840	854	868	34	30	2.61	20	2.729
BPX3GMA3436	883	909	939	34	36	2.61	23	3.270
BPX3GMA3442	936	963	993	34	42	2.61	25	3.791
BPX3GMA3448	994	1021	1050	34	48	2.61	29	4.302
BPX3GMA3454	1068	1095	1125	34	54	2.61	32	4.853
BPX3GMA3460	1129	1156	1186	34	60	2.61	35	5.404
BPX3GMA3466	1198	1236	1276	34	66	2.61	40	6.022
BPX3GMA3472	1266	1304	1344	34	72	2.61	46	6.640
BPX3GMA4218	781	798	818	42	18	2.61	15	2.072
BPX3GMA4224	826	845	863	42	24	2.61	18	2.757
BPX3GMA4230	871	890	908	42	30	2.61	22	3.442
BPX3GMA4236	917	953	991	42	36	2.61	25	4.117
BPX3GMA4242	972	1008	1046	42	42	2.61	28	4.771
BPX3GMA4248	1034	1070	1108	42	48	2.61	32	5.416
BPX3GMA4254	1108	1144	1182	42	54	2.61	35	6.101
BPX3GMA4260	1171	1207	1245	42	60	2.61	38	6.785
BPX3GMA4266	1267	1340	1419	42	66	2.61	44	7.558
BPX3GMA4272	1364	1437	1516	42	72	2.61	50	8.330
BPX3GMA5018	888	915	945	50	18	2.61	16	2.396
BPX3GMA5024	942	969	998	50	24	2.61	20	3.178
BPX3GMA5030	999	1026	1056	50	30	2.61	24	3.960
BPX3GMA5036	1052	1106	1163	50	36	2.61	28	4.732
BPX3GMA5042	1117	1171	1228	50	42	2.61	32	5.484
BPX3GMA5048	1186	1239	1297	50	48	2.61	35	6.226
BPX3GMA5054	1268	1323	1379	50	54	2.61	37	7.008
BPX3GMA5060	1343	1398	1454	50	60	2.61	40	7.790
BPX3GMA5066	1443	1517	1595	50	66	2.61	48	8.675
BPX3GMA5072	1544	1617	1696	50	72	2.61	56	9.560
BPX3GMA5418	949	994	1042	54	18	2.61	16	2.704
BPX3GMA5424	1007	1052	1100	54	24	2.61	21	3.678
BPX3GMA5430	1062	1107	1156	54	30	2.61	26	4.560
BPX3GMA5436	1121	1193	1269	54	36	2.61	30	5.332
BPX3GMA5442	1188	1261	1337	54	42	2.61	34	7.126
BPX3GMA5448	1259	1331	1407	54	48	2.61	38	7.923
BPX3GMA5454	1344	1416	1492	54	54	2.61	41	8.423
BPX3GMA5460	1422	1495	1571	54	60	2.61	47	9.219
BPX3GMA6618	969	1014	1062	66	18	2.61	17	3.045
BPX3GMA6624	1029	1073	1123	66	24	2.61	22	4.021
BPX3GMA6630	1084	1128	1176	66	30	2.61	27	4.997
BPX3GMA6636	1143	1215	1292	66	36	2.61	32	5.964
BPX3GMA6642	1212	1284	1361	66	42	2.61	35	6.910
BPX3GMA6648	1283	1355	1432	66	48	2.61	39	7.847
BPX3GMA6654	1369	1442	1518	66	54	2.61	42	8.823
BPX3GMA6660	1448	1520	1597	66	60	2.61	45	9.799

- Provides visual and acoustic privacy.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT* = Laminate or Whiteboard
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

BPX3GMG • Monolithic Glazed Panel with Embedded Glass




PRODUCT CODE	PRICE	FRST/SMK	SIZE / INCHES			WEIGHT LBS	VOL	
			H	W	D		FT³	
BPX3GMG5024	1261		50	24	2.61	30	3.178	
BPX3GMG5030	1494		50	30	2.61	36	3.960	
BPX3GMG5036	1563		50	36	2.61	41	4.732	
BPX3GMG5042	1640		50	42	2.61	45	5.484	
BPX3GMG5048	1464		50	48	2.61	52	6.226	
BPX3GMG5424	1261		54	24	2.61	32	3.678	
BPX3GMG5430	1494		54	30	2.61	40	4.360	
BPX3GMG5436	1563		54	36	2.61	46	5.317	
BPX3GMG5442	1640		54	42	2.61	52	6.010	
BPX3GMG5448	1464		54	48	2.61	56	6.890	
BPX3GMG6624	1469		66	24	2.61	38	4.021	
BPX3GMG6630	1566		66	30	2.61	46	4.997	
BPX3GMG6636	1666		66	36	2.61	52	5.964	
BPX3GMG6642	1766		66	42	2.61	58	6.910	
BPX3GMG6648	1875		66	48	2.61	65	7.847	

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

BOULEVARD SYSTEM 3 PANELS


BPX3GPT • Pass-Thru Panel with Embedded Glass - Fabric Base



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3GPT4218	763	782	801	42	18	2.61	17	1.979
BPX3GPT4224	815	832	853	42	24	2.61	21	2.673
BPX3GPT4230	862	881	900	42	30	2.61	24	3.382
BPX3GPT4236	908	927	947	42	36	2.61	27	4.081
BPX3GPT4242	965	984	1003	42	42	2.61	30	4.758
BPX3GPT4248	1031	1049	1069	42	48	2.61	34	5.426
BPX3GPT4254	1106	1125	1144	42	54	2.61	38	6.135
BPX3GPT4260	1172	1190	1210	42	60	2.61	40	6.852
BPX3GPT4266	1249	1288	1328	42	66	2.61	47	7.556
BPX3GPT4272	1327	1365	1404	42	72	2.61	54	8.260
BPX3GPT5018	763	782	801	50	18	2.61	18	2.396
BPX3GPT5024	815	832	853	50	24	2.61	22	3.178
BPX3GPT5030	862	881	900	50	30	2.61	25	3.960
BPX3GPT5036	908	927	947	50	36	2.61	28	4.732
BPX3GPT5042	965	984	1003	50	42	2.61	31	5.484
BPX3GPT5048	1031	1049	1069	50	48	2.61	35	6.226
BPX3GPT5054	1106	1125	1144	50	54	2.61	39	7.008
BPX3GPT5060	1172	1190	1210	50	60	2.61	42	7.790
BPX3GPT5066	1249	1288	1328	50	66	2.61	49	8.675
BPX3GPT5072	1327	1365	1404	50	72	2.61	56	9.560
BPX3GPT6618	852	870	891	66	18	2.61	22	3.045
BPX3GPT6624	908	926	947	66	24	2.61	26	4.021
BPX3GPT6630	968	987	1007	66	30	2.61	30	4.997
BPX3GPT6636	1021	1039	1060	66	36	2.61	33	5.964
BPX3GPT6642	1088	1107	1127	66	42	2.61	36	6.910
BPX3GPT6648	1163	1181	1201	66	48	2.61	41	7.847
BPX3GPT6654	1243	1263	1282	66	54	2.61	45	8.823
BPX3GPT6660	1323	1341	1362	66	60	2.61	49	9.799

- Opening allows choice of tile above desk height.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

BPX3GPV • Pass-Thru Panel with Vertical Wire Channel and Embedded Glass- Fabric Base




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BPX3GPV4230	905	923	943	42	30	2.61	26	3.382
BPX3GPV4236	952	970	990	42	36	2.61	29	4.081
BPX3GPV4242	1011	1030	1050	42	42	2.61	32	4.758
BPX3GPV4248	1073	1092	1111	42	48	2.61	37	5.426
BPX3GPV4254	1148	1166	1187	42	54	2.61	40	6.135
BPX3GPV4260	1221	1239	1259	42	60	2.61	43	6.852
BPX3GPV4266	1289	1327	1366	42	66	2.61	51	7.556
BPX3GPV4272	1354	1393	1433	42	72	2.61	58	8.260
BPX3GPV5030	905	923	943	50	30	2.61	27	3.960
BPX3GPV5036	952	970	990	50	36	2.61	30	4.732
BPX3GPV5042	1011	1030	1050	50	42	2.61	33	5.484
BPX3GPV5048	1073	1092	1111	50	48	2.61	37	6.226
BPX3GPV5054	1148	1166	1187	50	54	2.61	41	7.008
BPX3GPV5060	1221	1239	1259	50	60	2.61	44	7.790
BPX3GPV5066	1289	1327	1366	50	66	2.61	52	8.675
BPX3GPV5072	1354	1393	1433	50	72	2.61	60	9.560
BPX3GPV6630	1009	1028	1049	66	30	2.61	32	4.997
BPX3GPV6636	1068	1087	1107	66	36	2.61	35	5.964
BPX3GPV6642	1131	1149	1170	66	42	2.61	38	6.910
BPX3GPV6648	1203	1223	1242	66	48	2.61	43	7.847
BPX3GPV6654	1289	1307	1328	66	54	2.61	47	8.823
BPX3GPV6660	1366	1384	1404	66	60	2.61	51	9.799

- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from lay-in channel to bottom raceway within panel.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

BOULEVARD SYSTEM 3 PANELS


BPX3GPF • Pass-Tru Panel with Embedded Glass - Air Flow Base



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPX3GPF5018	908	50	18	2.61	20	2.396
BPX3GPF5024	981	50	24	2.61	23	3.178
BPX3GPF5030	1051	50	30	2.61	27	3.960
BPX3GPF5036	1126	50	36	2.61	30	4.732
BPX3GPF5042	1209	50	42	2.61	32	5.484
BPX3GPF5048	1297	50	48	2.61	37	6.226
BPX3GPF5054	1398	50	54	2.61	40	7.008
BPX3GPF5060	1489	50	60	2.61	44	7.790
BPX3GPF6618	995	66	18	2.61	24	3.045
BPX3GPF6624	1074	66	24	2.61	28	4.021
BPX3GPF6630	1163	66	30	2.61	32	4.997
BPX3GPF6636	1245	66	36	2.61	35	5.964
BPX3GPF6642	1340	66	42	2.61	38	6.910
BPX3GPF6648	1438	66	48	2.61	43	7.847
BPX3GPF6654	1551	66	54	2.61	47	8.823
BPX3GPF6660	1655	66	60	2.61	50	9.799

- Allows air to flow freely through the bottom of the panel.
- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- B3 panel Top trim option provided with embedded, frameless glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofittable on-site.


BPX3GOP • Over Panel Frame with Embedded Glass



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BPX3GOP0818	491	8	18	2.61	6	0.673
BPX3GOP0824	503	8	24	2.61	9	0.878
BPX3GOP0830	515	8	30	2.61	11	1.246
BPX3GOP0836	528	8	36	2.61	12	1.442
BPX3GOP0842	552	8	42	2.61	14	1.725
BPX3GOP0848	578	8	48	2.61	16	1.890
BPX3GOP0854	619	8	54	2.61	18	2.150
BPX3GOP0860	652	8	60	2.61	19	2.464
BPX3GOP0866	700	8	66	2.61	22	2.722
BPX3GOP0872	748	8	72	2.61	24	2.980
BPX3GOP1618	491	16	18	2.61	7	0.928
BPX3GOP1624	503	16	24	2.61	10	1.170
BPX3GOP1630	515	16	30	2.61	12	1.684
BPX3GOP1636	528	16	36	2.61	13	1.916
BPX3GOP1642	552	16	42	2.61	15	2.309
BPX3GOP1648	578	16	48	2.61	17	2.510
BPX3GOP1654	619	16	54	2.61	19	2.843
BPX3GOP1660	652	16	60	2.61	20	3.266
BPX3GOP1666	700	16	66	2.61	23	3.598
BPX3GOP1672	748	16	72	2.61	26	3.930


- Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.
- Any tile can be attached to either side to enclose the frame.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.
- B3 panel Top trim option provided with embedded, frameless glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofittable on-site.

BP3DS • Solid Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BP3DS8236R	1644	82	36	2.61	61	6.465
BP3DS8242R	1790	82	42	2.61	68	7.486
BP3DS8236L	1644	82	36	2.61	61	6.465
BP3DS8242L	1790	82	42	2.61	68	7.486

Door Hanging Directions



Door Handle Option

Door Knob - DL01

- Lock Standard



Door Lever - DL02 (Default)


- Lock Standard
- Lever complies with all handicap codes



- Aluminum frame with either high pressure laminate or wood veneer door.
- 1 3/8" thick hollow core door.
- Actual door size:
78.3" x 32 1/2" in 82" x 36" frame
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- Includes a Horizontal Lay-in Channel.


BOULEVARD SYSTEM 3 PANELS

BP3DH • Half Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BP3DH8236R	2035	82	36	2.61	53	6.465
BP3DH8242R	2226	82	42	2.61	59	7.486
BP3DH8236L	2035	82	36	2.61	53	6.465
BP3DH8242L	2226	82	42	2.61	59	7.486

Door Hanging Directions



Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02 (Default)

- Lock Standard
- Lever complies with all accessibility codes




- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
78.3" x 32 1/2" in 82" x 36" frame
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$103 for 36" wide doors and \$128 for 42" wide doors.
- Includes a Horizontal Lay-in Channel.

BP3DG • Full Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BP3DG8236R	3259	82	36	2.61	53	6.465
BP3DG8242R	3565	82	42	2.61	59	7.486
BP3DG8236L	3259	82	36	2.61	53	6.465
BP3DG8242L	3565	82	42	2.61	59	7.486

Door Hanging Directions



Door Handle Option

Door Knob - DL01

- Lock Standard





Door Lever - DL02 (Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:
78.3" x 32 1/2" in 82" x 36" frame
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$206 for 36" wide doors and \$256 for 42" wide doors.
- Includes a Horizontal Lay-in Channel.
- Laminate frame is 5" thick at the sides and 4" at the top and bottom.

BPX3NETxxxx • Removable Face Tile - Electrical Tile Kit




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR 1	GR 2	OPT*	H	W	D		
BPX3NET0824	93	98	103	8	24	0.125	2.0	0.170
BPX3NET0830	149	159	170	8	30	0.125	2.5	0.200
BPX3NET0836	167	176	187	8	36	0.125	2.5	0.250
BPX3NET0842	173	182	195	8	42	0.125	2.5	0.292
BPX3NET0848	177	186	199	8	48	0.125	3.0	0.333
BPX3NET0854	183	194	205	8	54	0.125	3.0	0.375
BPX3NET0860	187	198	209	8	60	0.125	4.5	0.417
BPX3NET0866	268	310	354	8	66	0.125	4.7	0.475
BPX3NET0872	347	389	434	8	72	0.125	5.0	0.500
BPX3NET1624	93	98	103	16	24	0.125	2.5	3.400
BPX3NET1630	149	159	170	16	30	0.125	3.0	0.416
BPX3NET1636	167	176	187	16	36	0.125	3.0	0.500
BPX3NET1642	173	182	195	16	42	0.125	3.0	0.583
BPX3NET1648	177	186	199	16	48	0.125	4.0	0.666
BPX3NET1654	183	194	205	16	54	0.125	4.0	0.750
BPX3NET1660	187	198	209	16	60	0.125	5.0	0.833
BPX3NET1666	268	310	354	16	66	0.125	5.5	0.911
BPX3NET1672	347	389	434	16	72	0.125	6.0	1.000

- Attaches to an 8" or 16" opening in a Pass-Thru Panel.
- Fabric covered tile with knock-out for power and data. (Data/Comm blank covers included).
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two duplex and two data/comm openings.
- Easily interchangeable on site.
- Provides access to electrical and data at a required location.
- Specify Tile Electrical Kit separately.
- Duplexes and covers must be specified separately.
- For power outlets on both sides of the panel, specify two Electrical Tiles per panel. For power outlets on one side only, specify one Electrical Tile and a Fabric Tile for the opposite side.
- OPT* = Laminate or Whiteboard.
- For use on panels manufactured after November 1, 2014

BOULEVARD SYSTEM 3 PANELS


BP3GT • Removable Face Tile - Glazed



PRODUCT CODE	PRICE	FRST/SMK	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BP3GT0818	57	78	8	18	2.61	3.0	0.146
BP3GT0824	76	97	8	24	2.61	4.0	0.165
BP3GT0830	96	117	8	30	2.61	5.2	0.200
BP3GT0836	117	138	8	36	2.61	6.0	0.250
BP3GT0842	136	158	8	42	2.61	8.0	0.292
BP3GT0848	158	178	8	48	2.61	9.0	0.333
BP3GT0854	176	198	8	54	2.61	10.5	0.375
BP3GT0860	198	218	8	60	2.61	12.0	0.417
BP3GT0866	282	303	8	66	2.61	11.5	0.460
BP3GT0872	367	387	8	72	2.61	12.0	0.500
BP3GT1618	57	78	16	18	2.61	4.0	0.292
BP3GT1624	76	97	16	24	2.61	5.3	0.333
BP3GT1630	96	117	16	30	2.61	6.7	0.416
BP3GT1636	117	138	16	36	2.61	8.0	0.500
BP3GT1642	136	158	16	42	2.61	9.3	0.583
BP3GT1648	158	178	16	48	2.61	10.7	0.666
BP3GT1654	176	198	16	54	2.61	12.0	0.750
BP3GT1660	198	218	16	60	2.61	13.3	0.833
BP3GT1666	282	303	16	66	2.61	15.0	0.911
BP3GT1672	367	387	16	72	2.61	16.0	1.000

- Attaches to any opening in a Pass-Thru Panel.


BP3OT • Removable Face Tile - Open Pass-Thru Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BP3OT1618	6	16	18	2.61	0.4	0.292
BP3OT1624	9	16	24	2.61	0.6	0.333
BP3OT1630	11	16	30	2.61	0.8	0.416
BP3OT1636	19	16	36	2.61	1	0.5
BP3OT1642	22	16	42	2.61	1.1	0.583
BP3OT1648	25	16	48	2.61	1.3	0.666
BP3OT1654	27	16	54	2.61	1.5	0.75
BP3OT1660	30	16	60	2.61	1.7	0.833
BP3OT1666	42	16	66	2.61	1.9	0.911
BP3OT1672	55	16	72	2.61	2	1

- Attaches to any opening in a Pass-Thru Panel.
- Trims and internal corners included to create an opening.
- Easily interchangeable on site.
- Specify one Pass-Thru Kit for panel opening of corresponding width.
- Kit works for 8" & 16" openings.
- Please specify panel frame colour.

BP3AT • Removable Face Tile - Accessory




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BP3AT0818	77	08	18	0.25	1.7	0.146
BP3AT0824	92	08	24	0.25	2.3	0.167
BP3AT0830	99	08	30	0.25	2.9	0.208
BP3AT0836	119	08	36	0.25	3.5	0.250
BP3AT0842	141	08	42	0.25	4.1	0.292
BP3AT0848	164	08	48	0.25	4.7	0.333
BP3AT0854	179	08	54	0.25	5.3	0.375
BP3AT0860	202	08	60	0.25	5.9	0.417
BP3AT0866	289	08	66	0.25	6.5	0.459
BP3AT0872	377	08	72	0.25	7.0	0.500
BP3AT1618	77	16	18	0.25	3.5	0.292
BP3AT1624	92	16	24	0.25	4.7	0.333
BP3AT1630	99	16	30	0.25	5.7	0.416
BP3AT1636	119	16	36	0.25	7.0	0.500
BP3AT1642	141	16	42	0.25	8.2	0.583
BP3AT1648	164	16	48	0.25	9.4	0.666
BP3AT1654	179	16	54	0.25	10.6	0.750
BP3AT1660	202	16	60	0.25	11.9	0.833
BP3AT1666	289	16	66	0.25	13.0	0.916
BP3AT1672	377	16	72	0.25	14.0	1.000

- Attaches to any opening in a Pass-Thru Panel.
- Provides support for accessories.
- Easily interchangeable on site.
- Two tile clips included.
- Specify two tiles per panel opening of corresponding width. Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.

BOULEVARD SYSTEM 3 PANELS


BP3FT • Removable Face Tile - Fabric



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BP3FT0818	69	74	80	8	18	0.25	1	0.146
BP3FT0824	74	79	85	8	24	0.25	1	0.165
BP3FT0830	79	89	99	8	30	0.25	2	0.200
BP3FT0836	96	106	118	8	36	0.25	2	0.250
BP3FT0842	103	114	125	8	42	0.25	2	0.292
BP3FT0848	108	118	129	8	48	0.25	3	0.333
BP3FT0854	114	123	134	8	54	0.25	3	0.375
BP3FT0860	118	127	138	8	60	0.25	4	0.417
BP3FT0866	180	222	267	8	66	0.25	4	0.460
BP3FT0872	243	285	330	8	72	0.25	4	0.500
BP3FT1618	69	74	80	16	18	0.25	2	0.292
BP3FT1624	74	79	85	16	24	0.25	2	0.333
BP3FT1630	79	89	99	16	30	0.25	3	0.416
BP3FT1636	96	106	118	16	36	0.25	3	0.500
BP3FT1642	103	114	125	16	42	0.25	3	0.583
BP3FT1648	108	118	129	16	48	0.25	4	0.666
BP3FT1654	114	123	134	16	54	0.25	4	0.750
BP3FT1660	118	127	138	16	60	0.25	5	0.833
BP3FT1666	180	222	267	16	66	0.25	5	0.920
BP3FT1672	243	285	330	16	72	0.25	6	1.000

- Attaches to any opening in a Pass-Thru Panel.


BP3OPFA • Fabric Over Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BP3OPFA18XX	170	180	192	16	18	2.61	8	0.73
BP3OPFA24XX	193	201	213	16	24	2.61	8	0.73
BP3OPFA30XX	221	230	243	16	30	2.61	10	0.912
BP3OPFA36XX	249	259	270	16	36	2.61	12	1.094
BP3OPFA42XX	271	282	293	16	42	2.61	12	1.094
BP3OPFA48XX	300	312	321	16	48	2.61	14	1.277
BP3OPFA54XX	329	337	349	16	54	2.61	14	1.277
BP3OPFA60XX	349	357	371	16	60	2.61	15	1.368

- Attaches to top of a panel to create floor-to-ceiling wall.

BP3OPFV • Fabric Over Panel with Vertical Wire Channel




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT ³
BP3OPFV18XX	201	211	221	16	18	2.61	8	0.73
BP3OPFV24XX	222	240	244	16	24	2.61	8	0.73
BP3OPFV30XX	252	261	273	16	30	2.61	10	0.912
BP3OPFV36XX	281	289	302	16	36	2.61	12	1.094
BP3OPFV42XX	302	312	323	16	42	2.61	12	1.094
BP3OPFV48XX	331	341	351	16	48	2.61	14	1.277
BP3OPFV54XX	357	369	379	16	54	2.61	14	1.277
BP3OPFV60XX	380	388	402	16	60	2.61	15	1.368

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1" sound absorbent mineral board.
- Non-slotted.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag exact height required.
- Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT* = Laminate or Whiteboard.

BOULEVARD SYSTEM 3 PANELS


RCX3WMP2 • Raceway Cover with Punchouts Both Sides



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
RCX3WM18P2	36	5.62	18	2.61	3	0.18
RCX3WM24P2	42	5.62	24	2.61	3.3	0.21
RCX3WM30P2	50	5.62	30	2.61	4.1	0.26
RCX3WM36P2	56	5.62	36	2.61	4.9	0.31
RCX3WM42P2	61	5.62	42	2.61	5.7	0.36
RCX3WM48P2	67	5.62	48	2.61	6.6	0.42
RCX3WM54P2	74	5.62	54	2.61	7.4	0.47
RCX3WM60P2	80	5.62	60	2.61	8.3	0.52
RCX3WM66P2	125	5.62	66	2.61	9.1	0.57
RCX3WM72P2	131	5.62	72	2.61	9.8	0.62

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


RCX3WMP1 • Raceway Cover with Punchouts One Side, None Other Side



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
RCX3WM18P1	36	5.62	18	2.61	3.0	0.18
RCX3WM24P1	42	5.62	24	2.61	3.3	0.21
RCX3WM30P1	50	5.62	30	2.61	4.1	0.26
RCX3WM36P1	56	5.62	36	2.61	4.9	0.31
RCX3WM42P1	61	5.62	42	2.61	5.7	0.36
RCX3WM48P1	67	5.62	48	2.61	6.6	0.42
RCX3WM54P1	74	5.62	54	2.61	7.4	0.47
RCX3WM60P1	80	5.62	60	2.61	8.3	0.52
RCX3WM66P1	125	5.62	66	2.61	9.1	0.57
RCX3WM72P1	131	5.62	72	2.61	9.8	0.62

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


RCX3WMNP • Raceway Cover with No Punchouts Both Sides



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
RCX3WM18NP	36	5.62	18	2.61	2.4	0.16
RCX3WM24NP	42	5.62	24	2.61	3.3	0.21
RCX3WM30NP	50	5.62	30	2.61	4.1	0.26
RCX3WM36NP	56	5.62	36	2.61	4.9	0.31
RCX3WM42NP	61	5.62	42	2.61	5.7	0.36
RCX3WM48NP	67	5.62	48	2.61	6.6	0.42
RCX3WM54NP	74	5.62	54	2.61	7.4	0.47
RCX3WM60NP	80	5.62	60	2.61	8.3	0.52
RCX3WM66NP	125	5.62	66	2.61	9.1	0.57
RCX3WM72NP	131	5.62	72	2.61	9.8	0.62

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

BPMB • Raceway Cover Caps



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BPMB020104B	6	1.5	3	0.125	0.04	0.02
BPMB020104G	6	1.5	3	0.125	0.04	0.02
BPMB020104W	6	1.5	3	0.125	0.04	0.02

- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- Made of injection molded ABS.
- B = Black
- G = Grey
- W = White

BH3PS • 90 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BH3PS034	54	27	2.61	2.61	4	0.14
BH3PS042	83	35	2.61	2.61	5	0.18
BH3PS050	94	43	2.61	2.61	7	0.22
BH3PS054	104	51	2.61	2.61	7	0.27
BH3PS066	115	59	2.61	2.61	8	0.31

- Enables connection for multiple panel runs such as 90°, 3 way and 4 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
 - 75 cables 5.6mm (0.220") diameter
 - 60 ccables 5.6mm (0.220") diameter with 1 power feed
 - 45 cables 5.6mm (0.220") diameter with 2 power feeds

BH3PS45 • 45 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BH3PS45034	54	27	2.61	2.61	4	0.14
BH3PS45042	83	35	2.61	2.61	5	0.18
BH3PS45050	94	43	2.61	2.61	7	0.22
BH3PS45054	104	51	2.61	2.61	7	0.27
BH3PS45066	117	59	2.61	2.61	8	0.31

- Enables connection for two panels at 45°.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- 45 degree post does not accept End Trim.
- No power infeed capabilities.
- Posts are designed to accept the following:
 - 30 cables 5.6mm (0.220") diameter

BOULEVARD SYSTEM 3 PANELS

BH3PS60 • 60 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BH3PS60034	54	27	2.61	2.61	4	0.14
BH3PS60042	83	35	2.61	2.61	5	0.18
BH3PS60050	94	43	2.61	2.61	7	0.22
BH3PS60054	104	51	2.61	2.61	7	0.27
BH3PS60066	117	59	2.61	2.61	8	0.31

- Enables connection for multiple panel runs such as 120° and 3 way.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- No power infeed capabilities.
- Posts are designed to accept the following:
- 35 cables 5.6mm (0.220") diameter


BH3PE • Post Extension for Over Panels



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BH3PE008	25	8	2.61	2.61	1	0.03
BH3PE016	31	16	2.61	2.61	2	0.07
BH3PE032	54	32	2.61	2.61	4	0.14
BH3PE45016	31	16	2.61	2.61	2	0.07
BH3PE45032	54	32	2.61	2.61	4	0.14
BH3PE60016	31	16	2.61	2.61	2	0.07
BH3PE60032	55	32	2.61	2.61	4	0.14

- Provides route for ceiling data or electrical cables through the post to the panel.
- Includes 2 "Capture Strip" panel connectors.


BH3PA • Off-Module Connector (Panel to Panel Adapter)



PRODUCT CODE	PRICE	SIZE / H	INCHES W	WEIGHT LBS	VOL FT ³
BH3PA02	61	3.5		0.5	0.035

- Connects Boulevard System 3 panel to another perpendicular Boulevard System 3 Monolithic Panel off-module.
- Top and bottom brackets bolt to panel vertical of one panel and engage to top and bottom "fabric" edges of adjacent, perpendicular Monolithic Panel of even height.
- While connecting tile panel to Monolithic Panel is possible, never attempt to secure Off-Module Connectors to a tile panel.
- Once an off-module panel is secure to Monolithic Panel spine with Off-Module Connecting Kit, the raceway on the spine panel cannot be accessed and can only be opened from the opposite side.
- Special top trim required, provide application to your Customer Service Representative.
- This connector is not a load-bearing connection.

B3HWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
B3HWA034	38	34	2.61	0.375	2	0.011
B3HWA042	45	42	2.61	0.375	3	0.015
B3HWA050	50	50	2.61	0.375	3	0.018
B3HWA054	57	54	2.61	0.375	3	0.020
B3HWA066	57	66	2.61	0.375	4	0.021

- Starts a run of panels off an existing wall.
- Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- Mounting hardware not included.
- Mounting hardware selection should be based on wall or wall stud material.
- Wall Adapter adds 5/16" to a panels run.

BHWASLxx • Adapter Sleeve



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHWASL42	159	34.7	4	2	2.5	0.161
BHWASL50	171	42.7	4	2	3.6	0.148
BHWASL54	177	46.7	4	2	4.2	0.216
BHWASL58	183	52.7	4	2	5.1	0.244
BHWASL66	197	58.7	4	2	6.0	0.272

- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- As opposed to the BHWASL wall adapter, which connects to the panels rigidly to a wall, B1 and B3 Boulevard panels rest inside of the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller than 66" order two Wall Adapter
- Sleeves and either have it cut short on the site below ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 54", 50" and 42" high B1 and B3 panels.
- Powder coated steel; specify metal finish.
- Note: the Wall Adapter Sleeve provides flexible, non-structural connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.
- Note: no fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally sound connection.

BH3CS • Capture Strip Slot Cover




PRODUCT CODE	PRICE	SIZE / H	INCHES W	WEIGHT LBS	VOL FT ³
BH3CS34	11	37		0.24	0.11
BH3CS42	11	42		0.28	0.13
BH3CS50	12	50		0.33	0.15
BH3CS54	12	54		0.31	0.17
BH3CS66	19	66		0.4	0.19

- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- Priced per pair.
- Pliable side membranes cover panel slots.
- Included with panel components.
- Only to be ordered separately if required.

BOULEVARD SYSTEM 3 PANELS


BH3CE • End Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES H	WEIGHT LBS	VOL FT ³
BH3CE34	9	37	0.12	0.05
BH3CE42	9	42	0.14	0.06
BH3CE50	11	50	0.16	0.07
BH3CE54	11	54	0.31	0.08
BH3CE66	12	66	0.20	0.09

- End strips with pliable side membrane covers panel slots at end of run.
- Priced per pair.
- Included with panel components.
- Only to be ordered separately if required.


BA3VTR • Vertical Aluminum End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT ³
BA3VTR34	57	REGULAR PANEL	34 2.61 0.25	1.1	0.03
BA3VTR42	65		42 2.61 0.25	1.4	0.03
BA3VTR50	75		50 2.61 0.25	1.7	0.04
BA3VTR54	88		54 2.61 0.25	1.9	0.04
BA3VTR66	99		66 2.61 0.25	2.2	0.05
BA3VTE16	30	OVER PANEL	16 2.61 0.25	0.5	0.03
BA3VTE32	57		32 2.61 0.25	1.1	0.06

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.


BA3VTS • Vertical Aluminum End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT ³
BA3VTS04	6	4 2.61 19	0.2	0.010
BA3VTS08	20	8 2.61 0.25	0.3	0.015
BA3VTS12	26	12 2.61 0.25	0.4	0.022
BA3VTS16	30	16 2.61 0.25	0.5	0.030
BA3VTS20	36	20 2.61 0.25	0.7	0.039
BA3VTS24	42	24 2.61 0.25	0.9	0.045
BA3VTS32	57	32 2.61 0.25	1.1	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.


BV3VTR • Vertical PVC End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT ³
BV3VTR34	38	REGULAR PANEL	34 2.61 0.25	0.6	0.030
BV3VTR42	41		42 2.61 0.25	0.7	0.030
BV3VTR50	50		50 2.61 0.25	0.9	0.040
BV3VTR54	57		54 2.61 0.25	1.0	0.045
BV3VTR66	64		66 2.61 0.25	1.1	0.050
BV3VTE16	26	OVER PANEL	16 2.61 0.25	0.3	0.030
BV3VTE32	38		32 2.61 0.25	0.6	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.

BV3VTS • Vertical PVC End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT ³
BV3VTS04	6	3.75 2.61 0.25	0.1	0.010
BV3VTS08	11	7.75 2.61 0.25	0.1	0.015
BV3VTS12	19	11.75 2.61 0.25	0.2	0.020
BV3VTS16	22	15.75 2.61 0.25	0.3	0.030
BV3VTS20	26	19.75 2.61 0.25	0.3	0.035
BV3VTS24	32	23.75 2.61 0.25	0.4	0.045
BV3VTS32	38	31.75 2.61 0.25	0.6	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

BOULEVARD SYSTEM 3 PANELS

BA3VTRF • Vertical Aluminum Flat End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES			WEIGHT VOL	
			H	W	D	LBS	FT ³
BA3VTRF34	57	REGULAR PANEL	34	2.61	0.125	1.1	0.03
BA3VTRF42	65		42	2.61	0.125	1.4	0.03
BA3VTRF50	75		50	2.61	0.125	1.7	0.04
BA3VTRF54	88		54	2.61	0.125	1.9	0.04
BA3VTRF66	99		66	2.61	0.125	2.2	0.05
BA3VTRF119	150	OVER PANEL	119	2.61	0.125	3.6	0.08
BA3VTEF8	14		8	2.61	0.125	0.2	0.01
BA3VTEF16	30		16	2.61	0.125	0.5	0.03
BA3VTEF32	57		32	2.61	0.125	1.1	0.06

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.
- BA3VTRF119 cannot ship via courier and must be combined with other product.

BA3VTSF • Vertical Aluminum Flat End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
BA3VTSF04	9	3.75	2.61	0.125	0.1	0.010
BA3VTSF08	20	7.75	2.61	0.125	0.3	0.015
BA3VTSF12	26	11.75	2.61	0.125	0.4	0.020
BA3VTSF16	30	15.75	2.61	0.125	0.5	0.030
BA3VTSF20	36	19.75	2.61	0.125	0.8	0.035
BA3VTSF24	42	23.75	2.61	0.125	0.9	0.045
BA3VTSF32	57	31.75	2.61	0.125	1.1	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

Diet Panel System

Diet represents an innovative tool for creating an economical, efficient work space, accommodating various tasks. From 42" high panels which provide an open office feel to 50" and 54" high panels, for seated privacy and 66" high panels for standing privacy, Diet effectively supports the creation of various work environments. Diet is simple, easy to comprehend, easy to specify and install, with a minimum of add-on and dedicated/handed components to maximize reconfiguration flexibility. All Diet panels ship with a set of self-leveling connectors that accommodate any angle, but also straight, 90°, three-way T and 120° configurations, as well as four-way "X". Truly universal connectors support the above panel configurations regardless of panel heights. Such a configuration and height independent connecting method eliminates the need to order additional components during future office reconfigurations. Diet is an economical, "soft wire" system with simple means of optional power and data/communication cable management trough that snaps to the bottom of the panel. With the exception of panels with open area below the mid rail, all Diet

panels are built with 6" clearance opening between the floor and the bottom rail. This feature not only serves as a simple passage for cables between back-to-back stations and an interface for a snap on cable trough, but it mainly provides ultimate flexibility of panel station placement even if one panel needs to be located right above a floor monument. Diet's slim appearance, sophisticated industrial design, detailing and advanced engineering communicate high perceived value, exceeding expectations usually related to budget products. Diet can be specified on its own, with integrated worksurface, storage and accessory support, privacy and space organization in free standing office environments. Whether combined with Boulevard system, or raised floors, Diet, as a tool, bridges mobile or stationary freestanding furniture with power/data delivery solutions, that are hard wired to a building power supply.

Technical Information

Panels

- Panels are 1.3" thick.
- Width ranges from 24" to 60" at 6" increments.
- Heights include 42", 50", 54" and 66" (nominal).
- Extruded aluminum frame surrounds a fabric wrapped interior with a 7/8" particle board frame, sandwiched between 2 pieces of 1/8" masonite.
- Panel frame finish is durable epoxy powder coated.
- Fabric is replaceable on site.
- Finished panel includes top, corner and end caps.
- For glazing - Smoke development index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Top rail accepts Global Contract accessories, monitor arm supports, off-module shelves, and task light brackets.
- Top rail on Glazed Top Panels is not intended for use with panel mounted shelves and panel mounted overhead.
- Middle rail accepts bracket for off-module worksurface support, Global Contract accessories, off-module shelves and power bar.
- Bottom rail accepts brackets for off-module worksurface support, Global Contract accessories, off-module shelves and optional cable manager and power bar.
- Optional PVC cable manager friction fits into bottom rail.

- Two leveler are included with a 1.75" leveling range.
- Vertical frame members have integrated grooves for additional components.
- Charcoal covers are provided at front of vertical members where connectors attach.
- Panels include 3 sets of hinge connectors, 1 set of spacers and 6 pins.
- Connecting method is simple, accommodating typical configuration, as well as connection of panels at any angle, regardless of height.

Panel Options


- Laminate or whiteboard may be substituted for fabric on panels only, see "OPT" column.
 - Steel facing or tackable available, contact your customer service representative.
- Note:**
- 42" High Diet panels do not match Boulevard 42"
 - 50" High Diet panels match Boulevard 50"
 - 54" High Diet panels do not match standard Boulevard 54"
 - 66" High Diet panels matches Boulevard 66"
 - To order 42" and 54" high Diet panels to match Boulevard, please order "BDPFF" and "BDPOF".

DIET PANELS - GUIDELINES FOR ORDERING PRODUCT

Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: **DPFRF6636 CHR**




How to Specify

- Specify Diet Panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify all six panel fabric options if necessary.

AN50	Inside Lower Fabric
AN50	Inside Middle Fabric
AN50	Inside Upper Fabric
BE21	Outside Lower Fabric
BE21	Outside Middle Fabric
BE21	Outside Upper Fabric

DIET


DPFF • Fabric Bottom and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPFF4224	286	319	353	42	24	1.3	16	1.32
DPFF4230	302	335	371	42	30	1.3	19	1.62
DPFF4236	320	380	444	42	36	1.3	23	1.94
DPFF4242	337	399	464	42	42	1.3	27	2.24
DPFF4248	353	414	477	42	48	1.3	31	2.55
DPFF4254	373	432	495	42	54	1.3	35	2.85
DPFF4260	387	448	511	42	60	1.3	39	3.16
DPFF5024	357	391	427	50	24	1.3	16	1.62
DPFF5030	377	410	445	50	30	1.3	21	2.08
DPFF5036	394	475	559	50	36	1.3	25	2.47
DPFF5042	415	515	599	50	42	1.3	30	2.85
DPFF5048	435	633	599	50	48	1.3	35	3.25
DPFF5054	454	535	619	50	54	1.3	40	3.63
DPFF5060	474	554	639	50	60	1.3	45	4.02
DPFF5424	357	391	427	54	24	1.3	18	1.62
DPFF5430	377	410	445	54	30	1.3	23	2.08
DPFF5436	394	475	559	54	36	1.3	27	2.47
DPFF5442	415	495	581	54	42	1.3	32	2.85
DPFF5448	435	517	602	54	48	1.3	37	3.25
DPFF5454	454	535	619	54	54	1.3	42	3.63
DPFF5460	474	554	639	54	60	1.3	47	4.02
DPFF6624	389	444	500	66	24	1.3	23	2.04
DPFF6630	412	465	521	66	30	1.3	29	2.52
DPFF6636	434	513	598	66	36	1.3	35	3.00
DPFF6642	455	536	620	66	42	1.3	41	3.46
DPFF6648	476	556	642	66	48	1.3	47	3.93
DPFF6654	497	579	663	66	54	1.3	53	4.40
DPFF6660	519	599	686	66	60	1.3	59	4.90

- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT* = Laminate or Whiteboard.
- DPFF Panels do not match standard Boulevard heights of 42" and 54".
- DPFF Panels of 50" and 66" height will match standard Boulevard panel heights.


BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BDPFF4224	286	319	354	42	24	1.3	16	1.32
BDPFF4230	302	335	371	42	30	1.3	19	1.62
BDPFF4236	320	380	444	42	36	1.3	23	1.94
BDPFF4242	337	397	460	42	42	1.3	27	2.24
BDPFF4248	353	414	477	42	48	1.3	31	2.55
BDPFF4254	373	433	496	42	54	1.3	35	2.85
BDPFF4260	387	448	511	42	60	1.3	39	3.16
BDPFF5424	357	390	426	54	24	1.3	18	1.62
BDPFF5430	377	410	446	54	30	1.3	23	2.08
BDPFF5436	394	475	559	54	36	1.3	27	2.47
BDPFF5442	415	495	580	54	42	1.3	32	2.85
BDPFF5448	435	515	599	54	48	1.3	37	3.25
BDPFF5454	454	535	619	54	54	1.3	42	3.63
BDPFF5460	474	554	639	54	60	1.3	47	4.02

- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT* = Laminate or Whiteboard.
- Panels will match corresponding Boulevard Panel heights.


DPOF • Open Bottom and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPOF4224	188	199	211	42	24	1.3	9	1.32
DPOF4230	200	209	221	42	30	1.3	12	1.62
DPOF4236	230	251	271	42	36	1.3	15	1.94
DPOF4242	244	263	285	42	42	1.3	17	2.24
DPOF4248	254	273	295	42	48	1.3	19	2.55
DPOF4254	266	286	306	42	54	1.3	22	2.85
DPOF4260	277	296	318	42	60	1.3	24	3.16
DPOF5024	237	255	277	50	24	1.3	10	1.62
DPOF5030	251	270	291	50	30	1.3	13	2.08
DPOF5036	299	339	381	50	36	1.3	16	2.47
DPOF5042	315	355	398	50	42	1.3	19	2.85
DPOF5048	330	370	412	50	48	1.3	21	3.25
DPOF5054	344	384	426	50	54	1.3	25	3.63
DPOF5060	357	398	440	50	60	1.3	28	4.02
DPOF5424	237	255	277	54	24	1.3	12	1.62
DPOF5430	251	270	291	54	30	1.3	15	2.08
DPOF5436	299	339	381	54	36	1.3	18	2.47
DPOF5442	315	355	398	54	42	1.3	21	2.85
DPOF5448	330	370	412	54	48	1.3	24	3.25
DPOF5454	344	384	426	54	54	1.3	27	3.63
DPOF5460	357	398	440	54	60	1.3	30	4.02
DPOF6624	288	329	371	66	24	1.3	17	2.04
DPOF6630	305	347	389	66	30	1.3	21	2.52
DPOF6636	361	400	442	66	36	1.3	25	3.00
DPOF6642	393	434	476	66	42	1.3	29	3.46
DPOF6648	413	452	495	66	48	1.3	33	3.93
DPOF6654	431	471	512	66	54	1.3	37	4.40
DPOF6660	448	489	530	66	60	1.3	41	4.90

- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard.
- DPOF Panels do not match standard Boulevard heights of 42" and 54".
- DPOF Panels of 50" and 66" height will match standard Boulevard panel heights.

BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
BDPOF4224	188	199	210	42	24	1.3	9	1.32
BDPOF4230	200	209	220	42	30	1.3	12	1.62
BDPOF4236	230	250	271	42	36	1.3	15	1.94
BDPOF4242	244	264	285	42	42	1.3	17	2.24
BDPOF4248	254	275	296	42	48	1.3	19	2.55
BDPOF4254	266	286	307	42	54	1.3	22	2.85
BDPOF4260	277	297	318	42	60	1.3	24	3.16
BDPOF5424	237	256	278	54	24	1.3	12	1.62
BDPOF5430	251	271	293	54	30	1.3	15	2.08
BDPOF5436	299	339	381	54	36	1.3	18	2.47
BDPOF5442	315	355	398	54	42	1.3	21	2.85
BDPOF5448	330	370	412	54	48	1.3	24	3.25
BDPOF5454	344	384	426	54	54	1.3	27	3.63
BDPOF5460	357	398	440	54	60	1.3	30	4.02

- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard
- Panels will match corresponding Boulevard Panel heights.

DIET


DPFRF • Fabric Bottom, Middle and Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFRF5024	376	409	445	50	24	1.3	16	1.62
DPFRF5030	394	418	442	50	30	1.3	21	2.08
DPFRF5036	416	456	499	50	36	1.3	25	2.47
DPFRF5042	437	488	537	50	42	1.3	30	2.85
DPFRF5048	458	518	585	50	48	1.3	35	3.25
DPFRF5054	476	540	599	50	54	1.3	40	3.63
DPFRF5060	497	567	642	50	60	1.3	45	4.02
DPFRF5424	376	409	444	54	24	1.3	18	1.62
DPFRF5430	394	418	442	54	30	1.3	23	2.08
DPFRF5436	416	456	499	54	36	1.3	27	2.47
DPFRF5442	437	484	537	54	42	1.3	32	2.85
DPFRF5448	459	516	582	54	48	1.3	37	3.25
DPFRF5454	476	537	599	54	54	1.3	42	3.63
DPFRF5460	497	557	621	54	60	1.3	47	4.02
DPFRF6624	410	446	483	66	24	1.3	23	2.04
DPFRF6630	433	469	507	66	30	1.3	29	2.52
DPFRF6636	455	515	579	66	36	1.3	35	3.00
DPFRF6642	478	546	619	66	42	1.3	41	3.46
DPFRF6648	502	569	642	66	48	1.3	47	3.93
DPFRF6654	522	594	672	66	54	1.3	53	4.40
DPFRF6660	545	644	751	66	60	1.3	59	4.90

- Fabric above, below and between the middle rails provides visual privacy.
- Full panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- OPT* = Laminate or Whiteboard.


DPORF • Open Bottom Fabric Middle and Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPORF5024	247	268	294	50	24	1.3	10	1.62
DPORF5030	263	286	310	50	30	1.3	13	2.08
DPORF5036	315	337	363	50	36	1.3	16	2.47
DPORF5042	330	359	397	50	42	1.3	19	2.85
DPORF5048	346	376	414	50	48	1.3	21	3.25
DPORF5054	362	394	427	50	54	1.3	25	3.63
DPORF5060	376	410	448	50	60	1.3	28	4.02
DPORF5424	247	270	295	54	24	1.3	12	1.62
DPORF5430	263	283	310	54	30	1.3	15	2.08
DPORF5436	315	340	365	54	36	1.3	18	2.47
DPORF5442	330	362	394	54	42	1.3	21	2.85
DPORF5448	346	378	412	54	48	1.3	24	3.25
DPORF5454	362	396	435	54	54	1.3	27	3.63
DPORF5460	376	411	449	54	60	1.3	30	4.02
DPORF6624	302	334	369	66	24	1.3	17	2.04
DPORF6630	321	352	386	66	30	1.3	21	2.52
DPORF6636	378	430	484	66	36	1.3	25	3.00
DPORF6642	415	471	530	66	42	1.3	29	3.46
DPORF6648	434	487	541	66	48	1.3	33	3.93
DPORF6654	452	508	568	66	54	1.3	37	4.40
DPORF6660	472	523	580	66	60	1.3	41	4.90

- Fabric above the middle rail provides visual privacy.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard.


DPFFG • Fabric Bottom, Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFFG5024	379	403	426	50	24	1.3	12	1.62
DPFFG5030	415	438	461	50	30	1.3	15	2.08
DPFFG5036	451	497	552	50	36	1.3	18	2.47
DPFFG5042	489	536	590	50	42	1.3	21	2.85
DPFFG5048	523	571	625	50	48	1.3	24	3.25
DPFFG5054	561	608	663	50	54	1.3	27	3.63
DPFFG5060	608	655	710	50	60	1.3	30	4.02
DPFFG5424	379	403	426	54	24	1.3	17	1.62
DPFFG5430	415	439	464	54	30	1.3	21	2.08
DPFFG5436	451	502	555	54	36	1.3	25	2.47
DPFFG5442	489	538	591	54	42	1.3	29	2.85
DPFFG5448	523	573	626	54	48	1.3	33	3.25
DPFFG5454	561	613	666	54	54	1.3	37	3.63
DPFFG5460	608	657	712	54	60	1.3	41	4.02
DPFFG6624	449	490	531	66	24	1.3	20	2.04
DPFFG6630	500	540	583	66	30	1.3	25	2.52
DPFFG6636	549	599	655	66	36	1.3	30	3.00
DPFFG6642	596	649	706	66	42	1.3	35	3.46
DPFFG6648	648	700	755	66	48	1.3	40	3.93
DPFFG6654	695	747	802	66	54	1.3	45	4.40
DPFFG6660	758	818	882	66	60	1.3	50	4.90

- Fabric below and between the middle rails provides visual privacy.
- Full panel with additional rail at 42" high and glazing above.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard.

DPOFG • Open Bottom, Middle Fabric and Glazed Top Panel




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPOFG5024	298	306	317	50	24	1.3	14	1.62
DPOFG5030	325	336	346	50	30	1.3	17	2.08
DPOFG5036	352	362	372	50	36	1.3	20	2.47
DPOFG5042	382	390	402	50	42	1.3	24	2.85
DPOFG5048	410	418	428	50	48	1.3	27	3.25
DPOFG5054	438	457	478	50	54	1.3	30	3.63
DPOFG5060	472	491	512	50	60	1.3	34	4.02
DPOFG5424	298	306	317	54	24	1.3	14	1.62
DPOFG5430	325	336	346	54	30	1.3	17	2.08
DPOFG5436	352	362	372	54	36	1.3	20	2.47
DPOFG5442	382	390	402	54	42	1.3	24	2.85
DPOFG5448	410	418	428	54	48	1.3	27	3.25
DPOFG5454	438	457	478	54	54	1.3	30	3.63
DPOFG5460	472	491	512	54	60	1.3	34	4.02
DPOFG6624	374	382	393	66	24	1.3	17	2.04
DPOFG6630	413	422	434	66	30	1.3	21	2.52
DPOFG6636	455	475	496	66	36	1.3	25	3.00
DPOFG6642	489	508	529	66	42	1.3	29	3.46
DPOFG6648	526	548	568	66	48	1.3	33	3.93
DPOFG6654	571	591	613	66	54	1.3	37	4.40
DPOFG6660	618	638	658	66	60	1.3	41	4.90

- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard.

DIET


DPFG • Fabric Bottom and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFG4224	496	509	521	42	24	1.3	11	1.32
DPFG4230	537	549	561	42	30	1.3	14	1.62
DPFG4236	572	584	596	42	36	1.3	16	1.94
DPFG4242	610	650	692	42	42	1.3	18	2.24
DPFG4248	647	687	729	42	48	1.3	21	2.55
DPFG4254	684	724	766	42	54	1.3	23	2.85
DPFG4260	721	761	803	42	60	1.3	26	3.16
DPFG5024	496	509	521	50	24	1.3	12	1.62
DPFG5030	537	549	561	50	30	1.3	15	2.08
DPFG5036	572	584	596	50	36	1.3	18	2.47
DPFG5042	610	650	692	50	42	1.3	21	2.85
DPFG5048	647	687	729	50	48	1.3	24	3.25
DPFG5054	684	724	766	50	54	1.3	27	3.63
DPFG5060	721	761	803	50	60	1.3	29	4.02
DPFG5424	496	509	521	54	24	1.3	13	1.62
DPFG5430	537	549	561	54	30	1.3	16	2.08
DPFG5436	572	584	596	54	36	1.3	20	2.47
DPFG5442	610	650	692	54	42	1.3	23	2.85
DPFG5448	647	687	729	54	48	1.3	26	3.25
DPFG5454	684	724	766	54	54	1.3	29	3.63
DPFG5460	721	761	803	54	60	1.3	32	4.02
DPFG6624	540	553	567	66	24	1.3	17	2.04
DPFG6630	581	592	607	66	30	1.3	21	2.52
DPFG6636	620	659	703	66	36	1.3	24	3.00
DPFG6642	658	699	743	66	42	1.3	28	3.46
DPFG6648	698	737	780	66	48	1.3	32	3.93
DPFG6654	740	778	820	66	54	1.3	36	4.40
DPFG6660	782	820	863	66	60	1.3	40	4.90

- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard.

DPFS • Fabric Bottom Slat Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFS4224	293	311	331	42	24	1.3	19	1.32
DPFS4230	357	377	396	42	30	1.3	23	1.62
DPFS4236	399	448	503	42	36	1.3	28	1.94
DPFS4242	434	487	540	42	42	1.3	33	2.24
DPFS4248	470	519	573	42	48	1.3	37	2.55
DPFS4254	507	556	611	42	54	1.3	42	2.85
DPFS4260	542	591	646	42	60	1.3	47	3.16

- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard.


DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFSF5024	409	426	446	50	24	1.3	21	1.62
DPFSF5030	451	469	488	50	30	1.3	28	2.08
DPFSF5036	496	546	599	50	36	1.3	34	2.47
DPFSF5042	540	589	643	50	42	1.3	40	2.85
DPFSF5048	583	632	643	50	48	1.3	46	3.25
DPFSF5054	624	674	727	50	54	1.3	52	3.63
DPFSF5060	666	716	769	50	60	1.3	58	4.02
DPFSF5424	409	426	446	54	24	1.3	23	1.62
DPFSF5430	451	469	488	54	30	1.3	30	2.08
DPFSF5436	496	546	599	54	36	1.3	36	2.47
DPFSF5442	540	589	643	54	42	1.3	42	2.85
DPFSF5448	583	632	643	54	48	1.3	48	3.25
DPFSF5454	624	674	727	54	54	1.3	54	3.63
DPFSF5460	666	716	769	54	60	1.3	60	4.02
DPFSF6624	468	502	537	66	24	1.3	28	2.04
DPFSF6630	516	549	584	66	30	1.3	35	2.52
DPFSF6636	565	647	730	66	36	1.3	42	3.00
DPFSF6642	610	688	774	66	42	1.3	49	3.46
DPFSF6648	657	737	821	66	48	1.3	56	3.93
DPFSF6654	703	783	867	66	54	1.3	63	4.40
DPFSF6660	746	826	911	66	60	1.3	70	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric at the top provides visual privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard.


DPOSF • Open Bottom, Slat Middle Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSF4224	264	269	273	42	24	1.3	12	1.32
DPOSF4230	294	299	303	42	30	1.3	17	1.62
DPOSF4236	324	334	346	42	36	1.3	24	1.94
DPOSF4242	353	364	376	42	42	1.3	28	2.24
DPOSF4248	386	396	409	42	48	1.3	36	2.55
DPOSF4254	416	427	438	42	54	1.3	40	2.85
DPOSF4260	446	455	467	42	60	1.3	44	3.16

- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT* = Laminate or Whiteboard.


DPOSF • Open Bottom, Slat Middle and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSF5024	349	363	379	50	24	1.3	13	1.62
DPOSF5030	387	405	418	50	30	1.3	14	2.08
DPOSF5036	424	454	483	50	36	1.3	21	2.47
DPOSF5042	461	491	520	50	42	1.3	25	2.85
DPOSF5048	497	526	556	50	48	1.3	29	3.25
DPOSF5054	537	565	595	50	54	1.3	31	3.63
DPOSF5060	572	600	630	50	60	1.3	35	4.02
DPOSF5424	349	363	379	54	24	1.3	15	1.62
DPOSF5430	387	405	418	54	30	1.3	19	2.08
DPOSF5436	424	454	483	54	36	1.3	23	2.47
DPOSF5442	461	491	520	54	42	1.3	27	2.85
DPOSF5448	497	526	556	54	48	1.3	31	3.25
DPOSF5454	537	565	595	54	54	1.3	34	3.63
DPOSF5460	572	600	630	54	60	1.3	38	4.02
DPOSF6624	412	437	464	66	24	1.3	18	2.04
DPOSF6630	452	477	505	66	30	1.3	23	2.52
DPOSF6636	492	541	594	66	36	1.3	28	3.00
DPOSF6642	531	582	636	66	42	1.3	33	3.46
DPOSF6648	573	634	699	66	48	1.3	38	3.93
DPOSF6654	613	673	735	66	54	1.3	43	4.40
DPOSF6660	651	712	775	66	60	1.3	47	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric above middle rail provides privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- OPT* = Laminate or Whiteboard.

DPOSG • Open Bottom, Slat Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSG5024	521	525	530	50	24	1.3	12	1.62
DPOSG5030	561	565	571	50	30	1.3	15	2.08
DPOSG5036	599	609	621	50	36	1.3	18	2.47
DPOSG5042	641	649	660	50	42	1.3	22	2.85
DPOSG5048	680	688	699	50	48	1.3	25	3.25
DPOSG5054	717	725	737	50	54	1.3	28	3.63
DPOSG5060	758	766	777	50	60	1.3	32	4.02
DPOSG5424	521	525	530	54	24	1.3	14	1.62
DPOSG5430	561	565	571	54	30	1.3	17	2.08
DPOSG5436	599	609	621	54	36	1.3	20	2.47
DPOSG5442	641	649	660	54	42	1.3	24	2.85
DPOSG5448	680	688	699	54	48	1.3	27	3.25
DPOSG5454	717	725	737	54	54	1.3	30	3.63
DPOSG5460	758	766	777	54	60	1.3	34	4.02
DPOSG6624	567	572	577	66	24	1.3	17	2.04
DPOSG6630	608	614	618	66	30	1.3	21	2.52
DPOSG6636	650	659	673	66	36	1.3	25	3.00
DPOSG6642	689	699	711	66	42	1.3	29	3.46
DPOSG6648	734	744	755	66	48	1.3	33	3.93
DPOSG6654	774	784	795	66	54	1.3	37	4.40
DPOSG6660	819	830	842	66	60	1.3	41	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard.

DIET


DPFSG • Fabric Bottom, Slat Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
				H	W	D		
DPFSG5024	572	588	605	50	24	1.3	15	1.62
DPFSG5030	617	633	655	50	30	1.3	19	2.08
DPFSG5036	658	708	759	50	36	1.3	23	2.47
DPFSG5042	703	750	804	50	42	1.3	27	2.85
DPFSG5048	744	790	845	50	48	1.3	31	3.25
DPFSG5054	787	833	888	50	54	1.3	35	3.63
DPFSG5060	830	877	931	50	60	1.3	39	4.02
DPFSG5424	572	588	605	54	24	1.3	17	1.62
DPFSG5430	617	633	655	54	30	1.3	21	2.08
DPFSG5436	658	708	759	54	36	1.3	25	2.47
DPFSG5442	703	750	804	54	42	1.3	29	2.85
DPFSG5448	744	790	845	54	48	1.3	33	3.25
DPFSG5454	787	833	888	54	54	1.3	37	3.63
DPFSG5460	830	877	931	54	60	1.3	41	4.02
DPFSG6624	621	639	658	66	24	1.3	20	2.04
DPFSG6630	666	683	705	66	30	1.3	25	2.52
DPFSG6636	712	761	815	66	36	1.3	30	3.00
DPFSG6642	758	808	862	66	42	1.3	35	3.46
DPFSG6648	803	854	909	66	48	1.3	40	3.93
DPFSG6654	848	898	951	66	54	1.3	45	4.40
DPFSG6660	896	945	1000	66	60	1.3	50	4.90

- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT* = Laminate or Whiteboard.


DPOPF • Diet Over Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
				H	W	D		
DPOPF1224	155	164	175	12	24	1.3	5	0.30
DPOPF1230	175	184	197	12	30	1.3	7	0.60
DPOPF1236	199	218	240	12	36	1.3	8	0.75
DPOPF1242	217	239	262	12	42	1.3	9	0.88
DPOPF1248	240	260	282	12	48	1.3	11	1.00
DPOPF1254	263	284	304	12	54	1.3	12	1.13
DPOPF1260	279	299	320	12	60	1.3	13	1.25
DPOPF2424	216	237	258	24	24	1.3	10	1.00
DPOPF2430	233	252	273	24	30	1.3	14	1.25
DPOPF2436	249	279	311	24	36	1.3	16	1.45
DPOPF2442	266	296	329	24	42	1.3	18	1.75
DPOPF2448	283	312	345	24	48	1.3	22	2.00
DPOPF2454	299	329	362	24	54	1.3	24	2.25
DPOPF2460	318	347	380	24	60	1.3	26	2.50

- Over Panels attach to regular Diet Panels to provide additional visual privacy.
- Over Panel is secured to regular Diet Panels with 4 brackets and set screws.
- Accessory loading capabilities only.
- Not for use with overhead storage.
- OPT* = Laminate or Whiteboard.


DTMPP • Table Mounted Diet Panels



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
				H	W	D		
SIDE PANELS								
DTMPP24	169	179	191	16.5	21	1.3	7	0.75
DTMPP30	182	193	204	16.5	27	1.3	8	0.94
DTMPP36	197	216	238	16.5	33	1.3	10	1.13
BACK PANELS								
DTMPP48	224	238	259	16.5	48	1.3	15	1.53
DTMPP54	245	258	279	16.5	54	1.3	17	1.72
DTMPP60	264	277	298	16.5	60	1.3	18	1.91

- Creates privacy and flexibility at the end of workspaces.
- Side Panels for sides of Viceversa® Tables or sides of workspaces available 24", and 36" widths (nominal width).
- Back Panels for sides of Viceversa® Tables available 48", 54" and 60" widths.
- Attaches with similar clamp to other clamp on accessories.
- Non tackable, non load-bearing, no hang on capabilities and not for use with transaction tops.
- Not for use with Licence product due to interference of gables and flush modesties.
- OPT* = Laminate or Whiteboard.


DPCBM • Panel Cable Manager



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DPCBM24	7	4	18	1.3	1.3	0.07
DPCBM30	11	4	24	1.3	1.4	0.08
DPCBM36	19	4	30	1.3	1.5	0.10
DPCBM42	22	4	36	1.3	1.6	0.13
DPCBM48	24	4	42	1.3	1.7	0.15
DPCBM54	26	4	48	1.3	1.8	0.16
DPCBM60	28	4	54	1.3	1.9	0.19

- Provides wire management for the Diet Panels.
- Extruded, dual durometer "U" channel organizes cables below panels.
- Snaps into bottom rail and into mid rail on open bottom panels.
- One data partial knock-out (2.67" wide x 1.36" high) provided on either side of the Raceway Cover accommodates terminal plates from various vendors.
- Panel Cable Manager comes in charcoal only.


DPOFM • Off Module Panel Connector



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DPOFM	33	4	3	2	1	0.08

- Connects two perpendicular Diet Panels Off-Module.
- Top and bottom brackets bolt to Diet Panel verticals and engage to top and bottom rails of adjacent, perpendicular panel of even or lower height.
- Connectors can also be used to connect a panel in the middle of perpendicular DPFRF, DPORF, DPFFG, DPFSG and DPFSF at their 42" height secondary middle rail.
- Top and bottom brackets fit in place of standard hinge connectors.
- All fasteners included.


DPPWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DPPWA	33	40	2.5		1	0.08

- Connects Diet Panels to walls.
- Bolts to Diet Panel vertical in place of the standard hinge connectors.
- Keyhole openings in Diet adapter slide over fasteners pre-installed to the wall.
- All fasteners included, however, the mounting hardware to affix adapter to wall not included, they will be based on type of wall material.


DPCSTR • Casters



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DPCSTR	5	1.5	1.5	1.5	.25	1.02

- Changes a freestanding Diet Panel to mobile.
- Must be used on two panels or more.
- Order 1 caster more than the number of panels. (Using only 1 caster where panels connect.) For example, 3 panels, 4 casters or 2 panels, 3 casters.
- Casters raise Diet Panels by a height of 1.1".

DHCFA • Diet Freestanding Panel Mobile Kit




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DHCFA02	213	6	19	3	3	1

- Used to change a freestanding Diet Panel to mobile.
- No load capabilities on mobile diet panels.
- Can be retrofit on site to existing Diet Panels.
- Diet Panels must have a full fabric bottom.
- Sold as a pair.

DIET


DBSCB • Diet to Boulevard Slot Connector



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
DBSCB02	39	3	0.5	00.0	1	0.05

- Connects a Diet Panel to a Boulevard Panel via slots eliminating the need for the Boulevard Post and reducing the overall length and cost of a panel run.
- Connector can be installed in left or right configuration.
- Comes as a pair (Upper and lower brackets).
- Worksurfaces should be ordered based on application keeping in mind that this connector will align to the left or right of the end of the Boulevard Panel.
- Application drawings and layout must be provided for specials.

DAPPF • Diet Gap Filler



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
DAPPF12	4	11.5	00.0	00.0	000	000
DAPPF36	12	36.33	00.0	00.0	000	000

- Closes the gap between panels.
- Must be used on two or more panels.
- Order 1 DAPPF36 for a 42" high panel, 1 DAPPF36 and 1 DAPPF12 for a 54" high panel, or 1 DAPPF36 and 2 DAPPF12 for 66" high panel.

DB-P-X • Diet to Boulevard Slim Connector in “X” Configuration

Diet to Boulevard 1 “X” Configuration



PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BDB1P4242X	97	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250X	110	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254X	121	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258X	121	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266X	131	66"	42"	66	1.3	2.6	7	0.322
BDB1P4274X	142	74"	42"	74	1.3	2.6	8	0.360
BDB1P4282X	155	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050X	110	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054X	121	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058X	121	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066X	131	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074X	142	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082X	155	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454X	121	54"	54"	54	1.3	2.6	5	0.264
BDB1P5458X	121	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466X	131	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474X	142	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482X	155	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666X	131	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674X	142	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682X	155	82"	66"	82	1.3	2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized work-surfaces.

• Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to System 3 “X” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BDB3P4242X	97	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250X	110	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254X	121	54"	42"	54	1.3	2.6	6	0.260
BDB3P4266X	131	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050X	131	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054X	121	54"	50"	50	1.3	2.6	6	0.260
BDB3P5066X	131	66"	50"	66	1.3	2.6	7	0.322
BDB3P5454X	121	54"	50"	54	1.3	2.6	6	0.260
BDB3P5466X	131	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666X	131	66"	66"	66	1.3	2.6	7	0.322



* Please specify separate end trim (round or flat) to close end.

DIET

DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration

Diet to Boulevard 1 “T” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BDB1P4242T	97	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250T	110	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254T	112	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258T	121	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266T	131	66"	42"	66	1.6	2.6	7	0.322
BDB1P4274T	142	74"	42"	74	1.3	2.6	8	0.36
BDB1P4282T	155	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050T	110	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054T	121	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058T	121	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066T	121	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074T	142	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082T	155	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454T	121	54"	54"	54	1.3	2.6	6	0.245
BDB1P5458T	121	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466T	131	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474T	142	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482T	155	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666T	131	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674T	142	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682T	155	82"	66"	82	1.3	2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized workspaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BDB3P4242T	97	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250T	110	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254T	121	54"	42"	54	1.3	2.6	6	0.245
BDB3P4266T	131	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050T	131	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054T	112	54"	50"	54	1.3	2.6	6	0.245
BDP3P5066T	131	66"	50"	66	1.3	2.6	7	0.322
BDP3P5454T	121	54"	54"	54	1.3	2.6	6	0.245
BDB3P5466T	131	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666T	131	66"	66"	66	1.3	2.6	7	0.322

“T” Connection in a straight run

BOULEVARD

DIET

“T” Connection vertical end trim required to match Boulevard height to finish end

BOULEVARD

DIET

* Please specify separate end trim (round or flat) to close end.

DB-P-X • Diet to Boulevard Slim Connector in “X” Configuration

Diet to Boulevard 1 “X” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DB1P4242X	97	42"	42"	42	1.3	2.6	4	0.207
DB1P4250X	110	50"	42"	50	1.3	2.6	5	0.245
DB1P4254X	112	54"	42"	54	1.3	2.6	5	0.265
DB1P4258X	121	58"	42"	58	1.3	2.6	6	0.283
DB1P4266X	131	66"	42"	66	1.3	2.6	7	0.322
DB1P4274X	142	74"	42"	74	1.3	2.6	8	0.360
DB1P4282X	155	82"	42"	82	1.3	2.6	9	0.399
DB1P5050X	110	50"	50"	50	1.3	2.6	5	0.245
DB1P5054X	121	54"	50"	54	1.3	2.6	5	0.265
DB1P5058X	121	58"	50"	58	1.3	2.6	6	0.283
DB1P5066X	131	66"	50"	66	1.3	2.6	7	0.322
DB1P5074X	142	74"	50"	74	1.3	2.6	8	0.360
DB1P5082X	155	82"	50"	82	1.3	2.6	9	0.399
DB1P5454X	121	54"	54"	54	1.3	2.6	5	0.245
DB1P5458X	121	58"	54"	58	1.3	2.6	6	0.283
DB1P5466X	131	66"	54"	66	1.3	2.6	7	0.322
DB1P5474X	142	74"	54"	74	1.3	2.6	8	0.360
DB1P5482X	155	82"	54"	82	1.3	2.6	9	0.399
DB1P6666X	131	66"	66"	66	1.3	2.6	7	0.322
DB1P6674X	142	74"	66"	74	1.3	2.6	8	0.360
DB1P6682X	155	82"	66"	82	1.3	2.6	9	0.399



- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

Diet to System 3 “X” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DB3P4242X	97	42"	42"	42	1.3	2.6	4	0.207
DB3P4250X	110	50"	42"	50	1.3	2.6	5	0.245
DB3P4254X	121	54"	42"	54	1.3	2.6	6	0.265
DB3P4266X	131	66"	42"	66	1.3	2.6	7	0.322
DB3P5050X	110	50"	50"	50	1.3	2.6	5	0.245
DB3P5054X	121	54"	54"	54	1.3	2.6	7	0.265
DP3P5066X	131	66"	50"	66	1.3	2.6	7	0.322
BD3P5454X	121	54"	54"	54	1.3	2.6	7	0.322
BD3P5466X	131	66"	54"	66	1.3	2.6	7	0.322
DB3P6666X	131	66"	66"	66	1.3	2.6	7	0.322

Diet to Boulevard 1 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DB1OPPC08X	40	8"	8	1.3	2.6	0.8	0.043
DB1OPPC16X	44	16"	16	1.3	2.6	1.6	0.082
DB1OPPC24X	47	24"	24	1.3	2.6	2.5	0.120
DB1OPPC37X	54	37"	37	1.3	2.6	3.5	0.183
DB1OPPC42X	59	42"	42	1.3	2.6	4.0	0.207



* Please specify separate end trim (round or flat) to close end.

DIET

DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration

Diet to Boulevard 1 “T” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W D	WEIGHT LBS	VOL FT ³
DB1P4242T	97	42"	42"	42	1.3 2.6	4	0.207
DB1P4250T	110	50"	42"	50	1.3 2.6	5	0.245
DB1P4254T	112	54"	42"	54	1.3 2.6	5	0.265
DB1P4258T	121	58"	42"	58	1.3 2.6	6	0.283
DB1P4266T	131	66"	42"	66	1.6 2.6	7	0.322
DB1P4274T	142	74"	42"	74	1.3 2.6	8	0.36
DB1P4282T	155	82"	42"	82	1.3 2.6	9	0.399
DB1P5050T	110	50"	50"	50	1.3 2.6	5	0.245
DB1P5058T	121	58"	50"	58	1.3 2.6	6	0.283
DB1P5066T	131	66"	50"	66	1.3 2.6	7	0.322
DB1P5074T	142	74"	50"	74	1.3 2.6	8	0.360
DB1P5082T	155	82"	50"	82	1.3 2.6	9	0.399
DB1P5454T	114	54"	54"	54	1.3 2.6	5	0.245
DB1P5458T	121	58"	54"	58	1.3 2.6	6	0.283
DB1P5466T	131	66"	54"	66	1.3 2.6	7	0.322
DB1P5474T	142	74"	54"	74	1.3 2.6	8	0.360
DB1P5482T	155	82"	54"	82	1.3 2.6	9	0.399
DB1P6666T	131	66"	66"	66	1.3 2.6	7	0.322
DB1P6674T	142	74"	66"	74	1.3 2.6	8	0.36
DB1P6682T	155	82"	66"	82	1.3 2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W D	WEIGHT LBS	VOL FT ³
DB3P4242T	97	42"	42"	42	1.3 2.6	4	0.207
DB3P4250T	110	50"	42"	50	1.3 2.6	5	0.245
DB3P4254T	121	54"	42"	54	1.3 2.6	5	0.265
DB3P4266T	131	66"	42"	66	1.3 2.6	7	0.322
DB3P5050T	132	50"	50"	50	1.3 2.6	5	0.245
DP3P5066T	131	66"	50"	66	1.3 2.6	7	0.322
DB3P5466T	131	66"	54"	66	1.3 2.6	7	0.322
DB3P6666T	131	66"	66"	66	1.3 2.6	7	0.322

Diet to System 3 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE / H	INCHES W D	WEIGHT LBS	VOL FT ³
DB30PPC16	44	16"	16	1.3 2.6	1.6	0.082
DB30PPC32	54	32"	32	1.3 2.6	3.2	0.159

“T” Connection in a straight run

BOULEVARD

DIET

“T” Connection vertical end trim required to match Boulevard height to finish end

BOULEVARD

DIET

* Please specify separate end trim (round or flat) to close end.

Electrical

Affordability and widespread availability of wireless networking is gradually diminishing the need for extensive cable capacity housing. However, as our desk top equipment still requires electricity, providing access to power from within a work station is an integral part of any work place design.

The Global Contract family of power components has been assembled to address a variety of common requirements as well as to satisfy specific customer needs and budgets.

Direct Access:

When office equipment plugs directly into a wall or raised floor power source, cable troughs, as well the Boulevard panel internal cavity serve the purpose of organizing cables.

Extensions:

Keeping minimal installation costs in mind, the next natural step is the employment of fused and surge protected power bars, worksurface-clamped receptacles or floor standing power towers.

The Diet Power Bar, Desktop Power Receptacle and Viceversa Power Towers serve to provide power distribution further from the buildings integrated sources. These single circuit components typically plug into standard wall receptacles, floor monuments and raised floor outlets, while the four- circuit Power Towers and Power Poles are hard wired to a wall, floor (or ceiling) building power supply.

The four-circuit Viceversa floor standing Power tower is an effective, semi-flexible way of branching off power from floor monuments or raised sources. Although it is hard-wired to the building power source, its 6' of flexible, liquid-tight conduit allows for a quick relocation within a 6' radius.

The floor-to-ceiling Viceversa Power Tower can route four circuits of power as well

as data / communication cables through the ceiling into a point shared by several work stations.

Four circuit power systems:

In the absence of a raised floor, or when office equipment is to be installed further away from wall outlets, the Boulevard panel or Bridges unit the building power supply - office equipment gap by distributing power at either floor or desk height level, or both.

While Boulevard panels are capable of surrounding a given work station with power and data outlets at multiple levels, it is important to remember that the most economical way of providing four-circuit power distribution is if the harness, junction box and receptacle system remained within the central spine structure. The cost savings here come from a number and lengths of individual connecting power harnesses.

Should there be a need to branch power from Boulevard or central spine onto adjacent, perpendicular work surfaces, the employment of fused and surge protected power bars will assist in keeping the cost under control.


However, the very same, 4-circuit system is capable of delivering a considerable amount of power as there can be up to six, 8 wire-4 circuit systems accommodated within System3 pass-thru panel. For instance: three systems at the floor level and two systems at the desk height.

Various ceiling or floor level power entry feeds are available. See the following pages for individual component description and technical specifications.

Technical Information

Wire Schematic

4-2-2 Wiring Schematic
8-Wire Shared Neuteral
"3+1" -3 Utility circuits, 1 dedicated circuit.



8 Wires

4 Lines (12 ga.)
2 Neutrals (10 ga.)
2 Grounds (12 ga.)

4 Circuits

3 Utility Circuits
1 Dedicated Circuits

Receptacles

Duplex – Up to 12
receptacles per circuit
(Up to 48 infeed)

Specifications

System rated for connection to a grounded 120/240 V, single phase*, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

UL Recognised CSA Certified

Warning: It is recommended that installation of the electrical harness be made under the supervision of a licensed electrician in accordance with applicable codes and regulations.

Special Note: Always determine that harness is electrically connected to only one power supply.

* When connected to Single Phase. Only
Circuit 1,3 & A are available.

ELECTRICAL

STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD 1 AND RACEWAY PANELS

STEP 1: Determine the location of the source power entry entering the panel through a post.

a) From the floor:

- Choose from a selection of single or double Base Feeds (BE81BF721, BE81BF722, BE81BF1441, BE81BF1442) to bring the power from the floor to the raceway channel.
- Select a post adjacent to the panel (or panels if using a Double Base Feed) to which the end of the Base Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Base Feed is entering.

Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Base Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Base Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

b) From the Ceiling:

- Choose from a selection of single or double Ceiling Feeds (BE81CF1201, BE81CF120-2, BE81CF1441, BE81CF1442) to bring the power from the ceiling to the raceway.
- Select a post adjacent to the panel (or panels if using a Double Ceiling Feed) to which the Ceiling Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Ceiling Feed is entering.

STEP 2: Determine which panels are to be powered.

a) Use a BE81D Concealed Desk Height Power Distribution Housing or a BE8U2D Face Mount Desk Height Power Distribution Housing that corresponds with the width of each panel selected to be powered.

Note: Specify Face Mount Raceway Covers for panels that contain BE8U2D Face Mount Desk Height Power Distribution Housings.

STEP 3: Connect power to the panels.

- Use a BE8JC16 Jumper between two adjacent powered panels.
- Use a BE8JC20 Jumper between two powered panels separated by a post.
- Use a BE8JM19 Shielded Mesh Jumper between two powered panels separated by a post.**
- Use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to electrically connect a BE8JM19 Shielded Mesh Jumper and a powered panel when the two are separated by one or more non-powered panels in a straight line application only.
 - The length of the BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable will equal the combined width of the non-powered panel(s).
- Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to electrically connect two powered panel separated by one or more non-powered panels in a straight line application only.
 - The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel), plus 4" for each post.
- Connect two jumpers or cables together by using the I-Connector BE8CI1. This functions as a female-female adapter and it allows the male ends of jumpers and pass-thru cables to connect together.


STEP 4: Designate which circuit each duplex is to tap into.

- Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


Circuit Selections : Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

SPECIFICATION APPLICATIONS

Boulevard 1 Jumper Applications



Boulevard 1 Pass-Through Applications



STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD SYSTEM 3 BASE RACEWAY

STEP 1: Determine the location of the source power entry entering the panel.

- a. At the base of a panel:
 - i. Use a BE8BFxx Base Feed.
 - ii. Select the panel to which the Base Feed will be attached.
This panel requires a BE83D Power Distribution Housing.
 - iii. Select the side of the panel and the receptacle outlet to which the Base Feed is to be attached.
- b. From the ceiling:
 - i. Use a BE8CFxx-1or -2 (single or double).
 - ii. Select the post through which to feed the Ceiling Feed.
 - iii. One panel adjacent to the selected post requires a BE83D Power Distribution Housing. Attach the Ceiling Feed to the nearest end of the Power Distribution Housing.

Note: If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Ceiling Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Ceiling Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

- c. At the base of an adjoining panel:
 - i. Use a BE83BFR72 Raceway Entry Base Feed
 - ii. Select a non-powered panel adjacent to the panel with a Power Distribution Housing.
 - iii. Choose a duplex opening on either side of the panel to insert and attach the Raceway Entry Base Feed at that point.
 - iv. The Raceway Entry Base Feed will attach to the nearest end of the Power Distribution Housing (similar to the Ceiling Feed attachment).

STEP 2: Determine which panels are to be powered.

- a. Use a BE83D Power Distribution Housing that corresponds with the width of the selected panel.

STEP 3: Connect power to the panels.

- a. Use a BE8JC16 Jumper between two adjacent powered panels.
- b. Use a BE8JC20 Jumper between two powered panels separated by a post.
- c. Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to connect two powered panels separated by one or more non-powered panels. i. The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel plus 4" for each post).


STEP 4: Designate which circuit each duplex is to tap into.

- a. Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- b. At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


Circuit Selections : Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

SPECIFICATION APPLICATIONS


Boulevard System 3 Jumper Applications



Boulevard System 3 Jumper Applications




Boulevard System 3 Tile Position Application



ELECTRICAL


BE8CI-1 • "I" Connector



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	LBS FT ³
BE8CI1	55	1.5	1.5	4.625	0.06 0.03

- Connects two Pass Thru Cables.
- Inline coupler used to connect two BE8CPxxHH Pass-Thru Cables.


BE8D • Duplex Receptacles



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	LBS FT ³
BE8D1	25	2	4.625	1.25	0.10 0.01
BE8D2	25	2	4.625	1.25	0.10 0.01
BE8D3	25	2	4.625	1.25	0.10 0.01
BE8DA	25	2	4.625	1.25	0.10 0.01

- Snaps into Power Distribution Housing.
- Up to 6 duplex receptacles per circuit.
- BE8D1 = Circuit #1 (utility circuit)
- BE8D2 = Circuit #2 (utility circuit)
- BE8D3 = Circuit #3 (utility circuit)
- BE8DA - Circuit #A (dedicated circuit)


BE83BF • Reversible Base Feed (Boulevard System 3 only)



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT ³
BE83BF72	249	3	72	3	3.82 2
BE83BF144	334	3	144	3	6.98 2

- Provides single power entry from floor circuit to raceway.
- Takes the place of a duplex receptacle by connecting to the base raceway channel of a Boulevard System 3 panel.
- BE83BF72 includes 72" long liquid-tite conduit, BE83BF144 includes 144" long liquitite conduit.
- Must be hard wired to power source by a licensed electrician.


BE83BFR72 • Raceway Entry Base Feed (Boulevard System 3 only)



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT ³
BE83BFR72	352	3	88	3	4.82 2

- Brings power to an adjacent panel by entering a non-powered raceway of a Boulevard System 3 panel through a duplex opening.
- Includes 72" long liquitite conduit.
- Must be hard wired to power source by a licensed electrician.


BE8CF-1 • Ceiling Feed - Single



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT ³
BE8CF1201	244	6	120	6	5.24 2
BE8CF1441	276	6	144	6	5.96 2

- Provides single power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or BE8CPxxHJ Pass-Thru Harness.
- Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.


BE8CF-2 • Ceiling Feed - Double



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8CF1202	500	6	120	3	5.24	2
BE8CF1442	563	6	144	3	5.96	2

- Provides dual power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.
2) At beginning of run where second Ceiling Feed harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.


BE81BFxx-1 • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF721	283	6	107	3	3.82	2
BE81BF1441	376	6	179	3	5.96	2

- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry dome available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.


BE81BFxx-1FL • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF721FL	283	6	107	3	3.82	2
BE81BF1441FL	376	6	179	3	3.82	2

- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry plate available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

BE81BFxx-2 • Base Feed - Double (Boulevard 1 only)




PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF722	598	6	107	3	6.98	2
BE81BF1442	794	6	179	3	6.98	2

- Provides dual power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.
2) At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Liquidite whip 72" and 144".
- Power entry box available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached.
- Must be hard wired to power source by a licensed electrician.

ELECTRICAL


BE81BF601 • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF601	305	6	107	3	490	0.062

- Provides single power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- For 6" Power/Cable Access Panel only.
- Comes with 32" harness attached.
- Liquitite whip 72".
- Must be hard wired to power source by a licensed electrician.


BE81BF602 • Base Feed - Double (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE81BF602	613	6	107	3	5.30	0.071

- Provides dual power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use
 1. In middle of run to distribute power in two directions.
 2. At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- For 6" Power/Cable Access Panel only.
- Comes with 2 x 32" harness attached.
- Liquid-tite whip 72".
- Must be hard wired to power source by a licensed electrician.


BE8JC • Jumper Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8JC16	103	2	16.75	0.5	0.66	1.17
BE8JC20	108	2	20.75	0.5	0.78	1.17

- Electrically connects two Power Distribution Housings.
- The BE8JC16 electrically connects two powered panels positioned side by side.
- The BE8JC20 electrically connects two powered panels separated by a post.
- Wires are concealed in a flexible metal conduit.
- Cannot go through a Boulevard 1 post in a corner application. (Please use the Jumper Cable Mesh)


BE8JM19 • Jumper Cable Mesh



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE8JM19	85	2	19	0.5	0.75	1.17
BE8JMS19	111	2	19	0.5	0.75	1.17

- Electrically connects two Power Distribution Housings in Boulevard 1 panels that are separated by a post in a corner application.
- BE8JM19 - Wires are covered with a durable nylon mesh.
- BE8JMS19 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.
- Used in System 3 Panels at tile position passing through post at corner application.


BE83BTxx • Base-to-Tile Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT ³
BE83BT82	157	2	82.5	0.5	3.05	1.38
BE83BT40	142	2	40.5	0.5	1.44	1.17

- Electrically connects a Base Raceway Power Distribution Housing to a Face Mount Tile Power Distribution Housing within a System 3 PV panel.
- Wires are concealed in a flexible metal conduit.
- BE83BT82 to be used on panels manufactured before November 1st, 2014 and BE83BT40 after.


BE8CP-HH • Housing-to-Housing Pass-Thru Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE8CP40HH	129	2	40.5	0.5	1.44	1.17
BE8CP46HH	135	2	46.5	0.5	1.71	1.17
BE8CP52HH	141	2	52.5	0.5	1.95	1.17
BE8CP58HH	148	2	58.5	0.5	2.21	1.17
BE8CP64HH	153	2	64.5	0.5	2.37	1.17
BE8CP70HH	159	2	70.5	0.5	2.6	1.17
BE8CP76HH	165	2	76.5	0.5	2.81	1.17
BE8CP82HH	170	2	82.5	0.5	3.03	1.17
BE8CP88HH	176	2	88.5	0.5	3.05	1.17
BE8CP94HH	182	2	94.5	0.5	3.30	1.17
BE8CP100HH	187	2	100.5	0.5	3.47	1.17
BE8CP106HH	195	2	106.5	0.5	3.87	1.17
BE8CP118HH	206	2	118.5	0.5	4.08	1.17
BE8CP130HH	217	2	130.5	0.5	4.73	1.17
BE8CP142HH	229	2	142.5	0.5	4.99	1.17

- Electrically connects two Power Distribution Housings in panels separated by one or more non-powered panels.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : In Boulevard 1 and or System 3 tile position applications, the Housing-to-Housing Pass-Thru Cables can only be used in a straight run.


BE8CP-HJ • Housing-to-Jumper Pass-Thru Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE8CP24HJ	99	2	24	0.5	0.9	1.17
BE8CP30HJ	106	2	30	0.5	1.3	1.17
BE8CP36HJ	111	2	36	0.5	1.44	1.17
BE8CP42HJ	116	2	42	0.5	1.71	1.17
BE8CP48HJ	121	2	48	0.5	1.95	1.17
BE8CP54HJ	125	2	54	0.5	2.21	1.17
BE8CP60HJ	129	2	60	0.5	2.37	1.17
BE8CP72HJ	138	2	72	0.5	2.81	1.17
BE8CP84HJ	150	2	84	0.5	3.05	1.17
BE8CP96HJ	160	2	96	0.5	3.3	1.17
BE8CP108HJ	170	2	108	0.5	3.87	1.17
BE8CP120HJ	181	2	120	0.5	4.08	1.17
BE8CP144HJ	191	2	144	0.5	4.59	1.17

- Electrically connects a Power Distribution Housing to a Housing connection of a harness.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : In both Boulevard 1 and System 3 Tile Position applications, the Housing-to-Jumper Pass-Thru Cables can only be used in a straight run.


BEJCT39 • Transition Jumper Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BEJCT16	114	2	16	0.5	0.71	0.67
BEJCT39	134	2	39	0.5	1.44	1.17

- Electrically connects BE2JB Junction Box (previous style) to a BE81D, BE82D or BE83D Power Distribution Housing (current style) when connecting powered panels that are positioned side-by-side.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : If one or more non-powered panels separate the panel containing the Junction Box from the panel containing the Power Distribution Housing, add a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to the BEJCTxx Transition Cable.

BE81D • Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)




PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE81D24	106	2	9.25	2.61	0.83	1.17
BE81D30	131	2	15.25	2.61	1.28	1.17
BE81D36	138	2	21.25	2.61	1.62	1.65
BE81D42	149	2	27.25	2.61	2.00	2.00
BE81D48	156	2	33.25	2.61	2.32	2.54
BE81D54	164	2	39.25	2.61	2.66	3.20
BE81D60	168	2	45.25	2.61	3.04	3.20
BE81D66	291	2	51.25	2.61	3.49	3.25
BE81D72	291	2	57.2	2.61	3.76	3.30

- Provides two duplex receptacles per panel for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE81D36 is for use with a 36" panel.

ELECTRICAL


BE8U2D • Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE8U2D24	131	2	9.25	2.61	0.83	1.17
BE8U2D30	151	2	15.25	2.61	1.28	1.17
BE8U2D36	159	2	21.25	2.61	1.62	1.65
BE8U2D42	168	2	27.25	2.61	2.00	2.00
BE8U2D48	175	2	33.25	2.61	2.32	2.54
BE8U2D54	183	2	39.25	2.61	2.66	3.20
BE8U2D60	187	2	45.25	2.61	3.04	3.20
BE8U2D66	291	2	51.25	2.61	3.49	3.25
BE8U2D72	291	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE8U2D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.


BE83D • Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE83D24	131	2	9.25	2.61	0.83	1.17
BE83D30	151	2	15.25	2.61	1.28	1.17
BE83D36	159	2	21.25	2.61	1.62	1.65
BE83D42	168	2	27.25	2.61	2.00	2.00
BE83D48	175	2	33.25	2.61	2.32	2.54
BE83D54	183	2	39.25	2.61	2.66	3.20
BE83D60	187	2	45.25	2.61	3.04	3.20
BE83D66	291	2	51.25	2.61	3.49	3.25
BE83D72	291	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE83D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.


BE8U3FM • Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE8U3FM24	131	2	9.25	2.61	0.83	1.17
BE8U3FM30	151	2	15.25	2.61	1.28	1.17
BE8U3FM36	159	2	21.25	2.61	1.62	1.65
BE8U3FM42	168	2	27.25	2.61	2.00	2.00
BE8U3FM48	175	2	33.25	2.61	2.32	2.54
BE8U3FM54	183	2	39.25	2.61	2.66	3.20
BE8U3FM60	187	2	45.25	2.61	3.04	3.20
BE8U3FM66	291	2	51.25	2.61	3.49	3.25
BE8U3FM72	291	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles for all tile widths above 24". 24" wide tile allows for one (1) duplex receptacle.
- Housing and mounting hardware included.
- Specify duplexes, cables and tiles separately.
- BE83BT40 Base-to-Tile Cable is used to connect the tile mounted housing to the Power Distribution Housing tile in the base of the same "PV" panel.
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two data/comm openings.
- Note: Not compatible with panels built prior November 1st, 2014.


BE81Dxx-CM • Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT ³
BE81D36CM	237	2	21.99	2.61	3.24	1.65
BE81D42CM	279	2	27.99	2.61	4.00	2.00
BE81D48CM	291	2	33.99	2.61	4.64	2.54
BE81D54CM	304	2	39.99	2.61	5.32	3.20
BE81D60CM	318	2	45.99	2.61	6.04	3.20
BE81D66CM	436	2	51.99	2.61	6.98	3.25
BE81D72CM	451	2	57.99	2.61	7.52	3.30

- Provides four duplex receptacles per panel for widths 36" and above.
- Centermount Distribution Housing is specified per panel size. ie. BE81D36CM is for 36" panel.
- Not available for panels less than 36" wide.

BEPE • Post Extension



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
BEPE49	75	49 2.61 5.00	0.258	
BEPE81	114	81 2.61 9.00	0.424	

- Lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel through a post.
- Attaches to ceiling and post.
- Includes connectors, ceiling trim plate and screws.
- Post extension will accept:
 - 75 cables 5.6mm (0.220") dia. data cables
 - 60 cables 5.6mm (0.220") dia. data cables with 1 power feed
 - 45 cables 5.6mm (0.220") dia. data cables with 2 power feeds.
- Ceiling bezel is white only.


BHPOST • Lay in Post Extension



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
BHPOST66	165	BASE	66 2.61 2.61 8	0.346	
BHPOSTE30	56	EXTENSION	30 2.61 2.61 5	0.195	
BHPOSTE78	142	EXTENSION	78 2.61 2.61 9	0.430	

- Three sided lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel. True lay-in application use
- Attaches to ceiling and post.
- Includes connectors and ceiling bezel plate and screws.
- Requires vertical end trim to enclose when used in 2 way and 3 way panel run application.
- Trim encloses lay-in cable post extension, sold separately.



BE2PE • Off-Module Post Extension



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
BE2PE49	169	7.61 49 3.00 5	0.258	
BE2PE81	251	7.61 81 3.00 9	0.424	

- An alternative to the existing Ceiling Post, allows for an off-module Ceiling Feed location.
- Attaches to the top of horizontal trim.
- Panel ceiling post consists of two aluminum extrusions for a true lay-in application.
- Includes brackets, hardware and ceiling trim plate and screws.
- Harness length will vary in length depending on post location along the panel.
- Can only be used with Boulevard System 3 "PV" and "MV" Panels.
- Requires on site cutting of top trim for placement along panel.

DEK • Diet Electrical Kit




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
DEK2401	211	4 18 1.3 4.90	0.07	
DEK3001	308	4 24 1.3 5.25	0.08	
DEK3601	322	4 30 1.3 5.70	0.10	
DEK4201	334	4 36 1.3 6.00	0.13	
DEK4801	349	4 42 1.3 6.40	0.15	
DEK5401	366	4 48 1.3 7.10	0.16	
DEK6001	381	4 54 1.3 7.60	0.19	
DEK2402	211	4 18 1.3 4.90	0.07	
DEK3002	308	4 24 1.3 5.25	0.08	
DEK3602	322	4 30 1.3 5.70	0.10	
DEK4202	334	4 36 1.3 6.00	0.13	
DEK4802	349	4 42 1.3 6.40	0.15	
DEK5402	366	4 48 1.3 7.10	0.16	
DEK6002	381	4 54 1.3 7.60	0.19	

- Kit includes all components to add power to Diet Panels.
- Typical kit includes: 2 Duplex Receptacle Blocks (either circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.
- The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.
- Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.
- Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").
- 24" wide panels have a single Duplex Receptacle Block only.

- 30" wide panels have 2 Duplex Receptacle Blocks, however they must be facing the same direction.
- 24" and 30" wide panels are not pre-punched for data.
- 36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.

ELECTRICAL


DEJH • Diet Pass-Thru Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES L D	WEIGHT LBS	VOL FT ³
DEJH24	144	2	42 1	1.81	0.025
DEJH30	164	2	48 1	2.07	0.028
DEJH36	179	2	54 1	2.12	0.032
DEJH42	194	2	60 1	2.60	0.035
DEJH48	208	2	66 1	2.86	0.038
DEJH54	224	2	72 1	3.13	0.041
DEJH60	238	2	78 1	3.39	0.044

- Kit allows electrical to pass through a Diet Panel.
- Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.
- Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.

DEBF • Diet Base Feed



PRODUCT CODE	PRICE	SIZE / H	INCHES L D	WEIGHT LBS	VOL FT ³
DEBF01	181	2	72 2	5.6	0.06

- Provides single power entry from floor into raceway.
- Single Ceiling Feed has a 6' whip, liquid tight.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.

DECF • Diet Ceiling Feed



PRODUCT CODE	PRICE	SIZE / H	INCHES L D	WEIGHT LBS	VOL FT ³
DECF01	293	2	144 2	5.6	0.06

- Provides single power entry from ceiling through a post into raceway.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.


DEPE • Diet Post Extension



PRODUCT CODE	PRICE	SIZE / H	INCHES W D	WEIGHT LBS	VOL FT ³
DEPE116	202	116	4.5 1	7	0.82

- Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.
- Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.
- Includes all hardware and bezel.
- Intended for use on Diet panels with fabric bottoms.

DERJC • Raceway Junction Cover



PRODUCT CODE	PRICE	SIZE / H	INCHES W D	WEIGHT LBS	VOL FT ³
DERJC	19	4.3	10 1	0.5	0.1

- Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).
- Aluminum, powder coated finish.

WORKSURFACES

Worksurfaces

Global Contract offers a wide variety of worksurfaces and user friendly worksurface shapes to support a variety of tasks, applications and personal preferences.

- High and Low pressure worksurfaces are 3mm edge banded.
- Wood veneer surfaces or solid wood edges available.

- 1 1/16" particle board.
- 45 lb. density
- 100% recycled from post consumer industrial material
- "Scoops" for cable management.
- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.

Technical Information

Worksurfaces

- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.
- Back edge features scoop detail.
- Worksurfaces 48" or less have one scoop while those that are 54" or more have a double scoop feature with a 1/2" wire passage trough between the scoops.
- LP and HP worksurfaces are 3mm edge banded.
- LP worksurfaces are 1" thick particle board with laminate finish.
- HP worksurfaces are 1 1/16" thick particle board with laminate finish.
- T worksurfaces are 1 1/16" thick particle board with laminate finish and wood trim.
- W worksurfaces are 1 3/16" thick particle board with wood veneer finish. Edge is solid wood edge banded.
- One universal cantilever supports two abutting worksurfaces.

- 20" deep worksurfaces available at same price as 24" deep worksurfaces.
- Support hardware must be ordered separately.
- Painted (P) worksurfaces are 1" thick MDF and have a radius waterfall edge on user side, contact your Customer Service Representative.
- Flex lip available for LP, HP, and T worksurfaces only, contact your Customer Service Representative.
- Edge banded worksurfaces without scoops available, substitute "NFL" for "SCP" at the end of the code.

Transaction Worksurfaces


- To install transaction worksurfaces to a 42" high panel, use BHBT02 bracket.
- To install transaction worksurfaces to a 37" high panel, use BHBT37 bracket.

WORKSURFACE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


Example of Worksurface: **BWS2460SCP HP MR71T CHR**



How to Specify

- Specify Boulevard worksurface type and size by code.
- Specify scoops option by adding "SCP" at end of code or old style Flexlip by leaving blank.
- Specify type of finish.
- Specify High Pressure Laminate Colour.
- Specify PVC edge colour.

Example of Hardware: **BHC24 CHR**





How to Specify

- Specify Boulevard hardware type and size by code.
- Specify type of finish.

WORKSURFACES



BWS • Straight Rectangular Worksurface

	PRODUCT CODE	PRICE		GROUP		SIZE / INCHES				WEIGHT VOL	
		LP*	HP*	T*	W*	H	W	D	LBS	FT ³	
	BWS1818SCP	94	119	173	262	1	18	18	9	0.29	
	BWS1824SCP	103	129	193	323	1	24	18	12	0.39	
	BWS1830SCP	110	137	204	394	1	30	18	15	0.49	
	BWS1836SCP	124	155	228	464	1	36	18	18	0.59	
	BWS1842SCP	165	204	285	558	1	42	18	21	0.68	
	BWS1848SCP	195	244	327	586	1	48	18	24	0.78	
	BWS1854SCP	227	285	376	596	1	54	18	27	0.88	
	BWS1860SCP	251	313	410	616	1	60	18	30	1.00	
	BWS1866SCP	268	335	437	634	1	66	18	32	1.10	
	BWS1872SCP	283	352	465	653	1	72	18	35	1.20	
Worksurfaces 48" or Less	BWS1878SCP	298	373	491	711	1	78	18	38	1.30	
	BWS1884SCP	323	404	535	741	1	84	18	41	1.40	
	BWS2418SCP	97	122	193	302	1	18	24	12	0.40	
	BWS2424SCP	106	131	204	374	1	24	24	16	0.52	
	BWS2430SCP	112	139	219	458	1	30	24	20	0.65	
	BWS2436SCP	127	159	247	535	1	36	24	23	0.78	
	BWS2442SCP	166	207	299	641	1	42	24	28	0.90	
	BWS2448SCP	199	249	346	711	1	48	24	31	1.03	
	BWS2454SCP	233	291	398	730	1	54	24	35	1.20	
	BWS2460SCP	263	327	438	749	1	60	24	39	1.30	
	BWS2466SCP	273	343	459	780	1	66	24	43	1.41	
	BWS2472SCP	286	357	479	808	1	72	24	47	1.54	
	BWS2478SCP	304	380	516	889	1	78	24	51	1.70	
	BWS2484SCP	327	410	551	959	1	84	24	55	1.80	
	BWS3018SCP	114	141	221	376	1	18	30	15	0.50	
	BWS3024SCP	122	153	239	470	1	24	30	20	0.70	
	BWS3030SCP	133	167	261	555	1	30	30	25	0.97	
	BWS3036SCP	156	196	294	657	1	36	30	30	1.06	
	BWS3042SCP	221	277	378	688	1	42	30	34	1.12	
	BWS3048SCP	233	291	403	743	1	48	30	39	1.30	
Worksurfaces 54" or Longer	BWS3054SCP	255	320	437	771	1	54	30	44	1.44	
	BWS3060SCP	273	343	464	802	1	60	30	49	1.60	
	BWS3066SCP	285	354	484	864	1	66	30	54	1.80	
	BWS3072SCP	301	377	513	930	1	72	30	59	2.00	
	BWS3078SCP	319	399	543	1026	1	78	30	64	2.10	
	BWS3084SCP	352	441	594	1106	1	84	30	69	2.24	
	BWS3672SCP	573	750	1171	1877	1	72	36	71	2.30	

• Straight rectangular work-surfaces are non-handed and can be interchanged on site.

WORKSURFACES

BWSP • Straight Rectangular Worksurface to span a Post


	PRODUCT CODE	PRICE LP*	GROUP		W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			HP*	T*		H	W	D		
	BWSP1821SCP	103	129	191	322	1	21	18	10	0.34
	BWSP1827SCP	110	136	204	393	1	27	18	13	0.44
	BWSP1833SCP	124	155	227	461	1	33	18	16	0.53
	BWSP1839SCP	164	204	284	555	1	39	18	19	0.63
	BWSP1845SCP	194	241	325	583	1	45	18	22	0.72
	BWSP1851SCP	226	284	375	594	1	51	18	25	0.82
	BWSP1857SCP	251	313	410	616	1	57	18	28	0.92
	BWSP1863SCP	267	333	434	629	1	63	18	31	1.01
	BWSP1869SCP	282	351	462	650	1	69	18	34	1.11
	BWSP1875SCP	305	371	489	708	1	75	18	37	1.21
Worksurfaces 48" or Less	BWSP1881SCP	321	403	530	736	1	81	18	40	1.30
	BWSP1887SCP	347	433	602	821	1	87	18	43	1.40
	BWSP2421SCP	106	131	204	374	1	21	24	14	0.45
	BWSP2427SCP	112	139	219	458	1	27	24	17	0.60
	BWSP2433SCP	127	159	247	535	1	33	24	21	0.70
	BWSP2439SCP	166	207	299	641	1	39	24	25	0.83
	BWSP2445SCP	199	249	346	711	1	45	24	29	1.00
	BWSP2451SCP	233	291	398	730	1	51	24	33	1.10
	BWSP2457SCP	263	327	438	749	1	57	24	37	1.22
	BWSP2463SCP	273	343	459	780	1	63	24	41	1.34
	BWSP2469SCP	286	357	479	808	1	69	24	45	1.47
	BWSP2475SCP	304	380	516	889	1	75	24	49	1.60
	BWSP2481SCP	327	410	551	959	1	81	24	53	1.73
	BWSP2487SCP	413	517	621	1024	1	87	24	57	1.90
	BWSP3021SCP	122	153	239	470	1	21	30	17	0.56
	BWSP3027SCP	133	167	261	555	1	27	30	22	0.72
	BWSP3033SCP	156	196	294	657	1	33	30	27	0.88
	BWSP3039SCP	221	277	378	688	1	39	30	32	1.04
	BWSP3045SCP	233	291	403	743	1	45	30	37	1.20
	BWSP3051SCP	255	320	437	771	1	51	30	41	1.40
Worksurfaces 50" or Longer	BWSP3057SCP	273	343	464	802	1	57	30	46	1.51
	BWSP3063SCP	285	354	484	864	1	63	30	51	1.67
	BWSP3069SCP	301	377	513	930	1	69	30	56	1.83
	BWSP3075SCP	319	399	543	1026	1	75	30	61	2.00
	BWSP3081SCP	352	441	594	1106	1	81	30	66	2.20
	BWSP3087SCP	473	591	749	1187	1	87	30	70	2.30
	BWSP3675SCP	586	769	1171	1877	1	75	36	73	2.40

- Straight rectangular work-surfaces are non-handed and can be interchanged on site.
- Worksurface will span the width of a post eliminating a gap between standard sizes.

Application of Worksurface

WORKSURFACES

BWS • Straight Rectangular Worksurface without Flex Lip or Scoops




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWS1818NFL	91	116	168	254	1	18	18	9	0.28
BWS1824NFL	100	125	187	314	1	24	18	12	0.40
BWS1830NFL	107	133	198	383	1	30	18	15	0.50
BWS1836NFL	120	150	221	450	1	36	18	18	0.59
BWS1842NFL	160	198	277	542	1	42	18	21	0.68
BWS1848NFL	189	237	317	569	1	48	18	24	0.78
BWS1854NFL	220	277	365	579	1	54	18	27	0.88
BWS1860NFL	244	304	398	598	1	60	18	29	0.97
BWS1866NFL	260	325	424	616	1	66	18	32	1.10
BWS1872NFL	275	342	451	634	1	72	18	35	1.20
BWS1878NFL	289	362	477	690	1	78	18	38	1.30
BWS1884NFL	314	392	519	719	1	84	18	41	1.40
BWS2418NFL	94	118	187	293	1	18	24	12	0.40
BWS2424NFL	103	127	198	363	1	24	24	16	0.52
BWS2430NFL	109	135	213	445	1	30	24	20	0.65
BWS2436NFL	123	154	240	519	1	36	24	24	0.78
BWS2442NFL	161	201	290	622	1	42	24	28	0.90
BWS2448NFL	193	242	336	690	1	48	24	31	1.03
BWS2454NFL	226	283	386	709	1	54	24	35	1.20
BWS2460NFL	255	317	425	727	1	60	24	39	1.30
BWS2466NFL	265	333	446	757	1	66	24	43	1.41
BWS2472NFL	278	347	465	784	1	72	24	47	1.54
BWS2478NFL	295	369	501	863	1	78	24	51	1.70
BWS2484NFL	317	398	535	931	1	84	24	55	1.80
BWS3018NFL	111	137	215	365	1	18	30	15	0.50
BWS3024NFL	118	149	232	456	1	24	30	20	0.65
BWS3030NFL	129	162	253	539	1	30	30	25	0.81
BWS3036NFL	151	190	285	638	1	36	30	29	1.00
BWS3042NFL	215	269	367	668	1	42	30	34	1.13
BWS3048NFL	226	283	391	721	1	48	30	39	1.30
BWS3054NFL	248	311	424	749	1	54	30	44	1.44
BWS3060NFL	265	333	450	779	1	60	30	49	1.60
BWS3066NFL	277	344	470	839	1	66	30	54	1.76
BWS3072NFL	292	366	498	903	1	72	30	59	1.91
BWS3078NFL	310	387	527	996	1	78	30	64	2.10
BWS3084NFL	342	428	577	1074	1	84	30	69	2.24
BWS3672NFL	556	725	858	1109	1	72	36	71	2.30

• Straight rectangular work-surfaces are non-handed and can be interchanged on site.

• Worksurface features no scoop or flex lip.

WORKSURFACES

BWSW • Wedge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWSW182448SCP	279	346	637	1248	1	48	24	30	0.58
BWSW182454SCP	312	389	892	1421	1	54	24	34	0.65
BWSW182460SCP	346	434	898	1448	1	60	24	38	0.73
BWSW182466SCP	382	477	938	1496	1	66	24	42	0.80
BWSW182472SCP	416	520	949	1532	1	72	24	46	0.88
BWSW241848SCP	279	346	637	1248	1	48	24	30	0.58
BWSW241854SCP	312	389	892	1421	1	54	24	34	0.65
BWSW241860SCP	346	434	898	1448	1	60	24	38	0.73
BWSW241866SCP	382	477	938	1496	1	66	24	42	0.80
BWSW241872SCP	416	520	949	1532	1	72	24	46	0.88
BWSW243048SCP	346	434	755	1306	1	48	30	38	0.73
BWSW243054SCP	389	488	969	1485	1	54	30	42	0.84
BWSW243060SCP	434	542	973	1526	1	60	30	47	0.94
BWSW243066SCP	477	595	1004	1635	1	66	30	51	1.03
BWSW243072SCP	521	650	1058	1735	1	72	30	56	1.13
BWSW302448SCP	346	434	755	1306	1	48	30	38	0.73
BWSW302454SCP	389	488	969	1485	1	54	30	42	0.84
BWSW302460SCP	434	542	973	1526	1	60	30	47	0.94
BWSW302466SCP	477	595	1004	1635	1	66	30	51	1.03
BWSW302472SCP	521	650	1058	1735	1	72	30	56	1.13

• Wedge Worksurface

NOTE: BWSW

24	18	48
A	B	C
WIDTH	WIDTH	LENGTH

BWSW • Wedge Worksurface Without Flexlip or Scoops




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWSW182448NFL	279	346	637	1248	1	48	24	30	0.58
BWSW182454NFL	312	389	892	1421	1	54	24	34	0.65
BWSW182460NFL	346	434	898	1448	1	60	24	38	0.73
BWSW182466NFL	382	477	938	1496	1	66	24	42	0.80
BWSW182472NFL	416	520	949	1532	1	72	24	46	0.88
BWSW241848NFL	279	346	637	1248	1	48	24	30	0.58
BWSW241854NFL	312	389	892	1421	1	54	24	34	0.65
BWSW241860NFL	346	434	898	1448	1	60	24	38	0.73
BWSW241866NFL	382	477	938	1496	1	66	24	42	0.80
BWSW241872NFL	416	520	949	1532	1	72	24	46	0.88
BWSW243048NFL	346	434	755	1306	1	48	30	38	0.75
BWSW243054NFL	389	488	969	1485	1	54	30	42	0.84
BWSW243060NFL	434	542	973	1526	1	60	30	47	0.73
BWSW243066NFL	477	595	1004	1635	1	66	30	51	1.03
BWSW243072NFL	521	650	1058	1735	1	72	30	56	1.13
BWSW302448NFL	346	434	755	1306	1	48	30	38	0.75
BWSW302454NFL	389	488	969	1485	1	54	30	42	0.84
BWSW302460NFL	434	542	973	1526	1	60	30	47	0.73
BWSW302466NFL	477	595	1004	1635	1	66	30	51	1.03
BWSW302472NFL	521	650	1058	1735	1	72	30	56	1.13

• Wedge Worksurface without scoop

NOTE: BWSW

24	18	48
A	B	C
WIDTH	WIDTH	LENGTH

BWBT • Bow Tie Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWBT3660SCP	452	565	579	949	1	36	60	60	1.90
BWBT3672SCP	518	648	816	1085	1	36	72	71	2.30
BWBT3684SCP	625	783	802	1320	1	36	84	83	2.70

• Designed to work as a universal non-handed "corner" surface.

• Creates flexible use of space for computer.

WORKSURFACES

BWSC • Curvelinear Front Edge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWSC182430SCP	142	176	281	562	1	30	24	18	0.65
BWSC182436SCP	170	215	319	711	1	36	24	22	0.78
BWSC182442SCP	199	249	362	711	1	42	24	26	0.90
BWSC182448SCP	227	285	402	767	1	48	24	30	1.03
BWSC182454SCP	255	320	444	818	1	54	24	34	1.20
BWSC182460SCP	285	354	488	855	1	60	24	38	1.30
BWSC241830SCP	142	176	281	562	1	30	24	18	0.65
BWSC241836SCP	170	215	319	624	1	36	24	22	0.78
BWSC241842SCP	199	249	362	711	1	42	24	26	0.90
BWSC241848SCP	227	285	402	767	1	48	24	30	1.03
BWSC241854SCP	255	320	444	818	1	54	24	34	1.2
BWSC241860SCP	285	354	488	855	1	60	24	38	1.3
BWSC243030SCP	149	186	290	634	1	30	30	23	0.81
BWSC243036SCP	170	215	322	686	1	36	30	28	1
BWSC243042SCP	246	305	427	799	1	42	30	33	1.13
BWSC243048SCP	255	320	452	855	1	48	30	38	1.3
BWSC243054SCP	285	353	495	934	1	54	30	42	1.44
BWSC243060SCP	311	391	539	971	1	60	30	47	1.6
BWSC302430SCP	149	186	290	634	1	30	30	23	0.81
BWSC302436SCP	170	215	322	686	1	36	30	28	1
BWSC302442SCP	246	305	427	799	1	42	30	33	1.13
BWSC302448SCP	255	320	452	855	1	48	30	38	1.3
BWSC302454SCP	285	353	495	934	1	54	30	42	1.44
BWSC302460SCP	311	388	539	970	1	60	30	47	1.6

- Curvelinear front edge worksurface.
- Allows efficient use of a small footprint.
- The curve on the 30" and 36" wide worksurfaces have been modified to allow a pedestal to fit.

NOTE: BWSC

24	18	30
A	B	C
WIDTH	WIDTH	LENGTH

BWCC • Curved Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWCC3618SCP	279	348	492	948	1	36	36	29	1.2
BWCC3624SCP	306	383	626	1056	1	36	36	32	1.2
BWCC4224SCP	416	519	677	1113	1	42	42	41	1.6
BWCC4230SCP	425	531	675	1146	1	42	42	45	1.6
BWCC4824SCP	484	605	806	1491	1	48	48	50	2
BWCC4830SCP	484	605	806	1491	1	48	48	56	2

- Allows efficient use of corner space for computer or printer applications.
- BWCC3624 has a front radius of 12". It is not usable for keyboard support.

NOTE: BWSC


36	18
C	A
WIDTH	DEPTH

CODE	RADIUS "R"
BWCC3618SCP	18"
BWCC3624SCP	12"
BWCC4224SCP	18"
BWCC4230SCP	12"
BWCC4824SCP	24"
BWCC4830SCP	18"

NOTE: 12" radius not recommended for keyboards

WORKSURFACES

BWCF • Five Sided Corner Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
BWCF3012SCP	173	216	320	826	1	30	30	28	1.00
BWCF3612SCP	240	299	385	846	1	36	36	30	1.03
BWCF3618SCP	240	299	385	846	1	36	36	31	1.20
BWCF3624SCP	251	313	399	846	1	36	36	33	1.20
BWCF3630SCP	263	327	413	846	1	36	36	35	1.20
BWCF4218SCP	343	427	525	1007	1	42	42	40	1.60
BWCF4224SCP	352	441	541	1007	1	42	42	45	1.60
BWCF4230SCP	365	455	555	1007	1	42	42	47	1.60
BWCF4818SCP	387	484	613	1166	1	48	48	40	1.60
BWCF4824SCP	400	497	625	1166	1	48	48	45	1.60
BWCF4830SCP	422	525	655	1166	1	48	48	47	1.60

- Creates efficient use of corner space for computer or printer applications.

CODE	PANEL SIZES	ADJOINED WORKSURFACE DEPTH	A	B
BWCF3012SCP	30	12	25.5	29.8
BWCF3612SCP	36	12	34.0	34.0
BWCF3618SCP	36	18	25.5	37.9
BWCF3624SCP	36	24	17.0	42.1
BWCF3630SCP	36	30	8.5	46.4
BWCF4218SCP	42	18	33.9	42.1
BWCF4224SCP	42	24	25.5	46.4
BWCF4230SCP	42	30	17.0	50.6
BWCF4818SCP	48	18	42.4	46.4
BWCF4824SCP	48	24	33.9	50.6
BWCF4830SCP	48	30	25.5	54.8

BWCL • "L" Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
BWCL3018SCP	173	214	294	980	1	30	30	20	0.80
BWCL3024SCP	170	215	290	942	1	30	30	23	0.80
BWCL3618SCP	251	313	402	948	1	36	36	27	1.20
BWCL3624SCP	263	327	416	948	1	36	36	31	1.20
BWCL3630SCP	273	343	430	948	1	36	36	34	1.20
BWCL4218SCP	365	455	555	1113	1	42	42	32	1.60
BWCL4224SCP	377	470	569	1113	1	42	42	39	1.60
BWCL4230SCP	387	484	584	1113	1	42	42	44	1.60
BWCL4818SCP	399	497	625	1272	1	48	48	38	2.00
BWCL4824SCP	410	512	641	1272	1	48	48	47	2.00
BWCL4830SCP	420	525	655	1272	1	48	48	54	2.00


- Creates efficient use of corner space for computer or printer applications.

NOTE: BWSC

- 5" radius not recommended for keyboards.

36	18
C	A
WIDTH	DEPTH

BWCK • Keyboard Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
With GAKSM02/GATM01 Combo keyboard clamp:									
BWCK4224SCP	624	782	909	1429	1	42	42	49	2.60
BWCK4824SCP	777	972	1082	1524	1	48	48	58	3.04
BWCK4830SCP	889	1110	1281	1569	1	48	48	62	3.04
Without keyboard clamp:									
BWCKN4224SCP	442	551	673	1169	1	42	42	49	2.60
BWCKN4824SCP	590	739	889	1264	1	48	48	58	3.04
BWCKN4830SCP	696	870	1035	1306	1	48	48	62	3.04


- Includes Keyboard Support and Tray.
- Creates efficient use of corner space for computer or printer applications.

42	24
C	A
WIDTH	DEPTH

CODE	PANEL SIZES	ADJOINED WORKSURFACE DEPTH
BWCK4224SCP	42	24
BWCK4824SCP	48	24
BWCK4830SCP	48	30

WORKSURFACES

BWAC45 • Curved Corner Worksurface for 45 Degree Angle




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
BWAC452418SCP	279	348	497	896	1	24	18	38	1.14
BWAC452424SCP	290	364	613	1106	1	24	24	42	1.29
BWAC452430SCP	302	377	784	1421	1	24	30	48	1.45
BWAC453018SCP	357	448	1073	1433	1	30	18	53	1.61
BWAC453024SCP	406	507	1280	1706	1	30	24	60	1.80
BWAC453030SCP	449	562	1635	2178	1	30	30	66	2.01
BWAC453618SCP	503	627	1249	1658	1	36	18	66	2.01
BWAC453624SCP	558	699	1536	2046	1	36	24	71	2.16
BWAC453630SCP	616	767	1933	2574	1	36	30	76	2.30

- Five sided corner unit for 45 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

NOTE: BWAC

45°	24	18
	C	A
45° POST	WIDTH	DEPTH

BWAC60 • Curved Corner Worksurface for 60 Degree Angle



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
BWAC602418SCP	240	299	399	716	1	24	18	33	0.99
BWAC602424SCP	251	313	497	896	1	24	24	36	1.09
BWAC602430SCP	263	327	541	971	1	24	30	39	1.19
BWAC603018SCP	325	408	904	1202	1	30	18	48	1.46
BWAC603024SCP	353	444	1063	1418	1	30	24	52	1.58
BWAC603030SCP	381	476	1156	1540	1	30	30	56	1.71
BWAC603618SCP	465	581	1055	1398	1	36	18	66	2.01
BWAC603624SCP	500	624	1244	1658	1	36	24	71	2.16
BWAC603630SCP	536	667	1357	1808	1	36	30	76	2.31

- Five sided corner unit for 60 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

NOTE: BWAC

60°	24	18
	C	A
60° POST	WIDTH	DEPTH

BWCE • Extended Curved Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
					H	W	D		
BWCE426024SCP	497	623	948	1558	1	24	42	60	2.20
BWCE426624SCP	549	685	1017	1626	1	24	42	66	2.50
BWCE427224SCP	607	799	1118	1829	1	24	42	72	2.70
BWCE427824SCP	648	811	1186	1966	1	24	42	78	2.90
BWCE428424SCP	698	873	1286	2100	1	24	42	84	3.10
BWCE486024SCP	569	712	1186	1966	1	24	48	60	2.50
BWCE486624SCP	625	784	1255	2032	1	24	48	66	2.80
BWCE487224SCP	683	853	1286	2100	1	24	48	72	3.10
BWCE487824SCP	741	926	1388	2304	1	24	48	78	3.30
BWCE488424SCP	797	996	1491	2438	1	24	48	84	3.60
BWCE486030SCP	625	784	1286	2100	1	30	48	60	2.50
BWCE486630SCP	683	853	1354	2202	1	30	48	66	2.80
BWCE487230SCP	741	926	1388	2270	1	30	48	72	3.10
BWCE487830SCP	797	996	1491	2405	1	30	48	78	3.30
BWCE488430SCP	840	1052	1558	2507	1	30	48	84	3.60
BWCE604224SCP	497	623	948	1558	1	24	60	42	2.20
BWCE604824SCP	569	712	1186	1966	1	24	60	48	2.60
BWCE604830SCP	625	784	1286	2100	1	30	60	48	2.60
BWCE664224SCP	549	685	1017	1626	1	24	66	42	2.50
BWCE664824SCP	625	784	1255	2032	1	24	66	48	2.80
BWCE664830SCP	683	853	1354	2202	1	30	66	48	2.80
BWCE724224SCP	607	799	1118	1829	1	24	72	42	2.70
BWCE724824SCP	683	853	1286	2100	1	24	72	48	3.10
BWCE724830SCP	741	926	1388	2270	1	30	72	48	3.10
BWCE784224SCP	648	811	1186	1966	1	24	78	42	2.90
BWCE784824SCP	741	926	1388	2304	1	24	78	48	3.30
BWCE784830SCP	797	996	1491	2405	1	30	78	48	3.30
BWCE844224SCP	698	873	1286	2100	1	24	84	42	3.10
BWCE844824SCP	797	996	1491	2438	1	24	84	48	3.60
BWCE844830SCP	840	1052	1558	2507	1	30	84	48	3.60


- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.

NOTE: BWSC

60	42	24
A	B	C
WIDTH	WIDTH	LENGTH

WORKSURFACES

BWCEC • Extended Curvilinear Corner Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
BWCEC366024SCP	452	565	810	1348	36	60	24	59	0.05
BWCEC366624SCP	475	593	893	1482	36	66	24	65	0.60
BWCEC367224SCP	518	648	971	1618	36	72	24	71	0.07
BWCEC367824SCP	561	703	1055	1753	36	78	24	77	0.07
BWCEC368424SCP	625	783	1133	1887	36	84	24	83	0.08
BWCEC426624SCP	547	682	1010	1618	42	66	24	76	0.07
BWCEC427224SCP	604	755	1112	1821	42	72	24	83	0.08
BWCEC427824SCP	646	806	1180	1958	42	78	24	90	0.08
BWCEC428424SCP	693	869	1282	2092	42	84	24	96	0.09
BWCEC487230SCP	737	920	1382	2260	48	72	30	94	0.09
BWCEC487830SCP	794	993	1482	2395	48	78	30	102	0.09
BWCEC488430SCP	836	1045	1552	2495	48	84	30	110	0.10
BWCEC603624SCP	452	565	810	1348	60	36	24	59	0.05
BWCEC663624SCP	475	593	893	1482	66	36	24	65	0.60
BWCEC664224SCP	547	682	1010	1618	66	42	24	76	0.07
BWCEC723624SCP	518	648	971	1618	72	36	24	71	0.07
BWCEC724224SCP	604	755	1112	1821	72	42	24	83	0.08
BWCEC724830SCP	737	920	1382	2260	72	48	30	94	0.09
BWCEC783624SCP	561	703	1055	1753	78	36	24	77	0.07
BWCEC784224SCP	646	806	1180	1958	78	42	24	89	0.08
BWCEC784830SCP	794	993	1482	2395	78	48	30	102	0.09
BWCEC843624SCP	625	783	1133	1887	84	36	24	83	0.08
BWCEC844224SCP	625	783	1133	1887	84	42	24	96	0.09
BWCEC844824SCP	693	869	1282	2092	84	48	24	110	0.10
BWCEC844830SCP	836	1045	1552	2495	84	48	30	110	0.10

- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.

NOTE: BWSC

60	42	24
A	B	C
WIDTH	WIDTH	LENGTH


BWK • Keyboard Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT³
With GAKSM02/GATM01 Combo keyboard clamp:									
BWK2436SCP	491	613	710	1022	1	36	24	30	1.80
BWK2442SCP	495	621	721	1130	1	42	24	34	1.90
BWK3036SCP	551	688	813	1144	1	36	30	36	2.00
BWK3042SCP	557	693	827	1177	1	42	30	34	2.10
Without keyboard clamp:									
BWKN2436SCP	319	399	494	798	1	36	24	20	0.78
BWKN2442SCP	324	408	510	904	1	42	24	24	0.90
BWKN3036SCP	382	476	598	920	1	36	30	26	1.00
BWKN3042SCP	386	482	616	956	1	42	30	31	1.13

- Incorporates keyboard cut-out with keyboard clamp and pliable molded wrist support.
- Keyboard support adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).

BWKLL • "L" Keyboard Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
BWKLL3624SCP	170	214	1044	1290	1	36	24	22	0.78
BWKLL4224SCP	199	250	1228	1609	1	42	24	26	0.90
BWKLL4824SCP	228	285	1344	1765	1	48	24	30	1.03
BWKLR3624SCP	170	214	1044	1290	1	36	24	22	0.78
BWKLR4224SCP	199	250	1228	1609	1	42	24	26	0.90
BWKLR4824SCP	228	285	1344	1765	1	48	24	30	1.30

- Creates wrap around keyboard worksurface.
- For use with flat screen monitors.
- Use 12" Cantilever supports
- NOTE: Order Keyboard Mechanism and Tray separately.

WORKSURFACES


BWIR • "T" Island Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWIR244836SCP	456	571	1655	2186	1	36	48	36	1.09
BWIR244236SCP	398	499	1548	2041	1	36	42	36	1.09

- Creates efficient two person workstation when combined with "L" Keyboard Worksurface.


BWKE • Extended Corner Keyboard Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWKE246630SCP	575	718	1744	2260	1	66	30	43	1.56
BWKE247230SCP	626	784	1852	2402	1	72	30	48	1.69
BWKE247830SCP	680	849	1989	2591	1	78	30	53	1.82
BWKE306624SCP	575	718	1744	2260	1	66	30	43	1.56
BWKE307224SCP	626	784	1852	2402	1	72	30	48	1.69
BWKE307824SCP	680	849	1989	2591	1	78	30	53	1.82

- Creates wrap around keyboard worksurface.
- For use with flat screen monitors.
- NOTE: Order Keyboard Mechanism and Tray separately.


BWKK • Angle Front Edge Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWKKR2436SCP	170	214	1275	1500	1	36	24	22	0.78
BWKKR2442SCP	199	250	1507	1778	1	42	24	26	0.90
BWKKR2448SCP	228	285	1649	1947	1	48	24	30	1.03
BWKKL2436SCP	170	214	1275	1500	1	36	24	22	0.78
BWKKL2442SCP	199	250	1507	1778	1	42	24	26	0.90
BWKKL2448SCP	228	285	1649	1947	1	48	24	30	1.03

- To be used with BWCF-3012SCP & BWCF3612SCP Corner Worksurfaces
- Creates efficient, compact keyboard corner workstation.
- For use with flat screen monitors.
- Use 12" Cantilever Supports

BWSAC • Arc Front Edge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWSAC122430SCP	176	234	499	915	1	30	24	18	0.65
BWSAC122436SCP	211	283	600	1104	1	36	24	22	0.78
BWSAC122442SCP	247	329	701	1290	1	42	24	26	0.90
BWSAC122448SCP	283	376	755	1331	1	48	24	30	1.03
BWSAC122454SCP	318	420	963	1741	1	54	24	34	1.20
BWSAC122460SCP	346	468	1009	1971	1	60	24	38	1.30
BWSAC241230SCP	176	234	499	915	1	30	24	18	0.65
BWSAC241236SCP	211	283	600	1104	1	36	24	22	0.78
BWSAC241242SCP	247	329	701	1290	1	42	24	26	0.90
BWSAC241248SCP	283	376	755	1331	1	48	24	30	1.03
BWSAC241254SCP	318	420	963	1741	1	54	24	34	1.20
BWSAC241260SCP	346	468	1009	1971	1	60	24	38	1.30

- Arc Front Edge worksurface.
- Use 12" cantilever supports.

NOTE: BWAC

24	12	48
A	B	C
WIDTH	WIDTH	LENGTH

BWSL • Curvelinear Arc Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWSL3060L	596	746	869	1530	29	60	30	48	1.69
BWSL3066L	625	784	967	1708	29	66	30	53	1.85
BWSL3072L	651	818	1066	1919	29	72	30	58	2.01
BWSL3060R	596	746	869	1530	29	60	30	48	1.69
BWSL3066R	625	784	967	1708	29	66	30	53	1.85
BWSL3072R	651	818	1066	1919	29	72	30	58	2.01

• RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- A = 27" for 60", 66" worksurfaces
- A = 26.5" for 72" worksurfaces

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- Not recommended for use with modesty panel due to knee swing interference.
- For chrome finish on leg, please add \$80 list upcharge.

BWSL • Curvelinear Arc Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BWSL3660L	680	853	996	1743	29	60	36	57	2.07
BWSL3666L	724	926	1110	1958	29	66	36	64	2.26
BWSL3672L	793	996	1225	2168	29	72	36	71	2.45
BWSL3660R	680	853	996	1743	29	60	36	57	2.07
BWSL3666R	724	926	1110	1958	29	66	36	64	2.26
BWSL3672R	793	996	1225	2168	29	72	36	71	2.45


• RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- B = 33" for 60", 66" worksurfaces
- B = 32.5" for 72" worksurfaces

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$80 list upcharge.

WORKSURFACES


BWD • “D” Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWD2442	389	489	645	732	1	42	24	27	0.97
BWD2448	410	512	651	746	1	48	24	31	1.11
BWD2454	422	525	677	919	1	54	24	35	1.24
BWD2460	430	538	693	1100	1	60	24	39	1.36
BWD2466	441	555	714	1138	1	66	24	43	1.52
BWD2472	461	576	745	1248	1	72	24	47	1.66
BWD3048	410	516	679	1186	1	48	30	38	1.38
BWD3054	432	542	712	1204	1	54	30	43	1.56
BWD3060	462	577	745	1222	1	60	30	48	1.69
BWD3066	484	605	780	1289	1	66	30	53	1.82
BWD3072	511	638	832	1360	1	72	30	58	2.01
BWD3078	540	679	864	1626	1	78	30	63	2.25
BWD3084	589	740	948	1763	1	84	30	68	2.42

- **Rounded worksurface for conferencing.**
- Supported by Monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$80 list upcharge.

BWP • “P” Worksurface




LEFT HAND SHOWN

PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWPL3054	586	731	914	1452	1	54	36	51	1.87
BWPL3060	613	766	946	1686	1	60	36	58	2.03
BWPL3066	664	834	1026	1919	1	66	36	65	2.24
BWPL3072	692	872	1080	2157	1	72	36	70	2.41
BWPL3084	896	967	1198	2572	1	84	36	81	2.79
BWPR3054	586	731	914	1452	1	54	36	51	1.87
BWPR3060	613	766	946	1686	1	60	36	58	2.03
BWPR3066	664	834	1026	1919	1	66	36	65	2.24
BWPR3072	692	872	1080	2157	1	72	36	70	2.41
BWPR3084	770	967	1198	2572	1	84	36	81	2.79

- **Rounded worksurface provides an extended conferencing area.**
- **36” diameter end.**
- Supported by monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$80 list upcharge.


BWMP • “D” and “P” Worksurface Modesty Panel



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWMP1248	95	1	32	12	12	0.4
BWMP1254	115	1	38	12	15	0.47
BWMP1260	133	1	44	12	17	0.53
BWMP1266	154	1	50	12	20	0.61
BWMP1272	172	1	56	12	22	0.66
BWMP1278	185	1	62	12	25	0.71
BWMP1284	198	1	68	12	27	0.79

- **Made of cold rolled steel, fastens to the worksurface and Monoleg for additional privacy.**

BWC60 • Extended “D” Worksurface




RIGHT HAND SHOWN

PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWC60244242SCPL	692	867	1933	2563	1	44	59	80	4.50
BWC60244242SCPR	692	867	1933	2563	1	44	59	80	4.50

- **Creates efficient use of corner space for computer or printer application.**
- Simplifies specification and installation by combining a typical corner worksurface with a “wing” worksurface adjacent into one unit.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$80 list upcharge.

WORKSURFACES


BWR • Radius Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWR18	341	427	530	817	1	38.5	18	27	1.70
BWR24	394	494	628	995	1	50.5	24	41	2.20
BWR30	715	893	1059	1452	1	62.5	30	59	2.70

- **Rounded worksurface for conferencing provides a radius corner.**
- 18" and 24" come with 1 BHML03 Monoleg and 30" comes with 2.
- Radius cut out on the straight edge allows space for aluminum trims.
- For chrome finish on leg, please add \$80 list upcharge for each leg.


BWRTD • Teardrop Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWRTD18	206	224	281	352	1	18	18	24	1.60
BWRTD24	259	290	392	522	1	24	24	33	1.90
BWRTD30	330	379	542	748	1	30	30	43	2.20

- **Rounded worksurface for conferencing provides a radius corner from a work-surface to worksurface.**
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$82 list upcharge.


BWSR • Curved Panel Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWSR1818	103	129	224	319	1	18	18	9	0.30
BWSR2424	146	182	254	394	1	24	24	16	0.52
BWSR3030	191	238	374	509	1	30	30	25	0.81

- **BWSR2424 provides enclosed corner when using curved panel.**


BWRP • Corner Radius Worksurface with Cutout



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWRP1818	121	149	376	506	1	21	21	12	0.40
BWRP2424	173	217	386	526	1	27	27	19	0.64
BWRP3030	214	268	481	664	1	33	33	29	1.00

- **Corner Radius Worksurface with Cut-Out allows worksurface to be used around a post.**
- Cut out fits snug to the post, if trim is attached to the post, the worksurface or PVC trim may need to be cut on site to fit.

BWT • Transaction Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWT1512	50	57	112	169	1	12	15	5	0.22
BWT1518	59	75	142	191	1	18	15	7	0.30
BWT1524	75	91	170	255	1	24	15	10	0.38
BWT1530	88	108	199	302	1	30	15	12	0.46
BWT1536	100	125	227	331	1	36	15	14	0.54
BWT1542	116	142	259	380	1	42	15	17	0.62
BWT1548	127	160	288	413	1	48	15	19	0.70
BWT1554	141	175	317	431	1	54	15	22	0.78
BWT1560	156	195	345	451	1	60	15	24	0.86
BWT1566	168	211	376	495	1	66	15	28	0.94
BWT1572	182	227	404	621	1	72	15	29	1.02
BWT1578	197	246	435	688	1	78	15	31	1.10
BWT1584	211	262	470	763	1	84	15	34	1.18

- **Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.**
- To attach a Boulevard 1 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.

WORKSURFACES


BWTC • Transaction Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTC90	114	139	225	504	1	20.7	20.7	11	0.49
BWTC45	137	170	264	522	1	21.5	21.5	12	0.53
BWTC60	136	170	264	522	1	22.5	22.5	14	0.60

- Attaches to the top of a 37" or 42" high panel to form a corner transaction worksurface.
- Covers 12" of a panel.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.


BWTT • Transaction "T" Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTT2721	119	149	247	522	1	21.5	26.5	15	0.6

- Attaches to the top of a 37" or 42" high panel to form a "T" corner transaction worksurface
- Covers 12" of a panel.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

BWTAC • Transaction Worksurface for 45 Degree Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTAC452415	497	623	650	914	1	47	15	39	1.38

- Attaches to the top of 37" or 42" high panel to form a 45 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

BWTAC • Transaction Worksurface for 60 Degree Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTAC602415	538	676	712	940	1	44	15	38	1.32

- Attaches to the top of 42" high panel to form a 60 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.


BWTR • Transaction Top for Curved Panel



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTR1524	239	296	403	659	1	33	33	11	1.08

- Attaches to the top of 37" or 42" high curved panel to form a curved transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

BWTD • Transaction "D" Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BWTD1530	114	139	259	422	1	37.5	15	17	0.65
BWTD1536	122	150	273	448	1	43.5	15	19	0.69
BWTD1542	136	168	299	481	1	49.5	15	22	0.74
BWTD1548	149	186	327	526	1	55.5	15	25	0.77
BWTD1554	161	201	354	547	1	61.5	15	27	0.85
BWTD1560	179	222	389	565	1	67.5	15	30	0.94
BWTD1566	191	239	418	647	1	73.5	15	33	1.02
BWTD1572	211	259	449	722	1	79.5	15	35	1.10

- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with a radiused end.
- Surface overhangs the panel by 7 1/2" on one side.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

WORKSURFACES


BWTD • Transaction Double “D” Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWTD1548	167	211	387	647	1	63	15	28	1.00
BWTD1554	181	227	424	681	1	69	15	31	1.01
BWTD1560	196	246	447	699	1	75	15	33	1.04
BWTD1566	211	264	478	801	1	81	15	35	1.13
BWTD1572	227	285	508	898	1	87	15	38	1.21

- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with 2 radius ends.
- Surface overhangs the panel by 7 1/2" on each end.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

BWTE • Elliptical Transaction Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWTE36	239	299	768	1106	1	52	18	22	0.78
BWTE42	273	343	853	1196	1	58	19	24	0.81

- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- Depth different than standard tops.

BWTP • Oval Transaction Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWTP1518	171	215	348	549	1	15	18	10	0.35

- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- Must be specified at post condition or panel joint.


BWCD • Round Table



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWCD30	354	391	655	852	29	30 dia	30 dia	35	10.0
BWCD36	366	452	784	977	29	36 dia	36 dia	42	10.0
BWCD42	454	568	967	1314	29	42 dia	42 dia	52	11.0

- Freestanding round meeting table with 4 prong tubular base.
- For chrome base please upcharge \$82 list.


BWSQ • Square Table



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BWSQ24	356	374	555	780	29	24	24	34	10.0
BWSQ30	354	391	655	852	29	30	30	38	10.0
BWSQ36	363	452	795	977	29	36	36	46	11.0
BWSQ42	521	568	967	1314	29	42	42	57	11.0

- Freestanding square meeting table with 4 prong tubular base.
- For chrome base please upcharge \$82 list.

BHCL • “C” Leg




PRODUCT CODE	PRICE	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT ³
BHCL2618	167	26	1	18	7	0.27
BHCL2624	173	26	1	24	8	0.36
BHCL2918	180	29	1	18	8	0.30
BHCL2924	188	29	1	24	9	0.40

- Includes worksurface mounting brackets with screws, Bracket Retainer Clip and panel bracket.
- Accommodates 15" knee space.
- Intended for use with flexlip worksurfaces. When used on other worksurfaces, modesty panel must be installed upside down.

- Attaches to panel support worksurface or to provide freestanding table support.
- Steel structure, PVC cover.
- Universal non-handed.
- For a single rectangular freestanding worksurface application, specify two “C” Legs and one Modesty Panel of corresponding width.
- May be used as a shared leg between two adjoining worksurfaces. Specify one “C” Leg, one Modesty Panel of corresponding width, plus one Modesty Panel Extension Bracket.
- For corner worksurfaces, specify two “C” Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides of the corner worksurface.
- Can be used as a floor support in a panel attached application (similar to a cantilever).

WORKSURFACES


BKC • Corner Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BKC26	100	7	7	6.6	3.0	0.02
BKC29	115	7	7	7.2	3.2	0.02

- Five sided worksurface support.
- Steel construction.
- Non handed.
- Includes bolts for modesty panel attachment.
- For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides or the corner worksurface.


BKMP • Modesty Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BKMP1224	115	11	24	0.25	2.75	0.17
BKMP1230	121	11	30	0.25	2.75	0.21
BKMP1236	129	11	36	0.25	3.00	0.25
BKMP1242	136	11	42	0.25	4.00	0.29
BKMP1248	142	11	48	0.25	4.50	0.33
BKMP1254	149	11	54	0.25	5.00	0.38
BKMP1260	157	11	60	0.25	5.50	0.42

- For rectangular worksurfaces, specify Modesty Panel of corresponding width. For corner worksurfaces, specify two Modesty Panels 6" shorter than rear side of corner worksurface.
- Attaches between two "C" Legs, or between one "C" Leg and a Corner Leg, or a shared "C" Leg and "C" Leg at the end of a run.
- Includes brackets and screws to attach Modesty Panel to worksurface.
- For use with flex lip worksurfaces only.
- To install on "SCP" or "NFL" worksurface, modesty panel must be inverted.


BHMEB • Modesty Panel Extension Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHMEB01	18	10	1.5	0.125	0.5	0.01

- Modesty Panel Extension Bracket made of cold rolled steel.
- Attaches the Modesty Panel of an adjoining worksurface to a shared "C" Leg.
- Includes all attachment hardware.


BHFG • Full Gable - Self Edged



PRODUCT CODE	PRICE LP*	GROUP HP*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
				H	W	D		
BHFG2608	103	129	537	26	1	8	7	0.14
BHFG2612	131	165	576	26	1	12	13	0.21
BHFG2618	160	200	576	26	1	18	13	0.27
BHFG2624	176	221	621	26	1	24	19	0.36
BHFG2630	238	296	741	26	1	30	23	0.45
BHFG2636	299	374	780	26	1	36	24	0.57
BHFG2908	103	129	537	29	1	8	7	0.16
BHFG2912	131	165	576	29	1	12	14	0.30
BHFG2918	160	200	576	29	1	18	14	0.30
BHFG2924	176	221	621	29	1	24	17	0.40
BHFG2930	238	296	741	29	1	30	21	0.50
BHFG2936	299	374	780	29	1	36	26	0.65

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Non-handed.
- May be used as a shared gable between two adjoining worksurfaces.

BHFGP • Full Gable - 3mm PVC Edged




PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BHFGP2608	103	129	26	1	8	7	0.14
BHFGP2612	131	165	26	1	12	13	0.21
BHFGP2618	160	200	26	1	18	13	0.27
BHFGP2624	176	221	26	1	24	19	0.36
BHFGP2630	238	296	26	1	30	23	0.45
BHFGP2636	299	374	26	1	36	24	0.57
BHFGP2908	103	129	29	1	8	7	0.16
BHFGP2912	131	165	29	1	12	14	0.30
BHFGP2918	160	200	29	1	18	14	0.30
BHFGP2924	176	221	29	1	24	17	0.40
BHFGP2930	238	296	29	1	30	21	0.50
BHFGP2936	299	374	29	1	36	26	0.65

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Provides consistent edging matching the worksurface trim.
- Handed once installed.
- May be used as a shared gable between two adjoining worksurfaces.

WORKSURFACES


BHPG • “P” Shaped Full Gable - 3mm PVC Edged



PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BHPG2624L	176	221	26	1	24	19	0.36
BHPG2924L	176	221	29	1	24	17	0.40
BHPG2624R	176	221	26	1	24	19	0.36
BHPG2924R	176	221	29	1	24	17	0.40

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Handed due to hardware attachment and PVC edge.

BHLEG • Gable Leg




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHLEG	149	28	6	23	8	0.15

- Support the worksurface and enhances the stability of connected panels.
- Universal leg plate bolts to the underside of the worksurface.

- Can be configured on-site for left, right or shared worksurface support application on front edge
- Back edge does not have shared support.
- Tubular leg section adjusts in 1" increments, the leveller can be used for fine adjustment.
- 1" increment leg adjustment and 1" increment panel slots allow the leg of installed worksurface to be supported from 26" to 32". (Leg must be removed from panel to manually adjust.)
- Side plate is secured to the slots in the vertical of the Boulevard 1 or System 3 panels and the leg plate bolts to underside of the worksurface.
- Made of extruded aluminum and steel.
- Includes all mounting hardware to connect to panel and worksurface.


BHML • Monoleg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BHML03	150	28	3	3	8	0.15

- 3" diameter Monoleg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- For chrome finish on leg, please add \$82 list upcharge.


LATBL • Tapered Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
LATBL28	180	28	3	3	8	0.15

- Tapered leg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- For chrome finish on leg, please add \$82 list upcharge.

VVLEGLV • Leg with Leveler




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	D	W		
VVLEGLV	136	25-32	8	10	8	1.5

- The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be

- used to gang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.
- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 25" to 32" in 1" increments (includes 1" top).
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- Levelers come in charcoal only.
- Includes mounting hardware.

WORKSURFACES

VVLEGLC • Leg with Caster



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H D W				
VVLEGLC	136	26-33 8 10 8	8	1.5

used to gang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.

- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 26" to 33" in 1" increments.
- The wire channel is covered by a clear PVC snap-on cover.
- Casters come in grey with black only.
- Includes mounting hardware.

- The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be

VVLEGF • Fixed Height Leg




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H D W				
VVLEGF	210	28 8 10 8	8	1.5

- The Viceversa fixed height leg with leveler supports the worksurface at a fixed height of 29".
- The Viceversa leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Leg can be installed for each corner of the worksurface or can be shared at adjoining surfaces.
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- Levelers come in charcoal only.
- Includes mounting hardware.

- The Viceversa fixed height leg with leveler supports the worksurface at a fixed height of 29".
- The Viceversa leg has a wire management channel that neatly


BHC • Cantilever



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHC18	61	7 17 2.5	17	0.04
BHC24	61	7 23 2.5	23	0.05

- Universal cantilever with steel attachment bracket constructed of cast aluminum to provide support for worksurfaces.
- Attaches a worksurface to a panel.
- May be used for shared worksurface support.
- Interchangeable in the field for left or right positioning.
- Includes Bracket Retainer Clip.


BHC • Diet/Boulevard Worksurface 12" Cantilever Support



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHC12L	32	6 2 12	2	0.03
BHC12R	32	6 2 12	2	0.03

- An economical way to connect rear part of the side edge of a worksurface to the Boulevard Panel.
- Front part of the side edge of the worksurface must be supported by an off-module Diet Worksurface Bracket and locked into the adjacent Diet Panel.
- This cantilever is not a shared support.


BHBC • Corner End Bracket



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHBC02	20	3.3 1.5 2.3	2	0.007

- Formed steel bracket for a corner worksurface or a straight worksurface.
- Attaches a corner of any worksurface to a panel through the panel vertical slots.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.


BHBF • Flat Bracket



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHBF01	14	0.1 3 4	0.5	0.007

- Flat Bracket made of cold rolled steel.
- May be used to ensure alignment of neighboring worksurfaces.

BHBT • Transaction Bracket




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BHBT02	20	3.3 1.5 2.3	2	0.001

- For use on 34", 42", 50", 58", 66", 74" and 82" high Boulevard panels.
- Transaction Bracket made of cold rolled steel.
- To provide a secure attachment of a transaction worksurface.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.

WORKSURFACES


BHBT • Transaction Bracket for 37" High Boulevard 1 Panels



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT ³
BHBT37	25	4	1	3	0.5	0.007

- Transaction Bracket made of cold rolled steel.
- To provide a secure attachment of a transaction worksurface for a 37" high Boulevard 1 panel only. Transaction Bracket engages with the top slots in the 37" high panel to supported for the transaction worksurface.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.


BHBZ • "Z" Bracket



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
BHBZ03	59	4	21	4	2	0.190

- Attaches two different heights of worksurfaces.
- To be used in conjunction with a cantilever.


BWATB • FreeFit to Boulevard Bracket



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
BWATB	151	10	6.5	10	7	0.5

- FreeFit to Boulevard kit secures FreeFit height-adjustable freestanding tables to parallel Boulevard panels.
- It provides panel/table alignment, preventing moving parts from rubbing against panel vertical surfaces and maintains 1" clearance around table surface perimeter.
- Standard metal finishes.
- All hardware included.
- Sold as a pair.


DWS • Worksurface for Diet Panels



PRODUCT	PRICE	GROUP	SIZE / INCHES			WEIGHT	VOL
CODE	LP*	HP*	H	W	D	LBS	FT³
DWS2424SCP	106	131	1	24	24	15	0.60
DWS2430SCP	112	139	1	30	24	19	0.72
DWS2436SCP	127	159	1	36	24	23	0.85
DWS2442SCP	166	207	1	42	24	27	0.98
DWS2448SCP	199	249	1	48	24	31	1.11
DWS2454SCP	233	291	1	54	24	35	1.23
DWS2460SCP	263	327	1	60	24	39	1.36
DWS2466SCP	273	343	1	66	24	43	1.49
DWS2472SCP	286	357	1	72	24	48	1.62
DWS3024SCP	122	153	1	24	30	19	0.74
DWS3030SCP	133	167	1	30	30	24	0.90
DWS3036SCP	156	196	1	36	30	29	1.06
DWS3042SCP	221	277	1	42	30	34	1.22
DWS3048SCP	233	291	1	48	30	39	1.38
DWS3054SCP	255	320	1	54	30	43	1.54
DWS3060SCP	273	343	1	60	30	48	1.69
DWS3066SCP	285	354	1	66	30	53	1.85
DWS3072SCP	301	377	1	72	30	58	2.01

- Worksurfaces have scoops at back to allow wires and cables to pass to and from floor level.
- Includes support brackets (DHBRKT), 4 for worksurfaces up to 48", and 5 for any work-surface longer than 48".

DHLEG • Diet Gable Leg



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
DHLEG	156	28	23	6	12	2.02

- Universal leg, plate and side panel are non handed.
- Supports the worksurface at 29" and enhances the stability of connected panels.
- Side plate is secured to the side of the Diet panel and leg plate bolts to worksurface.
- Made of extruded aluminum and steel.
- Levelers have 1.75" height adjustment.
- Includes all mounting hardware to connect to panel and worksurface.
- Must attach to Diet Panel vertical.

WORKSURFACES


VWEGF • Fixed Height Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
VWEGF	107	28	8	6	8	1.50

- Viceversa® leg with leveler supports the worksurface at a fixed height of 29".
- Leg can be installed for each corner of the worksurface or can be shared at adjoining surfaces.
- Made of extruded aluminum and incorporates a wire management channel that neatly organizes electrical and communication cables running from worksurface to floor.
- Channel is covered with a clear PVC cover.
- Charcoal Grey levelers have 1/2" height adjustment.
- Includes mounting hardware for securing fixed height leg to worksurfaces with metal inserts. Wood screws are required for worksurfaces without metal inserts (not included).


DHBRKT • Diet Worksurface Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DHBRKT	4	0.75	2.25	3.25	0.1	0.05

- Extruded aluminum bracket that is bolted to the underside of the worksurface.
- Bracket supports worksurface at any location along the mid rail of panel.
- Includes mounting hardware.
- Brackets are included for all worksurfaces DWS, 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".


DHTBRKT • Diet Transaction Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DHTBRKT	32	2.5	1.2	2.5	3	0.01

- Connects transaction tops to Diet Panels.
- Includes 1 set of two brackets and all hardware.

DWSCSB • Diet Support Bar



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
For corner application where 24" deep or smaller adjoining worksurface:						
DWSCSB46	82	1	46	1	7	0.116
For corner application where adjoining worksurface is larger than 24":						
DWSCSB80	116	1	80	1	12	0.189

- Supports worksurface in 90 degree corner application and eliminates the need for a leg.
- Diagonally installed.
- If using a keyboard, spacers will be required.

DHOMC • Diet Off-Module Cantilever



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DHOMC	82	21	3	12	4	0.42

- To be used with Diet Panels that have a fabric bottom.
- Installs on horizontal rails of panels to provide worksurface support.
- Frees up space under the worksurface.

WORKSURFACES

LATERAL FILE FEATURES • TECHNICAL INFORMATION

Pedestals

- Quality steel construction.
- For Linear, Radius and C series, the pedestal drawer suspension is as follows:
 - Box drawers have 3/4 extension ball bearing slides.
 - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes lock with 2 keys.
- Can be keyed alike to other metal storage components.
- Cannot be field converted into mobile units.
- Drawer configuration can be converted in the field.
- Interior drawer depth for radius pedestals is as follows: 19.75" for 24" deep and 24.75" for 30" deep.
- Interiors of drawer bodies are finished Recycled Grey.
- Levelers provide 1" height adjustment.

Overhead Storage

- Overhead storage comes in a variety of styles and materials.
- Styles include shelves, open overhead, closed overhead with flipper or hinged door.
- Materials include metal and wood.

Filing

- A variety of heights in 30", 36" and 42" widths available.
- Slots for letter, legal and "A4" metric size material.
- "B" receding opening accommodates ring binders and fixed front opening will accommodate 14 7/8" x 11" EDP binders.
- Receding doors slide into the cabinet.
- Pull-out shelves have a rolled front edge.
- Fixed drawers are flat for easy material retrieval.
- Locks are standard with removable cores.
- All cabinets are of welded construction using 18 to 22 gauge cold rolled steel.
- Front corners are mig-welded and ground smooth where the case meets the top and bottom.
- Interiors are finished with recycled paint.
- Positive interlocking system is integrated into each drawer for safety.
- File bars are Recycled Grey and pre-installed in drawers.
- Three stage, full progressive, ball bearing suspension.
- Epoxy powder coated .2 mm thick for durability.
- Drawer fronts come with double wall construction and full pulls.
- Drawer mechanism includes an anti-bounce-back device.
- All four leveling glides can be accessed from the interior of the cabinet.
- Changes to fixed or receding fronts are special order.
- Master key available.

- Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.
- All filing can be purchased in custom colours at no charge for 10 or less units, with the exception of metallic colours. If a colour sample has to be made, this could add to your delivery time, please check with your Customer Service Representative.

Storage Cabinet

- Comes complete with adjustable non-slotted shelves.
- Quality steel construction.
- Include hinged doors, lock with two keys and leveling glides.
- Can be keyed alike to other metal storage components.

Multi Storage Cabinets

- Provides hinged door storage over a 12" Series opening combination lateral file for multi-functional storage of material.
- Includes side to side file bars, leveling glides and lock with two keys.
- Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.
- Can be keyed alike to other metal storage components.
- Drawer interiors are finished in Recycled Grey.

Towers

- Quality steel construction.
- The tower drawer suspension is as follows:
 - Box drawers have 3/4 extension ball bearing slides.
 - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes 2 locks with 2 keys each for side open towers and 3 locks with 2 keys each for standard towers.
- Can be keyed alike to other metal storage components.
- Materials include metal and wood.
- Master key available.
- Individual lock for drawers and doors.

Vertical Filing


- Recessed full pulls.
- Includes lock and leveling glides.
- Full side walls for suspended folders.
- Follower back.
- Full progressive suspension.
- Double wall fronts.
- Interior paint matches exterior paint.

STORAGE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Pedestal: **BS1218BBFC CHR**




How to Specify

- Specify storage pedestal type and size by code, including depth.
- Specify metal colour - ie. CHR (Charcoal).
- Specify handle colour if pedestal is "Radius" or "Linear" series.


"C" Series
Drawer



"L" Linear
Drawer



Example of Overhead: **BSOF1636 CHR**



How to Specify

- Specify overhead storage type and size by code.
- Specify metal colour - ie. CHR (Charcoal).
- Specify handle colour if pedestal is "Radius" series.

FILE DRAWER OPENING CAPACITY - 12 SERIES

30" WIDE UNITS

MEDIA TYPE:

Letter


All Openings

Fixed Front Drawers and Roll-Out Shelves

SIDE TO SIDE

Capacity - 26 9/16"

Accessories required HFB30



FRONT TO BACK

Capacity - 31 1/2"

Accessories required HFB30 and one pair of FBB




Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves


Capacity - 26 9/16"

Accessories required HFB30



Capacity - 26 5/16"

Accessories required HFB30 and one pair of FBB



36" WIDE UNITS

MEDIA TYPE:

Letter


All Openings

Fixed Front Drawers and Roll-Out Shelves

SIDE TO SIDE

Capacity - 32 9/16"


Accessories required HFB36



FRONT TO BACK

Capacity - 31 1/2"

Accessories required HFB36 and one pair of FBB




Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves


Capacity - 32 9/16"

Accessories required HFB36



Capacity - 31 1/2"

Accessories required HFB36 and one pair of FBB



42" WIDE UNITS

MEDIA TYPE:

Letter


All Openings

Fixed Front Drawers and Roll-Out Shelves

SIDE TO SIDE

Capacity - 38 9/16"


Accessories required HFB42



FRONT TO BACK

Capacity - 47 1/4"

Accessories required HFB42 and two pair of FBB




Legal

All Openings

Fixed Front Drawers and Roll-Out Shelves


Capacity - 38 9/16"

Accessories required HFB42



Capacity - 40 1/16"

Accessories required HFB42 and one pair of FBB



OPENING DIMENSIONS

Interior Clear Opening
Height Dimensions

SIDE TO SIDE

All Opening

Fixed Front Drawer	10 1/2"
Receding Door and Roll-Out Shelf	10"
Receding Door and Fixed Shelf	10 3/8"
Fixed Shelf and no Receding Door	11 1/2"

All Opening

Drawer - Depth	15 3/4"
Roll-Out Shelf - Depth	15 3/4"
Fixed Shelf - Depth	15 3/4"

Interior Clear Opening
Width Dimensions and
Filing Capacities

30" Wide Cabinets

Fixed Front Drawer	26 9/16"
Receding Door and Roll-Out Shelf	26 9/16"
Receding Door and Fixed Shelf	28 5/16"

42" Wide Cabinets

Fixed Front Drawer	38 9/16"
Receding Door and Roll-Out Shelf	38 9/16"
Receding Door and Fixed Shelf	40 5/16"

36" Wide Cabinets

Fixed Front Drawer	32 9/16"
Receding Door and Roll-Out Shelf	32 9/16"
Receding Door and Fixed Shelf	34 1/16"

STANDARD "B" OPENINGS


EDP 30" Wide

"B" Opening

Fixed Front Drawers Only

Capacity - 26 9/16"

Accessories required HFB30
and one pair of EDPS



Interior Clear Opening
Height Dimensions

SIDE TO SIDE

All Opening

Fixed Front Drawer	13"
Receding Door and Roll-Out Shelf	12 1/8"
Receding Door and Fixed Shelf	12"
Fixed Shelf and no Receding Door	12 3/4"


EDP 36" Wide

"B" Opening

Fixed Front Drawers Only

Capacity - 32 9/16"

Accessories required HFB36
and one pair EDPS




EDP 42" Wide

"B" Opening

Fixed Front Drawers Only

Capacity - 38 9/16"


Accessories required HFB42
and one pair EDPS



All Opening

Drawer - Depth	15 3/4"
Roll-Out Shelf - Depth	15 3/4"
Fixed Shelf - Depth	15 3/4"


BSOL • KD Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSOL1224	91	5	24	12.5	8	0.16
BSOL1230	97	5	30	12.5	10	0.20
BSOL1236	106	5	36	12.5	12	0.25
BSOL1242	108	5	42	12.5	13	0.29
BSOL1248	116	5	48	12.5	15	0.33
BSOL1254	123	5	54	12.5	17	0.37
BSOL1260	125	5	60	12.5	18	0.41

- 12" deep panel-mounted storage shelf with back lip that protects fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Sides are 5" high.
- Shipped KD.

BSOC • KD Corner Shelf Kit




RIGHT SHOWN

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSOC1236L	91	5	24	12.5	8	0.16
BSOC1242L	97	5	30	12.5	10	0.20
BSOC1248L	106	5	36	12.5	12	0.25
BSOC1254L	108	5	42	12.5	13	0.29
BSOC1260L	116	5	48	12.5	15	0.33
BSOC1266L	123	5	54	12.5	17	0.37
BSOC1272L	125	5	60	12.5	18	0.41
BSOC1236R	91	5	24	12.5	8	0.16
BSOC1242R	97	5	30	12.5	10	0.20
BSOC1248R	106	5	36	12.5	12	0.25
BSOC1254R	116	5	42	12.5	13	0.29
BSOC1260R	123	5	48	12.5	15	0.33
BSOC1266R	125	5	54	12.5	17	0.37
BSOC1272R	125	5	60	12.5	18	0.41

- The corner shelf kit must be used in conjunction with a Low Profile Shelf (BSOL12xx). The Corner Shelf Kit reflects the panel width, the actual size is actual 12" smaller.
- Includes handed corner side end gable, flat bracket, black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.


BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSOH1224	160	14.6	24	13.5	14	0.18
BSOH1230	165	14.6	30	13.5	16	0.22
BSOH1236	175	14.6	36	13.5	17	0.26
BSOH1242	178	14.6	42	13.5	19	0.31
BSOH1248	183	14.6	48	13.5	21	0.35
BSOH1254	192	14.6	54	13.5	23	0.40
BSOH1260	195	14.6	60	13.5	24	0.44

- 12" deep panel mounted shelf with back lip to protect fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.

BSOF • KD Overhead Flipper Door Storage Unit




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSOF1224	340	14.6	24	13.5	27	0.79
BSOF1230	349	14.6	30	13.5	31	0.83
BSOF1236	391	14.6	36	13.5	36	0.99
BSOF1242	430	14.6	42	13.5	41	1.16
BSOF1248	469	14.6	48	13.5	46	1.32
BSOF1254	506	14.6	54	13.5	51	1.49
BSOF1260	545	14.6	60	13.5	56	1.66

- 12" Deep units accept BSOFD01, BSOF12DIV or BASD12 binder plate dividers.
- Door retracts up and over the cabinet.
- Inside dimensions: 12" high x 11 3/4" deep.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Includes mounting brackets, black lock hole plug with Boulevard logo and attachment hardware.
- Lock not included, specify BALK12 if required.
- Shipped KD.
- Not Recommended for use with wall rails.
- Back panel ordered separately.

STORAGE


BSFC • KD Overhead Flipper Door Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSFC1224	261	14.5	24	12	4	0.42
BSFC1230	273	14.5	30	12	5	0.48
BSFC1236	310	14.5	36	12	7	0.57
BSFC1242	349	14.5	42	12	9	0.67
BSFC1248	391	14.5	48	12	10	0.77
BSFC1254	430	14.5	54	12	12	0.86
BSFC1260	469	14.5	60	12	13	0.96

- Converts a BSOH12xx unit into a flipper door storage unit on site.
- Includes gables, top, door and conversion hardware.
- Lock not included, order BALK12 if lock is required.
- Shipped KD.

BSBC • KD Back Wall Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSBC1224	79	14.5	24	12	4	0.42
BSBC1230	83	14.5	30	12	5	0.48
BSBC1236	87	14.5	36	12	7	0.57
BSBC1242	90	14.5	42	12	9	0.67
BSBC1248	92	14.5	48	12	10	0.77
BSBC1254	97	14.5	54	12	12	0.86
BSBC1260	102	14.5	60	12	13	0.96

- Encloses the back of the overhead BSOF12xx for security.


BASD • Shelf Dividers for KD Storage



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BASD12	38	4.5	4.5	4.5	0.6	0.03

- Supports books on all types of storage shelves.
- Two dividers per package.


BSOF-DIV • Shelf Dividers for KD Storage



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOF12DIV	112			12		

- Supports book on BSOL12xx and BSOF12xx.
- Installs over front edge of shelf and back lip.


BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BALK12	38				0.13	0.001


- Includes lock and two keys for BSOF12.
- Site installed.

BSOLC • Upmount KD Open Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOLC1224	217	10	24	12	10	0.20
BSOLC1230	225	10	30	12	12	0.24
BSOLC1236	234	10	36	12	14	0.29
BSOLC1242	244	10	42	12	15	0.34
BSOLC1248	252	10	48	12	17	0.37
BSOLC1254	262	10	54	12	19	0.41
BSOLC1260	271	10	60	12	20	0.45


BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BSOH1624	248	17.55	24	15.765	18	0.21
BSOH1630	261	17.55	30	15.765	21	0.26
BSOH1636	280	17.55	36	15.765	22	0.32
BSOH1642	294	17.55	42	15.765	25	0.37
BSOH1648	310	17.55	48	15.765	27	0.43
BSOH1654	329	17.55	54	15.765	30	0.48
BSOH1660	362	17.55	60	15.765	31	0.53

- 16" deep panel mounted storage shelf with back lip to protect fabric.
- Shipped KD.
- Includes attachment hardware.


BSOO • Open Overhead Storage



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BSOO1624	378	17.55	24	15.765	29	3.85
BSOO1630	396	17.55	30	15.765	35	4.86
BSOO1636	419	17.55	36	15.765	47	5.83
BSOO1642	450	17.55	42	15.765	54	6.81
BSOO1648	478	17.55	48	15.765	59	7.78
BSOO1654	508	17.55	54	15.765	64	8.75
BSOO1660	521	17.55	60	15.765	65	9.72

- 16" deep panel mounted storage open overhead built with metal sides and back.
- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution. Includes mounting brackets.
- Includes mounting brackets.
- Accepts BAPD03 and BAHPD03 plate dividers.
- Flipper door and track assembly (BAFD) can be field retrofitted.
- Shipped assembled.


BAFD • Flipper Door and Track Assembly Retrofit Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BAFD24	222	15	24	1	9	0.21
BAFD30	237	15	30	1	10	0.26
BAFD36	249	15	36	1	12	0.31
BAFD42	259	15	42	1	13	0.36
BAFD48	270	15	48	1	14	0.42
BAFD54	283	15	54	1	15	0.47
BAFD60	303	15	60	1	17	0.52

- Converts an open overhead BS0016xx storage unit into a flipper door storage unit on site.
- Includes conversion hardware and lock.


BSOF • Overhead Flipper Door Storage Unit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BSOF1624	604	17.5	24	16	29	3.95
BSOF1630	622	17.5	30	16	49	4.86
BSOF1636	653	17.5	36	16	56	5.83
BSOF1642	695	17.5	42	16	64	6.81
BSOF1648	741	17.5	48	16	75	7.78
BSOF1654	782	17.5	54	16	86	8.75
BSOF1660	815	17.5	60	16	98	9.72

- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution.
- Includes mounting brackets and lock with two keys.
- Accepts BAPD03 and BAHPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 12.75" high by 14.9" deep.

BHOC • Upmount Cantilever




PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
BHOC	98	10	1	8	3	0.09

- Cantilevers up-mount a BSOF16xx.

STORAGE


BHOBP • Up Mount Back Panel



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H	W	D		
BHOBP24	142	17.55 24 1	3	0.320
BHOBP30	164	17.55 30 1	3	0.320
BHOBP36	170	17.55 36 1	4	0.375
BHOBP42	188	17.55 42 1	5	0.438
BHOBP48	258	17.55 48 1	6	0.500
BHOBP54	273	17.55 54 1	7	0.563
BHOBP60	295	17.55 60 1	8	0.018

- Optional back panel aesthetically covers the back of the overhead when you up-mount a BSOF16xx and BS0016xx overhead on top of lower panel.


BSOF-D • 16" Welded Overhead with Hinged Doors and Radius Handles



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H	W	D		
BSOF1624D	824	17.55 24 15.75	29	3.95
BSOF1630D	928	17.55 30 15.75	49	4.86
BSOF1636D	997	17.55 36 15.75	56	5.83
BSOF1642D	1051	17.55 42 15.75	64	6.81
BSOF1648D	1113	17.55 48 15.75	75	7.78
BSOF1654D	1178	17.55 54 15.75	86	8.75
BSOF1660D	1216	17.55 60 15.75	98	9.72

- Includes attachment hardware, lock for each set of doors and mounting brackets.
- 16" deep unit accommodates letter, legal and tab binder, EDP and A4 metric filing.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- All cabinets 36" and longer are reinforced for paper weight distribution.
- Accept BAPD03 and BAHPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 14.75" high by 14.98" deep.
- Cannot be upmounted.


BSOL • Radius Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H	W	D		
BSOL1530	158	6 30 14	15	1.8
BSOL1536	164	6 36 14	17	1.8
BSOL1542	170	6 42 14	19	1.8
BSOL1548	178	6 48 14	21	1.8
BSOL1554	188	6 54 14	23	3.1
BSOL1560	195	6 60 14	25	3.1

- 14" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 6" high and shelf depth is 13.5 deep.


BSOH • Radius High Profile Shelf



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H	W	D		
BSOH1530	178	16.5 30 14.75	25	2.2
BSOH1536	188	16.5 36 14.75	27	2.2
BSOH1542	195	16.5 42 14.75	29	2.2
BSOH1548	201	16.5 48 14.75	31	2.2
BSOH1554	210	16.5 54 14.75	43	2.2
BSOH1560	218	16.5 60 14.75	45	2.2

- 15" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 16.5" high and shelf depth is 13.5" deep.


BSKD • Radius Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSKD1530	506	16.5	30	14.75	39	2.2
BSKD1536	545	16.5	36	14.75	44	2.2
BSKD1542	586	16.5	42	14.75	49	2.2
BSKD1548	618	16.5	48	14.75	55	2.2
BSKD1554	662	16.5	54	14.75	60	2.2
BSKD1560	701	16.5	60	14.75	66	2.2

- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.
- Back not included.


BSKGD • Radius Overhead Storage Unit with Glazed Door



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSKD1530GD	1381	16.5	30	14.75	39	2.2
BSKD1536GD	1530	16.5	36	14.75	44	2.2
BSKD1542GD	1669	16.5	42	14.75	49	2.2
BSKD1548GD	1808	16.5	48	14.75	55	2.2
BSKD1554GD	1946	16.5	54	14.75	60	2.2
BSKD1560GD	2074	16.5	60	14.75	66	2.2

- Frosted acrylic glazing available.
- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.
- Back not included.


BSFC • Radius Flipper Door Conversion Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSFC1530	469	14.5	30	2.5	5	0.48
BSFC1536	506	14.5	36	2.5	7	0.57
BSFC1542	545	14.5	42	2.5	9	0.67
BSFC1548	586	14.5	48	2.5	10	0.77
BSFC1554	623	14.5	54	2.5	12	0.86
BSFC1560	662	14.5	60	2.5	13	0.96

- To convert BSOH15xx unit into a flipper door storage unit on site.
- Includes conversion hardware.
- Shipped KD.
- Back not included.

BSKDC • Radius Up Mount Overhead Storage Unit




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSKDC1530	1131	16.5	30	14.75	43	19
BSKDC1536	1221	16.5	36	14.75	49	22
BSKDC1542	1307	16.5	42	14.75	54	24
BSKDC1548	1393	16.5	48	14.75	60	27
BSKDC1554	1481	16.5	54	14.75	66	30
BSKDC1560	1572	16.5	60	14.75	72	32

- Up mounted radius overhead retracting flipper door unit on top of lower panel adds privacy without the expense of an over panel.
- 15" deep units accepts BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions: 12" high x 14 3/4" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails, must be used attached to panels by the cantilevers provided.
- Features a completely finished back.
- Shipped KD

STORAGE

BSADA-PM • Panel Mounted Overhead Storage Unit - AODA Compliant




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSADA24PM	658	16	24	14.2	22	4.3
BSADA30PM	734	16	30	14.2	27	5.3
BSADA36PM	789	16	36	14.2	32	6.3
BSADA42PM	846	16	42	14.2	37	7.3
BSADA48PM	902	16	48	14.2	42	8.3
BSADA54PM	959	16	54	14.2	47	9.3
BSADA60PM	1014	16	60	14.2	53	10.3

- Unit can be converted to Up-Mount Overhead Storage Unit in the field by adding BSADAxKIT.
- Shipped partially assembled.

- Panel mounted metal overhead storage with opaque acrylic door. The mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall rails.

BSADA-UM • Up-Mount Overhead Storage Unit - AODA Compliant




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSADA24UM	806	16	24	14.2	25	4.3
BSADA30UM	871	16	30	14.2	33	5.3
BSADA36UM	1050	16	36	14.2	40	6.3
BSADA42UM	1105	16	42	14.2	46	7.3
BSADA48UM	1165	16	48	14.2	53	8.3
BSADA54UM	1224	16	54	14.2	59	9.3
BSADA60UM	1294	16	60	14.2	66	10.3

- Unit can be converted to a Panel Mounted Overhead Storage Unit in the field by adding BSADAPMxxKIT.
- Shipped partially assembled.

- Up mounted storage can reduce furniture costs by reducing the height of all panels to 50". Complete 50" panel installations simplify cable routing at one level, within the top lay-in channel. Up-mounted cantilevers maintain accessibility and functionality of the panels' top lay-in channel.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a finished back.


BSADA-KIT • Up-Mount Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSADA24KIT	164	16	24	2	6	0.6
BSADA30KIT	175	16	30	2	8	0.6
BSADA36KIT	184	16	36	2	10	0.7
BSADA42KIT	195	16	42	2	11	0.8
BSADA48KIT	207	16	48	2	13	0.9
BSADA54KIT	215	16	54	2	14	1.0
BSADA60KIT	225	16	60	2	15	1.1

- Converts an existing Panel Mounted Overhead Storage Unit BSADA-PM to an Up-Mounted Overhead Storage unit BSADA-UM.
- When used on a 50" high panel, the top of the overhead will match the height of 66" high panels.
- Kit includes a back panel for the Overhead and Up-Mount Cantilevers.


BSADAxOMKIT • Off-Module Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSADA24OMKIT	162	16	24	2	6	0.5
BSADA30OMKIT	164	16	30	2	8	0.6
BSADA36OMKIT	170	16	36	2	10	0.7
BSADA42OMKIT	179	16	42	2	11	0.8
BSADA48OMKIT	188	16	48	2	13	0.9
BSADA54OMKIT	199	16	54	2	14	1.0
BSADA60OMKIT	208	16	60	2	15	1.1

- Converts an existing Panel Mounted Storage Unit BSADA-PM to Off-Module Overhead Storage unit BSADA-OMKIT.
- Kit includes a back panel with integrated hanging bracket and an extruded bottom bracket.
- IMPORTANT: BSADA Overhead with Off-Module Conversion kit can only be installed on B3 fabric tile. Tiles below the overhead can be fabric, laminate and accessory tile. However, the tile the overhead is hanging on must be fabric.
- BSADA Overhead with Off-Module Conversion Kit can be suspended off of a single fabric tile, or can span two fabric tiles on two adjacent, directly interconnected panels.
- BSADA Overhead with Off-Module Conversion Kit CANNOT be suspended off of two panels separated by a post.

BSADA-KIT • Panel Mount Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSADAPMKIT	70	16	0.5	2	2	0.009

- Converts an existing Up-Mount Overhead Storage Unit BSADA-UM to a Panel Mounted Overhead Storage Unit BSADA-PM.
- Kit includes panel mounting brackets.


BSOFD • Overhead Divider



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BSOFD01	47	10	0.875	0.5	0.10	

- Attaches to the inside top of the overhead top shelf.
- Provides a rigid division for books and binders.
- 1 per package.
- Can be used on BSOF12.

BS12BF • One and 1/2 Height BP Pedestal




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218BF	449	482	21	15	19	50	4.65
BS1223BF	455	489	21	15	23	54	5.52
BS1229BF	514	550	21	15	29	60	6.80

- Freestanding Pedestal with long pull offers finished top and back.
- Non worksurface supporting.
- Steel top features folded corner construction.
- Lock positioned on the front face, right side.
- Drawer configuration cannot be changed on site.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12BBF • 12" Series BBF Pedestal Worksurface Supporting




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218BBF	500	551	27.65	15	18	70	4.29
BS1223BBF	507	557	27.65	15	23	84	5.62
BS1224BBF	507	557	27.65	15	24	84	5.62
BS1229BBF	558	610	27.65	15	29	94	7.03
BS1230BBF	558	610	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12FF • 12" Series FF Pedestal Worksurface Supporting




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218FF	485	519	27.65	15	18	70	4.29
BS1223FF	492	525	27.65	15	23	84	5.62
BS1224FF	492	525	27.65	15	24	84	5.62
BS1229FF	542	575	27.65	15	29	94	7.03
BS1230FF	542	575	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS1230DP • 12" Combination Pedestal




Left Hand Shown

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1230DPL	1263	1332	27.875	30	18	108	11
BS1230DPR	1263	1332	27.875	30	18	108	11

- Business Lateral File Taxi with two box drawers on right with one pencil tray and one divider plate. Efficient, stationary storage and additional work space.
- 12" legal file drawer on left with full suspension and hanging bars.
- Fixed front drawer with three divider plates.

BS12BFM • 12" BF Mobile Pedestal




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BS1218BFM	593	627	22.5	15	18	80	5.71
BS1223BFM	599	633	22.5	15	23	83	6.25
BS1229BFM	689	723	22.5	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Includes panel mounting bracket, bracket retainer clip and leveling glides.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

STORAGE

BS12BBFM • 12" BBF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS1218BBFM	625	677	27.875	15	18	70	4.29
BS1223BBFM	636	686	27.875	15	23	84	5.62
BS1229BBFM	644	693	27.875	15	29	94	7.03

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12FFM • 12" FF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS1218FFM	625	659	27.875	15	18	80	5.71
BS1223FFM	636	670	27.875	15	23	83	6.25
BS1229FFM	644	678	27.875	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


DHPEDB • Pedestal Bracket Kit for Diet Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
DHPEDB	26	8	1	1	0.5	0.001

- Attaches to a metal Worksurface Supporting Pedestal at the back and connects the pedestal to the Diet Panel vertical.

BS12X1HF • One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS1230X1HF	996	1029	21.75	30	18	137	11
BS1236X1HF	1035	1068	21.75	36	18	164	13
BS1242X1HF	1070	1104	21.75	42	18	189	15

- One and half height storage module with long pull handles.
- Top opening is a 1/2 height box drawer.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12X1S1F • One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS1230X1S1F	964	980	21.75	30	18	127	11
BS1236X1S1F	981	999	21.75	36	18	150	13
BS1242X1S1F	1005	1023	21.75	42	18	174	15

- One and half height storage module with long pull handles.
- Top opening is a half height open shelf.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BS12X1SND • One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BS1230X1SND	777	21.75	30	18	107	11
BS1236X1SND	846	21.75	36	18	130	13
BS1242X1SND	905	21.75	42	18	154	15

- One and half height storage module.
- Shelf is height-adjustable.

BS12X1S • One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors




PRODUCT CODE	PRICE "C"	PRICE "L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS1230X1S	887	923	21.75	30	18	117	6.80
BS1236X1S	911	943	21.75	36	18	140	8.15
BS1242X1S	993	1026	21.75	42	18	164	9.50

- One and half height storage module with long pulls.
- Storage cabinet with doors.
- One height-adjustable shelf included.

Note: "C" indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BSTC • Pedestal/Lateral Seat Cushion



PRODUCT CODE	YRDS	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BSTCP1518	.75	2	15	18	2	0.41
BSTCP1519	.75	2	15	19	2	0.42
BSTCP1523	.75	2	15	23	2.5	0.5
BSTCP1524	.75	2	15	24	2.5	0.52
BSTCP1529	1	2	15	29	3	0.63
BSTCP1530	1	2	15	30	3	0.75
BSTCL1830	1	2	18	30	4	0.33
BSTCL1836	1.25	2	18	36	5	0.4

PRODUCT CODE	PRICE GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	GR13	GR14	GR15	GR16	GR17	GR18	GR19	GR20	GR21
BSTCP1518	242	266	295	339	380	421	457	501	545	602	683	762	843	1022	1199	1378	1556	1735	1930
BSTCP1519	248	272	301	345	386	427	464	507	551	608	689	768	849	1028	1205	1384	1564	1741	1936
BSTCP1523	253	277	306	350	391	433	469	512	556	613	693	773	854	1032	1210	1388	1568	1745	1942
BSTCP1524	260	283	312	356	398	439	475	518	562	619	700	779	860	1039	1216	1396	1574	1751	1948
BSTCP1529	320	351	389	448	504	557	608	663	722	798	907	1014	1120	1359	1594	1835	2073	2309	2572
BSTCP1530	327	357	396	454	510	563	615	670	728	804	914	1020	1126	1365	1601	1842	2080	2315	2578
BSTCL1830	344	375	413	472	527	581	631	687	746	822	931	1037	1143	1382	1618	1859	2097	2333	2596
BSTCL1836	410	450	497	571	639	708	769	840	914	1008	1143	1276	1409	1709	2004	2304	2601	2896	3224

BS12T502B1F • 12" BBF Storage Tower 50" High




Left Shown

PRODUCT CODE	PRICE "C"	PRICE "L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS12T502B1FL	2215	2299	50	24	24	158	20
BS12T502B1FR	2215	2299	50	24	24	158	20

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


STORAGE

BS12T502F • 12" FF Storage Tower 50" High

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12T502FL	2215	2299	50	24	24	158	20
BS12T502FR	2215	2299	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.


BS12T542B1F • 12" BBF Storage Tower 54" High

Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12T542B1FL	2230	2315	54	24	24	163	22
BS12T542B1FR	2230	2315	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.


BS12T542F • 12" FF Storage Tower 54" High

Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12T542FL	2230	2315	54	24	24	163	22
BS12T542FR	2230	2315	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.

BS12T662B1F • 12" BBF Storage Tower 65 7/8" High


Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12T662B1FL	2330	2416	65.875	24	24	177	26
BS12T662B1FR	2330	2416	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 37" high door.
- Includes an organizer tray in the top drawer and 1 CD rack in the second drawer.

BS12T662F • 12" FF Storage Tower 65 7/8" High




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12T662FL	2330	2416	65.875	24	24	177	26
BS12T662FR	2330	2416	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer or box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 37" high door.
- Includes a magnetic mirror and shoe/boot tray.

BS12TSO502F • 12" Side Opening FF Storage Tower 50" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TSO502FL	2448	2499	50	24	24	158	20
BS12TSO502FR	2448	2499	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

BS12TSO502B1F • 12" Series Side Opening BBF Storage Tower 50" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TSO502B1FL	2448	2499	50	24	24	158	20
BS12TSO502B1FR	2448	2499	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

BS12TSO542F • 12" Side Opening FF Storage Tower 54" High



Right Shown


PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TSO542FL	2463	2517	54	24	24	163	22
BS12TSO542FR	2463	2517	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

STORAGE

BS12TS0542B1F • 12" Side Opening BBF Storage Tower 54" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TS0542B1FL	2463	2517	54	24	24	163	22
BS12TS0542B1FR	2463	2517	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

BS12T662B1F • 12" Side Opening BBF Storage Tower 65 7/8" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TS0662B1FL	2502	2570	65.875	24	24	177	26
BS12TS0662B1FR	2502	2570	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

BS12T662F • 12" Side Opening FF Storage Tower 65 7/8" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
	"C"	"L"	H	W	D		
BS12TS0662FL	2502	2570	65.875	24	24	177	26
BS12TS0662FR	2502	2570	65.875	24	24	177	26


Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.


BS12F • 12" Opening Lateral File Fixed Front Drawers




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT³
			H	W	D		
2 High							
BS123022FWS	996	1029	27.75	30	18	103	8.60
BS123622FWS	1041	1074	27.75	36	18	110	10.41
BS124222FWS	1099	1133	27.75	42	18	117	12.14
3 High							
BS123033F	1306	1357	40.5	30	18	136	12.66
BS123633F	1373	1424	40.5	36	18	150	15.19
BS124233F	1452	1504	40.5	42	18	164	17.72
4 High							
BS123041R3F	1657	1725	54	30	18	169	16.88
BS123641R3F	1747	1815	54	36	18	190	20.25
BS124241R3F	1849	1916	54	42	18	211	23.63
5 High							
BS123052R3F	2051	2135	65.88	30	18	202	20.59
BS123652R3F	2135	2221	65.88	36	18	230	27.02
BS124252R3F	2253	2337	65.88	42	18	258	28.82


- 12" Opening Lateral File.
- Two High: - All openings are Fixed Front Drawer.
- Three High: - All openings are Fixed Front Drawer.
- Four High: - Top opening is Receding door with fixed shelves, all others are Fixed Front Drawers
- Five High: - Top two openings are Receding doors with fixed shelves, Remaining 3 drawers are Fixed Front Drawer.
- Side-to-Side Bars and Lock included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BS12R1F • 12" Receding Door and Roll-Out Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
2 High							
BS123021R1FWS	982	1017	27.75	30	18	103	8.60
BS123621R1FWS	1027	1061	27.75	36	18	110	10.41
BS124221R1FWS	1085	1118	27.75	42	18	117	12.14
3 High							
BS123032R1F	1362	1412	40.5	30	18	136	12.66
BS123632R1F	1430	1480	40.5	36	18	150	15.19
BS124232R1F	1508	1558	40.5	42	18	164	17.72
4 High							
BS123043R1F	1743	1811	54	30	18	169	16.88
BS123643R1F	1833	1901	54	36	18	190	20.25
BS124243R1F	1933	2000	54	42	18	211	23.63
5 High							
BS123054R1F	2122	2206	65.88	30	18	202	20.59
BS123654R1F	2235	2320	65.88	36	18	230	27.02
BS124254R1F	2356	2441	65.88	42	18	258	28.82


- 12" Opening Lateral File.
- Two High: - Top opening is Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Three High: - Top 2 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Four High: - Top 3 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Five High: - Top 4 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.
- Side-to-Side Bars and Lock included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


BS12SWS • 12" Receding Door and Fixed Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
2 High							
BS123022SWS	996	1029	27.75	30	18	103	8.60
BS123622SWS	1041	1074	27.75	36	18	110	10.41
BS124222SWS	1099	1133	27.75	42	18	117	12.14
3 High							
BS123033S	1306	1357	40.5	30	18	136	12.66
BS123633S	1373	1424	40.5	36	18	150	15.19
BS124233S	1452	1504	40.5	42	18	164	17.72
4 High							
BS123044S	1657	1725	54	30	18	169	16.88
BS123644S	1747	1815	54	36	18	190	20.25
BS124244S	1848	1916	54	42	18	211	23.63
5 High							
BS123055S	2051	2135	65.88	30	18	202	20.59
BS123655S	2135	2221	65.88	36	18	230	27.02
BS124255S	2252	2337	65.88	42	18	258	28.82

- 12" Opening Lateral File.
- Two High: - All openings are Receding Doors and Fixed Shelves.
- Three High: - All openings are Receding Doors and Fixed Shelves.
- Four High: - All openings are Receding Doors and Fixed Shelves.
- Five High: - All openings are Receding Doors and Fixed Shelves.
- 3 Plate Dividers and Lock are included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

BS12B3F • 12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves




4 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
4 High							
BS123041B3F	1793	1862	55.375	30	18	103	16.88
BS123641B3F	1863	1931	55.375	36	18	110	20.25
BS124241B3F	1934	2001	55.375	42	18	117	23.63
5 High							
BS123051B1R3F	2160	2244	67.25	30	18	136	20.59
BS123651B1R3F	2275	2361	67.25	36	18	150	27.02
BS124251B1R3F	2403	2488	67.25	42	18	164	28.82

- 12" Opening Lateral File.
- Four High: - Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers. Remaining 3 drawers are Fixed Front Drawer with Hanging File Bars.
- Five High: - Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers. Remaining 4 drawers are Fixed Front Drawer with Hanging File Bars.
- Lock is included.

STORAGE


CF-RB • C Series “B” Opening Receding Door and Fixed Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
2 High						
CF2030RB	1154	29.25	30	18	111	8.48
CF2036RB	1207	29.25	36	18	110	10.17
CF2042RB	1278	29.25	42	18	127	11.87
3 High						
CF3030RB	1431	42.625	30	18	150	12.66
CF3036RB	1497	42.625	36	18	167	15.19
CF3042RB	1580	42.625	42	18	187	17.72
4 High						
CF4030RB	1707	56.125	30	18	191	16.88
CF4036RB	1786	56.125	36	18	214	20.25
CF4042RB	1882	56.125	42	18	238	23.63
5 High						
CF5030RB	2097	69.5	30	18	235	20.39
CF5036RB	2198	69.5	36	18	266	24.47
CF5042RB	2323	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with Full Pull handles.
- Two high: 2 receding doors and fixed shelves, unit will not fit under standard height worksurfaces.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.


BF-RB • Linear “B” Opening Receding Door and Fixed Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT ³
2 High						
BF2030RB	1154	29.25	30	18	111	8.48
BF2036RB	1207	29.25	36	18	110	10.17
BF2042RB	1278	29.25	42	18	127	11.87
3 High						
BF3030RB	1431	42.625	30	18	150	12.66
BF3036RB	1497	42.625	36	18	167	15.19
BF3042RB	1580	42.625	42	18	187	17.72
4 High						
BF4030RB	1707	56.125	30	18	191	16.88
BF4036RB	1786	56.125	36	18	214	20.25
BF4042RB	1882	56.125	42	18	238	23.63
5 High						
BF5030RB	2097	69.5	30	18	235	20.39
BF5036RB	2198	69.5	36	18	266	24.47
BF5042RB	2323	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with handles.
- Two high: 2 receding doors and fixed shelves, unit will not fit under standard height worksurfaces.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.

BS12S2F • 12" Opening Multi Storage Unit




5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
4 High (50" High)							
BS1230M502S2F	2094	2161	50	30	18	185	18.66
BS1236M502S2F	2238	2306	50	36	18	209	18.75
BS1242M502S2F	2413	2481	50	42	18	233	21.88
4 High (54" High)							
BS1230M542S2F	2197	2266	54	30	18	191	16.88
BS1236M542S2F	2350	2417	54	36	18	215	20.25
BS1242M542S2F	2533	2602	54	42	18	238	23.63
5 High (2 Lateral)							
BS1230M662S2F	2410	2478	65.88	30	18	235	19.45
BS1236M662S2F	2543	2679	65.88	36	18	266	23.34
BS1242M662S2F	2674	2810	65.88	42	18	297	27.23
5 High (3 Lateral)							
BS1230M662S3F	2422	2506	65.88	30	18	235	19.45
BS1236M662S3F	2595	2680	65.88	36	18	266	23.34
BS1242M662S3F	2725	2811	65.88	42	18	297	27.23

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2 lateral file drawers and closed cupboard with door height of 24.531".
- Includes 1 fully adjustable shelf.
- Lateral file drawers are same depth for 18" and 24" deep cabinets.

BS12S • 12" Storage Cabinet with Hinged Door



3 High


PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
2 High (WS Supporting)							
BS12302SWS	816	850	27.75	30	18	74	8.47
BS12362SWS	911	943	27.75	36	18	82	10.17
BS12422SWS	993	1026	27.75	42	18	91	11.87
3 High							
BS12303S	1041	1074	40.5	30	18	100	12.66
BS12363S	1143	1177	40.5	36	18	113	15.19
BS12423S	1266	1300	40.5	42	18	126	17.72
4 High							
BS12304S	1300	1334	54	30	18	130	16.88
BS12364S	1362	1396	54	36	18	147	20.25
BS12424S	1507	1540	54	42	18	163	23.63
5 High							
BS12305S	1454	1488	65.88	30	18	155	20.59
BS12365S	1542	1575	65.88	36	18	177	27.02
BS12425S	1709	1743	65.88	42	18	195	28.82
5 High Wardrobe							
BS12305W	1406	1440	65.88	30	18	136	20.59
BS12365W	1570	1605	65.88	36	18	168	27.02
BS12425W	1725	1759	65.88	42	18	183	28.82

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2S - 27 3/4" high with 1 shelf.
- 3S - 40 1/2" high with 2 shelves.
- 4S - 54" high with 3 shelves.
- 5S - 65 7/8" high with 4 shelves.
- 5W - 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.

STORAGE

BS12ND • Open Storage Cabinet 2 High (WS Supporting)




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
2 High (WS Supporting)						
BS1230SF2SNDWS	777	27.75	30	18	61	8.47
BS1236SF2SNDWS	846	27.75	36	18	74	10.17
BS1242SF2SNDWS	902	27.75	42	18	76	11.87
3 High						
BS1230SF3SND	894	40.5	30	18	39	12.66
BS1236SF3SND	966	40.5	36	18	44	15.19
BS1242SF3SND	1058	40.5	42	18	48	17.72
4 High						
BS1230SF4SND	1123	54	30	18	50	16.88
BS1236SF4SND	1225	54	36	18	58	20.25
BS1242SF4SND	1293	54	42	18	61	23.63
5 High						
BS1230SF5SND	1314	65.88	30	18	62	20.59
BS1236SF5SND	1386	65.88	36	18	69	27.02
BS1242SF5SND	1440	65.88	42	18	76	28.82

Storage Cabinet with no doors.

- 2SND - 27 3/4" high with 1 shelf.
- 3SND - 40 1/2" high with 2 shelves.
- 4SND - 54" high with 3 shelves.
- 5SND - 65 7/8" high with 4 shelves.


BS12FKIT • 1212 Drawer Conversion Kit



PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS1218FKIT	187	205	15	15	18	20	2
BS1223FKIT	187	205	15	15	23	22	3
BS1224FKIT	187	205	15	15	24	24	3
BS1229FKIT	187	205	15	15	29	24	3
BS1230FKIT	187	205	15	15	30	24	3

- Converts an existing box, box, file (6612) Pedestal into a file, file (1212).
- Kit includes 1-12" high drawer front, 1-12" high drawer body, set of slides and 1212 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.


BS12BKIT • 6612 Drawer Conversion Kit



PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS1218BKIT	268	302	15	15	18	20	2
BS1223BKIT	268	302	15	15	23	22	3
BS1224BKIT	268	302	15	15	24	24	3
BS1229BKIT	268	302	15	15	29	24	3
BS1230BKIT	268	302	15	15	30	24	3

- Converts an existing file, file (1212) Pedestal into a box, box, file (6612).
- Kit includes 2-6" high drawer front, 2-6" high drawer body, 2 sets of slides and 6612 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.


BS12FFKIT • Fixed Front Drawer Kit



PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS1230FFKIT	215	231	13.5	30	17	14	3.73
BS1236FFKIT	215	231	13.5	36	17	16	4.52
BS1242FFKIT	215	231	13.5	42	17	18	5.30

- Fixed front drawer, roll-out drawer.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

BS12RDKIT • Receding Door w/ Fixed Slotted Shelf Kit




PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BS1230RDKIT	215	231	9.1	30	16.5	14	2.48
BS1236RDKIT	215	231	9.1	36	16.5	16	3.00
BS1242RDKIT	215	231	9.1	42	16.5	18	3.53

- Receding door and fixed slotted shelf conversion from a fixed front drawer.

- Fixed drawer can be substituted for a roll-out drawer in a receding opening at no extra charge at time of order.
- Add list price to each opening being converted at time of order.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

Half Height Drawer Kit




- For half height drawer kit, contact your customer service representative.

STORAGE

BAHFB • Hanging File Bars


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAHFB30	34		30		4	0.017
BAHFB36	34		36		4	0.020
BAHFB42	34		42		4	0.024



• Used in lateral files only.

BAFBB • Front to Back Bars


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAFBB	20		15.25		1	0.03



• Used in lateral files only.
• Shipped in pairs.

BALAB • Legal to Letter Adapter


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BALAB30	20		30		2	0.001
BALAB36	20		36		2	0.002
BALAB42	20		42		2	0.003



• Used in lateral files only.

BAPD • Divider Plates


PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT ³
			H	W	D		
BAPD03	38	Full Height	7	0.8	13.25	4	0.017
BAHPD03	33	Half Height	4	0.8	13.25	3	0.017



• Used in full-height shelves and lateral file drawers only.
• Three plates per package.

BAPD • Pedestal Divider Plates


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAPDIV	24		3.5		12.625	



• Priced and shipped individually.

BAPED-BAR • Pedestal Hanging File Bar


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAPED-BAR	20		15.6		0.5	0.01



• Priced and shipped individually.

BAFFS • Full Flat Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAFFS30	95	1	30	16	6	0.29
BAFFS36	100	1	36	16	7	0.34
BAFFS42	106	1	42	16	8	0.40



• For use in 12" series storage cabinets (non-slotted).

BAFS • Full Fixed Slotted Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAFS30	103	6	30	16	9	1.72
BAFS36	108	6	36	16	11	2.06
BAFS42	117	6	42	16	13	2.41



• For use in 12" series storage cabinets.

BAHFFS • Half Fixed Flat Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
BAHFFS12	100	12	5	16	3	0.55



• For use in 12" series wardrobe cabinets (non-slotted).

STORAGE


BAEDPS • EDP Adapter



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BAEDPS	35	3 16.5 4		0.01

- EDP adapters (EDPS). Not for use in receding front drawers.


BAMS • Max-Stor Module



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BAMS3624	587	24 34.25 14.5 50		6.84

- The module can be freestanding or installed in any of the empty 36" width storage cabinets at either the top, middle or bottom location. Specify location at time of order.
- Includes 3 vertical sections and 12 adjustable trays


BAMST • Max-Stor Trays



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BAMST18	182	1 1.187 14.5		

- Package of 12 trays for the BAMS3624 Max-Stor Module.


BTLP • Pencil Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BTLPTRAY	34	1 13 5.5 1		0.08

- Plastic molded pen/pencil tray fits into the drawer of 12" series pedestals or towers.
- Compartments organize your writing instruments and paper clips.


BTRP • Organizer Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BTRPTRAY	44	4.5 13.5 7.5 1		0.33

- Plastic molded organizer tray fits into the drawer of Radius pedestals or towers.
- Compartments organize your writing instruments and paper clips, business cards, and other small office supplies.


BTST • Shoe/Boot Tray




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
BTSTRAY	158	1.125 22.5 6.75 1		0.26

- Shoe or boot tray fits into bottom of coat closet in any personal storage tower with a coat closet and pulls out for easy access. Keeps closet floor clean.
- Black metal tray has glides on bottom.


C28 • Letter Width Vertical Storage




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT ³				
2 High				
C28202	656	28 15 28	82	8
3 High				
C28302	860	40.37 15 28	13	13
4 High				
C28402	1074	52.25 15 28	151	16
5 High				
C28502	1298	62.75 15 28	186	21


- C28 series letter vertical filing.
- Leveler height adjustment range is 3/4".

STORAGE


C28 • Legal Width Vertical Storage




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
2 High						
C28252	660	28	18	28	90	
3 High						
C28352	898	40.375	18	28	127	
4 High						
C28452	1103	52.25	18	28	167	
5 High						
C28552	1318	62.75	18	28	200	

- C28 series legal vertical filing.
- Leveler height adjustment range is 3/4".

CFW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
CFW3050MDP	3280	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

CFW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
CFW3050MDP0R	3191	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

CFW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H	W	D		
CFW3050MDP0L	3191	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

STORAGE


CFW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
CFW3050M12L	3254	50 30 18	235	15
CFW3650M12L	3570	50 36 18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


CFW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
CFW3050M12LOR	3149	50 30 18	235	15
CFW3650M12LOR	3462	50 36 18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


CFW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
CFW3050M12LOL	3149	50 30 18	235	15
CFW3650M12LOL	3462	50 36 18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


CFW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
CFW3650MDPL	3609	50 36 18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


CFW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
CFW3650MDPR	3517	50 36 18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	FT³	
CFW3650MDP0RL	3518	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


CFW3650MDP0RR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
CFW3650MDPORR	3518	50	36	18	266
					18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


CFW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
CFW3650M12LL	3582	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

CFW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
CFW3650M12LR	3582	50	36	18	266
					18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

CFW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet




PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
CFW3650M12L0RL	3493	50	36	18	266
					18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

STORAGE

CFW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	FT³	
CFW3650M12LORR	3493	50	36	18	266	18

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
BLW3050MDP	3337	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


BLW3050MDPOR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOLUME
CODE		H	W	D	LBS	FT ³
BLW3050MDPOR	3239	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


BLW3050MDPOL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOLUME
CODE		H	W	D	LBS	FT ³
BLW3050MDPOL	3239	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


BLW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT ³
BLW3050M12L	3292	50	36	18	235	15
BLW3650M12L	3607	50	30	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


BLW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BLW3050M12LOR	3193	50 30 18	235	15
BLW3650M12LOR	3508	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


BLW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BLW3050M12LOL	3193	50 30 18	235	15
BLW3650M12LOL	3508	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


BLW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BLW3650MDPL	3675	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BLW3650MDPR	3675	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.

BLW3650MDPORL • B-STOR Four High Multi Storage Pass Through Cabinet




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT ³
H W D				
BLW3650MDPORL	3576	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.

STORAGE


BLW3650MDPORR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BLW3650MDPORR	3576	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BLW3650M12LL	3629	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BLW3650M12LR	3629	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3650M12LORL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BLW3650M12LORL	3530	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


BLW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT ³
BLW3650M12LORR	3530	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


DSOMSHLF • Diet Off Module 24" Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DSOMSHLF	155	11.5	24	12	4	1.00

- Shelf hangs anywhere along Diet panel rails or Boulevard System 3 panel accessory tile.
- Can create a supplementary surface at worksurface level when suspended from a 42" high Diet panel.
- Shelves may be stacked, one hanging above the other from a higher rail.
- Shelf made of formed steel and includes suspended arms made of steel.


DSTBSHLF • Diet Table Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DSTBSHLF	189	12	22.75	12	5	1

- Shelf hangs anywhere along Diet 42" panel top rail and secondary mid rail of on DPFRR, DPORF, DPFFG, DPOFG, DPFSG and DPFSF.
- Shelf made of formed steel.
- Front feet with protective suction cups rest on adjacent worksurface. If the adjacent worksurface is a freestanding table, you must adjust the levelers on the table to ensure proper alignment.


DSOH • Diet Panel Mounted Overhead



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DSOH48	701	15	48	13.5	40	5.60
DSOH60	855	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" Diet panels.
- Finished back provides additional privacy and a magnetic board surface to opposite workstation by increasing partition height from 42" to 57" and from 54" to 69" (nominal).
- Steel back and sides, charcoal melamine top, bottom and center divide.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- Anodized aluminum tracks with extruded plastic lining for textured, tempered frosted glass sliding doors.
- Includes steel charcoal mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U", or "L" shape (with leg support) "H" panel configuration. Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

DSOS • Diet Panel Mounted Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DSOS48	210	15	48	13.5	40	5.60
DSOS60	226	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" high Diet panels.
- Made of formed steel and includes steel mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U" or "H" panel configuration.
- Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

DOHLS • Diet Overhead Support




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DOHLS42	158	12	2	3.5	4	0.139
DOHLS54	158	24	2	3.5	6	0.278

- To be used with Diet back panel and Diet wing panel either left or right. The support leg will support only one side and eliminate the need for a third panel.
- To be used and supported on worksurface installed at standard height. Ensure the worksurface that the leg sits on is properly supported.

STORAGE


DSADA • Easy-Up Diet Overhead



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
DSADA30PM	663	16	30	14.4	33	5.3
DSADA36PM	689	16	36	14.4	38	6.3
DSADA42PM	722	16	42	14.4	43	7.3
DSADA48PM	756	16	48	14.4	48	8.3
DSADA54PM	790	16	54	14.4	53	9.3
DSADA60PM	832	16	60	14.4	59	10.3

- Diet Panel mounted metal overhead storage with opaque acrylic door. The Metal finish (page A.29). mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.375" high x 12" deep.
- Unit includes back, support cantilevers, attachment hardware, and lock.
- Shipped partially assembled.


BACWB • Counterweight Balance



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
For 30" wide						
BACWB12301X	399				56	
BACWB12302	266				42	
BACWB12303	225				32	
BACWB12304	225				33	
BACWB12305	151				20	
For 36" wide						
BACWB12361X	333				56	
BACWB12362	300				48	
BACWB12363	266				42	
BACWB12364	217				31	
BACWB12365	133				19	
For 42" wide						
BACWB12421X	450				61	
BACWB12422	383				61	
BACWB12423	266				42	
BACWB12424	266				42	
BACWB12425	266				24	
BACWBLATMLT	287				80	
BACWBVER	138				25	
BACWBPED	114				25	
BACWBPEDF	218				25	

- Recommended for use in all laterals, verticals, pedestals and free standing files of all widths and heights.
- Sold per pair
- "X" represents half height.
- **NOTE:** File cabinets with counterweight balance included must be specified as special, please contact your customer service representative.


BA • Keys



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
BAAK91	7					
Master key:						
BAMK91	27					
Extra key for existing cabinet:						
BAEK91	7					
Core key:						
BACK91	8					
Core & Key:						
BALOCKKEY	31					

- Additional key (specify at time of order).

LO • Lock and Key



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT ³
LO	117				0.13	

- Lock and key for wood overhead storage unit.
- Includes two keys.
- If ordering for units larger than 48", order 2 LO.
- Locks for wood storage units are not compatible with locks for metal units.

2018 License 2 Price List – U.S.

Casegoods, Tables, and FreeFit Height-Adjustable Tables



ISO 9001:2015 | ISO 14001:2015 | OHSAS 18001:2007 | Teknion, 350 Fellowship Rd #100, Mt Laurel, NJ 08054
REVISED: JULY 2017

CONTENTS

General Information

Terms and Conditions	01
Finishes and Fabrics	05
Technical Information	08
Grain Direction	09
Grommet Location	10
Key Alike Form	13
Configurations	14

Desks



L2DR-FB • Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty B.2



L2DR-BF • Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty B.2



L2DRH-FB • Double Pedestal Desk, FF Left, BBF Right Recessed Half Modesty B.2



L2DRH-BF • Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty B.2



L2DB-FB • Bowfront Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty B.2



L2DB-BF • Bowfront Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty B.3



L2DBH-FB • Bowfront Double Pedestal Desk, FF Left, BBF Right Recessed Half Modesty B.3



L2DBH-BF • Bowfront Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty B.3



L2DR-BR • Single Pedestal Desk, BBF Right, Recessed Modesty B.3



L2DR-BL • Single Pedestal Desk, BBF Left, Recessed Modesty B.3



L2DRH-BR • Single Pedestal Desk, BBF Right Recessed Half Modesty B.4



L2DRH-BL • Single Pedestal Desk, BBF Left Recessed Half Modesty B.4



L2DB-BR • Bowfront Single Pedestal Desk, BBF Right, Recessed Modesty B.4



L2DB-BL • Bowfront Single Pedestal Desk, BBF Left, Recessed Modesty B.4



L2DBH-BR • Bowfront Single Pedestal Desk, BBF Right Recessed Half Modesty B.4



L2DBH-BL • Bowfront Single Pedestal Desk, BBF Left Recessed Half Modesty B.5



L2DRA3060FB • Double Desk, FF Left BBF Right Recessed Glass Full Modesty B.5



L2DRA3060BF • Double Desk, FF Right BBF Left Recessed Glass Full Modesty B.5



L2DBA3060FB • Bowfront Double Desk, FF Left BBF Right Recessed Glass Full Modesty B.5



L2DBA3060BF • Bowfront Double Desk, FF Right BBF Left Recessed Glass Full Modesty B.5



L2DRAH • Double Pedestal Desk, FF Left BBF Right Recessed Glass Modesty B.6



L2DRAH • Double Pedestal Desk, BBF Left FF Right Recessed Glass Modesty B.6



L2DRAH • Bowfront Double Desk, FF Left BBF Right Recessed Half Glass Modesty B.6



L2DRAH • Bowfront Double Desk, BBF Left FF Right Recessed Half Glass Modesty B.6



L2ER-FL • Executive Return with FF Pedestal Left B.7



L2ER-FR • Executive Return with FF Pedestal Right B.7



L2ERH-FL • Executive Return with FF Pedestal Left, Half Modesty B.7



L2ERH-FR • Executive Return with FF Pedestal Right, Half Modesty B.7



L2ER-BL • Executive Return with BBF Pedestal Left B.8



L2ER-BR • Executive Return with BBF Pedestal Right B.8



L2ERH-BL • Executive Return with BBF Pedestal Left, Half Modesty B.8



L2ERH-BR • Executive Return with BBF Pedestal Right, Half Modesty B.8

Reception Desks



L2GR • Gallery Reception Desk C.2



L2GB • Gallery Bridge C.2



L2GR-L • Gallery Left Return C.2



L2GR-R • Gallery Right Return C.2



L2GD • Gallery Desk Decorative Panel C.2



L2GDP • Gallery Desk with Pigeon Holes Decorative Panel 3/4" HPL C.2



L2GRKIT • Reception Kit Gallery C.2

Desks & Return Shells



L2DR • Rectangular Desk, Recessed Modesty D.2



L2DB • Bowfront Desk, Recessed Modesty D.2



L2DW • Wedge Desk, Recessed Modesty D.2



L2DW • Wedge Desk, Recessed Modesty D.2



L2CRS • Credenza Shell, Full End Gables on Both Sides and Flush Back D.3



L2CRSH • Credenza Shell, Flush Back, Cut Out Modesty, Full End Gables on Both Sides D.4



L2RC-R • Return, Connecting Right, Full Gable on Right and Narrow Gable on Left D.5



L2RCH-R • Half Modesty Return, Connecting Right, Full Gable Right and Narrow Gable Left D.6

CONTENTS

	L2RC-L • Return, Connecting Left, Full Gable on Left and Narrow Gable on Right D.7		L2EC-R • Extended Corner Desk 10" End Panel Left, Full Modesty & Full Gable Right D.14		L2TR • Rectangular Top with T-Base & Mono Leg E.2
	L2RCH-L • Half Modesty Return, Connecting Left, Full Gable Left and Narrow Gable Right D.8		L2EC-L • Extended Corner Desk 10" End Panel Right, Full Modesty & Full Gable Left D.14		L2TRH • Rectangular Top with Half Modesty & Mono Leg E.3
	L2RC-C • Return, Connecting Narrow Gables on Both Sides D.9		L2EC-R • Extended Corner Desk 10" End Panel Left, Full Modesty & Full Gable Right D.15		L2TA • Axe Shaped Top with T-Base & Leg E.3
	L2RCH-C • Half Modesty Return, Connecting Narrow Gables on Both Sides D.10		L2EC-L • Extended Corner Desk 10" End Panel Left, Full Modesty & Full Gable Right D.15		L2TAH • Axe Shaped Top with Half Modesty & Leg E.2
	L2RCS • Return Connecting Swerve Left D.10		L2DEC-R • Extended Cnr Desk w/10" End Panel on L, Full Modesty & Full Gable R D.15		L2TP-L • P-Shaped Top Left with T-Base & Leg E.3
	L2RCS • Return Connecting Swerve Right D.10		L2DEC-L • Extended Cnr Desk with 10" End Panel on R, Full Modesty & Full Gable L D.15		L2TP-R • P-Shaped Top Right with T-Base & Leg E.4
	L2RCSH • Return Connecting Swerve Right with Half Modesty Panel D.11		L2DEC-R • Extended Cnr Desk with 10" End Panel on L, Full Modesty and Full Gable R D.16		L2TPH-L • P-Shaped Top Left with Half Modesty & Leg E.4
	L2RCSH • Return Connecting Swerve Left with Half Modesty Panel D.11		L2DEC-L • Extended Cnr Desk with 10" End Panel on R, Full Modesty and Full Gable L D.16		L2TPH-R • P-Shaped Top Right with Half Modesty & Leg E.4
	L2RCW • Return Connecting Wedge Right D.11		L2CS • Corner with Straight Front, Full Back Panel & Narrow End Gables D.16		L2TH-L • Hockey Shaped Top Left with T-Base & Leg E.5
	L2RCW • Return Connecting Wedge Left D.11		L2CSH • Corner with Straight Front, Cut Out Back Panel & Narrow End Gables D.17		L2TH-R • Hockey Shaped Top Right with T-Base & Leg E.5
	L2RCWH • Return Connecting Wedge Left with Half Modesty D.12		L2CC • Corner with Curved Front, Full Back Panel & Narrow End Gables D.17		L2THH-L • Hockey Shaped Top Left with Half Modesty & Leg E.6
	L2RCWH • Return Connecting Wedge Right with Half Modesty D.12		L2CCH • Corner with Curved Front, Cut Out Back Panel & Narrow End Gables D.18		L2THH-R • Hockey Shaped Top Right with Half Modesty & Leg E.6
	L2ER-L • Executive Return Left D.12		L2CK • Split Corner Desk w/Curved Front Keyboard, Full Back & Narrow End Gables D.18		L2TEDH-L • Extended "D" with Half Modesty & Leg E.7
	L2ERH-L • Executive Return Left, Half Modesty D.13		L2CHK • Split Cnr Desk w/Curved Frnt Kybd, Cut Out Back Pnl & Narrow End Gables D.18		L2TED-L • Extended "D" with T-Base & Leg E.7
	L2ER-R • Executive Return Right D.13	Shaped Tables			L2TEDH-R • Extended "D" with Half Modesty & Leg E.7
	L2ERH-R • Executive Return Right, Half Modesty D.13				L2TED-R • Extended "D" with T-Base & Leg E.7
	L2B • Bridge with Flush Mounted Modesty D.14		L2TD • D-Shaped Top with T-Base & Leg E.1		
	L2BH • Bridge with Flush Mounted Half Modesty D.14		L2TDH • D-Shaped Top with Half Modesty & Leg E.2		

CONTENTS

Runoff and Floating Tops

	L2TCD • "D" Shaped Runoff with Leg F.1
	L2TCR1L • Rectangular Shaped Runoff F.1
	L2TCA1L • Axe Shaped Runoff F.1
	L2TCP • "P" Shaped Runoff with Leg F.1
	L2TCW • Wedge Shaped Runoff with Leg F.1
	L2TCR • Rectangular Shaped Runoff with Leg F.2
	L2TCA • Axe Shaped Runoff with Leg F.2
	LLSQ3X3 • "Spacer" Leg F.2
	LLSQ3X3H28 • Square Leg F.2
	L2FD • Floating "D" Shaped with Legs and Spacers F.2
	L2FR • Floating Rectangular Shaped with Legs and Spacers F.2
	L2FA • Floating Axe Shaped with Legs and Spacers F.3
	L2FP • Floating "P" Shaped with Legs and Spacers F.3
	L2FW • Floating Wedge Shaped with Legs and Spacers F.3
	L2FBR • Floating top Rectangular with Legs / SPACERS SOLD SEPARATELY F.4
	L2FBR • Laminate Spacers with glass shelf F.4



L2HGAMP • Hanging Aluminum Framed Frosted Glazing Modesty
F.4



L2HGMP • Hanging Laminate Modesty
F.4

Storage



L2PBBF • Worksurface Supporting Box, Box, File Pedestal
G.4



L2PFF • Worksurface Supporting File, File Pedestal
G.4



L2P1D • Worksurface Supporting 1 Door Pedestal
G.4



L2PBBF-F • Freestanding Box, Box, File Pedestal
G.4



L2PFF-F • Freestanding File, File Pedestal
G.4



L2P1D-F • Freestanding 1 Door Pedestal
G.4



L2PBBF-MIT • Mobile Box, Box, File Pedestal to fit under Worksurface
G.5



L2PBBF-M • Mobile Box, Box, File Pedestal with Standard Top
G.5



L2PFF-MIT • Mobile File, File Pedestal to fit under Worksurface
G.5



L2PFF-M • Mobile File, File Pedestal with Standard Top
G.5



L2PBF-M • Mobile Box, File Pedestal with Standard Top
G.5



L2PBF-MIT • Mobile Box, File Pedestal with inset top.
G.5



L2PU • Printer Unit with 2 Pull Out Shelves
G.6



L2L2H • Worksurface Supporting File, File Lateral for 18" and 22" deep units
G.6



L2L2D • Worksurface Supporting 2 Door Storage Lateral with 1 Adjustable Shelf
G.6



L2L2AD • Worksurface Supporting 2 Alum Door Storage Lateral with 1 Adj Shelf
G.6



L2LCR • Worksurface Supporting Lateral File Combo
G.6



L2LCL • Worksurface Supporting Lateral File Combo
G.6



L2LCR • Lateral File Combo with Top
G.6



L2LCL • Lateral File Combo with Top
G.7



L2L0 • Freestanding 1 High Open
G.7



L2L2D-H20 • Freestanding 2 Doors 1 High
G.7



L2L2AD • Freestanding 2 Doors 1 High
G.7



L2L2D • Freestanding 2 Doors 2 High
G.7



L2L2AD • Freestanding 2 Doors 2 High
G.7



L2L1H • Freestanding 1 High Lateral
G.8



L2L2H • Freestanding 2 High Lateral
G.8



L2L3H • Freestanding 3 High Lateral
G.8



L2L4H • Freestanding 4 High Lateral
G.8



L2B2H • Bookcase 1 Adjustable Shelf
G.8



L2B3H • Bookcase 2 Adjustable Shelves
G.8



L2B4H • Bookcase 3 Adjustable Shelves
G.9

CONTENTS

	L2B5H • Bookcase 4 Adjustable Shelves G.9		L2TWA4H2D • Storage Tower w/Cupboard with Aluminum Doors over a 4 High Lateral G.13		L2HO • Open Hutch G.18
	L2B6H • Bookcase 5 Adjustable Shelves G.9		L2TWA2F2D • Storage Tower w/3 High Cupboard, FF Drawers and Wardrobe G.13		L2HF • Hutch with Flip Up Doors G.18
	L2BC • Corner Bookcase 20"D x 20"W /24"D x 24"W G.9		L2TWABBF2D • Storage Tower w/ 3 High Cupboard, BBF Drawers and Wardrobe G.13		L2HHP • Hutch with Laminate Doors and Pigeon Holes G.19
	L2TW2D-D • Storage Tower with 2 Doors and 4 Adjustable Shelves G.9		L2TW3F2D-D • Storage Tower w/2 High Cupboard, FFF Drawers and Wardrobe G.13		L2HHP-A • Hutch with Aluminum Hinged Doors and Pigeon Holes G.19
	L2TW2DCS-D • Storage Tower with 2 Doors, Coat Rod and Hat Shelf G.10		L2CB • Storage Cabinet with 2 Doors and 4 Adjustable Shelves G.14		L2HSD • Hutch with Sliding Laminate Doors G.19
	L2TW2H2D-D • Storage Tower with a 3 High Cupboard over a 2 High Lateral G.10		L2CB • Storage Cabinet with 2 Doors Coat Rod and 1 Adjustable Shelf G.14		L2HGSD • Hutch with Sliding Glass Doors G.20
	L2TW3H2D-D • Storage Tower with a 2 High Cupboard over a 3 High Lateral G.10		L2CB • Storage Cabinet w/3 High Cupboard, 2 Adjustable Shelves over a 2 High Lateral G.14		L2DSH • Double Sided Hutch with Laminate Doors G.20
	L2TW4H2D-D • Tower with a 2 Door Storage Cabinet over a 4 High Lateral G.10		L2CB • Storage Cabinet w/2 Door Storage Cupboard above a 4 High Lateral G.15		LTB27 • Tackboards for Standard Hutches 43.813 High G.20
	L2TWBBF2DL • Storage Tower w/3 High Cupboard, BBF Drawers and Wardrobe G.10		L2CB • Storage Cabinet w/ Open Bookcase & 2 Adjustable Shelves & 2 Door Cupboard G.15		LTB21 • Tackboards for Standard Hutches 36.813 High G.20
	L2TW2F2D-D • Storage Tower w/3 High Cupboard, FF Drawers and Wardrobe G.11		L2CB • Storage Cabinet w/ Open Bookcase & 2 Adjustable Shelves over a 2 High Lateral G.15		L2HC • Corner Curved Bookcase G.21
	L2TW3F2D-D • Storage Tower w/2 High Cupboard, FFF Drawers and Wardrobe G.11		L2CBA • Storage Cabinet with 2 Doors and 4 Adjustable Shelves G.15		L2HBK • Open Hutch Bookcase G.21
	L2TWBBFDO • Storage Tower /3 High Side Open Cupboard, BBF Drawers & Wardrobe G.11		L2CBA • Storage Cabinet with 2 Doors, Coat Rod and 1 Adjustable Shelf G.16		L2WHO • Wall Mounted Open Storage G.21
	L2TW2FDO-D • Storage Tower /3 High Side Open Cupboard, FF Drawers & Wardrobe G.11		L2CBA • Storage Cabinet w/3 High Cupboard, 2 Adj Shelves over a 2 High Lateral G.16		L2WHH • Wall Mounted Hinged Door G.21
	L2TW3FDO-D • Storage Tower w/2 High Side Open Cupboard, FFF Drawers & Wardrobe G.12		L2CBA • Storage Cabinet w/2 High Cupboard, 2 Adj Shelves over a 2 High Lateral G.16		L2WHF • Wall Mounted Flip-up Door G.21
	L2TWA2DCS • Storage Tower with 2 Aluminum Doors, Coat Rod and Hat Shelf G.12		L2CBA • Storage Cabinet w/2 Aluminum Door Storage Cupboard above a 4 High Lateral G.16		L2WHH • Wall mounted unit with aluminum doors G.22
	L2TWA2D • Storage Tower with 2 Aluminum Doors and 4 Adjustable Shelves G.12		L2HH • Hutch with Hinged Doors G.17		L2WSD • Wall mounted unit with sliding laminate doors G.22
	L2TWA2H2D • Storage Tower with a 3 High Cupboard over a 2 High Lateral G.12		L2HH-A • Hutch with Aluminum Hinged Doors G.17		L2WGSD • Wall mounted unit with sliding glass doors G.22
	L2TWA3H2D • Storage Tower w/2 High Cupboard w/Alum Doors over a 3 High Lateral G.12				

CONTENTS

	L2B20 • Tackboards for Wall Mounted Units G.22		L2CR1H0 • Credenza, 1 High File / Open Shelf G.25		L2CR2D2D • Credenza, 2 High 4 Doors G.28
	L2PHH • Boulevard Panel Mounted Unit with Aluminum Doors G.23		L2CR01H • Credenza, Open Shelf / 1 High File G.25		L2CR4AD • Credenza, 2 High 2 Door / 4 Aluminum Doors G.28
	L2PSD • Panel Mounted with Sliding Laminate Doors G.23		L2CR01H • Credenza, 1 High File / 2 Door G.25		BSTC • Pedestal/Lateral Seat Cushion G.28
	L2PGSD • Panel Mounted with Sliding Glass Doors G.23		L2CR2D1H • Credenza, 2 Door / 1 High File G.26		LACWB • Counterweight Balance for use in Licence Storage Units G.29
	L2PHO • Panel Mounted Open Overhead for Boulevard Panels G.23		L2CR1H2AD • Credenza, 1 High File / 2 Aluminum Door G.26		BHPT01 • Bracket to connect Licence Towers to Boulevard Panels G.29
	L2PHH • Panel Mounted Hinged Door Overhead for Boulevard Panels G.23		L2CR2AD1H • Credenza, 2 Aluminum Door / 1 High File G.26	Tables	
	L2PHF • Panel Mounted Flip-up Door Overhead for Boulevard Panels G.23		L2DSCR1H • Double Sided 1H Credenza Lateral G.26		
	L2S0HD • Stack On 2H Cabinet w/ Hinged Doors & Adj Shelf for 1H Storage G.24		L2CRBFBF • Credenza, BF / BF G.26		LTS • Square Table Top H.8
	L2S0ALD • Stack On 2H Cabinet w/Alum Hinged Doors & Adj Shelf for 1H Storage G.24		L2CRBFBF • Credenza, BF / Open G.26		L-DIA • Circle Table Top H.8
	L2S00 • Stack On 2H Cabinet w/ Adj Shelf for 1H Storage G.24		L2CR0BF • Credenza, Open / BF G.26		LTR • Rectangle Table Top H.8
	L2S0SD • Stack On 2H Cabinet w/ Sliding Door, Divider & Adj Shelves for 1H Storage G.24		L2CRBF • Credenza, BF / 2D G.27		LTR • Rectangle Table Top 2 Piece H.9
	L2S0GSD • Stack On 2H Cabinet w/ Sliding Glass Doors & Adj Shelf for 1H Storage G.24		L2CR2DBF • Credenza, 2D / BF G.27		LTRB • Rectangle Table Top with Bow Ends H.9
	L2CR1H1H • Credenza, 1 High File / File G.24		L2CRBF2AD • Credenza, Box File / 2 Aluminum Door G.27		LTRB • Rectangle Table Top with Bow Ends 2 Piece H.9
	L2CR2D0 • Credenza, 1 High 2 Doors / Open Shelf G.25		L2CRBF • Credenza, BF / 2D G.27		LRT • Racetrack Table Top H.9
	L2CR02D • Credenza, 1 High Open Shelf / 2 Doors G.25		L2CR2H2D • Credenza, 2 High File / 2 Door G.27		LRT • Racetrack Table Top 2 Piece H.10
	L2CR2AD0 • Credenza, 2 Aluminum Doors / 1 High Open Shelf G.25		L2CR2H2H • Credenza, 2 High File / File G.27		LO • Oval Table Top H.10
	L2CR02AD • Credenza, 1 High Open Shelf / 2 Aluminum Doors G.25		L2CR2H2H • Credenza, 2 High File / File G.27		LO • Oval Table Top 2 Piece H.10
					LBT • Boat Table Top H.10
					LBT • Boat Table Top 2 Piece H.11

CONTENTS



LBTB • Boat Table Top with Bow Ends
H.11



LBTB • Boat Table Top with Bow Ends 2 Piece
H.11



LTW • Wedge Table Top
H.11



LTW • Wedge Table Top 2 Piece
H.11



LTWB • Wedge Table Top with Bow Ends
H.12



LTWB • Wedge Table Top with Bow Ends 2 Piece
H.12



LHM • Halfmoon Table Top
H.12



LTZ • Trapezoid Table Top
H.12



LW • Wave Table Top
H.12



LVB • Visual Board
H.13



LCT • Cross Base for Table Tops
H.14



LR • Rectangular Base for Table Tops
H.14



LSQ • Square Base for Table Tops
H.14



LDRUM • Drum Base for Table Tops
H.14



LV • "V" Base for Table Tops
H.14



LELBA • Elliptical Base with Ribbed Aluminum Extrusion
H.14



LELB • Elliptical Base with Ribbed Plastic Extrusion
H.14



TELRR • Rectangular Panel Base with Anodized Aluminum Radius Corner Detail
H.15



TELBR • Rectangular Base with Rectangular Anodized Aluminum Corner Detail
H.15



TELRS • Square Panel Base with Anodized Aluminum Radius Corner Detail
H.15



TELBS • Square Base with Rectangular Anodized Aluminum End Detail
H.15



TRUM • Trumpet Column Base
H.15



TTFD • Flat Disk Column Base
H.15



TTSQ • Flat Square Column Base
H.16



TTFLTX • Flat Bar "X" Column Base
H.16



TTFLT • Flat Bar "T" Column Base
H.16



TTFL3P • Flat Bar 3 Prong Column Base
H.16



LL4S • 4 Star Table Leg with Bullnose End
H.16



LL4S-42 • Bistro Leg with Bullnose End
H.16



LLT • "T" Table Leg with Bullnose End
H.16



LLTT • "TT" Table Leg with Bullnose End
H.17



LLSQ • Square Post Leg
H.17



LATBL • Tapered Leg
H.17



BHML • Monoleg
H.17



L2BHML • Monoleg
H.17



LBHML06 • 6" Monoleg
H.17



FOLDLEG • Folding Leg
H.17



LHC • Hat Channel for Conference Tables
H.17



L2CT • Collaboration Tables with Integrated Wire Management
H.18



L2CT • Collaboration Tables with Media Wall Integrated Wire Management
H.19



GFT-R • Rectangular Flip Top Training Table
H.20



GFT-RM • Rectangular Flip Top Training Table with Floating Modesty
H.20



GFT-M • Folding Modesty Panel
H.20



GFTCM • Wire Manager
H.20



GFCNGFP • Ganging Flush Plate
H.20



VRT • Rectangular Tables with 4 Legs
H.21



WDB • Dogbone Tables
H.22



WCT • Cloud Tables
H.22



WS • Square Tables with 4 Legs
H.22



VR • Round Tables with 4 Legs
H.22



W24GOBE • Gobie Tables
H.22

CONTENTS

Freefit Tables

	BWA-A2 • Fixed Height Rectangular Table I.4
	BWA-A3 • Incremental Rectangular Height-Adjustable Table I.4
	BWA-A5 • Crank Rectangular Height-Adjustable Table I.4
	BWA-A7B • Budget Electric Rectangular Height-Adjustable Table I.5
	BWA-A7 • Electric Rectangular Height-Adjustable Table I.5
	BWA-A9B • Budget Extended Range Electric Rectangular Height-Adjustable Table I.5
	BWA-A9 • Extended Range Electric Rectangular Height-Adjustable Table I.6
	BWA-HC2 • Fixed Height Corner Table-Curved Front I.6
	BWA-HC3 • Incremental Corner Height-Adjustable Table - Curved Front I.6
	BWA-HC5 • Crank Corner Height-Adjustable Table - Curved Front I.6
	BWA-HC7 • Electric Corner Height-Adjustable Table - Curved Front I.6
	BWA-HC9 • Extended Range Electric Corner Height-Adjustable Table - Curved Front I.7
	BWA-HS2 • Corner Fixed Height Table - Straight Front I.7
	BWA-HS3 • Incremental Corner Height-Adjustable Table - Straight Front I.7
	BWA-HS5 • Crank Corner Height-Adjustable Table - Straight Front I.7
	BWA-HS7 • Electric Corner Height-Adjustable Table - Straight Front I.7

	BWA-HS9 • Extended Range Electric Corner Height-Adjustable Table - Straight Front I.7
	BWA-B7 • Electric D-Top Height-Adjustable Table I.8
	BWA-B9 • Extended Range D-Top Electric Height-Adjustable Table I.8
	BWA-PT7 • Electric P-Top Height-Adjustable Table I.8
	BWA-PT9 • Extended Range Electric P-Top Height-Adjustable Table I.8
	BWA-CT7 • Electric Cloud Height-Adjustable Table I.9
	BWA-CT9 • Extended Range Electric Cloud Height-Adjustable Table I.9
	BWAR-A2 • Fixed Height Return I.10
	BWAR-A3 • Incremental Height-Adjustable Return I.10
	BWAR-A5 • Crank Height-Adjustable Return I.10
	BWAR-A7 • Electric Height-Adjustable Return I.10
	BWAR-A9 • Extended Range Electric Height-Adjustable Return I.10
	BWAHSJW • Hand Set Jog Wheel I.11
	BWAGE • Set of 4 Glide Extenders I.11
	BWAWCTxx • Wire Cable Tray I.11
	BWAFTxxxx • Flip Cable Tray I.11
	BWACSTR • Casters (Set of 4) I.11

	BWACPUH • Leg Mounted CPU Holder I.11
	BWACPUS • Strap Mounted CPU Holder I.11
	BWACCLSxx • Cable Channel Leg for Standard Range Electric Table I.12
	BWACCLExx • Cable Channel Leg for Extended Range Electric Table I.12
	BWATB • FreeFit to Boulevard Bracket I.12

Accessories

	MSPDM • 1 Duplex, 1 Data J.1
	LCTM1 • Surface Access Door for Conference Tables J.1
	LCTM2 • Surface Access Door for Conference Tables J.1
	LRTM1 • Recessed Door Voice/Data Connectors J.1
	LRTM2 • Recessed Door Voice/Data Connectors J.1
	BG5 • Rectangular Grommet J.1
	PGDPS20 • Power Module J.1
	PGDPS21 • Power and Data Module J.1
	PGDPS41 • Double Power and Data Module J.1
	ESMR • Voice/Data J.2
	Telecom Plates J.2
	GAKSM01 • Keyboard Support Mechanism J.3

CONTENTS

	GAKSML • Slim Fit Keyboard Support J.3		GAMCSSDEHS • Dual Extension Height-Adjustable Slat Wall Monitor Arm J.7
	GAKSM02 • Lift-N-Lock Keyboard Support Mechanism J.3		GAMLDM20 • Single Screen Monitor Arm for 5 to 20lbs J.8
	GAKSM03 • Lift-N-Lock Keyboard Support Mechanism J.4		GAMLDM30 • Single Screen Monitor Arm for 10 to 30lbs J.8
	GAKSM05 • FM Trackless Keyboard Arm J.4		GAMLDM40 • Dual Screen Monitor Arm for 15 to 40lbs J.8
	GATM01 • Tray with Sliding Mouse Support J.4		BLUC • T5 Under Storage Task Light J.8
	GATM02 • 27" HDPE Tray with Two Mousing Surfaces J.4		
	GATM03 • Phenolic Tray with Height-Adjustable Mouse Support J.5		
	GATM04 • HDPE Tray with Height-Adjustable Mouse Support J.5		
	GAGTA01 • Glide Tray Adapter (set of 2) J.5		
	Keyboard Combination Chart • Package Codes and Pricing J.5		
	GACPU01 • Fixed mount CPU Holder J.5		
	GACPU02 • CPU Holder on Glide Track J.6		
	GACPUH • Woof CPU Holder J.6		
	GAAKS1818 • CRT Corner Plate J.6		
	GAMCSSDE • Double Extension Monitor Arm for Single Screen J.7		
	GAMCSSDEH • Double Extension with Height-Adjustable Monitor Arm for Single Screen J.7		
	GAMCDSDE • Monitor Arms for Dual Screens J.7		
	GAMCDSDEH • Double Extension with Height-Adjustable Monitor Arms for Dual Screens J.7		

TERMS AND CONDITIONS

Terms and Conditions

This illustrated list price book has been designed to facilitate fast reference and easy use. The line drawings match actual products (where possible) to aid in instant recognition of each item, but they are graphic representations only.

Sales of Global Contract's products are made only on Global Contract's standard Terms and Conditions of sale which are contained in this list price book. The "Purchaser" in these Terms, Conditions and General Information shall refer to Dealers and those who originally purchase directly from Global Contract for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global Contract's authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global Contract's standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at the time of publication. Global Contract reserves the right to make changes at any time and without prior notice to prices, Colors, materials, specifications and models offered.

Description

Each product shown or described in this list price book is standard Global Contract product. Available options are noted at the beginning of each series or at the beginning of the price list. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this Book, as well as those quoted by Global Contract, shall be Canadian dollars for orders shipped to destinations in Canada.

The price does not include any provincial or local property license, privilege, sales, use, value added, gross receipts, G.S.T. or other like taxes which may now or hereafter be applicable to, measured by or imposed upon or with respect to the transaction, the product, its sale, its value or its use, or any services performed in connection therewith.

If shipping date requested is more than 90 days from date of order, Global Contract shall have the right to use published list prices effective at the time of shipment.

Not included in the list price is special or export packing, freight, unpacking and installation. Orders are invoiced at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days.

All orders are subject to the Purchaser complying with Global's prevailing credit policy.

Any product sold shall remain the property of Global Contract until fully paid for. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Global Contract until such time as the goods have been paid for in full.

Delivery shall occur and risk of loss or damage to the product shall pass to Purchaser F.O.B. point of shipment. Purchaser is responsible for filing claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Prices are suggested list prices only and are subject to change without notice. Global Contract will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser's responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

Order Information

Global Contract requires that all orders be submitted in writing. All orders submitted to Global Contract in writing will be acknowledged on Global Contract's acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgement is correct. In the event of an error, the Purchaser must notify their Global Contract Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

Purchaser must indicate if multiple shipping schedules are required. Each shipment will be invoiced at time of shipping and will be subject to payment terms described above.

When ordering, please provide the following information:

1. Account number (if possible)
2. PO number
3. "Bill to" and/or "Ship to" and name and address
4. Complete model number and selected options including textiles/finishes
5. Special instructions and tag information
6. Shipping instructions, please indicate:
 - a. pick up
 - b. Global trailer program
 - c. common carrier, provide name of carrier, your account number
7. Special quote (SQ) # (if applicable)
8. Customer's Own Material (COM), Global Contract Purchased Material (GPM), Customer's Own Leather (COL) - please see below.

9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote, a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global Contract for accuracy. Global Contract will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global Contract prior to invoicing.

The Purchaser is responsible for providing correct information when placing an order. If no option(s) are selected the system, will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Specifications and application drawing may be requested to be supplied for examination prior to approval.

Special Colors

Use of Customer's Own Material must be approved by Global Contract prior to acceptance of order. Fabric yardage requirement will be advised by factory, and additional yardage may be required if pattern requires matching. If Customers Own Material (C.O.M.) is difficult to apply or if product must be modified, extra charges will be made. Global Contract reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's own material should be shipped freights and duties paid to Global Contract, 565 Petrolia Road, North York, Ontario. Such shipment must be fully identified with purchaser's order number, Global Contract's acknowledgment number and the item for which material is intended. For C.O.M. prices, use Grade 1 price. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser.

Deposit on Special Orders

Orders for nonstandard products may, at Global Contract's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

Changes and Cancellation

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in "special order textiles" (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Global Contract reserves the right to cancel an order at any time if Special Order is in the sole judgement of Global Contract, inadequate for any reason.

Errors and Omissions

All quotations, acknowledgments and invoices are subject to corrections for any errors and omissions.

Disclaimer

Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

Finishes

Seating Finishes - Painted

Where painted frames are not a standard Color, a special quote is required.

Seating Finishes - Wood Stained

One time charge of \$415 net and 5% upcharge per chair per order for custom wood staining/Color matching. Restrictions may apply. The customer must provide a 3" x 3" Color chip/sample. Non-standard finishes must be approved by Global Contract prior to acceptance of order.

Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Global Contract Customer Service. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global Contract will not necessarily match the wood species but rather will generate a Color that will coordinate with the sample when it is applied to the wood species used in the seating frame.

Metal File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global Contract prior to acceptance of order and will be subject to a 10% upcharge on orders up to 10 units. There is no upcharge on orders of 11 units or more.

An upcharge of 10% will apply to White, Metallic and Mica finishes regardless of the number of units ordered.

Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global Contract will not be held responsible if the finishes cannot be matched.

Customer's Own Material (COM)

Use of COM must be approved by Global Contract prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Upon approval from Global Contract, send textile to the COM Department at 565 Petrolia Road, North York, ON, M3J 2X8.

If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global

Contract reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global Contract's standard product warranty shall not apply to COM. The COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade.

Combining two grades of textiles may result in a revised grade. Please refer to "Fabric Grades Combination Chart" in the Seating list price book. For more than two textiles a special quotation is required.

GPM (Global Contract Purchased Material, Customer Specified)

Global Contract may purchase material specified by the customer. Use of GPM must be approved by Global Contract prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global Contract's standard warranty will not apply to GPM materials.

Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

Upholstery Coverings

Slight variations in Color may occur between dye lots. Although Global Contract attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Leather is a Natural Product

Natural variations occur in the Color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its Color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

Yardage

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

Cubic Measure

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton, (one unit per carton unless otherwise noted) and is subject to change without notice.

Delays

Global Contract's order acknowledgement will state a shipping date which Global Contract best estimate at the time the order is acknowledged. However, Global Contract shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global Contract has agreed to an unequivocal, firm shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global Contract shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgments where such delay, failure, loss or damage is the proximate result of any act or any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between labour unions or other labour disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global Contract, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Global Contract may, without causing breach or incurring liability, allocate goods which are in short supply, irrespective of the reasons therefore, among purchaser, in any manner which Global Contract, in its sole discretion, deems advisable.

Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global Contract, or in the event the Purchaser's financial condition becomes unsatisfactory to Global Contract, Global Contract shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global Contract.

Combined Shipments

Global Contract will make every effort to combine shipments and orders on written request. However, Global Contract cannot be held responsible where such request is not complied with.

Shipments

Purchaser must select, at time of order entry, one of two methods of freight payment. Global Contract will make no end-user shipments unless special arrangements have been made.

- 1) F.O.B. point of shipment, freight collect - pick up and common carrier.
- 2) F.O.B. point of shipment, freight pre-paid and invoiced to purchaser.

The Purchaser will determine the method of transportation and routing of shipment. In the event that the purchaser does not specify method and routing, Global Contract will have shipments expedited in the manner deemed appropriate.

Contact Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8, (416) 739-5000 with questions concerning shipping information on acknowledged orders.

F.O.B.

F.O.B. point is Global Contract's factory, Toronto, Ontario, Canada.

Back Charges

Global Contract will not accept charges for expense incurred by the Purchaser in expediting shipments. Global Contract will not accept charges for the repair of damage by others.

Code Restrictions

Global Contract items are within the limitations of local codes.

Service

Service problems are normally handled by the Global Contract's authorized dealer, as appropriate. Where this cannot be accomplished on a local level, service problems should be referred to Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8, (416) 739-5000, csr@globalcontract.com.

Storage

In the event Purchaser requests postponement of delivery beyond the scheduled shipping date after the goods have become work in progress, or at the time when Global Contract is then about to make shipment, Global Contract may transfer the goods to storage for Purchaser's account and at Purchaser's risk and expense. Such transfer to storage shall be deemed delivered to Purchaser for all purposes, including invoicing and payment.

Claims

All goods are sold F.O.B. plant. Global Contract is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage. Any claims made against Global Contract for apparent defects, errors or shortages must be made by the purchaser in writing within 15 working days after any delivery. Failure by the Purchaser to do so shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

Installation

Global Contract requires the use of a certified installer when installing Global Contracts' products and systems so as to avoid any installation misrepresentations and/or unnecessary delivery and installation claims.

Returns

No returns of goods will be accepted without written consent and shipping instruction of Global Contract. A restocking charge of 35% based on list pricing is made on all authorized returns for credit or refund, provided goods are received by Global Contract in the condition in which they left the factory. This may increase depending on the type of product. No credit will be given if goods cannot be reused. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Special order items are in no event subject to return. All returns must be approved and authorized in writing by Global Contract Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

Tolerances

All dimensions must be limited by a specified tolerance. When not specified it is understood that Global Contract's normal tolerances and standards shall apply. When purchaser has submitted his own plans and/or specifications, Global Contract will not be responsible for the design and fitting of parts. The conforming of Global Contract products to the specified tolerance is sufficient evidence as to the correctness of the product. Standards of finish, quality and appearance shall, unless specified in writing, be the normal standards of Global Contract.

Copyright

All catalogues, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

Trademark

Most series names are Global Contract's trademarks.

Design

Many of the products produced by Global Contract are protected by Design Registrations, Design Patents and/or Patents. Designs and specifications are subject to change, discontinuance or additions without notice.

Offer of Sale

Possession of this price list or any other literature shall not imply Global Contract's willingness to sell the holder and shall not be construed as a direct offer of sale. If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global Contract or by any other source on behalf of Global Contract; and (ii) Global-Contract's current printed price lists, then the most current shall prevail.

Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

This list price book is effective as of June, 2016.

For periodic updates, please check the PDF at www.globalcontract.com. After login, select Resources then Price Lists. From here you will have the option to select any of our price lists. Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

WARNING - SEATING PRODUCTS

TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with hard casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.

LIFETIME WARRANTY

LIFETIME WARRANTY

Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global Contract will repair or replace, at Global Contract's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after June 1, 2016.

This Lifetime Warranty is NOT applicable to customers who use Global Contract products for rental purposes, product installed by non-certified installer and is effective only for products, parts or components manufactured after August 1, 1998.

General Commercial Seating

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global Contract branded and textile program cards), mesh material and electrical devices, are warranted for five (5) years
- Control mechanisms are warranted for twelve (12) years

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 lbs.

Textiles

Global Contract warrants Global Contract branded textiles and Global Contract carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer's Own Material) or GPM (Global Contract Purchased Material) that are customer specified materials, or graded-in and purchased by Global Contract for a customer. For GPM or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at www.globalcontract.com for detailed information on cleaning and care instructions. Improper usage of disinfecting/cleaning products may void the warranty.

Seating Warranty Summary

Seating Type - General Commercial Seating
Components Warranty For Original Purchaser - lifetime
Use Time For Warranty Coverage - 8 hours/5 days per week
Exceptions
Foam/textiles/mesh/electrical devices - 5 years
control mechanisms - 10 years

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global Contract warrants all components of metal storage and filing, laminate and wood veneer

surfaces, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original Purchaser.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms and task lights - five (5) years
- Motorized electrical components - two (2) years
- Folding tables - one (1) year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type

Metal Storage & Filing - Lifetime Warranty
No exceptions.

Laminate/Wood Veneer Surfaces and Modular Furniture - Lifetime Warranty
Exceptions: tackboard textiles, electrical devices, task lights - 5 years

Boardroom, Conference and Training Tables - Lifetime Warranty
Exceptions: electrical devices - 5 years

Panels - Lifetime Warranty
Exceptions: panel textiles, electrical devices, task lights - 5 years

Folding Tables - 1 Year Warranty

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global Contract's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of Colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Color fastness or the matching of Color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Products installed by a non-certified installer
- Purchased parts are warranted for one

(1) year

- Failure to follow specific cleaning and care instructions posted on www.globalcontract.com

Global Contract's warranty does not cover the costs of transportation or labour. Repair or replacement will be at Global Contract's discretion.

Non-obsolescence Policy

All Global Contract products are designed and manufactured to withstand repeated service, repair and handling, and carry a lifetime warrantee. Global Contract's goal is to ensure that products can be refurbished, disassembled or upgraded as required. In addition, standardization of many parts and components facilitate ease of maintenance, servicing, assembly, and reconfiguration or reassembly. Global Contract will provide Purchaser with product(s) of comparable function for a term equal to the warranty period. Fabrics and finishes are updated periodically to meet the growing demand of the market. As a result, some fabrics and finishes may be discontinued before expiration of the warrantee period.

Global Contract makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global Contract be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

FINISHES

PANEL FINISHES

Panel Frame Colors/Bases/Hardware

Black	BLK
Blizzard	BZD
Charcoal	CHR
Designer White	DWT
Nevada	NEV
Silver	SIL
Stonedust	SDT
Taupe	TPE
Tungsten	TUN

Acrylic Glazing

Clear	CLR
Smoke	SMK
Frosted	FRS

Tempered Glass

Clear	CLR
Smoke	SMK
Frosted	FRST

Metal Paper Accessory Colors

* Minimum of 50 pieces and an additional 10% on standard list price

Crystal Blue	CYB
Lime Green	LMG
Orange Flame	ORF
Steel Blue	STB
Vermilion Red	VLR

FREEFIT BASE OPTION

Black	BLK
Designer White	DWT
Nevada	NEV
Tungsten	TUN

BG5GROMMET OPTION

White Plastic	WHT
Black Plastic	BLK
Grey Plastic	GRY

STORAGE AND WORKSURFACE FINISHES

Worksurface PVC Edge Trim - Solids

Pearl Dust	PDE
------------	-----

PVC Edge Finishes - Panel Frame Matches

Black	BLK
Blizzard	BZD
Charcoal	CHR
Designer White	DWE
Nevada	NEV
Silver	SIL
Stonedust	SDT
Taupe	TPE
Tungsten	TUN

Worksurface PVC Edge Trim - Wood Grain Matches

Absolute Acajou	AAE
Asian Night	ASE
Avant Cherry	ACE
Avant Honey	AHE
Clear Maple	CME
Dark Espresso	DEE
Quartered Mahogany	QTM
River Cherry	RCE
Shaker Cherry	SKE
Tiger Maple	TGE
Tiger Walnut	TWE
Walnut Heights	WHE
White Chocolate	CBE

Low Pressure Laminates (LP) Matching Panel Frame Colors

Black (Black)	159560LP
Blizzard (Blizzard)	BZDLP
Storm (Charcoal)	LPS565
True White (Designer White)	S645LP
String (Nevada)	S477LP
Custom Grey (Silver)	S548LP
Stonedust (Stonedust)	SDTLP
Hayden Grey (Taupe)	S427LP
Satin Stainless (Tungsten)	483007LP

Low Pressure Laminates (LP) Solids and Patterns

Desert Zephyr	484160LP
Grey Matrix	MR61TLP
Loden Zephyr	484460LP
Misted Zephyr	484360LP
Pearl Bisque	D48507LP
Pearl Dust	D48807LP
Studio White Matrix	MR71TLP
Titanium	481060LP

Low Pressure Laminates (LP) Wood Grain Laminates

Absolute Acajou	W150LP
Asian Night	794938LP
Avant Cherry	W357LP
Avant Honey	W356LP
Clear Maple	WM8340TLP
Dark Espresso	DESLP
Empire Mahogany	7122K07LP
Manitoba Maple	791160LP
River Cherry	793738LP
Shaker Cherry	7935K07LP
Tiger Maple	TMPLP
Tiger Walnut	TWLLP
Walnut Heights	796538LP
White Chocolate	L492LP

High Pressure Laminates (HP) Matching Panel

Frame Colors	
Black (Black)	159560HP
Blizzard (Blizzard)	BZDHP
Storm (Charcoal)	HP565
Designer White (Designer White)	D35460HP
String (Nevada)	S652THP
Custom Grey (Silver)	S548HP
Stonedust (Stonedust)	SDTHP
Hayden Grey (Taupe)	HP427
Satin Stainless (Tungsten)	483007HP

High Pressure Laminates (HP) Solids and Patterns

Desert Zephyr	484160HP
Grey Matrix	MR61T
Loden Zephyr	484460HP
Misted Zephyr	484360HP
Pearl Bisque	D48507HP
Pearl Dust	D48807HP
Studio White Matrix	MR71T
Titanium	481060HP

High Pressure Laminates (HP) Wood Grain Laminates

Absolute Acajou	W150HP
Asian Night	794938HP
Avant Cherry	W357HP
Avant Honey	W356HP
Clear Maple	WM8340T
Dark Espresso	DESHP
Empire Mahogany	7122K07HP
Manitoba Maple	791160HP
River Cherry	793738HP
Shaker Cherry	7935K07HP
Tiger Maple	TMPHP
Tiger Walnut	TWLHP
Walnut Heights	796538HP
White Chocolate	T492HP

Note:

(R) = Recycled Fabric

FINISHES AND FABRIC

SEATING FABRICS

Please choose from the Global Furniture Group seating fabrics, Quartz, or those marked “*”. They are available for panel and seating.

- C.O.M Fabrics priced as Grade 1.

TACKBOARD FABRICS GRADE 1

Anchorage (R)		Hatchet (R)		Loopy (R)	
Birch	AN40	Baton	HA30	Oyster	LP60
Green Apple	AN41	Brass	HA31	Putty	LP61
Lapis	AN42	Scythe	HA32	Marble	LP62
Straw	AN43	Armament	HA33	Hazelnut	LP63
Wolf	AN44	Axe	HA34	Latte	LP64
Goose	AN45	Dirk	HA35	Bay	LP65
Angora	AN46	Smoke	HA36	Wild Rice	LP66
Cumin	AN47	Blackjack	HA37	Harbor	LP67
Asteroid	AN48				
Geranium	AN49	Linea (R)		Streak (R)	
Thistle	AN50	Queue	LN41	Beach	SR81
Graphite	AN51	Cord	LN42	Shade	SR86
Slate	AN52	Twine	LN43	Stretch	SR88
Quarry Blue	AN53	Thread	LN44	Sprint	SR89
Onyx	AN54	Contour	LN45	Roll	SR91
Pumpkin	AN55	Silhouette	LN46	Dart	SR92
Red Delicious	AN56	Cable	LN47	Zoom	SR93
Sunshine	AN57	Route	LN48	Splash	SR94
Magenta	AN58			Whiz	SR95
Waterfall	AN59	Melody (R)		Flash	SR96
Green Olive	AN60	Spray	ME40		
Vanilla	AN61	Pond	ME41	Tek (R)	
Cobalt	AN62	Sand Bar	ME42	Finesse	TX60
		Silt	ME43	Grain	TX61
Birdseye (R)		Pebble	ME44	Essence	TX62
Outlook	BE21	Lake	ME45	Warp	TX64
Rock	BE22	Gravel	ME46	Mesh	TX67
Vista	BE23	Boulder	ME47	Form	TX69
Soar	BE24			Spice	TX71
Impression	BE25	Pinpoint (R)		Glacier	TX72
Glide	BE26	Bliss	PN11	Spring	TX73
Panorama	BE27	Delight	PN12	Harmony	TX74
Storm	BE28	Dune	PN13	Smoke	TX75
Flight	BE29	Infusion	PN14	Pebble	TX76
		Ebony	PN15		
Chance (R)		Fresh	PN16	Terrace (R)	
Mist	CN51	Carrot	PN17	Terrace is only 57" wide, it cannot fit on tackboards wider than 48", it may be railroaded, but will require special application and pricing.	
Dill	CN52	Splash	PN18	Lotus	TC60
Island	CN53	Vibe	PN19	Tigerlily	TC61
Plaza	CN54	Gala	PN20	Shadow	TC62
Tranquil	CN55			Cobble	TC63
Malt	CN56			Cherry Blossom	TC64
Navajo	CN57			Bluebell	TC65
Prairie	CN58			Apple	TC66
Cinder	CN59			Haze	TC67
Oasis	CN66			Cerise	TC68
				Twilight	TC69
				Wintergreen	TC70
				Ironwork	TC71
				Pine Cone	TC72
				Flirt	TC73
				Echo	TC74
				Glacier	TC75

Note:

(R) = Recycled Fabric

FABRIC

TACKBOARD FABRICS GRADE 2

Cyclone		Meander		Quadrille	(R)
Wrought Iron	IM36	Sandshell	MN71	Quadrille is only 54" wide, it cannot fit on tackboards wider than 48", it may be railroaded, but will require special application and pricing.	
Stove Pipe	IM37	Overcast	MN72	Escapade	QU30
Stainless	IM40	Agate Taupe	MN73	Shenanigan	QU31
Polished Pewter	IM41			Revelry	QU32
Welded Steel	IM43	Punch Card	(R)	Spring	QU33
Etched Bronze	IM44	Punch Card is only 54" wide, it cannot fit on tackboards wider than 48", it may be railroaded, but will require special application and pricing.		Regalia	QU34
Fired Titanium	IM46	Crisp	PU61	Soiree	QU35
Chrome	IM49	Orange	PU62	Zest	QU36
Dark Annealed	IM50	Alabaster	PU63	Gambol	QU37
Karat	IM54	Crimson	PU64	Leisure	QU38
Red Metal	IM55	Sky	PU65	Fair	QU39
Oxidized Bronze	IM56	Putty	PU66	Fiesta	QU40
Bright Ray	IM57	Burgundy	PU67	Carnival	QU41
Bismuth Crystal	IM58	Cadet	PU68	Spree	QU42
Gallium Blue	IM59	Silver Lining	PU69	Opus	QU43
		Navy	PU70	Jubilee	QU44
Dashing	(R)	Carbon	PU71	Masquerade	QU45
Classic Silver	DS21	Peat	PU72	Cabaret	QU46
Refined Marble	DS22	Abyss	PU73		
Antique Sage	DS23			Universe	
Polished Slate	DS24			Milkyway	UV01
Genteel Beige	DS25			Cream Brulee	UV02
Bespoke Tan	DS26			Whitecap	UV03
Dapper Grey	DS27			Wheat	UV04
Cement	CT67			Seneca	UV05
Mystic	CT68			Mica	UV06
				Cosmis	UV07
				Depth	UV08

Note:

(R) = Recycled Fabric

TACKBOARD FABRICS OPT PRICING

Pact	(R)	Script	(R)
Midnight	PA51	Almond	SC60
Sketch	PA52	Patina	SC61
Harbour	PA53	Sterling	SC62
Dove	PA54	Slate	SC63
Putty	PA55	Charcoal	SC64
Lime	PA56	Flint	SC65
Eureka	PA57	Taupe	SC66
Delft	PA58	Feldspar	SC67
Coastal	PA59	Pebble	SC68
Nectar	PA60	Shadow	SC69
Rubine	PA61		
Roma	PA62		

GENERAL INFORMATION

LICENCE 2 SPECIFICATIONS

- Greenguard certified (www.greenguard.org)
- Carb compliant
- Level2™ certified (www.levelcertified.org)
- Tested to meet or exceed ANSI/BIFMA X5.9.2004 , ANSI/BIFMA X5.5.2008 and CAN/CGSB 44-227-2008
- Plant is ISO 9001:2008 (Quality) certified
- Plant is ISO 14001: 2004 (Environmental) certified
- Plant is OHSAS 18001:2007 (Health and Safety) certified
- 100% made in Canada
- Lifetime Warranty
- Over 6500 standard components
- Custom units available in 5 weeks lead time
- Over 24 standard laminate finishes available
- Edge Color can be specified - select from 20 Colors and patterns
- Desk shells and rectangular returns non handed
- Panel end style with top over side panel design
- Tops available in 1" thick Low Pressure Laminate
- Tops available in 1-1/16" or 1-7/16" thick High Pressure Laminate
- Tops available in one edge style: Boulevard (S)
- Surfaces constructed of 45lb. density particleboard substructure with high performance thermally fused laminate or optional high pressure laminate
- Chassis constructed from 45lb. density particleboard substructure with thermally fused laminate
- 3mm edges surround all tops, end panels, drawers and door fronts
- Laminate full modesty and 10" partial modesty available as standard
- Anodized Aluminum framed frosted glazed doors available, no handles included.
- Box drawers mounted on full extension premium ball bearing slides

- File drawers mounted on premium full extension progressive ball bearing slides
- File drawers accommodate letter and/or legal hanging files (see file drawer capacity page G.2)
- Locks are standard on all units. Available in black or silver finish
- All lateral files feature a drawer interlocking mechanism
- Desk drawers open with pulls as standard
- Drawer bottoms are routed into the drawer sides
- Drawer fronts are edged on all four sides with matching 3mm edge
- All drawers locking as standard
- Key alike available
- Pedestals available in 15-1/2" width and 18, 20, 23, 24, 29, 30, 36 depth, include one pencil tray
- All mobile pedestals have option for a counterweight
- Storage modules feature levellers 5/16" x 1" easily accessible from outside the unit. All others feature 5/16" x 2" levellers.
- Monopost legs available in 3 different options, 2.5" or 3" square, 3" round and 6" round
- 6 handle options
- Storage modules available in 4 heights 29", 50", 65.8", 72.8"
- Lateral modules available in 3 widths 30", 36", 42"
- Rectangular grommets are standard and can be specified in a variety of locations as standard (see Grommet Location page A.10)
- Several Power Grommets style and configurations available.
- Drawers/Door fronts are available in a different finish than that of the chassis. Please specify option. Note that the kick plate will match the drawer front finish unless otherwise noted.

FREESTANDING - TECHNICAL INFORMATION


Worksurfaces

- Worksurfaces are offered in LP (1"), B (1 1/16") or W (1 7/16").
- All worksurfaces are drilled to accept connectors in a desk configuration.
- Worksurfaces are available in the following shapes: rectangular, bow, wedge and swerve.

Worksurface Edge trim

- Available in 1 1/16" ("B" thickness), 1 7/16" ("W" thickness) or 1" ("LP" thickness).
- Wood grain PVC edge trim, available in Boulevard (S) edge "B" and "W" thickness only.

Edge Options



Hardware

All attachment hardware is included.

Modesty Panels

- Available in full panel 27 5/8" high or half panel ("H" option) 10" high.
- Modesty panels are flush mounted with 24", 30" and 36" deep end gables.
- Modesty panels are available recessed for 30" and 36" deep end gables.
- All recessed modesty panels are inset 6" from the edge.
- Only flush modesty panels are used for extended shell and bridge.
- Only full modesty panels are used for "L2D" desks: Rectangular, Bow, and Wedge worksurfaces.
- All exposed edges are edge banded.

Panel and Gables

- The term "end gable" or "narrow gable" is used to configure a shell, single pedestal or return.
- The term "end panel" or "narrow panel" is used to configure a table desk with shaped worksurfaces such as "D", "P", or profiles.

- All end gables are interchangeable for left or right hand use.
- End gables 24", 30" and 36" deep are drilled to accept full or half modesty panels that are flush mounted.
- End gables 30" and 36" are used for full or half modesty panels that are recessed.
- All panels and end gables are 1" thick and 27 5/8" high.
- All panels and end gables are finished in low pressure laminate.
- End gables are used in shells and single pedestal desks.
- Narrow end gables are used in shells, single pedestal desks, "T", or "L" bases.
- Narrow panels are routed to accept modular connectors for "T" or "L" applications.
- All panels and gables are predrilled to accept levelers at the bottom and connectors at the top.
- All panels or gables are 3mm edge banded at the exposed edge .
- All narrow gables are routed at the top to allow cables to pass through and come with a connecting flat bracket.
- All bottom edges are edge banded.

Handles

- Handles are offered in 4 styles.


- Options are as follows:

BB = Bow Matte Black
BC = Bow Matt Chrome

UB = "U"Dull Black
UC = "U"Dull Chrome

FA = Flat Aluminum


RN = Round Nickel




- Span dimension between drilling locations is 192mm.

GRAIN DIRECTION


WOOD GRAIN (WG) LAMINATE DIRECTION




Double Pedestal Desks




Single Pedestal Desks




Reception Desks




Surround Bridges




Right Hand Surround Bridges




Shells




"D" Shaped Tables




"P" Shaped Tables




Profile Corner Round Tables




Profile Corner Cut Tables




Profile Corner Desks




All Corner Desks 42" and Smaller




All Corner Desks Larger than 42"




Occasional Tables




Teardrop Table Tops




Half Moon Table Tops




All Other Table Tops




Bases




All Pedestals




All Laterals




All Hinged Door Hutches




All Flip-Up Door Overheads




All Bookcases




All Corner Bookcases




All Towers




All Cabinets



All Credenzas



Gallery Desk

















Visual Board

GROMMET LOCATION

GROMMET LOCATION

Notes



- All worksurfaces are standard with rectangular grommets # BG5.
- Worksurfaces 54" wide and under are standard with 1 grommet.
- Worksurfaces over 54" wide are standard with 2 grommets.
- Grommet location must be specified at time of order or it will default to "no grommet" option.




GROMMET LOCATION

GROMMET LOCATION


"P" Shaped Tables "L2T"




Extended "D" - L2TED




"D" Shaped Tables




Extended Corner "L2EC"




Extended "D" Cut Out "L2TEDC0"




Extended Corner Recessed Modesty




Wedge Shell Recessed Modesty



Corner Worksurfaces - 1 Piece





Split Corner Worksurfaces - 2 Piece










GROMMET LOCATION

GROMMET LOCATION








Hockey Shaped Tables "L2TH"



Floating Tops "L2F"



Runoff Tops "L2TC"



KEY ALIKE FORM

_ BAKA - Boulevard
 _ LAKA - Licence
 _ AAKA - GC ADA
 _ DAKA - Descor
 _ BRAKA - Bridges II


SO# _____

PO TAG# _____

DATE _____

KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #
401		431		461		491		521
402		432		462		492		522
403		433		463		493		523
404		434		464		494		524
405		435		465		495		525
406		436		466		496		526
407		437		467		497		527
408		438		468		498		528
409		439		469		499		529
410		440		470		500		530
411		441		471		501		531
412		442		472		502		532
413		443		473		503		533
414		444		474		504		534
415		445		475		505		535
416		446		476		506		536
417		447		477		507		537
418		448		478		508		538
419		449		479		509		539
420		450		480		510		540
421		451		481		511		541
422		452		482		512		542
423		453		483		513		543
424		454		484		514		544
425		455		485		515		545
426		456		486		516		546
427		457		487		517		547
428		458		488		518		548
429		459		489		519		549
430		460		490		520		550

L2 • Keys



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
Master key:						
L2MK	22					
Extra key for existing cabinet:						
L2EK	8					
Core key:						
L2CK	9					
Core & Key:						
L2LOCKKEY	25					

- Additional key (specify at time of order).
- Please choose black or silver.


CONFIGURATIONS

INTRODUCTION

On the following pages, we selected a grouping of Licence configurations to give you a better understanding of our product's specifications as they relate to work-


stations. Our objective is to not only illustrate applications using components, but also to have this serve as a pricing exercise.

LAYOUT #1



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2CB24362H2D72H(LP)	Storage Cabinet	2815	2815	2949
1	L2HH72H43A(LP)	Hutch W/Aluminum Doors	2803	2803	3035
1	L2CRS2472	Credenza Shell	885	1074	1177
1	L2L2H1836(LP)	Modular Lateral	1304	1304	1304
1	L2B2042	Bridge Full Back	400	504	589
1	L2DR3672BL	Single Ped Desk	1810	2006	2180
TOTAL PRICING (ALL INCLUSIVE)			\$10017	\$10,506	\$11234



LAYOUT #2



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2BC6H24(LP)	Corner Bookcase	1815	1815	1815
1	L2CRS2484	Credenza Shell	976	1198	1357
1	L2PBBF20(LP)	BBF Modular Ped	911	911	911
1	L2TCP3060L	Runoff P Top	787	1003	1086
1	L2HH84H43(LP)	Hutch with Hinged Doors	1849	1849	2121
1	L2TW3F2DR72H24D(LP)	Storage Tower	2498	2498	2591
TOTAL PRICING (ALL INCLUSIVE)			\$8,835	\$9,273	\$9,880



CONFIGURATIONS

LAYOUT #3



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2CR01H2472	1H Credenza Open L/ Lat R	1711	1870	1962
1	L2TW2F2DR50H24D(LP)	Storage Tower	2032	2032	2193
1	L2L1H2436	1H Lateral	1005	1065	1122
1	LLSTC2436	Seat Cushion Grade 3	513	513	513
1	L2FR3078	Floating Top - Rectangle	958	1298	1350
TOTAL PRICING (ALL INCLUSIVE)			\$6,219	\$6,778	\$7,140



LAYOUT #4



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2WHH36(LP)	Wallmount Hutch	763	763	855
1	L2WHH72(LP)	Wallmount Hutch	1399	763	1584
1	L2CR01H2472	1H Credenza Open L/ Lat R	1711	1870	1962
1	L2L02436	1H Open	818	930	967
1	L2FR3078	Floating Top - Rectangle	1053	1298	1350
1	L2FR2478	Floating Top - Rectangle	993	1195	1226
1	L2PBF20M	Mobile BF Ped	960	989	1042
TOTAL PRICING (ALL INCLUSIVE)			\$7,696	\$7,808	\$8,987



CONFIGURATIONS

LAYOUT #5



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2CR01H2472	1H Credenza Open L/ Lat R	1711	1879	1962
1	L2CR1H02472	1H Credenza Open R/ Lat L	1711	1870	1962
1	L2FW3672R	Floating Top Wedge	1152	1419	1492
1	L2FW3672L	Floating Top Wedge	1152	1419	1492
1	L2TW2FDOR50H24D(LP)	Storage Tower	1887	1885	2006
1	L2TW2FDOL50H24D(LP)	Storage Tower	1887	1885	2006
TOTAL PRICING (ALL INCLUSIVE)			\$9,495	\$10,349	\$10,922


LAYOUT #6



QUANTITY	CODE	DESCRIPTION	LP	B	W
2	L2CR01H2472	1H Credenza Open L/ Lat R	3421	3742	3925
2	L2CR1H02472	1H Credenza Open R/ Lat L	3421	3742	3925
2	L2FW3672R	Floating Top Wedge	2304	2838	2986
2	L2FW3672L	Floating Top Wedge	2304	2838	2986
2	L2TW2FDOR50H24D(LP)	Storage Tower	3769	3769	4012
2	L2TW2FDOL50H24D(LP)	Storage Tower	3769	3769	4012
8	BHTP01	B1 Panel Bracket Kit	456	456	456
4	BPRA5036	Boulevard Raceway Panel Grade 1	2230	2230	2230
2	BPRA5024	Boulevard Raceway Panel Grade 1	933	930	933
TOTAL PRICING (ALL INCLUSIVE)			\$22,606	\$24,316	\$25,466


CONFIGURATIONS

LAYOUT #7



QUANTITY	CODE	DESCRIPTION	LP	B	W
4	L2CB20302D50H(LP)	Storage Cabinet with 4 Adj Shelves	6852	6841	7403
4	L2RCH3072L	Connecting Return with Half Modesty	3180	4050	4667
4	L2RCH3072R	Connecting Return with Half Modesty	3180	4050	4461
4	L2DSH72H21(LP)	Double Sided Hutch	5651	5651	6253
4	L2DSCR1H2060	Double Sided 1H Credenza Lateral	7969	8353	8627
TOTAL PRICING (ALL INCLUSIVE)			\$26,830	\$28,945	\$31,773



LAYOUT #8



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2GD72	Gallery Front	1865	2028	2206
1	L2DR3072	Desk Shell	958	2577	2727
1	L2PBBF20	BBF Ped	911	911	911
2	L2CB20362D50H(LP)	Storage Cabinet with 4 Adj Shelves	3664	3664	3991
3	L2CB20362H2D50H(LP)	Storage Cabinet	7088	7088	7424
TOTAL PRICING (ALL INCLUSIVE)			\$14,486	\$16,268	\$17,260



CONFIGURATIONS

LAYOUT #9



QUANTITY	CODE	DESCRIPTION	LP	B	W
2	L2CSH184218	Corner W/Straight Front & Cut Out Back Panels	1987	2444	3015
2	L2RCWH184224	Wedge Return Shell Left	1146	1370	1626
2	L2RCWH244218	Wedge Return Shell Right	1146	1370	1626
1	L2RC2448C	Connecting Shell	628	727	818
2	L2HGSD84H43(LP)	Hutch W/ Sliding Glass Doors	6180	6180	6915
1	L2H048H43(LP)	Hutch Open	868	765	1029
1	L2TCA1L3060	Axe Shaped Runoff Top	808	1050	1147
2	L2PBBF20(LP)	Modular BBF	1820	1820	1820
2	L2PFF20	Modular FF	1697	1697	1697
1	L2TW2FDOR50H24D(LP)	Tower With Open Side, FF & Wardrobe Right	1887	1887	2006
1	L2TW2FDOL50H24D(LP)	Tower With Open Side, FF & Wardrobe Left	1887	1887	2006
TOTAL PRICING (ALL INCLUSIVE)			\$20,051	\$21,192	\$23,707

LAYOUT #10



QUANTITY	CODE	DESCRIPTION	LP	B	W
1	L2DR3072BL	Single Pedestal Desk W/BBF	1701	1865	2016
1	L2ER2048FR	Executive Return with FF Pedestal Right	1236	1323	1428
1	L2HH78H43(LP)	Hutch With Hinged Doors	1800	1800	3153
1	L2TW3H2D72H24D(LP)	Tower 2H Lateral and Cupboard	2667	2667	2719
TOTAL PRICING (ALL INCLUSIVE)			\$7,404	\$7,646	\$9,328

Technical Information

Double Pedestal Desk/ Single Pedestal Desk

- All desks are shipped KD.
- Pedestals are shipped assembled
- Pedestals are LP all over
- Non Interlocking mechanism pedestals
- Half modesty available on all Double Pedestal Desks, specify 'H' Before size eg. L2DRH3060FB
- Half modesty available on Single Pedestal Desks, specify "H" before size eg. L2DRH3060BR
- All desks have modesty recessed 6"

Executive Return Desk

- All desks are shipped KD.
- This type of desk must be connected at open end to adjoining worksurface with flat brackets.
- Half modesty available on all Single Pedestal Returns, specify "H" before size eg. L2RH2036FL

Single Pedestal Returns


- All desks are shipped KD.
- This type of desk must be connected at open end to adjoining worksurface with flat brackets.

DESKS • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


SPECIFICATION EXAMPLE OF A DESK UNIT

PRODUCT CODE:	L2DR3060FB L2 = New Licence D = Desk R = Rectangular 3060 = Size: Depth x Width FB = PED FF LEFT / PED BBF RIGHT
OPTIONS:	
Top:	LP - LP (Low Pressure Laminate) Thickness 1" HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"
Top Finish Laminate:	Choose Color
Top PVC Edging:	Choose Color
Drawer/Door Front Laminate:	
Note: Kick plate will match chassis finish unless otherwise noted.	Choose Color
Drawer/Door Front PVC Edging:	
Note: Kick plate will match chassis finish unless otherwise noted.	Choose Color
Chassis Laminate:	Choose Color
Chassis PVC Edging:	Choose Color
Handle Style:	BC - Bow Matte Chrome (DEFAULT) BB - Bow Matt Black UB - "U" Dull Black UC - "U" Dull Chrome FA - Flat Aluminum RN - Round Nickel
Grommet Location:	N - No grommet (DEFAULT) Double Pedestal desk: TC - Top Centre Only Single Right Pedestal Desk: TC - Top Centre TL - Top Left Single Left Pedestal Desk: TC - Top Centre TR - Top Right Choose Color




DESKS

L2DR-FB • Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DR3060FB	2367	2538	2667	29	29.5	60	30	224	24
L2DR3066FB	2371	2596	2766	29	29.5	66	30	234	25
L2DR3072FB	2455	2654	2809	29	29.5	72	30	244	25
L2DR3078FB	2455	2713	2879	29	29.5	78	30	272	26
L2DR3084FB	2503	2775	2953	29	29.5	84	30	299	26
L2DR3672FB	2537	2817	2992	29	29.5	72	36	272	26
L2DR3678FB	2583	2883	3072	29	29.5	78	36	299	28
L2DR3684FB	2634	2951	3154	29	29.5	84	36	327	28

L2DR-BF • Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DR3060BF	2327	2464	2589	29	29.5	60	30	224	24
L2DR3066BF	2369	2520	2658	29	29.5	66	30	234	25
L2DR3072BF	2412	2577	2727	29	29.5	72	30	244	25
L2DR3078BF	2456	2634	2795	29	29.5	78	30	272	26
L2DR3084BF	2503	2694	2868	29	29.5	84	30	299	26
L2DR3672BF	2537	2735	2905	29	29.5	72	36	272	26
L2DR3678BF	2583	2799	2983	29	29.5	78	36	299	28
L2DR3684BF	2634	2856	3062	29	29.5	84	36	327	28

L2DRH-FB • Double Pedestal Desk, FF Left, BBF Right Recessed Half Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DRH3060FB	2271	2408	2536	29	29.5	60	30	224	24
L2DRH3066FB	2305	2455	2593	29	29.5	66	30	234	25
L2DRH3072FB	2337	2501	2651	29	29.5	72	30	244	25
L2DRH3078FB	2370	2547	2710	29	29.5	78	30	272	26
L2DRH3084FB	2406	2599	2771	29	29.5	84	30	299	26
L2DRH3672FB	2458	2658	2829	29	29.5	72	36	272	26
L2DRH3678FB	2498	2711	2896	29	29.5	78	36	299	28
L2DRH3684FB	2539	2770	2965	29	29.5	84	36	327	28

L2DRH-BF • Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DRH3060BF	2271	2408	2536	29	29.5	60	30	224	24
L2DRH3066BF	2305	2455	2593	29	29.5	66	30	234	25
L2DRH3072BF	2237	2501	2651	29	29.5	72	30	244	25
L2DRH3078BF	2370	2547	2710	29	29.5	78	30	272	26
L2DRH3084BF	2406	2599	2773	29	29.5	84	30	299	26
L2DRH3672BF	2461	2658	2829	29	29.5	72	36	272	26
L2DRH3678BF	2498	2711	2895	29	29.5	78	36	299	28
L2DRH3684BF	2539	2770	2965	29	29.5	84	36	327	28

L2DB-FB • Bowfront Double Pedestal Desk, FF Left, BBF Right, Recessed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DB3060FB	2379	3037	2688	29	29.5	60	36	374	25
L2DB3066FB	2429	3116	2763	29	29.5	66	36	383	26
L2DB3072FB	2475	2672	2839	29	29.5	72	36	395	26
L2DB3078FB	2523	2737	2914	29	29.5	78	36	422	28
L2DB3084FB	2573	2803	2993	29	29.5	84	36	450	28
L2DB3672FB	2560	2829	3016	29	29.5	72	42	422	28
L2DB3678FB	2651	2900	3099	29	29.5	78	42	450	29
L2DB3684FB	2705	2973	3186	29	29.5	84	42	477	29

DESKS

L2DB-BF • Bowfront Double Pedestal Desk, FF Right, BBF Left, Recessed Modesty

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DB3060BF	2380	2543	2688	29	29.5	60	36	374	25
L2DB3066BF	2429	2609	2763	29	29.5	66	36	383	26
L2DB3072BF	2475	2672	2839	29	29.5	72	36	395	26
L2DB3078BF	2523	2737	2914	29	29.5	78	36	422	28
L2DB3084BF	2573	2803	2993	29	29.5	84	36	450	28
L2DB3672BF	2600	2829	3016	29	29.5	72	42	422	28
L2DB3678BF	2651	2900	3099	29	29.5	78	42	450	29
L2DB3684BF	2705	2973	3186	29	29.5	84	42	477	29

L2DBH-FB • Bowfront Double Pedestal Desk, FF Left, BBF Right Recessed Half Modesty

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DBH3060FB	2327	2491	2632	29	29.5	60	36	374	25
L2DBH3066FB	2363	2543	2698	29	29.5	66	36	383	26
L2DBH3072FB	2400	2596	2763	29	29.5	72	36	395	26
L2DBH3078FB	2436	2651	2828	29	29.5	78	36	422	28
L2DBH3084FB	2477	2707	3460	29	29.5	84	36	450	28
L2DBH3672FB	2423	2753	2940	29	29.5	72	42	422	28
L2DBH3678FB	2464	2815	3012	29	29.5	78	42	450	29
L2DBH3684FB	2610	2877	3090	29	29.5	84	42	477	29

L2DBH-BF • Bowfront Double Pedestal Desk, BBF Left, FF Right Recessed Half Modesty

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DBH3060BF	2327	2491	2632	29	29.5	60	36	374	25
L2DBH3066BF	2363	2543	2698	29	29.5	66	36	383	26
L2DBH3072BF	2400	2596	2763	29	29.5	72	36	395	26
L2DBH3078BF	2436	2651	2828	29	29.5	78	36	422	28
L2DBH3084BF	2477	2707	2897	29	29.5	84	36	450	28
L2DBH3672BF	2523	2753	2940	29	29.5	72	42	422	28
L2DBH3678BF	2464	2815	3012	29	29.5	78	42	450	29
L2DBH3684BF	2610	2877	3090	29	29.5	84	42	477	29

L2DR-BR • Single Pedestal Desk, BBF Right, Recessed Modesty


PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DR3060BR	1615	1750	1878	29	29.5	60	30	224	14
L2DR3066BR	1657	1809	1947	29	29.5	66	30	234	15
L2DR3072BR	1701	3566	2016	29	29.5	72	30	244	15
L2DR3078BR	1738	1915	2077	29	29.5	78	30	272	17
L2DR3084BR	1791	1984	2156	29	29.5	84	30	299	17
L2DR3672BR	1810	2006	2179	29	29.5	72	36	272	17
L2DR3678BR	1851	2064	2248	29	29.5	78	36	299	18
L2DR3684BR	1908	2137	2334	29	29.5	84	36	327	18

L2DR-BL • Single Pedestal Desk, BBF Left, Recessed Modesty

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2DR3060BL	1615	1750	1878	29	29.5	60	30	224	14
L2DR3066BL	1657	1809	1947	29	29.5	66	30	234	15
L2DR3072BL	1701	1865	2016	29	29.5	72	30	244	15
L2DR3078BL	1738	1916	2077	29	29.5	78	30	272	17
L2DR3084BL	1791	1984	2156	29	29.5	84	30	299	17
L2DR3672BL	1810	2006	2179	29	29.5	72	36	272	17
L2DR3678BL	1851	2064	2248	29	29.5	78	36	299	18
L2DR3684BL	1908	2137	2334	29	29.5	84	36	327	18


DESKS

L2DRH-BR • Single Pedestal Desk, BBF Right Recessed Half Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2DRH3060BR	1510	1966	1774	29	29.5	60	30	224	14
L2DRH3066BR	1543	1693	1831	29	29.5	66	30	234	15
L2DRH3072BR	1575	1740	1891	29	29.5	72	30	244	15
L2DRH3078BR	1609	1786	1947	29	29.5	78	30	272	17
L2DRH3084BR	1645	1835	2008	29	29.5	84	30	299	17
L2DRH3672BR	1684	1882	2053	29	29.5	72	36	272	17
L2DRH3678BR	1721	1934	2118	29	29.5	78	36	299	18
L2DRH3684BR	1760	1992	2189	29	29.5	84	36	327	18

L2DRH-BL • Single Pedestal Desk, BBF Left Recessed Half Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2DRH3060BL	1510	1646	1774	29	29.5	60	30	224	14
L2DRH3066BL	1543	1693	1831	29	29.5	66	30	234	15
L2DRH3072BL	1575	1740	1919	29	29.5	72	30	244	15
L2DRH3078BL	1609	1786	1847	29	29.5	78	30	272	17
L2DRH3084BL	1845	1835	2008	29	29.5	84	30	299	17
L2DRH3672BL	1684	1882	2053	29	29.5	72	36	272	17
L2DRH3678BL	1721	1934	2118	29	29.5	78	36	299	18
L2DRH3684BL	1760	1992	2189	29	29.5	84	36	327	18

L2DB-BR • Bowfront Single Pedestal Desk, BBF Right, Recessed Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DB3060BR	1669	1832	1976	29	29.5	60	36	264	14
L2DB3066BR	1717	1897	2053	29	29.5	66	36	274	15
L2DB3072BR	1763	1960	2127	29	29.5	72	36	286	15
L2DB3078BR	1806	2019	2187	29	29.5	78	36	314	17
L2DB3084BR	1862	2092	2281	29	29.5	84	36	338	17
L2DB3672BR	1871	2101	2288	29	29.5	72	42	310	17
L2DB3678BR	1917	2166	2366	29	29.5	78	42	338	18
L2DB3684BR	1979	2247	2459	29	29.5	84	42	362	18

L2DB-BL • Bowfront Single Pedestal Desk, BBF Left, Recessed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DB3060BL	1669	1832	1977	29	29.5	60	36	264	14
L2DB3066BL	1717	1897	2053	29	29.5	66	36	274	15
L2DB3072BL	1763	1960	2127	29	29.5	72	36	286	15
L2DB3078BL	1806	2019	2196	29	29.5	78	36	314	17
L2DB3084BL	1862	2092	2281	29	29.5	84	36	338	17
L2DB3672BL	1872	2101	2288	29	29.5	72	42	310	17
L2DB3678BL	1917	2166	2366	29	29.5	78	42	338	18
L2DB3684BL	1979	2247	2459	29	29.5	84	42	362	18


L2DBH-BR • Bowfront Single Pedestal Desk, BBF Right Recessed Half Modesty



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2DBH3060BR	1564	1728	1870	29	29.5	60	36	264	14
L2DBH3066BR	1600	1784	1938	29	29.5	66	36	274	15
L2DBH3072BR	1638	1834	2001	29	29.5	72	36	286	15
L2DBH3078BR	1675	1888	2065	29	29.5	78	36	314	17
L2DBH3084BR	1715	1946	2135	29	29.5	84	36	338	17
L2DBH3672BR	1744	1976	2162	29	29.5	72	42	310	17
L2DBH3678BR	1786	2035	2236	29	29.5	78	42	338	18
L2DBH3684BR	1831	2100	2313	29	29.5	84	42	362	18


DESKS

L2DBH-BL • Bowfront Single Pedestal Desk, BBF Left Recessed Half Modesty



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2DBH3060BL	1564	1727	1870	29	29.5	60	36	264	14
L2DBH3066BL	1600	1782	1936	29	29.5	66	36	274	15
L2DBH3072BL	1638	1834	2001	29	29.5	72	36	286	15
L2DBH3078BL	1675	1888	2065	29	29.5	78	36	314	17
L2DBH3084BL	1715	1946	2134	29	29.5	84	36	338	17
L2DBH3672BL	1744	1977	2162	29	29.5	72	42	310	17
L2DBH3678BL	1787	2035	2236	29	29.5	78	42	338	18
L2DBH3684BL	1831	2100	2313	29	29.5	84	42	362	18


L2DRA-FB • Double Desk, FF Left BBF Right Recessed, Glazed Full Modesty



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2DRA3060FB	2935	3078	3212	29.06	29.5	60	30	204	22
L2DRA3066FB	3027	3183	3328	29.06	29.5	66	30	213	23
L2DRA3072FB	3119	3288	3445	29.06	29.5	72	30	222	23
L2DRA3078FB	3207	3394	3560	29.06	29.5	78	30	247	24
L2DRA3084FB	3302	3502	3682	29.06	29.5	84	30	272	24
L2DRA3672FB	3246	3453	3630	29.06	29.5	72	36	247	24
L2DRA3678FB	3340	3563	3755	29.06	29.5	78	36	272	25
L2DRA3684FB	3439	3680	3885	29.06	29.5	84	36	297	25

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2DRA-BF • Double Desk, FF Right BBF Left Recessed, Glazed Full Modesty



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2DRA3060BF	2935	3079	3213	29.06	29.5	60	30	204	22
L2DRA3066BF	3027	3183	3328	29.06	29.5	66	30	213	23
L2DRA3072BF	3119	3288	3445	29.06	29.5	72	30	222	23
L2DRA3078BF	3207	3394	3560	29.06	29.5	78	30	247	24
L2DRA3084BF	3302	3502	3682	29.06	29.5	84	30	272	24
L2DRA3672BF	3247	3452	3630	29.06	29.5	72	36	247	24
L2DRA3678BF	3340	3563	3755	29.06	29.5	78	36	272	25
L2DRA3684BF	3439	3682	3885	29.06	29.5	84	36	297	25

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2DBA-FB • Bowfront Double Desk, FF Left BBF Right Recessed, Glazed Full Modesty



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2DBA3060FB	2992	3163	3311	29.06	29.5	60	36	340	23
L2DBA3066FB	3087	3277	3435	29.06	29.5	66	36	348	24
L2DBA3072FB	3183	3388	3560	29.06	29.5	72	36	359	24
L2DBA3078FB	3278	3499	3685	29.06	29.5	78	36	384	25
L2DBA3084FB	3376	3616	3813	29.06	29.5	84	36	409	25
L2DBA3672FB	3311	3550	3744	29.06	29.5	72	42	384	25
L2DBA3678FB	3411	3670	3877	29.06	29.5	78	42	409	26
L2DBA3684FB	3514	3793	4015	29.06	29.5	84	42	434	26

- Modesty is aluminum framed.
- Glazing is frosted acrylic.

L2DBA-BF • Bowfront Double Desk, FF Right BBF Left Recessed, Glazed Full Modesty




PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2DBA3060BF	2992	3163	3311	29.06	29.5	60	36	340	23
L2DBA3066BF	3087	3277	3435	29.06	29.5	66	36	348	24
L2DBA3072BF	3183	3388	3560	29.06	29.5	72	36	359	24
L2DBA3078BF	3278	3499	3685	29.06	29.5	78	36	384	25
L2DBA3084BF	3376	3616	3813	29.06	29.5	84	36	409	25
L2DBA3672BF	3311	3550	3744	29.06	29.5	72	42	384	25
L2DBA3678BF	3411	3670	3784	29.06	29.5	78	42	409	26
L2DBA3684BF	3514	3793	4015	29.06	29.5	84	42	434	26

- Modesty is aluminum framed.
- Glazing is frosted acrylic.

DESKS


L2DRAH-FB • Double Pedestal Desk, FF Left BBF Right Recessed, Half Glazed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DRAH3060FB	2780	2922	3055	29.06	29.5	60	30	204	22
L2DRAH3066FB	2854	3011	3361	29.06	29.5	66	30	213	23
L2DRAH3072FB	2919	3090	2247	29.06	29.5	72	30	222	23
L2DRAH3078FB	2986	3169	3337	29.06	29.5	78	30	247	24
L2DRAH3084FB	3055	3255	3433	29.06	29.5	84	30	272	24
L2DRAH3672FB	3049	3253	3430	29.06	29.5	72	36	247	24
L2DRAH3678FB	3119	3340	3532	29.06	29.5	78	36	272	25
L2DRAH3684FB	3192	3430	3635	29.06	29.5	84	36	297	25

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2DRAH-BF • Double Pedestal Desk, BBF Left FF Right Recessed, Half Glazed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DRAH3060BF	2780	2922	3055	29.06	29.5	60	30	204	22
L2DRAH3066BF	3854	3011	3155	29.06	29.5	66	30	213	23
L2DRAH3072BF	2919	3090	3247	29.06	29.5	72	30	222	23
L2DRAH3078BF	2986	3169	3337	29.06	29.5	78	30	247	24
L2DRAH3084BF	3055	3255	3433	29.06	29.5	84	30	272	24
L2DRAH3672BF	3049	3253	3430	29.06	29.5	72	36	247	24
L2DRAH3678BF	3119	3340	3532	29.06	29.5	78	36	272	25
L2DRAH3684BF	3192	3430	3635	29.06	29.5	84	36	297	25

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2DBAH-FB • Bowfront Double Desk, FF Left BBF Right Recessed, Half Glazed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DBAH3060FB	2834	3005	3155	29.06	29.5	60	36	340	23
L2DBAH3066FB	2814	3100	3262	29.06	29.5	66	36	348	24
L2DBAH3072FB	2984	3190	3363	29.06	29.5	72	36	359	24
L2DBAH3078FB	2126	3277	3462	29.06	29.5	78	36	384	25
L2DBAH3084FB	3128	3367	3565	29.06	29.5	84	36	409	25
L2DBAH3672FB	3114	3353	3546	29.06	29.5	72	42	384	25
L2DBAH3678FB	3189	3448	3547	29.06	29.5	78	42	409	26
L2DBAH3684FB	3264	3544	3765	29.06	29.5	84	42	434	26

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2DBAH-BF • Bowfront Double Desk, BBF Left FF Right Recessed, Half Glazed Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DBAH3060BF	2834	3005	3155	29.06	29.5	60	36	340	23
L2DBAH3066BF	2814	3100	3262	29.06	29.5	66	36	348	24
L2DBAH3072BF	2984	3190	3363	29.06	29.5	72	36	359	24
L2DBAH3078BF	2126	3277	3462	29.06	29.5	78	36	384	25
L2DBAH3084BF	3128	3367	3565	29.06	29.5	84	36	409	25
L2DBAH3672BF	3114	3353	3546	29.06	29.5	72	42	384	25
L2DBAH3678BF	3189	3448	3547	29.06	29.5	78	42	409	26
L2DBAH3684BF	3264	3544	3765	29.06	29.5	84	42	434	26

- Modesty is aluminum framed.
- Glazing is frosted acrylic.


L2ER-FL • Executive Return with FF Pedestal Left

	PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
		LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2ER2036FL	1153	1218	1284	29	29.5	36	20	151	12
	L2ER2042FL	1193	1271	1347	29	29.5	42	20	172	12
	L2ER2048FL	1236	1322	1409	29	29.5	48	20	179	12
	L2ER2054FL	1277	1376	1471	29	29.5	54	20	184	13
	L2ER2436FL	1198	1266	1338	29	29.5	36	24	151	12
	L2ER2442FL	1241	1320	1402	29	29.5	42	24	172	12
	L2ER2448FL	1284	1376	1466	29	29.5	48	24	179	13
	L2ER2454FL	1328	1432	1529	29	29.5	54	24	184	13


L2ER-FR • Executive Return with FF Pedestal Right

	PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
		LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2ER2036FR	1153	1218	1284	29	29.5	36	20	151	12
	L2ER2042FR	1193	1271	1347	29	29.5	42	20	172	12
	L2ER2048FR	1236	1322	1409	29	29.5	48	20	179	12
	L2ER2054FR	1277	1376	1471	29	29.5	54	20	184	13
	L2ER2436FR	1198	1266	1338	29	29.5	36	24	151	12
	L2ER2442FR	1241	1320	1402	29	29.5	42	24	172	12
	L2ER2448FR	1284	1376	1466	29	29.5	48	24	179	13
	L2ER2454FR	1328	1432	1529	29	29.5	54	24	184	13

L2ERH-FL • Executive Return with FF Pedestal Left and Half Modesty


	PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
		LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2ERH2036FL	1068	1133	1199	29	29.5	36	20	151	12
	L2ERH2042FL	1098	1174	1247	29	29.5	42	20	172	12
	L2ERH2048FL	1126	1213	1296	29	29.5	48	20	179	12
	L2ERH2054FL	1155	1251	1343	29	29.5	54	20	184	13
	L2ERH2436FL	1111	1178	1246	29	29.5	36	24	151	12
	L2ERH2442FL	1142	1219	1298	29	29.5	42	24	172	12
	L2ERH2448FL	1172	1261	1348	29	29.5	48	24	179	13
	L2ERH2454FL	1202	1302	1397	29	29.5	54	24	184	13

L2ERH-FR • Executive Return with FF Pedestal Right and Half Modesty

	PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
		LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
	L2ERH2036FR	1100	1167	1235	29	29.5	36	20	151	12
	L2ERH2042FR	1131	1327	1284	29	29.5	42	20	172	12
	L2ERH2048FR	1160	1249	1335	29	29.5	48	20	179	12
	L2ERH2054FR	1190	1289	1383	29	29.5	54	20	184	13
	L2ERH2436FR	1144	1213	1283	29	29.5	36	24	151	12
	L2ERH2442FR	1176	1255	1328	29	29.5	42	24	172	12
	L2ERH2448FR	1207	1299	1389	29	29.5	48	24	179	13
	L2ERH2454FR	1238	1341	1439	29	29.5	54	24	184	13


DESKS

L2ER-BL • Executive Return with BBF Pedestal Left




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2ER2036BL	1213	1278	1347	29	29.5	36	20	151	12	
L2ER2042BL	1256	1334	1409	29	29.5	42	20	172	12	
L2ER2048BL	1298	1385	1471	29	29.5	48	20	179	12	
L2ER2054BL	1340	1438	1533	29	29.5	54	20	184	13	
L2ER2436BL	1262	1332	1402	29	29.5	36	24	151	12	
L2ER2442BL	1305	1385	1466	29	29.5	42	24	172	12	
L2ER2448BL	1349	1441	1530	29	29.5	48	24	179	13	
L2ER2454BL	1394	1495	1621	29	29.5	54	24	184	13	

L2ER-BR • Executive Return with BBF Pedestal Right




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2ER2036BR	1213	1278	1347	29	29.5	36	20	151	12	
L2ER2042BR	1256	1334	1409	29	29.5	42	20	172	12	
L2ER2048BR	1298	1385	1471	29	29.5	48	20	179	12	
L2ER2054BR	1340	1438	1533	29	29.5	54	20	184	13	
L2ER2436BR	1262	1332	1402	29	29.5	36	24	151	12	
L2ER2442BR	1305	1344	1423	29	29.5	42	24	172	12	
L2ER2448BR	1349	1398	1529	29	29.5	48	24	179	13	
L2ER2454BR	1352	1494	1593	29	29.5	54	24	184	13	

L2ERH-BL • Executive Return with BBF Pedestal Left and Half Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2ERH2036BL	1163	1228	1298	29	29.5	36	20	151	12	
L2ERH2042BL	1192	1219	1346	29	29.5	42	20	172	12	
L2ERH2048BL	1223	1310	1397	29	29.5	48	20	179	12	
L2ERH2054BL	1252	1350	1445	29	29.5	54	20	184	13	
L2ERH2436BL	1209	1277	1347	29	29.5	36	24	151	12	
L2ERH2442BL	1239	1319	1400	29	29.5	42	24	172	12	
L2ERH2448BL	1271	1363	1452	29	29.5	48	24	179	13	
L2ERH2454BL	1302	1405	1504	29	29.5	54	24	184	13	

L2ERH-BR • Executive Return with BBF Pedestal Right and Half Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2ERH2036BR	1163	1228	1298	29	29.5	36	20	151	12	
L2ERH2042BR	1192	1219	1346	29	29.5	42	20	172	12	
L2ERH2048BR	1223	1310	1397	29	29.5	48	20	179	12	
L2ERH2054BR	1252	1350	1445	29	29.5	54	20	184	13	
L2ERH2436BR	1209	1277	1347	29	29.5	36	24	151	12	
L2ERH2442BR	1239	1319	1400	29	29.5	42	24	172	12	
L2ERH2448BR	1271	1363	1452	29	29.5	48	24	179	13	
L2ERH2454BR	1302	1405	1504	29	29.5	54	24	184	13	

RECEPTION DESKS

Technical Information

Technical Information

Reception Desk:

- All desks are shipped KD.
- Centre desk reception transaction top is available in "LP", "B" or "W" thickness to match the thickness and profile of worksurface edge.
- All other exposed edges are banded with 3mm PVC.
- Center unit is freestanding and can be connected on one or both sides with a return or bridge.
- **Bridge unit is connected to the centre unit to extend the return on either side. This unit must be connected on both ends and nonhanded.**
- Left or right hand unit is designed to extend the centre unit. This unit must be connected on one end.
- **Can be used as a freestanding unit or connected with surrounding bridge or corner surround.**
- Comes with transaction top.

DESKS • GUIDELINES FOR ORDERING PRODUCT

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A GALLERY RECEPTION DESK UNIT

PRODUCT CODE: L2GR66
 L2 = New Licence
 G = Gallery
 R = Reception
 66 = Size: Width


OPTIONS:
 Top: LP - LP (Low Pressure Laminate) Thickness 1"
 HP B - B Thickness 1 1/16"
 HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Color

Top PVC Edging: Choose Color


Chassis Laminate: Choose Color

Chassis PVC Edging: Choose Color



RECEPTION DESKS


L2GR • Gallery Reception Desk



PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GR66	1334	1673	1861	41.9	42.3	66	25	149	15	
L2GR72	1401	1770	1973	41.9	42.3	72	25	163	17	
L2GR78	1470	1865	2087	41.9	42.3	78	25	166	18	
L2GR84	1537	1961	2199	41.9	42.3	84	25	171	20	
L2GR96	1675	2155	2426	41.9	42.3	96	25	178	23	

- Two grommets installed TL/TR.

L2GB • Gallery Bridge



PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GB42	612	749	814	40.9	40.9	42	25	79	10	
L2GB48	648	799	871	40.9	40.9	48	25	86	12	
L2GB54	703	871	956	40.9	40.9	54	25	95	13	
L2GB60	757	942	1033	40.9	40.9	60	25	101	14	

- One grommet installed TC.


L2GR-L • Gallery Left Return



PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GR36L	664	786	842	40.9	40.9	36	25	90	9	
L2GR42L	719	857	925	40.9	40.9	42	25	97	11	
L2GR48L	772	930	1006	40.9	40.9	48	25	106	13	
L2GR54L	827	1001	1088	40.9	40.9	54	25	119	14	
L2GR60L	882	1072	1169	40.9	40.9	60	25	132	16	

- One grommet installed TC.


L2GR-R • Gallery Right Return



PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GR36R	664	786	843	40.9	40.9	36	25	90	9	
L2GR42R	719	857	925	40.9	40.9	42	25	97	11	
L2GR48R	772	930	1006	40.9	40.9	48	25	106	13	
L2GR54R	827	1001	1088	40.9	40.9	54	25	119	14	
L2GR60R	882	1072	1169	40.9	40.9	60	25	132	16	

- One grommet installed TC.

L2GD • Gallery Desk Decorative Panel




Front Back

PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GD66	1643	1785	1938	41.9	42.3	68.5	12	99	20	
L2GD72	1865	2028	2206	41.9	42.3	74.5	12	113	22	
L2GD84	2002	2184	2379	41.9	42.3	86.5	12	117	25	

- To be used in conjunction with a 66", 72" or 84" rectangular desk shell.
- Decorative Panel is high pressure laminate.

L2GDP • Gallery Desk with Pigeon Holes and Decorative Panel




Front Back

PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GDP66	1736	1891	2049	41.9	42.3	68.5	12	106	20	
L2GDP72	19339	2152	2334	41.9	42.3	74.5	12	122	22	
L2GDP84	2087	2325	2529	41.9	42.3	86.5	12	128	25	

- To be used in conjunction with a 66", 72" or 84" rectangular desk shell.
- Decorative Panel is high pressure laminate.

L2GRKIT • Reception Kit Gallery



NEW!

PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2GRKIT36H36	439	465	483	18.37	18.75	36	12	68	1.50	
L2GRKIT42H36	480	506	531	18.37	18.75	42	12	79	1.75	
L2GRKIT48H36	521	557	580	18.37	18.75	48	12	90	2.00	
L2GRKIT54H36	562	601	629	18.37	18.75	54	12	101	2.25	
L2GRKIT60H36	604	649	678	18.37	18.75	60	12	113	2.50	
L2GRKIT36H42	472	534	553	24.37	24.75	36	12	68	1.50	
L2GRKIT42H42	538	591	611	24.37	24.75	42	12	79	1.75	
L2GRKIT48H42	585	646	672	24.37	24.75	48	12	90	2.00	
L2GRKIT54H42	614	707	751	24.37	24.75	54	12	101	2.25	
L2GRKIT60H42	683	760	791	24.37	24.75	60	12	113	2.50	

- Unit to be placed on L2DR or L2CRS Desk Shell

DESKS & RETURN SHELLS

Technical Information

- All Desks and connecting shells are shipped KD.
- All connecting units must be connected to an adjoining worksurface where there is either no end gable or a narrow gable with flat brackets.
- Gables & partial gables are interchangeable.
- All bottom edges are edge banded.
- Each shell allows for grommet (BG5) to be specified at no upcharge. Please see general information (Section A) for location.

DESKS • GUIDELINES FOR ORDERING PRODUCT


CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A DESK UNIT

PRODUCT CODE: L2DR3060
 L2 = New Licence
 D = Desk
 R = Rectangular
 3060 = Size: Depth x Width

OPTIONS:
 Top: LP - LP (Low Pressure Laminate) Thickness 1"
 HP B - B Thickness 1 1/16"
 HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Color
 Top PVC Edging: Choose Color
 Chassis Laminate: Choose Color
 Chassis PVC Edging: Choose Color




SPECIFICATION EXAMPLE OF A CONNECTING RETURN UNIT

PRODUCT CODE: L2RCH2030R
 L2 = New Licence
 R = Return
 C = Connecting
 H = Half Back Panel
 2030 = Size: Depth x Width
 R = Connecting on Right


OPTIONS:
 Top: LP - LP (Low Pressure Laminate) Thickness 1"
 HP B - B Thickness 1 1/16"
 HP W - W Thickness 1 7/16"

Top Finish Laminate: Choose Color
 Top PVC Edging: Choose Color
 Chassis Laminate: Choose Color
 Chassis PVC Edging: Choose Color



DESKS & RETURN SHELLS


L2DR • Rectangular Desk, Recessed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DR3060	866	1058	1189	29	29.5	60	30	136	6
L2DR3066	912	1121	1264	29	29.5	66	30	145	7
L2DR3072	958	1183	1338	29	29.5	72	30	155	7
L2DR3078	1003	1246	1411	29	29.5	78	30	175	9
L2DR3084	1055	1314	1493	29	29.5	84	30	185	10
L2DR3660	966	1190	1341	29	29.5	60	36	155	7
L2DR3666	1016	1261	1425	29	29.5	66	36	165	9
L2DR3672	1065	1332	1685	29	29.5	72	36	176	9
L2DR3678	1114	1401	1592	29	29.5	78	36	197	11
L2DR3684	1170	1478	1681	29	29.5	84	36	208	12

• All recessed modesties are inset 6" from the visitor edge.


L2DB • Bowfront Desk, Recessed Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2DB3060	924	1147	1305	29	29.5	60	36	155	7
L2DB3066	973	1218	1388	29	29.5	66	36	165	9
L2DB3072	1023	1288	1472	29	29.5	72	36	176	9
L2DB3078	1073	1360	1556	29	29.5	78	36	197	11
L2DB3084	1130	1436	1646	29	29.5	84	36	208	12
L2DB3660	1023	1280	1548	29	29.5	60	42	155	7
L2DB3666	1078	1360	1551	29	29.5	66	42	165	9
L2DB3672	1130	1436	1643	29	29.5	72	42	176	9
L2DB3678	1186	1515	1734	29	29.5	78	42	197	11
L2DB3684	1246	1599	1834	29	29.5	84	42	208	12

• All recessed modesties are inset 6" from the visitor edge.


L2DW • Wedge Desk, Recessed Modesty



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2DW306036	937	1160	1310	29	29.5	60	36	155	7
L2DW306636	987	1231	1394	29	29.5	66	36	165	9
L2DW307236	1036	1302	1422	29	29.5	72	36	176	9
L2DW307836	1088	1373	1560	29	29.5	78	36	197	11
L2DW308436	1143	1448	1649	29	29.5	84	36	208	12

• All recessed modesties are inset 6" from the visitor edge.

L2DW • Wedge Desk, Recessed Modesty




PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2DW366030	936	1160	1310	29	29.5	60	36	155	7
L2DW366630	987	1231	1394	29	29.5	66	36	165	9
L2DW367230	1036	1302	1477	29	29.5	72	36	176	9
L2DW367830	1088	1373	1560	29	29.5	78	36	197	11
L2DW368430	1143	1448	1649	29	29.5	84	36	208	12

• All recessed modesties are inset 6" from the visitor edge.

DESKS & RETURN SHELLS


L2CRS • Credenza Shell, Full End Gables on Both Sides and Flush Back



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2CRS2024	511	584	635	29	29.5	24	20	68	3
L2CRS2030	553	639	701	29	29.5	30	20	77	3
L2CRS2036	595	693	767	29	29.5	36	20	87	3
L2CRS2042	635	750	833	29	29.5	42	20	94	3
L2CRS2048	678	805	898	29	29.5	48	20	102	4
L2CRS2054	718	861	964	29	29.5	54	20	109	4
L2CRS2060	767	925	1036	29	29.5	60	20	118	4
L2CRS2066	810	978	1101	29	29.5	66	20	127	6
L2CRS2072	851	1035	1167	29	29.5	72	20	135	6
L2CRS2078	892	1091	1232	29	29.5	78	20	151	7
L2CRS2084	939	1152	1305	29	29.5	84	20	160	8
L2CRS2424	531	606	662	29	29.5	24	24	68	3
L2CRS2430	576	664	729	29	29.5	30	24	77	3
L2CRS2436	619	721	799	29	29.5	36	24	87	3
L2CRS2442	661	780	866	29	29.5	42	24	94	3
L2CRS2448	706	838	934	29	29.5	48	24	102	4
L2CRS2454	748	895	1002	29	29.5	54	24	109	4
L2CRS2460	799	961	1079	29	29.5	60	24	118	4
L2CRS2466	841	1019	1146	29	29.5	66	24	127	6
L2CRS2472	885	1074	1215	29	29.5	72	24	135	6
L2CRS2478	928	1134	1281	29	29.5	78	24	151	7
L2CRS2484	976	1198	2590	29	29.5	84	24	160	8
L2CRS3030	631	734	809	29	29.5	30	30	90	3
L2CRS3036	676	799	884	29	29.5	36	30	99	3
L2CRS3042	721	861	958	29	29.5	42	30	109	4
L2CRS3048	767	934	1032	29	29.5	48	30	119	4
L2CRS3054	813	987	1106	29	29.5	54	30	127	6
L2CRS3060	866	1058	1189	29	29.5	60	30	136	6
L2CRS3066	912	1121	1264	29	29.5	66	30	145	7
L2CRS3072	958	1183	1338	29	29.5	72	30	155	7
L2CRS3078	1003	1246	1411	29	29.5	78	30	175	9
L2CRS3084	1056	1314	1493	29	29.5	84	30	185	10

DESKS & RETURN SHELLS


L2CRSH • Credenza Shell, Flush Back, Cut Out Modesty, Full End Gables on Both Sides



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2CRSH2030	495	577	642	29	29.5	30	20	77	3
L2CRSH2036	665	622	694	29	29.5	36	20	87	3
L2CRSH2042	556	665	750	29	29.5	42	20	94	3
L2CRSH2048	587	711	803	29	29.5	48	20	102	4
L2CRSH2054	617	754	857	29	29.5	54	20	109	4
L2CRSH2060	655	805	918	29	29.5	60	20	118	4
L2CRSH2066	685	849	972	29	29.5	66	20	127	6
L2CRSH2072	717	894	1026	29	29.5	72	20	135	6
L2CRSH2078	747	937	1081	29	29.5	78	20	151	7
L2CRSH2084	784	989	1141	29	29.5	84	20	160	8
L2CRSH2430	514	612	668	29	29.5	30	24	77	3
L2CRSH2436	547	648	723	29	29.5	36	24	87	3
L2CRSH2442	580	691	779	29	29.5	42	24	94	3
L2CRSH2448	610	737	835	29	29.5	48	24	102	4
L2CRSH2454	642	784	892	29	29.5	54	24	109	4
L2CRSH2460	681	838	957	29	29.5	60	24	118	4
L2CRSH2466	714	883	1011	29	29.5	66	24	127	6
L2CRSH2472	745	930	1067	29	29.5	72	24	135	6
L2CRSH2478	776	975	1125	29	29.5	78	24	151	7
L2CRSH2484	815	1028	1187	29	29.5	84	24	160	8
L2CRSH3030	573	675	748	29	29.5	30	30	90	3
L2CRSH3036	606	726	812	29	29.5	36	30	99	3
L2CRSH3042	643	777	874	29	29.5	42	30	109	4
L2CRSH3048	678	829	937	29	29.5	48	30	119	4
L2CRSH3054	712	881	1000	29	29.5	54	30	127	6
L2CRSH3060	747	931	1064	29	29.5	60	30	139	6
L2CRSH3066	780	984	1127	29	29.5	66	30	145	7
L2CRSH3072	816	1035	1189	29	29.5	72	30	155	7
L2CRSH3078	851	1088	1252	29	29.5	78	30	175	9
L2CRSH3084	885	1137	1314	29	29.5	84	30	185	10

DESKS & RETURN SHELLS

L2RC-R • Return, Connecting Right, Full Gable on Right and Narrow Gable on Left




PRODUCT CODE	FINISH			SIZE / INCHES					WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2RC2024R	480	551	603	29	29.5	24	20	64	3	
L2RC2030R	524	608	673	29	29.5	30	20	69	3	
L2RC2036R	569	667	742	29	29.5	36	20	79	3	
L2RC2042R	614	726	808	29	29.5	42	20	86	3	
L2RC2048R	658	784	878	29	29.5	48	20	95	4	
L2RC2054R	701	843	945	29	29.5	54	20	102	4	
L2RC2060R	757	914	1026	29	29.5	60	20	110	4	
L2RC2066R	803	972	1095	29	29.5	66	20	119	6	
L2RC2072R	851	1035	1167	29	29.5	72	20	128	6	
L2RC2078R	895	1094	1236	29	29.5	78	20	143	7	
L2RC2084R	993	1150	1305	29	29.5	84	20	152	8	
L2RC2424R	499	573	628	29	29.5	24	24	64	3	
L2RC2430R	547	632	698	29	29.5	30	24	69	3	
L2RC2436R	592	693	770	29	29.5	36	24	79	3	
L2RC2442R	638	754	841	29	29.5	42	24	86	3	
L2RC2448R	684	815	914	29	29.5	48	24	95	4	
L2RC2454R	729	878	984	29	29.5	54	24	102	4	
L2RC2460R	789	951	1095	29	29.5	60	24	110	4	
L2RC2466R	835	1011	1140	29	29.5	66	24	119	6	
L2RC2472R	885	1074	1215	29	29.5	72	24	128	6	
L2RC2478R	930	1136	1284	29	29.5	78	24	143	7	
L2RC2484R	976	1198	1356	29	29.5	84	24	152	8	
L2RC3030R	595	697	772	29	29.5	30	30	83	3	
L2RC3036R	643	763	849	29	29.5	36	30	91	3	
L2RC3042R	691	830	927	29	29.5	42	30	101	4	
L2RC3048R	741	895	1003	29	29.5	48	30	111	4	
L2RC3054R	789	961	1081	29	29.5	54	30	119	6	
L2RC3060R	849	1913	1173	29	29.5	60	30	129	6	
L2RC3066R	898	1104	1249	29	29.5	66	30	138	7	
L2RC3072R	951	1176	1331	29	29.5	72	30	147	7	
L2RC3078R	1002	1241	1487	29	29.5	78	30	167	9	
L2RC3084R	1048	1307	1569	29	29.5	84	30	177	10	
L2RC3660R	918	1143	1292	29	29.5	60	36	145	7	
L2RC3666R	972	1216	1379	29	29.5	66	36	157	9	
L2RC3672R	1028	1294	1469	29	29.5	72	36	169	9	
L2RC3678R	1081	1366	1556	29	29.5	78	36	190	11	
L2RC3684R	1133	1439	1643	29	29.5	84	36	201	12	

• Units are non-handed. They can be configured as either lefts or rights.

DESKS & RETURN SHELLS

L2RCH-R • Half Modesty Return, Connecting Right, Full Gable on Right and Narrow Gable on Left




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2RCH2024R	426	509	564	29	29.5	24	20	55	3
L2RCH2030R	472	556	620	29	29.5	30	20	57	3
L2RCH2036R	506	604	678	29	29.5	36	20	65	3
L2RCH2042R	537	648	735	29	29.5	42	20	69	3
L2RCH2048R	570	696	790	29	29.5	48	20	76	4
L2RCH2054R	604	742	847	29	29.5	54	20	81	4
L2RCH2060R	647	802	919	29	29.5	60	20	86	4
L2RCH2066R	681	847	973	29	29.5	66	20	92	6
L2RCH2072R	715	900	1035	29	29.5	72	20	99	6
L2RCH2078R	748	946	1093	29	29.5	78	20	112	7
L2RCH2084R	782	992	1150	29	29.5	84	20	119	8
L2RCH2424R	455	667	586	29	29.5	24	24	56	3
L2RCH2430R	489	577	645	29	29.5	30	24	57	3
L2RCH2436R	525	626	705	29	29.5	36	24	65	3
L2RCH2442R	560	675	764	29	29.5	42	24	69	3
L2RCH2448R	593	722	823	29	29.5	48	24	76	4
L2RCH2454R	626	772	881	29	29.5	54	24	81	4
L2RCH2460R	675	834	955	29	29.5	60	24	86	4
L2RCH2466R	708	881	1013	29	29.5	66	24	92	6
L2RCH2472R	745	933	1076	29	29.5	72	24	99	6
L2RCH2478R	779	984	1136	29	29.5	78	24	112	7
L2RCH2484R	813	1032	1195	29	29.5	84	24	119	8
L2RCH3030R	544	647	722	29	29.5	30	30	77	3
L2RCH3036R	580	701	789	29	29.5	36	30	83	3
L2RCH3042R	617	754	855	29	29.5	42	30	87	4
L2RCH3048R	654	810	922	29	29.5	48	30	92	4
L2RCH3054R	693	863	989	29	29.5	54	30	98	6
L2RCH3060R	742	930	1067	29	29.5	60	30	105	6
L2RCH3066R	779	987	1133	29	29.5	66	30	111	7
L2RCH3072R	819	1042	1202	29	29.5	72	30	119	7
L2RCH3078R	857	1097	1340	29	29.5	78	30	136	9
L2RCH3084R	894	1150	1408	29	29.5	84	30	144	10
L2RCH3660R	813	1036	1151	29	29.5	60	36	123	7
L2RCH3666R	855	1099	1266	29	29.5	66	36	129	9
L2RCH3672R	898	1165	1346	29	29.5	72	36	141	9
L2RCH3678R	941	1226	1421	29	29.5	78	36	154	11
L2RCH3684R	983	1235	1496	29	29.5	84	36	162	12

• Units are non-handed. They can be configured as either lefts or rights.

DESKS & RETURN SHELLS

L2RC-L • Return, Connecting Left, Full Gable on Left and Narrow Gable on Right




PRODUCT CODE	FINISH		SIZE / INCHES						WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2RC2024L	494	568	621	29	29.5	24	20	64	3	
L2RC2030L	540	626	693	29	29.5	30	20	69	3	
L2RC2036L	586	687	764	29	29.5	36	20	79	3	
L2RC2042L	632	748	833	29	29.5	42	20	86	3	
L2RC2048L	678	807	903	29	29.5	48	20	95	4	
L2RC2054L	722	867	973	29	29.5	54	20	102	4	
L2RC2060L	780	941	1057	29	29.5	60	20	110	4	
L2RC2066L	827	1001	1128	29	29.5	66	20	119	6	
L2RC2072L	877	1066	1202	29	29.5	72	20	128	6	
L2RC2078L	922	1126	1273	29	29.5	78	20	143	7	
L2RC2084L	967	1185	1344	29	29.5	84	20	152	8	
L2RC2424L	513	590	648	29	29.5	24	24	64	3	
L2RC2430L	563	651	719	29	29.5	30	24	69	3	
L2RC2436L	610	714	793	29	29.5	36	24	79	3	
L2RC2442L	657	777	866	29	29.5	42	24	86	3	
L2RC2448L	705	839	941	29	29.5	48	24	95	4	
L2RC2454L	751	904	1014	29	29.5	54	24	102	4	
L2RC2460L	813	980	1099	29	29.5	60	24	110	4	
L2RC2466L	860	1041	1174	29	29.5	66	24	119	6	
L2RC2472L	912	1106	1251	29	29.5	72	24	128	6	
L2RC2478L	959	1170	1323	29	29.5	78	24	143	7	
L2RC2484L	1005	1234	1405	29	29.5	84	24	152	8	
L2RC3030L	613	718	795	29	29.5	30	30	83	3	
L2RC3036L	662	786	874	29	29.5	36	30	91	3	
L2RC3042L	712	855	955	29	29.5	42	30	101	4	
L2RC3048L	763	922	1033	29	29.5	48	30	111	4	
L2RC3054L	813	990	1113	29	29.5	54	30	119	6	
L2RC3060L	874	1069	1210	29	29.5	60	30	129	6	
L2RC3066L	925	1137	1286	29	29.5	66	30	138	7	
L2RC3072L	978	1211	1371	29	29.5	72	30	147	7	
L2RC3078L	1029	1278	1532	29	29.5	78	30	167	9	
L2RC3084L	1080	1346	1616	29	29.5	84	30	177	10	
L2RC3660L	946	1177	1331	29	29.5	60	36	145	7	
L2RC3666L	1001	1252	1420	29	29.5	66	36	157	9	
L2RC3672L	1059	1333	1513	29	29.5	72	36	169	9	
L2RC3678L	1114	1407	1603	29	29.5	78	36	190	11	
L2RC3684L	1167	1482	1692	29	29.5	84	36	201	12	

• Units are non-handed. They can be configured as either lefts or rights.

DESKS & RETURN SHELLS

L2RCH-L • Half Modesty Return, Connecting Left, Full Gable on Left and Narrow Gable on Right




PRODUCT CODE	FINISH		SIZE / INCHES						WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2RCH2024L	426	494	548	29	29.5	24	20	55	3	
L2RCH2030L	458	540	602	29	29.5	30	20	57	3	
L2RCH2036L	491	586	658	29	29.5	36	20	65	3	
L2RCH2042L	521	629	714	29	29.5	42	20	69	3	
L2RCH2048L	553	676	767	29	29.5	48	20	76	4	
L2RCH2054L	584	720	822	29	29.5	54	20	81	4	
L2RCH2060L	628	779	892	29	29.5	60	20	86	4	
L2RCH2066L	661	822	945	29	29.5	66	20	92	5	
L2RCH2072L	694	872	1005	29	29.5	72	20	99	5	
L2RCH2078L	726	918	1061	29	29.5	78	20	112	6	
L2RCH2084L	759	963	1116	29	29.5	84	20	119	7	
L2RCH2424L	442	513	569	29	29.5	24	24	56	3	
L2RCH2430L	475	560	626	29	29.5	30	24	57	3	
L2RCH2436L	510	608	684	29	29.5	36	24	65	3	
L2RCH2442L	543	655	742	29	29.5	42	24	69	3	
L2RCH2448L	576	701	799	29	29.5	48	24	76	4	
L2RCH2454L	608	750	855	29	29.5	54	24	81	4	
L2RCH2460L	655	810	927	29	29.5	60	24	86	4	
L2RCH2466L	687	855	984	29	29.5	66	24	92	5	
L2RCH2472L	732	906	1045	29	29.5	72	24	99	5	
L2RCH2478L	756	955	1103	29	29.5	78	24	112	6	
L2RCH2484L	789	1002	1160	29	29.5	84	24	119	7	
L2RCH3030L	528	628	701	29	29.5	30	30	77	3	
L2RCH3036L	563	681	766	29	29.5	36	30	83	3	
L2RCH3042L	599	732	830	29	29.5	42	30	87	4	
L2RCH3048L	635	786	895	29	29.5	48	30	92	4	
L2RCH3054L	673	838	960	29	29.5	54	30	98	5	
L2RCH3060L	720	903	1036	29	29.5	60	30	105	5	
L2RCH3066L	756	958	1100	29	29.5	66	30	111	6	
L2RCH3072L	795	1012	1167	29	29.5	72	30	119	6	
L2RCH3078L	832	1065	1300	29	29.5	78	30	136	8	
L2RCH3084L	868	1117	1367	29	29.5	84	30	144	9	
L2RCH3660L	789	1006	1117	29	29.5	60	36	123	6	
L2RCH3666L	830	1067	1229	29	29.5	66	36	129	8	
L2RCH3672L	872	1131	1307	29	29.5	72	36	141	8	
L2RCH3678L	914	1190	1380	29	29.5	78	36	154	10	
L2RCH3684L	954	1199	1452	29	29.5	84	36	162	11	

• Units are non-handed. They can be configured as either lefts or rights.

DESKS & RETURN SHELLS


L2RC-C • Return, Connecting Narrow Gables on Both Sides



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2RC2024C	426	495	548	29	29.5	24	20	56	3
L2RC2030C	470	531	592	29	29.5	30	20	62	3
L2RC2036C	514	586	658	29	29.5	36	20	72	3
L2RC2042C	559	642	721	29	29.5	42	20	78	3
L2RC2048C	603	697	787	29	29.5	48	20	87	4
L2RC2054C	648	751	851	29	29.5	54	20	95	4
L2RC2060C	706	819	928	29	29.5	60	20	102	4
L2RC2066C	750	874	994	29	29.5	66	20	111	6
L2RC2072C	797	933	1062	29	29.5	72	20	120	6
L2RC2078C	841	989	1127	29	29.5	78	20	135	7
L2RC2084C	885	1044	1192	29	29.5	84	20	144	8
L2RC2424C	445	514	569	29	29.5	24	24	56	3
L2RC2430C	491	552	617	29	29.5	30	24	62	3
L2RC2436C	537	610	684	29	29.5	36	24	72	3
L2RC2442C	583	667	751	29	29.5	42	24	78	3
L2RC2448C	628	724	818	29	29.5	48	24	87	4
L2RC2454C	675	783	885	29	29.5	54	24	95	4
L2RC2460C	732	852	966	29	29.5	60	24	102	4
L2RC2466C	779	911	1032	29	29.5	66	24	111	6
L2RC2472C	830	970	1104	29	29.5	72	24	120	6
L2RC2478C	875	1028	1173	29	29.5	78	24	135	7
L2RC2484C	922	1086	1239	29	29.5	84	24	144	8
L2RC3030C	550	649	723	29	29.5	30	30	75	3
L2RC3036C	596	715	800	29	29.5	36	30	84	3
L2RC3042C	645	780	879	29	29.5	42	30	94	4
L2RC3048C	693	808	914	29	29.5	48	30	103	4
L2RC3054C	744	871	986	29	29.5	54	30	116	6
L2RC3060C	803	946	1071	29	29.5	60	30	121	6
L2RC3066C	852	1006	1144	29	29.5	66	30	130	7
L2RC3072C	904	1073	1222	29	29.5	72	30	140	7
L2RC3078C	945	1136	1295	29	29.5	78	30	160	9
L2RC3084C	1002	1196	1369	29	29.5	84	30	169	10


DESKS & RETURN SHELLS

L2RCH-C • Half Modesty Return, Connecting Narrow Gables on Both Sides




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2RCH2024C	373	438	492	29	29.5	24	20	46	3
L2RCH2030C	406	484	547	29	29.5	30	20	50	3
L2RCH2036C	436	530	584	29	29.5	36	20	57	3
L2RCH2042C	472	574	658	29	29.5	42	20	62	3
L2RCH2048C	501	620	712	29	29.5	48	20	68	4
L2RCH2054C	514	664	767	29	29.5	54	20	74	4
L2RCH2060C	559	723	836	29	29.5	60	20	78	4
L2RCH2066C	592	767	891	29	29.5	66	20	85	6
L2RCH2072C	626	816	949	29	29.5	72	20	91	6
L2RCH2078C	658	862	1005	29	29.5	78	20	105	7
L2RCH2084C	690	906	1061	29	29.5	84	20	111	8
L2RCH2424C	388	456	511	29	29.5	24	24	46	3
L2RCH2430C	422	504	569	29	29.5	30	24	50	3
L2RCH2436C	455	550	626	29	29.5	36	24	57	3
L2RCH2442C	488	596	684	29	29.5	42	24	62	3
L2RCH2448C	520	645	742	29	29.5	48	24	68	4
L2RCH2454C	534	691	799	29	29.5	54	24	74	4
L2RCH2460C	583	751	869	29	29.5	60	24	78	4
L2RCH2466C	616	799	927	29	29.5	66	24	85	6
L2RCH2472C	651	849	987	29	29.5	72	24	91	6
L2RCH2478C	684	897	1044	29	29.5	78	24	105	7
L2RCH2484C	717	942	1101	29	29.5	84	24	111	8
L2RCH3030C	481	581	655	29	29.5	30	30	72	3
L2RCH3036C	518	613	717	29	29.5	36	30	80	3
L2RCH3042C	553	684	780	29	29.5	42	30	85	4
L2RCH3048C	590	737	846	29	29.5	48	30	90	4
L2RCH3054C	626	790	911	29	29.5	54	30	95	6
L2RCH3060C	676	855	987	29	29.5	60	30	97	6
L2RCH3066C	711	908	1053	29	29.5	66	30	103	7
L2RCH3072C	750	966	1121	29	29.5	72	30	111	7
L2RCH3078C	786	1019	1149	29	29.5	78	30	129	9
L2RCH3084C	821	1070	1248	29	29.5	84	30	136	10

L2RCS • Return Connecting Swerve Left



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2RCS243018	577	664	773	29	29.5	30	24	70	2
L2RCS243618	622	723	842	29	29.5	36	24	79	3
L2RCS244218	665	783	911	29	29.5	42	24	88	3
L2RCS244818	711	839	976	29	29.5	48	24	97	4
L2RCS245418	754	898	1045	29	29.5	54	24	106	4
L2RCS246018	812	969	1128	29	29.5	60	24	114	4
L2RCS303024	629	734	898	29	29.5	30	30	81	3
L2RCS303624	678	800	930	29	29.5	36	30	91	3
L2RCS304224	726	866	1007	29	29.5	42	30	109	4
L2RCS304824	775	931	1085	29	29.5	48	30	119	4
L2RCS305424	822	998	1162	29	29.5	54	30	127	6
L2RCS306024	872	1063	1239	29	29.5	60	30	136	6


L2RCS • Return Connecting Swerve Right



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2RCS183024	577	664	773	29	29.9	30	24	70	2
L2RCS183624	622	723	841	29	29.5	36	24	79	3
L2RCS184224	665	783	911	29	29.5	42	24	88	3
L2RCS184824	711	840	976	29	29.5	48	24	97	4
L2RCS185424	754	898	1045	29	29.5	54	24	106	4
L2RCS186024	812	969	1128	29	29.5	60	24	114	4
L2RCS243030	629	734	852	29	29.5	30	30	81	3
L2RCS243630	678	800	930	29	29.5	36	30	91	3
L2RCS244230	726	866	1007	29	29.5	42	30	109	4
L2RCS244830	775	931	1085	29	29.5	48	30	119	4
L2RCS245430	822	998	1162	29	29.5	54	30	127	6
L2RCS246030	872	1063	1239	29	29.5	60	30	136	6


DESKS & RETURN SHELLS

L2RCSH • Return Connecting Swerve Left with Half Modesty Panel




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2RCSH243018	511	595	705	29	29.5	30	24	61	2
L2RCSH243618	543	639	757	29	29.5	36	24	65	3
L2RCSH244218	574	685	813	29	29.5	42	24	72	3
L2RCSH244818	606	730	869	29	29.5	48	24	77	4
L2RCSH245418	637	776	924	29	29.5	54	24	84	4
L2RCSH246018	682	835	993	29	29.5	60	24	90	4
L2RCSH303024	562	664	784	29	29.5	30	30	78	3
L2RCSH303624	598	717	848	29	29.5	36	30	88	3
L2RCSH304224	634	794	912	29	29.5	42	30	105	4
L2RCSH304824	671	822	975	29	29.5	48	30	114	4
L2RCSH305424	708	876	1039	29	29.5	54	30	121	5
L2RCSH306024	744	937	1103	29	29.5	60	30	130	5

L2RCSH • Return Connecting Swerve Right with Half Modesty Panel




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2RCSH183024	511	595	704	29	29.5	30	24	61	2
L2RCSH183624	543	639	757	29	29.5	36	24	65	3
L2RCSH184224	574	685	813	29	29.5	42	24	72	3
L2RCSH184824	606	730	869	29	29.5	48	24	77	4
L2RCSH185424	638	776	924	29	29.5	54	24	84	4
L2RCSH186024	682	835	993	29	29.5	60	24	90	4
L2RCSH243030	562	664	784	29	29.5	30	30	78	3
L2RCSH243630	598	717	848	29	29.5	36	30	88	3
L2RCSH244230	634	769	912	29	29.5	42	30	105	4
L2RCSH244830	671	822	975	29	29.5	48	30	114	4
L2RCSH245430	708	875	1039	29	29.5	54	30	121	6
L2RCSH246030	744	928	1103	29	29.5	60	30	130	6

L2RCW • Return Connecting Wedge Left



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2RCW243018	577	664	773	29	29.5	30	24	70	2
L2RCW243618	622	723	841	29	29.5	36	24	79	3
L2RCW244218	665	783	911	29	29.5	42	24	88	3
L2RCW244818	711	839	976	29	29.5	48	24	97	4
L2RCW245418	754	898	1045	29	29.5	54	24	106	4
L2RCW246018	812	969	1128	29	29.5	60	24	114	4
L2RCW303024	630	734	852	29	29.5	30	30	81	3
L2RCW303624	678	800	930	29	29.5	36	30	91	3
L2RCW304224	726	866	1006	29	29.5	42	30	109	4
L2RCW304824	776	931	1086	29	29.5	48	30	119	4
L2RCW305424	822	997	1163	29	29.5	54	30	127	6
L2RCW306024	872	1064	1239	29	29.5	60	30	136	6


L2RCW • Return Connecting Wedge Right



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2RCW183024	577	664	772	29	29.5	30	24	70	2
L2RCW183624	622	723	841	29	29.5	36	24	79	3
L2RCW184224	665	783	910	29	29.5	42	24	88	3
L2RCW184824	711	839	976	29	29.5	48	24	97	4
L2RCW185424	754	898	1045	29	29.5	54	24	106	4
L2RCW186024	812	969	1128	29	29.5	60	24	114	4
L2RCW243030	629	734	852	29	29.5	30	30	81	3
L2RCW243630	678	800	930	29	29.5	36	30	91	3
L2RCW244230	726	866	1006	29	29.5	42	30	109	4
L2RCW244830	775	931	1086	29	29.5	48	30	119	4
L2RCW245430	822	997	1163	29	29.5	54	30	127	6
L2RCW246030	872	1064	1239	29	29.5	60	30	136	6


DESKS & RETURN SHELLS

L2RCWH • Return Connecting Wedge Left with Half Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2RCWH243018	511	595	704	29	29.5	30	24	61	2
L2RCWH243618	543	639	757	29	29.5	36	24	65	3
L2RCWH244218	574	685	813	29	29.5	42	24	72	3
L2RCWH244818	606	730	869	29	29.5	48	24	77	4
L2RCWH245418	638	776	924	29	29.5	54	24	84	4
L2RCWH246018	682	835	993	29	29.5	60	24	90	4
L2RCWH303024	562	664	784	29	29.5	30	30	78	3
L2RCWH303624	598	717	848	29	29.5	36	30	88	3
L2RCWH304224	634	769	912	29	29.5	42	30	105	4
L2RCWH304824	671	822	975	29	29.5	48	30	114	4
L2RCWH305424	708	876	1039	29	29.5	54	30	121	6
L2RCWH306024	744	928	1103	29	29.5	60	30	130	6

L2RCWH • Return Connecting Wedge Right with Half Modesty



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2RCWH183024	511	595	705	29	29.5	30	24	61	2
L2RCWH183624	543	639	757	29	29.5	36	24	65	3
L2RCWH184224	574	685	813	29	29.5	42	24	72	3
L2RCWH184824	606	730	869	29	29.5	48	24	77	4
L2RCWH185424	638	776	924	29	29.5	54	24	84	4
L2RCWH186024	682	835	993	29	29.5	60	24	90	4
L2RCWH243030	562	664	784	29	29.5	30	30	78	3
L2RCWH243630	598	717	848	29	29.5	36	30	88	3
L2RCWH244230	634	769	912	29	29.5	42	30	105	4
L2RCWH244830	671	822	975	29	29.5	48	30	114	4
L2RCWH245430	708	876	1039	29	29.5	54	30	121	6
L2RCWH246030	744	928	1103	29	29.5	60	30	130	6

L2ER-L • Executive Return Left




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2ER2024L	383	449	501	29	29.5	24	20	25	3
L2ER2030L	428	508	569	29	29.5	30	20	29	3
L2ER2036L	475	571	646	29	29.5	36	20	32	3
L2ER2042L	526	636	720	29	29.5	42	20	35	3
L2ER2048L	571	693	789	29	29.5	48	20	37	4
L2ER2054L	616	753	857	29	29.5	54	20	40	4
L2ER2060L	673	822	939	29	29.5	60	20	44	4
L2ER2066L	717	882	1006	29	29.5	66	20	46	6
L2ER2072L	760	940	1079	29	29.5	72	20	50	6
L2ER2424L	399	468	520	29	29.5	24	24	25	3
L2ER2430L	445	528	590	29	29.5	30	24	29	3
L2ER2436L	495	593	673	29	29.5	36	24	32	3
L2ER2442L	548	661	750	29	29.5	42	24	35	3
L2ER2448L	593	721	819	29	29.5	48	24	37	4
L2ER2454L	639	783	892	29	29.5	54	24	40	4
L2ER2460L	698	855	975	29	29.5	60	24	44	4
L2ER2466L	745	918	1049	29	29.5	66	24	46	6
L2ER2472L	790	979	1124	29	29.5	72	24	50	6

• Units are non-handed. They can be configured as either lefts or rights.

DESKS & RETURN SHELLS


L2ERH-L • Executive Return Left, Half Modesty



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2ERH2024L	331	393	445	29	29.5	24	20	25	3
L2ERH2030L	362	438	499	29	29.5	30	20	29	3
L2ERH2036L	476	494	569	29	29.5	36	20	32	3
L2ERH2042L	526	540	625	29	29.5	42	20	35	3
L2ERH2048L	571	586	681	29	29.5	48	20	37	4
L2ERH2054L	616	629	734	29	29.5	54	20	40	4
L2ERH2060L	673	688	803	29	29.5	60	20	44	4
L2ERH2066L	716	732	857	29	29.5	66	20	46	6
L2ERH2072L	760	779	917	29	29.5	72	20	50	6
L2ERH2424L	343	409	462	29	29.5	24	24	25	3
L2ERH2430L	376	456	518	29	29.5	30	24	29	3
L2ERH2436L	419	513	592	29	29.5	36	24	32	3
L2ERH2442L	452	560	649	29	29.5	42	24	35	3
L2ERH2448L	486	608	708	29	29.5	48	24	37	4
L2ERH2454L	518	656	763	29	29.5	54	24	40	4
L2ERH2460L	563	715	835	29	29.5	60	24	44	4
L2ERH2466L	596	762	892	29	29.5	66	24	46	6
L2ERH2472L	629	810	955	29	29.5	72	24	50	6

• Units are non-handed. They can be configured as either lefts or rights.


L2ER-R • Executive Return Right



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2ER2024R	383	449	501	29	29.5	24	20	55	3
L2ER2030R	428	508	569	29	29.5	30	20	63	3
L2ER2036R	475	571	646	29	29.5	36	20	70	3
L2ER2042R	526	636	720	29	29.5	42	20	77	3
L2ER2048R	571	693	789	29	29.5	48	20	87	4
L2ER2054R	616	753	857	29	29.5	54	20	92	4
L2ER2060R	673	822	939	29	29.5	60	20	102	4
L2ER2066R	717	882	1006	29	29.5	66	20	110	6
L2ER2072R	760	940	1079	29	29.5	72	20	119	6
L2ER2424R	399	468	520	29	29.5	24	24	55	3
L2ER2430R	445	528	590	29	29.5	30	24	63	3
L2ER2436R	495	593	673	29	29.5	36	24	70	3
L2ER2442R	548	661	750	29	29.5	42	24	77	3
L2ER2448R	593	721	819	29	29.5	48	24	87	4
L2ER2454R	639	783	892	29	29.5	54	24	92	4
L2ER2460R	698	855	975	29	29.5	60	24	102	4
L2ER2466R	745	918	1049	29	29.5	66	24	110	6
L2ER2472R	790	979	1124	29	29.5	72	24	119	6

• Units are non-handed. They can be configured as either lefts or rights.

L2ERH-R • Executive Return Right, Half Modesty




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D		
L2ERH2024R	331	393	445					45	3
L2ERH2030R	362	438	499	29	29.5	30	20	53	3
L2ERH2036R	476	494	569	29	29.5	36	20	62	3
L2ERH2042R	526	540	625	29	29.5	42	20	67	3
L2ERH2048R	571	586	681	29	29.5	48	20	77	4
L2ERH2054R	616	629	734	29	29.5	54	20	83	4
L2ERH2060R	673	688	803	29	29.5	60	20	94	4
L2ERH2066R	716	732	857	29	29.5	66	20	101	6
L2ERH2072R	760	779	917	29	29.5	72	20	110	6
L2ERH2424R	343	409	462	29	29.5	24	24	45	3
L2ERH2430R	376	456	518	29	29.5	30	24	53	3
L2ERH2436R	419	513	592	29	29.5	36	24	62	3
L2ERH2442R	452	560	649	29	29.5	42	24	67	3
L2ERH2448R	486	608	708	29	29.5	48	24	77	4
L2ERH2454R	518	656	763	29	29.5	54	24	83	4
L2ERH2460R	563	715	835	29	29.5	60	24	94	4
L2ERH2466R	596	762	892	29	29.5	66	24	101	6
L2ERH2472R	629	810	955	29	29.5	72	24	110	6

• Units are non-handed. They can be configured as either lefts or rights.


DESKS & RETURN SHELLS

L2B • Bridge with Flush Mounted Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2B2024	256	314	366	29	29.5	24	20	39	2
L2B2030	299	371	433	29	29.5	30	20	42	3
L2B2036	345	433	505	29	29.5	36	20	68	3
L2B2042	388	489	572	29	29.5	42	20	77	3
L2B2048	432	546	639	29	29.5	48	20	86	4
L2B2054	475	604	705	29	29.5	54	20	94	4
L2B2424	267	327	381	29	29.5	24	24	39	2
L2B2430	311	385	451	29	29.5	30	24	44	3
L2B2436	360	449	525	29	29.5	36	24	68	3
L2B2442	404	509	596	29	29.5	42	24	77	3
L2B2448	449	569	664	29	29.5	48	24	86	4
L2B2454	493	627	732	29	29.5	54	24	94	4

L2BH • Bridge with Flush Mounted Half Modesty




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2BH2024	204	260	312	29	29.5	24	20	36	2
L2BH2030	235	304	365	29	29.5	30	20	36	2
L2BH2036	270	353	425	29	29.5	36	20	54	3
L2BH2042	299	397	480	29	29.5	42	20	61	3
L2BH2048	331	439	532	29	29.5	48	20	66	4
L2BH2054	362	484	585	29	29.5	54	20	72	4
L2BH2424	212	271	324	29	29.5	24	24	36	2
L2BH2430	244	315	378	29	29.5	30	24	42	3
L2BH2436	280	366	443	29	29.5	36	24	54	3
L2BH2442	312	413	498	29	29.5	42	24	61	3
L2BH2448	343	457	554	29	29.5	48	24	66	4
L2BH2454	375	503	610	29	29.5	54	24	72	4

L2EC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty & Full Gable on Right



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Connection									
L2EC20426030R	1063	1316	1494	29	29.5	60	42	187	8
L2EC20426630R	1116	1393	1585	29	29.5	66	42	209	9
L2EC20427230R	1169	1467	1674	29	29.5	72	42	231	10
L2EC20427830R	1221	1544	1763	29	29.5	78	42	253	11
L2EC20428430R	1273	1618	1854	29	29.5	84	42	275	12
For 24" Return Connection									
L2EC24426030R	1063	1316	1494	29	29.5	60	42	187	8
L2EC24426630R	1116	1393	1585	29	29.5	66	42	209	9
L2EC24427230R	1169	1467	1674	29	29.5	72	42	231	10
L2EC24427830R	1221	1544	1763	29	29.5	78	42	253	11
L2EC24428430R	1273	1618	1854	29	29.5	84	42	275	12


L2EC-L • Extended Corner Desk with 10" End Panel on Right, Full Modesty & Full Gable on Left



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT VOL	
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
For 20" Return Connection									
L2EC30604220L	1063	1316	1494	29	29.5	60	42	187	8
L2EC30664220L	1116	1393	1585	29	29.5	66	42	209	9
L2EC30724220L	1169	1467	1674	29	29.5	72	42	231	10
L2EC30784220L	1221	1544	1763	29	29.5	78	42	253	11
L2EC30844220L	1273	1618	1854	29	29.5	84	42	275	12
For 24" Return Connection									
L2EC30604224L	1063	1316	1494	29	29.5	60	42	187	8
L2EC30664224L	1116	1393	1585	29	29.5	66	42	209	9
L2EC30724224L	1169	1467	1674	29	29.5	72	42	231	10
L2EC30784224L	1221	1544	1763	29	29.5	78	42	253	11
L2EC30844224L	1273	1618	1854	29	29.5	84	42	275	12


DESKS & RETURN SHELLS

L2EC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty & Full Gable on Right




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT³
				H (LP/B)	H (W)	W	D		
For 20" Return Conection									
L2EC20426024R	1071	1334	1517	29	29.5	60	42	187	8
L2EC20426624R	1127	1411	1609	29	29.5	66	42	209	9
L2EC20427224R	1180	1488	1701	29	29.5	72	42	231	10
L2EC20427824R	1235	1567	1792	29	29.5	78	42	253	11
L2EC20428424R	1289	1645	1887	29	29.5	84	42	275	12
For 24" Return Conection									
L2EC24426024R	1071	1334	1517	29	29.5	60	42	187	8
L2EC24426624R	1127	1411	1609	29	29.5	66	42	209	9
L2EC24427224R	1180	1488	1701	29	29.5	72	42	231	10
L2EC24427824R	1235	1567	1792	29	29.5	78	42	253	11
L2EC24428424R	1289	1645	1887	29	29.5	84	42	275	12

L2EC-L • Extended Corner Desk with 10" End Panel on Left, Full Modesty & Full Gable on Right



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
For 20" Return Conection									
L2EC24604220L	1071	1334	1517	29	29.5	60	42	187	8
L2EC24664220L	1127	1411	1609	29	29.5	66	42	209	9
L2EC24724220L	1180	1488	1701	29	29.5	72	42	231	10
L2EC24784220L	1235	1567	1792	29	29.5	78	42	253	11
L2EC24844220L	1289	1645	1887	29	29.5	84	42	275	12
For 24" Return Conection									
L2EC24604224L	1071	1334	1517	29	29.5	60	42	187	8
L2EC24664224L	1127	1411	1609	29	29.5	66	42	209	9
L2EC24724224L	1180	1488	1701	29	29.5	72	42	231	10
L2EC24784224L	1235	1567	1792	29	29.5	78	42	253	11
L2EC24844224L	1289	1645	1887	29	29.5	84	42	275	12


L2DEC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty and Full Gable Right



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
For 20" Conection									
L2DEC20426030R	1109	1375	1561	29	29.5	60	42	187	8
L2DEC20426630R	1166	1454	1656	29	29.5	66	42	209	9
L2DEC20427230R	1222	1533	1750	29	29.5	72	42	231	10
L2DEC20427830R	1275	1614	1843	29	29.5	78	42	253	11
L2DEC20428430R	1331	1691	1936	29	29.5	84	42	275	12
For 24" Conection									
L2DEC24426030R	1109	1375	1561	29	29.5	60	42	187	8
L2DEC24426630R	1166	1454	1656	29	29.5	66	42	209	9
L2DEC24427230R	1222	1533	1750	29	29.5	72	42	231	10
L2DEC24427830R	1275	1614	1843	29	29.5	78	42	253	11
L2DEC24428430R	1331	1691	1936	29	29.5	84	42	275	12

• All recessed modesties are inset 6" from the visitor edge.

L2DEC-L • Extended Corner Desk with 10" End Panel on Right, Full Modesty and Full Gable Left




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT³
				H (LP/B)	H (W)	W	D		
For 20" Conection									
L2DEC30604220L	1109	1375	1561	29	29.5	60	42	187	8
L2DEC30664220L	1166	1454	1656	29	29.5	66	42	209	9
L2DEC30724220L	1222	1533	1750	29	29.5	72	42	231	10
L2DEC30784220L	1275	1614	1843	29	29.5	78	42	253	11
L2DEC30844220L	1331	1691	1936	29	29.5	84	42	275	12
For 24" Conection									
L2DEC30604224L	1109	1375	1561	29	29.5	60	42	187	8
L2DEC30664224L	1166	1454	1656	29	29.5	66	42	209	9
L2DEC30724224L	1222	1533	1750	29	29.5	72	42	231	10
L2DEC30784224L	1275	1614	1843	29	29.5	78	42	253	11
L2DEC30844224L	1331	1691	1936	29	29.5	84	42	275	12

• All recessed modesties are inset 6" from the visitor edge.

DESKS & RETURN SHELLS


L2DEC-R • Extended Corner Desk with 10" End Panel on Left, Full Modesty and Full Gable Right



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOL FT³
For 20" Conection									
L2DEC20426024R	1089	1352	1538	29	29.5	60	42	187	8
L2DEC20426624R	1142	1432	1632	29	29.5	66	42	209	9
L2DEC20427224R	1197	1510	1726	29	29.5	72	42	231	10
L2DEC20427824R	1254	1590	1820	29	29.5	78	42	253	11
L2DEC20428424R	1307	1669	1915	29	29.5	84	42	275	12
For 24" Conection									
L2DEC24426024R	1089	1352	1538	29	29.5	60	42	187	8
L2DEC24426624R	1142	1432	1632	29	29.5	66	42	209	9
L2DEC24427224R	1197	1510	1726	29	29.5	72	42	231	10
L2DEC24427824R	1254	1590	1820	29	29.5	78	42	253	11
L2DEC24428424R	1307	1669	1915	29	29.5	84	42	275	12

- All recessed modesties are inset 6" from the visitor edge.


L2DEC-L • Extended Corner Desk with 10" End Panel on Right, Full Modesty and Full Gable Left



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
For 20" Conection									
L2DEC24604220L	1089	1352	1538	29	29.5	60	42	187	8
L2DEC24664220L	1142	1432	1632	29	29.5	66	42	209	9
L2DEC24724220L	1197	1510	1726	29	29.5	72	42	231	10
L2DEC24784220L	1254	1590	1820	29	29.5	78	42	253	11
L2DEC24844220L	1307	1669	1915	29	29.5	84	42	275	12
For 24" Conection									
L2DEC24604224L	1089	1352	1538	29	29.5	60	42	187	8
L2DEC24664224L	1142	1432	1632	29	29.5	66	42	209	9
L2DEC24724224L	1197	1510	1726	29	29.5	72	42	231	10
L2DEC24784224L	1254	1590	1820	29	29.5	78	42	253	11
L2DEC24844224L	1307	1669	1915	29	29.5	84	42	275	12

- All recessed modesties are inset 6" from the visitor edge.

L2CS • Corner with Straight Front, Full Back Panel & Narrow End Gables




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2CS183618	876	1082	1350	29	29.5	36	36	79	3
L2CS183620	898	1106	1385	29	29.5	36	36	84	3
L2CS183624	898	1106	1385	29	29.5	36	36	84	3
L2CS203618	898	1106	1385	29	29.5	36	36	84	3
L2CS203620	934	1167	1502	29	29.5	36	36	88	3
L2CS203624	957	1193	1536	29	29.5	36	36	88	3
L2CS243618	898	1106	1385	29	29.5	36	36	84	3
L2CS243620	957	1193	1536	29	29.5	36	36	88	3
L2CS243624	957	1193	1536	29	29.5	36	36	88	3
L2CS184218	960	1187	1474	29	29.5	42	42	87	4
L2CS184220	986	1216	1511	29	29.5	42	42	92	4
L2CS184224	986	1216	1511	29	29.5	42	42	92	4
L2CS204218	986	1216	1511	29	29.5	42	42	92	4
L2CS204220	986	1216	1511	29	29.5	42	42	97	4
L2CS204224	1009	1246	1595	29	29.5	42	42	97	4
L2CS244218	986	1216	1511	29	29.5	42	42	92	4
L2CS244220	1009	1246	1595	29	29.5	42	42	97	4
L2CS244224	1009	1246	1595	29	29.5	42	42	97	4
L2CS184818	1017	1244	1531	29	29.5	48	48	97	6
L2CS184820	1042	1274	1569	29	29.5	48	48	101	6
L2CS184824	1042	1274	1569	29	29.5	48	48	101	6
L2CS204818	1042	1274	1569	29	29.5	48	48	101	6
L2CS204820	1042	1274	1569	29	29.5	48	48	107	6
L2CS204824	1067	1304	1652	29	29.5	48	48	107	6
L2CS244818	1042	1274	1569	29	29.5	48	48	101	6
L2CS244820	1067	1304	1652	29	29.5	48	48	107	6
L2CS244824	1067	1304	1652	29	29.5	48	48	107	6

- For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.

DESKS & RETURN SHELLS


L2CSH • Corner with Straight Front, Cut Out Back Panel & Narrow End Gables



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES		W	D	WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)				
L2CSH183618	904	1110	1380	29	29.5	36	36	51	3
L2CSH183620	930	1137	1416	29	29.5	36	36	55	3
L2CSH183624	930	1137	1416	29	29.5	36	36	55	3
L2CSH203618	930	1137	1416	29	29.5	36	36	55	3
L2CSH203620	966	1196	1533	29	29.5	36	36	59	3
L2CSH203624	987	1225	1567	29	29.5	36	36	59	3
L2CSH243618	930	1137	1416	29	29.5	36	36	55	3
L2CSH243620	987	1225	1567	29	29.5	36	36	59	3
L2CSH243624	987	1225	1567	29	29.5	36	36	59	3
L2CSH184218	994	1222	1508	29	29.5	42	42	57	4
L2CSH184220	1020	1251	1548	29	29.5	42	42	63	4
L2CSH184224	1020	1251	1548	29	29.5	42	42	63	4
L2CSH204218	1020	1251	1548	29	29.5	42	42	63	4
L2CSH204220	1020	1251	1548	29	29.5	42	42	68	4
L2CSH204224	1044	1281	1632	29	29.5	42	42	68	4
L2CSH244218	1020	1251	1548	29	29.5	42	42	63	4
L2CSH244220	1044	1281	1632	29	29.5	42	42	68	4
L2CSH244224	1044	1281	1632	29	29.5	42	42	68	4
L2CSH184818	1066	1298	1589	29	29.5	48	48	65	6
L2CSH184820	1093	1327	1628	29	29.5	48	48	70	6
L2CSH184824	1093	1327	1628	29	29.5	48	48	70	6
L2CSH204818	1093	1327	1628	29	29.5	48	48	70	6
L2CSH204820	1093	1327	1628	29	29.5	48	48	76	6
L2CSH204824	1118	1359	1714	29	29.5	48	48	76	6
L2CSH244818	1093	1327	1628	29	29.5	48	48	70	6
L2CSH244820	1118	1359	1714	29	29.5	48	48	76	6
L2CSH244824	1118	1359	1714	29	29.5	48	48	76	6

• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.

L2CC • Corner with Curved Front, Full Back Panel & Narrow End Gables




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES		W	D	WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)				
L2CC183618	888	1098	1377	29	29.5	36	36	79	3
L2CC183620	912	1127	1412	29	29.5	36	36	84	3
L2CC183624	912	1127	1412	29	29.5	36	36	84	3
L2CC203618	912	1127	1412	29	29.5	36	36	84	3
L2CC203620	949	1189	1533	29	29.5	36	36	88	3
L2CC203624	970	1215	1567	29	29.5	36	36	88	3
L2CC243618	912	1127	1412	29	29.5	36	36	84	3
L2CC243620	970	1215	1567	29	29.5	36	36	88	3
L2CC243624	970	1215	1567	29	29.5	36	36	88	3
L2CC184218	973	1207	1504	29	29.5	42	42	87	4
L2CC184220	999	1238	1543	29	29.5	42	42	92	4
L2CC184224	999	1238	1543	29	29.5	42	42	92	4
L2CC204218	999	1238	1543	29	29.5	42	42	92	4
L2CC204220	999	1238	1543	29	29.5	42	42	97	4
L2CC204224	1025	1269	1628	29	29.5	42	42	97	4
L2CC244218	999	1238	1543	29	29.5	42	42	92	4
L2CC244220	1025	1269	1628	29	29.5	42	42	97	4
L2CC244224	1025	1269	1628	29	29.5	42	42	97	4
L2CC184818	1045	1282	1584	29	29.5	48	48	97	6
L2CC184820	1070	1314	1623	29	29.5	48	48	101	6
L2CC184824	1070	1314	1623	29	29.5	48	48	101	6
L2CC204818	1070	1314	1623	29	29.5	48	48	101	6
L2CC204820	1098	1345	1709	29	29.5	48	48	107	6
L2CC204824	1098	1345	1709	29	29.5	48	48	107	6
L2CC244818	1070	1314	1623	29	29.5	48	48	101	6
L2CC244820	1098	1345	1709	29	29.5	48	48	107	6
L2CC244824	1098	1345	1709	29	29.5	48	48	107	6

• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.

DESKS & RETURN SHELLS


L2CCH • Corner with Curved Front, Cut Out Back Panel & Narrow End Gables



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2CCH183618	891	1095	1461	29	29.5	36	36	51	3
L2CCH183620	915	1123	1466	29	29.5	36	36	55	3
L2CCH183624	915	1123	1466	29	29.5	36	36	55	3
L2CCH203618	915	1123	1466	29	29.5	36	36	55	3
L2CCH203620	950	1183	1587	29	29.5	36	36	59	3
L2CCH203624	973	1210	1587	29	29.5	36	36	59	3
L2CCH243618	915	1123	1466	29	29.5	36	36	55	3
L2CCH243620	973	1210	1587	29	29.5	36	36	59	3
L2CCH243624	973	1210	1587	29	29.5	36	36	59	3
L2CCH184218	979	1205	1492	29	29.5	42	42	57	4
L2CCH184220	1005	1235	1531	29	29.5	42	42	63	4
L2CCH184224	1005	1235	1531	29	29.5	42	42	63	4
L2CCH204218	1005	1235	1531	29	29.5	42	42	63	4
L2CCH204220	1005	1235	1531	29	29.5	42	42	68	4
L2CCH204224	1028	1266	1613	29	29.5	42	42	68	4
L2CCH244218	1005	1235	1531	29	29.5	42	42	63	4
L2CCH244220	1028	1266	1613	29	29.5	42	42	68	4
L2CCH244224	1028	1266	1613	29	29.5	42	42	68	4
L2CCH184818	1055	1279	1571	29	29.5	48	48	65	6
L2CCH184820	1075	1310	1610	29	29.5	48	48	70	6
L2CCH184824	1075	1310	1610	29	29.5	48	48	70	6
L2CCH204818	1075	1310	1610	29	29.5	48	48	70	6
L2CCH204820	1075	1310	1610	29	29.5	48	48	76	6
L2CCH204824	1100	1341	1693	29	29.5	48	48	76	6
L2CCH244818	1075	1310	1610	29	29.5	48	48	70	6
L2CCH244820	1100	1341	1693	29	29.5	48	48	76	6
L2CCH244824	1100	1341	1693	29	29.5	48	48	76	6

• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.


L2CK • Split Corner Desk w/Curved Front Keyboard, Full Back Panel & Narrow End Gables



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2CK244224	1743	2046	2426	29	29.5	42	42	97	4
L2CK244824	1826	2134	2520	29	29.5	48	48	107	6

• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.

L2CHK • Split Corner Desk w/Curved Front Keyboard, Cut Out Back Panel & Narrow End Gables



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2CHK244224	1777	2062	2444	29	29.5	42	42	68	4
L2CHK244824	1861	2151	2537	29	29.5	48	48	76	6

• For grain direction on surfaces larger than 42", please see grain direction chart at beginning of the Price List.

SHAPED TABLES

Technical Information


- All Shaped tables are shipped KD.
- Monoleg or square leg ships in a separate box.
- All Units must be connected to an adjoining unit with flat brackets.
- For 24" deep returns that connect to an adjoining unit with included flat brackets.
- For 24" deep returns that connect to the corner units, the narrow panel is 10" and for 30" deep returns, the narrow panel is 14".
- All bottom edges are edge banded.
- Monolegs are drilled to accept shoulder screws to attach to the modesty.
- Modesty are offered 10" high only.
- Top plate with cut-out for 3" monoleg will accept modesty panel 1" thick.
- 8 x 8" plate is attached to surface with #10 3/4 wood screws, included.
- 1" height adjustment range.

TABLES • GUIDELINES FOR ORDERING PRODUCT


CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A SHAPED TABLE

PRODUCT CODE:	L2TDH3060 L2 = New Licence T = Table D = D Shape Worksurface H = Half Modesty (10"High) 3060 = Size: Depth x Width
OPTIONS:	
Top:	LP - LPL (Low Pressure Laminate) Thickness 1" HP B - B Thickness 1 1/16" HP W - W Thickness 1 7/16"
Leg Option:	L2BHML03 (DEFAULT) Round Monoleg L2LSQ3X3 - Square Leg
Top Finish Laminate:	Choose Color
Top PVC Edging:	Choose Color
Chassis Laminate:	Choose Color
Chassis PVC Edging:	Choose Color
Metal Leg Finish	Choose Color




L2BHML03



L2LSQ3X3

L2TD • D-Shaped Top with T-Base & Leg




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)	W	D	WEIGHT LBS	VOL FT ³
L2TD2442	770	891	979	29 29.5	42	24	64	3
L2TD2448	792	925	1023	29 29.5	48	24	68	3
L2TD2454	815	961	1068	29 29.5	54	24	72	3
L2TD2460	836	997	1114	29 29.5	60	24	76	4
L2TD2466	859	1031	1159	29 29.5	66	24	79	4
L2TD2472	881	1067	1206	29 29.5	72	24	84	4
L2TD2478	903	1101	1249	29 29.5	78	24	87	6
L2TD2484	925	1137	1295	29 29.5	84	24	91	6
L2TD3054	885	1062	1189	29 29.5	54	30	97	4
L2TD3060	912	1104	1242	29 29.5	60	30	107	7
L2TD3066	939	1147	1298	29 29.5	66	30	117	8
L2TD3072	966	1190	1350	29 29.5	72	30	127	9
L2TD3078	993	1232	1405	29 29.5	78	30	136	9
L2TD3084	1019	1275	1460	29 29.5	84	30	146	10
L2TD3654	951	1157	1301	29 29.5	54	36	107	4
L2TD3660	982	1209	1364	29 29.5	60	36	111	10
L2TD3666	1011	1259	1429	29 29.5	66	36	116	9
L2TD3672	1042	1308	1490	29 29.5	72	36	153	10
L2TD3678	1073	1360	1554	29 29.5	78	36	165	11
L2TD3684	1103	1408	1616	29 29.5	84	36	176	12

• Add \$82 to list price for chrome leg option.

SHAPED TABLES


L2TDH • D-Shaped Top with Half Modesty & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES					WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D			
L2TDH2442	794	918	1008	29	29.5	42	24		63	3
L2TDH2448	816	953	1053	29	29.5	48	24		69	3
L2TDH2454	839	990	1100	29	29.5	54	24		75	3
L2TDH2460	861	1027	1148	29	29.5	60	24		81	4
L2TDH2466	885	1062	1194	29	29.5	66	24		87	4
L2TDH2472	907	1099	1242	29	29.5	72	24		94	4
L2TDH2478	930	1134	1287	29	29.5	78	24		99	6
L2TDH2484	953	1171	1334	29	29.5	84	24		106	6
L2TDH3054	911	1094	1224	29	29.5	54	30		95	4
L2TDH3060	939	1137	1279	29	29.5	60	30		102	7
L2TDH3066	968	1182	1337	29	29.5	66	30		112	8
L2TDH3072	995	1225	1391	29	29.5	72	30		122	9
L2TDH3078	1023	1269	1447	29	29.5	78	30		132	9
L2TDH3084	1049	1313	1503	29	29.5	84	30		142	10
L2TDH3654	979	1191	1340	29	29.5	54	36		145	4
L2TDH3660	1011	1245	1405	29	29.5	60	36		151	10
L2TDH3666	1042	1296	1471	29	29.5	66	36		154	9
L2TDH3672	1074	1347	1535	29	29.5	72	36		156	10
L2TDH3678	1105	1400	1601	29	29.5	78	36		161	11
L2TDH3684	1136	1450	1665	29	29.5	84	36		172	12

• Add \$82 to list price for chrome leg option.

L2TR • Rectangular Top with T-Base & Mono Leg




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES					WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W	D			
L2TR2442	822	949	1042	29	29.5	42	24		64	3
L2TR2448	843	985	1090	29	29.5	48	24		68	3
L2TR2454	868	1023	1139	29	29.5	54	24		72	3
L2TR2460	892	1061	1188	29	29.5	60	24		76	4
L2TR2466	916	1098	1234	29	29.5	66	24		79	4
L2TR2472	937	1137	1284	29	29.5	72	24		84	4
L2TR2478	963	1174	1331	29	29.5	78	24		87	6
L2TR2484	985	1212	1381	29	29.5	84	24		91	6
L2TR3054	942	1131	1266	29	29.5	54	30		97	4
L2TR3060	971	1177	1324	29	29.5	60	30		107	7
L2TR3066	1001	1223	1383	29	29.5	66	30		112	8
L2TR3072	1028	1267	1438	29	29.5	72	30		127	9
L2TR3078	1057	1314	1497	29	29.5	78	30		136	9
L2TR3084	1086	1359	1555	29	29.5	84	30		146	10
L2TR3654	1012	1232	1386	29	29.5	54	36		107	4
L2TR3660	1045	1289	1453	29	29.5	60	36		111	7
L2TR3666	1077	1340	1522	29	29.5	66	36		116	8
L2TR3672	1110	1394	1587	29	29.5	72	36		153	9
L2TR3678	1143	1447	1655	29	29.5	78	36		165	9
L2TR3684	1175	1501	1722	29	29.5	84	36		176	10

• Add \$82 to list price for chrome leg option.

SHAPED TABLES


L2TRH • Rectangular Top with Half Modesty & Mono Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOL FT ³
L2TRH2442	803	931	1025	29	29.5	42	24	63	3
L2TRH2448	838	979	1093	29	29.5	48	24	69	3
L2TRH2454	871	1026	1142	29	29.5	54	24	75	3
L2TRH2460	904	1075	1200	29	29.5	60	24	81	4
L2TRH2466	939	1124	1260	29	29.5	66	24	87	4
L2TRH2472	972	1172	1319	29	29.5	72	24	94	4
L2TRH2478	1006	1220	1377	29	29.5	78	24	99	6
L2TRH2484	1039	1267	1435	29	29.5	84	24	100	6
L2TRH3054	943	1131	1266	29	29.5	54	30	95	4
L2TRH3060	982	1188	1334	29	29.5	60	30	102	7
L2TRH3066	1020	1244	1402	29	29.5	66	30	112	8
L2TRH3072	1058	1301	1470	29	29.5	72	30	132	9
L2TRH3078	1096	1358	1538	29	29.5	78	30	142	9
L2TRH3084	1136	1411	1608	29	29.5	84	30	145	10
L2TRH3654	1012	1234	1387	29	29.5	54	36	145	4
L2TRH3660	1057	1298	1464	29	29.5	60	36	151	7
L2TRH3666	1089	1352	1532	29	29.5	66	36	154	8
L2TRH3672	1131	1416	1608	29	29.5	72	36	156	9
L2TRH3678	1174	1478	1687	29	29.5	78	36	161	9
L2TRH3684	1218	1543	1766	29	29.5	84	36	172	10

• Add \$82 to list price for chrome leg option.


L2TA • Axe Shaped Top with T-Base & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOL FT ³
L2TA3060	1011	1270	1447	29	29.50	60	42	131	10
L2TA3066	1048	1328	1521	29	29.50	66	42	140	11
L2TA3072	1083	1385	1593	29	29.50	72	42	149	12
L2TA3078	1117	1442	1664	29	29.50	78	42	157	12
L2TA3084	1151	1501	1740	29	29.50	84	42	166	13
L2TA3672	1159	1503	1731	29	29.50	72	48	153	13
L2TA3678	1198	1568	1815	29	29.50	78	48	163	14
L2TA3684	1237	1634	1895	29	29.50	84	48	173	15

• Add \$82 to list price for chrome leg option.


L2TAH • Axe Shaped Top with Half Modesty & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOL FT ³
L2TAH3060	1022	1280	1460	29	29.50	60	42	127	10
L2TAH3066	1065	1347	1540	29	29.50	66	42	135	11
L2TAH3072	1110	1415	1622	29	29.50	72	42	144	12
L2TAH3078	1154	1484	1705	29	29.50	78	42	153	12
L2TAH3084	1198	1551	1786	29	29.50	84	42	162	13
L2TAH3672	1179	1523	1753	29	29.50	72	48	149	13
L2TAH3678	1228	1599	1845	29	29.50	78	48	158	14
L2TAH3684	1275	1675	1934	29	29.50	84	48	168	15

• Add \$82 to list price for chrome leg option.

L2TP-L • P-Shaped Top Left with T-Base & Leg




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOL FT ³
L2TP3060L	964	1190	1350	29	29.50	60	36	121	9
L2TP3066L	996	1241	1412	29	29.50	66	36	135	9
L2TP3072L	1026	1291	1477	29	29.50	72	36	150	10
L2TP3078L	1056	1341	1539	29	29.50	78	36	164	11
L2TP3084L	1088	1393	1603	29	29.50	84	36	178	12
L2TP3672L	1103	1408	1616	29	29.50	72	42	188	12
L2TP3678L	1140	1466	1688	29	29.50	78	42	202	12
L2TP3684L	1174	1524	1760	29	29.50	84	42	217	13

• Add \$82 to list price for chrome leg option.

SHAPED TABLES


L2TP-R • P-Shaped Top Right with T-Base & Leg



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2TP3060R	964	1190	1350	29	29.50	60	36	121	9
L2TP3066R	996	1241	1412	29	29.50	66	36	135	9
L2TP3072R	1026	1291	1477	29	29.50	72	36	150	10
L2TP3078R	1056	1341	1539	29	29.50	78	36	164	11
L2TP3084R	1088	1393	1603	29	29.50	84	36	178	12
L2TP3672R	1103	1408	1616	29	29.50	72	42	188	12
L2TP3678R	1140	1466	1688	29	29.50	78	42	202	12
L2TP3684R	1174	1524	1760	29	29.50	84	42	217	13

• Add \$82 to list price for chrome leg option.


L2TPH-L • P-Shaped Top Left with Half Modesty & Leg



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2TPH3060L	973	1199	1360	29	29.50	60	36	117	9
L2TPH3066L	1012	1259	1433	29	29.50	66	36	131	9
L2TPH3072L	1055	1319	1505	29	29.50	72	36	145	10
L2TPH3078L	1094	1380	1579	29	29.50	78	36	160	11
L2TPH3084L	1134	1439	1652	29	29.50	84	36	174	12
L2TPH3672L	1122	1429	1635	29	29.50	72	42	184	12
L2TPH3678L	1166	1495	1718	29	29.50	78	42	198	12
L2TPH3684L	1210	1563	1800	29	29.50	84	42	212	13

• Add \$82 to list price for chrome leg option.

L2TPH-R • P-Shaped Top Right with Half Modesty & Leg




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2TPH3060R	973	1199	1360	29	29.50	60	36	117	9
L2TPH3066R	1012	1259	1433	29	29.50	66	36	131	9
L2TPH3072R	1055	1319	1505	29	29.50	72	36	145	10
L2TPH3078R	1094	1380	1579	29	29.50	78	36	160	11
L2TPH3084R	1134	1439	1652	29	29.50	84	36	174	12
L2TPH3672R	1122	1429	1635	29	29.50	72	42	184	12
L2TPH3678R	1166	1495	1718	29	29.50	78	42	198	12
L2TPH3684R	1210	1563	1800	29	29.50	84	42	212	13

• Add \$82 to list price for chrome leg option.

SHAPED TABLES


L2TH-L • Hockey Shaped Top Left with T-Base & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOLUME FT ³
For 20" Return Connection									
L2TH203060L	1003	1235	1409	29	29.50	60	36	121	9
L2TH203066L	1035	1284	1474	29	29.50	66	36	135	9
L2TH203072L	1065	1337	1537	29	29.50	72	36	150	10
L2TH203078L	1097	1386	1603	29	29.50	78	36	164	11
L2TH203084L	1128	1439	1667	29	29.50	84	36	178	12
L2TH203660L	1073	1340	1534	29	29.50	60	42	188	10
L2TH203666L	1110	1399	1609	29	29.50	66	42	202	11
L2TH203672L	1146	1458	1682	29	29.50	72	42	217	12
L2TH203678L	1182	1517	1756	29	29.50	78	42	220	12
L2TH203684L	1216	1575	1829	29	29.50	84	42	237	13
For 24" Return Connection									
L2TH3060L	1003	1235	1409	29	29.50	60	36	121	9
L2TH3066L	1035	1284	1474	29	29.50	66	36	135	9
L2TH3072L	1065	1337	1537	29	29.50	72	36	150	10
L2TH3078L	1097	1386	1603	29	29.50	78	36	164	11
L2TH3084L	1128	1439	1667	29	29.50	84	36	178	12
L2TH3660L	1073	1340	1534	29	29.50	60	42	188	10
L2TH3666L	1110	1399	1609	29	29.50	66	42	202	11
L2TH3672L	1146	1458	1682	29	29.50	72	42	217	12
L2TH3678L	1182	1517	1756	29	29.50	78	42	220	12
L2TH3684L	1216	1575	1829	29	29.50	84	42	237	13

• Add \$82 to list price for chrome leg option.

L2TH-R • Hockey Shaped Top Right with T-Base & Leg




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOLUME FT³
For 20" Return Connection									
L2TH203060R	1003	1235	1409	29	29.50	60	36	121	9
L2TH203066R	1035	1284	1474	29	29.50	66	36	135	9
L2TH203072R	1065	1337	1537	29	29.50	72	36	150	10
L2TH203078R	1097	1386	1603	29	29.50	78	36	164	11
L2TH203084R	1128	1439	1667	29	29.50	84	36	178	12
L2TH203660R	1073	1340	1534	29	29.50	60	42	188	10
L2TH203666R	1110	1399	1609	29	29.50	66	42	202	11
L2TH203672R	1146	1458	1682	29	29.50	72	42	217	12
L2TH203678R	1182	1517	1756	29	29.50	78	42	220	12
L2TH203684R	1216	1575	1829	29	29.50	84	42	237	13
For 24" Return Connection									
L2TH3060R	1003	1235	1409	29	29.50	60	36	121	9
L2TH3066R	1035	1284	1474	29	29.50	66	36	135	9
L2TH3072R	1065	1337	1537	29	29.50	72	36	150	10
L2TH3078R	1097	1386	1603	29	29.50	78	36	164	11
L2TH3084R	1128	1439	1667	29	29.50	84	36	178	12
L2TH3660R	1073	1340	1534	29	29.50	60	42	188	10
L2TH3666R	1110	1399	1609	29	29.50	66	42	202	11
L2TH3672R	1146	1458	1682	29	29.50	72	42	217	12
L2TH3678R	1182	1517	1756	29	29.50	78	42	220	12
L2TH3684R	1216	1575	1829	29	29.50	84	42	237	13

• Add \$82 to list price for chrome leg option.

SHAPED TABLES


L2THH-L • Hockey Shaped Top Left with Half Modesty & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOLUME FT ³
For 20" Return Connection									
L2THH203060L	1012	1244	1419	29	29.50	60	36	117	9
L2THH203066L	1055	1305	1495	29	29.50	66	36	131	9
L2THH203072L	1095	1367	1569	29	29.50	72	36	145	10
L2THH203078L	1136	1429	1645	29	29.50	78	36	160	11
L2THH203084L	1177	1490	1718	29	29.50	84	36	174	12
L2THH203660L	1074	1340	1534	29	29.50	60	42	184	10
L2THH203666L	1121	1408	1618	29	29.50	66	42	198	11
L2THH203672L	1166	1477	1701	29	29.50	72	42	212	12
L2THH203678L	1212	1547	1786	29	29.50	78	42	220	12
L2THH203684L	1256	1616	1870	29	29.50	84	42	237	13
For 24" Return Connection									
L2THH3060L	1012	1244	1419	29	29.50	60	36	117	9
L2THH3066L	1055	1305	1495	29	29.50	66	36	131	9
L2THH3072L	1095	1367	1569	29	29.50	72	36	145	10
L2THH3078L	1136	1429	1645	29	29.50	78	36	160	11
L2THH3084L	1177	1490	1718	29	29.50	84	36	174	12
L2THH3660L	1074	1340	1534	29	29.50	60	42	184	10
L2THH3666L	1121	1408	1618	29	29.50	66	42	198	11
L2THH3672L	1166	1477	1701	29	29.50	72	42	212	12
L2THH3678L	1212	1547	1786	29	29.50	78	42	220	12
L2THH3684L	1256	1616	1870	29	29.50	84	42	237	13

• Add \$82 to list price for chrome leg option.

L2THH-R • Hockey Shaped Top Right with Half Modesty & Leg



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOLUME FT³
For 20" Return Connection									
L2THH203060R	1012	1244	1419	29	29.50	60	36	117	9
L2THH203066R	1055	1305	1495	29	29.50	66	36	131	9
L2THH203072R	1095	1367	1569	29	29.50	72	36	145	10
L2THH203078R	1136	1429	1645	29	29.50	78	36	160	11
L2THH203084R	1177	1490	1718	29	29.50	84	36	174	12
L2THH203660R	1074	1340	1534	29	29.50	60	42	184	10
L2THH203666R	1121	1408	1618	29	29.50	66	42	198	11
L2THH203672R	1166	1477	1701	29	29.50	72	42	212	12
L2THH203678R	1212	1547	1786	29	29.50	78	42	220	12
L2THH203684R	1256	1616	1870	29	29.50	84	42	237	13
For 24" Return Connection									
L2THH3060R	1012	1244	1419	29	29.50	60	36	117	9
L2THH3066R	1055	1305	1495	29	29.50	66	36	131	9
L2THH3072R	1095	1367	1569	29	29.50	72	36	145	10
L2THH3078R	1136	1429	1645	29	29.50	78	36	160	11
L2THH3084R	1177	1490	1718	29	29.50	84	36	174	12
L2THH3660R	1074	1340	1534	29	29.50	60	42	184	10
L2THH3666R	1121	1408	1618	29	29.50	66	42	198	11
L2THH3672R	1166	1477	1701	29	29.50	72	42	212	12
L2THH3678R	1212	1547	1786	29	29.50	78	42	220	12
L2THH3684R	1256	1616	1870	29	29.50	84	42	237	13

• Add \$82 to list price for chrome leg option.

SHAPED TABLES

L2TEDH-L • Extended “D” with Half Modesty & Leg

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOLUME FT³
For 20" Return Connection									
L2TEDH603020L	1098	1308	1498	29	29.50	60	42	110	8
L2TEDH663020L	1144	1374	1579	29	29.50	66	42	121	9
L2TEDH723020L	1190	1441	1660	29	29.50	72	42	132	10
L2TEDH783020L	1236	1508	1741	29	29.50	78	42	143	11
L2TEDH843020L	1280	1575	1822	29	29.50	84	42	154	12
For 24" Return Connection									
L2TEDH603024L	1098	1308	1498	29	29.50	60	42	110	8
L2TEDH663024L	1144	1374	1579	29	29.50	66	42	121	9
L2TEDH723024L	1190	1441	1660	29	29.50	72	42	132	10
L2TEDH783024L	1236	1508	1741	29	29.50	78	42	143	11
L2TEDH843024L	1280	1575	1822	29	29.50	84	42	154	12

• Add \$82 to list price for chrome leg option.

L2TED-L • Extended “D” with T-Base & Leg

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT³
For 20" Return Connection											
L2TED603020L	1088	1283	1471	29	29.50	60	42	110	8	8	
L2TED663020L	1124	1340	1540	29	29.50	66	42	121	9	9	
L2TED723020L	1159	1397	1613	29	29.50	72	42	132	10	10	
L2TED783020L	1195	1452	1684	29	29.50	78	42	143	11	11	
L2TED843020L	1231	1508	1754	29	29.50	84	42	154	12	12	
For 24" Return Connection											
L2TED603024L	1088	1283	1471	29	29.50	60	42	110	8	8	
L2TED663024L	1124	1340	1540	29	29.50	66	42	121	9	9	
L2TED723024L	1159	1397	1613	29	29.50	72	42	132	10	10	
L2TED783024L	1195	1452	1684	29	29.50	78	42	143	11	11	
L2TED843024L	1231	1508	1754	29	29.50	84	42	154	12	12	

• Add \$82 to list price for chrome leg option.

L2TEDH-R • Extended “D” with Half Modesty & Leg

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT LBS	VOLUME FT³	
For 20" Return Connection										
L2TEDH603020R	1098	1308	1498	29	29.50	60	42	110	8	
L2TEDH663020R	1144	1374	1579	29	29.50	66	42	121	9	
L2TEDH723020R	1190	1441	1660	29	29.50	72	42	132	10	
L2TEDH783020R	1236	1508	1741	29	29.50	78	42	143	11	
L2TEDH843020R	1280	1575	1822	29	29.50	84	42	154	12	
For 24" Return Connection										
L2TEDH603024R	1098	1308	1498	29	29.50	60	42	110	8	
L2TEDH663024R	1144	1374	1579	29	29.50	66	42	121	9	
L2TEDH723024R	1190	1441	1660	29	29.50	72	42	132	10	
L2TEDH783024R	1236	1508	1741	29	29.50	78	42	143	11	
L2TEDH843024R	1280	1575	1822	29	29.50	84	42	154	12	

• Add \$82 to list price for chrome leg option.

L2TED-R • Extended “D” with T-Base & Leg

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT³
For 20" Return Connection											
L2TED603020R	1088	1283	1471	29	29.50	60	42	110	8	8	
L2TED663020R	1124	1340	1540	29	29.50	66	42	121	9	9	
L2TED723020R	1159	1397	1613	29	29.50	72	42	132	10	10	
L2TED783020R	1195	1452	1684	29	29.50	78	42	143	11	11	
L2TED843020R	1231	1508	1754	29	29.50	84	42	154	12	12	
For 24" Return Connection											
L2TED603024R	1088	1283	1471	29	29.50	60	42	110	8	8	
L2TED663024R	1124	1340	1540	29	29.50	66	42	121	9	9	
L2TED723024R	1159	1397	1613	29	29.50	72	42	132	10	10	
L2TED783024R	1195	1452	1684	29	29.50	78	42	143	11	11	
L2TED843024R	1231	1508	1754	29	29.50	84	42	154	12	12	


• Add \$82 to list price for chrome leg option.

SHAPED TABLES


RUNOFF SHAPED TABLES

Technical Information

- All units must be connected to an adjoining unit with flat brackets included.
 - Grommet option for Runoff tables are "TC" only.
- NOTE: All Runoff tables includes HAT CHANNEL support.



BHML03



LLSQ3X3H28

OPTIONS:

Top: LP - LPL (Low Pressure Laminate) Thickness 1"
HP B - B Thickness 1 1/16"
HP W - W Thickness 1 7/16"


Leg Option: BHML03 (DEFAULT) Round Monoleg
LLSQ3X3H28 - Square Leg

Top Finish Laminate: Choose Color

Top PVC Edging: Choose Color


Metal Leg Finish: Choose Color

L2TCD • "D" Shaped Runoff with Leg



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2TCD3060	724	911	963	29	29.5	60	30	97	4
L2TCD3066	769	970	1036	29	29.5	66	30	106	6
L2TCD3660	789	1006	1086	29	29.5	60	36	97	4
L2TCD3666	825	1062	1149	29	29.5	66	36	106	6


L2TCR1L • Rectangular Shaped Runoff



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2TCR1L3060	710	888	945	29	29.5	60	30	97	4
L2TCR1L3066	741	934	997	29	29.5	66	30	106	6
L2TCR1L3660	759	969	1044	29	29.5	60	36	97	4
L2TCR1L3666	794	1023	1105	29	29.5	66	36	106	6


- Add \$82 to list price for chrome leg option.

L2TCA1L • Axe Shaped Runoff



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2TCA1L2460	762	972	1053	29	29.5	60	36	119	4
L2TCA1L2466	797	1026	1113	29	29.5	66	36	130	6
L2TCA1L3060	808	1050	1147	29	29.5	60	42	119	4
L2TCA1L3066	847	1110	1217	29	29.5	66	42	130	6

L2TCP • "P" Shaped Runoff with Leg




Left Hand Shown

PRODUCT CODE	FINISH LP	B		SIZE / INCHES				WEIGHT LBS	VOL FT³
			W	H (LP/B)	H (W)	W	D		
Right									
L2TCP3060R	787	1003	1086	29	29.5	60	36	119	4
L2TCP3066R	822	1061	1149	29	29.5	66	36	130	6
L2TCP3660R	838	1089	1189	29	29.5	60	42	119	4
L2TCP3666R	879	1151	1261	29	29.5	66	42	130	6
Left									
L2TCP3060L	787	1003	1086	29	29.5	60	36	119	4
L2TCP3066L	822	1061	1149	29	29.5	66	36	130	6
L2TCP3660L	838	1089	1189	29	29.5	60	42	119	4
L2TCP3666L	879	1151	1261	29	29.5	66	42	130	6

- Add \$82 to list price for chrome leg option.

L2TCW • Wedge Shaped Runoff with Leg



Left Hand Shown

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
Right									
L2TCW3060R	745	930	997	29	29.5	60	30	119	4
L2TCW3066R	777	979	1052	29	29.5	66	30	130	6
L2TCW3660R	797	1016	1100	29	29.5	60	36	119	4
L2TCW3666R	833	1070	1163	29	29.5	66	36	130	6
Left									
L2TCW3060L	745	930	997	29	29.5	60	30	119	4
L2TCW3066L	777	979	1052	29	29.5	66	30	130	6
L2TCW3660L	797	1016	1100	29	29.5	60	36	119	4
L2TCW3666L	833	1070	1163	29	29.5	66	36	130	6

- Add \$82 to list price for chrome leg option.

FLOATING TOPS

Floating Tops

- Monolegs and Support channel ships in a separate box.
- Floating tops are not pre-drilled to accept monolegs or spacers.
- Grommet locations (TC only) must be specified at the time of order or it will default to "No Grommet" option.
- Floating top must be placed on top of 1H credenza or 1H lateral open.
- Grommet Option TC only
- All Floating tables include HAT CHANNEL support.

LLSQ3X3 • "Spacer" Leg




PRODUCT	PRICE	CHROME SIZE / INCHES			WEIGHT	VOL
CODE		OPT	H	W	D	LBS FT ³
LLSQ3X3	145	177	8	3	3	4 0.09

LLSQ3X3H28 • Square Leg




PRODUCT	PRICE	CHROME SIZE / INCHES			WEIGHT	VOL
CODE		OPT	H	W	D	LBS FT ³
LLSQ3X3H28	259	262	28	3	3	4 0.17

L2FD • Floating "D" Shaped with Legs and Spacers



PRODUCT	FINISH	SIZE / INCHES						WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2FD3060	955	1149	1169	29	29.5	60	30	53	7
L2FD3066	987	1198	1222	29	29.5	66	30	57	7
L2FD3072	1019	1246	1274	29	29.5	72	30	62	8
L2FD3078	1055	1301	1326	29	29.5	78	30	64	8
L2FD3084	1098	1361	1377	29	29.5	84	30	68	9
L2FD3660	1002	1256	1349	29	29.5	60	36	57	8
L2FD3666	1038	1313	1415	29	29.5	66	36	63	8
L2FD3672	1073	1370	1478	29	29.5	72	36	68	9
L2FD3678	1114	1433	1544	29	29.5	78	36	70	9
L2FD3684	1163	1502	1610	29	29.5	84	36	75	10

L2FR • Floating Rectangular Shaped with Legs and Spacers




PRODUCT	FINISH	SIZE / INCHES						WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³
L2FR2460	903	1065	1094	29	29.5	60	24	51	6
L2FR2466	931	1107	1137	29	29.5	66	24	55	6
L2FR2472	961	1149	1182	29	29.5	72	24	59	7
L2FR2478	993	1195	1226	29	29.5	78	24	62	7
L2FR2484	1031	1248	1271	29	29.5	84	24	66	8
L2FR3060	951	1146	1192	29	29.5	60	30	53	7
L2FR3066	984	1195	1244	29	29.5	66	30	57	7
L2FR3072	1017	1244	1299	29	29.5	72	30	62	8
L2FR3078	1053	1298	1350	29	29.5	78	30	64	8
L2FR3084	1095	1357	1403	29	29.5	84	30	68	9
L2FR3660	970	1190	1279	29	29.5	60	36	57	8
L2FR3666	1005	1244	1340	29	29.5	66	36	63	8
L2FR3672	1040	1301	1402	29	29.5	72	36	68	9
L2FR3678	1079	1358	1464	29	29.5	78	36	70	9
L2FR3684	1126	1425	1526	29	29.5	84	36	75	10

- Add \$328 to list price for chrome leg option.

FLOATING TOPS


L2FA • Floating Axe Shaped with Legs and Spacers



PRODUCT CODE	FINISH		W	SIZE / INCHES				D	WEIGHT LBS	VOL FT ³
	LP	B		H (LP/B)	H (W)	W				
L2FA3060	1087	1353	1442	29	29.5	60		42	77	8
L2FA3066	1128	1420	1515	29	29.5	66		42	81	8
L2FA3072	1170	1485	1589	29	29.5	72		42	84	9
L2FA3078	1215	1555	1661	29	29.5	78		42	88	9
L2FA3084	1269	1634	1735	29	29.5	84		42	95	10
L2FA3660	1158	1458	1577	29	29.5	60		48	83	9
L2FA3666	1202	1532	1660	29	29.5	66		48	88	9
L2FA3672	1249	1606	1742	29	29.5	72		48	90	10
L2FA3678	1299	1684	1824	29	29.5	78		48	95	11
L2FA3684	1357	1769	1907	29	29.5	84		48	101	11

• Add \$328 to list price for chrome leg option.

L2FP • Floating “P” Shaped with Legs and Spacers




Left Hand Shown

PRODUCT CODE	FINISH		W	SIZE / INCHES				D	WEIGHT LBS	VOL FT³
	LP	B		H (LP/B)	H (W)	W				
Right										
L2FP3060R	1051	1285	1363	29	29.5	60	36	66	8	
L2FP3066R	1088	1344	1427	29	29.5	66	36	70	8	
L2FP3072R	1127	1402	1490	29	29.5	72	36	75	9	
L2FP3078R	1167	1465	1553	29	29.5	78	36	77	9	
L2FP3084R	1215	1535	1617	29	29.5	84	36	81	10	
L2FP3660R	1102	1372	1469	29	29.5	60	42	70	9	
L2FP3666R	1143	1438	1540	29	29.5	66	42	76	9	
L2FP3672R	1186	1504	1614	29	29.5	72	42	81	10	
L2FP3678R	1232	1572	1687	29	29.5	78	42	84	11	
L2FP3684R	1285	1650	1762	29	29.5	84	42	88	11	
Left										
L2FP3060L	1051	1285	1363	29	29.5	60	36	66	8	
L2FP3066L	1088	1344	1427	29	29.5	66	36	70	8	
L2FP3072L	1127	1402	1490	29	29.5	72	36	75	9	
L2FP3078L	1167	1465	1553	29	29.5	78	36	77	9	
L2FP3084L	1215	1535	1617	29	29.5	84	36	81	10	
L2FP3660L	1102	1372	1469	29	29.5	60	42	70	9	
L2FP3666L	1143	1438	1540	29	29.5	66	42	76	9	
L2FP3672L	1186	1504	1614	29	29.5	72	42	81	10	
L2FP3678L	1232	1572	1687	29	29.5	78	42	84	11	
L2FP3684L	1285	1650	1762	29	29.5	84	42	88	11	

• Add \$328 to list price for chrome leg option.

L2FW • Floating Wedge Shaped with Legs and Spacers




Left Hand Shown

PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
Right									
L2FW3060R	1051	1250	1299	29	29.5	60	30	53	7
L2FW3066R	1089	1307	1398	29	29.5	66	30	57	7
L2FW3072R	1126	1359	1418	29	29.5	72	30	62	8
L2FW3078R	1167	1420	1478	29	29.5	78	30	64	8
L2FW3084R	1216	1486	1536	29	29.5	84	30	68	9
L2FW3660R	1101	1336	1402	29	29.5	60	36	57	8
L2FW3666R	1143	1399	1473	29	29.5	66	36	63	8
L2FW3672R	1187	1462	1537	29	29.5	72	36	68	9
L2FW3678R	1231	1525	1606	29	29.5	78	36	70	9
L2FW3684R	1285	1601	1693	29	29.5	84	36	75	10
Left									
L2FW3060L	1051	1250	1299	29	29.5	60	30	53	7
L2FW3066L	1089	1307	1398	29	29.5	66	30	57	7
L2FW3072L	1126	1359	1418	29	29.5	72	30	62	8
L2FW3078L	1167	1420	1478	29	29.5	78	30	64	8
L2FW3084L	1216	1486	1536	29	29.5	84	30	68	9
L2FW3660L	1101	1336	1402	29	29.5	60	36	57	8
L2FW3666L	1143	1399	1473	29	29.5	66	36	63	8
L2FW3672L	1187	1462	1537	29	29.5	72	36	68	9
L2FW3678L	1231	1525	1606	29	29.5	78	36	70	9
L2FW3684L	1285	1601	1693	29	29.5	84	36	75	10

• Add \$328 to list price for chrome leg option.

FLOATING TOPS


L2FBR • Floating top Rectangular with Legs / SPACERS SOLD SEPARATELY



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES				WEIGHT VOL	
				H (LP/B)	H (W)	W	D	LBS	FT ³
L2FBR2466	880	1009	1117	1	1.44	66	24	51	6
L2FBR2472	906	1048	1162	1	1.44	72	24	55	6
L2FBR2478	942	1095	1217	1	1.44	78	24	59	7
L2FBR2484	983	1146	1278	1	1.44	84	24	62	7
L2FBR3066	951	1112	1237	1	1.44	66	30	53	8
L2FBR3072	982	1158	1294	1	1.44	72	30	57	8
L2FBR3078	1020	1212	1357	1	1.44	78	30	62	9
L2FBR3084	1066	1271	1427	1	1.44	84	30	64	9

- Anodized aluminum leg upcharge \$38.


L2SPBOX • Laminate Spacers with Glass Shelf



PRODUCT CODE	PRICE LP	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
L2SPBOX1620	578	8	16	20	15	1
L2SPBOX1626	648	8	16	26	18	2

- Glazing is clear.


L2HGAMP • Hanging Aluminum Framed Frosted Glazing Modesty



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
L2HGAMP36	519	14	36	0.75	12	1
L2HGAMP42	558	14	42	0.75	13	1
L2HGAMP48	597	14	48	0.75	14	1
L2HGAMP54	637	14	54	0.75	16	1

- Framed is anodize aluminum.
- Glazing is frosted acrylic.
- Hanging brackets are included.

L2HGMP • Hanging Laminate Modesty



PRODUCT CODE	PRICE LP	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT ³
L2HGMP36	232	14	36	0.75	9	1
L2HGMP42	241	14	42	0.75	11	1
L2HGMP48	247	14	48	0.75	13	1
L2HGMP54	253	14	54	0.75	14	1

- Hanging brackets are included.

General Notes

Pedestals

- **Pedestals are shipped assembled.**
- Pedestals are offered in three types of applications: Worksurface Supporting, Freestanding, and Mobile.
- Pedestal front width is 15-1/2" with a deep size variation 18" 23" 24" 29" 30" 36"
- Worksurface supporting Pedestals are 28"high
- Freestanding pedestals come with the choice of "LP", "B" for 29"high or "W" thickness top for 29.5"high
- Pedestals Freestanding are on adjustable levelers
- Mobile pedestals come with a top with the choice of "LP", "B" for 29"high or "W" thickness top for 29.5"high and have front locking casters to support the pedestal.
- Pencil tray included in the top box drawer of each pedestal.
- Box drawers mounted on full extension ball bearing slides
- File drawers mounted on full extension ball bearing slides
- All file drawers come with adjustable rails for legal or letter size hanging folders. See File Drawer Capacity chart page G2.
- Pull out shelf for CPU and printer units can support 75 lbs. per shelf and has telescopic extension.
- CPU and printer units have ventilation grommet on back panel.
- Interior clearance of printer shelf is 11".
- Printer pedestals have 2 pull out shelves and the back panel has four round grommets.
- CPU pedestals have 1 pull out shelf and the back panel has two round grommets.
- Both CPU and printer units must be installed under a worksurface to prevent tipping.
- All pedestals with a door, include 1 adjustable shelf.
- Cases and fronts are finished in low pressure laminate.
- Specify thickness of the top to match the thickness of the worksurface.
- Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Hutches and Overheads

- **Hutches and overheads are shipped assembled.**
- Hutches and overheads are offered in "LP" and "W" thickness with three option heights. See Storage Technical Info page G3.
- Specify thickness of hutch or overhead top to match the thickness of the worksurface.
- Cases and fronts are finished in low pressure laminate.
- Hutches and overheads with hinged doors (laminate or aluminum), flip up fronts have no handle option.
- Hutches with pigeon holes come with touch latch mechanism.
- Hutches and overheads with sliding laminate doors have standard handle options
- Hutches and overheads with sliding glass doors are offered with recessed handle only. The recessed handle is in chrome finish
- Hutches and wall mounted overheads are offered in 4 styles: Open storage, Hinged doors - laminate or anodized aluminum frame doors with the option for glazing : frosted or clear, sliding doors are laminate or glass doors and flip-up doors.
- Once installed, the bottom of the flip-up door overhead will not line up with the bottom of the open or hinged door overhead.
- Wall mounted storage cabinets must be securely attached to wall studs.
- Panel mounted overheads include attachment brackets for Boulevard panels.
- Back panels on hutches comes with a center round grommet for wire access.
- Top on hutch and overhead storage cabinets with flip-up doors is 3/4" thick Low Pressure Laminate. Doors slides on top of the unit.
- Inside dimension for hutches and wall mounted units with flip-up doors is 13 1/4" high x 14 1/2" deep
- Inside dimension for hutches and wall mounted with hinged doors is 12 3/4" high x 15 1/4" deep
- Inside dimension for open hutches and wall mounted is 12 3/4" high x 15 1/4" deep
- Inside dimension for hutches and wall mounted with sliding doors is 12-3/4"high x 13" deep
- Use double sided tape to attach hutches to worksurface.
- Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Credenzas

- **Credenzas are shipped assembled.**
- Credenza model # L2CR2H2H or L2CR1H1H must be ordered with counterweights to avoid tipping.
- Credenza come with the choice of "LP", "B" or "W" thickness top
- Credenzas are offered with the choice of "LP", "B" for 20"h. or 29"high and "W" thickness top for 20.5"h or 29.5"high
- Credenza come with hinged doors, laminate or anodized aluminum frame doors with the option for glazing : frosted or clear
- Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Bookcases

- **Bookcases are shipped KD.**
- Available in 30" or 36" widths and 12.685" and 16.685"depths dimension at baseboard with range in height from 29" to 72" with 12" clearance between shelves.
- Bottom shelf is fixed and all other shelves are adjustable.
- Specify thickness of the top to match the thickness and profile of the worksurface.
- Tops are offered "LP" or "B" or "W".
- Up to 42"h, Bookcases are offered in "LP", "B", "W".
- 54"h. and up are offered in "LP" and "W".

Laterals

- **Laterals are shipped assembled.**
- Laterals are available in three widths, 30" 36", 42" with a height variation of 28" to 54" and a depth of 20" and 24".
- Tops are offered LP, B or W
- Worksurface supporting units do not come with a top.
- Up to 42"h, laterals are offered in "LP", "B", "W".
- 54"H and Up are offered in "LP" and "W".
- Cases and fronts are finished in low pressure laminate.
- Laterals with hinged doors, laminate or anodized aluminum frame doors with the option for glazing: frosted or clear
- Lateral files are offered in 2 types of applications: Worksurface Supporting and Freestanding.
- All lateral files feature a drawer interlocking mechanism
- Up to 42"h. Laterals are offered in "LP", "B", "W".
- 54"h. and up are offered in "LP" and "W".
- All file drawer come with adjustable rails for legal or letter size hanging folders.
- Counterweights must be specified in a lateral configurations except worksurface supporting.
- "C" combo lateral have a pencil drawer included in the box drawer. The penciltray is parallel with the depth of the drawer.
- In "C" combo lateral, only one side can be locked.
- All laterals with a door, include 1 adjustable shelf.
- File drawers mounted on full extension ball bearing slides
- Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

Towers and cabinets

- **Towers and cabinets are shipped assembled.**
- Towers offered 24"w and cabinets 30"w and 36"w are offered in "LP" and "W".
- Cases are finished in low pressure laminate.
- Towers or cabinets are offered with hinged doors, laminate or anodized aluminum frame with the option for glazing: frosted or clear
- Towers or cabinets with anodized aluminum doors are offered without handles. Touch latch mechanism is included.
- Storage tower with the cupboard above FF or BBF and wardrobe will lock only the wardrobe and drawers.
- Storage tower with the wardrobe include a coat rod.
- Locks are standard on all units. Available in black or silver finish. The lock will match the handle finish.

FILE DRAWER CAPACITY


LATERAL FILE DRAWERS

Lateral File Drawer:
36W & 42W
Legal Filing - front to back




- Drawer file with plastic rail
- 30"W Size 9.44"H x 25.75"W x 16"L
- 36"W Size 9.44"H x 31.75"W x 16"L
- 42"W Size 9.44"H x 37.75"W x 16"L


Lateral File Drawer:
36W & 42W
Legal Filing - side to side
Letter Filing - front to back




Lateral File Drawer:
30W, 36W & 42W
Letter Filing - front to back



Lateral File Drawer:
36W & 42W
Letter & Legal Filing - front to back



Lateral File Drawer:
30W, 36W & 42W
Legal Filing - side to side



PEDESTAL DRAWERS

Box Drawer:
15.5W
Legal Filing - side to side



- 18"D Drawer Box Size 3.93"H x 13"W x 16"L
- 20.23.24.29.30.36"D Drawer Box Size 3.93"H x 13"W x 20"L

File Drawer:
15.5W
Letter Filing - front to back




- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

File Drawer:
15.5W
Legal Filing - side to side




- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

STORAGE TECHNICAL INFORMATION




STACK ON TWO HEIGHT CABINET IS TO BE PLACED ON 1H CREDENZA




STORAGE

L2PBBF • Worksurface Supporting Box, Box, File Pedestal




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³	• One lock included.
		H	W	D			
L2PBBF18	835	28	15.5	18	94	8	
L2PBBF20	911	28	15.5	20	94	8	
L2PBBF23	924	28	15.5	23	94	8	
L2PBBF24	924	28	15.5	24	99	10	
L2PBBF29	958	28	15.5	29	105	10	
L2PBBF30	958	28	15.5	30	110	10	
L2PBBF36	1005	28	15.5	36	116	11	

L2PFF • Worksurface Supporting File, File Pedestal




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³	• One lock included.
		H	W	D			
L2PFF18	759	28	15.5	18	94	8	
L2PFF20	849	28	15.5	20	94	8	
L2PFF23	861	28	15.5	23	94	8	
L2PFF24	861	28	15.5	24	99	8	
L2PFF29	904	28	15.5	29	105	10	
L2PFF30	904	28	15.5	30	110	10	
L2PFF36	940	28	15.5	36	116	11	

L2P1D • Worksurface Supporting 1 Door Pedestal




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³	• Includes one adjustable shelf. • One lock included.
		H	W	D			
L2P1D18	638	28	15.5	18	66	8	
L2P1D20	687	28	15.5	20	74	8	
L2P1D23	705	28	15.5	23	74	8	
L2P1D24	705	28	15.5	24	75	10	
L2P1D29	773	28	15.5	29	84	10	
L2P1D30	773	28	15.5	30	85	10	

L2PBBF-F • Freestanding Box, Box, File Pedestal




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL	• One lock included.
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2PBBF20F	989	1017	1056	29	29.5	15.5	20	94	8	
L2PBBF24F	1002	1031	1070	29	29.5	15.5	24	99	8	
L2PBBF30F	1044	1079	1124	29	29.5	15.5	30	105	10	
L2PBBF36F	1095	1137	1187	29	29.5	15.5	36	116	11	

L2PFF-F • Freestanding File, File Pedestal



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL	• One lock included.
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2PFF20F	895	924	989	29	29.5	15.5	20	99	8	
L2PFF24F	908	936	1003	29	29.5	15.5	24	99	8	
L2PFF30F	984	1019	1061	29	29.5	15.5	30	110	10	
L2PFF36F	1068	1111	1127	29	29.5	15.5	36	116	11	

L2P1D-F • Freestanding 1 Door Pedestal



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOL	• Includes one adjustable shelf. • One lock included.
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2P1D20F	763	816	852	29	29.5	15.5	20	78	8	
L2P1D24F	776	829	864	29	29.5	15.5	24	98	8	
L2P1D30F	852	918	961	29	29.5	15.5	30	103	10	
L2P1D36F	934	1012	1062	29	29.5	15.5	36	110	11	

L2PBBF-MIT • Mobile Box, Box, File Pedestal to fit under Worksurface



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL	• One lock included.
CODE		H	W	D	LBS	FT ³	
L2PBBF18MIT	1204	28	15.5	18	99	8	
L2PBBF23MIT	1274	28	15.5	23	105	8	
L2PBBF29MIT	1337	28	15.5	29	110	10	

L2PBBF-M • Mobile Box, Box, File Pedestal with Standard Top



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL	• One lock included.
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2PBBF20M	1299	1307	1367	29	29.5	15.5	20	99	8	
L2PBBF24M	1319	1328	1388	29	29.5	15.5	24	99	8	
L2PBBF30M	1347	1379	1423	29	29.5	15.5	30	105	10	
L2PBBF36M	1361	1397	1438	29	29.5	15.5	36	110	11	

L2PFF-MIT • Mobile File, File Pedestal to fit under Worksurface




PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL	• One lock included.
CODE		H	W	D	LBS	FT ³	
L2PFF18MIT	1028	28	15.5	18	99	8	
L2PFF23MIT	1094	28	15.5	23	105	8	
L2PFF29MIT	1149	28	15.5	29	110	10	

L2PFF-M • Mobile File, File Pedestal with Standard Top



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL	• One lock included.
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2PFF20M	1100	1127	1160	29	29.5	15.5	20	99	8	
L2PFF24M	1117	1144	1179	29	29.5	15.5	24	99	8	
L2PFF30M	1157	1189	1251	29	29.5	15.5	30	105	10	
L2PFF36M	1216	1255	1299	29	29.5	15.5	36	110	11	

L2PBF-M • Mobile Box, File Pedestal with Standard Top



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL	• One lock included.
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2PBF20M	960	989	1042	22.69	23.15	15.5	20	78	7	
L2PBF24M	972	1002	1056	22.69	23.15	15.5	24	80	7	
L2PBF30M	1005	1041	1083	22.69	23.15	15.5	30	90	9	

L2PBF-MIT • Mobile Box, File Pedestal with Inset Top



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL	• One lock included.
CODE		H	W	D	LBS	FT ³	
L2PBF18MIT	898	22	15.5	18	99	8	
L2PBF23MIT	955	22	15.5	23	99	8	
L2PBF24MIT	955	22	15.5	24	105	8	
L2PBF29MIT	1009	22	15.5	29	105	8	
L2PBF30MIT	1009	22	15.5	30	110	10	


STORAGE

L2PU • Printer Unit with 2 Pull Out Shelves



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2PU18	920	28	22	18	83	8
L2PU22	1000	28	22	22	88	9
L2PU24	1044	28	22	24	94	10


L2L2H • Worksurface Supporting File, File Lateral for 18" deep and 22" deep units



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2L2H1830	1226	28	30	18	189	12
L2L2H1836	1304	28	36	18	209	14
L2L2H1842	1355	28	42	18	216	20
L2L2H2230	1259	28	30	22	189	12
L2L2H2236	1341	28	36	22	209	14
L2L2H2242	1435	28	42	22	216	20

• One lock included.


L2L2D • Worksurface Supporting 2 Door Storage Lateral with 1 Adjustable Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2L2D1830	855	28	30	18	171	12
L2L2D1836	901	28	36	18	178	14
L2L2D1842	990	28	42	18	180	20
L2L2D2230	925	28	30	22	171	12
L2L2D2236	951	28	36	22	178	14
L2L2D2242	1095	28	42	22	180	20

• One lock included.


L2L2AD • Worksurface Supporting 2 Aluminum Door Storage Lateral with 1 Adjustable Shelf



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2L2AD1830	1476	28	30	18	165	12
L2L2AD1836	1582	28	36	18	172	14
L2L2AD1842	1728	28	42	18	174	20
L2L2AD2230	1546	28	30	22	165	12
L2L2AD2236	1632	28	36	22	172	14
L2L2AD2242	1833	28	42	22	174	20

• One lock included.


L2LCR • Worksurface Supporting Lateral File Combo



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2LCR1830	1502	28	30	18	204	12
L2LCR1836	1754	28	36	18	215	14
L2LCR2230	1747	28	30	22	204	12
L2LCR2236	1835	28	36	22	215	14

• One lock included.


L2LCL • Worksurface Supporting Lateral File Combo



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT ³
		H (LP/B)	W	D		
L2LCL1830	1502	28	30	18	204	12
L2LCL1836	1754	28	36	18	215	14
L2LCL2230	1747	28	30	22	204	12
L2LCL2236	1835	28	36	22	215	14

• One lock included.


L2LCR • Lateral File Combo with Top



PRODUCT CODE	FINISH LP	SIZE / INCHES			WEIGHT LBS			VOL FT ³
		B	W	D	H (LP/B)	H (W)	D	
L2LCR2030	1855	1898	1947	29	29.5	30	20	204
L2LCR2036	1946	1972	2071	29	29.5	36	20	215
L2LCR2430	1930	1973	2026	29	29.5	30	24	204
L2LCR2436	2023	2052	2156	29	29.5	36	24	215

• One lock included.


L2LCL • Lateral File Combo with Top



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2LCL2030	1855	1898	1947	29	29.5	30	20	204	12	
L2LCL2036	1946	1972	2071	29	29.5	36	20	215	14	
L2LCL2430	1930	1973	2026	29	29.5	30	24	204	12	
L2LCL2436	2023	2052	2156	29	29.5	36	24	215	14	


• One lock included.

L2LO • Freestanding 1 High Open Unit



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2LO2030	662	753	816	19.94	20.4	30	20	75	11	
L2LO2036	786	894	930	19.94	20.4	36	20	86	13	
L2LO2430	688	783	819	19.94	20.4	30	24	75	11	
L2LO2436	818	930	967	19.94	20.4	36	24	86	13	


L2L2D-H20 • Freestanding 2 Doors, 1 High Unit



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2L2D2030H20	908	989	1038	19.94	20.4	30	20	95	11	
L2L2D2036H20	989	1085	1140	19.94	20.4	36	20	106	13	
L2L2D2430H20	946	1028	1082	19.94	20.4	30	24	95	11	
L2L2D2436H20	1028	1127	1186	19.94	20.4	36	24	106	13	

• One lock included.
• Includes one adjustable shelf.


L2L2AD • Freestanding 2 Aluminum Doors, 1 High



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2L2AD2030H20	1411	1491	1543	19.5	20	30	20	86	10	
L2L2AD2036H20	1533	1630	1684	19.5	20	36	20	96	12	
L2L2AD2430H20	1449	1532	1586	19.5	20	30	24	86	10	
L2L2AD2436H20	1573	1673	1732	19.5	20	36	24	96	12	

• One lock included.
• Includes one adjustable shelf.


L2L2D • Freestanding 2 Doors, 2 High Unit



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2L2D2030	1002	1113	1143	29	29.5	30	20	171	12	
L2L2D2036	1104	1199	1258	29	29.5	36	20	178	14	
L2L2D2042	1236	1347	1409	29	29.5	42	20	208	20	
L2L2D2430	1041	1159	1189	29	29.5	30	24	171	12	
L2L2D2436	1149	1249	1307	29	29.5	36	24	178	14	
L2L2D2442	1284	1400	1468	29	29.5	42	24	208	20	

• One lock included.
• Includes one adjustable shelf.

L2L2AD • Freestanding 2 Aluminum Doors, 2 High Unit




PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT		VOL
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT ³	
L2L2AD2030	1624	1738	1767	29	29.5	30	20	165	12	
L2L2AD2036	1788	1885	1942	29	29.5	36	20	172	14	
L2L2AD2042	1979	2091	2154	29	29.5	42	20	174	20	
L2L2AD2430	1664	1783	1814	29	29.5	30	24	165	12	
L2L2AD2436	1832	1934	1992	29	29.5	36	24	172	14	
L2L2AD2442	2027	2144	2212	29	29.5	42	24	174	20	

• One lock included.
• Includes one adjustable shelf.

STORAGE


L2L1H • Freestanding 1 High Lateral



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2L1H2030	877	926	958	19.94	20.4	30	20	105	11
L2L1H2036	938	995	1048	19.94	20.4	36	20	114	13
L2L1H2042	1014	1079	1140	19.94	20.4	42	20	133	15
L2L1H2430	912	961	996	19.94	20.4	30	24	105	11
L2L1H2436	976	1034	1089	19.94	20.4	36	24	114	13
L2L1H2442	1054	1122	1184	19.94	20.4	42	24	133	15

• One lock included.


L2L2H • Freestanding 2 High Lateral



PRODUCT	FINISH			SIZE / INCHES				WEIGHT	VOL
CODE	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2L2H2030	1367	1415	1466	29	29.5	30	20	189	12
L2L2H2036	1465	1520	1575	29	29.5	36	20	209	14
L2L2H2042	1573	1640	1694	29	29.5	42	20	242	20
L2L2H2430	1423	1471	1524	29	29.5	30	24	189	12
L2L2H2436	1521	1580	1638	29	29.5	36	24	209	14
L2L2H2442	1636	1705	1763	29	29.5	42	24	242	20

• One lock included.


L2L3H • Freestanding 3 High Lateral



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT	VOLUME
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2L3H2030	1867	1914	1966	41.75	42.18	30	20	252	18
L2L3H2036	2012	2067	2081	41.75	42.18	36	20	264	21
L2L3H2430	1943	1990	2044	41.75	42.18	30	24	252	18
L2L3H2436	2092	2151	2163	41.75	42.18	36	24	264	21

• One lock included.


L2L4H • Freestanding 4 High Lateral



PRODUCT	FINISH		SIZE / INCHES				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2L4H2030	2414	2514	54.5	54.94	30	20	315	23
L2L4H2036	2536	2682	54.5	54.94	36	20	336	28
L2L4H2430	2509	2613	54.5	54.94	30	24	315	23
L2L4H2436	2637	2788	54.5	54.94	36	24	336	28

• One lock included.


L2B2H • Bookcase 1 Adjustable Shelf



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2B2H3012	535	584	629	29	29.5	30	12	95	8
L2B2H3612	620	679	737	29	29.5	36	12	106	9
L2B2H30	638	709	783	29	29.5	30	17	95	11
L2B2H36	736	793	852	29	29.5	36	17	106	13

• Shipped KD.


L2B3H • Bookcase 2 Adjustable Shelves



PRODUCT CODE	FINISH			SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	B	W	H (LP/B)	H (W)	W	D		
L2B3H3012	684	732	763	41.75	42.18	30	12	160	9
L2B3H3612	751	825	862	41.75	42.18	36	12	171	12
L2B3H30	851	922	1003	41.75	42.18	30	17	160	15
L2B3H36	985	1067	1100	41.75	42.18	36	17	171	18

• Shipped KD.


L2B4H • Bookcase 3 Adjustable Shelves



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2B4H3012	793	903	54.5	54.94	30	12	178	13
L2B4H3612	889	1015	54.5	54.94	36	12	189	15
L2B4H30	1008	1124	54.5	54.94	30	17	178	19
L2B4H36	1103	1210	54.5	54.94	36	17	189	22

• Shipped KD.


L2B5H • Bookcase 4 Adjustable Shelves



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2B5H3012	955	1064	65.81	66.25	30	12	193	15
L2B5H3612	1042	1172	65.81	66.25	36	12	204	19
L2B5H30	1132	1224	65.81	66.25	30	17	193	23
L2B5H36	1265	1402	65.81	66.25	36	17	204	28

• Shipped KD.


L2B6H • Bookcase 5 Adjustable Shelves



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2B6H3012	1061	1194	72.81	73.24	30	12	237	17
L2B6H3612	1189	1348	72.81	73.24	36	12	248	20
L2B6H30	1195	1341	72.81	73.24	30	17	242	25
L2B6H36	1428	1635	72.81	73.24	36	17	253	30

• Shipped KD.


L2BC • Corner Bookcase 20"D x 20"W / 24"D x 24"W



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	B	W	H (LP/B)	H (W)	D		
L2BC2H20	886	1076	1075	29.00	29.50	20	90	11
L2BC2H24	920	1084	1121	29.00	29.50	24	90	11
L2BC3H20	1123	1276	1318	41.75	42.18	20	125	15
L2BC3H24	1167	1329	1373	41.75	42.18	24	125	15
L2BC4H20	1361		1561	54.50	54.94	20	158	20
L2BC4H24	1416		1622	54.50	54.94	24	158	20
L2BC5H20	1601		1806	65.81	66.25	20	188	24
L2BC5H24	2021		1877	65.81	66.25	24	188	24
L2BC6H20	1798		2016	72.81	73.24	20	218	26
L2BC6H24	1869		2095	72.81	73.24	24	218	26

• Shipped KD.

L2TW2D-D • Storage Tower with 2 Doors and 4 Adjustable Shelves




PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2TW2D50H20D	1547	1655	49.56	50.00	24	20	211	22
L2TW2D66H20D	1709	1864	65.81	66.25	24	20	268	24
L2TW2D72H20D	1785	1931	72.81	73.24	24	20	283	26
L2TW2D50H24D	1606	1725	49.56	50.00	24	24	211	22
L2TW2D66H24D	1776	1936	65.81	66.25	24	24	268	24
L2TW2D72H24D	1854	2006	72.81	73.24	24	24	283	26

• 50" High Tower comes with 3 adjustable shelves.

• One lock on right door included.

STORAGE


L2TW2DCS-D • Storage Tower with 2 Doors, Coat Rod and Hat Shelf



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2TW2DCS50H20D	1343	1498	49.56	50.00	24	20	178	22
L2TW2DCS66H20D	1520	1632	65.81	66.25	24	20	268	24
L2TW2DCS72H20D	1586	1696	72.81	73.24	24	20	284	26
L2TW2DCS50H24D	1396	1556	49.56	50.00	24	24	178	22
L2TW2DCS66H24D	1579	1693	65.81	66.25	24	24	268	24
L2TW2DCS72H24D	1648	1760	72.81	73.24	24	24	284	26

- 50" High Tower comes with one shelf.
- One lock on right door included.


L2TW2H2D-D • Storage Tower with a 3 High Cupboard over a 2 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2TW2H2D50H20D	2032	2074	49.56	50.00	24	20	222	22
L2TW2H2D66H20D	2258	2295	65.81	66.25	24	20	279	24
L2TW2H2D72H20D	2324	2484	72.81	73.24	24	20	295	26
L2TW2H2D50H24D	2115	2159	49.56	50.00	24	24	222	22
L2TW2H2D66H24D	2350	2387	65.81	66.25	24	24	279	24
L2TW2H2D72H24D	2417	2582	72.81	73.24	24	24	295	26

- 50" High Tower comes with one adjustable shelf.
- Two locks included.


L2TW3H2D-D • Storage Tower with a 2 High Cupboard over a 3 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2TW3H2D66H20D	2491	2600	65.81	66.25	24	20	296	24
L2TW3H2D72H20D	2566	2645	72.81	73.24	24	20	311	26
L2TW3H2D66H24D	2589	2704	65.81	66.25	24	24	296	24
L2TW3H2D72H24D	2667	2750	72.81	73.24	24	24	311	26

- Two locks included.


L2TW4H2D-D • Tower with a 2 Door Storage Cabinet over a 4 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2TW4H2D66H20D	2828	2940	65.81	66.25	24	20	307	24
L2TW4H2D72H20D	2918	2953	72.81	73.24	24	20	322	26
L2TW4H2D66H24D	2941	3056	65.81	66.25	24	24	307	24
L2TW4H2D72H24D	2983	3071	72.81	73.24	24	24	322	26

- Two locks included.
- Lock on cupboard is not available for UB, UC or RN handles.

L2TWBBF2DL • Storage Tower with a 3 High Cupboard, BBF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	W	H (LP/B)	H (W)	W	D		
Left								
L2TWBBF2DL50H20D	2109	2267	49.56	50.00	24	20	288	20
L2TWBBF2DL66H20D	2349	2457	65.81	66.25	24	20	348	22
L2TWBBF2DL72H20D	2435	2543	72.81	73.25	24	20	378	24
L2TWBBF2DL50H24D	2194	2357	49.5	50.00	24	24	288	20
L2TWBBF2DL66H24D	2442	2555	65.81	66.25	24	24	348	22
L2TWBBF2DL72H24D	2532	2645	72.81	73.25	24	24	378	24
Right								
L2TWBBF2DR50H20D	2109	2267	49.56	50.00	24	20	288	20
L2TWBBF2DR66H20D	2349	2457	65.81	66.25	24	20	348	22
L2TWBBF2DR72H20D	2435	2543	72.81	73.25	24	20	378	24
L2TWBBF2DR50H24D	2194	2357	49.5	50.00	24	24	288	20
L2TWBBF2DR66H24D	2442	2555	65.81	66.25	24	24	348	22
L2TWBBF2DR72H24D	2532	2645	72.81	73.25	24	24	378	24

- Storage compartment includes 1 adjustable shelves for 50"H unit and 2 adjustable shelves for 66"H and 72"H units
- Two locks included.

L2TW2F2D-D • Storage Tower with a 3 High Cupboard, FF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
Left								
L2TW2F2DL50H20D	1954	2109	49.56	50.00	24	20	222	22
L2TW2F2DL66H20D	2190	2297	65.81	66.25	24	20	279	24
L2TW2F2DL72H20D	2275	2381	72.81	73.24	24	20	295	26
L2TW2F2DL50H24D	2032	2193	49.56	50.00	24	24	222	22
L2TW2F2DL66H24D	2277	2390	65.81	66.25	24	24	279	24
L2TW2F2DL72H24D	2366	2477	72.81	73.24	24	24	295	26
Right								
L2TW2F2DR50H20D	1954	2109	49.56	50.00	24	20	222	22
L2TW2F2DR66H20D	2190	2297	65.81	66.25	24	20	279	24
L2TW2F2DR72H20D	2275	2381	72.81	73.24	24	20	295	26
L2TW2F2DR50H24D	2032	2193	49.56	50.00	24	24	222	22
L2TW2F2DR66H24D	2277	2390	65.81	66.25	24	24	279	24
L2TW2F2DR72H24D	2366	2477	72.81	73.24	24	24	295	26

- Wardrobe has a coat rod.
- Two locks included.

L2TW3F2D-D • Storage Tower with a 2 High Cupboard, FFF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT³
	LP	W	H (LP/B)	H (W)	W	D		
Left								
L2TW3F2DL66H20D	2316	2432	65.81	66.25	24	20	296	24
L2TW3F2DL72H20D	2402	2493	72.81	73.24	24	20	311	26
L2TW3F2DL66H24D	2409	2530	65.81	66.25	24	24	296	24
L2TW3F2DL72H24D	2498	2591	72.81	73.24	24	24	311	26
Right								
L2TW3F2DR66H20D	2316	2432	65.81	66.25	24	20	296	24
L2TW3F2DR72H20D	2402	2493	72.81	73.24	24	20	311	26
L2TW3F2DR66H24D	2409	2530	65.81	66.25	24	24	296	24
L2TW3F2DR72H24D	2498	2591	72.81	73.24	24	24	311	26

- Two locks included.

L2TWBBFDO • Storage Tower with 3 High Side Open Cupboard, BBF Drawers and Wardrobe




Right Hand Shown

PRODUCT			FINISH		SIZE / INCHES			WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³	
Left									
L2TWBBFDOL50H20D	1962	2084	49.50	50.00	24	20	285	20	
L2TWBBFDOL66H20D	2169	2241	65.81	66.25	24	20	345	22	
L2TWBBFDOL72H20D	2242	2309	72.81	73.25	24	20	375	24	
L2TWBBFDOL50H24D	2040	2167	49.50	50.00	24	24	285	20	
L2TWBBFDOL66H24D	2256	2330	65.81	66.25	24	24	345	22	
L2TWBBFDOL72H24D	2332	2401	72.81	73.25	24	24	375	24	
Right									
L2TWBBFDOR50H20D	1962	2084	49.50	50.00	24	20	285	20	
L2TWBBFDOR66H20D	2169	2241	65.81	66.25	24	20	345	22	
L2TWBBFDOR72H20D	2242	2309	72.81	73.25	24	20	375	24	
L2TWBBFDOR50H24D	2040	2167	49.50	50.00	24	24	285	20	
L2TWBBFDOR66H24D	2256	2330	65.81	66.25	24	24	345	22	
L2TWBBFDOR72H24D	2332	2401	72.81	73.25	24	24	375	24	

- Open bookcase compartment includes 1 adjustable shelf for 50"H unit and 2 adjustable shelves for 66"H and 72"H units
- Two locks included.

L2TW2FDO-D • Storage Tower with a 3 High Side Open Cupboard, FF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
Left								
L2TW2FDOL50H20D	1810	1930	49.56	50.00	24	20	211	22
L2TW2FDOL66H20D	2016	2084	65.81	66.25	24	20	268	24
L2TW2FDOL72H20D	2085	2151	72.81	73.24	24	20	284	26
L2TW2FDOL50H24D	1885	2006	49.56	50.00	24	24	211	22
L2TW2FDOL66H24D	2095	2166	65.81	66.25	24	24	268	24
L2TW2FDOL72H24D	2167	2238	72.81	73.24	24	24	284	26
Right								
L2TW2FDOR50H20D	1810	1930	49.56	50.00	24	20	211	22
L2TW2FDOR66H20D	2016	2084	65.81	66.25	24	20	268	24
L2TW2FDOR72H20D	2085	2151	72.81	73.24	24	20	284	26
L2TW2FDOR50H24D	1885	2006	49.56	50.00	24	24	211	22
L2TW2FDOR66H24D	2095	2166	65.81	66.25	24	24	268	24
L2TW2FDOR72H24D	2168	2238	72.81	73.24	24	24	284	26

- 50" High Tower comes with one adjustable shelf.
- Two locks included.

STORAGE

L2TW3FDO-D • Storage Tower with a 2 High Side Open Cupboard, FFF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH LP	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT³
Left										
L2TW3FDOL66H20D	2176	2327	65.81	66.25	24	20	285	24		
L2TW3FDOL72H20D	2311	2328	72.81	73.24	24	20	300	26		
L2TW3FDOL66H24D	2262	2421	65.81	66.25	24	24	285	24		
L2TW3FDOL72H24D	2403	2418	72.81	73.24	24	24	300	26		
Right										
L2TW3FDOR66H20D	2176	2327	65.81	66.25	24	20	285	24		
L2TW3FDOR72H20D	2311	2328	72.81	73.24	24	20	300	26		
L2TW3FDOR66H24D	2262	2421	65.81	66.25	24	24	285	24		
L2TW3FDOR72H24D	2403	2418	72.81	73.24	24	24	300	26		

- Two locks included.


L2TWA2DCS • Storage Tower with 2 Aluminum Doors, Coat Rod and Hat Shelf



PRODUCT CODE	FINISH LP	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT ³
L2TWA2DCS50H20D	2201	2360	49.56	50.00	24	20	162	20		
L2TWA2DCS66H20D	2568	2682	65.81	66.25	24	20	244	22		
L2TWA2DCS72H20D	2704	2818	72.81	73.25	24	20	258	24		
L2TWA2DCS50H24D	2255	2416	49.56	50.00	24	24	162	20		
L2TWA2DCS66H24D	2628	2745	65.81	66.25	24	24	244	22		
L2TWA2DCS72H24D	2768	2882	72.81	73.25	24	24	258	24		

- 50" High Tower comes with 1 shelf above hang rod.
- One lock included.


L2TWA2D • Storage Tower with 2 Aluminum Doors and 4 Adjustable Shelves



PRODUCT CODE	FINISH LP	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT ³
L2TWA2D50H20D	2363	2474	49.56	50.00	24	20	192	20		
L2TWA2D66H20D	2711	2862	65.81	66.25	24	20	244	22		
L2TWA2D72H20D	2854	2998	72.81	73.25	24	20	257	24		
L2TWA2D50H24D	2422	2537	49.56	50.00	24	24	192	20		
L2TWA2D66H24D	2777	2932	65.81	66.25	24	24	244	22		
L2TWA2D72H24D	2922	3071	72.81	73.25	24	24	257	24		

- 50" High Tower comes with 3 adjustable shelves.
- One lock included.


L2TWA2H2D • Storage Tower with a 3 High Cupboard over a 2 High Lateral



PRODUCT CODE	FINISH LP	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT ³
L2TWA2H2D50H20D	2577	2619	49.56	50.00	24	20	202	20		
L2TWA2H2D66H20D	2992	3028	65.81	66.25	24	20	254	22		
L2TWA2H2D72H20D	3128	3290	72.81	73.25	24	20	258	24		
L2TWA2H2D50H24D	2660	2705	49.56	50.00	24	24	202	20		
L2TWA2H2D66H24D	3085	3122	65.81	66.25	24	24	254	22		
L2TWA2H2D72H24D	3223	3389	72.81	73.25	24	24	258	24		

- 50" High Tower comes with 1 adjustable shelf.
- Lock is on the upper drawer.
- Two locks included.

L2TWA3H2D • Storage Tower with a 2 High Cupboard with Aluminum Doors over a 3 High Lateral




PRODUCT CODE	FINISH LP	W	SIZE / INCHES		H (LP/B)	H (W)	W	D	WEIGHT LBS	VOL FT ³
L2TWA3H2D66H20D	3079	3190	65.81	66.25	24	20	269	22		
L2TWA3H2D72H20D	3224	3305	72.81	73.25	24	20	283	24		
L2TWA3H2D66H24D	3180	3294	65.81	66.25	24	24	269	22		
L2TWA3H2D72H24D	3328	3413	72.81	73.25	24	24	283	24		

- Lock is on the upper drawer.
- Two locks included.

STORAGE


L2TWA4H2D • Storage Tower with Cupboard with Aluminum Doors over a 4 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2TWA4H2D66H20D	3217	3331	65.81	66.25	24	20	279		22
L2TWA4H2D72H20D	3389	3426	72.81	73.25	24	20	293		24
L2TWA4H2D66H24D	3332	3449	65.81	66.25	24	24	293		22
L2TWA4H2D72H24D	3509	3546	72.81	73.25	24	24	293		24

- Lock is on the upper drawer.
- Two locks included.

L2TWA2F2D • Storage Tower with a 3 High Cupboard, FF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2TWA2F2DR50H20D	2242	2400	49.56	50.00	24	20	219		20
L2TWA2F2DR66H20D	2593	2701	65.81	66.25	24	20	276		22
L2TWA2F2DR72H20D	2719	2828	72.81	73.25	24	20	292		24
L2TWA2F2DR50H24D	2322	2485	49.56	50.00	24	24	219		20
L2TWA2F2DR66H24D	2683	2793	65.81	66.25	24	24	276		22
L2TWA2F2DR72H24D	2813	2925	72.81	73.25	24	24	292		24
L2TWA2F2DL50H20D	2242	2400	49.56	50.00	24	20	219		20
L2TWA2F2DL66H20D	2593	2701	65.81	66.25	24	20	276		22
L2TWA2F2DL72H20D	2719	2828	72.81	73.25	24	20	292		24
L2TWA2F2DL50H24D	2322	2485	49.56	50.00	24	24	219		20
L2TWA2F2DL66H24D	2683	2793	65.81	66.25	24	24	276		22
L2TWA2F2DL72H24D	2813	2925	72.81	73.25	24	24	292		24

- Storage compartment includes 1 adjustable shelves for 50"H unit and 2 adjustable shelves for 66"H and 72"H units.
- Two locks included.

L2TWABBF2D • Storage Tower with a 3 High Cupboard, BBF Drawers and Wardrobe




Right Hand Shown

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2TWABBF2DL50H20D	2369	2527	49.56	50.00	24	20	288		20
L2TWABBF2DL66H20D	2719	2827	65.81	66.25	24	20	348		22
L2TWABBF2DL72H20D	2846	2955	72.81	73.25	24	20	378		24
L2TWABBF2DL50H24D	2448	2612	49.56	50.00	24	24	288		20
L2TWABBF2DL66H24D	2810	2920	65.81	66.25	24	24	348		22
L2TWABBF2DL72H24D	2940	3052	72.81	73.25	24	24	378		24
L2TWABBF2DR50H20D	2369	2527	49.56	50.00	24	20	288		20
L2TWABBF2DR66H20D	2719	2827	65.81	66.25	24	20	348		22
L2TWABBF2DR72H20D	2846	2955	72.81	73.25	24	20	378		24
L2TWABBF2DR50H24D	2448	2612	49.56	50.00	24	24	288		20
L2TWABBF2DR66H24D	2810	2920	65.81	66.25	24	24	348		22
L2TWABBF2DR72H24D	2940	3052	72.81	73.25	24	24	378		24

- Storage compartment includes 1 adjustable shelves for 50"H unit and 2 adjustable shelves for 66"H and 72"H units.
- Two locks included.

L2TW3F2D-D • Storage Tower with a 2 High Cupboard, FFF Drawers and Wardrobe




PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2TWA3F2DR66H20D	2656	2772	65.81	66.25	24	20	340		22
L2TWA3F2DR72H20D	2780	2890	72.81	73.25	24	20	370		24
L2TWA3F2DR66H24D	2751	2872	65.81	66.25	24	24	340		22
L2TWA3F2DR72H24D	2878	2973	72.81	73.25	24	24	370		24
L2TWA3F2DL66H20D	2656	2772	65.81	66.25	24	20	340		22
L2TWA3F2DL72H20D	2780	2872	72.81	73.25	24	20	370		24
L2TWA3F2DL66H24D	2751	2890	65.81	66.25	24	24	340		22
L2TWA3F2DL72H24D	2878	2973	72.81	73.25	24	24	370		24

- Lock is on the upper drawer.
- Storage compartment includes 1 adjustable shelf.
- Two locks included.

STORAGE


L2CB • Storage Cabinet with 2 Doors and 4 Adjustable Shelves



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP/B)	H (W)	W	D		
L2CB20302D50H	1711	1851	49.56	50.00	30	20	245	21
L2CB20362D50H	1831	1995	49.56	50.00	36	20	281	25
L2CB20302D66H	1943	2081	65.81	66.25	30	20	310	28
L2CB20362D66H	2088	2247	65.81	66.25	36	20	354	33
L2CB20302D72H	2019	2154	72.81	73.24	30	20	327	30
L2CB20362D72H	2166	2324	72.81	73.24	36	20	372	36
L2CB24302D50H	1779	1925	49.56	50.00	30	24	245	25
L2CB24362D50H	1904	2073	49.56	50.00	36	24	281	30
L2CB24302D66H	2022	2163	65.81	66.25	30	24	310	33
L2CB24362D66H	2172	2337	65.81	66.25	36	24	354	39
L2CB24302D72H	2100	2241	72.81	73.24	30	24	327	36
L2CB24362D72H	2254	2417	72.81	73.24	36	24	372	43

- 50"H cabinet comes with 3 adjustable shelves.
- 66"H and 72"H Cabinet comes with 4 adjustable shelves.
- One lock included.


L2CB • Storage Cabinet with 2 Doors Coat Rod and 1 Adjustable Shelf



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP/B)	H (W)	W	D		
L2CB20302DCS50H	1564	1693	49.56	50.00	30	20	204	21
L2CB20362DCS50H	1651	1809	49.56	50.00	36	20	231	25
L2CB20302DCS66H	1715	1878	65.81	66.25	30	20	249	28
L2CB20362DCS66H	1806	1964	65.81	66.25	36	20	281	33
L2CB20302DCS72H	1789	2056	72.81	73.24	30	20	265	30
L2CB20362DCS72H	1887	2046	72.81	73.24	36	20	298	36
L2CB24302DCS50H	1626	1762	49.56	50.00	30	24	204	25
L2CB24362DCS50H	1717	1881	49.56	50.00	36	24	231	30
L2CB24302DCS66H	1783	1954	65.81	66.25	30	24	249	33
L2CB24362DCS66H	1877	2040	65.81	66.25	36	24	281	39
L2CB24302DCS72H	1862	2137	72.81	73.24	30	24	265	36
L2CB24362DCS72H	1962	2127	72.81	73.24	36	24	298	43

- One lock included.


L2CB • Storage Cabinet with 3 High Cupboard, 2 Adjustable Shelves over a 2 High Lateral



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP/B)	H (W)	W	D		
L2CB20302H2D50H	2223	2347	49.56	50.00	30	20	256	21
L2CB20362H2D50H	2363	2475	49.56	50.00	36	20	292	25
L2CB20302H2D66H	2488	2615	65.81	66.25	30	20	321	28
L2CB20362H2D66H	2651	2759	65.81	66.25	36	20	365	33
L2CB20302H2D72H	2567	2693	72.81	73.24	30	20	338	30
L2CB20362H2D72H	2707	2835	72.81	73.24	36	20	383	36
L2CB24302H2D50H	2311	2441	49.56	50.00	30	24	256	25
L2CB24362H2D50H	2458	2573	49.56	50.00	36	24	292	30
L2CB24302H2D66H	2588	2719	65.81	66.25	30	24	321	33
L2CB24362H2D66H	2756	2872	65.81	66.25	36	24	365	39
L2CB24302H2D72H	2671	2800	72.81	73.24	30	24	338	36
L2CB24362H2D72H	2815	2949	72.81	73.24	36	24	383	43

- 50"H cabinet comes with one adjustable shelf.
- 66" and 72" Cabinet comes with 2 adjustable shelves.
- Two locks included.


L2CB • Storage Cabinet with a 2 High Cupboard, 1 Adjustable Shelf over a 3 High Lateral



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP/B)	H (W)	W	D		
L2CB20303H2D66H	2646	2775	65.81	66.25	30	20	337	28
L2CB20363H2D66H	2813	2965	65.81	66.25	36	20	381	33
L2CB20303H2D72H	2751	2880	72.81	73.25	30	20	354	30
L2CB20363H2D72H	2916	3072	72.81	73.25	36	20	399	36
L2CB24303H2D66H	2752	2886	65.81	66.25	30	24	337	28
L2CB24363H2D66H	2925	3084	65.81	66.25	36	24	381	33
L2CB24303H2D72H	2861	2995	72.81	73.25	30	24	354	30
L2CB24363H2D72H	3033	3196	72.81	73.25	36	24	399	36

- One lock on right door.
- Two locks included.


L2CB • Storage Cabinet with a 2 Door Storage Cupboard above a 4 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2CB20304H2D66H	3002	3157	65.81	66.25	30	20	343		28
L2CB20364H2D66H	3239	3396	65.81	66.25	36	20	387		33
L2CB20304H2D72H	3082	3215	72.81	73.24	30	20	360		30
L2CB20364H2D72H	3271	3428	72.81	73.24	36	20	405		36
L2CB24304H2D66H	3124	3284	65.81	66.25	30	24	278		33
L2CB24364H2D66H	3369	3533	65.81	66.25	36	24	314		39
L2CB24304H2D72H	3205	3343	72.81	73.24	30	24	343		36
L2CB24364H2D72H	3402	3565	72.81	73.24	36	24	387		43

- Two locks included.
- Lock on cupboard is not available for UB, UC or RN handles.


L2CB • Storage Cabinet with Open Bookcase and 2 Adjustable Shelves & 2 Door Cupboard



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2CB20302D050H	1435	1626	49.56	50.00	30	20	212		21
L2CB20362D050H	1533	1800	49.56	50.00	36	20	248		25
L2CB20302D066H	1610	1852	65.81	66.25	30	20	277		28
L2CB20362D066H	1976	2101	65.81	66.25	36	20	321		33
L2CB20302D072H	1663	1927	72.81	73.24	30	20	294		30
L2CB20362D072H	1815	2179	72.81	73.24	36	20	339		36
L2CB24302D050H	1507	1707	49.56	50.00	30	24	212		25
L2CB24362D050H	1610	1891	49.56	50.00	36	24	248		30
L2CB24302D066H	1690	1946	65.81	66.25	30	24	277		33
L2CB24362D066H	1824	2206	65.81	66.25	36	24	321		39
L2CB24302D072H	1746	2022	72.81	73.24	30	24	294		36
L2CB24362D072H	1904	2288	72.81	73.24	36	24	339		43

- 50"H cabinet comes with one adjustable shelf.
- 66"H and 72"H Cabinet comes with 2 adjustable Shelves.
- One lock included.


L2CB • Storage Cabinet with Open Bookcase and 2 Adjustable Shelves over a 2 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2CB20302H050H	1733	1859	49.56	50.00	30	20	226		21
L2CB20362H050H	1819	1954	49.56	50.00	36	20	261		25
L2CB20302H066H	1910	2035	65.81	66.25	30	20	290		28
L2CB20362H066H	2064	2147	65.81	66.25	36	20	334		33
L2CB20302H072H	1984	2020	72.81	73.24	30	20	307		30
L2CB20362H072H	2117	2198	72.81	73.24	36	20	352		36
L2CB24302H050H	1818	1953	49.56	50.00	30	24	226		25
L2CB24362H050H	1910	2053	49.56	50.00	36	24	261		30
L2CB24302H066H	2004	2137	65.81	66.25	30	24	290		33
L2CB24362H066H	2166	2252	65.81	66.25	36	24	334		39
L2CB24302H072H	2082	2121	72.81	73.24	30	24	307		36
L2CB24362H072H	2223	2308	72.81	73.24	36	24	352		43

- 50"H cabinet comes with one adjustable shelf.
- 66"H and 72"H Cabinet comes with 2 adjustable Shelves.
- One lock included.

L2CBA • Storage Cabinet with 2 Doors and 4 Adjustable Shelves




PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT		VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D	LBS		
L2CBA20302D50H	2673	2816	49.56	50.00	30	20	235		21
L2CBA20362D50H	2895	3062	49.56	50.00	36	20	281		25
L2CBA20302D66H	3122	3261	65.81	66.25	30	20	300		28
L2CBA20362D66H	3397	3559	65.81	66.25	36	20	344		33
L2CBA20302D72H	3281	3418	72.81	73.25	30	20	317		30
L2CBA20362D72H	3566	3727	72.81	73.25	36	20	362		36
L2CBA24302D50H	2743	2891	49.56	50.00	30	24	235		21
L2CBA24362D50H	2969	3140	49.56	50.00	36	24	281		25
L2CBA24302D66H	3202	3346	65.81	66.25	30	24	300		28
L2CBA24362D66H	3480	3648	65.81	66.25	36	24	344		33
L2CBA24302D72H	3363	3505	72.81	73.25	30	24	317		30
L2CBA24362D72H	3655	3822	72.81	73.25	36	24	362		36

- One lock included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

STORAGE


L2CBA • Storage Cabinet with 2 Doors, Coat Rod and 1 Adjustable Shelf



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2CBA20302DCS50H	2527	2657	49.56	50.00	30	20	195	21
L2CBA20362DCS50H	2711	2872	49.56	50.00	36	20	221	25
L2CBA20302DCS66H	2890	3056	65.81	66.25	30	20	239	28
L2CBA20362DCS66H	3110	3270	65.81	66.25	36	20	271	33
L2CBA20302DCS72H	3049	3319	72.81	73.25	30	20	255	30
L2CBA20362DCS72H	3284	3443	72.81	73.25	36	20	288	36
L2CBA24302DCS50H	2589	2727	49.56	50.00	30	24	195	21
L2CBA24362DCS50H	2778	2945	49.56	50.00	36	24	221	25
L2CBA24302DCS66H	2960	3134	65.81	66.25	30	24	239	28
L2CBA24362DCS66H	3182	3348	65.81	66.25	36	24	271	33
L2CBA24302DCS72H	3122	3401	72.81	73.25	30	24	255	30
L2CBA24362DCS72H	3360	3528	72.81	73.25	36	24	288	36

- One lock included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2CBA • Storage Cabinet with 3 High Cupboard, 2 Adjustable Shelves over a 2 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2CBA20302H2D50H	2822	2949	49.56	50.00	30	20	233	19
L2CBA20362H2D50H	3014	3129	49.56	50.00	36	20	265	22
L2CBA20302H2D66H	3303	3432	65.81	66.25	30	20	292	25
L2CBA20362H2D66H	3547	3697	65.81	66.25	36	20	332	29
L2CBA20302H2D72H	3462	3591	72.81	73.25	30	20	307	27
L2CBA20362H2D72H	3693	3822	72.81	73.25	36	20	348	32
L2CBA24302H2D50H	2913	3043	49.56	50.00	30	24	233	22
L2CBA24362H2D50H	3111	3229	49.56	50.00	36	24	265	27
L2CBA24302H2D66H	3405	3538	65.81	66.25	30	24	292	29
L2CBA24362H2D66H	3655	3812	65.81	66.25	36	24	332	35
L2CBA24302H2D72H	3566	3699	72.81	73.25	30	24	307	32
L2CBA24362H2D72H	3803	3939	72.81	73.25	36	24	348	38

- Cabinet 2h2d.
- One lock on right door.
- One lock on upper drawer.
- Door frame is anodized aluminum with lock(s).
- Glazing is frosted acrylic.
- Doors standard with no handles.
- Two locks included.


L2CBA • Storage Cabinet with 2 High Cupboard, 1 Adjustable Shelves over a 3 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2CBA20303H2D66H	3256	3385	65.81	66.25	30	20	337	28
L2CBA20363H2D66H	3479	3632	65.81	66.25	36	20	381	33
L2CBA20303H2D72H	3442	3570	72.81	73.25	30	20	354	30
L2CBA20363H2D72H	3673	3830	72.81	73.25	36	20	399	36
L2CBA24303H2D66H	3363	3496	65.81	66.25	30	24	337	28
L2CBA24363H2D66H	3592	3750	65.81	66.25	36	24	381	33
L2CBA24303H2D72H	3550	3685	72.81	73.25	30	24	354	30
L2CBA24363H2D72H	3790	3953	72.81	73.25	36	24	399	36

- Cabinet 3h2d.
- One lock on right door.
- One lock on upper drawer.
- Door frame is anodized aluminum with lock(s).
- Glazing is frosted acrylic.
- Doors standard with no handles.
- Two locks included.

L2CBA • Storage Cabinet with 2 Aluminum Door Storage Cupboard above a 4 High Lateral



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2CBA20304H2D66H	3465	3620	65.81	66.25	30	20	343	28
L2CBA20364H2D66H	3809	3969	65.81	66.25	36	20	387	33
L2CBA20304H2D72H	3633	3768	72.81	73.25	30	20	360	30
L2CBA20364H2D72H	3871	4028	72.81	73.25	36	20	345	36
L2CBA24304H2D66H	3587	3749	65.81	66.25	30	24	343	28
L2CBA24364H2D66H	3940	4107	65.81	66.25	36	24	387	33
L2CBA24304H2D72H	3758	3899	72.81	73.25	30	24	360	30
L2CBA24364H2D72H	4003	4168	72.81	73.25	36	24	345	36


- Two locks included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.
- One lock on right door.
- One lock on upper drawer.

STORAGE


L2HH • Hutch with Hinged Doors



30" - 42" units



48" units



54" - 84" units


PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT		VOL FT ³
	LP	W	H (LP/B)	W	D	LBS		
L2HH30H36	864	967	36.81	30	16	138		17
L2HH36H36	914	1031	36.81	36	16	145		18
L2HH42H36	990	1136	36.81	42	16	163		19
L2HH48H36	1251	1402	36.81	48	16	180		22
L2HH54H36	1480	1635	36.81	54	16	208		26
L2HH60H36	1511	1704	36.81	60	16	216		29
L2HH66H36	1592	1807	36.81	66	16	233		30
L2HH72H36	1636	1864	36.81	72	16	251		32
L2HH78H36	1729	2019	36.81	78	16	264		46
L2HH84H36	1779	2044	36.81	84	16	277		50
L2HH30H43	930	1025	43.81	30	16	158		19
L2HH36H43	961	1079	43.81	36	16	166		20
L2HH42H43	1061	1215	43.81	42	16	175		22
L2HH48H43	1305	1455	43.81	48	16	191		24
L2HH54H43	1672	1828	43.81	54	16	209		31
L2HH60H43	1572	1763	43.81	60	16	227		32
L2HH66H43	1657	1872	43.81	66	16	249		33
L2HH72H43	1737	1967	43.81	72	16	259		36
L2HH78H43	1800	2088	43.81	78	16	272		48
L2HH84H43	1849	2121	43.81	84	16	285		53

- 30" - 42" units come with one lock.
- 48" - 84" units come with two locks.


L2HH-A • Hutch with Aluminum Hinged Doors



30" - 42" units



48" units




54" - 84" units

PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT		VOL FT ³
	LP	W	H (LP/B)	W	D	LBS		
L2HH30H36A	1373	1472	36.81	30	16	138		17
L2HH36H36A	1452	1570	36.81	36	16	145		18
L2HH42H36A	1547	1660	36.81	42	16	163		19
L2HH48H36A	2028	2179	36.81	48	16	180		22
L2HH54H36A	2472	2625	36.81	54	16	208		26
L2HH60H36A	2536	2727	36.81	60	16	216		29
L2HH66H36A	2628	2654	36.81	66	16	233		30
L2HH72H36A	2698	2926	36.81	72	16	251		32
L2HH78H36A	2792	3082	36.81	78	16	264		46
L2HH84H36A	2871	3151	36.81	84	16	277		50
L2HH30H43A	1436	1533	43.81	30	16	158		19
L2HH36H43A	1502	1619	43.81	36	16	166		20
L2HH42H43A	1616	1774	43.81	42	16	175		22
L2HH48H43A	2082	2233	43.81	48	16	191		24
L2HH54H43A	2531	2688	43.81	54	16	209		31
L2HH60H43A	2599	2789	43.81	60	16	227		32
L2HH66H43A	2691	2813	43.81	66	16	249		33
L2HH72H43A	2803	3035	43.81	72	16	259		36
L2HH78H43A	2864	3153	43.81	78	16	272		48
L2HH84H43A	2947	3218	43.81	84	16	285		53


- 30" - 42" units come with one lock.
- 48" - 84" units come with two locks.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

STORAGE


L2HO • Open Hutch




30\"-48\"
21\" high
units



54\"-84\"
21\" high
units




30\"-48\"
units




54\"-84\"
units

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	W	D			
L2HO30H21	480	589	20.56	30	16	73	11	
L2HO36H21	523	614	20.56	36	16	81	13	
L2HO42H21	584	737	20.56	42	16	96	15	
L2HO48H21	649	810	20.56	48	16	100	18	
L2HO54H21	783	946	20.56	54	16	124	20	
L2HO60H21	809	1012	20.56	60	16	134	22	
L2HO66H21	862	1092	20.56	66	16	144	24	
L2HO72H21	895	1140	20.56	72	16	152	26	
L2HO78H21	947	1190	20.56	78	16	161	29	
L2HO84H21	994	1281	20.56	84	16	169	31	
L2HO30H36	586	693	36.81	30	16	91	18	
L2HO36H36	638	762	36.81	36	16	109	19	
L2HO42H36	701	855	36.81	42	16	127	22	
L2HO48H36	810	970	36.81	48	16	131	24	
L2HO54H36	918	1083	36.81	54	16	145	29	
L2HO60H36	951	1156	36.81	60	16	138	31	
L2HO66H36	1011	1244	36.81	66	16	142	33	
L2HO72H36	1058	1302	36.81	72	16	149	36	
L2HO78H36	1113	1422	36.81	78	16	154	46	
L2HO84H36	1170	1454	36.81	84	16	158	50	
L2HO30H43	655	757	43.81	30	16	99	22	
L2HO36H43	688	776	43.81	36	16	108	26	
L2HO42H43	813	982	43.81	42	16	122	31	
L2HO48H43	868	1029	43.81	48	16	127	35	
L2HO54H43	989	1179	43.81	54	16	151	40	
L2HO60H43	1082	1284	43.81	60	16	161	44	
L2HO66H43	1144	1374	43.81	66	16	171	48	
L2HO72H43	1229	1477	43.81	72	16	178	53	
L2HO78H43	1255	1563	43.81	78	16	187	57	
L2HO84H43	1314	1603	43.81	84	16	196	62	

L2HF • Hutch with Flip Up Doors



30\" - 48\" units




54\" - 84\" units

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	W	D			
L2HF30H36	869	903	36.81	30	16	142	18	
L2HF36H36	928	966	36.81	36	16	146	19	
L2HF42H36	999	1038	36.81	42	16	158	22	
L2HF48H36	1003	1044	36.81	48	16	180	24	
L2HF54H36	1507	1566	36.81	54	16	182	29	
L2HF60H36	1599	1661	36.81	60	16	220	31	
L2HF66H36	1673	1740	36.81	66	16	253	33	
L2HF72H36	1723	1792	36.81	72	16	259	36	
L2HF78H36	1803	1874	36.81	78	16	264	46	
L2HF84H36	1868	1943	36.81	84	16	275	50	
L2HF30H43	958	996	43.81	30	16	150	22	
L2HF36H43	964	1003	43.81	36	16	154	26	
L2HF42H43	1036	1078	43.81	42	16	166	31	
L2HF48H43	1110	1154	43.81	48	16	188	35	
L2HF54H43	1523	1584	43.81	54	16	194	40	
L2HF60H43	1645	1711	43.81	60	16	232	44	
L2HF66H43	1729	1799	43.81	66	16	265	48	
L2HF72H43	1776	1846	43.81	72	16	271	53	
L2HF78H43	1908	1986	43.81	78	16	276	57	
L2HF84H43	1979	2058	43.81	84	16	287	62	

- 30\" - 48\" units come with one lock.
- 54\" - 84\" units come with two locks.


L2HHP • Hutch with Laminate Doors and Pigeon Holes



PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT		VOL FT ³
	LP	W	H (LP/B)	W	D	LBS		
L2HHP36	1107	1225	43.81	36	16	145	17	
L2HHP42	1176	1310	43.81	42	16	163	19	
L2HHP48	1587	1741	43.81	48	16	180	22	
L2HHP60	1917	2101	43.81	60	16	216	26	
L2HHP66	1980	2203	43.81	66	16	233	30	
L2HHP72	2062	2288	43.81	72	16	251	32	

- For tackboards, please use LTB21xx.
- 36" - 42" units come with one lock.
- 48" - 72" units come with two locks.


L2HHP-A • Hutch with Aluminum Hinged Doors and Pigeon Holes



PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT		VOL FT ³
	LP	W	H (LP/B)	W	D	LBS		
L2HHP36A	1577	1694	43.81	36	16.8	132	15	
L2HHP42A	1722	1858	43.81	42	16.8	148	17	
L2HHP48A	2308	2464	43.81	48	16.8	164	20	
L2HHP60A	2853	3037	43.81	60	16.8	196	24	
L2HHP66A	2952	3179	43.81	66	16.8	212	27	
L2HHP72A	3075	3303	43.81	72	16.8	228	29	

- 36" - 42" units come with one lock.
- 48" - 72" units come with two locks.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

L2HSD • Hutch with Sliding Laminate Doors





PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT		VOL FT ³
	LP	W	H (LP/B)	W	D	LBS		
L2HSD48H21	1079	1244	20.56	48	16	122	18	
L2HSD54H21	1183	1369	20.56	54	16	146	20	
L2HSD60H21	1226	1432	20.56	60	16	156	22	
L2HSD66H21	1304	1533	20.56	66	16	166	24	
L2HSD72H21	1343	1564	20.56	72	16	174	26	
L2HSD78H21	1408	1697	20.56	78	16	183	29	
L2HSD84H21	1450	1737	20.56	84	16	191	31	
L2HSD48H36	1337	1508	36.81	48	16	141	24	
L2HSD54H36	1477	1648	36.81	54	16	165	29	
L2HSD60H36	1511	1724	36.81	60	16	175	31	
L2HSD66H36	1602	1842	36.81	66	16	185	33	
L2HSD72H36	1645	1881	36.81	72	16	193	36	
L2HSD78H36	1733	2058	36.81	78	16	201	46	
L2HSD84H36	1770	2087	36.81	84	16	210	50	
L2HSD48H43	1416	1589	43.81	48	16	149	35	
L2HSD54H43	1564	1726	43.81	54	16	173	40	
L2HSD60H43	1605	1818	43.81	60	16	183	44	
L2HSD66H43	1700	1937	43.81	66	16	193	48	
L2HSD72H43	1791	2028	43.81	72	16	200	53	
L2HSD78H43	1840	2160	43.81	78	16	209	57	
L2HSD84H43	1898	2193	43.81	84	16	218	62	

- One lock included.

STORAGE


L2HGSD • Hutch with Sliding Glass Doors



PRODUCT CODE	FINISH LP	W	SIZE / INCHES H (LP/B) W D			WEIGHT VOL LBS FT ³	
L2HGSD48H21	2316	2488	20.56	48	16	139	18
L2HGSD54H21	2442	2634	20.56	54	16	163	20
L2HGSD60H21	2491	2704	20.56	60	16	184	22
L2HGSD66H21	2582	2821	20.56	66	16	194	24
L2HGSD72H21	2643	2897	20.56	72	16	201	26
L2HGSD78H21	2741	3039	20.56	78	16	210	29
L2HGSD84H21	2809	3102	20.56	84	16	219	31
L2HGSD48H36	2458	2634	36.81	48	16	157	24
L2HGSD54H36	2616	2786	36.81	54	16	182	29
L2HGSD60H36	2654	2868	36.81	60	16	202	31
L2HGSD66H36	2755	2995	36.81	66	16	212	33
L2HGSD72H36	2821	3097	36.81	72	16	220	36
L2HGSD78H36	2933	3255	36.81	78	16	229	46
L2HGSD84H36	3012	3307	36.81	84	16	238	50
L2HGSD48H43	2514	2759	43.81	48	16	165	35
L2HGSD54H43	2654	2921	43.81	54	16	189	40
L2HGSD60H43	2716	3002	43.81	60	16	210	44
L2HGSD66H43	2821	3097	43.81	66	16	220	48
L2HGSD72H43	2897	3242	43.81	72	16	228	53
L2HGSD78H43	3008	3379	43.81	78	16	237	57
L2HGSD84H43	3090	3458	43.81	84	16	245	62

- One lock included.
- Glass is frosted tempered.


L2DSH • Double Sided Hutch with Laminate Doors



PRODUCT CODE	FINISH LP	W	SIZE / INCHES H (LP/B) W D			WEIGHT VOL LBS FT ³	
L2DSH60H21	1291	1495	20.56	60	20	156	22
L2DSH66H21	1370	1600	20.56	66	20	166	24
L2DSH72H21	1412	1610	20.56	72	20	201	26
L2DSH78H21	1487	1774	20.56	78	20	210	29
L2DSH84H21	1533	1815	20.56	84	20	219	31

- Two locks included.


LTB27 • Tackboards for Standard Hutches 43.813 High



PRODUCT CODE	FABRIC GR1 GR2 OPT			SIZE / INCHES H W D			WEIGHT VOL LBS FT ³	
LTB2727	304	334	361	27	27	1	7	0.46
LTB2733	329	361	388	27	33	1	7	0.57
LTB2739	355	376	406	27	39	1	7	0.67
LTB2745	407	426	460	27	45	1	8	0.78
LTB2751	466	480	519	27	51	1	8	0.88
LTB2757	520	547	590	27	57	1	9	0.98
LTB2763	574	608	657	27	63	1	9	1.09
LTB2769	631	667	721	27	69	1	10	1.19
LTB2775	706	751	811	27	75	1	10	1.30
LTB2781	761	818	884	27	81	1	11	1.40

- Provides a tackable surface for notes and memos.
- Mounting brackets and velcro for installation included.
- Tackboards for hutches are 3" shorter than the overall size of the hutch.


LTB21 • Tackboards for Standard Hutches 36.813 High



PRODUCT CODE	FABRIC GR1 GR2 OPT			SIZE / INCHES H W D			WEIGHT VOL LBS FT ³	
LTB2127	239	261	281	21	27	1	4	0.38
LTB2133	255	281	303	21	33	1	4	0.42
LTB2139	279	294	317	21	39	1	4	0.49
LTB2145	318	334	361	21	45	1	5	0.56
LTB2151	365	376	406	21	51	1	5	0.63
LTB2157	407	426	460	21	57	1	6	0.69
LTB2163	449	475	513	21	63	1	6	0.76
LTB2169	494	521	563	21	69	1	7	0.83
LTB2175	551	587	633	21	75	1	7	0.89
LTB2181	617	661	714	21	81	1	8	0.96


- Provides a tackable surface for notes and memos.
- Mounting brackets and velcro for installation included.
- Tackboards for hutches are 3" shorter than the overall size of the hutch.

L2HC • Corner Curved Bookcase




PRODUCT CODE	FINISH LP	W	SIZE / INCHES H (LP/B) W D			WEIGHT LBS	VOL FT ³	• Shipped KD.
L2HC1637	628	723	36.81	16.87	16.87	57	7	
L2HC1644	667	763	43.81	16.87	16.87	63	8	

L2HBK • Open Hutch Bookcase




PRODUCT CODE	FINISH LP	W	SIZE / INCHES H (LP/B) W D			WEIGHT LBS	VOL FT ³	• Shipped KD.
L2HBK303	734	859	36.81	30	16.875	109	12	
L2HBK363	795	942	36.81	36	16.875	123	14	
L2HBK304	805	930	43.81	30	16.875	119	13	
L2HBK364	849	997	43.81	36	16.875	135	17	

L2WHO • Wall Mounted Open Storage




PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2WHO30	526	628	16.75	17.18	30	16	69	7
L2WHO36	562	706	16.75	17.18	36	16	78	8
L2WHO42	649	789	16.75	17.18	42	16	87	9
L2WHO48	690	845	16.75	17.18	48	16	97	10
L2WHO54	745	937	16.75	17.18	54	16	106	11
L2WHO60	930	1049	16.75	17.18	60	16	117	12
L2WHO66	975	1083	16.75	17.18	66	16	125	13
L2WHO72	1019	1190	16.75	17.18	72	16	139	14

L2WHH • Wall Mounted Hinged Door



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL	• 30" - 42" units come with one lock. • 48" - 72" units come with two locks.
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³	
L2WHH30	712	789	16.75	17.18	30	16	120	7	
L2WHH36	763	855	16.75	17.18	36	16	139	8	
L2WHH42	835	947	16.75	17.18	42	16	143	9	
L2WHH48	1044	1167	16.75	17.18	48	16	145	10	
L2WHH54	1236	1376	16.75	17.18	54	16	155	11	
L2WHH60	1281	1391	16.75	17.18	60	16	165	12	
L2WHH66	1341	1468	16.75	17.18	66	16	175	13	
L2WHH72	1399	1584	16.75	17.18	72	16	187	14	


L2WHF • Wall Mounted Flip-up Door




PRODUCT CODE	FINISH LP	SIZE / INCHES H (LP/B) H (W) W D				WEIGHT LBS	VOL FT³	• 30" - 48" units come with one lock. • 54" - 72" units come with two locks.
L2WHF30	795	17.63	17.63	30	16	94	7	
L2WHF36	843	17.63	17.63	36	16	103	8	
L2WHF42	918	17.63	17.63	42	16	113	9	
L2WHF48	964	17.63	17.63	48	16	123	10	
L2WHF54	1422	17.63	17.63	54	16	130	11	
L2WHF60	1465	17.63	17.63	60	16	141	12	
L2WHF66	1551	17.63	17.63	66	16	151	13	
L2WHF72	1590	17.63	17.63	72	16	163	14	

STORAGE


L2WHH • Wall Mounted Unit with Aluminum Doors



30" - 42" units



48" units




54" - 72" units

PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2WHH30A	1202	1279	16.75	17.19	30	16	109	6
L2WHH36A	1296	1389	16.75	17.19	36	16	126	7
L2WHH42A	1408	1523	16.75	17.19	42	16	130	8
L2WHH48A	1799	1925	16.75	17.19	48	16	132	9
L2WHH54A	2172	2314	16.75	17.19	54	16	141	10
L2WHH60A	2261	2369	16.75	17.19	60	16	150	11
L2WHH66A	2347	2474	16.75	17.19	66	16	159	12
L2WHH72A	2461	2648	16.75	17.19	72	16	170	13

- Horizontal wall rails included.
- 30" - 42" units come with one lock.
- 48" - 72" units come with two locks.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2WSD • Wall Mounted Unit With Sliding Laminate Doors



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2WSD36	1055	1187	16.75	17.19	36	16	128	7
L2WSD42	1151	1307	16.75	17.19	42	16	130	8
L2WSD48	1193	1348	16.75	17.19	48	16	132	9
L2WSD54	1320	1509	16.75	17.19	54	16	141	10
L2WSD60	1379	1586	16.75	17.19	60	16	150	11
L2WSD66	1473	1711	16.75	17.19	66	16	159	12
L2WSD72	1516	1767	16.75	17.19	72	16	170	13

- Wall mounting horizontal rails included.
- One lock included.


L2WGSD • Wall Mounted Unit With Sliding Glass Doors



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT LBS	VOL FT ³
	LP	W	H (LP/B)	H (W)	W	D		
L2WGSD36	1961	2273	16.75	17.19	36	16	128	7
L2WGSD42	2292	2451	16.75	17.19	42	16	130	8
L2WGSD48	2347	2520	16.75	17.19	48	16	132	9
L2WGSD54	2454	2648	16.75	17.19	54	16	141	10
L2WGSD60	2518	2733	16.75	17.19	60	16	150	11
L2WGSD66	2625	2870	16.75	17.19	66	16	159	12
L2WGSD72	2727	2986	16.75	17.19	72	16	170	13

- Wall mounting horizontal rails included.
- Standard recessed chrome pull.
- One lock included.


LTB20 • Tackboards for Wall Mounted Units



PRODUCT CODE	FABRIC			SIZE / INCHES			WEIGHT LBS	VOL FT ³
	GR1	GR2	OPT	H	W	D		
LTB2030	239	250	270	19.5	30	1	4	0.38
LTB2036	255	271	293	19.5	36	1	4	0.42
LTB2042	279	299	322	19.5	42	1	4	0.49
LTB2048	318	338	365	19.5	48	1	5	0.56
LTB2054	365	376	406	19.5	54	1	5	0.63
LTB2060	407	426	460	19.5	60	1	6	0.69
LTB2066	449	475	513	19.5	66	1	6	0.76
LTB2072	494	514	555	19.5	72	1	7	0.83
LTB2078	551	572	617	19.5	78	1	7	0.89
LTB2084	617	637	688	19.5	84	1	8	0.96

- Please specify wall rails BHV01 and BHV02 separately, see Boulevard Systems Price List.
- Provides a tackable surface for notes and memos.
- Mounting brackets for installation included.
- Tackboards for Wall Mounted Unit. Wall Rails (BHV01 and BHV02) must be ordered separately. Please see the Boulevard Systems Price List.


L2PHH • Boulevard Panel Mounted Unit with Aluminum Doors



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2PHH30A	1340	1473	16.75	17.19	30	14.75	111	6
L2PHH36A	1426	1586	16.75	17.19	36	14.75	128	7
L2PHH42A	1530	1713	16.75	17.19	42	14.75	132	8
L2PHH48A	1907	2156	16.75	17.19	48	14.75	134	9

- 30" - 42" units comes with one lock
- 48" Unit comes with two locks.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2PSD • Boulevard Panel Mounted Unit with Sliding Laminate Doors



PRODUCT	FINISH		SIZE / INCHES				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2PSD36	1111	1238	16.75	17.19	36	14.75	123	7
L2PSD42	1188	1343	16.75	17.19	42	14.75	132	8
L2PSD48	1217	1371	16.75	17.19	48	14.75	141	9

- Hardware included to mount the unit on the panel.
- One lock included.


L2PGSD • Boulevard Panel Mounted Unit with Sliding Glass Doors



PRODUCT	FINISH		SIZE / INCHES				WEIGHT	VOL
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2PGSD36	2238	2363	16.75	17.19	36	14.75	123	7
L2PGSD42	2330	2490	16.75	17.19	42	14.75	132	8
L2PGSD48	2372	2545	16.75	17.19	48	14.75	141	9

- Hardware included to mount the unit on the panel.
- One lock included.
- Standard recessed chrome pull.


L2PHO • Boulevard Panel Mounted Unit Open Overhead



PRODUCT FINISH SIZE / INCHES WEIGHT VOL								
CODE	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2PH030	550	632	16.75	17.18	30	14.75	72	7
L2PH036	584	714	16.75	17.18	36	14.75	80	8
L2PH042	599	773	16.75	17.18	42	14.75	89	9
L2PH048	634	839	16.75	17.18	48	14.75	99	10

- Hardware included to mount the unit on the panel.


L2PHH • Boulevard Panel Mounted Hinged Door Overhead



PRODUCT CODE	FINISH		SIZE / INCHES				WEIGHT	VOL
	LP	W	H (LP/B)	H (W)	W	D	LBS	FT³
L2PHH30	848	979	16.75	17.18	30	14.75	122	7
L2PHH36	892	1050	16.75	17.18	36	14.75	141	8
L2PHH42	955	1133	16.75	17.18	42	14.75	145	9
L2PHH48	1151	1396	16.75	17.18	48	14.75	147	10

- Hardware included to mount the unit on the panel.
- One lock included.

L2PHF • Boulevard Panel Mounted Flip-up Door Overhead




PRODUCT	FINISH	SIZE / INCHES				WEIGHT	VOL
CODE	LP	H (LP)	H (W)	W	D	LBS	FT³
L2PHF30	864	17.63	17.63	30	16	94	7
L2PHF36	906	17.63	17.63	36	16	103	8
L2PHF42	958	17.63	17.63	42	16	113	9
L2PHF48	1008	17.63	17.63	48	16	123	10

- Hardware included to mount the unit on the panel.
- One lock included.

STORAGE


L2SOHD • Stack On 2H Cabinet with Hinged Doors & Adjustable Shelf for 1H Storage



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP)	H (W)	W	D		
one door								
L2SOHDL15	638	708	29.63	29.63	15	16	95	7
L2SOHDL18	638	708	29.63	29.63	15	16	95	7
L2SOHDL18	655	724	29.63	29.63	18	16	99	9
L2SOHDL18	655	724	29.63	29.63	18	16	99	9
double door								
L2SOHD30	915	1023	29.63	29.63	30	16	171	11
L2SOHD36	1020	1151	29.63	29.63	36	16	178	13

- One lock included.


L2SOALD • Stack On 2H Cabinet with Aluminum Hinged Doors & Adjustable Shelf for 1H Storage



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP)	H (W)	W	D		
one door								
L2SOALDL15	1061	1130	29.63	29.63	15	16	88	7
L2SOALDL15	1061	1130	29.63	29.63	15	16	88	7
L2SOALDL18	1106	1176	29.63	29.63	18	16	94	9
L2SOALDL18	1106	1176	29.63	29.63	18	16	94	9
double door								
L2SOALD30	1792	1901	29.63	29.63	30	16	164	11
L2SOALD36	1943	2070	29.63	29.63	36	16	172	13


- One lock included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

L2SOO • Stack On 2H Cabinet with Adjustable Shelf for 1H Storage



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP)	H (W)	W	D		
L2SOO15	466	541	29.63	29.63	15	16	61	7
L2SOO18	477	553	29.63	29.63	18	16	72	8
L2SOO30	613	730	29.63	29.63	30	16	88	14
L2SOO36	717	859	29.63	29.63	36	16	94	19


L2SOSD • Stack On 2H Cabinet with Sliding Door, Divider & Adjustable Shelves for 1H Storage



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP)	H (W)	W	D		
L2SOSD30	937	1045	29.63	29.63	30	16	116	14
L2SOSD36	1103	1235	29.63	29.63	36	16	121	19

- Includes one sliding door.
- Lock not included.


L2SOGSD • Stack On 2H Cabinet with Sliding Glass Doors & Adjustable Shelf for 1H Storage



PRODUCT CODE	FINISH LP	W	SIZE / INCHES				WEIGHT LBS	VOL FT ³
			H (LP)	H (W)	W	D		
L2SOGSD30	2209	2305	29.63	29.63	30	16	116	14
L2SOGSD36	2417	2534	29.63	29.63	36	16	121	19

- One lock included.
- Standard recessed chrome pull.
- Glass is frosted tempered.


L2CR1H1H • Credenza, 1 High File / File



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES			WEIGHT LBS	VOL FT ³
				H (LP/B)	H (W)	W		
L2CR1H1H2060	1690	1777	1816	19.94	20.5	60	20	189
L2CR1H1H2066	1770	1865	1907	19.94	20.5	66	20	209
L2CR1H1H2072	1797	1901	1947	19.94	20.5	72	20	246
L2CR1H1H2460	1757	1849	1891	19.94	20.5	60	24	189
L2CR1H1H2466	1842	1939	1984	19.94	20.5	66	24	209
L2CR1H1H2472	1868	1979	2025	19.94	20.5	72	24	246

- Two locks included.


L2CR2DO • Credenza, 1 High 2 Doors / Open Shelf



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2DO2060	1447	1606	1693	19.94	20.5	60	20	169	22
L2CR2DO2066	1511	1687	1780	19.94	20.5	66	20	180	24
L2CR2DO2072	1577	1770	1874	19.94	20.5	72	20	191	26
L2CR2DO2460	1505	1672	1760	19.94	20.5	60	24	169	22
L2CR2DO2466	1572	1754	1852	19.94	20.5	66	24	180	24
L2CR2DO2472	1642	1840	1949	19.94	20.5	72	24	191	26

- One lock included.
- One height adjustable shelf included.


L2CRO2D • Credenza, 1 High Open Shelf / 2 Doors



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRO2D2060	1447	1606	1693	19.94	20.5	60	20	169	22
L2CRO2D2066	1511	1687	1780	19.94	20.5	66	20	180	24
L2CRO2D2072	1577	1770	1874	19.94	20.5	72	20	191	26
L2CRO2D2460	1505	1672	1760	19.94	20.5	60	24	169	22
L2CRO2D2466	1572	1754	1852	19.94	20.5	66	24	180	24
L2CRO2D2472	1642	1840	1949	19.94	20.5	72	24	191	26

- One lock included.
- One height adjustable shelf included.


L2CR2ADO • Credenza, 2 Aluminum Doors / 1 High Open Shelf



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2ADO2060	1957	2119	2207	19.94	20.5	60	20	154	20
L2CR2ADO2066	2064	2241	2336	19.94	20.5	66	20	164	22
L2CR2ADO2072	2130	2325	2431	19.94	20.5	72	20	174	24
L2CR2ADO2460	2017	2185	2333	19.94	20.5	60	24	154	20
L2CR2ADO2466	2125	2311	2410	19.94	20.5	66	24	164	22
L2CR2ADO2472	2195	2397	2505	19.94	20.5	72	24	174	24

- One lock included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2CRO2AD • Credenza, 1 High Open Shelf / 2 Aluminum Doors



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRO2AD2060	1957	2119	2207	19.94	20.5	60	20	154	20
L2CRO2AD2066	2064	2241	2336	19.94	20.5	66	20	164	22
L2CRO2AD2072	2130	2325	2431	19.94	20.5	72	20	174	24
L2CRO2AD2460	2017	2185	2333	19.94	20.5	60	24	154	20
L2CRO2AD2466	2125	2311	2410	19.94	20.5	66	24	164	22
L2CRO2AD2472	2195	2397	2505	19.94	20.5	72	24	174	24

- One lock included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2CR1HO • Credenza, 1 High File / Open Shelf



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR1HO2060	1471	1600	1691	19.94	20.5	60	20	179	22
L2CR1HO2066	1533	1673	1783	19.94	20.5	66	20	189	24
L2CR1HO2072	1645	1799	1887	19.94	20.5	72	20	200	26
L2CR1HO2460	1530	1663	1759	19.94	20.5	60	24	179	22
L2CR1HO2466	1593	1738	1854	19.94	20.5	66	24	189	24
L2CR1HO2472	1711	1870	1962	19.94	20.5	72	24	200	26

- One lock included.
- One height adjustable shelf included.


L2CRO1H • Credenza, Open Shelf / 1 High File



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRO1H2060	1471	1600	1691	19.94	20.5	60	20	179	22
L2CRO1H2066	1533	1673	1783	19.94	20.5	66	20	189	24
L2CRO1H2072	1645	1799	1887	19.94	20.5	72	20	200	26
L2CRO1H2460	1530	1663	1759	19.94	20.5	60	24	179	22
L2CRO1H2466	1593	1738	1854	19.94	20.5	66	24	189	24
L2CRO1H2472	1711	1870	1962	19.94	20.5	72	24	200	26

- One lock included.
- One height adjustable shelf included.


L2CRO1H • Credenza, 1 High File / 2 Door



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR1H2D2060	1789	1881	2002	19.94	20.5	60	20	199	22
L2CR1H2D2066	1807	1911	2162	19.94	20.5	66	20	209	24
L2CR1H2D2072	1917	2113	2215	19.94	20.5	72	20	220	26
L2CR1H2D2460	1861	1956	2084	19.94	20.5	60	24	199	22
L2CR1H2D2466	1878	1989	2248	19.94	20.5	66	24	209	24
L2CR1H2D2472	1993	2196	2304	19.94	20.5	72	24	220	26


- Two locks included.

STORAGE

L2CR2D1H • Credenza, 2 Door / 1 High File


PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2D1H2060	1789	1881	2002	19.94	20.5	60	20	199	22
L2CR2D1H2066	1807	1911	2162	19.94	20.5	66	20	209	24
L2CR2D1H2072	1917	211	2215	19.94	20.5	72	20	220	26
L2CR2D1H2460	1861	1956	2084	19.94	20.5	60	24	199	22
L2CR2D1H2466	1878	1989	2248	19.94	20.5	66	24	209	24
L2CR2D1H2472	1993	2196	2304	19.94	20.5	72	24	220	26

- Two locks included.

L2CR1H2AD • Credenza, 1 High File / 2 Aluminum Door


PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR1H2AD2060	2306	2397	2521	19.94	20.5	60	20	181	20
L2CR1H2AD2066	2363	2469	2724	19.94	20.5	66	20	190	22
L2CR1H2AD2072	2477	2672	2778	19.94	20.5	72	20	200	24
L2CR1H2AD2460	2377	2474	2604	19.94	20.5	60	24	181	20
L2CR1H2AD2466	2436	2548	2813	19.94	20.5	66	24	190	22
L2CR1H2AD2472	2552	2758	2866	19.94	20.5	72	24	200	24

- Two locks included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

L2CR2AD1H • Credenza, 2 Aluminum Door / 1 High File


PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2AD1H2060	2306	2397	2521	19.94	20.5	60	20	181	20
L2CR2AD1H2066	2363	2469	2724	19.94	20.5	66	20	190	22
L2CR2AD1H2072	2477	2672	2778	19.94	20.5	72	20	200	24
L2CR2AD1H2460	2377	2474	2604	19.94	20.5	60	24	181	20
L2CR2AD1H2466	2436	2548	2813	19.94	20.5	66	24	190	22
L2CR2AD1H2472	2552	2758	2866	19.94	20.5	72	24	200	24

- Two locks included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.

L2DSCR1H • Double Sided 1H Credenza Lateral


PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2DSCR1H2060	1992	2088	2157	19.94	20.5	60	20	196	22
L2DSCR1H2066	2055	2160	2248	19.94	20.5	66	20	206	24
L2DSCR1H2072	2117	2233	2340	19.94	20.5	72	20	217	26
L2DSCR1H2460	2071	2172	2244	19.94	20.5	60	24	196	22
L2DSCR1H2466	2136	2247	2339	19.94	20.5	66	24	206	24
L2DSCR1H2472	2202	2321	2435	19.94	20.5	72	24	217	26

- Two locks included.

L2CRBFBF • Credenza, BF / BF


PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRBFBF2060	2295	2381	2422	19.94	20.5	60	20	218	20
L2CRBFBF2066	2384	2483	2525	19.94	20.5	66	20	228	22
L2CRBFBF2072	2425	2531	2577	19.94	20.5	72	20	239	24
L2CRBFBF2460	2363	2454	2498	19.94	20.5	60	24	218	20
L2CRBFBF2466	2458	2559	2604	19.94	20.5	66	24	228	22
L2CRBFBF2472	2498	2609	2656	19.94	20.5	72	24	239	24

- Two locks included.

L2CRBFBF • Credenza, BF / Open

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRBFO2060	1782	1913	2007	19.94	20.5	60	20	202	20
L2CRBFO2066	1856	1997	2109	19.94	20.5	66	20	220	22
L2CRBFO2072	1969	2125	2216	19.94	20.5	72	20	254	24
L2CRBFO2460	1853	1989	2087	19.94	20.5	60	24	202	20
L2CRBFO2466	1930	2087	2194	19.94	20.5	66	24	220	22
L2CRBFO2472	2047	2210	2304	19.94	20.5	72	24	254	24


- One lock included.
- One height adjustable shelf included.

L2CROBF • Credenza, Open / BF

PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CROBF2060	1782	1913	2007	19.94	20.5	60	20	202	20
L2CROBF2066	1856	1997	2109	19.94	20.5	66	20	220	22
L2CROBF2072	1969	2125	2216	19.94	20.5	72	20	254	24
L2CROBF2460	1853	1989	2087	19.94	20.5	60	24	202	20
L2CROBF2466	1930	2087	2194	19.94	20.5	66	24	220	22
L2CROBF2472	2047	2210	2304	19.94	20.5	72	24	254	24

- One lock included.
- One height adjustable shelf included.


L2CRBF • Credenza, Box File / 2 Doors



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRBF2D2060	2106	2197	2322	19.94	20.5	60	20	214	20
L2CRBF2D2066	2134	2239	2495	19.94	20.5	66	20	224	22
L2CRBF2D2072	2247	2442	2548	19.94	20.5	72	20	235	24
L2CRBF2D2460	2191	2285	2414	19.94	20.5	60	24	214	20
L2CRBF2D2466	2219	2329	2594	19.94	20.5	66	24	224	22
L2CRBF2D2472	2337	2540	2650	19.94	20.5	72	24	235	24

- Two locks included.
- One height adjustable shelf included.


L2CR2DBF • Credenza, 2 Doors / Box File



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2DBF2060	2106	2197	2322	19.94	20.5	60	20	214	20
L2CR2DBF2066	2134	2239	2495	19.94	20.5	66	20	224	22
L2CR2DBF2072	2247	2442	2548	19.94	20.5	72	20	235	24
L2CR2DBF2460	2191	2285	2414	19.94	20.5	60	24	214	20
L2CR2DBF2466	2219	2329	2594	19.94	20.5	66	24	224	22
L2CR2DBF2472	2337	2540	2650	19.94	20.5	72	24	235	24

- Two locks included.
- One height adjustable shelf included.


L2CRBF2AD • Credenza, Box File / 2 Aluminum Door



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CRBF2AD2060	2596	2686	2812	19.94	20.5	60	20	214	20
L2CRBF2AD2066	2664	2771	3025	19.94	20.5	66	20	224	22
L2CRBF2AD2072	2778	2973	3079	19.94	20.5	72	20	235	24
L2CRBF2AD2460	2699	2792	2923	19.94	20.5	60	24	214	20
L2CRBF2AD2466	2772	2881	3148	19.94	20.5	66	24	224	22
L2CRBF2AD2472	2888	3091	3202	19.94	20.5	72	24	235	24

- Two locks included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2CR2ADBF • Credenza, 2 Aluminum Doors, Box File



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2ADBF2060	2596	2686.24	2811.9	19.94	20.5	60	20	214	20
L2CR2ADBF2066	2664	2770.7	3025.11	19.94	20.5	66	20	224	22
L2CR2ADBF2072	2778	2972.58	3078.67	19.94	20.5	72	20	235	24
L2CR2ADBF2460	2699	2792.33	2923.14	19.94	20.5	60	24	214	20
L2CR2ADBF2466	2772	2880.91	3147.68	19.94	20.5	66	24	224	22
L2CR2ADBF2472	2888	3091.03	3202.27	19.94	20.5	72	24	235	24

- Two locks included.
- One height adjustable shelf included.
- Door frame is anodized aluminum.
- Glazing is frosted acrylic.
- Doors standard with no handles.


L2CR2H2D • Credenza, 2 High File / 2 Door



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2H2D2060	2333	2492	2570	29	29.5	60	20	363	24
L2CR2H2D2066	2429	2596	2680	29	29.5	66	20	374	26
L2CR2H2D2072	2531	2684	2795	29	29.5	72	20	396	30
L2CR2H2D2460	2425	2591	2674	29	29.5	60	24	363	24
L2CR2H2D2466	2525	2700	2788	29	29.5	66	24	374	26
L2CR2H2D2472	2632	2789	2907	29	29.5	72	24	396	30

- Two locks included.


L2CR2D2H • Credenza, 2 Door / 2 High File



PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2D2H2060	2333	2492	2570	29	29.5	60	20	363	24
L2CR2D2H2066	2429	2596	2680	29	29.5	66	20	374	26
L2CR2D2H2072	2531	2684	2795	29	29.5	72	20	396	30
L2CR2D2H2460	2425	2591	2674	29	29.5	60	24	363	24
L2CR2D2H2466	2525	2700	2788	29	29.5	66	24	374	26
L2CR2D2H2472	2632	2789	2907	29	29.5	72	24	396	30

- Two locks included.

L2CR2H2H • Credenza, 2 High File / File




PRODUCT CODE	FINISH LP	B	W	SIZE / INCHES H (LP/B) H (W)		W	D	WEIGHT LBS	VOL FT ³
L2CR2H2H2060	2705	2799	2900	29	29.5	60	20	385	24
L2CR2H2H2066	2800	2904	3009	29	29.5	66	20	407	26
L2CR2H2H2072	2895	3008	3120	29	29.5	72	20	418	30
L2CR2H2H2460	2813	2910	3016	29	29.5	60	24	385	24
L2CR2H2H2466	2911	3020	3129	29	29.5	66	24	407	26
L2CR2H2H2472	3011	3129	3245	29	29.5	72	24	418	30

- Two locks included.

STORAGE


L2CR2D2D • Credenza, 2 High 4 Doors



PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT			VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2CR2D2D2060	1966	2190	2248	29	29.5	60	20	341	24
L2CR2D2D2066	2068	2277	2363	29	29.5	66	20	352	26
L2CR2D2D2072	2173	2364	2477	29	29.5	72	20	363	30
L2CR2D2D2460	2044	2278	2337	29	29.5	60	24	341	24
L2CR2D2D2466	2153	2369	2458	29	29.5	66	24	352	26
L2CR2D2D2472	2261	2459	2575	29	29.5	72	24	363	30

• Two locks included.


L2CR4AD • Credenza, 2 High 4 Aluminum Doors



PRODUCT CODE	FINISH		SIZE / INCHES			WEIGHT			VOL FT ³
	LP	B	W	H (LP/B)	H (W)	W	D	LBS	
L2CR4AD2060	3212	3439	3500	29	29.5	60	20	336	24
L2CR4AD2066	3430	3641	3728	29	29.5	66	20	347	26
L2CR4AD2072	3651	3845	3961	29	29.5	72	20	358	30
L2CR4AD2460	3291	3529	3589	29	29.5	60	24	336	24
L2CR4AD2466	3515	3734	3825	29	29.5	66	24	347	26
L2CR4AD2472	3741	3942	4060	29	29.5	72	24	358	30

• Two locks included.
• Door frame is anodized aluminum.
• Glazing is frosted acrylic.
• Doors standard with no handles.


LPSTC/LLSTC • Pedestal/Lateral Seat Cushion



PRODUCT CODE	YRDS	SIZE / INCHES			WEIGHT		VOL FT ³
		H	W	D	LBS		
LPSTC1518	0.75	2	15.5	18	2		0.34
LPSTC1520	0.75	2	15.5	20	2		0.40
LPSTC1523	0.75	2	15.5	23	3		0.44
LPSTC1524	0.75	2	15.5	24	3		0.46
LPSTC1529	1.00	2	15.5	29	3		0.55
LPSTC1530	1.00	2	15.5	30	3		0.24
LLSTC2030	1.00	2	20	30	5		0.76
LLSTC2036	1.25	2	20	36	6		0.91
LLSTC2230	1.00	2	22	30	6		0.84
LLSTC2236	1.25	2	22	36	7		1.01
LLSTC2430	1.00	2	24	30	6		0.91
LLSTC2436	1.25	2	24	36	7		1.10


PRODUCT CODE	PRICE																		
	GR1	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	GR13	GR14	GR15	GR16	GR17	GR18	GR19
LPSTC1518	\$242	\$266	\$295	\$339	\$380	\$421	\$457	\$501	\$545	\$602	\$683	\$762	\$843	\$1,022	\$1,199	\$1,378	\$1,556	\$1,735	\$1,930
LPSTC1520	\$248	\$272	\$301	\$345	\$386	\$427	\$464	\$507	\$551	\$608	\$689	\$768	\$849	\$1,028	\$1,205	\$1,384	\$1,564	\$1,741	\$1,936
LPSTC1523	\$253	\$277	\$306	\$350	\$391	\$433	\$469	\$512	\$556	\$613	\$693	\$773	\$854	\$1,032	\$1,210	\$1,388	\$1,568	\$1,745	\$1,942
LPSTC1524	\$260	\$283	\$312	\$356	\$398	\$439	\$475	\$518	\$562	\$619	\$700	\$779	\$860	\$1,039	\$1,216	\$1,396	\$1,574	\$1,751	\$1,948
LPSTC1529	\$320	\$351	\$389	\$448	\$504	\$557	\$608	\$663	\$722	\$798	\$907	\$1,014	\$1,120	\$1,359	\$1,594	\$1,835	\$2,073	\$2,309	\$2,572
LPSTC1530	\$327	\$357	\$396	\$454	\$510	\$563	\$615	\$670	\$728	\$804	\$914	\$1,020	\$1,126	\$1,365	\$1,601	\$1,842	\$2,080	\$2,315	\$2,578
LLSTC2030	\$344	\$375	\$413	\$472	\$527	\$581	\$631	\$687	\$746	\$822	\$931	\$1,037	\$1,143	\$1,382	\$1,618	\$1,859	\$2,097	\$2,333	\$2,596
LLSTC2036	\$410	\$450	\$497	\$571	\$639	\$708	\$769	\$840	\$914	\$1,008	\$1,143	\$1,276	\$1,409	\$1,709	\$2,004	\$2,304	\$2,601	\$2,896	\$3,224
LLSTC2230	\$348	\$380	\$418	\$477	\$533	\$586	\$637	\$692	\$751	\$827	\$936	\$1,042	\$1,148	\$1,387	\$1,623	\$1,864	\$2,101	\$2,337	\$2,601
LLSTC2236	\$416	\$456	\$504	\$577	\$645	\$714	\$776	\$848	\$920	\$1,016	\$1,149	\$1,282	\$1,416	\$1,715	\$2,012	\$2,310	\$2,607	\$2,903	\$3,231
LLSTC2430	\$351	\$383	\$421	\$480	\$536	\$589	\$640	\$695	\$754	\$830	\$939	\$1,045	\$1,152	\$1,391	\$1,626	\$1,867	\$2,104	\$2,340	\$2,604
LLSTC2436	\$423	\$462	\$510	\$583	\$651	\$721	\$783	\$854	\$926	\$1,022	\$1,156	\$1,290	\$1,422	\$1,721	\$2,018	\$2,316	\$2,613	\$2,909	\$3,237

LACWB • Counterweight Balance for use in Licence Storage Units



PRODUCT	PRICE	SIZE / INCHES			WEIGHT VOL	
CODE		H	W	D	LBS	FT ³
LACWB	97	0.5	12	20	24	0.07

BHTP01 • Bracket to connect Licence Towers to Boulevard Panels



PRODUCT	PRICE	SIZE / INCHES			WEIGHT VOL		• Panel Frame Finish
CODE		H	W	D	LBS	FT ³	
BHTP01	57	2	2.5	1	2	0.05	

FREEFIT HEIGHT-ADJUSTABLE TABLES

Guideline for Ordering Product

CODES: The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A HEIGHT-ADJUSTABLE TABLE

PRODUCT CODE:	BWA2460A7 BWA = Height-Adjustable Tables 2460 = Size: Depth x Width (nominal) A7 = Rectangular Electric
OPTIONS:	
Top:	LP - LP (Low Pressure Laminate) Thickness 1" HP - HP (High Pressure Laminate) Thickness 1/16"
Top Finish Laminate:	Choose Color
Top PVC Edging:	Choose Color
Base Finish:	DWT - Designer White NEV - Nevada BLK - Black TUN - Tungsten
Grommet Location:	N - No grommet (DEFAULT) TC - Top centre only for rectangular, corner & cloud Any other locations will require a special quote.
Control Unit:	B - Basic J - Optional Jog wheel
Sound Level:	N - Standard S - Silencer Kit



Height-Adjustable Tables - Product Map

Rectangular Top
Budget Electric
Budget Extended Range
Fixed Height
Increment
Crank
Electric
Extended Electric




Corner Curved Front
Fixed Height
Increment
Crank
Electric
Extended Electric




Corner Straight Front
Fixed Height
Increment
Crank
Electric
Extended Electric




D-Top
Electric
Extended Electric



"P" Top
Electric
Extended Electric



Cloud Top
Electric
Extended Electric



Returns
Fixed Height
Increment
Crank
Electric
Extended Electric



FREE FIT TECHNICAL INFORMATION

Types of Tables

- Various height-adjustable mechanisms are available to suit all tasks.
- Choose the mechanism according to the degree of flexibility required.
- To help in your selection, see the chart below for details.

ADJUSTMENT MECHANISM	¹ CODE REFERENCE	METHOD OF ADJUSTMENT	² HEIGHT RANGE	LOAD RATING OR ADJ. FREQUENCY
Fixed	2	No adjustment	29"	Not Applicable
Increment	3	Locking pin and post system. Using an Allen wrench screw to affix height.	23"-35"	Infrequent Adjustments
Crank	5	Turn the crank handle to adjust height. Crank may be left or right use.	25.92"-42.45"	Occasional Adjustment
Electric	7	The electric switch can be located on the left or right underside of the surface.	25.92"-42.45"	Frequent Adjustments
Electric Extended Range	9	The electric switch can be located on the left or right underside of the surface.	22.57"-48.75"	Frequent Adjustments

¹Last digit of product code

²Height range includes 1" surface

- Note:
- For extended range electric tables. If using BRACS Cable Snake, two units must be snapped together to add extra length for full height, use model # BRACSH.
- If using keyboards, one must order GAGTA01 Glide Tray Adapter (see Boulevard Price List). This will allow a 21" glide track to be positioned below the crossbars.

General Specification

FEATURES

Height ranges have been selected to provide the user with the best level of comfort.

- Electric speed matches the industry standards.
- Stokes include full Bifma range.
- Industry leading noise level of 55 dB.
- Operating speed of 1.5 inches per second.
- Includes collision detector.

"Our height-adjustable tables are so much more than ergonomic and cost effective. They are a viable design option in any office application."

GLIDE TECHNOLOGY

Our glide technology protects our leg tubes from touching each other during operation ensuring that our finish will never show any sign of wear or marring.

Due to our unique leg and glide design, our Height-Adjustable Tables are free of lubricants that can leach from the legs into the environment.

CERTIFICATES

Products are fully compliant with ANSI/Bifma X5.5 2008 and 7.1 VOC., UL 962 and CSA- C22.2 No. 6809,CAN/CGSB-44.227-2008.

Global Contract's Height-Adjustable Tables are tested to withstand 20,000 cycles (equivalent to twenty years of office use).

All Global Contract Extended Range Tables meet the Bifma G1-2013 Ergonomic Guideline for "recommended input adjustment range".

GENERAL FEATURES

- Table frames feature 80 X 60 mm rectangular outer leg with the large tube attached to the foot.
- Open base design with ample room for chair and user's legs.
- Flat foot design includes adjustable (10mm) glides and with optional casters.
- All table frames include expandable width upper crossbars to create a variety of size tables.
- Tables have no lower crossbars.
- All table frames are easy to assemble with few parts.
- Tables are designed so that the paint will never mar on the leg during operation.
- Steel construction of the leg assembly tubing, feet and upper structure assemblies.
- Powder coat finishes for bases standard in (DWT) Designer White, (BLK) Black, (NEV) Nevada and (TUN) Tungsten.
- All standard Global Contract laminate finishes are available.
- Sizes of tops are "nominal". Unless otherwise stated, actual depth is 1" less and actual width is 2" less than "nominal" size.
- Glide adjustment is 10mm, adjusts from 1.15" to 1.55" with optional 10mm glide extender.
- Box size for base is 46" long x 14.5" wide x 7.25" deep.

Budget Electric Tables

- Dual actuator system with motor driving each leg.
- Simple up/down hand set.
- No unsightly control box.
- Operates at 1.2" per second.
- Industry leading sound level of 55dB.
- Includes collision detector.
- Lifts 220 pounds.
- Shadow power draw 0.5 watts

Incremental Height Tables

- One Inch incremental adjustment.
- Locking pin and post system.
- System uses an Allen wrench headed screw to affix height.

Crank Tables

- Hex rod drive system.
- Crank handle can be mounted under surface to the left or right.
- Handle pulls out for clear operation.
- Handle pushes under the surface and is held up out of the user's leg envelope.
- Crank has 7.9 rotations per inch.
- Crank handle has a torque limiter to assure that the system cannot be over stressed damaging the gears.

Electric Tables


- Dual actuator system with motor driving each leg.
- Basic up/down hand set and optional four setting programmable memory hand set.
- No unsightly control box.
- Operates at 1.5" per second.
- Industry leading sound level of 55dB.
- Optional whisper quiet sound level of 38dB. (Add \$90 List & add "S" to the end of the product code)
- Includes collision detector.
- Lifts 265 pounds.
- Shadow power draw 0.5 watts.

Returns

- Returns include the surface, the corner leg and all necessary hardware to reconfigure.
- Must be ordered in conjunction with a rectangular table that has a similar frame.


BUDGET TABLES

BWA-A2 • Fixed Height Rectangular Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
					D	W				
BWA2436A2	1627	1679	29"	-	23	34	67	24	91	3.60
BWA2442A2	1676	1745	29"	-	23	40	67	28	95	3.70
BWA2448A2	1757	1841	29"	-	23	46	69	31	100	3.80
BWA2454A2	1803	1897	29"	-	23	52	69	35	104	4.00
BWA2460A2	1838	1947	29"	-	23	58	69	39	108	4.10
BWA2466A2	1852	1966	29"	-	23	64	69	43	112	4.20
BWA2472A2	1906	2026	29"	-	23	70	69	47	116	4.30
BWA3036A2	1703	1767	29"	-	29	34	71	29	100	3.90
BWA3042A2	1785	1877	29"	-	29	40	71	34	105	3.90
BWA3048A2	1841	1935	29"	-	29	46	73	39	112	4.10
BWA3054A2	1867	1962	29"	-	29	52	73	44	117	4.20
BWA3060A2	1890	2003	29"	-	29	58	73	49	122	4.40
BWA3066A2	1903	2023	29"	-	29	64	73	54	127	4.60
BWA3072A2	1966	2089	29"	-	29	70	73	59	132	4.80

BWA-A3 • Incremental Rectangular Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
					D	W				
BWA2436A3	1874	1928	23"- 35"	12"	23	34	69	24	93	3.60
BWA2442A3	1923	1994	23"- 35"	12"	23	40	69	28	97	3.70
BWA2448A3	2003	2087	23"- 35"	12"	23	46	71	31	102	3.80
BWA2454A3	2050	2144	23"- 35"	12"	23	52	71	35	106	4.00
BWA2460A3	2084	2194	23"- 35"	12"	23	58	71	39	110	4.10
BWA2466A3	2100	2212	23"- 35"	12"	23	64	71	43	114	4.20
BWA2472A3	2153	2273	23"- 35"	12"	23	70	71	47	118	4.30
BWA3036A3	1950	2015	23"- 35"	12"	29	34	73	29	102	3.90
BWA3042A3	2033	2124	23"- 35"	12"	29	40	73	34	107	3.90
BWA3048A3	2087	2183	23"- 35"	12"	29	46	75	39	114	4.10
BWA3054A3	2115	2209	23"- 35"	12"	29	52	75	44	119	4.20
BWA3060A3	2138	2251	23"- 35"	12"	29	58	75	49	124	4.40
BWA3066A3	2151	2271	23"- 35"	12"	29	64	75	54	129	4.60
BWA3072A3	2212	2337	23"- 35"	12"	29	70	75	59	134	4.80

BWA-A5 • Crank Rectangular Height-Adjustable Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
					D	W				
BWA2436A5	2548	2603	25.92"- 42.45"	16.53"	23	34	71	24	95	3.60
BWA2442A5	2600	2669	25.92"- 42.45"	16.53"	23	40	71	28	99	3.70
BWA2448A5	2678	2763	25.92"- 42.45"	16.53"	23	46	73	31	104	3.80
BWA2454A5	2726	2819	25.92"- 42.45"	16.53"	23	52	73	35	108	4.00
BWA2460A5	2760	2870	25.92"- 42.45"	16.53"	23	58	73	39	112	4.10
BWA2466A5	2775	2887	25.92"- 42.45"	16.53"	23	64	73	43	116	4.20
BWA2472A5	2828	2948	25.92"- 42.45"	16.53"	23	70	73	47	120	4.30
BWA3036A5	2625	2689	25.92"- 42.45"	16.53"	29	34	75	29	104	3.90
BWA3042A5	2708	2800	25.92"- 42.45"	16.53"	29	40	75	34	109	3.90
BWA3048A5	2763	2857	25.92"- 42.45"	16.53"	29	46	77	39	116	4.10
BWA3054A5	2789	2884	25.92"- 42.45"	16.53"	29	52	77	44	121	4.20
BWA3060A5	2813	2925	25.92"- 42.45"	16.53"	29	58	77	49	126	4.40
BWA3066A5	2825	2946	25.92"- 42.45"	16.53"	29	64	77	54	131	4.60
BWA3072A5	2887	3012	25.92"- 42.45"	16.53"	29	70	77	59	136	4.80

• Base lifts 175 pounds.

RECTANGULAR TABLES

BWA-A7B • Budget Electric Rectangular Height-Adjustable Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA2436A7B	3386	3437	25.92"- 42.45"	16.53"	23	34	73	24	97	3.60
BWA2442A7B	3472	3544	25.92"- 42.45"	16.53"	23	40	73	28	101	3.70
BWA2448A7B	3515	3599	25.92"- 42.45"	16.53"	23	46	71	31	102	3.80
BWA2454A7B	3561	3657	25.92"- 42.45"	16.53"	23	52	71	35	106	4.00
BWA2460A7B	3596	3706	25.92"- 42.45"	16.53"	23	58	73	39	112	4.10
BWA2466A7B	3612	3724	25.92"- 42.45"	16.53"	23	64	73	43	116	4.20
BWA2472A7B	3665	3785	25.92"- 42.45"	16.53"	23	70	73	47	120	4.30
BWA3036A7B	3462	3527	25.92"- 42.45"	16.53"	29	34	77	29	106	3.90
BWA3042A7B	3583	3674	25.92"- 42.45"	16.53"	29	40	77	34	111	3.90
BWA3048A7B	3599	3696	25.92"- 42.45"	16.53"	29	46	75	39	114	4.10
BWA3054A7B	3627	3721	25.92"- 42.45"	16.53"	29	52	75	44	119	4.20
BWA3060A7B	3650	3763	25.92"- 42.45"	16.53"	29	58	77	49	126	4.40
BWA3066A7B	3664	3783	25.92"- 42.45"	16.53"	29	64	77	54	131	4.60
BWA3072A7B	3724	3848	25.92"- 42.45"	16.53"	29	70	77	59	136	4.80

- Base lifts 220 pounds.
- Operates at 1.2" per second.
- Shadow power draw is 0.5 watts.

- Budget tables cannot be used in conjunction with Height-Adjustable Returns.

BWA-A7 • Electric Rectangular Height-Adjustable Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA2436A7	3580	3639	25.92"- 42.45"	16.53"	23	34	73	24	97	3.60
BWA2442A7	3636	3706	25.92"- 42.45"	16.53"	23	40	73	28	101	3.70
BWA2448A7	3677	3761	25.92"- 42.45"	16.53"	23	46	71	31	102	3.80
BWA2454A7	3722	3818	25.92"- 42.45"	16.53"	23	52	71	35	106	4.00
BWA2460A7	3796	3907	25.92"- 42.45"	16.53"	23	58	73	39	112	4.10
BWA2466A7	3811	3924	25.92"- 42.45"	16.53"	23	64	73	43	116	4.20
BWA2472A7	3865	3984	25.92"- 42.45"	16.53"	23	70	73	47	120	4.30
BWA3036A7	3662	3726	25.92"- 42.45"	16.53"	29	34	77	29	106	3.90
BWA3042A7	3745	3836	25.92"- 42.45"	16.53"	29	40	77	34	111	3.90
BWA3048A7	3761	3855	25.92"- 42.45"	16.53"	29	46	75	39	114	4.10
BWA3054A7	3788	3883	25.92"- 42.45"	16.53"	29	52	75	44	119	4.20
BWA3060A7	3848	3962	25.92"- 42.45"	16.53"	29	58	77	49	126	4.40
BWA3066A7	3861	3982	25.92"- 42.45"	16.53"	29	64	77	54	131	4.60
BWA3072A7	3924	4049	25.92"- 42.45"	16.53"	29	70	77	59	136	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

BWA-A9B • Budget Extended Range Electric Rectangular Height-Adjustable Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA2436A9B	3766	3819	22.57"- 48.75"	26.18"	23	34	69	24	93	3.60
BWA2442A9B	3854	3924	22.57"- 48.75"	26.18"	23	40	70	28	98	3.70
BWA2448A9B	3895	3979	22.57"- 48.75"	26.18"	23	46	70	31	101	3.80
BWA2454A9B	3942	4037	22.57"- 48.75"	26.18"	23	52	74	35	109	4.00
BWA2460A9B	3977	4087	22.57"- 48.75"	26.18"	23	58	74	39	113	4.10
BWA2466A9B	3992	4105	22.57"- 48.75"	26.18"	23	64	74	43	117	4.20
BWA2472A9B	4045	4165	22.57"- 48.75"	26.18"	23	70	74	47	121	4.30
BWA3036A9B	3842	3907	22.57"- 48.75"	26.18"	29	34	74	29	103	3.90
BWA3042A9B	3963	4055	22.57"- 48.75"	26.18"	29	40	75	34	109	3.90
BWA3048A9B	3979	4076	22.57"- 48.75"	26.18"	29	46	75	39	114	4.10
BWA3054A9B	4007	4101	22.57"- 48.75"	26.18"	29	52	79	44	123	4.20
BWA3060A9B	4029	4143	22.57"- 48.75"	26.18"	29	58	79	49	128	4.40
BWA3066A9B	4044	4163	22.57"- 48.75"	26.18"	29	64	79	54	133	4.60
BWA3072A9B	4105	4229	22.57"- 48.75"	26.18"	29	70	79	59	138	4.80

- Base lifts 220 pounds.
- Operates at 1.2" per second.
- Shadow power draw is 0.5 watts.
- Budget tables cannot be used in conjunction with Height-Adjustable Returns.

RECTANGULAR TABLES

BWA-A9 • Extended Range Electric Rectangular Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
					D	W				
BWA2436A9	4084	4140	22.57"- 48.75"	26.18"	23	34	73	24	97	3.60
BWA2442A9	4136	4209	22.57"- 48.75"	26.18"	23	40	73	28	101	3.70
BWA2448A9	4218	4306	22.57"- 48.75"	26.18"	23	46	75	31	106	3.80
BWA2454A9	4266	4362	22.57"- 48.75"	26.18"	23	52	75	35	110	4.00
BWA2460A9	4302	4415	22.57"- 48.75"	26.18"	23	58	75	39	114	4.10
BWA2466A9	4317	4434	22.57"- 48.75"	26.18"	23	64	75	43	118	4.20
BWA2472A9	4372	4495	22.57"- 48.75"	26.18"	23	70	75	47	122	4.30
BWA3036A9	4163	4230	22.57"- 48.75"	26.18"	29	34	77	29	106	3.90
BWA3042A9	4249	4343	22.57"- 48.75"	26.18"	29	40	77	34	111	3.90
BWA3048A9	4304	4402	22.57"- 48.75"	26.18"	29	46	79	39	118	4.10
BWA3054A9	4333	4430	22.57"- 48.75"	26.18"	29	52	79	44	123	4.20
BWA3060A9	4356	4473	22.57"- 48.75"	26.18"	29	58	79	49	128	4.40
BWA3066A9	4369	4493	22.57"- 48.75"	26.18"	29	64	79	54	133	4.60
BWA3072A9	4434	4562	22.57"- 48.75"	26.18"	29	70	79	59	138	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

BWA-HC2 • Fixed Height Corner Table- Curved Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
					D	W				
BWA3624HC2	1903	2013	29"	-	23	34	67	20.3	87	4.00
BWA4224HC2	2056	2166	29"	-	23	40	67	27.6	95	4.40
BWA4824HC2	2152	2281	29"	-	23	46	67	36	103	4.80
BWA4830HC2	2190	2296	29"	-	29	46	69	36	105	4.80

BWA-HC3 • Incremental Corner Height-Adjustable Table - Curved Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
					D	W				
BWA3624HC3	2151	2234	23"- 35"	12"	23	34	69	20.3	89	4.00
BWA4224HC3	2303	2413	23"- 35"	12"	23	40	69	27.6	97	4.40
BWA4824HC3	2400	2529	23"- 35"	12"	23	46	69	36	105	4.80
BWA4830HC3	2437	2567	23"- 35"	12"	29	46	71	36	107	4.80

BWA-HC5 • Crank Corner Height-Adjustable Table - Curved Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
					D	W				
BWA3624HC5	2827	2911	25.92"- 42.45"	16.53"	23	34	71	20.3	91	4.00
BWA4224HC5	2978	3089	25.92"- 42.45"	16.53"	23	40	71	27.6	99	4.40
BWA4824HC5	3075	3205	25.92"- 42.45"	16.53"	23	46	71	36	107	4.80
BWA4830HC5	3112	3243	25.92"- 42.45"	16.53"	29	46	73	36	109	4.80

- Base lifts 175 pounds.

BWA-HC7 • Electric Corner Height-Adjustable Table - Curved Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES		WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
					D	W				
BWA3624HC7	3861	3946	25.92"- 42.45"	16.53"	23	34	71	20.3	91	4.00
BWA4224HC7	4014	4125	25.92"- 42.45"	16.53"	23	40	71	27.6	99	4.40
BWA4824HC7	4149	4279	25.92"- 42.45"	16.53"	23	46	71	36	107	4.80
BWA4830HC7	4149	4279	25.92"- 42.45"	16.53"	29	46	73	36	109	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

CORNER TABLES


BWA-HC9 • Extended Range Electric Corner Height-Adjustable Table - Curved Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HC9	4245	4326	22.57"- 48.75"	26.18"	23	34	73	20.3	93	4.00
BWA4224HC9	4394	4505	22.57"- 48.75"	26.18"	23	40	73	27.6	101	4.40
BWA4824HC9	4529	4659	22.57"- 48.75"	26.18"	23	46	73	36	109	4.80
BWA4830HC9	4529	4659	22.57"- 48.75"	26.18"	29	46	75	36	111	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

BWA-HS2 • Corner Fixed Height Table - Straight Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HS2	1876	1967	29"	-	23	34	67	32	99	4.00
BWA4224HS2	2026	2156	29"	-	23	40	67	41	108	4.40
BWA4824HS2	2091	2236	29"	-	23	46	67	50	117	4.80
BWA4830HS2	2163	2316	29"	-	29	46	69	56	125	4.80

BWA-HS3 • Incremental Corner Height-Adjustable Table - Straight Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HS3	2068	2157	23"- 35"	12"	23	34	69	32	101	4.00
BWA4224HS3	2213	2338	23"- 35"	12"	23	40	69	41	110	4.40
BWA4824HS3	2277	2417	23"- 35"	12"	23	46	69	50	119	4.80
BWA4830HS3	2347	2497	23"- 35"	12"	29	46	71	56	127	4.80

BWA-HS5 • Top Surface Crank Corner Height-Adjustable Table - Straight Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HS5	2743	2833	25.92"- 42.45"	16.53"	23	34	71	32	103	4.00
BWA4224HS5	2889	3013	25.92"- 42.45"	16.53"	23	40	71	41	112	4.40
BWA4824HS5	2954	3094	25.92"- 42.45"	16.53"	23	46	71	50	121	4.80
BWA4830HS5	3022	3171	25.92"- 42.45"	16.53"	29	46	73	56	129	4.80

- Base lift 175 pounds.

BWA-HS7 • Electric Corner Height-Adjustable Table - Straight Front



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HS7	3780	3871	25.92"- 42.45"	16.53"	23	34	71	32	103	4.00
BWA4224HS7	3925	4051	25.92"- 42.45"	16.53"	23	40	71	41	112	4.40
BWA4824HS7	4026	4168	25.92"- 42.45"	16.53"	23	46	71	50	121	4.80
BWA4830HS7	4059	4210	25.92"- 42.45"	16.53"	29	46	73	56	129	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

BWA-HS9 • Extended Range Electric Corner Height-Adjustable Table - Straight Front




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3624HS9	4160	4251	22.57"- 48.75"	26.18"	23	34	73	32	105	4.00
BWA4224HS9	4307	4431	22.57"- 48.75"	26.18"	23	40	73	41	114	4.40
BWA4824HS9	4406	4551	22.57"- 48.75"	26.18"	23	46	73	50	123	4.80
BWA4830HS9	4438	4590	22.57"- 48.75"	26.18"	29	46	75	56	131	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWAxxxxxx) Returns to create "L" worksurface.

SHAPED ADJUSTABLE TABLES

BWA-B7 • Electric D-Top Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA2448B7	4055	4155	25.92"- 42.45"	16.53"	23	47	71	31	102	3.90
BWA2454B7	4112	4175	25.92"- 42.45"	16.53"	23	53	71	35	106	4.00
BWA2460B7	4084	4188	25.92"- 42.45"	16.53"	23	59	73	39	112	4.10
BWA2466B7	4143	4254	25.92"- 42.45"	16.53"	23	65	73	43	116	4.30
BWA2472B7	4163	4279	25.92"- 42.45"	16.53"	23	71	73	47	120	4.40
BWA3048B7	4059	4158	25.92"- 42.45"	16.53"	29	47	75	39	114	4.10
BWA3054B7	4127	4233	25.92"- 42.45"	16.53"	29	53	75	44	119	4.30
BWA3060B7	4165	4280	25.92"- 42.45"	16.53"	29	59	77	49	126	4.40
BWA3066B7	4233	4355	25.92"- 42.45"	16.53"	29	65	77	54	131	4.60
BWA3072B7	4269	4402	25.92"- 42.45"	16.53"	29	71	77	59	136	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a

"J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

BWA-B9 • Extended Range D-Top Electric Height-Adjustable Table




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA2448B9	4436	4535	22.57"- 48.75"	26.18"	23	47	75	31	106	3.90
BWA2454B9	4454	4555	22.57"- 48.75"	26.18"	23	53	75	35	110	4.00
BWA2460B9	4464	4568	22.57"- 48.75"	26.18"	23	59	75	39	114	4.10
BWA2466B9	4523	4634	22.57"- 48.75"	26.18"	23	65	75	43	118	4.30
BWA2472B9	4543	4659	22.57"- 48.75"	26.18"	23	71	75	47	122	4.40
BWA3048B9	4438	4538	22.57"- 48.75"	26.18"	29	47	79	39	118	4.10
BWA3054B9	4507	4613	22.57"- 48.75"	26.18"	29	53	79	44	123	4.30
BWA3060B9	4545	4661	22.57"- 48.75"	26.18"	29	59	79	49	128	4.40
BWA3066B9	4613	4735	22.57"- 48.75"	26.18"	29	65	79	54	133	4.60
BWA3072B9	4649	4782	22.57"- 48.75"	26.18"	29	71	79	59	138	4.80

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a

"J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

BWA-PT7 • Electric P-Top Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA306036PT7R	4453	4626	25.92"- 42.45"	16.53"	29/34	59	77	58	195	4.80
BWA306636PT7R	4529	4723	25.92"- 42.45"	16.53"	29/34	65	77	65	208	5.00
BWA307236PT7R	4840	5042	25.92"- 42.45"	16.53"	29/34	71	77	70	219	5.20
BWA306036PT7L	4453	4626	25.92"- 42.45"	16.53"	29/34	59	77	58	195	4.80
BWA306636PT7L	4529	4723	25.92"- 42.45"	16.53"	29/34	65	77	65	208	5.00
BWA307236PT7L	4840	5042	25.92"- 42.45"	16.53"	29/34	71	77	70	219	5.20


- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a

"J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

Left Hand Shown

BWA-PT9 • Extended Range Electric P-Top Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT ³
BWA306036PT9R	4796	4968	22.57"- 48.75"	26.18"	29/34	59	79	58	197	4.80
BWA306636PT9R	4871	5065	22.57"- 48.75"	26.18"	29/34	65	79	65	210	5.00
BWA307236PT9R	4953	5156	22.57"- 48.75"	26.18"	29/34	71	79	70	221	5.20
BWA306036PT9L	4796	4968	22.57"- 48.75"	26.18"	29/34	59	79	58	197	4.80
BWA306636PT9L	4871	5065	22.57"- 48.75"	26.18"	29/34	65	79	65	210	5.00
BWA307236PT9L	4953	5156	22.57"- 48.75"	26.18"	29/34	71	79	70	221	5.20

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a

"J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

Left Hand Shown

SHAPED ADJUSTABLE TABLES

BWA-CT7 • Electric Cloud Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3072CT7	4463	4694	25.92" - 42.45"	16.53"	40 72	77	76	153	5.50

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

BWA-CT9 • Extended Range Electric Cloud Height-Adjustable Table



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWA3072CT9	4843	5074	22.57" - 48.75"	26.18"	40 72	79	76	155	5.50

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.5 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).
- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).

• LP = Thermally Fused Laminate, HP = High Pressure Laminate.


RETURNS

BWAR-A2 • Fixed Height Return



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWAR2436A2	884	937	29"	-	23	35	69	24	93	1.90
BWAR2442A2	934	1004	29"	-	23	41	76	28	104	2.00
BWAR2448A2	975	1061	29"	-	23	47	87	31	118	2.10
BWAR2454A2	1059	1154	29"	-	23	53	63	35	98	2.30
BWAR3036A2	922	986	29"	-	29	35	73	29	102	2.20
BWAR3042A2	1005	1097	29"	-	29	41	80	34	114	2.20
BWAR3048A2	1059	1154	29"	-	29	47	91	39	130	2.40
BWAR3054A2	1087	1181	29"	-	29	53	68	44	112	2.50

BWAR-A3 • Incremental Height-Adjustable Return



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWAR2436A3	1007	1061	23"- 35"	12"	23	35	69	24	93	1.90
BWAR2442A3	1058	1128	23"- 35"	12"	23	41	76	28	104	2.00
BWAR2448A3	1099	1185	23"- 35"	12"	23	47	87	31	118	2.10
BWAR2454A3	1185	1277	23"- 35"	12"	23	53	63	35	98	2.30
BWAR3036A3	1046	1109	23"- 35"	12"	29	35	73	29	102	2.20
BWAR3042A3	1130	1221	23"- 35"	12"	29	41	80	34	114	2.20
BWAR3048A3	1185	1277	23"- 35"	12"	29	47	91	39	130	2.40
BWAR3054A3	1210	1305	23"- 35"	12"	29	53	68	44	112	2.50

BWAR-A5 • Crank Height-Adjustable Return



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWAR2436A5	1274	1394	25.92"- 42.45"	16.53"	23	35	62	24	86	1.90
BWAR2442A5	1391	1461	25.92"- 42.45"	16.53"	23	41	69	28	97	2.00
BWAR2448A5	1432	1517	25.92"- 42.45"	16.53"	23	47	73	31	104	2.10
BWAR2454A5	1517	1612	25.92"- 42.45"	16.53"	23	53	76	35	111	2.30
BWAR3036A5	1379	1444	25.92"- 42.45"	16.53"	29	35	68	29	97	2.20
BWAR3042A5	1463	1553	25.92"- 42.45"	16.53"	29	41	76	34	110	2.20
BWAR3048A5	1517	1612	25.92"- 42.45"	16.53"	29	47	80	39	119	2.40
BWAR3054A5	1544	1638	25.92"- 42.45"	16.53"	29	53	85	44	129	2.50

- Base lifts 175 pounds.

BWAR-A7 • Electric Height-Adjustable Return



PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWAR2436A7	1683	1736	25.92"- 42.45"	16.53"	23	35	79	24	103	1.90
BWAR2442A7	1732	1803	25.92"- 42.45"	16.53"	23	41	86	28	114	2.00
BWAR2448A7	1775	1859	25.92"- 42.45"	16.53"	23	47	90	31	121	2.10
BWAR2454A7	1859	1954	25.92"- 42.45"	16.53"	23	53	93	35	128	2.30
BWAR3036A7	1721	1786	25.92"- 42.45"	16.53"	29	35	85	29	114	2.20
BWAR3042A7	1804	1895	25.92"- 42.45"	16.53"	29	41	93	34	127	2.20
BWAR3048A7	1859	1954	25.92"- 42.45"	16.53"	29	47	97	39	136	2.40
BWAR3054A7	1886	1981	25.92"- 42.45"	16.53"	29	53	102	44	146	2.50

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.4 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWA-A7 & BWA A9) tables to create "L" worksurface

BWAR-A9 • Extended Range Electric Height-Adjustable Return




PRODUCT CODE	PRICE LP*	PRICE HP*	HEIGHT RANGE	TRAVEL	SIZE/INCHES D	W	WEIGHT BASE, LBS	WEIGHT TOP, LBS	WEIGHT LBS	VOL FT³
BWAR2436A9	2196	2250	22.57"- 48.75"	26.18"	23	35	79	24	103	1.90
BWAR2442A9	2246	2316	22.57"- 48.75"	26.18"	23	41	86	28	114	2.00
BWAR2448A9	2288	2372	22.57"- 48.75"	26.18"	23	47	90	31	121	2.10
BWAR2454A9	2354	2448	22.57"- 48.75"	26.18"	23	53	93	35	128	2.30
BWAR3036A9	2234	2299	22.57"- 48.75"	26.18"	29	35	85	29	114	2.20
BWAR3042A9	2319	2410	22.57"- 48.75"	26.18"	29	41	93	34	127	2.20
BWAR3048A9	2354	2448	22.57"- 48.75"	26.18"	29	47	97	39	136	2.40
BWAR3054A9	2379	2476	22.57"- 48.75"	26.18"	29	53	102	44	146	2.50

- Base lifts 265 pounds.
- Operates at 1.5" per second.
- Shadow power draw is 0.4 watts.
- Optional four programmable jog wheel hand set (add \$164 list and a "J" at the end of the product code).

- Optional whisper quiet sound level of 38dB instead of standard 55dB (Add \$107 list and a "S" at the end of the product code).
- Can be combined with similar (BWA-A7 & BWA A9) tables to create "L" worksurface

ACCESSORIES


BWAHSJW • Jog Wheel Handset



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWAHSJW	357	1.1	3	3.75	0.33	0.01

- 4 memory positions.


BWAGE • Set of 4 Glide Extenders



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWAGE	34	1.45	1.5	1.5	0.06	0.01

- Glide adjustment from 1.55" to 2" over standard adjustment from 1.15" to 1.55".


BWAWCTxx • Wire Cable Tray



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWAWCT18	50	1.5	2.85	18	3.5	0.22

- Wire Cable Tray is affixed to underside of table top with 2 screws.
- Includes all hardware.
- Black finish only.


BWAFCTxxxx • Flip Cable Tray



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWAFCT2640	378	3.9	6.25	14.75	3.5	1.2
BWAFCT3864	412	3.9	6.25	26.75	6.25	1.2

- BWAFCT2640 expands from 14.75" to 26.95".
- BWAFCT3864 expands from 26.75" to 50.35".
- Easily access cables by flipping the tray down.
- Includes all hardware .
- Flip cable tray is installed under one crossbeam between the motor on a "C" base and is attached behind the last cross beam.
- Black finish only.


BWACSTR • Casters (Set of 4)



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWACSTR	94	1.8	2	1.8	0.35	0.01

- Includes 2 locking and 2 non-locking casters.
- Add 1.6" to the height of the table.


BWACPUH • Leg Mounted CPU Holder



PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWACPUH	387	5	8.85	8	4	0.35

- Supports width of 3.35" - 7.8".
- Leg mounted CPU holder is fixed to the leg.

BWACPUS • Strap Mounted CPU Holder




PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		H	D	W	LBS	FT ³
BWACPUS	134	0.35	5.45	9.85	2.75	0.35

- Strap mounted CPU holder is attached to the underside of the surface with four screws.
- Includes all hardware.
- Black finish only.


ACCESSORIES

BWACCLSxx • Cable Channel Leg for Standar Range Electric Table




PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT ³
		H	D	W		
BWACCLS18	160	17.15	1.6	2.45	0.75	0.22
BWACCLS21	168	20.45	1.6	2.45	0.90	0.22

BWACCLExx • Cable Channel Leg for Extended Range Electric Table



PRODUCT CODE	PRICE	SIZE/INCHES			WEIGHT LBS	VOL FT ³
		H	D	W		
BWACCLE14	150	13.75	1.6	2.45	0.60	0.22
BWACCLE18	159	17.15	1.6	2.45	0.75	0.22

BWATB • FreeFit to Boulevard Bracket



PRODUCT CODE	PRICE	SIZE / H	INCHES			WEIGHT LBS	VOL FT ³
			W	D			
BWATB	151	10	6.5	10	7	0.5	

- FreeFit to Boulevard kit secures FreeFit height-adjustable freestanding tables to parallel Boulevard panels.
- It provides panel/table alignment, preventing moving parts from rubbing against panel vertical surfaces and maintains 1" clearance around table surface perimeter.
- Standard metal finishes.
- All hardware included.
- Sold as a pair.