

# 2017 Boulevard Price List – U.S.

Boulevard 1 Panels, System 3 Panels,  
Diet Panels, Electrical, Worksurfaces,  
Storage and Accessories



ISO 9001:2008 | ISO 14001:2004 | OHSAS 18001:2007 | Teknion, 350 Fellowship Rd #100, Mt Laurel, NJ 08054  
REVISED: JULY 2017

## General Information

Product Review	01
Terms and Conditions	04
Finishes and Fabrics	08
Grain Direction	12
Key Alike Form	13
Introduction - Configurations	14

## Boulevard 1

Graphic Panel Information  
B.3



BPGFR • Curved Fully Glazed Panel  
B.15



BPOF • Fabric Over Panel  
B.15



BPOG • Glazed Over Panel  
B.16



BPOFR • Curved Fabric Over Panel  
B.17



BPOGR • Curved Glazed Over Panel  
B.17



BPXCF • Ceiling Filler  
B.17



BPDS • Solid Door Panel  
B.17



BPDH • Half Glazed Door Panel  
B.18



BPDG • Solid Glazed Door Panel  
B.18



BPDSDL • Privacy Screen  
B.18



BPDSDLCK • Sliding Door Lock  
B.19



BHP • 90 Degree Post  
B.19



BHP45 • 45 Degree Post  
B.19



BHP60 • 60 Degree Post  
B.19



BHWA • Wall Adapter  
B.19



BHWSLxx • Wall Adapter Sleeve  
B.20



BHHF • High Profile Foot  
B.20



BHLF • Low Profile Foot  
B.20



BHPA • Panel to Panel Adapter  
B.20



BHCS • Capture Strip Slot Cover  
B.20



BHCE • End Strip Slot Cover  
B.20



BHRC • Raceway End Cap  
B.21



BVTE • Vertical End PVC Trim  
B.21



BVTS • Vertical Step Down PVC Trim  
B.21



BVTS • Vertical Step Down PVC Trim for 37" High Panels  
B.21



BAVTE • Aluminum Vertical End Round Trim  
B.21



BAVTS • Aluminum Vertical End Round Trim - Standard Step Down  
B.22



BAVTSF • Aluminum Vertical End Round Trim - Step Down for 37" High Panels  
B.22



BARC • Aluminum Raceway Cover  
B.22



BA1VTFE • Aluminum Vertical End Trim  
B.22



BA1VTFS • Aluminum Vertical End Trim - Standard Step Down  
B.23



BA1VTFS • Aluminum Vertical End Trim - Standard Step Down 37" High Panels  
B.23






























BA1TTRF • Aluminum Top Cap  
B.23



























BA1PCF • Post Cap  
B.23



BHBT37FT • Transaction Bracket for 37" Panels with Flat Trim  
B.23

	<b>BHT02FT • Transaction Bracket for 42" Panels with Flat Trim</b> B.23		<b>BPX3MA • Monolithic Acoustical Panel</b> C.9		<b>RCX3WMP1 • Raceway Cover with Punchouts One Side, None Other Side</b> C.15
	<b>RCWD • PVC Facemount Raceway Cover</b> B.24		<b>BPX3GMG • Monolithic Glazed Panel with Embedded Glass</b> C.9		<b>RCX3WMNP • Raceway Cover with No Punchouts Both Sides</b> C.15
	<b>FCRD • Fabric Coverd Facemount Raceway</b> B.24		<b>BPX3GPT • Pass-Thru Panel with Embedded Glass - Fabric Base</b> C.10		<b>PMB • Raceway Cover Caps</b> C.15
	<b>RCAD • Aluminum Raceway Cover for Face Mounted</b> B.24		<b>BPX3GPV • Pass-Thru Panel with Vertical Wire Channel and Embedded Glass- Fabric Base</b> C.10		<b>BH3PS • 90 Degree Post</b> C.15
	<b>PMB • Raceway Cover Caps</b> B.24		<b>BPX3GPF • Pass-Tru Panel with Embedded Glass - Air Flow Base</b> C.11		<b>BH3PS45 • 45 Degree Post</b> C.15
	<b>BHSL • Safety Lock</b> B.24		<b>BPX3GOP • Over Panel Frame with Embedded Glass</b> C.11		<b>BH3PS60 • 60 Degree Post</b> C.16
	<b>BHV • Component Wall Adapter - Single and Double</b> B.24		<b>BP3DS • Solid Door Panel</b> C.11		<b>BH3PE • Post Extension for Over Panels</b> C.16
	<b>BECC01 • Cable Terminal Channel</b> B.25		<b>BP3DH • Half Glazed Door Panel</b> C.12		<b>BH3PA • Off-Module Connector (Panel to Panel Adapter)</b> C.16
	<b>BPHC01 • Cable Terminal Channel</b> B.25		<b>BP3DG • Full Glazed Door Panel</b> C.12		<b>B3HWA • Wall Adapter</b> C.16

## Boulevard System 3

	<b>Graphic Panel Information</b> C.3		<b>BPX3NETxxx • Removable Face Tile - Electrical Tile Kit</b> C.12		<b>BHWASLxx • Wall Adapter Sleeve</b> C.16
	<b>BPX3MA • Monolithic Acoustical Panel</b> C.5		<b>BP3GT • Removable Face Tile - Glazed</b> C.13		<b>BH3CS • Capture Strip Slot Cover</b> C.16
	<b>BPX3MV • Monolithic Acoustical Panel with Vertical Wire Channel</b> C.6		<b>BP3OT • Removable Face Tile - Open Pass-Thru Kit</b> C.13		<b>BH3CE • End Strip Slot Cover</b> C.17
	<b>BPX3MG • Monolithic Glazed Panel</b> C.6		<b>BP3AT • Removable Face Tile - Accessory</b> C.13		<b>BA3VTR • Vertical Aluminum End Trim</b> C.17
	<b>BPX3PT • Pass-Thru Panel - Fabric Base</b> C.7		<b>BP3FT • Removable Face Tile - Fabric</b> C.14		<b>BA3VTS • Vertical Aluminum End Trim Standard Step Down</b> C.17
	<b>BPX3PV • Monolithic Acoustical Panel with Vertical Wire Channel</b> C.7		<b>BP3OPFA • Fabric Over Panel</b> C.14		<b>BA3VTR • Vertical PVC End Trim</b> C.17
	<b>BPX3PF • Pass-Tru Panel - Air Flow Base</b> C.8		<b>BP3OPFV • Fabric Over Panel with Vertical Wire Channel</b> C.14		<b>BA3VTS • Vertical PVC End Trim Standard Step Down</b> C.17
	<b>BPX3OP • Over Panel Frame</b> C.8		<b>RCX3WMP2 • Raceway Cover with Punchouts Both Sides</b> C.15		<b>BA3VTRF • Vertical Aluminum Flat End Trim</b> C.18

# CONTENTS



**BA3VTSF • Vertical Aluminum Flat End Trim Standard Step Down**  
C.18

## Diet



**DPFF • Fabric Bottom and Fabric Top Panel**  
D.2



**BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels**  
D.2



**DPOF • Open Bottom and Fabric Top Panel**  
D.3



**BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels**  
D.3



**DPFRR • Fabric Bottom, Middle and Top Panel**  
D.4



**DPORF • Open Bottom Fabric Middle and Top Panel**  
D.4



**DPFFG • Fabric Bottom, Middle and Glazed Top Panel**  
D.5



**DPOFG • Open Bottom, Middle Fabric and Glazed Top Panel**  
D.5



**DPGF • Fabric Bottom and Glazed Top Panel**  
D.6



**DPFS • Fabric Bottom Slat Top Panel**  
D.6



**DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel**  
D.6



**DPOSF • Open Bottom, Slat Middle Panel**  
D.7



**DPOSF • Open Bottom, Slat Middle and Fabric Top Panel**  
D.7



**DPOSG • Open Bottom, Slat Middle and Glazed Top Panel**  
D.7



**DPFSG • Fabric Bottom, Slat Middle and Glazed Top Panel**  
D.8



**DPOPF • Diet Over Panel**  
D.8



**DTMPF • Table Mounted Diet Panels**  
D.8



**DPCBM • Panel Cable Manager**  
D.9



**DPOFM • Off Module Panel Connector**  
D.9



**DPPWA • Wall Adapter**  
D.9



**DPCSTR • Casters**  
D.9



**DHCFA • Diet Freestanding Panel Mobile Kit**  
D.9



**DBSCB • Diet to Boulevard Slot Connector**  
D.10



**DAPPF • Diet Gap Filler**  
D.10



**DBPX • Diet to Boulevard Slim Connector in "X" Configuration**  
D.11



**DBXPT • Diet to Boulevard Slim Connector in "T" Configuration**  
D.11

## Electrical



**BE8C11 • "I" Connector**  
E.4



**BE8D • Duplex Receptacles**  
E.4



**BE83BF • Reversible Base Feed (Boulevard System 3 only)**  
E.4



**BE83BFR72 • Raceway Entry Base Feed (Boulevard System 3 only)**  
E.4



**BE8CF1 • Ceiling Feed - Single**  
E.4



**BE8CF2 • Ceiling Feed - Double**  
E.5



**BE81BFxx1 • Base Feed - Single (Boulevard 1 only)**  
E.5



**BE81BFxx1FL • Base Feed - Single (Boulevard 1 only)**  
E.5



**BE81BFxx2 • Base Feed - Double (Boulevard 1 only)**  
E.5



**BE81BF601 • Base Feed - Single (Boulevard 1 only)**  
E.6



**BE81BF602 • Base Feed - Double (Boulevard 1 only)**  
E.6



**BE8JC • Jumper Cable**  
E.6



**BE8JM19 • Jumper Cable Mesh**  
E.6



**BE83BTxx • Base-to-Tile Cable**  
E.6



**BE8CPHH • Housing-to-Housing Pass-Thru Cable**  
E.7



**BE8CPHJ • Housing-to-Jumper Pass-Thru Cable**  
E.7



**BEJCT39 • Transaction Jumper Cable**  
E.7



**BE81D • Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)**  
E.7



**BE8U2D • Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)**  
E.8



**BE83D • Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)**  
E.8


















































**BE8U3FM • Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)**  
E.8























































**BE81DxxCM • Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only)**  
E.8























































# CONTENTS

	<b>BEPE • Post Extension</b> E.9		<b>BWCC • Curved Corner Worksurface</b> F.6		<b>BWP • "P" Worksurface</b> F.11
	<b>BHPOST • Ceiling Feed Posts</b> E.9		<b>BWCF • Five Sided Corner Worksurface</b> F.7		<b>BWMP • "D" and "P" Worksurface Modesty Panel</b> F.11
	<b>BE2PE • Panel Ceiling Posts</b> E.9		<b>BWCL • "L" Corner Worksurface</b> F.7		<b>BWC60 • Extended "D" Worksurface</b> F.11
	<b>DEK • Jumper Harness</b> E.9		<b>BWCK • Keyboard Corner Worksurface</b> F.7		<b>BWR • Radius Worksurface</b> F.12
	<b>DEJH • Diet Pass-Thru Kit</b> E.10		<b>BWAC45 • Curved Corner Worksurface for 45 Degree Angle</b> F.8		<b>BWRTD • Teardrop Worksurface</b> F.12
	<b>DEBF • Diet Base Feed</b> E.10		<b>BWAC60 • Curved Corner Worksurface for 60 Degree Angle</b> F.8		<b>BWSR • Curved Panel Worksurface</b> F.12
	<b>DECF • Diet Ceiling Feed</b> E.10		<b>BWCE • Extended Curved Corner Worksurface</b> F.8		<b>BWRP • Corner Radius Worksurface with Cutout</b> F.12
	<b>DEPE • Diet Post Extension</b> E.10		<b>BWCEC • Extended Curvilinear Corner Worksurface</b> F.9		<b>BWT • Transaction Worksurface</b> F.12
	<b>DERJC • Raceway Junction Cover</b> E.10		<b>BWK • Keyboard Worksurface</b> F.9		<b>BWTC • Transaction Corner Worksurface</b> F.13
<b>Worksurfaces</b>			<b>BWKLL • "L" Keyboard Worksurface</b> F.9		<b>BWTT • Transaction "T" Worksurface</b> F.13
	<b>BWS • Straight Rectangular Worksurface</b> F.2		<b>BWIR • "T" Island Worksurface</b> F.10		<b>BWTAC • Transaction Worksurface for 45 Degree Corner Worksurface</b> F.13
	<b>BWSP • Straight Rectangular Worksurface to span a Post</b> F.3		<b>BWKE • Extended Corner Keyboard Worksurface</b> F.10		<b>BWTAC • Transaction Worksurface for 60 Degree Corner Worksurface</b> F.13
	<b>BWS • Straight Rectangular Worksurface without Flex Lip or Scoops</b> F.4		<b>BWKK • Angle front Edge Worksurface</b> F.10		<b>BWTR • Transaction Top for Curved Panel</b> F.13
	<b>BWSW • Wedge Worksurface</b> F.5		<b>BWSAC • Arc Front Edge Worksurface</b> F.10		<b>BWTD • Transaction "D" Worksurface</b> F.13
	<b>BWSW • Wedge Worksurface Without Scoop</b> F.5		<b>BWSL • Curvilinear Arc Worksurface</b> F.10		<b>BWTDD • Transaction Double "D" Worksurface</b> F.14
	<b>BWBT • Bow Tie Worksurface</b> F.5		<b>BWSL • Curvilinear Arc Worksurface</b> F.10		<b>BWTE • Elliptical Transaction Worksurface</b> F.14
	<b>BWSC • Curvilinear Front Edge Worksurface</b> F.6		<b>BWD • "D" Worksurface</b> F.11		<b>BWTP • Oval Transaction Worksurface</b> F.14




















































# CONTENTS

	<b>BWCD • Round Table</b> F.14		<b>BHBT • Transaction Bracket</b> F.17		<b>BSBC • KD Back Wall Conversion Kit</b> G.4
	<b>BWSQ • Square Table</b> F.14		<b>BHBT • Transaction Bracket for 37" High Boulevard 1 Panels</b> F.18		<b>BASD • Shelf Dividers for KD Storage</b> G.4
	<b>BHCL • "C" Leg</b> F.14		<b>BHBZ • "Z" Bracket</b> F.18		<b>BSOFDIV • Shelf Dividers for KD Storage</b> G.4
	<b>BKC • Corner Leg</b> F.15		<b>BWATB • FreeFit to Boulevard Bracket</b> F.18		<b>BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12</b> G.4
	<b>BKMP • Modesty Panel</b> F.15		<b>DWS • Worksurface for Diet Panels</b> F.18		<b>BSOLC • Upmount KD Open Shelf</b> G.4
	<b>BHMEB • Modesty Panel Extension Bracket</b> F.15		<b>DHLEG • Diet Gabel Leg</b> F.18		<b>BSOH • High Profile Shelf</b> G.5
	<b>BHFG • Full Gable - Self Edged</b> F.15		<b>VWLEGF • Fixed Height Leg</b> F.19		<b>BS00 • Open Overhead Storage</b> G.5
	<b>BHFGP • Full Gable - 3mm PVC Edged</b> F.15		<b>DHBRKT • Diet Worksurface Bracket</b> F.19		<b>BAFD • Flipper Door and Track Assembly Retrofit Kit</b> G.5
	<b>BHPG • "P" Shaped Full Gable - 3mm PVC Edged</b> F.16		<b>DHTBRKT • Diet Transaction Bracket</b> F.19		<b>BSOF • Overhead Flipper Door Storage Unit</b> G.5
	<b>BHLEG • Gable Leg</b> F.16		<b>DWSCSB • Diet Support Bar</b> F.19		<b>BHOC • Upmount Cantilever</b> G.5
	<b>BHML • Monoleg</b> F.16		<b>DHOMC • Diet Off-Module Cantilever</b> F.19		<b>BHOBP • Up Mount Back Panel</b> G.6
	<b>LATBL • Tapered Leg</b> F.16	<b>Storage</b>			<b>BSOFD • 16" Welded Overhead with Hinged Doors and Radius Handles</b> G.6
	<b>VWLEGLV • Leg with Leveler</b> F.16		<b>BSOL • KD Low Profile Shelf</b> G.3		<b>BSOL • Radius Low Profile Shelf</b> G.6
	<b>BHC • Cantilever</b> F.17		<b>BSOC • KD Corner Shelf Kit</b> G.3		<b>BSOH • Radius High Profile Shelf</b> G.6
	<b>BHC • Diet/Boulevard Worksurface Cantilever Support</b> F.17		<b>BSOH • High Profile Shelf</b> G.3		<b>BSKD • Radius Overhead Storage Unit</b> G.7
	<b>BHBC • Corner End Bracket</b> F.17		<b>BSOF • KD Overhead Flipper Door Storage Unit</b> G.3		<b>GD • Glazing Door Option for Above</b> G.7
	<b>BHBF • Flat Bracket</b> F.17		<b>BSFC • KD Overhead Flipper Door Conversion Kit</b> G.4		<b>BSFC • Radius Flipper Door Conversion Kit</b> G.7
					<b>BSKDC • Radius Up Mount Overhead Storage Unit</b> G.7



















































# CONTENTS

	<b>BSADAPM • Panel Mounted Overhead Storage Unit - ADA Compliant</b> G.8		<b>BSTC • Pedestal/Lateral Seat Cushion</b> G.11		<b>CFRB • C Series “B” Opening Receding Door and Fixed Shelves</b> G.16
	<b>BSADAUM • Up-Mount Overhead Storage Unit - ADA Compliant</b> G.8		<b>BS12T502B1F • 12” BBF Storage Tower 50” High</b> G.11		<b>BFRB • Linear “B” Opening Receding Door and Fixed Shelves</b> G.16
	<b>BSADAKIT • Up-Mount Conversion Kit</b> G.8		<b>BS12T502F • 12” FF Storage Tower 50” High</b> G.12		<b>BS12S2F • 12” Opening Multi Storage Unit</b> G.17
	<b>BSADAxOMKIT • Off-Module Conversion Kit</b> G.8		<b>BS12T542B1F • 12” BBF Storage Tower 54” High</b> G.12		<b>BS12S • 12” Storage Cabinet with Hinged Door 2 High</b> G.17
	<b>BSADAKIT • Panel Mount Conversion Kit</b> G.8		<b>BS12T542F • 12” FF Storage Tower 54” High</b> G.12		<b>BS12ND • Open Storage Cabinet 2 High (WS Supporting)</b> G.18
	<b>BSOFD • Overhead Divider</b> G.8		<b>BS12T662B1F • 12” BBF Storage Tower 65 7/8” High</b> G.12		<b>BS12FKIT • 1212 Drawer Conversion Kit</b> G.18
	<b>BS12BF • One and 1/2 Height BP Pedestal</b> G.9		<b>BS12T662F • 12” FF Storage Tower 65 7/8” High</b> G.13		<b>BS12BKIT • 6612 Drawer Conversion Kit</b> G.18
	<b>BS12BBF • 12” Series BBF Pedestal Worksurface Supporting</b> G.9		<b>BS12TS0502F • 12” Side Opening FF Storage Tower 50” High</b> G.13		<b>BS12FFKIT • Fixed Front Door Conversion Kit</b> G.18
	<b>BS12FF • 12” Series FF Pedestal Worksurface Supporting</b> G.9		<b>BS12TS0502B1F • 12” Series Side Opening BBF Storage Tower 50” High</b> G.13		<b>BS12RDKIT • Receding Door with Fixed Slotted Shelf Conversion Kit</b> G.18
	<b>BS1230DP • 12” Combination Pedestal</b> G.9		<b>BS12TS0542F • 12” Side Opening FF Storage Tower 54” High</b> G.13		<b>Half Height Door Conversion Kit</b> G.18
	<b>BS12BFM • 12” BF Mobile Pedestal</b> G.9		<b>BS12TS0542B1F • 12” Side Opening BBF Storage Tower 54” High</b> G.14		<b>BAHFB • Hanging File Bars</b> G.19
	<b>BS12BBFM • 12” BBF Mobile Pedestal</b> G.10		<b>BS12T662B1F • 12” Side Opening BBF Storage Tower 65 7/8” High</b> G.14		<b>BAFBB • Front to Back Bars</b> G.19
	<b>BS12FFM • 12” FF Mobile Pedestal</b> G.10		<b>BS12T662F • 12” Side Opening FF Storage Tower 65 7/8” High</b> G.14		<b>BALAB • Legal to Letter Adapter</b> G.19
	<b>DHPEDB • Pedestal Bracket Kit for Diet Panels</b> G.10		<b>BS12F • 12” Opening Lateral File Fixed Front Drawers</b> G.14		<b>BAPD • Divider Plates</b> G.19
	<b>BS12X1HF • One and 1/2 Height Fixed Front &amp; One 12” Fixed Front Lateral File</b> G.10		<b>BS12R1F • 12” Receding Door and Roll-Out Shelves</b> G.15		<b>BAPD • Pedestal Divider Plates</b> G.19
	<b>BS12X1S1F • One 1/2 Height Open Shelf &amp; One 12” Fixed Front Lateral File</b> G.10		<b>BS12SWS • 12” Receding Door and Fixed Shelves</b> G.15		<b>BAPEDBAR • Pedestal Hanging File Bar</b> G.19
	<b>BS12X1SND • One 1/2 Height Open Shelf &amp; One 12” Open Shelf Lateral Cabinet</b> G.11		<b>BS12B3F • 12” Opening Lateral File “B” Opening Receding Door and Fixed Shelves</b> G.15		<b>BAFFS • Full Flat Shelf</b> G.19
	<b>BS12X1S • One 1/2 Height Shelf &amp; One 12” Shelf Lateral Cabinet with Doors</b> G.11				

# CONTENTS

	<b>BAFS • Full Fixed Slotted Shelf</b> G.19		<b>CFW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.22		<b>BLW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.26
	<b>BAHFFS • Half Fixed Flat Shelf</b> G.19		<b>CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.23		<b>BLW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.26
	<b>BAEDPS • EDP Adapter</b> G.20		<b>CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.23		<b>BLW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.26
	<b>BAMS • Max-Stor Module</b> G.20		<b>CFW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.23		<b>BLW3650M12L0RR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.26
	<b>BAMST • Max-Stor Trays</b> G.20		<b>CFW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.23		<b>DSOMSHLF • Diet Off Module 24" Shelf</b> G.27
	<b>BTLP • Pencil Tray</b> G.20		<b>CFW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.23		<b>DSTBSHLF • Diet Table Shelf</b> G.27
	<b>BTRP • Organizer Tray</b> G.20		<b>CFW3650M12L0RR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.24		<b>DSOH • Diet Panel Mounted Overhead</b> G.27
	<b>BTST • Shoe/Boot Tray</b> G.20		<b>BLW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.24		<b>DSOS • Diet Panel Mounted Shelf</b> G.27
	<b>C28 • Letter Width Vertical Storage</b> G.20		<b>BLW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.24		<b>DOHLS • Diet Overhead Support</b> G.27
	<b>C28 • Legal Width Vertical Storage</b> G.21		<b>BLW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.24		<b>DSADA • Easy-Up Diet Overhead</b> G.28
	<b>CFW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.21		<b>BLW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.24		<b>BACWB • Counterweight Balance</b> G.28
	<b>CFW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.21		<b>BLW3x50M12L0R • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.25		<b>BA • Keys</b> G.28
	<b>CFW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.21		<b>BLW3x50M12L0L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.25		<b>LO • Lock and Key</b> G.28
	<b>CFW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.22		<b>BLW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.25	<b>Accessories</b>	
	<b>CFW3x50M12L0R • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.22		<b>BLW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.25		<b>GAKSM01 • Keyboard Support Mechanism</b> H.1
	<b>CFW3x50M12L0L • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.22		<b>BLW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.25		<b>GAKSML • Slim Fit Keyboard Support</b> H.1
	<b>CFW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.22		<b>BLW3650MDP0RR • B-STOR Four High Multi Storage Pass Through Cabinet</b> G.26		<b>GAKSM02 • Lift-N-Lock Keyboard Support Mechanism</b> H.1
					<b>GAKSM03 • Lift-N-Lock Keyboard Support Mechanism</b> H.2

# CONTENTS

	<b>GATM01 • Tray with Sliding Mouse Support</b> H.2		<b>BLVELEDVD • LED Double Arm Lamp</b> H.7		<b>Telecom Plates</b> H.10
	<b>GATM02 • 27" HDPE Tray with Two Mousing Surfaces</b> H.2		<b>BLVELEDRS • LED Single Arm Lamp</b> H.7		<b>BEPB12 • Power Bar</b> H.10
	<b>GATM03 • Phenolic Tray with Height-Adjustable Mouse Support</b> H.2		<b>BLVELEDRD • LED Double Arm Lamp</b> H.7		<b>DABAR • Power Bar</b> H.10
	<b>GATM04 • HDPE Tray with Height-Adjustable Mouse Support</b> H.3		<b>Lamp Mounting Options</b> H.8		<b>DABARB • Power Bar with Mounting Bracket</b> H.11
	<b>Keyboard Combination Chart • Package Codes and Pricing</b> H.3		<b>BLUC • T5 Under Storage Task Light</b> H.8		<b>BABC • Wire Manager</b> H.11
	<b>GACPU01 • Fixed Mount CPU Holder</b> H.3		<b>BLEDLS • LED Under Shelf Task Light</b> H.8		<b>WVACS • Cable Snake</b> H.11
	<b>GACPU02 • CPU Holder on Glide Track</b> H.4		<b>BEMAE • Mini-Adapt Power Module</b> H.9		<b>BAVC • Vertical Wire Channel</b> H.11
	<b>GACPUH • Woof CPU Holder</b> H.4		<b>BEAxx • Desktop Data/Power Receptacle</b> H.9		<b>WCM • Wire Manager</b> H.11
	<b>GAACKS1818 • CRT Corner Plate</b> H.4		<b>BRED50 • Duo Module</b> H.9		<b>BAR • Panel Mounted Slotted Accessory Rail</b> H.11
	<b>GAMCSSDE • Double Extension Monitor Arm for Single Screen</b> H.4		<b>BREDU51 • Duo Under Module</b> H.9		<b>BALB • Panel Mounted Load Bar</b> H.11
	<b>GAMCSSDEH • Double Extension with Height-Adjustable Monitor Arm for Single Screen</b> H.5		<b>BREDB52 • Duo Bezel Module</b> H.9		<b>BABB01 • Binder Bin</b> H.12
	<b>GAMCDSDE • Monitor Arms for Dual Screens</b> H.5		<b>BRETP53 • Trio Plus Module</b> H.9		<b>BAFS01 • Flip Sorter</b> H.12
	<b>GAMCDSDEH • Double Extension with Height-Adjustable Monitor Arms for Dual Screens</b> H.5		<b>BRETPU54 • Trio Plus Under Module</b> H.9		<b>BASS01 • Slant Sorter</b> H.12
	<b>GAMCSSDEHS • Dual Extension Height-Adjustable Slat Wall Monitor Arm</b> H.5		<b>BRETPB55 • Trio Plus Bezel Module</b> H.9		<b>BALT01 • Letter Tray</b> H.12
	<b>GAMLDM20 • Single Screen Monitor Arm for 5 to 20lbs</b> H.6		<b>BPGDPS20 • Power Module</b> H.10		<b>BAMB01 • Media Bin</b> H.12
	<b>GAMLDM30 • Single Screen Monitor Arm for 10 to 30lbs</b> H.6		<b>BPGDPS21 • Power and Data Module</b> H.10		<b>BAUT01 • Utility Tray</b> H.12
	<b>GAMLDM40 • Dual Screen Monitor Arm for 15 to 40lbs</b> H.6		<b>BPGDPS41 • Double Power and Data Module</b> H.10		<b>BAPP01 • Mail Box</b> H.12
	<b>BLVELEDVS • LED Single Arm Lamp</b> H.7				

# CONTENTS



**BATH01 • Telephone Holder**  
H.12



**BAPD • Pencil Drawer**  
H.12



**BAHO • Coat Hook**  
H.13



**BAHB3CH • Coat Hook for System 3**  
H.13



**DAHOCH • Coat Hook for Diet**  
H.13



**BNP • Name Plate**  
H.13



**BHTP01 • Bracket to connect Licence Towers to Boulevard Panels**  
H.13



**BATB • Fabric Tackboard**  
H.13



**BAWB • Write Board**  
H.13



**BAPAS • Glass Over Panel Boulevard 1 Round Pucks**  
H.14



**BAPAS • Glass Over Panel System 3 Round Pucks**  
H.14



**BAPAS • Glass Over Panel Boulevard 1 Square Pucks**  
H.14



**BAPAS • Glass Over Panel System 3 Square Pucks**  
H.14



**BAMT12 • Marker Tray**  
H.14



**BATP • Touch Up Paint Kit**  
H.14



# PRODUCT OVERVIEW

## BOULEVARD 1 PANELS

### Features:

- Desk height power and data management
- Patented "Knuckle-Loc", rigid connection, prevents light and sound transmission
- Built-in acoustical/tackable properties
- Sectional multi-accent design options
- Fabric surfaces are able to be replaced on-site
- Frame incorporates 1" centred slots for component adjustability
- Requires no additional top caps, end caps, trim caps, hinges, kick plates or clips
- Simple to specify
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend to 10 feet to enclose an office in fabric and glazed options
- Patented Raceway cover easily removed
- Raceway panels top and bottom portion semi tackable

### Construction:

- Rigid extruded aluminum, finished frame, self-leveling 2 5/8" thick panel
- 1 1/8" sound absorbent Mineral Wool each side of hardboard septum

### Sizes:

- 8 Heights: 29", 37", 42", 50", 54", 58", 66" 74" and 82"
- 9 Widths: 6", 18" to 60" in 6" increments, 72" wide in selected panel configurations.

### Adjustability:

- 3" glide stem permits 2 1/2" height adjustment
- Slotted at 1" increments
- Over panels, 8", 16", 24", 37" and 42" for enclosed offices (Non-slotted)

### Acoustic Rating

- .80NRC/26STC

### Door:

- 2 door panel widths, glazed/unglazed, lockable, reversible
- 2 sliding door widths, non-lockable

### Flexibility:

- Universal connector

### Panel Finishes:

- 2 grades of fabric, air flow grill, glaze, tempered glass, laminate & COM

### Electrical:

- Desk height 8 wire/4 circuit - 1 dedicated

### Communication:

- Desk height data channel
- Raceway cover easily removed
- Fabric covered raceways available

## SYSTEM 3 PANELS

### Features:

- Base power and data lay-in
- Desk height power and data feed thru
- Top data lay-in
- Patented "Knuckle-Loc", rigid connection, prevents light and sound transmission
- Removable multi-functional tile design options
- Fabric surfaces are able to be replaced on-site
- Reduced installation time
- Easy to reconfigure
- High-tech look/stackable grid appearance
- Rigid, no sway, straight panel sight line
- Self levelers reduce assembly time, ensure even height
- Over panels extend height to enclose an office in fabric, glazed or laminate options
- Raceway cover easily removed

### Construction:

- Rigid extruded aluminum

### Sizes:

- 4 Heights: 34", 42", 50", 54", 66"
- 8 Widths: 18" to 60"

### Adjustability:

- 3" glide stem permits 2 1/2" height adjustment
- Slotted at 1" centres
- Over panels, 8" and 16" (Non-slotted)

### Door:

- 2 widths, glazed/solid, lockable, reversible
- 2 sliding door widths, non-lockable

### Flexibility:

- Universal connector

### Panel Finishes:

- Fabric, air flow accessory, tempered glass, laminate, whiteboard, corkboard (at base only)

## ELECTRICAL FOR BOULEVARD 1 PANELS

### Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in electrical
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit.
- 3N and 8K electrical available upon request.
- Snap-in installation - harnesses, junction boxes, duplexes
- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel: choice of circuits for each duplex; choice of quantity of duplexes (1 or 2 duplexes per panel)

- Electrical cords are concealed
- Separate large channel for data
- Change electrical without moving pedestals
- Lower installation/reconfiguration costs
- Data terminals snap into cable holder
- Floor or ceiling feed
- Duplexes accessible from both sides

## ELECTRICAL FOR SYSTEM 3 PANELS

### Features:

- Customized power capabilities in each panel
- State-of-the-art snap-in duplex receptacles
- 8 wire with 3 regular 15 AMP circuits and 1 isolated 15 AMP circuit
- Snap-in installation - harnesses, junction boxes, duplexes

- Accessibility makes changing circuits easy
- Flexibility in choice of duplexes within panel
- Data terminals snap into base raceway cover and mid panel electrical tile
- Floor or ceiling feed
- Duplexes accessible from both sides

# OVERVIEW

## WORKSURFACES / HARDWARE

### Features:

- One universal cantilever support
- Pedestal eliminates need for end panel/cantilever
- Grommets are not needed
- Continuous cable accessibility across back
- Adjustable to any height, in 1" increments.
- Flush abutment side edge minimize seam crevice
- Metal-to-metal connections (Metal Inserts)
- Additional cable manager under worksurface

### Construction:

- Medium-density particle board 1 1/16" thick

### Sizes:

- 3 Depths: 18", 24" and 30"
- 12 Widths: 18" to 84" in 6" increments

### Finishes:

- Tops: High Pressure Laminate, Low Pressure Laminate or Wood
- Edges: Edge banded PVC or Wood

### Types:

- Transaction, keyboard, rectangular worksurface, corner, curved, D-top, P-top, Arc-top and freestanding

## OVERHEAD STORAGE

### Features:

- Completely enclosed unit for 16" overheads
- Shipped fully assembled or KD
- 13.5" inside height for oversized binders
- Metal-to-metal connection
- Lock secures into bottom shelf
- Doors operate smoothly
- Flipper door retrofittable on site
- Safety bracket used for extra support
- Reinforcement built in for larger unit
- Can be removed and reconfigured without disassembly

### Fronts:

- Open or closed fronts

### Sizes:

- Overheads - 6 widths in 6" increments
- Shelves - 7 widths in 6" increments
- 16" deep welded overhead for EDP, ring binder, letter/legal
- 12" deep KD overhead
- 15" deep KD overhead with "Soft-to-the-touch" handles

### Paint:

- Dry epoxy powder coating

## PEDESTALS

### Features:

- Double wall construction on all drawer fronts
- Fully progressive suspension system
- Full-width pull, "Hytrel®" or "Soft-to-the-touch" handles on drawer fronts
- Worksurface supporting option
- Full extension roller bearing glides on all file drawers
- Rubber bumpers for quietness
- Movable drawer divider/pencil tray
- 25" filing capacity for file drawers (only in 30" pedestal)
- Durable epoxy finish
- Keyed alike options
- Box/Box/File standard with pencil tray

### Construction:

- Double wall drawer fronts
- 18-20 gauge steel

### Sizes:

- 18", 24", 30" depth

### Types:

- Worksurface Supporting, Mobile, Freestanding

### Paint:

- Dry epoxy powder coating

# COST SAVINGS

## HOW BOULEVARD 1 CAN REDUCE YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, trim caps, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

### Desk Height Electric:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfiguration costs.
- Can customize power in each panel, pay only for what is required.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Replaceable Panels:

- Panels can be re-upholstered on site.

### Communications/Data Channel:

- Desk height data channel reduces time to install and change cables.

### Floor to Ceiling Enclosed Office:

- Re-usable enclosed offices with doors eliminate future costs for drywall demolition, new construction, mess and extensive cash flow.
- Depreciation expense indirectly increases cash flow.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

### Product:

- Priced less than most other "A" Grade panel systems.

## HOW BOULEVARD SYSTEM 3 REDUCES YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.
- Universal post for 2-way, 3-way and 4-way applications.

### Base Panel Electric System:

- Ease of initial electrical installation lowers energy management costs.
- Snap-in electrical components reduce reconfigurations costs.
- Can customize power in each panel, pay only for what is required.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Replaceable Panel Tiles:

- Over Panels and face tiles can be added and interchanged as needs change.

### Communications/Data Channel:

- Base and top lay-in communications channel reduces time to install and change cables.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

### Product:

- Priced less than most other "A" Grade panel systems.

## HOW DIET REDUCES YOUR COSTS

### Finished Panel:

- No inventory costs for connectors, top caps, kick plates and clips.
- Less time required to install, or to disassemble, move and re-install.
- Open bottom panels can reduce cost and improve circulation within the office.

### Fewer Parts:

- Only 1 universal cantilever and 3 brackets are needed to build most workstations.
- Easy to attach and remove components from panels.

### Simplified Specifications:

- Fewer parts and components make specifying, ordering, and verifying less work.
- Product fits a 6" planning module.

### Communications Channel:

- Base communication channel reduces time to install and change cables.

### Warranty:

- Limited Lifetime Warranty on materials and workmanship.

# TERMS AND CONDITIONS

## Terms and Conditions

This illustrated list price book has been designed to facilitate fast reference and easy use. The line drawings match actual products (where possible) to aid in instant recognition of each item, but they are graphic representations only.

Sales of Global Contract's products are made only on Global Contract's standard Terms and Conditions of sale which are contained in this list price book. The "Purchaser" in these Terms, Conditions and General Information shall refer to Dealers and those who originally purchase directly from Global Contract for use or re-sale. These standard Terms and Conditions may be modified or supplemented only by a separately written document signed by Global Contract's authorized personnel at its head office in Toronto, Ontario, Canada. Any term or condition contained in any purchase order or other form used by the Purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global Contract's standard Terms and Conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at the time of publication. Global Contract reserves the right to make changes at any time and without prior notice to prices, colours, materials, specifications and models offered.

## Description

Each product shown or described in this list price book is standard Global Contract product. Available options are noted at the beginning of each series or at the beginning of the price list. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

## Prices and Payment

The prices shown in this Book, as well as those quoted by Global Contract, shall be Canadian dollars for orders shipped to destinations in Canada.

The price does not include any provincial or local property license, privilege, sales, use, value added, gross receipts, G.S.T. or other like taxes which may now or hereafter be applicable to, measured by or imposed upon or with respect to the transaction, the product, its sale, its value or its use, or any services performed in connection therewith.

If shipping date requested is more than 90 days from date of order, Global Contract shall have the right to use published list prices effective at the time of shipment.

Not included in the list price is special or export packing, freight, unpacking and installation. Orders are invoiced at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days. All orders are subject to the Purchaser complying with Global's prevailing credit policy.

Any product sold shall remain the property of Global Contract until fully paid for. The Purchaser agrees to perform all acts which may be necessary to perfect and assure retention of title to such products to Global Contract until such time as the goods have been paid for in full.

Delivery shall occur and risk of loss or damage to the product shall pass to Purchaser F.O.B. point of shipment. Purchaser is responsible for filing claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Prices are suggested list prices only and are subject to change without notice. Global Contract will, however, attempt to keep the Purchasers up-to-date on all developments including price changes.

## Taxes

All prices shown in this list price book are exclusive of sales, use, excise, HST and other applicable taxes and duties which may be the Purchaser's responsibility as per the invoice issued by Global. If the Purchaser claims an exemption from such taxes, it shall be the Purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

## Order Information

Global Contract requires that all orders be submitted in writing. All orders submitted to Global Contract in writing will be acknowledged on Global Contract's acknowledgement forms governing the transaction.

The details appearing on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgement is correct. In the event of an error, the Purchaser must notify their Global Contract Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

Purchaser must indicate if multiple shipping schedules are required. Each shipment will be invoiced at time of shipping and will be subject to payment terms described above.

When ordering, please provide the following information:

1. Account number (if possible)
2. PO number
3. "Bill to" and/or "Ship to" and name and address
4. Complete model number and selected options including textiles/finishes
5. Special instructions and tag information
6. Shipping instructions, please indicate:
  - a. pick up
  - b. Global trailer program
  - c. common carrier, provide name of carrier, your account number
7. Special quote (SQ) # (if applicable)
8. Customer's Own Material (COM), Global Contract Purchased Material (GPM), Customer's Own Leather (COL) - please see below.

9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote, a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote.

The above points will be checked by Global Contract for accuracy. Global Contract will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global Contract prior to invoicing.

The Purchaser is responsible for providing correct information when placing an order. If no option(s) are selected the system, will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

Specifications and application drawing may be requested to be supplied for examination prior to approval.

## Special Colours

Use of Customer's Own Material must be approved by Global Contract prior to acceptance of order. Fabric yardage requirement will be advised by factory, and additional yardage may be required if pattern requires matching. If Customers Own Material (C.O.M.) is difficult to apply or if product must be modified, extra charges will be made. Global Contract reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's own material should be shipped freights and duties paid to Global Contract, 565 Petrolia Road, North York, Ontario. Such shipment must be fully identified with purchaser's order number, Global Contract's acknowledgment number and the item for which material is intended. For C.O.M. prices, use Grade 1 price. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser.

## Deposit on Special Orders

Orders for nonstandard products may, at Global Contract's discretion, require deposit prior to scheduling of production, the amount of the deposit being credited against the total price of the project.

## Changes and Cancellation

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or cancelled by the Purchaser without the written consent of Global. Orders for products upholstered in "special order textiles" (GPM) cannot be cancelled once material has been purchased. Special order items, COM and textile-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Global Contract reserves the right to cancel an order at any time if Special Order is in the sole judgement of Global Contract, inadequate for any reason.

### Errors and Omissions

All quotations, acknowledgments and invoices are subject to corrections for any errors and omissions.

### Disclaimer

Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

### Finishes

#### Seating Finishes - Painted

Where painted frames are not a standard colour, a special quote is required.

#### Seating Finishes - Wood Stained

One time charge of \$415 net and 5% upcharge per chair per order for custom wood staining/colour matching. Restrictions may apply. The customer must provide a 3" x 3" colour chip/sample. Non-standard finishes must be approved by Global Contract prior to acceptance of order.

#### Custom Wood Staining

Custom wood staining procedure for wood seating is as follows. Customer provides a sample of the desired wood finish. That sample is sent to Global Contract Customer Service. Several finished samples will be sent back. The customer/end user will sign off on the samples (keeping one for their records) and return the rest of the samples. Global Contract will not necessarily match the wood species but rather will generate a colour that will coordinate with the sample when it is applied to the wood species used in the seating frame.

#### Metal File Finishes

There is no upcharge on any standard file finish. Any non-standard file finish must be approved by Global Contract prior to acceptance of order and will be subject to a 10% upcharge on orders up to 10 units. There is no upcharge on orders of 11 units or more.

An upcharge of 10% will apply to White, Metallic and Mica finishes regardless of the number of units ordered.

#### Wood Veneer Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global Contract will not be held responsible if the finishes cannot be matched.

#### Customer's Own Material (COM)

Use of COM must be approved by Global Contract prior to acceptance of order. Please submit the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" textile sample and advise how the textile is to be applied and quantity of textile being sent. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Upon approval from Global Contract, send textile to the COM Department at 565 Petrolia Road, North York, ON, M3J 2X8.

If COM is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if COM is inadequate for any reason. COM must be shipped freight and duties paid if applicable to our factory. Such shipment must be fully identified with the Purchaser's order number, and the item for which the material is intended. Performance of COM when applied to product is the sole responsibility of the Purchaser. Global Contract's standard product warranty shall not apply to COM. The COM price is the lowest published price/grade for the series. The published yardage requirement for COM orders is approximate and shown beside each item in the list price book. The yardage shown there is based on the textile requirements for cutting and sewing a single chair in a plain patterned textile. For textiles with a pattern repeat or for COM orders involving 10 or more chairs, please consult with Customer Service for recalculation of the yardage requirements as this may significantly change the textile requirement.

#### Textile Grading

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade.

Combining two grades of textiles may result in a revised grade. Please refer to "Fabric Grades Combination Chart" in the Seating list price book. For more than two textiles a special quotation is required.

#### GPM (Global Contract Purchased Material, Customer Specified)

Global Contract may purchase material specified by the customer. Use of GPM must be approved by Global Contract prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global Contract reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global Contract's standard warranty will not apply to GPM materials.

#### Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

#### Upholstery Coverings

Slight variations in colour may occur between dye lots. Although Global Contract attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

#### Leather is a Natural Product

Natural variations occur in the colour, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its colour changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

#### Yardage

Required yardage (yd) is based on unmatched materials with widths of 54" for seating, 63" for panels.

### Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating list price book.

### Cubic Measure

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton, (one unit per carton unless otherwise noted) and is subject to change without notice.

### Delays

Global Contract's order acknowledgement will state a shipping date which Global Contract best estimate at the time the order is acknowledged. However, Global Contract shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global Contract has agreed to an unequivocal, firm shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global Contract shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgments where such delay, failure, loss or damage is the proximate result of any act or any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, act of enemies, delay or default in transportation, strike disputes among or between labour unions or other labour disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of Global Contract, whether of the class of causes enumerated or otherwise. Without limiting the generality of the foregoing, Global Contract may, without causing breach or incurring liability, allocate goods which are in short supply, irrespective of the reasons therefore, among purchaser, in any manner which Global Contract, in its sole discretion, deems advisable.

### Suspension

In the event that the Purchaser defaults in the payment of any sum due to Global Contract, or in the event the Purchaser's financial condition becomes unsatisfactory to Global Contract, Global Contract shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the Purchaser provides assurance of payment to Global Contract.

### Combined Shipments

Global Contract will make every effort to combine shipments and orders on written request. However, Global Contract cannot be held responsible where such request is not complied with.

### Shipments

Purchaser must select, at time of order entry, one of two methods of freight payment. Global Contract will make no end-user shipments unless special arrangements have been made.

- 1) F.O.B. point of shipment, freight collect - pick up and common carrier.
- 2) F.O.B. point of shipment, freight pre-paid and invoiced to purchaser.



# TERMS AND CONDITIONS

The Purchaser will determine the method of transportation and routing of shipment. In the event that the purchaser does not specify method and routing, Global Contract will have shipments expedited in the manner deemed appropriate. Contact Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8 (416) 739-5000 with questions concerning shipping information on acknowledged orders.

## F.O.B.

F.O.B. point is Global Contract's factory, Toronto, Ontario, Canada.

## Back Charges

Global Contract will not accept charges for expense incurred by the Purchaser in expediting shipments. Global Contract will not accept charges for the repair of damage by others.

## Code Restrictions

Global Contract items are within the limitations of local codes.

## Service

Service problems are normally handled by the Global Contract's authorized dealer, as appropriate. Where this cannot be accomplished on a local level, service problems should be referred to Customer Service Department, Global Contract Inc., 565 Petrolia Road, North York, Ontario M3J 2X8, (416) 739-5000, [csr@globalcontract.com](mailto:csr@globalcontract.com).

## Storage

In the event Purchaser requests postponement of delivery beyond the scheduled shipping date after the goods have become work in progress, or at the time when Global Contract is then about to make shipment, Global Contract may transfer the goods to storage for Purchaser's account and at Purchaser's risk and expense. Such transfer to storage shall be deemed delivered to Purchaser for all purposes, including invoicing and payment.

## Claims

All goods are sold F.O.B. plant. Global Contract is not responsible for damage which occurs in transit or in storage. The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage. Any claims made against Global Contract for apparent defects, errors or shortages must be made by the purchaser in writing within 15 working days after any delivery. Failure by the Purchaser to do so shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

## Installation

Global Contract requires the use of a certified installer when installing Global Contracts' products and systems so as to avoid any installation misrepresentations and/or unnecessary delivery and installation claims.

## Returns

No returns of goods will be accepted without written consent and shipping instruction of Global Contract. A restocking charge of 35% based on list pricing is made on all authorized returns for credit or refund, provided goods are received by Global Contract in the condition in which they left the factory. This may increase depending on the type of product. No credit will be given if goods cannot be reused. Global's Return Goods Authorization (RGA) numbers must appear prominently on all authorized returns. Special order items are in no event subject to return. All returns must be approved and authorized in writing by Global Contract Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

## Tolerances

All dimensions must be limited by a specified tolerance. When not specified it is understood that Global Contract's normal tolerances and standards shall apply. When purchaser has submitted his own plans and/or specifications, Global Contract will not be responsible for the design and fitting of parts. The conforming of Global Contract products to the specified tolerance is sufficient evidence as to the correctness of the product. Standards of finish, quality and appearance shall, unless specified in writing, be the normal standards of Global Contract.

## Copyright

All catalogues, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

## Trademark

Most series names are Global Contract's trademarks.

## Design

Many of the products produced by Global Contract are protected by Design Registrations, Design Patents and/or Patents. Designs and specifications are subject to change, discontinuance or additions without notice.

## Offer of Sale

Possession of this price list or any other literature shall not imply Global Contract's willingness to sell the holder and shall not be construed as a direct offer of sale. If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global Contract or by any other source on behalf of Global Contract; and (ii) Global-Contract's current printed price lists, then the most current shall prevail.

## Testing Qualifications

Many Global products pass or exceed the most stringent industry testing standards.

This list price book is effective as of June, 2016.

For periodic updates, please check the PDF at [www.globalcontract.com](http://www.globalcontract.com). After login, select Resources then Price Lists. From here you will have the option to select any of our price lists. Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of

the product, to the original Purchaser.

## WARNING - SEATING PRODUCTS

### TO PREVENT PRODUCT FAILURE AND POSSIBLE INJURY:

Ensure that the appropriate selection is made for the intended use of the chair including user's weight. Some chairs are not recommended for users above a certain weight. Frequently inspect the chair for visible cracks and tighten all screws, bolts and adjustable knobs. If the chair is damaged or unstable, immediately remove it from service.

## Casters

The list price book specifies the caster which comes standard with each chair model. Most chairs are equipped with hard casters which are best used on carpeted surfaces. If it is intended to use the product on hard surfaces such as ceramics, concrete, linoleum or hardwood, it is recommended to use different casters. It is the responsibility of the customer to determine the standard caster for a particular product and whether such caster is appropriate for the given application.

Any information or suggestions concerning applications, specifications or compliances with codes and standards is provided solely for your convenient reference and without any representation as to accuracy or suitability. Global disclaims any legal responsibility. The user must verify and test the suitability of any information or products for his specific application. Global reserves the right to change the Terms and Conditions in the list price book without notice.



# LIFETIME WARRANTY

## LIFETIME WARRANTY

Global Contract warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global Contract will repair or replace, at Global Contract's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after June 1, 2016.

This Lifetime Warranty is NOT applicable to customers who use Global Contract products for rental purposes, product installed by non-certified installer and is effective only for products, parts or components manufactured after August 1, 1998.

### General Commercial Seating

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global Contract branded and textile program cards), mesh material and electrical devices, are warranted for five (5) years
- Control mechanisms are warranted for twelve (12) years

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 lbs.

### Textiles

Global Contract warrants Global Contract branded textiles and Global Contract carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer's Own Material) or GPM (Global Contract Purchased Material) that are customer specified materials, or graded-in and purchased by Global Contract for a customer. For GPM or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at [www.globalcontract.com](http://www.globalcontract.com) for detailed information on cleaning and care instructions. Improper usage of disinfecting/cleaning products may void the warranty.

### Seating Warranty Summary

Seating Type - General Commercial Seating  
Components Warranty For Original Purchaser - lifetime

Use Time For Warranty Coverage - 8 hours/5 days per week

#### Exceptions

Foam/textiles/mesh/electrical devices - 5 years  
control mechanisms - 10 years

### Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global Contract warrants all components of metal storage and filing, laminate and wood veneer surfaces, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product

to the original Purchaser.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms and task lights - five (5) years
- motorized electrical components - two (2) years
- Folding tables - one (1) year

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

### Product Type

Metal Storage & Filing - Lifetime Warranty  
No exceptions.

Laminate/Wood Veneer Surfaces and Modular Furniture - Lifetime Warranty  
Exceptions: tackboard textiles, electrical devices, task lights - 5 years

Boardroom, Conference and Training Tables - Lifetime Warranty  
Exceptions: electrical devices - 5 years

Panels - Lifetime Warranty  
Exceptions: panel textiles, electrical devices, task lights - 5 years

Folding Tables - 1 Year Warranty

Global's warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global Contract's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colours, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colour fastness or the matching of colour of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Products installed by a non-certified installer
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and care instructions posted on [www.globalcontract.com](http://www.globalcontract.com)

Global Contract's warranty does not cover the costs of transportation or labour. Repair or replacement will be at Global Contract's discretion.

### Non-obsolescence Policy

All Global Contract products are designed and manufactured to withstand repeated service, repair and handling, and carry a lifetime warranty. Global Contract's goal is to ensure that products can be refurbished, disassembled or upgraded as required. In addition, standardization of many parts and components facilitate ease of maintenance, servicing, assembly, and reconfiguration or reassembly. Global Contract will provide Purchaser with product(s) of comparable function for a term equal to the warranty period. Fabrics and finishes are updated periodically to meet the growing demand of the market. As a result, some fabrics and finishes may be discontinued before expiration of the warranty period.

Global Contract makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global Contract be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

# FINISHES

## PANEL FINISHES

<b>Panel Frame/Raceway/Hardware</b>		<b>Acrylic Glazing</b>	
Black	BLK	Clear	CLR
Blizzard	BZD	Smoke	SMK
Charcoal	CHR	Frosted	FRS
Designer White	DWT		
Nevada	NEV	<b>Tempered Glass</b>	
Silver	SIL	Clear	CLR
Stonedust	SDT	Smoke	SMK
Taupe	TPE	Frosted	FRST
Tungsten	TUN		

## STORAGE AND WORKSURFACE FINISHES

<b>Metal Storage Colors - Panel Frame Matches</b>		<b>Worksurface PVC Edge Trim - Solids</b>		<b>Worksurface PVC Edge Trim - Wood Grain Matches</b>	
Black	BLK	Pearl Dust	PDE	Absolute Acajou	AAE
Blizzard	BZD*			Asian Night	ASE
Charcoal	CHR	<b>PVC Edge Finishes - Panel Frame Matches</b>		Avant Cherry	ACE
Designer White	DWT	Black	BLK	Avant Honey	AHE
Nevada	NEV	Blizzard	BZD	Clear Maple	CME
Silver	SIL	Charcoal	CHR	Dark Espresso	DEE
Stone Dust	SDT*	Designer White	DWE	Quartered Mahogany	QTM
Taupe	TPE	Nevada	NEV	River Cherry	RCE
Tungsten	TUN	Silver	SIL	Shaker Cherry	SKE
* Not available for radius or linear handles.		Stonedust	SDT	Tiger Maple	TGE
		Taupe	TPE	Tiger Walnut	TWE
		Tungsten	TUN	Walnut Heights	WHE
				White Chocolate	CBE

### Low Pressure Laminates (LP) Matching Panel Frame Colours

Black (Black)	159560LP
Blizzard (Blizzard)	BZDLP
Storm (Charcoal)	LPS565
True White (Designer White)	S645LP
String (Nevada)	S477LP
Custom Grey (Silver)	S548LP
Stonedust (Stonedust)	SDTLP
Hayden Grey (Taupe)	S427LP
Satin Stainless (Tungsten)	483007LP

### Low Pressure Laminates (LP) Solids and Patterns

Desert Zephyr	484160LP
Grey Matrix	MR61TLP
Loden Zephyr	484460LP
Misted Zephyr	484360LP
Pearl Bisque	D48507LP
Pearl Dust	D48807LP
Studio White Matrix	MR71TLP
Titanium	481060LP

### Low Pressure Laminates (LP) Wood Grain Laminates

Absolute Acajou	W150LP
Asian Night	794938LP
Avant Cherry	W357LP
Avant Honey	W356LP
Clear Maple	WM8340TLP
Dark Espresso	DESLP
Empire Mahogany	7122K07LP
Manitoba Maple	791160LP
River Cherry	793738LP
Shaker Cherry	7935K07LP
Tiger Maple	TMPLP
Tiger Walnut	TWLLP
Walnut Heights	796538LP
White Chocolate	L492LP

### High Pressure Laminates (HP) Matching Panel Frame Colours

Black (Black)	159560HP
Blizzard (Blizzard)	BZDHP
Storm (Charcoal)	HP565
Designer White (Designer White)	D35460HP
String (Nevada)	S652THP
Custom Grey (Silver)	S548HP
Stonedust (Stonedust)	SDTHP
Hayden Grey (Taupe)	HP427
Stain Stainless (Tungsten)	483007Hp

### High Pressure Laminates (HP) Solids and Patterns

Desert Zephyr	484160HP
Grey Matrix	MR61T
Loden Zephyr	484460HP
Misted Zephyr	484360HP
Pearl Bisque	D48507HP
Pearl Dust	D48807HP
Studio White Matrix	MR71T
Titanium	481060HP

### High Pressure Laminates (HP) Wood Grain Laminates

Absolute Acajou	W150HP
Asian Night	794938HP
Avant Cherry	W357HP
Avant Honey	W356HP
Clear Maple	WM8340THP
Dark Espresso	DESHP
Empire Mahogany	7122K07HP
Manitoba Maple	791160HP
River Cherry	793738HP
Shaker Cherry	7935K07HP
Tiger Maple	TMPHP
Tiger Walnut	TWLHP
Walnut Heights	796538HP
White Chocolate	T492HP

## SEATING FABRICS

Please choose from the Global Furniture Group seating fabrics, Quartz, or those marked “\*”. They are available for panel and seating.

- C.O.M Fabrics priced as Grade 3.

# FINISHES AND FABRIC

## WOOD VENEER FINISHES

Custom staining service is available, cost to match finish is \$415 net.

Walnut	
Walnut	WLW
Mahogany on Walnut	MHW
Empress Walnut	EWV
Cocoa Walnut	CAW
Latte Walnut	LTW
Natural Walnut	NLW
Umber Walnut	UBW
Dark Walnut	DWW

Cherry	
Red Cherry	RCW
Dark Cherry	DCW
Amber Cherry	ACW
Windsor Cherry	WCW
Almond Cherry	AMW
Vintage Cherry	VNW

## PANEL FABRICS GRADE 1

Anchorage	(R)	
Birch		AN40
Green Apple		AN41
Lapis		AN42
Straw		AN43
Wolf		AN44
Goose		AN45
Angora		AN46
Cumin		AN47
Asteroid		AN48
Geranium		AN49
Thistle		AN50
Graphite		AN51
Slate		AN52
Quarry Blue		AN53
Onyx		AN54
Pumpkin		AN55
Red Delicious		AN56
Sunshine		AN57
Magenta		AN58
Waterfall		AN59
Green Olive		AN60
Vanilla		AN61
Cobalt		AN62

Birdseye	(R)	
Outlook		BE21
Rock		BE22
Vista		BE23
Soar		BE24
Impression		BE25
Glide		BE26
Panorama		BE27
Storm		BE28
Flight		BE29

Chance	(R)	
Mist		CN51
Dill		CN52
Island		CN53
Plaza		CN54
Tranquil		CN55
Malt		CN56
Navajo		CN57
Prairie		CN58
Cinder		CN59
Oasis		CN66

Hatchet	(R)	
Baton		HA30
Brass		HA31
Scythe		HA32
Armament		HA33
Axe		HA34
Dirk		HA35
Smoke		HA36
Blackjack		HA37

Linea	(R)	
Queue		LN41
Cord		LN42
Twine		LN43
Thread		LN44
Contour		LN45
Silhouette		LN46
Cable		LN47
Route		LN48

Note:

(R) = Recycled Fabric

# FABRIC

## PANEL FABRICS GRADE 1 cont

<b>Pinpoint</b>	<b>(R)</b>		<b>Loopy</b>	<b>(R)</b>		<b>Tek</b>	<b>(R)</b>	
Bliss		PN11	Oyster		LP60	Finesse		TX60
Delight		PN12	Putty		LP61	Grain		TX61
Dune		PN13	Marble		LP62	Essence		TX62
Infusion		PN14	Hazelnut		LP63	Warp		TX64
Ebony		PN15	Latte		LP64	Mesh		TX67
Fresh		PN16	Bay		LP65	Form		TX69
Carrot		PN17	Wild Rice		LP66	Spice		TX71
Splash		PN18	Harbor		LP67	Glacier		TX72
Vibe		PN19				Spring		TX73
Gala		PN20				Harmony		TX74
			<b>Streak</b>	<b>(R)</b>		Smoke		TX75
<b>Melody</b>	<b>(R)</b>		Beach		SR81	Pebble		TX76
Spray		ME40	Shade		SR86			
Pond		ME41	Stretch		SR88			
Sand Bar		ME42	Sprint		SR89			
Silt		ME43	Roll		SR91	<b>Terrace</b>	<b>(R)</b>	
Pebble		ME44	Dart		SR92	Terrace is only 57" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.		
Lake		ME45	Zoom		SR93	Lotus		TC60
Gravel		ME46	Splash		SR94	Tigerlily		TC61
Boulder		ME47	Whiz		SR95	Shadow		TC62
			Flash		SR96	Cobble		TC63
						Cherry Blossom		TC64
						Bluebell		TC65
						Apple		TC66
						Haze		TC67
						Cerise		TC68
						Twilight		TC69
						Wintergreen		TC70
						Ironwork		TC71
						Pine Cone		TC72
						Flirt		TC73
						Echo		TC74
						Glacier		TC75

Note:

(R) = Recycled Fabric

## PANEL FABRICS GRADE 2

<b>Cyclone</b>			<b>Meander</b>			<b>Quadrille (not available on Diet)</b>	<b>(R)</b>	
Wrought Iron		IM36	(for Boulevard only)	<b>(R)</b>		Quadrille is only 54" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.		
Stove Pipe		IM37	Sandshell		MN71	Escapade		QU30
Stainless		IM40	Overcast		MN72	Shenanigan		QU31
Polished Pewter		IM41	Agate Taupe		MN73	Revelry		QU32
Welded Steel		IM43				Spring		QU33
Etched Bronze		IM44	<b>Punch Card (not available on Diet)</b>	<b>(R)</b>		Regalia		QU34
Fired Titanium		IM46	Punch Card is only 54" wide, it cannot fit on panels wider than 48", it may be railroaded, but will require special application and pricing.			Soiree		QU35
Chrome		IM49	Crisp		PU61	Zest		QU36
Dark Annealed		IM50	Orange		PU62	Gambol		QU37
Karat		IM54	Alabaster		PU63	Leisure		QU38
Red Metal		IM55	Crimson		PU64	Fair		QU39
Oxidized Bronze		IM56	Sky		PU65	Fiesta		QU40
Bright Ray		IM57	Putty		PU66	Carnival		QU41
Bismuth Crystal		IM58	Burgundy		PU67	Spree		QU42
Gallium Blue		IM59	Cadet		PU68	Opus		QU43
			Silver Lining		PU69	Jubilee		QU44
<b>Dashing</b>	<b>(R)</b>		Navy		PU70	Masquerade		QU45
Classic Silver		DS21	Carbon		PU71	Cabaret		QU46
Refined Marble		DS22	Peat		PU72			
Antique Sage		DS23	Abyss		PU73			
Polished Slate		DS24				<b>Universe</b>		
Gentle Beige		DS25				Milkyway		UV01
Bespoke Tan		DS26				Cream Brulee		UV02
Dapper Grey		DS27				Whitecap		UV03
Cement		CT67				Wheat		UV04
Mystic		CT68				Seneca		UV05
						Mica		UV06
						Cosmis		UV07
						Depth		UV08

Note:

(R) = Recycled Fabric

## PANEL FABRIC - GRADE OPT (FOR BOULEVARD ONLY)

Pact (not available on Diet) (for Boulevard only) (R)		Script (for Boulevard only) (R)	
Midnight	PA51	Almond	SC60
Sketch	PA52	Patina	SC61
Harbour	PA53	Sterling	SC62
Dove	PA54	Slate	SC63
Putty	PA55	Charcoal	SC64
Lime	PA56	Flint	SC65
Eureka	PA57	Taupe	SC66
Delft	PA58	Feldspar	SC67
Coastal	PA59	Pebble	SC68
Nectar	PA60	Shadow	SC69
Rubine	PA61		
Roma	PA62		

Note:

(R) = Recycled Fabric

# WOODGRAIN


## WOOD GRAIN (WG) LAMINATE DIRECTION




\* Panel general direction will default to vertical if monolithic panel and raceway panels are on same order.

### All Panels


\*With the exception of 66" panels or higher the grain direction will be vertical\*




**BPD**  
Doors.



**BWS**  
Worksurfaces.



**BWSC**  
Worksurfaces.




**BWK**  
Worksurfaces.




**BWCF**  
Corner Worksurfaces.




**BWCL**  
Corner Worksurfaces.



**BWCK**  
Corner Worksurfaces.



**BHFG**  
Full Gable.



**BWAC** Angled Corner  
Worksurfaces.



**BWCE**  
Extended Worksurfaces.




**BWCEC**  
Extended Worksurfaces.




**BWBT**  
Bow Tie Worksurfaces.



**BWR**  
Radius Worksurfaces.




**BWRTD**  
Teardrop Worksurfaces.




**BWSR**  
Curved Panel  
Worksurfaces.




**BWC**  
Extended "D"  
Worksurfaces.




**BWSL**  
Curvilinear  
Worksurfaces.



**BWD**  
Worksurfaces.




**BWP**  
Worksurfaces.



**BWT**  
Transaction  
Worksurfaces.



**BWTC**  
Corner Transaction  
Worksurfaces.




**BWTT**  
Transaction  
Worksurfaces.




**BWTAC**  
Transaction  
Worksurfaces.




**BWTR**  
Curved Transaction  
Worksurfaces




**BWTD "D"**  
Transaction  
Worksurfaces.




**BWTD "D"**  
Transaction  
Worksurfaces.




**BWTE**  
Ellipse Transaction  
Worksurfaces




**BWTP**  
Round Transaction  
Worksurfaces.



**BWCD**  
Round Tables.



**BWSQ**  
Square Tables.



**BK**  
Desking Worksurfaces.



# KEY ALIKE FORM

- \_ BAKA - Boulevard
- \_ LAKA - Licence
- \_ AAKA - GC ADA
- \_ DAKA - Descor
- \_ BRAKA - Bridges II

SO# \_\_\_\_\_

PO TAG# \_\_\_\_\_

DATE \_\_\_\_\_

KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #	SETS REQ'D	KEY #
401		431		461		491		521
402		432		462		492		522
403		433		463		493		523
404		434		464		494		524
405		435		465		495		525
406		436		466		496		526
407		437		467		497		527
408		438		468		498		528
409		439		469		499		529
410		440		470		500		530
411		441		471		501		531
412		442		472		502		532
413		443		473		503		533
414		444		474		504		534
415		445		475		505		535
416		446		476		506		536
417		447		477		507		537
418		448		478		508		538
419		449		479		509		539
420		450		480		510		540
421		451		481		511		541
422		452		482		512		542
423		453		483		513		543
424		454		484		514		544
425		455		485		515		545
426		456		486		516		546
427		457		487		517		547
428		458		488		518		548
429		459		489		519		549
430		460		490		520		550

**NOTE:** If Key Alike Instructions are not submitted to GLOBAL CONTRACT with the Customer's Purchase Order, **all components will be keyed randomly.**

# CONFIGURATIONS

## INTRODUCTION

On the following pages, we selected a grouping of Boulevard 1, System 3 and Diet configurations, some with electrical components and task lights, to give you a better understanding of our product's specifications as they relate to workstations. Our objective is to not only illustrate applications using panels and components, but also to have this serve as a pricing exercrise.

All of the value-added benefits of the Boulevard 1 are standard as follows:

- Desk height power and data capabilities.
- Finished panel including top, corner and end caps.
- Sectional panel with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

All of the value-added benefits of the Boulevard System 3 are standard as follows:

- Base power and data capabilities.
- Finished panel including top and corner.
- Monolithic or Pass-Thru panels with multiple fabric options.

- Ease of installation and reconfiguration.
- Removable fabric tiles in Pass-Thru Panels for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.



All of the value-added benefits of the Diet System are standard as follows:

- Finished panel including top, corner and end caps.
- Sectional panels with multiple fabric options.
- Ease of installation and reconfigurations.
- Removable fabric for on-site refurbishing.
- Exceptional storage capacity in pedestals, overheads, lateral files, storage cabinets and towers.
- Simplified specifications.

When specifying Boulevard 1, Boulevard System 3 or Diet, you benefit from the ability to:

- Customize the energy management.
- Minimize the number of necessary parts.
- Offer a competitive list price.



## SAMPLE #1 Boulevard 1 • 4 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPRA5036	Acoustic Raceway Panel, 50"h. x 36" w.	541	2164
8	BPRA6636	Acoustic Raceway Panel, 66"h. x 36" w.	617	4936
2	BHP066	90 Degree Post, 66"h	127	254
2	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	629	1258
2	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	629	1258
2	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	418
2	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	418
8	BHC18	Cantilever, 17"d.	59	472
2	BHBC02	Corner End Brackets, set	19	38
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	541	2164
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24"d.	525	2100
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d.	529	4232
4	BLUC24	Under Storage Task Light, 24" w	154	616
SUBTOTAL PRICING (WITHOUT ELECTRICAL)				\$20,328
1	BEPE81	Post Extension, 81"h.	111	111
1	BE8CF1201	Ceiling Feed, Single	237	237
4	BE81D36	Power Distribution Housing	134	536
2	BE8D1	Duplex Receptacle, Circuit #1	24	48
2	BE8D2	Duplex Receptacle, Circuit #2	24	48
2	BE8D3	Duplex Receptacle, Circuit #3	24	47
2	BE8DA	Duplex Receptacle, Circuit #A (isolated)	24	47
2	BE8JC16	Power Distribution Harness, Male/Male, 24.5"w.	100	200
1	BE8JC20	Jumper Cable	105	105
TOTAL PRICING (ALL INCLUSIVE)				\$21,707



# CONFIGURATIONS

## SAMPLE #2 Boulevard 1 • Teaming



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	BPRA4236	Acoustic Raceway Panel, 42"h. x 36"w.	481	481
1	BPRA5036	Acoustic Raceway Panel, 50"h. x 36"w.	541	541
4	BPRA6636	Acoustic Raceway Panel, 66"h. x 36"w.	617	2468
2	BPRG5042	Partly Glazed Raceway Panel, 50"h. x 42"w.	725	1450
3	BHP066	90 Degree Post, 66"h.	127	381
1	BWCEC367224SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	629	629
1	BWCEC723624SCPHP	Extended Curved Corner Worksurface with Scoops, 72"l. x 36"d.	629	629
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	209
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	209
1	BWR24HP	Radius Worksurface, 24"d.	480	480
1	BWTD1536HP	Transaction "D" Worksurface, 36"w.	146	146
4	BHC18	Cantilever, 17"d.	59	236
2	BHC24	Cantilever, 23"d.	59	118
1	BHBC02	Corner End Brackets, set	17	17
2	BHBT02	Transaction Brackets, set	23	46
2	BSOL1536	Radius LowProfile Shelf, 36"w.	159	318
2	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	541	1082
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$9,440</b>


## SAMPLE #3 Boulevard 1 • Manager



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPRA4236	Acoustic Raceway Panel, 42"h. x 36"w.	481	962
2	BPRA5054	Acoustic Raceway Panel, 50"h. x 54"w.	667	1334
2	BPRA6624	Acoustic Raceway Panel, 66"h. x 24"w.	526	1052
1	BPRA6660	Acoustic Raceway Panel, 66"h. x 60"w.	798	798
2	BPOG1636	Glazed Oval Panel, 16"h. x 36"w.	220	440
2	BPOG1654	Glazed Over Panel, 16"h. x 54"w.	296	592
2	BHP066	90 Degree Post, 66"h.	127	254
2	BVTE58	Vertical End PVC Trim, 58"h.	29	58
4	BVTE66	Vertical End PVC Trim, 66"h.	32	128
2	BVTS08	Vertical Step Down PVC Trim, 8"h.	6	12
1	BWS2454SCPHP	Rectangular Worksurface, 24"d. x 54"w.	283	283
1	BWS2460SCPHP	Rectangular Worksurface, 24"d. x 60"w.	317	317
1	BWSL3672LHP	Curvilinear Island Top, 36" x 72", Left	967	967
2	BHC24	Cantilever, 23"d.	59	118
1	BHBC02	Corner End Brackets, set	17	17
1	BRT52FL	Radius Tower, Five High, 2 File Drawers, Left	2150	2150
1	BPBBF24	Radius Worksurface Support Pedestal, Box, Box, File,	492	492
1	BSKD1560	Radius Flipper Door Unit, Field Assembled, 15"d. x 60"w.	681	681
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$10,655</b>

# CONFIGURATIONS



## SAMPLE #6 Boulevard System 3 • 4 POD Pass-Thru



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPX3MA5036	Monolithic Acoustical Panel, 50"h. x 36"w.	438	1752
4	BPX3MA6636	Monolithic Acoustical Panel, 66"h. x 36"w.	501	2004
3	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	417	1251
1	BPX3PV6636	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 66"h. x 36"w.	446	446
4	BPX3NET1636	Removable Electrical Tile, 36"w.	162	648
12	BP3FT1636	Removable Fabric Tile, 36"w.	93	1116
2	BH3PS066	90 Degree Corner Post, 66"h.	112	224
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	73	292
2	BA3VTR66	Vertical Aluminum End Trim, 66"h.	96	192
4	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	29	116
4	BWCC3618SCPHP	Five Sided Corner Worksurface with Curved Front Edge	338	1352
4	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	197	788
4	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	197	788
8	BHC18	Cantilever, 17"d.	59	472
2	BHBC02	Corner End Brackets, set	17	34
4	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	541	2164
4	BS1224FFL	Linear Worksurface Support Pedestal, File, File, 24"d.	525	2100
8	BSKD1536	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d.	529	4232
<b>SUBTOTAL PRICING (WITHOUT ELECTRICAL)</b>				<b>\$19,971</b>
1	BE83BFR72	Single Base Feed	342	342
8	BE83D36	Double Junction Box Power Distribution Housing - Base Raceway	154	1232
4	BE8D1	Duplex Receptacle, Circuit #1	24	96
4	BE8DA	Duplex Receptacle, Circuit #A (isolated)	24	96
2	BE8JC16	Jumper Cable	100	200
1	BE8JC20	Jumper Cable	105	105
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$22,042</b>



# CONFIGURATIONS

## SAMPLE #7 Boulevard System 3 • Supervisor



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPX3MA3442	Monolithic Acoustical Panel, 34"h. x 42"w.	347	694
4	BPX3MA5042	Monolithic Acoustical Panel, 50"h. x 42"w.	493	1972
2	BH3PS050	90 Degree Corner Post, 50"h.	91	182
2	BA3VTR34	Vertical Aluminum End Trim, 34"h.	55	110
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	73	292
2	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	29	58
1	BWCC4224SCPHP	Curved Corner Worksurface	504	504
1	BWC60244242SCPRHP	"D" Extended Worksurface	842	842
1	BWS2442SCPHP	Rectangular Worksurface, 24"d. x 42"w.	201	201
2	BHC24	Cantilever, 23"d.	59	118
1	BHBC02	Corner End Brackets, set	17	17
1	BS1224BBFL	Linear Worksurface Support Pedestal, Box, Box, File, 24"d.	541	541
1	BSKDC1542	Radius Upmount Flipper Door Overhead, Field Installed, 42"w. x 15"d.	1269	1269
1	BLUC24	Task Light, 24"w.	154	154
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$6,954</b>



## SAMPLE #8 Boulevard System 3 • Supervisor



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	BPX3PT5030	Pass-Thru Panel - Fabric Base, 50"h. x 30"w.	310	310
2	BPX3PT6618	Pass-Thru Panel - Fabric Base, 66"h. x 18"w.	309	618
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	417	834
1	BPX3PV5042	Pass-Thru Panel - Fabric Base, with Vertical Wire Channel, 50"h. x 42"w.	400	400
2	BP3AT1636	Removable Accessory Tile, 36"w.	116	232
8	BP3FT1618	Removable Fabric Tile, 18"w.	67	536
6	BP3FT1636	Removable Fabric Tile, 36"w.	93	558
1	BP3FT1642	Removable Fabric Tile, 42"w.	100	100
1	BP3GT1630	Removable Glazed Tile, 30"w.	93	93
2	BH3PS066	90 Degree Corner Post, Boulevard System 3	112	224
1	BA3VTR50	Vertical Aluminum End Trim	73	73
5	BA3VTR66	Vertical Aluminum End Trim	96	480
1	BA3VTS16	Vertical Aluminum Step Trim	29	29
1	BWD3072HP	"D" Worksurface, 30"d. x 72"w.	619	619
1	BWS1872SCPHP	Rectangular Worksurface, 18"d. x 72"w.	342	342
1	BWS2442SCPHP	Rectangular Worksurface, 24"d. x 42"w.	201	201
1	BHC18	Cantilever, 17"d.	59	59
2	BHC24	Cantilever, 23"d.	59	118
2	BHBC02	Corner End Brackets, set	17	34
1	BS1230DPLL	Linear Double Wide Pedestal, 30"w, Left	1293	1293
2	BSKD1536	Radius Overhead Flipper Door Unit, Field Assembled, 36"w.	159	318
2	BLUC24	Under Storage Task Light, 24"w.	154	308
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$7,779</b>



# CONFIGURATIONS

## SAMPLE #9 Boulevard Svstem 3 • 2 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BPX3MA3436	Monolithic Acoustical Panel, 34"h. x 36"w.	321	642
1	BPX3PT5024	Pass-Thru Panel - Fabric Base, 50"h. x 24"w.	280	280
4	BPX3PT5036	Pass-Thru Panel - Fabric Base, 50"h. x 36"w.	339	1356
2	BPX3PT6636	Pass-Thru Panel - Fabric Base, 66"h. x 36"w.	417	834
2	BP3GT1636	Removable Glazed Tile, 36"w.	114	228
2	BP3FT1624	Removable Fabric Tile, 24"w.	72	144
10	BP3FT1636	Removable Fabric Tile, 36"w.	93	930
2	BP3AT1636	Accessory Tile, 36"w.	116	232
1	BH3PS034	90 Degree Corner Post, 34"h.	52	52
1	BH3PS050	90 Degree Corner Post, 50"h.	91	91
1	BH3PS066	90 Degree Corner Post, 66"h.	112	112
3	BA3VTR34	Vertical Aluminum End Trim, 34"h.	55	165
4	BA3VTR50	Vertical Aluminum End Trim, 50"h.	73	292
1	BA3VTR66	Vertical Aluminum End Trim, 66"h.	96	96
4	BA3VTS16	Vertical Aluminum Step Trim, 16"h.	29	116
1	BWCEC367224SCPHP	Extended Corner Worksurface, 36"d. x 72"w.	629	629
1	BWCEC723624SCPHP	Extended Corner Worksurface, 36"d. x 72"w.	629	629
1	BWSC182436SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	209
1	BWSC241836SCPHP	Curvilinear Front Edge Worksurface with Scoops, 36"l. x 24"d.	209	209
4	BHC18	Cantilever, 17"d.	59	236
3	BHBC02	Corner End Brackets, set	17	51
2	L2PBBF24	Licence Worksurface Support Pedestal, Box, Box, File, 24"d.	897	1794
2	BSKD1536GD	Radius Flipper Door Overhead, Field Installed, 36"w. x 15"d, Glazed Door	1485	2970
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$12,297</b>

## SAMPLE #10 Diet • Single





QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
1	DPOF4230	Open Bottom and Fabric Top Diet Panel, 42"h. x 30"w.	194	194
1	DPOF4236	Open Bottom and Fabric Top Diet Panel, 42"h. x 36"w.	223	223
1	DPFF4224	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 24"w.	278	278
1	DPFF4260	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 60"w.	376	376
1	DPCBM60	Diet Panel Cable Manager, 60"w.	27	27
1	DWS2436SCPHP	Rectangular Worksurface, 24"d. x 36"w. (includes brackets)	154	154
1	DWS2466SCPHP	Rectangular Worksurface, 24"d. x 66"w. (includes brackets)	333	333
1	BHBF01	Flat Bracket	14	14
1	DHOMC	Diet Off-Module Cantilever	80	80
1	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24"d.	492	492
1	DHPEDB	Pedestal Bracket Kit	25	25
1	DSADA60PM	Panel Mounted Overhead, 60"w.	808	808
1	GAKS1818	CRT Corner Plate	105	105
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$3,109</b>





# CONFIGURATIONS

## SAMPLE #11 Diet • 4 POD



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	DPFF5436	Fabric Bottom and Fabric Top Diet Panel, 54"h. x 36"w.	383	766
2	DPFF5448	Fabric Bottom and Fabric Top Diet Panel, 54"h. x 48"w.	422	844
2	DPFSF5436	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54"h. x 36"w.	482	964
2	DPFSF5448	Fabric Bottom, Slat Middle and Fabric Top Diet Panel, 54"h. x 36"w.	566	1132
2	DPCBM36	Diet Panel Cable Manager, 36"w.	18	36
2	DPCBM48	Diet Panel Cable Manager, 48"w.	23	46
4	DWS2436SCPHP	Rectangular Worksurface, 24"d. x 36"w. (includes brackets)	154	616
4	DWS2448SCPHP	Rectangular Worksurface, 24"d. x 48"w. (includes brackets)	242	968
4	DWS2460SCPHP	Rectangular Worksurface, 24"d. x 60"w. (includes brackets)	317	1268
16	BHBF01	Flat Bracket	9	144
4	DHLEG	Diet Gable Leg	151	604
8	DHOMC	Diet Off-Modular Cantilever	80	640
4	BPBBF24	Radius Worksurface Supporting Pedestal, Box/Box/File, 24"d.	492	1968
4	DHPEDB	Pedestal Bracket Kit	25	100
4	GAACK1818	CRT Corner Plate	105	420
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$10,516</b>


## SAMPLE #12 Diet • Call Center



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
3	DPOF5442	Open Bottom and Fabric Top Diet Panel, 54"h. x 42"w.	306	918
4	DPFRF5448	Fabric Bottom, Fabric Top Diet Panel with Additional Rail	446	1784
6	DPOFM	Diet Off Module Panel Connector	32	192
8	DWS2448SCPHP	Rectangular Diet Worksurface, 24"d. x 48"w. (includes brackets)	242	1936
4	DHLEG	Diet Gable Leg	151	604
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$5,434</b>


# CONFIGURATIONS

## SAMPLE #13 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
3	BPRA5060	Acoustical Raceway Panel, 50"h. x 60"w, Boulevard 1	713	2139
4	DPFF4236	Fabric Bottom and Fabric Top Diet Panel. 42"h. x 36"w.	311	1244
4	DPOF4236	Open Bottom and Fabric Top Diet Panel. 42"h. x 36"w.	223	892
1	BHP050	90 Degree Post. 50" h. Boulevard 1	107	107
4	BDB1P4250X	Boulevard/Diet "X" Post Connector, 50" Boulevard, 42" Diet	107	428
4	BAVTE50	Aluminum End Trim. 50" h. Boulevard 1	77	308
6	BWBT3660SCPHP	Bow Tie Worksurface, 36"d. x 60"w.	549	3294
24	DHBRKT	Diet Worksurface Bracket	4	96
<b>SUBTOTAL PRICING (WITHOUT ELECTRICAL)</b>				<b>\$8,508</b>
1	BE81BF721	Single Base Feed	275	275
3	BE8U2D60	Double Junction Box	182	546
6	BE8D1	Duplex Receptacle, Circuit #1	24	144
6	BE8DA	Duplex Receptacle, Circuit #4 (isolated)	24	144
2	BE8CP40HH	Power Distribution Harness, Male/Male, 54.5"w.	125	250
6	RCW60D	PVC Raceway Cover, Right, for Facemount Application	43	258
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$10,125</b>



## SAMPLE #14 Combination of Boulevard 1 and Diet



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BPRA6636	Acoustical Raceway Panel, 66"h. x 36"w, Boulevard 1	617	2468
2	DPFF4260	Fabric Bottom and Fabric Top Diet Panel, 42"h. x 60"w.	376	752
2	BDB1P4266T	Diet/Boulevard 1 Thin Post "X" Connector, 42" Diet, 66" Boulevard 1	127	254
2	BVTE66	PVC Vertical End Trim. 66"h.	32	64
2	BWS2472SCPHP	Rectangular Worksurfaces, 24"d. x 72"w.	346	692
2	DWS2436SCPHP	Diet Rectangular Worksurfaces, 24"d. x 36"w.	154	308
2	DHOMC	Diet Off Module Cantilever	80	160
1	BHBC02	Corner End Bracket, set	19	19
2	BHBF01	Flat Bracket	9	18
1	BHCL2924	"C" Leg, 29"h. x 24"d.	183	183
2	BHC24	Cantilever, 23"d.	59	118
2	BS1224BBFC	Worksurface Supporting Budget Pedestal, Box/Box/File, 24"d.	492	984
2	DHPEDB	Diet Pedestal Bracket	25	50
2	BSOF1236	KD Overhead Storage, Flipper Door, 36"w.	380	760
2	BSOL1236	KD Low Profile Shelf, 36"w.	103	206
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$7,036</b>

# CONFIGURATIONS



## SAMPLE #15 Boulevard System3 • 4 Pod



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
8	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	73	584
3	BH3PS050	90 Degree Post	91	273
8	BHBC02	Corner End Bracket - set	19	152
4	BHC24	Cantilever	59	236
6	BP3GT1630	Removable Face Tile - Glazed	93	558
8	BPX3MA5042	Monolithic Acoustical Panel	493	3944
6	BPX3PT5030	Pass-Thru Panel - Fabric Base	310	1860
4	BS1223BFMC	12" Series BF Pedestal Mobile	582	2328
4	BS1230X1SND	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	754	3016
4	BS1242X1SND	One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet	879	3516
4	BSADA42PM	Panel Mounted Overhead Storage Unit - ADA Compliant	821	3284
4	BSTCP1523 (GR3)	Pedestal Seat Cushion	297	1188
2	BWCD30HP	Round Table	380	760
4	BWS3084SCPHP	Straight Rectangular Worksurface	428	1712
8	00464HBGP	Panel Mounting Bracket	4	32
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$23,443</b>

# CONFIGURATIONS



## SAMPLE #16 Boulevard System 3 • Manager



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF66	Vertical Aluminum Flat End Trim for Regular Panels	96	576
2	BABB01	Binder Bin	72	144
1	BAMB01	Media Bin	63	63
1	BAPP01	Mail Box	69	69
3	BASS01R	Slant Sorter	46	138
1	BATH01	Telephone Holder	101	101
2	BH3PS066	90 Degree Post	112	224
1	BHBC02	Corner End Bracket - set	19	19
1	BHC18	Cantilever	59	59
2	BHC24	Cantilever	59	118
1	BP3AT1630	Removable Face Tile - Accessory	96	96
2	BP3AT1636	Removable Face Tile - Accessory	116	232
8	BP3FT1624	Removable Face Tile - Fabric	72	576
3	BP3FT1630	Removable Face Tile - Fabric	77	231
14	BP3FT1636	Removable Face Tile - Fabric	93	1302
1	BPX3PT6624	Pass-Thru Panel - Fabric Base	343	343
1	BPX3PT6630	Pass-Thru Panel - Fabric Base	380	380
4	BPX3PT6636	Pass-Thru Panel - Fabric Base	417	1668
1	BS1230X1SND	One 1/2 Height Open Shelf & One 12". Open Shelf Lateral Cabinet	754	754
1	BS1236X1HFC	One 1/2 Height Fixed Front & One 12". Fixed Front Lateral File	1005	1005
1	BS1236X1SND	One 1/2 Height Open Shelf & One 12". Open Shelf Lateral Cabinet	821	821
1	BS12T662B1FLC	12" Series BBF Storage Tower 65 7/8" High	2262	2262
1	BWS2472NFLHP	Rectangular Worksurface without Flex Lip or Scoops	347	347
1	BWS3672NFLHP	Rectangular Worksurface without Flex Lip or Scoops	725	725
1	LHC58	Hat Channel for Conference Tables	79	79
1	BPX3PT6624	Pass-Thru Panel - Fabric Base, No Punch Outs	343	343
2	LLSQ3X3H28	28" Square Leg	251	502
2	LLSQ3X3H6.25	8" Spacer Leg	91	182
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$13,359</b>

# CONFIGURATIONS



## SAMPLE #17 Boulevard System 3 • Reception



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF34	Vertical Aluminum Flat End Trim for Regular Panels	55	330
6	BA3VTRF66	Vertical Aluminum Flat End Trim for Regular Panels	55	330
2	BA3VTSF08	Vertical Aluminum Flat End Trim, Standard Step Down	19	38
2	BH3PS034	90 Degree Post	52	104
2	BH3PS066	90 Degree Post	112	224
1	BHBC02	Corner End Bracket - set	19	19
2	BHBF01	Flat Bracket, Black only	9	18
2	BHBT02	Transaction Bracket - set	23	46
2	BHC18	Cantilever	59	118
2	BHC24	Cantilever	59	118
8	BP3FT1618	Removable Face Tile - Fabric	67	536
16	BP3FT1630	Removable Face Tile - Fabric	77	1232
1	BP3GT0860	Removable Face Tile - Glazed	192	192
4	BPX3MA3430	Monolithic Acoustical Panel	294	1176
2	BPX3MA3436	Monolithic Acoustical Panel	321	642
1	BPX3PT4260	Pass-Thru Panel - Fabric Base	459	459
2	BPX3PT6618	Pass-Thru Panel - Fabric Base	309	618
4	BPX3PT6630	Pass-Thru Panel - Fabric Base	380	1520
2	BS123022FWSC	12" Opening Lat File Fixed Front Drawers 2 High - Overall Hight 27.75" WS Supporting	967	1934
2	BS12305SC	12" Series 5 High Storage Cabinet With Hinged Door	1412	2824
1	BS1230BBFC	12" Series BBF Pedestal Worksurface Supporting	542	542
1	BS1230FFC	12" Series FF Pedestal Worksurface Supporting	542	542
1	BWS1860NFLHP	Rectangular Worksurface without Flex Lip or Scoops	304	304
1	BWS3060SCPHP	Straight Rectangular Worksurface	333	333
2	BWS3066SCPHP	Straight Rectangular Worksurface	344	688
1	BWT1560HP	Transaction Worksurface	189	189
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$15,076</b>

# CONFIGURATIONS



## SAMPLE #18 Boulevard System 3 Call Centre



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BRTHLEG24LL	Panel Gable Rectangular Leg	301	602
2	BRTHLEG24RL	Panel Gable Rectangular Leg	301	602
2	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	63	126
2	BHC18	Cantilever	59	118
2	BPX3GMA4236	Monolithic Acoustical Panel with Embedded Glass	890	1780
2	BS1223BFMC	12" Series BF Pedestal Mobile	582	1164
2	BSTCP1523 (GR3)	Pedestal Seat Cushion	297	594
2	BWS2472SCPHP	Straight Rectangular Worksurface	347	694
2	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	569	1138
TOTAL PRICING				\$6,818
1	BE83BFR72	Raceway Entry Base Feed for System 3 only	342	342
1	BE83D36	Power Distribution Housing - Base Raceway (System 3)	154	154
1	BE8CP36HJ	Housing-to-Jumper Pass-Thru Cable	108	108
2	BE8D1	Duplex Receptacle - Circuit #1	24	48
2	BE8DA	Duplex Receptacle - Circuit A, Isolated	24	48
TOTAL PRICING (ALL INCLUSIVE)				\$7,518

# CONFIGURATIONS

## SAMPLE #19 Boulevard System 3 • 4 Pod Embedded Glass





QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
6	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	63	378
2	BH3PS042	90 Degree Post	81	162
1	BHBC02	Corner End Bracket - set	19	19
14	BHBF01	Flat Bracket, Black only	9	126
4	BHC18	Cantilever	59	236
8	BHC24	Cantilever	59	472
2	BHLEG	Gable Leg	145	290
8	BPX3GMA4236	Monolithic Acoustical Panel with Embedded Glass	890	7120
2	BPX3GPT4242	Pass-Thru Panel with Embedded Glass - Fabric Base	937	1874
8	BPX3NET0842	Removable Face Tile - Electrical	168	1344
2	BPX3PT4242	Pass-Thru Panel - Fabric Base	369	738
4	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	492	1968
4	BSADA42UM	Up-Mount Overhead Storage Unit - ADA Compliant	1073	4292
4	BWS2460SCPHP	Straight Rectangular Worksurface	317	1268
4	BWS2472SCPHP	Straight Rectangular Worksurface	347	1388
TOTAL PRICING				\$21,675
1	BE8CF1201	Ceiling Feed - Single	237	237
4	BE8D1	Duplex Receptacle - Circuit #1	24	96
4	BE8D2	Duplex Receptacle - Circuit #2	24	96
4	BE8D3	Duplex Receptacle - Circuit #3	24	96
4	BE8DA	Duplex Receptacle - Circuit A, Isolated	24	96
3	BE8JC16	Jumper Cable	100	300
4	BE8U3FM42	Power Distribution Housing - Face Mount Desk Height (System 3 only)	163	652
1	BEPE81	Post Extension	111	111
TOTAL PRICING (ALL INCLUSIVE)				\$23,359



# CONFIGURATIONS



**SAMPLE #20 Boulevard System 3 • Call Center Embedded Glass**



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
8	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	63	504
3	BH3PS042	90 Degree Post	81	243
4	BHBC02	Corner End Bracket - set	19	76
6	BPX3GMA4224	Monolithic Acoustical Panel with Embedded Glass	802	4812
2	BPX3GMA4260	Monolithic Acoustical Panel with Embedded Glass	1137	2274
4	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	492	1968
4	BWS2460SCPHP	Straight Rectangular Worksurface	317	1268
TOTAL PRICING (ALL INCLUSIVE)				\$11,145

# CONFIGURATIONS



## SAMPLE #21 Boulevard System 3 • 2 Pod



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
4	BA3VTRF34	Vertical Aluminum Flat End Trim for Regular Panels	55	220
6	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	73	438
4	BA3VTSF16	Vertical Aluminum Flat End Trim, Standard Step Down	29	116
4	BH3PS050	90 Degree Post	91	364
1	BHBC02	Corner End Bracket – set	19	19
2	BHC18	Cantilever	59	118
4	BHC24	Cantilever	59	236
1	BP3GT1624	Removable Face Tile – Glazed	74	74
4	BP3GT1636	Removable Face Tile – Glazed	114	456
1	BP3GT1660	Removable Face Tile – Glazed	192	192
4	BPX3MA3430	Monolithic Acoustical Panel	294	1176
1	BPX3PT5024	Pass-Thru Panel – Fabric Base	280	280
4	BPX3PT5036	Pass-Thru Panel – Fabric Base	339	1356
1	BPX3PT5060	Pass-Thru Panel – Fabric Base	459	459
2	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	492	984
2	BWS2460SCPHP	Straight Rectangular Worksurface	317	634
2	BWS2472SCPHP	Straight Rectangular Worksurface	347	694
2	GAKS1818	CRT Corner Plate	105	210
2	GAKSP0103	GAKSM01 & GATM03	545	1090
2	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	569	1138
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$10,254</b>

# CONFIGURATIONS

## SAMPLE #22 Boulevard System 3 • Single



QUANTITY	CODE	DESCRIPTION	US PRICE LIST	US TOTAL LIST
2	BA3VTRF42	Vertical Aluminum Flat End Trim for Regular Panels	63	126
4	BA3VTRF50	Vertical Aluminum Flat End Trim for Regular Panels	73	292
2	BA3VTSF08	Vertical Aluminum Flat End Trim, Standard Step Down	19	38
1	BALT01	Letter Tray	51	51
1	BAMB01	Media Bin	63	63
2	BASS01R	Slant Sorter	46	92
2	BH3PS050	90 Degree Post	91	182
1	BHBC02	Corner End Bracket - set	19	19
1	BHC18	Cantilever	59	59
1	BHC24	Cantilever	59	59
1	BHLEG	Gable Leg	145	145
1	BP3AT1636	Removable Face Tile - Accessory	116	116
1	BP3FT1636	Removable Face Tile - Fabric	93	93
1	BP3GT1636	Removable Face Tile - Glazed	114	114
2	BPX3MA4248	Monolithic Acoustical Panel	401	802
2	BPX3MA5024	Monolithic Acoustical Panel	368	736
2	BPX3PT5036	Pass-Thru Panel - Fabric Base	339	678
1	BS1224BBFC	12" Series BBF Pedestal Worksurface Supporting	492	492
1	BSADA36UM	Up-Mount Overhead Storage Unit - ADA Compliant	1019	1019
1	BWS2448SCPHP	Straight Rectangular Worksurface	242	242
1	BWS2472SCPHP	Straight Rectangular Worksurface	347	347
1	GAKSP0103	GAKSM01 & GATM03	545	545
1	GAMCSSDEH	Double Extension with Height-Adjustable Monitor Arm for Single Screen	569	569
<b>TOTAL PRICING (ALL INCLUSIVE)</b>				<b>\$6,879</b>

## Boulevard 1 Panel System

The Boulevard philosophy is based on simplicity. A product that is simple to install... simple to reconfigure... and simple to specify, without sacrificing delivery time or quality.

Technically superb and exceptionally precise aluminum extrusion and die-cast fittings achieve exact levels of consistency, panel after panel; everything fits, aligns, and assembles, first time, every time. Most of all it requires very few of the "small parts" associated with most systems. This cross-market integration is celebrated in Boulevard.

Truly a system of broad application, whether installed in a high-tech environment, factory application or executive office, Boulevard will perform! We invite you to share with us a product designed, built and marketed for a global economy.

### Our Mission

Our mission is to continue to develop and offer innovative, quality office furniture to value-oriented customers, through a dealer network that provides consistent, high quality service. Our approach in the contract furniture industry is to focus on customer concerns and needs to develop products that minimize your costs of ownership. It represents the culmination of creativity, industry expertise, specialists, and

integrity to help you achieve cost-effective solutions to problems. Our vision is to create a company-wide environment that supports constant improvement and promotes customer satisfaction. We believe that as good as we are today, we must be better tomorrow. Thus, our desire to improve is both continuous and tireless.

### Environmental Commitment

At Global Contract, protecting the next generations' environment is of paramount concern. Global Contract believes that it is our responsibility to help protect the environment for future generations. We continue to operate with the environment in mind, making wise business decisions that help protect the earth and its precious natural resources. Our manufacturing procedure incorporates the latest technology for painting products, using a dry epoxy powder or gel paint. This process produces no toxic residue, and therefore is environmentally safe, while other manufacturers still use the wet paint process. Our packaging, veneer selections, and reduction in waste programs all contribute to a better environment. In addition, our concern for the reduction of finishing emissions and wood dust has resulted in a healthier work environment in many ways, including this price book, printed on recycled paper.

## Technical Information

### Panels

- All panels are 2 5/8" thick.
- Lightweight aluminum box frame construction creates superior panel rigidity.
- Panel frame finish is durable epoxy powder coated.
- Hang-on capabilities at 1" increments.
- Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.
- Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- Panel sizes are actual, eliminating creepage.
- Panels come complete, eliminating need for separate top, corner end trim and clips.
- Fabric is replaceable on site.
- All panels include 2 "Capture Strip" panel connectors.
- Fabric retainer is clear.
- Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.
- Glazing available in acrylic or tempered glass for straight panels, and acrylic only for curved panels.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound Absorbent Mineral Board".
- For glazing - Smoke developed index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Tempered glass is not available for curved panels.

### Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, not raceways, see "OPT" column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.
- Laminate and whiteboard options reduce the acoustical value of the panel.

### Raceway Options

- Raceways are standard in PVC matching the panel frame finish.
- Fabric Covered Raceway (FRC) available. Aluminum raceway available.
- Face mount electrical raceway available.
- Face mount openings are 1.5x2.85 for electrical and 1.37x2.755 for data.
- Cable capacity in raceways is 83 - 0.220" dia. cables (cat.6).

### Desk Height Management

- Desk height electrical and communication raceway system.
- State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, junction boxes, duplexes and circuit designations.
- All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- Optional facemount electrical with 2 duplexes per panel side.
- Outlet and circuit changes accomplished without disruption to workstation.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of 1, 2 or 4 duplexes per panel; choice of circuitry in each duplex.
- Unique design of fire retardant PVC raceway cover permits access to raceway without disruption to equipment on work surfaces.
- Clip-on communication management channel (BECC01 and BPH001) included with each raceway panel.
- Communication management channel accepts modular Data/Comm terminals (not supplied by Global Contract Inc.).

### Posts

- Enables connection for multiple panel runs such as 90°, 45° or 60° angles and 2 way, 3 way or 4 way.
- Provides route for base, ceiling, and worksurface cable entry to a panel.
- Self levelling feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.


# BOULEVARD 1

## PANELS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: **BPRA6636 CHR CHR**



AN50

Inside Lower Fabric

AN50

Inside Upper Fabric

BE21

Outside Lower Fabric


BE21

Outside Upper Fabric

### How to Specify

- Specify Boulevard 1 panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify PVC raceway finish - ie. CHR (Charcoal). If PVC raceway colour not specified at time of order, default will be the panel frame colour.
- Specify all four panel fabric options if necessary.
- Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider than 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.

Example of Post: **BHP066 CHR**



### How to Specify

- Specify Boulevard 1 post by code.
- Specify frame colour - ie. CHR (Charcoal).

### Raceways

#### PVC:

- Standard, at time of order, includes 2 covers.
- Standard, when ordering individuals: RCSxxCOL.
- Curved, when ordering individuals: 10065IRS24COL for inside and 10065ORS24COL for outside.
- Facemount raceways: RCWxxD.
- Curved Facemount raceways are not available.

#### Fabric:

- Standard, at time of order: RCWxxFAB, \$25 per side, sold as pair, panel mounted.
- Standard, when ordering individuals: 1006FRCxx, shipped separately.
- Curved raceways: RCR24IFAB for inside and RCR24OFAB for outside.
- Facemount raceways: FCRxxD.
- Curved Facemount raceways are not available.

#### Aluminum:

- Standard, when ordering individuals: BARCxx,
- Facemount raceways: RACxxD.
- Curved raceways not available in aluminum.
- Curved Facemount raceways are not available.
- COL = Finish colour, xx = Size

# GRAPHIC PANEL INFO

## ORDERS

### Each Order Must Include

Purchase Order

Layout showing where the image(s) appear in the run of panels.

A completed Price Chart, showing the location of the image(s) on each appropriate panel.

Artwork must be submitted in accordance with the following artwork specifications.

**NOTE:** Final artwork specification approval must be given before order can be processed.

## Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

## Artwork Specifications

- Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as an EPS (.eps)
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- We accept Adobe CS5 files.
- Any linked files must be included or imbedded.
- Leave any PSD files unflattened
- All fonts must be converted to outlines.
- Do not convert to CMYK, leave all images as RGB if possible
- No Word, Powerpoint, Publisher or other Microsoft files can be used.
- Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

## Colour Matching

- A Pantone colour reference must be supplied or we cannot accept responsibility for correct colour.
- When it is not possible to refer to Pantone colours, we will do our best to meet your requirements.

## Image Clarity

- We will advise should the selected image not lend itself to the element size requested.

## NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted

to curves or the job appears not to be commercially acceptable.


## Image Bleed:

To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required


- Boulevard Panels need a 5" Bleed on all sides.

## Example Of Image resolution:

The resolution required for a 36 wide x 24 high Boulevard panel at 100 dpi (minimum resolution)



The resolution required for a 36 wide x 24 high Boulevard panel at 300 dpi (higher quality)




## Pricing, Initial Set-Up

Charge per Order: \$180 net

# BOULEVARD 1 GRAPHIC PANELS


### Boulevard 1 Panels • Below Raceway Only



PANEL HEIGHT	PANEL WIDTH	LIST PRICE
29"	24"	316
29"	30"	369
29"	36"	431
29"	42"	485
29"	48"	546
29"	54"	600
29"	60"	654
29"	66"	707
29"	72"	762

- This List applies to the following panels:
- BPRAxxxx
- BPRGxxxx
- BPRPxxxx
- BPARxxxx


### Boulevard 1 • Above Raceway Only



PANEL WIDTH	HEIGHT	LIST PRICE	50"	54"	58"	66"	74"	82"
24"	42"	190	222	254	323	393	454	
30"	N/A	224	256	300	384	461	538	
36"	N/A	262	304	346	439	531	623	
42"	N/A	292	346	400	500	600	707	
48"	N/A	331	390	446	562	676	808	
54"	N/A	362	423	485	615	746	869	
60"	N/A	393	461	531	677	815	953	
66"	N/A	423						
72"	N/A	461						

- This List applies to the following panels:
- BPRAxxxx
- BPRFxxxx

### Boulevard Fabric Acoustic Panels



PANEL WIDTH	HEIGHT	LIST PRICE	50"	54"	58"	66"	74"	82"
24"	415	485	520	554	615	685	753	
30"	492	569	612	654	731	808	885	
36"	569	661	707	753	846	931	1023	
42"	646	746	800	854	953	1061	1161	
48"	723	838	897	953	1069	1184	1300	
54"	800	923	989	1054	1177	1307	1438	
60"	869	1015	1084	1153	1292	1430	1568	
66"	938	1084						
72"	1015	1177						

- This List applies to the following panels:
- BPFxxxx

### Boulevard 1 Over Panels



PANEL WIDTH	HEIGHT	LIST PRICE	24"	37"	42"
24"	147	215	277	384	431
30"	174	254	331	454	507
36"	200	292	377	523	584
42"	231	331	431	600	661
48"	254	369	477	661	738
54"	285	415	531	738	815
60"	308	454	577	808	892
66"	331	485	623	869	961
72"	362	523	669	938	1038


- This List applies to the following Panels:
- BPOFxxxx

Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.




# BOULEVARD 1

## BPRA • Acoustical Raceway Panel



37" High




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPRA3718	363	371	382	37	18	2.61	18	1.58
BPRA3724	403	412	420	37	24	2.61	21	2.054
BPRA3730	442	451	462	37	30	2.61	25	2.528
BPRA3736	481	515	550	37	36	2.61	28	3.002
BPRA3742	523	558	593	37	42	2.61	32	3.476
BPRA3748	562	596	630	37	48	2.61	35	3.950
BPRA3754	603	637	672	37	54	2.61	39	4.424
BPRA3760	641	677	711	37	60	2.61	44	4.898
BPRA3766	853	894	937	37	66	2.61	50	5.499
BPRA3772	1065	1106	1149	37	72	2.61	56	6.000
BPRA4218	363	382	402	42	18	2.61	22	1.782
BPRA4224	403	422	444	42	24	2.61	28	2.317
BPRA4230	442	461	482	42	30	2.61	32	2.852
BPRA4236	481	520	562	42	36	2.61	36	3.387
BPRA4242	523	563	603	42	42	2.61	40	3.921
BPRA4248	564	606	641	42	48	2.61	44	4.456
BPRA4254	603	642	684	42	54	2.61	48	4.991
BPRA4260	641	681	722	42	60	2.61	52	5.525
BPRA4266	921	1002	1090	42	66	2.61	62	6.148
BPRA4272	1202	1283	1370	42	72	2.61	72	6.770
BPRA5018	412	432	452	50	18	2.61	25	2.106
BPRA5024	453	482	514	50	24	2.61	30	2.738
BPRA5030	497	526	559	50	30	2.61	35	3.370
BPRA5036	541	589	641	50	36	2.61	40	4.002
BPRA5042	582	630	684	50	42	2.61	45	4.634
BPRA5048	627	675	727	50	48	2.61	50	5.266
BPRA5054	667	716	769	50	54	2.61	55	5.898
BPRA5060	713	761	813	50	60	2.61	60	6.530
BPRA5066	976	1057	1144	50	66	2.61	70	7.300
BPRA5072	1238	1319	1406	50	72	2.61	80	8.000
BPRA5418	447	465	487	54	18	2.61	27	2.250
BPRA5424	492	521	552	54	24	2.61	32	2.960
BPRA5430	534	563	595	54	30	2.61	37	3.689
BPRA5436	578	637	698	54	36	2.61	42	4.318
BPRA5442	625	684	745	54	42	2.61	47	4.934
BPRA5448	666	725	787	54	48	2.61	52	5.666
BPRA5454	713	771	832	54	54	2.61	59	6.398
BPRA5460	754	813	875	54	60	2.61	62	7.035


- Fabric above the raceway provides visual and acoustic privacy.
- Centre septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD 1

## BPRA • Acoustical Raceway Panel ...Cont



37" High





72" Wide

PRODUCT CODE	PRICE			SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*				
BPRA5818	447	465	487	58	18	2.61	2.431
BPRA5824	492	521	552	58	24	2.61	3.160
BPRA5830	534	563	595	58	30	2.61	3.889
BPRA5836	578	637	698	58	36	2.61	4.618
BPRA5842	625	684	745	58	42	2.61	5.347
BPRA5848	666	725	787	58	48	2.61	6.076
BPRA5854	713	771	832	58	54	2.61	6.806
BPRA5860	754	813	875	58	60	2.61	7.535
BPRA6618	480	508	540	66	18	2.61	2.755
BPRA6624	526	566	606	66	24	2.61	3.581
BPRA6630	573	611	654	66	30	2.61	4.407
BPRA6636	617	685	757	66	36	2.61	5.234
BPRA6642	663	731	805	66	42	2.61	6.060
BPRA6648	711	779	852	66	48	2.61	6.887
BPRA6654	753	821	893	66	54	2.61	7.713
BPRA6660	798	867	940	66	60	2.61	8.539
BPRA7418	520	547	579	74	18	2.61	3.079
BPRA7424	565	603	645	74	24	2.61	4.002
BPRA7430	611	651	692	74	30	2.61	4.926
BPRA7436	660	738	820	74	36	2.61	5.850
BPRA7442	708	786	868	74	42	2.61	6.773
BPRA7448	751	828	911	74	48	2.61	7.697
BPRA7454	798	877	960	74	54	2.61	8.620
BPRA7460	848	924	1007	74	60	2.61	9.544
BPRA8218	562	589	622	82	18	2.61	3.403
BPRA8224	610	659	711	82	24	2.61	4.424
BPRA8230	660	708	761	82	30	2.61	5.444
BPRA8236	709	795	889	82	36	2.61	6.465
BPRA8242	754	842	936	82	42	2.61	7.486
BPRA8248	805	890	983	82	48	2.61	8.507
BPRA8254	853	940	1033	82	54	2.61	9.528
BPRA8260	903	990	1083	82	60	2.61	10.549

- Fabric above the raceway provides visual and acoustic privacy.
- Centre septum above and below raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Acoustic rating of .80 NRC and 26 STC.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD 1

## BPRG • Partly Glazed Raceway Panel




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT³
	GR 1	GR 2	OPT*	H	W	D		
BPRG4218	487	495	507	42	18	2.61	22	1.782
BPRG4224	532	550	571	42	24	2.61	28	2.317
BPRG4230	577	598	618	42	30	2.61	32	2.852
BPRG4236	625	663	704	42	36	2.61	36	3.387
BPRG4242	667	707	748	42	42	2.61	40	3.921
BPRG4248	715	753	794	42	48	2.61	44	4.456
BPRG4254	761	798	841	42	54	2.61	48	4.991
BPRG4260	806	845	885	42	60	2.61	52	5.525
BPRG4266	1063	1104	1147	42	66	2.61	62	6.148
BPRG4272	1320	1361	1404	42	72	2.61	72	6.770
BPRG5018	539	547	560	50	18	2.61	24	2.106
BPRG5024	584	604	625	50	24	2.61	29	2.738
BPRG5030	632	653	672	50	30	2.61	34	3.370
BPRG5036	681	720	761	50	36	2.61	39	4.002
BPRG5042	725	764	806	50	42	2.61	44	4.634
BPRG5048	774	813	853	50	48	2.61	48	5.266
BPRG5054	821	859	902	50	54	2.61	54	5.898
BPRG5060	867	906	946	50	60	2.61	59	6.530
BPRG5066	1111	1152	1195	50	66	2.61	70	7.300
BPRG5072	1355	1396	1439	50	72	2.61	78	8.000
BPRG5418	569	578	589	54	18	2.61	27	2.250
BPRG5424	614	633	652	54	24	2.61	30	2.960
BPRG5430	662	682	702	54	30	2.61	35	3.689
BPRG5436	711	750	791	54	36	2.61	40	4.318
BPRG5442	757	796	837	54	42	2.61	45	4.934
BPRG5448	806	845	886	54	48	2.61	49	5.666
BPRG5454	853	892	933	54	54	2.61	55	6.398
BPRG5460	901	940	981	54	60	2.61	60	7.035
BPRG5818	598	606	618	58	18	2.61	26	2.431
BPRG5824	644	662	684	58	24	2.61	31	3.160
BPRG5830	692	711	732	58	30	2.61	36	3.889
BPRG5836	741	780	821	58	36	2.61	41	4.618
BPRG5842	789	827	869	58	42	2.61	46	5.347
BPRG5848	837	876	916	58	48	2.61	51	6.076
BPRG5854	885	923	966	58	54	2.61	56	6.806
BPRG5860	935	973	1014	58	60	2.61	61	7.535
BPRG6618	647	656	666	66	18	2.61	29	2.755
BPRG6624	697	718	738	66	24	2.61	34	3.581
BPRG6630	749	769	789	66	30	2.61	39	4.407
BPRG6636	801	839	880	66	36	2.61	45	5.234
BPRG6642	853	891	934	66	42	2.61	50	6.060
BPRG6648	905	943	983	66	48	2.61	55	6.887
BPRG6654	953	994	1034	66	54	2.61	60	7.713
BPRG6660	1009	1049	1090	66	60	2.61	65	8.539
BPRG7418	698	708	720	74	18	2.61	30	3.079
BPRG7424	753	774	793	74	24	2.61	35	4.002
BPRG7430	808	847	887	74	30	2.61	41	4.926
BPRG7436	860	899	940	74	36	2.61	46	5.850
BPRG7442	915	954	995	74	42	2.61	51	6.773
BPRG7448	971	1009	1051	74	48	2.61	56	7.697
BPRG7454	1025	1063	1104	74	54	2.61	61	8.620
BPRG7460	1088	1125	1167	74	60	2.61	66	9.544
BPRG8218	739	748	760	82	18	2.61	31	3.403
BPRG8224	797	818	838	82	24	2.61	36	4.424
BPRG8230	858	878	899	82	30	2.61	43	5.444
BPRG8236	918	959	999	82	36	2.61	49	6.465
BPRG8242	983	1021	1061	82	42	2.61	55	7.486
BPRG8248	1042	1081	1122	82	48	2.61	61	8.507
BPRG8254	1103	1142	1183	82	54	2.61	67	9.528
BPRG8260	1171	1210	1251	82	60	2.61	73	10.549


- Glazing above the raceway provides visual accessibility.
- Centre septum below raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Glazing replaceable on site.
- Standard glaze is acrylic.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade or finish.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD 1

## BPRF • Air Flow Panel



37" High




72" Wide



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPRF3718	405	-	-	37	18	2.61	18	1.58
BPRF3724	459	-	-	37	24	2.61	21	2.054
BPRF3730	515	-	-	37	30	2.61	25	2.528
BPRF3736	571	-	-	37	36	2.61	28	3.002
BPRF3742	626	-	-	37	42	2.61	32	3.476
BPRF3748	681	-	-	37	48	2.61	35	3.950
BPRF3754	736	-	-	37	54	2.61	39	4.424
BPRF3760	789	-	-	37	60	2.61	44	4.898
BPRF3766	1064	-	-	37	66	2.61	50	5.449
BPRF3772	1339	-	-	37	72	2.61	56	6.000
BPRF4218	418	422	428	42	18	2.61	22	1.782
BPRF4224	476	480	485	42	24	2.61	28	2.317
BPRF4230	532	536	541	42	30	2.61	32	2.852
BPRF4236	588	598	608	42	36	2.61	36	3.387
BPRF4242	645	654	664	42	42	2.61	40	3.921
BPRF4248	700	709	721	42	48	2.61	44	4.456
BPRF4254	759	767	779	42	54	2.61	48	4.991
BPRF4260	816	824	836	42	60	2.61	52	5.525
BPRF4266	1148	1189	1232	42	66	2.61	62	6.270
BPRF4272	1480	1521	1564	42	72	2.61	72	6.770
BPRF5018	468	479	490	50	18	2.61	25	2.106
BPRF5024	527	537	547	50	24	2.61	30	2.738
BPRF5030	587	597	607	50	30	2.61	35	3.370
BPRF5036	646	664	686	50	36	2.61	40	4.002
BPRF5042	708	727	748	50	42	2.61	45	4.634
BPRF5048	766	786	807	50	48	2.61	50	5.266
BPRF5054	824	845	865	50	54	2.61	55	5.898
BPRF5060	884	904	923	50	60	2.61	60	6.530
BPRF5066	1222	1263	1306	50	66	2.61	70	7.300
BPRF5072	1559	1600	1643	50	72	2.61	80	8.000
BPRF5418	503	518	533	54	18	2.61	27	2.250
BPRF5424	564	578	593	54	24	2.61	32	2.960
BPRF5430	626	641	656	54	30	2.61	37	3.689
BPRF5436	687	715	747	54	36	2.61	42	4.318
BPRF5442	746	775	807	54	42	2.61	47	4.934
BPRF5448	807	835	867	54	48	2.61	52	5.666
BPRF5454	867	896	928	54	54	2.61	57	6.398
BPRF5460	931	959	991	54	60	2.61	62	7.035

- Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:\*air flow above raceway.
- OPT\* = Laminate or Whiteboard.

## BPRF • Air Flow Panel ...Cont



37" High




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPRF5818	503	517	533	58	18	2.61	28	2.431
BPRF5824	564	577	593	58	24	2.61	33	3.160
BPRF5830	626	640	656	58	30	2.61	38	3.889
BPRF5836	687	715	747	58	36	2.61	43	4.618
BPRF5842	746	775	807	58	42	2.61	48	5.347
BPRF5848	807	837	868	58	48	2.61	53	6.076
BPRF5854	867	896	928	58	54	2.61	58	6.806
BPRF5860	931	959	991	58	60	2.61	63	7.535
BPRF6618	536	555	575	66	18	2.61	32	2.755
BPRF6624	601	620	640	66	24	2.61	37	3.581
BPRF6630	662	683	702	66	30	2.61	42	4.407
BPRF6636	723	757	792	66	36	2.61	48	5.234
BPRF6642	828	863	899	66	42	2.61	53	6.060
BPRF6648	879	913	948	66	48	2.61	58	6.887
BPRF6654	952	989	1024	66	54	2.61	63	7.713
BPRF6660	980	1014	1050	66	60	2.61	68	8.539
BPRF7418	575	595	615	74	18	2.61	34	3.079
BPRF7424	638	657	678	74	24	2.61	39	4.002
BPRF7430	700	720	740	74	30	2.61	45	4.926
BPRF7436	766	814	866	74	36	2.61	50	5.850
BPRF7442	884	932	984	74	42	2.61	55	6.773
BPRF7448	911	959	1012	74	48	2.61	60	7.697
BPRF7454	958	1007	1059	74	54	2.61	65	8.620
BPRF7460	1021	1069	1121	74	60	2.61	70	9.544
BPRF8218	618	647	679	82	18	2.61	36	3.403
BPRF8224	686	714	746	82	24	2.61	42	4.424
BPRF8230	748	777	809	82	30	2.61	48	5.444
BPRF8236	822	876	933	82	36	2.61	54	6.465
BPRF8242	911	966	1022	82	42	2.61	60	7.486
BPRF8248	952	1007	1063	82	48	2.61	66	8.507
BPRF8254	1057	1110	1165	82	54	2.61	72	9.528
BPRF8260	1078	1132	1188	82	60	2.61	78	10.549

- Double wall of perforated metal below the raceway allows air to flow freely through the bottom of the panel.
- Centre septum above raceway overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- For air flow option above the raceway, add 20% to the Grade 1 price and tag each item with "air flow above raceway". For example: BPRF4218 TAG:\*air flow above raceway.
- OPT\* = Laminate or Whiteboard.


## BPAE • Raceway Panel Electrical



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPAE3706	403	413	424	37	6	2.61	24	0.6
BPAE4206	403	422	445	42	6	2.61	26	0.7
BPAE5006	453	483	514	50	6	2.61	29	0.8
BPAE5406	473	502	533	54	6	2.61	31	0.9
BPAE5806	492	522	552	58	6	2.61	32	0.9
BPAE6606	526	565	607	66	6	2.61	35	1.0
BPAE7406	565	604	646	74	6	2.61	37	1.1
BPAE8206	610	659	710	82	6	2.61	41	1.2

- A 6" raceway panel allows power and communication/data entry along a straight run of panels where a standard post entry cannot be utilized.
- Sections above and below the raceway are upholstered in fabric.
- Inner lower raceway area allows for single or double power feed entry and provides 1.3" x 2.9" opening for communication/data cables.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPAE6606 + BPAE6618 is equivalent to BPAE6624.
- 6" panels are not to be used as a stability panel in a panel run.


## BPRA • Raceway Panel Filler



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPRA3706	403	413	424	37	6	2.61	24	0.6
BPRA4206	403	422	445	42	6	2.61	26	0.7
BPRA5006	453	483	514	50	6	2.61	29	0.8
BPRA5406	473	501	533	54	6	2.61	31	0.9
BPRA5806	492	521	552	58	6	2.61	32	0.9
BPRA6606	526	565	606	66	6	2.61	35	1.0
BPRA7406	565	604	645	74	6	2.61	37	1.1
BPRA8206	610	658	710	82	6	2.61	41	1.2

- A 6" (BPRA) raceway panel for use as a filler panel.
- Sections above and below the raceway are upholstered in fabric.
- All 6" panels must be used in conjunction with a second panel to form a standard panel width. For example: BPRA6606 + BPRA6618 is equivalent to BPRA6624.
- 6" panels are not to be used as a stability panel in a panel run.

## BPRP • Pass-Thru Raceway Panel




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPRP6618	647	656	666	66	18	2.61	32	2.755
BPRP6624	697	718	738	66	24	2.61	33	3.581
BPRP6630	749	769	789	66	30	2.61	38	4.407
BPRP6636	801	839	880	66	36	2.61	44	5.234
BPRP6642	853	891	934	66	42	2.61	49	6.060
BPRP6648	905	943	983	66	48	2.61	54	6.887
BPRP6654	953	994	1034	66	54	2.61	59	7.713
BPRP6660	1009	1049	1090	66	60	2.61	64	8.539
BPRP7418	698	723	748	74	18	2.61	31	3.079
BPRP7424	753	792	834	74	24	2.61	36	4.002
BPRP7430	808	847	887	74	30	2.61	42	4.926
BPRP7436	860	908	960	74	36	2.61	47	5.850
BPRP7442	915	953	996	74	42	2.61	52	6.773
BPRP7448	968	1031	1100	74	48	2.61	57	7.697
BPRP7454	1025	1089	1157	74	54	2.61	62	8.620
BPRP7460	1088	1125	1167	74	60	2.61	67	9.544
BPRP8218	739	766	796	82	18	2.61	34	3.403
BPRP8224	797	836	876	82	24	2.61	40	4.424
BPRP8230	858	897	937	82	30	2.61	46	5.444
BPRP8236	918	987	1060	82	36	2.61	52	6.465
BPRP8242	980	1059	1141	82	42	2.61	58	7.486
BPRP8248	1042	1120	1202	82	48	2.61	64	8.507
BPRP8254	1103	1181	1263	82	54	2.61	70	9.528
BPRP8260	1171	1248	1330	82	60	2.61	76	10.549

- 12" Open cavity allows accessibility between workstations.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" Mineral board.
- Pass-thru opening is 12" high starting above the raceway.
- Panel height to top of opening is fixed.

# BOULEVARD 1


## BPRPSD • Pass-Thru Sliding Door Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BPRPSD36	262	12	36	2.61	13	1.2
BPRPSD42	295	12	42	2.61	16	1.4
BPRPSD48	330	12	48	2.61	18	1.5
BPRPSD54	363	12	54	2.61	20	1.7
BPRPSD60	396	12	60	2.61	22	2.0

- To close the opening in a Boulevard 1 Pass-Thru Panel.
- Sliding frosted tempered glass doors.

## BPAR • Accessory Rail Panel





PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPAR6618	794	805	816	66	18	2.61	35	2.755
BPAR6624	863	883	904	66	24	2.61	42	3.581
BPAR6630	946	967	987	66	30	2.61	49	4.407
BPAR6636	1035	1074	1116	66	36	2.61	57	5.234
BPAR6642	1144	1183	1224	66	42	2.61	65	6.060
BPAR6648	1229	1267	1309	66	48	2.61	72	6.887
BPAR6654	1319	1358	1399	66	54	2.61	79	7.713
BPAR6660	1402	1441	1482	66	60	2.61	86	8.539
BPAR7418	848	872	897	74	18	2.61	38	3.079
BPAR7424	917	958	998	74	24	2.61	45	4.002
BPAR7430	1003	1042	1084	74	30	2.61	53	4.926
BPAR7436	1097	1144	1144	74	36	2.61	60	5.850
BPAR7442	1106	1247	1287	74	42	2.61	68	6.773
BPAR7448	1296	1362	1434	74	48	2.61	75	7.697
BPAR7454	1387	1425	1466	74	54	2.61	82	8.620
BPAR7460	1479	1517	1559	74	60	2.61	89	9.544
BPAR8218	885	912	943	82	18	2.61	41	3.403
BPAR8224	964	1000	1039	82	24	2.61	49	4.424
BPAR8230	1056	1093	1133	82	30	2.61	57	5.444
BPAR8236	1155	1223	1296	82	36	2.61	65	6.465
BPAR8242	1274	1351	1433	82	42	2.61	74	7.486
BPAR8248	1368	1446	1528	82	48	2.61	82	8.507
BPAR8254	1465	1543	1626	82	54	2.61	90	9.528
BPAR8260	1562	1638	1721	82	60	2.61	98	10.549

- 12" Accessory rail covers the standard pass-thru opening and allows users to hang accessories.
- Centre septum above 12" opening overlaid on either side with tackable, 1 1/8" "Sound absorbent mineral board".
- Centre septum below raceway overlaid on either side with 1 1/8" mineral board.
- Accessory rail is 12" high starting above the raceway. Panel height to top of opening is fixed.
- OPT\* = Laminate or Whiteboard.



# BOULEVARD 1

## BPFA • Acoustical Fabric Panel





72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPFA2918	248	268	287	29	18	2.61	15	1.256
BPFA2924	269	290	313	29	24	2.61	17	1.633
BPFA2930	286	306	326	29	30	2.61	19	2.009
BPFA2936	308	345	387	29	36	2.61	21	2.386
BPFA2942	326	366	406	29	42	2.61	23	2.763
BPFA2948	344	383	425	29	48	2.61	25	3.139
BPFA2954	365	404	445	29	54	2.61	27	3.513
BPFA2960	383	422	463	29	60	2.61	29	3.893
BPFA2966	495	536	579	29	66	2.61	36	4.332
BPFA2972	607	648	691	29	72	2.61	42	4.770
BPFA4218	326	345	367	42	18	2.61	18	1.782
BPFA4224	347	387	428	42	24	2.61	21	2.317
BPFA4230	367	405	447	42	30	2.61	24	2.852
BPFA4236	388	436	489	42	36	2.61	27	3.387
BPFA4242	408	457	509	42	42	2.61	30	3.921
BPFA4248	431	479	532	42	48	2.61	33	4.456
BPFA4254	450	497	550	42	54	2.61	36	4.991
BPFA4260	473	520	572	42	60	2.61	39	5.525
BPFA4266	672	753	841	42	66	2.61	47	6.148
BPFA4272	871	953	1039	42	72	2.61	54	6.770
BPFA5018	368	387	407	50	18	2.61	22	2.106
BPFA5024	391	419	451	50	24	2.61	25	2.738
BPFA5030	413	442	475	50	30	2.61	28	3.370
BPFA5036	435	493	555	50	36	2.61	31	4.002
BPFA5042	458	516	577	50	42	2.61	34	4.634
BPFA5048	479	537	599	50	48	2.61	38	5.266
BPFA5054	502	560	622	50	54	2.61	41	5.898
BPFA5060	524	582	645	50	60	2.61	43	6.530
BPFA5066	725	806	893	50	66	2.61	53	7.300
BPFA5072	926	1007	1094	50	72	2.61	62	8.000
BPFA5418	410	429	450	54	18	2.61	23	2.250
BPFA5424	434	462	494	54	24	2.61	26	2.960
BPFA5430	458	487	519	54	30	2.61	30	3.689
BPFA5436	480	538	600	54	36	2.61	34	4.318
BPFA5442	504	563	624	54	42	2.61	38	4.934
BPFA5448	527	585	647	54	48	2.61	41	5.666
BPFA5454	551	610	671	54	54	2.61	43	6.398
BPFA5460	576	634	696	54	60	2.61	46	7.035

- Complete fabric panel without raceway.
- Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT\* = Laminate or Whiteboard.

## BPFA • Acoustical Fabric Panel ...Cont




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPFA5818	410	438	470	58	18	2.61	24	2.431
BPFA5824	434	474	514	58	24	2.61	27	3.160
BPFA5830	458	496	538	58	30	2.61	31	3.889
BPFA5836	480	546	620	58	36	2.61	35	4.618
BPFA5842	504	571	645	58	42	2.61	39	5.347
BPFA5848	527	596	667	58	48	2.61	42	6.076
BPFA5854	551	619	692	58	54	2.61	46	6.806
BPFA5860	576	645	718	58	60	2.61	50	7.535
BPFA6618	448	477	508	66	18	2.61	26	2.755
BPFA6624	475	513	554	66	24	2.61	29	3.581
BPFA6630	501	539	579	66	30	2.61	34	4.407
BPFA6636	526	604	687	66	36	2.61	39	5.234
BPFA6642	552	630	713	66	42	2.61	43	6.060
BPFA6648	578	656	740	66	48	2.61	47	6.887
BPFA6654	605	684	765	66	54	2.61	51	7.713
BPFA6660	630	708	790	66	60	2.61	55	8.539
BPFA7418	489	517	549	74	18	2.61	28	3.079
BPFA7424	519	567	619	74	24	2.61	32	4.002
BPFA7430	545	595	647	74	30	2.61	37	4.926
BPFA7436	573	660	753	74	36	2.61	42	5.850
BPFA7442	601	688	781	74	42	2.61	47	6.773
BPFA7448	628	715	809	74	48	2.61	51	7.697
BPFA7454	656	743	836	74	54	2.61	55	8.620
BPFA7460	685	771	865	74	60	2.61	60	9.544
BPFA8218	532	570	610	82	18	2.61	30	3.403
BPFA8224	560	607	660	82	24	2.61	35	4.424
BPFA8230	589	637	690	82	30	2.61	40	5.444
BPFA8236	618	715	818	82	36	2.61	45	6.465
BPFA8242	647	744	847	82	42	2.61	50	7.486
BPFA8248	679	776	878	82	48	2.61	55	8.507
BPFA8254	710	808	910	82	54	2.61	60	9.528
BPFA8260	740	837	940	82	60	2.61	65	10.549

- Complete fabric panel without raceway.
- Acoustical rating of .80 NRC and 26 STC.
- Centre septum overlaid on either side with 1 1/8" Mineral board, non tackable.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD 1


## BPFG • Glazed Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BPFG5824	572	58	24	2.61	21	3.160
BPFG5830	628	58	30	2.61	24	3.889
BPFG5836	686	58	36	2.61	27	4.618
BPFG5842	741	58	42	2.61	30	5.347
BPFG5848	796	58	48	2.61	33	6.076
BPFG6624	688	66	24	2.61	25	3.581
BPFG6630	746	66	30	2.61	28	4.407
BPFG6636	806	66	36	2.61	31	5.234
BPFG6642	865	66	42	2.61	34	6.060
BPFG6648	923	66	48	2.61	37	6.887
BPFG7424	720	74	24	2.61	28	4.002
BPFG7430	781	74	30	2.61	31	4.926
BPFG7436	845	74	36	2.61	34	5.850
BPFG7442	907	74	42	2.61	37	6.773
BPFG7448	968	74	48	2.61	40	7.697
BPFG8224	786	82	24	2.61	31	4.424
BPFG8230	855	82	30	2.61	34	5.444
BPFG8236	923	82	36	2.61	37	6.465
BPFG8242	994	82	42	2.61	40	7.486
BPFG8248	1061	82	48	2.61	43	8.507

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site.
- For tempered glass, add "TG" to the end of the product code and 20% to the list price regardless of finish.


## BPFGAR • Curved Fabric Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPFGAR3724	693	738	786	37	24 RA	24 RA	35	11.664
BPFGAR4224	735	783	836	42	24 RA	24 RA	40	13.241
BPFGAR5024	779	837	899	50	24 RA	24 RA	46	15.648
BPFGAR5824	826	893	968	58	24 RA	24 RA	53	18.056
BPFGAR6624	872	948	1031	66	24 RA	24 RA	60	20.463
BPFGAR7424	916	1003	1097	74	24 RA	24 RA	67	22.870
BPFGAR8224	964	1060	1162	82	24 RA	24 RA	74	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- OPT\* = Laminate or Whiteboard


## BPRAR • Curved Fabric Raceway Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPRAR3724	906	951	1005	37	24 RA	24 RA	37	11.664
BPRAR4224	915	965	1017	42	24 RA	24 RA	45	13.241
BPRAR5024	978	1036	1098	50	24 RA	24 RA	52	15.648
BPRAR5824	1027	1094	1167	58	24 RA	24 RA	59	18.056
BPRAR6624	1083	1160	1243	66	24 RA	24 RA	66	20.463
BPRAR7424	1130	1217	1310	74	24 RA	24 RA	73	22.870
BPRAR8224	1220	1316	1420	82	24 RA	24 RA	80	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel. Fabric Covered Raceway (FCR) available at an additional cost of \$32 per side.
- OPT\* = Laminate or Whiteboard


## BPRGR • Curved Partly Glazed Raceway Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPRGR4224	1008	1048	1089	42	24 RA	24 RA	45	13.241
BPRGR5024	1111	1150	1191	50	24 RA	24 RA	48	15.648
BPRGR5824	1198	1236	1278	58	24 RA	24 RA	51	18.056
BPRGR6624	1295	1335	1377	66	24 RA	24 RA	54	20.463
BPRGR7424	1382	1421	1462	74	24 RA	24 RA	57	22.87
BPRGR8224	1513	1551	1594	82	24 RA	24 RA	60	25.278

- 24" Curved Fabric Panel.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Electrical pass-thru only in this panel.
- Fabric Covered Raceway (FCR) available at an additional cost of \$32 per side.
- Tempered glass is not available on curved panels.
- OPT\* = Laminate or Whiteboard


## BPGFR • Curved Fully Glazed Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BPGFR3724	917	37	24 RA	24 RA	35	11.664
BPGFR4224	999	42	24 RA	24 RA	40	13.241
BPGFR5024	1084	50	24 RA	24 RA	46	15.648
BPGFR5824	1170	58	24 RA	24 RA	53	18.056
BPGFR6624	1254	66	24 RA	24 RA	60	20.463
BPGFR7424	1342	74	24 RA	24 RA	67	22.870
BPGFR8224	1430	82	24 RA	24 RA	74	25.278

- 24" radius Curved Fully Glazed Panel in acrylic.
- Replaces 2 straight 24" panels and 1 post in a 90 degree corner configuration.
- Tempered glass is not available on curved panels.

## BPOF • Fabric Over Panel




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPOF0818	125	134	147	8	18	2.61	6	0.351
BPOF0824	145	163	183	8	24	2.61	6	0.468
BPOF0830	171	191	211	8	30	2.61	8	0.730
BPOF0836	200	219	240	8	36	2.61	10	0.912
BPOF0842	220	240	260	8	42	2.61	10	0.912
BPOF0848	248	268	287	8	48	2.61	12	1.094
BPOF0854	277	295	316	8	54	2.61	12	1.094
BPOF0860	296	316	337	8	60	2.61	14	1.277
BPOF0866	404	445	488	8	66	2.61	17	1.549
BPOF0872	511	552	596	08	72	2.61	20	1.820
BPOF1618	165	175	187	16	18	2.61	8	0.730
BPOF1624	188	207	227	16	24	2.61	8	0.730
BPOF1630	215	234	254	16	30	2.61	10	0.912
BPOF1636	242	261	282	16	36	2.61	12	1.094
BPOF1642	262	282	303	16	42	2.61	12	1.094
BPOF1648	289	311	329	16	48	2.61	14	1.277
BPOF1654	317	337	358	16	54	2.61	14	1.277
BPOF1660	338	358	377	16	60	2.61	15	1.368
BPOF1666	457	498	541	16	66	2.61	20	1.774
BPOF1672	576	617	660	16	72	2.61	24	2.180
BPOF2418	226	235	247	24	18	2.61	12	1.094
BPOF2424	246	264	285	24	24	2.61	14	1.422
BPOF2430	265	285	306	24	30	2.61	17	1.750
BPOF2436	284	313	344	24	36	2.61	18	2.078
BPOF2442	304	333	365	24	42	2.61	21	2.406
BPOF2448	324	353	384	24	48	2.61	22	2.734
BPOF2454	341	362	381	24	54	2.61	24	3.063
BPOF2460	363	391	422	24	60	2.61	27	3.391
BPOF2466	487	528	571	24	66	2.61	32	3.766
BPOF2472	610	651	694	24	72	2.61	36	4.140
BPOF3718	259	279	299	37	18	2.61	17	1.580
BPOF3724	281	301	321	37	24	2.61	19	2.054
BPOF3730	302	331	363	37	30	2.61	22	2.528
BPOF3736	322	370	422	37	36	2.61	24	3.006
BPOF3742	341	390	442	37	42	2.61	28	3.476
BPOF3748	364	411	463	37	48	2.61	30	3.950
BPOF3754	383	432	484	37	54	2.61	32	4.424
BPOF3760	405	453	506	37	60	2.61	34	4.898
BPOF3766	571	652	739	37	66	2.61	41	5.449
BPOF3772	737	818	905	37	72	2.61	48	6.000
BPOF4218	326	345	367	42	18	2.61	18	1.780
BPOF4224	347	387	428	42	24	2.61	21	2.310
BPOF4230	367	405	447	42	30	2.61	24	2.850
BPOF4236	388	436	489	42	36	2.61	27	3.390
BPOF4242	408	457	509	42	42	2.61	30	3.920
BPOF4248	431	479	535	42	48	2.61	33	4.460
BPOF4254	450	497	550	42	54	2.61	36	4.990
BPOF4260	473	520	572	42	60	2.61	39	5.250
BPOF4266	665	746	833	42	66	2.61	47	6.015
BPOF4272	858	939	1026	42	72	2.61	54	6.780

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" Mineral board.
- Non-slotted.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, please order size required and price as next size up. Example: 26" high, 35" wide, order BPOF2635 at \$313 Grade 1.
- Custom heights over 42" must be quoted separately.
- Overpanels can be stacked on any panel. Example: BPOF2418 stacked on BPRA4218 to give an overall height of 66".
- When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD 1


## BPOG • Glazed Over Panel



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BPOG0818	83	8	18	2.61	6	0.351
BPOG0824	104	8	24	2.61	6	0.468
BPOG0830	125	8	30	2.61	8	0.730
BPOG0836	145	8	36	2.61	10	0.912
BPOG0842	165	8	42	2.61	10	0.912
BPOG0848	188	8	48	2.61	12	1.094
BPOG0854	209	8	54	2.61	12	1.094
BPOG0860	229	8	60	2.61	14	1.277
BPOG0866	303	8	66	2.61	17	1.549
BPOG0872	377	8	72	2.61	20	1.820
BPOG1618	132	16	18	2.61	8	0.730
BPOG1624	160	16	24	2.61	8	0.730
BPOG1630	188	16	30	2.61	10	0.912
BPOG1636	220	16	36	2.61	12	1.094
BPOG1642	242	16	42	2.61	12	1.094
BPOG1648	270	16	48	2.61	14	1.277
BPOG1654	296	16	54	2.61	14	1.277
BPOG1660	325	16	60	2.61	15	1.368
BPOG1666	422	16	66	2.61	20	1.774
BPOG1672	519	16	72	2.61	24	2.180
BPOG2418	238	24	18	2.61	12	1.094
BPOG2424	265	24	24	2.61	14	1.422
BPOG2430	294	24	30	2.61	17	1.750
BPOG2436	324	24	36	2.61	18	2.078
BPOG2442	353	24	42	2.61	21	2.406
BPOG2448	381	24	48	2.61	22	2.734
BPOG2454	410	24	54	2.61	24	3.063
BPOG2460	439	24	60	2.61	27	3.391
BPOG2466	603	24	66	2.61	32	3.766
BPOG2472	766	24	72	2.61	36	4.140
BPOG3718	338	37	18	2.61	17	1.580
BPOG3724	371	37	24	2.61	19	2.054
BPOG3730	405	37	30	2.61	22	2.528
BPOG3736	438	37	36	2.61	24	3.006
BPOG3742	473	37	42	2.61	28	3.476
BPOG3748	504	37	48	2.61	30	3.950
BPOG3754	536	37	54	2.61	32	4.424
BPOG3760	572	37	60	2.61	34	4.898
BPOG3766	744	37	66	2.61	41	5.449
BPOG3772	916	37	72	2.61	48	6.000
BPOG4218	359	42	18	2.61	18	1.780
BPOG4224	394	42	24	2.61	21	2.310
BPOG4230	431	42	30	2.61	24	2.850
BPOG4236	464	42	36	2.61	27	3.390
BPOG4242	504	42	42	2.61	30	3.920
BPOG4248	536	42	48	2.61	33	4.460
BPOG4254	572	42	54	2.61	36	4.990
BPOG4260	606	42	60	2.61	39	5.250
BPOG4266	794	42	66	2.61	47	6.015
BPOG4272	982	42	72	2.61	54	6.780

- Attaches to top of a panel to create floor-to-ceiling wall.
- Non-slotted.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- PVC strip runs entire width eliminating light seepage.
- For custom heights and widths, order size required and price as next size up. Example: 26" high, 35" wide, order BPOG2635 at \$426 in acrylic.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel. Example: BPOG2418 stacked on BPRA4218 to give an overall height of 66".
- When stacking on 29" or 37" high B1 panels, custom height required, please contact customer service.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- For tempered glass option, add "TG" to the end of the product code and 20% to the list price.

## BPOFR • Curved Fabric Over Panel




PRODUCT CODE	PRICE		OPT*	SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2		H	W	D	LBS	FT <sup>3</sup>
BPOFR2424	719	747	779	24	24 RA	24 RA	29	8.125
BPOFR3724	727	771	815	37	24 RA	24 RA	38	11.736
BPOFR4224	735	789	847	42	24 RA	24 RA	39	12.000

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1 1/8" mineral board.
- Non-slotted.

- No hang-on capabilities.
- Factory installed PVC strip attaches and aligns over panel to top of base panel.
- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOFR2624 at \$708 Grade 1.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOFR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT\* = Laminate or Whiteboard.

## BPOGR • Curved Glazed Over Panel




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPOGR2424	967	24	24 RA	24 RA	20	8.125
BPOGR3724	989	37	24 RA	24 RA	22	11.736
BPOGR4224	999	42	24 RA	24 RA	23	12.000

- Attaches to top of a panel to create floor-to-ceiling wall.
- Non-slotted.
- Factory installed PVC snap attaches and aligns over panel to top of base panel.
- No hang-on capabilities.

- For custom heights, please order size required and price as next size up. Example: 26" high, order BPOGR2624 at \$958.
- Custom heights over 42" must be quoted separately.
- Over panels can be stacked on any panel, excluding 37" high panels. Example: BPOGR2424 stacked on BPRAR4224 to give an overall height of 66".
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.


## BPXCF • Ceiling Filler



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPXCF124	46	3.25	124	0.125	1	1.2


- Durable PVC designed to seal a gap between ceiling and over panel.
- Available in lengths of 124" to be pressed into over panel's horizontal wing profile.
- Can be applied during installation or retrofitted later.

## BPDS • Solid Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BPDS8236R	1596	82	36	2.61	61	6.465
BPDS8242R	1738	82	42	2.61	68	7.486
BPDS8236L	1596	82	36	2.61	61	6.465
BPDS8242L	1738	82	42	2.61	68	7.486

### Door Hanging Directions



Right Shown



Left Shown

### Door Handle Option

Door Knob - DL01

- Lock Standard



Door Lever - DL02(Default)

- Lock Standard
- Lever complies with all handicap codes




- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:  
80" x 32 1/2" in 82" x 36" frame  
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- Non slotted frame.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.




# BOULEVARD 1

## BPDH • Half Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D				
BPDH8236R	1976	82	36	2.61	53	6.465
BPDH8242R	2161	82	42	2.61	59	7.486
BPDH8236L	1976	82	36	2.61	53	6.465
BPDH8242L	2161	82	42	2.61	59	7.486

### Door Hanging Directions



### Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02(Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:  
80" x 32 1/2" in 82" x 36" frame  
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$103 for 36" wide doors and \$128 for 42" wide doors.


## BPDG • Solid Glazed Door Panel



NEW!

PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D				
BPDG8236R	3164	82	36	2.61	53	6.465
BPDG8242R	3461	82	42	2.61	59	7.486
BPDG8236L	3164	82	36	2.61	53	6.465
BPDG8242L	3461	82	42	2.61	59	7.486

### Door Hanging Directions



### Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02(Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:  
80" x 32 1/2" in 82" x 36" frame  
80" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$206 for 36" wide doors and \$256 for 42" wide doors.
- Laminate frame is 5" thick on sides and 4" at top and bottom.


## BPDSL • Privacy Screen




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D				
BPDSL6636R	1593	66	36	2.61	35	5.98
BPDSL6642R	1716	66	42	2.61	42	6.93
BPDSL8136R	1912	81	36	2.61	43	7.30
BPDSL8142R	2052	81	42	2.61	50	8.45
BPDSL6636L	1593	66	36	2.61	35	5.98
BPDSL6642L	1716	66	42	2.61	42	6.93
BPDSL8136L	1912	81	36	2.61	43	7.30
BPDSL8142L	2052	81	42	2.61	50	8.45

- Must specify left or right for the direction in which the door will slide once installed.
- Caps located on the end of the frame default to the panel frame colour.
- All hardware included.
- Can be mounted on Boulevard 1 or Boulevard System 3 panels of the same width as the Privacy Screen.
- Locks not available.
- Note: Specify left or right for the direction in which the door will slide as per examples above.

### Left Hang Option



### Right Hang Hung



- Provides territorial privacy in an open plan environment.
- Lightweight, panel mounted sliding partition.
- Consists of translucent polycarbonate.
- Must be mounted to a straight panel of the same size.
- The face of the Privacy Screen sits 3" away from the face of the panel to which it is attached.
- Cable lay-in modules, wood trim and non-load bearing panels may be applied to the top of a panel to which the screen is attached, but not the screen itself.
- When open, the screen may interfere with access doors that open on the outside of an adjacent panel.




## BPDSLLOCK • Privacy Screen Lock



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BPDSLLOCKR	246	2.65	1.2	0.9	1	0.2
BPDSLLOCKL	246	2.65	1.2	0.9	1	0.2

- Lock bracket attaches to Privacy Screen with screws
- Includes strike plate bracket which attaches to slots in connector.
- Lock included.
- Available in tungsten only.
- Requires on site installation, drilling into the Privacy Screen aluminum frame.


## BHP • 90 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BHP029	54	29	2.61	2.61	4	0.154
BHP037	85	37	2.61	2.61	5	0.195
BHP042	94	42	2.61	2.61	5	0.221
BHP050	107	50	2.61	2.61	6	0.263
BHP054	117	54	2.61	2.61	6	0.284
BHP058	117	58	2.61	2.61	7	0.305
BHP066	127	66	2.61	2.61	8	0.346
BHP074	138	74	2.61	2.61	9	0.388
BHP082	149	82	2.61	2.61	9	0.430
BHP106	177	106	2.61	2.61	12	0.560
BHP119	192	119	2.61	2.61	13	0.622

- Enables connection for multiple panel runs such as 90 degree, 3 way and 4 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 4 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
  - 75 cables 5.6mm (0.220") diameter
  - 60 cables 5.6mm (0.220") diameter with 1 powerfeed
  - 45 cables 5.6mm (0.220") diameter with 2 powerfeeds


## BHP45 • 45 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BHP4529	54	29	2.61	2.61	4	0.154
BHP4537	85	37	2.61	2.61	5	0.195
BHP4542	94	42	2.61	2.61	5	0.221
BHP4550	107	50	2.61	2.61	6	0.263
BHP4554	117	54	2.61	2.61	6	0.284
BHP4558	117	58	2.61	2.61	7	0.305
BHP4566	127	66	2.61	2.61	8	0.346
BHP4574	138	74	2.61	2.61	9	0.388
BHP4582	149	82	2.61	2.61	9	0.430
BHP45106	177	106	2.61	2.61	12	0.560
BHP45119	192	119	2.61	2.61	13	0.622

- Enables connection for two panels at 45 degrees.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- 45 degree post does not accept PVC or Wood End Trim.
- No power infeed/post extension capabilities.
- Posts are designed to accept 30 cables 5.6mm (0.220") diameter.


## BHP60 • 60 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BHP6029	54	29	2.61	2.61	4	0.154
BHP6037	85	37	2.61	2.61	5	0.195
BHP6042	94	42	2.61	2.61	5	0.221
BHP6050	107	50	2.61	2.61	6	0.263
BHP6054	117	54	2.61	2.61	6	0.284
BHP6058	117	58	2.61	2.61	7	0.305
BHP6066	127	66	2.61	2.61	8	0.346
BHP6074	138	74	2.61	2.61	9	0.388
BHP6082	149	82	2.61	2.61	9	0.430
BHP60106	177	106	2.61	2.61	12	0.560
BHP60119	192	119	2.61	2.61	13	0.622

- Enables connection for multiple panel runs such as 120 degrees and 3 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 3 pair of raceway end caps, and 1 post cap.
- No power infeed/post extension capabilities.

## BHWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BHWA029	36	29	2.61	0.375	4	0.01
BHWA037	38	37	2.61	0.375	5	0.013
BHWA042	44	42	2.61	0.375	5	0.015
BHWA050	49	50	2.61	0.375	6	0.018
BHWA054	51	54	2.61	0.375	6	0.020
BHWA058	52	58	2.61	0.375	7	0.021
BHWA066	55	66	2.61	0.375	8	0.024
BHWA074	58	74	2.61	0.375	9	0.027
BHWA082	63	82	2.61	0.375	9	0.030
BHWA106	77	106	2.61	0.375	12	0.039
BHWA119	83	119	2.61	0.375	13	0.043

- Starts a run of panels off an existing wall.
- Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- Mounting hardware not included. The mounting hardware selected must be based on the wall or wall stud material.
- Wall adapter adds 5/16" to a panel run.

# BOULEVARD 1


## BHWASLxx • Adapter Sleeve



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHWASL42	154	34.7 4 2	2.5	0.161
BHWASL50	166	42.7 4 2	3.6	0.198
BHWASL58	178	52.7 4 2	5.1	0.244
BHWASL66	191	58.7 4 2	6.0	0.272

- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- As opposed to the BHWA wall adapter, which connects to the panels securely to a wall, B1 and B3 Boulevard panels rest inside the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller than 66" order two Wall Adapter Sleeve and either have them cut short on site below the ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 50" and 42" high B1 and B3 panels.
- Powder coated steel; specify metal finish.
- Note: the Wall Adapter Sleeve provides flexible, connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.
- Note: No fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally wall type.
- Cannot be used to support a door or panel.


## BHHF • High Profile Foot



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHHF01	242	9 1 12	4	0.130

- Provides added support to panel under load.
- Adjustable glides included.
- Made of cast aluminum and cold rolled steel.
- Cannot be used with System 3 Panels


## BHLF • Low Profile Foot



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHLF01	33	9 9 25	7	0.230

- Stabilizes a run of panels.
- Attaches with supplied connectors to an end of a panel.
- Made of cold rolled steel.
- Cannot be used with System 3 Panels

## BHPA • Panel to Panel Adapter



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHPA02	33	2 2.5 00.0	0.25	0.120

- Enables mid panel, off-module connection.
- Slim profile.
- Formed steel construction.
- Permanent clamps fit around base channel and fits to top rail.
- Priced as a complete kit.
- Designed for use with Boulevard 1 panels of the same height only.
- Not to be specified on panel seam or with over panels.

## BHCS • Capture Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H				
BHCS29	5	29	0.21	0.09
BHCS37	6	37	0.24	0.11
BHCS42	6	42	0.28	0.13
BHCS50	7	50	0.33	0.15
BHCS54	8	54	0.31	0.17
BHCS58	8	58	0.63	0.19
BHCS66	9	66	0.40	0.19
BHCS74	10	74	0.43	0.20
BHCS82	12	82	0.47	0.20

- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- Priced per pair.
- Pliable side membranes cover panel slots.
- Included with panel components.
- Only to be ordered separately if required.

## BHCE • End Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H				
BHCE29	3	29	0.10	0.04
BHCE37	4	37	0.12	0.05
BHCE42	4	42	0.14	0.06
BHCE50	5	50	0.16	0.07
BHCE54	5	54	0.31	0.08
BHCE58	5	58	0.18	0.08
BHCE66	6	66	0.20	0.09
BHCE74	7	74	0.22	0.10
BHCE82	8	82	0.23	0.11

- End strips with pliable side membrane covers panel slots at end of run.
- Priced per pair.
- Included with panel components.
- Only to be ordered separately if required.

## BHRC • Raceway End Cap



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BHRC02	2	3	2.61	0.5	0.04	0.02

- Provides clean detail at the end of a panel run or post. End caps fit flush into communication and power channel entry.
- Priced per pair.
- Made of injection molded ABS.
- Included with panel components. Only to be ordered separately if required.


## BVTE • Vertical End PVC Trim



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BVTE37	21	37	2.61	0.25	0.41	0.065
BVTE42	23	42	2.61	0.25	0.48	0.074
BVTE50	26	50	2.61	0.25	0.57	0.088
BVTE54	27	54	2.61	0.25	0.62	0.095
BVTE58	29	58	2.61	0.25	0.66	0.102
BVTE66	32	66	2.61	0.25	0.75	0.115
BVTE74	36	74	2.61	0.25	0.84	0.113
BVTE82	43	82	2.61	0.25	0.93	0.143

- Provides a rounded finished detail to the end of the panel run, or a post.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.


## BVTS • Vertical Step Down PVC Trim



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BVTS29	6	4	2.61	0.25	0.05	0.010
BVTS37	9	8	2.61	0.25	0.09	0.015
BVTS42	10	12	2.61	0.25	0.12	0.021
BVTS50	19	16	2.61	0.25	0.18	0.029
BVTS58	21	20	2.61	0.25	0.20	0.035
BVTS66	22	24	2.61	0.25	0.27	0.043
BVTS74	24	32	2.61	0.25	0.36	0.056
BVTS82	25	38	2.61	0.25	0.45	0.067
BVTS40	23	40	2.61	0.25	0.45	0.070
BVTS48	24	48	2.61	0.25	0.54	0.084
BVTS56	26	56	2.61	0.25	0.63	0.098

- Provides a rounded finished detail to the end of the panel run where two different height panels are specified.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).


## BVTS • Vertical Step Down PVC Trim for 37" High Panels



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BVTS05	6	5	2.61	0.25	0.06	0.015
BVTS13	8	13	2.61	0.25	0.15	0.029
BVTS17	9	17	2.61	0.25	0.15	0.035
BVTS21	9	21	2.61	0.25	0.24	0.043
BVTS29	18	29	2.61	0.25	0.33	0.051
BVTS37	21	37	2.61	0.25	0.41	0.067
BVTS45	23	45	2.61	0.25	0.51	0.084

- Provides a finished detail to the end of the panel run that sits next to a 37" high panel. This PVC trim will bridge the distance between the 37" and higher panel.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The PVC end trim is designed to snap at the end of the panel or post.
- Site installed.
- Please specify panels to be used when ordering a 29" step (BVTS29).

## BAVTE • Aluminum Vertical End Round Trim




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BAVTE37	57	37	2.61	0.125	1.2	0.03
BAVTE42	65	42	2.61	0.125	1.4	0.03
BAVTE50	77	50	2.61	0.125	1.7	0.04
BAVTE54	83	54	2.61	0.125	1.8	0.04
BAVTE58	88	58	2.61	0.125	1.9	0.04
BAVTE66	101	66	2.61	0.125	2.2	0.05
BAVTE74	118	74	2.61	0.125	2.4	0.05
BAVTE82	125	82	2.61	0.125	2.7	0.06
BAVTE119	181	119	2.61	0.125	3.9	0.08

- Provides a finished detail to the end of a panel run.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- BAVTE119 cannot ship via courier and must be combined with other product.

# BOULEVARD 1


## BAVTS • Aluminum Vertical End Round Trim - Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAVTS04	16	4	2.61	0.125	0.2	0.01
BAVTS08	19	8	2.61	0.125	0.3	0.02
BAVTS12	30	12	2.61	0.125	0.4	0.02
BAVTS16	30	16	2.61	0.125	0.5	0.03
BAVTS20	30	20	2.61	0.125	0.7	0.04
BAVTS24	46	24	2.61	0.125	0.8	0.04
BAVTS32	57	32	2.61	0.125	1.1	0.06
BAVTS38	68	38	2.61	0.125	1.3	0.07
BAVTS40	72	40	2.61	0.125	1.3	0.07
BAVTS48	85	48	2.61	0.125	1.6	0.08
BAVTS56	97	56	2.61	0.125	1.8	0.10

- Provides a finished detail to the end of a panel run where two different height panels are specified.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- Specify panels to be used when ordering a 29" step.


## BAVTSF • Aluminum Vertical End Round Trim - Step Down for 37" High Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BAVTSF05	19	5	2.61	0.125	0.2	0.02
BAVTSF13	30	13	2.61	0.125	0.4	0.03
BAVTSF17	30	17	2.61	0.125	0.6	0.04
BAVTSF21	46	21	2.61	0.125	0.7	0.04
BAVTSF29	57	29	2.61	0.125	1.0	0.05
BAVTSF37	68	37	2.61	0.125	1.2	0.07
BAVTSF45	85	45	2.61	0.125	1.5	0.08

- Provides a finished detail to the end of a panel run adjacent to a 37" high panel.
- Aluminum radiused front section and injection molded top cap.
- Includes 2 "Capture Strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.


## BARC • Aluminum Raceway Cover



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BARC06	24	00.0	5	0.125	0.3	0.001
BARC18	27	00.0	17	0.125	1.1	0.001
BARC24	32	00.0	23	0.125	1.4	0.001
BARC30	35	00.0	29	0.125	1.8	0.002
BARC36	38	00.0	35	0.125	2.2	0.002
BARC42	41	00.0	41	0.125	2.5	0.002
BARC48	44	00.0	47	0.125	2.9	0.003
BARC54	49	00.0	53	0.125	3.2	0.003
BARC60	56	00.0	59	0.125	3.7	0.003
BARC66	63	00.0	65	0.125	4.1	0.004
BARC72	66	00.0	72	0.125	4.4	0.004


- Offers an alternative to the existing raceway options.
- Cover hinges upward for easy access to power and data/communication terminals.
- Cover may be removed for installation and reconfiguration.
- May not be used with Boulevard System 3 panels.
- Sold as singles.

## Boulevard 1 • Flat Aluminum Trims



- Flat Aluminum Trims For Boulevard 1: Designed to use top and vertical trims together on the panel. Specifying vertical trims only will make them too long and will not fit correctly.
- You must specify vertical trims as a special if you are NOT using top trims.
- Post caps BA1PCF must be specified separately when using trims.

## BA1VTFE • Aluminum Vertical Flat End Trim




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BA1VTFE29	25	29	2.61	0.125	0.7	0.01
BA1VTFE37	41	37	2.61	0.125	1.0	0.02
BA1VTFE42	46	42	2.61	0.125	1.2	0.03
BA1VTFE50	53	50	2.61	0.125	1.5	0.04
BA1VTFE54	58	54	2.61	0.125	1.6	0.04
BA1VTFE58	62	58	2.61	0.125	1.7	0.04
BA1VTFE66	71	66	2.61	0.125	2.0	0.05
BA1VTFE74	80	74	2.61	0.125	2.2	0.05
BA1VTFE82	88	82	2.61	0.125	2.4	0.06

- Provides a finish detail to the end of a panel run.
- Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The Aluminum End Trim is designed to snap at the end of the panel or post.
- Site installed.
- For use with Aluminum Top Caps.

# BOULEVARD 1


## BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BA1VTFS04	6	4	2.61	0.125	0.1	0.01
BA1VTFS08	12	8	2.61	0.125	0.2	0.01
BA1VTFS12	18	12	2.61	0.125	0.4	0.02
BA1VTFS16	23	16	2.61	0.125	0.6	0.02
BA1VTFS20	30	20	2.61	0.125	0.6	0.03
BA1VTFS24	32	24	2.61	0.125	0.7	0.03
BA1VTFS32	39	32	2.61	0.125	0.9	0.03
BA1VTFS38	44	38	2.61	0.125	1.1	0.03
BA1VTFS40	46	40	2.61	0.125	1.1	0.03
BA1VTFS48	50	48	2.61	0.125	1.3	0.04
BA1VTFS56	58	56	2.61	0.125	1.6	0.05

- Provides a finish detail to the end of a panel run where 2 different height panels are specified.
- Aluminum flat profile with injection molded top cap.
- Included: 2 "capture strip" panel connectors and 1 injection molded top cap.
- The aluminum end trim is designed to snap at the end of the panel or post.
- Site installed.
- For use with Aluminum Top Caps.


## BA1VTFS • Aluminum Vertical Flat End Trim - Standard Step Down 37" High Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BA1VTFS05	11	5	2.61	0.125	0.2	0.01
BA1VTFS13	19	13	2.61	0.125	0.4	0.01
BA1VTFS17	27	17	2.61	0.125	0.4	0.01
BA1VTFS21	30	21	2.61	0.125	0.6	0.02
BA1VTFS29	35	19	2.61	0.125	0.7	0.03
BA1VTFS37	42	37	2.61	0.125	1.1	0.03
BA1VTFS45	49	45	2.61	0.125	1.3	0.04

- Provides a finish detail to the end of a panel run adjacent to a 37" high panel.
- Aluminum flat profile with injection molded top cap
- Included 2 "capture strip" panel connectors and 1 injection molded top cap.
- The aluminum end trim is designed to snap at the end of the panel or post.
- Site installed.
- Specify panels to be used when ordering a 29" step down trim.
- For use with Aluminum Top Caps.

## BA1TTRF • Aluminum Top Cap



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BA1TTRF06	11	0.125	6	2.61	0.2	0.01
BA1TTRF18	12	0.125	18	2.61	0.6	0.02
BA1TTRF24	12	0.125	24	2.61	0.7	0.03
BA1TTRF30	17	0.125	30	2.61	0.9	0.04
BA1TTRF36	21	0.125	36	2.61	1.1	0.05
BA1TTRF42	26	0.125	42	2.61	1.3	0.06
BA1TTRF48	30	0.125	48	2.61	1.5	0.06
BA1TTRF54	35	0.125	54	2.61	1.6	0.07
BA1TTRF60	39	0.125	60	2.61	1.8	0.08
BA1TTRF66	43	0.125	66	2.61	2.0	0.09
BA1TTRF72	45	0.125	72	2.61	2.2	0.10

- Provides a finish detail to the top of a Boulevard 1 panel.
- Designed to snap to the top of a panel rail.
- Must be used on panels of corresponding width.
- Site installed.
- For applications using transaction tops and top mounted storage, please use BHBT02FT bracket
- To be used with Flat Vertical Trim.


## BA1PCF • Post Cap



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BA1PCF	6	0.25	2.61	2.61	0.02	0.01

- Bridges the height difference when using Boulevard 1 panels only with Aluminum Horizontal Top Trims.
- Injection molded post cap to fit on top of 90 degree corner post.
- Extends post's overall height to the level corresponding with the height of aluminum horizontal top trim installed on standard Boulevard panel.
- Site installed.
- Used for Boulevard 1 panels when top aluminum horizontal trim is used.


## BHBT37FT • Transaction Bracket for 37" Panels with Flat Trim



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHBT37FT	24	3.3	1.5	2.3	2.0	0.010

- Provides a secure attachment of a transaction worksurface for a 37" high panel with top trim.
- Includes a left and right bracket and bracket retainer clips.

## BHBT02FT • Transaction Bracket for 42" Panels with Flat Trim




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHBT02FT	23	4	1	3	0.5	0.007

- Provides a secure attachment of a transaction worksurface for 42" high Boulevard panels with flat trim.
- Includes a left and right bracket and bracket retainer clips.



# BOULEVARD 1


## RCW-D • PVC Facemount Raceway Cover



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
RCW24D	25	7	24	0.125	3	0.05
RCW30D	27	7	30	0.125	3	0.06
RCW36D	30	7	36	0.125	4	0.07
RCW42D	35	7	42	0.125	5	0.08
RCW48D	38	7	48	0.125	5	0.09
RCW54D	40	7	54	0.125	6	0.10
RCW60D	43	7	60	0.125	7	0.11
RCW66D	46	7	66	0.125	7	0.12
RCW72D	49	7	72	0.125	8	0.12

- PVC raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


## FCR-D • Fabric Covered Facemount Raceway



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
FCR24D	64	7	24	0.125	3	0.05
FCR30D	64	7	30	0.125	3	0.06
FCR36D	58	7	36	0.125	4	0.07
FCR42D	58	7	42	0.125	5	0.08
FCR48D	58	7	48	0.125	5	0.09
FCR54D	58	7	54	0.125	6	0.10
FCR60D	58	7	60	0.125	7	0.11
FCR66D	67	7	66	0.125	7	0.12
FCR72D	126	7	72	0.125	8	0.12

- Fabric raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


## RCA-D • Aluminum Raceway Cover for Face Mounted



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
RCA24D	42	7	24	0.125	2.0	0.06
RCA30D	45	7	30	0.125	2.1	0.06
RCA36D	49	7	36	0.125	2.2	0.07
RCA42D	52	7	42	0.125	2.5	0.08
RCA48D	54	7	48	0.125	2.9	0.09
RCA54D	58	7	54	0.125	3.2	0.10
RCA60D	62	7	60	0.125	3.7	0.11
RCA66D	66	7	66	0.125	3.9	0.12
RCA72D	69	7	72	0.125	4.1	0.12

- Aluminum raceway cover is punched out to align with the Face Mount Power Distribution Housing and Duplexes.
- Data punch-out accepts industry standard terminal faceplates (not supplied by Global Contract Inc.) Size of opening is 1.37" x 2.755".
- Electrical cut-outs have black PVC trim. Size of opening is 1.5" x 2.85".
- May not be used with Boulevard System 3 Panels.
- Cover hinges upward for easy access to power and data/communication terminals.


## BPMB • Raceway Cover Caps



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BPMB020104B	6	1.5	3	0.125	0.04	0.02
BPMB020104G	6	1.5	3	0.125	0.04	0.02
BPMB020104W	6	1.5	3	0.125	0.04	0.02

- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- Made of injection molded ABS.
- B = Black
- W = White
- G = Grey


## BHSL • Safety Lock



PRODUCT CODE	PRICE
BHSL02	23

- Provides customers a higher degree of privacy.
- Safety Lock is a set of two ready made brackets and
- It is installed from the inside of a panel adjacent to an opening the door through the raceway.
- To be used for PVC raceways only.

## BHV • Component Wall Adapter - Single and Double




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHV01	57	60	0.75	0.5	4	0.009
BHV02	70	60	1.50	0.5	5	0.026

- Used to attach system components to fixed wall.
- Panel frame finish.
- The vertical wall adapter is a "U" shaped channel with a vertical row of slots with 1" centers.
- The double Component Wall Adapter has a double row of slots with 1" centers.
- Comes in 60" length only.
- Care should be taken to mount adapters only to wall studs using correct fasteners.
- Does not include mounting hardware. Mounting hardware selection to be based on wall material.
- Sold in pairs.
- Failure to do this may result in collapse of the unit and subsequent possible personal injury.

# BOULEVARD 1


## BECC01 • Cable Terminal Channel



PRODUCT	PRICE	SIZE /	INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>	
BECC01	6	6	4.5	2.5	.20	0.21	

- Houses various combinations of voice and data cables.
- 1 included with every Raceway Panel.
- Accommodates assorted snap-in modular voice and data terminals (not supplied by Global Contract Inc).
- Black only.

## BPHC01 • Cable Terminal Channel



PRODUCT	PRICE	SIZE /	INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>	
BPHC01	4	2.5	1	2	0.1	0.003	

- Houses various combinations of voice and data cables.
- 2 included with every Raceway Panel.
- Black only.
- For use with Boulevard 1 Panels only.



# BOULEVARD 1

# BOULEVARD SYSTEM 3 PANELS

## Boulevard System 3 Panel System

Boulevard System 3... The next generation of BOULEVARD offers the freedom to plan the office environment 'your way', while keeping an eye on the bottom line. Boulevard System 3 boasts a rich toolbox featuring stack-on panels, complete data/communication lay-in at the top, comprehensive power and data/communication at both the base and at desk height, a selection of interchangeable tiles, monolithic panels, up-mounted storage, new ergonomic worksurface shapes & a revised colour pallet featuring recycled fabrics.... all wrapped up in a sophisticated design statement. Enjoy planning it your way and having the tools to really do it. Boulevard System 3 offers the building blocks to create the framework that perfectly suits your office environment. Combinations of fabric, glazed, open and slat wall panel surface tiles effectively support the creation of various work settings, whether open (to encourage interaction and teamwork) or traditional, with enclosed functional task organizers. Boulevard System 3 lets you plan more effectively and with more versatility than ever before. It is simple to comprehend, specify, install,

maintain and reconfigure. Offering multifunctional furnishing solutions, Boulevard System 3 can be specified on its own or used as a power/data and privacy provider, bridging freestanding/mobile furniture and panels and task related options such as worksurface shapes that help you work better. By utilizing up-mount storage, lower panel heights can be maintained without sacrificing overhead storage where and when needed. Another value-oriented tool... Consider 'Spine' planning to create a power wall that feeds data/communication to a string of perpendicular offices. Incorporate monolithic panels which offer the best cost/performance advantages for value sensitive environments with base panel raceway power/data cable distribution, while adding visual interest...and of course, reconfiguration is a breeze. Now you can have an endless visual pallet and array of practical solutions for today's ever changing and demanding workplace. When you add it all up, Boulevard System 3 gives you more value than ever before.

## Technical Information

### Panels

- All panels are 2 5/8" thick.
- Lightweight aluminum box frame construction creates superior panel rigidity.
- Panel frame finish is durable epoxy powder coated.
- Hang-on capabilities at 1" increments.
- Patented "Knuckle-Loc" design provides solid panel-to-panel connection for fast installation and reconfiguration.
- Knuckle lock feature ensures even panel heights throughout installation.
- 3" glide stem permits 2 1/2" height adjustment.
- Panel sizes are actual, eliminating creepage.
- Vertical end trims must be specified to give the panel a finished appearance.
- Horizontal top trims are included with all panels.
- All panels include 2 "Capture Strip" panel connectors.
- Panels are UL listed and CSA approved and have a Class "A" fire rating except when Customer's Own Material (COM) is used.
- All panels accept Over Panels (see page D.7).

### Panel Options

- Laminate, whiteboard, or corkboard may be substituted for fabric on panels only, see "OPT" column.
- Laminate and whiteboard are held in place with a PVC retainer matching the frame colour and can be retrofitted on site.
- Laminate and whiteboard options reduce the acoustical value of the panel.

### Monolithic Panels

- Fabric on Monolithic Panels can be re-upholstered on site.

### Pass Thru Panels

- Fabric at base of Pass-Thru Panels can be re-upholstered on site.
- Tiles cannot be re-upholstered on site.

### Bottom Lay-in Raceway

- Bottom raceway snaps to the bottom of the panel and can be completely removed for unobstructed cable lay-in installation.
- Bottom lay-in raceway is 60 mm (2.380") wide x 141 mm (5.560") high.
- Maximum capacity: 70 cables 5 mm (0.200) diameter, 2 parallel 8 wire, 4 circuit power distribution.
- State-of-the-art engineering.
- Snap-in modularity of all electrical components including harnesses, distribution housings, duplexes and circuit designations.
- All power and data outlets are easily accessible from both sides of panel.
- 8 wire system with 4, 15 amp circuits (including 1 dedicated circuit).
- Facemount electrical with 1 duplex per panel side.
- Included is 1 data/communication terminal bracket per side.

- Raceway cover openings of 2.800" x 1.345" can accommodate a single modular Data/Comm terminal plate per side (not supplied by Global Contract Inc).
- Outlet and circuit changes accomplished without disruption to work station.
- Large raceway cavity permits storage of excess cables and equipment cords.
- Total flexibility for 8 wire system: choice of up to 4 duplexes per panel; choice of circuitry in each duplex .
- Unique design of fire retardant metal raceway cover permits access to raceway without disruption to equipment.

### Horizontal Lay-in Channel (Excluding all panels with Embedded Glass)

- Integrated horizontal lay-in channel 33.5 m (1.320") wide and 38 mm (1.500") high at the top of panels and on top of the door frame.
- Maximum capacity: 36 cables 5 mm (0.200") in diameter.
- Maximum cable bending radius between two perpendicular panels: 141.2 mm (5.560") [5 mm (0.200") in diameter cables].

### Vertical Wire Channel

- Where applicable, the vertical wire channel connects horizontal channel above desk height with floor level raceway.
- Opening in horizontal channel allows for vertical cable passage from top lay-in channel to base raceway.
- Integrated vertical channel 76 mm (2.990") x 27 mm (1.060").
- Maximum capacity: 60 cables 5 mm (0.200") in diameter.
- Maximum cable bending radius: 141.2 mm (5.560").

### Posts

- Enables connection for multiple panel runs such as 90°, 45° or 60° angle and 2 way, 3 way or 4 way.
- Starts at the top of the bottom lay-in raceway.
- 90 degree post provides route for ceiling power and data entry to a panel raceway.
- Knuckle lock feature maintains even height of all connected panels.
- Solid lightweight aluminum extrusion fits together through a unique "Knuckle-Loc" design providing rigid post-to-panel connection.
- Post has punch-outs at the top to allow for unobstructed horizontal cable passage between adjacent panels.
- Includes all required panel connectors and caps.
- Posts add 2 5/8" to a panel run.
- Posts are 1/8" oversized to allow for "panel wrap around" of freestanding desks.
- For all panel runs with multiple posts, this 1/8" must be allotted for.
- Maximum capacity:
  - 80 cables 5mm(0.200") diameter
  - 65 cables 5mm(0.200") diameter with 1 power feed
  - 50 cables 5mm (0.200") diameter with 2 power feeds


# BOULEVARD SYSTEM 3 PANELS

## PANELS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


Example of Panel: **BPX3MA6636 CHR CHR P1 AN50 BE21**



### How to Specify

- Specify Boulevard System 3 panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify PVC raceway finish - ie. CHR (Charcoal). If raceway colour not specified at time of order, default will be the panel frame colour.
- Specify all two panel fabric options if necessary.
- Some fabrics have directional pattern and cannot be applied horizontally or vertically. Panels wider then 60" will have fabrics applied horizontally (railroad). Please specify if you want adjacent panels and the rest of the installation upholstered the same way.
- Specify whether punchouts are required inside and outside of raceway or if no knockouts are required.
  - P2 - Punchouts on both sides.
  - P1 - Punchouts on one side.
  - NP - No punchouts.
- For special width panels, a special must be processed and additional costs apply. Please contact your customer service representative.

Example of Post: **BH3PS066 CHR**



### How to Specify

- Specify Boulevard System 3 post by code.
- Specify frame colour - ie. CHR (Charcoal).

# GRAPHIC PANEL INFO

## ORDERS

### Each Order Must Include

Purchase Order

Layout showing where the image(s) appear in the run of panels.

A completed Price Chart, showing the location of the image(s) on each appropriate panel.

Artwork must be submitted in accordance with the following artwork specifications.

**NOTE:** Final artwork specification approval must be given before order can be processed.

## Transfer Devices

- E-mail up to 10MB to your Global Contract Customer Service Representative.
- Courier CD/DVD/USB stick to your Global Contract Customer Service Representative.

## Artwork Specifications

- Non-Photographic artwork should be vector art, saved in Adobe Illustrator (.ai) or as an EPS (.eps).
- All bitmap or photographic artwork has to be at a minimum of 100 dpi at the full size of the panel to be printed.
- We accept Adobe CS5 files.
- Any linked files must be included or imbedded.
- Leave any PSD files unflattened.
- All fonts must be converted to outlines.
- Do not convert to CMYK, leave all images as RGB if possible.
- No Word, Powerpoint, Publisher or other Microsoft files can be used.
- Include a PDF or .jpg for reference when sending native Photoshop or Illustrator format files.

## Colour Matching

- A Pantone colour reference must be supplied or we cannot accept responsibility for correct colour.
- When it is not possible to refer to Pantone colours, we will do our best to meet your requirements.

## Image Clarity

- We will advise should the selected image not lend itself to the element size requested.

## NOTE:

We reserve the right to put an order on hold when the files are found to be incomplete or when documents have been either incorrectly saved. Fonts not converted

to curves or the job appears not to be commercially acceptable.


## Image Bleed:

To facilitate placement on the panel. Extension of the image past the finished visible area of the panel (bleed) is required.


- Boulevard Panels need a 5" Bleed on all sides.

## Example Of Image resolution:

The resolution required for a 36 wide x 24 high Boulevard panel at 100dpi (minimum resolution)




The resolution required for a 36 wide x 24 high Boulevard panel at 300dpi (higher quality)



# SYSTEM 3 GRAPHIC PANELS

**Pricing, Initial Set-Up**  
**Charge per Image:\$180 net**


## Boulevard System 3 Tiles



PANEL WIDTH	HEIGHT	LIST PRICE
8"	16"	
24"	147	215
30"	174	254
36"	200	292
42"	231	331
48"	254	369
54"	285	415
60"	308	454
66"	331	485
72"	362	523

- This List applies to the following panels:
- BP3FTxxxx
- BP3ETxxxx


## Boulevard System 3 Bottom Section of Pass-Through Panel



PANEL WIDTH	LIST PRICE
28"	
24"	308
30"	362
36"	415
42"	477
48"	531
54"	584
60"	639
66"	692
72"	746

- This List applies to the following panels:
- BPX3PTxxxx
- BPX3PVxxxx

## Boulevard System 3 Monolithic Panels





PANEL WIDTH	HEIGHT	LIST PRICE		
24"	308	377	439	577
30"	362	439	523	677
36"	415	507	600	784
42"	477	577	669	892
48"	531	646	769	992
54"	584	715	838	1100
60"	639	784	923	1199
66"	692	838	992	1292
72"	746	907	1069	1392

- This List applies to the following panels:
- BPX3MAxxxx
- BPX3MVxxxx

Note: Prices shown are an upcharge to the panel price, please add to the list price of panel which you are specifying the graphic for.

# BOULEVARD SYSTEM 3 PANELS

## BPX3MA • Monolithic Acoustical Panel





72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT³
BPX3MA3418	241	255	271	34	18	2.61	11	1.337
BPX3MA3424	269	285	301	34	24	2.61	12	1.738
BPX3MA3430	294	310	324	34	30	2.61	13	2.139
BPX3MA3436	321	350	381	34	36	2.61	15	2.540
BPX3MA3442	347	376	408	34	42	2.61	16	2.941
BPX3MA3448	374	403	435	34	48	2.61	18	3.342
BPX3MA3454	402	431	462	34	54	2.61	20	3.743
BPX3MA3460	428	455	488	34	60	2.61	22	4.144
BPX3MA3466	585	626	669	34	66	2.61	26	4.612
BPX3MA3472	741	782	825	34	72	2.61	30	5.080
BPX3MA4218	259	279	299	42	18	2.61	12	1.782
BPX3MA4224	287	308	327	42	24	2.61	13	2.317
BPX3MA4230	316	336	356	42	30	2.61	15	2.852
BPX3MA4236	343	382	423	42	36	2.61	17	3.387
BPX3MA4242	373	412	453	42	42	2.61	19	3.921
BPX3MA4248	401	439	481	42	48	2.61	21	4.456
BPX3MA4254	431	469	510	42	54	2.61	23	4.991
BPX3MA4260	458	496	538	42	60	2.61	25	5.525
BPX3MA4266	651	730	815	42	66	2.61	29	6.148
BPX3MA4272	844	923	1008	42	72	2.61	34	6.770
BPX3MA5018	334	363	395	50	18	2.61	13	2.106
BPX3MA5024	368	397	428	50	24	2.61	15	2.738
BPX3MA5030	402	431	462	50	30	2.61	17	3.370
BPX3MA5036	438	496	559	50	36	2.61	20	4.002
BPX3MA5042	493	550	613	50	42	2.61	23	4.634
BPX3MA5048	507	566	627	50	48	2.61	24	5.266
BPX3MA5054	540	599	660	50	54	2.61	25	5.898
BPX3MA5060	576	634	696	50	60	2.61	27	6.530
BPX3MA5066	806	885	970	50	66	2.61	33	7.265
BPX3MA5072	1034	1114	1198	50	72	2.61	40	8.000
BPX3MA5418	376	405	437	54	18	2.61	14	2.406
BPX3MA5424	412	441	473	54	24	2.61	16	3.181
BPX3MA5430	437	465	496	54	30	2.61	19	3.907
BPX3MA5436	486	544	606	54	36	2.61	22	4.602
BPX3MA5442	521	579	641	54	42	2.61	25	5.306
BPX3MA5448	558	616	678	54	48	2.61	26	5.966
BPX3MA5454	591	650	711	54	54	2.61	27	7.287
BPX3MA5460	630	689	750	54	60	2.61	30	7.539
BPX3MA6618	390	437	490	66	18	2.61	14	2.755
BPX3MA6624	426	475	526	66	24	2.61	17	3.581
BPX3MA6630	462	510	564	66	30	2.61	20	4.407
BPX3MA6636	501	577	660	66	36	2.61	24	5.234
BPX3MA6642	537	615	696	66	42	2.61	26	6.060
BPX3MA6648	574	653	734	66	48	2.61	28	6.887
BPX3MA6654	609	688	770	66	54	2.61	30	7.713
BPX3MA6660	648	726	808	66	60	2.61	32	8.539

- Provides visual and acoustic privacy.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT\* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

# SYSTEM 3 GRAPHIC PANELS

## BPX3MV • Monolithic Acoustical Panel with Vertical Wire Channel




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPX3MV3430	317	333	346	34	30	2.61	15	2.139
BPX3MV3436	343	372	407	34	36	2.61	17	2.540
BPX3MV3442	370	399	431	34	42	2.61	18	2.941
BPX3MV3448	398	426	458	34	48	2.61	20	3.342
BPX3MV3454	424	452	484	34	54	2.61	22	3.743
BPX3MV3460	450	479	510	34	60	2.61	24	4.144
BPX3MV3466	620	661	704	34	66	2.61	29	4.612
BPX3MV3472	789	830	873	34	72	2.61	34	5.080
BPX3MV4230	386	366	386	42	30	2.61	17	2.852
BPX3MV4236	373	412	453	42	36	2.61	19	3.387
BPX3MV4242	403	442	483	42	42	2.61	21	3.921
BPX3MV4248	431	468	510	42	48	2.61	23	4.456
BPX3MV4254	460	498	540	42	54	2.61	25	4.991
BPX3MV4260	488	526	568	42	60	2.61	27	5.525
BPX3MV4266	697	776	861	42	66	2.61	32	6.148
BPX3MV4272	906	985	1070	42	72	2.61	38	6.770
BPX3MV5030	439	467	501	50	30	2.61	19	3.370
BPX3MV5036	476	534	596	50	36	2.61	22	4.002
BPX3MV5042	508	567	628	50	42	2.61	25	4.634
BPX3MV5048	544	603	664	50	48	2.61	26	5.266
BPX3MV5054	577	636	697	50	54	2.61	27	5.898
BPX3MV5060	613	671	733	50	60	2.61	29	6.530
BPX3MV5066	864	943	1028	50	66	2.61	35	7.265
BPX3MV5072	1114	1193	1278	50	72	2.61	40	8.000
BPX3MV5430	495	524	556	54	30	2.61	19	3.907
BPX3MV5436	532	590	652	54	36	2.61	22	4.602
BPX3MV5442	569	627	689	54	42	2.61	25	5.306
BPX3MV5448	606	664	726	54	48	2.61	26	5.966
BPX3MV5454	641	699	761	54	54	2.61	27	7.287
BPX3MV5460	677	735	796	54	60	2.61	30	7.539
BPX3MV6630	514	563	615	66	30	2.61	22	4.407
BPX3MV6636	550	628	710	66	36	2.61	26	5.234
BPX3MV6642	588	665	748	66	42	2.61	28	6.060
BPX3MV6648	626	703	786	66	48	2.61	30	6.887
BPX3MV6654	661	739	821	66	54	2.61	32	7.713
BPX3MV6660	698	776	858	66	60	2.61	34	8.539

- Provides visual and acoustic privacy and allows for vertical cable passage from top lay-in channel to bottom raceway within panel.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC. Includes integrated vertical wire channel.
- OPT\* = Laminate or Whiteboard
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

## BPX3MG • Monolithic Glazed Panel




PRODUCT CODE	PRICE	FRST/SMK	SIZE / INCHES			WEIGHT VOL	
			H	W	D	LBS	FT <sup>3</sup>
BPX3MG5024	586		50	24	2.61	25	2.738
BPX3MG5030	744		50	30	2.61	29	3.370
BPX3MG5036	788		50	36	2.61	33	4.002
BPX3MG5042	830		50	42	2.61	36	4.634
BPX3MG5048	875		50	48	2.61	41	5.266
BPX3MG5424	586		54	24	2.61	29	3.138
BPX3MG5430	744		54	30	2.61	34	3.807
BPX3MG5436	788		54	36	2.61	38	4.602
BPX3MG5442	830		54	42	2.61	43	5.334
BPX3MG5448	875		54	48	2.61	48	6.066
BPX3MG6624	729		66	24	2.61	33	3.581
BPX3MG6630	792		66	30	2.61	39	4.407
BPX3MG6636	856		66	36	2.61	44	5.234
BPX3MG6642	918		66	42	2.61	49	6.060
BPX3MG6648	980		66	48	2.61	54	6.887

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
- Glazing is standard on one side.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.



# BOULEVARD SYSTEM 3 PANELS


## BPX3PT • Pass-Thru Panel - Fabric Base



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPX3PT4218	248	268	289	42	18	2.61	14	1.689
BPX3PT4224	280	299	321	42	24	2.61	16	2.233
BPX3PT4230	310	330	351	42	30	2.61	17	2.792
BPX3PT4236	339	359	380	42	36	2.61	19	3.351
BPX3PT4242	369	388	410	42	42	2.61	21	3.908
BPX3PT4248	400	419	441	42	48	2.61	23	4.466
BPX3PT4254	429	449	470	42	54	2.61	26	5.025
BPX3PT4260	459	479	501	42	60	2.61	27	5.592
BPX3PT4266	632	673	716	42	66	2.61	32	6.148
BPX3PT4272	806	847	890	42	72	2.61	38	6.700
BPX3PT5018	248	268	289	50	18	2.61	15	2.106
BPX3PT5024	280	299	321	50	24	2.61	17	2.738
BPX3PT5030	310	330	351	50	30	2.61	18	3.370
BPX3PT5036	339	359	380	50	36	2.61	20	4.002
BPX3PT5042	368	391	410	50	42	2.61	22	4.634
BPX3PT5048	400	419	441	50	48	2.61	24	5.266
BPX3PT5054	429	449	470	50	54	2.61	27	5.898
BPX3PT5060	459	479	501	50	60	2.61	29	6.530
BPX3PT5066	632	673	716	50	66	2.61	34	7.265
BPX3PT5072	806	847	890	50	72	2.61	40	8.000
BPX3PT6618	309	330	350	66	18	2.61	19	2.755
BPX3PT6624	343	365	384	66	24	2.61	21	3.581
BPX3PT6630	380	401	421	66	30	2.61	23	4.407
BPX3PT6636	417	437	458	66	36	2.61	25	5.234
BPX3PT6642	452	474	493	66	42	2.61	27	6.060
BPX3PT6648	489	509	531	66	48	2.61	30	6.887
BPX3PT6654	525	545	567	66	54	2.61	33	7.713
BPX3PT6660	563	583	604	66	60	2.61	36	8.539

- Opening allows choice of tile above desk height.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

## BPX3PV • Pass-Thru Panel with Vertical Wire Channel





PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPX3PV4230	339	359	380	42	30	2.61	19	2.792
BPX3PV4236	369	388	410	42	36	2.61	21	3.351
BPX3PV4242	400	419	441	42	42	2.61	23	3.908
BPX3PV4248	429	449	470	42	48	2.61	23	4.466
BPX3PV4254	459	479	501	42	54	2.61	28	5.025
BPX3PV4260	490	509	532	42	60	2.61	30	5.592
BPX3PV4266	663	704	747	42	66	2.61	36	6.148
BPX3PV4272	836	877	920	42	72	2.61	42	6.700
BPX3PV5030	339	359	380	50	30	2.61	20	3.370
BPX3PV5036	369	388	410	50	36	2.61	22	4.002
BPX3PV5042	400	419	441	50	42	2.61	24	4.634
BPX3PV5048	429	449	470	50	48	2.61	26	5.266
BPX3PV5054	459	479	501	50	54	2.61	29	5.898
BPX3PV5060	490	509	532	50	60	2.61	31	6.530
BPX3PV5066	663	704	747	50	66	2.61	37	7.265
BPX3PV5072	836	877	920	50	72	2.61	44	8.000
BPX3PV6630	410	431	451	66	30	2.61	25	4.407
BPX3PV6636	446	467	489	66	36	2.61	27	5.234
BPX3PV6642	483	504	524	66	42	2.61	29	6.060
BPX3PV6648	520	540	562	66	48	2.61	32	6.887
BPX3PV6654	555	575	597	66	54	2.61	35	7.713
BPX3PV6660	590	610	631	66	60	2.61	38	8.539

- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from top lay-in channel to bottom raceway within panel.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.



# BOULEVARD SYSTEM 3 PANELS

## BPX3GMA • Monolithic Acoustical Panel with Embedded Glass




72" Wide

PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPX3GMA3418	733	746	759	34	18	2.61	14	1.627
BPX3GMA3424	774	787	801	34	24	2.61	17	2.178
BPX3GMA3430	816	829	843	34	30	2.61	20	2.729
BPX3GMA3436	857	883	912	34	36	2.61	23	3.270
BPX3GMA3442	909	935	964	34	42	2.61	25	3.791
BPX3GMA3448	965	991	1019	34	48	2.61	29	4.302
BPX3GMA3454	1037	1063	1092	34	54	2.61	32	4.853
BPX3GMA3460	1096	1122	1151	34	60	2.61	35	5.404
BPX3GMA3466	1163	1200	1239	34	66	2.61	40	6.022
BPX3GMA3472	1229	1266	1305	34	72	2.61	46	6.640
BPX3GMA4218	758	775	794	42	18	2.61	15	2.072
BPX3GMA4224	802	820	838	42	24	2.61	18	2.757
BPX3GMA4230	846	864	882	42	30	2.61	22	3.442
BPX3GMA4236	890	925	962	42	36	2.61	25	4.117
BPX3GMA4242	944	979	1016	42	42	2.61	28	4.771
BPX3GMA4248	1004	1039	1076	42	48	2.61	32	5.416
BPX3GMA4254	1076	1111	1148	42	54	2.61	35	6.101
BPX3GMA4260	1137	1172	1209	42	60	2.61	38	6.785
BPX3GMA4266	1230	1301	1378	42	66	2.61	44	7.558
BPX3GMA4272	1324	1395	1472	42	72	2.61	50	8.330
BPX3GMA5018	862	888	917	50	18	2.61	16	2.396
BPX3GMA5024	915	941	969	50	24	2.61	20	3.178
BPX3GMA5030	970	996	1025	50	30	2.61	24	3.960
BPX3GMA5036	1021	1074	1129	50	36	2.61	28	4.732
BPX3GMA5042	1084	1137	1192	50	42	2.61	32	5.484
BPX3GMA5048	1151	1203	1259	50	48	2.61	35	6.226
BPX3GMA5054	1231	1284	1339	50	54	2.61	37	7.008
BPX3GMA5060	1304	1357	1412	50	60	2.61	40	7.790
BPX3GMA5066	1401	1473	1549	50	66	2.61	48	8.675
BPX3GMA5072	1499	1570	1647	50	72	2.61	56	9.560
BPX3GMA5418	921	965	1012	54	18	2.61	16	2.704
BPX3GMA5424	978	1021	1068	54	24	2.61	21	3.678
BPX3GMA5430	1031	1075	1122	54	30	2.61	26	4.560
BPX3GMA5436	1088	1158	1232	54	36	2.61	30	5.332
BPX3GMA5442	1153	1224	1298	54	42	2.61	34	7.126
BPX3GMA5448	1222	1292	1366	54	48	2.61	38	7.923
BPX3GMA5454	1305	1375	1449	54	54	2.61	41	8.423
BPX3GMA5460	1381	1451	1525	54	60	2.61	47	9.219
BPX3GMA6618	941	984	1031	66	18	2.61	17	3.045
BPX3GMA6624	999	1042	1090	66	24	2.61	22	4.021
BPX3GMA6630	1052	1095	1142	66	30	2.61	27	4.997
BPX3GMA6636	1110	1180	1254	66	36	2.61	32	5.964
BPX3GMA6642	1177	1247	1321	66	42	2.61	35	6.910
BPX3GMA6648	1246	1316	1390	66	48	2.61	39	7.847
BPX3GMA6654	1329	1400	1474	66	54	2.61	42	8.823
BPX3GMA6660	1406	1476	1550	66	60	2.61	45	9.799

- Provides visual and acoustic privacy.
- Centre septum above raceway overlaid on either side with 1 1/8" "Sound absorbent mineral board".
- Acoustic rating of .70 NRC and 25 STC.
- OPT\* = Laminate or Whiteboard
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

## BPX3GMG • Monolithic Glazed Panel with Embedded Glass



PRODUCT CODE	PRICE	FRST/SMK	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BPX3GMG5024	1224		50	24	2.61	30	3.178
BPX3GMG5030	1450		50	30	2.61	36	3.960
BPX3GMG5036	1517		50	36	2.61	41	4.732
BPX3GMG5042	1592		50	42	2.61	45	5.484
BPX3GMG5048	1421		50	48	2.61	52	6.226
BPX3GMG5424	1224		54	24	2.61	32	3.678
BPX3GMG5430	1450		54	30	2.61	40	4.360
BPX3GMG5436	1517		54	36	2.61	46	5.317
BPX3GMG5442	1592		54	42	2.61	52	6.010
BPX3GMG5448	1421		54	48	2.61	56	6.890
BPX3GMG6624	1426		66	24	2.61	38	4.021
BPX3GMG6630	1520		66	30	2.61	46	4.997
BPX3GMG6636	1617		66	36	2.61	52	5.964
BPX3GMG6642	1715		66	42	2.61	58	6.910
BPX3GMG6648	1820		66	48	2.61	65	7.847

- Full-height glazing provides visual accessibility.
- Glazing is replaceable on site. Tempered clear glass standard.
- B3 panel top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

# BOULEVARD SYSTEM 3 PANELS


## BPX3GPT • Pass-Thru Panel with Embedded Glass - Fabric Base



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPX3GPT4218	741	759	778	42	18	2.61	17	1.979
BPX3GPT4224	791	808	828	42	24	2.61	21	2.673
BPX3GPT4230	837	855	874	42	30	2.61	24	3.382
BPX3GPT4236	882	900	919	42	36	2.61	27	4.081
BPX3GPT4242	937	955	974	42	42	2.61	30	4.758
BPX3GPT4248	1001	1018	1038	42	48	2.61	34	5.426
BPX3GPT4254	1074	1092	1111	42	54	2.61	38	6.135
BPX3GPT4260	1138	1155	1175	42	60	2.61	40	6.852
BPX3GPT4266	1213	1250	1289	42	66	2.61	47	7.556
BPX3GPT4272	1288	1325	1363	42	72	2.61	54	8.260
BPX3GPT5018	741	759	778	50	18	2.61	18	2.396
BPX3GPT5024	791	808	828	50	24	2.61	22	3.178
BPX3GPT5030	837	855	874	50	30	2.61	25	3.960
BPX3GPT5036	882	900	919	50	36	2.61	28	4.732
BPX3GPT5042	937	955	974	50	42	2.61	31	5.484
BPX3GPT5048	1001	1018	1038	50	48	2.61	35	6.226
BPX3GPT5054	1074	1092	1111	50	54	2.61	39	7.008
BPX3GPT5060	1138	1155	1175	50	60	2.61	42	7.790
BPX3GPT5066	1213	1250	1289	50	66	2.61	49	8.675
BPX3GPT5072	1288	1325	1363	50	72	2.61	56	9.560
BPX3GPT6618	827	845	865	66	18	2.61	22	3.045
BPX3GPT6624	882	899	919	66	24	2.61	26	4.021
BPX3GPT6630	940	958	978	66	30	2.61	30	4.997
BPX3GPT6636	991	1009	1029	66	36	2.61	33	5.964
BPX3GPT6642	1056	1075	1094	66	42	2.61	36	6.910
BPX3GPT6648	1129	1147	1166	66	48	2.61	41	7.847
BPX3GPT6654	1207	1226	1245	66	54	2.61	45	8.823
BPX3GPT6660	1284	1302	1322	66	60	2.61	49	9.799

- Opening allows choice of tile above desk height.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

## BPX3GPV • Pass-Thru Panel with Vertical Wire Channel and Embedded Glass- Fabric Base




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BPX3GPV4230	879	896	916	42	30	2.61	26	3.382
BPX3GPV4236	924	942	961	42	36	2.61	29	4.081
BPX3GPV4242	982	1000	1019	42	42	2.61	32	4.758
BPX3GPV4248	1042	1060	1079	42	48	2.61	37	5.426
BPX3GPV4254	1115	1132	1152	42	54	2.61	40	6.135
BPX3GPV4260	1185	1203	1222	42	60	2.61	43	6.852
BPX3GPV4266	1251	1288	1326	42	66	2.61	51	7.556
BPX3GPV4272	1315	1352	1391	42	72	2.61	58	8.260
BPX3GPV5030	879	896	916	50	30	2.61	27	3.960
BPX3GPV5036	924	942	961	50	36	2.61	30	4.732
BPX3GPV5042	982	1000	1019	50	42	2.61	33	5.484
BPX3GPV5048	1042	1060	1079	50	48	2.61	37	6.226
BPX3GPV5054	1115	1132	1152	50	54	2.61	41	7.008
BPX3GPV5060	1185	1203	1222	50	60	2.61	44	7.790
BPX3GPV5066	1251	1288	1326	50	66	2.61	52	8.675
BPX3GPV5072	1315	1352	1391	50	72	2.61	60	9.560
BPX3GPV6630	980	998	1018	66	30	2.61	32	4.997
BPX3GPV6636	1037	1055	1075	66	36	2.61	35	5.964
BPX3GPV6642	1098	1116	1136	66	42	2.61	38	6.910
BPX3GPV6648	1168	1187	1206	66	48	2.61	43	7.847
BPX3GPV6654	1251	1269	1289	66	54	2.61	47	8.823
BPX3GPV6660	1326	1344	1363	66	60	2.61	51	9.799

- Opening allows choice of tile above desk height. Vertical wire channel allows passage of cables from lay-in channel to bottom raceway within panel.
- Solid fabric base up to 34".
- Single 8" opening above 34" for 42" high panels.
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Includes integrated vertical wire channel.
- Horizontal cable management at 34" height.
- OPT\* = Laminate or Whiteboard.
- B3 panel Top trim option provided with embedded, frame-less glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofitable on-site.

# BOULEVARD SYSTEM 3 PANELS


## BPX3GPF • Pass-Tru Panel with Embedded Glass - Air Flow Base



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D		
BPX3GPF5018	882	50 18	2.61 20	2.396
BPX3GPF5024	952	50 24	2.61 23	3.178
BPX3GPF5030	1020	50 30	2.61 27	3.960
BPX3GPF5036	1093	50 36	2.61 30	4.732
BPX3GPF5042	1174	50 42	2.61 32	5.484
BPX3GPF5048	1259	50 48	2.61 37	6.226
BPX3GPF5054	1357	50 54	2.61 40	7.008
BPX3GPF5060	1446	50 60	2.61 44	7.790
BPX3GPF6618	966	66 18	2.61 24	3.045
BPX3GPF6624	1043	66 24	2.61 28	4.021
BPX3GPF6630	1129	66 30	2.61 32	4.997
BPX3GPF6636	1209	66 36	2.61 35	5.964
BPX3GPF6642	1301	66 42	2.61 38	6.910
BPX3GPF6648	1396	66 48	2.61 43	7.847
BPX3GPF6654	1506	66 54	2.61 47	8.823
BPX3GPF6660	1607	66 60	2.61 50	9.799

- Allows air to flow freely through the bottom of the panel.
- Double wall perforated metal base up to 34".
- Single 16" opening above 34" for 50" high panels.
- Two individual 16" openings above 34" for 66" high panels.
- Horizontal cable management at 34" height.
- B3 panel Top trim option provided with embedded, frameless glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofittable on-site.


## BPX3GOP • Over Panel Frame with Embedded Glass



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D		
BPX3GOP0818	477	8 18	2.61 6	0.673
BPX3GOP0824	488	8 24	2.61 9	0.878
BPX3GOP0830	500	8 30	2.61 11	1.246
BPX3GOP0836	513	8 36	2.61 12	1.442
BPX3GOP0842	536	8 42	2.61 14	1.725
BPX3GOP0848	561	8 48	2.61 16	1.890
BPX3GOP0854	601	8 54	2.61 18	2.150
BPX3GOP0860	633	8 60	2.61 19	2.464
BPX3GOP0866	680	8 66	2.61 22	2.722
BPX3GOP0872	726	8 72	2.61 24	2.980
BPX3GOP1618	477	16 18	2.61 7	0.928
BPX3GOP1624	488	16 24	2.61 10	1.170
BPX3GOP1630	500	16 30	2.61 12	1.684
BPX3GOP1636	513	16 36	2.61 13	1.916
BPX3GOP1642	536	16 42	2.61 15	2.309
BPX3GOP1648	561	16 48	2.61 17	2.510
BPX3GOP1654	601	16 54	2.61 19	2.843
BPX3GOP1660	633	16 60	2.61 20	3.266
BPX3GOP1666	680	16 66	2.61 23	3.598
BPX3GOP1672	726	16 72	2.61 26	3.930


- Attaches to the top of any Boulevard System 3 panel to create a floor-to-ceiling wall.
- Any tile can be attached to either side to enclose the frame.
- Two non-slotted uprights at either end slide into vertical extrusions on the base panel.
- Shipped without horizontal and vertical trim; the horizontal trim from the base panel will be used.
- Boulevard System 3 Over Panel is not compatible with Boulevard 1 panels.
- B3 panel Top trim option provided with embedded, frameless glass pane rising 8" above the top of the panel. For instance, when installed on 42" high B3 panel, overall height will be 50" high.
- There is 1.25" gap between two adjacent glass panes.
- Glass shipped separately, Allen key to set the glass pane plumb is provided with each panel.
- 5mm tempered glass, frosted or clear.
- Square corners on glass.
- Integrated adjustable brackets and extruded aluminum trim.
- Not retrofittable on-site.

## BP3DS • Solid Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H	W	D		
BP3DS8236R	1596	82 36	2.61 61	6.465
BP3DS8242R	1738	82 42	2.61 68	7.486
BP3DS8236L	1596	82 36	2.61 61	6.465
BP3DS8242L	1738	82 42	2.61 68	7.486

### Door Hanging Directions



### Door Handle Option

Door Knob - DL01

- Lock Standard



Door Lever - DL02 (Default)

- Lock Standard
- Lever complies with all handicap codes




- Aluminum frame with either high pressure laminate or wood veneer door.
- 1 3/8" thick hollow core door.
- Actual door size:
  - 78.3" x 32 1/2" in 82" x 36" frame
  - 78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- Includes a Horizontal Lay-in Channel.




# BOULEVARD SYSTEM 3 PANELS

## BP3DH • Half Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BP3DH8236R	1976	82	36	2.61	53	6.465
BP3DH8242R	2161	82	42	2.61	59	7.486
BP3DH8236L	1976	82	36	2.61	53	6.465
BP3DH8242L	2161	82	42	2.61	59	7.486

### Door Hanging Directions



### Door Handle Option

Door Knob - DL01

- Lock Standard




Door Lever - DL02 (Default)

- Lock Standard
- Lever complies with all accessibility codes




- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:  
78.3" x 32 1/2" in 82" x 36" frame  
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$103 for 36" wide doors and \$128 for 42" wide doors.
- Includes a Horizontal Lay-in Channel.

## BP3DG • Full Glazed Door Panel



PRODUCT CODE	PRICE HP	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BP3DG8236R	3164	82	36	2.61	53	6.465
BP3DG8242R	3461	82	42	2.61	59	7.486
BP3DG8236L	3164	82	36	2.61	53	6.465
BP3DG8242L	3461	82	42	2.61	59	7.486

### Door Hanging Directions



### Door Handle Option

Door Knob - DL01

- Lock Standard





Door Lever - DL02 (Default)

- Lock Standard
- Lever complies with all accessibility codes



- Aluminum frame with either high pressure laminate or wood veneer door and window.
- 1 3/8" thick hollow core door.
- Actual door size:  
78.3" x 32 1/2" in 82" x 36" frame  
78.3" x 38 1/2" in 82" x 42" frame
- 42" wide Door Panel permits wheelchair accessibility.
- No hang-on capabilities.
- 180 degree swing.
- Specify Door Knob (DL01) or Door Lever (DL02).
- Lock standard.
- Handedness can be changed on site.
- Please specify Right hand (R) or Left hand (L) hung.
- For tempered glass option, add "TG" at the end of the product code and add an upcharge of \$206 for 36" wide doors and \$256 for 42" wide doors.
- Includes a Horizontal Lay-in Channel.
- Laminate frame is 5" thick at the sides and 4" at the top and bottom.

## BPX3NETxxxx • Removable Face Tile - Electrical Tile Kit




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	GR 1	GR 2	OPT*	H	W	D		
BPX3NET0824	90	95	100	8	24	0.125	2.0	0.170
BPX3NET0830	145	154	165	8	30	0.125	2.5	0.200
BPX3NET0836	162	171	182	8	36	0.125	2.5	0.250
BPX3NET0842	168	177	189	8	42	0.125	2.5	0.292
BPX3NET0848	172	181	193	8	48	0.125	3.0	0.333
BPX3NET0854	178	188	199	8	54	0.125	3.0	0.375
BPX3NET0860	182	192	203	8	60	0.125	4.5	0.417
BPX3NET0866	260	301	344	8	66	0.125	4.7	0.475
BPX3NET0872	337	378	421	8	72	0.125	5.0	0.500
BPX3NET1624	90	95	100	16	24	0.125	2.5	3.400
BPX3NET1630	145	154	165	16	30	0.125	3.0	0.416
BPX3NET1636	162	171	182	16	36	0.125	3.0	0.500
BPX3NET1642	168	177	189	16	42	0.125	3.0	0.583
BPX3NET1648	172	181	193	16	48	0.125	4.0	0.666
BPX3NET1654	178	188	199	16	54	0.125	4.0	0.750
BPX3NET1660	182	192	203	16	60	0.125	5.0	0.833
BPX3NET1666	260	301	344	16	66	0.125	5.5	0.911
BPX3NET1672	337	378	421	16	72	0.125	6.0	1.000

- Attaches to an 8" or 16" opening in a Pass-Thru Panel.
- Fabric covered tile with knock-out for power and data. (Data/Comm blank covers included).
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two duplex and two data/comm openings.
- Easily interchangeable on site.
- Provides access to electrical and data at a required location.
- Specify Tile Electrical Kit separately.
- Duplexes and covers must be specified separately.
- For power outlets on both sides of the panel, specify two Electrical Tiles per panel. For power outlets on one side only, specify one Electrical Tile and a Fabric Tile for the opposite side.
- OPT\* = Laminate or Whiteboard.
- For use on panels manufactured after November 1, 2014

# BOULEVARD SYSTEM 3 PANELS


## BP3GT • Removable Face Tile - Glazed



PRODUCT CODE	PRICE	FRST/SMK	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
BP3GT0818	55	76	8	18	2.61	3.0	0.146
BP3GT0824	74	94	8	24	2.61	4.0	0.165
BP3GT0830	93	114	8	30	2.61	5.2	0.200
BP3GT0836	114	134	8	36	2.61	6.0	0.250
BP3GT0842	132	153	8	42	2.61	8.0	0.292
BP3GT0848	153	173	8	48	2.61	9.0	0.333
BP3GT0854	171	192	8	54	2.61	10.5	0.375
BP3GT0860	192	212	8	60	2.61	12.0	0.417
BP3GT0866	274	294	8	66	2.61	11.5	0.460
BP3GT0872	356	376	8	72	2.61	12.0	0.500
BP3GT1618	55	76	16	18	2.61	4.0	0.292
BP3GT1624	74	94	16	24	2.61	5.3	0.333
BP3GT1630	93	114	16	30	2.61	6.7	0.416
BP3GT1636	114	134	16	36	2.61	8.0	0.500
BP3GT1642	132	153	16	42	2.61	9.3	0.583
BP3GT1648	153	173	16	48	2.61	10.7	0.666
BP3GT1654	171	192	16	54	2.61	12.0	0.750
BP3GT1660	192	212	16	60	2.61	13.3	0.833
BP3GT1666	274	294	16	66	2.61	15.0	0.911
BP3GT1672	356	376	16	72	2.61	16.0	1.000


- **Attaches to any opening in a Pass-Thru Panel.**

## BP30T • Removable Face Tile - Open Pass-Thru Kit

[illegible]

- **Attaches to any opening in a Pass-Thru Panel.**
- Trims and internal corners included to create an opening.
- Easily interchangeable on site.
- Specify one Pass-Thru Kit for panel opening of corresponding width.
- Kit works for 8" & 16" openings.
- Please specify panel frame colour.

## BP3AT • Removable Face Tile - Accessory




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
BP3AT0818	75	08	18	0.25	1.7	0.146
BP3AT0824	89	08	24	0.25	2.3	0.167
BP3AT0830	96	08	30	0.25	2.9	0.208
BP3AT0836	116	08	36	0.25	3.5	0.250
BP3AT0842	137	08	42	0.25	4.1	0.292
BP3AT0848	159	08	48	0.25	4.7	0.333
BP3AT0854	174	08	54	0.25	5.3	0.375
BP3AT0860	196	08	60	0.25	5.9	0.417
BP3AT0866	281	08	66	0.25	6.5	0.459
BP3AT0872	366	08	72	0.25	7.0	0.500
BP3AT1618	75	16	18	0.25	3.5	0.292
BP3AT1624	89	16	24	0.25	4.7	0.333
BP3AT1630	96	16	30	0.25	5.7	0.416
BP3AT1636	116	16	36	0.25	7.0	0.500
BP3AT1642	137	16	42	0.25	8.2	0.583
BP3AT1648	159	16	48	0.25	9.4	0.666
BP3AT1654	174	16	54	0.25	10.6	0.750
BP3AT1660	196	16	60	0.25	11.9	0.833
BP3AT1666	281	16	66	0.25	13.0	0.916
BP3AT1672	366	16	72	0.25	14.0	1.000

- **Attaches to any opening in a Pass-Thru Panel.**
- Provides support for accessories.
- Easily interchangeable on site.
- Two tile clips included.
- Specify two tiles per panel opening of corresponding width. Tiles can be combined. For example, Fabric Tile on one side and Accessory Tile on the opposite side of the same panel.



# BOULEVARD SYSTEM 3 PANELS


## BP3FT • Removable Face Tile - Fabric



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BP3FT0818	67	72	78	8	18	0.25	1	0.146
BP3FT0824	72	77	83	8	24	0.25	1	0.165
BP3FT0830	77	86	96	8	30	0.25	2	0.200
BP3FT0836	93	103	115	8	36	0.25	2	0.250
BP3FT0842	100	111	121	8	42	0.25	2	0.292
BP3FT0848	105	115	125	8	48	0.25	3	0.333
BP3FT0854	111	119	130	8	54	0.25	3	0.375
BP3FT0860	115	123	134	8	60	0.25	4	0.417
BP3FT0866	175	216	259	8	66	0.25	4	0.460
BP3FT0872	236	277	320	8	72	0.25	4	0.500
BP3FT1618	67	72	78	16	18	0.25	2	0.292
BP3FT1624	72	77	83	16	24	0.25	2	0.333
BP3FT1630	77	86	96	16	30	0.25	3	0.416
BP3FT1636	93	103	115	16	36	0.25	3	0.500
BP3FT1642	100	111	121	16	42	0.25	3	0.583
BP3FT1648	105	115	125	16	48	0.25	4	0.666
BP3FT1654	111	119	130	16	54	0.25	4	0.750
BP3FT1660	115	123	134	16	60	0.25	5	0.833
BP3FT1666	175	216	259	16	66	0.25	5	0.920
BP3FT1672	236	277	320	16	72	0.25	6	1.000

- Attaches to any opening in a Pass-Thru Panel.


## BP3OPFA • Fabric Over Panel



PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>

- Attaches to top of a panel to create floor-to-ceiling wall.

## BP3OPFV • Fabric Over Panel with Vertical Wire Channel




PRODUCT CODE	PRICE			SIZE / INCHES			WEIGHT VOL	
	GR 1	GR 2	OPT*	H	W	D	LBS	FT <sup>3</sup>
BP3OPFV18XX	195	205	215	16	18	2.61	8	0.73
BP3OPFV24XX	216	233	237	16	24	2.61	8	0.73
BP3OPFV30XX	245	253	265	16	30	2.61	10	0.912
BP3OPFV36XX	273	281	293	16	36	2.61	12	1.094
BP3OPFV42XX	293	303	314	16	42	2.61	12	1.094
BP3OPFV48XX	321	331	341	16	48	2.61	14	1.277
BP3OPFV54XX	347	358	368	16	54	2.61	14	1.277
BP3OPFV60XX	369	377	390	16	60	2.61	15	1.368

- Attaches to top of a panel to create floor-to-ceiling wall.
- Centre septum overlaid on either side with 1" sound absorbent mineral board.
- Non-slotted.
- Exact height should be specified when ordering, with allowance of at least 1" of free space between over panel and ceiling to accommodate height variations in ceiling and floor. Can be any height from 4.4" minimum to 15.9" maximum. Please tag exact height required.
- Runs of over panels should be captured at either end with full height posts, wall adapters, taller panels, and/or vertical trims.
- OPT\* = Laminate or Whiteboard.

# BOULEVARD SYSTEM 3 PANELS


## RCX3WMP2 • Raceway Cover with Punchouts Both Sides



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


## RCX3WMP1 • Raceway Cover with Punchouts One Side, None Other Side



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
RCX3WM18P1	35	5.62	18	2.61	3.0	0.18
RCX3WM24P1	41	5.62	24	2.61	3.3	0.21
RCX3WM30P1	49	5.62	30	2.61	4.1	0.26
RCX3WM36P1	54	5.62	36	2.61	4.9	0.31
RCX3WM42P1	59	5.62	42	2.61	5.7	0.36
RCX3WM48P1	65	5.62	48	2.61	6.6	0.42
RCX3WM54P1	72	5.62	54	2.61	7.4	0.47
RCX3WM60P1	78	5.62	60	2.61	8.3	0.52
RCX3WM66P1	121	5.62	66	2.61	9.1	0.57
RCX3WM72P1	127	5.62	72	2.61	9.8	0.62

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.


## RCX3WMNP • Raceway Cover with No Punchouts Both Sides



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
RCX3WM18NP	35	5.62	18	2.61	2.4	0.16
RCX3WM24NP	41	5.62	24	2.61	3.3	0.21
RCX3WM30NP	49	5.62	30	2.61	4.1	0.26
RCX3WM36NP	54	5.62	36	2.61	4.9	0.31
RCX3WM42NP	59	5.62	42	2.61	5.7	0.36
RCX3WM48NP	65	5.62	48	2.61	6.6	0.42
RCX3WM54NP	72	5.62	54	2.61	7.4	0.47
RCX3WM60NP	78	5.62	60	2.61	8.3	0.52
RCX3WM66NP	121	5.62	66	2.61	9.1	0.57
RCX3WM72NP	127	5.62	72	2.61	9.8	0.62

- Metal raceway organizes cables at the base.
- Snaps directly into the base of the panel.
- When opened, cover's side rests on the floor, providing unobstructed access to data/power installation.
- 18" Raceway Covers do not have power and data/communication punch-outs.
- 24" Raceway covers have electrical and one data opening.
- Data opening sizing is as follows: 1.345" x 2.85".
- Comes standard with all System 3 panels.
- "No Knockouts" option for raceways available at no additional charge. Please choose option for interior and/or exterior raceways.

## BPMB • Raceway Cover Caps



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BPMB020104B	6	1.5	3	0.125	0.04	0.02
BPMB020104G	6	1.5	3	0.125	0.04	0.02
BPMB020104W	6	1.5	3	0.125	0.04	0.02

- To provide clean detail for the punch-outs of a raceway cover when the punch-outs are not in use. Order only when required.
- Made of injection molded ABS.
- B = Black
- G = Grey
- W = White

## BH3PS • 90 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS034	52	27	2.61	2.61	4	0.14
BH3PS042	81	35	2.61	2.61	5	0.18
BH3PS050	91	43	2.61	2.61	7	0.22
BH3PS054	101	51	2.61	2.61	7	0.27
BH3PS066	112	59	2.61	2.61	8	0.31

- Enables connection for multiple panel runs such as 90°, 3 way and 4 way.
- Includes 2 "Capture Strip" panel connectors, 4 end strips, 2 pairs of raceway end caps, and 1 post cap.
- Posts are designed to accept the following:
  - 75 cables 5.6mm (0.220") diameter
  - 60 ccables 5.6mm (0.220") diameter with 1 power feed
  - 45 cables 5.6mm (0.220") diameter with 2 power feeds

## BH3PS45 • 45 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS45034	52	27	2.61	2.61	4	0.14
BH3PS45042	81	35	2.61	2.61	5	0.18
BH3PS45050	91	43	2.61	2.61	7	0.22
BH3PS45054	101	51	2.61	2.61	7	0.27
BH3PS45066	114	59	2.61	2.61	8	0.31

- Enables connection for two panels at 45°.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- 45 degree post does not accept End Trim.
- No power infeed capabilities.
- Posts are designed to accept the following:
  - 30 cables 5.6mm (0.220") diameter

# BOULEVARD SYSTEM 3 PANELS

## BH3PS60 • 60 Degree Post



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PS60034	52	27	2.61	2.61	4	0.14
BH3PS60042	81	35	2.61	2.61	5	0.18
BH3PS60050	91	43	2.61	2.61	7	0.22
BH3PS60054	101	51	2.61	2.61	7	0.27
BH3PS60066	114	59	2.61	2.61	8	0.31

- Enables connection for multiple panel runs such as 120° and 3 way.
- Includes 2 "Capture Strip" panel connectors and 1 post cap.
- No power infeed capabilities.
- Posts are designed to accept the following:
- 35 cables 5.6mm (0.220") diameter


## BH3PE • Post Extension for Over Panels



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PE008	24	8	2.61	2.61	1	0.03
BH3PE016	30	16	2.61	2.61	2	0.07
BH3PE032	52	32	2.61	2.61	4	0.14
BH3PE45016	30	16	2.61	2.61	2	0.07
BH3PE45032	52	32	2.61	2.61	4	0.14
BH3PE60016	30	16	2.61	2.61	2	0.07
BH3PE60032	53	32	2.61	2.61	4	0.14

- Provides route for ceiling data or electrical cables through the post to the panel.
- Includes 2 "Capture Strip" panel connectors.


## BH3PA • Off-Module Connector (Panel to Panel Adapter)



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3PA02	59	3.5			0.5	0.035

- Connects Boulevard System 3 panel to another perpendicular Boulevard System 3 Monolithic Panel off-module.
- Top and bottom brackets bolt to panel vertical of one panel and engage to top and bottom "fabric" edges of adjacent, perpendicular Monolithic Panel of even height.
- While connecting tile panel to Monolithic Panel is possible, never attempt to secure Off-Module Connectors to a tile panel.
- Once an off-module panel is secure to Monolithic Panel spine with Off-Module Connecting Kit, the raceway on the spine panel cannot be accessed and can only be opened from the opposite side.
- Special top trim required, provide application to your Customer Service Representative.
- This connector is not a load-bearing connection.

## B3HWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
B3HWA034	37	34	2.61	0.375	2	0.011
B3HWA042	44	42	2.61	0.375	3	0.015
B3HWA050	49	50	2.61	0.375	3	0.018
B3HWA054	55	54	2.61	0.375	3	0.020
B3HWA066	55	66	2.61	0.375	4	0.021

- Starts a run of panels off an existing wall.
- Includes 2 "Capture Strip" panel connectors and 1 pair of raceway end caps.
- Mounting hardware not included.
- Mounting hardware selection should be based on wall or wall stud material.
- Wall Adapter adds 5/16" to a panels run.

## BHWASLxx • Adapter Sleeve



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BHWASL42	154	34.7	4	2	2.5	0.161
BHWASL50	166	42.7	4	2	3.6	0.148
BHWASL54	172	46.7	4	2	4.2	0.216
BHWASL58	178	52.7	4	2	5.1	0.244
BHWASL66	191	58.7	4	2	6.0	0.272

- Wall Adapter Sleeve is attached to the building to provide flexible support to a panel run.
- As opposed to the BHWASL wall adapter, which connects to the panels rigidly to a wall, B1 and B3 Boulevard panels rest inside of the vertical "U" channel, providing up to 3.5" of flexible adjustment.
- For panel runs taller than 66" order two Wall Adapter
- Sleeves and either have it cut short on the site below ceiling, or cut a rectangular hole in the ceiling tile. Rectangular slots in the Channels correspond to 66", 58", 54", 50" and 42" high B1 and B3 panels.
- Powder coated steel; specify metal finish.
- Note: the Wall Adapter Sleeve provides flexible, non-structural connection, blocks vertical 1" increment clots and cannot, therefore, be used to support overheads and worksurfaces, they must be supported by perpendicular panels, c-legs or gables.
- Note: no fasteners are provided with the Wall Adapter Sleeve. Select the appropriate fasteners according to a structurally sound connection.

## BH3CS • Capture Strip Slot Cover




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BH3CS34	11	37			0.24	0.11
BH3CS42	11	42			0.28	0.13
BH3CS50	12	50			0.33	0.15
BH3CS54	12	54			0.31	0.17
BH3CS66	18	66			0.4	0.19

- An extruded PVC channel to adjoin two panels or a panel to a post. Runs the full length of the panel on both sides providing a positive connection of the "Knuckle-Loc" design.
- Priced per pair.
- Pliable side membranes cover panel slots.
- Included with panel components.
- Only to be ordered separately if required.

# BOULEVARD SYSTEM 3 PANELS


## BH3CE • End Strip Slot Cover



PRODUCT CODE	PRICE	SIZE / INCHES H	WEIGHT LBS	VOL FT <sup>3</sup>
BH3CE34	9	37	0.12	0.05
BH3CE42	9	42	0.14	0.06
BH3CE50	11	50	0.16	0.07
BH3CE54	11	54	0.31	0.08
BH3CE66	12	66	0.20	0.09

- End strips with pliable side membrane covers panel slots at end of run.
- Priced per pair.
- Included with panel components.
- Only to be ordered separately if required.


## BA3VTR • Vertical Aluminum End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT <sup>3</sup>
BA3VTR34	55	REGULAR PANEL	34 2.61 0.25	1.1	0.03
BA3VTR42	63		42 2.61 0.25	1.4	0.03
BA3VTR50	73		50 2.61 0.25	1.7	0.04
BA3VTR54	85		54 2.61 0.25	1.9	0.04
BA3VTR66	96		66 2.61 0.25	2.2	0.05
BA3VTE16	29	OVER PANEL	16 2.61 0.25	0.5	0.03
BA3VTE32	55		32 2.61 0.25	1.1	0.06

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the Over Panel, the trim runs from the top of the Over Panel to the bottom of the Over Panel, enclosing the horizontal channel openings.


## BA3VTS • Vertical Aluminum End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT <sup>3</sup>
BA3VTS04	6	4 2.61 19	0.2	0.010
BA3VTS08	19	8 2.61 0.25	0.3	0.015
BA3VTS12	25	12 2.61 0.25	0.4	0.022
BA3VTS16	29	16 2.61 0.25	0.5	0.030
BA3VTS20	35	20 2.61 0.25	0.7	0.039
BA3VTS24	41	24 2.61 0.25	0.9	0.045
BA3VTS32	55	32 2.61 0.25	1.1	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.


## BV3VTR • Vertical PVC End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT <sup>3</sup>
BV3VTR34	37	REGULAR PANEL	34 2.61 0.25	0.6	0.030
BV3VTR42	40		42 2.61 0.25	0.7	0.030
BV3VTR50	49		50 2.61 0.25	0.9	0.040
BV3VTR54	55		54 2.61 0.25	1.0	0.045
BV3VTR66	62		66 2.61 0.25	1.1	0.050
BV3VTE16	25	OVER PANEL	16 2.61 0.25	0.3	0.030
BV3VTE32	37		32 2.61 0.25	0.6	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.

## BV3VTS • Vertical PVC End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES H W D	WEIGHT LBS	VOL FT <sup>3</sup>
BV3VTS04	6	3.75 2.61 0.25	0.1	0.010
BV3VTS08	11	7.75 2.61 0.25	0.1	0.015
BV3VTS12	18	11.75 2.61 0.25	0.2	0.020
BV3VTS16	21	15.75 2.61 0.25	0.3	0.030
BV3VTS20	25	19.75 2.61 0.25	0.3	0.035
BV3VTS24	31	23.75 2.61 0.25	0.4	0.045
BV3VTS32	37	31.75 2.61 0.25	0.6	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

# BOULEVARD SYSTEM 3 PANELS

## BA3VTRF • Vertical Aluminum Flat End Trim



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES			WEIGHT VOL	
			H	W	D	LBS	FT <sup>3</sup>
BA3VTRF34	55	REGULAR PANEL	34	2.61	0.125	1.1	0.03
BA3VTRF42	63		42	2.61	0.125	1.4	0.03
BA3VTRF50	73		50	2.61	0.125	1.7	0.04
BA3VTRF54	85		54	2.61	0.125	1.9	0.04
BA3VTRF66	96		66	2.61	0.125	2.2	0.05
BA3VTRF119	146	OVER PANEL	119	2.61	0.125	3.6	0.08
BA3VTEF8	14		8	2.61	0.125	0.2	0.01
BA3VTEF16	29		16	2.61	0.125	0.5	0.03
BA3VTEF32	55		32	2.61	0.125	1.1	0.06

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- In the case of the panel, the trim runs from the top of the panel to the bottom of the raceway, enclosing the horizontal channel openings and the raceway opening.
- In the case of the over panel, the trim runs from the top of the over panel to the bottom of the over panel, enclosing the horizontal channel openings.
- BA3VTRF119 cannot ship via courier and must be combined with other product.

## BA3VTSF • Vertical Aluminum Flat End Trim Standard Step Down



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT VOL	
		H	W	D	LBS	FT <sup>3</sup>
BA3VTSF04	9	3.75	2.61	0.125	0.1	0.010
BA3VTSF08	19	7.75	2.61	0.125	0.3	0.015
BA3VTSF12	25	11.75	2.61	0.125	0.4	0.020
BA3VTSF16	29	15.75	2.61	0.125	0.5	0.030
BA3VTSF20	35	19.75	2.61	0.125	0.8	0.035
BA3VTSF24	41	23.75	2.61	0.125	0.9	0.045
BA3VTSF32	55	31.75	2.61	0.125	1.1	0.060

- Finishes the vertical edges of panels and posts (90 and 60 degree).
- Trims run from the top of one panel to the top of lower panel enclosing the horizontal channel opening.

## Diet Panel System

Diet represents an innovative tool for creating an economical, efficient work space, accommodating various tasks. From 42" high panels which provide an open office feel to 50" and 54" high panels, for seated privacy and 66" high panels for standing privacy, Diet effectively supports the creation of various work environments. Diet is simple, easy to comprehend, easy to specify and install, with a minimum of add-on and dedicated/handed components to maximize reconfiguration flexibility. All Diet panels ship with a set of self-leveling connectors that accommodate any angle, but also straight, 90°, three-way T and 120° configurations, as well as four-way "X". Truly universal connectors support the above panel configurations regardless of panel heights. Such a configuration and height independent connecting method eliminates the need to order additional components during future office reconfigurations. Diet is an economical, "soft wire" system with simple means of optional power and data/communication cable management trough that snaps to the bottom of the panel. With the exception of panels with open area below the mid rail, all Diet

panels are built with 6" clearance opening between the floor and the bottom rail. This feature not only serves as a simple passage for cables between back-to-back stations and an interface for a snap on cable trough, but it mainly provides ultimate flexibility of panel station placement even if one panel needs to be located right above a floor monument. Diet's slim appearance, sophisticated industrial design, detailing and advanced engineering communicate high perceived value, exceeding expectations usually related to budget products. Diet can be specified on its own, with integrated worksurface, storage and accessory support, privacy and space organization in free standing office environments. Whether combined with Boulevard system, or raised floors, Diet, as a tool, bridges mobile or stationary freestanding furniture with power/data delivery solutions, that are hard wired to a building power supply.

## Technical Information

### Panels

- Panels are 1.3" thick.
- Width ranges from 24" to 60" at 6" increments.
- Heights include 42", 50", 54" and 66" (nominal).
- Extruded aluminum frame surrounds a fabric wrapped interior with a 7/8" particle board frame, sandwiched between 2 pieces of 1/8" masonite.
- Panel frame finish is durable epoxy powder coated.
- Fabric is replaceable on site.
- Finished panel includes top, corner and end caps.
- For glazing - Smoke development index 500.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- Top rail accepts Global Contract accessories, monitor arm supports, off-module shelves, and task light brackets.
- Top rail on Glazed Top Panels is not intended for use with panel mounted shelves and panel mounted overhead.
- Middle rail accepts bracket for off-module worksurface support, Global Contract accessories, off-module shelves and power bar.
- Bottom rail accepts brackets for off-module worksurface support, Global Contract accessories, off-module shelves and optional cable manager and power bar.
- Optional PVC cable manager friction fits into bottom rail.

- Two leveler are included with a 1.75" leveling range.
- Vertical frame members have integrated grooves for additional components.
- Charcoal covers are provided at front of vertical members where connectors attach.
- Panels include 3 sets of hinge connectors, 1 set of spacers and 6 pins.
- Connecting method is simple, accommodating typical configuration, as well as connection of panels at any angle, regardless of height.

### Panel Options


- Laminate or whiteboard may be substituted for fabric on panels only, see "OPT" column.
  - Steel facing or tackable available, contact your customer service representative.
- Note:**
- 42" High Diet panels do not match Boulevard 42"
  - 50" High Diet panels match Boulevard 50"
  - 54" High Diet panels do not match standard Boulevard 54"
  - 66" High Diet panels matches Boulevard 66"
  - To order 42" and 54" high Diet panels to match Boulevard, please order "BDPFF" and "BDPOF".

## DIET PANELS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The product guide uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Panel: **DPFRF6636 CHR**



### How to Specify


- Specify Diet Panel type and size by code.
- Specify panel frame finish - ie. CHR (Charcoal).
- Specify all six panel fabric options if necessary.

AN50	Inside Lower Fabric
AN50	Inside Middle Fabric
AN50	Inside Upper Fabric
BE21	Outside Lower Fabric
BE21	Outside Middle Fabric
BE21	Outside Upper Fabric



# DIET


## DPFF • Fabric Bottom and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPFF4224	278	310	343	42	24	1.3	16	1.32
DPFF4230	293	325	360	42	30	1.3	19	1.62
DPFF4236	311	369	431	42	36	1.3	23	1.94
DPFF4242	327	387	450	42	42	1.3	27	2.24
DPFF4248	343	402	463	42	48	1.3	31	2.55
DPFF4254	362	419	481	42	54	1.3	35	2.85
DPFF4260	376	435	496	42	60	1.3	39	3.16
DPFF5024	347	380	415	50	24	1.3	16	1.62
DPFF5030	366	398	432	50	30	1.3	21	2.08
DPFF5036	383	461	543	50	36	1.3	25	2.47
DPFF5042	403	500	582	50	42	1.3	30	2.85
DPFF5048	422	615	582	50	48	1.3	35	3.25
DPFF5054	441	519	601	50	54	1.3	40	3.63
DPFF5060	460	538	620	50	60	1.3	45	4.02
DPFF5424	347	380	415	54	24	1.3	18	1.62
DPFF5430	366	398	432	54	30	1.3	23	2.08
DPFF5436	383	461	543	54	36	1.3	27	2.47
DPFF5442	403	481	564	54	42	1.3	32	2.85
DPFF5448	422	502	584	54	48	1.3	37	3.25
DPFF5454	441	519	601	54	54	1.3	42	3.63
DPFF5460	460	538	620	54	60	1.3	47	4.02
DPFF6624	378	431	485	66	24	1.3	23	2.04
DPFF6630	400	451	506	66	30	1.3	29	2.52
DPFF6636	421	498	581	66	36	1.3	35	3.00
DPFF6642	442	520	602	66	42	1.3	41	3.46
DPFF6648	462	540	623	66	48	1.3	47	3.93
DPFF6654	483	562	644	66	54	1.3	53	4.40
DPFF6660	504	582	666	66	60	1.3	59	4.90

- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT\* = Laminate or Whiteboard.
- DPFF Panels do not match standard Boulevard heights of 42" and 54".
- DPFF Panels of 50" and 66" height will match standard Boulevard panel heights.

## BDPFF • Fabric Bottom and Fabric Top Panel to Match Boulevard Panels




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
BDPFF4224	278	310	344	42	24	1.3	16	1.32
BDPFF4230	293	325	360	42	30	1.3	19	1.62
BDPFF4236	311	369	431	42	36	1.3	23	1.94
BDPFF4242	327	385	447	42	42	1.3	27	2.24
BDPFF4248	343	402	463	42	48	1.3	31	2.55
BDPFF4254	362	420	482	42	54	1.3	35	2.85
BDPFF4260	376	435	496	42	60	1.3	39	3.16
BDPFF5424	347	379	414	54	24	1.3	18	1.62
BDPFF5430	366	398	433	54	30	1.3	23	2.08
BDPFF5436	383	461	543	54	36	1.3	27	2.47
BDPFF5442	403	481	563	54	42	1.3	32	2.85
BDPFF5448	422	500	582	54	48	1.3	37	3.25
BDPFF5454	441	519	601	54	54	1.3	42	3.63
BDPFF5460	460	538	620	54	60	1.3	47	4.02

- Fabric above and below the middle rail provides visual privacy.
- Full panel with top, middle and bottom rail.
- OPT\* = Laminate or Whiteboard.
- Panels will match corresponding Boulevard Panel heights.




## DPOF • Open Bottom and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPOF4224	183	193	205	42	24	1.3	9	1.32
DPOF4230	194	203	215	42	30	1.3	12	1.62
DPOF4236	223	244	263	42	36	1.3	15	1.94
DPOF4242	237	255	277	42	42	1.3	17	2.24
DPOF4248	247	265	286	42	48	1.3	19	2.55
DPOF4254	258	278	297	42	54	1.3	22	2.85
DPOF4260	269	287	309	42	60	1.3	24	3.16
DPOF5024	230	248	269	50	24	1.3	10	1.62
DPOF5030	244	262	283	50	30	1.3	13	2.08
DPOF5036	290	329	370	50	36	1.3	16	2.47
DPOF5042	306	345	386	50	42	1.3	19	2.85
DPOF5048	320	359	400	50	48	1.3	21	3.25
DPOF5054	334	373	414	50	54	1.3	25	3.63
DPOF5060	347	386	427	50	60	1.3	28	4.02
DPOF5424	230	248	269	54	24	1.3	12	1.62
DPOF5430	244	262	283	54	30	1.3	15	2.08
DPOF5436	290	329	370	54	36	1.3	18	2.47
DPOF5442	306	345	386	54	42	1.3	21	2.85
DPOF5448	320	359	400	54	48	1.3	24	3.25
DPOF5454	334	373	414	54	54	1.3	27	3.63
DPOF5460	347	386	427	54	60	1.3	30	4.02
DPOF6624	280	319	360	66	24	1.3	17	2.04
DPOF6630	296	337	378	66	30	1.3	21	2.52
DPOF6636	350	388	429	66	36	1.3	25	3.00
DPOF6642	382	421	462	66	42	1.3	29	3.46
DPOF6648	401	439	481	66	48	1.3	33	3.93
DPOF6654	418	457	497	66	54	1.3	37	4.40
DPOF6660	435	475	515	66	60	1.3	41	4.90

- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT\* = Laminate or Whiteboard.
- DPOF Panels do not match standard Boulevard heights of 42" and 54".
- DPOF Panels of 50" and 66" height will match standard Boulevard panel heights.

## BDPOF • Open Bottom and Fabric Top Panel to Match Boulevard Panels




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
BDPOF4224	183	193	204	42	24	1.3	9	1.32
BDPOF4230	194	203	214	42	30	1.3	12	1.62
BDPOF4236	223	243	263	42	36	1.3	15	1.94
BDPOF4242	237	256	277	42	42	1.3	17	2.24
BDPOF4248	247	267	287	42	48	1.3	19	2.55
BDPOF4254	258	278	298	42	54	1.3	22	2.85
BDPOF4260	269	288	309	42	60	1.3	24	3.16
BDPOF5424	230	249	270	54	24	1.3	12	1.62
BDPOF5430	244	263	284	54	30	1.3	15	2.08
BDPOF5436	290	329	370	54	36	1.3	18	2.47
BDPOF5442	306	345	386	54	42	1.3	21	2.85
BDPOF5448	320	359	400	54	48	1.3	24	3.25
BDPOF5454	334	373	414	54	54	1.3	27	3.63
BDPOF5460	347	386	427	54	60	1.3	30	4.02

- Fabric above the middle rail provides visual privacy.
- Panel with top and middle rail only.
- Open bottom reduces cost and improves air circulation within the office.
- OPT\* = Laminate or Whiteboard
- Panels will match corresponding Boulevard Panel heights.

# DIET


## DPFRF • Fabric Bottom, Middle and Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFRF5024	365	397	432	50	24	1.3	16	1.62
DPFRF5030	383	406	429	50	30	1.3	21	2.08
DPFRF5036	404	443	484	50	36	1.3	25	2.47
DPFRF5042	424	474	521	50	42	1.3	30	2.85
DPFRF5048	445	503	568	50	48	1.3	35	3.25
DPFRF5054	462	524	582	50	54	1.3	40	3.63
DPFRF5060	483	550	623	50	60	1.3	45	4.02
DPFRF5424	365	397	431	54	24	1.3	18	1.62
DPFRF5430	383	406	429	54	30	1.3	23	2.08
DPFRF5436	404	443	484	54	36	1.3	27	2.47
DPFRF5442	424	470	521	54	42	1.3	32	2.85
DPFRF5448	446	501	565	54	48	1.3	37	3.25
DPFRF5454	462	521	582	54	54	1.3	42	3.63
DPFRF5460	483	541	603	54	60	1.3	47	4.02
DPFRF6624	398	433	469	66	24	1.3	23	2.04
DPFRF6630	420	455	492	66	30	1.3	29	2.52
DPFRF6636	442	500	562	66	36	1.3	35	3.00
DPFRF6642	464	530	601	66	42	1.3	41	3.46
DPFRF6648	487	552	623	66	48	1.3	47	3.93
DPFRF6654	507	577	652	66	54	1.3	53	4.40
DPFRF6660	529	625	729	66	60	1.3	59	4.90

- Fabric above, below and between the middle rails provides visual privacy.
- Full panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- OPT\* = Laminate or Whiteboard.


## DPORF • Open Bottom Fabric Middle and Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPORF5024	240	260	285	50	24	1.3	10	1.62
DPORF5030	255	278	301	50	30	1.3	13	2.08
DPORF5036	306	327	352	50	36	1.3	16	2.47
DPORF5042	320	349	385	50	42	1.3	19	2.85
DPORF5048	336	365	402	50	48	1.3	21	3.25
DPORF5054	351	383	415	50	54	1.3	25	3.63
DPORF5060	365	398	435	50	60	1.3	28	4.02
DPORF5424	240	262	286	54	24	1.3	12	1.62
DPORF5430	255	275	301	54	30	1.3	15	2.08
DPORF5436	306	330	354	54	36	1.3	18	2.47
DPORF5442	320	351	383	54	42	1.3	21	2.85
DPORF5448	336	367	400	54	48	1.3	24	3.25
DPORF5454	351	384	422	54	54	1.3	27	3.63
DPORF5460	365	399	436	54	60	1.3	30	4.02
DPORF6624	293	324	358	66	24	1.3	17	2.04
DPORF6630	312	342	375	66	30	1.3	21	2.52
DPORF6636	367	417	470	66	36	1.3	25	3.00
DPORF6642	403	457	515	66	42	1.3	29	3.46
DPORF6648	421	473	525	66	48	1.3	33	3.93
DPORF6654	439	493	551	66	54	1.3	37	4.40
DPORF6660	458	508	563	66	60	1.3	41	4.90

- Fabric above the middle rail provides visual privacy.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- OPT\* = Laminate or Whiteboard.


## DPFFG • Fabric Bottom, Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFFG5024	368	391	414	50	24	1.3	12	1.62
DPFFG5030	403	425	448	50	30	1.3	15	2.08
DPFFG5036	438	483	536	50	36	1.3	18	2.47
DPFFG5042	475	520	573	50	42	1.3	21	2.85
DPFFG5048	508	554	607	50	48	1.3	24	3.25
DPFFG5054	545	590	644	50	54	1.3	27	3.63
DPFFG5060	590	636	689	50	60	1.3	30	4.02
DPFFG5424	368	391	414	54	24	1.3	17	1.62
DPFFG5430	403	426	450	54	30	1.3	21	2.08
DPFFG5436	438	487	539	54	36	1.3	25	2.47
DPFFG5442	475	522	574	54	42	1.3	29	2.85
DPFFG5448	508	556	608	54	48	1.3	33	3.25
DPFFG5454	545	595	647	54	54	1.3	37	3.63
DPFFG5460	590	638	691	54	60	1.3	41	4.02
DPFFG6624	436	476	516	66	24	1.3	20	2.04
DPFFG6630	485	524	566	66	30	1.3	25	2.52
DPFFG6636	533	582	636	66	36	1.3	30	3.00
DPFFG6642	579	630	685	66	42	1.3	35	3.46
DPFFG6648	629	680	733	66	48	1.3	40	3.93
DPFFG6654	675	725	779	66	54	1.3	45	4.40
DPFFG6660	736	794	856	66	60	1.3	50	4.90

- Fabric below and between the middle rails provides visual privacy.
- Full panel with additional rail at 42" high and glazing above.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT\* = Laminate or Whiteboard.

## DPOFG • Open Bottom, Middle Fabric and Glazed Top Panel




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPOFG5024	289	297	308	50	24	1.3	14	1.62
DPOFG5030	316	326	336	50	30	1.3	17	2.08
DPOFG5036	342	351	361	50	36	1.3	20	2.47
DPOFG5042	371	379	390	50	42	1.3	24	2.85
DPOFG5048	398	406	416	50	48	1.3	27	3.25
DPOFG5054	425	444	464	50	54	1.3	30	3.63
DPOFG5060	458	477	497	50	60	1.3	34	4.02
DPOFG5424	289	297	308	54	24	1.3	14	1.62
DPOFG5430	316	326	336	54	30	1.3	17	2.08
DPOFG5436	342	351	361	54	36	1.3	20	2.47
DPOFG5442	371	379	390	54	42	1.3	24	2.85
DPOFG5448	398	406	416	54	48	1.3	27	3.25
DPOFG5454	425	444	464	54	54	1.3	30	3.63
DPOFG5460	458	477	497	54	60	1.3	34	4.02
DPOFG6624	363	371	382	66	24	1.3	17	2.04
DPOFG6630	401	410	421	66	30	1.3	21	2.52
DPOFG6636	442	461	482	66	36	1.3	25	3.00
DPOFG6642	475	493	514	66	42	1.3	29	3.46
DPOFG6648	511	532	551	66	48	1.3	33	3.93
DPOFG6654	554	574	595	66	54	1.3	37	4.40
DPOFG6660	600	619	639	66	60	1.3	41	4.90

- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT\* = Laminate or Whiteboard.

# DIET


## DPFG • Fabric Bottom and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFG4224	482	494	506	42	24	1.3	11	1.32
DPFG4230	521	533	545	42	30	1.3	14	1.62
DPFG4236	555	567	579	42	36	1.3	16	1.94
DPFG4242	592	631	672	42	42	1.3	18	2.24
DPFG4248	628	667	708	42	48	1.3	21	2.55
DPFG4254	664	703	744	42	54	1.3	23	2.85
DPFG4260	700	739	780	42	60	1.3	26	3.16
DPFG5024	482	494	506	50	24	1.3	12	1.62
DPFG5030	521	533	545	50	30	1.3	15	2.08
DPFG5036	555	567	579	50	36	1.3	18	2.47
DPFG5042	592	631	672	50	42	1.3	21	2.85
DPFG5048	628	667	708	50	48	1.3	24	3.25
DPFG5054	664	703	744	50	54	1.3	27	3.63
DPFG5060	700	739	780	50	60	1.3	29	4.02
DPFG5424	482	494	506	54	24	1.3	13	1.62
DPFG5430	521	533	545	54	30	1.3	16	2.08
DPFG5436	555	567	579	54	36	1.3	20	2.47
DPFG5442	592	631	672	54	42	1.3	23	2.85
DPFG5448	628	667	708	54	48	1.3	26	3.25
DPFG5454	664	703	744	54	54	1.3	29	3.63
DPFG5460	700	739	780	54	60	1.3	32	4.02
DPFG6624	524	537	550	66	24	1.3	17	2.04
DPFG6630	564	575	589	66	30	1.3	21	2.52
DPFG6636	602	640	683	66	36	1.3	24	3.00
DPFG6642	639	679	721	66	42	1.3	28	3.46
DPFG6648	678	716	757	66	48	1.3	32	3.93
DPFG6654	718	755	796	66	54	1.3	36	4.40
DPFG6660	759	796	838	66	60	1.3	40	4.90

- Fabric between the middle rails.
- Open bottom panel with additional rail at 42" high.
- Upper middle rail accepts Global Contract Accessories, Monitor Arm Support and Off-Module Shelves.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT\* = Laminate or Whiteboard.

## DPFS • Fabric Bottom Slat Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFS4224	284	302	321	42	24	1.3	19	1.32
DPFS4230	347	366	384	42	30	1.3	23	1.62
DPFS4236	387	435	488	42	36	1.3	28	1.94
DPFS4242	421	473	524	42	42	1.3	33	2.24
DPFS4248	456	504	556	42	48	1.3	37	2.55
DPFS4254	492	540	593	42	54	1.3	42	2.85
DPFS4260	526	574	627	42	60	1.3	47	3.16

- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT\* = Laminate or Whiteboard.


## DPFSF • Fabric Bottom, Slat Middle and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFSF5024	397	414	433	50	24	1.3	21	1.62
DPFSF5030	438	455	474	50	30	1.3	28	2.08
DPFSF5036	482	530	582	50	36	1.3	34	2.47
DPFSF5042	524	572	624	50	42	1.3	40	2.85
DPFSF5048	566	614	624	50	48	1.3	46	3.25
DPFSF5054	606	654	706	50	54	1.3	52	3.63
DPFSF5060	647	695	747	50	60	1.3	58	4.02
DPFSF5424	397	414	433	54	24	1.3	23	1.62
DPFSF5430	438	455	474	54	30	1.3	30	2.08
DPFSF5436	482	530	582	54	36	1.3	36	2.47
DPFSF5442	524	572	624	54	42	1.3	42	2.85
DPFSF5448	566	614	624	54	48	1.3	48	3.25
DPFSF5454	606	654	706	54	54	1.3	54	3.63
DPFSF5460	647	695	747	54	60	1.3	60	4.02
DPFSF6624	454	487	521	66	24	1.3	28	2.04
DPFSF6630	501	533	567	66	30	1.3	35	2.52
DPFSF6636	549	628	709	66	36	1.3	42	3.00
DPFSF6642	592	668	751	66	42	1.3	49	3.46
DPFSF6648	638	716	797	66	48	1.3	56	3.93
DPFSF6654	683	760	842	66	54	1.3	63	4.40
DPFSF6660	724	802	884	66	60	1.3	70	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric at the top provides visual privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT\* = Laminate or Whiteboard.

## DPOSF • Open Bottom, Slat Middle Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSF4224	256	261	265	42	24	1.3	12	1.32
DPOSF4230	285	290	294	42	30	1.3	17	1.62
DPOSF4236	315	324	336	42	36	1.3	24	1.94
DPOSF4242	343	353	365	42	42	1.3	28	2.24
DPOSF4248	375	384	397	42	48	1.3	36	2.55
DPOSF4254	404	415	425	42	54	1.3	40	2.85
DPOSF4260	433	442	453	42	60	1.3	44	3.16

- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- OPT\* = Laminate or Whiteboard.


## DPOSF • Open Bottom, Slat Middle and Fabric Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSF5024	339	352	368	50	24	1.3	13	1.62
DPOSF5030	376	393	406	50	30	1.3	14	2.08
DPOSF5036	412	441	469	50	36	1.3	21	2.47
DPOSF5042	448	477	505	50	42	1.3	25	2.85
DPOSF5048	483	511	540	50	48	1.3	29	3.25
DPOSF5054	521	549	578	50	54	1.3	31	3.63
DPOSF5060	555	583	612	50	60	1.3	35	4.02
DPOSF5424	339	352	368	54	24	1.3	15	1.62
DPOSF5430	376	393	406	54	30	1.3	19	2.08
DPOSF5436	412	441	469	54	36	1.3	23	2.47
DPOSF5442	448	477	505	54	42	1.3	27	2.85
DPOSF5448	483	511	540	54	48	1.3	31	3.25
DPOSF5454	521	549	578	54	54	1.3	34	3.63
DPOSF5460	555	583	612	54	60	1.3	38	4.02
DPOSF6624	400	424	450	66	24	1.3	18	2.04
DPOSF6630	439	463	490	66	30	1.3	23	2.52
DPOSF6636	478	525	577	66	36	1.3	28	3.00
DPOSF6642	516	565	617	66	42	1.3	33	3.46
DPOSF6648	556	616	679	66	48	1.3	38	3.93
DPOSF6654	595	653	714	66	54	1.3	43	4.40
DPOSF6660	632	691	752	66	60	1.3	47	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use. Fabric above middle rail provides privacy.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- OPT\* = Laminate or Whiteboard.

## DPOSG • Open Bottom, Slat Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT³
DPOSG5024	506	510	515	50	24	1.3	12	1.62
DPOSG5030	545	549	554	50	30	1.3	15	2.08
DPOSG5036	582	591	603	50	36	1.3	18	2.47
DPOSG5042	622	630	641	50	42	1.3	22	2.85
DPOSG5048	660	668	679	50	48	1.3	25	3.25
DPOSG5054	696	704	716	50	54	1.3	28	3.63
DPOSG5060	736	744	754	50	60	1.3	32	4.02
DPOSG5424	506	510	515	54	24	1.3	14	1.62
DPOSG5430	545	549	554	54	30	1.3	17	2.08
DPOSG5436	582	591	603	54	36	1.3	20	2.47
DPOSG5442	622	630	641	54	42	1.3	24	2.85
DPOSG5448	660	668	679	54	48	1.3	27	3.25
DPOSG5454	696	704	716	54	54	1.3	30	3.63
DPOSG5460	736	744	754	54	60	1.3	34	4.02
DPOSG6624	550	555	560	66	24	1.3	17	2.04
DPOSG6630	590	596	600	66	30	1.3	21	2.52
DPOSG6636	631	640	653	66	36	1.3	25	3.00
DPOSG6642	669	679	690	66	42	1.3	29	3.46
DPOSG6648	713	722	733	66	48	1.3	33	3.93
DPOSG6654	751	761	772	66	54	1.3	37	4.40
DPOSG6660	795	806	817	66	60	1.3	41	4.90

- Integrated 6" slat rail between the middle rails provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Open bottom reduces cost and improves air circulation within the office.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT\* = Laminate or Whiteboard.

# DIET


## DPFSG • Fabric Bottom, Slat Middle and Glazed Top Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPFSG5024	555	571	587	50	24	1.3	15	1.62
DPFSG5030	599	615	636	50	30	1.3	19	2.08
DPFSG5036	639	687	737	50	36	1.3	23	2.47
DPFSG5042	683	728	781	50	42	1.3	27	2.85
DPFSG5048	722	767	820	50	48	1.3	31	3.25
DPFSG5054	764	809	862	50	54	1.3	35	3.63
DPFSG5060	806	851	904	50	60	1.3	39	4.02
DPFSG5424	555	571	587	54	24	1.3	17	1.62
DPFSG5430	599	615	636	54	30	1.3	21	2.08
DPFSG5436	639	687	737	54	36	1.3	25	2.47
DPFSG5442	683	728	781	54	42	1.3	29	2.85
DPFSG5448	722	767	820	54	48	1.3	33	3.25
DPFSG5454	764	809	862	54	54	1.3	37	3.63
DPFSG5460	806	851	904	54	60	1.3	41	4.02
DPFSG6624	603	620	639	66	24	1.3	20	2.04
DPFSG6630	647	663	684	66	30	1.3	25	2.52
DPFSG6636	691	739	791	66	36	1.3	30	3.00
DPFSG6642	736	784	837	66	42	1.3	35	3.46
DPFSG6648	780	829	883	66	48	1.3	40	3.93
DPFSG6654	823	872	923	66	54	1.3	45	4.40
DPFSG6660	870	917	971	66	60	1.3	50	4.90

- Integrated 6" slat rail provides flexibility of use.
- Panel integrated slat rail accepts Global Contract Accessories, Monitor Arm Support, Off-Module Shelves, Task Light Bracket and Power Bar.
- Extruded aluminum frame surrounds acrylic glazing at top.
- PVC Extrusion is only Charcoal.
- For tempered glass, add "TG" to the end of the product code and add 20% to the price regardless of fabric grade.
- OPT\* = Laminate or Whiteboard.


## DPOPF • Diet Over Panel



PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
DPOPF1224	150	159	170	12	24	1.3	5	0.30
DPOPF1230	170	179	191	12	30	1.3	7	0.60
DPOPF1236	193	212	233	12	36	1.3	8	0.75
DPOPF1242	211	232	254	12	42	1.3	9	0.88
DPOPF1248	233	252	274	12	48	1.3	11	1.00
DPOPF1254	255	276	295	12	54	1.3	12	1.13
DPOPF1260	271	290	311	12	60	1.3	13	1.25
DPOPF2424	210	230	250	24	24	1.3	10	1.00
DPOPF2430	226	245	265	24	30	1.3	14	1.25
DPOPF2436	242	271	302	24	36	1.3	16	1.45
DPOPF2442	258	287	319	24	42	1.3	18	1.75
DPOPF2448	275	303	335	24	48	1.3	22	2.00
DPOPF2454	290	319	351	24	54	1.3	24	2.25
DPOPF2460	309	337	369	24	60	1.3	26	2.50

- Over Panels attach to regular Diet Panels to provide additional visual privacy.
- Over Panel is secured to regular Diet Panels with 4 brackets and set screws.
- Accessory loading capabilities only.
- Not for use with overhead storage.
- OPT\* = Laminate or Whiteboard.

## DTMPP • Table Mounted Diet Panels




PRODUCT CODE	PRICE 1	GROUP 2	OPT*	SIZE / INCHES			WEIGHT LBS	VOL FT³
				H	W	D		
<b>SIDE PANELS</b>								
DTMPP24	164	174	185	16.5	21	1.3	7	0.75
DTMPP30	177	187	198	16.5	27	1.3	8	0.94
DTMPP36	191	210	231	16.5	33	1.3	10	1.13
<b>BACK PANELS</b>								
DTMPP48	211	231	251	16.5	48	1.3	15	1.53
DTMPP54	231	250	271	16.5	54	1.3	17	1.72
DTMPP60	249	269	289	16.5	60	1.3	18	1.91

- Creates privacy and flexibility at the end of workspaces.
- Side Panels for sides of Viceversa® Tables or sides of workspaces available 24", and 36" widths (nominal width).
- Back Panels for sides of Viceversa® Tables available 48", 54" and 60" widths.
- Attaches with similar clamp to other clamp on accessories.
- Non tackable, non load-bearing, no hang on capabilities and not for use with transaction tops.
- Not for use with Licence product due to interference of gables and flush modesties.
- OPT\* = Laminate or Whiteboard.




## DPCBM • Panel Cable Manager



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DPCBM24	7	4	18	1.3	1.3	0.07
DPCBM30	11	4	24	1.3	1.4	0.08
DPCBM36	18	4	30	1.3	1.5	0.10
DPCBM42	21	4	36	1.3	1.6	0.13
DPCBM48	23	4	42	1.3	1.7	0.15
DPCBM54	25	4	48	1.3	1.8	0.16
DPCBM60	27	4	54	1.3	1.9	0.19

- Provides wire management for the Diet Panels.
- Extruded, dual durometer "U" channel organizes cables below panels.
- Snaps into bottom rail and into mid rail on open bottom panels.
- One data partial knock-out (2.67" wide x 1.36" high) provided on either side of the Raceway Cover accommodates terminal plates from various vendors.
- Panel Cable Manager comes in charcoal only.


## DPOFM • Off Module Panel Connector



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DPOFM	32	4	3	2	1	0.08

- Connects two perpendicular Diet Panels Off-Module.
- Top and bottom brackets bolt to Diet Panel verticals and engage to top and bottom rails of adjacent, perpendicular panel of even or lower height.
- Connectors can also be used to connect a panel in the middle of perpendicular DPFRF, DPORF, DPFFG, DPFSG and DPFSF at their 42" height secondary middle rail.
- Top and bottom brackets fit in place of standard hinge connectors.
- All fasteners included.


## DPPWA • Wall Adapter



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DPPWA	32	40	2.5		1	0.08

- Connects Diet Panels to walls.
- Bolts to Diet Panel vertical in place of the standard hinge connectors.
- Keyhole openings in Diet adapter slide over fasteners pre-installed to the wall.
- All fasteners included, however, the mounting hardware to affix adapter to wall not included, they will be based on type of wall material.


## DPCSTR • Casters



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DPCSTR	5	1.5	1.5	1.5	.25	1.02

- Changes a freestanding Diet Panel to mobile.
- Must be used on two panels or more.
- Order 1 caster more than the number of panels. (Using only 1 caster where panels connect.) For example, 3 panels, 4 casters or 2 panels, 3 casters.
- Casters raise Diet Panels by a height of 1.1".

## DHCFA • Diet Freestanding Panel Mobile Kit




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DHCFA02	207	6	19	3	3	1

- Used to change a freestanding Diet Panel to mobile.
- No load capabilities on mobile diet panels.
- Can be retrofit on site to existing Diet Panels.
- Diet Panels must have a full fabric bottom.
- Sold as a pair.



# DIET


## DBSCB • Diet to Boulevard Slot Connector



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
DBSCB02	38	3	0.5	00.0	1	0.05

- Connects a Diet Panel to a Boulevard Panel via slots eliminating the need for the Boulevard Post and reducing the overall length and cost of a panel run.
- Connector can be installed in left or right configuration.
- Comes as a pair (Upper and lower brackets).
- Worksurfaces should be ordered based on application keeping in mind that this connector will align to the left or right of the end of the Boulevard Panel.
- Application drawings and layout must be provided for specials.

## DAPPF • Diet Gap Filler



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
DAPPF12	4	11.5	00.0	00.0	000	000
DAPPF36	12	36.33	00.0	00.0	000	000

- Closes the gap between panels.
- Must be used on two or more panels.
- Order 1 DAPPF36 for a 42" high panel, 1 DAPPF36 and 1 DAPPF12 for a 54" high panel, or 1 DAPPF36 and 2 DAPPF12 for 66" high panel.

## DB-P-X • Diet to Boulevard Slim Connector in “X” Configuration

### Diet to Boulevard 1 “X” Configuration



PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BDB1P4242X	94	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250X	107	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254X	117	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258X	117	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266X	127	66"	42"	66	1.3	2.6	7	0.322
BDB1P4274X	138	74"	42"	74	1.3	2.6	8	0.360
BDB1P4282X	150	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050X	107	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054X	117	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058X	117	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066X	127	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074X	138	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082X	150	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454X	117	54"	54"	54	1.3	2.6	5	0.264
BDB1P5458X	117	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466X	127	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474X	138	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482X	150	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666X	127	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674X	138	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682X	150	82"	66"	82	1.3	2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized work-surfaces.

• Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

### Diet to System 3 “X” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BDB3P4242X	94	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250X	107	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254X	117	54"	42"	54	1.3	2.6	6	0.260
BDB3P4266X	127	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050X	127	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054X	117	54"	50"	50	1.3	2.6	6	0.260
BDB3P5066X	127	66"	50"	66	1.3	2.6	7	0.322
BDB3P5454X	117	54"	50"	54	1.3	2.6	6	0.260
BDB3P5466X	127	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666X	127	66"	66"	66	1.3	2.6	7	0.322



\* Please specify separate end trim (round or flat) to close end.

# DIET

## DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration

### Diet to Boulevard 1 “T” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BDB1P4242T	94	42"	42"	42	1.3	2.6	4	0.207
BDB1P4250T	107	50"	42"	50	1.3	2.6	5	0.245
BDB1P4254T	109	54"	42"	54	1.3	2.6	5	0.264
BDB1P4258T	117	58"	42"	58	1.3	2.6	6	0.283
BDB1P4266T	127	66"	42"	66	1.6	2.6	7	0.322
BDB1P4274T	138	74"	42"	74	1.3	2.6	8	0.36
BDB1P4282T	150	82"	42"	82	1.3	2.6	9	0.399
BDB1P5050T	107	50"	50"	50	1.3	2.6	5	0.245
BDB1P5054T	117	54"	50"	54	1.3	2.6	5	0.264
BDB1P5058T	117	58"	50"	58	1.3	2.6	6	0.283
BDB1P5066T	117	66"	50"	66	1.3	2.6	7	0.322
BDB1P5074T	138	74"	50"	74	1.3	2.6	8	0.360
BDB1P5082T	150	82"	50"	82	1.3	2.6	9	0.399
BDB1P5454T	117	54"	54"	54	1.3	2.6	6	0.245
BDB1P5458T	117	58"	54"	58	1.3	2.6	6	0.283
BDB1P5466T	127	66"	54"	66	1.3	2.6	7	0.322
BDB1P5474T	138	74"	54"	74	1.3	2.6	8	0.360
BDB1P5482T	150	82"	54"	82	1.3	2.6	9	0.399
BDB1P6666T	127	66"	66"	66	1.3	2.6	7	0.322
BDB1P6674T	138	74"	66"	74	1.3	2.6	8	0.360
BDB1P6682T	150	82"	66"	82	1.3	2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized workspaces.
- Note: For use with new BDPFFxxxx & BDPOFxxxx panels.

### Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BDB3P4242T	94	42"	42"	42	1.3	2.6	4	0.207
BDB3P4250T	107	50"	42"	50	1.3	2.6	5	0.245
BDB3P4254T	117	54"	42"	54	1.3	2.6	6	0.245
BDB3P4266T	127	66"	42"	66	1.3	2.6	7	0.322
BDB3P5050T	127	50"	50"	50	1.3	2.6	5	0.245
BDB3P5054T	109	54"	50"	54	1.3	2.6	6	0.245
BDB3P5066T	127	66"	50"	66	1.3	2.6	7	0.322
BDB3P5454T	117	54"	54"	54	1.3	2.6	6	0.245
BDB3P5466T	127	66"	54"	66	1.3	2.6	7	0.322
BDB3P6666T	127	66"	66"	66	1.3	2.6	7	0.322

“T” Connection in a straight run

BOULEVARD

DIET

“T” Connection vertical end trim required to match Boulevard height to finish end

BOULEVARD

DIET

\* Please specify separate end trim (round or flat) to close end.

## DB-P-X • Diet to Boulevard Slim Connector in “X” Configuration

### Diet to Boulevard 1 “X” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB1P4242X	94	42"	42"	42	1.3	2.6	4	0.207
DB1P4250X	107	50"	42"	50	1.3	2.6	5	0.245
DB1P4254X	109	54"	42"	54	1.3	2.6	5	0.265
DB1P4258X	117	58"	42"	58	1.3	2.6	6	0.283
DB1P4266X	127	66"	42"	66	1.3	2.6	7	0.322
DB1P4274X	138	74"	42"	74	1.3	2.6	8	0.360
DB1P4282X	150	82"	42"	82	1.3	2.6	9	0.399
DB1P5050X	107	50"	50"	50	1.3	2.6	5	0.245
DB1P5054X	117	54"	50"	54	1.3	2.6	5	0.265
DB1P5058X	117	58"	50"	58	1.3	2.6	6	0.283
DB1P5066X	127	66"	50"	66	1.3	2.6	7	0.322
DB1P5074X	138	74"	50"	74	1.3	2.6	8	0.360
DB1P5082X	150	82"	50"	82	1.3	2.6	9	0.399
DB1P5454X	117	54"	54"	54	1.3	2.6	5	0.245
DB1P5458X	117	58"	54"	58	1.3	2.6	6	0.283
DB1P5466X	127	66"	54"	66	1.3	2.6	7	0.322
DB1P5474X	138	74"	54"	74	1.3	2.6	8	0.360
DB1P5482X	150	82"	54"	82	1.3	2.6	9	0.399
DB1P6666X	127	66"	66"	66	1.3	2.6	7	0.322
DB1P6674X	138	74"	66"	74	1.3	2.6	8	0.360
DB1P6682X	150	82"	66"	82	1.3	2.6	9	0.399



- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

### Diet to System 3 “X” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB3P4242X	94	42"	42"	42	1.3	2.6	4	0.207
DB3P4250X	107	50"	42"	50	1.3	2.6	5	0.245
DB3P4254X	117	54"	42"	54	1.3	2.6	6	0.265
DB3P4266X	127	66"	42"	66	1.3	2.6	7	0.322
DB3P5050X	107	50"	50"	50	1.3	2.6	5	0.245
DB3P5054X	117	54"	54"	54	1.3	2.6	7	0.265
DP3P5066X	127	66"	50"	66	1.3	2.6	7	0.322
BD3P5454X	117	54"	54"	54	1.3	2.6	7	0.322
BD3P5466X	127	66"	54"	66	1.3	2.6	7	0.322
DB3P6666X	127	66"	66"	66	1.3	2.6	7	0.322

### Diet to Boulevard 1 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB1OPPC08X	39	8"	8	1.3	2.6	0.8	0.043
DB1OPPC16X	43	16"	16	1.3	2.6	1.6	0.082
DB1OPPC24X	46	24"	24	1.3	2.6	2.5	0.120
DB1OPPC37X	52	37"	37	1.3	2.6	3.5	0.183
DB1OPPC42X	57	42"	42	1.3	2.6	4.0	0.207



\* Please specify separate end trim (round or flat) to close end.

# DIET

## DBXP-T • Diet to Boulevard Slim Connector in “T” Configuration

### Diet to Boulevard 1 “T” Configuration

PRODUCT CODE	PRICE	B1 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB1P4242T	94	42"	42"	42	1.3	2.6	4	0.207
DB1P4250T	107	50"	42"	50	1.3	2.6	5	0.245
DB1P4254T	109	54"	42"	54	1.3	2.6	5	0.265
DB1P4258T	117	58"	42"	58	1.3	2.6	6	0.283
DB1P4266T	127	66"	42"	66	1.6	2.6	7	0.322
DB1P4274T	138	74"	42"	74	1.3	2.6	8	0.36
DB1P4282T	150	82"	42"	82	1.3	2.6	9	0.399
DB1P5050T	107	50"	50"	50	1.3	2.6	5	0.245
DB1P5058T	117	58"	50"	58	1.3	2.6	6	0.283
DB1P5066T	127	66"	50"	66	1.3	2.6	7	0.322
DB1P5074T	138	74"	50"	74	1.3	2.6	8	0.360
DB1P5082T	150	82"	50"	82	1.3	2.6	9	0.399
DB1P5454T	111	54"	54"	54	1.3	2.6	5	0.245
DB1P5458T	117	58"	54"	58	1.3	2.6	6	0.283
DB1P5466T	127	66"	54"	66	1.3	2.6	7	0.322
DB1P5474T	138	74"	54"	74	1.3	2.6	8	0.360
DB1P5482T	150	82"	54"	82	1.3	2.6	9	0.399
DB1P6666T	127	66"	66"	66	1.3	2.6	7	0.322
DB1P6674T	138	74"	66"	74	1.3	2.6	8	0.36
DB1P6682T	150	82"	66"	82	1.3	2.6	9	0.399

- Creates a perpendicular connection between Diet Panel and Boulevard Panel that eliminates the need for special sized worksurfaces.
- Note: For use with regular DPxxxx panels.

### Diet to System 3 “T” Configuration

PRODUCT CODE	PRICE	SYSTEM 3 HEIGHT	DIET PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB3P4242T	94	42"	42"	42	1.3	2.6	4	0.207
DB3P4250T	107	50"	42"	50	1.3	2.6	5	0.245
DB3P4254T	117	54"	42"	54	1.3	2.6	5	0.265
DB3P4266T	127	66"	42"	66	1.3	2.6	7	0.322
DB3P5050T	128	50"	50"	50	1.3	2.6	5	0.245
DP3P5066T	127	66"	50"	66	1.3	2.6	7	0.322
DB3P5466T	127	66"	54"	66	1.3	2.6	7	0.322
DB3P6666T	127	66"	66"	66	1.3	2.6	7	0.322

### Diet to System 3 Overpanels

PRODUCT CODE	PRICE	OVER PANEL HEIGHT	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DB30PPC16	43	16"	16	1.3	2.6	1.6	0.082
DB30PPC32	52	32"	32	1.3	2.6	3.2	0.159

“T” Connection in a straight run

BOULEVARD

BOULEVARD

DIET

“T” Connection vertical

end trim required to match Boulevard height to finish end

BOULEVARD

DIET

\* Please specify separate end trim (round or flat) to close end.

Electrical

Affordability and widespread availability of wireless networking is gradually diminishing the need for extensive cable capacity housing. However, as our desk top equipment still requires electricity, providing access to power from within a work station is an integral part of any work place design.

The Global Contract family of power components has been assembled to address a variety of common requirements as well as to satisfy specific customer needs and budgets.

Direct Access:

When office equipment plugs directly into a wall or raised floor power source, cable troughs, as well the Boulevard panel internal cavity serve the purpose of organizing cables.

Extensions:

Keeping minimal installation costs in mind, the next natural step is the employment of fused and surge protected power bars, worksurface-clamped receptacles or floor standing power towers.

The Diet Power Bar, Desktop Power Receptacle and Viceversa Power Towers serve to provide power distribution further from the buildings integrated sources. These single circuit components typically plug into standard wall receptacles, floor monuments and raised floor outlets, while the four- circuit Power Towers and Power Poles are hard wired to a wall, floor (or ceiling) building power supply.

The four-circuit Viceversa floor standing Power tower is an effective, semi-flexible way of branching off power from floor monuments or raised sources. Although it is hard-wired to the building power source, its 6' of flexible, liquid-tight conduit allows for a quick relocation within a 6' radius.

The floor-to-ceiling Viceversa Power Tower can route four circuits of power as well

as data / communication cables through the ceiling into a point shared by several work stations.

Four circuit power systems:

In the absence of a raised floor, or when office equipment is to be installed further away from wall outlets, the Boulevard panel or Bridges unit the building power supply - office equipment gap by distributing power at either floor or desk height level, or both.

While Boulevard panels are capable of surrounding a given work station with power and data outlets at multiple levels, it is important to remember that the most economical way of providing four-circuit power distribution is if the harness, junction box and receptacle system remained within the central spine structure. The cost savings here come from a number and lengths of individual connecting power harnesses.

Should there be a need to branch power from Boulevard or central spine onto adjacent, perpendicular work surfaces, the employment of fused and surge protected power bars will assist in keeping the cost under control.


However, the very same, 4-circuit system is capable of delivering a considerable amount of power as there can be up to six, 8 wire-4 circuit systems accommodated within System3 pass-thru panel. For instance: three systems at the floor level and two systems at the desk height.

Various ceiling or floor level power entry feeds are available. See the following pages for individual component description and technical specifications.

Technical Information

Wire Schematic

4-2-2 Wiring Schematic  
8-Wire Shared Neuteral  
"3+1" -3 Utility circuits, 1 dedicated circuit.



8 Wires

4 Lines (12 ga.)  
2 Neutrals (10 ga.)  
2 Grounds (12 ga.)

4 Circuits

3 Utility Circuits  
1 Dedicated Circuits

Receptacles

Duplex – Up to 12  
receptacles per circuit  
(Up to 48 infeed)

Specifications

System rated for connection to a grounded 120/240 V, single phase\*, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

UL Recognised CSA Certified

**Warning:** It is recommended that installation of the electrical harness be made under the supervision of a licensed electrician in accordance with applicable codes and regulations.

**Special Note:** Always determine that harness is electrically connected to only one power supply.

\* When connected to Single Phase. Only  
Circuit 1,3 & A are available.

# ELECTRICAL

## STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD 1 AND RACEWAY PANELS

**STEP 1:** Determine the location of the source power entry entering the panel through a post.

a) From the floor:

- Choose from a selection of single or double Base Feeds (BE81BF721, BE81BF722, BE81BF1441, BE81BF1442) to bring the power from the floor to the raceway channel.
- Select a post adjacent to the panel (or panels if using a Double Base Feed) to which the end of the Base Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Base Feed is entering.

**Note:** If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Base Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Base Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

b) From the Ceiling:

- Choose from a selection of single or double Ceiling Feeds (BE81CF1201, BE81CF120-2, BE81CF1441, BE81CF1442) to bring the power from the ceiling to the raceway.
- Select a post adjacent to the panel (or panels if using a Double Ceiling Feed) to which the Ceiling Feed will be attached. This panel requires a Power Distribution Housing and must be located next to the post through which the Ceiling Feed is entering.

**STEP 2:** Determine which panels are to be powered.

a) Use a BE81D Concealed Desk Height Power Distribution Housing or a BE8U2D Face Mount Desk Height Power Distribution Housing that corresponds with the width of each panel selected to be powered.

**Note:** Specify Face Mount Raceway Covers for panels that contain BE8U2D Face Mount Desk Height Power Distribution Housings.

**STEP 3:** Connect power to the panels.

- Use a BE8JC16 Jumper between two adjacent powered panels.
- Use a BE8JC20 Jumper between two powered panels separated by a post.
- Use a BE8JM19 Shielded Mesh Jumper between two powered panels separated by a post.**
- Use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to electrically connect a BE8JM19 Shielded Mesh Jumper and a powered panel when the two are separated by one or more non-powered panels in a straight line application only.
  - The length of the BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable will equal the combined width of the non-powered panel(s).
- Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to electrically connect two powered panel separated by one or more non-powered panels in a straight line application only.
  - The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel), plus 4" for each post.
- Connect two jumpers or cables together by using the I-Connector BE8CI1. This functions as a female-female adapter and it allows the male ends of jumpers and pass-thru cables to connect together.


**STEP 4:** Designate which circuit each duplex is to tap into.

- Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


**Circuit Selections :** Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

## SPECIFICATION APPLICATIONS

### Boulevard 1 Jumper Applications



### Boulevard 1 Pass-Through Applications





## STEP-BY-STEP SPECIFICATION - 8 WIRE ELECTRICAL FOR BOULEVARD SYSTEM 3 BASE RACEWAY

**STEP 1:** Determine the location of the source power entry entering the panel.

- a. At the base of a panel:
  - i. Use a BE8BFxx Base Feed.
  - ii. Select the panel to which the Base Feed will be attached.  
This panel requires a BE83D Power Distribution Housing.
  - iii. Select the side of the panel and the receptacle outlet to which the Base Feed is to be attached.
- b. From the ceiling:
  - i. Use a BE8CFxx-1or -2 (single or double).
  - ii. Select the post through which to feed the Ceiling Feed.
  - iii. One panel adjacent to the selected post requires a BE83D Power Distribution Housing. Attach the Ceiling Feed to the nearest end of the Power Distribution Housing.

**Note:** If it is not practical to have a Power Distribution Housing in a panel adjacent to the selected Ceiling Feed Post, use a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to transition through the adjacent non-powered panel(s) that are between the Ceiling Feed Post and the first powered panel. The length of the cable will equal the combined width of the non-powered panel(s).

- c. At the base of an adjoining panel:
  - i. Use a BE83BFR72 Raceway Entry Base Feed
  - ii. Select a non-powered panel adjacent to the panel with a Power Distribution Housing.
  - iii. Choose a duplex opening on either side of the panel to insert and attach the Raceway Entry Base Feed at that point.
  - iv. The Raceway Entry Base Feed will attach to the nearest end of the Power Distribution Housing (similar to the Ceiling Feed attachment).

**STEP 2:** Determine which panels are to be powered.

- a. Use a BE83D Power Distribution Housing that corresponds with the width of the selected panel.

**STEP 3:** Connect power to the panels.

- a. Use a BE8JC16 Jumper between two adjacent powered panels.
- b. Use a BE8JC20 Jumper between two powered panels separated by a post.
- c. Use a BE8CPxxHH Housing-to-Housing Pass-Thru Cable to connect two powered panels separated by one or more non-powered panels. i. The length of the Pass-Thru Cable corresponds with the width(s) of the non-powered panels that separate two powered panels plus 16" (the termination blocks of the Power Distribution Housing are 8" in from the edge of the powered panel plus 4" for each post.


**STEP 4:** Designate which circuit each duplex is to tap into.

- a. Each powered panel has four (4) potential locations for duplex receptacles - 2 per side. (Exception: 24" wide panel has only two (2) potential locations - 1 per side, 18" wide panel has no locations for receptacles).
- b. At each location there is a choice of four (4) circuit options. Select the circuit option for each location.


**Circuit Selections :** Circuits 1, 2, and 3 are utility circuits, all sharing a ground and a neutral. Circuit A is a dedicated circuit with its own ground and neutral.

## SPECIFICATION APPLICATIONS


### Boulevard System 3 Jumper Applications



### Boulevard System 3 Jumper Applications




### Boulevard System 3 Tile Position Application



# ELECTRICAL


## BE8CI-1 • "I" Connector



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	LBS FT <sup>3</sup>
BE8CI1	53	1.5	1.5	4.625	0.06 0.03

- Connects two Pass Thru Cables.
- Inline coupler used to connect two BE8CPxxHH Pass-Thru Cables.


## BE8D • Duplex Receptacles



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	LBS FT <sup>3</sup>
BE8D1	24	2	4.625	1.25	0.10 0.01
BE8D2	24	2	4.625	1.25	0.10 0.01
BE8D3	24	2	4.625	1.25	0.10 0.01
BE8DA	24	2	4.625	1.25	0.10 0.01

- Snaps into Power Distribution Housing.
- Up to 6 duplex receptacles per circuit.
- BE8D1 = Circuit #1 (utility circuit)
- BE8D2 = Circuit #2 (utility circuit)
- BE8D3 = Circuit #3 (utility circuit)
- BE8DA - Circuit #A (dedicated circuit)


## BE83BF • Reversible Base Feed (Boulevard System 3 only)



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT <sup>3</sup>
BE83BF72	242	3	72	3	3.82 2
BE83BF144	324	3	144	3	6.98 2

- Provides single power entry from floor circuit to raceway.
- Takes the place of a duplex receptacle by connecting to the base raceway channel of a Boulevard System 3 panel.
- BE83BF72 includes 72" long liquid-tite conduit, BE83BF144 includes 144" long liquitite conduit.
- Must be hard wired to power source by a licensed electrician.


## BE83BFR72 • Raceway Entry Base Feed (Boulevard System 3 only)



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT <sup>3</sup>
BE83BFR72	342	3	88	3	4.82 2

- Brings power to an adjacent panel by entering a non-powered raceway of a Boulevard System 3 panel through a duplex opening.
- Includes 72" long liquitite conduit.
- Must be hard wired to power source by a licensed electrician.


## BE8CF-1 • Ceiling Feed - Single



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	L	D	LBS FT <sup>3</sup>
BE8CF1201	237	6	120	6	5.24 2
BE8CF1441	268	6	144	6	5.96 2

- Provides single power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or BE8CPxxHJ Pass-Thru Harness.
- Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.


## BE8CF-2 • Ceiling Feed - Double



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CF1202	485	6	120	3	5.24	2
BE8CF1442	547	6	144	3	5.96	2

- Provides dual power entry from ceiling, through post and into raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.  
2) At beginning of run where second Ceiling Feed harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Specify Post Extension separately.
- Must be hard wired to power source by a licensed electrician.


## BE81BFxx-1 • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF721	275	6	107	3	3.82	2
BE81BF1441	365	6	179	3	5.96	2

- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry dome available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.


## BE81BFxx-1FL • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF721FL	275	6	107	3	3.82	2
BE81BF1441FL	365	6	179	3	3.82	2

- Provides single power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Power entry plate available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached. Liquid-tite whip 72" and 144".
- Must be hard wired to power source by a licensed electrician.

## BE81BFxx-2 • Base Feed - Double (Boulevard 1 only)




PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF722	581	6	107	3	6.98	2
BE81BF1442	771	6	179	3	6.98	2

- Provides dual power entry from floor, through post and into Boulevard 1 raceway channel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use 1) In middle of run to distribute power in two directions.  
2) At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- Liquidite whip 72" and 144".
- Power entry box available in black only, but "Capture Strip" connector will match the post colour as standard.
- 2 1/2" clearance in depth and 5 1/2" away from any obstructions required from power entry point.
- Comes with 32" harness attached.
- Must be hard wired to power source by a licensed electrician.

# ELECTRICAL


## BE81BF601 • Base Feed - Single (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF601	296	6	107	3	490	0.062

- Provides single power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- For 6" Power/Cable Access Panel only.
- Comes with 32" harness attached.
- Liquitite whip 72".
- Must be hard wired to power source by a licensed electrician.


## BE81BF602 • Base Feed - Double (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81BF602	595	6	107	3	5.30	0.071

- Provides dual power entry from floor, through 6" panel and into Boulevard 1 raceway panel.
- Power entry cable penetrates 8" into a panel and plugs into either a Power Distribution Housing or a BE8CPxxHJ Pass-Thru Harness.
- Use
  1. In middle of run to distribute power in two directions.
  2. At beginning of run where second Base Feed Harness is connected to BE8CPxxHJ and distributes power underneath Power Distribution Housing to pick-up second circuit grouping in long panel run.
- For 6" Power/Cable Access Panel only.
- Comes with 2 x 32" harness attached.
- Liquid-tite whip 72".
- Must be hard wired to power source by a licensed electrician.


## BE8JC • Jumper Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8JC16	100	2	16.75	0.5	0.66	1.17
BE8JC20	105	2	20.75	0.5	0.78	1.17

- Electrically connects two Power Distribution Housings.
- The BE8JC16 electrically connects two powered panels positioned side by side.
- The BE8JC20 electrically connects two powered panels separated by a post.
- Wires are concealed in a flexible metal conduit.
- Cannot go through a Boulevard 1 post in a corner application. (Please use the Jumper Cable Mesh)


## BE8JM19 • Jumper Cable Mesh



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8JM19	83	2	19	0.5	0.75	1.17
BE8JMS19	108	2	19	0.5	0.75	1.17

- Electrically connects two Power Distribution Housings in Boulevard 1 panels that are separated by a post in a corner application.
- BE8JM19 - Wires are covered with a durable nylon mesh.
- BE8JMS19 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.
- Used in System 3 Panels at tile position passing through post at corner application.

## BE83BTxx • Base-to-Tile Cable




PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
BE83BT82	152	2	82.5	0.5	3.05	1.38
BE83BT40	138	2	40.5	0.5	1.44	1.17

- Electrically connects a Base Raceway Power Distribution Housing to a Face Mount Tile Power Distribution Housing within a System 3 PV panel.
- Wires are concealed in a flexible metal conduit.
- BE83BT82 to be used on panels manufactured before November 1st, 2014 and BE83BT40 after.

# ELECTRICAL


## BE8CP-HH • Housing-to-Housing Pass-Thru Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CP40HH	125	2	40.5	0.5	1.44	1.17
BE8CP46HH	131	2	46.5	0.5	1.71	1.17
BE8CP52HH	137	2	52.5	0.5	1.95	1.17
BE8CP58HH	144	2	58.5	0.5	2.21	1.17
BE8CP64HH	149	2	64.5	0.5	2.37	1.17
BE8CP70HH	154	2	70.5	0.5	2.6	1.17
BE8CP76HH	160	2	76.5	0.5	2.81	1.17
BE8CP82HH	165	2	82.5	0.5	3.03	1.17
BE8CP88HH	171	2	88.5	0.5	3.05	1.17
BE8CP94HH	177	2	94.5	0.5	3.30	1.17
BE8CP100HH	182	2	100.5	0.5	3.47	1.17
BE8CP106HH	189	2	106.5	0.5	3.87	1.17
BE8CP118HH	200	2	118.5	0.5	4.08	1.17
BE8CP130HH	211	2	130.5	0.5	4.73	1.17
BE8CP142HH	222	2	142.5	0.5	4.99	1.17

- Electrically connects two Power Distribution Housings in panels separated by one or more non-powered panels.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : In Boulevard 1 and or System 3 tile position applications, the Housing-to-Housing Pass-Thru Cables can only be used in a straight run.


## BE8CP-HJ • Housing-to-Jumper Pass-Thru Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8CP24HJ	96	2	24	0.5	0.9	1.17
BE8CP30HJ	103	2	30	0.5	1.3	1.17
BE8CP36HJ	108	2	36	0.5	1.44	1.17
BE8CP42HJ	113	2	42	0.5	1.71	1.17
BE8CP48HJ	117	2	48	0.5	1.95	1.17
BE8CP54HJ	121	2	54	0.5	2.21	1.17
BE8CP60HJ	125	2	60	0.5	2.37	1.17
BE8CP72HJ	134	2	72	0.5	2.81	1.17
BE8CP84HJ	146	2	84	0.5	3.05	1.17
BE8CP96HJ	155	2	96	0.5	3.3	1.17
BE8CP108HJ	165	2	108	0.5	3.87	1.17
BE8CP120HJ	176	2	120	0.5	4.08	1.17
BE8CP144HJ	185	2	144	0.5	4.59	1.17

- Electrically connects a Power Distribution Housing to a Housing connection of a harness.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : In both Boulevard 1 and System 3 Tile Position applications, the Housing-to-Jumper Pass-Thru Cables can only be used in a straight run.


## BEJCT39 • Transition Jumper Cable



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BEJCT16	111	2	16	0.5	0.71	0.67
BEJCT39	130	2	39	0.5	1.44	1.17

- Electrically connects BE2JB Junction Box (previous style) to a BE81D, BE82D or BE83D Power Distribution Housing (current style) when connecting powered panels that are positioned side-by-side.
- Wires are concealed in a flexible metal conduit.
- **NOTE** : If one or more non-powered panels separate the panel containing the Junction Box from the panel containing the Power Distribution Housing, add a BE8CPxxHJ Housing-to-Jumper Pass-Thru Cable to the BEJCTxx Transition Cable.

## BE81D • Power Distribution Housing Kit - Concealed Desk Height (Boulevard 1 only)




PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81D24	103	2	9.25	2.61	0.83	1.17
BE81D30	127	2	15.25	2.61	1.28	1.17
BE81D36	134	2	21.25	2.61	1.62	1.65
BE81D42	145	2	27.25	2.61	2.00	2.00
BE81D48	151	2	33.25	2.61	2.32	2.54
BE81D54	159	2	39.25	2.61	2.66	3.20
BE81D60	163	2	45.25	2.61	3.04	3.20
BE81D66	283	2	51.25	2.61	3.49	3.25
BE81D72	283	2	57.2	2.61	3.76	3.30

- Provides two duplex receptacles per panel for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE81D36 is for use with a 36" panel.

# ELECTRICAL


## BE8U2D • Power Distribution Housing Kit - Face Mount Desk Height (Boulevard 1 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8U2D24	127	2	9.25	2.61	0.83	1.17
BE8U2D30	147	2	15.25	2.61	1.28	1.17
BE8U2D36	154	2	21.25	2.61	1.62	1.65
BE8U2D42	163	2	27.25	2.61	2.00	2.00
BE8U2D48	170	2	33.25	2.61	2.32	2.54
BE8U2D54	178	2	39.25	2.61	2.66	3.20
BE8U2D60	182	2	45.25	2.61	3.04	3.20
BE8U2D66	283	2	51.25	2.61	3.49	3.25
BE8U2D72	283	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE8U2D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.


## BE83D • Power Distribution Housing Kit - Base Raceway (Boulevard System 3 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE83D24	127	2	9.25	2.61	0.83	1.17
BE83D30	147	2	15.25	2.61	1.28	1.17
BE83D36	154	2	21.25	2.61	1.62	1.65
BE83D42	163	2	27.25	2.61	2.00	2.00
BE83D48	170	2	33.25	2.61	2.32	2.54
BE83D54	176	2	39.25	2.61	2.66	3.20
BE83D60	182	2	45.25	2.61	3.04	3.20
BE83D66	283	2	51.25	2.61	3.49	3.25
BE83D72	283	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles per panel side for all panel widths above 24" wide.
- Power Distribution Housing is specified per panel size. eg. BE83D36 is for use with a 36" panel.
- 24" wide panel allows for only one (1) duplex receptacle per panel side.


## BE8U3FM • Power Distribution Housing Kit - Face Mount Tile (Boulevard System 3 only)



PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE8U3FM24	127	2	9.25	2.61	0.83	1.17
BE8U3FM30	147	2	15.25	2.61	1.28	1.17
BE8U3FM36	154	2	21.25	2.61	1.62	1.65
BE8U3FM42	163	2	27.25	2.61	2.00	2.00
BE8U3FM48	170	2	33.25	2.61	2.32	2.54
BE8U3FM54	176	2	39.25	2.61	2.66	3.20
BE8U3FM60	182	2	45.25	2.61	3.04	3.20
BE8U3FM66	283	2	51.25	2.61	3.49	3.25
BE8U3FM72	283	2	57.25	2.61	3.76	3.30

- Provides two duplex receptacles for all tile widths above 24". 24" wide tile allows for one (1) duplex receptacle.
- Housing and mounting hardware included.
- Specify duplexes, cables and tiles separately.
- BE83BT40 Base-to-Tile Cable is used to connect the tile mounted housing to the Power Distribution Housing tile in the base of the same "PV" panel.
- 24" wide tiles have one duplex and one data/comm opening. 30" and wider tiles have two data/comm openings.
- Note: Not compatible with panels built prior November 1st, 2014.

## BE81Dxx-CM • Centermount Power Distribution Housing Quad Kit - Concealed Desk Height (B1 only)




PRODUCT CODE	PRICE	SIZE / H	INCHES L	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BE81D36CM	230	2	21.99	2.61	3.24	1.65
BE81D42CM	271	2	27.99	2.61	4.00	2.00
BE81D48CM	283	2	33.99	2.61	4.64	2.54
BE81D54CM	295	2	39.99	2.61	5.32	3.20
BE81D60CM	309	2	45.99	2.61	6.04	3.20
BE81D66CM	423	2	51.99	2.61	6.98	3.25
BE81D72CM	438	2	57.99	2.61	7.52	3.30

- Provides four duplex receptacles per panel for widths 36" and above.
- Centermount Distribution Housing is specified per panel size. ie. BE81D36CM is for 36" panel.
- Not available for panels less than 36" wide.




## BEPE • Post Extension



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BEPE49	73	49 2.61 5.00	0.258	
BEPE81	111	81 2.61 9.00	0.424	

- Lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel through a post.
- Attaches to ceiling and post.
- Includes connectors, ceiling trim plate and screws.
- Post extension will accept:
  - 75 cables 5.6mm (0.220") dia. data cables
  - 60 cables 5.6mm (0.220") dia. data cables with 1 power feed
  - 45 cables 5.6mm (0.220") dia. data cables with 2 power feeds.
- Ceiling bezel is white only.


## BHPOST • Lay in Post Extension



PRODUCT CODE	PRICE	TYPE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BHPOST66	160	BASE	66 2.61 2.61 8	0.346	
BHPOSTE30	54	EXTENSION	30 2.61 2.61 5	0.195	
BHPOSTE78	138	EXTENSION	78 2.61 2.61 9	0.430	

- Three sided lightweight aluminum pole to be used to bring power and/or data/communication cables from ceiling to a panel. True lay-in application use
- Attaches to ceiling and post.
- Includes connectors and ceiling bezel plate and screws.
- Requires vertical end trim to enclose when used in 2 way and 3 way panel run application.
- Trim encloses lay-in cable post extension, sold separately.


## BE2PE • Off-Module Post Extension



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BE2PE49	164	7.61 49 3.00 5	0.258	
BE2PE81	244	7.61 81 3.00 9	0.424	

- An alternative to the existing Ceiling Post, allows for an off-module Ceiling Feed location.
- Attaches to the top of horizontal trim.
- Panel ceiling post consists of two aluminum extrusions for a true lay-in application.
- Includes brackets, hardware and ceiling trim plate and screws.
- Harness length will vary in length depending on post location along the panel.
- Can only be used with Boulevard System 3 "PV" and "MV" Panels.
- Requires on site cutting of top trim for placement along panel.

## DEK • Diet Electrical Kit



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
DEK2401	205	4 18 1.3 4.90	0.07	
DEK3001	299	4 24 1.3 5.25	0.08	
DEK3601	313	4 30 1.3 5.70	0.10	
DEK4201	324	4 36 1.3 6.00	0.13	
DEK4801	339	4 42 1.3 6.40	0.15	
DEK5401	355	4 48 1.3 7.10	0.16	
DEK6001	370	4 54 1.3 7.60	0.19	
DEK2402	205	4 18 1.3 4.90	0.07	
DEK3002	299	4 24 1.3 5.25	0.08	
DEK3602	313	4 30 1.3 5.70	0.10	
DEK4202	324	4 36 1.3 6.00	0.13	
DEK4802	339	4 42 1.3 6.40	0.15	
DEK5402	355	4 48 1.3 7.10	0.16	
DEK6002	370	4 54 1.3 7.60	0.19	


- Kit includes all components to add power to Diet Panels.
- Typical kit includes: 2 Duplex Receptacle Blocks (either circuit #1 or circuit #2), the Jumper Harness between the Duplex Receptacle Blocks, the Jumper Harness to the next panel, the pre-punched Raceway Cover, the aluminum Raceway Junction Cover, 2 PVC Duplex Receptacle Block Spacers and the hardware to attach the components.
- The length of the Jumper Harness between two Duplex Receptacle Blocks is based on the panel width.
- Jumper Harness going into the next panel and the aluminum Raceway Junction Covers are standard size.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.
- Each kit is identified as circuit #1 (ie. DEK240"1") or circuit #2 (ie. DEK240"2").
- 24" wide panels have a single Duplex Receptacle Block only.

- 30" wide panels have 2 Duplex Receptacle Blocks, however they must be facing the same direction.
- 24" and 30" wide panels are not pre-punched for data.
- 36" to 60" wide panels are pre-punched for Duplex Receptacle Blocks on either side and for data just off-center on both sides.



# ELECTRICAL


## DEJH • Diet Pass-Thru Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
DEJH24	140	2	42	1	1.81	0.025
DEJH30	159	2	48	1	2.07	0.028
DEJH36	174	2	54	1	2.12	0.032
DEJH42	188	2	60	1	2.60	0.035
DEJH48	202	2	66	1	2.86	0.038
DEJH54	217	2	72	1	3.13	0.041
DEJH60	231	2	78	1	3.39	0.044

- Kit allows electrical to pass through a Diet Panel.
- Kit includes: female-female jumper harness, Raceway Cover and Raceway Junction Cover.
- Pass-Thru harness connects to a Duplex Receptacle Block within one powered panel; passes through a non-powered panel, and the opposite end connects to another Receptacle Block within the second powered panel.
- Raceway Cover and Raceway Junction Cover are Charcoal (CHR) only.


## DEBF • Diet Base Feed



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
DEBF01	176	2	72	2	5.6	0.06

- Provides single power entry from floor into raceway.
- Single Ceiling Feed has a 6' whip, liquid tight.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.


## DECF • Diet Ceiling Feed



PRODUCT CODE	PRICE	SIZE / H	INCHES L	D	WEIGHT LBS	VOL FT <sup>3</sup>
DECF01	284	2	144	2	5.6	0.06

- Provides single power entry from ceiling through a post into raceway.
- Raceway connection replaces one Duplex Receptacle Block in a standard kit.


## DEPE • Diet Post Extension



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DEPE116	196	116	4.5	1	7	0.82

- Lightweight aluminum pole manages power and data cables between ceiling and floor level raceway.
- Aluminum extrusion with PVC extruded cover secures to the outside of the panel and passes through the worksurface scoop.
- Includes all hardware and bezel.
- Intended for use on Diet panels with fabric bottoms.

## DERJC • Raceway Junction Cover



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DERJC	18	4.3	10	1	0.5	0.1

- Provides an external cover for cables passing between adjacent, in-line panels and off-module "X" panel configurations. Also, capable of bridging two in-line panels in a "T" configuration (outside).
- Aluminum, powder coated finish.

# WORKSURFACES

## Worksurfaces

Global Contract offers a wide variety of worksurfaces and user friendly worksurface shapes to support a variety of tasks, applications and personal preferences.

- High and Low pressure worksurfaces are 3mm edge banded.
- Wood veneer surfaces or solid wood edges available.

- 1 1/16" particle board.
- 45 lb. density
- 100% recycled from post consumer industrial material
- "Scoops" for cable management.
- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.

## Technical Information

### Worksurfaces

- All worksurfaces have threaded inserts for metal-to-metal connection of support hardware.
- Back edge features scoop detail.
- Worksurfaces 48" or less have one scoop while those that are 54" or more have a double scoop feature with a 1/2" wire passage trough between the scoops.
- LP and HP worksurfaces are 3mm edge banded.
- LP worksurfaces are 1" thick particle board with laminate finish.
- HP worksurfaces are 1 1/16" thick particle board with laminate finish.
- T worksurfaces are 1 1/16" thick particle board with laminate finish and wood trim.
- W worksurfaces are 1 3/16" thick particle board with wood veneer finish. Edge is solid wood edge banded.
- One universal cantilever supports two abutting worksurfaces.

- 20" deep worksurfaces available at same price as 24" deep worksurfaces.
- Support hardware must be ordered separately.
- Painted (P) worksurfaces are 1" thick MDF and have a radius waterfall edge on user side, contact your Customer Service Representative.
- Flex lip available for LP, HP, and T worksurfaces only, contact your Customer Service Representative.
- Edge banded worksurfaces without scoops available, substitute "NFL" for "SCP" at the end of the code.

### Transaction Worksurfaces


- To install transaction worksurfaces to a 42" high panel, use BHBT02 bracket.
- To install transaction worksurfaces to a 37" high panel, use BHBT37 bracket.

## WORKSURFACE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.


Example of Worksurface: **BWS2460SCP HP MR71T CHR**



### How to Specify

- Specify Boulevard worksurface type and size by code.
- Specify scoops option by adding "SCP" at end of code or old style Flexlip by leaving blank.
- Specify type of finish.
- Specify High Pressure Laminate Colour.
- Specify PVC edge colour.

Example of Hardware: **BHC24 CHR**





### How to Specify

- Specify Boulevard hardware type and size by code.
- Specify type of finish.

# WORKSURFACES



## BWS • Straight Rectangular Worksurface

	PRODUCT CODE	PRICE		GROUP		SIZE / INCHES				WEIGHT VOL	
		LP*	HP*	T*	W*	H	W	D	LBS	FT <sup>3</sup>	
	BWS1818SCP	91	116	168	254	1	18	18	9	0.29	
	BWS1824SCP	100	125	187	314	1	24	18	12	0.39	
	BWS1830SCP	107	133	198	383	1	30	18	15	0.49	
	BWS1836SCP	120	150	221	450	1	36	18	18	0.59	
	BWS1842SCP	160	198	277	542	1	42	18	21	0.68	
	BWS1848SCP	189	237	317	569	1	48	18	24	0.78	
	BWS1854SCP	220	277	365	579	1	54	18	27	0.88	
	BWS1860SCP	244	304	398	598	1	60	18	30	1.00	
	BWS1866SCP	260	325	424	616	1	66	18	32	1.10	
	BWS1872SCP	275	342	451	634	1	72	18	35	1.20	
Worksurfaces 48" or Less	BWS1878SCP	289	362	477	690	1	78	18	38	1.30	
	BWS1884SCP	314	392	519	719	1	84	18	41	1.40	
	BWS2418SCP	94	118	187	293	1	18	24	12	0.40	
	BWS2424SCP	103	127	198	363	1	24	24	16	0.52	
	BWS2430SCP	109	135	213	445	1	30	24	20	0.65	
	BWS2436SCP	123	154	240	519	1	36	24	23	0.78	
	BWS2442SCP	161	201	290	622	1	42	24	28	0.90	
	BWS2448SCP	193	242	336	690	1	48	24	31	1.03	
	BWS2454SCP	226	283	386	709	1	54	24	35	1.20	
	BWS2460SCP	255	317	425	727	1	60	24	39	1.30	
	BWS2466SCP	265	333	446	757	1	66	24	43	1.41	
	BWS2472SCP	278	347	465	784	1	72	24	47	1.54	
	BWS2478SCP	295	369	501	863	1	78	24	51	1.70	
	BWS2484SCP	317	398	535	931	1	84	24	55	1.80	
	BWS3018SCP	111	137	215	365	1	18	30	15	0.50	
	BWS3024SCP	118	149	232	456	1	24	30	20	0.70	
	BWS3030SCP	129	162	253	539	1	30	30	25	0.97	
	BWS3036SCP	151	190	285	638	1	36	30	30	1.06	
	BWS3042SCP	215	269	367	668	1	42	30	34	1.12	
	BWS3048SCP	226	283	391	721	1	48	30	39	1.30	
Worksurfaces 54" or Longer	BWS3054SCP	248	311	424	749	1	54	30	44	1.44	
	BWS3060SCP	265	333	450	779	1	60	30	49	1.60	
	BWS3066SCP	277	344	470	839	1	66	30	54	1.80	
	BWS3072SCP	292	366	498	903	1	72	30	59	2.00	
	BWS3078SCP	310	387	527	996	1	78	30	64	2.10	
	BWS3084SCP	342	428	577	1074	1	84	30	69	2.24	
	BWS3672SCP	556	728	1137	1822	1	72	36	71	2.30	

• Straight rectangular work-surfaces are non-handed and can be interchanged on site.

# WORKSURFACES

## BWSP • Straight Rectangular Worksurface to span a Post


	PRODUCT CODE	PRICE		GROUP		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		LP*	HP*	T*	W*	H	W	D		
	BWSP1821SCP	100	125	185	313	1	21	18	10	0.34
	BWSP1827SCP	107	132	198	382	1	27	18	13	0.44
	BWSP1833SCP	120	150	220	448	1	33	18	16	0.53
	BWSP1839SCP	159	198	276	539	1	39	18	19	0.63
	BWSP1845SCP	188	234	316	566	1	45	18	22	0.72
	BWSP1851SCP	219	276	364	577	1	51	18	25	0.82
	BWSP1857SCP	244	304	398	598	1	57	18	28	0.92
	BWSP1863SCP	259	323	421	611	1	63	18	31	1.01
	BWSP1869SCP	274	341	449	631	1	69	18	34	1.11
	BWSP1875SCP	296	360	475	687	1	75	18	37	1.21
Worksurfaces 48" or Less	BWSP1881SCP	312	391	515	715	1	81	18	40	1.30
	BWSP1887SCP	337	420	584	797	1	87	18	43	1.40
	BWSP2421SCP	103	127	198	363	1	21	24	14	0.45
	BWSP2427SCP	109	135	213	445	1	27	24	17	0.60
	BWSP2433SCP	123	154	240	519	1	33	24	21	0.70
	BWSP2439SCP	161	201	290	622	1	39	24	25	0.83
	BWSP2445SCP	193	242	336	690	1	45	24	29	1.00
	BWSP2451SCP	226	283	386	709	1	51	24	33	1.10
	BWSP2457SCP	255	317	425	727	1	57	24	37	1.22
	BWSP2463SCP	265	333	446	757	1	63	24	41	1.34
	BWSP2469SCP	278	347	465	784	1	69	24	45	1.47
	BWSP2475SCP	295	369	501	863	1	75	24	49	1.60
	BWSP2481SCP	317	398	535	931	1	81	24	53	1.73
	BWSP2487SCP	401	502	603	994	1	87	24	57	1.90
	BWSP3021SCP	118	149	232	456	1	21	30	17	0.56
	BWSP3027SCP	129	162	253	539	1	27	30	22	0.72
	BWSP3033SCP	151	190	285	638	1	33	30	27	0.88
	BWSP3039SCP	215	269	367	668	1	39	30	32	1.04
	BWSP3045SCP	226	283	391	721	1	45	30	37	1.20
	BWSP3051SCP	248	311	424	749	1	51	30	41	1.40
Worksurfaces 50" or Longer	BWSP3057SCP	265	333	450	779	1	57	30	46	1.51
	BWSP3063SCP	277	344	470	839	1	63	30	51	1.67
	BWSP3069SCP	292	366	498	903	1	69	30	56	1.83
	BWSP3075SCP	310	387	527	996	1	75	30	61	2.00
	BWSP3081SCP	342	428	577	1074	1	81	30	66	2.20
	BWSP3087SCP	459	574	727	1152	1	87	30	70	2.30
	BWSP3675SCP	569	747	1137	1822	1	75	36	73	2.40

- Straight rectangular work-surfaces are non-handed and can be interchanged on site.
- Worksurface will span the width of a post eliminating a gap between standard sizes.

Application of Worksurface

# WORKSURFACES

## BWS • Straight Rectangular Worksurface without Flex Lip or Scoops




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWS1818NFL	91	116	168	254	1	18	18	9	0.28
BWS1824NFL	100	125	187	314	1	24	18	12	0.40
BWS1830NFL	107	133	198	383	1	30	18	15	0.50
BWS1836NFL	120	150	221	450	1	36	18	18	0.59
BWS1842NFL	160	198	277	542	1	42	18	21	0.68
BWS1848NFL	189	237	317	569	1	48	18	24	0.78
BWS1854NFL	220	277	365	579	1	54	18	27	0.88
BWS1860NFL	244	304	398	598	1	60	18	29	0.97
BWS1866NFL	260	325	424	616	1	66	18	32	1.10
BWS1872NFL	275	342	451	634	1	72	18	35	1.20
BWS1878NFL	289	362	477	690	1	78	18	38	1.30
BWS1884NFL	314	392	519	719	1	84	18	41	1.40
BWS2418NFL	94	118	187	293	1	18	24	12	0.40
BWS2424NFL	103	127	198	363	1	24	24	16	0.52
BWS2430NFL	109	135	213	445	1	30	24	20	0.65
BWS2436NFL	123	154	240	519	1	36	24	24	0.78
BWS2442NFL	161	201	290	622	1	42	24	28	0.90
BWS2448NFL	193	242	336	690	1	48	24	31	1.03
BWS2454NFL	226	283	386	709	1	54	24	35	1.20
BWS2460NFL	255	317	425	727	1	60	24	39	1.30
BWS2466NFL	265	333	446	757	1	66	24	43	1.41
BWS2472NFL	278	347	465	784	1	72	24	47	1.54
BWS2478NFL	295	369	501	863	1	78	24	51	1.70
BWS2484NFL	317	398	535	931	1	84	24	55	1.80
BWS3018NFL	111	137	215	365	1	18	30	15	0.50
BWS3024NFL	118	149	232	456	1	24	30	20	0.65
BWS3030NFL	129	162	253	539	1	30	30	25	0.81
BWS3036NFL	151	190	285	638	1	36	30	29	1.00
BWS3042NFL	215	269	367	668	1	42	30	34	1.13
BWS3048NFL	226	283	391	721	1	48	30	39	1.30
BWS3054NFL	248	311	424	749	1	54	30	44	1.44
BWS3060NFL	265	333	450	779	1	60	30	49	1.60
BWS3066NFL	277	344	470	839	1	66	30	54	1.76
BWS3072NFL	292	366	498	903	1	72	30	59	1.91
BWS3078NFL	310	387	527	996	1	78	30	64	2.10
BWS3084NFL	342	428	577	1074	1	84	30	69	2.24
BWS3672NFL	556	725	858	1109	1	72	36	71	2.30

• Straight rectangular work-surfaces are non-handed and can be interchanged on site.

• Worksurface features no scoop or flex lip.

# WORKSURFACES

## BWSW • Wedge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSW182448SCP	271	336	618	1212	1	48	24	30	0.58
BWSW182454SCP	303	378	866	1380	1	54	24	34	0.65
BWSW182460SCP	336	421	872	1406	1	60	24	38	0.73
BWSW182466SCP	371	463	911	1452	1	66	24	42	0.80
BWSW182472SCP	404	505	921	1487	1	72	24	46	0.88
BWSW241848SCP	271	336	618	1212	1	48	24	30	0.58
BWSW241854SCP	303	378	866	1380	1	54	24	34	0.65
BWSW241860SCP	336	421	872	1406	1	60	24	38	0.73
BWSW241866SCP	371	463	911	1452	1	66	24	42	0.80
BWSW241872SCP	404	505	921	1487	1	72	24	46	0.88
BWSW243048SCP	336	421	733	1268	1	48	30	38	0.73
BWSW243054SCP	378	474	941	1442	1	54	30	42	0.84
BWSW243060SCP	421	526	945	1482	1	60	30	47	0.94
BWSW243066SCP	463	578	975	1587	1	66	30	51	1.03
BWSW243072SCP	506	631	1027	1684	1	72	30	56	1.13
BWSW302448SCP	336	421	733	1268	1	48	30	38	0.73
BWSW302454SCP	378	474	941	1442	1	54	30	42	0.84
BWSW302460SCP	421	526	945	1482	1	60	30	47	0.94
BWSW302466SCP	463	578	975	1587	1	66	30	51	1.03
BWSW302472SCP	506	631	1027	1684	1	72	30	56	1.13

• Wedge Worksurface

NOTE: BWSW

24	18	48
A	B	C
WIDTH	WIDTH	LENGTH

## BWSW • Wedge Worksurface Without Flexlip or Scoops




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSW182448NFL	271	336	618	1212	1	48	24	30	0.58
BWSW182454NFL	303	378	866	1380	1	54	24	34	0.65
BWSW182460NFL	336	421	872	1406	1	60	24	38	0.73
BWSW182466NFL	371	463	911	1452	1	66	24	42	0.80
BWSW182472NFL	404	505	921	1487	1	72	24	46	0.88
BWSW241848NFL	271	336	618	1212	1	48	24	30	0.58
BWSW241854NFL	303	378	866	1380	1	54	24	34	0.65
BWSW241860NFL	336	421	872	1406	1	60	24	38	0.73
BWSW241866NFL	371	463	911	1452	1	66	24	42	0.80
BWSW241872NFL	404	505	921	1487	1	72	24	46	0.88
BWSW243048NFL	336	421	733	1268	1	48	30	38	0.75
BWSW243054NFL	378	474	941	1442	1	54	30	42	0.84
BWSW243060NFL	421	526	945	1482	1	60	30	47	0.73
BWSW243066NFL	463	578	975	1587	1	66	30	51	1.03
BWSW243072NFL	506	631	1027	1684	1	72	30	56	1.13
BWSW302448NFL	336	421	733	1268	1	48	30	38	0.75
BWSW302454NFL	378	474	941	1442	1	54	30	42	0.84
BWSW302460NFL	421	526	945	1482	1	60	30	47	0.73
BWSW302466NFL	463	578	975	1587	1	66	30	51	1.03
BWSW302472NFL	506	631	1027	1684	1	72	30	56	1.13

• Wedge Worksurface without scoop

NOTE: BWSW

24	18	48
A	B	C
WIDTH	WIDTH	LENGTH

## BWBT • Bow Tie Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWBT3660SCP	439	549	562	921	1	36	60	60	1.90
BWBT3672SCP	503	629	792	1053	1	36	72	71	2.30
BWBT3684SCP	607	760	779	1282	1	36	84	83	2.70

• Designed to work as a universal non-handed "corner" surface.

• Creates flexible use of space for computer.

# WORKSURFACES

## BWSC • Curvelinear Front Edge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSC182430SCP	138	171	273	546	1	30	24	18	0.65
BWSC182436SCP	165	209	310	690	1	36	24	22	0.78
BWSC182442SCP	193	242	351	690	1	42	24	26	0.90
BWSC182448SCP	220	277	390	745	1	48	24	30	1.03
BWSC182454SCP	248	311	431	794	1	54	24	34	1.20
BWSC182460SCP	277	344	474	830	1	60	24	38	1.30
BWSC241830SCP	138	171	273	546	1	30	24	18	0.65
BWSC241836SCP	165	209	310	606	1	36	24	22	0.78
BWSC241842SCP	193	242	351	690	1	42	24	26	0.90
BWSC241848SCP	220	277	390	745	1	48	24	30	1.03
BWSC241854SCP	248	311	431	794	1	54	24	34	1.2
BWSC241860SCP	277	344	474	830	1	60	24	38	1.3
BWSC243030SCP	145	181	282	616	1	30	30	23	0.81
BWSC243036SCP	165	209	313	666	1	36	30	28	1
BWSC243042SCP	239	296	415	776	1	42	30	33	1.13
BWSC243048SCP	248	311	439	830	1	48	30	38	1.3
BWSC243054SCP	277	343	481	907	1	54	30	42	1.44
BWSC243060SCP	302	380	523	943	1	60	30	47	1.6
BWSC302430SCP	145	181	282	616	1	30	30	23	0.81
BWSC302436SCP	165	209	313	666	1	36	30	28	1
BWSC302442SCP	239	296	415	776	1	42	30	33	1.13
BWSC302448SCP	248	311	439	830	1	48	30	38	1.3
BWSC302454SCP	277	343	481	907	1	54	30	42	1.44
BWSC302460SCP	302	377	523	942	1	60	30	47	1.6

- Curvelinear front edge worksurface.
- Allows efficient use of a small footprint.
- The curve on the 30" and 36" wide worksurfaces have been modified to allow a pedestal to fit.

NOTE: BWSC

24	18	30
A	B	C
WIDTH	WIDTH	LENGTH

## BWCC • Curved Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWCC3618SCP	271	338	478	920	1	36	36	29	1.20
BWCC3624SCP	297	372	608	1025	1	36	36	32	1.20
BWCC4224SCP	404	504	657	1081	1	42	42	41	1.60
BWCC4230SCP	413	516	655	1113	1	42	42	45	1.60
BWCC4824SCP	470	587	783	1448	1	48	48	50	2.00
BWCC4830SCP	470	587	783	1448	1	48	48	56	2.00

- Allows efficient use of corner space for computer or printer applications.
- BWCC3624 has a front radius of 12". It is not usable for keyboard support.

NOTE: BWSC

36	18
C	A
WIDTH	DEPTH


CODE	RADIUS "R"
BWCC3618SCP	18"
BWCC3624SCP	12"
BWCC4224SCP	18"
BWCC4230SCP	12"
BWCC4824SCP	24"
BWCC4830SCP	18"

NOTE: 12" radius not recommended for keyboards



# WORKSURFACES

## BWCF • Five Sided Corner Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
BWCF3012SCP	168	210	311	802	1	30	30	28	1.00
BWCF3612SCP	233	290	374	821	1	36	36	30	1.03
BWCF3618SCP	233	290	374	821	1	36	36	31	1.20
BWCF3624SCP	244	304	387	821	1	36	36	33	1.20
BWCF3630SCP	255	317	401	821	1	36	36	35	1.20
BWCF4218SCP	333	415	510	978	1	42	42	40	1.60
BWCF4224SCP	342	428	525	978	1	42	42	45	1.60
BWCF4230SCP	354	442	539	978	1	42	42	47	1.60
BWCF4818SCP	376	470	595	1132	1	48	48	40	1.60
BWCF4824SCP	388	483	607	1132	1	48	48	45	1.60
BWCF4830SCP	410	510	636	1132	1	48	48	47	1.60

- Creates efficient use of corner space for computer or printer applications.

CODE	PANEL SIZES	ADJOINED WORKSURFACE DEPTH	A	B
BWCF3012SCP	30	12	25.5	29.8
BWCF3612SCP	36	12	34.0	34.0
BWCF3618SCP	36	18	25.5	37.9
BWCF3624SCP	36	24	17.0	42.1
BWCF3630SCP	36	30	8.5	46.4
BWCF4218SCP	42	18	33.9	42.1
BWCF4224SCP	42	24	25.5	46.4
BWCF4230SCP	42	30	17.0	50.6
BWCF4818SCP	48	18	42.4	46.4
BWCF4824SCP	48	24	33.9	50.6
BWCF4830SCP	48	30	25.5	54.8

## BWCL • "L" Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
BWCL3018SCP	168	208	285	951	1	30	30	20	0.80
BWCL3024SCP	165	209	282	915	1	30	30	23	0.80
BWCL3618SCP	244	304	390	920	1	36	36	27	1.20
BWCL3624SCP	255	317	404	920	1	36	36	31	1.20
BWCL3630SCP	265	333	417	920	1	36	36	34	1.20
BWCL4218SCP	354	442	539	1081	1	42	42	32	1.60
BWCL4224SCP	366	456	552	1081	1	42	42	39	1.60
BWCL4230SCP	376	470	567	1081	1	42	42	44	1.60
BWCL4818SCP	387	483	607	1235	1	48	48	38	2.00
BWCL4824SCP	398	497	622	1235	1	48	48	47	2.00
BWCL4830SCP	408	510	636	1235	1	48	48	54	2.00


- Creates efficient use of corner space for computer or printer applications.

NOTE: BWSC

- 5" radius not recommended for keyboards.

36	18
C	A
WIDTH	DEPTH

## BWCK • Keyboard Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT³
With GAKSM02/GATM01 Combo keyboard clamp:									
BWCK4224SCP	606	759	883	1387	1	42	42	49	2.60
BWCK4824SCP	754	944	1050	1480	1	48	48	58	3.04
BWCK4830SCP	863	1078	1244	1523	1	48	48	62	3.04
Without keyboard clamp:									
BWCKN4224SCP	442	551	673	1169	1	42	42	49	2.60
BWCKN4824SCP	590	739	889	1264	1	48	48	58	3.04
BWCKN4830SCP	696	870	1035	1306	1	48	48	62	3.04


- Includes Keyboard Support and Tray.
- Creates efficient use of corner space for computer or printer applications.

42	24
C	A
WIDTH	DEPTH

CODE	PANEL SIZES	ADJOINED WORKSURFACE DEPTH
BWCK4224SCP	42	24
BWCK4824SCP	48	24
BWCK4830SCP	48	30

# WORKSURFACES

## BWAC45 • Curved Corner Worksurface for 45 Degree Angle




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
					H	W	D		
BWAC452418SCP	271	338	483	870	1	24	18	38	1.14
BWAC452424SCP	282	353	595	1074	1	24	24	42	1.29
BWAC452430SCP	293	366	761	1380	1	24	30	48	1.45
BWAC453018SCP	347	435	1042	1391	1	30	18	53	1.61
BWAC453024SCP	394	492	1243	1656	1	30	24	60	1.80
BWAC453030SCP	436	546	1587	2115	1	30	30	66	2.01
BWAC453618SCP	488	609	1213	1610	1	36	18	66	2.01
BWAC453624SCP	542	679	1491	1986	1	36	24	71	2.16
BWAC453630SCP	598	745	1877	2499	1	36	30	76	2.30

- Five sided corner unit for 45 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

NOTE: BWAC

45°	24	18
	C	A
45° POST	WIDTH	DEPTH

## BWAC60 • Curved Corner Worksurface for 60 Degree Angle




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
					H	W	D		
BWAC602418SCP	233	290	387	695	1	24	18	33	0.99
BWAC602424SCP	244	304	483	870	1	24	24	36	1.09
BWAC602430SCP	255	317	525	943	1	24	30	39	1.19
BWAC603018SCP	316	396	878	1167	1	30	18	48	1.46
BWAC603024SCP	343	431	1032	1377	1	30	24	52	1.58
BWAC603030SCP	370	462	1122	1495	1	30	30	56	1.71
BWAC603618SCP	451	564	1024	1357	1	36	18	66	2.01
BWAC603624SCP	485	606	1208	1610	1	36	24	71	2.16
BWAC603630SCP	520	648	1317	1755	1	36	30	76	2.31

- Five sided corner unit for 60 degree Corner Posts.
- Creates efficient use of space for computer or printer application.

NOTE: BWAC

60°	24	18
	C	A
60° POST	WIDTH	DEPTH

## BWCE • Extended Curved Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
					H	W	D		
BWCE426024SCP	483	605	920	1513	1	24	42	60	2.20
BWCE426624SCP	533	665	987	1579	1	24	42	66	2.50
BWCE427224SCP	589	776	1085	1776	1	24	42	72	2.70
BWCE427824SCP	629	787	1151	1909	1	24	42	78	2.90
BWCE428424SCP	678	848	1249	2039	1	24	42	84	3.10
BWCE486024SCP	552	691	1151	1909	1	24	48	60	2.50
BWCE486624SCP	607	761	1218	1973	1	24	48	66	2.80
BWCE487224SCP	663	828	1249	2039	1	24	48	72	3.10
BWCE487824SCP	719	899	1348	2237	1	24	48	78	3.30
BWCE488424SCP	774	967	1448	2367	1	24	48	84	3.60
BWCE486030SCP	607	761	1249	2039	1	30	48	60	2.50
BWCE486630SCP	663	828	1315	2138	1	30	48	66	2.80
BWCE487230SCP	719	899	1348	2204	1	30	48	72	3.10
BWCE487830SCP	774	967	1448	2335	1	30	48	78	3.30
BWCE488430SCP	816	1021	1513	2434	1	30	48	84	3.60
BWCE604224SCP	483	605	920	1513	1	24	60	42	2.20
BWCE604824SCP	552	691	1151	1909	1	24	60	48	2.60
BWCE604830SCP	607	761	1249	2039	1	30	60	48	2.60
BWCE664224SCP	533	665	987	1579	1	24	66	42	2.50
BWCE664824SCP	607	761	1218	1973	1	24	66	48	2.80
BWCE664830SCP	663	828	1315	2138	1	30	66	48	2.80
BWCE724224SCP	589	776	1085	1776	1	24	72	42	2.70
BWCE724824SCP	663	828	1249	2039	1	24	72	48	3.10
BWCE724830SCP	719	899	1348	2204	1	30	72	48	3.10
BWCE784224SCP	629	787	1151	1909	1	24	78	42	2.90
BWCE784824SCP	719	899	1348	2237	1	24	78	48	3.30
BWCE784830SCP	774	967	1448	2335	1	30	78	48	3.30
BWCE844224SCP	678	848	1249	2039	1	24	84	42	3.10
BWCE844824SCP	774	967	1448	2367	1	24	84	48	3.60
BWCE844830SCP	816	1021	1513	2434	1	30	84	48	3.60


- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.

NOTE: BWSC

60	42	24
A	B	C
WIDTH	WIDTH	LENGTH

# WORKSURFACES

## BWCEC • Extended Curvilinear Corner Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
BWCEC366024SCP	439	549	786	1309	36	60	24	59	0.05
BWCEC366624SCP	461	576	867	1439	36	66	24	65	0.60
BWCEC367224SCP	503	629	943	1571	36	72	24	71	0.07
BWCEC367824SCP	545	683	1024	1702	36	78	24	77	0.07
BWCEC368424SCP	607	760	1100	1832	36	84	24	83	0.08
BWCEC426624SCP	531	662	981	1571	42	66	24	76	0.07
BWCEC427224SCP	586	733	1080	1768	42	72	24	83	0.08
BWCEC427824SCP	627	783	1146	1901	42	78	24	90	0.08
BWCEC428424SCP	673	844	1245	2031	42	84	24	96	0.09
BWCEC487230SCP	716	893	1342	2194	48	72	30	94	0.09
BWCEC487830SCP	771	964	1439	2325	48	78	30	102	0.09
BWCEC488430SCP	812	1015	1507	2422	48	84	30	110	0.10
BWCEC603624SCP	439	549	786	1309	60	36	24	59	0.05
BWCEC663624SCP	461	576	867	1439	66	36	24	65	0.60
BWCEC664224SCP	531	662	981	1571	66	42	24	76	0.07
BWCEC723624SCP	503	629	943	1571	72	36	24	71	0.07
BWCEC724224SCP	586	733	1080	1768	72	42	24	83	0.08
BWCEC724830SCP	716	893	1342	2194	72	48	30	94	0.09
BWCEC783624SCP	545	683	1024	1702	78	36	24	77	0.07
BWCEC784224SCP	627	783	1146	1901	78	42	24	89	0.08
BWCEC784830SCP	771	964	1439	2325	78	48	30	102	0.09
BWCEC843624SCP	607	760	1100	1832	84	36	24	83	0.08
BWCEC844224SCP	607	760	1100	1832	84	42	24	96	0.09
BWCEC844824SCP	673	844	1245	2031	84	48	24	110	0.10
BWCEC844830SCP	812	1015	1507	2422	84	48	30	110	0.10

- Extended curved corner unit with a radius user edge.
- Creates efficient use of a corner unit.

NOTE: BWSC

60	42	24
A	B	C
WIDTH	WIDTH	LENGTH


## BWK • Keyboard Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT³
With GAKSM02/GATM01 Combo keyboard clamp:									
BWK2436SCP	477	595	689	992	1	36	24	30	1.80
BWK2442SCP	481	603	700	1097	1	42	24	34	1.90
BWK3036SCP	535	668	789	1111	1	36	30	36	2.00
BWK3042SCP	541	673	803	1143	1	42	30	34	2.10
Without keyboard clamp:									
BWKN2436SCP	310	387	480	775	1	36	24	20	0.78
BWKN2442SCP	315	396	495	878	1	42	24	24	0.90
BWKN3036SCP	371	462	581	893	1	36	30	26	1.00
BWKN3042SCP	375	468	598	928	1	42	30	31	1.13

- Incorporates keyboard cut-out with keyboard clamp and pliable molded wrist support.
- Keyboard support adjusts 6" above and 6" below surface, with a positive/negative tilt (+15 degree to -15 degree).

## BWKLL • "L" Keyboard Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
BWKLL3624SCP	165	208	1014	1252	1	36	24	22	0.78
BWKLL4224SCP	193	243	1192	1562	1	42	24	26	0.90
BWKLL4824SCP	221	277	1305	1714	1	48	24	30	1.03
BWKLR3624SCP	165	208	1014	1252	1	36	24	22	0.78
BWKLR4224SCP	193	243	1192	1562	1	42	24	26	0.90
BWKLR4824SCP	221	277	1305	1714	1	48	24	30	1.30

- Creates wrap around keyboard worksurface.
- For use with flat screen monitors.
- Use 12" Cantilever supports
- NOTE: Order Keyboard Mechanism and Tray separately.

# WORKSURFACES


## BWIR • "T" Island Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWIR244836SCP	443	554	1607	2122	1	36	48	36	1.09
BWIR244236SCP	386	484	1503	1982	1	36	42	36	1.09

- Creates efficient two person workstation when combined with "L" Keyboard Worksurface.

## BWKE • Extended Corner Keyboard Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWKE246630SCP	558	697	1693	2194	1	66	30	43	1.56
BWKE247230SCP	608	761	1798	2332	1	72	30	48	1.69
BWKE247830SCP	660	824	1931	2516	1	78	30	53	1.82
BWKE306624SCP	558	697	1693	2194	1	66	30	43	1.56
BWKE307224SCP	608	761	1798	2332	1	72	30	48	1.69
BWKE307824SCP	660	824	1931	2516	1	78	30	53	1.82

- Creates wrap around keyboard worksurface.
- For use with flat screen monitors.

- NOTE: Order Keyboard Mechanism and Tray separately.


## BWKK • Angle Front Edge Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWKKR2436SCP	165	208	1238	1456	1	36	24	22	0.78
BWKKR2442SCP	193	243	1463	1726	1	42	24	26	0.90
BWKKR2448SCP	221	277	1601	1890	1	48	24	30	1.03
BWKKL2436SCP	165	208	1238	1456	1	36	24	22	0.78
BWKKL2442SCP	193	243	1463	1726	1	42	24	26	0.90
BWKKL2448SCP	221	277	1601	1890	1	48	24	30	1.03

- To be used with BWCF-3012SCP & BWCF3612SCP Corner Worksurfaces
- Creates efficient, compact keyboard corner workstation.
- For use with flat screen monitors.
- Use 12" Cantilever Supports

## BWSAC • Arc Front Edge Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSAC122430SCP	171	227	484	888	1	30	24	18	0.65
BWSAC122436SCP	205	275	583	1072	1	36	24	22	0.78
BWSAC122442SCP	240	319	681	1252	1	42	24	26	0.90
BWSAC122448SCP	275	365	733	1292	1	48	24	30	1.03
BWSAC122454SCP	309	408	935	1690	1	54	24	34	1.20
BWSAC122460SCP	336	454	980	1914	1	60	24	38	1.30
BWSAC241230SCP	171	227	484	888	1	30	24	18	0.65
BWSAC241236SCP	205	275	583	1072	1	36	24	22	0.78
BWSAC241242SCP	240	319	681	1252	1	42	24	26	0.90
BWSAC241248SCP	275	365	733	1292	1	48	24	30	1.03
BWSAC241254SCP	309	408	935	1690	1	54	24	34	1.20
BWSAC241260SCP	336	454	980	1914	1	60	24	38	1.30

- Arc Front Edge worksurface.
- Use 12" cantilever supports.

NOTE: BWAC

24	12	48
A	B	C
WIDTH	WIDTH	LENGTH

## BWSL • Curvelinear Arc Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSL3060L	579	724	844	1485	29	60	30	48	1.69
BWSL3066L	607	761	939	1658	29	66	30	53	1.85
BWSL3072L	632	794	1035	1863	29	72	30	58	2.01
BWSL3060R	579	724	844	1485	29	60	30	48	1.69
BWSL3066R	607	761	939	1658	29	66	30	53	1.85
BWSL3072R	632	794	1035	1863	29	72	30	58	2.01

- RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- A = 27" for 60", 66" worksurfaces
- A = 26.5" for 72" worksurfaces

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- Not recommended for use with modesty panel due to knee swing interference.
- For chrome finish on leg, please add \$80 list upcharge.

## BWSL • Curveliniar Arc Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSL3660L	660	828	967	1692	29	60	36	57	2.07
BWSL3666L	703	899	1078	1901	29	66	36	64	2.26
BWSL3672L	770	967	1189	2105	29	72	36	71	2.45
BWSL3660R	660	828	967	1692	29	60	36	57	2.07
BWSL3666R	703	899	1078	1901	29	66	36	64	2.26
BWSL3672R	770	967	1189	2105	29	72	36	71	2.45


- RIGHT HAND SHOWN MONOLEG MOUNTED ON THE RIGHT USER SIDE.

- B = 33" for 60", 66" worksurfaces
- B = 32.5" for 72" worksurfaces

- Arc shaped worksurface provides an extended conferencing area.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$80 list upcharge.

# WORKSURFACES


## BWD • “D” Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWD2442	378	475	626	711	1	42	24	27	0.97
BWD2448	398	497	632	724	1	48	24	31	1.11
BWD2454	410	510	657	892	1	54	24	35	1.24
BWD2460	417	522	673	1068	1	60	24	39	1.36
BWD2466	428	539	693	1105	1	66	24	43	1.52
BWD2472	448	559	723	1212	1	72	24	47	1.66
BWD3048	398	501	659	1151	1	48	30	38	1.38
BWD3054	419	526	691	1169	1	54	30	43	1.56
BWD3060	449	560	723	1186	1	60	30	48	1.69
BWD3066	470	587	757	1251	1	66	30	53	1.82
BWD3072	496	619	808	1320	1	72	30	58	2.01
BWD3078	524	659	839	1579	1	78	30	63	2.25
BWD3084	572	718	920	1712	1	84	30	68	2.42

- **Rounded worksurface for conferencing.**
- Supported by Monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$80 list upcharge.

## BWP • “P” Worksurface




LEFT HAND SHOWN

PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWPL3054	569	710	887	1410	1	54	36	51	1.87
BWPL3060	595	744	918	1637	1	60	36	58	2.03
BWPL3066	645	810	996	1863	1	66	36	65	2.24
BWPL3072	672	847	1049	2094	1	72	36	70	2.41
BWPL3084	870	939	1163	2497	1	84	36	81	2.79
BWPR3054	569	710	887	1410	1	54	36	51	1.87
BWPR3060	595	744	918	1637	1	60	36	58	2.03
BWPR3066	645	810	996	1863	1	66	36	65	2.24
BWPR3072	672	847	1049	2094	1	72	36	70	2.41
BWPR3084	748	939	1163	2497	1	84	36	81	2.79

- **Rounded worksurface provides an extended conferencing area.**
- **36” diameter end.**
- Supported by monoleg at one end and panel at the opposite end.
- 1 BHML03 Monoleg included.
- Modesty panel available, see BWMP (not included).
- For chrome finish on leg, please add \$80 list upcharge.


## BWMP • “D” and “P” Worksurface Modesty Panel



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWMP1248	90	1	32	12	12	0.4
BWMP1254	108	1	38	12	15	0.47
BWMP1260	125	1	44	12	17	0.53
BWMP1266	145	1	50	12	20	0.61
BWMP1272	162	1	56	12	22	0.66
BWMP1278	174	1	62	12	25	0.71
BWMP1284	187	1	68	12	27	0.79

- **Made of cold rolled steel, fastens to the worksurface and Monoleg for additional privacy.**

## BWC60 • Extended “D” Worksurface



RIGHT HAND SHOWN


PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWC60244242SCPL	672	842	1877	2488	1	44	59	80	4.50
BWC60244242SCPR	672	842	1877	2488	1	44	59	80	4.50

- **Creates efficient use of corner space for computer or printer application.**
- Simplifies specification and installation by combining a typical corner worksurface with a “wing” worksurface adjacent into one unit.
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$80 list upcharge.



# WORKSURFACES


## BWR • Radius Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWR18	331	415	515	793	1	38.5	18	27	1.70
BWR24	383	480	610	966	1	50.5	24	41	2.20
BWR30	694	867	1028	1410	1	62.5	30	59	2.70

- **Rounded worksurface for conferencing provides a radius corner.**
- 18" and 24" come with 1 BHML03 Monoleg and 30" comes with 2.
- Radius cut out on the straight edge allows space for aluminum trims.
- For chrome finish on leg, please add \$80 list upcharge for each leg.


## BWRTD • Teardrop Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWRTD18	200	217	273	342	1	18	18	24	1.60
BWRTD24	251	282	381	507	1	24	24	33	1.90
BWRTD30	320	368	526	726	1	30	30	43	2.20

- **Rounded worksurface for conferencing provides a radius corner from a work-surface to worksurface.**
- 1 BHML03 Monoleg included.
- For chrome finish on leg, please add \$82 list upcharge.


## BWSR • Curved Panel Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSR1818	100	125	217	310	1	18	18	9	0.30
BWSR2424	142	177	247	383	1	24	24	16	0.52
BWSR3030	185	231	363	494	1	30	30	25	0.81

- **BWSR2424 provides enclosed corner when using curved panel.**


## BWRP • Corner Radius Worksurface with Cutout



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWRP1818	117	145	365	491	1	21	21	12	0.40
BWRP2424	168	211	375	511	1	27	27	19	0.64
BWRP3030	208	260	467	645	1	33	33	29	1.00

- **Corner Radius Worksurface with Cut-Out allows worksurface to be used around a post.**
- Cut out fits snug to the post, if trim is attached to the post, the worksurface or PVC trim may need to be cut on site to fit.

## BWT • Transaction Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWT1512	49	55	109	164	1	12	15	5	0.22
BWT1518	57	73	138	185	1	18	15	7	0.30
BWT1524	73	88	165	248	1	24	15	10	0.38
BWT1530	85	105	193	293	1	30	15	12	0.46
BWT1536	97	121	220	321	1	36	15	14	0.54
BWT1542	113	138	251	369	1	42	15	17	0.62
BWT1548	123	155	280	401	1	48	15	19	0.70
BWT1554	137	170	308	418	1	54	15	22	0.78
BWT1560	151	189	335	438	1	60	15	24	0.86
BWT1566	163	205	365	481	1	66	15	28	0.94
BWT1572	177	220	392	603	1	72	15	29	1.02
BWT1578	191	239	422	668	1	78	15	31	1.10
BWT1584	205	254	456	741	1	84	15	34	1.18

- **Attaches to the top of a 37" or 42" high panel to form a transaction worksurface.**
- To attach a Boulevard 1 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.

# WORKSURFACES


## BWTC • Transaction Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTC90	111	135	218	489	1	20.7	20.7	11	0.49
BWTC45	133	165	256	507	1	21.5	21.5	12	0.53
BWTC60	132	165	256	507	1	22.5	22.5	14	0.60

- Attaches to the top of a 37" or 42" high panel to form a corner transaction worksurface.
- Covers 12" of a panel.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.
- To attach a Boulevard 1 panel with flat trim, please specify BHBT37FT or BHBT02FT.


## BWTT • Transaction "T" Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTT2721	116	145	240	507	1	21.5	26.5	15	0.6

- Attaches to the top of a 37" or 42" high panel to form a "T" corner transaction worksurface
- Covers 12" of a panel.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

## BWTAC • Transaction Worksurface for 45 Degree Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTAC452415	483	605	631	887	1	47	15	39	1.38

- Attaches to the top of 37" or 42" high panel to form a 45 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

## BWTAC • Transaction Worksurface for 60 Degree Corner Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTAC602415	522	656	691	913	1	44	15	38	1.32

- Attaches to the top of 42" high panel to form a 60 degree corner transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.


## BWTR • Transaction Top for Curved Panel



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTR1524	232	287	391	640	1	33	33	11	1.08

- Attaches to the top of 37" or 42" high curved panel to form a curved transaction worksurface.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.

## BWTD • Transaction "D" Worksurface




PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTD1530	111	135	251	410	1	37.5	15	17	0.65
BWTD1536	118	146	265	435	1	43.5	15	19	0.69
BWTD1542	132	163	290	467	1	49.5	15	22	0.74
BWTD1548	145	181	317	511	1	55.5	15	25	0.77
BWTD1554	156	195	344	531	1	61.5	15	27	0.85
BWTD1560	174	216	378	549	1	67.5	15	30	0.94
BWTD1566	185	232	406	628	1	73.5	15	33	1.02
BWTD1572	205	251	436	701	1	79.5	15	35	1.10

- Attaches to the top of a 37" or 42" high panel to form a transaction worksurface with a radiused end.
- Surface overhangs the panel by 7 1/2" on one side.
- To attach a 37" high panel please specify BHBT37, all other heights specify BHBT02.



# WORKSURFACES


## BWTD • Transaction Double “D” Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTD1548	162	205	376	628	1	63	15	28	1.00
BWTD1554	176	220	412	661	1	69	15	31	1.01
BWTD1560	190	239	434	679	1	75	15	33	1.04
BWTD1566	205	256	464	778	1	81	15	35	1.13
BWTD1572	220	277	493	872	1	87	15	38	1.21

- Attaches to the top of a 37” or 42” high panel to form a transaction worksurface with 2 radius ends.
- Surface overhangs the panel by 7 1/2” on each end.
- To attach a 37” high panel please specify BHBT37, all other heights specify BHBT02.

## BWTE • Elliptical Transaction Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTE36	232	290	746	1074	1	52	18	22	0.78
BWTE42	265	333	828	1161	1	58	19	24	0.81

- Attaches to the top of a 37” or 42” high panel to form a transaction worksurface.
- To attach a 37” high panel please specify BHBT37, all other heights specify BHBT02.
- Depth different than standard tops.

## BWTP • Oval Transaction Worksurface



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWTP1518	166	209	338	533	1	15	18	10	0.35

- Attaches to the top of a 37” or 42” high panel to form a transaction worksurface.
- To attach a 37” high panel please specify BHBT37, all other heights specify BHBT02.
- Must be specified at post condition or panel joint.


## BWCD • Round Table



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWCD30	344	380	636	827	29	30 dia	30 dia	35	10.0
BWCD36	355	439	761	949	29	36 dia	36 dia	42	10.0
BWCD42	441	551	939	1276	29	42 dia	42 dia	52	11.0

- Freestanding round meeting table with 4 prong tubular base.
- For chrome base please upcharge \$82 list.


## BWSQ • Square Table



PRODUCT CODE	PRICE LP*	GROUP HP*	T*	W*	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BWSQ24	346	363	539	757	29	24	24	34	10.0
BWSQ30	344	380	636	827	29	30	30	38	10.0
BWSQ36	352	439	772	949	29	36	36	46	11.0
BWSQ42	506	551	939	1276	29	42	42	57	11.0

- Freestanding square meeting table with 4 prong tubular base.
- For chrome base please upcharge \$82 list.

## BHCL • “C” Leg




PRODUCT CODE	PRICE	SIZE / INCHES H	W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BHCL2618	162	26	1	18	7	0.27
BHCL2624	168	26	1	24	8	0.36
BHCL2918	175	29	1	18	8	0.30
BHCL2924	183	29	1	24	9	0.40

- Includes worksurface mounting brackets with screws, Bracket Retainer Clip and panel bracket.
- Accommodates 15” knee space.
- Intended for use with flexlip worksurfaces. When used on other worksurfaces, modesty panel must be installed upside down.

- Attaches to panel support worksurface or to provide freestanding table support.
- Steel structure, PVC cover.
- Universal non-handed.
- For a single rectangular freestanding worksurface application, specify two “C” Legs and one Modesty Panel of corresponding width.
- May be used as a shared leg between two adjoining worksurfaces. Specify one “C” Leg, one Modesty Panel of corresponding width, plus one Modesty Panel Extension Bracket.
- For corner worksurfaces, specify two “C” Legs, one Corner Leg and two Modesty Panels 6” shorter than rear sides of the corner worksurface.
- Can be used as a floor support in a panel attached application (similar to a cantilever).

# WORKSURFACES


## BKC • Corner Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BKC26	97	7	7	6.6	3.0	0.02
BKC29	112	7	7	7.2	3.2	0.02

- Five sided worksurface support.
- Steel construction.
- Non handed.
- Includes bolts for modesty panel attachment.
- For corner worksurfaces, specify two "C" Legs, one Corner Leg and two Modesty Panels 6" shorter than rear sides or the corner worksurface.


## BKMP • Modesty Panel



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BKMP1224	112	11	24	0.25	2.75	0.17
BKMP1230	117	11	30	0.25	2.75	0.21
BKMP1236	125	11	36	0.25	3.00	0.25
BKMP1242	132	11	42	0.25	4.00	0.29
BKMP1248	138	11	48	0.25	4.50	0.33
BKMP1254	145	11	54	0.25	5.00	0.38
BKMP1260	152	11	60	0.25	5.50	0.42

- For rectangular worksurfaces, specify Modesty Panel of corresponding width. For corner worksurfaces, specify two Modesty Panels 6" shorter than rear side of corner worksurface.
- Attaches between two "C" Legs, or between one "C" Leg and a Corner Leg, or a shared "C" Leg and "C" Leg at the end of a run.
- Includes brackets and screws to attach Modesty Panel to worksurface.
- For use with flex lip worksurfaces only.
- To install on "SCP" or "NFL" worksurface, modesty panel must be inverted.


## BHMEB • Modesty Panel Extension Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHMEB01	17	10	1.5	0.125	0.5	0.01

- Modesty Panel Extension Bracket made of cold rolled steel.
- Attaches the Modesty Panel of an adjoining worksurface to a shared "C" Leg.
- Includes all attachment hardware.


## BHFG • Full Gable - Self Edged



PRODUCT CODE	PRICE LP*	GROUP HP*	W*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
				H	W	D		
BHFG2608	100	125	521	26	1	8	7	0.14
BHFG2612	127	160	559	26	1	12	13	0.21
BHFG2618	155	194	559	26	1	18	13	0.27
BHFG2624	171	215	603	26	1	24	19	0.36
BHFG2630	231	287	719	26	1	30	23	0.45
BHFG2636	290	363	757	26	1	36	24	0.57
BHFG2908	100	125	521	29	1	8	7	0.16
BHFG2912	127	160	559	29	1	12	14	0.30
BHFG2918	155	194	559	29	1	18	14	0.30
BHFG2924	171	215	603	29	1	24	17	0.40
BHFG2930	231	287	719	29	1	30	21	0.50
BHFG2936	290	363	757	29	1	36	26	0.65

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Non-handed.
- May be used as a shared gable between two adjoining worksurfaces.

## BHFGP • Full Gable - 3mm PVC Edged




PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BHFGP2608	100	125	26	1	8	7	0.14
BHFGP2612	127	160	26	1	12	13	0.21
BHFGP2618	155	194	26	1	18	13	0.27
BHFGP2624	171	215	26	1	24	19	0.36
BHFGP2630	231	287	26	1	30	23	0.45
BHFGP2636	290	363	26	1	36	24	0.57
BHFGP2908	100	125	29	1	8	7	0.16
BHFGP2912	127	160	29	1	12	14	0.30
BHFGP2918	155	194	29	1	18	14	0.30
BHFGP2924	171	215	29	1	24	17	0.40
BHFGP2930	231	287	29	1	30	21	0.50
BHFGP2936	290	363	29	1	36	26	0.65

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Provides consistent edging matching the worksurface trim.
- Handed once installed.
- May be used as a shared gable between two adjoining worksurfaces.

# WORKSURFACES


## BHPG • “P” Shaped Full Gable - 3mm PVC Edged



PRODUCT CODE	PRICE LP*	GROUP HP*	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BHPG2624L	171	215	26	1	24	19	0.36
BHPG2924L	171	215	29	1	24	17	0.40
BHPG2624R	171	215	26	1	24	19	0.36
BHPG2924R	171	215	29	1	24	17	0.40

- Provides floor standing support while enclosing an end of a run of worksurfaces.
- Includes attachment hardware, Bracket Retainer Clip and levelling glides.
- Handed due to hardware attachment and PVC edge.

## BHLEG • Gable Leg




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHLEG	145	28	6	23	8	0.15

- Support the worksurface and enhances the stability of connected panels.
- Universal leg plate bolts to the underside of the worksurface.

- Can be configured on-site for left, right or shared worksurface support application on front edge
- Back edge does not have shared support.
- Tubular leg section adjusts in 1" increments, the leveller can be used for fine adjustment.
- 1" increment leg adjustment and 1" increment panel slots allow the leg of installed worksurface to be supported from 26" to 32". (Leg must be removed from panel to manually adjust.)
- Side plate is secured to the slots in the vertical of the Boulevard 1 or System 3 panels and the leg plate bolts to underside of the worksurface.
- Made of extruded aluminum and steel.
- Includes all mounting hardware to connect to panel and worksurface.


## BHML • Monoleg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHML03	146	28	3	3	8	0.15

- 3" diameter Monoleg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- For chrome finish on leg, please add \$82 list upcharge.


## LATBL • Tapered Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
LATBL28	175	28	3	3	8	0.15

- Tapered leg provides support for worksurfaces.
- Top plate welded to leg.
- 8" x 8" plated attached to worksurface with #10 3/4" wood screws, included.
- 1" height adjustment range.
- For chrome finish on leg, please add \$82 list upcharge.

## VVLEGLV • Leg with Leveler



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	D	W		
VVLEGLV	132	25-32	8	10	8	1.5

- The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be

- used to gang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.
- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 25" to 32" in 1" increments (includes 1" top).
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- Levelers come in charcoal only.
- Includes mounting hardware.

# WORKSURFACES

## VVLEGLC • Leg with Caster



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H D W				
VVLEGLC	132	26-33 8 10 8	8	1.5

used to gang 2 tables without metal skirt simply by rotating 45 degrees to span both tops.

- The Viceversa Leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Legs have a height range of 26" to 33" in 1" increments.
- The wire channel is covered by a clear PVC snap-on cover.
- Casters come in grey with black only.
- Includes mounting hardware.

- The Viceversa leg features a push button height adjustment mechanism. This mechanism allows the user to easily set the height of a table. The universal mounting plate can be

## VVLEGF • Fixed Height Leg




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H D W				
VVLEGF	204	28 8 10 8	8	1.5

- The Viceversa fixed height leg with leveler supports the worksurface at a fixed height of 29".
- The Viceversa leg has a wire management channel that neatly organizes electrical and communication cables running from the worksurface to the floor.
- Leg can be installed for each corner of the worksurface or can be shared at adjoining surfaces.
- The wire channel is covered by a clear PVC snap-on cover.
- Levelers have a 1/2" height range.
- Levelers come in charcoal only.
- Includes mounting hardware.

- The Viceversa leg has a wire management channel that neatly


## BHC • Cantilever



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHC18	59	7 17 2.5 17	0.04	
BHC24	59	7 23 2.5 23	0.05	

- Universal cantilever with steel attachment bracket constructed of cast aluminum to provide support for worksurfaces.
- Attaches a worksurface to a panel.
- May be used for shared worksurface support.
- Interchangeable in the field for left or right positioning.
- Includes Bracket Retainer Clip.


## BHC • Diet/Boulevard Worksurface 12" Cantilever Support



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHC12L	31	6 2 12 2	0.03	
BHC12R	31	6 2 12 2	0.03	

- An economical way to connect rear part of the side edge of a worksurface to the Boulevard Panel.
- Front part of the side edge of the worksurface must be supported by an off-module Diet Worksurface Bracket and locked into the adjacent Diet Panel.
- This cantilever is not a shared support.


## BHBC • Corner End Bracket



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHBC02	19	3.3 1.5 2.3 2	0.007	

- Formed steel bracket for a corner worksurface or a straight worksurface.
- Attaches a corner of any worksurface to a panel through the panel vertical slots.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.


## BHBF • Flat Bracket



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHBF01	14	0.1 3 4 0.5	0.007	

- Flat Bracket made of cold rolled steel.
- May be used to ensure alignment of neighboring worksurfaces.

## BHBT • Transaction Bracket




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BHBT02	19	3.3 1.5 2.3 2	0.001	

- For use on 34", 42", 50", 58", 66", 74" and 82" high Boulevard panels.
- Transaction Bracket made of cold rolled steel.
- To provide a secure attachment of a transaction worksurface.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.

# WORKSURFACES


## BHBT • Transaction Bracket for 37" High Boulevard 1 Panels



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
BHBT37	24	4	1	3	0.5	0.007

- Transaction Bracket made of cold rolled steel.
- To provide a secure attachment of a transaction worksurface for a 37" high Boulevard 1 panel only. Transaction Bracket engages with the top slots in the 37" high panel to supported for the transaction worksurface.
- Priced one left and one right per package.
- Includes Bracket Retainer Clip.


## BHBZ • "Z" Bracket



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT <sup>3</sup>
BHBZ03	57	4	21	4	2	0.190

- Attaches two different heights of worksurfaces.
- To be used in conjunction with a cantilever.


## BWATB • FreeFit to Boulevard Bracket



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT <sup>3</sup>
BWATB	147	10	6.5	10	7	0.5

- FreeFit to Boulevard kit secures FreeFit height-adjustable freestanding tables to parallel Boulevard panels.
- It provides panel/table alignment, preventing moving parts from rubbing against panel vertical surfaces and maintains 1" clearance around table surface perimeter.
- Standard metal finishes.
- All hardware included.
- Sold as a pair.


## DWS • Worksurface for Diet Panels



PRODUCT	PRICE	GROUP	SIZE / INCHES			WEIGHT	VOL
CODE	LP*	HP*	H	W	D	LBS	FT³
DWS2424SCP	103	127	1	24	24	15	0.60
DWS2430SCP	109	135	1	30	24	19	0.72
DWS2436SCP	123	154	1	36	24	23	0.85
DWS2442SCP	161	201	1	42	24	27	0.98
DWS2448SCP	193	242	1	48	24	31	1.11
DWS2454SCP	226	283	1	54	24	35	1.23
DWS2460SCP	255	317	1	60	24	39	1.36
DWS2466SCP	265	333	1	66	24	43	1.49
DWS2472SCP	278	347	1	72	24	48	1.62
DWS3024SCP	118	149	1	24	30	19	0.74
DWS3030SCP	129	162	1	30	30	24	0.90
DWS3036SCP	151	190	1	36	30	29	1.06
DWS3042SCP	215	269	1	42	30	34	1.22
DWS3048SCP	226	283	1	48	30	39	1.38
DWS3054SCP	248	311	1	54	30	43	1.54
DWS3060SCP	265	333	1	60	30	48	1.69
DWS3066SCP	277	344	1	66	30	53	1.85
DWS3072SCP	292	366	1	72	30	58	2.01

- Worksurfaces have scoops at back to allow wires and cables to pass to and from floor level.
- Includes support brackets (DHBRKT), 4 for worksurfaces up to 48", and 5 for any work-surface longer than 48".

## DHLEG • Diet Gable Leg



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	FT <sup>3</sup>	
DHLEG	151	28	23	6	12	2.02

- Universal leg, plate and side panel are non handed.
- Supports the worksurface at 29" and enhances the stability of connected panels.
- Side plate is secured to the side of the Diet panel and leg plate bolts to worksurface.
- Made of extruded aluminum and steel.
- Levelers have 1.75" height adjustment.
- Includes all mounting hardware to connect to panel and worksurface.
- Must attach to Diet Panel vertical.

# WORKSURFACES


## VWEGF • Fixed Height Leg



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
VWEGF	104	28	8	6	8	1.50

- Viceversa® leg with leveler supports the worksurface at a fixed height of 29".
- Leg can be installed for each corner of the worksurface or can be shared at adjoining surfaces.
- Made of extruded aluminum and incorporates a wire management channel that neatly organizes electrical and communication cables running from worksurface to floor.
- Channel is covered with a clear PVC cover.
- Charcoal Grey levelers have 1/2" height adjustment.
- Includes mounting hardware for securing fixed height leg to worksurfaces with metal inserts. Wood screws are required for worksurfaces without metal inserts (not included).


## DHBRKT • Diet Worksurface Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DHBRKT	4	0.75	2.25	3.25	0.1	0.05

- Extruded aluminum bracket that is bolted to the underside of the worksurface.
- Bracket supports worksurface at any location along the mid rail of panel.
- Includes mounting hardware.
- Brackets are included for all worksurfaces DWS, 4 for worksurfaces up to 48", and 5 for any worksurface longer than 48".


## DHTBRKT • Diet Transaction Bracket



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DHTBRKT	31	2.5	1.2	2.5	3	0.01

- Connects transaction tops to Diet Panels.
- Includes 1 set of two brackets and all hardware.

## DWSCSB • Diet Support Bar



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
For corner application where 24" deep or smaller adjoining worksurface:						
DWSCSB46	80	1	46	1	7	0.116
For corner application where adjoining worksurface is larger than 24":						
DWSCSB80	113	1	80	1	12	0.189

- Supports worksurface in 90 degree corner application and eliminates the need for a leg.
- Diagonally installed.
- If using a keyboard, spacers will be required.

## DHOMC • Diet Off-Module Cantilever



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		

- To be used with Diet Panels that have a fabric bottom.
- Installs on horizontal rails of panels to provide worksurface support.
- Frees up space under the worksurface.

# WORKSURFACES



## LATERAL FILE FEATURES • TECHNICAL INFORMATION

### Pedestals

- Quality steel construction.
- For Linear, Radius and C series, the pedestal drawer suspension is as follows:
  - Box drawers have 3/4 extension ball bearing slides.
  - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes lock with 2 keys.
- Can be keyed alike to other metal storage components.
- Cannot be field converted into mobile units.
- Drawer configuration can be converted in the field.
- Interior drawer depth for radius pedestals is as follows: 19.75" for 24" deep and 24.75" for 30" deep.
- Interiors of drawer bodies are finished Recycled Grey.
- Levelers provide 1" height adjustment.

### Overhead Storage

- Overhead storage comes in a variety of styles and materials.
- Styles include shelves, open overhead, closed overhead with flipper or hinged door.
- Materials include metal and wood.

### Filing

- A variety of heights in 30", 36" and 42" widths available.
- Slots for letter, legal and "A4" metric size material.
- "B" receding opening accommodates ring binders and fixed front opening will accommodate 14 7/8" x 11" EDP binders.
- Receding doors slide into the cabinet.
- Pull-out shelves have a rolled front edge.
- Fixed drawers are flat for easy material retrieval.
- Locks are standard with removable cores.
- All cabinets are of welded construction using 18 to 22 gauge cold rolled steel.
- Front corners are mig-welded and ground smooth where the case meets the top and bottom.
- Interiors are finished with recycled paint.
- Positive interlocking system is integrated into each drawer for safety.
- File bars are Recycled Grey and pre-installed in drawers.
- Three stage, full progressive, ball bearing suspension.
- Epoxy powder coated .2 mm thick for durability.
- Drawer fronts come with double wall construction and full pulls.
- Drawer mechanism includes an anti-bounce-back device.
- All four leveling glides can be accessed from the interior of the cabinet.
- Changes to fixed or receding fronts are special order.
- Master key available.

- Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.
- All filing can be purchased in custom colours at no charge for 10 or less units, with the exception of metallic colours. If a colour sample has to be made, this could add to your delivery time, please check with your Customer Service Representative.

### Storage Cabinet

- Comes complete with adjustable non-slotted shelves.
- Quality steel construction.
- Include hinged doors, lock with two keys and leveling glides.
- Can be keyed alike to other metal storage components.

### Multi Storage Cabinets

- Provides hinged door storage over a 12" Series opening combination lateral file for multi-functional storage of material.
- Includes side to side file bars, leveling glides and lock with two keys.
- Counterweight not included. In order to meet ANSI/BIFMA X5.9-2004, Counterweight must be specified separately.
- Can be keyed alike to other metal storage components.
- Drawer interiors are finished in Recycled Grey.

### Towers

- Quality steel construction.
- The tower drawer suspension is as follows:
  - Box drawers have 3/4 extension ball bearing slides.
  - File drawers have full extension ball bearing slides.
- FF contains 2 file drawers, BF contains 1 box drawer and 1 file drawer, BBF contains 2 box drawers and 1 file drawer.
- 1 pencil tray and 1 drawer divider is included with each unit containing a box drawer.
- Includes 2 locks with 2 keys each for side open towers and 3 locks with 2 keys each for standard towers.
- Can be keyed alike to other metal storage components.
- Materials include metal and wood.
- Master key available.
- Individual lock for drawers and doors.

### Vertical Filing


- Recessed full pulls.
- Includes lock and leveling glides.
- Full side walls for suspended folders.
- Follower back.
- Full progressive suspension.
- Double wall fronts.
- Interior paint matches exterior paint.

## STORAGE COMPONENTS - GUIDELINES FOR ORDERING PRODUCT

### Codes

The price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of Pedestal: **BS1218BBFC CHR**




### How to Specify

- Specify storage pedestal type and size by code, including depth.
- Specify metal colour - ie. CHR (Charcoal).
- Specify handle colour if pedestal is "Radius" or "Linear" series.


"C" Series  
Drawer



"L" Linear  
Drawer



Example of Overhead: **BSOF1636 CHR**



### How to Specify

- Specify overhead storage type and size by code.
- Specify metal colour - ie. CHR (Charcoal).
- Specify handle colour if pedestal is "Radius" series.

# FILE DRAWER OPENING CAPACITY - 12 SERIES

## 30" WIDE UNITS


### MEDIA TYPE:

#### Letter

All Openings  
Fixed Front Drawers and Roll-Out Shelves

### SIDE TO SIDE

Capacity - 26 9/16"  
Accessories required HFB30



### FRONT TO BACK


Capacity - 31 1/2"  
Accessories required HFB30 and one pair of FBB




#### Legal

All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 26 9/16"  
Accessories required HFB30



Capacity - 26 5/16"  
Accessories required HFB30 and one pair of FBB



## 36" WIDE UNITS


### MEDIA TYPE:

#### Letter

All Openings  
Fixed Front Drawers and Roll-Out Shelves


### SIDE TO SIDE

Capacity - 32 9/16"  
Accessories required HFB36



### FRONT TO BACK


Capacity - 31 1/2"  
Accessories required HFB36 and one pair of FBB




#### Legal

All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 32 9/16"  
Accessories required HFB36



Capacity - 31 1/2"  
Accessories required HFB36 and one pair of FBB



## 42" WIDE UNITS


### MEDIA TYPE:

#### Letter

All Openings  
Fixed Front Drawers and Roll-Out Shelves


### SIDE TO SIDE

Capacity - 38 9/16"  
Accessories required HFB42



### FRONT TO BACK


Capacity - 47 1/4"  
Accessories required HFB42 and two pair of FBB




#### Legal

All Openings  
Fixed Front Drawers and Roll-Out Shelves

Capacity - 38 9/16"  
Accessories required HFB42



Capacity - 40 1/16"  
Accessories required HFB42 and one pair of FBB



## OPENING DIMENSIONS

Interior Clear Opening  
Height Dimensions

### SIDE TO SIDE

#### All Opening

Fixed Front Drawer	10 1/2"
Receding Door and Roll-Out Shelf	10"
Receding Door and Fixed Shelf	10 3/8"
Fixed Shelf and no Receding Door	11 1/2"

#### All Opening

Drawer - Depth	15 3/4"
Roll-Out Shelf - Depth	15 3/4"
Fixed Shelf - Depth	15 3/4"

Interior Clear Opening  
Width Dimensions and  
Filing Capacities

### 30" Wide Cabinets

Fixed Front Drawer	26 9/16"
Receding Door and Roll-Out Shelf	26 9/16"
Receding Door and Fixed Shelf	28 5/16"

### 42" Wide Cabinets

Fixed Front Drawer	38 9/16"
Receding Door and Roll-Out Shelf	38 9/16"
Receding Door and Fixed Shelf	40 5/16"

### 36" Wide Cabinets


Fixed Front Drawer	32 9/16"
Receding Door and Roll-Out Shelf	32 9/16"
Receding Door and Fixed Shelf	34 1/16"

## STANDARD "B" OPENINGS

### EDP 30" Wide

"B" Opening  
Fixed Front Drawers Only

Capacity - 26 9/16"  
Accessories required HFB30  
and one pair of EDPS



Interior Clear Opening  
Height Dimensions

### SIDE TO SIDE


#### All Opening

Fixed Front Drawer	13"
Receding Door and Roll-Out Shelf	12 1/8"
Receding Door and Fixed Shelf	12"
Fixed Shelf and no Receding Door	12 3/4"

### EDP 36" Wide

"B" Opening  
Fixed Front Drawers Only

Capacity - 32 9/16"  
Accessories required HFB36  
and one pair EDPS




#### All Opening

Drawer - Depth	15 3/4"
Roll-Out Shelf - Depth	15 3/4"
Fixed Shelf - Depth	15 3/4"


### EDP 42" Wide

"B" Opening  
Fixed Front Drawers Only

Capacity - 38 9/16"  
Accessories required HFB42  
and one pair EDPS




## BSOL • KD Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOL1224	88	5	24	12.5	8	0.16
BSOL1230	94	5	30	12.5	10	0.20
BSOL1236	103	5	36	12.5	12	0.25
BSOL1242	105	5	42	12.5	13	0.29
BSOL1248	113	5	48	12.5	15	0.33
BSOL1254	119	5	54	12.5	17	0.37
BSOL1260	121	5	60	12.5	18	0.41

- 12" deep panel-mounted storage shelf with back lip that protects fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Sides are 5" high.
- Shipped KD.

## BSOC • KD Corner Shelf Kit




RIGHT SHOWN

PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOC1236L	88	5	24	12.5	8	0.16
BSOC1242L	94	5	30	12.5	10	0.20
BSOC1248L	103	5	36	12.5	12	0.25
BSOC1254L	105	5	42	12.5	13	0.29
BSOC1260L	113	5	48	12.5	15	0.33
BSOC1266L	119	5	54	12.5	17	0.37
BSOC1272L	121	5	60	12.5	18	0.41
BSOC1236R	88	5	24	12.5	8	0.16
BSOC1242R	94	5	30	12.5	10	0.20
BSOC1248R	103	5	36	12.5	12	0.25
BSOC1254R	113	5	42	12.5	13	0.29
BSOC1260R	119	5	48	12.5	15	0.33
BSOC1266R	121	5	54	12.5	17	0.37
BSOC1272R	121	5	60	12.5	18	0.41

- The corner shelf kit must be used in conjunction with a Low Profile Shelf (BSOL12xx). The Corner Shelf Kit reflects the panel width, the actual size is actual 12" smaller.
- Includes handed corner side end gable, flat bracket, black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.


## BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOH1224	155	14.6	24	13.5	14	0.18
BSOH1230	160	14.6	30	13.5	16	0.22
BSOH1236	170	14.6	36	13.5	17	0.26
BSOH1242	173	14.6	42	13.5	19	0.31
BSOH1248	178	14.6	48	13.5	21	0.35
BSOH1254	186	14.6	54	13.5	23	0.40
BSOH1260	189	14.6	60	13.5	24	0.44

- 12" deep panel mounted shelf with back lip to protect fabric.
- Includes black lock hole plug with Boulevard logo and attachment hardware.
- Shipped KD.

## BSOF • KD Overhead Flipper Door Storage Unit




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOF1224	330	14.6	24	13.5	27	0.79
BSOF1230	339	14.6	30	13.5	31	0.83
BSOF1236	380	14.6	36	13.5	36	0.99
BSOF1242	417	14.6	42	13.5	41	1.16
BSOF1248	455	14.6	48	13.5	46	1.32
BSOF1254	491	14.6	54	13.5	51	1.49
BSOF1260	529	14.6	60	13.5	56	1.66

- 12" Deep units accept BSOFD01, BSOF12DIV or BASD12 binder plate dividers.
- Door retracts up and over the cabinet.
- Inside dimensions: 12" high x 11 3/4" deep.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Includes mounting brackets, black lock hole plug with Boulevard logo and attachment hardware.
- Lock not included, specify BALK12 if required.
- Shipped KD.
- Not Recommended for use with wall rails.
- Back panel ordered separately.

# STORAGE


## BSFC • KD Overhead Flipper Door Conversion Kit



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>

- Converts a BSOH12xx unit into a flipper door storage unit on site.
- Includes gables, top, door and conversion hardware.
- Lock not included, order BALK12 if lock is required.
- Shipped KD.

## BSBC • KD Back Wall Conversion Kit



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BSBC1224	77	14.5 24 12	4	0.42	
BSBC1230	81	14.5 30 12	5	0.48	
BSBC1236	84	14.5 36 12	7	0.57	
BSBC1242	87	14.5 42 12	9	0.67	
BSBC1248	89	14.5 48 12	10	0.77	
BSBC1254	94	14.5 54 12	12	0.86	
BSBC1260	99	14.5 60 12	13	0.96	

- Encloses the back of the overhead BSOF12xx for security.


## BASD • Shelf Dividers for KD Storage



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BASD12	37	4.5 4.5 4.5	0.6	0.03	

- Supports books on all types of storage shelves.
- Two dividers per package.


## BSOF-DIV • Shelf Dividers for KD Storage



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BSOF12DIV	109		12		

- Supports book on BSOL12xx and BSOF12xx.
- Installs over front edge of shelf and back lip.


## BALK12 • Lock for Overhead Flipper Door Storage Unit BSOF12



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BALK12	37			0.13	0.001

- Includes lock and two keys for BSOF12.
- Site installed.


## BSOLC • Upmount KD Open Shelf



PRODUCT CODE	PRICE	SIZE / H W D	INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
BSOLC1224	211	10 24 12	10	0.20	
BSOLC1230	218	10 30 12	12	0.24	
BSOLC1236	227	10 36 12	14	0.29	
BSOLC1242	237	10 42 12	15	0.34	
BSOLC1248	245	10 48 12	17	0.37	
BSOLC1254	254	10 54 12	19	0.41	
BSOLC1260	263	10 60 12	20	0.45	

# STORAGE


## BSOH • High Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOH1624	241	17.55	24	15.765	18	0.21
BSOH1630	253	17.55	30	15.765	21	0.26
BSOH1636	272	17.55	36	15.765	22	0.32
BSOH1642	285	17.55	42	15.765	25	0.37
BSOH1648	301	17.55	48	15.765	27	0.43
BSOH1654	319	17.55	54	15.765	30	0.48
BSOH1660	351	17.55	60	15.765	31	0.53

- 16" deep panel mounted storage shelf with back lip to protect fabric.
- Shipped KD.
- Includes attachment hardware.


## BSOO • Open Overhead Storage



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOO1624	367	17.55	24	15.765	29	3.85
BSOO1630	384	17.55	30	15.765	35	4.86
BSOO1636	407	17.55	36	15.765	47	5.83
BSOO1642	437	17.55	42	15.765	54	6.81
BSOO1648	464	17.55	48	15.765	59	7.78
BSOO1654	493	17.55	54	15.765	64	8.75
BSOO1660	506	17.55	60	15.765	65	9.72

- 16" deep panel mounted storage open overhead built with metal sides and back.
- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution. Includes mounting brackets.
- Includes mounting brackets.
- Accepts BAPD03 and BAHPD03 plate dividers.
- Flipper door and track assembly (BAFD) can be field retrofitted.
- Shipped assembled.


## BAFD • Flipper Door and Track Assembly Retrofit Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BAFD24	216	15	24	1	9	0.21
BAFD30	230	15	30	1	10	0.26
BAFD36	242	15	36	1	12	0.31
BAFD42	251	15	42	1	13	0.36
BAFD48	262	15	48	1	14	0.42
BAFD54	275	15	54	1	15	0.47
BAFD60	294	15	60	1	17	0.52

- Converts an open overhead BS0016xx storage unit into a flipper door storage unit on site.
- Includes conversion hardware and lock.


## BSOF • Overhead Flipper Door Storage Unit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOF1624	586	17.5	24	16	29	3.95
BSOF1630	604	17.5	30	16	49	4.86
BSOF1636	634	17.5	36	16	56	5.83
BSOF1642	675	17.5	42	16	64	6.81
BSOF1648	719	17.5	48	16	75	7.78
BSOF1654	759	17.5	54	16	86	8.75
BSOF1660	791	17.5	60	16	98	9.72

- 16" deep unit accommodates letter, legal and tab binder, EDP, and A4 metric filing.
- All cabinets 36" and longer are reinforced for proper weight distribution.
- Includes mounting brackets and lock with two keys.
- Accepts BAPD03 and BAHPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 12.75" high by 14.9" deep.

## BHOC • Upmount Cantilever




PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
BHOC	94	10	1	8	3	0.09

- Cantilevers up-mount a BSOF16xx.

# STORAGE


## BHOBP • Up Mount Back Panel



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BHOBP24	138	17.55	24	1	3	0.320
BHOBP30	159	17.55	30	1	3	0.320
BHOBP36	165	17.55	36	1	4	0.375
BHOBP42	183	17.55	42	1	5	0.438
BHOBP48	250	17.55	48	1	6	0.500
BHOBP54	265	17.55	54	1	7	0.563
BHOBP60	286	17.55	60	1	8	0.018

- Optional back panel aesthetically covers the back of the overhead when you up-mount a BSOF16xx and BS0016xx overhead on top of lower panel.


## BSOF-D • 16" Welded Overhead with Hinged Doors and Radius Handles



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOF1624D	800	17.55	24	15.75	29	3.95
BSOF1630D	901	17.55	30	15.75	49	4.86
BSOF1636D	968	17.55	36	15.75	56	5.83
BSOF1642D	1020	17.55	42	15.75	64	6.81
BSOF1648D	1081	17.55	48	15.75	75	7.78
BSOF1654D	1144	17.55	54	15.75	86	8.75
BSOF1660D	1181	17.55	60	15.75	98	9.72

- Includes attachment hardware, lock for each set of doors and mounting brackets.
- 16" deep unit accommodates letter, legal and tab binder, EDP and A4 metric filing.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- All cabinets 36" and longer are reinforced for paper weight distribution.
- Accept BAPD03 and BAHPD03 plate dividers.
- Shipped assembled.
- Inside dimensions are 14.75" high by 14.98" deep.
- Cannot be upmounted.


## BSOL • Radius Low Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOL1530	153	6	30	14	15	1.8
BSOL1536	159	6	36	14	17	1.8
BSOL1542	165	6	42	14	19	1.8
BSOL1548	173	6	48	14	21	1.8
BSOL1554	183	6	54	14	23	3.1
BSOL1560	189	6	60	14	25	3.1

- 14" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 6" high and shelf depth is 13.5 deep.


## BSOH • Radius High Profile Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOH1530	173	16.5	30	14.75	25	2.2
BSOH1536	183	16.5	36	14.75	27	2.2
BSOH1542	189	16.5	42	14.75	29	2.2
BSOH1548	195	16.5	48	14.75	31	2.2
BSOH1554	204	16.5	54	14.75	43	2.2
BSOH1560	212	16.5	60	14.75	45	2.2

- 15" deep panel mounted storage shelf with back lip to protect panel fabric.
- Includes attachment hardware.
- Shipped KD.
- Shelf ends are 16.5" high and shelf depth is 13.5" deep.


## BSKD • Radius Overhead Storage Unit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BSKD1530	491	16.5	30	14.75	39	2.2
BSKD1536	529	16.5	36	14.75	44	2.2
BSKD1542	569	16.5	42	14.75	49	2.2
BSKD1548	600	16.5	48	14.75	55	2.2
BSKD1554	643	16.5	54	14.75	60	2.2
BSKD1560	681	16.5	60	14.75	66	2.2

- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.
- Back not included.


## BSKDGD • Radius Overhead Storage Unit with Glazed Door



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BSKD1530GD	1341	16.5	30	14.75	39	2.2
BSKD1536GD	1485	16.5	36	14.75	44	2.2
BSKD1542GD	1620	16.5	42	14.75	49	2.2
BSKD1548GD	1755	16.5	48	14.75	55	2.2
BSKD1554GD	1889	16.5	54	14.75	60	2.2
BSKD1560GD	2014	16.5	60	14.75	66	2.2

- Frosted acrylic glazing available.
- 15" deep panel mounted overhead storage unit with metal sides, retracting flipper door and "soft-to-the-touch" handle.
- 15" deep units accept BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions are 12.5" high by 13.5" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails.
- Shipped KD.
- Cannot be converted to up-mount.
- Back not included.


## BSFC • Radius Flipper Door Conversion Kit



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BSFC1530	455	14.5	30	2.5	5	0.48
BSFC1536	491	14.5	36	2.5	7	0.57
BSFC1542	529	14.5	42	2.5	9	0.67
BSFC1548	569	14.5	48	2.5	10	0.77
BSFC1554	605	14.5	54	2.5	12	0.86
BSFC1560	643	14.5	60	2.5	13	0.96

- To convert BSOH15xx unit into a flipper door storage unit on site.
- Includes conversion hardware.
- Shipped KD.
- Back not included.

## BSKDC • Radius Up Mount Overhead Storage Unit




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BSKDC1530	1098	16.5	30	14.75	43	19
BSKDC1536	1185	16.5	36	14.75	49	22
BSKDC1542	1269	16.5	42	14.75	54	24
BSKDC1548	1352	16.5	48	14.75	60	27
BSKDC1554	1438	16.5	54	14.75	66	30
BSKDC1560	1526	16.5	60	14.75	72	32

- Up mounted radius overhead retracting flipper door unit on top of lower panel adds privacy without the expense of an over panel.
- 15" deep units accepts BASD12 binder plate dividers.
- All cabinets 54" and longer are reinforced for proper weight distribution.
- Inside dimensions: 12" high x 14 3/4" deep.
- Includes attachment hardware, lock and mounting brackets.
- Not recommended for use with wall rails, must be used attached to panels by the cantilevers provided.
- Features a completely finished back.
- Shipped KD



# STORAGE

## BSADA-PM • Panel Mounted Overhead Storage Unit - AODA Compliant




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSADA24PM	639	16	24	14.2	22	4.3
BSADA30PM	713	16	30	14.2	27	5.3
BSADA36PM	766	16	36	14.2	32	6.3
BSADA42PM	821	16	42	14.2	37	7.3
BSADA48PM	876	16	48	14.2	42	8.3
BSADA54PM	931	16	54	14.2	47	9.3
BSADA60PM	984	16	60	14.2	53	10.3

- Unit can be converted to Up-Mount Overhead Storage Unit in the field by adding BSADAxKIT.
- Shipped partially assembled.

- Panel mounted metal overhead storage with opaque acrylic door. The mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock and mounting brackets. Back not included.
- Not recommended for use with wall rails.

## BSADA-UM • Up-Mount Overhead Storage Unit - AODA Compliant




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSADA24UM	783	16	24	14.2	25	4.3
BSADA30UM	846	16	30	14.2	33	5.3
BSADA36UM	1019	16	36	14.2	40	6.3
BSADA42UM	1073	16	42	14.2	46	7.3
BSADA48UM	1131	16	48	14.2	53	8.3
BSADA54UM	1188	16	54	14.2	59	9.3
BSADA60UM	1256	16	60	14.2	66	10.3

- Unit can be converted to a Panel Mounted Overhead Storage Unit in the field by adding BSADAPMxxKIT.
- Shipped partially assembled.

- Up mounted storage can reduce furniture costs by reducing the height of all panels to 50". Complete 50" panel installations simplify cable routing at one level, within the top lay-in channel. Up-mounted cantilevers maintain accessibility and functionality of the panels' top lay-in channel.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.25" high x 13.4" deep.
- Unit includes attachment hardware, lock, mounting cantilevers and has a finished back.


## BSADA-KIT • Up-Mount Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSADA24KIT	159	16	24	2	6	0.6
BSADA30KIT	170	16	30	2	8	0.6
BSADA36KIT	179	16	36	2	10	0.7
BSADA42KIT	189	16	42	2	11	0.8
BSADA48KIT	201	16	48	2	13	0.9
BSADA54KIT	209	16	54	2	14	1.0
BSADA60KIT	218	16	60	2	15	1.1

- Converts an existing Panel Mounted Overhead Storage Unit BSADA-PM to an Up-Mounted Overhead Storage unit BSADA-UM.
- When used on a 50" high panel, the top of the overhead will match the height of 66" high panels.
- Kit includes a back panel for the Overhead and Up-Mount Cantilevers.


## BSADAxOMKIT • Off-Module Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSADA24OMKIT	157	16	24	2	6	0.5
BSADA30OMKIT	159	16	30	2	8	0.6
BSADA36OMKIT	165	16	36	2	10	0.7
BSADA42OMKIT	174	16	42	2	11	0.8
BSADA48OMKIT	183	16	48	2	13	0.9
BSADA54OMKIT	193	16	54	2	14	1.0
BSADA60OMKIT	202	16	60	2	15	1.1

- Converts an existing Panel Mounted Storage Unit BSADA-PM to Off-Module Overhead Storage unit BSADA-OMKIT.
- Kit includes a back panel with integrated hanging bracket and an extruded bottom bracket.
- IMPORTANT: BSADA Overhead with Off-Module Conversion kit can only be installed on B3 fabric tile. Tiles below the overhead can be fabric, laminate and accessory tile. However, the tile the overhead is hanging on must be fabric.
- BSADA Overhead with Off-Module Conversion Kit can be suspended off of a single fabric tile, or can span two fabric tiles on two adjacent, directly interconnected panels.
- BSADA Overhead with Off-Module Conversion Kit CANNOT be suspended off of two panels separated by a post.


## BSADA-KIT • Panel Mount Conversion Kit



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSADAPMKIT	68	16	0.5	2	2	0.009

- Converts an existing Up-Mount Overhead Storage Unit BSADA-UM to a Panel Mounted Overhead Storage Unit BSADA-PM.
- Kit includes panel mounting brackets.


## BSOFD • Overhead Divider



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BSOFD01	46	10	0.875	0.5	0.10	

- Attaches to the inside top of the overhead top shelf.
- Provides a rigid division for books and binders.
- 1 per package.
- Can be used on BSOF12.

## BS12BF • One and 1/2 Height BP Pedestal




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BS1218BF	436	468	21	15	19	50	4.65
BS1223BF	442	475	21	15	23	54	5.52
BS1229BF	499	534	21	15	29	60	6.80

- Freestanding Pedestal with long pull offers finished top and back.
- Non worksurface supporting.
- Steel top features folded corner construction.
- Lock positioned on the front face, right side.
- Drawer configuration cannot be changed on site.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS12BBF • 12" Series BBF Pedestal Worksurface Supporting




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BS1218BBF	485	535	27.65	15	18	70	4.29
BS1223BBF	492	541	27.65	15	23	84	5.62
BS1224BBF	492	541	27.65	15	24	84	5.62
BS1229BBF	542	592	27.65	15	29	94	7.03
BS1230BBF	542	592	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS12FF • 12" Series FF Pedestal Worksurface Supporting




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BS1218FF	485	519	27.65	15	18	70	4.29
BS1223FF	492	525	27.65	15	23	84	5.62
BS1224FF	492	525	27.65	15	24	84	5.62
BS1229FF	542	575	27.65	15	29	94	7.03
BS1230FF	542	575	27.65	15	30	94	7.03

- Worksurface Supporting Pedestal with long pull and double wall drawer front construction.
- Lock is positioned on the front face, right side.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS1230DP • 12" Combination Pedestal




Left Hand Shown

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BS1230DPL	1226	1293	27.875	30	18	108	11
BS1230DPR	1226	1293	27.875	30	18	108	11

- Business Lateral File Taxi with two box drawers on right with one pencil tray and one divider plate. Efficient, stationary storage and additional work space.
- 12" legal file drawer on left with full suspension and hanging bars.
- Fixed front drawer with three divider plates.

## BS12BFM • 12" BF Mobile Pedestal




PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BS1218BFM	576	609	22.5	15	18	80	5.71
BS1223BFM	582	615	22.5	15	23	83	6.25
BS1229BFM	669	702	22.5	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Includes panel mounting bracket, bracket retainer clip and leveling glides.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

# STORAGE

## BS12BBFM • 12" BBF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS1218BBFM	607	657	27.875	15	18	70	4.29
BS1223BBFM	617	666	27.875	15	23	84	5.62
BS1229BBFM	625	673	27.875	15	29	94	7.03

- Mobile Pedestal with flat front, double wall drawer construction with "soft-to-the touch" handles.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS12FFM • 12" FF Mobile Pedestal




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS1218FFM	607	640	27.875	15	18	80	5.71
BS1223FFM	617	650	27.875	15	23	83	6.25
BS1229FFM	625	658	27.875	15	29	86	7.05

- Mobile Pedestal with flat front, double wall drawer construction.
- Includes 4 casters and 1 counterweight balance.
- Lock is positioned on the front face, right side.
- Pedestal will fit under 29" high worksurface.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


## DHPEDB • Pedestal Bracket Kit for Diet Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DHPEDB	25	8	1	1	0.5	0.001

- Attaches to a metal Worksurface Supporting Pedestal at the back and connects the pedestal to the Diet Panel vertical.

## BS12X1HF • One and 1/2 Height Fixed Front & One 12" Fixed Front Lateral File




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS1230X1HF	967	999	21.75	30	18	137	11
BS1236X1HF	1005	1037	21.75	36	18	164	13
BS1242X1HF	1039	1072	21.75	42	18	189	15

- One and half height storage module with long pull handles.
- Top opening is a 1/2 height box drawer.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS12X1S1F • One 1/2 Height Open Shelf & One 12" Fixed Front Lateral File




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS1230X1S1F	936	951	21.75	30	18	127	11
BS1236X1S1F	952	970	21.75	36	18	150	13
BS1242X1S1F	976	993	21.75	42	18	174	15

- One and half height storage module with long pull handles.
- Top opening is a half height open shelf.
- Bottom opening is a full height lateral drawer.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

# STORAGE


## BS12X1SND • One 1/2 Height Open Shelf & One 12" Open Shelf Lateral Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BS1230X1SND	754	21.75	30	18	107	11
BS1236X1SND	821	21.75	36	18	130	13
BS1242X1SND	879	21.75	42	18	154	15

- One and half height storage module.
- Shelf is height-adjustable.

## BS12X1S • One 1/2 Height Shelf & One 12" Shelf Lateral Cabinet with Doors




PRODUCT CODE	PRICE "C"	PRICE "L"	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BS1230X1S	861	896	21.75	30	18	117	6.80
BS1236X1S	884	916	21.75	36	18	140	8.15
BS1242X1S	964	996	21.75	42	18	164	9.50

- One and half height storage module with long pulls.
- Storage cabinet with doors.
- One height-adjustable shelf included.

Note: "C" indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


## BSTC • Pedestal/Lateral Seat Cushion



PRODUCT CODE	YRDS	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BSTCP1518	.75	2	15	18	2	0.41
BSTCP1519	.75	2	15	19	2	0.42
BSTCP1523	.75	2	15	23	2.5	0.5
BSTCP1524	.75	2	15	24	2.5	0.52
BSTCP1529	1	2	15	29	3	0.63
BSTCP1530	1	2	15	30	3	0.75
BSTCL1830	1	2	18	30	4	0.33
BSTCL1836	1.25	2	18	36	5	0.4

PRODUCT CODE	PRICE GR3	GR4	GR5	GR6	GR7	GR8	GR9	GR10	GR11	GR12	GR13	GR14	GR15	GR16	GR17	GR18	GR19	GR20	GR21
BSTCP1518	235	258	286	329	369	409	444	486	529	584	663	740	818	992	1,164	1,338	1,511	1,684	1,874
BSTCP1519	241	264	292	335	375	415	450	492	535	590	669	746	824	998	1,170	1,344	1,518	1,690	1,880
BSTCP1523	246	269	297	340	380	420	455	497	540	595	673	750	829	1,002	1,175	1,348	1,522	1,694	1,885
BSTCP1524	252	275	303	346	386	426	461	503	546	601	680	756	835	1,009	1,181	1,355	1,528	1,700	1,891
BSTCP1529	311	341	378	435	489	541	590	644	701	775	881	984	1,087	1,319	1,548	1,782	2,013	2,242	2,497
BSTCP1530	317	347	384	441	495	547	597	650	707	781	887	990	1,093	1,325	1,554	1,788	2,019	2,248	2,503
BSTCL1830	334	364	401	458	512	564	613	667	724	798	904	1,007	1,110	1,342	1,571	1,805	2,036	2,265	2,520
BSTCL1836	398	437	483	554	620	687	747	816	887	979	1,110	1,239	1,368	1,659	1,946	2,237	2,525	2,812	3,130

## BS12T502B1F • 12" BBF Storage Tower 50" High




Left Shown

PRODUCT CODE	PRICE "C"	PRICE "L"	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BS12T502B1FL	2150	2232	50	24	24	158	20
BS12T502B1FR	2150	2232	50	24	24	158	20

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


## STORAGE

**BS12T502F • 12" FF Storage Tower 50" High**

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12T502FL	2150	2232	50	24	24	158	20
BS12T502FR	2150	2232	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 22" high door for 50" high unit.


**BS12T542B1F • 12" BBF Storage Tower 54" High**

Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12T542B1FL	2165	2248	54	24	24	163	22
BS12T542B1FR	2165	2248	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.


**BS12T542F • 12" FF Storage Tower 54" High**

Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12T542FL	2165	2248	54	24	24	163	22
BS12T542FR	2165	2248	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelves and 1 fixed shelf with a 26" high door for 54" high unit.

**BS12T662B1F • 12" BBF Storage Tower 65 7/8" High**

Left Shown


PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12T662B1FL	2262	2346	65.875	24	24	177	26
BS12T662B1FR	2262	2346	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 37" high door.
- Includes an organizer tray in the top drawer and 1 CD rack in the second drawer.

# STORAGE

## BS12T662F • 12" FF Storage Tower 65 7/8" High




Left Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12T662FL	2262	2346	65.875	24	24	177	26
BS12T662FR	2262	2346	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawer or box, box, file drawers has 2 adjustable shelves and 1 fixed shelf and a 37" high door.
- Includes a magnetic mirror and shoe/boot tray.

## BS12TSO502F • 12" Side Opening FF Storage Tower 50" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TSO502FL	2377	2426	50	24	24	158	20
BS12TSO502FR	2377	2426	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

## BS12TSO502B1F • 12" Series Side Opening BBF Storage Tower 50" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TSO502B1FL	2377	2426	50	24	24	158	20
BS12TSO502B1FR	2377	2426	50	24	24	158	20

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 50" high x 7" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 22" side opening for 50" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

## BS12TSO542F • 12" Side Opening FF Storage Tower 54" High



Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TSO542FL	2391	2444	54	24	24	163	22
BS12TSO542FR	2391	2444	54	24	24	163	22


Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.



# STORAGE

## BS12TS0542B1F • 12" Side Opening BBF Storage Tower 54" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TS0542B1FL	2391	2444	54	24	24	163	22
BS12TS0542B1FR	2391	2444	54	24	24	163	22

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 54" high x 8" wide with ventilation.
- Storage tower has 1 adjustable shelf and 1 fixed shelf with a 26" side opening for 54" high unit.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

## BS12T662B1F • 12" Side Opening BBF Storage Tower 65 7/8" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TS0662B1FL	2429	2495	65.875	24	24	177	26
BS12TS0662B1FR	2429	2495	65.875	24	24	177	26

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.

## BS12T662F • 12" Side Opening FF Storage Tower 65 7/8" High




Right Shown

PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
	"C"	"L"	H	W	D		
BS12TS0662FL	2429	2495	65.875	24	24	177	26
BS12TS0662FR	2429	2495	65.875	24	24	177	26


Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- This versatile tower can be used freestanding or integrated into a workstation to provide efficient vertical storage and filing, and provides storage for hats and coats.
- Coat storage may be specified right or left.
- Full height coat storage is 65" x 8" with ventilation.
- Storage towers with 2 file drawers or box, box, file drawers have 2 adjustable shelves and 1 fixed shelf and a 37" high opening.
- Towers come with 2 locks, 1 for the file drawers and 1 for the coat locker.


## BS12F • 12" Opening Lateral File Fixed Front Drawers




2 High



3 High



4 High



5 High


PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT³
	H	W	D				
2 High							
BS123022FWS	967	999	27.75	30	18	103	8.60
BS123622FWS	1011	1043	27.75	36	18	110	10.41
BS124222FWS	1067	1100	27.75	42	18	117	12.14
3 High							
BS123033F	1268	1317	40.5	30	18	136	12.66
BS123633F	1333	1383	40.5	36	18	150	15.19
BS124233F	1410	1460	40.5	42	18	164	17.72
4 High							
BS123041R3F	1609	1675	54	30	18	169	16.88
BS123641R3F	1696	1762	54	36	18	190	20.25
BS124241R3F	1795	1860	54	42	18	211	23.63
5 High							
BS123052R3F	1991	2073	65.88	30	18	202	20.59
BS123652R3F	2073	2156	65.88	36	18	230	27.02
BS124252R3F	2187	2269	65.88	42	18	258	28.82

- 12" Opening Lateral File.
- Two High: - All openings are Fixed Front Drawer.
- Three High: - All openings are Fixed Front Drawer.
- Four High: - Top opening is Receding door with fixed shelves, all others are Fixed Front Drawers
- Five High: - Top two openings are Receding doors with fixed shelves, Remaining 3 drawers are Fixed Front Drawer.
- Side-to-Side Bars and Lock included.


Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.




## BS12R1F • 12" Receding Door and Roll-Out Shelves




2 High



3 High



4 High



5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT	VOL
			H	W	D	LBS	FT³
2 High							
BS123021R1FWS	953	987	27.75	30	18	103	8.60
BS123621R1FWS	997	1030	27.75	36	18	110	10.41
BS124221R1FWS	1053	1085	27.75	42	18	117	12.14
3 High							
BS123032R1F	1322	1371	40.5	30	18	136	12.66
BS123632R1F	1388	1437	40.5	36	18	150	15.19
BS124232R1F	1464	1513	40.5	42	18	164	17.72
4 High							
BS123043R1F	1692	1758	54	30	18	169	16.88
BS123643R1F	1780	1846	54	36	18	190	20.25
BS124243R1F	1877	1942	54	42	18	211	23.63
5 High							
BS123054R1F	2060	2142	65.88	30	18	202	20.59
BS123654R1F	2170	2252	65.88	36	18	230	27.02
BS124254R1F	2287	2370	65.88	42	18	258	28.82

• 12" Opening Lateral File.

• Two High: - Top opening is Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.

• Three High: - Top 2 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.


• Four High: - Top 3 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.

• Five High: - Top 4 openings are Receding Door and Roll-out Shelf. - Bottom drawer is Fixed Front Drawer.


• Side-to-Side Bars and Lock included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.


## BS12SWS • 12" Receding Door and Fixed Shelves




2 High



3 High



4 High



5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / INCHES			WEIGHT LBS	VOL FT³
2 High							
BS123022SWS	967	999	27.75	30	18	103	8.60
BS123622SWS	1011	1043	27.75	36	18	110	10.41
BS124222SWS	1067	1100	27.75	42	18	117	12.14
3 High							
BS123033S	1268	1317	40.5	30	18	136	12.66
BS123633S	1333	1383	40.5	36	18	150	15.19
BS124233S	1410	1460	40.5	42	18	164	17.72
4 High							
BS123044S	1609	1675	54	30	18	169	16.88
BS123644S	1696	1762	54	36	18	190	20.25
BS124244S	1794	1860	54	42	18	211	23.63
5 High							
BS123055S	1991	2073	65.88	30	18	202	20.59
BS123655S	2073	2156	65.88	36	18	230	27.02
BS124255S	2186	2269	65.88	42	18	258	28.82

12" Opening Lateral File.

• Two High: - All openings are Receding Doors and Fixed Shelves.

• Three High: - All openings are Receding Doors and Fixed Shelves.


• Four High: - All openings are Receding Doors and Fixed Shelves.

• Five High: - All openings are Receding Doors and Fixed Shelves.

• 3 Plate Dividers and Lock are included.

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

## BS12B3F • 12" Opening Lateral File "B" Opening Receding Door and Fixed Shelves



4 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
4 High							
BS123041B3F	1741	1808	55.375	30	18	103	16.88
BS123641B3F	1809	1875	55.375	36	18	110	20.25
BS124241B3F	1878	1943	55.375	42	18	117	23.63
5 High							
BS123051B1R3F	2097	2179	67.25	30	18	136	20.59
BS123651B1R3F	2209	2292	67.25	36	18	150	27.02
BS124251B1R3F	2333	2416	67.25	42	18	164	28.82

• 12" Opening Lateral File.


• Four High: - Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers. Remaining 3 drawers are Fixed Front Drawer with Hanging File Bars.

• Five High: - Top opening is "B": size with Receding Door, Fixed Shelf and 3 Plate Dividers. Remaining 4 drawers are Fixed Front Drawer with Hanging File Bars.

• Lock is included.

# STORAGE


## CF-RB • C Series “B” Opening Receding Door and Fixed Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>2 High</b>						
CF2030RB	1120	29.25	30	18	111	8.48
CF2036RB	1172	29.25	36	18	110	10.17
CF2042RB	1241	29.25	42	18	127	11.87
<b>3 High</b>						
CF3030RB	1389	42.625	30	18	150	12.66
CF3036RB	1453	42.625	36	18	167	15.19
CF3042RB	1534	42.625	42	18	187	17.72
<b>4 High</b>						
CF4030RB	1657	56.125	30	18	191	16.88
CF4036RB	1734	56.125	36	18	214	20.25
CF4042RB	1827	56.125	42	18	238	23.63
<b>5 High</b>						
CF5030RB	2036	69.5	30	18	235	20.39
CF5036RB	2134	69.5	36	18	266	24.47
CF5042RB	2255	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with Full Pull handles.
- Two high: 2 receding doors and fixed shelves, unit will not fit under standard height worksurfaces.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.


## BF-RB • Linear “B” Opening Receding Door and Fixed Shelves




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>2 High</b>						
BF2030RB	1120	29.25	30	18	111	8.48
BF2036RB	1172	29.25	36	18	110	10.17
BF2042RB	1241	29.25	42	18	127	11.87
<b>3 High</b>						
BF3030RB	1389	42.625	30	18	150	12.66
BF3036RB	1453	42.625	36	18	167	15.19
BF3042RB	1534	42.625	42	18	187	17.72
<b>4 High</b>						
BF4030RB	1657	56.125	30	18	191	16.88
BF4036RB	1734	56.125	36	18	214	20.25
BF4042RB	1827	56.125	42	18	238	23.63
<b>5 High</b>						
BF5030RB	2036	69.5	30	18	235	20.39
BF5036RB	2134	69.5	36	18	266	24.47
BF5042RB	2255	69.5	42	18	297	28.55

- “B” opening, receding door with fixed shelves file cabinet with handles.
- Two high: 2 receding doors and fixed shelves, unit will not fit under standard height worksurfaces.
- Three high: 3 receding doors and fixed shelves.
- Four high: 4 receding doors and fixed shelves.
- Five high: 5 receding doors and fixed shelves.

## BS12S2F • 12" Opening Multi Storage Unit




5 High

PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>4 High (50" High)</b>							
BS1230M502S2F	2033	2098	50	30	18	185	18.66
BS1236M502S2F	2173	2239	50	36	18	209	18.75
BS1242M502S2F	2343	2409	50	42	18	233	21.88
<b>4 High (54" High)</b>							
BS1230M542S2F	2133	2200	54	30	18	191	16.88
BS1236M542S2F	2282	2347	54	36	18	215	20.25
BS1242M542S2F	2459	2526	54	42	18	238	23.63
<b>5 High (2 Lateral)</b>							
BS1230M662S2F	2340	2406	65.88	30	18	235	19.45
BS1236M662S2F	2469	2601	65.88	36	18	266	23.34
BS1242M662S2F	2596	2728	65.88	42	18	297	27.23
<b>5 High (3 Lateral)</b>							
BS1230M662S3F	2351	2433	65.88	30	18	235	19.45
BS1236M662S3F	2519	2602	65.88	36	18	266	23.34
BS1242M662S3F	2646	2729	65.88	42	18	297	27.23

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2 lateral file drawers and closed cupboard with door height of 24.531".
- Includes 1 fully adjustable shelf.
- Lateral file drawers are same depth for 18" and 24" deep cabinets.

## BS12S • 12" Storage Cabinet with Hinged Door



3 High


PRODUCT CODE	PRICE "C"	"L"	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>2 High (WS Supporting)</b>							
BS12302SWS	792	825	27.75	30	18	74	8.47
BS12362SWS	884	916	27.75	36	18	82	10.17
BS12422SWS	964	996	27.75	42	18	91	11.87
<b>3 High</b>							
BS12303S	1011	1043	40.5	30	18	100	12.66
BS12363S	1110	1143	40.5	36	18	113	15.19
BS12423S	1229	1262	40.5	42	18	126	17.72
<b>4 High</b>							
BS12304S	1262	1295	54	30	18	130	16.88
BS12364S	1322	1355	54	36	18	147	20.25
BS12424S	1463	1495	54	42	18	163	23.63
<b>5 High</b>							
BS12305S	1412	1445	65.88	30	18	155	20.59
BS12365S	1497	1529	65.88	36	18	177	27.02
BS12425S	1659	1692	65.88	42	18	195	28.82
<b>5 High Wardrobe</b>							
BS12305W	1365	1398	65.88	30	18	136	20.59
BS12365W	1524	1558	65.88	36	18	168	27.02
BS12425W	1675	1708	65.88	42	18	183	28.82

Note: "C" Indicates "C" Series featuring a full width pull. "L" indicates "Linear" Series featuring a "Soft-to-the-touch" handles.

- 2S - 27 3/4" high with 1 shelf.
- 3S - 40 1/2" high with 2 shelves.
- 4S - 54" high with 3 shelves.
- 5S - 65 7/8" high with 4 shelves.
- 5W - 65 7/8" high wardrobe cabinet with a coat rod and 4 half shelves in the 36" and 42" wide units. 30" wide units have a coat rod and 4 coat hooks.

# STORAGE

## BS12ND • Open Storage Cabinet 2 High (WS Supporting)




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT³
2 High (WS Supporting)						
BS1230SF2SNDWS	754	27.75	30	18	61	8.47
BS1236SF2SNDWS	821	27.75	36	18	74	10.17
BS1242SF2SNDWS	876	27.75	42	18	76	11.87
3 High						
BS1230SF3SND	868	40.5	30	18	39	12.66
BS1236SF3SND	938	40.5	36	18	44	15.19
BS1242SF3SND	1027	40.5	42	18	48	17.72
4 High						
BS1230SF4SND	1090	54	30	18	50	16.88
BS1236SF4SND	1189	54	36	18	58	20.25
BS1242SF4SND	1255	54	42	18	61	23.63
5 High						
BS1230SF5SND	1276	65.88	30	18	62	20.59
BS1236SF5SND	1346	65.88	36	18	69	27.02
BS1242SF5SND	1398	65.88	42	18	76	28.82

Storage Cabinet with no doors.

- 2SND - 27 3/4" high with 1 shelf.
- 3SND - 40 1/2" high with 2 shelves.
- 4SND - 54" high with 3 shelves.
- 5SND - 65 7/8" high with 4 shelves.


## BS12FKIT • 1212 Drawer Conversion Kit



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT³
	"C"	"L"	H	W	D		
BS1218FKIT	182	199	15	15	18	20	2
BS1223FKIT	182	199	15	15	23	22	3
BS1224FKIT	182	199	15	15	24	24	3
BS1229FKIT	182	199	15	15	29	24	3
BS1230FKIT	182	199	15	15	30	24	3

- Converts an existing box, box, file (6612) Pedestal into a file, file (1212).
- Kit includes 1-12" high drawer front, 1-12" high drawer body, set of slides and 1212 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.


## BS12BKIT • 6612 Drawer Conversion Kit



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT³
	"C"	"L"	H	W	D		
BS1218BKIT	260	293	15	15	18	20	2
BS1223BKIT	260	293	15	15	23	22	3
BS1224BKIT	260	293	15	15	24	24	3
BS1229BKIT	260	293	15	15	29	24	3
BS1230BKIT	260	293	15	15	30	24	3

- Converts an existing file, file (1212) Pedestal into a box, box, file (6612).
- Kit includes 2-6" high drawer front, 2-6" high drawer body, 2 sets of slides and 6612 lock bar.
- Specify the type of conversion kit, colour of front, colour of handle, existing pedestal depth to be retrofitted and "soft-to-the-touch" handle colour.


## BS12FFKIT • Fixed Front Drawer Kit



PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT	VOL
	"C"	"L"	H	W	D	LBS	FT³
BS1230FFKIT	209	224	13.5	30	17	14	3.73
BS1236FFKIT	209	224	13.5	36	17	16	4.52
BS1242FFKIT	209	224	13.5	42	17	18	5.30

- Fixed front drawer, roll-out drawer.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

## BS12RDKIT • Receding Door w/ Fixed Slotted Shelf Kit




PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT	VOL
	"C"	"L"	H	W	D	LBS	FT³
BS1230RDKIT	209	224	9.1	30	16.5	14	2.48
BS1236RDKIT	209	224	9.1	36	16.5	16	3.00
BS1242RDKIT	209	224	9.1	42	16.5	18	3.53

- Receding door and fixed slotted shelf conversion from a fixed front drawer.

- Fixed drawer can be substituted for a roll-out drawer in a receding opening at no extra charge at time of order.
- Add list price to each opening being converted at time of order.
- Indicate position (1,2,3,4 or 5) of conversion from top to bottom.
- Drawer interiors are finished in black.

## Half Height Drawer Kit




- For half height drawer kit, contact your customer service representative.

# STORAGE

## BAHFB • Hanging File Bars


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAHFB30	33		30		4	0.017
BAHFB36	33		36		4	0.020
BAHFB42	33		42		4	0.024



• Used in lateral files only.

## BAFBB • Front to Back Bars


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAFBB	19		15.25		1	0.03



• Used in lateral files only.  
• Shipped in pairs.

## BALAB • Legal to Letter Adapter


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BALAB30	19		30		2	0.001
BALAB36	19		36		2	0.002
BALAB42	19		42		2	0.003



• Used in lateral files only.

## BAPD • Divider Plates


PRODUCT CODE	PRICE		SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BAPD03	37	Full Height	7	0.8	13.25	4	0.017
BAHPD03	32	Half Height	4	0.8	13.25	3	0.017



• Used in full-height shelves and lateral file drawers only.  
• Three plates per package.

## BAPD • Pedestal Divider Plates


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAPDIV	23		3.5		12.625	



• Priced and shipped individually.

## BAPED-BAR • Pedestal Hanging File Bar


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAPED-BAR	19		15.6		0.5	0.01



• Priced and shipped individually.

## BAFFS • Full Flat Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAFFS30	92	1	30	16	6	0.29
BAFFS36	97	1	36	16	7	0.34
BAFFS42	103	1	42	16	8	0.40



• For use in 12" series storage cabinets (non-slotted).

## BAFS • Full Fixed Slotted Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAFS30	100	6	30	16	9	1.72
BAFS36	105	6	36	16	11	2.06
BAFS42	114	6	42	16	13	2.41



• For use in 12" series storage cabinets.

## BAHFFS • Half Fixed Flat Shelf


PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAHFFS12	97	12	5	16	3	0.55



• For use in 12" series wardrobe cabinets (non-slotted).

# STORAGE


## BAEDPS • EDP Adapter



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAEDPS	34	3 16.5 4		0.01

- EDP adapters (EDPS). Not for use in receding front drawers.


## BAMS • Max-Stor Module



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAMS3624	570	24 34.25 14.5 50		6.84

- The module can be freestanding or installed in any of the empty 36" width storage cabinets at either the top, middle or bottom location. Specify location at time of order.
- Includes 3 vertical sections and 12 adjustable trays


## BAMST • Max-Stor Trays



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAMST18	177	1 1.187 14.5		

- Package of 12 trays for the BAMS3624 Max-Stor Module.


## BTLP • Pencil Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BTLPTRAY	33	1 13 5.5 1		0.08

- Plastic molded pen/pencil tray fits into the drawer of 12" series pedestals or towers.
- Compartments organize your writing instruments and paper clips.


## BTRP • Organizer Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BTRPTRAY	43	4.5 13.5 7.5 1		0.33

- Plastic molded organizer tray fits into the drawer of Radius pedestals or towers.
- Compartments organize your writing instruments and paper clips, business cards, and other small office supplies.


## BTST • Shoe/Boot Tray




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BTSTRAY	153	1.125 22.5 6.75 1		0.26

- Shoe or boot tray fits into bottom of coat closet in any personal storage tower with a coat closet and pulls out for easy access. Keeps closet floor clean.
- Black metal tray has glides on bottom.


## C28 • Letter Width Vertical Storage




2 High



3 High



4 High




5 High

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
<b>2 High</b>				
C28202	637	28 15 28	82	8
<b>3 High</b>				
C28302	835	40.37 15 28	13	13
<b>4 High</b>				
C28402	1043	52.25 15 28	151	16
<b>5 High</b>				
C28502	1260	62.75 15 28	186	21


- C28 series letter vertical filing.
- Leveler height adjustment range is 3/4".

# STORAGE


## C28 • Legal Width Vertical Storage




2 High



3 High



4 High



5 High

PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT	VOL
		H	W	D	LBS	FT³
2 High						
C28252	641	28	18	28	90	


3 High						
C28352	872	40.375	18	28	127	

4 High						
C28452	1071	52.25	18	28	167	

5 High						
C28552	1280	62.75	18	28	200	

- C28 series legal vertical filing.
- Leveler height adjustment range is 3/4".

## CFW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT³
CFW3050MDP	3185	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.


## CFW3050MDP0R • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
CFW3050MDP0R	3098	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

## CFW3050MDP0L • B-STOR Four High Multi Storage Pass Through Cabinet




PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
CFW3050MDPOL	3098	50	30	18	235	15

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.



# STORAGE


## CFW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
CFW3050M12L	3159	50	30	18	235	15
CFW3650M12L	3466	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## CFW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
CFW3050M12LOR	3057	50	30	18	235	15
CFW3650M12LOR	3361	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## CFW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
CFW3050M12LOL	3057	50	30	18	235	15
CFW3650M12LOL	3361	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## CFW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
CFW3650MDPL	3504	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## CFW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
CFW3650MDPR	3416	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## CFW3650MDP0RL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	FT³	
CFW3650MDP0RL	3416	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## CFW3650MDP0RR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
CFW3650MDPORR	3416	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## CFW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
CFW3650M12LL	3478	50	36	18	266	18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

## CFW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
CFW3650M12LR	3478	50	36	18	266
					18

- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6” wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


## CFW3650M12L0RL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
CFW3650M12L0RL	3391	50	36	18	266
					18


- “C” Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6” wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

## STORAGE

**CFW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet**


PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
CFW3650M12LORR	3391	50	36	18	266	18

- "C" Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.

**BLW3050MDP • B-STOR Four High Multi Storage Pass Through Cabinet**


PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT³
BLW3050MDP	3240	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

**BLW3050MDPOR • B-STOR Four High Multi Storage Pass Through Cabinet**


PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W	D	FT³
BLW3050MDPOR	3145	50	36	18	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

**BLW3050MDPOL • B-STOR Four High Multi Storage Pass Through Cabinet**

PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT³
BLW3050MDPOL	3145	50	36	18	266	18


- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the combination lateral and 1 for the storage cabinet.

**BLW3x50M12L • B-STOR Four High Multi Storage Pass Through Cabinet**

PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3050M12L	3196	50	36	18	235	15
BLW3650M12L	3502	50	30	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## BLW3x50M12LOR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BLW3050M12LOR	3100	50 30 18	235	15
BLW3650M12LOR	3406	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## BLW3x50M12LOL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BLW3050M12LOL	3100	50 30 18	235	15
BLW3650M12LOL	3406	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 2 lateral files at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top and a base pass through for electrical.
- Cabinets come with 2 locks, 1 for the laterals and 1 for the storage cabinet.


## BLW3650MDPL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BLW3650MDPL	3568	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## BLW3650MDPR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BLW3650MDPR	3568	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral, 1 closed storage cabinet with 1 adjustable shelf, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.

## BLW3650MDPORL • B-STOR Four High Multi Storage Pass Through Cabinet




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BLW3650MDPORL	3472	50 36 18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.

# STORAGE


## BLW3650MDPORR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3650MDPORR	3472	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 combination lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the combination lateral, 1 for the storage cabinet and 1 for the wardrobe.


## BLW3650M12LL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LL	3523	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


## BLW3650M12LR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LR	3523	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage cabinet with 1 adjustable shelf at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


## BLW3650M12LORL • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LORL	3427	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the left and open bookcase with 1 adjustable shelf on the right at the top, a 6" wardrobe on the left and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


## BLW3650M12LORR • B-STOR Four High Multi Storage Pass Through Cabinet



PRODUCT	PRICE	SIZE / INCHES			WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
BLW3650M12LORR	3427	50	36	18	266	18

- Linear Series Four High Multi Storage Pass Through Cabinet with 1 lateral file at the bottom, 1 closed storage compartment with 1 adjustable shelf on the right and open bookcase with 1 adjustable shelf on the left at the top, a 6" wardrobe on the right and a base pass through for electrical.
- Cabinets come with 3 locks, 1 for the lateral, 1 for the storage cabinet and 1 for the wardrobe.


## DSOMSHLF • Diet Off Module 24" Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DSOMSHLF	150	11.5	24	12	4	1.00

- Shelf hangs anywhere along Diet panel rails or Boulevard System 3 panel accessory tile.
- Can create a supplementary surface at worksurface level when suspended from a 42" high Diet panel.
- Shelves may be stacked, one hanging above the other from a higher rail.
- Shelf made of formed steel and includes suspended arms made of steel.


## DSTBSHLF • Diet Table Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DSTBSHLF	183	12	22.75	12	5	1

- Shelf hangs anywhere along Diet 42" panel top rail and secondary mid rail of on DPFRF, DPORF, DPFFG, DPOFG, DPFSG and DPFSF.
- Shelf made of formed steel.
- Front feet with protective suction cups rest on adjacent worksurface. If the adjacent worksurface is a freestanding table, you must adjust the levelers on the table to ensure proper alignment.


## DSOH • Diet Panel Mounted Overhead



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DSOH48	681	15	48	13.5	40	5.60
DSOH60	830	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" Diet panels.
- Finished back provides additional privacy and a magnetic board surface to opposite workstation by increasing partition height from 42" to 57" and from 54" to 69" (nominal).
- Steel back and sides, charcoal melamine top, bottom and center divide.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- Anodized aluminum tracks with extruded plastic lining for textured, tempered frosted glass sliding doors.
- Includes steel charcoal mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U", or "L" shape (with leg support) "H" panel configuration. Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

## DSOS • Diet Panel Mounted Shelf



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DSOS48	204	15	48	13.5	40	5.60
DSOS60	219	15	60	13.5	52	7.00

- Provides overhead storage capacity on top of 42" and 54" high Diet panels.
- Made of formed steel and includes steel mounting brackets.
- Support brackets lock to the top of Diet rail at the back and both sides of overhead.
- Must be installed on a "U" or "H" panel configuration.
- Due to structural issues, this product may not be used on top of glazed or partially glazed panels.

## DOHLS • Diet Overhead Support




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DOHLS42	153	12	2	3.5	4	0.139
DOHLS54	153	24	2	3.5	6	0.278

- To be used with Diet back panel and Diet wing panel either left or right. The support leg will support only one side and eliminate the need for a third panel.
- To be used and supported on worksurface installed at standard height. Ensure the worksurface that the leg sits on is properly supported.



# STORAGE


## DSADA • Easy-Up Diet Overhead



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
DSADA30PM	644	16	30	14.4	33	5.3
DSADA36PM	669	16	36	14.4	38	6.3
DSADA42PM	701	16	42	14.4	43	7.3
DSADA48PM	734	16	48	14.4	48	8.3
DSADA54PM	767	16	54	14.4	53	9.3
DSADA60PM	808	16	60	14.4	59	10.3

- Diet Panel mounted metal overhead storage with opaque acrylic door. The Metal finish (page A.29). mechanism lifts the door up and stores it out of the way, above the storage unit.
- Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).
- Meets CSA B651 Barrier Free Design & ADA (Americans with Disabilities Act).
- 16" high units accept standard and A4 binders.
- All shelves are reinforced for proper weight distribution.
- Inside dimensions: 14.375" high x 12" deep.
- Unit includes back, support cantilevers, attachment hardware, and lock.
- Shipped partially assembled.


## BACWB • Counterweight Balance



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
<b>For 30" wide</b>						
BACWB12301X	387				56	
BACWB12302	258				42	
BACWB12303	218				32	
BACWB12304	218				33	
BACWB12305	147				20	
<b>For 36" wide</b>						
BACWB12361X	323				56	
BACWB12362	291				48	
BACWB12363	258				42	
BACWB12364	211				31	
BACWB12365	129				19	
<b>For 42" wide</b>						
BACWB12421X	437				61	
BACWB12422	372				61	
BACWB12423	258				42	
BACWB12424	258				42	
BACWB12425	258				24	
BACWBLATMLT	279				80	
BACWBVER	134				25	
BACWBPED	111				25	
BACWBPEDF	212				25	

- Recommended for use in all laterals, verticals, pedestals and free standing files of all widths and heights.
- Sold per pair
- "X" represents half height.
- **NOTE:** File cabinets with counterweight balance included must be specified as special, please contact your customer service representative.


## BA • Keys



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
BAAK91	7					
<b>Master key:</b>						
BAMK91	26					
<b>Extra key for existing cabinet:</b>						
BAEK91	7					
<b>Core key:</b>						
BACK91	8					
<b>Core &amp; Key:</b>						
BALOCKKEY	30					

- Additional key (specify at time of order).

## LO • Lock and Key



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
LO	114				0.13	

- Lock and key for wood overhead storage unit.
- Includes two keys.
- If ordering for units larger than 48", order 2 LO.
- Locks for wood storage units are not compatible with locks for metal units.




## Ergonomic Solutions

Helping Office Inhabitants be Healthy and Efficient


- Ergonomic Computer Accessories
- Energy Efficient Lighting and Power Accessories
- Paper Management Accessories
- Workstation Enhancement Accessories

### GAKSM01 • Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAKSM01	227	4.3	9	23.8	9.2	0.533


- Height Range 6" (+1.0"/-5.5")
- Soft Touch Knob tilt adjustable range +15°/-15°
- 360° base swivel




- Soft Touch Knob for simultaneous height & tilt adjustment.
- Spring-assist mechanism helps counter balance weight of keyboard & tray.
- Low-profile design for maximum leg room.

- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
  - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0112)
  - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0118)
- Available in Black Only.
- To be used with keyboard trays, sold separately.

### GAKSML • Slim Fit Keyboard Support Mechanism




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAKSML	299	4.75	9.5	24	9	0.627
GAKSMLW	299	4.75	9.5	24	9	0.627




- Height Range 8.88" (+2.38" / - 6.5").
- Tilt Range (+10° / -20°).
- 360° Swivel.
- Meets ANSI/HFES, 100-2007 conformance requirement for height clearance.
- Super slim mechanism design increases clearance under the worksurface.
- Height & depth indicator incorporated together in an intelligently designed dashboard.
- Patented Lift-N-Lock™ height adjustment without knobs or levers automatically locks into position with release of tray for better ADA/Barrier Free compliance.
- Easy access to tilt control knob.
- Designed for disassembly and fully recyclable.
- Includes 21.75" undersurface Glide Track.
- Optional Glide Tracks available:
  - 12" Glide Track add suffix "12" (EXAMPLE GAKSML12)
  - 18" Glide Track add suffix "18" (EXAMPLE GAKSML18)
- "W" Indicated white finish.

### GAKSM02 • Lift-N-Lock Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAKSM02	299	4.3	9	23.8	9.7	0.533

- Height Range 8.38" (+2.25"/-6.13")
- Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
- 360° base swivel



- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Exceeds BIFMA performance standards.


- Includes 21.75" under worksurface Glide Track
- Optional Glide Tracks available at no upcharge:
  - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0212)
  - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0218)
- Available in Black Only.
- To be used with keyboard trays, sold separately.

**NOTE:** Positive Tilt Lockout available. Contact your Customer Service Representative.

- Patented Lift-N-Lock™ height adjustment without knobs or levelers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).


# ACCESSORIES

## GAKSM03 • Lift-N-Lock Keyboard Support Mechanism



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
GAKSM03	481	5.8 9 23.8	11.3	0.719

- Height Range 14.13" (+8.25"/-5.88")
- Dial-Tilt Gauge shows precise tilt angles from +10°/-15° positions.
- 360° base swivel




- Patent Pending Height Indicator Gauge allows for precise height setting when used by multiple users, or for returning to optimal height setting after storage.
- Curved neck allows user to be closer to the desk when in standing position.
- Exceeds BIFMA performance standards.

- Includes 21.75" under worksurface Glide Track.
- Optional Glide Tracks available at no upcharge:
  - 12" Glide Track add suffix "12" (EXAMPLE GAKSM0312)
  - 18" Glide Track add suffix "18" (EXAMPLE GAKSM0318)
- Available in Black Only.
- To be used with keyboard trays, sold separately.


**NOTE:** Positive Tilt Lockout available. Contact your Customer Service Representative.

- Maximizes ergonomic support for both seated and standing positions.
- Patented Lift-N-Lock™ height adjustment without knobs or levelers automatically locks into position with release of tray for greater. Meets CSA B651 Barrier Free Design & AODA (Accessibility for Ontarians with Disabilities Act).

## GAKSM05 • Fixed Mount Trackless Keyboard Arm



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
GAKSM05	316	5 13 9	6	0.317
GAKSM05W	316	5 13 9	6	0.317



- Allows accurate, repeatable tray placement.
- Allows side to side arm movement.
- Locks out positive tilt for specific ergonomic applications or users preference.
- Provides increased storage where space permits.
- "W" indicated white finish.


### Features:

- Direct Mount, no track required.
- Ideal solution for Bridges and FreeFit Tables.
- Total height adjustment of 5.73" (-1.25" to -6.98" under the desk surface).
- Enhanced patented Lift-N-Lock™ braking mechanism.
- Soft Touch Knob Dial Tilt with +10° to -15° tilt angles.
- Low profile tray head.
- Separate height and tilt gauges.
- 360° of Swivel.
- Optional factory or field installable tilt lockout available.

### Benefits:

- Full storage in 9 3/8" undersurface space.
- Exceeds HFES & BIFMA 5" percentile seated keyboarding heights (HFES 22" BIFMA 22.6").
- Easy height adjustment, providing superior lock up and stability with infinite adjustment.
- ADA Compliant tilt adjustment with easily accessible tilt knob.
- Greater knee clearance under desk surface.

## GATM01 • Tray with Sliding Mouse Support



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
GATM01	230	2 21.3 10.5	7	0.259


### MDF Tray:

- Formed MDF with Textured Finish.
- Foam Anti-skid mat.

### Sliding Retractable Mouse Support:

- ABS Tray
- Sliding Retractable Mouse Support slides below the tray for left or right mouse positioning.
- Extends 9.91" beyond the end of the Keyboard Tray.
  - 33% recycled content by weight content) and 92.64% recyclable.
- Available in Black Only.

## GATM02 • 27" HDPE Tray with Two Mousing Surfaces



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
GATM02	295	1 27 11	6	0.179

### HDPE Tray:


- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- Anti-skid strips.

### Mousing Surface:

- Keyboard and Mouse can be set up left or right.
- Includes Mouse Fence with Cable Manager.
  - 92.64% recyclable.
- Available in Black Only.

# ACCESSORIES

## GATM03 • Phenolic Tray with Height-Adjustable Mouse Support



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GATM03	319	2.8	20.5	11	5.8	0.429
GATM03W	319	2.8	20.5	11	5.8	0.429


### Phenolic Tray:

- Solid low profile keyboard tray.
- Graphite finish helps hide fingerprints and smudges.
- Includes removable plug-in, gel-free foam palm rest.
- Includes foam Anti-skid strips.

### Height-Adjustable Mouse Support:

- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
- Available in Black or White.
- "W" indicates white finish.

## GATM04 • HDPE Tray with Height-Adjustable Mouse Support



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GATM04	356	3.2	20.5	11	6	0.5

### HDPE Tray:

- 1/2" thick High Density Polyethylene with textured finish.
- Includes removable plug-in, gel free foam palm rest.
- 45% recycled content by weight (45%Post Industrial content) and 99.97% recyclable.






- Includes foam anti-skid strips.

### Height-Adjustable Mouse Support:

- Ergonomic adjustment of tilt, swivel & height adjustment.
- Can be mounted either left or right.
- Includes mouse fence with cable manager.
  - 92.64% recyclable.
- Available in Black Only.

## Keyboard Combination Chart • Package Codes and Pricing

- "W" at the end of the code designates white keyboard.
- "W" before 2 numbers designates white mechanism.
- "W" in both places in code designates white keyboard and mechanism.



GAKSP0101 \$456	GAKSP0102 \$522	GAKSP0103/ GAKSP103W \$545	GAKSP0104 \$582
--------------------	--------------------	----------------------------------	--------------------



GAKSPML01/ GAKSPMLW01 \$529	GAKSPML02/ GAKSPMLW02 \$595	GAKSPML03/ GAKSPML03W/ GAKSPMLW03/ GAKSPMLW03W \$618	GAKSPML04/ GAKSPMLW04 \$655
-----------------------------------	-----------------------------------	--	-----------------------------------



GAKSP0201 \$529	GAKSP0202 \$595	GAKSP0203/ GAKSP0203W \$618	GAKSP0204 \$655
--------------------	--------------------	-----------------------------------	--------------------




GAKSP0301 \$710	GAKSP0302 \$776	GAKSP0303/ GAKSP0303W \$800	GAKSP0304 \$836
--------------------	--------------------	-----------------------------------	--------------------



GAKSP0501/ GAKSP0501W \$545	GAKSP0502/ GAKSP0502W \$611	GAKSP0503/ GAKSP0503W/ GAKSP0503W \$634	GAKSP0504/ GAKSP0504W \$671
-----------------------------------	-----------------------------------	--	-----------------------------------

# ACCESSORIES


## GACPU01 • Fixed Mount CPU Holder



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GACPU01	188	18.5	11.7	9.2	9	1.152

- Fully adjustable clamping mechanism to accept tower CPU's width a wide range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- Directly mounts to underside of desk surface.
- CPU Holder can also be mounted directly to an upright desk leg surface or wall, via side mounting holes.
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only.


## GACPU02 • CPU Holder on Glide Track



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GACPU02	271	18.5	11.7	9.2	12.6	1.152

- Accepts tower CPU's with a width range of 3.5" to 9.3" and a height range of 12.5" to 22.5".
- Soft Touch knob for side clamp adjustment and bayonet lance for vertical height adjustment.
- 12" Glide Track mounted and 360° swivel for easy access for rear of CPU
- Manufactured from Steel and Engineered Resin, providing rugged durability and support.
- Available in Black Only.


## GACPUH • Woof CPU Holder



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GACPUH	145	11	16	7-10	5	1.0

- Provides convenience access to front and back of CPU.
- Expandable width accommodates various sizes of CPU's. Adjusts from 7" to 10".
- Includes 4 locking casters and 4 protective "O" rings.
- Available in Tungsten Only.

## GAAKS1818 • CRT Corner Plate




PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GAAKS1818	105	1.25	18	18	3.7	0.454

- Converts two abutting worksurfaces in a 90° corner into a 45° angle keyboard worksurface.
- Keyboard mechanism not included.
- Fits worksurfaces 1" to 1.25" thick.
- Available in Panel Frame Finish.

## Monitor Arm Specs

- VESA Mounting plate contains 75 mm & 100 mm mounting configuration.
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.
- Keyhole slots in VESA Plate for quick mounting of Display Screen.
- Counterbalance spring mechanism does not contain gas cylinders (that are prone to leakage).
- Cable Management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable aluminum die cast material, providing stability and durability.
- 13" Arm height adjustment on 11" Stainless Steel Pole.
- Pole Support Ring doubles as cable manager.
- 360° of arm swivel around pole.
- Desk Clamp and Grommet mounting options standard on pole applications.
- Monitor arms available in Silver (SIL), Black (BLK), or White (WHT).

## GAMCSSDE • Double Extension Monitor Arm for Single Screen



PRODUCT CODE	PRICE	SIZE / H	INCHES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GAMCSSDE	474	29.3	6.8	9.5	7.5	1.095


### Monitor Arm Single Screen Dual Arm Extension.

- 9 1/2" reach from centre of pole to front of VESA Plate
- Display Viewing - 180° of tilt, 180° of swivel and 360° of rotation.
- Quick Mount Versa Plate.
- 12" Pole Adjustment.
- 9" Chrome pole adjustment.

Available in Silver (SIL), Black (BLK) or White (WHT).  
Post is chromed.

# ACCESSORIES

## GAMCSSDEH • Double Extension with Height-Adjustable Monitor Arm for Single Screen



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCSSDEH	569	29.3	6.8	9.5	8.2	1.095


Double extension with height-adjustable monitor arm for single screen frees up workspace space and supports a sit/stand working posture.

- Attaches to any standard worksurface with flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.

- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.

Available in Silver (SIL), Black (BLK) or White (WHT). Post is chromed.

## GAMCDSDE • Monitor Arms for Dual Screens




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCDSDE	837	29.3	6.8	9.5	10.7	1.095

Double extension monitor arms for dual screens frees up workspace space.

- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge, or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.
- Monitor connecting extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Max 32" screen width.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.

Available in Silver (SIL), Black (BLK) or White (WHT). Post is chromed.

## GAMCDSDEH • Double Extension with Height-Adjustable Monitor Arms for Dual Screens



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCDSDEH	1037	29.3	6.8	9.5	12.2	1.095


Double extension with height-adjustable monitor arms for dual screens frees up the workspace space and supports a sit/stand working posture.

- Used for side-by-side or back-to-back applications.
- Attaches to any standard worksurface with flush edge or through a grommet.
- Monitor arm adjusts from 3" to 12" from the worksurface.

- Counterbalanced arm provides an additional 13" of height adjustment.
- Monitor connecting bracket swivels 360 degrees and tilts +/- 90 degrees (180 degrees).
- Double extension has 19" of back and forth movement to allow for different focal depths of viewing comfort.
- Built-in cable clips on underside of extension arms and pole base allows organized cable management.
- Max 35" screen width.

Available in Silver (SIL), Black (BLK) or White (WHT). Post is chromed.

## GAMCSSDEHS • Dual Extension Height-Adjustable Slat Wall Monitor Arm



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
GAMCSSDEHS	593	23	10.3	8.6	5.3	1.179

- Spring Counterbalanced Ht. Adj. Arm Extension, provides free floating vertical range of movement through 13" of travel.
- VESA Mounting plates contain 75mm & 100mm mounting configuration.
- 180° of arm swivel around Slat Wall Mounting Bracket pivot point.
- VESA Plate head is fully adjustable with 180° of tilt, 180° of swivel and 360° of rotation for portrait to landscape viewing.


- Keyhole slots in VESA Plate for quick mounting of Display Screen.
- Slat wall Bracket clamps to Slat Wall via adjustable brackets allowing for easy installation and removal (installation tools provided).
- Cable Management provided on arm swivel joints.
- Arm components manufactured from 100% recyclable Aluminum Die cast material, providing stability and durability.
- Friction screw adjustment on arm segments for touch screen applications.
- Will not fit on standard BALBxx Load Bar.

Available in Silver (SIL), Black (BLK) or White (WHT). Post is chromed.



# ACCESSORIES

## GAMLDM20 • Single Screen Monitor Arm for 5 to 20lbs




PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
GAMLDM20	495	38	6	8.5	10.23	1.122

- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing SKU's.
- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control. - counterbalances monitors from 5 lbs. to 20 lbs.
- Double extension arms provide a maximum of 26 3/4" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Monitor mounting bracket, with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards.
- Weight gauge provided to allow for quick and easy counterbalance adjust-

ment of the arm prior to installing the screen. Saves time and guesswork especially for multiple arm installations.

- VESA Plate rotates for portrait or landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from hitting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in Silver (SIL), Black (BLK) or White (WHT).

## GAMLDM30 • Single Screen Monitor Arm for 10 to 30lbs




PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
GAMLDM30	531	38	6	8.5	10.23	1.122

- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's.
- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control - counterbalances monitors from 10 lbs. to 30 lbs.
- Double extension arms provides a maximum of 26.7" extension from the rear edge of the mounting surface to the VESA Plate for greater monitor adjustment on deep or corner workstations.
- Arms fold back to a minimum dimension of 4 1/2" to provide maximum desk utilization.
- Monitor mounting bracket with Quick Connect adaptor, contains both 75mm & 100mm hole patterns to match most screen types and compliant with VESA mounting standards.
- Weight gauge provided to allow for quick and easy counterbalance

adjustment of the arm prior to installing the screen.

- Saves time and guesswork especially for multiple arm installations VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in Silver (SIL), Black (BLK) or White (WHT).

## GAMLDM40 • Dual Screen Monitor Arm for 15 to 40lbs



PRODUCT CODE	PRICE	SIZE / H	INCHES W	INCHES D	WEIGHT LBS	VOL FT <sup>3</sup>
GAMLDM40	637	38	6.25	8.5	12.75	1.168

- Comes with clamp and grommet mount, ideal for all desk mounting configurations, minimizing multiple SKU's.
- Adjustable counterbalance cylinder provides smooth 14 1/2" of height adjustment with fingertip control and a counterbalance range from 15 lbs. to 40 lbs.
- Double extension arms provide a maximum of 30 3/4" extension from the rear edge of the mounting surface. to the VESA Plate for greater monitor adjustment on deep or corner work stations.
- Arms fold back to a minimum dimension of 8 3/8" to provide maximum desk utilization.
- Monitor mounting bracket with Quick Connect Adaptor, contains both 75mm & 100mm hole patterns to match most screen types and is compliant with VESA mounting standards.

- Weight gauge provided to allow for quick and easy counterbalance adjustment of the arm prior to installing the screen. Saves time and guesswork especially for multiple arm installations.
- VESA Plate rotates for portrait and landscape viewing with 180° side to side rotation and -90° to +45° tilt for optimal viewing adjustment.
- Die cast aluminum construction provides greater stability and contains high recycled material content with full recyclability.
- Adjustable rotation limiter to restrict arm rotation to 180°, preventing arms from contacting walls.
- Comes with all tools and mounting hardware for quick and easy installation (Tool-free).
- Available in Silver (SIL), Black (BLK) or White (WHT).

# ACCESSORIES

## BLVELEDVS • LED Single Arm Lamp




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H		W D	LBS	FT <sup>3</sup>
BLVELEDVS	648			
With Occupancy Sensor				
BLVELEDVSO	966			

- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify colour choice.

## BLVELEDVD • LED Double Arm Lamp



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H		W D	LBS	FT <sup>3</sup>
BLVELEDVD	663			
With Occupancy Sensor				
BLVELEDVDO	978			

- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify colour choice.

## BLVELEDRS • LED Single Arm Lamp




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H		W D	LBS	FT <sup>3</sup>
BLVELEDRS	648			
With Occupancy Sensor				
BLVELEDRSO	966			

- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify colour choice.

## BLVELEDRD • LED Double Arm Lamp



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H		W D	LBS	FT <sup>3</sup>
BLVELEDRD	663			
With Occupancy Sensor				
BLVELEDRDO	978			






- UL, CUL and CSA compliant, ETL Listed.
- Base not included.

- 7 System watts, 18-fractional LEDs.
- 3500K 250 lumens, 84 CRI.
- Double arm articulation with 20" base to head reaches.
- Soft touch - instant on, fade to off.
- Infinite dimming 100% down to 15%, last state memory.
- Standard 10 hours turn off (ATO).
- 50,000 hour life LEDs.
- 15 watt, 24 volt wall transformer, 6' cord.
- White (WHT) Silver (SIL) or Black (BLK) - Must specify colour choice.




# ACCESSORIES

## Lamp Mounting Options

	<b>Grommet Mount</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLVELEDASM	145				
	<b>Worksurface Clamp Mount</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLVELEDASCM	145				
	<b>Slat Wall Mount</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLVELEDASW	145				
	<b>Panel Mount</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLVELEDAPM	145				
	<b>Freestanding Base</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLVELEDAFS	161				




- White (WHT) Silver (SIL) or Black (BLK) - Must specify colour choice.

## BLUC • T5 Under Storage Task Light

	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLUC20	146	1.25	19.5 4.25 3		0.123
	BLUC24	154	1.25	24 4.25 4		0.145
	BLUC36	164	1.25	36 4.25 6		0.214
	BLUC48	181	1.25	48 4.25 8		0.284

- T5 rapid start florescent lamp provides energy efficient illumination.
- Slim, low profile metal chassis.
- Electronic ballast.
- Prismatic acrylic lens included.
- 9' black cord with two cord management clips.
- Task light must be specified at least 4" shorter than the storage component to which it will be installed.
- Includes all mounting hardware and 1 Vertical Wire Channel (BAVC016).
- Available in Black (BLK) Only.

## BLEDLS • LED Under Shelf Task Light


	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	<b>Light Only:</b>					
	BLEDLS16	339	1	16 1	0.4	0.003
	BLEDLS26	358	1	26 1	0.7	0.004
	BLEDLS32	381	1	32 1	0.8	0.005
	<b>Replacement Single Light Power Supply</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLSPS	72	2	5.5 3	0.296	0.0128
	<b>Daisy Chain Power Supply</b>					
	PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
	CODE		H	W D	LBS	FT <sup>3</sup>
	BLDCPS	149				

- Linear array LED technology
- Slim design with concealed magnetic mount
- Non-handed toggle switch location

- **LED Under Shelf Light Strip. Contributes to LEED Energy and Atmosphere credit.**
- 4, 7, 10 & 11 watts power consumption per light
- 50,000 hour average life span.
- Colour temperature: 3300 K.
- Post-consumer content used in packaging and aluminum components.
- Daisy chain up to three lights (requires daisy chain power supply)
- UL listed 120V, 60 Hz transformer
- Can attach to either metal or wood (wood screws) storage unit.
- Includes single power supply.
- Tasklight must be specified at least 4" shorter than the storage storage component to which it will be installed.
- Note: Does not include a double power supply, please specify separately for daisy chaining.

# ACCESSORIES


## BEMAE • Mini-Adapt Power Module




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BEMAE1	196	2 3.625 3	2.5	0.149
BEMAE2	216	2 3.625 3	3.0	0.159

- **Accessory Data/Power House.**
- Attaches to scoop at the back of a worksurface.
- BEMAE1 includes 2 simplex outlets, 6' power cord.
- BEMAE2 includes 2 simplex outlets, 8' power cord.
- Available in Black Only.

## BEAxx • Desktop Data/Power Receptacle



BEA44




BEA54

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BEA54	365	2.63 7.5 3	2.25	0.149
BEA44	336	2.63 7.5 3	2.25	0.149

- **Accessory Data/Power House.**
- Attaches to scoop at the back of a worksurface.
- Includes 2 simplexes, 2 voice/data covers, voice/data adapter kit, 6' power cord.
- Available in Black Only.


## BRED50 • Duo Module



- The duo power module is completely integrated with a mounting clamp to attach to the edge of a worksurface.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and bracket; 72" long three-prong black cord.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BRED50	646	1.8 5.5 3.2	2.50	0.14


## BREDU51 • Duo Under Module



- The duo under power module comes with a thin flush mounting bracket to attach to the underside of a work surface or above work surface shelves.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and brackets; 72" long three-prong black cord.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BREDU51	566	1.8 5.5 2.8	2.5	0.14


## BREDB52 • Duo Bezel Module



- The duo bezel power module is embedded and flush-mounted in a piece of furniture or a work surface.
- Provides two outlets and two 2.1 amp USB ports.
- White face plate, outlets and bezel; 72" long three-prong black cord.
- Contact your Customer Service Representative for surface applications.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BREDB52	606	4 6.5 3.2	2.5	0.14


## BRETP53 • Trio Plus Module



- The trio plus power module is completely integrated with a mounting clamp to attach to the edge of a work surface or above work surface shelves.
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- White face plate, outlets, adapters and brackets; 72" long three-prong black cord.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BRETP53	728	1.8 8 3.2	2.5	0.14


## BRETPU54 • Trio Plus Under Module



- The trio plus under power module comes with a thin flush mounting bracket to attach to the underside of a work surface.
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- White face plate, outlets, adapters and brackets; 72" long three-prong black cord.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BRETPU54	679	1.8 8 2.8	2.5	0.14

## BRETPB55 • Trio Plus Bezel Module



- The trio plus bezel power module is embedded and flush-mounted in a piece of furniture or a work surface.
- Provides three outlets and two 2.1 amp USB ports and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. Note: HDMI, RJ45 and VGA connectors are not included.
- White face plate, outlets, adapters and bezel; 72" long three-prong black cord.
- Contact your Customer Service Representative for surface applications.

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BRETPB55	695	4 9 3.2	2.5	0.14

# ACCESSORIES


## BPGDPS20 • Power Module



PRODUCT	PRICE	H	W	D	WEIGHT	VOL
CODE					LBS	FT <sup>3</sup>
BPGDPS20	249	2.22	3.58	2.5		

- 2 Outlets (power).
- Available for side mounted installation.
- (TUN) Tungsten finish.
- 12 foot cord.


## BPGDPS21 • Power and Data Module



PRODUCT	PRICE	H	W	D	WEIGHT	VOL
CODE					LBS	FT <sup>3</sup>
BPGDPS21	322	2.22	6.75	2.5		

- 2 Outlets (power), 1 Telecom blank plate.
- Available for side mounted installation.
- (TUN) Tungsten finish.
- 12 foot cord.

## BPGDPS41 • Double Power and Data Module



PRODUCT	PRICE	H	W	D	WEIGHT	VOL
CODE					LBS	FT <sup>3</sup>
BPGDPS41	350	2.22	10.25	2.5		

- 4 Outlets (power), 1 Telecom blank plate.
- Available for side mounted installation.
- (TUN) Tungsten finish.
- 12 foot cord.

## Telecom Plates



PRODUCT	PRICE
CODE	
Black telcom plate with 2 RJ45 cat 6 data	
ABLBB	258

Note: To be used in conjunction with BPGDPS21 and BPGDPS41.




Black telcom plate with 3 RJ45 cat 6 data	
ABLBBB	379



Black telcom plate with 4 RJ45 cat 6 data	
ABLBBBB	501




Black telcom plate with RJ45 cat 6 data, mini stereo and 15 pin HD VGA	
ABLAB437	420



Black telcom plate with mini stereo, 15 pin HD VGA and HDMI	
ABLC45C51L	589


## BEPB12 • Power Bar



PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL	
CODE		H	W	D	FT³	
BEPB12	49			12	2	0.02

- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.
- Fits within power channel of panels with raceways.
- Standard with 12' cord.

## DABAR • Power Bar




PRODUCT	PRICE	SIZE /	INCHES	WEIGHT	VOL
CODE		H	W D	LBS	FT³
DABAR	65		12	2	0.02

- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch.
- Standard with 10' cord.
- Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.

# ACCESSORIES


## DABARB • Power Bar with Mounting Bracket



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
DABARB	95	12 2	0.02	

- Power bar with 5 + 1 receptacles (one spaced wide for adapter use), built-in transient voltage surge suppressor and power switch. This bar hangs on Diet Panel Rails or Slat Wall and Boulevard accessory rails.
- Standard with 10' cord.
- Integrated key hole mounting in the back.
- Rating 15A, 125V, AC 60Hz, 1875W.
- Suppressed voltage rating: 330V peak.
- Black bracket included.


## BABC • Wire Manager



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BABC04	30	2 4 2	0.14	

- Attaches to the underside of the worksurface with a peel and stick adhesive that is located on the top of the wire manager. Comes 10 per package.
- Black only

## BRACS • Cable Snake



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BRACS	117	30 8 3	0.19	
BRACSH	218	54 8 5	0.27	

- Flexible cable management trough.
- Two pathways within the snake, one for data/communication and one for routing power cables.


## BAVC • Vertical Wire Channel



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BAVC016	41	16 0.5	0.018	
BAVC032	83	32 1.0	0.036	

- PVC extrusion attaches to panel vertical to provide enclosure for a power or light cord.
- Available in 16" and 32" lengths, six per package.
- Can be cut to required lengths on site.
- Panel frame finish

## VWCM • Wire Manager




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H D W				
VWCM43	103	3 5 46 8	0.67	
VWCM55	123	3 5 58 9	0.85	

- Mounts below surface via threaded metal inserts.
- Integrated steel reinforcement bar.
- Not required on oval, 1/2 ellipse, 1/2 moon, square or round table.

- Replacement wire manager can be added to Viceversa tables. Wire manager neatly organizes and stores electrical and communication cables.
- Two lengths, 46" for tops 60" and under, 58" for tops 72".

## BAR • Panel Mounted Slotted Accessory Rail




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BAR18	104	10.6 18 0.5 3	0.12	
BAR24	115	10.6 24 0.5 4	0.17	
BAR30	126	10.6 30 0.5 5	0.22	
BAR36	137	10.6 36 0.5 6	0.26	
BAR42	149	10.6 42 0.5 7	0.31	
BAR48	160	10.6 48 0.5 8	0.35	
BAR54	170	10.6 54 0.5 9	0.43	
BAR60	182	10.6 60 0.5 10	0.49	

Hangs on standard Boulevard panels and accepts standard accessories.

- Includes 10 horizontal slats for hanging capacity.
- Includes mousing hardware.
- Panel frame finish.

## BALB • Panel Mounted Load Bar




PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
H W D				
BALB18	83	3.5 18 0.75 2	0.031	
BALB24	90	3.5 24 0.75 2	0.038	
BALB30	100	3.5 30 0.75 3	0.048	
BALB36	112	3.5 36 0.75 3	0.057	
BALB42	127	3.5 42 0.75 4	0.067	
BALB48	146	3.5 48 0.75 4	0.076	
BALB54	160	3.5 54 0.75 5	0.086	
BALB60	169	3.5 60 0.75 5	0.096	

- Can be panel mounted or wall mounted on rail (BHV01 or BHV02).
- Includes mousing brackets and end caps.
- Panel frame finish.

# ACCESSORIES


## BABB01 • Binder Bin



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BABB01	72	9 5.75 9.25	1.85	0.21

- Load bar/accessory rail mounted metal binder bin.
- Panel frame finish.


## BAFS01 • Flip Sorter



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAFS01	68	9 3 9	0.6	0.14

- Load bar/accessory rail mounted metal flip sorter. Comes with chome wire.
- Panel frame finish.

## BASS01 • Slant Sorter




Right Shown

PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BASS01R	46	9.25 2.75 9	1	0.28
BASS01L	46	9.25 2.75 9	1	0.28

- Load bar/accessory rail mounted metal slant sorter.
- Panel frame finish.


## BALT • Letter Tray/Legal Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BALT01	51	1.75 12 8.75	0.5	0.15
BALT01LGL	83	1.75 14.7 8.75	0.5	0.15

- Load bar/accessory rail mounted metal letter or legal tray.
- Panel frame finish.


## BAMB01 • Media Bin



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAMB01	63	3 5.75 5.25	0.8	0.05

- Load bar/accessory rail mounted metal media bin.
- Panel frame finish.


## BAUT01 • Utility Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAUT01	46	1 7.5 4	0.5	0.02

- Load bar/accessory rail mounted metal utility tray.
- Panel frame finish.


## BAPP01 • Mail Box



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAPP01	69	9 12 2.75	2	0.25

- Freestanding unit or load bar/accessory rail mounted.
- Panel frame finish.


## BATH01 • Telephone Holder



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BATH01	101	2 8 10	2	0.26

- Load bar/rail mounted telephone holder.
- Panel frame finish.

## BAPD • Pencil Drawer



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT	VOL
H W D LBS FT <sup>3</sup>				
BAPD2015	90	1.5 22.5 17.75	2	0.300

- Provides accommodation for writing instruments and small items at the workspace.
- Attaches to the underside of worksurface with drawer slides.
- Available in Black ABS Only.

# ACCESSORIES


## BAHO • Coat Hook



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAHO3080	43	3	1	3	0.2	0.001

- Over the panel mounted coat hook for Boulevard 1 panels only (not including curved panels). Priced six per package.
- Panel Frame Finish.


## BAHB3CH • Coat Hook for System 3



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAHB3CH	80	3	1	3	0.2	0.001

- Over the panel mounted coat hook for Boulevard, System 3 panels only. Priced six per package.
- Panel Frame Finish.


## DAHOCH • Coat Hook for Diet



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DAHOCH	21	3	0.75	3	0.2	0.001

- Panel mounted coat hook Diet Panels.
- Panel Frame Finish.


## BNP • Boulevard Name Plate



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BNP01	85	3.3	5.3	1.25	0.3	0.013

- Name plate attaches to 1" increment slots of Boulevard. It can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for aisle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included
- Includes two slide-in name cards.


## DPN01 • Diet Name Plate



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
DPN01	85	3.3	5.3	1.25	0.3	0.013

- Name plate can be set either as a single-sided (parallel to panel surface) or double-sided (perpendicular to panel surface - for aisle applications, displaying name on both sides).
- Injection molded frame and die-cast base with black rubberized finish. Steel bracket and fasteners included.
- Includes two slide-in name cards.


## BHTPO1 • Bracket to connect Licence Towers to Boulevard Panels



PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BHTPO1	55	2	2.5	1	2	0.05

- Panel Frame Finish.


## BATB • Fabric Tackboard



PRODUCT	PRICE			SIZE / INCHES			WEIGHT	VOL
CODE	GR1	GR2	OPT	H	W	D	LBS	FT³
BATB2430	193	202	218	24	30		3	0.416
BATB2436	220	230	248	24	36		4	0.500
BATB2442	251	260	281	24	42		4	0.583
BATB2448	282	302	327	24	48		5	0.666
BATB2454	312	332	359	24	54		5	0.750
BATB2460	341	363	392	24	60		6	0.833
BATB2472	415	454	490	24	72		6	0.999

- To provide a tackable surface for notes and memos in a work area. Panel mounted.
- Includes mounting brackets.
- Class "A" Fire Rated Fabric.

## BAWB • Write Board




PRODUCT CODE	PRICE	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
		H	W	D		
BAWB2436	313	24	36		13	0.500
BAWB2442	361	24	42		15	0.583
BAWB2448	414	24	48		18	0.666

- To provide a writing surface in a work area. Panel mounted.
- Includes mounting brackets.
- Black Trim Only.



# ACCESSORIES


## BAPAS • Glass Over Panel Boulevard 1 Round Pucks



PRODUCT CODE	PRICE CLR	FRST	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BAPAS0824	158	179	8	24	1.3	4	0.22
BAPAS0830	173	193	8	30	1.3	5	0.30
BAPAS0836	185	208	8	36	1.3	6	0.37
BAPAS0842	196	223	8	42	1.3	7	0.43
BAPAS0848	203	236	8	48	1.3	8	0.48
BAPAS1624	158	175	16	24	1.3	8	0.44
BAPAS1630	173	193	16	30	1.3	10	0.59
BAPAS1636	185	208	16	36	1.3	12	0.73
BAPAS1642	196	223	16	42	1.3	14	0.85
BAPAS1648	203	236	16	48	1.3	16	0.96

- Glass Over Panel creates division.
- Glass Over Panel with no frame sits on top of a Boulevard 1 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.


## BAPAS • Glass Over Panel System 3 Round Pucks



PRODUCT CODE	PRICE CLR	FRST	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BA3PAS0824	158	175	8	24	1.3	4	0.22
BA3PAS0830	173	193	8	30	1.3	5	0.30
BA3PAS0836	185	208	8	36	1.3	6	0.37
BA3PAS0842	196	223	8	42	1.3	7	0.43
BA3PAS0848	203	236	8	48	1.3	8	0.48
BA3PAS1624	158	175	16	24	1.3	8	0.44
BA3PAS1630	173	193	16	30	1.3	10	0.59
BA3PAS1636	185	208	16	36	1.3	12	0.73
BA3PAS1642	196	223	16	42	1.3	14	0.85
BA3PAS1648	203	236	16	48	1.3	16	0.96

- Glass Over Panel creates division.
- Glass Over Panel with no frame sits on top of a System 3 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.


## BAPAS • Glass Over Panel Boulevard 1 Square Pucks



PRODUCT CODE	PRICE CLR	FRST	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BAPASS0824	166	183	8	24	1.3	4	0.22
BAPASS0830	182	202	8	30	1.3	5	0.30
BAPASS0836	194	217	8	36	1.3	6	0.37
BAPASS0842	206	234	8	42	1.3	7	0.43
BAPASS0848	213	246	8	48	1.3	8	0.48
BAPASS1624	166	183	16	24	1.3	8	0.44
BAPASS1630	182	202	16	30	1.3	10	0.59
BAPASS1636	194	217	16	36	1.3	12	0.73
BAPASS1642	206	234	16	42	1.3	14	0.85
BAPASS1648	213	246	16	48	1.3	16	0.96

- Glass Over Panel creates division.
- Glass Over Panel with no frame sits on top of a Boulevard 1 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.


## BAPAS • Glass Over Panel System 3 Square Pucks



PRODUCT CODE	PRICE CLR	FRST	SIZE / INCHES			WEIGHT LBS	VOL FT <sup>3</sup>
			H	W	D		
BA3PASS0824	166	183	8	24	1.3	4	0.22
BA3PASS0830	182	202	8	30	1.3	5	0.30
BA3PASS0836	194	217	8	36	1.3	6	0.37
BA3PASS0842	206	234	8	42	1.3	7	0.43
BA3PASS0848	213	246	8	48	1.3	8	0.48
BA3PASS1624	166	183	16	24	1.3	8	0.44
BA3PASS1630	182	202	16	30	1.3	10	0.59
BA3PASS1636	194	217	16	36	1.3	12	0.73
BA3PASS1642	206	234	16	42	1.3	14	0.85
BA3PASS1648	213	246	16	48	1.3	16	0.96

- Glass Over Panel creates division.
- Glass Over Panel with no frame sits on top of a System 3 Panel with clamps that are secured to the top of the panel.
- Tempered glass is 16" high.
- Custom sizes available, contact your Customer Service Representative.

## BAMT12 • Marker Tray



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
		H W D		
BAMT12	70	12	0.5	0.01

- Panel frame finish.

## BATP • Touch Up Paint Kit



PRODUCT CODE	PRICE	SIZE / INCHES	WEIGHT LBS	VOL FT <sup>3</sup>
		H W D		
BATP91	38		0.41	0.1

- Paint to match panel frame colours for easy touch ups.  
1/2o. (15ml) bottle.



# ACCESSORIES

**ATLANTA SHOWROOM**

LEED Gold

271 17th Street N.W., Suite 125

Atlanta, GA 30363 USA

TEL: 678.538.1760

**BOSTON SHOWROOM**

LEED Platinum

255 State Street

Boston, MA 02109 USA

TEL: 617.487.6960 • FAX: 617.487.6980

**CHICAGO SHOWROOM**

LEED Gold

222 Merchandise Mart, Suite 1048

Chicago, IL 60654 USA

TEL: 312.730.1110 • FAX: 312.730.1120

**DALLAS SHOWROOM**

1801 North Lamar, Suite 150

Dallas, TX 75202 USA

TEL: 214.764.6500 • FAX: 214.764.6550

**LOS ANGELES SHOWROOM**

LEED Gold

Ernst and Young Plaza

725 South Figueroa Street, Suite 4150

Los Angeles, CA 90012 USA

TEL: 310.310.6600 • FAX: 310.310.6601

**MOUNT LAUREL SHOWROOM**

US HEADQUARTERS

350 Fellowship Road

Mount Laurel, NJ 08054 USA

TEL: 856.596.7608 • FAX: 856.596.8088

**NEW YORK SHOWROOM**

641 Avenue of the Americas, Second Floor

New York, NY 10011 USA

TEL: 212.589.6850 • FAX: 212.589.6820

**SAN FRANCISCO SHOWROOM**

LEED Gold

88 Kearney Street, 15th Floor

San Francisco, CA 94108 USA

TEL: 415.486.6000 • FAX: 415.486.6030

**WASHINGTON SHOWROOM**

LEED Gold

900 17th Street N.W., Suite 200

Washington, DC 20006 USA

TEL: 202.378.6460 • FAX: 202.378.6490

# teknion