

STRUCTURAL FIRE BOOTS





3

STRUCTURAL FIRE BOOTS



KnockDown Elite 14" Leather Boot

No matter how many times the alarm sounds during your shift, these black flame-resisting leather upper KnockDown boots go on with ease. Once your foot slides in, the ankle lock system holds you firmly in place until you use the handy heel kick plate to take them off. Our exclusive Vibram® Fire & Ice All-Terrain Sole provides exceptional traction on any surface; including pitched roofs and steep embankments. It stands up to the heat and will help keep a steady foot when fighting winter fires and the water turns to ice. The PTFE Moisture Barrier also repels dangerous fluids. Take a hit to the heel thanks to the Poron® XRD® padding - the same impact protection used in motocross racing. Composite Safety Toe, Lenzi L-Protection® insole, and steel triple-rib ladder shank protect your foot from impact and the strain of working on ladders. And because you might be on your feet for hours, the dual-density removable insole molds to the shape of your foot to keep you comfortable until you're back at the station.

- Waterproof, flame-resisting leather upper with abrasion-resisting rubber toe and heel protection.
- Removable dual-density polyurethane insole
- Lenzi L-Protection® flexible, non-metallic, puncture-resisting insole
- Steel triple-rib ladder shank
- Exclusive Vibram® ATS sole with Fire & Ice technology
- Cement construction
- Certified to meet NFPA 1971 structural
 & NFPA 1992 liquid splash
- Meets ASTM F2413-11
- CSA Z195-14 Edition-7







| STYLE # | SLIP- RESISTING | WATERPROOF | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE PROTECTION | STRUCTURAL & HAZMAT | SIZES: | N | М | W | XW |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|------------------------|---------|------|------|------|------|
| 804-6389 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | MEN'S | | 5-16 | 5-16 | 5-16 |
| 504-6389 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | WOMEN'S | 5-10 | 5-10 | 5-10 | |

TECHNICAL FEATURES



Hazmat CERTIFIED NFPA 1992















- A. Air Venting System
- B. Water-Proof, Breathable Membrane
- C. Easy-Doff Heel Kick Plate
- D. Non-Metallic Composite Safety Toe
- E. Ankle Lock System and Ankle Protection
- F. All-Terrain Sole and Side Wall Lugs



1.800.421.2926

STRUCTURAL FIRE BOOTS



STRUCTURAL FIRE BOOTS



QR14 14" Structural Leather Boot

LION-Thorogood's new QR14 bunker boots are built for comfort, durability and safety. The flex gussets allow the boot to move with you. 3M™ Scotchlite Hi-Vis piping in these waterproof, flame- and cutresisting leather bunker boots creates a high-visibilty look when exposed to direct light. The aggressive, slip-resisitng outsole with 90 degree heel and ladder grips provide exceptional traction on any surface. GORE® CROSSTECH® triple layer moisture barrier is the toughest in the industry, delivering rugged, longlasting protection that exceeds the requirements of the NFPA 1971 standard. The composite safety toe, Lenzi L-Protection® insole, and steel triple-rib ladder shank protects your foot from impact, puncture, and the strain of working on ladders. Extra padding in the shin and ankle protects you from ladder rungs and other impacts. Slip-resistant in all conditions and

> heat-resistant when the going gets hot, these all-weather boots don't quit until you do.

- GORE® CROSSTECH® triple-laver moisture barrier protects against blood-borne pathogens
- Waterproof, flame- and cut-resisting leather upper with abrasion-resisting rubber toe
- Steel Triple-Rib Ladder Shank
- **Proprietary Traction Flex outsole**
- **Cement Construction**
- Certified to meet NFPA 1971







| STYLE # | SLIP- RESISTING | WATERPROOF | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE PROTECTION | STRUCTURAL & HAZMAT | SIZES: | N | М | w | xw |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|------------------------|---------|------|------|------|------|
| 804-6369 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | MEN'S | | 5-16 | 5-16 | 5-16 |
| 504-6369 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | WOMEN'S | 5-10 | 5-10 | 5-10 | |

TECHNICAL FEATURES













- GORE® CROSSTECH® Triple-Layer Moisture Barrier
- **B. Powerflex Gussets**
- 3M Schotchlite™ **Reflective Material**
- D. Lightweight, Composite Safety Toe
- E. Ankle and Shin Pads
- Lenzi L-Protection







RUBBER FIRE BOOTS



RUBBER FIRE BOOTS



HellFire Kevlar[™] Insulated Rubber Boot

Enjoy superior protection and comfort while fighting fires in these rubber insulated structural bunker boots with a flame- and heat-resisting lug outsole. A stainless steel puncture-resisting bottom plate provides a barrier between your feet and whatever you have to walk over to contain the fire. Experience added safety and comfort in the form of an oversized steel toe and a DuPont™ Kevlar® yellow knit one piece liner five times stronger than steel. Work on ladders or crawl over debris without discomfort thanks to the cushioned shin guards. Vulcanized construction guarantees a durable, shock-absorbing

fit that won't melt or degrade in extreme heat or cold. Removable superknit-covered polyurethane insole absorbs shocks so you can stand against the flames in these NFPA boots for as long as it takes to get the job done.

· Flame-/heat-resisting rubber

- GORE® CROSSTECH® moisture barrier
- Removable Superknit covered, polyurethane footbed
- Steel Triple-Rib Ladder shank
- Stainless steel puncture-resisting bottom plate
- Hellfire[™] traction lug sole
- Abrasion-resisting rubber T-toe
- Vulcanized construction
- Certified to meet NFPA 1971 structural and NFPA 1992 liquid splash

Available in whole and half sizes in 3 widths to ensure proper fit and comfort.



| STYLE # | SLIP- RESISTING | WATERPROOF | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE PROTECTION | STRUCTURAL & HAZMAT | SIZES: | N | M | W | xw |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|------------------------|---------|------|------|------|------|
| 807-6000 | ✓ | • | ✓ | • | EH | Steel [75] | ✓ | MEN'S | | 5-16 | 5-16 | 5-16 |
| 507-6000 | ✓ | • | ✓ | • | EH | Steel [75] | ✓ | WOMEN'S | 5-10 | 5-10 | 5-10 | |

HellFire Felt Insulated Rubber Boot



absorbs shocks so you can stand against the flames in these NFPA boots for as long as it takes to contain the blaze.


- Flame-/heat-resisting rubber
- Waterproof
- Removable Superknit covered, polyurethane footbed
- Steel Triple-Rib Ladder shank
- Stainless steel puncture-resisting bottom plate
- Hellfire™ traction lug sole
- Abrasion-resisting rubber T-toe
- Vulcanized construction
- Certified to meet NFPA 1971 structural and NFPA 1992 liquid splash

Available in whole and half sizes in 3 widths to ensure proper fit and comfort.




| STYLE # | SLIP- RESISTING | WATERPR00F | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE Protection | STRUCTURAL & HAZMAT | SIZES: | N | М | W | XW |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|------------------------|---------|------|------|------|------|
| 807-6003 | ✓ | • | ✓ | • | EH | Steel [75] | ✓ | MEN'S | | 5-16 | 5-16 | 5-16 |
| 507-6003 | ✓ | • | ✓ | • | EH | Steel [75] | ✓ | WOMEN'S | 5-10 | 5-10 | 5-10 | |

EMS/WILDLAND BOOTS



EMS/WILDLAND BOOTS



Station 1 9" Leather Boot

These hard-working boots never clock-out, even if your shift turns into a double. Our exclusive Vibram® ATS (All-Terrain Sole) provides exceptional traction on any surface. GORE® CROSSTECH® triple layer moisture barrier is the toughest in the industry. Safety features include a flexible Lenzi L-Protection puncture-resistant insole, triple-rib ladder shank and composite safety toe. These station boots are certified to meet EMS and Wildland firefighting standards for the person who has to be prepared

- GORE® CROSSTECH® Waterproof Lining
- Full-Grain, Flame/Cut-Resisting Leather
- Steel Triple-Rib Logger Shank
- Exclusive Vibram® ATS Outsole
- **Cement Construction**
- Certified to meet NFPA 1999 EMS and NFPA 1977 Wildland

Not designed for NFPA 1971 structural fire fighting.


GOSE_® **CROSSTECH®**





| STYLE# | SLIP- RESISTING | WATERPROOF | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE PROTECTION | WILDLAND | SIZES: | N | M | W | XW |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|----------|---------|---|----------|----------|----------|
| 804-6379 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | MEN'S | | 5-14, 15 | 5-14, 15 | 5-14, 15 |
| | | | | | | | | WOMEN'S | | | | |





- Full-grain, flame-/abrasion-resisting leather/Vibram® rubber toe and heal bumper
- Removable Dual-density polyurethane footbed
- Lenzi L-Protection® flexible, non-metallic, puncture-resisting insole
- Steel Triple-rib Ladder shank
- Exclusive Vibram® Chiseled Edge Fire and Ice sole
- Goodyear Storm Welt construction
- Certified to meet NFPA 1971
- Certified to meet ASTM F2413-11









to work as hard as you do, for as long

| STYLE # | SLIP- RESISTING | WATERPR00F | PUNCTURE- RESISTING | BLOOD-BORNE PATHOGENS | EH/SD | TOE PROTECTION | WILDLAND | SIZES: | N | М | W | XW |
|----------|--------------------|------------|------------------------|--------------------------|-------|-------------------|----------|---------|------|------|------|------|
| 804-6379 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | MEN'S | | 5-16 | 5-16 | 5-16 |
| 504-6379 | ✓ | • | ✓ | • | EH | Comp [75] | ✓ | WOMEN'S | 5-10 | 5-10 | 5-10 | |

as you do.

TECHNICAL FEATURES

















- **Heat-Resisiting** KEVLAR® thread
- B. AZTEC Lining
- StedAir® Waterproof Blood-Borne Pathogen Barrier
- **Scuff-Resisting Vibram Rubber Toe**
- Steel Triple Ladder Shank
- Vibram® Chiseled-Edge Fire and Ice Sole



DOWN TO THE SOLE



KEY

A = BEST

B = BETTER

C = GOOD



| | FIRE SOLES | | | | | | | | | | | | | |
|--------|------------|--------|--------|--|--|--|--|--|--|--|--|--|--|--|
| SOLE 1 | SOLE 2 | SOLE 3 | SOLE 4 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| | VIBRAM® ATS FIRE & ICE SOLE | TRACTION FLEX SOLE | EXCLUSIVE VIBRAM® CHISELED EDGE FIRE & ICE SOLE | HELLFIRE™ Traction Lug |
|------------------------|-----------------------------------|--------------------------|---|------------------------------|
| Abrasion Resistance | А | А | А | А |
| Oil Resistance | А | А | А | С |
| Heat Resistance | А | А | А | А |
| Chip Resistance | А | А | А | А |
| Slip Resistance | А | А | А | А |



For Women's size, order Men's size below it on chart. (example: Women's 8, order Men's 6)

| Women's | 5 | 51/2 | 6 | 61/2 | 7 | 71/2 | 8 | 81/2 | 9 | 91/2 | 10 | 101/2 | 11 | 111/2 | 12 | | | | | | | |
|---------|---|------|---|------|---|------|---|------|---|------|----|-------|----|-------|----|-------|----|--------|----|----|----|----|
| Men's | 3 | 31/2 | 4 | 41/2 | 5 | 51/2 | 6 | 61/2 | 7 | 71/2 | 8 | 81/2 | 9 | 91/2 | 10 | 101/2 | 11 | 1111/2 | 12 | 13 | 14 | 15 |



7200 POE AVENUE, SUITE 400 DAYTON, OHIO 45414 | 800.421.2926 www.lionprotects.com

Put LION's high-performance fire boots to work for you. Check us out at your local LION dealer:

GET SOCIAL WITH US:



FACEBOOK facebook.com/lionconnects
INSTAGRAM instagram.com/lion_firegear
TWITTER twitter.com/lion_gear
PINTEREST pinterest.com/lionfiregear
YOUTUBE youtube.com/lionconnects