



# BULLSEYE™

## Non-Butyl Degreaser Cleaner

### DESCRIPTION

A revolutionary industrial strength degreaser cleaner based on the newest detergent penetrants and grease solubilizers. This product utilizes high speed degreasing emulsifiers, a complex detergent system, followed with anti-re-soiling agents, corrosion inhibitors, carbon removers, scum removers, and odorless wax removers to produce the most complex, complete, non-butyl degreaser cleaner available.

### PRODUCT FEATURES / BENEFITS

- Multiple applications / Designed for use by hand, mechanical, pressure, steam and auto scrubbers.
- Metal-safe non-corrosive formula / Can be used on all ferrous and non-ferrous surfaces
- Free rinsing / Will not leave a residue
- Super concentrate / Allows for economical dilution for all cleaning and degreasing applications
- Non-butyl, non-voc solvent

### DIRECTIONS FOR USE

Effectively cleans floors, walls, tools, bathrooms, fixtures, machinery, food processing equipment, building exteriors, trucks, buses, trains, farm equipment, boats, recreation equipment, industrial equipment, machine shops, stoves, printing equipment, office equipment, heating and air conditioning equipment, plastics, metals, rubber, cement, glass and all other washable surfaces. Excellent for removing heavy grease, oils, stains, inks, soot, waxes, floor finish, mildew, scum, tar, lipstick, road film, soap film, wet paint, creosote, smoke stains, food residues, rubber burns, crayon and pencil marks, and other stubborn soils.

Using the handy dilution chart as a guideline, apply the product by spray, brush, soak tank, automatic scrubber, pressure washer, steam cleaner, mop, cloth, or sponge. Allow sufficient contact time

for the product to work, agitate if necessary and rinse.

**For Food Contact Surfaces:** Rinse thoroughly with potable water before reuse.

**For cleaning resilient and non resilient floors, walls, building exterior, plastics and vinyl upholstery, and automotive:** dilute 1 oz per gallon (1:128).

**For wax stripping, trucks, metal cleaning, pre-paint cleaning:** dilute 10 ounces per gallon (1:12).

**For bath, shower, and locker room facilities:** dilute 4 ounces per gallon (1:30).

**For food processing applications, machine and automotive shops, and other very heavy duty degreasing:** dilute 40 ounces per gallon (1:3).

### SPECIFICATIONS

Odor.....	Pleasant
Color.....	Violet
pH (Concentrate).....	13.3 ± 0.3
pH (1:30).....	12.3 ± 0.2
Foam Height.....	Controlled
Solubility.....	Complete in water
Specific Gravity (g/cc).....	1.05 ± 0.01
Density (lbs/gal).....	8.7 ± 0.1
Viscosity (cps).....	< 5
Flash Point.....	None

Flammable.....	No
High Temp. Cloud .....	> 135°F
Low Temp. Cloud.....	< 32°F
Freeze-Thaw Stable .....	Yes
Biodegradable .....	Yes
Deodorant .....	Yes
Anti-soiling .....	Yes
Degreasing .....	Excellent
Cleaning .....	Excellent
Shelf Life.....	1 year minimum in original unopened container

### SAFETY INFORMATION

**DANGER:** CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF THE REACH OF CHILDREN.

#### Precautionary statement

**Prevention:** Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.



**Storage:** Keep container tightly closed. Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at [www.nclonline.com](http://www.nclonline.com)

Meets the requirements for USDA Authorization Class A1.

For Commercial and Industrial Use Only



DEGREASER



401 N. 10th Street • Philadelphia, PA 19123  
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517  
[www.nclonline.com](http://www.nclonline.com) • e-mail:[info@nclonline.com](mailto:info@nclonline.com)


## **SAFETY DATA SHEET**

### **Section 1 - Identification**

Product Identifier	BULLSEYE Non-Butyl Degreaser Cleaner
Other means of identification	1040
Recommended use	Alkaline cleaner.
Recommended restrictions	For commercial and industrial use only.
<b>Manufacturer / Importer / Supplier / Distributor Information</b>	
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@nclonline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

### **Section 2 - Hazard(s) Identification**

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category
Physical Hazards	Not Classified	
Health Hazards	Serious eye damage/eye irritation	1
	Skin corrosion/irritation	1
OSHA defined hazards	Not Classified.	
Label Elements		
Hazard Symbol		
Signal Word	Danger	
Hazard Statement	Causes severe skin burns and eye damage.	
Precautionary statement		
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.	
Storage	Keep container tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	

### **Section 3 - Composition/Information on ingredients**

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	2-(2-Butoxyethoxy) Ethanol	112-34-5	1 - 5
	Sodium Hydroxide	1310-73-2	1 - 5

### **Section 4 - First-aid Measures**

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

# SAFETY DATA SHEET

<b>Most Important symptoms /effects, acute and delayed</b>	so that stomach content doesn't get into the lungs.
<b>Indication of immediate medical attention and special treatment</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
<b>General Information</b>	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## Section 5 - Fire-fighting measures

<b>Suitable extinguishing media</b>	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment /instructions</b>	Move containers from fire area if you can do it without risk.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Specific Methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## Section 6 - Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures.</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

## Section 7 - Handling and storage

<b>Precautions for safe handling</b>	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## Section 8 - Exposure control/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium Hydroxide (CAS 1310-73-2)	TWA	2 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Component	Type	Value	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>	
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m <sup>3</sup>

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

**Individual protection measures, such as personal protective equipment**

## SAFETY DATA SHEET

<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles) and a face shield.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment normally required.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### Section 9 - Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Form</b>	Clear, thin liquid.
<b>Color</b>	Violet.
<b>Odor</b>	Mild, pleasant.
<b>Odor threshold</b>	Not available.
<b>pH</b>	13.3
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	212 °F (100 °C)
<b>Flash point</b>	> 212.0 °F (> 100.0 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Similar to water.
<b>Vapor density</b>	Similar to water.
<b>Relative density</b>	1.05 ± 0.01
<b>Relative density temperature</b>	75 °F (23.89 °C)
<b>Solubilities</b>	Completely Soluble
<b>Partition Coefficient n-octanol/water</b>	Not available
<b>Auto-ignition temperature</b>	Not Available
<b>Decomposition temperature</b>	Not Available
<b>Viscosity</b>	<10 cP
<b>Viscosity Temperature</b>	75 °F (23.89 °C)

### Section 10 - Stability and reactivity

<b>Reactivity</b>	Reacts violently with strong acids. This product may react with oxidizing agents.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to Avoid</b>	Do not mix with other chemicals. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong acids. Acids. Strong oxidizing agents. Oxidizing agents.
<b>Hazardous Decomposition Products</b>	No hazardous decomposition products are known.

### Section 11 - Toxicological information

<b>Information on likely routes of exposure</b>	
<b>Ingestion</b>	Causes digestive tract burns. Harmful if swallowed.
<b>Inhalation</b>	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes severe skin burns. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.
<b>Eye contact</b>	Causes serious eye damage.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
<b>Information on toxicological effects.</b>	
<b>Acute toxicity</b>	Harmful if swallowed. May cause respiratory irritation.

## SAFETY DATA SHEET

Components	Level	Type	Code	Species	Results
Sodium Hydroxide (CAS 1310-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)	Acute	Dermal	LD50	Rabbit	2764 mg/kg, (N
<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.				
<b>Serious eye damage/ eye irritation</b>	Causes serious eye damage.				
<b>Respiratory sensitization</b>	This product is not expected to cause respiratory sensitization.				
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.				
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.				
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.				
<b>Specific target organ toxicity - single exposure</b>	May cause respiratory irritation.				
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.				
<b>Aspiration hazard</b>	Not classified.				
<b>Chronic effects</b>	May be harmful if absorbed through skin. Prolonged inhalation may be harmful. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.				

### Section 12 - Ecological Information

Ecotoxicity	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Partition coefficient n-octanol / water log (Kow)			
Components			Results
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)			0.56
Mobility in soil	No data available.		
Mobility in general	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

### Section 13 - Disposal considerations

<b>Disposal instructions</b>	Dispose in accordance with applicable federal, state, and local regulations.				
<b>Local disposal regulations</b>	Dispose of in accordance with local regulations.				
<b>Hazardous waste code</b>	Waste codes should be assigned by the user based on the application for which the product was used.				
<b>Waste from residues / unused products</b>	Dispose in accordance with all applicable regulations.				
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied.				

### Section 14 - Transport information

DOT

UN number	UN1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, N34, T7, TP2
Packaging exemption	154
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards	No.
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other Information	

# SAFETY DATA SHEET

## IMDG

UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packaging group	II
Environmental hazards	No.
Marine pollutant	
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

## Section 15 - Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

**TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)** Not regulated.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)** Not listed.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Components	Result
Sodium Hydroxide (CAS 1310-73-2)	LISTED
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)	LISTED

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard Categories</b>	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** No

### SARA 313 (TRI reporting)

Chemical name	CAS #	% by wt.
2-(2-Butoxyethoxy) Ethanol	112-34-5	1 - 5

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Components
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)** Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

## US state regulations

### US.Massachusetts RTK - Substance List

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

### US.New Jersey Worker and Community Right-to-Know Act

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

### US.Pennsylvania RTK - Hazardous Substances

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

### US.Rhode Island RTK

Components
Sodium Hydroxide (CAS 1310-73-2)
2-(2-Butoxyethoxy) Ethanol (CAS 112-34-5)

### US - California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

## SAFETY DATA SHEET

Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

\*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### Section 16 - Other information, including date of preparation or last version

Issue date	10/15/2014
Version #	01
Disclaimer	<p>The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS.</p> <p>Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.</p>



#### Directions:

For light cleaning and degreasing, dilute 1-2 oz. of BULLSEYE™ per gallon of water. For moderate greases and soils, dilute 4-8 oz. of BULLSEYE™ per gallon of water. For heavy grease removal, dilute 16 oz. of BULLSEYE™ per gallon of water. Apply to surface by mop, sponge or spray. Agitate if necessary; rinse and allow to dry. **For Food Contact Surfaces:** Rinse thoroughly with potable water before re-use. Refer to the handy dilution chart below as a guideline for specific applications:

SOIL CONDITIONS	DILUTION RATE
-----------------	---------------

For Cleaning Resilient and Non-Resilient Floors, Walls, Building Exteriors, Plastics and Vinyl Upholstery, and Automotive:	1 oz. per gallon (1:128)
--	--------------------------

For Wax Stripping, Trucks, Metal Cleaning, Pre-Paint Cleaning: For Wax Stripping, Trucks, Metal Cleaning, Pre-Paint Cleaning:	10 oz. per gallon (1:12)
---	--------------------------

For Bath, Shower, and Locker Room Facilities:	4 oz. per gallon (1:30)
---	-------------------------

For Food Processing Applications, Machine and Automotive Shops, and other Very Heavy Duty Degreasing:	40 oz. per gallon (1:3)
---	-------------------------

#### Instrucciones para Uso:

Para la limpieza ligera y desengrasar, diluya 1-2 onza de la BULLSEYE™ por el galón de agua. Para las grasas y los suelos moderados, diluya 4-8 onza de la BULLSEYE™ por el galón de agua. Para el retiro pesado de la grasa, diluya 16 onzas de la BULLSEYE™ por el galón de agua. Aplíquese a la superficie cerca aljofían, esponja o aerosol. Agite en caso de necesidad; aclare y permita para secarse. **Para Las Superficies De Contacto Del Alimento:** Aclaración a fondo con agua potable antes de la reutilización. Refiera a la carta práctica de la dilución abajo como pauta para los usos específicos:

CONDICIONES DEL SUELO	TARIFA DE LA DILUSIÓN
-----------------------	-----------------------

Para los pisos de la limpieza, las paredes, los exteriores del edificio, los plásticos y la tapicería del vinilo, y automotor resistentes y No-Resistentes:	1 onza por galón (1:128)
---	--------------------------

Para La Cera Que pela, Los Carros, Limpieza Del Metal, Pre Pintan La Limpieza: Para La Cera Que pela, Carros, Limpieza Del Metal, Limpieza De la Pre-Pintura:	10 onza por galón (1:12)
---	--------------------------

Para el baño, la ducha, y las instalaciones del sitio del armario:	4 onza por galón (1:30)
--	-------------------------

Para los usos de la transformación de los alimentos, la máquina y las tiendas automotoras, y otro desengrasar muy resistente:	40 onza por galón (1:3)
---	-------------------------



World Class Cleaning Solutions®



Degreaser Cleaner

# Bullseye™

## Non-Butyl Degreaser Cleaner Concentrate

A revolutionary industrial strength degreaser cleaner that rapidly removes the most stubborn greasy soils!

**DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.**  
See back panel for additional precautions and treatment.

**PELIGRO: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS.**  
Ver panel lateral para las medidas preventivas adicionales.

NET CONTENTS: 1 GALLON / 3.79 LITERS

National Chemical Laboratories, Inc.  
Philadelphia, PA 19123 USA • (800) 628-2436  
www.ncnline.com

Product No.: 1040



**DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF THE REACH OF CHILDREN.**

#### Precautionary statement

**Prevention:** Do not breathe mist or vapor.

Wash thoroughly after handling. Wear protective gloves/ protective clothing/eye protection/face protection.

**Response:** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/ doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

#### Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.ncnline.com

**PELIGRO: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.**

#### Consejos de prudencia

**Prevención:** No respirar vapores o niebla. Lávese cuidadosamente después de la manipulación. Usar guantes protectores y ropa de protección/protección para los ojos/la cara.

**Respuesta:** En caso de ingestión: Enjuagar la boca. No se debe inducir el vómito. Si en la piel (o el pelo): quitarse inmediatamente la ropa contaminada. Enjuagar con abundante agua y ducha. Si se inhala: Llevar a la persona a mantener aire fresco y cómodo para la respiración. Si en los ojos: Enjuague con cuidado con agua durante varios minutos. Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Inmediatamente llame a un centro de envenenamientos/médico. Tratamiento específico (ver esta etiqueta). Lavar la ropa contaminada antes de volver a utilizarlo.

**Almacenamiento:** Store está bloqueado.

**Eliminación:** Disponer de contenidos/contenedor de conformidad con local/regional/nacional/internacional.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard, 29 CFR 1910.1200. TDodos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

#### Medidas adicional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.ncnline.com

CONTAINS: 2-(2-Butoxyethoxy) Ethanol CAS # 112-34-5, Sodium Hydroxide CAS # 1310-73-2

★★ MADE IN USA ★★

1040-29-0315



FOR COMMERCIAL AND INDUSTRIAL USE ONLY  
**QUESTIONS?**  
Call (800) 628-2436



To learn more about this product, scan this QR code to visit our website.



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123  
1-800-MAT-CHEM • 215-922-1200 • FAX: 215-922-5517  
www.ncnline.com • e-mail: info@ncnline.com