

APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- ✔

Possible
- 🌀

Sliced BuzziFelt

Product			CAT B				CAT C		CAT D		CAT E	CAT F
			Terra	Clara 2	Remix 2	Velvet	Tartan	Hero	Tonus 4	Tonus Meadow	Memory 2	Matrix
			100% Pure New Wool	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	100% Pure New Wool or 100% Lambswool	96% New Wool 4% Nylon	90% New Wool 10% Helanca	90% New Wool 10% Helanca	100% Trevira CS	100% Trevira CS
BuzziBack			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziBag			○	○	○	○	○	○	○	○	○	○
BuzziBalance			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziBassTrap			✔	○	○	○	○	✔	○	○	○	○
BuzziBell			○	○	○	○	○	○	○	○	○	○
BuzziBlind Classic			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziBlind	No lines		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	Lines		○	○	○	○	○	○	○	○	○	○
BuzziBlox			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziBoard			○	○	○	○	○	○	○	○	○	○
BuzziBooth	Single		○	○	○	○	○	○	○	○	✔	○
	Standing		○	○	○	○	○	○	○	○	✔	○
	Side by side		○	○	○	○	○	○	○	○	✔	○
BuzziBooth Screen	Single		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	Double		○	○	○	○	○	○	○	○	✔	○
BuzziBooth Targa	H 120		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	H 135		○	○	○	○	○	○	○	○	✔	○
BuzziBounce			✔	✔	✔	○	○	○	○	○	✔	○
BuzziBox			○	○	○	○	○	○	○	○	○	○
BuzziBox Travel			○	○	○	○	○	○	○	○	○	○
BuzziBrickBack			○	○	○	○	○	○	○	○	○	○
BuzziCactus			✔	✔	✔	○	○	✔	✔	✔	✔	○
BuzziCane			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziChandelier			○	○	○	○	○	○	○	○	○	○
BuzziClipse			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziCockpit			✔	○	○	○	○	✔	✔	✔	○	○
BuzziCube	Flat		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	3D		○	○	○	○	○	○	○	○	✔	○
BuzziDesk			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziDesk FlipFlop			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziDesk Split			○	○	○	○	○	○	○	○	○	○
BuzziDonut			✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziFalls			○	○	○	○	○	○	○	○	○	○
BuzziFalls Standing			○	○	○	○	○	○	○	○	○	○
BuzziFloat			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziFree	H ≤ 120 cm	W ≤ 200 cm	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	H ≤ 140 cm	W ≤ 120 cm	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	H ≤ 140 cm	W ≤ 200 cm	○	○	○	○	○	○	○	○	✔	○
	H ≤ 160 cm	W ≤ 120 cm	✔	✔	✔	✔	○	✔	✔	✔	✔	✔

Find the latest update of the application
overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

- Not possible
- ✔ Possible
- ☉ Sliced BuzziFelt

Product			Felt	Leather		CAT A					
				Vegetal	Vintage	Fabric	Rough	Trevira CS ⁺	Trevira CS	Revive 1	Revive 2
			100% Recycl RE.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR	100% Recycl. polyester FR
BuzziFree	H ≤ 160 cm	W ≤ 140 cm	✔	○	○	✔	✔	✔	○	○	○
	H ≤ 160 cm	W ≤ 180 cm	✔	○	○	○	○	○	○	○	○
	H ≤ 180 cm	W ≤ 120 cm	✔	○	○	✔	✔	✔	✔	✔	✔
	H ≤ 180 cm	W ≤ 140 cm	✔	○	○	✔	✔	✔	○	○	○
	H ≤ 180 cm	W ≤ 180 cm	✔	○	○	○	○	○	○	○	○
BuzziFrio			✔	○	○	✔	✔	✔	✔	✔	✔
BuzziFrontDesk			✔	○	○	✔	✔	✔	✔	✔	✔
BuzziGrid			✔	○	○	○	○	○	○	○	○
BuzziGrip			✔	○	○	○	○	○	○	○	○
BuzziHat			○	○	○	✔	✔	✔	✔	✔	✔
BuzziJet			○	○	○	✔	✔	✔	✔	✔	✔
BuzziHive			○	○	○	✔	✔	✔	✔	✔	✔
BuzziHood	Flat		○	○	○	✔	✔	✔	✔	✔	✔
	3D		○	○	○	✔	✔	✔	✔	✔	✔
BuzziHub	Hub		○	○	○	✔	✔	✔	○	○	○
	Side		○	○	○	✔	✔	✔	○	○	○
	Single		○	○	○	✔	✔	✔	○	○	○
	Bench		○	○	○	✔	✔	✔	✔	✔	✔
	Cushion		○	○	○	✔	✔	✔	✔	✔	✔
	Armrest		○	○	○	✔	✔	✔	✔	✔	✔
BuzziHub Table			✔	○	○	○	○	○	○	○	○
BuzziLand	Oval / Round Flat		○	○	○	✔	✔	✔	✔	✔	✔
	Oval / Round 3D		○	○	○	✔	✔	✔	✔	✔	✔
	Virgule		○	○	○	✔	✔	✔	✔	✔	✔
BuzziLight Mono			✔	○	○	○	○	○	○	○	○
BuzziLight Alhambra / Royal			✔	○	○	○	○	○	○	○	○
BuzziLoose	Flat		✔	○	○	✔	✔	✔	✔	✔	✔
	3D		○	○	○	✔	✔	✔	✔	✔	✔
BuzziMe			○	○	○	✔	✔	✔	✔	✔	✔
BuzziMilk			○	✔	○	✔	✔	✔	✔	✔	✔
BuzziMoon			○	○	○	✔	✔	✔	✔	✔	✔
BuzziNordic	ST101		○	✔	○	✔	✔	✔	✔	✔	✔
	ST111		○	✔	○	✔	✔	✔	✔	✔	✔
	ST102		○	✔	○	✔	✔	✔	✔	✔	✔
	ST103		○	✔	○	✔	✔	✔	✔	✔	✔
	ST101 Ottoman		○	✔	○	✔	✔	✔	✔	✔	✔
	ST111 Ottoman		○	✔	○	✔	✔	✔	✔	✔	✔
	ST101 Footstool		○	✔	○	✔	✔	✔	✔	✔	✔

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- ✔ Possible
- ☉ Sliced BuzziFelt

Product			CAT B				CAT C		CAT D		CAT E	CAT F
			Terra	Clara 2	Remix 2	Velvet	Tartan	Hero	Tonus 4	Tonus Meadow	Memory 2	Matrix
			100% Pure New Wool	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	100% Pure New Wool or 100% Lambswool	96% New Wool 4% Nylon	90% New Wool 10% Helanca	90% New Wool 10% Helanca	100% Trevira CS	100% Trevira CS
BuzziFree	H ≤ 160 cm	W ≤ 140 cm	○	○	○	○	○	○	○	○	✔	○
	H ≤ 160 cm	W ≤ 180 cm	○	○	○	○	○	○	○	○	○	○
	H ≤ 180 cm	W ≤ 120 cm	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	H ≤ 180 cm	W ≤ 140 cm	○	○	○	○	○	○	○	○	✔	○
	H ≤ 180 cm	W ≤ 180 cm	○	○	○	○	○	○	○	○	○	○
BuzziFrio			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziFrontDesk			✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziGrid			○	○	○	○	○	○	○	○	○	○
BuzziGrip			○	○	○	○	○	○	○	○	○	○
BuzziGrip			○	○	○	○	○	○	○	○	○	○
BuzziHat			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziJet			✔	✔	✔	○	○	✔	✔	✔	✔	○
BuzziHood	Flat		✔	✔	✔	○	✔	✔	✔	✔	✔	✔
	3D		✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziHub	Hub		○	○	○	○	○	○	○	○	✔	○
	Side		○	○	○	○	○	○	○	○	✔	○
	Single		○	○	○	○	○	○	○	○	✔	○
	Bench		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	Cushion		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	Armrest		✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziHub Table	Acoustic layer		○	○	○	○	○	○	○	○	○	○
BuzziLand	Oval / Round Flat		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	Oval / Round 3D		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	Virgule		✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziLight Mono			○	○	○	○	○	○	○	○	○	○
BuzziLight Alhambra / Royal			○	○	○	○	○	○	○	○	○	○
BuzziLoose	Flat		✔	✔	✔	○	○	✔	✔	✔	✔	✔
	3D		✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziMe			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziMilk			✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
BuzziMoon			✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziNordic	ST101		✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
	ST111		✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
	ST102		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	ST103		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	ST101 Ottoman		✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
	ST111 Ottoman		✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
	ST101 Footstool		✔	✔	✔	✔	✔	✔	✔	✔	✔	✔

Find the latest update of the application
overview on our website: www.buzzi.space

APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- ✔ Possible
- ◎ Sliced BuzziFelt

Product		Felt	Leather		CAT A					
			Vegetal	Vintage	Fabric	Rough	Trevira CS+	Trevira CS	Revive 1	Revive 2
		100% Recycl RE.T. Felt	100% Leather	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Polyacryl	100% Trevira	100% Trevira	100% Recycl. polyester FR	100% Recycl. polyester FR
BuzziNordic ST200		○	○	✔	○	○	○	○	○	○
BuzziPicNic	Desk High Connect Panel	✔	○	○	○	○	○	○	○	○
	Bench Cushion	○	○	○	✔	✔	✔	✔	✔	✔
BuzziPlant		○	○	○	✔	✔	✔	✔	✔	✔
BuzziPleat		✔	○	○	✔	○	○	○	○	○
BuzziPleat LED		✔	○	○	○	○	○	○	○	○
BuzziPod	Flat / 3D	○	○	○	✔	✔	✔	✔	✔	✔
BuzziPouf	Flat	○	○	○	✔	✔	✔	✔	✔	✔
	3D	○	○	○	✔	✔	✔	✔	✔	✔
BuzziProp LED		○	○	○	✔	✔	✔	✔	✔	✔
BuzziPuzzle		○	○	○	✔	✔	✔	✔	✔	✔
BuzziResofuser		◎	○	○	✔	✔	✔	✔	✔	✔
BuzziScreen		✔	○	○	✔	✔	✔	✔	✔	✔
BuzziScreen Mix		✔	○	○	✔	✔	✔	✔	✔	✔
BuzziSeat		◎	○	○	✔	✔	✔	✔	○	○
BuzziShade	Pendant	✔	○	○	✔	○	○	○	○	○
	Standing	✔	○	○	○	○	○	○	○	○
BuzziSkin		✔	○	○	○	○	○	○	○	○
BuzziSkin Cuts		✔	○	○	○	○	○	○	○	○
BuzziSkin Printed		✔	○	○	○	○	○	○	○	○
BuzziSpark	Shields	○	○	○	✔	✔	✔	✔	○	○
	Cushions	○	✔	○	✔	✔	✔	✔	✔	✔
BuzziSpot	Flat	○	○	○	✔	✔	✔	✔	✔	✔
	3D	○	○	○	✔	✔	✔	✔	✔	✔
BuzziTemp		○	○	○	✔	✔	✔	✔	✔	✔
BuzziTile	Flat	○	○	○	✔	✔	✔	✔	✔	✔
	3D	○	○	○	✔	✔	✔	✔	✔	✔
BuzziTotem		○	○	○	✔	✔	✔	✔	✔	✔
BuzziTwist		◎	○	○	○	○	○	○	○	○
BuzziVille	Panel H 120 cm	○	○	○	✔	✔	✔	✔	✔	✔
	Panel H 135 cm	○	○	○	✔	✔	✔	○	○	○
	Panel H 150 cm	○	○	○	✔	✔	✔	○	○	○
	Panel H 180 cm	○	○	○	✔	✔	✔	○	○	○
	Bench	○	○	○	✔	✔	✔	✔	○	○
	Booth / Booth Standing	○	○	○	✔	✔	✔	○	○	○
	Hub	○	○	○	✔	✔	✔	○	○	○
	Hub Open	○	○	○	✔	✔	✔	○	○	○
	Split Panel	○	○	○	✔	✔	✔	✔	✔	✔
	BuzziWings		✔	○	○	✔	✔	✔	✔	✔
BuzziWrap Desk		✔	○	○	○	○	○	○	○	○
BuzziZepp		○	○	○	✔	○	✔	✔	✔	✔
BuzziZepp LED		○	○	○	✔	○	✔	✔	✔	✔
BuzziZone	Zone	✔	○	○	○	○	○	○	○	○
	Connection Parts	○	○	○	✔	○	○	○	○	○

Find the latest update of the application
overview on our website: www.buzzi.space

APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- ✔ Possible
- ☉ Sliced BuzziFelt

Product		CAT B				CAT C		CAT D		CAT E	CAT F
		Terra	Clara 2	Remix 2	Velvet	Tartan	Hero	Tonus 4	Tonus Meadow	Memory 2	Matrix
		100% Pure New Wool	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	100% Pure New Wool or 100% Lambswool	96% New Wool 4% Nylon	90% New Wool 10% Helanca	90% New Wool 10% Helanca	100% Trevira CS	100% Trevira CS
BuzziNordic ST200		○	○	○	○	○	○	○	○	○	○
BuzziPicNic	Desk High Connect Panel	○	○	○	○	○	○	○	○	○	○
	Bench Cushion	✔	✔	✔	✔	✔	✔	✔	✔	✔	✔
BuzziPlant		✔	✔	✔	○	○	✔	✔	✔	✔	○
BuzziPleat		○	○	○	○	○	○	○	○	○	○
BuzziPleat		○	○	○	○	○	○	○	○	○	○
BuzziPod	Flat / 3D	✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziPouf	Flat	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	3D	✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziProp LED		✔	✔	✔	○	○	✔	✔	✔	✔	○
BuzziPuzzle		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziResofuser		○	○	○	○	○	○	○	○	○	○
BuzziScreen		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziScreen Mix		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziSeat		○	○	○	○	○	○	○	○	○	○
BuzziShade	Pendant	✔	○	○	○	○	✔	○	○	○	○
	Standing	○	○	○	○	○	○	○	○	○	○
BuzziSkin		○	○	○	○	○	○	○	○	○	○
BuzziSkin Cuts		○	○	○	○	○	○	○	○	○	○
BuzziSkin Printed		○	○	○	○	○	○	○	○	○	○
BuzziSpark	Shield	✔	✔	○	✔	○	✔	✔	✔	✔	✔
	Cushions	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziSpot	Flat	✔	✔	✔	✔	○	✔	✔	✔	✔	✔
	3D	✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziTemp		✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziTile	Flat	✔	✔	✔	○	○	✔	✔	✔	✔	✔
	3D	✔	✔	✔	○	○	✔	✔	✔	✔	✔
BuzziTotem		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziTwist		○	○	○	○	○	○	○	○	○	○
BuzziVille	Panel H 120 cm	✔	✔	✔	○	○	○	○	○	○	○
	Panel H 135 cm	○	○	○	○	○	○	○	○	○	○
	Panel H 150 cm	○	○	○	○	○	○	○	○	○	○
	Panel H 180 cm	○	○	○	○	○	○	○	○	○	○
	Bench	✔	○	○	○	○	○	○	○	○	○
	Booth / Booth Standing	○	○	○	○	○	○	○	○	○	○
	Hub	○	○	○	○	○	○	○	○	○	○
	Hub Open	○	○	○	○	○	○	○	○	○	○
	Split Panel	✔	✔	✔	○	○	○	○	○	○	○
		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziWings		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziWrap Desk		○	○	○	○	○	○	○	○	○	○
BuzziZepp		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziZepp LED		✔	✔	✔	✔	○	✔	✔	✔	✔	✔
BuzziZone	Zone	○	○	○	○	○	○	○	○	○	○
	Connection Parts	✔	○	○	○	○	✔	○	○	○	○

Find the latest update of the application overview on our website: www.buzzi.space

FELT



BUZZIFELT
SLICED BUZZIFELT

BuzziFelt




FE-Anthracite 68


Composition 100% Recycled PE.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93”
Thickness 6 mm | 0.236”
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light EU: 6-7 | USA 5
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



FE-Jeans 75



FE-StoneGrey 67



FE-LightBlue 60



FE-Curry 61



FE-OffWhite 63



FE-Mokka 74



FE-EcoBrown 58



FE-Lime 64



FE-Pink 65



FE-Orange 66




FE-Red 59

Sliced BuzziFelt



Anthracite | Anthracite


Composition 100% Recycled PE.T. Felt
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Sliced BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.




Jeans | Jeans



StoneGrey | StoneGrey



LightBlue | LightBlue




Curry | Curry




OffWhite | OffWhite



Mokka | Mokka




EcoBrown | EcoBrown



Lime | Lime



Pink | Pink



Orange | Orange



Red | Red

FELT

BUZZIFELT
SLICED BUZZIFELT

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

FELT

BUZZIFELT
SLICED BUZZIFELT


Bicolor




OffWhite | Anthracite




OffWhite | Jeans




Offwhite | StoneGrey



OffWhite | Mokka




OffWhite | Curry



Offwhite | LightBlue




OffWhite | EcoBrown



OffWhite | Lime



OffWhite | Pink




OffWhite | Orange




OffWhite | Red

Multicolor




Grass

LightBlue
OffWhite
Lime




Savannah

LightBlue
EcoBrown
Orange




Colibri

LightBlue
StoneGrey
Pink



Toendra

LightBlue
StoneGrey
Lime



Tukan

LightBlue
Lime
StoneGrey
Red

EcoBrown
Orange
Pink

Anthracite
OffWhite
Curry



Zebra

Anthracite
StoneGrey
OffWhite



Jane

Anthracite
StoneGrey
OffWhite

White
Red
EcoBrown



Sigma

Anthracite
StoneGrey
OffWhite

White
Orange
EcoBrown

FELT


BUZZIFELT
SLICED BUZZIFELT

Note color deviation may occur.
Find the latest update of the material
specifications and colors on our
website: www.buzzi.space

CAT A

FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2

Fabric




FA-LightGrey
1000

Composition 75% Recycled Wool, 25% Recycled Polyacryl,
Weight 405 g/m² | 11.94 oz/yd²
Width 148 cm | 58.27”
Thickness 0,8 mm | 0.031 inch
Abrasion resistance 40.000 Martindale, 50.000 Wyzenbeek
Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A
Fastness to light EU: 4 | USA: 4
Fastness to rubbing EU: Wet 3-4 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Fabric from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



FA-Kiesel 7	FA-Ivory 101	FA-Naturel 1	FA-Beige 1037	FA-Dolphin 180	FA-Shitake 124	FA-DarkBrown 18
FA-Rust 29	FA-Taupe 1008	FA-Mint 50	FA-Azure 144	FA-Olive 53	FA-Army 14	FA-Zwart 1003
FA-MidGrey 1001	FA-Blue 45	FA-Petrol 56	FA-Purple 78	FA-Aubergine 74	FA-Prune 76	FA-Fuchsia 77
FA-Violet 72	FA-Navy 1007	FA-Indigo 90	FA-LightBlue 41	FA-Aqua 143	FA-OceanBlue 147	FA-Pistache 52
FA-Yellow 24	FA-Red 2011	FA-Fire 139	FA-Mandarin 129	FA-Orange 2012	FA-Pink 73	

Rough



RO-Taffy
185

Composition 100% Polyacryl
Weight 456 g/m² | 13.45 oz/yd²
Width 148 cm | 58.27”
Thickness 1,2 mm | 0.047”
Abrasion resistance 40.000 Martindale
Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
US: CAL TB 117
Fastness to light EU: 5
Fastness to rubbing EU: Wet: 3 | Dry: 3
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Rough from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



RO-Champagne 186	RO-Coffee 81	RO-Celery 80	RO-Lemon 122	RO-Lime 157	RO-Olive 53	RO-Turtle 88
RO-Forest 162	RO-Ash 40	RO-Dolphin 180	RO-Charcoal 79	RO-Denim 153	RO-IceBlue 43	RO-LightBlue 41
RO-Niagara 158	RO-Hunter 156	RO-SkyBlue 142	RO-Estate 152	RO-Hyacinth 159	RO-Imperial 189	RO-LolliPop 187
RO-Dahlia 188						

CAT A


FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT A

FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2

Trevira CS+ | Trevira CS



TRCS+ Hazy Mocca 9302

Composition 100% Polyester, Trevira CS
Weight 420 g/m² | 12.39 oz/yd²
Width Trevira CS+ 150 cm | 59.06" - Trevira CS 140 cm | 55.12"
Abrasion resistance 100.000 Martindale, 90.000 Wyzenbeek
Flammability EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)
USA: CAL TB 117
Fastness to light EU: 6 | USA: 5
Fastness to rubbing EU: Wet 4-5 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don't remove the Trevira CS+ | Trevira CS from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



TRCS Mocca 1029	TRCS Berry 4017	TRCS Orange 4030	TRCS Hazy Orange 9404	TRCS Red 4027	TRCS+ Hazy Red 9405	TRCS Yellow 3008
TRCS Hazy Yellow 9309	TRCS Mustard 3019	TRCS Pistache 7009	TRCS+ Hazy Green 9704	TRCS Hazy Jade 9703	TRCS Jade 7020	TRCS Hazy Pistache 9702
TRCS Hazy Ocean 9705	TRCS Hazy Petrol 9602	TRCS Petrol 6014	TRCS+ Ocean 6091	TRCS White 9106	TRCS Cloud 8001	TRCS+ Greige 1006
TRCS+ Grey 8009	TRCS Rock 9804	TRCS Hazy Grey 9107	TRCS+ Hazy Greige 9211	TRCS Sand 9212	TRCS+ Clay 2006	TRCS Hazy Clay 9217

TRCS Clay Black 9222	TRCS Marble 9228	TRCS Purple 9502	TRCS Black 8033	TRCS+ Anthracite 9805	TRCS Grey Black 9803	TRCS Fig 9503
TRCS Hazy Purple 9501	TRCS Indigo Black 9604	TRCS+ Indigo 6080	TRCS Hazy Blue 9601	TRCS Lavender 6006	TRCS Blue 6075	TRCS Blue Black 9603

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT A


FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2

CAT A

FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2


Revive 1

kvadrat




Revive 1
144

Composition 100% recycled polyester FR
Weight 430 g/lin.m
Width 140 cm | 55.11"
Abrasion resistance 60.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 5, wet 4-5
Pilling Note 4-5, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 60°C.
Drip drying.




Revive 2

kvadrat



Revive 2
133

Composition 100% recycled polyester FR
Weight 420 g/lin.m
Width 140 cm | 55.11"
Abrasion resistance 45.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 5, wet 4-5
Pilling Note 4-5, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 60°C.
Drip drying.



CAT A

FABRIC
ROUGH
TREVIRA CS+
TREVIRA CS
REVIVE 1
REVIVE 2

Note color deviation may occur.
Find the latest update of the material
specifications and colors on our
website: www.buzzi.space

CAT B

TERRA
CLARA 2
REMIX 2
VELVET

Terra




TE-Mauve
K36

Composition 100% Pure New Wool
Weight 370 g/m² | 10.91 oz/yd²
Width 137 cm | 53.94"
Abrasion resistance 40.000 Martindale, 25.000 Wyzenbeek
Flammability EU: BS 5852 CRIB 5 | BS 5867 PART 2 : 2008 : TYPE B
EN 1021.2/2006
USA: CAL TB 117
Fastness to light EU: 5 | USA: 5
Fastness to rubbing EU: Wet 4 | Dry 4
Fastness to crocking USA: Wet 4 | Dry 4
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don't wash. Don't remove the Terra from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



TE-Grape
AK19




TE-Airforce
AU24




TE-Lilac
K37



TE-Gorse
AM20



TE-Lovat
AN21



TE-Seagrass
AP22



TE-Mustard
K42



TE-Buttermilk
BB28



TE-Willow
BF31



TE-Pomegranate
AE17



TE-Strawberry
K35



TE-Violet
BM29



TE-Silver
N08



TE-Flint
P09



TE-Charcoal
R10



TE-Mocha
D03




TE-Walnut
X13




TE-Terracotta
AB15

Clara 2



Clara 2
144


Composition 92% new wool, 8% nylon
Weight 400 g/lin.m
Width 138 cm | 54.33"
Abrasion resistance 80.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning




Clara 2
148



Clara 2
184



Clara 2
188



Clara 2
244




Clara 2
248




Clara 2
273




Clara 2
277




Clara 2
384




Clara 2
388



Clara 2
423




Clara 2
427




Clara 2
544




Clara 2
548



Clara 2
643



Clara 2
647




Clara 2
793




Clara 2
797




Clara 2
884




Clara 2
888



Clara 2
933



Clara 2
937



Clara 2
983



Clara 2
987

kvadrat

CAT B

TERRA
CLARA 2
REMIX 2
VELVET

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT B


TERRA
CLARA 2
REMIX 2
VELVET

Remix 2



Remix 2
113

Composition 90% new wool, 10% nylon
Weight 415 g/lin.m
Width 138 cm | 54.33”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning



kvadrat

CAT B

TERRA
CLARA 2
REMIX 2
VELVET

Note color deviation may occur.
Find the latest update of the material
specifications and colors on our
website: www.buzzi.space

CAT B

TERRA
CLARA 2
REMIX 2
VELVET

Velvet



VE-Gold
401

Composition 100% PES
Weight 375 g/m² | 11.06 oz/yd²
Width 140 cm | 55.12”
Thickness 0,7mm | 0.0275”
Abrasion resistance >100.000 Martindale
Flammability USA: CAL TB 117
Fastness to light EU: 4-5
Fastness to rubbing EU: Wet 4 | Dry 4-5
Pilling EU: 4-5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Velvet from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



VE-Burgundy
201



VE-Blush
704



VE-Pearl
902



VE-Emperador
106



VE-Amber
300




VE-Peacock
600




VE-Botanic
501



VE-Crocodile
502



VE-Scarab
505



VE-Sky
601



VE-Prussian
606

Tartan




TA-Massif Charcoal
Red X13


Composition 100% Wool, color specific composition
Weight 475 g/m² | 14.01 oz/yd²
Width 137 cm | 53.94”
Abrasion resistance 30.000 Martindale, 20.000 Wyzenbeek
Flammability EU: BS 5852 CRIB 5 | BS 5867 PART 2 : 2008 : TYPE B
EN 1021.2/2006
USA: CAL TB 117
Fastness to light EU: 5 | USA: 5
Fastness to rubbing EU: Wet 4 | Dry 4
Fastness to crocking USA: Wet 4.5 | Dry 4.5
Match Weight ±5% | Width ±2%
⚠ Due to dimensional products we are upholstering, there can be areas where the pattern does not allign
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Tartan from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



TA-Buffalo
Red A01




TA-Charcoal
Ecrú U11




TA-Charcoal
Multi F04




TA-Beige
Natural R10



TA-Glacier
D05



TA-Blue
Multi X13



TA-Hessian
B02



TA-Grey
P21



TA-Grape
X21

CAT C


TARTAN
HERO

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space

CAT C

TARTAN
HERO

Hero




Hero
101

Composition 96% new wool, 4% nylon
Weight 580 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 45.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)
Fastness to light Note 5-6, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4-5
Pilling Note 3-4, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 30°C, wool programme. Drip drying.
Mount covers in slightly wet condition



kvadrat

Tonus Meadow



Tonus Meadow
115

Composition 90% new wool, 10% Helanca
Weight 665 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2
Önorm B1/Q1 | NF D 60 013 | UNI 9175 1IM
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 3, EN ISO 12945
Maintenance Vacuuming and dry cleaning.



kvadrat

CAT D

TONUS MEADOW
TONUS 4

Hero 141	Hero 151	Hero 181	Hero 191	Hero 201	Hero 211	Hero 231
Hero 311	Hero 381	Hero 411	Hero 441	Hero 451	Hero 481	Hero 511
Hero 541	Hero 551	Hero 601	Hero 681	Hero 701	Hero 711	Hero 751
Hero 791	Hero 901	Hero 931	Hero 941	Hero 981	Hero 991	

Tonus Meadow 116	Tonus Meadow 125	Tonus Meadow 126	Tonus Meadow 165	Tonus Meadow 166	Tonus Meadow 225	Tonus Meadow 226
Tonus Meadow 265	Tonus Meadow 266	Tonus Meadow 445	Tonus Meadow 446	Tonus Meadow 465	Tonus Meadow 466	Tonus Meadow 575
Tonus Meadow 576	Tonus Meadow 675	Tonus Meadow 676	Tonus Meadow 715	Tonus Meadow 716	Tonus Meadow 915	Tonus Meadow 916
Tonus Meadow 975	Tonus Meadow 976					

Note color deviation may occur.
Find the latest update of the material
specifications and colors on our
website: www.buzzi.space

CAT D

TONUS MEADOW

TONUS 4

Tonus 4




Tonus 4
100

Composition 90% new wool, 10% Helanca
Weight 665 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2
Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 3-5, wet 3-5
Pilling Note 3, EN ISO 12945
Maintenance Vacuuming and dry cleaning



Tonus 4
118



Tonus 4
125



Tonus 4
128



Tonus 4
129



Tonus 4
130



Tonus 4
131



Tonus 4
132




Tonus 4
135



Tonus 4
207




Tonus 4
210




Tonus 4
216



Tonus 4
224



Tonus 4
240



Tonus 4
244



Tonus 4
364



Tonus 4
374



Tonus 4
394



Tonus 4
424



Tonus 4
440



Tonus 4
454



Tonus 4
464



Tonus 4
474



Tonus 4
508



Tonus 4
554



Tonus 4
605




Tonus 4
608



Tonus 4
609



Tonus 4
610



Tonus 4
613



Tonus 4
615



Tonus 4
619



Tonus 4
631



Tonus 4
634



Tonus 4
636



Tonus 4
654




Tonus 4
664



Tonus 4
684




Tonus 4
690



Tonus 4
754



Tonus 4
764



Tonus 4
854



Tonus 4
914



Tonus 4
934



Tonus 4
954



Tonus 4
964



Tonus 4
974

kvadrat

CAT D

TONUS MEADOW

TONUS 4

Note color deviation may occur.
Find the latest update of the material
specifications and colors on our
website: www.buzzi.space

LEATHER

VEGETAL
VINTAGE

Vegetal



VG-Black
98



VG-Cognac
91

Raw material Scandinavian Bullhides
Thickness 1,2 - 1,4 mm | 0.047 - 0.055 inch
Surface Pure Aniline
Flammability EU: EN 1021.1 - BS 5852 PART 1 (cigarette)
EN 1021.2 - BS 5852 PART 1 (match)
USA: CAL TB 117
Fastness to light EU: 3 Blue Scale (72h exposition)
Fastness to rubbing EU: Wet: 20 cycles/3 | Dry: 50 cycles/3
Sweat: 20 cycles/3
Strength Tear resistance: >20N or 10N/mm thickness
Tensile: >20N/mm²
Elongation: 40-70%
Match Normal life markings (scars, wrinkles, scratches) certify the authenticity of the leather.
Maintenance Dust with a soft cloth regularly. Don't expose to direct sunlight. Be careful with sharp objects. Spills should be blotted with a soft absorbent cloth. Don't rub. Never use detergents, shoe polish, alkalized products.

Vintage



VN-Brown
63009

Raw material European New Zealand Bullhides
Thickness 1,0 - 1,2 mm | 0.039 - 0.047 inch
Surface Pure Aniline
Flammability EU: EN 1021.1 - BS 5852 PART 1 (cigarette)
EN 1021.2 - BS 5852 PART 1 (match)
Fastness to light EU: 3 Blue Scale (72h exposition)
Fastness to rubbing EU: Wet 20 cycles/4 | Dry 100 cycles/4
Sweat 20 cycles/4
Strength Tear resistance: >20N or 10N/mm thickness
Tensile: >20N/mm²
Elongation: 40-70%
Match Normal life markings (scars, wrinkles, scratches) certify the authenticity of the leather.
Maintenance Dust with a soft cloth regularly. Don't expose to direct sunlight. Be careful with sharp objects. Spills should be blotted with a soft absorbent cloth. Don't rub. Never use detergents, shoe polish, alkalized products.



VN-Black
6842



VN-Grey
6855



VN-Beige
6691



VN-Terracotta
6229

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space



SOLID MATERIALS

320 - 321 Application overview wood

322 - 323 Application overview metal

324 - 326 Wood

- 324 Iroko
- 324 Antwerp Oak
- 324 Oak
- 324 Walnut
- 324 Ash Natural
- 324 Ash Walnut Stained
- 325 Ash Black Stained
- 325 Ash White Wash
- 325 Ash Lacquered
- 325 HPL
- 326 White Laminate
- 326 HPL Plywood

327 Metal

- 327 Powder Coated Metal
- 327 Uncoated Aluminum
- 327 Galvanized Metal

APPLICATION
OVERVIEW WOOD

Solid Materials

- ☐ Not possible
- ☒ Possible

Product		Iroko	Antwerp Oak	Oak	Walnut	Ash Natural	Ash Walnut Stained	Ash Black Stained	Ash White Wash	Ash Lacquered	HPL	White Laminate	HPL Plywood
BuzziBalance		☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐
BuzziBooth Single	Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
BuzziBooth Standing	Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
BuzziBooth Side by Side	Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
BuzziBooth Targa	Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
BuzziBreeze	Base	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	Worktop & Seats	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziFloat		☐	☐	☐	☐	☐	☐	☒	☒	☐	☐	☐	☐
BuzziHood	Tablet	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziMilk		☐	☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐
BuzziMilk Table		☐	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐
BuzziMirage	L	☐	☐	☐	☐	☐	☐	☒	☒	☐	☐	☐	☐
BuzziNordic ST100	ST101	☐	☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐
	ST101 Ottoman	☐	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐
	ST101 Foodstool	☐	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐
	ST102	☐	☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐
	ST103	☐	☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐
	ST111	☐	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐
	ST111 Ottoman	☐	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐
BuzziNordic ST200	Legs	☐	☐	☐	☒	☐	☐	☒	☐	☐	☐	☐	☐
BuzziNordic ST400		☐	☐	☐	☒	☐	☐	☒	☐	☐	☐	☐	☐
BuzziPicNic		☐	☐	☒	☐	☒	☒	☒	☒	☒	☒	☐	☐
BuzziPicNic Round		☐	☐	☒	☐	☒	☒	☒	☒	☐	☐	☐	☐
BuzziPlank		☐	☐	☐	☐	☒	☒	☒	☒	☐	☐	☐	☐
BuzziTemp	Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTrihex	Worktop	☐	☐	☐	☐	☒	☒	☒	☒	☐	☐	☐	☐
	Base	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐
BuzziVille	Worktops	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
	Tablet	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
	Cupboard	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐
BuzziVirgule	Worktop	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒

APPLICATION
OVERVIEW METAL

Solid Materials

- Not possible
- Possible

Product		Powder Coated Metal										Galvanized Steel	Uncoated Aluminum	Brass
		Black RAL 9005	Alu RAL 9006	White RAL 9010	Umbra Grey RAL 7022	Fluo Orange RAL 2005	Fluo Yellow RAL 1016	Beige Red RAL 3012	Gold	Signal grey RAL 7004	Black Green RAL 6012			
BuzziBell	Frame													
BuzziBlinds	Baseplate													
BuzziBreeze	Base													
	Worktop & Seats													
BuzziCactus	Baseplate													
BuzziChandelier	Frame													
BuzziFix														
BuzziFalls	Profile													
BuzziFalls Standing	Profile													
BuzziFree	Baseplate													
BuzziFrio	Baseplate													
BuzziFrontDesk	Fix													
BuzziHat	Shade & Ring													
BuzziHive	Frame													
BuzziHood	Tablet													
BuzziHub Table														
BuzziJet	Frame													
BuzziJungle														
BuzziLight Mono	Frame													
BuzziLight Alhambra & Royal	Frame													
BuzziMe	Tablet													
	Foot													
BuzziMirage	M													
BuzziNordic ST400	Connection part													
BuzziPlant	Baseplate													
BuzziProp	Frame													
BuzziScreen	Foot													
BuzziShade Pendant	Frame													
BuzziShade Standing	Frame													
BuzziShed	Frame													
BuzziSpark	Frame													
BuzziTemp	Frame													
BuzziTotem	Baseplate													
BuzziVirgule	Frame													
BuzziZepp LED	LED Line													

WOOD

- IROKO
- ANTWERP OAK
- OAK
- WALNUT
- ASH NATURAL
- ASH WALNUT STAINED
- ASH BLACK STAINED
- ASH WHITE WASH
- ASH LACQUERED
- HPL
- WHITE LAMINATE
- HPL PLYWOOD

Iroko



Properties Tropical hardwood which is more resistant to weather influences. It does not require as much maintenance when used outdoor. Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface. Note: Iroko wood is naturally durable but may be prone to movement and cracking in outdoor environments.

Antwerp Oak



Properties Oak Solid wood with a subtle rustic look, allowing some pith and small cracks. Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Oak



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Walnut



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Natural



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Walnut Stained



Properties Oil based coating with walnut colored pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Black Stained



Properties Black clear coating with a matt look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.


Ash White Wash



Properties Oil based coating with white pigments consisting of durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.

Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Lacquered



Blue
PANTONE 299 C




Green
PANTONE 370 C



Red
PANTONE 185 C



Yellow
PANTONE 115 C



White
PANTONE 000 C

Properties Lacquered coating with matt look, leaving a visual woodgrain.

Maintenance First clear the surface with a dry cloth, then clean with a slightly damp cloth. Do not use abrasive cleaning products nor scourers, they can damage the surface.

HPL



Volcanic Black
Duropal U 12000 VV



Truffle Grey
Duropal U 16000 VV



Pearl
Duropal U 11026 VV

Properties HPL top layer with chipboard core and straight ABS edge band

Maintenance Depending on the stains/dirt there are different prescriptions:
LIGHT: dry or damp paper towels, a cloth or sponge.
NORMAL: with a cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water.
HEAVY: Discoloration stains through long exposure to tea, coffee, etc. use washing powder and household bleach (but do not repeat too often). For stains such as lead pencil, felt-tip pens, marker and ball-point pens use an organic solvent, for example acetone (nail varnish remover).

IMPORTANT

- Please do not cut or chop directly on the worktop surface
- Avoid abrasive cleaners and pads, corrosive or aggressive cleaning agents. The use of PVC aprons may affect the durability of the HPL on the post-formed edge of worktops, and could lead to premature wear in high traffic work areas such as in front of the sink and hob
- Kettles, coffee machines, fryers and other heat or damp sources should not be positioned directly over worktop joints
- Cuts and scratches will be more noticeable on dark decors and gloss finishes


WOOD

- IROKO
- ANTWERP OAK
- OAK
- WALNUT
- ASH NATURAL
- ASH WALNUT STAINED
- ASH BLACK STAINED
- ASH WHITE WASH
- ASH LACQUERED
- HPL
- WHITE LAMINATE
- HPL PLYWOOD

WOOD


- IROKO
- ANTWERP OAK
- OAK
- WALNUT
- ASH NATURAL
- ASH WALNUT STAINED
- ASH BLACK STAINED
- ASH WHITE WASH
- ASH LACQUERED
- HPL
- WHITE LAMINATE
- HPL PLYWOOD

White Laminate




Properties HPL top layer with plywood core and straight oiled visible plywood edge
Maintenance Depending on the stains/dirt there are different prescriptions:
LIGHT: dry or damp paper towels, a cloth or sponge.
NORMAL: with a cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water.
HEAVY: Discoloration stains through long exposure to tea, coffee, etc. use washing powder and household bleach (but do not repeat too often). For stains such as lead pencil, felt-tip pens, marker and ball-point pens use an organic solvent for example acetone (nail varnish remover).


HPL Plywood




Blue
Duropal U059
Gentian Blue




Red
Duropal U225
Signal Red



Yellow
Duropal U115
Borse Yellow



Grey
Duropal U1102
Truffle Grey



Black
Duropal U1200
Volcanic Black


Properties HPL top layer with plywood core and chamfered black stained visible plywood edge
Maintenance Depending on the stains/dirt there are different prescriptions:
LIGHT: dry or damp paper towels, a cloth or sponge.
NORMAL: with a cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water.
HEAVY: Discoloration stains through long exposure to tea, coffee, etc. use washing powder and household bleach (but do not repeat too often). For stains such as lead pencil, felt-tip pens, marker and ball-point pens use an organic solvent, for example acetone (nail varnish remover).
IMPORTANT
• Please do not cut or chop directly on the worktop surface
• Avoid abrasive cleaners and pads, corrosive or aggressive cleaning agents. The use of PVC aprons may affect the durability of the HPL on the post-formed edge of worktops, and could lead to premature wear in high traffic work areas such as in front of the sink and hob
• Kettles, coffee machines, fryers and other heat or damp sources should not be positioned directly over worktop joints
• Cuts and scratches will be more noticeable on dark decors and gloss finishes

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space
Refinishing Renovation should be done by a specialist in furniture coating. It requires sanding of the parts and re-applying an equal amount of coating on all sides.

Powder Coated Metal




Black
RAL 9005




Alu
RAL 9006




White
RAL 9010




Fluo Orange
RAL 2005




Fluo Yellow
RAL 1016




Umбра Grey
RAL 7022




Gold



Beige Red
RAL 3012




Signal Grey
RAL 7004



Black Green
RAL 6012


Properties Fine-textured powder coated steel or aluminum with a matt look.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

Uncoated Aluminum



Properties Bare aluminum with clear coating.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

Galvanized Steel



Properties Hot-Dip Galvanization > applying a protective coating layer to prevent corrosion of the metal part.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent. Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.

METAL

- POWDER COATED METAL
- UNCOATED ALUMINUM
- GALVANIZED METAL

Note color deviation may occur.
Find the latest update of the material specifications and colors on our website: www.buzzi.space
Refinishing Renovation should be done by a specialist in furniture coating. It requires sanding of the parts and re-applying an equal amount of coating on all sides.

PUBLISHER

RESPONSIBLE EDITOR

BuzziSpace
Groeningenlei 141
BE-2550 Antwerp - Kontich
Marketing Department

EDITORIAL

Nathalie Blancquaert
Eva Deruelle
Astrid de Chaffoy
Dada Goldberg
Cathrine Jensen
Els Kerckhof
Stijn Melis
Katrien Van Lysebeth
Gerrie Van Rijzingen
Ellen Van Steen
Sarah Van Vlierberghe
Daniel Verlooven

CONCEPT

Nathalie Blancquaert
Peter Michiels
Sim Ruts
Ellen Van Steen
Sven Verbeeck
Henk Willems

PHOTOGRAPHY

Andrea Bartoluccio
Peter Bennetts
Jessica Boutsen
Chris Bradley
Studio#pointu by Philip Braem
BuzziSpace Studio
Bob Coscarelli
Siegrid Demyttenaere
Cathérine Duval
Jens Ellensohn
Ben Gancsos
King George
Dada Goldberg
Leon Hargreaves
Kristina Hrabětová
Andrea Janssen
Philipp Jester
Tom Kurek
Grey Limited
Andrea Liverani
Bryan Regan Photography
Jasper Sanidad
Bernard Schramm
Olivier Strobbe
Karsten Thormaehlen
Alexandre Van Battel
Simon Van Ranst
Frederic Vercruyssen
Jean-Mark Wullschleger

CONTACT

BUZZISPACE HQ

Groeningenlei 141
2550 Antwerp - Kontich
Belgium
info@buzzi.space
+32 3 846 10 00

SALES OFFICES

BuzziSpace USA

1200 Redding Drive
High Point, NC 27260
USA
us@buzzi.space
+1 336 821 3150

BuzziSpace UK

9-10 Charterhouse Buildings
EC1M 7AN London
UK
uk@buzzi.space
+44 20 7253 3363

BuzziSpace Germany

Im Mariental 16
52064 Aachen
Germany
deutschland@buzzi.space
+49 241 99 77 64-0

BUZZISPACE MANUFACTURING

Europe

Industrieweg 7a
5531 AD Bladel
The Netherlands
manufacture@buzzi.space
+31 497 387 478

USA

1200 Redding Drive
High Point, NC 27260
USA
us@buzzi.space
+1 336 821 3150

SHOWROOMS

Chicago

222 Merchandise Mart Plaza Suite 10-111
Chicago, IL 60651
USA
us@buzzi.space
+1 336 821 3150

New York

45 West 21st Street - 3rd floor
NY 10010
USA
us@buzzi.space
+1 336 821 3150