

## C-TABLE™ PERSONAL WORKSURFACES

PRICE LIST December 16, 2020 Updated October 3, 2022

800.424.2432

Contents Refer to KI Terms & Conditions document or visit ki.com.

C-Table"	'and C-Table™ Max											
	General Information and Technical Specifications, C-Table™											
	General Information, C-Table™	4										
	Technical Specifications, C-Tal	5										
	Product Color Options		7									
C-Table™	,											
	27" Fixed Height		8									
C-Table™	' Max											
	26" Fixed Height		9									
	29" Fixed Height		12									
	25" - 30" Adjustable Height		15									


# Refer to KI Terms & Conditions document or visit ki.com.



Dimensions	
Base diameter	15-1/2"
Tabletop diameter	18"
Overall height	27"



\$



### Tabletop

Tabletops are I 8" diameter and consist of 3/4" thick high-density 45 lb particleboard core with a .03" thick high-pressure laminate top and a .028" thick phenolic backer (bottom). The table edge is 2 mm polypropylene (73P) and is available in a variety of colors. See KI Color Addendum for laminate and edge finish options.

### **Base Frame**

The table base frame is constructed of welded steel. The spider plate is 14-gauge, base is  $\frac{3}{8}$ " thick and the vertical post is  $\frac{1}{2}$ " diameter by .083" thick wall. The base frame is finished in electrostatically applied hybrid powdercoating. The coating is then fused and cured in a baking oven to form a smooth, continuous finish that is chemical-resistant, hard, tough and mar-resistant. Powder-coated paint is available in all standard KI paint colors except for chrome. See KI Color Addendum for complete options.

### Glides

Six I" diameter self-adhesive white polyurethane glides are recessed into machined pockets within the steel base.

### Table Assembly

Tabletops are attached to the base frame using seven  $\# 12 \times \frac{3}{4}$ " Phillips truss head screws. Tables are shipped completely assembled with a packaged weight of 23 lbs. Assembled tables without packaging weigh  $17^{1}/_{2}$ " lbs.

## STATEMENT OF LINE



Dimensions

Base depth

Base diameter

Tabletop width Tabletop depth

Overall height

Dimensions Base diameter

Base depth

Tabletop diameter Tabletop width

Tabletop depth

Overall height





19 - 3/4"

16 - 3/8"

26"

20"

26" / 29"





C-Table Max -

Large Rectangle Top

(26" Fixed height or

29" Fixed height)

19 - 3/4"

16 - 3/8"

30"

24"

26" / 29"

C-Table Max -Small Rectangle Top (26" Fixed height or 29" Fixed height)



C-Table Max -Small Rectangle with Curve Top (26" Fixed height or 29" Fixed height)

19 - 3/4"

16 - 3/8"

26"

20"

26" / 29"



C-Table Max -Large Rectangle with Curve Top (26" Fixed height or 29" Fixed height)

19 - 3/4"

16 - 3/8" 30"

24"

26" / 29"



C-Table Max -Small Rectangle Top (25" - 30" Adjustable Height)

C-Table Max -Large Rectangle Top

Dimensions				
Base diameter	19 - 3/4"	19 - 3/4"	19 - 3/4"	19 - 3/4"
Base depth	16 - 3/8"	16 - 3/8"	16 - 3/8"	16 - 3/8"
Tabletop width	26"	30"	26"	30"
Tabletop depth	20"	24"	20"	24"
Overall height	25" - 30"	25" - 30"	25" - 30"	25" - 30"



29" Fixed height)

19 - 3/4"

16 - 3/8"

24"

26" / 29"

C-Table Max -C-Table Max -Round Top



29" Fixed height)

19 - 3/4"

16 - 3/8"

24"

19 - 4/5"

26" / 29"

Round with Curved Top (26" Fixed height or (26" Fixed height or



C-Table Max -OddQuad Top (26" Fixed height or

29" Fixed height)

19 - 3/4"

16 - 3/8"

35 - 2/5"

22 - 1/10"

26" / 29"

C-Table Max -Triangle Top (26" Fixed height or 29" Fixed height)

19 - 3/4"

16 - 3/8"

32"

28 - 2/5"

26" / 29"



C-Table Max -Square Top (26" Fixed height or 29" Fixed height)

19 - 3/4"

16 - 3/8"

26"

26"

26" / 29"





C-Table Max -Round Top (25" - 30" Adjustable Height

C-Table Max -**Round with Curve Top** (25" - 30" (thniaH aldetsuihA

Dimensions           Base diameter         19 - 3/4"           Base depth         16 - 3/8"           Tabletop diameter         24"           Tabletop width         19 - 4/5"           Overall height         25" - 30"		Adjustable Height)	Adjustable Height)
Base depth16 - 3/8"16 - 3/8"Tabletop diameter24"24"Tabletop width19 - 4/5"	Dimensions		
Tabletop diameter24"24"Tabletop width19 - 4/5"	Base diameter	19 - 3/4"	19 - 3/4"
Tabletop width       Tabletop depth       19 - 4/5"	Base depth	16 - 3/8"	16 - 3/8"
Tabletop depth 19 - 4/5"	Tabletop diameter	24"	24"
and the second	Tabletop width		
Overall height 25" - 30" 25" - 30"	Tabletop depth		19 - 4/5"
	Overall height	25" - 30"	25" - 30"

C-Table<sup>™</sup> Max General Information





(25" - 30" Adjustable Height)

C-Table Max -Small Rectangle with Curve Top (25" - 30" Adjustable Height)



C-Table Max -Large Rectangle with Curve Top (25" - 30" Adjustable Height)





## **TECHNICAL SPECIFICATIONS**

## Fixed-Height Table - Dual-Post Cantilever

The fixed-height table is offered in 26" or 29" tabletop heights. The base frame is constructed of welded  $1^{1}/_{2}^{2}$  diameter, 16-gauge steel tubing with a top mounting plate of 7-gauge (.179" thick) steel and a  $\frac{3}{8}$ " (10 mm) thick C-shaped steel base. A  $\frac{1}{2}$ " diameter welded steel cross brace member stabilizes the entire frame.

## Adjustable-Height Table - Dual-Post Cantilever

The adjustable-height table raises and lowers in 1" locking increments, between 25" and 30" overall table height. Adjustability is controlled by a lever assembly that protrudes from the base, underneath the tabletop. When compressed, the lever assembly unlocks the upper frame weldment from the lower frame weldment, allowing height adjustment that is assisted by a pneumatic cylinder enclosed within one of the vertical leg tubes. When the tabletop is positioned at the desired height, the lever can be released, and the bottom of the lever assembly locks into one of six height positioning holes in one of the lower leg tubes. Delrin bushings are installed between the tubes of the upper and lower frames, allowing for smooth adjustment. The outer portion of the lever assembly ships loose and is secured to the inner portion of the lever with a hex jam nut during assembly of the table units.

The upper frame of the adjustable-height table is constructed with two  $1^{1}/4^{2}$  diameter, 14-gauge steel tubes and a 7-gauge (.179" thick) steel mounting plate, all welded together. The lower frame of the adjustable-height table is constructed with two  $1^{1}/_{2}$ " diameter, 16-gauge steel tubes, a 7-gauge (.179") steel mounting plate, and a  $\frac{3}{8}$ " (10 mm) thick C-shaped steel base, all welded together. The height adjustment lever is  $\frac{5}{16}$ " diameter welded steel. A  $\frac{1}{2}$ " diameter welded steel cross brace member stabilizes the entire frame.

## **Base Finish**

Base frames are powder-coat painted, and may be specified in all standard KI colors. Chrome-plated finish is not available. See KI Color Addendum for color options offered.

## **Table Surfaces**

Table surfaces are  $\frac{3}{4}$ " thick high-density 45 lb particle board core with .03" thick high pressure laminate and .028" thick phenolic backer (bottom). The table edge is 2 mm polypropylene (73P) and is available in a variety of colors. See KI Color Addendum for laminate and edge finish options.

## Glides

Seven 1" diameter self-adhesive white polyurethane glides are recessed into machined pockets within the steel base.

## Table Assembly

The tabletop is secured to the base using seven  $\# 12 \times \frac{3}{4}$ " Phillips truss head screws. All tabletops are shipped separately from bases.



2

Round Table CMDGB24 (26" Fixed-Height) CMDAB24 (29" Fixed-Height) CMDEB24 (Adjustable-Height)



24" x 30" Rectangular Table CMDGA2430 (26" Fixed-Height) CMDAA2430 (29" Fixed-Height) CMDEA2430 (Adjustable-Height)

20" x 26" Rectangular Table with Comfort Curve CMDGN2026 (26" Fixed-Height) CMDAN2026 (29" Fixed-Height) CMDEN2026 (Adjustable-Height)



Square Table CMDGC26 (26" Fixed-Height) CMDAC26 (29" Fixed-Height) CMDEC26 (Adjustable-Height)





C-Table" Technical Specifications

Round Table with Comfort Curve CMDGP24 (26" Fixed-Height) CMDAP24 (29" Fixed-Height) CMDEP24 (Adjustable-Height)





20" x 26" Rectangular Table CMDGA2026 (26" Fixed-Height) CMDAA2026 (29" Fixed-Height) CMDEA2026 (Adjustable-Height)



24" x 30" Rectangular Table with Comfort Curve CMDGN2430 (26" Fixed-Height) CMDAN2430 (29" Fixed-Height) CMDEN2430 (Adjustable-Height)

Triangle Table CMDGK32 (26" Fixed-Height) CMDAK32 (29" Fixed-Height) CMDEK32 (Adjustable-Height)




Oddquad Table CMDGZ36 (26" Fixed-Height) CMDAZ36 (29" Fixed-Height) CMDEZ36 (Adjustable-Height)

## C-Table<sup>™</sup> Max Technical Specifications

### C-Table Max - Tabletops

### C-Table Max - 26" Fixed-Height Table

\$



C-Table<sup>™</sup> Max **Technical Specifications** 

# C-Table<sup>™</sup> and C-Table<sup>™</sup> Max

Surface Finish - Laminate		Edge Style for 73P Edge	B	ase Finish
Belair	LBQ	Belair	EBQ	Black
Biltmore Cherry	LBT	Biltmore Cherry	EBT	Blue Grey
Black	LBK	Black	EBL	Bronze Metallic
Brighton Walnut	LBW	Blue Grey	EGR	Cayenne
Canyon Zephyr	LCA	Brighton Walnut	EBW	Champagne Metallic
Castle Oak	LCO	Castle Oak	ECO	Cool Grey
Casual Linen	LCU	Cayenne	ECY	Cottonwood
Cherry Storm	LCX	Cherry Storm	ECX	Earthen Clay
Classic Linen	LCI	Cocobala	ECC	Espresso Metallic
Cloud Zephyr	LCL	Cool Grey	ECG	Everglade Shade
Cocobala	LCC	Earthen Clay	EEY	Flannel
Crisp Linen	LRI	Everglade Shade	EEV	Glitz Metallic
Desert Zephyr	LDZ	Flannel	EFN	Hazy Jade
Dove Grey	LDG	Florence Walnut	EFC	Honey Bee
Fired Steel	LIL	Friston Ash	EFH	Light Tone
Flax Linen	LXF	Frosty White	EFW	Mardi Gras
Florence Walnut	LFC	Hazy Jade	EHJ	Misty Brown
Forged Steel	LOL	Honey Bee	EHY	Nemo
Friston Ash	LFH	Italian Silver Ash	EIT	Nordic
Frosty White	LFW	Kensington Maple	EKM	Poppy Red
Graphite Nebula	LGN	Light Tone	ELG	Purple Haze
Grey	LGE	Mardi Gras	EMG	Rubber Ducky
High Rise	LHE	Misty Brown	EMY	Sand
Hollyberry	LHY	Monticello Maple	EMT	Sky Blue
Irish Linen	LIH	Multiplex	EMB	Starlight Silver Metallic
Island	LID	Nemo	ENE	Surf's Up
Italian Silver Ash	LIT	Nordic	END	Twilight Shadow
Kensington Maple	LKM	Poppy Red	EPR	Ultra Blue
Lapis Blue	LLB	Purple Haze	EPH	Warm Grey
Markerboard White	LMK	River Cherry	ERY	Zesty Lime
Misted Zephyr	LMR	Rubber Ducky	ERK	
Monticello Maple	LMT	Sand	ESA	
Nickel Evolv	LNV	Sky Blue	ESK	
North Sea	LNA	Sterling Ash	EAZ	
Ocean	LON	Surf's Up	ESP	
Pearl Bisque	LPB	Twilight Shadow	ETI	
Pearl Silver	LPS	Ultra Blue	EUB	
Pressed Linen	LPR	Warm Grey	EWG	
River Cherry	LRY	Windsor Mahogany	EWY	
Rugged Linen	LRG	Zesty Lime	EZL	
Satin Stainless	LSS			
Shadow Zephyr	LSR			
Silicon evolv	LSV			
Sterling Ash	LAZ			
Tailored Linen	LTL			
Titanium evolv	LTV			
White Nebula	LWL			
White Sand	LWN			
Windsor Mahogany	LWY			

### C-Table<sup>™</sup> and C-Table<sup>™</sup> Max Product Color Options

4

BL GR ZM CY СМ CG CO ΕY ΕX EV FN GΖ HJ ΗY LG MG MY NE ND PR PH RK SA SK SX SP ΤI UB WG ZL

Certain options referenced may not be available on GSA Schedule.

C-Table <sup>™</sup> 27" Fixed Height									*
			MODEL	. NUMBE	R				
	MODEL		Basic Model	Edge Style	Edge Color		Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)
	C-Table, Personal Worksurface <ul> <li>C-Table features single column base</li> </ul>	27" High	CTABLE	73P				23.0#	\$ 591
	<ul> <li>18" diameter round worksurface</li> <li>Fixed height only</li> </ul>								
	Recommended for use with soft seating								
	elements. 27" height allows for this product to be stored under standard 29"								
	work surfaces. <ul> <li>Ships fully assembled</li> </ul>								
CTBL									
			0	6	C	0	0		

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Bselect edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

**D**Select surface finish. Refer to the **Product Color Options** page in this price list.

• Select base finish. Refer to the Product Color Options page in this price list.

#### FINISH INFORMATION

ADDITIONAL LAMINATE OFFERING Additional laminates, beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

## C-Table<sup>™</sup> 27" Fixed Height

### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# C-Table<sup>™</sup> Max <sup>26" Fixed Height</sup>

			MODEL NU	MBER					
								Approx	
			Basic	Edge	Edge	Surface	Base	Approx. Packaged	
	MODEL	Features	Model	Style	Color	Finish	Finish	Weight	
		26" High	CMDGA2026	73P				40.0#	
	C-Table Max features a two column base     20" x 26" worksurfage								
	<ul><li> 20" x 26" worksurface</li><li>Generally recommended for use with</li></ul>								
	seating that have seat heights less than								
S	17.5" and/or seating which has signifi-								
	cant seat pitch.								
	<ul> <li>Top and base ships in separate packag- ing; limited assembly required</li> </ul>								
CMDGA	5,								
	Fixed Height - Large Rectangle Top	26" High	CMDGA2430	73P				47.0#	
	C-Table Max features a two column base								
	<ul><li> 24" x 30" worksurface</li><li>Generally recommended for use with</li></ul>								
	seating that have seat heights less than								
J D	17.5" and/or seating which has signifi-								
	<ul><li>cant seat pitch.</li><li>Top and base ships in separate packag-</li></ul>								
CMDGA	ing; limited assembly required								
	3,								
		26" High	CMDGN2026	73P				38.0#	
	Curve Top								
	<ul> <li>C-Table Max features a two column base</li> <li>20" x 26" worksurface</li> </ul>								
	<ul> <li>Generally recommended for use with</li> </ul>								
s s	seating that have seat heights less than								
	17.5" and/or seating which has signifi-								
CMDGN	<ul><li>cant seat pitch.</li><li>Top and base ships in separate packag-</li></ul>								
	ing; limited assembly required								
	Fixed Height - Large Rectangle with	26" High	CMDGN2430	73P				45.0#	
	Curve Top								
	<ul> <li>C-Table Max features a two column base</li> <li>24" x 30" worksurface</li> </ul>								
	<ul> <li>Generally recommended for use with</li> </ul>								
	seating that have seat heights less than								
	17.5" and/or seating which has signifi-								
CMDGN	cant seat pitch. • Top and base ships in separate packag-								
	ing; limited assembly required								
			A	•	G	D	Ø		
			¥	9	9	9	J		

4

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

Gelect base finish.

Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max 26" Fixed Height

#### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

C-Table <sup>™</sup> Ma <sup>26" Fixed Height</sup>	Х								4
			MODEL NUI	MBER					
	MODEL	Features	Basic Model	Edge Style	Color	Finish	Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)
	<ul> <li>C-Table Max features a two column base</li> <li>24" round worksurface</li> <li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has signifi- cant seat pitch.</li> <li>Top and base ships in separate packag-</li> </ul>	26" High	CMDGB24	73P				38.0#	\$ 635
CMDGB	ing; limited assembly required	26" High	CMDGP24	73P				35.0#	\$ 635
I (	<ul> <li>C-fable Max features a two country base</li> <li>24" round worksurface</li> <li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has signifi- cant seat pitch.</li> <li>Top and base ships in separate packag-</li> </ul>								
MDGP	ing; limited assembly required								
	<ul> <li>Fixed Height - Oddquad Top</li> <li>C-Table Max features a two column base</li> <li>22" x 36" Worksurface</li> <li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li> <li>Top and base ships in separate packag-</li> </ul>	26" High	CMDGZ36	73P				39.0#	\$ 635
MDGZ	ing; limited assembly required								
			•	6	Θ	D	Ð		

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

• Select base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max 26" Fixed Height

#### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

C-Table <sup>™</sup> Ma 26" Fixed Height	λX							4				
			MODEL N	UMBER								
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)			
CMDGK	<ul> <li>Fixed Height - Triangle Top</li> <li>C-Table Max features a two column base</li> <li>28" x 32" triangle worksurface</li> <li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	26" High	CMDGK32	73P				38.0#	\$ 635			
		26" High	CMDGC26	73P				45.0#	\$ 635			
	<ul> <li>26" square worksurface</li> <li>Generally recommended for use with seating that have seat heights less than 17.5" and/or seating which has significant seat pitch.</li> <li>Top and base ships in separate packag-</li> </ul>											
CMDGC	ing; limited assembly required											
			Ø	0	G	D	9					

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

• Select base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max 26" Fixed Height

#### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

# C-Table<sup>™</sup> Max <sup>29" Fixed Height</sup>

								Г	
			MODEL NUI	WBER				_	
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish		Approx. Packaged Weight
	Fixed Height - Small Rectangle Top • C-Table Max features a two column base • 20" x 26" worksurface • Generally recommended for use with	29" High	CMDAA2026	73P					40.0#
	<ul> <li>seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li> <li>Top and base ships in separate packag-</li> </ul>								
CMDAA	ing; limited assembly required								
	Fixed Height - Large Rectangle Top • C-Table Max features a two column base • 24" x 30" worksurface	29" High	CMDAA2430	73P					47.0#
	<ul> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no circulture to the here.</li> </ul>								
CMDAA	significant seat pitch <ul> <li>Top and base ships in separate packag- ing; limited assembly required</li> </ul>								
	Fixed Height - Small Rectangle with Curve Top	29" High	CMDAN2036	73P					39.0#
	<ul> <li>C-Table Max features a two column base</li> <li>20" x 36" worksurface</li> </ul>	)							
	<ul> <li>Generally recommended for use with seating that have seat heights higher</li> </ul>								
Ś	than 17.5" and/or seating which has no								
CMDAN	significant seat pitch <ul> <li>Top and base ships in separate packag-</li> </ul>								
	ing; limited assembly required								
	Fixed Height - Large Rectangle with Curve Top	29" High	CMDAN2430	73P					45.0#
	C-Table Max features a two column base								
	<ul><li> 24" x 30" worksurface</li><li> Generally recommended for use with</li></ul>								
<u>ر</u> ې	seating that have seat heights higher than 17.5" and/or seating which has no								
CMDAN	significant seat pitch <ul> <li>Top and base ships in separate packag-</li> </ul>								
	ing; limited assembly required								
			•	6	G	D	Ð		

4

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. 73P - 3/4" 73P edge

**G**Select edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

Gelect base finish.

Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max <sup>29" Fixed Height</sup>

#### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

			MODEL N	UMBER					
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)
CMDAB	<ul> <li>Fixed Height - Round Top</li> <li>C-Table Max features a two column base</li> <li>24" round worksurface</li> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	29" High	CMDAB24	73P				38.0#	\$ 635
CMDAP	<ul> <li>Fixed Height - Round with Curve Top</li> <li>C-Table Max features a two column base</li> <li>24" round worksurface</li> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	29" High	CMDAP24	73P				35.0#	\$ 635
CMDAZ	<ul> <li>Fixed Height - OddQuad Top</li> <li>C-Table Max features a two column base</li> <li>22" x 36" worksurface</li> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	29" High	CMDAZ36	73P				40.0#	\$ 635
			•	6	Θ	D	Ð		

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

Gelect base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max <sup>29" Fixed Height</sup>

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

C-Table <sup>™</sup> Ma <sup>29" Fixed Height</sup>	IX								*	
			MODEL N	UMBER						
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)	
	<ul> <li>Fixed Height - Triangle Top</li> <li>C-Table Max features a two column base</li> <li>28" x 32" triangle worksurface</li> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	29" High	CMDAK32	73P				38.0#	\$ 635	
CMDAK	ing, innica accombly required									
CMDAC	<ul> <li>Fixed Height - Square Top</li> <li>C-Table Max features a two column base</li> <li>26" square worksurface</li> <li>Generally recommended for use with seating that have seat heights higher than 17.5" and/or seating which has no significant seat pitch.</li> <li>Top and base ships in separate packaging; limited assembly required</li> </ul>	29" High	CMDAC26	73P				46.0#	\$ 635	
			۵	6	Θ	O	Ð			

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect edge style. 73P - 3/4" 73P edge

Gelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

• Select base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max <sup>29" Fixed Height</sup>

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

#### C-Table<sup>™</sup> Max 25" - 30" Adjustable Height MODEL NUMBER 3/4" 73P Approx. Edge Style Edge (73P) Surface Base Packaged Basic Edge MODEL Features Model Color Finish Finish Weight Adjustable Height - Small Rectangle Top 25" - 30" High • C-Table Max features a two column base CMDEA2026 73P 43.0# \$ 789 • 20" x 26" worksurface • Lever actuated base height adjustment Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packag-CMDEA ing; limited assembly required Adjustable Height - Large Rectangle Top 25" - 30" High CMDEA2430 73P • C-Table Max features a two column base 50.0# \$ 789 • 24" x 30" worksurface · Lever actuated base height adjustment Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packag-CMDEA ing; limited assembly required

	Adjustable Height - Small Rectangle with	25" - 30" High	CMDEN2026	73P				42.0#	\$ 789
	Curve Top								
	C-Table Max features a two column base								
(•( )•)	• 20" x 26" worksurface								
	<ul> <li>Lever actuated base height adjustment</li> <li>Generally recommended for use in</li> </ul>								
	environments with varying seat heights								
	and/or varying seat pitch								
MDEN	Top and base ships in separate packag-								
	ing; limited assembly required								
	Adjustable Height - Large Rectangle with	25" - 30" High	CMDEN2430	73P				48.0#	\$ 789
	Curve Top								
	<ul> <li>C-Table Max features a two column base</li> <li>24" x 30" worksurface</li> </ul>								
	<ul> <li>Lever actuated base height adjustment</li> </ul>								
	Generally recommended for use in								
	environments with varying seat heights								
MDEN	and/or varying seat pitch								
	Top and base ships in separate packag-								
	ing; limited assembly required								
					-	-			
			A	6	Θ	D	e		

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

1: Select basic model. To Select edge style. 73P - 3/4" 73P edge

> Select edge color. Refer to the **Product Color Options** page in this price list.

Oselect surface finish. Refer to the **Product Color Options** page in this price list.

GSelect base finish.

Refer to the **Product Color Options** page in this price list.

### C-Table<sup>™</sup> Max <sup>25" - 30"</sup> Adjustable Height

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

C-Table <sup>™</sup> Ma <sup>25" - 30" Adjustable Hei</sup>									
			MODEL NU	MBER					
	MODEL Adjustable Height - Round Top	<b>Features</b> 25" - 30" High	Basic Model CMDEB24	Edge Style 73P	Color	Surface Finish	Base Finish	Approx. Packaged Weight 41.0#	3/4" 73P Edge (73P) \$ 789
CMDEB	<ul> <li>C-Table Max features a two column base</li> <li>24" round worksurface</li> <li>Lever actuated base height adjustment</li> <li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li> <li>Top and base ships in separate packag- ing; limited assembly required</li> </ul>								
		25" - 30" High	CMDEP24	73P				38.0#	\$ 789
CMDEP	Adjustable Height - Round with Curve Top • C-Table Max features a two column base • 24" round worksurface • Lever actuated base height adjustment • Generally recommended for use in environments with varying seat heights and/or varying seat pitch • Top and base ships in separate packag-							0.07	ψ 105
	ing; limited assembly required Adjustable Height - OddQuad Top • C-Table Max features a two column base	25" - 30" High	CMDEZ36	73P				42.0#	\$ 789
	<ul> <li>C-lable Max leatures a two column base</li> <li>22" x 36" worksurface</li> <li>Lever actuated base height adjustment</li> <li>Generally recommended for use in environments with varying seat heights and/or varying seat pitch</li> <li>Top and base ships in separate packag- ing; limited assembly required</li> </ul>								
CMDEZ			•	6	G	D	Ð		

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

• Select base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max 25" - 30" Adjustable Height

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

C-Table <sup>™</sup> Ma 25" - 30" Adjustable Hei								4			
	MODEL	Features	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	3/4" 73P Edge (73P)		
	Adjustable Height - Triangle Top <ul> <li>C-Table Max features a two column base</li> </ul>	25" - 30" High	CMDEK32	73P				41.0#	\$ 789		
	<ul> <li>28" x 32" triangle worksurface</li> <li>Lever actuated base height adjustment</li> </ul>										
	<ul> <li>Generally recommended for use in environments with varying seat heights</li> </ul>										
	and/or varying seat pitc										
CMDEK	<ul> <li>Top and base ships in separate packag- ing; limited assembly required</li> </ul>										
	Adjustable Height - Square Top • C-Table Max features a two column base • 26" square worksurface • Lever actuated base height adjustment	25" - 30" High	CMDEC26	73P				49.0#	\$ 789		
	Generally recommended for use in environments with varying seat heights										
	<ul> <li>and/or varying seat pitch</li> <li>Top and base ships in separate packag-</li> </ul>										
CMDEC	ing; limited assembly required										
			Ø	0	G	D	0				

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style. 73P - 3/4" 73P edge

CSelect edge color. Refer to the **Product Color Options** page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list.

• Belect base finish. Refer to the **Product Color Options** page in this price list.

# C-Table<sup>™</sup> Max <sup>25" - 30"</sup> Adjustable Height

#### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000441/KI/PDF

