

Rectangular Work Surfaces for Corner Applications

Rectangular Work Surfaces for Corner Applications have a high pressure laminate top with a vinyl edge. Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a nominal 1/2" (13) gap along the back edge for cable management. Back Edge Grommets are available for use in certain applications.

Corner Application Work Surfaces are available in right and left hand versions and are to be used only when corners

are being created using rectangular work surfaces. When installed, the Left Hand Version will have a nominal 1/2" (13) gap on the right edge. Right Hand surfaces will have the gap on the left. This gap will align with the 1/2" (13) along the back edge of the return work surface in corner applications to give a consistent gap for cable management between Capture Frames and Work Surfaces.



All supports for Rectangular Work Surfaces for Corner Applications must be ordered separately. Rectangular

Work Surfaces for Corner Applications 66" (1672) and wider require an additional intermediate support along the width of the work surface. Shared work surface supports are recommended at all work surface junctions, to lower work station cost. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Note: Rectangular Work Surfaces can not be used as a floor supported element.

Capture Rectangular Work Surfaces for Corner Applications - Right Hand

Depth	Dimensions Nominal Width	Actual Width	List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
			1	2	3					
20" (508)	24" (610)	23 3/8" (594)	\$214	\$233	\$307	CRHRWS2024	GN No Cost No Grommet GY +\$20 Work Surfaces Up to 60" One Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	30" (762)	29 3/8" (746)	237	256	330	CRHRWS2030				
	36" (914)	35 3/8" (899)	255	283	395	CRHRWS2036				
	42" (1067)	41 3/8" (1051)	270	298	410	CRHRWS2042				
	48" (1219)	47 3/8" (1203)	292	320	432	CRHRWS2048				
	54" (1372)	53 3/8" (1356)	326	354	466	CRHRWS2054				
	60" (1524)	59 3/8" (1508)	363	391	503	CRHRWS2060				
	66" (1676)	65 3/8" (1661)	403	431	543	CRHRWS2066				
	72" (1829)	71 3/8" (1813)	487	515	597	CRHRWS2072				
	78" (1981)	77 3/8" (1965)	512	540	652	CRHRWS2078				
	84" (2131)	83 3/8" (2118)	543	571	683	CRHRWS2084				
	90" (2286)	89 3/8" (2270)	571	599	711	CRHRWS2090				
96" (2438)	95 3/8" (2423)	613	641	753	CRHRWS2096					
24" (610)	24" (610)	23 3/8" (594)	\$230	\$243	\$292	CRHRWS2424	+\$28 66" to 96" Two Grommets			
	30" (762)	29 3/8" (746)	264	283	357	CRHRWS2430				
	36" (914)	35 3/8" (899)	297	325	437	CRHRWS2436				
	42" (1067)	41 3/8" (1051)	327	355	467	CRHRWS2442				
	48" (1219)	47 3/8" (1203)	357	385	497	CRHRWS2448				
	54" (1372)	53 3/8" (1356)	396	424	536	CRHRWS2454				
	60" (1524)	59 3/8" (1508)	434	462	574	CRHRWS2460				
	66" (1676)	65 3/8" (1661)	469	497	609	CRHRWS2466				
	72" (1829)	71 3/8" (1813)	575	603	715	CRHRWS2472				
	78" (1981)	77 3/8" (1965)	604	632	744	CRHRWS2478				
	84" (2131)	83 3/8" (2118)	637	665	777	CRHRWS2484				
	90" (2286)	89 3/8" (2270)	661	689	801	CRHRWS2490				
96" (2438)	95 3/8" (2423)	691	719	831	CRHRWS2496					
30" (762)	24" (610)	23 3/8" (594)	\$250	\$269	\$343	CRHRWS3024				
	30" (762)	29 3/8" (746)	291	310	384	CRHRWS3030				
	36" (914)	35 3/8" (899)	340	368	480	CRHRWS3036				
	42" (1067)	41 3/8" (1051)	384	412	524	CRHRWS3042				
	48" (1219)	47 3/8" (1203)	421	449	561	CRHRWS3048				
	54" (1372)	53 3/8" (1356)	468	513	687	CRHRWS3054				
	60" (1524)	59 3/8" (1508)	507	552	726	CRHRWS3060				
	66" (1676)	65 3/8" (1661)	534	579	753	CRHRWS3066				
	72" (1829)	71 3/8" (1813)	622	667	841	CRHRWS3072				
	78" (1981)	77 3/8" (1965)	697	742	916	CRHRWS3078				
	84" (2131)	83 3/8" (2118)	729	774	948	CRHRWS3084				
	90" (2286)	89 3/8" (2270)	746	791	965	CRHRWS3090				
96" (2438)	95 3/8" (2423)	766	811	985	CRHRWS3096					
Build your complete Part Number here:						-----	--	--	---	--



Build your complete
Part Number here:

Sample
Part Number:

CRHRWS2024 .GY .DW .JOC .E1

Total Cost \$234 =

\$214 + \$20 + N/C + N/C + N/C

Rectangular Work Surfaces for Corner Applications

Rectangular Work Surfaces for Corner Applications have a high pressure laminate top with a vinyl edge. Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a nominal 1/2" (13) gap along the back edge for cable management. Back Edge Grommets are available for use in certain applications.

Corner Application Work Surfaces are available in right and left hand versions and are to be used only when corners

are being created using rectangular work surfaces. When installed, the Left Hand Version will have a nominal 1/2" (13) gap on the right edge. Right Hand surfaces will have the gap on the left. This gap will align with the 1/2" (13) along the back edge of the return work surface in corner applications to give a consistent gap for cable management between Capture Frames and Work Surfaces.


All supports for Rectangular Work Surfaces for Corner Applications must be ordered separately. Rectangular Work Surfaces for Corner Applications

66" (1672) and wider require an additional intermediate support along the width of the work surface. Shared work surface supports are recommended at all work surface junctions, to lower work station cost. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Note: Rectangular Work Surfaces can not be used as a floor supported element.

Capture Rectangular Work Surfaces for Corner Applications - Left Hand

Depth	Dimensions Nominal Width	Actual Width	List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
			1	2	3					
20" (508)	24" (610)	23 3/8" (594)	\$214	\$233	\$307	CLHRWS2024	GN No Cost No Grommet GY +\$20 Work Surfaces Up to 60" One Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	30" (762)	29 3/8" (746)	237	256	330	CLHRWS2030				
	36" (914)	35 3/8" (899)	255	283	395	CLHRWS2036				
	42" (1067)	41 3/8" (1051)	270	298	410	CLHRWS2042				
	48" (1219)	47 3/8" (1203)	292	320	432	CLHRWS2048				
	54" (1372)	53 3/8" (1356)	326	354	466	CLHRWS2054				
	60" (1524)	59 3/8" (1508)	363	391	503	CLHRWS2060				
	66" (1676)	65 3/8" (1661)	403	431	543	CLHRWS2066				
	72" (1829)	71 3/8" (1813)	487	515	597	CLHRWS2072				
	78" (1981)	77 3/8" (1965)	512	540	652	CLHRWS2078				
	84" (2131)	83 3/8" (2118)	543	571	683	CLHRWS2084				
	90" (2286)	89 3/8" (2270)	571	599	711	CLHRWS2090				
	96" (2438)	95 3/8" (2423)	613	641	753	CLHRWS2096				
24" (610)	24" (610)	23 3/8" (594)	\$230	\$243	\$292	CLHRWS2424	+\$28 66" to 96" Two Grommets			
	30" (762)	29 3/8" (746)	264	283	357	CLHRWS2430				
	36" (914)	35 3/8" (899)	297	325	437	CLHRWS2436				
	42" (1067)	41 3/8" (1051)	327	355	467	CLHRWS2442				
	48" (1219)	47 3/8" (1203)	357	385	497	CLHRWS2448				
	54" (1372)	53 3/8" (1356)	396	424	536	CLHRWS2454				
	60" (1524)	59 3/8" (1508)	434	462	574	CLHRWS2460				
	66" (1676)	65 3/8" (1661)	469	497	609	CLHRWS2466				
	72" (1829)	71 3/8" (1813)	575	603	715	CLHRWS2472				
	78" (1981)	77 3/8" (1965)	604	632	744	CLHRWS2478				
	84" (2131)	83 3/8" (2118)	637	665	777	CLHRWS2484				
	90" (2286)	89 3/8" (2270)	661	689	801	CLHRWS2490				
	96" (2438)	95 3/8" (2423)	691	719	831	CLHRWS2496				
30" (762)	24" (610)	23 3/8" (594)	\$250	\$269	\$343	CLHRWS3024				
	30" (762)	29 3/8" (746)	291	310	384	CLHRWS3030				
	36" (914)	35 3/8" (899)	340	368	480	CLHRWS3036				
	42" (1067)	41 3/8" (1051)	384	412	524	CLHRWS3042				
	48" (1219)	47 3/8" (1203)	421	449	561	CLHRWS3048				
	54" (1372)	53 3/8" (1356)	468	513	687	CLHRWS3054				
	60" (1524)	59 3/8" (1508)	507	552	726	CLHRWS3060				
	66" (1676)	65 3/8" (1661)	534	579	753	CLHRWS3066				
	72" (1829)	71 3/8" (1813)	622	667	841	CLHRWS3072				
	78" (1981)	77 3/8" (1965)	697	742	916	CLHRWS3078				
	84" (2131)	83 3/8" (2118)	729	774	948	CLHRWS3084				
	90" (2286)	89 3/8" (2270)	746	791	965	CLHRWS3090				
	96" (2438)	95 3/8" (2423)	766	811	985	CLHRWS3096				
Build your complete Part Number here:							---	---	---	---



Sample
Part Number:

CLHRWS2024	.GY	.DW	.JOC	.E1
------------	-----	-----	------	-----

Total Cost \$234 =

\$214	+	\$20	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----

Capture Arc Work Surfaces

Arc Work Surfaces provide a smooth, gradually curved transitional to link either a 20" (508) deep work surface to a 24" (610) deep work surface, or a 24" (610) deep work surface to a 30" (762) deep work surface in the same wall run. Arc Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Right Hand or Left Hand versions. Work Surfaces

are nominal 1¼" (32) thick and when installed provide a ½" (13) gap along the back edge for cable management.


Back Edge Grommets are available for use in certain applications. The grommet location is in the center of any width work surface.

All supports for the Arc Work Surface must be ordered separately. A shared work surface support is recommended

at all work surface junctions, to lower work station cost. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.


Capture Arc Work Surfaces - Right Hand

Depth 1	Dimensions Nominal Width		List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
	Depth 1	Depth 2	1	2	3					
20" (508)	24" (610)	24" (610)	\$371	\$390	\$464	CAWS202424R	GN	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	30" (762)		382	410	522	CAWS203024R	No Cost			
	36" (914)		402	430	542	CAWS203624R	No			
	42" (1067)		425	453	565	CAWS204224R	Grommet			
	48" (1219)		452	480	592	CAWS204824R				
	54" (1372)		485	543	774	CAWS205424R	GY			
	60" (1524)		531	589	820	CAWS206024R	+\$20			
	66" (1676)		582	640	871	CAWS206624R	Work			
24" (610)	24" (610)	30" (762)	\$390	\$409	\$483	CAWS242430R	Up to 60"	66" to 96" Two Grommets		
	30" (762)		407	435	547	CAWS243030R	One			
	36" (914)		445	473	585	CAWS243630R	Grommet			
	42" (1067)		482	510	622	CAWS244230R				
	48" (1219)		515	543	655	CAWS244830R	+\$28			
	54" (1372)		557	615	846	CAWS245430R				
	60" (1524)		601	659	890	CAWS246030R				
	66" (1676)		646	704	935	CAWS246630R				
	72" (1829)		696	754	985	CAWS247230R				



Capture Arc Work Surfaces - Left Hand

Depth 1	Dimensions Nominal Width		List Price Laminate Grade			Catalog Number
	Depth 1	Depth 2	1	2	3	
24" (610)	24" (610)	20" (508)	\$371	\$390	\$464	CAWS242420L
	30" (762)		382	410	522	CAWS243020L
	36" (914)		402	430	542	CAWS243620L
	42" (1067)		425	453	565	CAWS244220L
	48" (1219)		452	480	592	CAWS244820L
	54" (1372)		485	543	774	CAWS245420L
	60" (1524)		531	589	820	CAWS246020L
	66" (1676)		582	640	871	CAWS246620L
30" (762)	24" (610)	24" (610)	\$390	\$409	\$483	CAWS302424L
	30" (762)		407	435	547	CAWS303024L
	36" (914)		445	473	585	CAWS303624L
	42" (1067)		482	510	622	CAWS304224L
	48" (1219)		515	543	655	CAWS304824L
	54" (1372)		557	615	846	CAWS305424L
	60" (1524)		601	659	890	CAWS306024L
	66" (1676)		646	704	935	CAWS306624L
	72" (1829)		696	754	985	CAWS307224L



Build your complete
Part Number here:

Sample
Part Number:

CAWS202424R	.GY	.DW	.JOC	.E1
-------------	-----	-----	------	-----

Total Cost \$391 =

\$371	+	\$20	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----


Capture Corner Work Surfaces
Corner Work Surfaces have a high pressure laminate top with vinyl edge, and are available with either a curved or straight front edge. Work Surfaces are nominal 1¼" (32) thick and when installed provide a ½" (13) gap along the back edge for cable management.


Back Edge Grommets are available for use in certain applications.

All supports for the Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. A shared work surface support is recommended at all work surface junctions, to lower work station cost. For additional information, see Work Surface Support

Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Capture Corner Work Surfaces

Dimensions			List Price Laminate Grade			Catalog Number	Front Option	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
Depth	Width	Front Width	1	2	3						
24" (610)	36" (914)	17" (432)	\$590	\$618	\$730	CCWS2436	S No Cost Straight	GN No Cost No Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	42" (1067)	25½" (648)	637	665	777	CCWS2442					
	48" (1219)	34" (864)	673	701	813	CCWS2448					
30" (762)	36" (914)	17" (432)	\$612	\$640	\$752	CCWS3036	C +\$42 Curved	GY +\$28 Two Grommets			
	42" (1067)	25½" (648)	655	683	795	CCWS3042					
	48" (1219)	34" (864)	691	719	831	CCWS3048					
											
Build your complete Part Number here:						— — — — —	—	— —	—	—	—



Sample
Part Number:

CCWS2436	.C	.GN	N/A	.J20	.Y			
_____	—	—	—	—	—			
\$590	+	\$42	+	N/C	+	N/C	+	N/C


Total Cost \$632 =

Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a 1/2" (13) gap along the back edge for cable management.

All supports for the Transitional Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. A shared work surface support is recommended at all work surface junctions, to lower work station cost. For additional information, see Work Surface Support Planning in the Capture Components Planning

Capture Transitional Corner Work Surfaces

A 3D perspective diagram of a square plate. The top edges are labeled with width W . The front edge is labeled with thickness t . The bottom-left diagonal edge is labeled $D1$ and the bottom-right diagonal edge is labeled $D2$. The plate has a slightly curved bottom edge.



A diagram of a rectangular plate with width W and depth $D1$. The plate is shown from a perspective view, with the front edge labeled $D2$. The plate is divided into two sections by a vertical line, with the left section labeled $D1$ and the right section labeled $D2$.

CTCWS203624R	.GY	.Y	.J20	.Y				
\$590	+	\$28	+	N/C	+	N/C	+	N/C


Capture Extended Corner Work Surfaces

Extended Corner Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Left Hand or Right Hand versions. Work Surfaces are nominal 1¼" (32) thick and when installed provide a ½" (13) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications.

All Supports for the Extended Corner Work Surface must be ordered

separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work Surfaces 66" (1676) and longer require additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.



Capture Extended Corner Work Surfaces - Right Hand

Depth	Dimensions		List Price			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
	Width 1	Width 2	1	2	3					
24" (610)	36" (914)	60" (1524)	\$829	\$874	\$1048	CECWS243660R	GN	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
		66" (1676)	861	919	1150	CECWS243666R	No Cost			
		72" (1829)	889	947	1178	CECWS243672R	No			
		78" (1981)	941	999	1230	CECWS243678R	Grommet			
		84" (2131)	950	1008	1239	CECWS243684R				
		90" (2286)	988	1046	1277	CECWS243690R	GY			
		96" (2438)	1013	1071	1302	CECWS243696R	+\$28			
24" (610)	42" (1067)	60" (1524)	\$839	\$884	\$1058	CECWS244260R	Work			
		66" (1676)	873	931	1162	CECWS244266R	Surfaces			
		72" (1829)	901	959	1190	CECWS244272R	Up to 60"			
		78" (1981)	953	1011	1242	CECWS244278R	Two			
		84" (2131)	965	1023	1254	CECWS244284R	Grommet			
		90" (2286)	991	1049	1280	CECWS244290R				
		96" (2438)	1017	1075	1306	CECWS244296R	+\$33			
24" (610)	48" (1219)	60" (1524)	\$842	\$887	\$1061	CECWS244860R	66" to 96"			
		66" (1676)	878	936	1167	CECWS244866R	Three			
		72" (1829)	908	966	1197	CECWS244872R	Grommets			
		78" (1981)	954	1012	1243	CECWS244878R				
		84" (2131)	968	1026	1257	CECWS244884R				
		90" (2286)	996	1054	1285	CECWS244890R				
		96" (2438)	1026	1084	1315	CECWS244896R				
30" (762)	36" (914)	60" (1524)	\$867	\$912	\$1086	CECWS303660R				
		66" (1676)	908	966	1197	CECWS303666R				
		72" (1829)	953	1011	1242	CECWS303672R				
		78" (1981)	991	1049	1280	CECWS303678R				
		84" (2131)	1030	1088	1319	CECWS303684R				
		90" (2286)	1065	1123	1354	CECWS303690R				
		96" (2438)	1112	1170	1401	CECWS303696R				
30" (762)	42" (1067)	60" (1524)	\$873	\$918	\$1092	CECWS304260R				
		66" (1676)	915	973	1204	CECWS304266R				
		72" (1829)	958	1016	1247	CECWS304272R				
		78" (1981)	996	1054	1285	CECWS304278R				
		84" (2131)	1039	1097	1328	CECWS304284R				
		90" (2286)	1077	1135	1366	CECWS304290R				
		96" (2438)	1120	1178	1409	CECWS304296R				
30" (762)	48" (1219)	60" (1524)	\$878	\$923	\$1097	CECWS304860R				
		66" (1676)	919	977	1208	CECWS304866R				
		72" (1829)	967	1025	1256	CECWS304872R				
		78" (1981)	1006	1064	1295	CECWS304878R				
		84" (2131)	1044	1102	1333	CECWS304884R				
		90" (2286)	1083	1141	1372	CECWS304890R				
		96" (2438)	1126	1184	1415	CECWS304896R				

Build your complete Part Number here:

Sample Part Number:

Total Cost \$857 =

CECWS243660R	.GY	.Y	.J20	.Y				
-----	--	-	---	-				
\$829	+	\$28	+	N/C	+	N/C	+	N/C


Capture Extended Corner Work Surfaces

Extended Corner Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Left Hand or Right Hand versions. Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a 1/2" (13) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications.

All Supports for the Extended Corner Work Surface must be ordered

separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work Surfaces 66" (1676) and longer require additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.



Capture Extended Corner Work Surfaces - Left Hand

Depth	Dimensions		List Price			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
	Width 1	Width 2	1	2	3					
24" (610)	60" (1524)	36" (914)	\$829	\$874	\$ 1048	CECWS246036L	GN No Cost No Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	66" (1676)		861	919	1150	CECWS246636L				
	72" (1829)		889	947	1178	CECWS247236L				
	78" (1981)		941	999	1230	CECWS247836L				
	84" (2131)		950	1008	1239	CECWS248436L				
	90" (2286)		988	1046	1277	CECWS249036L				
	96" (2438)		1013	1071	1302	CECWS249636L				
24" (610)	60" (1524)	42" (1067)	\$839	\$884	\$ 1058	CECWS246042L	GY +\$28 Work Surfaces Up to 60" Two Grommet			
	66" (1676)		873	931	1162	CECWS246642L				
	72" (1829)		901	959	1190	CECWS247242L				
	78" (1981)		953	1011	1242	CECWS247842L				
	84" (2131)		965	1023	1254	CECWS248442L				
	90" (2286)		991	1049	1280	CECWS249042L				
	96" (2438)		1017	1075	1306	CECWS249642L				
24" (610)	60" (1524)	48" (1219)	\$842	\$887	\$ 1061	CECWS246048L	+\$33 66" to 96" Three Grommets			
	66" (1676)		878	936	1167	CECWS246648L				
	72" (1829)		908	966	1197	CECWS247248L				
	78" (1981)		954	1012	1243	CECWS247848L				
	84" (2131)		968	1026	1257	CECWS248448L				
	90" (2286)		996	1054	1285	CECWS249048L				
	96" (2438)		1026	1084	1315	CECWS249648L				
30" (762)	60" (1524)	36" (914)	\$867	\$912	\$ 1086	CECWS306036L				
	66" (1676)		908	966	1197	CECWS306636L				
	72" (1829)		953	1011	1242	CECWS307236L				
	78" (1981)		991	1049	1280	CECWS307836L				
	84" (2131)		1030	1088	1319	CECWS308436L				
	90" (2286)		1065	1123	1354	CECWS309036L				
	96" (2438)		1112	1170	1401	CECWS309636L				
30" (762)	60" (1524)	42" (1067)	\$873	\$918	\$ 1092	CECWS306042L				
	66" (1676)		915	973	1204	CECWS306642L				
	72" (1829)		958	1016	1247	CECWS307242L				
	78" (1981)		996	1054	1285	CECWS307842L				
	84" (2131)		1039	1097	1328	CECWS308442L				
	90" (2286)		1077	1135	1366	CECWS309042L				
	96" (2438)		1120	1178	1409	CECWS309642L				
30" (762)	60" (1524)	48" (1219)	\$878	\$923	\$ 1097	CECWS306048L				
	66" (1676)		919	977	1208	CECWS306648L				
	72" (1829)		967	1025	1256	CECWS307248L				
	78" (1981)		1006	1064	1295	CECWS307848L				
	84" (2131)		1044	1102	1333	CECWS308448L				
	90" (2286)		1083	1141	1372	CECWS309048L				
	96" (2438)		1126	1184	1415	CECWS309648L				

Build your complete
Part Number here:

Sample
Part Number:

Total Cost \$857=

CECWS246036L	.GY	.Y	.J20	.Y				
-----	--	-	---	-				
\$829	+	\$28	+	N/C	+	N/C	+	N/C

Capture Extended Transitional Corner Work Surfaces

Extended Transitional Corner Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Left Hand or Right Hand versions. The Extended Transitional Corner Work Surface is designed with dual depth of either 20" and 24" or 24" and 30".

Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a

1/2" (13) gap along the back edge for cable management.


Back Edge Grommets are available for use in certain applications.

All Supports for the Extended Transitional Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work Surfaces 66" (1676) and longer require and

additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Capture Extended Transitional Corner Work Surfaces - Right Hand

Dimensions				List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
Depth 1	Width 1	Width 2	Depth 2	1	2	3					
20" (508)	36" (914)	60" (1524)	24" (610)	\$829	\$874	\$ 1048	CETC20366024R	GN	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
		66" (1676)		861	919	1150	CETC20366624R	No Cost			
		72" (1829)		889	947	1178	CETC20367224R	No			
		78" (1981)		941	999	1230	CETC20367824R	Grommet			
		84" (2131)		950	1008	1239	CETC20368424R				
		90" (2286)		988	1046	1277	CETC20369024R	GY			
		96" (2438)		1013	1071	1302	CETC20369624R	+\$28			
20" (508)	42" (1067)	60" (1524)	24" (610)	\$839	\$884	\$ 1058	CETC20426024R	Work			
		66" (1676)		873	931	1162	CETC20426624R	Surfaces			
		72" (1829)		901	959	1190	CETC20427224R	Up to 60"			
		78" (1981)		953	1011	1242	CETC20427824R	Two			
		84" (2131)		965	1023	1254	CETC20428424R	Grommet			
		90" (2286)		991	1049	1280	CETC20429024R				
		96" (2438)		1017	1075	1306	CETC20429624R	+\$33			
20" (508)	48" (1219)	60" (1524)	24" (610)	\$842	\$887	\$ 1061	CETC20486024R	66" to 96"			
		66" (1676)		878	936	1167	CETC20486624R	Three			
		72" (1829)		908	966	1197	CETC20487224R	Grommets			
		78" (1981)		954	1012	1243	CETC20487824R				
		84" (2131)		968	1026	1257	CETC20488424R				
		90" (2286)		996	1054	1285	CETC20489024R				
		96" (2438)		1026	1084	1315	CETC20489624R				
24" (610)	36" (914)	60" (1524)	30" (762)	\$867	\$912	\$ 1086	CETC24366030R				
		66" (1676)		908	966	1197	CETC24366630R				
		72" (1829)		953	1011	1242	CETC24367230R				
		78" (1981)		991	1049	1280	CETC24367830R				
		84" (2131)		1030	1088	1319	CETC24368430R				
		90" (2286)		1065	1123	1354	CETC24369030R				
		96" (2438)		1112	1170	1401	CETC24369630R				
24" (610)	42" (1067)	60" (1524)	30" (762)	\$873	\$918	\$ 1092	CETC24426030R				
		66" (1676)		915	973	1204	CETC24426630R				
		72" (1829)		958	1016	1247	CETC24427230R				
		78" (1981)		996	1054	1285	CETC24427830R				
		84" (2131)		1039	1097	1328	CETC24428430R				
		90" (2286)		1077	1135	1366	CETC24429030R				
		96" (2438)		1120	1178	1409	CETC24429630R				
24" (610)	48" (1219)	60" (1524)	30" (762)	\$878	\$923	\$ 1097	CETC24486030R				
		66" (1676)		919	977	1208	CETC24486630R				
		72" (1829)		967	1025	1256	CETC24487230R				
		78" (1981)		1006	1064	1295	CETC24487830R				
		84" (2131)		1044	1102	1333	CETC24488430R				
		90" (2286)		1083	1141	1372	CETC24489030R				
		96" (2438)		1126	1184	1415	CETC24489630R				



Build your complete
Part Number here:

Sample
Part Number:

Total Cost \$857 =

_____	__	—	---	—
-------	----	---	-----	---

CETC20366024R	.GY	.Y	.J20	.Y
_____	__	—	---	—

\$829	+	\$28	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----

Capture Extended Transitional Corner Work Surfaces

Extended Transitional Corner Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Left Hand or Right Hand versions. The Extended Transitional Corner Work Surface is designed with dual depth of either 20" and 24" or 24" and 30".

Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a

1/2" (13) gap along the back edge for cable management.


Back Edge Grommets are available for use in certain applications.

All Supports for the Extended Transitional Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back corner of the work surface. Work Surfaces 66" (1676) and longer require and

additional intermediate support along the length of the work surface. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Capture Extended Transitional Corner Work Surfaces - Left Hand

Dimensions				List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
Depth 1	Width 1	Width 2	Depth 2	1	2	3					
24" (610)	60" (1524)	36" (914)	20" (508)	\$829	\$874	\$ 1048	CETC24603620L	GN No Cost No Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	66" (1676)			861	919	1150	CETC24663620L				
	72" (1829)			889	947	1178	CETC24723620L				
	78" (1981)			941	999	1230	CETC24783620L				
	84" (2131)			950	1008	1239	CETC24843620L				
	90" (2286)			988	1046	1277	CETC24903620L				
	96" (2438)			1013	1071	1302	CETC24963620L				
24" (610)	60" (1524)	42" (1067)	20" (508)	\$839	\$884	\$ 1058	CETC24604220L	GY +\$28 Work Surfaces Up to 60" Two Grommet			
	66" (1676)			873	931	1162	CETC24664220L				
	72" (1829)			901	959	1190	CETC24724220L				
	78" (1981)			953	1011	1242	CETC24784220L				
	84" (2131)			965	1023	1254	CETC24844220L				
	90" (2286)			991	1049	1280	CETC24904220L				
	96" (2438)			1017	1075	1306	CETC24964220L				
24" (610)	60" (1524)	48" (1219)	20" (508)	\$842	\$887	\$ 1061	CETC24604820L	+\$33 66" to 96" Three Grommets			
	66" (1676)			878	936	1167	CETC24664820L				
	72" (1829)			908	966	1197	CETC24724820L				
	78" (1981)			954	1012	1243	CETC24784820L				
	84" (2131)			968	1026	1257	CETC24844820L				
	90" (2286)			996	1054	1285	CETC24904820L				
	96" (2438)			1026	1084	1315	CETC24964820L				
30" (762)	60" (1524)	36" (914)	24" (610)	\$867	\$912	\$ 1086	CETC30603624L				
	66" (1676)			908	966	1197	CETC30663624L				
	72" (1829)			953	1011	1242	CETC30723624L				
	78" (1981)			991	1049	1280	CETC30783624L				
	84" (2131)			1030	1088	1319	CETC30843624L				
	90" (2286)			1065	1123	1354	CETC30903624L				
	96" (2438)			1112	1170	1401	CETC30963624L				
30" (762)	60" (1524)	42" (1067)	24" (610)	\$873	\$918	\$ 1092	CETC30604224L				
	66" (1676)			915	973	1204	CETC30664224L				
	72" (1829)			958	1016	1247	CETC30724224L				
	78" (1981)			996	1054	1285	CETC30784224L				
	84" (2131)			1039	1097	1328	CETC30844224L				
	90" (2286)			1077	1135	1366	CETC30904224L				
	96" (2438)			1120	1178	1409	CETC30964224L				
30" (762)	60" (1524)	48" (1219)	24" (610)	\$878	\$923	\$ 1097	CETC30604824L				
	66" (1676)			919	977	1208	CETC30664824L				
	72" (1829)			967	1025	1256	CETC30724824L				
	78" (1981)			1006	1064	1295	CETC30784824L				
	84" (2131)			1044	1102	1333	CETC30844824L				
	90" (2286)			1083	1141	1372	CETC30904824L				
	96" (2438)			1126	1184	1415	CETC30964824L				



Build your complete
Part Number here:

Sample
Part Number:

Total Cost \$902 =

-----	--	-	----	-				
CETC24603620L	.GY	.Y	.J9B	.Y				
-----	--	-	----	-				
\$874	+	\$28	+	N/C	+	N/C	+	N/C

Capture Blade Work Surfaces
Blade Work Surfaces have a high pressure laminate top with vinyl edge, and are available in Right Hand and Left Hand Versions. Work Surfaces are nominal 1¼" (32) thick and when installed provide a ½" (13) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications.

The Blade Work Surface includes a Capture Work Surface U-Leg Support. All other support hardware must be ordered separately. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning

Section. See page 96 to order work surface supports.

Note: If using the Blade as a Floor Supported Element a Shared Work Surface Support must be used (CWSSLS or CWSSRS). For additional information on Floor Supported Elements see the Frame Planning section.

Capture Blade Work Surfaces

Dimensions			List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
Depth 1	Width	Depth 2	1	2	3						
Right Hand							GN	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	Standard Finish No Cost	See Surface Materials Page 9
24" (610)	36" (914)	30" (762)	\$ 1197	\$ 1255	\$ 1486	CBWS3630R	No Cost				
	42" (1067)		1364	1422	1653	CBWS4230R	No				
	48" (1219)		1378	1436	1667	CBWS4830R	Grommet				
Left Hand							GY			Premium Finish + \$42	See Surface Materials Page 9
30" (762)	36" (914)	24" (610)	\$ 1197	\$ 1255	\$ 1486	CBWS3036L	+\$20				
	42" (1067)		1364	1422	1653	CBWS3042L	One				
	48" (1219)		1378	1436	1667	CBWS3048L	Grommet				

Right-Hand
Shown

Left-Hand
Shown

Note: For this configuration a Capture Work Surface Post Leg (CSPRTLLEG) is required. Leg is sold separately.

Sample Part Number:

CBWS3630R	.GN		.J9B	.Y	.Y
-----	--	-	---	-	-

Total Cost \$1255 =

\$1255	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	-----	---	-----	---	-----	---	-----	---	-----


Capture Peninsula D-Shaped Work Surfaces
Peninsula D-Shaped Work Surfaces have a high pressure laminate top with vinyl edge. Work Surfaces are nominal 1 1/4" (32) thick and when installed provide a 1/2" (13) gap along the back edge for cable management.
Back Edge Grommets are available for use in certain applications.

Peninsula D-Shaped Work Surfaces includes a center Support Column. All other support hardware must be ordered separately. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (CWSSLS or CWSSRS). For additional information on Floor Supported Elements see the Frame Planning section.

Capture Peninsula - D-Shaped Work Surfaces

Dimensions		List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
Depth	Length	1	2	3						
30" (762)	60" (1524)	\$894	\$922	\$ 1034	CPDWS3060	GN No Cost No Grommet	See Surface Materials Systems Paint and Trim color Page 9	See Surface Materials Page 10	Standard Finish No Cost	See Surface Materials Page 9
	66" (1676)	976	1021	1195	CPDWS3066					
	72" (1829)	1056	1101	1275	CPDWS3072					
36" (914)	60" (1524)	\$ 942	\$ 987	\$ 1161	CPDWS3660	GY +\$20 One Grommet	See Surface Materials Page 9	See Surface Materials Page 10	Premium Finish + \$42	See Surface Materials Page 9
	66" (1676)	1128	1186	1417	CPDWS3666					
	72" (1829)	1314	1372	1603	CPDWS3672					
Build your complete Part Number here:					-----	--	-	---	-	-



Sample
Part Number:

CPDWS3060	.GY	.Y	.J20	.Y	.Y			
\$894	+	\$20	+	N/C	+	N/C	+	N/C

Total Cost \$914 =

Capture Extended Peninsula D-Shaped Work Surfaces

The Extended Peninsula D-Shaped Work Surface has a high pressure laminate top with vinyl edge and is available in Right Hand or Left Hand versions. Work Surfaces are nominal 1¼" (32) thick and when installed provide a ½" (13) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications.


The Extended Peninsula D-Shaped Work Surface includes a center Support Column. All other support hardware must be ordered separately. Shared Work Surface Supports are also recommended at all work surface junctions. For additional information, see Work Surface Support Planning

in the Capture Components Planning Section. See page 96 to order work surface supports.

Note: If using the Peninsula as a Floor Supported Element, a Shared Work Surface Support must be used (CWSSLS or CWSSRS). For additional information on Floor Supported Elements see the Frame Planning section.

Capture Extended Peninsula - D-Shaped Work Surfaces

Dimensions			List Price Laminate Grade			Catalog Number	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Trim Color	Edge Color
Depth	Width	Length	1	2	3						
Right-Hand											
24" (610)	48" (1219)	60" (1524)	\$ 1197	\$ 1242	\$ 1416	CEPDWS244860R	GN	See	See	Standard	See
24" (610)	48" (1219)	72" (1829)	1364	1422	1653	CEPDWS244872R	No Cost	Surface	Surface	Finish	Surface
30" (762)	48" (1219)	72" (1829)	1378	1436	1667	CEPDWS304872R	No Grommet	Materials	Materials	No Cost	Materials
Left-Hand											
60" (1524)	48" (1219)	24" (610)	\$ 1197	\$ 1242	\$ 1416	CEPDWS604824L	GY	Paint and		Premium	
72" (1829)	48" (1219)	24" (610)	1364	1422	1653	CEPDWS724824L	+\$20	Trim color	Page 9	Finish	
72" (1829)	48" (1219)	30" (762)	1378	1436	1667	CEPDWS724830L	One Grommet			+\$42	See
											Surface
											Materials
											Page 9
Build your complete Part Number here:						_____	__	-	_____	-	-



Sample
Part Number:

CEPDWS244860R	.GY	.Y	.J20	.Y	.Y
---------------	-----	----	------	----	----

Total Cost \$1217 =

\$1197	+	\$20	+	N/C	+	N/C	+	N/C	+	N/C
--------	---	------	---	-----	---	-----	---	-----	---	-----

Capture Radiused Conference Work Surfaces


Radiused Conference Work Surfaces provide a shared conferencing surface at the end of two adjacent work stations. It must be matched to two Rectangular Work Surfaces of equal depth and height.

Radiused Conference Work Surfaces have a high pressure laminate top with vinyl edge. Work Surfaces are nominal 1¼" (32) thick.

The Radiused Conference Work Surface includes a center support column. All other support hardware must be ordered separately. One right hand (CWSSRS) and one left hand (CWSSLS) are required to support the Radiused Conference Work Surface.

For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Capture Radiused Conference Work Surfaces

	Dimensions		List Price Laminate Grade			Catalog Number	Leg Option	Laminate Color	Edge Color	Trim Color
	Depth	Width	1	2	3					
	20" (508)	43" (1092)	\$673	\$701	\$813	CRCEWS2043	4R	See Surface Materials Page 10	See Surface Materials Page 9	Standard Finish No Cost Premium Finish + \$42 See Surface Materials Page 9
	24" (610)	51" (1295)	741	769	881	CRCEWS2451	4" Round			
	30" (762)	63" (1600)	894	922	1034	CRCEWS3063	2S 2" Square			
Shown with 4R Option	Build your complete Part Number here:					_____	__	___	—	—

Sample
Part Number:

CRCEWS2043	.2S	.520	.Y	.Y
_____	__	___	—	—

Total Cost \$673 =

\$673	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----	---	-----

Capture 120 Degree Corner Work Surfaces

The 120 Degree Corner Work Surface has a high pressure laminate top with vinyl edge and is available with either curved or straight front edge. Work surfaces are nominal 1 1/4" (32) thick and when installed provide a 5/8" (16) gap along the back edge for cable management.

Back Edge Grommets are available for use in certain applications.

All supports for the Corner Work Surface must be ordered separately. A separately specified Work Surface Bracket is required to support the back

corner of the work surface. A shared work surface support is recommended at all work surface junctions to lower work station costs. For additional information, see Work Surface Support Planning in the Capture Components Planning Section. See page 96 to order work surface supports.

Capture 120 Degree Outside Corner Work Surfaces


The 120 Degree Outside Corner Work Surface continues a work surface run around an outside 120° panel configuration by adjoining the ends of two work surfaces.

The 120 Degree Outside Corner Work Surface has a high-pressure laminate top with a vinyl edge. Work surfaces are nominal 1 1/4" (32) thick and when installed provide a 1/2" (13) gap along the back edge for cable management.

All supports for the Outside Corner Work Surface must be ordered separately. Two shared Work Surface Supports, one right hand (CWSSRS) and one left hand (CWSSLS) are required to support the Outside Corner Work Surface. See page 96 to order work surface supports.


Capture 120 Degree Corner Work Surfaces

Dimensions			List Price Laminate Grade			Catalog Number	Front Option	Back Edge Grommet	Back Edge Grommet Color	Laminate Color	Edge Color
Depth	Width	Front Width	1	2	3						
24" (610)	36" (914)	38 1/8" (974)	\$629	\$657	\$769	C120CWS2436	S No Cost Straight	GN No Cost No Grommet	See Surface Materials Page 9	See Surface Materials Page 10	See Surface Materials Page 9
	42" (1067)	48 3/4" (1238)	769	797	909	C120CWS2442					
	48" (1219)	59 1/8" (1502)	807	835	947	C120CWS2448					
30" (762)	36" (914)	32 1/8" (822)	\$641	\$699	\$930	C120CWS3036	C + \$42 Curved	GY + \$28 Two Grommets			
	42" (1067)	42 3/4" (1086)	795	853	1084	C120CWS3042					
	48" (1219)	53 1/8" (1350)	923	981	1212	C120CWS3048					
Build your complete Part Number here:							---	---	---	---	---



Capture 120 Degree Outside Corner Surfaces

Dimensions		List Price Laminate Grade			Catalog Number	Laminate Color	Edge Color
Depth	Width	1	2	3			
24" (610)		\$ 293	\$ 321	\$ 433	C120OCWS24	See Surface Materials Page 10	See Surface Materials Page 9
30" (762)		371	399	511	C120OCWS30		
Build your complete Part Number here:						---	---



Sample
Part Number:

C120CWS2436	.S	.GY	.Y	.J20	.Y
-------------	----	-----	----	------	----

Total Cost \$657 =

\$629	+	N/C	+	\$28	+	N/C	+	N/C	+	N/C
-------	---	-----	---	------	---	-----	---	-----	---	-----

Counter Tops

Counter Tops are 1¼" (32) thick and have high pressure laminate tops with vinyl edge. Price includes counter top, support brackets and mounting hardware.

Note: Top Caps are not used with Counter Tops.

Note: Counter Tops can not be placed on top of Glass Stacker Frames.

Capture Rectangle Counter Tops


Rectangle Counter Tops can be used individually or in combination with Radiused, Right Angle and Bowed Counter Tops.


Bowed Counter Tops

The Bowed Counter Top is 14" (356) deep at the ends and 16" (408) deep at the center, creating a curve on the approach side of the surface. Bowed Counter Tops can be combined with Rectangle, Radiused and Right Angle Counter Tops to make functional and attractive transaction configurations.

Note: The curve geometry of Bowed Counter Tops varies based on the length of the counter top selected.


Capture Rectangle Counter Tops

Dimensions		List Price Laminate Grade			Catalog Number	Laminate Color	Trim Color	Edge Color
Width	Depth	1	2	3				
24" (610)	14" (610)	\$ 413	\$ 426	\$ 475	CRCT2414	See Surface Materials Page 10	Standard Smooth Finish Only	See Surface Materials Page 9
30" (762)		426	439	488	CRCT3014			
36" (914)		449	468	542	CRCT3614			
42" (1067)		460	479	553	CRCT4214			
48" (1219)		468	487	561	CRCT4814			
54" (1372)		484	503	577	CRCT5414			
60" (1524)		503	522	596	CRCT6014			
66" (1676)		520	548	660	CRCT6614			
72" (1829)		544	572	684	CRCT7214			
						See Surface Materials Page 9		



Capture Bowed Counter Tops

Dimensions			List Price Laminate Grade			Catalog Number
Width	Depth at End	Depth at Center	1	2	3	
24" (610)	14" (356)	16" (406)	\$ 469	\$ 488	\$ 562	CBCT2414
30" (762)			484	503	577	CBCT3014
36" (914)			505	533	645	CBCT3614
42" (1067)			516	544	656	CBCT4214
48" (1219)			525	553	665	CBCT4814
54" (1372)			542	570	682	CBCT5414
60" (1524)			557	585	697	CBCT6014
66" (1676)			582	610	722	CBCT6614
72" (1829)			600	628	740	CBCT7214



Build your complete
Part Number here:

-----	---	-	-
-------	-----	---	---

Sample
Part Number:

CRCT2414 -----	.J20 ---	.Y -	.Y -
-------------------	-------------	---------	---------

Total Cost \$413 =

\$413	+	N/C	+	N/C	+	N/C
-------	---	-----	---	-----	---	-----

Radiused Counter Tops


Radiused Counter Tops have one radiused end and one straight end. The Radiused Counter Top is designed so that the radiused end extends 6" (162) beyond the end of the panel run. Radiused Counter Tops can be used individually or in combination with Rectangle, Right angle and Bowed Counter Tops to extend the run.

Right Angle Counter Tops

The Right Angle Counter Top provides a continuous surface to extend around 90° panel configurations.


Capture Radiused Counter Tops

Dimensions			List Price Laminate Grade			Catalog Number	Laminate Color	Trim Color	Edge Color
Fits Panel Width	Actual Width	Depth	1	2	3				
24" (610)	30" (762)	14" (356)	\$ 438	\$ 451	\$ 500	CRDCT2414	See Surface Materials Page 10	Standard Smooth Finish Only	See Surface Materials Page 9
30" (762)	36" (914)		454	473	547	CRDCT3014			
36" (914)	42" (1067)		468	487	561	CRDCT3614			
42" (1067)	48" (1219)		475	503	615	CRDCT4214			
48" (1219)	54" (1372)		502	530	642	CRDCT4814			
54" (1372)	60" (1524)		512	540	652	CRDCT5414			
60" (1524)	66" (1676)		520	548	660	CRDCT6014			
66" (1676)	72" (1829)		542	570	682	CRDCT6614			
72" (1829)	78" (1981)		557	585	697	CRDCT7214			



Capture Right Angle Counter Tops

Dimensions			List Price Laminate Grade			Catalog Number
Fits Panel Width	Actual Width	Depth	1	2	3	
36" (914)	44" (1118)	14" (356)	\$ 888	\$ 933	\$ 1107	CRACT3614
42" (1067)	50" (1270)		905	980	1257	CRACT4214
48" (1219)	56" (1422)		952	1027	1304	CRACT4814



Build your complete
Part Number here:

-

-

-

Sample
Part Number:

CRDCT2414

.J20

.Y

.Y

Total Cost \$438 =

\$438

+

N/C

+

N/C

+

N/C

Capture Work Surface Supports
Work Surface Supports are available in four different styles- Right Hand, Left Hand, Right Hand Shared and Left Hand Shared. Right and Left Hand cantilevers are used at the end of a work surface run while shared cantilevers are used where two work surfaces meet. Right and Left Hand Shared cantilevers can be used interchangeably; however, handed versions are available for conditions where they are visible from the end of a work surface run (as with the Capture Radiused Conference Work Surface) Available in Standard Smooth Trim colors.

Note: Work Surface Supports are ordered separately for all work surfaces.





Note: Requirements for which support to use are given in the description section for each work surface.


Capture Work Surface Brackets
Work Surface brackets are used to support the back corner of all Corner Work Surfaces, and to support the end of a work surface that meets a return panel of equal width. They are also used to connect the back edge of Work Surfaces to a panel when the work surface is supported by metal pedestal. As a rule, left supports are hung from the panel's


left side rail and right supports are hung from the panel's right side rail.

Note: Requirements for which support to use are given in the description section for each work surface.

Flush Support Plates
Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.

Capture Work Surface Supports				
 CWSSR  CWSSL  CWSSRS  CWSSLS	Description	List Price	Catalog Number	Trim Color
	Right-Hand Support	\$76	CWSSR	Standard Smooth Finishes Only No Cost See Surface Material Page 9
	Left-Hand Support	\$76	CWSSL	
	Right-Hand Shared Support	\$107	CWSSRS	
	Left-Hand Shared Support	\$107	CWSSLS	

Capture Work Surface Brackets				
 CWSBR CWSBL	Description	List Price	Catalog Number	Trim Color
	Right-Hand Bracket	\$16	CWSBR	BK No Cost Black + \$6 Standard Smooth Finish
	Left-Hand Bracket	\$16	CWSBL	
	Pair Right- and Left-Hand Bracket	\$29	CWSBP	

Capture Flush Support Plates				
	Dimensions		Catalog Number	
	Length	Width		
	7 ³ / ₈ " (187)	2" (51)	\$60	CSICSP
Build your complete Part Number here:			_____	_____

Sample Part Number:	CWSSR _____	.G __
	\$76	+

Total Cost \$76 =

Capture Work Surface P-Leg Supports

Work Surface P-Leg Supports are available in four different styles – Right Hand, Left Hand, Right Hand Shared and Left Hand Shared. Right and Left Hand P-Legs are used at the end of a work surface run while shared P-Legs are used where two work surfaces meet.

Work Surface P-Leg Supports replace cantilever and end panel support.

Price includes support leg, leveling glide and panel attachment hardware.

Note: P-Leg and Work Surface depth should match.


Capture Work Surface U-Leg Supports

Work Surface U-Leg Supports are available in two different styles- End Support and Shared. End Support U-Legs are used at the end of a work

surface run while shared U-Legs are used where two work surfaces meet.


Work Surface U-Leg Supports replace work surface supports and end panel support. Price includes support leg, leveling glide and panel attachment hardware.

Note: U-Leg and Work Surface depth should match.




Capture Work Surface P-Leg Supports

Dimensions		List Price	Catalog Number	Trim Color
Depth	Height			
Right-Hand				Standard Finishes No Cost Premium Finishes +\$42 See Surface Materials Page 9
20" (508)	27¾" (705)	\$ 370	WSSPL20R	
24" (610)	27¾" (705)	383	WSSPL24R	
30" (762)	27¾" (705)	403	WSSPL30R	
Left-Hand				
20" (508)	27¾" (705)	\$ 370	WSSPL20L	
24" (610)	27¾" (705)	383	WSSPL24L	
30" (762)	27¾" (705)	403	WSSPL30L	
Right-Hand Shared				
20" (508)	27¾" (705)	\$ 538	WSSPLS20R	
24" (610)	27¾" (705)	558	WSSPLS24R	
30" (762)	27¾" (705)	585	WSSPLS30R	
Left-Hand Shared				
20" (508)	27¾" (705)	\$ 538	WSSPLS20L	
24" (610)	27¾" (705)	558	WSSPLS24L	
30" (762)	27¾" (705)	585	WSSPLS30L	



End Support



Shared

Capture Work Surface U-Leg Supports

Dimensions		List Price	Catalog Number
Depth	Height		
End Support			
20" (508)	27¾" (705)	\$ 376	CWSSULE20
24" (610)	27¾" (705)	396	CWSSULE24
30" (762)	27¾" (705)	409	CWSSULE30
Shared			
20" (508)	27¾" (705)	\$ 552	CWSSULS20
24" (610)	27¾" (705)	571	CWSSULS24
30" (762)	27¾" (705)	599	CWSSULS30

Build your complete Part Number here:

-

Sample Part Number:

WSSPL20R

.G

Total Cost \$370 =

\$370

+

N/C

Capture Work Surface Post Leg

The Work Surface Post Leg can be used to support the front corner of a Capture work surface when a Work Surface Bracket (specified separately) is supporting the back edge. This combination can be used to replace a P Leg, U Leg or End Panel supports. Price includes post leg, leveling glide and attachment hardware.

Capture Bench Storage Work Surface Short Support

The Bench Storage Work Surface leg is used with Capture Bench Height Storage units to support the end of a

work surface. 20" and 24" deep work surfaces use CBSWSL13 and 30" deep surfaces use CBSWSL19. Legs are available in all Fellowes Standard and Premium Finishes.

All necessary attachment hardware is included.

Capture Work Surface End Panels

The Capture Work Surface End Panel replaces the standard cantilever support bracket on panel-hung work surfaces to provide additional support and stability. Price includes end panel, leveling glides, and attachment hardware.


Trim color refers to the bracketry which attaches the end panel to the systems panel.

Note: To determine where Work Surface End Panels may be used, refer to Work Surface Support Planning page in the Capture Components Planning section.

Support Riser


Capture Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza that are a height of 26 3/4".

Available in Black only.




Capture Work Surface Post Leg

Dimensions		List Price	Catalog Number	Trim Color
Leg Depth	Height			
2" (51)	27 3/4" (705)	\$120	CSPRTLLEG	Standard Finishes No Cost Premium Finishes +\$20



Capture Bench Storage Work Surface Short Support

Dimensions		List Price	Catalog Number	Trim Color
Depth	Height			
13" (330)	6.5" (165)	\$267	CBSWSL13	Standard Finishes No Cost Premium Finishes +\$20
19" (483)		289	CBSWSL19	



Capture Work Surface End Panel Supports

Dimensions		List Price			Catalog Number	Trim Color	Laminate Color	Edge Color
Depth	Height	1	2	3				
Right-Hand								
20" (508)	27 3/4" (705)	\$328	\$341	\$390	CWSEP20R	Standard Smooth Finish Only	See Surface Materials Page 10	See Surface Materials Page 9
24" (610)	27 3/4" (705)	339	358	432	CWSEP24R			
30" (762)	27 3/4" (705)	372	391	465	CWSEP30R			
Left-Hand								
20" (508)	27 3/4" (705)	\$328	\$341	\$390	CWSEP20L	See Surface Material Page 9		
24" (610)	27 3/4" (705)	339	358	432	CWSEP24L			
30" (762)	27 3/4" (705)	372	391	465	CWSEP30L			



Capture Support Riser

Dimensions		List Price	Catalog Number
Height			
8" (203) x 13" (330)	1" (25)	\$103	CWSRISER

Build your complete Part Number here:

Sample Part Number:

CWSEP20R	.G	.J20	.G			
\$328	+	N/C	+	N/C	+	N/C

Total Cost \$328 =

Pencil Drawer


The Pencil Drawer mounts beneath any work surface except certain Corner Work Surfaces*. The plastic drawer includes a built-in pencil tray and dividers, nylon slides and attachment hardware. Drawer is non-locking and offered in black only.

***Note:** The Pencil Drawer will fit on Capture Panel Hung Corner Work Surfaces with front widths greater than 22" (559).

Center Drawer


The Center Drawer mounts beneath any work surface except certain Corner Work Surfaces*. The drawer includes a built-in pencil tray and dividers, full-extension ball-bearing slides, and attachment hardware. Drawer is non-locking, painted metal and available in black only.

***Note:** The Center Drawer will fit on Capture Panel Hung Corner Work Surfaces with front widths greater than 22" (559).



Pencil Drawer

Depth	Dimensions Width	Height	List Price	Catalog Number
16 1/8" (410)	21 1/2" (546)	2" (51)	\$ 64	PDR



Center Drawer

Depth	Dimensions Width	Height	List Price	Catalog Number
18" (457)	20 1/2" (521)	1 5/8" (41)	\$355	CDW

Build your complete Part Number here:

Sample Part Number:

CDW

Total Cost \$355 =

\$355

Capture Laminate Full-Height Shelf

The Full-Height Shelf consists of a Thermofused laminate shelf and end panel with matching vinyl edge. The end supports are 15 3/4" (400) high. The unit includes brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Shelf

The Half-Height Shelf consists of a Thermofused laminate shelf and end panel with matching vinyl edge. The

end supports are 7 7/8" (200) high. The unit includes brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Personal Shelf

The Half-Height Personal Shelf consists of a Thermofused laminate shelf and end panel with matching vinyl edge. The end supports are 7 7/8" (200) high. Personal Shelf depth is 9 1/4" (235) to reduce

overhead space when smaller items are being stored.


The unit includes brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Note: Trim color refers to the mounting brackets for Half and Full-Height Shelf and Half-Height Personal Shelf.

Note: Quarterbacks will match the trim color. They provide a 1 1/2" backstop to protect the fabric behind the unit.

Capture Laminate Full-Height Shelf



Dimensions			List Price Thermofused Grade		Catalog Number	Grommet in Shelf	Unit/Shelf Color	Quarter-Back	Trim Color
Depth	Height	Width	1	2					
14" (356)	15 3/4" (400)	24" (610)	\$ 289	\$ 307	CLFS24	GN No Cost No Grommet GS \$19 Grommet (Available in Black only)	Thermo-fused Laminate (See Surface Materials Page 10)	QN No Cost No Quarter-Back QY +\$28 Quarter-back Quarter-back will match trim color	Standard Smooth Finishes No Cost See Surface Material Page 9
		30" (762)	305	323	CLFS30				
		36" (914)	321	359	CLFS36				
		42" (1067)	338	376	CLFS42				
		48" (1219)	353	391	CLFS48				

Capture Laminate Half-Height Shelf



Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
14" (356)	7 7/8" (200)	24" (610)	\$ 228	\$ 246	CLHS24
		30" (762)	242	260	CLHS30
		36" (914)	260	278	CLHS36
		42" (1067)	276	294	CLHS42
		48" (1219)	289	307	CLHS48

Capture Laminate Half-Height Personal Shelf



Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
9 1/4" (235)	7 7/8" (200)	24" (610)	\$ 204	\$ 222	CLHPS24
		30" (762)	219	237	CLHPS30
		36" (914)	237	255	CLHPS36
		42" (1067)	251	269	CLHPS42
		48" (1219)	266	284	CLHPS48

Build your complete Part Number here:

Sample Part Number:

Total Cost \$308 =

CLFS24 -----	.GS --	.XZ2 ---	.QN --	.J -				
\$289	+	\$19	+	N/C	+	N/C	+	N/C

Capture Laminate Full-Height Open Cubby

The Full-Height Open Cubby is comprised of a Thermofused laminate with matching edge. The unit is 15 3/4" high with 13 1/2" of vertical storage space to accommodate standard and A4 (11 7/16" x 12 5/8") sized binders. Open Cubby includes brackets for mounting to Capture Frames. Units that are 48" wide will have a center divider. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Open Cubby

The Half-Height Open Cubby is comprised of a Thermofused laminate with matching edge. The unit is 7 7/8" high and allows for 5 5/8" of vertical storage space. The Open Cubby includes brackets for mounting to Capture Frames. Units that are 48" wide will have a center divider. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Personal Open Cubby

The Half-Height Personal Cubby is


comprised of a Thermofused laminate with matching edge. The unit is 7 7/8" high and allows for 5 5/8" of vertical storage space. Personal Open Cubby depth is 9 1/4" (235) to reduce overhead space when smaller items are being stored.

The Open Cubby includes brackets for mounting to Capture Frames. Units that are 48" wide will have a center divider. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterbacks will match the trim color. They provide a 1 1/2" backstop to protect the fabric behind the unit.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Full-Height Open Cubby



Dimensions			List Price Thermofused Grade		Catalog Number	Grommet in Shelf	Unit/Shelf Color	Quarter- Back	Trim Color
Depth	Height	Width	1	2					
14" (356)	15 ¾" (400)	24" (610)	\$ 392	\$ 410	CLFOC24	GN No Cost No Grommet	Thermo- fused Laminate (See Surface Materials Page 10)	QN No Cost No Quarter- Back	Standard Smooth Finishes No Cost (Refers to mounting brackets)
		30" (762)	425	443	CLFOC30				
		36" (914)	456	494	CLFOC36				
		42" (1067)	487	525	CLFOC42				
		48" (1219)	622	660	CLFOC48				
						GS \$19 Grommet (Available in Black only)		QY +\$28 Quarter- back	

Capture Laminate Half-Height Open Cubby



Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
14" (356)	7 7/8" (200)	24" (610)	\$ 378	\$ 396	CLHOC24
		30" (762)	408	426	CLHOC30
		36" (914)	439	457	CLHOC36
		42" (1067)	464	482	CLHOC42
		48" (1219)	605	623	CLHOC48

Capture Laminate Half-Height Personal Open Cubby



Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
9 1/4" (235)	7 7/8" (200)	24" (610)	\$ 347	\$ 365	CLHPOC24
		30" (762)	378	396	CLHPOC30
		36" (914)	409	427	CLHPOC36
		42" (1067)	433	451	CLHPOC42
		48" (1219)	575	593	CLHPOC48

Build your complete Part Number here:

----	--	---	--	-
------	----	-----	----	---

Sample Part Number:

CLHOC24	.GS	.XY2	.QN	.Y
---------	-----	------	-----	----

Total Cost \$415 =

\$396	+	\$19	+	N/C	+	N/C	+	N/C
-------	---	------	---	-----	---	-----	---	-----

Capture Laminate Full-Height Single Slider

Full-Height Single Sliders are comprised of Thermofused laminate with matching vinyl edge. The door has a pull and can be either Thermofused laminate or frosted plexi glass. Each unit has a center divider so there will always be one cubby open and one closed. The unit is 15 3/4" high, with 13 1/2" of vertical storage space to accommodate standard and A4 (11 7/16" x 12 5/8") sized binders. This unit does not lock.

Full-Height Single Sliders include brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Single Slider

Half-Height Single Sliders are comprised of Thermofused laminate with matching vinyl edge. The door has a knob pull, and can be either Thermofused laminate or frosted plexi glass. Each unit has a center divider so there will always be one cubby open and one closed. This unit does not lock.

Half-Height Single Sliders include brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.


Note: Trim color refers to the mounting brackets for Half and Full-Height Single Sliders.

Note: Quarterbacks will match the trim color. They provide a 1 1/2" backstop to protect the fabric behind the unit.

Note: Quarterback option required on 42" and 48" wide units.


Capture Laminate Full-Height Single Slider

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style	Door Grain Direction	Grommet in Shelf	Pull Style	Unit/Shelf Color	Door Color	Quarter-Back	Trim Color
Depth	Height	Width	1	2									
14" (356)	15 3/4" (400)	24" (610)	\$ 786	\$ 824	CLFSS24	LD	NA	GN	No Cost Applied	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate Door Edge will match door color Specify only if LD selected	QN No Cost No Quarter-Back QY +\$28 Quarter-back Quarter-back will match trim color	Standard Smooth Finishes No Cost
		30" (762)	866	904	CLFSS30	No Cost Laminate Door	No Grain Direction	No Cost No Grommet	L Classic				
		36" (914)	944	982	CLFSS36		DGH Horizontal Grain	GS \$19 Grommet (Available in Black only)	E Stream-Line				
		42" (1067)	1038	1076	CLFSS42		DGV Vertical Grain		AZ Designer				
		48" (1219)	1126	1164	CLFSS48	FD \$132 Frosted Door			MM Mod2				



Capture Laminate Half-Height Single Slider

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style
Depth	Height	Width	1	2		
14" (356)	7 7/8" (200)	24" (610)	\$ 675	\$ 693	CLHSS24	LD
		30" (762)	754	772	CLHSS30	No Cost Laminate Door
		36" (914)	827	865	CLHSS36	
		42" (1067)	898	936	CLHSS42	
		48" (1219)	976	1014	CLHSS48	FD \$66 Frosted Door



Build your complete Part Number here:

----	--	----	--	--	---	---	---	---	---	---	---	---	---
------	----	------	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sample Part Number:

CLFSS24	.FD	.DGH	.GN	.L	.XY2		.QN	.J
---------	-----	------	-----	----	------	--	-----	----

Total Cost \$956 =

\$824	+	\$132	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C
-------	---	-------	---	-----	---	-----	---	-----	---	-----	---	-----	---	-----

Capture Laminate Full-Height Dual Slider

Full-Height Dual Sliders are comprised of Thermofused laminate with matching vinyl edge. The unit comes with two frosted plexiglass doors that run back to back in an aluminum track. Each unit has a center divider so there will always be one cubby open and one closed. The unit is 15 3/4" high, with 13 1/2" of vertical storage space to accommodate standard and A4 (11 7/16" x 12 5/8") sized binders. This unit does not lock.

Full-Height Dual Sliders include brackets for mounting to Capture

Frames. Factory installed options include a grommet for cord management and a Quarterback.

Note: Quarterback option required on 42" and 48" wide units.

Capture Laminate Half-Height Dual Slider

Half-Height Dual Sliders are comprised of Thermofused laminate with matching vinyl edge. The unit comes with two frosted plexiglass doors that run back to back in an aluminum track. The half-height unit comes standard with a knob pull. This unit does not lock

Half-Height Dual Sliders include brackets for mounting to Capture Frames. Factory installed options include a grommet for cord management and a Quarterback.


Note: Trim color refers to the mounting brackets for Half and Full-Height Dual Sliders.

Note: Quarterbacks will match the trim color. They provide a 1 1/2" backstop to protect the fabric behind the unit.

Note: Quarterback option required on 42" and 48" wide units.


Capture Laminate Full-Height Dual Slider

Dimensions			List Price Thermofused Grade		Catalog Number	Grommet in Shelf	Pull Style	Unit/Shelf Color	Quarter-Back	Trim Color
Depth	Height	Width	1	2						
14" (356)	15 3/4" (400)	24" (610)	\$ 675	\$ 693	CLFDS24	GN No Cost No Grommet GS \$19 Grommet (Available in Black only)	No Cost Applied L Classic E StreamLine AZ Designer MM Mod2	Thermo-fused Laminate (See Surface Materials Page 10)	QN No Cost No Quarter-Back QY +\$28 Quarterback Quarterback will match trim color	Standard Smooth Finishes No Cost
		30" (762)	761	779	CLFDS30					
		36" (914)	851	889	CLFDS36					
		42" (1067)	938	976	CLFDS42					
		48" (1219)	1088	1126	CLFDS48					



Capture Laminate Half-Height Dual Slider

Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
14" (356)	7 7/8" (200)	24" (610)	\$ 567	\$ 585	CLHDS24
		30" (762)	643	661	CLHDS30
		36" (914)	722	740	CLHDS36
		42" (1067)	786	804	CLHDS42
		48" (1219)	904	922	CLHDS48



Build your complete Part Number here:

Sample Part Number:

CLFDS24	.GS	.L	.XZ2	.QN	.J			
----	--	-	----	--	-			
\$675	+	\$19	+	N/C	+	N/C	+	N/C

Total Cost \$694 =

Note: Quarterback option required on 42" and 48" wide units.

January 2023

Capture Laminate Flipper Door
Flipper Doors are comprised of thermofused laminate with matching vinyl edge. The unit is 15 3/4" high, with 13 1/2" of vertical storage space to accommodate standard and A4 (11 7/16" x 12 5/8") sized binders. The unit has a full width locking door which stores over the top with a pull. A slow close mechanism is available as an option to prevent the door from closing

abruptly. Units that are 48" wide will have a center divider. If a wood grain laminate is selected, the grain will run vertically on the door front. Factory installed options include a grommet for cord management and a Quarterback.

Note: Trim color refers to the mounting brackets for flipper doors.

Note: Quarterbacks will match the trim color. They provide a 1 1/2" backstop to protect the fabric behind the unit.


Note: Quarterback option required on 42" and 48" wide units and all units specified with a lock.

Capture Laminate Flipper Doors

Dimensions			List Price		Catalog Number	Grommet in Shelf	Pull Style	Unit/ Shelf Color	Door Color	Door Grain Direction	Slow Close	Quater-Back	Trim Color	Lock Type	Lock Option
Depth	Height	Width	1	2											
14" (356)	15 3/4" (400)	24" (610)	\$ 675	\$ 713	CLFDU24	GN	No Cost	Thermo-fused Laminate (See Surface Materials Page 10)	Door Edge will match door color	NA No Grain Direction DGH Horizontal Grain DGV Vertical Grain	SCN No Cost No Slow Close SCY +\$292 Slow Close	QN No Cost No Quarter-Back QY +\$28 Quarter-back Quarter-back will match trim color	Standard Smooth Finishes No Cost	NL No Cost No Lock CLK (One Lock) +\$33 Capture Lock	R No Cost Capture Random T -\$-16 Capture Key Alike *Note: Be sure to order Core/ Key Sets (CLCK) separately (1 per unit)
		30" (762)	722	760	CLFDU30	No Cost	Applied								
		36" (914)	773	811	CLFDU36	No Grommet	L Classic								
		42" (1067)	827	865	CLFDU42	GS \$19 Grommet (Available in Black only)	E Stream-Line								
		48" (1219)	938	976	CLFDU48		AZ De-signer MM Mod2								
Build your complete Part Number here:					_____	__	—	_____	_____	_____	_____	__	—	__	—


Laminate Overhead Assembly Tool
The Systems Laminate Overhead Assembly Tool makes assembling laminate overhead products much easier. The tool fits into a power driver chuck and provides a guide for driving the cam pins into laminate surfaces. This tool will save you time during the installation process, and reduce laminate surface chipping.

Laminate Overhead Flipper/Shelf Clip
The Laminate Overhead Flipper/Shelf Clip connects two adjacent Laminate Overhead storage units. The clips are recommended to reduce panel run deflection, and keep the gaps between units uniform. Includes six clips per box.



Laminate Overhead Assembly Tool

Dimensions Length	List Price	Catalog Number
3" (152)	\$39	LAMOHPT



Laminate Overhead Flipper/Shelf Clip

Dimensions Height Width	List Price	Catalog Number
3" (152) 3/4" (19)	\$94	LOSCL
Note: 6 clips per box		

Build your complete
Part Number here:

Sample
Part Number:

LAMOHPT

Total Cost \$39 =

\$39

Capture Component Mounting Rails

Component Mounting Rails attach Work Surfaces and Capture Systems components to interior architectural walls.

Note: It is the responsibility of the dealer or installer to ensure that the correct type of fastener for the specific, existing wall conditions is used to attach the wall mount to the wall.


Note: Component Mounting Rails are handed to match the single slotted pattern of a Capture vertical frame rail. Two Component Mounting Rails are required for each component(s) / work surface(s). Component Mounting Rails are sold in pairs, to include both a Right and Left Hand Rail.

Capture Component Mounting Rail Tackboards

Tackboards have a tackable fabric

surface. They are designed to be mounted to Component Mounting Rails only.

Tackboards are available in sizes to match Component Mounting Rail heights with either work surfaces or overheads mounted to them. See page 70 for tackboard height applications.



Two CWM's are shown.

Capture Component Wall Mounts (sold in pairs)

Dimensions			List Price	Catalog Number	Trim Color
Depth	Height	Width			
11/16" (17)	34" (864)	1 1/4" (32)	\$ 275	CXWM34	Standard Smooth Finish Only See Surface Materials Page 9
11/16" (17)	50" (1270)	1 1/4" (32)	374	CXWM50	
11/16" (17)	58" (1473)	1 1/4" (32)	394	CXWM58	
11/16" (17)	66" (1676)	1 1/4" (32)	408	CXWM66	

Capture Component Wall Mount Tackboards

Dimensions			List Price Fabric Grades						Catalog Number	Fabric Color
Depth	Height	Width	0/1	2	3	4	5	6		
1" (25)	4" (102)	24" (610)	\$ 159	\$ 170	\$ 184	\$ 197	\$ 210	\$ 222	CXTB244	See Surface Materials Page 8
1" (25)	4" (102)	30" (762)	164	175	189	202	215	227	CXTB304	
1" (25)	4" (102)	36" (914)	166	177	191	204	217	229	CXTB364	
1" (25)	4" (102)	42" (1067)	168	179	193	211	231	250	CXTB424	
1" (25)	4" (102)	48" (1219)	175	186	200	218	238	257	CXTB484	
1" (25)	12" (305)	24" (610)	\$ 267	\$ 285	\$ 305	\$ 323	\$ 343	\$ 361	CXTB2412	
1" (25)	12" (305)	30" (762)	271	289	309	327	347	365	CXTB3012	
1" (25)	12" (305)	36" (914)	279	297	317	335	355	373	CXTB3612	
1" (25)	12" (305)	42" (1067)	281	299	319	337	363	388	CXTB4212	
1" (25)	12" (305)	48" (1219)	285	303	323	348	374	400	CXTB4812	
1" (25)	20" (508)	24" (610)	\$ 283	\$ 308	\$ 334	\$ 365	\$ 398	\$ 430	CXTB2420	
1" (25)	20" (508)	30" (762)	291	316	342	373	406	438	CXTB3020	
1" (25)	20" (508)	36" (914)	309	334	360	391	424	462	CXTB3620	
1" (25)	20" (508)	42" (1067)	316	341	367	398	431	469	CXTB4220	
1" (25)	20" (508)	48" (1219)	328	353	379	410	448	487	CXTB4820	
1" (25)	28" (711)	24" (610)	\$ 318	\$ 343	\$ 369	\$ 400	\$ 438	\$ 477	CXTB2428	
1" (25)	28" (711)	30" (762)	332	357	383	421	464	511	CXTB3028	
1" (25)	28" (711)	36" (914)	353	378	404	447	500	550	CXTB3628	
1" (25)	28" (711)	42" (1067)	372	397	423	473	531	589	CXTB4228	
1" (25)	28" (711)	48" (1219)	392	417	443	499	564	627	CXTB4828	
1" (25)	36" (914)	24" (610)	\$ 409	\$ 434	\$ 460	\$ 498	\$ 541	\$ 588	CXTB2436	
1" (25)	36" (914)	30" (762)	437	462	488	531	584	634	CXTB3036	
1" (25)	36" (914)	36" (914)	460	485	511	561	619	677	CXTB3636	
1" (25)	36" (914)	42" (1067)	497	522	548	604	669	732	CXTB4236	
1" (25)	36" (914)	48" (1219)	525	550	576	632	697	760	CXTB4836	
Build your complete Part Number here:									_____	_____

Sample Part Number:

CXTB244 .AGO

Total Cost \$159 =

\$159 + N/C

Capture Laminate Panel-Top Mounted Full-Height Dual Shelf

The Top Mounted Full-Height Dual Shelf is comprised of thermofused laminate with matching vinyl edge. The end supports are 15 3/4" high. Units include mounting brackets and hardware for attachment to top of Capture frame. **Top Caps are included with Panel-Top Mounted shelves.** Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing and storage units run vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.

Capture Laminate Panel-Top Mounted Half-Height Dual Shelf

The Top Mounted Half-Height Dual Shelf is comprised of Thermofused laminate with matching vinyl edge. The end supports are 7 7/8" high. Units include mounting brackets and hardware for attachment to top of Capture frame.


Top Caps are included with Panel-Top Mounted shelves. Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing and storage units run vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.


Capture Laminate Panel-Top Mounted Full-Height Dual Shelf



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number	Unit/ Shelf Color	Back Grain Direction	Trim Color
Depth	Height	Width	1	2				
Right-Hand						Thermo-fused Laminate See Surface Materials Page 10	NA No Grain Direction	Standard Finishes No Cost
15" (381)	15 3/4" (400)	24" (610)	\$ 821	\$ 859	CLTFDSRH24			
		30" (762)	865	903	CLTFDSRH30		DGH Horizontal Grain	Premium Finishes +\$6
		36" (914)	907	945	CLTFDSRH36			
		42" (1067)	951	989	CLTFDSRH42			
		48" (1219)	1024	1062	CLTFDSRH48			
Left-Hand							DGV Vertical Grain	See Surface Materials Page 9
15" (381)	15 3/4" (400)	24" (610)	\$ 821	\$ 859	CLTFDSLH24			
		30" (762)	865	903	CLTFDSLH30			
		36" (914)	907	945	CLTFDSLH36			
		42" (1067)	951	989	CLTFDSLH42			
		48" (1219)	1024	1062	CLTFDSLH48			

Capture Laminate Panel-Top Mounted Half-Height Dual Shelf



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
Right-Hand					
15" (381)	7 7/8" (200)	24" (610)	\$ 757	\$ 775	CLTHDSRH24
		30" (762)	800	818	CLTHDSRH30
		36" (914)	844	882	CLTHDSRH36
		42" (1067)	888	926	CLTHDSRH42
		48" (1219)	960	998	CLTHDSRH48
Left-Hand					
15" (381)	7 7/8" (200)	24" (610)	\$ 757	\$ 775	CLTHDSLH24
		30" (762)	800	818	CLTHDSLH30
		36" (914)	844	882	CLTHDSLH36
		42" (1067)	888	926	CLTHDSLH42
		48" (1219)	960	998	CLTHDSLH48

Build your complete Part Number here:

Sample Part Number:

Total Cost \$821 =

_____	_____	_____	_____			
CLTFDSRH24 _____	.XZ2 _____	.DGH _____	.J _____			
\$821	+	N/C	+	N/C	+	N/C

Capture Laminate Panel-Top Mounted Full-Height Dual Open Cubby

The Top Mounted Full-Height Dual Open Cubby is comprised of a Thermofused laminate with matching edge. The unit is 15 3/4" high and allows for 13 1/2" of vertical storage space. Units include mounting brackets and hardware for attachment to top of Capture frame. **Top Caps are included with Panel-Top Mounted shelves.** Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing and storage units run vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.

Capture Laminate Panel-Top Mounted Half-Height Dual Open Cubby

The Top Mounted Half-Height Dual Open Cubby is comprised of a Thermofused laminate with matching edge. The unit is 7 7/8" high and allows for 5 5/8" of vertical storage space. Units include mounting brackets and hardware for attachment


to the top of Capture frame. Top Caps are included with Panel-Top Mounted shelves. Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing and storage units run vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.


Capture Laminate Panel-Top Mounted Full-Height Dual Open Cubby



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number	Unit/ Shelf Color	Back Grain Direction	Trim Color
Depth	Height	Width	1	2				
Right-Hand						Thermo- fused Laminate See Surface Materials Page 10	NA No Grain Direction	Standard Finishes No Cost
15" (381)	15 3/4" (400)	24" (610)	\$ 944	\$ 982	CLTFDCRH24			
		30" (762)	980	1018	CLTFDCRH30			
		36" (914)	1016	1054	CLTFDCRH36			
		42" (1067)	1053	1091	CLTFDCRH42			
	48" (1219)	1139	1177	CLTFDCRH48				
Left-Hand							DGV Vertical Grain	See Surface Materials Page 9
15" (381)	15 3/4" (400)	24" (610)	\$ 944	\$ 982	CLTFDCLH24			
		30" (762)	980	1018	CLTFDCLH30			
		36" (914)	1016	1054	CLTFDCLH36			
		42" (1067)	1053	1091	CLTFDCLH42			
	48" (1219)	1139	1177	CLTFDCLH48				

Capture Laminate Panel-Top Mounted Half-Height Dual Open Cubby



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number
Depth	Height	Width	1	2	
Right-Hand 15" (381)	7 7/8" (200)	24" (610)	\$ 927	\$ 945	CLTHDCRH24
		30" (762)	963	981	CLTHDCRH30
		36" (914)	1000	1038	CLTHDCRH36
		42" (1067)	1034	1072	CLTHDCRH42
		48" (1219)	1123	1161	CLTHDCRH48
Left-Hand 15" (381)	7 7/8" (200)	24" (610)	\$ 927	\$ 945	CLTHDCLH24
		30" (762)	963	981	CLTHDCLH30
		36" (914)	1000	1038	CLTHDCLH36
		42" (1067)	1034	1072	CLTHDCLH42
		48" (1219)	1123	1161	CLTHDCLH48
Known					

Build your complete Part Number here:

Sample Part Number:

Total Cost \$944 =

_____	_____	_____	_____			
CLTFDCRH24 _____	.XZ2 _____	.DGH _____	.J _____			
\$944	+	N/C	+	N/C	+	N/C

Capture Laminate Panel-Top Mounted Full-Height Dual Sided Single Sliding Door

Top Mounted Full-Height Dual Sided Single Sliding Doors are comprised of Thermofused laminate with matching vinyl edge. Units are available with a laminate or frosted plexi glass door with a pull. Unit is 15 3/4" high and allows for 13 1/2" of vertical storage space. Units include mounting brackets and hardware for attachment to the top of Capture frame. **Top Caps are included with Panel-Top Mounted shelves.** Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing

and storage units runs vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.

Capture Laminate Panel-Top Mounted Half-Height Dual Sided Single Sliding Door

Top Mounted Half-Height Dual Sided Single Sliding Doors are comprised of Thermofused laminate with matching vinyl edge. The unit is available with a laminate or frosted plexi glass door with a knob pull. Unit is 7 7/8" high and allows for 5 5/8" of vertical storage space. Units include mounting brackets and hardware for attachment to the top of Capture frame. Top Caps are included with Panel-


Top Mounted shelves. Units are designed to provide storage access to users on both sides of a Capture panel.

Note: Right and left hand versions available. Handedness is determined by location of opening.

Note: Wood grain direction on all filing and storage units runs vertical.

Note: To permit installation, the tiles immediately below a Top Mounted Storage unit may not include Laminate or Slatwall style tiles on both sides of the frame. They are permitted on one side only.


Capture Laminate Panel-Top Mounted Full-Height Dual Sided Single Sliding Door



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style	Pull Style	Unit/ Shelf Color	Door Grain Direction	Door Color	Trim Color
Depth	Height	Width	1	2							
Right-Hand											
15" (381)	15 3/4" (400)	24" (610)	\$1514	\$1552	CLTFDSDRH24	LD No Cost Laminate Door	No Cost Applied	Thermo-fused Laminate	NA No Grain Direction	Thermo-fused Laminate	Standard Finishes No Cost
		30" (762)	1601	1639	CLTFDSDRH30		L Classic	(See Surface Materials Page 10)	DGH Horizontal Grain	Door Edge will match door color	Premium Finishes +\$6
		36" (914)	1687	1751	CLTFDSDRH36		E Stream-Line		DGV Vertical Grain		See Surface Materials Page 9
		42" (1067)	1774	1838	CLTFDSDRH42		AZ Designer				
		48" (1219)	1861	1925	CLTFDSDRH48	FD \$93 Frosted Door	MM Mod2			specify only if LD selected	
Left-Hand											
15" (381)	15 3/4" (400)	24" (610)	\$1514	\$1552	CLTFDSLH24						
		30" (762)	1601	1639	CLTFDSLH30						
		36" (914)	1687	1751	CLTFDSLH36						
		42" (1067)	1774	1838	CLTFDSLH42						
		48" (1219)	1861	1925	CLTFDSLH48						

Capture Laminate Panel-Top Mounted Half-Height Dual Sided Single Sliding Door



Right-Hand Shown

Dimensions			List Price Thermofused Grade		Catalog Number	Door Style
Depth	Height	Width	1	2		
Right-Hand						
15" (381)	7 7/8" (200)	24" (610)	\$1399	\$1437	CLTHDSDRH24	LD No Cost Laminate Door
		30" (762)	1486	1524	CLTHDSDRH30	
		36" (914)	1572	1610	CLTHDSDRH36	
		42" (1067)	1659	1723	CLTHDSDRH42	
		48" (1219)	1717	1781	CLTHDSDRH48	
Left-Hand						
15" (381)	7 7/8" (200)	24" (610)	\$1399	\$1437	CLTHDSLH24	FD \$53 Frosted Door
		30" (762)	1486	1524	CLTHDSLH30	
		36" (914)	1572	1610	CLTHDSLH36	
		42" (1067)	1659	1723	CLTHDSLH42	
		48" (1219)	1717	1781	CLTHDSLH48	

Build your complete Part Number here:

Sample Part Number:

Total Cost \$1607 =

CLTFDSDRH24	.FD	.AZ	.XZ2	.DGH		.J
-------------	-----	-----	------	------	--	----

\$1514	+	\$93	+	N/C	+	N/C	+	N/C	+	N/A	+	N/C
--------	---	------	---	-----	---	-----	---	-----	---	-----	---	-----

Capture Steel Flipper Door

The Steel Flipper Door is available with painted steel or fabric covered locking door that stores below the top. The Flipper Door is 15" (381) deep, with 12 3/4" of vertical storage space to accommodate standard and A4 size binders. Units include a steel door with lock, cover and shelf, and color matched resin end supports with brackets for mounting to Capture Panels. The shelf is designed with a 5/8" (16) gap along the back edge to allow cable passage. Optional factory installed accessories include a Quarterback.

The Quarterback is a 1 1/2" (38) high back stop.

Note: For fabric orientation, refer to the table located in the Fabric Planning Section.

Note: Resin or composite end supports or end panels and quarterbacks are not available in textured or premium trim finishes. If textured or premium finish is selected, these items will match the standard smooth trim color.

Capture Steel Flipper Door Storage Unit

The Steel Flipper Door is available with either a painted or fabric covered locking door that stores above the top. The Flipper Door is 15" (381) deep, with 13 1/4" of vertical storage space to accommodate standard and A4 size binders. Units include a steel

door with lock, cover and shelf, and color matched resin end supports with brackets for mounting to Capture Panels. The shelf is designed with a 5/8" (16) gap along the back edge to allow cable passage. Optional factory installed Quarterback.



The Quarterback is a 1 1/2" (38) high back stop.

Note: For fabric orientation, refer to the table located in the Fabric Planning Section.

Note: Resin or composite end supports or end panels and Quarterbacks are not available in textured or premium trim finishes. If textured or premium finish is selected, these items will match the standard smooth trim color.

Capture Steel Flipper Door


Dimensions		List Price Fabric Grade							Catalog Number	Front Type	Front Fabric	Trim Color	Quater- Back	Lock
Height	Width	Painted	0/1	2	3	4	5	6						
16 1/8" (410)	24" (610)	\$ 753	\$ 789	\$ 820	\$ 847	\$ 870	\$ 910	\$ 950	CSFD24	PF Painted	(See Surface Materials Page 8)	Standard Finishes No Cost	QN No Cost No Quarter- Back	R No Cost Random
	30" (762)	775	811	842	852	879	916	957	CSFD30					
	36" (914)	795	831	862	889	920	955	994	CSFD36					
	42" (1067)	818	860	889	923	952	999	1046	CSFD42					
	48" (1219)	853	885	923	958	991	1034	1094	CSFD48					
										Note: Painted front will match trim color		Premium Finishes +\$42	QY +\$28 Quarterback	*T -\$-16 Capture Key Alike
										FF Fabric			Quarterback will match trim color	*Note: Be sure to order Core/ Key Sets (CLKK) separately (1 per unit)



Door stores
below the top

Capture Steel Flipper Door Storage Unit

Dimensions		List Price Fabric Grade							Catalog Number
Height	Width	Painted	0/1	2	3	4	5	6	
16 1/8" (410)	24" (610)	\$ 642	\$ 672	\$ 699	\$ 718	\$ 743	\$ 773	\$ 807	CSFSU24
	30" (762)	659	690	714	734	758	793	828	CSFSU30
	36" (914)	673	704	733	750	786	825	863	CSFSU36
	42" (1067)	699	732	763	786	821	859	898	CSFSU42
	48" (1219)	728	764	798	821	856	894	934	CSFSU48



Door stores
over the top

Build your complete
Part Number here:

Sample
Part Number:

CSFD24	.FF	.AQ0	.P	.QY	.R
--------	-----	------	----	-----	----

Total Cost \$875 =

\$847	+	N/C	+	N/C	+	N/C	+	\$28	+	N/C
-------	---	-----	---	-----	---	-----	---	------	---	-----

Capture Steel Full-Height Shelf
The Full-Height Shelf includes a steel shelf and color- matched Full-Height resin end supports with brackets for mounting to Capture Frames. The 15" (381) deep shelf is designed with a 5/8" (16) gap along the back to allow cable passage, and the end supports are 16 1/8" high. Optional factory installed Quarterback.

Note: Resin or composite end supports or end panels and

quarterbacks are not available in textured or premium trim finishes. If textured or premium finish is selected, these items will match the standard smooth trim color.


Capture Steel Half-Height Shelf
The Half-Height Shelf includes a steel shelf and color-matched Full-Height resin end supports with brackets for mounting to Capture Frames. The 15" (381) deep shelf is designed with a

5/8" (16) gap along the back to allow cable passage, and the end supports are 7 1/8" high. Optional factory installed Quarterback.

Note: Resin or composite end supports or end panels and quarterbacks are not available in textured or premium trim finishes. If textured or premium finish is selected, these items will match the standard smooth trim color.


Capture Steel Full-Height Shelf

Dimensions			List Price	Catalog Number	Trim Color	Quarter-Back
Depth	Height	Width				
15" (381)	16 1/8" (410)	24" (610)	\$239	CSFES24	Standard Finishes No Cost Premium Finishes +\$42	QN No Cost No QuarterBack QY +\$28 Quarterback Quarterback will match trim color in standard smooth finish
		30" (762)	252	CSFES30		
		36" (914)	265	CSFES36		
		42" (1067)	271	CSFES42		
		48" (1219)	279	CSFES48		



Capture Steel Half-Height Shelf

Dimensions			List Price	Catalog Number
Depth	Height	Width		
15" (381)	7 1/8" (181)	24" (610)	\$253	CSHES24
		30" (762)	268	CSHES30
		36" (914)	278	CSHES36
		42" (1067)	288	CSHES42
		48" (1219)	291	CSHES48



Build your complete Part Number here:

-----	-	--
-------	---	----

Sample Part Number:


CSFES24 -----	.G --	.QY --
------------------	----------	-----------

Total Cost \$267 =

\$239	+	N/C	+	\$28
-------	---	-----	---	------

Shelf/File Dividers


Shelf/File Dividers are freestanding dividers that magnetically attach to a shelf or drawer bottom. Includes three dividers. Available in all standard smooth trim colors.



Flipper/Shelf Clip

Flipper/Shelf Clips connect to the underside of two adjacent flipper doors or shelf units. Clips are recommended for heavy loading conditions to reduce panel run deflection. Includes six clips per box. Available in all standard smooth trim colors.

Used with the steel shelf and flipper door units.



Shelf/File Dividers

Dimensions			List Price	Catalog Number	Trim Color
Depth	Height	Width			
8" (203)	7 1/2" (191)	4" (102)	\$123	SFDIV	
Note: 3 dividers per box.					
Flipper/Shelf Clips					
Dimensions			List Price	Catalog Number	
Depth	Height	Width			
1 1/4" (32)	1 1/4" (32)	1 1/2" (38)	\$94	FSCL	
Note: 6 clips per box.					
Build your complete Part Number here:				-----	-

Sample Part Number:

SFDIV	.G
-----	-

Total Cost \$123 =

\$123	+	N/C
-------	---	-----

LED Task Lights
Ultra slim LED task lights are only 2" (51)-wide, just over 1/2" high and available in 3 widths-17, 31 and 44. They come complete with hardware to attach to both metal flipper doors and laminate freestanding hutches. All LED task lights include a dimmer, 10 hour auto shut off, and a 50,000 hour life span. The unit is anodized aluminum with white end caps. ETL listed.


LED Task Light Complete
The LED Task Light Complete includes the light, mounting hardware and power source. It is the equivalent of a regular fluorescent task light.

LED Task Light Main Power Daisy Chain
The Task light with main power provides the light and mounting hardware plus a 60 watt power supply capable of powering more than one light. The power supply can accommodate a maximum of 60 watts. Please see the chart-for appropriate wattages as to not overload the power supply.

Width	Watts
17	9
31	18
44	25


LED Task Light Daisy Chain Jumper Cord
The LED Daisy Chain Jumper Cord Task Light includes the light and mounting hardware, plus an 8" and 30" jumper cord to attach to another task light. The jumper cord can attach to a Daisy Chain Main Power Task Light or another Daisy Chain Jumper Cord Task Light. Each connected light will have an independent power switch.

LED Task Light Occupancy Sensor
The LED Occupancy Sensor will automatically turn off all interlinked fixtures after 30 minutes of no movement. One occupancy sensor can 'control' all the lights that are daisy chained together.




LED Task Light Complete

Fixture Dimensions			Fits Shelf Width	List Price	Catalog Number
Depth	Height	Width			
2" (51)	4 7/8" (14)	17" (432)	24"-60" (610-1524)	\$417	LEDTL17
		31" (787)	36"-60" (914-1524)	673	LEDTL31
		44" (1118)	48"-60" (1219-1524)	964	LEDTL44




LED Task Light - Daisy Chain with Main Power

Fixture Dimensions			Fits Shelf Width	List Price	Catalog Number
Depth	Height	Width			
2" (51)	4 7/8" (14)	17" (432)	24"-60" (610-1524)	\$525	LEDTL17DCMP
		31" (787)	36"-60" (914-1524)	673	LEDTL31DCMP
		44" (1118)	48"-60" (1219-1524)	964	LEDTL44DCMP



LED Task Light - Daisy Chain with Jumper Cord

Fixture Dimensions			List Price	Catalog Number
Depth	Height	Width		
2" (51)	4 7/8" (14)	17" (432)	\$322	LEDTL17DCJC
		31" (787)	579	LEDTL31DCJC
		44" (1118)	862	LEDTL44DCJC



LED Task Light - Occupancy Sensor

Fixture Dimensions			List Price	Catalog Number
Depth	Height	Width		
7 1/10" (51)	2" (51)	2 3/10" (432)	\$301	LEDTLOS

Build your complete
Part Number here:

Sample
Part Number:

Total Cost \$525 =


LEDTL17DCMP

\$525

Horizontal Wire Manager

The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.



Light Cord Covers

Light Cord Covers are extruded plastic covers that conceal and manage light cords that run from overhead task lights. They are mechanically fastened by being snapped into slots in the sides of System Frames. The Light Cord Covers match all Capture Systems Trim Colors.


Note: Can be field-cut to size.

Horizontal Wire Manager

Depth	Dimensions Length	Height	List Price	Catalog Number
3" (76)	30" (762)	2" (51)	\$44	HWM30

Light Cord Covers

Dimensions Height	List Price	Catalog Number	Trim Color
24" (610)	\$28	LCC0	Standard Smooth Finish Only See Surface Materials Page 9
Build your complete Part Number here:		----	-



Sample
Part Number:

LCC0	.Y
------	----

Total Cost \$28 =

\$28	+	N/C
------	---	-----

Capture Slatwall Tools Pen Tray
The Pen Tray provides horizontal storage of pens, pencils or similar small work tools. Pen Trays hang from the Capture Slatwall Tile.

Available in Smoke or frost-textured Clear Plastic.

Capture Slatwall Tools Pen Cup
The Pen Cup provides upright storage of pens, pencils or similar small work tools. Pen Cups hang from the Capture Slatwall Tile.





Available in Smoke or frost-textured Clear Plastic.

Capture Slatwall Tools Paper Tray
Paper Tray provides horizontal storage of letter or A4 size papers. Paper Tray hangs from the Capture Slatwall Tile.

Available in Smoke or frost-textured Clear Plastic.

Capture Slatwall Tools Clip Holder
Clip holder has a magnetic surface for storing paper clips. Clip Holder hangs from the Capture Slatwall Tile.

Available in Smoke or frost-textured Clear Plastic.

Capture Slatwall Tools Pen Tray					
	Dimensions			List Price	Catalog Number
	Width	Depth	Height		
	10 3/4" (273)	3 3/4" (95)	1" (25)	\$ 33	CSWPT
Capture Slatwall Tools Pen Cup					
	Dimensions			List Price	Catalog Number
	Width	Depth	Height		
	2 3/4" (70)	3" (76)	3 1/2" (89)	\$ 32	CSWPC
Capture Slatwall Tools Paper Tray					
	Dimensions			List Price	Catalog Number
	Width	Depth	Height		
	12 1/2" (318)	9 1/4" (235)	1" (25)	\$ 62	CSWPPRT
Capture Slatwall Tools Clip Holder					
	Dimensions			List Price	Catalog Number
	Width	Depth	Height		
	3 1/8" (79)	3 3/8" (86)	3/4" (19)	\$ 32	CSWCH
Build your complete Part Number here:				_____	__

Note: Capture Slatwall tools can only hang on the Capture Slatwall tile.

Sample Part Number:

CSWPT

.CL

Total Cost \$33 =

\$33

+

N/C

Terms & Policies

Terms & Policies	136
Warranty	144

FELLOWES CONTRACT INTERIORS GLOBAL TERMS AND CONDITIONS OF SALE (All Locations)

These terms shall be considered to be an inseparable part of any additional terms between the applicable Fellowes entity and Customer and are collectively referred to herein as the Terms and Conditions. To the extent that any terms provided by Customer conflict with the terms and conditions that follow, these Terms and Conditions shall govern that transaction.

Acceptance; Entire Agreement.

Acceptance by Customer of delivery of goods constitutes acceptance by Customer of the following terms and conditions. Any additional or different terms proposed by Customer shall be deemed to have been objected to by the Fellowes entity ("Fellowes" or "Seller"), shall be of no force or effect, and shall not be binding upon or enforceable against Seller. These terms and conditions constitute the entire agreement and understanding between the parties and supersede any and all prior agreements, understandings and communications with Customer, oral or written, relating to the goods that Seller or any of its subcontractors may provide (collectively, the "Goods"). No course of dealing or course of performance, either prior to, during or after the delivery of the Goods, shall be relevant or admissible by Customer to supplement, explain or vary these Terms and Conditions. The invalidity or unenforceability of any Terms and Conditions shall not affect the validity or enforceability of any other term or condition, and the remaining terms and conditions shall remain in full force and effect. No waiver, amendment or modification of these Terms and Conditions shall be binding upon or enforceable against Seller until approved in writing by a Fellowes Authorized Signatory.

Proprietary Information; Confidentiality.

Advertising. Customer shall consider all information furnished by Fellowes, as well as information learned about Fellowes' business or products, to be confidential and shall not disclose any such information to any other person or entity or use such information itself for any purpose other than performing hereunder, unless Customer obtains written permission from Fellowes to do so. This paragraph shall apply to drawings, specifications, or other documents prepared by Customer or Fellowes in connection with this order as well as observations of Customer while receiving goods or services. Customer shall not advertise or publish the fact that Fellowes has contracted to sell goods or services to Customer, nor shall any information relating to the order be disclosed without Fellowes' written permission unless otherwise agreed in writing, no commercial financial or technical information disclosed in any manner or at any time by Customer to Fellowes shall be deemed secret or confidential and Customer shall have no rights against Fellowes with respect thereof except such rights as may exist under patent or copyright laws.

Trademark Rights.

Fellowes grants Customer a non-exclusive, royalty-free license to use the Fellowes' trademarks included on any goods purchased hereunder (the "Licensed Marks") in connection with Customer's sale or marketing of goods in the course of Customer's business. The license granted herein does not include a right to sublicense. Customer acknowledges that Fellowes is the owner of the Licensed Marks, and nothing herein shall grant to Customer any right, title or interest in the Licensed Marks, except as specifically set forth herein. Customer shall use Fellowes' trademarks in a manner that is consistent with Fellowes' standards. This includes using the ® designation adjacent to registered trademarks, and the TM designation adjacent to unregistered trademarks, where practicable. Customer shall cooperate with Fellowes' requests to ensure that Fellowes' trademarks are used in this manner. Fellowes shall have the right to review and inspect any marketing or promotional materials relating to the Licensed Products and, in its sole discretion, to prohibit the use of any such materials that do not meet Fellowes' standards. If Customer becomes aware of any infringing products, Customer will promptly notify Fellowes, which reserves the right to take any action. This trademark license is revocable at Fellowes' sole discretion.

Prices.

Prices quoted by Fellowes are subject to change without notice. Prices billed on invoice at time of shipment shall govern. Unless otherwise stated, all prices are quoted in U.S. Dollars. Seller will not accept or process purchase orders that contain pricing different from the standard prices. Fellowes reserves the right to revise all pricing, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at Fellowes.com. Prices which are in effect at the time of order shall apply. Listed prices exclude additional fees applicable to special services requested by Customer (e.g., special cutting).

Taxes.

The prices for the Goods do not include sales, use and other taxes, duties and other governmental fees and charges that may be applicable to the Goods, and Customer shall be responsible for and pay upon demand all such taxes, duties and other governmental fees and charges (other than income taxes of Seller), notwithstanding that responsibility for collection or payment of such taxes, duties and other governmental fees and charges may be imposed by law on Seller or any of its subcontractors. All authorized dealers should ensure that a resale tax exemption certificate is on file with Fellowes.

Discontinued products.

Due to changing market demands, Fellowes may periodically discontinue certain products. Fellowes reserves the right to change and/or discontinue products at any time without notice.

Credit.

Fellowes may, in its sole discretion, extend credit to the Customer. For credit limits in excess of \$100,000, Fellowes requires audited financial statements prior to initial credit approval and on an annual basis thereafter. Fellowes shall perform periodic credit reviews using credit reporting agencies, trade references, industry trade groups and banks. In the event of a material adverse change in Customer's credit standing or in the event that Customer does not comply with the terms of these

provisions, Fellowes shall have the right to change terms of payment, and Fellowes obligation to provide Products will be subject to reaching mutual agreement on revised terms.

To establish an account, Customer must complete and submit Fellowes' New Account Application (signed by company officer of Customer), Federal Taxpayer ID (Form W-9) and State Resale Certificate. Subject to sales, credit history, and credit lines, a deposit or advance payment may be required to process large orders.

Once credit is approved, payment terms are net 30 days. Prior to Customer's credit approval (with receipt of required documents), prepayment of orders may be made by corporate check, wire transfer or ACH or for convenience, credit cards (Visa and Mastercard) are accepted.

Payment.

Unless otherwise agreed in writing or stated on the Invoice, all payments are to be made in US Dollars and all amounts payable by Customer shall be due and payable in full 30 days after invoice. Fellowes will not accept the unilateral assessment of any fee, marketing support, co-op or other advertising, expense reimbursement, rebate, offset or any other financial or marketing support not explicitly authorized in writing by an authorized officer of Seller.

Any amounts not paid in full within 30 days after invoice shall be subject to a late payment charge of 1 ½ % per month (or, if less, the maximum amount permitted by law) from the date due until paid. Fellowes' obligation to provide Products is subject to receipt of prompt payment of all invoices pursuant to the terms of this and other agreements we may have with Customer. Progress billing of interest due or a failure to bill for interest due shall not constitute a waiver of Fellowes' right to charge interest on all amounts past due to the date payment is received. Should any portion of an invoice become disputed you agree to pay the undisputed portion according to its terms, and you will notify us promptly of the dispute.

Both parties agree to use their best efforts to resolve the disputed portion of such invoice within 30 days. Fellowes shall have the right to set off against any amount that Fellowes may be obligated to pay to Customer any amounts due or to become due to Fellowes from Customer and its divisions, subsidiaries and affiliated companies. Fellowes may assign payments due to a wholly-owned subsidiary without consent.

Order Placement and Confirmation.

(a) Stocked Finished Goods (Workspace Category).

Fellowes be submitted via e-mail to ci-orders@Fellowes.com. Orders must include "Ship To" and "Bill To" information along with complete Fellowes product model numbers and Customer cost. Government orders require a copy of the agency PO at the time the order is placed with Fellowes. All orders shall be subject to written acceptance by an authorized representative of Fellowes. Incomplete orders or changes will delay processing and shipment until receipt of all necessary information and Fellowes issuance of revised Sales Order Acknowledgment.

(b) For Made-to-Order, Special, and Custom Products (Furniture, Modular Walls, and Air Quality Management Categories)

Fellowes requires all orders to be submitted electronically via on-line order entry at www.fellowes.com, or in writing following Ordering Procedures. Fellowes recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. Customer assumes all responsibility for the correct content of any order which has been acknowledged.

Upon receiving an order, Fellowes will send an acknowledgement with exact pricing information and a scheduled shipping date. Orders can also be confirmed on-line at www.fellowes.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

Order changes or cancellations.

All Customer cancellations and changes must be submitted to Fellowes in writing to ci-orders@Fellowes.com. **Any request for cancellation or change to an order must be submitted within twenty-four (24) hours of receipt of order acknowledgement by Fellowes. Any requested cancellation or change received thereafter will incur a fee.** Order changes include the addition/deletion of line items or changes in quantity or requested Ship Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Change or cancellation requests are not considered accepted until Fellowes provides a revised Sales Order Acknowledgment. Changes may result in processing delays or shipping delays. Under no circumstances will changes or cancellations be accepted on any special order, custom product, or worksurface order without the express written consent of Fellowes. All such custom and special orders are non-returnable.

Lead-Times and Delays.

Fellowes reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may entail extended lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date for custom product orders as currently published at www.fellowes.com. Please contact your customer service representative for estimated lead-times. If unforeseen circumstances occur, Fellowes may postpone delivery of orders and will notify Customer when such postponement occurs.

Fellowes shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Fellowes' reasonable control. This includes, but is not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Customer, acts of civil or military authority, fires, strikes, disease or pandemic, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Fellowes' reasonable control to obtain necessary labor, manufacturing facilities, or material from Fellowes' usual sources. In no event shall Fellowes be liable for special or consequential damages for any delay for any cause.

Shipping and Transportation.

(a) For Stocked Finished Goods

48-hour shipping program

Fellowes offers 48-hour shipping on the majority of finished goods in that are in stock. Unless otherwise requested, these products are shipped from multiple shipping points throughout the U.S., within two business days of receiving the PO, depending on quantity ordered and available inventory. Orders that include products with longer lead times including special orders, custom products, or worksurface orders, are designated as "LT" (lead time) and therefore excluded from the 48-hour shipping program. Large orders may also require additional lead time. Products designated as LT could take up to 90 days for delivery after Fellowes' receipt of Customer's order. Call for on-hand availability.

Please note:

1. For the order to qualify for 48-hour shipping, all products on the PO must be available under the 48-hour shipping program.
2. POs that include LT designated products will be shipped based on the lead time of the LT designated products unless otherwise requested.
3. 48-hour orders will be shipped out within two business days of Fellowes' receipt of Customer's order unless otherwise specified on the PO.
4. Worksurfaces, Motific, Centro, and Railway may arrive on a date different than the other items on the order.

For all other purchases, delivery dates for the Goods shall be established by mutual agreement of Fellowes and Customer. The minimum order size is \$1500. Fellowes may at its option accept orders not meeting the minimum order size with a \$75 handling fee. Customer shall provide any special shipping or labeling requirements to Fellowes for consideration prior to the first shipment.

Freight terms are as follows:

For U.S.:

- Orders under \$2,500 list will incur a flat \$25 net fee
- Orders between \$2,501 list and \$5,000 list will incur a flat \$100 net fee
- Orders between \$5,001 list and \$7,000 list will incur a flat \$200 net fee
- Orders over \$7,001 list ship free
- Residential freight deliveries will incur a flat \$70 net fee.

For Canada:

- Orders under \$3,125 (CAD) list will incur a flat \$50 (CAD) net fee
- Orders between \$3,126 (CAD) list and \$6,250 (CAD) list will incur a flat \$125 (CAD) net fee
- Orders between \$6251 (CAD) list and \$9375 (CAD) list will incur a flat \$250 (CAD) net fee
- Orders over \$9,376 (CAD) list ship free
- Residential freight deliveries will incur a flat \$140 (CAD) net fee.

Fellowes ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states of the United States. Special requests such as "call before delivery", "delivery lift gate required", residential delivery, re-routed deliveries, or specific delivery date/time requests may be subject to additional charges or may not be available. Contact our Customer Service Department for expedited delivery requests or deliveries outside of the contiguous 48 states. Customers will be charged additional fees for changes made to orders that have already departed the facility, resulting in re-delivery or re-consignment.

Fellowes accepts requests for expedited freight at the customer's expense. Please contact our Customer Service Department at 800.833.3746 and provide your preferred carrier account number in which to charge the expedited freight.

Unless an Invoice expressly specifies otherwise, all Goods shall be delivered F.O.B. the shipping platform at the shipping facility, and all shipping and transportation costs from the shipping platform at such facility shall be borne by Customer and all risk of loss, damage or late delivery shall pass to Customer upon loading at the shipping platform at such facility. Seller shall have no responsibility for any failure of or delay in delivery caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labor stoppage or slowdown, or other cause beyond the reasonable control of Seller.

(b) For Made-to-Order, Special, and Custom Products

All orders shipped to any destination within the contiguous United States, will be F.O.B. origin, freight prepaid. Except as noted above, title and risk of loss or damage shall pass to Customer upon delivery to carrier. Fellowes shall retain a Purchase Money Security Interest in all such goods until payment is received in full and reserves the right to file and perfect the same. Fellowes will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Fellowes and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Fridays will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Service.
- Inside delivery service starts at \$50. Call Customer Service for quote.
- Reconsignment cost after shipment starts at \$50. Call Customer Service for quote.
- Special equipment requirements call for a quote.

If delivery is made on Fellowes owned or leased equipment, Customer or its authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Fellowes within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim will be provided by Fellowes only if the product has been immediately unpacked and both the carrier and Fellowes have been promptly notified of resultant damage so the proper inspection can be made.

Damage and Shortage.

Fellowes is not responsible for shipped products when the common carrier is in receipt of the material. Fellowes expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the Customer to Fellowes Customer Service. Concealed damage or damage not noted at time of delivery shall be made by the Customer to the common carrier within five (5) days after receipt. Fellowes assumes no liability for such damage. Shortage on ordered products must be reported to Fellowes within five (5) days of product delivery and must be noted on the bill of lading at time of delivery.

Storage.

When shipment is delayed by the Customer, Fellowes reserves the right to place the goods in storage at Customer's risk and cost. Fellowes charges ¼ of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue to apply to Customer's confirmed order; except that title shall remain with Fellowes. Fellowes reserves the right to modify payment terms to assure recovery of any additional cost incurred.

Returned Goods.

To receive authorization to return goods, please contact Fellowes' Customer Service Department. All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after thirty (30) days will be refused and returned to sender collect. Electrical components, nonstandard items and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Fellowes packaging. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. A return authorization will not be issued for items unless they are Fellowes stock items. If material is authorized for return because of Fellowes error, shipment may be made freight collect. Any other goods that Fellowes authorizes a return will be sent prepaid and a restocking charge of 35% will apply.

Fellowes offers free returns for any accessory product returned in the original Fellowes packaging.

Fellowes does not accept returns of any made to order, special or custom product.

Installation.

Installation and servicing of Fellowes products are normally handled directly by Fellowes-authorized dealers. When this is not possible, assistance is available by calling Fellowes' Customer Service Department. On-site field measurement and installation support is available as a service. The fees are listed below:

Field Installation Assistance: 2 Day On-Site, \$1,200

Field Installation Assistance: 3 Days On-Site, \$1,800

Field Installation Assistance: 4 Days On-site, \$2,400

Field Installation Assistance: 5 Days On-Site, \$3,000

*Days include ½ day travel to and ½ day travel from location. These fees are based on a minimum fourteen (14) business days advanced notification and booking.

*Service requests booked less than fourteen (14) business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Fellowes Customer Service at 1-800-833-3746.

Product Usage and Compliance.

Customer assumes full responsibility for the application of Fellowes' product to Customer's use and compliance with Fellowes installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the Customer or its authorized agent.

Customer's Own Material or COM.

The Fellowes COM program allows customers to use special materials. By complying with the COM testing procedure in the steps below, Fellowes will be able to identify if your material is appropriate for application to the products you specify. To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with www.fellowes.com/, and consult the COM library to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Order Submission Form* (available from Fellowes Customer Service Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM* test request on-line at www.fellowes.com, send a sample of the COM material (see Test Yardage Requirements below) and include a list of Fellowes product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
5. Ship COM samples to:
U.S. Mail and UPS/ FedEx Shipment:
Fellowes - Attn: COM Request
13467 Quincy Street
Holland, MI 49424
6. You will be notified within five working days of receiving the material sample by Fellowes, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

TrendWall and Volo Tiles	4 yards
Fabric Screens	2 yards
Choices Panels	1½ yards
Capture Tiles, Intrinsic	1 yard
Freestanding, Ped	
Cushions, and Tackboards	
Flipper Doors	⅔ yard

NOTE: Most fabric houses have a yard- age minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Customer desires to use its own material in the production of Fellowes' products, it is necessary to obtain the prior written consent of Fellowes. Whether purchased by Customer or by Fellowes on Customer's behalf, material provided by the Customer shall be shipped to Fellowes at Customer's sole expense and risk of loss. Fellowes will hold Customer's own materials for up to one (1) year from the date of receipt and thereafter return or dispose of such material at Customer's sole cost and expense.

Customer hereby holds Fellowes harmless against any and all claims for loss, liability, injury, or damage arising from use of Customer-provided material; and Customer takes full responsibility for performance and quality of Customer-provided material. Customer should also be aware that Customer-provided materials may not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Fellowes Customer Service before to placing your order.

Custom Color.

Fellowes' Custom Color program allows the customer to specify their own color on many of Fellowes' products. See www.fellowes.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color:

1. Complete a Custom Color Request form (available on www.fellowes.com).
2. Send request form along with two 2"x3" samples to Fellowes Customer Service Color Coordinator.
3. After the receipt of the request, Fellowes will provide customer with one color sample.
4. If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.

5. Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
6. If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Specials Request form for details.

Limited Warranty; Limitations on Liability.

Fellowes grants a limited warranty to the end-users of its Goods, the terms of which are included with each product. Fellowes warrants to the Customer solely that, subject to the terms, conditions and limitations hereof, the Goods conform to the specifications set forth in the Fellowes catalog and will be transferred to customer free and clear of any and all encumbrances. **FELLOWES MAKES NO OTHER WARRANTIES AND GIVES NO OTHER ASSURANCES OR GUARANTEES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY GOODS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.**

FELLOWES' SOLE LIABILITY IN CONNECTION WITH ANY GOODS THAT ARE DEFECTIVE OR DELIVERED LATE SHALL BE LIMITED TO EITHER (i) REFUNDING TO THE CUSTOMER A PERCENTAGE OF THE TOTAL PRICE (EXCLUSIVE OF TAXES, SHIPPING AND OTHER SEPARATE CHARGES) THAT THE CUSTOMER HAS PAID TO FELLOWES FOR ALL GOODS PROVIDED EQUAL TO THE PERCENTAGE OF ALL GOODS PROVIDED THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS, OR (ii) AT FELLOWES' OPTION, REPLACING FOR THE CUSTOMER, AT NO CHARGE TO THE CUSTOMER, THE GOODS THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS.

IN NO EVENT SHALL FELLOWES OR ANY OF ITS SUBCONTRACTORS BE LIABLE FOR (i) ANY INCIDENTAL, INDIRECT, EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, INTEREST, LOST PROFITS OR INTERRUPTION OF BUSINESS), EVEN IF FELLOWES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR IF SUCH DAMAGES RESULT FROM ANY RECOMMENDATIONS MADE BY FELLOWES, OR (ii) ANY LOSSES, DAMAGES, LIABILITIES, SUITS OR CLAIMS THAT ARE COVERED BY ANY INSURANCE MAINTAINED BY OR ON BEHALF OF THE CUSTOMER OR ARE OTHERWISE RECOVERABLE FROM THIRD PARTIES.

IN ADDITION, THE LIABILITY OF FELLOWES AND ITS SUBCONTRACTORS FOR LOSSES, DAMAGES, LIABILITIES, SUITS AND CLAIMS, REGARDLESS OF THE FORM OF ACTION (WHETHER BASED ON CONTRACT, ON NEGLIGENCE, ON STRICT LIABILITY OR OTHERWISE) AND THE PERSON OR ENTITY BRINGING SUCH ACTION, SHALL NOT EXCEED, IN THE AGGREGATE, THE TOTAL AMOUNT (EXCLUSIVE OF TAXES, SHIPPING, AND OTHER SEPARATE CHARGES) ACTUALLY PAID TO SELLER BY THE CUSTOMER FOR THE GOODS AT ISSUE. ANY ACTION AGAINST SELLER MUST BE BROUGHT WITHIN ONE YEAR OF THE CAUSE OF ACTION FIRST ARISING.

Lifetime Warranty.

Fellowes warrants to the original purchaser that the products described in its price lists, sold after March 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	Lighting Power Solutions Hana Series Palm Rests/Mouse Pads/ Pencil Drawers	Panel and Wall Textiles
5 Years		Upholstered Cushions PET and Acrylic Screens and Modesties Seating Mesh Plastic Components Paint
Not Covered		Customer's Own Material Custom Requested Logos Special Paint Textures and Finishes

The following exceptions apply to all product lines:

The Fellowes warranty applies to normal Eight hour, Forty hours per week office use.

Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes

Overview & Order Information	any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.										
	Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.										
	This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.										
	Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question.										
	The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.										
	<i>This warranty supersedes all previously printed Fellowes warranties.</i>										
	Governing Law and Dispute Resolution.										
	In no case shall the 1980 U.N. Convention on Contracts for the International Sale of Goods apply.										
	If Seller is Fellowes, Inc. or any other subsidiary or joint venture of Fellowes, Inc. not listed below:										
	The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in either the United States District Court in and for the Eastern Division of the Northern District of Illinois or the Circuit Court in and for Du Page County, Illinois, and consents to personal jurisdiction of such courts over them in any such action. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.										
Statement of Line	If Seller is Fellowes Canada, Ltd.										
	The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the Province of Ontario, without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other than the Province of Ontario. Each of the Parties agrees that any legal action arising out of or relating to this Agreement shall be brought in Ontario, Canada, and consents to the personal jurisdiction of such courts over the Parties in any such action. Each of the Parties waives any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of any Party hereto.										
	If Seller is Fellowes Ltd, Fellowes Ibérica S.L., Fellowes GmbH, Fellowes Polska S.A., Fellowes RU Ltd, Beswick Office Products (Pty) Ltd., Fellowes Leonardi S.p.A., or Fellowes France SA:										
	The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of England and Wales. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in England and Wales, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.										
	If Seller is Fellowes (Australia) Pty. Ltd:										
	The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of Victoria, Australia. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in courts of the State of Victoria, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.										
	If Seller is Fellowes Office Products Suzhou Co. Ltd, Fellowes Singapore, Fellowes Malaysia, Fellowes Korea Ltd:										
	The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Any controversy or claim arising out of or relating to these Terms and Conditions, or the breach thereof, will be determined by arbitration administered by the International Centre for Dispute Resolution ("ICDR") in accordance with its International Arbitration Rules. A request for interim measures addressed by Seller and Customer to a judicial authority will not be deemed incompatible with the agreement to arbitrate or a waiver of the right to arbitrate. The place of arbitration will be Chicago, Illinois, U.S.A. The number of arbitrators shall be three (3); Seller and Customer will each appoint one (1) arbitrator, and ICDR will appoint a third arbitrator, who will be the presiding arbitrator. The language of the arbitration will be English. The arbitration award made by ICDR will be final and binding upon the parties. The costs of arbitration will be borne by the losing party, unless otherwise determined by the arbitration award.										
Surface Materials											
Capture Frames											
Capture Electrical											
Capture Tiles											
Capture Components											
Capture Filing & Storage											
Terms & Policies											

Notwithstanding the forgoing, if Customer is domiciled in the People's Republic of China or any other jurisdiction that does not enforce the judgments from a court of a jurisdiction designated by the foregoing paragraphs, the paragraph calling for arbitration with the ICDR shall apply.

Relationship of parties.

References herein to "Customer" include the person or entity specifically identified in the Invoice as "Customer" and its divisions, subsidiaries and affiliated companies. The relationship of the Parties hereto is that of vendor and purchaser. Nothing in these Terms and Conditions, and no course of dealing between the Parties, shall be construed to create any other type of relationship. Accordingly, Customer shall not be empowered to bind Fellowes in any way, to incur any liability or otherwise act on behalf of Fellowes.

Severability.

If any clause or portion of these Terms and Conditions shall be held by a court of competent jurisdiction to be illegal, invalid, or unenforceable, the remaining clauses or portions shall remain in full force and effect.

Force majeure.

Fellowes shall not be liable hereunder for any failure or delay in the performance of its obligations under these Terms and Conditions, if such failure or delay is on account of causes beyond its control, including labor disputes, civil commotion, contagion, pandemic, war, fires, floods, inclement weather, governmental regulations or controls, casualty, government authority, strikes, or acts of God, in which event the Fellowes shall be excused from its obligations for the period of the delay and for a reasonable time thereafter. Fellowes shall use reasonable efforts to notify the other Party of the occurrence of such an event within five business days of its occurrence.

Fellowes Customer Service Contacts:

Workspace

Phone: 800-833-3746

Email: cimesacustomerservice@fellowes.com

Furniture, Modular Walls, and Air Quality Management

Phone: 800-893-8115

Email: ciquincycustomerservice@fellowes.com

Lifetime Warranty

Fellowes warrants to the original purchaser that the products described in its price lists, sold after May 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	<ul style="list-style-type: none"> • Lighting • Power Solutions • Hana Series • Palm Rests/Mouse Pads/ Pencil Drawers 	<ul style="list-style-type: none"> • Panel and Wall Textiles
5 Years		<ul style="list-style-type: none"> • Upholstered Cushions • PET and Acrylic Screens and Modesties • Seating Mesh • Plastic Components • Paint
Not Covered		<ul style="list-style-type: none"> • Customer's Own Material • Custom Requested Logos • Special Paint Textures and Finishes

The following exceptions apply to all product lines:

- The Fellowes warranty applies to normal Eight hour, Forty hours per week office use.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal

wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.