# John Deere Compact and Utility Tractors





One look at the John Deere 1 Series and you can see that it's a lot more than just a sub-compact tractor. It's also a landscaper, a snow mover, and a finish mower. A gardener, a lawn seeder, and a fence-builder. All those tasks (and more) are made easier by smart features like iMatch™ Quick-Hitch compatibility, AutoConnect™ Mid-Mount Mower decks, dial-type height of cut setting, and 3-point hitch with implement position control. In every nut and bolt, you'll see fine-tuned engineering, designed, tested and assembled in Augusta, Georgia USA. You'll get the perfect combination of customer input and more than 180 years of experience. But mostly, you'll experience ease of use, ride comfort, and attachability that makes these the 1 for just about everything.



This backhoe was designed for optimum performance without compromising the integrity of the tractor frame, transmission, and other components.



The 1025R features standard cruise control, allowing you to maintain constant speed with the pull of a lever.



## 1023E

- 21.8 hp\* (16 kW) Tier IV diesel engine
- Easy-to-operate hydrostatic transmission with Twin-Touch™ pedal control
- Standard 4-wheel drive and power steering
- AutoConnect<sup>™</sup> deck compatible for drive-over attachment in seconds

### 1025R

- 24.2 hp\* (17.8 kW) Tier IV diesel engine
- Premium operator station with ergonomic seat, armrests, and fender lights
- Easy-to-operate hydrostatic transmission with Twin-Touch pedal control
- Standard 4-wheel drive and power steering
- AutoConnect<sup>™</sup> deck compatible for driveover attachment in seconds



<sup>\*</sup>The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information. The standard used to measure and report the rated horse power was SAE J1995, an SAE International Standard.



Get behind the wheel of a John Deere Compact Utility Tractor, and discover the sweet spot where big-tractor features meet intuitive, easy-to-use controls. Operators will appreciate powerful standard features like four wheel drive (4WD), hydrostatic transmission, cruise control, power steering, and drive-over mower deck compatibility, for starters – the 2025R, 2032R and 2038R models pack quite a punch. But these are not one-trick ponies; from finish-mowing and loader chores to backhoe work and snow removal, the 2R Series give it their all – so you can work to your full potential. Add in smart options like Quik-Park™ loaders and iMatch™ quick attach hitch and you'll understand why we say the best things come in 2s.



From snow removal to digging and every task in between, John Deere and Frontier implements not only do it all, they do it all better and quicker.

#### 2025R


- 24.2 hp\* (17.8 kW) powerful diesel engine
- Sub-compact Utility Tractor
- AutoConnect<sup>™</sup> mower deck and 120R Quik-Park™ loader compatibility
- Standard 4WD, cruise control, folding ROPS
- Optional iMatch™ Quick-Hitch allows for easy implement hookup
- Optional Factory-Installed Heated Cab

#### 2032R

- 31.2 hp\* (22.9 kW) Tier IV diesel engine
- Compact Utility Tractor
- AutoConnect<sup>™</sup> mower deck and 220R Quik-Park™ loader compatibility
- CommandCut<sup>™</sup> height of cut adjustment
- Standard 4WD, cruise control, folding ROPS
- Optional iMatch™ Quick-Hitch allows for easy implement hookup

#### 2038R

- 37.2 hp\* (27.4 kW) Tier IV diesel engine
- Compact Utility Tractor
- AutoConnect<sup>™</sup> mower deck and 220R Quik-Park™ loader compatibility
- CommandCut<sup>™</sup> height of cut adjustment
- Standard 4WD, cruise control, folding ROPS



\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information. The standard used to measure and report the rated horse power was SAE J1995, an SAE International Standard.





The 2032R and 2038R models offer AutoConnect™ drive-over technology that lets you attach and detach the deck in minutes, all from your seat. Set the height electronically with the industry-leading CommandCut™ that allows for precise and repeatable cutting height.





How do you neatly fit real-tractor features, power, and capability into a standard garage? You get a 3E Compact Utility Tractor. And what's even more impressive is that the 3E's have up to 38 available engine horse-power, dozens of compatible implements, and high-capacity hydraulics also fit neatly into a standard budget. The 3E really does put the able in affordable.

Looking for something that'll never be described as standard? Check out the 3R, which delivers up to 46 available engine horsepower and offers premium features like a climate-controlled cab, cruise control, 4-wheel drive, and multiple transmission options. The 3R thrives in the kind of world where "good enough" just doesn't cut it.

Then there's the latest addition to the 3 Series Small Tractor lineup. The mighty 3D. You'll get simplicity and power all in a compact size with a simple gear drive transmission (8F/8R), a heavy-duty drivetrain, up to 43 HP, a tight turning radius of 5.3 ft (1.63 m), and four-wheel drive. The perfect wagon hauler for tight narrow tracts and simplicity itself to use and maintain.



The 3D is a simple, powerful, compact tractor perfect for hauling wagon loads of material and product through narrow, uneven tracts in vineyards, orchards, nurseries, spinach farms and almond farms.

#### 3025D

- 25 hp\* (19 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD) and heavy-duty drivetrain
- Simple, gear drive transmission, 8F/8R
- Standard 4,409 lb (2000 kg) hauling capacity
- Category 1, 3-point hitch compatible with dozens of implements
- 5.3 ft (1.63 m) turning radius for tight turns and narrow tracts

#### 3025E

- 24.7 hp\* (18.2 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD)
- Hydro transmission with Twin Touch™ pedals and optional cruise control
- Folding ROPS fits in a standard seven-foot garage
- Category 1, 3-point hitch compatible with dozens of implements

#### 3033R

- 32.2 hp\* (23.7 kW) Tier IV diesel engine
- Easy-to-operate eHydro<sup>™</sup> and PowrReverser<sup>™</sup> transmission options
- Open station and premium cab offering
- AutoConnect<sup>™</sup> deck compatible for drive-over attachment in seconds
- Quick-attach 375A/385A\*\* backhoe compatible for easy installation

#### 3035D

- 35 hp\* (26 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD) and heavy-duty drivetrain
- Simple, gear drive transmission, 8F/8R
- 4,409 lb (2000 kg) hauling capacity
- Category 1, 3-point hitch compatible with dozens of implements
- 5.3 ft (1.63 m) turning radius for tight turns and narrow tracts

#### 3032E

- 31.2hp\* (22.9 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD)
- Hydro transmission with Twin Touch™ pedals and optional cruise control
- Folding ROPS fits in a standard seven-foot garage
- Category 1, 3-point hitch compatible with dozens of implements

#### 3039R

- 38.7 hp\* (28.5 kW) Tier IV diesel engine
- Easy-to-operate eHydro™ and PowrReverser™ transmission options
- Open station and premium cab offering
- AutoConnect<sup>™</sup> deck compatible for drive-over attachment in seconds
- Quick-attach 375A/385A\*\* backhoe compatible for easy installation

#### 3043D

- 43 hp\* (32 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD) and heavy-duty drivetrain
- Simple, gear drive transmission, 8F/8R
- 4,409 lb (2000 kg) hauling capacity
- Category 1, 3-point hitch compatible with dozens of implements
- 5.3 ft (1.63 m) turning radius for tight turns and narrow tracts

#### 3038E

- 37.2 hp\* (27.4 kW) Tier IV diesel engine
- Standard four-wheel drive (4WD)
- Hydro transmission with Twin Touch™ pedals and optional cruise control
- Folding ROPS fits in a standard seven-foot garage
- Category 1, 3-point hitch compatible with dozens of implements

#### 3046R

- 45.3 hp\* (33.3 kW) Tier IV diesel engine
- Easy-to-operate eHydro™ transmission
- Open station and premium cab offering
- AutoConnect<sup>™</sup> deck compatible for drive-over attachment in seconds
- Quick-attach 375A/385A\*\* backhoe compatible for easy installation





You'll want to get familiar with the 4 Series. With up to 66 engine horsepower, standard four-wheel-drive, and eHydro transmission, you're going to like what you see. The new models in the lineup are 4M Heavy Duty Tractors. These models feature a low ROPS hinge point for tight, small spaces, 4 work lights, large industrial tires for great control in the mud and sludge, and a Category 1, 2 Three-Point Hitch to make switching between category 1 and 2 rated implements easy. All standard. The factory-installed hydraulics and telescoping draft links help too. This is strength and versatility. To the power of 4. For 485A Backhoe compatibility, the power of 4 digs in with 4M and premium 4R Tractors. While the open station 4M has all the basics, with the 4R you get advanced HST controls like Cruise control and SpeedMatch™, Hitch Assist system that speeds and simplifies 3-point implement hookups, compatibility with Quik-Park™ Loaders, and your choice of open-station or cab models. Add the dozens of implements and attachments available from John Deere and Frontier, and you'll see why the 4 Series has become king of the compacts.



Improved HVAC – Be productive all year round with the 4R's new, improved, climate-control system. Rake hay in the heat, blow snow in the cold, and everything in between – all from the comfort of the cab.



### 4044M

- 43.1 hp\* (32.1 kW) Tier IV diesel engine
- eHydro<sup>™</sup> and 12F/12R PowrReverser<sup>™</sup> transmission options
- Open station only
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

#### 4044R

- 43.1 hp\* (31.7 kW) Tier IV diesel engine
- eHydro™ and 12F/12R PowrReverser™ transmission options
- Integrated HST controls
- Open station with swivel seat and premium cab offering
- HitchAssist and auxiliary rockshaft control
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

# 4052M

- 51.5 hp\* (37.9 kW) Tier IV diesel engine
- eHydro™ and 12F/12R PowrReverser™ transmission options
- Open station only
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

#### 4052R

- 51.5 hp\* (37.9 kW) Tier IV diesel engine
- eHydro<sup>™</sup> and 12F/12R PowrReverser<sup>™</sup> transmission options
- Integrated HST controls
- Open station with swivel seat and premium cab offering
- HitchAssist and auxiliary rockshaft control
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

# 4066M

- 65.9 hp\* (48.5 kW) Tier IV diesel engine
- eHydro™ and 12F/12R PowrReverser™ transmission options
- Open station only
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

#### 4066R

- 65.9 hp\* (48.5 kW) Tier IV diesel engine
- eHydro™ and 12F/12R PowrReverser™ transmission options
- Integrated HST controls
- Open station with swivel seat and premium cab offering
- HitchAssist and auxiliary rockshaft control
- Wheel spacers
- Quick-attach 485A backhoe compatible
- LoadMatch and MotionMatch available

# 4052M Heavy Duty

- 51.5 hp\* (37.9 kW) Tier IV diesel engine
- eHydro<sup>™</sup> transmission
- Open station only. Low ROPS hinge point
- 4 bright work lights
- Large, industrial tires
- Category 1, 2 Three-Point Hitch
- Telescoping draft links
- Factory-installed hydraulics
- 440R Quik-Park™ Loader Compatible
- Front brush guard and front weight support

# 4066M Heavy Duty

- 64.9 hp\* (48.5 kW) Tier IV diesel engine
- eHydro<sup>™</sup> transmission
- Open station only. Low ROPS hinge point
- 4 bright work lights
- Large, industrial tires
- Category 1, 2 Three-Point Hitch
- Telescoping draft links
- Factory-installed hydraulics
- 440R Quik-Park™ Loader Compatible
- Front brush guard and front weight support

<sup>\*</sup>The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.