

# John Deere Riding Lawn Equipment





# Signature Series



## Add more versatility with:

48-in. (122-cm) Accel Deep™ (48A) Mower Deck  
54-in. (137-cm) Edge High-Capacity (HC) 9-gauge, 0.150-in. (3.8-mm) Mower Deck  
60-in. (152-cm) HC 9-gauge, 0.150-in. (3.8-mm) Mower Deck  
MulchControl™ kits  
7-bu (247-L), 2-bag Power Flow™ Material Collection System  
14-bu (493-L), 3-bag Power Flow™ Material Collection System  
7-bu (247-L) or 14-bu (493-L) dump from seat option  
19-bu (670-L), MCS19 Cart and Power Flow™ Material Collection System  
20-bu (705-L) Click-N-Go Material Collection System  
5-cu ft (142-L) Click-N-Go™ Drop Spreader  
Front Thatcher  
54-in. (137-cm) or 60-in. (152-cm) Front Blade  
54-in. (137-cm) Tractor Shovel  
52-in. (132-cm) or 60-in. (152-cm) Rotary Broom  
47-in. (119-cm) or 54-in. (137-cm) Snow Blower  
42-in. (107-cm) Hydraulic Tiller  
47-in. (119-cm) model 647 Rotary Tiller  
125-lb (57-kg) Mounted Electric Spreader  
125-lb (57-kg) and 175-lb (79-kg) Spin Spreaders  
25-gal. (95-L) Mounted Sprayer  
15-gal. (57-L), 25-gal. (95-L), and 45-gal. (170-L) Tow-Behind Sprayers  
45-gal. (170-L) Sprayer for 3-Point Hitch  
45-gal. (170-L) High-Performance Sprayer for 3-Point Hitch  
60-in. (152-cm) Rear Blade (Frontier)  
48-in. (122-cm) Box Blade (Frontier)  
40-in. (102-cm) Thatcherator  
40-in. (102-cm) and 48-in. (122-cm) Plug Aerator  
40-in. (102-cm) Spike Aerator  
40-in. (102-cm) Aerator/Spreader  
36-in. (91-cm) or 48-in. (122-cm) Lawn Roller  
42-in. (107-cm) or 44-in. (111-cm) Lawn Sweeper  
40-in. (102-cm) Multi Tool (plug aerator and thatcher)  
Utility Carts  
Quik-Tatch Front Hitch  
2,000-rpm Front PTO  
540-rpm Rear PTO  
Limited Category One 3-Point Hitch  
iMatch™ Quick Hitch  
Rear Receiver Hitch  
Hard Cab  
Weather Enclosure  
Weight Brackets and Weights  
Tire Chains  
Double Bucket Holder  
Bar, Turf, and Heavy-Duty All-Purpose Tires  
Brush Guard

Simply put, the Signature Series is one of the best mowing tractors available. They're built heavy-duty to excel at mowing as well as cleanup, snow removal, and landscaping. They're backed by a 4-year or 700-hour bumper-to-bumper warranty\*. Some models are available with full-time 4-wheel drive, 4-wheel steer, and electronic fuel injection (EFI) for even more performance and convenience. And the High-capacity mower decks are stamped from thicker steel for extra durability, and feature a deep-deck design to handle larger volumes of grass. In other words: Welcome to the top of the line.

\*Term limited to years or hours used, whichever comes first, and varies by model. See the LIMITED WARRANTY FOR NEW JOHN DEERE TURF AND UTILITY EQUIPMENT at [JohnDeere.com](http://JohnDeere.com) or [JohnDeere.ca](http://JohnDeere.ca) for details.



**X730**

- 25.5 hp\*\* (19 kW) V-twin liquid-cooled gas engine with electronic fuel injection
- Heavy-duty welded steel frame
- Power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X739 4WD / 4WS**

- 25.5 hp\*\* (19 kW) V-twin liquid-cooled gas engine with electronic fuel injection
- Heavy-duty welded steel frame
- Full-time 4-wheel drive
- Four-wheel power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X754 4WS**

- 24 hp\*\* (17.9 kW) three-cylinder liquid-cooled diesel engine
- Heavy-duty welded steel frame
- Four-wheel power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X734 4WS**

- 25.5 hp\*\* (19 kW) V-twin liquid-cooled gas engine with electronic fuel injection
- Heavy-duty welded steel frame
- Four-wheel power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X750**

- 24 hp\*\* (17.9 kW) three-cylinder liquid-cooled diesel engine
- Heavy-duty welded steel frame
- Power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X758 4WD**

- 24 hp\*\* (17.9 kW) three-cylinder liquid-cooled diesel engine
- Heavy-duty welded steel frame
- Full-time 4-wheel drive
- Power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve

**X738 4WD**

- 25.5 hp\*\* (19 kW) V-twin liquid-cooled gas engine with electronic fuel injection
- Heavy-duty welded steel frame
- Full-time 4-wheel drive
- Power steering with six-position tilt wheel
- 21-in. (53-cm) high-back, two-piece adjustable seat
- Two-function hydraulic control valve



Four-wheel-steer models have significantly enhanced maneuverability that reduces uncut-circle radius compared to two-wheel steer tractors. The full-time four-wheel drive X739 with four-wheel steering has the ultimate combination of traction and maneuverability.

\*\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.





# X500 Select Series™



The X500 Multi-Terrain Tractors let you mow with confidence. Till gardens with ease. Get into heavy-duty projects and out of tough situations without breaking a sweat. How? With a wide stance for stability. Standard foot-operated traction control. Heavy-duty frames that work with ground-engaging equipment like tillers. And features like the on-board deck leveling gauge that assure quality results every time. Add in the 4-year or 500-hour bumper-to-bumper warranty\* and you're ready for anything.

\*Term limited to years or hours used, whichever comes first, and varies by model. See the LIMITED WARRANTY FOR NEW JOHN DEERE TURF AND UTILITY EQUIPMENT at [JohnDeere.com](http://JohnDeere.com) or [JohnDeere.ca](http://JohnDeere.ca) for details.



Controls are logically placed, easy to reach, and color coded for easy identification by the operator.



## Add more versatility with:

48-in. (122-cm) Accel Deep™ Mower Deck  
54-in. (137-cm) Accel Deep™ Mower Deck  
MulchControl™ kits  
7-bu (247-L), 2-bag Power Flow™ Material Collection System  
14-bu (493-L), 3-Bag Power Flow™ Material Collection System  
7-bu (247-L) or 14-bu (493-L) dump from seat option  
19-bu (670-L), MC519 Cart and Power Flow™ Material Collection System

Front Thatcher

48-in. (122-cm) Front Blade

Remote Manual Angling Kit for Front Blade

40-in. (102-cm) Tractor Shovel

44-in. (112-cm) Snow Blower (X570)

47-in. (120-cm) Snow Blower (X580, X584, X590)

30-in. (76-cm) Mechanical Rotary Tiller (X570, X580, X590)

42-in. (107-cm) Hydraulic Tiller (X580, X590)

125-lb (57-kg) Mounted Electric Spreader

125-lb (57-kg) and 175-lb (79-kg) Pull-Type Spin Spreaders

25-gal. (95-L) Mounted Sprayer

15-gal. (57-L), 25-gal. (95-L), and 45-gal. (170-L) Tow-Behind Sprayers

Tow-Behind Equipment:

40-in. (102-cm) Thatcherator, 40-in. (102-cm) and 48-in. (122-cm) Plug Aerator

40-in. (102-cm) Spike Aerator, 40-in. (102-cm) Aerator/Spreader

36-in. (91-cm) or 48-in. (122-cm) Lawn Roller

42-in. (107-cm) Lawn Sweeper

Utility Carts

Electric Lift Kit (for use with Front Blade and Snow Blower, X570 model)

Weather Enclosure

Sun Shade

Weights

Front Weight Bracket (X570)

Integral Hitch

Front Bumper

Brush Guard

Armrest Kit for 21-in. (53-cm) Seat

Tire Chains

Single or Double Bucket Holder

## X570 Multi-Terrain

- 24 hp\*\* (17.9 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch hydrostatic foot pedals
- Foot pedal lift system
- 15-in. (38-cm) open-back seat
- 48-in. (122-cm) or 54-in. (137-cm) Accel Deep™ Mower Deck options

## X584 4WS Multi-Terrain

- 24 hp\*\* (17.9 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch hydrostatic foot pedals
- Four-wheel power steering with five-position tilt wheel
- Hydraulic power lift system
- 21-in. (53-cm) high-back adjustable seat
- 48-in. (122-cm) or 54-in. (137-cm) Accel Deep™ Mower Deck options

## X580 Multi-Terrain

- 24 hp\*\* (17.9 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch hydrostatic foot pedals
- Hydraulic power steering
- Hydraulic power lift system
- 15-in. (38-cm) open-back seat
- 54-in. (137-cm) Accel Deep™ Mower Deck

## X590 Multi-Terrain

- 25.5 hp\*\* (19.0 kW) V-twin air-cooled engine with electronic fuel injection and constant speed governor
- Heavy-duty welded steel frame
- Twin Touch hydrostatic foot pedals
- Hydraulic power steering with five-position tilt wheel
- Hydraulic power lift system
- 21-in. (53-cm) high-back adjustable seat
- 48-in. (122-cm) or 54-in. (137-cm) Accel Deep™ Mower Deck options

\*\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.





# X300 Select Series™



With the X300 Select Series Tractors, you can get around easily – and get around everything in your way. Nine models offer a choice of cutting widths, engine sizes and features like 2- or 4-wheel steering, manual or power steering, and manual foot or hydraulic lift – for effortless steering and speed control all over the yard. And they all come with a 4-year or 300-hour bumper-to-bumper warranty\* to ensure superior reliability and performance all down the line.



Twin Touch foot controls provide effortless speed and direction changes.

\*Term limited to years or hours used, whichever comes first, and varies by model. See the LIMITED WARRANTY FOR NEW JOHN DEERE TURF AND UTILITY EQUIPMENT at [JohnDeere.com](http://JohnDeere.com) or [JohnDeere.ca](http://JohnDeere.ca) for details.



## Add more versatility with:

42-in. (107-cm), 48-in. (122-cm), 54-in. (137-cm) Accel Deep™ Mower Deck options  
 42-in. (107-cm) Edge Mulch Deck  
 MulchControl™ kits  
 7-bu (247-L), 2-Bag Rear Bagger (42-in. (107-cm) Accel Deep™ Mower)  
 7-bu (247-L), 2-Bag Power Flow™ Material Collection System (48-in. (122-cm) and 54-in. (137-cm) Accel Deep™ Mowers)  
 7-bu (247-L) dump from seat option  
 19-bu (670-L), MC519 Cart and Power Flow Material Collection System (X380, X384, X390, X394)  
 Front Thatcher  
 44-in. (112-cm) Front Blade  
 48-in. (122-cm) Front Blade (X394)  
 Remote Manual Angling Kit for Front Blade  
 40-in. (102-cm) Tractor Shovel  
 44-in. (112-cm) Snow Blower  
 125-lb (57-kg) Mounted Electric Spreader  
 125-lb (57-kg), 175-lb (79-kg) Pull-Type Spin Spreaders  
 25-gal. (95-L) Mounted Sprayer  
 15-gal. (57-L) and 25-gal. (95-L) Tow-Behind Sprayers  
 40-in. (102-cm) Thatcherator  
 40-in. (102-cm) Plug Aerator  
 42-in. (107-cm) Multi Tool (aerator and thatcher)  
 40-in. (102-cm) Spike Aerator  
 40-in. (102-cm) Aerator/Spreader  
 36-in. (91-cm) Lawn Roller  
 42-in. (107-cm) Lawn Sweeper  
 Utility Carts  
 Electric Lift Kit (for use with Front Blade or Snow Blower)  
 Weather Enclosure  
 Sun Shade  
 Weights  
 Front Weight Bracket  
 Front Bumper  
 Brush Guard  
 Tire Chains  
 Single or Double Bucket Holder

### X330

- 20 hp\*\* (14.9 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Foot pedal lift system
- 15-in (38-cm) open-back seat
- 42-in. (107-cm) Accel Deep™ Mower

### X354 4WS

- 18.5 hp\*\* (13.8 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Foot pedal lift system
- Four-wheel steering
- 42-in. (107-cm) Accel Deep™ Mower

### X380

- 22 hp\*\* (16.4 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Foot pedal lift system
- 15-in (38-cm) open-back seat
- 48-in. (122-cm) or 54-in. (137-cm) Accel Deep™ Mower

### X390

- 22 hp\*\* (16.4 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Hydraulic power steering with tilt wheel
- Hydraulic power lift system
- 48-in. (122-cm) or 54-in. (137-cm) Accel Deep™ Mower

### X350

- 18.5 hp\*\* (13.8 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Foot pedal lift system
- 15-in (38-cm) open-back seat
- 42-in. (107-cm) or 48-in. (122-cm) Accel Deep™ Mower or 42-in. (107-cm) Edge™ Mulch Deck options

### X370

- 18.5 hp\*\* (13.8 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Hydraulic power steering
- Hydraulic power lift system
- 42-in. (107-cm) Accel Deep™ Mower

### X384 4WS

- 22 hp\*\* (16.4 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Foot pedal lift system
- Four-wheel steering
- 48-in. (122-cm) Accel Deep™ Mower

### X394

- 22 hp\*\* (16.4 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Twin Touch foot pedals
- Four-wheel hydraulic power steering with tilt wheel
- Hydraulic power lift system
- 48-in. (122-cm) Accel Deep™ Mower

### X350R Rear Discharge

- 18.5 hp\*\* (13.8 kW) V-twin air-cooled engine
- Heavy-duty welded steel frame
- Two-pedal hydrostatic transmission control
- Foot pedal lift system
- 15-in (38-cm) open-back seat
- 42-in. (107-cm) Rear Discharge Edge Xtra Mower and 8.5-bu (300-L) rear hopper

\*\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.





# Attachments, Implements & Accessories



Versatility is built into every one of our machines. With our variety of attachments, implements and accessories, find plenty of options to customize your equipment to suit your needs - and add more potential to what you can accomplish.





## MOWER DECKS

Our stamped-steel 42-in. (107-cm), 48-in. (122-cm), 54-in. (137-cm), and 60-in. (152-cm) mower decks offer easy attachment, fast cutting, long life and superior performance.

## REAR BAGGERS

Our 7-bu (247-L), 2-bag and 14-bu (493-L), 3-bag rear baggers are designed for easy, clean operation. Optional dump from seat attachments give you even more convenience and efficiency.

## MATERIAL COLLECTION SYSTEMS

The MC519 combines versatility with maneuverability and ease of use, while the 20-bu (705-L) Click-N-Go™ Material Collection System dumps with the click of a button.

## TILLER AND CULTIVATOR

The 647 RotaryTiller gives you 48-in. (122-cm) commercial-duty tilling capacity, while our cultivator is ideal for gardeners and nurseries. Both mount to X700 Signature Series tractors with the 3-point hitch.

## SPRAYERS

A wide range of sprayers, from 15 to 60 gal (57 to 227L), in several configurations: portable, mounted, tow-behind. No matter what you're spraying, spray with a John Deere.



## AERATORS

Plug aerators, spike aerators, aerator/spreaders, thatchers, even a thatcherator — our line of aerators gives you the power, performance and control your job demands.

## BLADE & SHOVELS

Extend the usefulness of your tractor — to push, haul, level and more — with a Quik-Tatch front blade or tractor shovel. Available for the X700 Signature and Select Series Tractors.

## LAWN ROLLERS

36 in. (91-cm) by 18 in. (45.7-cm) polyethylene or 48 in. (122-cm) by 24 in. (61-cm) steel, our lawn rollers pack down sod, seed and mole ridges — without gouging the lawn or making ruts.

## ROTARY BROOMS

Our 52-in. (132-cm) and 60-in. (152-cm) rotary brooms are ready for winter snow removal, fall leaf sweeping and event cleanup. Their durable shafts and gearbox drive systems make them top performers.

## UTILITY CARTS

From welded steel boxes to rustproof polyethylene or polypropylene bodies, and from pneumatic tires to sealed ball bearings, our utility carts are made to help you get the job done.

## SNOW BLOWERS

At their best when the weather's bad, our snow blowers give you the power and performance you need to bite through packed snow and knock out snow banks.

## DROP SPREADER

43-in. (109-cm) wide and features heavy-gauge stainless-steel construction for exceptional durability in harsh conditions. Ideal for spreading large granular materials (such as rock salt).

## CAB ENCLOSURES

Designed for the X700 Signature Series tractors, our roll over protective structure (ROPS)-certified cab features a glass front and sides, molded body panels and weather-sealed windows and doors.

