



A Model Trim & Surrounds Mowers



Add more versatility with:

7200A Precision Cut Trim and Surrounds Mower

LED Light Kit, Sun Shade, Scrapers, Joystick, verticutters, as well as Grass Catchers (26-in. QA7 only), FTCs (26-in. QA7 only), and Power Brushes (26-in. QA7 Only)

The 7200A PrecisionCut™ and 7400A TerrainCut™ mowers change the way trim and surrounds areas are maintained. Both the 7200A and 7400A are Final Tier 4 compliant without sacrificing horsepower and the 7400A has 12% more power than its predecessor. And, the 7200A has increased power by 3.5 hp (2.6 kW) compared to previous models. Both feature the exclusive Width On Demand system, right at the operator's fingertips. Operators can change the width of cut on the go with the simple toggle of a switch. And both also have the Reach Trimming System, which allows you to extend either the front left or front right deck 15 in. beyond the outside edge of the tire, allowing you to trim around bunkers and other areas.



Serious climbers

Both the 7200A and 7400A feature standard GRIP All-Wheel Drive and an eHydro™ hydrostatic pump with 35% more traction drive and large-capacity wheel motors with 17% more displacement than previous generation mowers. Also they have plenty of horsepower and LoadMatch™ to handle the toughest turf.

7200A PrecisionCut Trim & Surrounds

- Password protected TechControl Display
- LoadMatch™
- Standard GRIP AWD traction system
- eHydro™ hydrostatic pump
- Reach trimming system for bunkers
- Maximum rated hp (kW): 24.7 hp* (18.4 kW)
- 7-in (17.8 cm) diameter QA7 cutting units
- Width-on-demand system adjustable from 68-in (173 cm) to 72-in (183 cm)
- Compliance: US/CAN Final Tier 4



7400A Terrain Cut Trim and Surrounds Mower
Light Kit, Sun Shade, Scraper Kit, Joystick



7400A TerrainCut Trim & Surrounds

- Password-controlled TechControl Display
- LoadMatch™
- Standard GRIP All-Wheel Drive Traction System
- eHydro™ hydrostatic pump
- Reach trimming system for bunkers
- Maximum rated hp (kW): 41.6 hp* (31 kW)
- 27 in. (68.6 cm) rotary decks
- Width-on-demand system adjustable from 68-in (173 cm) to 74-in (188 cm)
- Compliance: US/CAN Final Tier 4



2653B PrecisionCut Trim & Surrounds

- 19.6-hp* (14.6 kW) engine
- 26-in. or 30-in. QA7 cutting units
- 72-in. (183 cm) or 84-in. (213 cm) mowing width
- Standard GRIP All-Wheel Drive traction system
- Wide stance and low center of gravity
- Multi-Trac, Turf Trac, and Ribbed front tire options
- Durable frame built to handle the toughest terrain
- Air-restriction indicator



A reel mower to rely on.

With new QA7 Quick Adjust cutting units especially designed for lush, dense turf, a smooth hydraulic drive system for surprisingly even traction, excellent contour-following, and high power-to-weight ratio, the all-around 2653B offers a pristine cut anywhere on your course.

9009A TerrainCut™ Rough Mower



Add more versatility with:

- Mulch Kit
- Rear Roller Scraper Kit
- Operator Training Video

Until now, using a wide area mower in the rough meant compromising on your quality of cut. But with our 9009A TerrainCut™ mower, you can maximize both your productivity and your cut quality.

With a 108-inch/9-foot cutting width, the 9009A is a five-gang, 27-inch (68.58 cm) independent rotary deck mower. A double-point yoke system on all five decks increases deck movement fore and aft, allowing for greater contour following and an even cut. And the 9009A has a greater deck overlap for superior side hill mowing.

The 9009A also sports a deeper deck design with a rear discharge for greater dispersion and a cleaner cut. And our exclusive LoadMatch™ lets you mow in thick, lush conditions. And the 9009A features the same TechControl display found on our A-Model mowers. The TechControl lets you set precise mow, transport, and turn speeds while also allowing for quick and easy diagnostics.



All height-of-cut adjustments on the 9009A can be performed without tools with an innovative notch system. All it takes is a simple pull of a lever.



The double yoke on the 9009A means the rotary decks follow the contours in the most undulating terrain for an exceptional quality and consistency of cut.



Our unique rear deck design allows for greater clippings dispersion and the deeper shell stands grass up for an even cut.



Passcode-protected TechControl display lets you precisely set mowing speed, turning speed, or transport speed for consistent performance.

9009A TerrainCut™ Rough Mower

- Password-controlled TechControl Display
- LoadMatch™
- AutoPedal™
- eHydro™ hydrostatic pump
- Low machine weight
- Standard GRIP All-Wheel Drive Traction System
- Maximum rated hp (kW): 55.1 hp* (41.1)
- No-tool height-of-cut adjustment
- 27 in. (68.6 cm) rotary decks
- Cutting width: 9 feet; 108 in. (2.74 m)
- Compliance: US/CAN Final Tier 4



8800A TerrainCut™ Rough Mower




The 8800A TerrainCut™ Rough Mower has powerful features that allow it to stand out from other rough mowers. Like a robust, 55.1 HP turbocharged diesel, a 27% increase in horsepower over its predecessor. An eHydro™ combined with large displacement wheel motors to deliver performance for excellent hill climbing. Exclusive LoadMatch™ to help cut through thick, lush rough while maintaining a consistent traction speed. And internal wet-disc brakes that reduce maintenance and down time.

The 8800A features five solid 21-in. rotary decks optimal overlapping, rear roller striping, and no-tool height-of-cut adjustments. A double-acting, single-rod hydraulic steering cylinder makes keeping straight lines a breeze and steering effortless.



Power plant

The 8800A has 27% more horsepower than its predecessor for outstanding performance.




Double yoke design

The new double yoke design on the 8800A rotary decks allows for 25 percent increase in contouring for the front decks.



Add more versatility with:

Mulch Kit
Rear Roller Scraper Kit
Operator Training Video TCU23674



eHydro™

Thanks to the eHydro™ traction pump and large-capacity wheel motors, the 8800A can handle hill climbing with ease.



LoadMatch™

The LoadMatch™ setting through the Tech Control display allows the 8800A to achieve a consistent cut, even in long, lush conditions.



8800A TerrainCut™ Rough Mower

- Password-controlled TechControl Display
- LoadMatch™
- AutoPedal™
- eHydro™ hydrostatic pump
- Standard GRIP All-Wheel Drive Traction System
- Maximum rated hp (kW): 55.1 (41.1)
- No-tool height-of-cut adjustment
- 21 in. (53 cm) rotary decks
- Cutting width: 88in (223 cm)
- Compliance: US/CAN Final Tier 4