John Deere Utility Vehicles





Whether you're climbing a hill or hauling supplies, our Gator[™] Utility Vehicles go the extra mile. From the Work Series HPX615E and HPX815E to the Mid- and Full-Size Crossover Series with 2-, 3- and 4-passenger capability, we've got a full lineup that's ride-ready, worksite-ready and anything-you-can-throwat-them ready.

These utility vehicles are designed from the ground up to give you the flexibility to adapt to changing conditions, with a wide range of standard and optional features that are as hard working as you are (and maximize the power of play).





Gator[™] Work Utility Vehicles

Add more versatility with:

There's no such thing as a "routine job." Don't worry; Gator[™] Work Utility Vehicles are ready for anything. Each is anchored by a low center of gravity and is driven by responsive rack-and-pinion steering with a differential lock for any tricky spots you run across. Most include a load capacity that makes pickups envious and cargo boxes that are a cinch to load. With responsive steering, easy-to-grasp controls and available 6x4, 4x4 and 4x2 traction options, you'll always have total confidence behind the wheel.



Step up to the top-of-the-line two-wheel drive TX. Whether you load it up or leave it empty, the TX delivers a well-cushioned ride with a specially tuned four-wheel suspension. Get the job done.

Adjustable Driver's Seat Back-Up Alarm Bedliner Brake/Tail Light Kit Cargo Box Fender Guard Cargo Box Extension Kit Cargo Box Mat Deluxe Light Kit (Includes Turn Signals,4-Way Flashers, Brake and Tail Lights, and Side Mirrors) Mirrors Fender Guards Floormat 72-Inch Front Blade 72-Inch V-Blade Front Brush Guard Front Bumper (Standard on TH and HPX) Front Hood Rack Gear Organizer Glass Door Cab Heavy-Duty Front Suspension High-Capacity Alternator Horn Cargo Box Power Lift Kit Front and Rear Hitch **Pressure Washers** Rough Terrain Kit Side Storage Box Side Tool Rack Sprayers "Truck-Style" Toolbox 21, 17, 10 AT Utility Cart 2,500-lb Winch Winch Accessories Kit Windscreen Windshield Wiper Front/Rear Work Lights Sun Canopy

Gator TS 4X2

- 13.5 hp* (10.1 kW), 401 cc gas engine
- Standard differential lock
- \bullet 900 lb. (408 kg) payload/towing capacity^ $\:$
- Rear wet disc brakes
- 10.1 cu. ft. (0.29 m³) cargo box steel
- Independent front suspension

Gator TH 6x4

- 15.5 hp* (11.6 kW), 675 cc gas engine
- Standard differential lock
- \bullet 1400 lb. (635 kg) payload/towing capacity $^{\scriptscriptstyle \dagger}$
- Rear wet disc brakes
- 16.4 cu. ft. (0.46 m³) cargo box
- Independent front suspension

Gator HPX615E Gas

- 20 hp* (15kW), 617 cc gas engine
- 4WD with standard differential lock
- 1400lb (635kg) payload / 1300lb (590kg) towing capacity[†]
- Front and rear hydraulic disc brakes
- Independent front suspension, coil over shock rear suspension
- 16.4 cu. ft. (.46 cu. m.) cargo box

Gator TX 4X2

- 15.5 hp* (11.6 kW), 675 cc gas engine
- Standard differential lock
- \bullet 1,000 lb. (454 kg) payload/towing capacity^ $\,$
- Four-wheel hydraulic disc brakes
- 16.4 cu. ft. (0.46 m³) cargo box
- Independent front suspension semi-independent rear suspension

Gator TH 6x4 Diesel

- 18.5 hp* (14 kW), 854 cc diesel engine
- Standard differential lock
- 1600 lb. (726 kg) payload/towing capacity⁺
- Rear wet disc brakes
- 16.4 cu. ft. (0.46 m³) cargo box
- Independent front suspension

Gator HPX815E Diesel

- 18.2 hp* (13.6kW), 854 cc diesel engine
- 4WD with standard differential lock
- 1400lb (635kg) payload / 1300lb (590kg) towing capacity[†]
- Front and rear hydraulic disc brakes
- Independent front suspension, coil over shock rear suspension
- 16.4 cu. ft. (.46 cu. m.) cargo box

Gator TE

- 6.0 hp* (4.6 kW) separately excited D.C. motor
- 48V electrical system with optional 48V to 12V converter
- Independent front suspension
- 900 lb. (408 kg) payload[†]/600 lb. (273 kg) towing capacity[†]
- On-board charger
- Low ground pressure to prevent turf scuffing

With a Gator, you can get where you're going – and take a lot of important stuff along for the ride, thanks to roomy cargo boxes with lots of tie-downs.



*The engine horsepower is provided by engine manufacturer for comparison purposes. Actual operating horsepower may be less. Refer to engine manufacturer's web site for additional information.

Before operating or riding, always refer to the safety and operating information on the vehicle, and in the Operator's Manual.

⁺Includes 200 lb. (91 kg) operator and 200 lb. (91 kg) passenger and maximum box capacity.



Gator[™] Crossover Utility Vehicles



Get things done, fast. Every 2 and 4 person Full-Size XUV offers 1,500 lb. (680 kg) of towing capacity and 1,400 lb. (635 kg) of payload capacity. But that's just for starters. The new three seaters can tow up to 2,000 lb. (907 kg) and have a 1,500 lb. (680 kg) payload capacity. All are equipped with a durable cargo box that can carry up to 1,000 lb. (454 kg.) You can add a power lift, go into flat bed mode, and much more. Plus, our unique Quick Clamp system lets you install select attachments without using a single tool. These rigs will get the heavy lifting done, leaving you with time to do what you really enjoy.

Two person cockpits, three across upfront, four person teams. Crossover Utility Vehicles have you covered. You might just need a bigger crew.



Add more versatility with:

Standard Straight Blade, 72" V-Blade, 72" High Capacity Alternator Cab Heater 2" Front Receiver Hitch and **Recovery Loops** Windshield Washer Fluid Kit Beacon Light Kit - Deluxe Cab **OPS Side Mirrors OPS Full Poly Windshield** Glass Windshield w/Wiper - OPS Front Light Kit Rear Light Kit **OPS Half Poly Windshield** OPS Poly Cab - Black **OPS Poly Roof- Black OPS Poly Roof - Camo OPS** Rear Screen OPS Soft Roof - Black OPS Soft Roof - Camo Deluxe Cab Canvas Cab Stereo and Speaker Kit Cargo Box Power Lift Cargo Box Integrated Toolboxes Cargo Box Wall Extensions Speedometer Kit Floor Mats Brush Guard Front Fender Guard Rear Bumper CV Guards **OPS Rear Screen** Locking Glove Box 10 AT Utility Cart 17AT Utility Cart MOLLE Storage Panel and **Device Pouches** Seat-Belt Comfort Straps Backup Alarm Beacon Light Kit -OPS Brake/Tail Light Kit Deluxe Light Kit Horn Kit LED Work and Driving Light Kits Warn® 3500 lb. Winch Warn[®] 4500 lb. Winch Salt / Fertilizer Broadcast Spreader 90 Gallon Sprayer 45 Gallon High Performance Sprayer 45 Gallon Sprayer, Tow-Behind GreenStar™ StarFire™ Cell Phone Mount Kit

Before operating or riding, always refer to the safety and operating information on the vehicle, and in the Operator's Manual.

MID-SIZE

XUV560

- 16 hp* (11.9 kW), 570 cc gas engine
- 800 lb. (363 kg) payload/1100 lb. (499 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 10.5-in. (26.7 cm) ground clearance
- 8.9 cu. ft. (0.25 m³) deluxe cargo box

FULL-SIZE

XUV825

- 50 hp* (37 kW), 812 cc liquid cooled EFI gas engine
- Two-person cockpit
- 1400 lb. (635 kg) payload/1,500 lb. (680 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 11-in. (28 cm) ground clearance
- 44 mph (70.8 km/h) top speed
- 16.4 cu. ft. (0.46 m³) deluxe cargo box
- Power steering standard on XUV825M

XUV560 S4

- 16 hp* (11.9 kW), 570 cc gas engine
- 1200 lb. (544 kg) payload/1100 lb. (499 kg) towing⁺
- 4-wheel disc brakes
- Independent rear suspension
- Convertible cargo rack
- 8.9 cu. ft. (0.25 m³) deluxe cargo box

• 50 hp* (37 kW), 812 cc liquid cooled

• 1400 lb. (635 kg) payload/1,500 lb.

• 4 passenger capable

XUV825 S4

EFI gas engine

• Four-person team

(680 kg) towing

XUV590

- 32 hp* (23.9kW), 586 cc liquid cooled EFI gas engine
- 800 lb. (363 kg) payload/1100 lb. (499 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 45 mph (72.4 km/h) top speed
- 8.9 cu. ft. (0.25 m³) deluxe cargo box
- Power steering standard on XUV590M

XUV855

- 22.8 hp* (17 kW), 854 cc liquid cooled diesel engine
- Two-person cockpit
- 1400 lb. (635kg) payload/1,500 lb. (680 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 11-in. (28 cm) ground clearance
- 32 mph (51.4 km/h) top speed
- 16.4 cu. ft. (0.46 m³) deluxe cargo box
- Power steering standard on
- XUV855M



^{*}Engine horsepower is provided by engine manufacturer for comparison purposes. Actual operating horsepower may be less. Refer to engine manufacturer's web site for additional information. †Includes 200 lb. (91 kg) operator and 200 lb. (91 kg) passenger and maximum box capacity.

XUV590 S4

- 32 hp* (23.9kW), 586 cc liquid cooled EFI gas engine
- 1,200 lb. (544 kg) payload/1,100 lb. (499 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 45 mph (72.4 km/h) top speed
- 8.9 cu. ft. (0.25 m³) deluxe cargo box
- 4 passenger capable
- Power steering standard on XUV590M S4

XUV855 S4

- 22.8 hp* (17 kW), 854 cc liquid cooled diesel engine
- Four-person team
- 1400 lb. (635 kg) payload/1,500 lb. (680 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 11-in. (28 cm) ground clearance
- 32 mph (51.4 km/h) top speed
- 16.4 cu. ft. (0.46 m³) deluxe cargo box
- Power steering standard on XUV855M S4

XUV835

- 54 hp* (43 kW), 812 cc liquid cooled EFI gas engine
- Three passenger
- 1500 lb. (680 kg) payload/2,000 lb. (907 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 11.2-in. (28.4 cm) ground clearance
- 45 mph (72.4 km/h) top speed
- 16.4 cu. ft. (0.46 m³) deluxe cargo box
- Power steering standard on XUV835M, XUV835R
- Optional cabs with HVAC available

XUV865

- 22.8 hp* (17 kW), 812 cc liquid cooled diesel engine
- Three passenger
- 1500 lb. (680 kg) /2,000 lb. (907 kg) towing
- 4-wheel disc brakes
- Independent rear suspension
- 11.2-in. (28.4 cm) ground clearance
- 32 mph (51.4 km/h) top speed
- 16.4 cu. ft. (0.46 m³) deluxe cargo box
- Power steering standard on XUV865M, XUV865R
- Optional cabs with HVAC available

• 4-wheel disc brakes Independent rear suspension • 11-in. (28 cm) ground clearance • 44 mph (70.8 km/h) top speed • 16.4 cu. ft. (0.46 m³) deluxe cargo box • Power steering standard on XUV825M S4

Gator[™] High Performance Utility Vehicles

Work at speed with a purpose. This is the fastest, most powerful, most agile Gator UV, yet. The High Performance Utility Vehicle from John Deere is going to knock your socks off. Especially when you accelerate from 0-30 mph in three seconds. Or ride the sport-tuned, four-wheel independent suspension up the side of a mountain. Or experience the kind of handling that's possible when you get a little advice from the engineers on the professional racing circuit. Because it's a John Deere, you could put to it work. Which would beg the question, "is it work, or play?"

Performance shocks are designed to absorb any punishing ride or uneven terrain you throw at them.



Before operating or riding, always refer to the safety and operating information on the vehicle, and in the Operator's Manual.



You'll look at the forces of nature in a whole new way. Because you'll be behind the wheel of a force to be reckoned with, complete with 59.5 lb-ft of torque (80.6Nm).

RSX860

- 62 hp* (46.2 kW), 839 cc liquid cooled EFI gas engine
- * 800 lb. (363 kg) payload capacity / 1,200 lb. (544 kg) towing capacity+
- 4-wheel hydraulic disc brakes
- 9-in. (22.9 cm) of suspension travel
- 10.3 in. (26.2 cm) ground clearance
- 8.9 cu. ft. (.25m³) deluxe cargo box

*Engine horsepower is provided by engine manufacturer for comparison purposes. Actual operating horsepower may be less. Refer to engine manufacturer's web site for additional information. tIncludes 200 lb. (91 kg) operator and 200 lb. (91 kg) passenger and maximum box capacity.

Add more versatility with:

Full Poly Windshield Half Poly Windshield Poly Roofs Poly Door Kit Poly Rear Panel Kit Cargo Box Rails Canvas Roof and Rear Panel 2" Front Receiver Hitch w/ Recovery Loops 66" Front Blade Fox 2.0 Performance Series Shocks Sport Steering Wheel Stereo Kit Light Kits Deluxe Light Kit Aluminum CV Guards LED Work and Driving Lights Aluminum Underbody Armor Rear Bumper Brush Guard Nerf Bars Warn® Winch

Utility Vehicle Attachments and Accessories

Accessories? Extras? Add-ons? Hardly.

These are Must Have's. On the worksite these tough kits, packages, and tools are tested and proven to take your Gator UV to the next level. The only option you don't have? Holding back.

See your John Deere Dealer for a complete selection of attachments and accessories.







Hydraulic Powered V-Blade, 72" Quick-attaching V-blade, with powered lift and angling for faster snow removal. Includes two adjustable skid shoes and plow markers. Optional deflector and poly wear bars. XUV835, XUV865



Standard Straight Blade, 66" Quick-attaching front blades have replaceable cutting edges, skid shoes, winch operated lift and three-position manual angling. Winch required to lower and raise blade. Plow markers included to increase visibility. XUV560, XUV560 S4, XUV590, XUV590 S4, RSX860



Cargo Box Power Lift Depending on your model of Gator, all our Cargo Box Power Lift Kits are a little different. But there is one thing they all have in common. When it comes to raising and lowering your cargo box, the Gator will do the hard work for you.

Front Hood Rack Secure a toolbox. Tie down a backpack. Can you really ever



Beacon Light Kit Beacon light shown is for the deluxe cab. Other beacon lights fit on the Full-Size XUVs, Mid-Size XUVs and RSX Models.



Backup Alarm

Alerts pedestrians when Gator[™] is operating in reverse. Conforms to SAE J994 performance specifications or a Type D alarm and is 89 dBA per the SAE specification (measured at 4 ft). Available on all models.



Warn[®] Winch

These top of the line 12-V winches have an impressive pulling capacity. They feature water-resistant contactors, quick connect wiring harnesses for front mounts, 10-ft lead with a water-resistant remote and four-way roller fairlead to minimize rope abrasion and pulling resistance (4,500 winch includes a Hawse fairlead). Warn is a registered trademark of Warn Industries, Inc.





Windshields

Increase protection from the elements and improve visibility with the addition of a windshield or windscreen. Available windshield options include:

OPS Full and Half Poly Windshield OPS Glass Windshield with Wiper XUV560, XUV560 S4, and RSX860



Cab Heater Stay warm all year-round. High-output two-speed heater also defrosts windshield. Requires appropriate Heater Fitting Kit. TS, TX, TH, HPX XUVs

Heavy Duty Front Brush Guard

Massive welded brush guard is made of large diameter 1.75-in. (44.45 mm) tubing and thick steel plates to provide superb protection for the front grille, lights, and hood. Rotates forward without tools for easy access to service points and additional storage under the hood. HPX, XUVs, RSX



The Rear Guard

The rear bumper, rear fender guard and tail light protectors add durability. The off-road demands no less.



Side Tool Rack

Adjustable side tool rack enables the user to maximize the use of their cargo box by carrying long-handled tools, such as trimmers, shovels, and rakes, on the outside of the box. TX, TH, HD XUVs

