

CITRUS-KLEEN

Non-Butyl / Heavy Duty Cleaner Degreaser

DESCRIPTION

A water-based, non-butyl industrial degreaser cleaner designed for various cleaning applications. This citrus type degreaser is manufactured with detergents, chelating agents, buffering aids, water softeners and natural citrus oils to provide maximum cleaning efficiency.

PRODUCT FEATURES / BENEFITS

- Allows for economical dilution for all cleaning and degreasing applications / Super concentrated
- Fast grease cutting action / Allows for minimum labor and waiting
- · Contains no Butyl Cellusolve / Environmentally safe
- Multi-purpose / Used as a cleaner, degreaser and deodorizer
- Free rinsing and water soluble / May be used to clean any water washable surface to leave a clean bright shine

DIRECTIONS FOR USE

Ideal for all water washable surfaces including: Building maintenance and housekeeping, automotive, heavy equipment, marine, hospitals, food processing, school, hotels and motels, municipalities, farms, industrial processing, recreation industries, air conditioning, and virtually any area where heavy soil and grease are present.

Using the dilution chart below as a guideline, apply to soiled surface by spraying, mopping, brushing, pressure cleaning, foaming, dip tank, ultrasonic cleaner, or any other convenient method. Allow sufficient time to work, agitate if necessary, rinse and allow to dry.

| DILUTION | OZ./GAL. | APPLICATION |
|----------|----------|---|
| 1:4 | 32 | Industrial Plants, Marine areas, Repair |
| | | Shops, and Garages |
| 1:8 | 16 | Parts Cleaning, Food Processing |
| | | equipment, Air Conditioning |
| 1:16 | 8 | Floors, Pre-paint Areas, Automotive, |
| | | Routine Housekeeping |
| 1:100 | 1-2 | All Routine Medium To Light Cleaning |

SPECIFICATIONS

| Orange |
|-------------|
| Orange peel |
| 13.3 ± 0.2 |
| Water thin |
| 1.03 ± 0.01 |
| 8.6 ± 0.1 |
| > 120°F |
| < 33°F |
| |

| Solubility | Complete in water |
|-----------------------------|-----------------------------|
| Flash Point | None |
| Butyl Cellusolve | None |
| Biodegradable | Yes |
| General Cleaning | Excellent |
| Rinsability | Excellent |
| Shelf Life1 year minimum in | original unopened container |

SAFETY INFORMATION

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE AN ALLERGIC SKIN REACTION. KEEP OUT OF REACH OF CHILDREN.



Prevention: Do not breathe

mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. Meets the requirements for USDA Authorization Class C1.

For Commercial and Industrial Use Only





World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail:info@nclonline.com

World Class Cleaning Solutions®

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier CITRUS-KLEEN Non Butyl / Heavy Duty Cleaner Degreaser

Other means of identification 1095

Recommended use Alkaline cleaner.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

ClassificationCategoryPhysical HazardsNot ClassifiedHealth HazardsSensitization, skin1Serious eye damage/eye irritation1

OSHA defined hazards Label Elements

Hazard Symbol



Skin corrosion/irritation

Not Classified.

Signal Word Danger

Hazard Statement Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing

1

before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

1095

Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs, keep head low so that

stomach content doesn't get into the lungs.

Most Important symptoms /effects, acute and delayed

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to

hospital. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash

contaminated clothing before reuse.

Section 5 - Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

media Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

Specific Methods

Move containers from fire area if you can do it without risk.

General fire hazards

No unusual fire or explosion hazards noted. Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Personal precautions, protective equipment and emergency procedures.

containment and cleaning up

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if

Methods and materials for

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component Type Value

Citrus Terpenes (CAS 5989-27-5) **TWA** 165.5 mg/m³, 30 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Sodium Hydroxide (CAS 1310-73-2) **TWA** 2 mg/m³

US. ACGIH Threshold Limit Values

Component Value Type Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m³

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Skin protection

Wear safety glasses with side shields (or goggles) and a face shield.

Hand protection

Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards General hygiene Wear appropriate thermal protective clothing, when necessary.

considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work

clothing should not be allowed out of the workplace.

Section 9 - Physical and chemical properties

Appearance

Physical state

Liquid.

13 3

Clear, thin liquid.

Color Odor

Orange. Orange.

Odor threshold

Not available

Melting point/freezing point

Not available.

Initial boiling point and

212 °F (100 °C)

boiling range

Flash point

None to boiling.

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%) Vapor pressure

Not available.

Vapor density

Similar to water.

Relative density

Similar to water. 1.03 + 0.01

Relative density temperature

75 °F (23.89 °C)

Solubilities

Completely soluble.

octanol/water

Not available

Auto-ignition temperature Decomposition temperature

Partition Coefficient n-

Not Available Not Available

Viscosity

< 10 cSt

Viscosity Temperature

75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Strong Acids, Acids, Oxidizing Agents.

Hazardous Decomposition No hazardous decomposition products are known.

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Symptoms related to the Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, physical, chemical and redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory

irritation. toxicological characteristics

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction. May cause respiratory irritation.

> Code **Species** Results Components Level Type >2000 mg/kg Sodium dimethylbenzenesulfonate (CAS 1300-72-7) Rabbit Acute Dermal LD50

1095

Acute Oral LD50 Rat 7200 mg/kg Sodium Hydroxide (CAS 1310-73-2) Oral LD50 Rabbit Acute 500 mg/kg Citrus Terpenes (CAS 5989-27-5) Acute Dermal LD50 Rabbit 5 g/kg Oral LD50 5600 - 6600 mg Acute Mouse Acute Other LD50 Mouse 1.3 g/kg Acute Other LD50 Rat 0.11 g/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitizationNot a respiratory sensitizer.Skin sensitizationMay cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

Citrus Terpenes (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to

humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Section 12 - Ecological Information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability No data is available on the degradability of this product.

Partition coeficient n-octanol / water log (Kow)

Components Results
Citrus Terpenes (CAS 5989-27-5) 4.232

Mobility in soilNo data available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT

UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packing group || 1

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, N34, T7, TP2

Packaging exemption 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.

ERG Code

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

8L

Transport hazard class(es) 8
Packaging group II
Environmental hazards No
Marine pollutant

EmS F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
Sodium Hydroxide (CAS 1310-73-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No Fire Hazard No Pressure Hazard No Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

Sodium Hydroxide (CAS 1310-73-2)

US.New Jersey Worker and Community Right-to-Know Act Components

Sodium Hydroxide (CAS 1310-73-2) Citrus Terpenes (CAS 5989-27-5)

US.Pennsylvania RTK - Hazardous Substances Components

Sodium Hydroxide (CAS 1310-73-2)

US.Rhode Island RTK Components

Sodium Hydroxide (CAS 1310-73-2)

US - California Propsition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories

| Country(s) or region | Inventory Name | On Inventory (yes/no)* |
|---------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notifed Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances | Yes |
| Unites States Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 3/26/2015 Version # 01

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should

review these regulations to ensure full compliance.

Directions:

For light cleaning and degreasing, dilute 1-2 oz. of CITRUS-KLEEN™ per gallon of water. For moderate greases and soils, dilute 4-8 oz. of CITRUS-KLEEN™ per gallon of water. For heavy grease removal, dilute 16 oz. of CITRUS-KLEEN™ per gallon of water.

Apply to surface by mop, sponge or spray. Agitate if necessary; rinse and allow to dry. For Food Contact Surfaces: Rinse thoroughly with potable water before re-use.

Refer to the handy dilution chart below as a guideline for specific applications:

| DILUTION | OZ./GAL | APPLICATION |
|----------|---------|--|
| 1:4 | 32 | Industrial Plants, Marine Areas, Repair Shops, and Garages |
| 1:8 | 16 | Parts Cleaning, Food Processing, Equipment, Air Conditioning, Floors, Pre-paint Areas |
| 1:16 | 8 | Automotive, Routine Housekeeping |
| 1:100 | 1-2 | All Routine Medium to Light Cleaning Operations, Deodorizing |

Instrucciones para Uso:

Para la limpieza ligera y desengrasar, diluir 1-2 onza. de la CITRUS-KLEEN™ por el galón de agua. Para las grasas y los suelos moderados, diluir 4-8 onza. de CITRUS-KLEEN™ por el galón de agua. Para el retiro pesado de la grasa, diluir 16 onzas, de CITRUS-KLEEN™ por el galón de agua.

Aplicarte a la superficie por el mop, la esponja o el aerosol. Agitar si necesario; aclarar y permitir para secarse. Para las superficies de contacto del alimento: Aclaración a fondo con aqua potable antes de la reutilización.

Referir a la carta práctica de la dilusión abajo como pauta para los usos específicos:

| DILUSIÓN | Onza./GA | L. USO |
|----------|----------|--|
| 1:4 | 32 | Plantas industriales, de zonas marítimas, Tiendas de reparación, y Garajes |
| 1:8 | 16 | Piezas de limpieza, elaboración de alimentos, Equipo, Aire Acondicionado, Pisos, Pre-pintura Áreas |
| 1:16 | 8 | Automotores, Limpieza de rutina |
| 1:100 | 1-2 | Todos rutina medio a la luz Operaciones de limpieza |
| | | |

















Citrus Degreasers

Product No.: 1095

Citrus-Kleen™

Non-Butyl / Heavy Duty Cleaner Degreaser

A premium grade non-butyl, low foaming formula designed for outstanding heavy duty cleaning and degreasing!

DANGER: Causes severe skin burns and eye damage. See back panel for additional precautions and treatment.

PELIGRO: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS.

See back panel for additional precautions and treatment

NET CONTENTS: 1 GALLON / 3.79 LITERS

National Chemical Laboratories, Inc. Philadelphia, PA 19123 USA • (800) 628-2436 www.nclonline.com



BURNS AND EYE DAMAGE. MAY CAUSE AN ALLERGIC SKIN REACTION, KEEP OUT OF THE REACH OF CHILDREN

Precautionary statement

Prevention: Do not breathe mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / protective clothing / eve protection/face protection.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention, Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200, All components are on the U.S. EPA TSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

PELIGRO: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS. PUEDE PROVOCAR UNA REACCIÓN ALÉRGICA EN LA PIEL. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

Consejos de prudencia

Prevención: No respirar vapores o niebla. Lávese cuidadosamente después de la manipulación. Ropa de trabajo contaminada no debe ser permitido salir del lugar de trabajo. Usar quantes protectores y ropa de protección/protección para los ojos/la cara.

Respuesta: En caso de ingestión: Enjuagar la boca. No se debe inducir el vómito. Si en la piel (o el pelo): guitarse inmediatamente la ropa contaminada. Enjuagar con abundante agua y ducha. Si se inhala: Llevar a la persona a mantener aire fresco y cómodo para la respiración. Si en los ojos: Enjuaque con cuidado con aqua durante varios minutos. Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Inmediatamente llame a un centro de envenenamientos/médico. Si la irritación de la piel o erupción se produce: obtener una opinión médica y de atención. Lavar la ropa contaminada antes de volver a utilizarlo.

Almacenamiento: Store está bloqueado.

Eliminación: Disponer de contenidos/contenedor de conformidad con local/regional/nacional/internacional.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard, 29 CFR 1910,1200. Todos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

CONTAINS: Sodium dimethylbenzenesulfonate CAS# 1300-72-7, Sodium Hydroxide CAS# 1310-73-2



401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail: info@nclonline.com