Connection Zone® Collection Price List

October 23, 2013 Updated July 13, 2016 800-424-2432





Ordering C.O.M., C.O.L., and C.O.V.	
High Point Shipping Location	4
Shipping Location	
Connection Zone® Benching	
General Information	8
Single-Sided Rectilinear Worksurfaces 29" Height	
24" Deep, Unpowered, No Modesty Panel	1(
24" Deep, Unpowered, with Modesty Panel	12
24" Deep, Powered, No Modesty Panel with Single Power Harness	14
24" Deep, Powered, No Modesty Panel with Double Power Harness	10
24" Deep, Powered, with Modesty Panel and Single Power Harness	10
24" Deep, Powered, with Modesty Panel and Double Power Harness 30" Deep, Unpowered, No Modesty Panel	20
30" Deep, Unpowered, with Modesty Panel	24
30" Deep, Powered, No Modesty Panel with Single Power Harness	2
30" Deep, Powered, No Modesty Panel with Double Power Harness	2
30" Deep, Powered, with Modesty Panel and Single Power Harness	3
30" Deep, Powered, with Modesty Panel and Double Power Harness	3
Dual-Sided Rectilinear Worksurfaces, 29" Height	0
24" Deep, Unpowered 24" Deep, Powered with Single Power Harness	3.
24 Deep, Powered with Single Power Harness	3
	0
Dual-Sided Rectilinear Worksurfaces 29" Height	
30" Deep, Unpowered	4
30" Deep, Powered with Single Power Harness	4
30" Deep, Powered with Double Power Harness	4
Extended Corner Worksurfaces 29" Height	
24" and 30" Deep	4
Adjoining Worksurfaces 29" Height	48
Return Worksurfaces 29" Height	50
Return Worksurfaces 29" Height	5(
	50
Return Worksurfaces 29" Height Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height	52
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height	5:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height	5:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height	5:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height	5:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height	5. 5- 5- 5-
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height	5. 5- 5- 5- 5-
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height	5. 5- 5- 5- 5-
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height	5. 5- 5- 5- 5-
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height	5; 5; 5; 5; 6; 6;
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces	5; 5; 5; 5; 6; 6;
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces	5. 5. 5. 5. 6. 6.
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces	5. 5. 5. 5. 6. 6. 6.
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Trames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces	5. 5. 5. 5. 6. 6. 6.
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 24" Fixed 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Silding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height	5.55
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Trames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces	5.55
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	5.55
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	5; 5; 5; 6; 6; 6; 6; 6;
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	5; 5; 5; 6; 6; 6; 6; 6;
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	5; 5; 5; 6; 6; 6; 6; 6;
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	5: 5: 5: 5: 6: 6: 6: 6: 6: 7:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-	5: 5: 5: 5: 6: 6: 6: 6: 6: 7:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Suports Two 24" Deep Back-to-Ba	5: 5: 5: 5: 5: 6: 6: 6: 6: 7: 7:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-	5: 5: 5: 5: 6: 6: 6: 6: 6: 7:
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frame - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frame - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 60" Fixed with Conference Ends 29" Height Suports Two 30" Deep Back-to-Back Fixed Works	5. 5. 5. 6. 6. 6. 6. 7. 7. 7.
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Suports	5. 5. 5. 6. 6. 6. 6. 7. 7. 7. 7.
Peninsula Worksurfaces 29" Height Conference End Worksurfaces 29" Height Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces Single Sided Support Frames 29" Height Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces Dual-Sided Frames - 60" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Suports Two 24" Deep Back-to-Ba	5. 5. 5. 6. 6. 6. 6. 7. 7. 7.

Contents Refer to KI Terms & Conditions document or visit ki.com.

	78
ual Sided Support Frames 29" Height	80
lectrical	
Rigid Wireways for Single-Sided Applications	82
Rigid Wireways for Dual-Sided Applications	84
ectrical - Hardwired Applications	
Rigid Wireways for Single-Sided Hardwired Applications	86
Rigid Wireways for Dual-Sided Hardwired Applications	88
lectrical	
Receptacles and Infeeds	90
Receptacles and Infeeds - 29" Finished Assembly	92
ccessories	
Data Cable and Cord Management	94
lectrical	
Jumpers	96
ectrical: for Unframed or Supporting Privacy Screens	
For Attachment Below Center Work Rail Only	98
ctiv8® System	100
13" High with Framed Fabric Insert	106
19" High with Framed Fabric Insert	108
31" High with Framed Fabric Insert	110
bove Worksurface Divider Screen	
13, 19" or 31" High with Framed Fabric Insert	112
13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces	114
bove Worksurface Privacy Screen	
13" High with Tool Rail and Framed Fabric Insert	116
19" High with Tool Rail and Framed Fabric Insert	118
bove Worksurface Divider Screen	
13 or 19" High with Tool Rail and Framed Fabric Insert	120
13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Wo surfaces	ork 122
50110003	122
have Weidenstein Drivery Orman	
10" High with Ergrend Aprilia Incert	10/
13" High with Framed Acrylic Insert	
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert	
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert bove Worksurface Divider Screen	124
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert	126
 13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert bove Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces 	126
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert bove Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert	126 128 130
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert bove Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen	126 128 130
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert	
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert	126 128 130 132 134
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert	126 128 130 132 134 136 ork
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert	126 128 130 132 134 136 ork
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert	126 128 130 132 134 136 ork
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 50 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular W surfaces Steel Modesty Panel for Use on 29" Assemblies	126 128 130 132 132 134 136 ork 138
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 5000 Screes 5100 Steel Modesty Panel for Use on 29" Assemblies 5110 Data Cable and Cord Management	126 128 130 132 134 134 136 0ork 138 140 142
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 50 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 14 or 19" High with Tool Rail and Framed Acrylic Insert 15 or 19" High with Tool Rail and Framed Acrylic Insert 16 or 19" High With Tool Rail and Framed Acrylic Insert 17 or 19" High With Tool Rail Acrylic Insert 17 or 19" High With Tool Rail Acrylic Insert 18 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 10 or 19" High W	126 128 130 132 134 134 136 0ork 138 140 142 144
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 14 or 19" High with Tool Rail and Framed Acrylic Insert 15 or 19" High with Tool Rail and Framed Acrylic Insert 16 or 19" High with Tool Rail and Framed Acrylic Insert 17 or 19" High with Occupancy Sensors	126 128 130 132 134 136 138 136 138 136 138 138 138 138 138 138 138 138 138 138
13" High with Framed Acrylic Insert 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces bove Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 50 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 13 or 19" High with Tool Rail and Framed Acrylic Insert 14 or 19" High with Tool Rail and Framed Acrylic Insert 15 or 19" High with Tool Rail and Framed Acrylic Insert 16 or 19" High With Tool Rail and Framed Acrylic Insert 17 or 19" High With Tool Rail Acrylic Insert 17 or 19" High With Tool Rail Acrylic Insert 18 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 19 or 19" High With Tool Rail Acrylic Insert 10 or 19" High W	126 128 130 132 134 134 136 0ork 138 140 142 144

Contents Refer to KI Terms & Conditions document or visit ki.com.

Single Sided Postilineer Werkeurferen 42" Heis		Pads
Single-Sided Rectilinear Worksurfaces 42" Heig 24" Deep, Unpowered, with Modesty Panel for		ile Sc
24" Deep, Onpowered, with Modesty Panel and	-	Genei
Height Frames		Printe
24" Deep, Powered, with Modesty Panel and		Unpri
Height Frames		Magn
30" Deep, Unpowered, with Modesty Panel fo		Fabrio
30" Deep, Powered, with Modesty Panel and	-	
Height Frames	5	Magn
		Acces
30" Deep, Powered, with Modesty Panel and		Day D
Height Frames		Conor
Teaming Bestilinger Werkeurfages 42" Height		Gener
Teaming Rectilinear Worksurfaces 42" Height		Priva
42" Deep, Unpowered with Two Modesty Pan 42" Deep, Powered with Single Power Harnes		
, i i i i i i i i i i i i i i i i i i i	ss and Two Modesty Panels for use with Cafe Index 174	ĸ
Height Frames		
42" Deep, Powered with Double Power Harne	-	
Cafe Height Frames 48" Deep, Unpowered with Two Modesty Pan	els for use with Cafe Height Frames 178	
	and Two Modesty Panels for use with Cafe	
	-	
Height Frames	182	
48" Deep, Powered with Double Power Harne		
Cafe Height Frames	184	
24" Fixed 42" Height Frame	No. 100	
Supports Single Sided 24" Deep or Teaming '	Worksurfaces 186	
30" Fixed 42" Height Frame		
Supports Single Sided 30" Deep Worksurface	es 188	
Infeeds for Cafe Height Applications		
For use with Cafe Height Frames Only	190	
Data Infeeds for Cafe Height Applications	192	
Connection Zone [®] Workrail Planning		
General Information	194	
Frameless Center Privacy Screen	196	
Above Worksurface Supporting Privacy Screen		
19" High with Framed Fabric Insert	198	
19" High with Framed Acrylic Insert	200	
19" High with Framed Dry Erase Steel Marke	board Insert 202	
Laminate Counter Shelf		
For Attachment to Supporting Privacy Screer	n 204	
Upmount Storage Cubby	206	
Connection Zone® Storage		
General Information	208	
Credenzas with Elevated Bases		
Steel Shell and Drawers 18" High	210	
Steel Shell and Drawers 21" High	212	
Steel Shell and Drawers 24" High	214	
Steel Shell, Laminate Front 18" High	216	
Steel Shell, Laminate Front 21" High	218	
Steel Shell, Laminate Front 24" High	220	
Credenza Tops	222	
Credenza Pads	224	
	LLT	
Personal Lockers		
Standard Size - All Doors	226	
Standard Size with Lower Drawer	220	
Large Size - All Doors	220	
Laiye Size - All DUUIS	232	
Locker Accessories	234	
LUGAGI AGGESSUIIES	۷۵4	
Padastala		
Pedestals	000	
Mobile	236	

Pads	238
Mobile Screens	
General Information	240
Printed Acrylic	242
Unprinted Acrylic	244
Magnetic Dry Erase Steel Surface Two Sides	246
Fabric Tile Surface Two Sides	248
Magnetic Dry Erase Steel and Tackable Fabric	250
Accessories	252
Privacy Booth	
General Information	254
Privacy Booth	256
Index	258

3



Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material

Specifications Form

March 2015

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS KI MUST BE PREPAID TO: 217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

I. Name and address

2. Your purchase order number

3. Our style number to which fabric is to be applied

4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	4"-2 " REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	40%	50%	60%	70%
5 "-53"	15%	25%	30%	35%	45%	60%	70%	80%
48"-50"	20%	30%	35%	40%	50%	65%	75%	85%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.



I 330 Bellevue Street • P. O. Box 8100 • Green Bay, WI 54308-8100 • Tel I-800-424-2432 • www.ki.com
© 2015 KI All Rights Reserved • Litho in USA • Code KI-I1588R3/KI/PDF/215



Customer's Own Material

Specifications Form March 2015

ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.


ALL COM MUST BE APPROVED. Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)

YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name	Number	
Material Color	Width	
Vertical Repeat	Horizontal Repeat	
Fiber Content		
Direction Stripe/Pattern to be applied		


COM TO BE USED ON THE FOLLOWING:

QTY	PRODUCT NAME/NUMBER
() I Y	PRUI JULI INAME/NUMMBER





5



C.O.M. SHIPPING LOCATION

Architectural Walls

6

Genius WallsMN	1
Casegoods	
Dante BenchesAG	5
Darwin TackboardsMN	1
Aristotle TackboardsMN	1

Classroom Furniture

360° Classroom Furniture BW	V
Intellect Wave ChairsGE	3
Dorsal 1090 Chairs GE	3
Learn2 GE	3

Desking

8	
700 Series Desking	KP
Balance Overheads	MN
Genesis Desking	MN
True Desking	KP
Universal Overheads	MN
WorkZone Desking	MN

Files & Storage

700 Series Pedestal Cushion	GB
U-Series Pedestal Cushion	GB

Fixed Seating

Concerto Auditorium Seating	BW
Single Pedestal Seating	GB
Jury Base Seating	GB
Lancaster Auditorium Seating	BW
Sequence Seating	GB
University Seating	GB
and Constants	

Panel Systems

All Terrain	KP
Balance Overheads	MN
System 3000	MN
Universal Overheads	MN

<u>GB</u>

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

WireworksMN	
UniteMN	

Residence Hall Furniture
RoomScape FurnitureMN
•

Screens

True/VolitionKP
GenesisKP

Seating

8	
100 Series Folding Chairs	BW
300 Series Folding Chairs	BW
600 Series Stools	BW
700 Series Folding Chairs	BW
1000 Series	GB
Aerdyn Guest Seating	HN
Affina Collection	HN
Arissa Lounge	HN
Altus Task Chairs	TM
Apply Stack Chairs	GB
Auditorium Folding Chairs	BW
Avail Task Chairs	OM
Bantam Guest Seating	HN
Boss Design Chairs	
Cinturon Lounge & Professional Seating	HN
Cody Lounge Seating	HN
Connection Zone Privacy Booths	HN
Doni Collection	GB
Dorsal Stack & Tandem Seating	
Engage Task Chairs & Stools	GB
Front Row Seats (Silk Screening)	BW
GateOne Public Seating	BW
Grazie Seating	GB
Hub Modular Lounge Seating	HN
Impress Task Chairs	OM
Impress Ultra Task Chairs	OM
Jessa Lounge Seating	HN
Jubi Guest Chair	GB

k.
Kismet Task/Guest Chairs & StoolsOM
Kurv BenchesHN
LaResta Day BedsHN
Maestro Stack ChairsGB
Matrix Stack ChairsGB
Medical & Laboratory StoolsOM
Mesa Lounge & Task Seating HN
MyWay SeatingHN
Neena Benches HN
Opt4GB
Perry Stack Chairs GB
Perth Multiple & Healthcare Seating HN
Perth II Healthcare Seating HN
Pilot Task ChairsOM
Piretti Stack ChairsGB
Promenade Seating System BW
Rapture Stack Chairs & StoolsGB
Relax Lounge Seating HN
Rose HealthcareBW
Sela Lounge SeatingHN
Sift Task ChairsTM
Silhouette Stack Chairs & Stools BW
Soltice Metal Collection HN
Soltice Multiple, Healthcare & Guest HN
Soltice II Healthcare Seating HN
Strive Multiple, Stack & Task GB
SwayBW
Tea Cup Lounge Seating HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task SeatingGB
Torsion Stack and Task Seating GB
Versa Stack Chairs & StoolsGB

Site Furnishings

Logix..... BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at I -800-424-2432

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 <u>HN</u> KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

<u>KI Crossroads</u> Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

OM KI-Impress Attn: COM Storage I I 10 S. Mildred Ave. Ontario, CA 91761 <u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804



Ordering C.O.M., C.O.L., and C.O.V.

7



General Information

Connection Zone Benching General Information

The Connection Zone Collection offers well-designed efficiency in space planning, supporting the focused work of an individual, the collaborative process of a group interaction, or the temporary needs of a touch-down space.

Connection Zone Benching is ideal for high density planning. Smaller footprints bring more users into a space and reduce per-user costs, while its simple design supports multiple planning styles. Privacy screens, dividers and optional modesty panels enable users to define personal space and establish a higher degree of privacy while maintaining an open, collaborative environment.

Connection Zone Benching is designed to withstand the rigors all markets. From its frame to screens, to storage, it is built to last.

Connection Zone Benching offers three distinct planning styles.

- Basic workstations, with 29" nominal finished height, for traditional benching applications in single- and dual-sided planning styles
- Café height (42" nominal finished height) single-sided
 and teaming tables
- Work rail-based planning that allows for the attachment of supporting privacy screens, shelves, and storage elements

Worksurfaces

Connection Zone Benching offers a variety of worksurface shapes designed for flexible workstation planning. All are available in a wide range of sizes. Worksurfaces feature a 1-1/8" thick high density particle board core with high pressure laminate top and phenolic backing sheet. Tops are predrilled to accept bases and standard components. Total dimension is 1-1/4" thick. When attached to frames, worksurfaces will "float" above the frame.

Dual-sided applications feature two worksurfaces. When no screen is specified, worksurfaces abut one another. Optional Framed Privacy Screens are inserted between worksurfaces and are attached to the legs. Frameless Privacy Screens and Supporting Privacy Screens utilize a center work rail that separates the worksurfaces. Overhang of worksurface will vary by configuration and screen use.

74P and Knife edge styles are available and grommet locations may be specified for most worksurfaces. Knife edge use is restricted to the edge facing the occupant.

Worksurface options for 29" finished height applications include:

- Rectilinear
- Peninsula
- Extended Corner
- Return
- Adjoining
- Conference End

Rectilinear worksurfaces for 29" finished height dual-sided applications may be specified with an optional sliding feature to facilitate cable routing at installation.

Worksurface options for 42" finished height applications include single-sided rectilinear tops and teaming rectilinear tops. Sliding worksurfaces are not available on 42" units.

Frames for 29" Finished Assemblies

Single- & dual-sided support frames provide structural support for the worksurfaces. They are available in single sided (24" & 30"depths), and dual-sided (48" & 60" depths) applications. Frames are specified as "starter" or "adder," depending upon their placement in a row. Single Sided frames support fixed worksurfaces only, while dual-sided frames support either fixed or sliding worksurfaces. All Connection Zone support beams are telescopic to allow for support of multiple worksurface widths. Telescopic range

varies by frame size; consult pricelist for details. Base support profile is 1-1/2" x 2-3/8", and a gap of 1-5/8" will be present between base structure and worksurface when assembled.

Starter models contain a set of end frames along with the necessary worksurface brackets and beam(s). These units are used as standalone by themselves or in conjunction with adder models to create rows of workstations.

Adder models contain a single Intermediate frame support and the necessary worksurface brackets and beam(s) to be used along with a starter model number to create rows. A typical row would contain (1) starter model and any number of adder models.

Perpendicular Support Frames are a group of parts that provide structural support for worksurfaces that are configured perpendicular to the main frame supported beams. Frames are available for support of single worksurface depths of 24" and 30" or for support of dual worksurface depths of 48" and 60". Perpendicular support frames can also be ordered as needed for reconfigurations.

Frames for 42" Café Height" Finished Assemblies

Frames for 42"H assemblies are offered in 24" and 30" worksurface depths on single sided rows, and in 42" and 48" worksurface depths for teaming tables. Frames are specified as "starter" or "adder," depending upon their placement in a row. Starter legs for 42"H assemblies are inset from the edge of the worksurface, and adder legs span two worksurfaces. Frames include integral modesty panels which are attached to the legs for support. Modesty panels extend beyond the legs to the table edge.

Note: Fixed worksurfaces only should be specified for 42"H assemblies.

Above Worksurface Framed Screens and Dividers

Framed Screens and Dividers are constructed with an aluminum frame that provides superior strength and can be powder coated in frame matching or accent colors. The standard top rail provides a single slot that may be used to hang accessories; alternately an optional tool rail containing three slots may be specified. Insert material options include acrylic, acrylic markerboard, and tackable fabric.

Framed Screens and Dividers are offered in heights of 13" and 19" for all insert materials and in a 31" height with fabric only inserts. Single, uninterrupted screens are available in 6" increments from 24" to 78". 60", 64", 72" and 84" screens are offered with center segmentation, and 90" and 96" units are available in two or three equal segments. Privacy Screens are located flush with the bottom of the worksurfaces, run parallel with the support beam, and do not require the use of a work rail. On single-sided applications, mounting brackets are attached directly to the bottom of the worksurfaces. On dual-sided applications, mounting brackets are attached to the support frames. Divider Screens rest on top of the worksurface and run perpendicular to Privacy Screens. When used with a Privacy Screen, the Divider attaches to one end and is supported by a sliding or fixed worksurface attachment bracket on the other end. Divider screens may also be specified without Privacy Screens.

Modesty Panels

All modesty panels are 10" tall and constructed of 14 gauge steel with 1/4" diameter holes on 3/4" centers. They are available in standard powder coat colors and are supported by brackets that attach to the underside of a worksurface.

Modesty panels for use on single-sided frames for 29" high assemblies are located flush to and inset of the frame legs. These modesty panels do not attach to the legs and are not required for structural integrity.

Modesty panels for use on single-sided or teaming table frames for 42" high assemblies are attached to the legs and span the entire width of the worksurface with a $\frac{1}{4}$ " reveal. One modesty panel is included and required for structural integrity on single-sided applications and two modesty panels are included and required for teaming table applications.

Electrical Components

The prewired electrical is a 10-Wire 6 Circiut/6-2-2 system (UL183): (6) hot wires, (2) shared oversized neutral wires, (2) ground wires ((1) isolated ground, and (1) building ground). The 6-2-2 system allows more workstations to feed from one power supply point. Each wireway is designed to accept one duplex receptacle per side on each end, for a total of four. Table-to-table electrical is accomplished by jumpers. The system is energized by either a Base Infeed (liquid tight covered flexible conduit) or a Top Infeed (metal flexible conduit housed by an extruded aluminum pole). Hardwire electrical is also offered.

For ease of specification, some rectilinear and teaming worksurface models include preconfigured electrical harnesses. Peninsula worksurfaces, returns, and all assemblies that feature a "center work rail" do not include any electrical components. Supporting privacy screens or frameless privacy screens require the use of specific electrical components for attachment below the center work rail.

Infeeds, receptacles, cable risers and jumpers are all specified separately.

Consult the Planning Guide and Pricelist for rules and specific models as they relate to Electrical Planning.



Connection Zone[®] Benching General Information

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Unpowered, No Modesty Panel

			MODEL NUMBE	R					
	MODEL	D x W	Basic Model	Edge	Grommet Location	Grommet	Surface Finish	Edge Color	Approx. Packaged Weight
CZRS	Single-Sided Applications with One Cutout Option Support frames are specified separately C grommet option only Intended for installation where non-user side abuts a wall Unpowered See grommet locations below	24 x 36 24 x 42 24 x 48 24 x 54	CZBWR24361NM CZBWR24421NM CZBWR24481NM CZBWR24541NM						32.0# 38.0# 44.0# 50.0#
	 Single-Sided Applications with One or Two Cutout Options Support frames are specified separately L and R grommet locations are centered for two users Intended for installation where non-user side abuts a wall Unpowered See grommet locations below 	24 x 60 24 x 64 24 x 66 24 x 72 24 x 78 24 x 84	CZBWR24601NM CZBWR24641NM CZBWR24661NM CZBWR24721NM CZBWR24781NM CZBWR24841NM						55.0# 58.0# 60.0# 65.0# 70.0# 76.0#
CZRS	 Single-Sided Applications with One, Two or Three Cutout Options Support frames are specified separately C and LCR grommet locations are centered for three users L, R and LR grommet locations are centered for two users Intended for installation where non-user side abuts a wall Unpowered See grommet locations below 	24 x 90 24 x 96	CZBWR24901NM CZBWR24961NM						81.0# 86.0#
CZRS			•	6	G	D	0	6	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. 74P KN - 74P edge - Knife edge

CSelect grommet location.

- Ν - No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25 C - Grommet : Right; add \$25 R LR - Grommet : Left/right; add \$49 LCR - Grommet : Left/center/right; add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.



	4
74P Edge (74P)	Knife Edge
	(KN)
\$ 218	\$ 242
228	250
286	309
346	377

\$ 352	\$ 383	
354	391	
388	425	
392	433	
424	460	
434	468	

\$ 453	\$ 493
460	501

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Unpowered, with Modesty Panel

			MODEL NUMBE	R					
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	DxW	Model	Style	Location	Color	Finish	Color	Color
\sim	Single-Sided Applications with One	24 x 36	CZBWR24361MP						
*#>>	Cutout Option	24 x 42	CZBWR24421MP						
	 Support frames are specified separately C grommet option only 	24 x 48	CZBWR24481MP						
**	 Features perforated steel modesty panel 	24 x 54	CZBWR24541MP						
CZRS	Unpowered								
	See grommet locations below								
~	Single-Sided Applications with One or	24 x 60	CZBWR24601MP						
	Two Cutout Options • Support frames are specified separately	24 x 64	CZBWR24641MP						
	 L and R grommet locations are centered 	24 x 66	CZBWR24661MP						
	for two users	24 x 72	CZBWR24721MP						
	 Unpowered Features perforated steel modesty panel	24 x 78	CZBWR24781MP						
×	 Features perforated steel modesty panel See grommet locations below 	24 x 84	CZBWR24841MP						
700									
ZRS		0.4 × 00	07014/004001140						
<i>∕</i> ∽	Single-Sided Applications with One, Two or Three Cutout Options		CZBWR24901MP CZBWR24961MP						
	 Support frames are specified separately 	24 x 96	CZBWR2496TMP						
×	C and LCR grommet locations are								
	centered for three users								
	 L, R and LR grommet locations are centered for two users 								
× ×	Unpowered								
	Features perforated steel modesty panel								
Š –	See grommet locations below								

CZRS									
				-	•	-	-		•
			A	ß	Θ	D	Θ	6	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 74P edge 74P KN - Knife edge

CSelect grommet location. - No Grommet N

- Grommet : Left; add \$25
- Grommet : Center; add \$25 C R
- Grommet : Right; add \$25 - Grommet : Left/right; add \$49 LR
- Grommet : Left/center/right; LCR
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer
- DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Unpowered, with Modesty Panel



Approx. Packaged Weight	74P (74		(KN						
39.0#	\$	379	\$	402					
47.0#		393		416					
55.0#		484		507					
63.0#		559		590					
69.0#	\$	577	\$	609					
73.0#		629		641					
75.0#		644		679					
82.0#		656		693					
88.0#		701		737					
95.0#		716		753					
101.0#	\$	752	\$	791					
108.0#		771		812					

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
								1	
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
~	Single-Sided Applications with One	24 x 36	CZBWR2436S1NM						
×	Cutout Option	24 x 42	CZBWR2442S1NM						
	Support frames are specified separately	24 x 48	CZBWR2448S1NM						
	C grommet option only	24 x 54	CZBWR2454S1NM						
CZRS	 Intended for installation where non-user side abuts a wall 	2							
52110	 Single power harness included; 								
	receptacles, infeeds and table-to-table								
	jumpers must be specified separately								
	Single power harness accommodates up								
	to two receptacles See grommet locations below 								
	Single-Sided Applications with One or	24 x 60	CZBWR2460S1NM						
	Two Cutout Options	24 x 72	CZBWR2472S1NM						
No In	 Support frames are specified separately L and R grommet locations are centered 								
	for two users								
	 Intended for installation where non-user 								
i star	side abuts a wall								
	Single power harness included;								
	receptacles, infeeds and table-to-table jumpers must be specified separately								
<>>✓	 Single power harness accommodates up 								
CZRS	to two receptacles								
	See grommet locations below								
			A	B	C	D	Θ	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style

J Select eu	ige siyle.	
74P	- 74P edge	
KN	 Knife edge 	

CSelect grommet location.

N - No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25

- Ē - Grommet : Right; add \$25 R
- Grommet : Left/right; add \$49 LR
- LCR - Grommet : Left/center/right;
- add \$74 N - Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

BSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

GSelect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Powered, No Modesty Panel with Single Power Harness

Annua.	\bigcirc	
Approx. Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
41.0#	\$ 403	\$ 426
47.0#	419	442
53.0#	584	607
60.0#	653	683

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.





Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Powered, No Modesty Panel with Double Power Harness

		MODEL NUMBER	IBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
	Single-Sided Applications with One or	24 x 60	CZBWR2460D1NM							
	Two Cutout Options	24 x 64	CZBWR2464D1NM							
×6	Support frames are specified separately	24 x 66	CZBWR2466D1NM							
	 L and R grommet locations are centered for two users 	24 x 72	CZBWR2472D1NM							
	 Intended for installation where non-user 	24 x 78	CZBWR2478D1NM							
	side abuts a wall	24 x 84	CZBWR2484D1NM							
	 Double power harness included; receptacles, infeeds and table-to-table 									
	jumpers are specified separately									
* >	Double power harness accommodates									
S	up to four receptacles									
	See grommet locations below									
	Single-Sided Applications with One, Two	24 x 90	CZBWR2490D1NM							
	or Three Cutout Options	24 x 96	CZBWR2496D1NM							
×	 Support frames are specified separately C and LCR grommet locations are 									
	 C and LCR grommet locations are centered for three users 									
	 L, R and LR grommet locations are 									
SI	centered for two users									
<u> No</u>	 Intended for installation where non-user side abuts a wall 									
k I -	 Double power harness included; 									
	receptacles, infeeds and table-to-table									
×	jumpers are specified separately									
IS	 Double power harness accommodates up to four receptacles 									
	 See grommet locations below 									
	-									
			•	6	Q	D	A	A	G	
			C)	U	G	U	G	•	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location. N

- No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25

- Ē R
- Grommet : Right; add \$25 - Grommet : Left/right; add \$49 LR
- LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models C - Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wire access cover powdercoat finish.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Powered, No Modesty Panel with Double Power Harness

4

\geq	

Approx. Packaged Weight	74P Edge (74P)	Knife Edg (KN)	3
66.0#	\$ 883	\$ 915	
70.0#	916	951	
71.0#	957	992	
77.0#	974	998	
83.0#	1004	1040	
89.0#	1012	1049	

102.0# 1055 1094	97.0#	\$ 1048	\$ 1088	
	102.0#	1055	1094	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
\sim	Single-Sided Applications with One	24 x 36	CZBWR2436S1MP						
*6	Cutout Option	24 x 42	CZBWR2442S1MP						
	 Support frames are specified separately C grommet option only 	24 x 48	CZBWR2448S1MP						
	 Features perforated steel modesty panel 	24 x 54	CZBWR2454S1MP						
CZRS	 Single power harness included; 								
	receptacles, infeeds and table-to-table								
	jumpers must be specified separately • Single power harness accommodates up								
	to two receptacles								
	See grommet locations below								
	Single-Sided Applications with One or	24 x 60	CZBWR2460S1MP						
	Two Cutout Options	24 x 72	CZBWR2472S1MP						
× Nor	 Support frames are specified separately L and R grommet locations are centered 								
	for two users								
	· Features perforated steel modesty panel								
×/?>	Single power harness included;								
	receptacles, infeeds and table-to-table jumpers must be specified separately								
	Single power harness accommodates up								
×*	to two receptacles								
CZRS	See grommet locations below								
			A	6	G	D	Ø	Ø	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location. N

- No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25

- Ē - Grommet : Right; add \$25 R
- LR - Grommet : Left/right; add \$49 - Grommet : Left/center/right;
- LCR add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- DSelect grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect surface finish.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Powered, with Modesty Panel and Single Power Harness

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)
46.0#	\$ 539	\$ 561
55.0#	560	582
64.0#	657	681
73.0#	742	774

<u>ر</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One or	24 x 60	CZBWR2460D1MP						
	Two Cutout Options	24 x 64	CZBWR2464D1MP						
×	Support frames are specified separately	24 x 66	CZBWR2466D1MP						
	 L and R grommet locations are centered for two users 	24 x 72	CZBWR2472D1MP						
	Features perforated steel modesty panel	24 x 78	CZBWR2478D1MP						
	Double power harness included;	24 x 84	CZBWR2484D1MP						
	receptacles, infeeds and table-to-table jumpers must be specified separately								
	 Double power harness accommodates 								
*	up to four receptacles								
RS .	 See grommet locations below 								
	Single-Sided Applications with One, Two	24 x 90	CZBWR2490D1MP						
	or Three Cutout Options	24 x 96	CZBWR2496D1MP						
	 Support frames are specified separately C and LCR grommet locations are 								
	 C and LCR grommet locations are centered for three users 								
	 L, R and LR grommet locations are 								
S/ /////>>	centered for two users								
No 1	Features perforated steel modesty panel Deuble perforated steel modesty panel								
	 Double power harness included; receptacles, infeeds and table-to-table 								
	jumpers are specified separately								
×*	Double power harness accommodates								
RS	up to four receptacles See grommet locations below 								
	· See gronnier locations below								
			A	6	C	D	A	ß	Ø

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

N - No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25

- Ē - Grommet : Right; add \$25 R
- LR - Grommet : Left/right; add \$49
- LCR - Grommet : Left/center/right;
- add \$74 N - Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer
- DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 24" Deep, Powered, with Modesty Panel and Double Power Harness

Approx.		-	
Packaged	74P Edge	Knife Edge	
Weight	(74P)	(KN)	
80.0#	\$ 948	\$ 980	
84.0#	991	1026	
86.0#	1046	1083	
94.0#	1080	1119	
101.0#	1117	1141	

124.0# 1173 1213	116.0#	\$ 1146	\$ 1188	
	124.0#	1173	1213	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Unpowered, No Modesty Panel

			MODEL NUMBER	2					
				ו					
									Approx.
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Packaged Weight
~	Single-Sided Applications with One	30 x 36	CZBWR30361NM						41.0#
×6	Cutout Option	30 x 42	CZBWR30421NM						48.0#
	 Support frames are specified separately C grommet option only 	30 x 48	CZBWR30481NM						55.0#
	 Intended for installation where non-user 	30 x 54	CZBWR30541NM						62.0#
CZRS	side abuts a wall								
	Unpowered								
	See grommet locations below								
~	Single-Sided Applications with One or	30 x 60	CZBWR30601NM						68.0#
	Two Cutout Options	30 x 64	CZBWR30641NM						73.0#
	 Support frames are specified separately L and R grommet locations are centered 	30 x 66	CZBWR30661NM						75.0#
	for two users	30 x 72	CZBWR30721NM						81.0#
*¥ />			CZBWR30781NM						88.0#
×	side abuts a wall Unpowered 	30 x 84	CZBWR30841NM						94.0#
	 See grommet locations below 								
	-								
CZRS									
χ.	Single-Sided Applications with One, Two	30 x 90	CZBWR30901NM						101.0#
	or Three Cutout Options Support frames are specified separately 	30 x 96	CZBWR30961NM						107.0#
×	 C and LCR grommet locations are 								
	centered for three users								
	 L, R and LR grommet locations are centered for two users 								
	 Intended for installation where non-user 								
	side abuts a wall								
	 UnpoweredSee grommet locations below								
) I									
CZRS									
ULITO				-	•	•	-	-	
			A	0	O	D	Ø	6	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

- N - No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25 Ē - Grommet : Right; add \$25 R - Grommet : Left/right; add \$49 LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Unpowered, No Modesty Panel





¥			
74P Edge (74P)	Knife Edge (KN)		
\$ 230	\$ 252		
287	315		
321	349		
376	410		

\$ 382	\$ 416	
426	471	
465	510	
469	517	
511	558	
517	564	

\$ 527	\$ 574
536	581

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 29" Height

			MODEL NUMBE	R					
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
~	Single-Sided Applications with One	30 x 36	CZBWR30361MP						
*#\``\	Cutout Option	30 x 42	CZBWR30421MP						
	 Support frames are specified separately C grommet option only 	30 x 48	CZBWR30481MP						
	 Features perforated steel modesty panel 	30 x 54	CZBWR30541MP						
ZRS	Unpowered								
	See grommet locations below								
	Single-Sided Applications with One or	30 x 60	CZBWR30601MP						
	Two Cutout Options	30 x 64	CZBWR30641MP						
	 Support frames are specified separately L and R grommet locations are centered 	30 x 66	CZBWR30661MP	$\Box\Box\Box$					
	for two users	30 x 72	CZBWR30721MP						
	Unpowered	30 x 78	CZBWR30781MP						
	Features perforated steel modesty panel	30 x 84	CZBWR30841MP						
	See grommet locations below								
* .									
ZRS									
	Single-Sided Applications with One, Two		CZBWR30901MP						
	or Three Cutout Options	30 x 96	CZBWR30961MP						
×	Support frames are specified separatelyC and LCR grommet locations are								
	centered for three users								
	L, R and LR grommet locations are								
** <i>[</i> #]\}	centered for two users Unpowered 								
	 Features perforated steel modesty panel 								
	See grommet locations below								
ZRS									
			A	₿	G	D	Ø	Ð	G
			-	-	-	-	-	-	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 74P edge 74P KN - Knife edge

CSelect grommet location.

- No Grommet N - Grommet : Left; add \$25
- Grommet : Center; add \$25 C R
- Grommet : Right; add \$25 - Grommet : Left/right; add \$49 LR
- Grommet : Left/center/right; LCR
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Unpowered, with Modesty Panel

14

Approx.

1

1

\geq	
	14 14 E I

Packaged Weight	74P (74	P Edge P)	Knit (KN	ie Edge)
48.0#	\$	389	\$	412
57.0#		452		479
66.0#		519		546
75.0#		587		621
82.0#	\$	605	\$	639
87.0#		661		705
90.0#		718		762
98.0#		731		775
106.0#		787		833
113.0#		802		848

21.0#	\$ 824	\$ 871
29.0#	845	891

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
10 - Alexandre - A	Single-Sided Applications with One Cutout Option • Support frames are specified separately	30 x 36 30 x 42	CZBWR3036S1NM CZBWR3042S1NM						
CZRS	 C grommet option only Intended for installation where non-user side abuts a wall 	30 x 48 30 x 54	CZBWR3048S1NM CZBWR3054S1NM						
	 Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately 								
	 Single power harness accommodates up to two receptacles See grommet locations below 								
	Single-Sided Applications with One or Two Cutout Options	30 x 60 30 x 72	CZBWR3060S1NM CZBWR3072S1NM						
	 Support frames are specified separately L and R grommet locations are centered for two users 								
	Intended for installation where non-user side abuts a wall								
	 Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately 								
CZRS	 Single power harness accommodates up to two receptacles See grommet locations below 								
			Ø	6	G	D	Ð	6	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 74P edge 74P KN - Knife edge

CSelect grommet location.

- Ν - No Grommet - Grommet : Left; add \$25
- Grommet : Center; add \$25 C
- R - Grommet : Right; add \$25 LR - Grommet : Left/right; add \$49
- LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer
- R Pick only for models 60" and longer LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, No Modesty Panel with Single Power Harness

A a a a a a a a a a a									
Approx. Packaged	74F	? Edge	Knit	ie Edge					
Weight	(74P)		(KN)						
42.0#	\$	414	\$	436					
52.0#		479		506					
62.0#		619		646					
72.0#		681		715					

79.0#	\$ 741	\$ 774
93.0#	879	923

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.





Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, No Modesty Panel with Double Power Harness

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One or	30 x 60	CZBWR3060D1NM						
	Two Cutout Options	30 x 64	CZBWR3064D1NM						
No D	Support frames are specified separately	30 x 66	CZBWR3066D1NM						
	 L and R grommet locations are centered for two users 	30 x 72	CZBWR3072D1NM						
	 Intended for installation where non-user 	30 x 78	CZBWR3078D1NM						
	side abuts a wall	30 x 84	CZBWR3084D1NM						
	Double power harness included;								
	receptacles, infeeds and table-to-table jumpers are specified separately								
-	 Double power harness accommodates 								
RS	up to four receptacles								
	See grommet locations below								
	Single-Sided Applications with One, Two	30 x 90	CZBWR3090D1NM						
\sim	or Three Cutout Options Support frames are specified separately 	30 x 96	CZBWR3096D1NM						
	 C and LCR grommet locations are centered for three users 								
	 L, R and LR grommet locations are 								
	centered for two users								
*	Intended for installation where non-user								
	side abuts a wallDouble power harness included;								
<u> </u>	receptacles, infeeds and table-to-table								
×≫∕	jumpers are specified separately								
RS	Double power harness accommodates								
	up to four receptaclesSee grommet locations below								
	See grommer locations below								
			A	6	Ø	D	A	ß	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

Ν - No Grommet - Grommet : Left; add \$25

- Grommet : Center; add \$25 C
- R - Grommet : Right; add \$25 LR - Grommet : Left/right; add \$49
- LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer
- R Pick only for models 60" and longer LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect wire access cover powdercoat color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, No Modesty Panel with Double Power Harness

6			Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, No Modesty Panel with Double Power Harness
.pprox. 'ackaged	74P Edge	Knife Edge	
Veight	(74P Euge (74P)	(KN)	
79.0#	\$ 912	\$ 946	
84.0#	974	1008	
86.0#	1031	1074	
93.0#	1045	1080	
101.0#	1090	1137	
107.0#	1098	1145	

116.0#	\$ 1121	\$ 1166	
123.0#	1127	1173	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One Cutout Option • Support frames are specified separately	30 x 36 30 x 42 30 x 48	CZBWR3036S1MP CZBWR3042S1MP CZBWR3048S1MP						
CZRS	 C grommet option only Features perforated steel modesty panel Single power harness included; 	30 x 54	CZBWR3054S1MP						
	receptacles, infeeds and table-to-table jumpers must be specified separately • Single power harness accommodates up								
	to two receptacles See grommet locations below 								
~	Single-Sided Applications with One or	30 x 60	CZBWR3060S1MP						
	Two Cutout Options Support frames are specified separately L and R grommet locations are centered 	30 x 72	CZBWR3072S1MP						
N N N N N N N N N N N N N N N N N N N	for two users Features perforated steel modesty panel Single power harness included; 								
	receptacles, infeeds and table-to-table jumpers must be specified separately • Single power harness accommodates up								
CZRS	to two receptacles See grommet locations below 								
			A	0	G	D	9	6	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location. N

- No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25 Ē

- Grommet : Right; add \$25 R
- LR - Grommet : Left/right; add \$49 LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models

DSelect grommet color.

- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, with Modesty Panel and Single Power Harness

4

	\bigcirc	
Approx. Packaged	74P Edge	Knife Edge

Weight		(74P)		(KN)			
	55.0#	\$	550	\$	572		
	65.0#		620		646		
	75.0#		659		686		
	85.0#		771		805		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

	MODEL NUMBER								
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One or	30 x 60	CZBWR3060D1MP						
	Two Cutout Options	30 x 64	CZBWR3064D1MP						
No Contraction of the contractio	Support frames are specified separately	30 x 66	CZBWR3066D1MP						
	 L and R grommet locations are centered for two users 	30 x 72	CZBWR3072D1MP						
	Features perforated steel modesty panel	30 x 78	CZBWR3078D1MP						
×	Double power harness included;	30 x 84	CZBWR3084D1MP						
	receptacles, infeeds and table-to-table jumpers must be specified separately								
	 Double power harness accommodates 								
> *	up to four receptacles								
S	See grommet locations below								
	Single-Sided Applications with One, Two	30 x 90	CZBWR3090D1MP						
	or Three Cutout Options	30 x 96	CZBWR3096D1MP						
	Support frames are specified separately								
	 C and LCR grommet locations are centered for three users 								
	 L, R and LR grommet locations are 								
	centered for two users								
*	 Features perforated steel modesty panel Double power harness included; 								
	 Double power namess included, receptacles, infeeds and table-to-table 								
	jumpers are specified separately								
>	Double power harness accommodates								
S	up to four receptacles See grommet locations below 								
	- occ gronnier locations below								
			A	ß	G	D	A	A	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location. N

- No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25

- Ē - Grommet : Right; add \$25 R
- LR - Grommet : Left/right; add \$49
- LCR - Grommet : Left/center/right;
- add \$74 N - Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered, with Modesty Panel and Double Power Harness

14	

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	
93.0#	\$ 992	\$ 1012	
99.0#	1063	1106	
101.0#	1123	1166	
110.0#	1127	1186	
119.0#	1205	1251	
126.0#	1226	1273	

136.0#	\$ 1256	\$ 1302
145.0#	1281	1328

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Rectilinear Worksurfaces, 29" Height

24" Deep, Unpowered

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
~	Dual-Sided Applications with One Cutout	24 x 36	CZBWR24362						
*	Option	24 x 42	CZBWR24422						
	 Includes two identical worksurfaces Support frames are specified separately 	24 x 48	CZBWR24482						
	 Support names are specified separately C grommet option only 	24 x 54	CZBWR24542						
	Unpowered								
ZRD	See grommet locations below								
	Dual-Sided Applications with One or Two	24 x 60	CZBWR24602						
	Cutout Options	24 x 64	CZBWR24642						
- Maria San San San San San San San San San Sa	Includes two identical worksurfacesSupport frames are specified separately	24 x 66	CZBWR24662						
	 LR grommet locations are centered for 	24 x 72	CZBWR24722						
	two users	24 x 78	CZBWR24782						
×	 UnpoweredSee grommet locations below	24 x 84	CZBWR24842						
	• See gronnier locations below								
S. M.									
ZRD									
\sim	Dual-Sided Applications with One, Two or Three Cutout Options		CZBWR24902						
	 Includes two identical worksurfaces 	24 x 96	CZBWR24962						
	 Support frames are specified separately 								
	C and LCR grommet locations are								
	centered for three users • LR grommet locations are centered for								
	two users								
×/ %	Unpowered								
	See grommet locations below								
NO -									
\sim									
CZRD									
				-	-	-	-	-	-
			A	₿	C	D	Ø	6	G
			A	6	C	D	•	6	C

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. 74P - 74P edge 74P KN - Knife edge

©Select grommet location.

- N - No Grommet - Grommet : Center; add \$49 - Grommet : Left/right; add \$99 C LR
- LCR - Grommet : Left/center/right; add \$148
- N Pick for all models
- C Pick for all models

GSelect surface finish.

- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- Select edge color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

•

	\bigcirc	
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)

72.0#	\$ 563	\$	610	
85.0#	595		641	
98.0#	735		781	
111.0#	856		920	
122.0#	\$ 903	\$	965	
122.0# 130.0#	\$ 903 951	\$	965 1127	
	\$	\$		
130.0#	\$ 951	\$	1127	
130.0# 134.0#	\$ 951 989	\$	1127 1060	

181.0#	\$ 1231	\$ 1311
192.0#	1246	1326

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Rectilinear Worksurfaces, 29" Height 24" Deep, Powered with Single Power Harness

			MODEL NUME	ER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
~	Dual-Sided Applications with One Cutout	24 x 36	CZBWR2436S2						
× >	Option	24 x 42	CZBWR2442S2						
- CARD	Includes two identical worksurfaces	24 x 48	CZBWR2448S2						
	 Support frames are specified separately C grommet option only 	24 x 54	CZBWR2454S2						
\sim	 Single power harness is suspended 								
CZRD	between worksurfaces; receptacles,								
	infeeds and table-to-table jumpers must be specified separately								
	 Single power harness accommodates up 								
	to four receptacles								
	 See grommet locations below Not for use with Workrail planning, 								
	Activ8 or hardwire								
	Dual-Sided Applications with One or Two	24 x 60	CZBWR2460S2						
	Cutout Options Includes two identical worksurfaces 	24 x 72	CZBWR2472S2						
	 Includes two identical worksurfaces Support frames are specified separately 								
	LR grommet locations are centered for								
**	two users								
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<ul> <li>Single power harness is suspended between worksurfaces; receptacles,</li> </ul>								
×	infeeds and table-to-table jumpers must								
11 I P	be specified separately								
N.	<ul> <li>Single power harness accommodates up to four receptacles</li> </ul>								
$\sim$	See grommet locations below								
	Not for use with Workrail planning,								
CZRD	Activ8 or hardwire								
			A	6	G	D	Ð	ß	G

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect edge style. 74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet C
- Grommet : Center; add \$49 Grommet : Left/right; add \$99 LR
- LCR - Grommet : Left/center/right;
- add \$148 N - Pick for all models
- C Pick for all models
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

# Dual-Sided Rectilinear Worksurfaces, 29" Height 24" Deep, Powered with Single Power Harness

14
----


Packaged Weight	74P Edge (74P)	Knife Edge (KN)	
77.0#	\$ 731	\$ 778	
91.0#	835	869	
105.0#	914	959	
119.0#	1039	1101	

131.0#	\$ 1105	\$ 1167
101.0#	φ 1100	φ 1101
155.0#	1242	1314
100.0#	1242	1314

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

24" Deep, Powered with Double Power Harness

			MODEL NUMB	ER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
ZRD	Dual-Sided Applications with One or Two Cutout Options           Includes two identical worksurfaces           Support frames are specified separately           LR grommet locations are centered for two users           Double power harness is suspended be- tween worksurfaces; receptacles, infeeds and table-to-table jumpers are specified separately           Double power harness accommodates up to eight receptacles           See grommet locations below           Not for use with Workrail planning, Activ8 or hardwire	24 x 60 24 x 64 24 x 72 24 x 78 24 x 84	CZBWR2460D2 CZBWR2464D2 CZBWR2466D2 CZBWR2472D2 CZBWR2478D2 CZBWR2484D2						
	2 uui 0.uou		CZBWR2490D2						
	<ul> <li>Three Cutout Options</li> <li>Includes two identical worksurfaces</li> <li>Support frames are specified separately</li> <li>C and LCR grommet locations are centered for three users</li> <li>LR grommet locations are centered for two users</li> <li>Double power harness is suspended be- tween worksurfaces; receptacles, infeeds and table-to-table jumpers are specified separately</li> <li>Double power harness accommodates</li> </ul>	24 x 96	CZBWR2496D2						
SZRD	<ul> <li>Double power namess accommodates up to eight receptacles</li> <li>See grommet locations below</li> <li>Not for use with Workrail planning, Activ8 or hardwire</li> </ul>		•	6	0	D	G	G	G

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect edge style.

- 74P KN - 74P edge - Knife edge
- ©Select grommet location.
  - N - No Grommet C
  - Grommet : Center; add \$49 Grommet : Left/right; add \$99 LR LCR - Grommet : Left/center/right;
  - add \$148
  - N Pick for all models
  - C Pick for all models LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### **G**Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

#### ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

## Dual-Sided Rectilinear Worksurfaces, 29" Height 24" Deep, Powered with Double Power Harness

4
---

Approx. Packaged Weight	P Edge 4P)	Knife Edge (KN)
133.0#	\$ 1274	\$ 1336
142.0#	1303	1385
146.0#	1365	1436
157.0#	1377	1450
171.0#	1463	1536
184.0#	1483	1556

197.0#	\$ 1561	\$ 1642
208.0#	1583	1662

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

30" Deep, Unpowered

			MODEL NUM	BER						
	MODEL	D W	Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat	
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color	
$\sim$	Dual-Sided Applications with One Cutout	30 x 36	CZBWR30362							
1 Alexandre and a second secon	Option <ul> <li>Includes two identical worksurfaces</li> </ul>	30 x 42	CZBWR30422							
	<ul> <li>Support frames are specified separately</li> </ul>	30 x 48	CZBWR30482							
	C grommet option only	30 x 54	CZBWR30542							
	<ul><li>Unpowered</li><li>See grommet locations below</li></ul>									
ZRD	, in the second s									
~	Dual-Sided Applications with One or Two	30 x 60	CZBWR30602							
	Cutout Options <ul> <li>Includes two identical worksurfaces</li> </ul>	30 x 64	CZBWR30642							
<i>11</i>	<ul> <li>Support frames are specified separately</li> </ul>	30 x 66	CZBWR30662							
	LR grommet locations are centered for	30 x 72	CZBWR30722							
	two users <ul> <li>Unpowered</li> </ul>	30 x 78	CZBWR30782							
·	<ul> <li>Onpowered</li> <li>See grommet locations below</li> </ul>	30 x 84	CZBWR30842							
× / / m										
SI -										
CZRD										
$\sim$	Dual-Sided Applications with One, Two or		CZBWR30902							
	<ul> <li>Three Cutout Options</li> <li>Includes two identical worksurfaces</li> </ul>	30 x 96	CZBWR30962							
	<ul> <li>Support frames are specified separately</li> </ul>									
	<ul> <li>C and LCR grommet locations are</li> </ul>									
	centered for three users									
*	<ul> <li>LR grommet locations are centered for two users</li> </ul>									
× / 2	Unpowered									
	See grommet locations below									
-										
CZRD										
			A	B	G	D	Ð	G	G	-
			w la	U	G	U	G		9	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect edge style.

- 74P KN - 74P edge - Knife edge
- ©Select grommet location.
  - Ν - No Grommet C
  - Grommet : Center; add \$49 Grommet : Left/right; add \$99 LR LCR - Grommet : Left/center/right;
  - add \$148
  - N Pick for all models
  - C Pick for all models
- LR Pick only for models 60" and longer LCR Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### Fabrics & Finishes binder.

- Select edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select surface finish. Refer to color addendum at ki.com or KI

14
----

74P Edge	Knife Edge

Approx. Packaged Weight	74 (74	P Edge IP)	Kni (KN	fe Edge I)	
90.0#	\$		\$	629	
105.0#		711		764	
120.0#		805		859	
135.0#		914		981	
148.0#	\$	959	\$	1028	
159.0#		1055		1142	
164.0#		1137		1225	
177.0#		1143		1232	
193.0#		1315		1409	
206.0#		1331		1423	
221.0#	\$	1376	\$	1470	
234.0#		1392		1484	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

30" Deep, Powered with Single Power Harness

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
×	Dual-Sided Applications with One Cutout	30 x 36	CZBWR3036S2							
×/>	Option	30 x 42	CZBWR3042S2							
LAND.	Includes two identical worksurfaces	30 x 48	CZBWR3048S2							
	<ul> <li>Support frames are specified separately</li> <li>C grommet option only</li> </ul>	30 x 54	CZBWR3054S2							
$\sim$	<ul> <li>Single power harness is suspended</li> </ul>									
ZRD	between worksurfaces; receptacles,									
	infeeds and table-to-table jumpers must be specified separately									
	Single power harness accommodates up									
	to four receptacles									
	<ul><li>See grommet locations below</li><li>Not for use with Workrail planning,</li></ul>									
	Activ8 or hardwire									
			07514/500000							
×.	Dual-Sided Applications with One or Two Cutout Options	30 x 60	CZBWR3060S2							
	<ul> <li>Includes two identical worksurfaces</li> </ul>	30 x 72	CZBWR3072S2							
///	Support frames are specified separately									
SI -	<ul> <li>LR grommet locations are centered for two users</li> </ul>									
× V	<ul> <li>Single power harness is suspended</li> </ul>									
	between worksurfaces; receptacles,									
*// <b>%</b> >	infeeds and table-to-table jumpers must be specified separately									
	<ul> <li>Single power harness accommodates up</li> </ul>									
°₩	to four receptacles									
~	See grommet locations below									
ZRD	<ul> <li>Not for use with Workrail planning, Activ8 or hardwire</li> </ul>									
			A	6	G	D	Ð	G	G	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect edge style. 74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet C
- Grommet : Center; add \$49 Grommet : Left/right; add \$99 LR
- LCR - Grommet : Left/center/right; add \$148
- N Pick for all models
- C Pick for all models
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

## Dual-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered with Single Power Harness

14	

Approx.

$\checkmark$	
P Edge	Knife Edge

Packaged Weight	74P Edge (74P)	Knife Edge (KN)
95.0#	\$ 754	\$ 797
111.0#	881	928
127.0#	987	1030
143.0#	1109	1172

157.0#	\$ 1	246	\$ 1355
187.0#	1	1318	1406
101.0//		1010	1400

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

30" Deep, Powered with Double Power Harness

			MODEL NUMB	ER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Dual-Sided Applications with One or Two Cutout Options         Includes two identical worksurfaces         Support frames are specified separately         LR grommet locations are centered for two users         Double power harness is suspended be- tween worksurfaces; receptacles, infeeds and table-to-table jumpers are specified separately         Double power harness accommodates up to eight receptacles         See grommet locations below         Not for use with Workrail planning,	30 x 60 30 x 64 30 x 72 30 x 78 30 x 84	CZBWR3060D2 CZBWR3064D2 CZBWR3066D2 CZBWR3072D2 CZBWR3078D2 CZBWR3084D2						
ZRD	Activ8 or hardwire								
ZRD	<ul> <li>Dual-Sided Applications with One, Two or Three Cutout Options</li> <li>Includes two identical worksurfaces</li> <li>Support frames are specified separately</li> <li>C and LCR grommet locations are centered for three users</li> <li>LR grommet locations are centered for two users</li> <li>Double power harness is suspended be- tween worksurfaces; receptacles, infeeds and table-to-table jumpers are specified separately</li> <li>Double power harness accommodates up to eight receptacles</li> <li>See grommet locations below</li> <li>Not for use with Workrail planning, Activ8 or hardwire</li> </ul>	30 x 96	CZBWR3090D2 CZBWR3096D2						
			A	6	O	D	Ø	G	G

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet C
- Grommet : Center; add \$49 Grommet : Left/right; add \$99 LR
- LCR - Grommet : Left/center/right; add \$148
- N Pick for all models
- C Pick for all models

• Select surface finish.

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI

**D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

#### ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

## Dual-Sided Rectilinear Worksurfaces 29" Height 30" Deep, Powered with Double Power Harness

14
----

	<b>V</b>	
Approx.		
Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
159.0#	\$ 1422	\$ 1536
171.0#	1466	1559
176.0#	1505	1576
189.0#	1523	1603
207.0#	1696	1791
220.0#	1717	1811

237.0#	\$ 1770	\$ 1862	
250.0#	1791	1885	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Extended Corner Worksurfaces 29" Height

			MODEL NUMBER						
	MODEL	AxBxCxD	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	
	24" and 30" Deep Extended Corner	24 x 60 x 48 x 24"	CZBWEC24604824						
$\rightarrow$	Worksurfaces	24 x 72 x 48 x 24"	CZBWEC24724824						
No No	• 48" side always runs in line with center	30 x 72 x 48 x 30"	CZBWEC30724830						
	beam								
	<ul> <li>Adjacent work surface width always runs in line with 48" side</li> </ul>								
	Grommets along extended edge will be								
CZEC	centered on extended portion only								
	<ul> <li>L grommet is on B dimension</li> <li>R grommet is on C dimension</li> </ul>								
	Grain direction runs along long dimen-								
	sion and is perpendicular to beam								
	<ul> <li>Requires perpendicular frame support for non-attached end, specified sepa-</li> </ul>								
	rately								
	24" and 30" Deep Extended Corner	24 x 48 x 60 x 24"	CZBWEC24486024						
Sales Co	Worksurfaces	24 x 48 x 72 x 24"	CZBWEC24487224						
	<ul> <li>48" side always runs in line with center beam</li> </ul>	30 x 48 x 72 x 30"	CZBWEC30487230						
	<ul> <li>Adjacent work surface width always runs</li> </ul>								
	in line with 48" side								
CZEC	<ul> <li>Grommets along extended edge will be centered on extended portion only</li> </ul>								
	<ul> <li>L grommet is on B dimension</li> </ul>								
	R grommet is on C dimension								
	Grain direction runs along long dimen-								
	<ul><li>sion and is perpendicular to beam</li><li>Requires perpendicular frame support</li></ul>								
	for non-attached end, specified sepa-								
	rately								
			A	0	C	D	Ø	6	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

BSelect e	dge style.	
74P	- 74P edge	
KN	<ul> <li>Knife edge</li> </ul>	

©Select grommet location. N - No Grommets - Grommet : To user's left on B L dimension; add \$25 - Grommet : To user's right on R C dimension; add \$25 LR - Grommets : Left and right; add \$49


- DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### • Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Extended Corner Worksurfaces 29" Height



78.0#	\$ 505	\$ 550	
86.0#	527	572	
103.0#	535	581	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

### Adjoining Worksurfaces 29" Height

				050					
			MODEL NUM	BFK		1			
									Approx.
	MODEL	DxW	Basic	Edge	Grommet	Grommet	Surface	Edge	Packaged
			Model CZBWR24241	Style	Location	Color	Finish	Color	Weight 24.0#
	Adjoining Worksurfaces 24"D <ul> <li>For use adjacent to Extended Corners</li> </ul>	24 x 24"							
×	and Peninsula Worksurfaces	24 x 30"	CZBWR24301						30.0#
	Support frames are specified separately	24 x 36"	CZBWR24361						35.0#
	When used adjacent to Extended Corner	24 x 42"	CZBWR24421						40.0#
	Worksurfaces, the maximum width allowed is 48"	24 x 48"	CZBWR24481						45.0#
	<ul> <li>Includes two splice plates</li> </ul>	24 x 54"	CZBWR24541						51.0#
	Does not include electrical components	24 x 60"	CZBWR24601						56.0#
	Does not include modesty panel	24 x 66"	CZBWR24661						61.0#
	See grommet locations below	24 x 72"	CZBWR24721						66.0#
CZRA									
	Adjoining Worksurfaces 30"D	30 x 24"	CZBWR30241						30.0#
	<ul> <li>For use adjacent to Extended Corners and Peninsula Worksurfaces</li> </ul>	30 x 30"	CZBWR30301						36.0#
× >>	<ul> <li>Support frames are specified separately</li> </ul>	30 x 36"	CZBWR30361						43.0#
	When used adjacent to Extended Corner	30 x 42"	CZBWR30421						49.0#
	Worksurfaces, the maximum width	30 x 48"	CZBWR30481						56.0#
	allowed is 48"	30 x 54"	CZBWR30541						63.0#
	<ul><li>Includes two splice plates</li><li>Does not include electrical components</li></ul>	30 x 60"	CZBWR30601						69.0#
	<ul> <li>Does not include modesty panel</li> </ul>	30 x 66"	CZBWR30661						76.0#
	<ul> <li>See grommet locations below</li> </ul>	30 x 72"	CZBWR30721						82.0#
` <i>`</i>									
CZRA									
			•		•	•	•	•	1
			A	₿	C	D	0	6	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of

     indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

-

Belect edge style. 74P - 74P edge KN - Knife edge

CSelect grommet location.

- No
   - No Grommet

   L
   - Grommet : Left; add \$25

   C
   - Grommet : Center; add \$25

   R
   - Grommet : Right; add \$25

   LR
   - Grommet : Left/right; add \$49

   N Pick for all models
   - Pick for all models

   L Pick only for models 60° and longer
   R Pick only for models 60° and longer
- Oselect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Gelect edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### Adjoining Worksurfaces 29" Height

74 (7	P Edge 4P)	Knife Edge (KN)
\$	199	\$ 219
	206	227
	221	244
	230	253
	237	261
	315	346
	320	353
	358	393
	364	400
\$	217	\$ 238
	226	248
	246	268
	290	317
	296	323
	378	412
	384	418
	468	512
	473	519

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUM	BER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Approx. Packaged Weight
~	24" and 30" Deep Unpowered Returns	24 x 24"	CZBWRT2424						24.0#
	<ul> <li>Intended for placement perpendicular to beam supported rectangle worksurfaces</li> </ul>	24 x 30"	CZBWRT2430						30.0#
	<ul> <li>Return includes splice plates for attach-</li> </ul>	24 x 36"	CZBWRT2436						35.0#
	ment to adjacent worksurface	24 x 42"	CZBWRT2442						40.0#
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Requires perpendicular frame support	24 x 48"	CZBWRT2448						45.0#
	for non-attached end, specified sepa- rately	24 x 54"	CZBWRT2454						51.0#
CZRT	 Includes two splice plates 	30 x 24"	CZBWRT3024						30.0#
	KN edge is not offered on returns	30 x 30"	CZBWRT3030						36.0#
		30 x 36"	CZBWRT3036						43.0#
		30 x 42"	CZBWRT3042						49.0#
		30 x 48"	CZBWRT3048						56.0#
		30 x 54"	CZBWRT3054						63.0#
			A	₿	œ	D	9	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style. **74P** - 74P edge
- ©Select grommet location. N - No Grommet
 - Grommet : Center; add C \$49
- DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G**Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Return Worksurfaces 29" Height

14
\bigcirc

74F (74	P Edge P)	
\$	199	
	206	
	221	
	230	
	237	
	315	
	217	
	226	
	246	
	290	
	293	
	378	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

		MODEL NUM	IRFK						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Approx. Packaged Weight
<u>`</u>	24" and 30" Deep Unpowered Peninsula	24 x 60"	CZBWP2460						56.0#
	Worksurfaces	24 x 66"	CZBWP2466						61.0#
× IN	 For use in planning with 74P edges only Grommet in peninsula worksurface is 	24 x 72"	CZBWP2472						66.0#
	centered on extended section only	30 x 66"	CZBWP3066						76.0#
Left grommet	• Inner depth of peninsula worksurface is	30 x 72"	CZBWP3072						82.0#
• 0۱	 beam-supported Opposite outer depth of peninsula requires perpendicular frame support, 								
A North Contraction of the second sec	specified separately								
	Modesty panels are specified separately								
Dight grown at	 Jumpers are specified separately Requires splice plate (supplied with 								
Right grommet 🔨 🎽	adjoining worksurface)								
	Grain direction runs perpendicular to								
ZPE	beam								
			A	ß	G	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style. 74P 74P edge
- CSelect grommet location.
 - Ν - No Grommet T
 - Grommet : Left; add \$25 Grommet : Right; add R \$25
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Peninsula Worksurfaces 29" Height

14	Peninsula Worksurfaces 29" Height
$\langle \rangle$	
74P Edge (74P)	
\$ 315	
357	
363	
468	
472	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Approx. Packaged Weight
· · · · ·	Unpowered Conference End for Dual-	24 x 48"	CZBWCE2448						44.0#
\sim \rightarrow	Sided Applications without Screens	30 x 60"	CZBWCE3060						68.0#
	Requires use of two post legs (specified								
	separately).								
	 Worksurface spans entire depth of dual- sided applications that do not feature a 								
	center screen								
CZCE	Knife edge, when specified, is featured								
0202	on outer three sides								
	Worksurface is unpoweredGrain direction runs perpendicular to								
	beams								
	For use only on dual-sided frames with								
	conference end attachment brackets								
	 Conference end worksurfaces are always fixed 								
		24 x 50"	CZBWCE2450						46.0#
New Contraction	Unpowered Conference End for Dual- Sided Applications Using Center Privacy	30 x 62"	CZBWCE3062						71.0#
a state of the second sec	Screens	00 X 02	0200002						11.0#
	Requires use of two post legs (specified								
- MARY	separately).								
X	Worksurface spans entire depth of dual-								
	sided applications that include a center screen								
× ~	 Screens are specified separately 								
CZCE	• Knife edge, when specified, is featured								
	on outer three sides								
	Worksurface is unpoweredGrain direction runs perpendicular to								
	beams								
	• For use only on dual-sided frames with								
	conference end attachment brackets								
	 Conference end worksurfaces are always fixed 								
	integ								
			A	B	C	D	Ø	G	
			•	-	•	•	•	-	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.


Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select edge style.
 74P 74P edge
 KN Knife edge
 Select grommet location.
 N No Grommet
 C Grommet : Center; add \$49
 Select grommet color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces

		MODEL NUMBE	ER			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	24" Single-Sided Standalone/Starter	CZBSS243642/F			38.0#	
	Frame	CZBSS244872/F			42.0#	
	Includes two 24" fixed end legs that are	CZBSS247296/F			46.0#	
	non-handed and integrated telescopic beam					
	 For use under either a 24" or 30" deep 					
	fixed worksurface					
Ų	• 24" worksurfaces centered on frame; 30"					
CZBS	is cantilevered • Accommodates worksurface width range					
0200	of 36-42", 48-72" or 72-96"					
	 10" knee clearance to beam with 24" 					
	worksurfaces					
	 16" knee clearance to beam with 30" worksurfaces 					
	worksurfaces					
	24" Single-Sided Adder Frame	CZBSA243642/F			26.0#	
<i>B</i> 3	 Includes one 24" intermediate fixed leg and integrated telescopic beam 	CZBSA244872/F			30.0#	
		CZBSA247296/F			34.0#	
	 Requires attachment to 24" deep fixed starter frame; may not be used alone 	0200/1211/200/1			01.0#	
	 For use under either a 24" or 30" deep 					
Ψ	fixed worksurface					
•	 24" worksurfaces centered on frame; 30" is cantilevered 					
CZBS	 Accommodates worksurface width range 					
0200	of 36-42", 48-72" or 72-96"					
	10" knee clearance to beam with 24"					
	 worksurfaces 16" knee clearance to beam with 30" 					
	worksurfaces					
		•		•		
		A	₿	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCL	- Clear	

Single-Sided Frames - 24" Fixed 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces

Delivered Pricing	
\$ 652	
659	
707	

\$ 452
455
504

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



		MODEL NUMBER				
		Basic	Paint	Glide	Approx. Packaged	
		Model	Color	Color	Weight	
~		CZBSS1E243642/F			41.0#	
	 Includes one 24" fixed end leg and one 24" intermediate fixed leg that are non- 	CZBSS1E244872/F			45.0#	
	handed and integrated telescopic beam	CZBSS1E247296/F			49.0#	
	• For use under either a 24" or 30" deep					
U II	fixed worksurface • 24" worksurfaces centered on frame: 30"					
·	 24 worksurfaces centered on frame; 30 is cantilevered 					
CZBS	 Accommodates worksurface width range 					
	of 36-42", 48-72" or 72-96"					
	 10" knee clearance to beam with 24" worksurfaces 					
	 16" knee clearance to beam with 30" 					
	worksurfaces					
	 Intended for use in an "L" configuration 					
~11	 Conference End Two Sides Includes two 24" intermediate fixed legs and integrated telescopic beam Requires attachment to 24" deep fixed 	CZBSS2E243642/F			45.0#	
		CZBSS2E244872/F			49.0#	
		CZBSS2E247296/F			53.0#	
	starter frame; may not be used alone					
Ψ	 For use under either a 24" or 30" deep fixed worksurface 					
Ť	 24" worksurfaces centered on frame; 30" 					
CZBS	is cantilevered					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
	 10" knee clearance to beam with 24" 					
	worksurfaces					
	16" knee clearance to beam with 30"					
	 worksurfaces Intended for use in an "L" configuration 					
		A	6	C		
		-	-	-		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gl	de color.	
GWH	- White	
GCL	- Clear	



Single-Sided Frames - 24" Fixed with Conference Ends 29" Height Supports Single Sided 24" Deep Fixed Worksurfaces

Del Pric	vered	
\$	695	
	705	
	740	

\$ 732
740
775

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces

		MODEL NUMBE	R				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight		
	30" Single-Sided Standalone/Starter	CZBSS303642/F			40.0#		
	Telescopic Beam Frame	CZBSS304872/F			44.0#		
	 Includes one 30" deep left leg and one 20" deep right leg 	CZBSS307296/F			48.0#		
	30" deep right legFeatures integrated telescopic beam						
	• For use under a 30" deep fixed worksur-						
	face only						
U	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 						
	 16" knee clearance to beam 						
CZBS							
	30" Single-Sided Adder Telescopic Beam	CZBSA303642/F			26.0#		
	 Frame Includes one intermediate 30" fixed leg 	CZBSA304872/F			30.0#		
a financial and a second	 Includes one intermediate 30 fixed leg and integrated telescopic beam 	CZBSA307296/F			34.0#		
	 Requires attachment to 30" deep fixed 						
U II	starter frame; may not be used alone						
U	 For use under a 30" deep fixed worksur- face 						
	 Accommodates worksurface width range 						
CZBS	of 48-72" or 72-96"						
	16" knee clearance to beam						
		A	6	C			
		•	•	•			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Bselect powdercoat. Refer to color addendum at ki.com or

KI Fabrics	s & Finishes binder	•
CSelect gli	de color.	
GWH	- White	
GCL	- Clear	

Single-Sided Frames - 30" Fixed 29" Height Supports Single Sided 30" Deep Fixed Worksurfaces

Del	ivered cing	
Pric	cing	
\$	752	
	741	
	789	

\$ 505	
496	
545	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



Single Sided Support Frames 29" Height

	MODE					
	/					
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	Single Side Support Frame	CZBLS24			17.0#	
	 Supports peninsula, return or extended corner worksurfaces 	CZBLS30			18.0#	
	 For use with fixed applications only 					
	1					
CZBL						
	Single Adder End Frame	CZBSAE243642/F			24.0#	
	 Supports peninsula, return or extended corner worksurfaces 	CZBSAE244872/F			28.0#	
	For use with fixed applications only	CZBSAE247296/F			32.0#	
	 Includes one 24" fixed end leg that is 					
	non-handed and integrated telescopic					
CZBS	beam					
Ŷ	Post Leg Support	CZBLP			10.0#	
	 Two post legs are required for confer- ence end support 					
Ų	 Includes one splice plate 					
	 Leg profile is 1-1/2 x 2-3/8" 					
CZBL	For use with fixed applications only					
		A	₿	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
601	- Clear	

4

Single Sided Support Frames 29" Height

De Pri	elivered icing	
\$	301	
	342	
\$	426	
	435	
	470	
\$	94	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBE	R			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	48" Dual-Sided Standalone/Starter Tele-	CZBDS483642/F			50.0#	
	scopic Beam Frame	CZBDS484872/F			54.0#	
	 Includes two 48" fixed end legs and integrated telescopic beams 	CZBDS487296/F			58.0#	
	 For use under back-to-back 24" deep 					
	fixed worksurfaces					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
CZBD	10" knee clearance to beam					
UZDD	48" Dual-Sided Adder Telescopic Beam	CZBDA483642/F			30.0#	
ß	Frame	CZBDA484872/F			34.0#	
	Includes one intermediate fixed leg and	CZBDA487296/F			38.0#	
	integrated telescopic beamsRequires attachment to 48" deep fixed					
	dual-sided starter base; may not be used					
Ĵ	alone					
	 For use under back-to-back 24" deep fixed worksurfaces 					
CZBD	 Accommodates worksurface width range 					
	of 36-42", 48-72" or 72-96"					
	10" knee clearance to beam					
		A	ß	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder. 0

Select g	lide color.	
GWH	- White	
GCL	- Clear	

4

Dual-Sided Frames - 48" Fixed 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

Deli Pric	ivered cing	
\$	1070	
	1009	
	1106	
\$	724	

694 803

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBE	R			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
CZBD	 48" Dual-Sided Standalone/Starter Telescopic Beam Frame Includes two 48" sliding end legs and integrated telescopic beams For use under back-to-back 24" deep sliding worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" Sliding worksurface bracket add 1/8" to finished table height 10" knee clearance to beam 	CZBDS483642/S CZBDS484872/S CZBDS487296/S			63.0# 67.0# 71.0#	
CZBD	 48" Dual-Sided Adder Telescopic Beam Frame Includes one intermediate sliding leg and integrated telescopic beams Requires attachment to 48" deep sliding dual-sided starter base; may not be used alone Base support profile is 1-1/2" x 2-3/8" For use under back-to-back 24" deep sliding worksurfaces Accommodates worksurface width range of 36-42", 48-72" or 72-96" Sliding worksurface bracket adds 1/8" to finished table height 10" knee clearance to beam 				36.0# 40.0# 44.0#	
		A	6	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder. CSelect glide color

ourou gi	uc coloi.	
GWH	- White	
GCL	- Clear	

Dual-Sided Frames - 48" Sliding 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

Delivered Pricing	
Pricing	
\$ 1311	
1090	
1186	

\$ 987	
795	
904	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	60" Dual-Sided Standalone/Starter Tele-	CZBDS603642/F			56.0#	
	scopic Beam Frame	CZBDS604872/F			60.0#	
	 Includes two 60" fixed end legs and integrated telescopic beams 	CZBDS607296/F			64.0#	
· ·	For use under back-to-back 30" deep					
· ĭ	fixed worksurfaces					
U	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
CZBD	 16" knee clearance to beam 					
	60" Dual-Sided Adder Telescopic Beam	CZBDA603642/F			30.0#	
	Frame	CZBDA604872/F			34.0#	
	 Includes one intermediate fixed leg and integrated talaggeria bases 	CZBDA607296/F			38.0#	
	integrated telescopic beamsRequires attachment to 60" deep fixed					
	sided starter base; may not be used					
U	alone					
	 For use under back-to-back 30" deep fixed worksurfaces 					
CZBD	Accommodates worksurface width range					
	of 36-42, 48-72" or 72-96"					
	 16" knee clearance to beam 					
		A	ß	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCL	- Clear	

Dual-Sided Frames - 60" Fixed 29" Height Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

D Pi	elivered ricing	
	1087	
	1032	
	1127	
\$	724	
	707	
	803	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
•	60" Dual-Sided Standalone/Starter Tele-	CZBDS603642/S			73.0#	
	scopic Beam Frame	CZBDS604872/S			77.0#	
	 Includes two 60" sliding end legs and integrated telescopic beams 	CZBDS607296/S			81.0#	
	 For use under back-to-back 30" deep 					
	slider worksurfaces					
U	Accommodates worksurface width range Accommodates worksurface width range					
CZBD	of 36-42", 48-72" or 72-96" • Sliding worksurface bracket adds 1/8" to					
	finished table height					
	16" knee clearance to beam					
	60" Dual-Sided Adder Telescopic Beam	CZBDA603642/S			46.0#	
	Frame	CZBDA604872/S			50.0#	
	 Includes one intermediate sliding leg and integrated telescopic beams 	CZBDA607296/S			54.0#	
	Requires attachment to 60" deep sliding					
	dual-sided starter base; may not be used					
Ų	alone • For use under back-to-back 30" deep					
	slider worksurfaces					
CZBD	Accommodates worksurface width range					
	of 48-72" or 72-96" • Sliding worksurface bracket adds 1/8" to					
	finished table height					
	16" knee clearance to beam					
		A	ß	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
	- White	
GCL	- Clear	

4

Dual-Sided Frames - 60" Sliding 29" Height Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

Delivered Pricing	
\$ 1328	
1147	
1243	

\$ 987	
858	
954	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER				
		Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	48" Dual-Sided Standalone/Starter	CZBDS1E483642/F			57.0#	
	Telescopic Beam Frame with Attach-	CZBDS1E484872/F			61.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E487296/F			65.0#	
	 Includes one 48"fixed end leg, one con- ference end leg and integrated telescopic beams For use under back-to-back 24" deep 					
U	 For use under back-to-back 24 deep fixed worksurfaces and supports one conference end 					
CZBD	 Includes brackets for conference end 	L				
	attachment on one side					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
	• 10" knee clearance to beam					
	48" Dual-Sided Standalone/Starter	CZBDS2E483642/F			64.0#	
se s	Telescopic Beam Frame with Attache- ment Brackets for Two Conference End Worksurfaces	CZBDS2E484872/F			68.0#	
		CZBDS2E487296/F			72.0#	
I I I I I I I I I I I I I I I I I I I	Includes two 48" fixed conference end legs and integrated telescopic beams					
	 For use under back-to-back 24" deep fixed worksurfaces with two conference 					
W	ends	1				
CZBD	 Includes brackets for conference end attachment one on both sides 					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
	• 10" knee clearance to beam	1				
	L	A	•	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Celect glide color.					
GWH	- White				
GCI	- Clear				



Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

Delivered Pricing	i	
\$ 1232		
1175		
1272		

\$ 1391
1198
1293

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frame - 60" Fixed with Conference Ends 29" Height Supports Two 30" Deep Back-To-Back Fixed Worksurfaces

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	60" Dual-Sided Standalone/Starter	CZBDS1E603642/F			70.0#	
	Telescopic Beam Frame with Attach-	CZBDS1E604872/F			74.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E607296/F			78.0#	
	 Includes one 60" fixed end leg, one conference end leg and integrated telescopic beams For use under back-to-back 30" deep 					
CZBD	fixed worksurfaces and supports one conference end Includes brackets for conference end attachment on one side					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 16" knee clearance to beam 					
	60" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attache- ment Brackets for Two Conference End Worksurfaces	CZBDS2E603642/F			63.0#	
S		CZBDS2E604872/F			67.0#	
		CZBDS2E607296/F			71.0#	
	 Includes two 60" fixed conference end legs and integrated telescopic beams 					
	 For use under back-to-back 30" deep fixed worksurfaces with two conference 					
•	ends					
CZBD	 Includes brackets for conference end attachment on both sides 					
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 					
	16" knee clearance to beam					
		A	₿	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCI	- Clear	



Dual-Sided Frame - 60" Fixed with Conference Ends 29" Height Supports Two 30" Deep Back-To-Back Fixed Worksurfaces

Delivered		
Delivered Pricing		
\$ 1248		
1341		
1437		

\$	1407
Ŧ	1364
	1458

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frame - 48" Sliding with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight
	48" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attach- ment Brackets for One Conference End	CZBDS1E483642/S CZBDS1E484872/S CZBDS1E487296/S			79.0#
	 Worksurface Includes one 48"sliding end leg, one conference end leg and integrated 	0200012101200,0			
	telescopic beams • For use under back-to-back 24" deep sliding worksurfaces and supports one				
CZBD	 conference end Includes brackets for conference end attachment on one side Accommodates worksurface width range 				
	of 36-42", 48-72" or 72-96" • 10" knee clearance to beam				
	48" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attach- ment Brackets for Two Conference End Worksurfaces	CZBDS2E483642/S CZBDS2E484872/S			
		CZBDS2E487296/S			
	 Includes two 48" sliding conference end legs and integrated telescopic beams For use under back-to-back 24" deep 				
U CZBD	sliding worksurfaces with two confer- ence ends Includes brackets for conference end attachment on both sides				
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 10" knee clearance to beam 				
		۵	6	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCI	- Clear	



Dual-Sided Frame - 48" Sliding with Conference Ends 29" Height Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

Delivered Pricing	
\$ 1502	
1256	
1351	

\$ 1683
1299
1394

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual-Sided Frame - 60" Sliding with Conference Ends 29" Height Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

		MODEL NUMBER					
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight		
	60" Dual-Sided Standalone/Starter	CZBDS1E603642/S			87.0#		
	Telescopic Beam Frame with Attache-	CZBDS1E604872/S			91.0#		
	ment Brackets for One Conference End Worksurface	CZBDS1E607296/S			95.0#		
	 Includes one 60" sliding end leg, one 						
	conference end leg and integrated						
•	telescopic beams • For use under back-to-back 30" deep						
U U	sliding worksurfaces and supports one						
CZBD	 conference end Includes brackets for conference end 						
	attachment on one side						
	 Accommodates worksurface width range of 36-42", 48-72" or 72-96" 						
	 16" knee clearance to beam 						
		CZBDS2E603642/S			102.0#		
	60" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attache-	CZBDS2E604872/S			106.0#		
	ment Brackets for Two Conference End	CZBDS2E607296/S			110.0#		
	Worksurfaces						
	 Includes two 60" sliding conference end legs and integrated telescopic beams 						
	 For use under back-to-back 30" deep 						
Ų	sliding worksurfaces with two confer- ence ends						
CZBD	Includes brackets for conference end						
- ·	attachment on both sides • Accommodates worksurface width range						
	of 36-42", 48-72" or 72-96"						
	16" knee clearance to beam						
		A	6	C			
		_	-	-			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCL	- Clear	



Dual-Sided Frame - 60" Sliding with Conference Ends 29" Height Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

Delivered Pricing		
\$ 1518		
1420		
1517		

\$ 1703
1465
1559

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Dual Sided Support Frames 29" Height

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
*	Perpendicular Support Frame	CZBLS48			25.0#	
	 Supports peninsula, return or extended corner worksurfaces 	CZBLS60			28.0#	
1	For use with fixed applications only					
Ų						
CZBL						
	Perpendicular Conference End Support	CZBLC48			32.0#	
	Frame	CZBLC60			35.0#	
	Supports back-to-back peninsula, ret					
	or extended corner worksurfaces and a conference end					
U	 For use with fixed applications only 					
CZBL						
		A	6	G		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select powdercoat.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Θ

Select glide color.								
GWH	- White							
GCL	- Clear							

4

Dual Sided Support Frames 29" Height

De	livered icing	
FI	iciliy	
\$	486	
	496	
\$	652	
	662	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

82

Electrical Rigid Wireways for Single-Sided Applications

			MODEL NU	MBER		
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight	
	Electrical Assembly; Single-Sided Ap-	30"	CZBE1S30		5.0#	
		36"	CZBE1S36		6.0#	
	 810 power provides continuous non- directional power from table to table in a 	42"	CZBE1S42		7.0#	
	directional power from table-to-table in a 6-2-2 configuration	48"	CZBE1S48		8.0#	
		54"	CZBE1S54		9.0#	
	A	60"	CZBE1S60		10.0#	
CZE1	 Single-sided application provides access to two receptacles on user side of beam 	72"	CZBE1S72		11.0#	
	 Receptacles, infeeds and jumpers are 					
	specified separately					
	Rigid Wireway need only be specified					
	to retrofit an existing non-powered worksurface					
	workSurface					
	Liberited heedinsty, onigit cluba hp	60"	CZBE1D60		11.0#	
		64"	CZBE1D64		11.0#	
	 810 power provides continuous non- directional power from table-to-table in 	66"	CZBE1D66		11.0#	
Nor an and the state	6-2-2 configuration	72"	CZBE1D72		12.0#	
	Assembly includes double rigid wireway	78"	CZBE1D78		13.0#	
and the	 Cingle sided employation provides essent 	84"	CZBE1D84		13.0#	
	 Single-sided application provides access to four receptacles on user side of beam 	90"	CZBE1D90		15.0#	
CZE1	Receptacles, infeeds and table-to-table	96"	CZBE1D96		16.0#	
	jumpers are specified separately					
	 Rigid Wireway need only be specified to retrofit an existing non-powered 					
	worksurface					
			A	₿		
			W	0		

HOW TO ORDER

- Indicate the following information on order
- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing		
\$	169	
	176	
	182	
	186	
	196	
	213	
	263	

\$ 385	
409	
416	
422	
430	
437	
443	
448	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

84

			MODEL NUI	MBER		
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight	
		48"	CZBE2S48		8.0#	
A Stand		-	CZBE2S54		9.0#	
	directional newer from table to table in a		CZBE2S60		10.0#	
	6-2-2 configuration	72"	CZBE2S72		11.0#	
and the second second	Assembly includes single rigid wireway					
4	 Dual-sided application provides access to two recented as per side 			,		
CZE2	to two receptacles per side • Receptacles, infeeds and jumpers are					
	specified separately			· · ·		
	Rigid Wireway need only be specified					
	to retrofit an existing non-powered worksurface			'		
	WorkSurface					
				<u> </u>		
			CZBE2D60		11.0#	
		I	CZBE2D64		11.0#	
and the second second	directional power from table-to-table in a		CZBE2D66		12.0#	
AND DESCRIPTION	0-2-2 configuration		CZBE2D72		12.0#	
	·····		CZBE2D78		14.0#	
CZE2	Dual-sided application provides access		CZBE2D84 CZBE2D90		14.0# 16.0#	
CZE2 CZE2	to four receptacies per side		CZBE2D90 CZBE2D96		16.0#	
62E2	 Receptacles, infeeds and table-to-table jumpers are specified separately 	90	UZDEZD30		10.0#	
	 Rigid Wireway need only be specified 			-		
	to retrofit an existing non-powered worksurface					
			A	B		

HOW TO ORDER

Indicate the following information on order

- form:
- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select power channel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Del Pric	ivered cing	
\$	192	
	196	
	215	
	261	

\$ 384	
386	
389	
396	
401	
405	
412	
418	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUM	BER			
					A == == = = = = = = = = = = = = = = = =		
			Basic	Paint	Approx. Packaged		
	MODEL	W	Model	Color	Weight		
		30"	CZBE1S30HW		2.8#		
^	Electrical Assembly; Single-Sided Hard- wired Applications with Two Cutouts	36"	CZBE1S36HW		3.5#		
Second Second		42"	CZBE1S42HW		4.1#		
	 Assembly includes access cover Single-sided application provides access 	48"	CZBE1S48HW		4.7#		
	to two receptacles on user side of beam	54"	CZBE1S54HW		5.4#		
13	Galvanized enclosure to house recep-	60"	CZBE1S60HW		6.0#		
CZE1	tacles and wiring provided by electrician	66"	CZBE1S66HW		6.4#		
	 Flexible conduit and connectors bridging table to table must also be provided by 	72"	CZBE1S72HW		7.0#		
	electrician	78"	CZBE1S78HW		7.6#		
	Appropriate for Chicago or New York						
	City installations; See planning guide for details						
	uetans						
~	Electrical Accomply: Single Sided Hard	60"	CZBE1D60HW		6.1#		
	wired Applications with Four Cutouts Assembly includes access cover Single-sided application provides access 	72"	CZBE1D72HW		7.1#		
		84"	CZBE1D84HW		8.1#		
		90"	CZBE1D90HW		8.7#		
8512		96"	CZBE1D96HW		9.3#		
-	Galvanized enclosure to house recep-						
CZE1	tacles and wiring provided by electricianFlexible conduit and connectors bridging						
	table to table must also be provided by						
	electrician						
	 Appropriate for Chicago or New York City installations; See planning guide for 						
	details						
			A	0			

HOW TO ORDER

form:

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.

Select wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Electrical – Hardwired Applications Rigid Wireways for Single-Sided Hardwired Applications

Deli Pric	vered	
\$	241	
	249	
	263	
	276	
	283	
	297	
	312	
	376	
	435	

\$ 304	
321	
511	
525	
539	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



Electrical – Hardwired Applications Rigid Wireways for Dual-Sided Hardwired Applications

			MODEL NUMBER			
				Approx.		
			Basic	Packaged		
	MODEL	W	Model	Weight		
	Electrical Assembly; Dual-Sided	36"	CZBE2S36HW	3.1#		
Provide State	Hardwired Applications with Two Cutouts	42"	CZBE2S42HW	3.5#		
	Per Side	48"	CZBE2S48HW	3.8#		
	 Assembly includes access cover Dual-sided application provides access 	54"	CZBE2S54HW	4.2#		
	to two receptacles per side	60"	CZBE2S60HW	4.6#		
Q.	Galvanized enclosure to house recep-	66"	CZBE2S66HW	5.0#		
HRDPT	tacles and wiring provided by electrician	72"	CZBE2S72HW	5.4#		
	 Flexible conduit and connectors bridging table to table must also be provided by electrician 	78"	CZBE2S78HW	5.8#		
	Appropriate for Chicago or New York					
	City installations					
	Electrical Assembly; Dual-Sided Hard-	60"	CZBE2D60HW	4.8#		
		72"	CZBE2D72HW	5.6#		
le l	Per Side	84"	CZBE2D84HW	6.3#		
	 Assembly includes access cover Dual-sided application provides access 	90"	CZBE2D90HW	6.7#		
800	to four receptacles per side	96"	CZBE2D96HW	7.1#		
¥	Galvanized enclosure to house recep-					
HRDPT	tacles and wiring provided by electrician • Flexible conduit and connectors bridging					
	table to table must also be provided by					
	electrician					
	Appropriate for Chicago or New York					
	City installations					
			A			
			u			

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.

Electrical – Hardwired Applications Rigid Wireways for Dual-Sided Hardwired Applications

De	livered cing	
Pri	cing	
\$	184	
	185	
	193	
	197	
	201	
	211	
	215	
	225	

\$ 204	
217	
235	
244	
252	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



Electrical

Receptacles and Infeeds

	MODEL	Features	Basic Model	Color	Approx. Packaged Weight	
e de	15-Amp Duplex Receptacle for Raceway	Circuit 1	46.2880.1		1.0#	
CTUD E	Use: 6 Circuit	Circuit 2	46.2880.2		1.0#	
	 Snaps to rigid wireway Receptacle color is black for circuits 1, 2 and 3 	Circuit 3	46.2880.3		1.0#	
•••		Circuit 4	46.2880.41		1.0#	
HRDPT	Receptacle color is orange with white	Circuit 5	46.2880.51		1.0#	
	lettering for circuits 41, 51 and 61	Circuit 6	46.2880.61		1.0#	
			A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Electrical Receptacles and Infeeds

D P)eliv Pricir	rered ng	
\$	5	21	
		21	
		21	
		21	
		21	
		21	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Electrical Receptacles and Infeeds - 29" Finished Assembly

				MODEL NU	IMBER		
	MODEL	Features	L	Basic Model	Color	Approx. Packaged Weight	
	Standard Height Base Infeed 10-Wii Provides power from fixed floor or sources to table power distribution system Must be hard-wired to the building	wall	96"	CZBFF		5.0#	
HRDPT	 wild be hard-wind to the building power source by a licensed electric 96' length liquid tight conduit Includes (2) mounting clips 						
	Top Infeed 10-Wire for Single-Side		120"	CZBTF1L		15.0#	
	Applications Provides power from ceiling source Single-sided table power distributi system Must be hard-wired to building por source by a licensed electrician 144" length flexible oval conduit Includes 10' long aluminum pole v 	on wer	120"	CZBTF1R		15.0#	
HRDPT	 separate channel for electrical and entry and pre-wired harness Includes Single mounting bracket 						
	Top Infeed 10-Wire for Dual-Sided plications Provides power from ceiling sourc to Dual-sided table power distribut system Must be hard-wired to building por	e ion	120"	CZBTF2		15.0#	
HRDPT	source by a licensed electrician 144" length flexible oval conduit Includes 10' long aluminum pole v separate channel for electrical and entry and pre-wired harness Includes Dual mounting bracket						
				A	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deli Pric	vered ing	
\$	174	
\$	443	
	443	

\$ 443

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories Data Cable and Cord Management

				MODEL NU	MBER	
		MODEL	W x D x H	Basic Model	Paint Color	Approx. Packaged Weight
		Data Floor Infeed	2-1/2 x 1-3/4 x 24-1/4"	CZBBCR		3.0#
		 Provides enclosure for data wire to enter the grommet located in the bottom near the end of all beams 				
HRDPT						
		 Top Data Infeed for 29" Height - Single Sided, Left Attaches to outer side of leg at seated user's left Provides distribution channel for data cables from ceiling to table Includes 10-foot aluminum pole Single mounting bracket included 	120"	CZBTDF1L		9.0#
HRDPT						
		 Top Data Infeed for 29" Height - Single Sided, Right Attaches to outer side of leg at seated user's right Provides distribution channel for data cables from ceiling to table Includes 10-foot aluminum pole Single mounting bracket included 	120°	CZBTDF1R		9.0#
HRDPT						
		 Top Data Infeed for 29" Height - Dual Sided Applications Attaches to outer side of leg on either side of worksurface Provides distribution channel for data cables from ceiling to table Includes 10-foot aluminum pole Dual mounting bracket included 	120"	CZBTDF2		9.0#
HRDPT						
				A	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Accessories Data Cable and Cord Management

_		
De Pr	elivered ricing	
\$	117	
\$	225	
\$	225	
\$	240	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Electrical Jumpers

			_		
			MODEL NUMBER		
	MODEL	L	Basic Model	Approx. Packaged Weight	
ഷീ	 48 spans (2) - 24" peninsula tops 60 spans (2) - 30" peninsula tops 	18-1/2"	CZBJP.TJ	3.0#	
CER MINING TO ME		42-1/2"	CZBJP.24	3.5#	
		48-1/2"	CZBJP.30	4.0#	
		66-1/2"	CZBJP.48	5.5#	
HRDPT		78-1/2"	CZBJP.60	6.5#	
		84-1/2"	CZBJP.72	7.5#	
	 72 spans 72" leg of extended corner top 				
	60 & 72 include Velcro cord manager				
			•		

A

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the
 indicates that no choice is required.
 Alpha-numeric characters in place of
 - \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Electrical Jumpers

Del Pric	ivered cing	
\$	82	
	113	
	124	
	138	
	161	
	175	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Electrical: for Unframed or Supporting Privacy Screens

98

		MODEL NUMBER	
		Basic	Approx.
	MODEL	Model	Packaged Weight
	Electrical Assembly for Single Wireway	CZBRE2S36	6.0#
A 11	Specify length by worksurface length	CZBRE2S42	7.0#
The P	For use on dual-sided applications with	CZBRE2S48	8.0#
	 unframed or supporting privacy screens 810 power provides continuous non- 	CZBRE2S54	9.0#
M	directional power in a 6-2-2 configura-	CZBRE2S60	10.0#
	tion	C788F2S72	11.0#
HRDPT	 Assembly includes single power harness Dual-sided application provides access 	OLDITLEOIL	11.00
	to two receptacles per side		
	Receptacles, infeeds and jumpers are		
	specified separately		
	 For attachment below center work rail only on non-powered worksurfaces 		
	only on non-powered worksunaces		
	Electrical Assembly for Double Wireway	CZBRE2D60	11.0#
	 Specify length by worksurface length 	CZBRE2D64	11.0#
to the second second	For use on dual-sided applications only	CZBRE2D66	11.0#
A COMPANY OF THE OWNER	 810 power provides continuous non- directional power in a 6-2-2 configura- 	CZBRE2D72	12.0#
Ref.	tion	CZBRE2D78	13.0#
	Assemble includes double power har-	CZBRE2D84	13.0#
HRDPT	ness with jumperDual-sided application provides access	CZBRE2D90	15.0#
	to four receptacles per side	CZBRE2D96	16.0#
	Receptacles, infeeds and table-to-table	02DILE2D00	10.0//
	jumpers are specified separately		
	 For attachment below center work rail only on non-powered worksurfaces 		
	only on non-powered worksullaces		
		A	

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- form:
- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

A Select basic model.

De Pr	elivered icing	
\$	109	
	112	
	115	
	118	
	131	
	164	

\$ 272	
275	
275	
278	
281	
284	
287	
291	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Activ8[®] System

		MODEL NUMBER			
			Approx.		
		Basic	Packaged		
	MODEL	Model	Weight		
	Activ8® Infeed	AC8IF.108	2.0#		
	108" cord plugs into standard 15 amp				
	outlet				
S Contraction of the second se	Control module is located 6" from table connection				
UDDDT	Diagnostic LED indicator shows power				
HRDPT	status (see details below)				
	Controller automatically limits number of				
	connections to 8				
	40 Ft maximum string, not including				
	infeed cord				
	Will not work with GFI/GCFI outlets				
		AC8RPTCZB.12	1.0#		
	Activ8 [®] Module and Attachment Bracket	AGOINT TOZD. 12	1:0#		
	Duplex receptacles provide 2 outlets				
	 Power module provides 15 amp power 				
	Up to 8 modules may be used per infeed				
T ^a	per UL Standard 962				
•	Modules may be connected (recon-				
HRDPT	nected in any order without sequential				
	keying)				
	Jumpers ordered separately				
	 No data cord management is provided Attached cord is approximately 9" 				
	- Allached cold is approximately 9				
		Δ			

Δ

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

100

De Pr	elivered icing	
\$	196	
\$	68	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped **k.d. f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Activ8[®] System

		MODEL NU	JMBER			
	MODEL	Basic Model	PowerUp Module Color	Approx. Packaged Weight		
HRDPT	 Activ8® Power-Up Module Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (reconnected in any order without sequential keying) Attached cord is approximately 5" Data tree is provided to allow data jacks to be inserted in the module Jumpers ordered separately 	AC8PUM.7		1.0#		
HRDPT	 Activ8[®] Villa Power Module with Metal Cover Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (recon- nected in any order without sequential keying) Attached cord is approximately 5" Data tree is provided to allow data jacks to be inserted in the module Jumpers ordered separately 	AC8VMC.7		3.0#		
HRDPT	 Activ8® Villa Power Module without Cover Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (reconnected in any order without sequential keying) Attached cord is approximately 5" Data tree is provided to allow data jacks to be inserted in the module For use on tables with existing KI grommets Jumpers ordered separately 			2.0#		
		A	•			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

INFORMATION

Grommet location must be specified in worksurface model number for Activ8®

Del	livered	
Pri	cing	
\$	182	
\$	314	
\$	253	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped **k.d. f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

104 Activ8[®] System

			MODEL NUMBER		
	MODEL	L	Basic Model	Approx. Packaged Weight	
	 Activ8[®] Jumper Refer to Connection Zone Benching Planning Guide for size recommenda- tions Jumpers are all keyed alike 	29"	AC8JP.29	1.0#	
S.		53"	AC8JP.53	1.0#	
10		77"	AC8JP.77	1.0#	
E3		101"	AC8JP.101	1.0#	
HRDPT					

A

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

Deliv Prici	vered ing	
\$	62	
	72	
	83	
	87	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped **k.d. f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

			MODEL NUMBER					
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSF2413/1					11.0#
	 Aluminum powdercoated screen runs along width of worksurface Standard top rail features one slot for hang-on accessories Integral linking strip included 	1-3/16 x 30 x 13"	CZBPSF3013/1					13.0#
The second se		1-3/16 x 36 x 13"	CZBPSF3613/1					14.0#
and the second se		1-3/16 x 42 x 13"	CZBPSF4213/1					15.0#
		1-3/16 x 48 x 13"	CZBPSF4813/1					16.0#
CZPF	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 13"	CZBPSF5413/1					17.0#
	rately	1-3/16 x 60 x 13"	CZBPSF6013/1					18.0#
	Bottom of privacy screen is flush with	1-3/16 x 66 x 13"	CZBPSF6613/1					20.0#
	bottom of worksurface	1-3/16 x 72 x 13"	CZBPSF7213/1					21.0#
		1-3/16 x 78 x 13"	CZBPSF7813/1					22.0#
	13" with Center Intersection	1-3/16 x 60 x 13"	CZBPSF6013/2					21.0#
and the second se	 Screen includes two equal panels Center intersection allows for divider screen attachment 	1-3/16 x 64 x 13"	CZBPSF6413/2					22.0#
		1-3/16 x 72 x 13"	CZBPSF7213/2					23.0#
		1-3/16 x 84 x 13"	CZBPSF8413/2					26.0#
CZPF		1-3/16 x 90 x 13"	CZBPSF9013/2					27.0#
		1-3/16 x 96 x 13"	CZBPSF9613/2					28.0#
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSF9013/3					30.0#
The second se	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 13"	CZBPSF9613/3					31.0#
	attachment							
CZPF								
			A	0	G	D	Ø	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select screen location.							
DAD	- Dual Adder						
DST	- Dual Starter						
SAD	- Single Adder						
SST	- Single Starter						

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

107

Above Worksurface Privacy Screen 13" High with Framed Fabric Insert

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	
\$ 361	\$ 367	
389	396	
412	420	
426	435	
439	450	
500	509	
522	535	
530	543	
547	561	
572	586	
\$ 758	\$ 770	
775	793	
803	819	
831	848	
858	879	
859	880	
\$ 1129	\$ 1146	
1142	1167	

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NUMBER						
						End		Approx.
			Basic	Screen	Paint	Cap	Upholstery	Packaged
	MODEL	D x W x H	Model	Location	Color	Color	Color	Weight
~	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSF2419/1					13.0#
and the second se	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 19"	CZBPSF3019/1					14.0#
	 Standard top rail features one slot for 	1-3/16 x 36 x 19"	CZBPSF3619/1					16.0#
	hang-on accessories	1-3/16 x 42 x 19"	CZBPSF4219/1					17.0#
	Integral linking strip included	1-3/16 x 48 x 19"	CZBPSF4819/1					19.0#
CZPF	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 19"	CZBPSF5419/1					20.0#
	rately	1-3/16 x 60 x 19"	CZBPSF6019/1					22.0#
	 Bottom of privacy screen is flush with 	1-3/16 x 66 x 19"	CZBPSF6619/1					23.0#
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSF7219/1					25.0#
		1-3/16 x 78 x 19"	CZBPSF7819/1					26.0#
	19" with Center Intersection	1-3/16 x 60 x 19"	CZBPSF6019/2					25.0#
Construction of the local division of the lo	 Screen includes two equal panels Center intersection allows for divider screen attachment 	1-3/16 x 64 x 19"	CZBPSF6419/2					27.0#
No. of Concession, Name		1-3/16 x 72 x 19"	CZBPSF7219/2					28.0#
		1-3/16 x 84 x 19"	CZBPSF8419/2					31.0#
		1-3/16 x 90 x 19"	CZBPSF9019/2					32.0#
		1-3/16 x 96 x 19"	CZBPSF9619/2					34.0#
CZPF								
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSF9019/3					35.0#
	Screen includes three equal panels	1-3/16 x 96 x 19"	CZBPSF9619/3					37.0#
and the second se	 Intersections allow for divider screen attachment 							
CZPF								
			A	6	G	D	9	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

Select so	creen location.	
DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

109

Above Worksurface Privacy Screen 19" High with Framed Fabric Insert

	ivered	Delivered
Pri	cing	Pricing
	ric Grade	Fabric Grade
	C.O.M.	2
\$	418	\$ 426
	464	473
	476	486
	501	512
	513	527
	647	663
	672	689
	680	697
	696	716
	745	769
\$	906	\$ 926
	918	939
	931	953
	980	1003
	1006	1033
	1016	1035
\$	1348	\$ 1378
•	1401	1420

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER					
						End		Approx.
			Basic	Screen	Paint	Cap	Upholsterv	Packaged
	MODEL	D x W x H	Model	Location	Color	Color	Color	Weight
	Single, Uninterrupted Screen Length	1-3/16 x 30 x 31"	CZBPSF3031/1					18.0#
	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 36 x 31"	CZBPSF3631/1					20.0#
	 Standard top rail features one slot for 	1-3/16 x 42 x 31"	CZBPSF4231/1					22.0#
	hang-on accessories	1-3/16 x 48 x 31"	CZBPSF4831/1					25.0#
	Integral linking strip included							
and the second se	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 							
	rately							
CZPF	 Bottom of privacy screen is flush with 							
	bottom of worksurface							
	 31" with Center Intersection Screen includes two equal panels Center intersection allows for divider screen attachment 	1-3/16 x 60 x 31"	CZBPSF6031/2					32.0#
and the second se		1-3/16 x 64 x 31"	CZBPSF6431/2					35.0#
Particular I		1-3/16 x 72 x 31"	CZBPSF7231/2					37.0#
		1-3/16 x 84 x 31"	CZBPSF8431/2					41.0#
		1-3/16 x 90 x 31"	CZBPSF9031/2					43.0#
		1-3/16 x 96 x 31"	CZBPSF9631/2					45.0#
CZPF								
	31" with Two Intersections	1-3/16 x 90 x 31"	CZBPSF9031/3					47.0#
- A CONTRACTOR OF A	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 31"	CZBPSF9631/3					49.0#
The second se	 Intersections allow for divider screen attachment 							
The second se								
CZPF								
			A	6	C	D	Ð	
			U)	U	G	U	G	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select so	creen location.	
DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 31" High with Framed Fabric Insert



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2		
\$ 580	\$ 598		
614	637		
640	664		
665	693		

\$ 1024	\$ 1059		
1057	1092		
1085	1127		
1132	1177		
1135	1181		
1177	1231		
\$ 1523	\$ 1575		
1543	1595		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER						
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSF2413/1						
	Aluminum powdercoated screen runs	1-3/16 x 30 x 13"	CZBDSF3013/1						
	perpendicular to privacy screenBottom of divider screen rests on top of	1-3/16 x 24 x 19"	CZBDSF2419/1						
	worksurface	1-3/16 x 30 x 19"	CZBDSF3019/1						
	Must specify by location and fixed or	1-3/16 x 24 x 31"	CZBDSF2431/1						
CZDF	sliding functionStandard top rail features one slot for	1-3/16 x 30 x 31"	CZBDSF3031/1						
	hang-on accessories								
	Integral linking strip included								
			A	B	O	D	9	6	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect worksurface edge style. 74P - 74P edge 74P KN - Knife edge

CSelect screen locati	on.
-----------------------	-----

DSelect powdercoat.

Fabrics & Finishes binder.

FLE	- Fixed left end
FMI	- Fixed middle
FRE	- Fixed right end
SLE	- Sliding left end
SMI	- Sliding middle
SRE	 Sliding right end
FFL	- Fixed freestanding left end
FFM	- Fixed freestanding middle
FFR	- Fixed freestanding right end
Screen loc	ations FFL, FFR and FFM are
NOT availa	ble on 31" high screens.

Refer to color addendum at ki.com or KI

- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery.
 - Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Divider Screen 13, 19" or 31" High with Framed Fabric Insert



Approx. Packaged Weight	Pri Fat	livered cing pric Grade & C.O.M.	Pr	elivered icing bric Grade	
9.0#	\$	342	\$	347	
10.0#		370		376	
11.0#		397		405	
12.0#		442		452	
14.0#		559		577	
16.0#		562		580	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Above Worksurface Divider Screen

13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

			MODEL NUMB	ER				
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery Color
	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSF6013/1					
	 Aluminum powder coated screen runs perpendicular to privacy screen 	1-3/16 x 66 x 13"	CZBDSF6613/1					
	 Bottom of divider screen rests on top of 	1-3/16 x 72 x 13"	CZBDSF7213/1					
	worksurface	1-3/16 x 78 x 13"	CZBDSF7813/1					
	Attaches at end or intersection of privacy	1-3/16 x 60 x 19"	CZBDSF6019/1					
	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSF6619/1					
CZDF	• For use on perpendicular worksurfaces	1-3/16 x 72 x 19"	CZBDSF7219/1					
	only	1-3/16 x 78 x 19"	CZBDSF7819/1					
	Standard top rail features one slot for							
	hang-on accessoriesIntegral linking strip included							
	For use on Extended Corner, Return and							
	Peninsula Worksurfaces							
			A	6	C	D	9	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect worksurface edge style. 74P - 74P edge
- Select screen location.
 - FLE
 Fixed left end

 FMI
 Fixed middle

 FRE
 Fixed right end
- DSelect powdercoat.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Above Worksurface Divider Screen 13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	
15.0#	\$ 491	\$ 503	
16.0#	505	517	
17.0#	521	536	
18.0#	544	556	
19.0#	638	655	
20.0#	652	671	
21.0#	668	688	
23.0#	714	737	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

MODEL D x W x H Model Screen Paint End Approx. Paint Approx. Paint Approx. Paint MODEL NUMER Basic Screen Paint Cap Upholstery Paint Paint Paint Cap Upholstery Paint Paint Paint Paint Paint Cap Upholstery Paint												
MODEL Dx Wx H Basic Screen Paint Color Color Paint Paint Single, Uniterrupted Screen Lengt - 3/16 x24 x13' C2BPSFT3013/1 - - 13.0# - Torial features three solts for hangen- accessories - 101 all features three solts for hangen- accessories - 13.0# - - 13.0# - CZPF - Integral linking posts allow for prependicular attachment of divides, specified sepa- rately - - 13.0# - - 15.0# - CZPF - Integral linking posts allow for prependicular attachment of divides, specified sepa- rately - - - 15.0# - 0.00 - 0.00 - - - 15.0# - 0.01 - 0.01 - - - - 15.0# - 0.01 - 0.01 - 0.00 - - - 15.0# - 0.02 - 0.02 - - - - - - - - - - - - - - - - <th></th> <th colspan="5"></th> <th colspan="6">MODEL NUMBER</th>							MODEL NUMBER					
MODEL Dx Wx H Basic Screen Color Color Pairing of Weight Single, Uniterrupted Screen Length - 3/16 x24 x13' C2BPSFT3013/1 - - 13.0# - CZPF - 10 rail features three solds for han-on-accessories												
• Aluminum powercoated screen uns along with of worksurface 1-3/16 x 30 x 13 CZBPSFT3013/1 1 13.0# • Tool rail features three slots for hang-on accessories • Intergati linking strip included 15.0# 15.0# • Intergati linking strip included • Intergati linking strip included 16.0# 16.0# • Intergati linking strip included • Intergati linking strip included 17.0 # 19.0# • Aluminum powerseries • Streen is flush with to totro of worksurface 1-3/16 x 42 x 13 CZBPSFT6413/1 19.0# • Bottom of privacy screen is flush with to totro of worksurface • Streen includes the requita panels 1-3/16 x 42 x 13 CZBPSFT613/1 20.0# • Streen includes the requita panels • Streen includes the requita panels 1-3/16 x 42 x 13 CZBPSFT613/2 23.0# • Streen includes the requita panels • Streen includes the requita panels 1-3/16 x 42 x 13 CZBPSFT613/2 23.0# • CZPF • Streen includes the requita panels 1-3/16 x 42 x 13 CZBPSFT613/2 23.0# • Streen includes the requita panels • Streen includes the requita panels 1-		MODEL	D x W x H				Сар		Packaged			
along width of worksurface 1-3/16 x 36 x 13 CZPPST5013/1 1 1 15.0# CZPF 1-14/16 x 36 x 13 CZBPST5013/1 1			1-3/16 x 24 x 13"	CZBPSFT2413/1					12.0#			
CZPF Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface Bottom of worksurface 13/16 × 64 × 13' CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/2 CZBPSFT9013/3 CZBPSFT9013/3 CZBPSFT9			1-3/16 x 30 x 13"	CZBPSFT3013/1					13.0#			
CZPF Integral linking strip included Linking posts allow for perpendicular attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface Bottom of worksurface 1-3/16 × 48 × 13' CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/1 CZBPSFT6013/2 CZBPSFT6013/3 CZBPSFT	And the second second		1-3/16 x 36 x 13"	CZBPSFT3613/1					15.0#			
CZPF Linking posts allow for perpendicular attachment of dividers, specified separately 			1-3/16 x 42 x 13"	CZBPSFT4213/1					16.0#			
CZPF attachment of dividers, specified separately 1-3/16 × 60 × 13° CZBPSF16013/1 1 1 10.0# • Bottom of privacy screen is flush with bottom of worksurface 1-3/16 × 60 × 13° CZBPSF16013/1 1 1 10.0# • Bottom of privacy screen is flush with bottom of worksurface 1-3/16 × 60 × 13° CZBPSF16013/1 1 1 10.0# • Screen includes two equal panels • Screen includes two equal panels 1-3/16 × 60 × 13° CZBPSF16013/2 1 1 10.0# • CZPF • Screen includes two equal panels • Screen incl	μ		1-3/16 x 48 x 13"	CZBPSFT4813/1					17.0#			
rately 1-3/16 × 60 × 13° C2BPSFF6013/1 1	CZPF		1-3/16 x 54 x 13"	CZBPSFT5413/1					19.0#			
bottom of worksurface 1-3/16 x 72 x 13' CZBPSFT7213/1 I <th< td=""><td></td><td></td><td>1-3/16 x 60 x 13"</td><td>CZBPSFT6013/1</td><td></td><td></td><td></td><td></td><td>20.0#</td></th<>			1-3/16 x 60 x 13"	CZBPSFT6013/1					20.0#			
1-3/16 × 72 × 13 CZBPSFT/213/1 1 1 23.0# 1-3/16 × 72 × 13 CZBPSFT/813/1 1 1 24.0# 1-3/16 × 72 × 13 CZBPSFT/813/1 1 1 24.0# 1-3/16 × 72 × 13 CZBPSFT/813/1 1 24.0# 1-3/16 × 60 × 13' CZBPSFT/813/2 1 24.0# 1-3/16 × 64 × 13' CZBPSFT/813/2 1 24.0# 1-3/16 × 64 × 13' CZBPSFT/813/2 1 24.0# 1-3/16 × 64 × 13' CZBPSFT/813/2 1 24.0# 1-3/16 × 90 × 13' CZBPSFT8413/2 1 20.0# 1-3/16 × 90 × 13' CZBPSFT9013/2 1 1 30.0# 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1 31.0# 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1 31.0# 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1 31.0# 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1 31.0# 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1 1 1-3/16 × 90 × 13' CZBPSFT9013/3 1 1			1-3/16 x 66 x 13"	CZBPSFT6613/1					22.0#			
13" with Center Intersection 1-3/16 × 60 × 13" CZBPSFT6013/2		bottom of worksurface	1-3/16 x 72 x 13"	CZBPSFT7213/1					23.0#			
 Screen includes two equal panels Center intersection allows for divider screen attachment -3/16 x 64 x 13" CZBPS FT6413/2 -3/16 x 72 x 13" CZBPS FT7213/2 -3/16 x 90 x 13" CZBPS FT9013/2 -3/16 x 90 x 13" CZBPS FT9013/2 -3/16 x 90 x 13" CZBPS FT9013/3 -3/16 x 90 x 13" -3/16 x 90 x 13"			1-3/16 x 78 x 13"	CZBPSFT7813/1					24.0#			
• Center intersection allows for divider screen attachment 1-3/16 x 72 x 13" CZBPSFT7213/2 0			1-3/16 x 60 x 13"	CZBPSFT6013/2					23.0#			
Screen attachment 1-3/16 × 72 × 13° CZBPSFT7213/2 1 25.0# CZPF 1-3/16 × 84 × 13° CZBPSFT8413/2 1 1 28.0# 1-3/16 × 90 × 13° CZBPSFT9013/2 1 1 30.0# 1-3/16 × 90 × 13° CZBPSFT9013/2 1 1 31.0# 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 32.0# 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 32.0# 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 32.0# 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 1 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 32.0# 1-3/16 × 90 × 13° CZBPSFT9013/3 1 1 1 33.0# 1-3/16 × 90 × 13° CZBPSFT9613/3 1 1 1 1 1-3/16 × 90 × 13° CZBPSFT9613/3 1 1 1 1 CZPF 1 1 1 1 1 1 1 CZPF 1 1 1 1 1 1 1 1			1-3/16 x 64 x 13"	CZBPSFT6413/2					24.0#			
Image: CZPF 1-3/16 x 90 x 13° CZBPSFT9013/2 Image: CZPF 30.0# 1-3/16 x 90 x 13° CZBPSFT9613/2 Image: CZPF			1-3/16 x 72 x 13"	CZBPSFT7213/2					25.0#			
CZPF 1-3/16 × 96 × 13° CZBPSFT9613/2 III IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			1-3/16 x 84 x 13"	CZBPSFT8413/2					28.0#			
13" with Two Intersections 1-3/16 x 90 x 13" CZBPSFT9013/3 000000000000000000000000000000000000			1-3/16 x 90 x 13"	CZBPSFT9013/2					30.0#			
 Screen includes three equal panels Intersections allow for divider screen attachment CZPF 	CZPF		1-3/16 x 96 x 13"	CZBPSFT9613/2					31.0#			
• Intersections allow for divider screen attachment • 13/10 × 90 × 13 • 13/10 × 9	~		1-3/16 x 90 x 13"	CZBPSFT9013/3					32.0#			
attachment Image: Comparison of the second	And the second se		1-3/16 x 96 x 13"	CZBPSFT9613/3					33.0#			
CZPF												
CZPF												
	CZPF											
				A	0	C	D	0				

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select so	creen location.	
DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Fabric Insert

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	
\$ 353	\$ 357	
369	374	
406	412	
426	433	
441	448	
495	504	
509	515	
535	544	
538	548	
587	598	
\$ 718	\$ 726	
752	787	
791	803	
832	845	
859	874	
861	878	
\$ 1066	\$ 1078	
1135	1155	

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			-					
			MODEL NUMBE	R				
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
~1	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSFT2419/1					14.0#
and the second se	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 19"	CZBPSFT3019/1					15.0#
	 Tool rail features three slots for hang-on 	1-3/16 x 36 x 19"	CZBPSFT3619/1					17.0#
	accessories	1-3/16 x 42 x 19"	CZBPSFT4219/1					19.0#
	Integral linking strip included	1-3/16 x 48 x 19"	CZBPSFT4819/1					20.0#
PF	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 19"	CZBPSFT5419/1					22.0#
	rately	1-3/16 x 60 x 19"	CZBPSFT6019/1					24.0#
	 Bottom of privacy screen is flush with 	1-3/16 x 66 x 19"	CZBPSFT6619/1					25.0#
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSFT7219/1					27.0#
		1-3/16 x 78 x 19"	CZBPSFT7819/1					29.0#
	19" with Center Intersection	1-3/16 x 60 x 19"	CZBPSFT6019/2					27.0#
	 Screen includes two equal panels Center intersection allows for divider screen attachment 	1-3/16 x 64 x 19"	CZBPSFT6419/2					29.0#
		1-3/16 x 72 x 19"	CZBPSFT7219/2					30.0#
		1-3/16 x 84 x 19"	CZBPSFT8419/2					33.0#
		1-3/16 x 90 x 19"	CZBPSFT9019/2					35.0#
		1-3/16 x 96 x 19"	CZBPSFT9619/2					37.0#
PF								
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSFT9019/3					38.0#
	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 19"	CZBPSFT9619/3					39.0#
	attachment							
۶F								
			A	B	C	D	Ø	
			W	U	U	U	G	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select s	creen location.
DAD	- Dual Adder
DST	- Dual Starter
SAD	- Single Adder
SST	- Single Starter

Select powdercoat. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Fabric Insert

	Delivered		ivered
	Pricing	Pric	cing
	Fabric Grade		ric Grade
	1 & C.O.M.	2	
	\$ 401	\$	406
	419		426
	465		473
	485		493
	500		510
	579		588
	603		614
	617		628
	632		647
	671		683
1	\$819	\$	831
	869		874
	908		925
	950		965
	954		969
	979		998
	\$ 1217	\$	1235
	1289		1311
	1209		1311

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Fabric Insert

			MODEL NUMBE	R				
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSFT2413/1					
	 Aluminum powdercoated screen runs perpendicular to privacy screen 	1-3/16 x 30 x 13"	CZBDSFT3013/1					
	 Bottom of divider screen rests on top of 	1-3/16 x 24 x 19"	CZBDSFT2419/1					
	worksurface	1-3/16 x 30 x 19"	CZBDSFT3019/1					
-	 Must specify by location and fixed or aliding function 							
CZDF	sliding function Tool rail features three slots for hang-on 							
	accessories							
	Integral linking strip included							
			A	0	C	D	Ø	6

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect worksurface edge style.					
74P	- 74P edge				
KN	- Knife edae				

FLE	- Fixed left end
FMI	- Fixed middle
FRE	- Fixed right end
SLE	- Sliding left end
SMI	- Sliding middle
SRE	 Sliding right end
FFL	- Fixed freestanding left end
FFM	 Fixed freestanding middle
FFR	- Fixed freestanding right end

DSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select upholstery.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Fabric Insert

Approx. Pricing Pricing Packaged Fabric Grade Fabric Grade Weight 1 & C.O.M. 2	
10.0# \$ 335 \$ 338	
11.0# 349 353	
11.0# 379 385	
13.0# 398 404	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces

			MODEL NUMBE	R				
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Upholstery Color
~	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSFT6013/1					
	 Aluminum powdercoated screen runs perpendicular to privacy screen 	1-3/16 x 66 x 13"	CZBDSFT6613/1					
		1-3/16 x 72 x 13"	CZBDSFT7213/1					
		1-3/16 x 78 x 13"	CZBDSFT7813/1					
		1-3/16 x 60 x 19"	CZBDSFT6019/1					
	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSFT6619/1					
DF	 For use on perpendicular worksurfaces only 	1-3/16 x 72 x 19"	CZBDSFT7219/1					
		1-3/16 x 78 x 19"	CZBDSFT7819/1					
	 Tool rail features three slots for hang-on accessories 							
	 Integral linking strip included For use on Extended Corner, Return and 							
	Peninsula Worksurfaces							
			A	6	G	D	A	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect worksurface edge style. 74P - 74P edge
- **A**
- Eselect screen location. FLE - Fixed left end FMI - Fixed middle
 - FRE Fixed right end
- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	
17.0#	\$ 476	\$ 484	
18.0#	509	518	
20.0#	512	522	
21.0#	558	570	
20.0#	570	581	
22.0#	589	602	
24.0#	606	620	
25.0#	639	653	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NUMBER							
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSA2413/1					12.0#	
1/,	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 13"	CZBPSA3013/1					14.0#	
11,	 Standard top rail features one slot for 	1-3/16 x 36 x 13"	CZBPSA3613/1					15.0#	
	hang-on accessories	1-3/16 x 42 x 13"	CZBPSA4213/1					16.0#	
	 Integral linking strip included Linking posts allow for perpendicular 	1-3/16 x 48 x 13"	CZBPSA4813/1					18.0#	
CZPA	attachment of dividers, specified sepa-	1-3/16 x 54 x 13"	CZBPSA5413/1					19.0#	
	rately	1-3/16 x 60 x 13"	CZBPSA6013/1					21.0#	
	Bottom of privacy screen is flush with	1-3/16 x 66 x 13"	CZBPSA6613/1					22.0#	
	bottom of worksurface	1-3/16 x 72 x 13"	CZBPSA7213/1					23.0#	
		1-3/16 x 78 x 13"	CZBPSA7813/1					25.0#	
<i></i>	13" with Center Intersection	1-3/16 x 60 x 13"	CZBPSA6013/2					23.0#	
1/,	 Screen includes two equal panels Center intersection allows for divider 	1-3/16 x 64 x 13"	CZBPSA6413/2					25.0#	
	screen attachment	1-3/16 x 72 x 13"	CZBPSA7213/2					26.0#	
		1-3/16 x 84 x 13"	CZBPSA8413/2					29.0#	
		1-3/16 x 90 x 13"	CZBPSA9013/2					30.0#	
CZPA		1-3/16 x 96 x 13"	CZBPSA9613/2					32.0#	
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSA9013/3					33.0#	
1/,	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 13"	CZBPSA9613/3					35.0#	
	attachment								
1/, 1/,									
CZPA									
			A	6	G	D	9	1	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect screen location.						
DAD	- Dual adder					
DST	- Dual starter					
SAD	- Single adder					
SST	- Single starter					

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

ESelect acrylic color. See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 13" High with Framed Acrylic Insert

ł	Acrylic	Acrylic
	Grade 1	Grade 2
5	349	\$ 425
	363	452
	387	507
	419	576
	420	577
	504	803
	518	816
	527	825
	531	831
	558	857
5		\$ 883
	728	939
	754	993
	819	1130
	821	1133
	828	1139
	6 1046	\$ 1314
ų		ş 1314 1427
	1098	1427

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



	MODEL NUMBER								
						End		Approx.	
			Basic	Screen	Paint	Cap		Packaged	
	MODEL	D x W x H	Model	Location	Color	Color	Acrylic	Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSA2419/1					14.0#	
	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 19"	CZBPSA3019/1					16.0#	
	 Standard top rail features one slot for 	1-3/16 x 36 x 19"	CZBPSA3619/1					18.0#	
//	hang-on accessories	1-3/16 x 42 x 19"	CZBPSA4219/1					19.0#	
	Integral linking strip included	1-3/16 x 48 x 19"	CZBPSA4819/1					21.0#	
CZPA	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 19"	CZBPSA5419/1					23.0#	
	rately	1-3/16 x 60 x 19"	CZBPSA6019/1					25.0#	
	Bottom of privacy screen is flush with	1-3/16 x 66 x 19"	CZBPSA6619/1					26.0#	
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSA7219/1					28.0#	
		1-3/16 x 78 x 19"	CZBPSA7819/1					30.0#	
	19" with Center Intersection	1-3/16 x 60 x 19"	CZBPSA6019/2					28.0#	
	Screen includes two equal panels	1-3/16 x 64 x 19"	CZBPSA6419/2					30.0#	
///	 Center intersection allows for divider screen attachment 	1-3/16 x 72 x 19"	CZBPSA7219/2					31.0#	
	Soloon attachment	1-3/16 x 84 x 19"	CZBPSA8419/2					35.0#	
		1-3/16 x 90 x 19"	CZBPSA9019/2					37.0#	
		1-3/16 x 96 x 19"	CZBPSA9619/2					38.0#	
CZPA									
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSA9019/3					40.0#	
The second second	Screen includes three equal panels	1-3/16 x 96 x 19"	CZBPSA9619/3					42.0#	
///	 Intersections allow for divider screen attachment 								
	attaonnont								
'//									
CZPA									
			•	6	G	D	9		
			•	•	Ŭ	0	Ŭ		

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select se	creen location.	
DAD	- Dual adder	
DST	- Dual starter	
SAD	- Single adder	
SST	 Single starter 	

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

ESelect acrylic color. See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 19" High with Framed Acrylic Insert

A	crylic rade 1	Acrylic Grade 2	
\$		\$ 523	
	418	574	
	471	713	
	485	727	
	486	728	
	670	1256	
	683	1268	
	693	1277	
	697	1283	
	723	1308	
\$	815	\$ 1127	
	874	1315	
	921	1404	
	949	1433	
	951	1435	
	957	1439	
\$	1213	\$ 1680	
	1236	1705	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



			MODEL NUMBER						
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight
*	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSA2413/1						10.0#
	 Aluminum powdercoated screen runs perpendicular to privacy screen 	1-3/16 x 30 x 13"	CZBDSA3013/1						12.0#
	 Bottom of divider screen rests on top of 	1-3/16 x 24 x 19"	CZBDSA2419/1						11.0#
	worksurface	1-3/16 x 30 x 19"	CZBDSA3019/1						13.0#
4	Must specify by location and fixed or								
CZDA	sliding function Standard top rail features one slot for 								
	hang-on accessories								
	 Integral linking strip included 								
			A	6	G	D	9	6	-

Indicate the following information on order form:

- Numity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select w	orksurface edge style.	
74P	- 74P edge	
KN	- Knife edge	

FLE	- Fixed left end
FMI	- Fixed middle
FRE	- Fixed right end
SLE	- Sliding left end
SMI	- Sliding middle
SRE	- Sliding right end
FFL	- Fixed freestanding left end
FFM	 Fixed freestanding middle
FFR	- Fixed freestanding right end

DSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

- Select acrylic color.
- See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select end cap color. Refer to color addendum at ki.com or KI

Above Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert

 Acrylic Grade 1
 Acrylic Grade 2

 \$ 330
 \$ 406

 336
 425

 376
 504

 397
 552

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



Above Worksurface Divider Screen

13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

	MODEL NUMBER								
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight
	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSA6013/1						17.0#
	 Aluminum powdercoated screen runs perpendicular to privacy screen 	1-3/16 x 66 x 13"	CZBDSA6613/1						19.0#
//,	 Bottom of divider screen rests on top of worksurface Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side For use on perpendicular worksurfaces 	1-3/16 x 72 x 13"	CZBDSA7213/1						20.0#
		1-3/16 x 78 x 13"	CZBDSA7813/1						21.0#
		1-3/16 x 60 x 19"	CZBDSA6019/1						22.0#
44		1-3/16 x 66 x 19"	CZBDSA6619/1						23.0#
CZDA		1-3/16 x 72 x 19"	CZBDSA7219/1						25.0#
	only	1-3/16 x 78 x 19"	CZBDSA7819/1						26.0#
	Standard top rail features one slot for								
	hang-on accessoriesIntegral linking strip included								
	 For use on Extended Corner, Return and 								
	Peninsula Worksurfaces								
			A	6	G	D	9	6	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect worksurface edge style. 74P - 74P edge
- Select screen location.
 FLE Fixed left end
 FMI Fixed middle
 FRE Fixed right end
- DSelect powdercoat.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select acrylic color. See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Above Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

\$ 478 \$ 778 494 793 500 798
500 798
521 821
649 1234
664 1250
671 1256
693 1277

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

MODEL NUMBER								
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSAT2413/1					13.0#
11	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 13"	CZBPSAT3013/1					14.0#
	 Tool rail features three slots for hang-on 	1-3/16 x 36 x 13"	CZBPSAT3613/1					16.0#
	accessories	1-3/16 x 42 x 13"	CZBPSAT4213/1					18.0#
	Integral linking strip included	1-3/16 x 48 x 13"	CZBPSAT4813/1					19.0#
CZPA	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 13"	CZBPSAT5413/1					21.0#
	rately	1-3/16 x 60 x 13"	CZBPSAT6013/1					22.0#
	Bottom of privacy screen is flush with	1-3/16 x 66 x 13"	CZBPSAT6613/1					24.0#
	bottom of worksurface	1-3/16 x 72 x 13"	CZBPSAT7213/1					25.0#
		1-3/16 x 78 x 13"	CZBPSAT7813/1					27.0#
~	13" with Center Intersection	1-3/16 x 60 x 13"	CZBPSAT6013/2					25.0#
	 Screen includes two equal panels Center intersection allows for divider 	1-3/16 x 64 x 13"	CZBPSAT6413/2					26.0#
	screen attachment	1-3/16 x 72 x 13"	CZBPSAT7213/2					28.0#
		1-3/16 x 84 x 13"	CZBPSAT8413/2			$\Box\Box\Box$		31.0#
		1-3/16 x 90 x 13"	CZBPSAT9013/2					33.0#
CZPA		1-3/16 x 96 x 13"	CZBPSAT9613/2					34.0#
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSAT9013/3					35.0#
	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 13"	CZBPSAT9613/3					37.0#
	attachment							
71. 71.								
CZPA								
			A	0	0	D	θ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select screen location.							
DAD	- Dual adder						
DST	- Dual starter						
SAD	- Single adder						
SST	- Single starter						

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select acrylic color. See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert

A	crylic rade 1	Acrylic Grade 2
\$	353	\$ 420
	375	465
	385	505
	441	596
	443	598
	531	830
	545	845
	560	858
	565	864
	603	902
\$		\$ 908
	740	939
	749	989
	861	1173
	950	1434
	963	1444
\$	1084	\$ 1351
Ψ	1109	1361
		1001

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



MODEL NUMBER								
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic	Approx. Packaged Weight
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSAT2419/1					15.0#
()	 Aluminum powdercoated screen runs along width of worksurface 	1-3/16 x 30 x 19"	CZBPSAT3019/1					17.0#
	 Tool features three slots for hang-on 	1-3/16 x 36 x 19"	CZBPSAT3619/1					19.0#
//	accessories	1-3/16 x 42 x 19"	CZBPSAT4219/1					21.0#
1 march 1	Integral linking strip included	1-3/16 x 48 x 19"	CZBPSAT4819/1					22.0#
CZPA	 Linking posts allow for perpendicular attachment of dividers, specified sepa- 	1-3/16 x 54 x 19"	CZBPSAT5419/1					24.0#
	 attachment of dividers, specified separately Bottom of privacy screen is flush with bottom of worksurface 	1-3/16 x 60 x 19"	CZBPSAT6019/1					26.0#
		1-3/16 x 66 x 19"	CZBPSAT6619/1					28.0#
		1-3/16 x 72 x 19"	CZBPSAT7219/1					30.0#
		1-3/16 x 78 x 19"	CZBPSAT7819/1					32.0#
	 19" with Center Intersection Screen includes two equal panels Center intersection allows for divider screen attachment 	1-3/16 x 60 x 19"	CZBPSAT6019/2					29.0#
		1-3/16 x 64 x 19"	CZBPSAT6419/2					31.0#
		1-3/16 x 72 x 19"	CZBPSAT7219/2					33.0#
1/1		1-3/16 x 84 x 19"	CZBPSAT8419/2					37.0#
		1-3/16 x 90 x 19"	CZBPSAT9019/2					39.0#
CZPA		1-3/16 x 96 x 19"	CZBPSAT9619/2					41.0#
~	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSAT9019/3					42.0#
	 Screen includes three equal panels Intersections allow for divider screen 	1-3/16 x 96 x 19"	CZBPSAT9619/3					44.0#
	attachment							
CZPA								
			۵	6	G	O	9	

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select se	creen location.	
DAD	- Dual adder	
DST	- Dual starter	
SAD	- Single adder	
SST	- Single starter	

Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select acrylic color. See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Acrylic Insert

A	crylic	Acrylic
	rade 1	Grade 2
\$	397	\$ 506
	431	586
	443	598
	506	747
	507	752
	697	1282
	711	1295
	726	1310
	731	1315
	768	1352
\$	839	\$ 1151
	850	1164
	865	1175
	991	1474
	995	1477
	998	1479
\$	1249	\$ 1716
φ	1283	1750
	1200	1750

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.



Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Acrylic Insert

			MODEL NUMBE	MODEL NUMBER					
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic	
*	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSAT2413/1						
	 Aluminum powdercoated screen runs perpendicular to privacy screen 	1-3/16 x 30 x 13"	CZBDSAT3013/1						
	 Bottom of divider screen rests on top of 	1-3/16 x 24 x 19"	CZBDSAT2419/1						
	worksurface	1-3/16 x 30 x 19"	CZBDSAT3019/1						
	Must specify by location and fixed or								
CZDA	sliding function Tool rail features three slots for hang-on 								
	accessories								
	 Integral linking strip included 								
			A	0	0	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- Numity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wor	rksurface edge style.	
74P	- 74P edge	
KN	- Knife edge	

CSelect	screen	location
	3010011	iocation.

FLE	- Fixed left end
FMI	- Fixed middle
FRE	- Fixed right end
SLE	- Sliding left end
SMI	- Sliding middle
SRE	- Sliding right end
FFL	- Fixed freestanding left end
FFM	 Fixed freestanding middle
FFR	- Fixed freestanding right end

DSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select end cap color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select acrylic color.

See pricing columns for acrylic color charges. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Acrylic Insert

14

Approx. Packaged Weight	Acr <u>:</u> Gra		Ac Gra	rylic ade 2	
10.0#	\$	335	\$	401	
12.0#		354		445	
12.0#		377		485	
14.0#		409		564	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

			MODEL NUMBER						
	MODEL	D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic	
	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSAT6013/1						
	 Aluminum powdercoated screen runs 	1-3/16 x 66 x 13"	CZBDSAT6613/1						
	 perpendicular to privacy screen Bottom of divider screen rests on top of 	1-3/16 x 72 x 13"	CZBDSAT7213/1						
	worksurface	1-3/16 x 78 x 13"	CZBDSAT7813/1						
	Attaches at end or intersection of privacy	1-3/16 x 60 x 19"	CZBDSAT6019/1						
	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSAT6619/1						
ZDA	 For use on perpendicular worksurfaces 	1-3/16 x 72 x 19"	CZBDSAT7219/1						
	only	1-3/16 x 78 x 19"	CZBDSAT7819/1						
	Tool rail features three slots for hang-on								
	accessoriesIntegral linking strip included								
	 For use on Extended Corner, Return and 								
	Peninsula Worksurfaces								
			A	B	G	D	Ð	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect worksurface edge style. 74P - 74P edge
- **A**

Select screen location.
FLE - Fixed left end
FMI - Fixed middle
FRE - Fixed right end

DSelect powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select acrylic color.
 See pricing columns for acrylic color charges.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

4

Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

Approx. Packaged Weight	Acrylic Grade 1	Acrylic Grade 2	
19.0#	\$ 513	\$ 812	
20.0#	535	832	
22.0#	540	838	
23.0#	573	872	
23.0#	677	1261	
25.0#	697	1282	
27.0#	703	1289	
29.0#	737	1323	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories Steel Modesty Panel for Use on 29" Assemblies

			MODEL NU	MBER		
	MODEL	W x H	Basic Model	Paint Color	Approx. Packaged Weight	
	Steel Modesty Panel	18-1/2 x 10"	CZBMP24		6.0#	
	 Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" 	24-1/2 x 10"	CZBMP30		7.0#	
	center-to-center spacing	30-1/2 x 10"	CZBMP36		9.0#	
	 14 gauge powdercoated steel Reveal of approximately 1" is present between panel and leg Assembly includes panel, brackets and mounting screws For use on 29" assemblies 	36-1/2 x 10"	CZBMP42		10.0#	
		42-1/2 x 10"	CZBMP48		11.0#	
		48-1/2 x 10"	CZBMP54		13.0#	
CZMP		54-1/2 x 10"	CZBMP60		14.0#	
		58-1/2 x 10"	CZBMP64		15.0#	
		60-1/2 x 10"	CZBMP66		16.0#	
		66-1/2 x 10"	CZBMP72		17.0#	
		72-1/2 x 10"	CZBMP78		18.0#	
		78-1/2 x 10"	CZBMP84		19.0#	
		84-1/2 x 10"	CZBMP90		20.0#	
		90-1/2 x 10"	CZBMP96		22.0#	
			A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delive Pricin	
\$ 1	
1	
1	
1	
2	
2	
2	
2	
2	
2	
2	
3	
3	
3	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories Data Cable and Cord Management

			MODEL NU	MDED		
					Approx.	
	MODEL	WxL	Basic Model	Paint Color	Packaged Weight	
	Cable Tray Assemblies	12-5/8 x 28"	CZBCT36		8.0#	
No.	 Included in standard dual frame model 	12-5/8 x 34"	CZBCT42		9.0#	
	numbersCable tray assembly attaches to beams	12-5/8 x 40"	CZBCT48		10.0#	
\$// <i>\</i>	under power harness to manage cords	12-5/8 x 46"	CZBCT54		11.0#	
	For use with dual-sided applications only	12-5/8 x 52"	CZBCT60		12.0#	
CZBC	 Supports hard-wired or plug-and-play applications 	12-5/8 x 58"	CZBCT64		13.0#	
	 applications 48-72" assemblies feature a single tray 78-96" applications feature two side-by-side trays Not for use on Teaming Tables 	12-5/8 x 58"	CZBCT66		14.0#	
		12-5/8 x 64"	CZBCT72		15.0#	
		12-5/8 x 70"	CZBCT78		17.0#	
		12-5/8 x 76"	CZBCT84		18.0#	
		12-5/8 x 82"	CZBCT90		19.0#	
		12-5/8 x 88"	CZBCT96		20.0#	
	Dual Adder Leg Cable Riser		CZBDACR		5.0#	
	Cable riser conceals power cords at any intermediate/adder leg location					
E P	Riser consists of front and rear panels					
	with support hook					
	 Panels fit between vertical legs and extend the entire width of leg opening to 					
	create enclosure					
	For use on 29" intermediate/adder leg in					
·	dual-sided applications only					
CZBR						
			A	ß		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accessories Data Cable and Cord Management

Del	ivered cing	
\$	182	
	186	
	190	
	192	
	236	
	237	
	237	
	242	
	323	
	338	
	351	
	364	
\$	199	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NU	MBER		
	MODEL	Basic Model	Color	Approx. Packaged Weight	
HRDPT	LED Double Arm Task Light with Free- standing Base Includes light and base 7 watts, 18 fractional LED's Automatic shut-off after 10 hours 50,000 hour life Aluminum and plastic construction Touch and hold dimming Base is 6.5' in diameter and 1-1/4" high Light paddle is approximately 5 x 4" Horizontal arm extends 15" with paddle from vertical arm 6 foot cord	CZBTLF		6.0#	
HRDPT	 LED Double Arm Task Light, Tool Rail Mount Includes light and tool rail mount 7 watts, 18 fractional LED's Automatic shut-off after 10 hours 50,000 hour life Aluminum and plastic construction Touch and hold dimming Mounting clip measures 3.5 x 3.5" Horizontal arm extends 15" with paddle from vertical arm 6 foot cord 	CZBTLT	B	2.0#	
		U U	U		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Delivered Pricing		
\$ 376		

\$ 371

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories Task Lights with Occupancy Sensors

		MODEL NU	MBER	
	MODEL	Basic Model CZBTLOF	Color	Approx. Packaged Weight 6.0#
	LED Double Arm Task Light with Occu- pancy Sensor and Freestanding Base	02DTEOT		0.07
HRDPT	 Includes light and base 7 watts, 18 fractional LED's Automatic shut-off after 30 minutes of non-movement near light 50,000 hour life Aluminum and plastic construction Touch and hold dimming Base is 6-1/5" in diameter and 1-1/4" high Light paddle is approximately 5 x 4" Horizontal arm extends 15" with paddle from vertical arm 6 foot cord 			
HRDPT	 LED Double Arm Task Light with Occupancy Sensor and Tool Rail Mount Includes light and tool rail mount 7 watts, 18 fractional LED's Automatic shut-off after 30 minutes of non-movement near light 50,000 hour life Aluminum and plastic construction Touch and hold dimming Mounting clip measures 3-1/2 x 3-1/2" Horizontal arm extends 15" with paddle from vertical arm 6 foot cord 	CZBTLOT		2.0#
		A	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Delivered Pricing			
\$ 453			

\$ 448

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories

		MODEL NU	MBER			
	MODEL	Basic Model	Color	Approx. Packaged Weight		
HRDPT	Freestanding Base (Retrofit or Replace- ment)	CZBTLBASE		5.0#		
HRDPT	Tool Rail Mount Base (Retrofit or Replacement)	CZBTLTOOL		1.0#		
		•	•			

A B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Accessories

Deliv Prici	vered ing	
\$	82	
\$	77	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

				1
		MODEL NUM	BER	
	MODEL	Basic Model	Paint Color	Approx. Packaged Weight
HRDPT	 Asymmetrical LED Task Light with Freestanding Base Includes light and base Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 13" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 5-1/4" square base; 1" high 3.7 x 3.1" light paddle 	LEDTL4WF		6.0#
HRDPT	 Asymmetrical LED Task Light with Small Divider Mount Clamp Includes light and mount with 1/4" to 3/8" thickness range Asymmetrical illumination projects 98 foot-candles on the desktop approxi- mately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 10" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone frame- less privacy screens 			2.0#
		A	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered		
Delivered Pricing		
\$ 360		

\$ 348

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

MODEL Basic Model Paint Color Approx. Packaged Weight Asymmetrical LED Task Light with Large Divider Mount LED Task Light with Large LED Task Light with Large LED Task Light with Large HRDPT Includes light and mount with 1/2" to 1-1/2" thickness range on candles on the desktop approxi- mately one foot in front of the light head 			MODEL NUM	DED			
Wider Mount Includes light and mount with 1/2" to 1-1/2" thickness range Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head HRDPT Standard occupancy sensor shuts off after 30 minutes of inactivity 4. Zwatts energy consumption 7 LED's 10" arm • Continuous touch and hold dimming from 100% to 15% • Aluminum, zinc and plastic construction • 15 watt wall transformer with 9 foot cord • 4 toot silver cord with quick connector • U. compliant • 3.7 x 3.1" light paddle • Appropriate for Connection Zone framed privacy screens		MODEL	Basic Model	Paint Color	Packaged Weight		
 Includes light and mount with 1/2" to 1-1/2" thickness range Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption 7 LED's 10" arm Continuous touch and hold dimming from 100% to 15% Autimum, zince and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with guick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 	\frown		LEDTL4WDLG		2.0#		
HRDPT 1-1/2" thickness range • Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head • Standard occupancy sensor shuts off after 30 minutes of inactivity • 4.2 watts energy consumption • 7 LED's • 10' arm • Continuous touch and hold dimming from 100% to 15% • Aluminum, zinc and plastic construction • 15 watt wall transformer with 9 foot cord • 4 foot silver cord with quick connector • UL compliant • 3.7 x 3.1" light paddle • Appropriate for Connection Zone framed privacy screens	4						
HRDPT - Asymmetrical illumination projects 98 foot-candles on the desktop approxi- mately one foot in front of the light head - HRDPT - Standard occupancy sensor shuts off after 30 minutes of inactivity - 4.2 watts energy consumption - 7 LED's - 10' arm - Continuous touch and hold dimming from 100% to 15% - Aluminum, zinc and plastic construction - 15 watt wall transformer with 9 foot cord - 4 foot silver cord with quick connector - U compliant - 3.7 x 3.1" light paddle - Appropriate for Connection Zone framed privacy screens -							
mately one foot in front of the light head Image: Standard occupancy sensor shuts off after 30 minutes of inactivity HRDPT • Standard occupancy sensor shuts off after 30 minutes of inactivity • 4.2 watts energy consumption • 7 LED's • 10" arm • Continuous touch and hold dimming from 100% to 15% • Aluminum, zinc and plastic construction • 15 watt wall transformer with 9 foot cord • 1 foot silver cord with quick connector • U compliant • 3.7 x 3.1" light padele • Appropriate for Connection Zone framed privacy screens		 Asymmetrical illumination projects 98 					
HRDPT Standard occupancy sensor shuts off after 30 minutes of inactivity 4.2 watts energy consumption • 7 LED's • 10° arm • Continuous touch and hold dimming from 100% to 15% • 10° arm • Aluminum, zinc and plastic construction • 15 watt wall transformer with 9 foot cord • 4 foot silver cord with quick connector • UL compliant • 3.7 x 3.1" light paddle • Appropriate for Connection Zone framed privacy screens	P						
after 30 minutes of inactivity 4.2 watts energy consumption • 4.2 watts energy consumption • • 7 LED's • • 10° arm • • Continuous touch and hold dimming from 100% to 15% • • Aluminum, zinc and plastic construction • • 15 watt wall transformer with 9 foot cord • • 4 foot silver cord with quick connector • • UL compliant • • 3.7 x 3.1" light paddle • • Appropriate for Connection Zone framed privacy screens •	÷						
 7 LED's 10" arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 	HRDPT	after 30 minutes of inactivity					
 10° arm Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 							
 Continuous touch and hold dimming from 100% to 15% Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 							
 Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 		Continuous touch and hold dimming					
 15 watt wall transformer with 9 foot cord 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 							
 4 foot silver cord with quick connector UL compliant 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 		 Aluminum, zinc and plastic construction 15 watt wall transformer with 9 foot cord 					
 3.7 x 3.1" light paddle Appropriate for Connection Zone framed privacy screens 		• 4 foot silver cord with quick connector					
Appropriate for Connection Zone framed privacy screens		• UL compliant					
privacy screens							
			•	-			
			A	₿			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

4

Delivered		
Delivered Pricing		
\$ 348		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NUM	VIBER			
	MODEL	Basic Model	Paint Color	Approx. Packaged Weight		
HRDPT	Freestanding Base For replacement or retrofit 	LEDTLBASE		5.0#		
HRDPT	Small Divider Mount 1/4" to 3/8" thickness range For replacement or retrofit 	LEDTLMTSM		1.0#		
HRDPT	Large Divider Mount 1/2" to 1-1/2" thickness range For replacement or retrofit 	LEDTLMTLG		1.0#		
		A	6			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deliv Prici	rered ng	
\$	80	
\$	75	
\$	75	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Accessories **Tool Rail Accessories**

			MODEL	NUMBER	-
	rail Pencil Holder Steel construction Suspends from screen top rail or to rail Box Steel construction Suspends from screen top rail or to rail Cell Phone Holder Steel construction Cell Phone Holder Steel construction Mame Plate Holder Steel construction	W x D x H	Basic Model	Powdercoat Color	Approx. Packaged Weight
	Paper Tray	11-3/8 x 8-7/8 x 1-5/8"	CZBPML		3.0#
	 Accepts letter sized papers Suspends from screen top rail or tool 				
HRDPT					
	 Steel construction Suspends from screen top rail or tool 	2-1/4 X 1-5/8 X 4-3/4"	CZBPMP		0.5#
HRDPT					
		3 x 3-1/2 x 3"	CZBPMB		0.5#
	 Suspends from screen top rail or tool 				
HRDPT					
	 Steel construction Suspends from screen top rail or tool rail Lower edge is extended to allow for 	3-1/8 x 1-1/8 x 5-1/4"	CZBPMC		0.5#
HRDPT					
HRDPT		5-1/8 x 1 x 1-5/8"	CZBPMN		0.5#
			A	0	_

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Accessories **Tool Rail Accessories**

Deli\ Prici	vered ing	
\$	49	
\$	29	
\$	30	
Ψ	50	
\$	28	
*		
\$	29	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER						
	MARE	D 11/	Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	DxW	Model	Style	Location	Color	Finish	Color	Color
\sim	Single-Sided Applications with One	24 x 48	CZBCWR24481MP						
	 Cutout Option Support frames are specified separately Predrilled for compatibility with cafe height bases 	24 x 54	CZBCWR24541MP						
CZRC	42" assembled height								
	 C grommet option only Features perforated steel modesty panel 								
	Unpowered								
	See grommet locations below								
 >.<	Single-Sided Applications with One or	24 x 60	CZBCWR24601MP						
	Two Cutout Options	24 x 64	CZBCWR24641MP						
	 Support frames are specified separately Predrilled for compatibility with cafe 	24 x 66	CZBCWR24661MP						
	height bases	24 x 72	CZBCWR24721MP						
× / P	42" assembled height	24 x 78	CZBCWR24781MP						
	 L and R grommet locations are centered for two users 	24 x 84	CZBCWR24841MP						
	• Unpowered								
CZRC	Features perforated steel modesty panelSee grommet locations below								
	Single-Sided Applications with One, Two	24 x 90	CZBCWR24901MP						
	or Three Cutout Options	24 x 96	CZBCWR24961MP						
	 Support frames are specified separately Predrilled for compatibility with cafe 								
	height bases								
	 42" assembled height C and LCR grommet locations are 								
	centered for three users								
	• L, R and LR grommet locations are								
	centered for two usersUnpowered								
CZRC	• Features perforated steel modesty panel								
	See grommet locations below								
			A	B	C	D	Θ	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 74P edge 74P KN - Knife edge

CSelect grommet location.

- Ν - No Grommet - Grommet : Left; add \$25 C
- Grommet : Center; add \$25 R - Grommet : Right; add \$25
- Grommet : Left/right; add \$49 LR
- Grommet : Left/center/right; LCR add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- **B**Select surface finish. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder. Select edge color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

	\checkmark	\bigcirc	1
74F (74	P Edge IP)		
\$	496	\$ 519	
	559	589	
	74 (74 \$	(74P) (H \$ 496 \$	(74P) (KN) \$ 496 \$ 519

69.0#	\$ 581	\$ 611	
73.0#	640	674	
75.0#	647	682	
82.0#	661	696	
88.0#	712	747	
95.0#	727	763	

1	101.0#	\$ 754	:	\$ 794
1	108.0#	774		813

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
~~	Single-Sided Applications with One	24 x 48	CZBCWR2448S1MP							
× h	Cutout Option	24 x 54	CZBCWR2454S1MP							
	 Support frames are specified separately Predrilled for compatibility with cafe 									
	 Predmed for compatibility with care height bases 									
CZRC	 42" assembled height 									
	C grommet option only									
	 Features perforated steel modesty panel Single power harness included; 									
	receptacles, infeeds and table-to-table									
	jumpers must be specified separately									
	 Single power harness accommodates up to two receptacles 									
	 See grommet locations below 									
	Single-Sided Applications with One or	24 x 60	CZBCWR2460S1MP							
× >>	Two Cutout Options	24 x 72	CZBCWR2472S1MP							
	Support frames are specified separatelyPredrilled for compatibility with cafe									
	 Predmed for compatibility with care height bases 									
	 42" assembled height 									
	• L and R grommet locations are centered									
	for two users Features perforated steel modesty panel 									
r 🗸	 Single power harness included; 									
CZRC	receptacles, infeeds and table-to-table									
	jumpers must be specified separately • Single power harness accommodates up									
	to two receptacles									
	See grommet locations below									
			A	₿	G	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. - 74P edge

74P KN - Knife edge


©Select grommet location. Ν - No Grommet

- Grommet : Left; add \$25 - Grommet : Center; add \$25 C
- R - Grommet : Right; add \$25 LR - Grommet : Left/right; add \$49
- Grommet : Left/center/right; LCR
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **G**Select modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 42" Height 24" Deep, Powered, with Modesty Panel and Single Power Harness for use with Cafe Height Frames



80.0#	\$ 795	\$ 825	
94.0#	927	962	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
A C C C C C C C C C C C C C C C C C C C	 Single-Sided Applications with One or Two Cutout Options Support frames are specified separately Predrilled for compatibility with cafe height bases 42" assembled height L and R grommet locations are centered for two users Features perforated steel modesty panel Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately 	24 x 60 24 x 64 24 x 66 24 x 72 24 x 78 24 x 84	CZBCWR2460D1MP CZBCWR2464D1MP CZBCWR2466D1MP CZBCWR2472D1MP CZBCWR2478D1MP CZBCWR2478D1MP						
	 Double power harness accommodates up to four receptacles See grommet locations below Single-Sided Applications with One, Two or Three Cutout Options Support frames are specified separately 	24 x 90 24 x 96	CZBCWR2490D1MP CZBCWR2496D1MP						
	 Predrilled for compatibility with cafe height bases 42" assembled height C and LCR grommet locations are centered for three users L, R and LR grommet locations are centered for two users Features perforated steel modesty panel 								
RC	 Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Double power harness accommodates up to four receptacles See grommet locations below 								
			A	6	G	D	A	ß	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location. N

- No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25 Ē
- Grommet : Right; add \$25 R
- Grommet : Left/right; add \$49 LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 42" Height 24" Deep, Powered, with Modesty Panel and Double Power Harness for use with Cafe Height Frames

4

	*		
Approx.			
Packaged	74P Edge	Knife Edge	
Weight	(74P)	(KN)	
80.0#	\$ 951	\$ 982	
84.0#	999	1022	
86.0#	1039	1052	
94.0#	1052	1087	
101.0#	1088	1123	
108.0#	1112	1147	

116.0#	\$ 1151	\$ 1190
124.0#	1180	1220

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 42" Height 30" Deep, Unpowered, with Modesty Panel for use with Cafe Height Frames

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One	30 x 48	CZBCWR30481MP						
No.	Cutout Option	30 x 54	CZBCWR30541MP						
CZRC	 Support frames are specified separately Predrilled for compatibility with cafe height bases 42" assembled height C grommet option only Features perforated steel modesty panel Unpowered 								
	See grommet locations below								
	Single-Sided Applications with One or	30 x 60	CZBCWR30601MP						
	Two Cutout Options	30 x 64	CZBCWR30641MP						
No.	Support frames are specified separately	30 x 66	CZBCWR30661MP						
	 Predrilled for compatibility with cafe height bases 	30 x 72	CZBCWR30721MP						
	 42" assembled height 	30 x 78	CZBCWR30781MP						
	L and R grommet locations are centered for two users	30 x 84	CZBCWR30841MP						
	 Unpowered Features perforated steel modesty panel								
ZRC	See grommet locations below								
<u>></u> .	Single-Sided Applications with One, Two		CZBCWR30901MP						
	or Three Cutout Options Support frames are specified separately Predrilled for compatibility with cafe height bases 	30 x 96	CZBCWR30961MP						
	 42" assembled height 								
*	 C and LCR grommet locations are centered for three users 								
	 L, R and LR grommet locations are 								
	centered for two users								
~	 Unpowered Features perforated steel modesty panel								
ZRC	See grommet locations below								
			A	B	G	D	Đ	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. - 74P edge 74P

KN - Knife edge

CSelect grommet location. Ν - No Grommet

- Grommet : Left; add \$25 C
- Grommet : Center; add \$25 R - Grommet : Right; add \$25
- Grommet : Left/right; add \$49 LR
- Grommet : Left/center/right; LCR add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

- Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

		\checkmark	\leqslant	
Approx. Packaged Weight	74F (74	P Edge IP)	Kni (KN	fe Edge I)
66.0#	\$	529	\$	556
75.0#		587		620

82.0#	\$ 609	\$ 641	
87.0#	662	713	
90.0#	719	761	
98.0#	733	776	
106.0#	798	844	
113.0#	813	859	

121.0	# 9	\$ 824	\$ 869	
129.0	#	844	888	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.



Single-Sided Rectilinear Worksurfaces 42" Height 30" Deep, Powered, with Modesty Panel and Single Power Harness for use with Cafe Height Frames

			MODEL NUMBER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One Cutout Option • Support frames are specified separately	30 x 48 30 x 54	CZBCWR3048S1MP CZBCWR3054S1MP						
ZRC	 Predrilled for compatibility with cafe height bases 42" assembled height 								
	 C grommet option only Features perforated steel modesty panel Single power harness included; receptacles, infeeds and table-to-table 								
	jumpers must be specified separately Single power harness accommodates up to two receptacles								
	See grommet locations below								
	Single-Sided Applications with One or	30 x 60	CZBCWR3060S1MP						
	Two Cutout Options Support frames are specified separately Predrilled for compatibility with cafe 	30 x 72	CZBCWR3072S1MP						
	 height bases 42" assembled height L and R grommet locations are centered 								
	for two users Features perforated steel modesty panel Single power harness included; 								
ZRC	receptacles, infeeds and table-to-table jumpers must be specified separately • Single power harness accommodates up								
	to two receptacles See grommet locations below 								
			A	6	G	D	G	G	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

 74P
 - 74P edge

 KN
 - Knife edge

Select grommet location.

 N
 - No Grommet

 L
 - Grommet : Left; add \$25

 C
 - Grommet : Center; add \$25

- R- Grommet : Right; add \$25LR- Grommet : Left/right; add \$49
- LCR Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models L - Pick only for models 60" and longer
- R Pick only for models 60" and longer LR - Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

OSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.


GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

© Select modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 42" Height 30" Deep, Powered, with Modesty Panel and Single Power Harness for use with Cafe Height Frames



110.0# 998 1042	93.0#	\$ 823	\$ 856
	110.0#	998	1042

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
ARC	 Single-Sided Applications with One or Two Cutout Options Support frames are specified separately Predrilled for compatibility with cafe height bases 42" assembled height L and R grommet locations are centered for two users Features perforated steel modesty panel Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately Double power harness accommodates 	30 x 60 30 x 64 30 x 66 30 x 72 30 x 78 30 x 84	CZBCWR3060D1MP CZBCWR3064D1MP CZBCWR3066D1MP CZBCWR3072D1MP CZBCWR3078D1MP CZCBWR3084D1MP						
	up to four receptacles • See grommet locations below Single-Sided Applications with One, Two or Three Cutout Options • Support frames are specified separately • Predrilled for compatibility with cafe height bases	30 x 90 30 x 96	CZBCWR3090D1MP CZBCWR3096D1MP						
ZRC	 42° assembled height C and LCR grommet locations are centered for three users L, R and LR grommet locations are centered for two users Features perforated steel modesty pane Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Double power harness accommodates up to four receptacles See grommet locations below 								
			•	6	G	D	0	6	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

N - No Grommet - Grommet : Left; add \$25 - Grommet : Center; add \$25 Ē

- Grommet : Right; add \$25 R
- Grommet : Left/right; add \$49 LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models
- L Pick only for models 60" and longer R - Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Single-Sided Rectilinear Worksurfaces 42" Height 30" Deep, Powered, with Modesty Panel and Double Power Harness for use with Cafe Height Frames

4

X.	Kalfa Estas

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	
93.0#	\$ 979	\$ 1011	
99.0#	1022	1067	
101.0#	1076	1120	
110.0#	1124	1167	
119.0#	1173	1218	
126.0#	1198	1244	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
CZRC	 One Cutout Option Single piece top Specify only with 24" fixed cafe height frames, specified separately 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions on both sides C grommet option only Unpowered See grommet locations below 	42 x 48 42 x 54	CZBCWR4248TMP CZBCWR4254TMP						
CZRC	 One or Two Cutout Options Single piece top Specify only with 24" fixed cafe height frames, specified separately 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions on both sides LR grommet locations are centered for two users Unpowered See grommet locations below 	42 x 60 42 x 66 42 x 72 42 x 78 42 x 84	CZBCWR4260TMP CZBCWR4266TMP CZBCWR4272TMP CZBCWR4278TMP CZBCWR4284TMP						
			۵	₿	Θ	D	9	6	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet - Grommet : Center; add \$25 - Grommet : Left/right; add \$49 C
- LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models

GSelect surface finish.

C - Pick for all models LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



122.0#	\$ 913	\$ 946
134.0#	1050	1093
145.0#	1080	1123
157.0#	1165	1211
170.0#	1196	1242

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
	One, Two or Three Cutout Options	42 x 90	CZBCWR4290TMP							
	Single piece top	42 x 96	CZBCWR4296TMP							
× norther that the second seco	 Specify only with 24" fixed cafe height frames, specified separately 									
	• 9" clearance between modesty panel and									
	edge of worksurface and is intended for standing approach only									
×/2	 Knife edge when specified is featured on 									
	width dimensions only									
	 Features modesty panels along width dimensions on both sides 									
	C and LCR grommet locations are									
CZRC	centered for three usersLR grommet locations are centered for									
02110	two users									
	Unpowered									
	See grommet locations below									
			A	₿	C	D	Ð	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

- BSelect edge style. 74P KN - 74P edge - Knife edge
- ©Select grommet location.
 - N - No Grommet - Grommet : Center; add \$25 - Grommet : Left/right; add \$49 C LR
 - LCR - Grommet : Left/center/right;
 - add \$74
 - N Pick for all models
 - C Pick for all models LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

- Select edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish. Refer to color addendum at ki.com or KI



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
		42 x 48	CZBCWR4248STMP							
*	One Cutout Option	42 x 54	CZBCWR4254STMP							
	 Single piece top Specify only with 24" fixed cafe height 									
	frames, specified separately									
	9" clearance between modesty panel and									
IC	edge of worksurface and is intended for standing approach only									
	Knife edge when specified is featured on									
	width dimensions onlyFeatures modesty panels along width									
	dimensions on both sides									
	 Single power harness included; receptacles, infeeds and table-to-table 									
	jumpers are specified separately									
	Single power harness accommodates up									
	to two receptacles C grommet option only 									
	 See grommet locations below 									
	One or Two Cutout Options	42 x 60	CZBCWR4260STMP							
*	Single piece top	42 x 72	CZBCWR4272STMP							
	 Specify only with 24" fixed cafe height 									
\sim	frames, specified separately9" clearance between modesty panel and									
	edge of worksurface and is intended for									
127	standing approach only									
	 Knife edge when specified is featured on width dimensions only 									
	 Features modesty panels along width 									
0	dimensions on both sidesSingle power harness included;									
	receptacles, infeeds and table-to-table									
	jumpers are specified separately									
	 Single power harness accommodates up to two receptacles 									
	LR grommet locations are centered for									
	two users See grommet locations below 									
	- See grommer locations below					-				
			A	0	C	D	Ø	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

C Select grommet location.

- N - No Grommet C
- Grommet : Center; add \$25 Grommet : Left/right; add \$49 LR
- LCR - Grommet : Left/center/right; add \$74
- N Pick for all models
- C Pick for all models
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect power channel and cable tray powdercoat color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx.



Packaged Weight	(74 (74	P Edge IP)	
105.0#	\$	926	
119.0#		1042	

Knife E (KN)
(111)



Kn (Kl	ife Edge V)	
\$	983	
	1074	

131.0#	\$ 1126	\$;	1159
155.0#	1346		1388

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Teaming Rectilinear Worksurfaces 42" Height 42" Deep, Powered with Double Power Harness and Two Modesty Panels for use with Cafe Height Frames

	MODEL NUMBER									
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat	
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color	
	One or Two Cutout Options	42 x 60	CZBCWR4260DTMP							
	Single piece top	42 x 66	CZBCWR4266DTMP							
	 Specify only with 24" fixed cafe height frames, specified separately 	42 x 72	CZBCWR4272DTMP							
	 9" clearance between modesty panel and 	42 x 78	CZBCWR4278DTMP							
	edge of worksurface and is intended for	42 x 84	CZBCWR4284DTMP							
N N	standing approach only									
	 Knife edge when specified is featured on width dimensions only 									
	 Features modesty panels along width 									
\succ	dimensions front and back									
CZRC	 Double power harness included; receptacles, infeeds and table-to-table 									
	jumpers are specified separately									
	Double power harness accommodates									
	up to four receptacles									
	 LR grommet locations are centered for two users 									
	 See grommet locations below 									
	0									
	One, Two or Three Cutout Options	42 x 90	CZBCWR4290DTMP							
	Single piece top	42 x 96	CZBCWR4296DTMP							
*//2	Specify only with 24" fixed cafe height									
	frames, specified separately • 9" clearance between modesty panel and									
	edge of worksurface and is intended for									
	standing approach only									
	 Knife edge when specified is featured on width dimensions only 									
	 Features modesty panels along width 									
	dimensions front and back									
<i>v</i>	Double power harness included;									
CZRC	receptacles, infeeds and table-to-table jumpers are specified separately									
02110	 Double power harness accommodates 									
	up to four receptacles									
	LR grommet locations are centered for two uppers									
	two usersSee grommet locations below									
	ees gronnier looutions bolow									
					•	•	-		•	1
			A	B	C	O	Ø	6	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

- No Grommet Ν C
- Grommet : Center; add \$25 Grommet : Left/right; add \$49 LR
- LCR - Grommet : Left/center/right; add \$74
- N Pick for all models
- C Pick for all models
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

- ESelect edge color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect power channel and cable tray powdercoat color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish. Refer to color addendum at ki.com or KI





	\bigcirc	
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)

133.0#	\$ 1282	\$ 1315
146.0#	1407	1449
157.0#	1471	1514
171.0#	1542	1586
184.0#	1581	1630

197.0#	\$ 1610	\$ 1655
208.0#	1658	1704

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	One Cutout Option	48 x 48	CZBCWR4848TMP						
	 Single piece top Specify only with 24" fixed cafe height frames, specified separately 	48 x 54	CZBCWR4854TMP						
	 12" clearance between modesty panel & edge of worksurface offers stool seating 								
IRC	 Knife edge when specified is featured on width dimensions only 								
	 Features modesty panels along width dimensions front and back 								
	C grommet option only								
	 UnpoweredSee grommet locations below								
~ ~	One or Two Cutout Options	48 x 60	CZBCWR4860TMP						
*	Knife edge when specified is featured on	48 x 66	CZBCWR4866TMP						
		48 x 72 48 x 78	CZBCWR4872TMP CZBCWR4878TMP						
			CZBCWR48781MP						
	 width dimensions only Features modesty panels along width dimensions front and back LR grommet locations are centered for 								
RC	 Unpowered See grommet locations below 								
	- oce grommer locations below								
			A	B	G	D	B	ß	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. 74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet - Grommet : Center; add \$25 - Grommet : Left/right; add \$49 C
- LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models
- C Pick for all models LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- **D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Unpowered with Two Modesty Panels for use with Cafe Height Frames



122.0#	\$ 913	\$ 947
134.0#	1051	1094
145.0#	1082	1124
157.0#	1165	1211
170.0#	1196	1242

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Unpowered with Two Modesty Panels for use with Cafe Height Frames

			MODEL NUMBER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
	One, Two or Three Cutout Options	48 x 90	CZBCWR4890TMP							
	Single piece top	48 x 96	CZBCWR4896TMP							
× z z z	 Specify only with 24" fixed cafe height frames, specified separately 									
	• 12" clearance between modesty panel &									
	edge of worksurface offers stool seatingKnife edge when specified is featured on									
× / 2	width dimensions only									
	 Features modesty panels along width 									
	dimensions front and backC and LCR grommet locations are									
	centered for three users									
0700	LR grommet locations are centered for									
CZRC	two users • Unpowered									
	See grommet locations below									
			•		•			_	•	
			A	B	C	D	9	6	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

©Select grommet location.

- N - No Grommet - Grommet : Center; add \$25 - Grommet : Left/right; add \$49 C LR
- LCR - Grommet : Left/center/right;
- add \$74 N - Pick for all models
- C Pick for all models

GSelect surface finish.

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

ESelect edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Unpowered with Two Modesty Panels for use with Cafe Height Frames



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Powered with Single Power Harness and Two Modesty Panels for use with Cafe Height Frames

width dimensions only • Features modesty panels along width dimensions front and back • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles • • • • • • • • • • • • • • • • • • •										
MODEL Dx W Model Style Location Color Finish Color 0e Cutout Option 48 x 48 C28CWR444SSTMP 0 0 0 0 • Specify only with 24 'ixed cate height reserve coffers stol seating 48 x 54 C28CWR485STMP 0 0 0 0 • 12' clearance between modesty panel & edge of worksurface offers stol seating 6 0 0 0 0 0 • Knife edge when specified is featured on width dimensions stort and back • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness accommodates up to two receptacles 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fummes specified separately 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fume sports are specified separately 0 0 0 0 0 0 • Specify only				MODEL NUMBER						
MODEL Dx W Model Style Location Color Finish Color 0e Cutout Option 48 x 48 C28CWR444SSTMP 0 0 0 0 • Specify only with 24 'ixed cate height reserve coffers stol seating 48 x 54 C28CWR485STMP 0 0 0 0 • 12' clearance between modesty panel & edge of worksurface offers stol seating 6 0 0 0 0 0 • Knife edge when specified is featured on width dimensions stort and back • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness accommodates up to two receptacles 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fummes specified separately 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fume sports are specified separately 0 0 0 0 0 0 • Specify only										
MODEL Dx W Model Style Location Color Finish Color 0e Cutout Option 48 x 48 C28CWR444SSTMP 0 0 0 0 • Specify only with 24 'ixed cate height reserve coffers stol seating 48 x 54 C28CWR485STMP 0 0 0 0 • 12' clearance between modesty panel & edge of worksurface offers stol seating 6 0 0 0 0 0 • Knife edge when specified is featured on width dimensions stort and back • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately 0 0 0 0 0 • Single power harness accommodates up to two receptacles 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fummes specified separately 0 0 0 0 0 0 • Specify only with 24 'ixed cate height fume sports are specified separately 0 0 0 0 0 0 • Specify only										
MODEL Dx W Model Style Location Color Finish Color Image: Specify only with 24" fixed cale height reserves, specified separately - <t< td=""><td></td><td></td><td></td><td>Basic</td><td>Edge</td><td>Grommet</td><td>Grommet</td><td>Surface</td><td>Edge</td><td>Powdercoat</td></t<>				Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
 Single pice top Specify only with 24 fixed cafe height frames, specified separately 12' clearance between modesty panel & edge of worksurder effers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions only Single power harness included; receptacles C grommet locations below Single pice top Single pice top<!--</td--><td></td><td>MODEL</td><td>D x W</td><td></td><td>Style</td><td>Location</td><td>Color</td><td>Finish</td><td></td><td>Color</td>		MODEL	D x W		Style	Location	Color	Finish		Color
 Specify only with 24' fixed cafe height frames, specified separately 12' clearance between modesty panel & edge of worksurface offers stool seating with dimensions only Fatures modesty panels along with dimensions only Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness included; receptacles E.R grommet locations below 	× 4		48 x 48							
frames. specified separately C Fatures nodesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions only Features modesty panels along width dimensions only Features modesty panels accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles is freeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified is featured on width dimensions only See grommet locations below All 2' clearance between modesty panel & data and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles entreed for two users See grommet locations below Eatures modesty panels along width dimensions front and back Single power harness accommodates up to two receptacles entreed for two users See grommet locations below Eatures modesty panels along width dimensions forth and back Single power harness accommodates up to two receptacles entreed for two users See grommet locations below Eatures modesty panels along width dimensions fo	× ×		48 x 54	CZBCWR4854STMP						
C edge of worksurface offers stoil seating width dimensions only Features modesty panels along width dimensions for and back • Single power harness included; receptacles, inteeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles • • • • • • • • • • • • • • • • • • •		frames, specified separately								
• Knife edge when specified is featured on width dimensions only • Features modelsty panels along width dimensions front and back • Single power harness included; receptacles, linteds and table-to-table jumpers are specified separately • • • • • • • • • • • • • • • • • • •										
Width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles for the specified separately Core or Nwo Cutout Options Single piece to p Single piece to p Single piece to p Single piece top <td></td>										
dimensions front and back Single power harness included; receptacles, infeeds and table to-table jumpers are specified separately Single power harness accommodates up to two receptacles C grommet locations below	CZRC	width dimensions only								
 Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles C grommet locations below Specify only with 24 fixed cate height frames, specified separately Single pixer to an oddet y panel & deg of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panel & deg of worksurface offers stool seating Knife edge when specified is featured on width dimensions front and back Single power harness accommodates up to two receptacles See grommet locations below 										
receptacles, infeeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles • C grommet locations below • See grommet locations below • Single power harness accommodates up to two receptacles infeeds and table-to-table jumpers are specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles, infeeds and table-to-table jumpers are specified separately • Single power harness accommodates up to two receptacles • LR grommet locations below • See grommet locations below										
 Single power harness accommodates up to two receptacles C grommet locations below See grommet locations below All x 60 CZBCWR4860STMP Single piece top Single piece top Specify only with 24' fixed cafe height frames, specified separately 12' clearance between modesty panel & edge of worksurface offers stol seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness included; receptacles L R grommet locations are centered for two users See grommet locations below 		receptacles, infeeds and table-to-table								
to two receptacles • C grommet locations below • See grommet locations below • See grommet locations below • Single piece top • Single piece top • Single piece top • Single piece top • Sectified separately • 12' clearance between modesty panel & edge of worksurface offers stool seating • Knife edge when specified is featured on width dimensions only • Features modesty panels along width dimensions front and back • Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately • LR grommet locations are centered for two users • See grommet locations below										
 See grommet locations below One or Two Cutout Options Single piece top Specify only with 24" fixed cafe height frames, specified separately 12" clearance between modesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 										
One or Two Cutout Options 48 x 60 CZBCWR4860STMP Image: CZBCWR4860STMP Image: CZBCWR4872STMP <										
 Single piece top Specify only with 24' fixed cafe height frames, specified separately 12' clearance between modesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 		See grommet locations below								
 Specify only with 24" fixed cafe height frames, specified separately 12" clearance between modesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations below 			48 x 60	CZBCWR4860STMP						
frames, specified separately 12" clearance between modesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below			48 x 72	CZBCWR4872STMP						
 12° clearance between modesty panel & edge of worksurface offers stool seating Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 	11 / A P									
 Knife edge when specified is featured on width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 		• 12" clearance between modesty panel &								
 width dimensions only Features modesty panels along width dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 										
dimensions front and back Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below	× A									
 Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 										
receptacles, infeeds and table-to-table Image: Second										
Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below	CZRC	receptacles, infeeds and table-to-table								
to two receptacles LR grommet locations are centered for two users See grommet locations below 	2NU									
LR grommet locations are centered for two users See grommet locations below										
See grommet locations below		LR grommet locations are centered for								
		See grommet locations below								
				A	6	G	D	A	ß	A
				W	0	0	0	9	•	U U

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

74P KN - 74P edge - Knife edge

CSelect grommet location.

- Ν - No Grommet C
- Grommet : Center; add \$25 Grommet : Left/right; add \$49 LR
- LCR - Grommet : Left/center/right; add \$74
- N Pick for all models
- C Pick for all models

GSelect surface finish.

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI


DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

- ESelect edge color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or
 - KI Fabrics & Finishes binder.



Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Powered with Single Power Harness and Two Modesty Panels for use with Cafe Height Frames



131.0#	\$ 1127	\$ 1164	
155.0#	1350	1394	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Powered with Double Power Harness and Two Modesty Panels for use with Cafe Height Frames

			MODEL NUMBER							
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat	
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color	
	One or Two Cutout Options	48 x 60	CZBCWR4860DTMP							
	Single piece top	48 x 66	CZBCWR4866DTMP							
	 Specify only with 24" fixed cafe height frames, specified separately 	48 x 72	CZBCWR4872DTMP							
	 12" clearance between modesty panel 	48 x 78	CZBCWR4878DTMP							
	and edge of worksurface offers stool	48 x 84	CZBCWR4884DTMP							
× ×	seatingKnife edge when specified is featured on									
	width dimensions only									
	Features modesty panels along width									
	dimensions front and back									
CZRC	 LR grommet locations are centered for two users 									
	 Double power harness included; 									
	receptacles, infeeds and table-to-table									
	jumpers are specified separately									
	 Double power harness accommodates up to four receptacles 									
	 See grommet locations below 									
	One, Two or Three Cutout Options	48 x 90	CZBCWR4890DTMP							
	Single piece top	48 x 96	CZBCWR4896DTMP							
×//	 Specify only with 24" fixed cafe height frames, specified separately 									
	 12" clearance between modesty panel 									
	and edge of worksurface offers stool									
	seating									
	 Knife edge when specified is featured on width dimensions only 									
	 Features modesty panels along width 									
	dimensions front and back									
Line .	LR grommet locations are centered for									
CZRC	two users Double power harness included; 									
02110	receptacles, infeeds and table-to-table									
	jumpers are specified separately									
	Double power harness accommodates									
	up to four receptaclesSee grommet locations below									
	See grommer locations below				-	-	-]
			A	₿	O	O	e	G	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. - 74P edge

74P KN - Knife edge

©Select grommet location.

- N - No Grommet - Grommet : Center; add \$25 - Grommet : Left/right; add \$49 C
- LR LCR - Grommet : Left/center/right;
- add \$74
- N Pick for all models

GSelect surface finish.

C - Pick for all models LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

Refer to color addendum at ki.com or KI

DSelect grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Fabrics & Finishes binder.

- ESelect edge color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect power channel and cable tray powdercoat color. Refer to color addendum at ki.com or
 - KI Fabrics & Finishes binder.

4

Teaming Rectilinear Worksurfaces 42" Height 48" Deep, Powered with Double Power Harness and Two Modesty Panels for use with Cafe Height Frames

Approx. Knife Edge Packaged 74P Edge Knife Edge (74P) (KN) (KN) 133.0# \$ 1288 \$ 1320 146.0# 1412 1455 157.0# 1476 1519 171.0# 1546 1591 184.0# 1585 1630		\bigcirc		
Weight (74P) (KN) 133.0# \$ 1288 \$ 1320 146.0# 1412 1455 157.0# 1476 1519 171.0# 1546 1591	Approx.	74D Edgo	Kaifa Edga	
146.0# 1412 1455 157.0# 1476 1519 171.0# 1546 1591	Weight			
157.0# 1476 1519 171.0# 1546 1591	133.0#	\$ 1288	\$ 1320	
171.0# 1546 1591	146.0#	1412	1455	
	157.0#	1476	1519	
184.0# 1585 1630	171.0#	1546	1591	
	184.0#	1585	1630	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

24" Fixed 42" Height Frame Supports Single Sided 24" Deep or Teaming Worksurfaces

			MODEL NUMBER			
	MODEL	D x H	Basic Model	Paint Color	Glide Color	- Approx. Packaged Weight
	24" Single-Sided Standalone/Starter	24 x 40-3/8	CZBCSS2448/F			51.0#
	Frame	24 x 40-3/8	CZBCSS245472/F			55.0#
	 Includes two 24" fixed end legs that are 	24 x 40-3/8	CZBCSS247896/F			59.0#
	non-handed and integrated telescopic beam					
i î	 For use under 24" deep fixed single sided 					
U II	or 42" or 48" teaming table rectilinear					
Ų	worksurfaces in 42" cafe height applica-					
CZCH	tions Accommodates worksurface width of 48" 					
	or range of 54-72" or 78-96"					
	• 10" clearance to beam on 24" single-					
	sided worksurfaces9" clearance to modesty panels on 42"					
	teaming worksurfaces					
	12" clearance to modesty panels on 48"					
	teaming worksurfacesFrame on cafe height tables is inset					
	from outside edge of worksurfaces in					
	standalone/starter configurations					
	 42" finished height when fully assembled 					
	with worksurface					
Å	 24" Single-Sided Adder Frame Includes one 24" intermediate fixed leg that is non-handed and integrated 	24 x 40-3/8	CZBCSA2448/F			30.0#
		24 x 40-3/8	CZBCSA245472/F			34.0#
Statistics.	telescopic beam	24 x 40-3/8	CZBCSA247896/F			38.0#
43	 Requires attachment to 24" deep fixed 					
	42" height starter frame; may not be used alone.					
	 For use under 24" deep fixed single sided 					
	or 42" or 48" teaming table rectilinear					
CZCH	worksurfaces in 42" cafe height applica-					
	tions Accommodates worksurface width of 48" 					
	or range of 54-72" or 78-96"					
	• 10" clearance to beam on 24" single-					
	sided worksurfaces 9" clearance to modesty panels on 42" 					
	teaming worksurfaces					
	 12" clearance to modesty panels on 48" 					
	teaming worksurfaces					
	 42" finished height when fully assembled with worksurface 					
			A	0	œ	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli	de color.	
GWH	- White	
GCL	- Clear	

24" Fixed 42" Height Frame Supports Single Sided 24" Deep or Teaming Worksurfaces

14

De Pr	elivered icing	
\$	800	
	864	
	871	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

30" Fixed 42" Height Frame Supports Single Sided 30" Deep Worksurfaces

			MODEL NUMBER	1		
	MODEL	D x H	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight
	30" Single-Sided Standalone/Starter	30 x 40-3/8	CZBCSS3048/F			53.0#
	 Telescopic Beam Frame Includes one 30" deep left leg and 	30 x 40-3/8	CZBCSS305472/F			
and the second sec	one 30" deep right leg and integrated	30 x 40-3/8	CZBCSS307896/F			61.0#
	telescopic beam					
	 For use under a 30" deep fixed single sided cafe height worksurface only 					
	 Accommodates worksurface width of 48" 					
	or range of 54-72" or 78-96"					
ZCH	 16" knee clearance to beam 42" finished height when fully assembled 					
	with worksurface					
	30" Single-Sided Adder Telescopic Beam	30 x 40-3/8	CZBCSA3048/F			30.0#
and the second se	Frame	30 x 40-3/8	CZBCSA305472/F			
and a state of the	Includes one intermediate 30" fixed	30 x 40-3/8	CZBCSA307896/F			38.0#
	leg that is non-handed and integrated		022001100100011			
	telescopic beamRequires attachment to 30" deep fixed					
U II	42" height starter frame; may not be					
W	used alone.For use under a 30" deep fixed single					
ZCH	 For use under a 30 deep fixed single sided cafe height worksurface only 					
	 Accommodates worksurface width of 48" 					
	or range of 54-72" or 78-96" • 16" knee clearance to beam					
	 16" knee clearance to beam 42" finished height when fully assembled 					
	with worksurface					
			A	6	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect gli		
GWH	- White	
GCL	- Clear	

30" Fixed 42" Height Frame Supports Single Sided 30" Deep Worksurfaces

4

Deli Pric	vered	
\$	835	
	899	
	906	

\$ 461	
525	
533	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Infeeds for Cafe Height Applications For use with Cafe Height Frames Only

				MODEL NU	JMBER		
	MODEL	Features	L	Basic Model	Color	Approx. Packaged Weight	
Ĝ	Floor Infeed for Café Height - 10 Wire		108"	CZBCFF		5.0#	
HRDPT	 Provides power from fixed floor or wall sources to table power distribution system Must be hardwired to the building power source by a licensed electrician 108" length liquid tight conduit Includes two mounting clips 						
Ŕ	Top Infeed for Cafe Height - 10 Wire - Left	Left	120"	CZBCTF1L		15.0#	
HRDPT	 For use on café height bases only Attaches to outer side of leg at seated user's left Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electricain 120° length liquid tight conduit Includes 10 foot aluminum pole with separate channel for electrical and data entry, and prewired harness Single mounting bracket included 						
							_
HRDPT	 Top Infeed for Cafe Height - 10 Wire - Right For use on cafe height bases only Attaches to outer side of leg at seated user's right Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electrician 120' length liquid tight conduit Includes 10 foot aluminum pole with separate channel for electrical and data entry, and prewired harness Single mounting bracket included 	Right	120"	CZBCTF1R		15.0#	
				A	6		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Infeeds for Cafe Height Applications For use with Cafe Height Frames Only

De Pr	elivered ricing				
\$	183				
\$	421				

\$ 421

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Data Infeeds for Cafe Height Applications For use with Cafe Height Frames Only

			MODEL NU	MBER	
	MODEL	L	Basic Model	Color	Approx. Packaged Weight
	 Data Floor Infeed Cafe Height Provides enclosure for data wire to enter the grommet located in the bottom near the end of all beams For use with cafe height tables only 	2-1/2 x 1-3/4 x 37-1/4"	CZBCBCR		4.0#
HRDPT	Top Data Infeed for Cafe Height - Single	10'	CZBCTDF1L		9.0#
	 Sided, Left For use on café height single-sided bases only Attaches to outer side of leg at seated user's left Provides distribution channel for data cables from ceiling to table 				
HRDPT	 Includes 10 foot aluminum pole Single mounting bracket included 				
HRDPT	 Top Data Infeed for Cafe Height - Single Sided, Right For use on café height single-sided bases only Attaches to outer side of leg at seated user's right Provides distribution channel for data cables from ceiling to table Includes 10 foot aluminum pole Single mounting bracket included 	10'	CZBCTDF1R		9.0#
			A	6	_

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Data Infeeds for Cafe Height Applications For use with Cafe Height Frames Only

Delivered Pricing	
\$ 256	
\$ 256	
\$ 256	
φ 200	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Frameless Privacy Screens

Frameless Privacy Screens feature the option of either acrylic or glass inserts fitted into an aluminum work rail whose top rests flush with the top of the worksurface. Screens are offered in 13" and 19" heights and in widths of 6" increments from 36-96" (64" is also available).

Frameless Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize "Rail Supported" electrical components.

Note: Dividers cannot be attached to Frameless Privacy Screens.

Supporting Privacy Screens

Supporting privacy screens feature an aluminum work rail whose top rests flush with the top of the worksurface. Vertical aluminum posts and a single top rail enclose insert panels offered in steel dry erase markerboard, acrylic, or tackable fabric options. Screens are 19" high and are available in widths of 6" increments from 36-96" (64" is also available). Supporting Privacy Screens require the attachment of a Laminate Counter Shelf or Upmount Storage Cubby, specified separately, to complete the assembly.

Supporting Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize "Rail Supported" electrical components. Dividers may be attached to Supporting Privacy Screens at intersection locations.

Shelves and Upmount Storage Cubbies

Designed to complete a Supporting Privacy Screen assembly, Laminate Counter Shelves and Upmount Storage Cubbies expand storage options within Benching applications. Shelves are 15-3/4" deep, and overhang each side by approximately 7". Widths range from 36-96" in 6" increments. Upmount Storage Cubbies are split (open on the right hand side) to provide each of two facing users equal storage space. Open laminate with steel partition or steel with sliding/locking doors are available in 6" increments from 36-72"



Connection Zone[®] Workrail Planning General Information

			MODEL NUMB	ER			
	MODEL	D x W x H	Basic Model	Paint Color	Insert	Approx. Packaged Weight	
	Frameless Center Privacy Screen with	2-1/2 x 36 x 13"	CZBPSU3613/1] 14.0#	
	Work Rail - 13" High	2-1/2 x 42 x 13"	CZBPSU4213/1			16.0#	
	13" finished height above worksurface	2-1/2 x 48 x 13"	CZBPSU4813/1			18.0#	
	 Width dimension is actual 1/2" radius top corners 	2-1/2 x 54 x 13"	CZBPSU5413/1			20.5#	
	Center work rail is 2-1/2" wide; insert is	2-1/2 x 60 x 13"	CZBPSU6013/1			22.5#	
	1/4" thick	2-1/2 x 64 x 13"	CZBPSU6413/1			24.0#	
CZPU	 Electrical components are attached to the bottom of the work rail; specified 	2-1/2 x 66 x 13"	CZBPSU6613/1			24.5#	
	separately	2-1/2 x 72 x 13"	CZBPSU7213/1			27.0#	
	 Insert is inset 1" from table edge 	2-1/2 x 78 x 13"	CZBPSU7813/1			29.0#	
		2-1/2 x 84 x 13"	CZBPSU8413/1			31.0#	
		2-1/2 x 90 x 13"	CZBPSU9013/1			33.0#	
		2-1/2 x 96 x 13"	CZBPSU9613/1			35.5#	
	Frameless Center Privacy Screen with	2-1/2 x 36 x 19"	CZBPSU3619/1			16.0#	
\square	Work Rail - 19" High	2-1/2 x 42 x 19"	CZBPSU4219/1			18.5#	
	 19" finished height above worksurface Width dimension is actual 	2-1/2 x 48 x 19"	CZBPSU4819/1			21.0#	
	 1/2" radius top corners 	2-1/2 x 54 x 19"	CZBPSU5419/1] 23.5#	
	Center work rail is 2-1/2" wide; insert is	2-1/2 x 60 x 19"	CZBPSU6019/1			26.0#	
	1/4" thickElectrical components are attached to	2-1/2 x 64 x 19"	CZBPSU6419/1			28.0#	
	• Electrical components are attached to the bottom of the work rail; specified	2-1/2 x 66 x 19"	CZBPSU6619/1			28.5#	
*	separately	2-1/2 x 72 x 19"	CZBPSU7219/1				
CZPU	 Insert is inset 1" from table edge 	2-1/2 x 78 x 19"	CZBPSU7819/1				
		2-1/2 x 84 x 19"	CZBPSU8419/1				
		2-1/2 x 90 x 19"	CZBPSU9019/1			38.5#	
		2-1/2 x 96 x 19"	CZBPSU9619/1] 41.5#	
			A	₿	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select insert and finish. See pricing columns for insert color charges. Refer to color addendum at ki.com or
- KI Fabrics & Finishes binder.



Frameless Center Privacy Screen

Grade		Grade 2
\$ 5	547	\$ 627
Ę	589	668
6	609	721
6	677	805
7	718	861
	730	886
7	739	897
	756	930
8	323	1012
8	371	1046
8	382	1082
8	394	1117
\$ 5	589	\$ 691
6	539	737
6	664	809
7	739	903
7	789	970
8	306	999
8	319	1017
8	344	1062
	918	1155
Ç	989	1199
	001	1244
)17	1293

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Above Worksurface Supporting Privacy Screen 19" High with Framed Fabric Insert

			MODEL NUME	SEK		
						Approx.
	MODEL	D x W x H	Basic Model	Paint	Upholstery	Packaged Weight
	19" Supporting Privacy Screen with Work	2-1/2 X 36 X 19"	CZBSPF3619/1			35.5#
	Rail	2-1/2 X 42 X 19"	CZBSPF4219/1			38.5#
T I	19" finished height above worksurface Single uninterrupted earner	2-1/2 X 48 X 19"	CZBSPF4819/1			40.5#
	 Single, uninterrupted screen Complete assembly requires addition of 	2-1/2 X 54 X 19"	CZBSPF5419/1			43.5#
	either storage cubby or shelf, specified	2-1/2 X 60 X 19"	CZBSPF6019/1			45.5#
CZSF	separately	2-1/2 X 72 X 19"	CZBSPF7219/1			49.5#
	 Electrical components are attached to the bottom of the work rail; specified 					
	separately					
8	19" Supporting Privacy Screen with	2-1/2 X 60 X 19"	CZBSPF6019/2			56.5#
	Center Intersection and Work Rail	2-1/2 X 72 X 19"	CZBSPF7219/2			61.5#
	 19" finished height above worksurface Screen includes two equal panels 	2-1/2 X 84 X 19"	CZBSPF8419/2			66.5#
	Complete assembly requires addition of	2-1/2 X 96 X 19"	CZBSPF9619/2			71.5#
	either storage cubby or shelf, specified					
	 separately Electrical components are attached to 					
CZSF	• Electrical components are attached to the bottom of the work rail; specified					
	separately					
			A	6	C	
			•	0	~	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect upholstery.
 - Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Above Worksurface Supporting Privacy Screen

14

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2		
\$ 687	\$ 715		
718	746		
732	764		
907	946		
983	1024		
1006	1052		
\$ 1118	\$ 1165		
1180	1236		
1242	1299		
1274	1340		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Above Worksurface Supporting Privacy Screen

			MODEL NUME	ER			
						Approx.	
			Basic			Packaged	
	MODEL	D x W x H	Model	Paint	Acrylic		
~	19" Supporting Privacy Screen with Work	2-1/2 X 36 X 19"	CZBSPA3619/1			36.5#	
	Rail	2-1/2 X 42 X 19"	CZBSPA4219/1			39.5#	
1//	 19" finished height above worksurface Single, uninterrupted screen 	2-1/2 X 48 X 19"	CZBSPA4819/1			42.5#	
	Complete assembly requires addition of	2-1/2 X 54 X 19"	CZBSPA5419/1			45.5#	
	either storage cubby or shelf, specified	2-1/2 X 60 X 19"	CZBSPA6019/1			48.5#	
CZSA	separately	2-1/2 X 72 X 19"	CZBSPA7219/1			52.5#	
	 Electrical components are attached to the bottom of the work rail; specified 						
	separately						
<u> </u>	19" Supporting Privacy Screen with	2-1/2 X 60 X 19"	CZBSPA6019/2			58.5#	
	Center Intersection and Work Rail	2-1/2 X 72 X 19"	CZBSPA7219/2			64.5#	
	 19" finished height above worksurface Screen includes two equal panels 	2-1/2 X 84 X 19"	CZBSPA8419/2			69.5#	
77	 Complete assembly requires addition of 	2-1/2 X 96 X 19"	CZBSPA9619/2			75.5#	
	either storage cubby or shelf, specified						
	separately						
CZSA	 Electrical components are attached to the bottom of the work rail; specified 						
	separately						
			A	ß	C		
				0	•		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **C**Select acrylic color.
 - See pricing columns for acrylic color charges. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Above Worksurface Supporting Privacy Screen

2

Acrylic Grade 1	Acrylic Grade 2	
Grade 1	Grade 2	
\$ 672	\$ 908	
702	1022	
706	1163	
926	1249	
991	1339	
1006	1402	
\$ 1145	\$ 1702	
1242	1718	
1305	1943	
1314	2226	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			-			
			MODEL NUMB	ER		
	MODEL	D x W x H	Basic Model	Paint Color	Approx. Packaged Weight	
~	19" Supporting Privacy Screen with Work	2-1/2 X 36 X 19"	CZBSPM3619/1		36.5#	
	Rail	2-1/2 X 42 X 19"	CZBSPM4219/1		39.5#	
abc	 19" finished height above worksurface Single, uninterrupted screen 	2-1/2 X 48 X 19"	CZBSPM4819/1		42.5#	
	 Single, uninterrupted screen Complete assembly requires addition of 	2-1/2 X 54 X 19"	CZBSPM5419/1		45.5#	
₩~	either storage cubby or shelf, specified	2-1/2 X 60 X 19"	CZBSPM6019/1		48.5#	
CZSM	separately	2-1/2 X 72 X 19"	CZBSPM7219/1		52.5#	
	 Framed steel inserts are markerable and magnetic Electrical components are attached to the bottom of the work rail; specified separately 					
<u> </u>	19" Supporting Privacy Screen with	2-1/2 X 60 X 19"	CZBSPM6019/2		58.5#	
	Center Intersection and Work Rail	2-1/2 X 72 X 19"	CZBSPM7219/2		64.5#	
abc	 19" finished height above worksurface Screen includes two equal panels 	2-1/2 X 84 X 19"	CZBSPM8419/2		69.5#	
abc	 Complete assembly requires addition of 	2-1/2 X 96 X 19"	CZBSPM9619/2		75.5#	
	either storage cubby or shelf, specified					
	 separately Framed steel inserts are markerable and 					
CZSM	magnetic					
	Electrical components are attached to					
	the bottom of the work rail; specified separately					
	Separately					
			A	₿		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select powdercoat.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Above Worksurface Supporting Privacy Screen 19" High with Framed Dry Erase Steel Markerboard Insert

4

De Pri	livered cing	
\$	638	
	671	
	739	
	794	
	861	
	1064	

\$ 1041	
1121	
1189	
1326	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Laminate Counter Shelf For Attachment to Supporting Privacy Screen

			MODEL N	UMBER			
	MODEL	D x W x H	Basic Model	Surface Finish	Edge Color	Approx. Packaged Weight	
^	Laminate Counter Shelf	15-3/4 x 36 x 3/4"	CZBSH36			13.0#	
	 For attachment to supporting privacy screen frame, specified separately 	15-3/4 x 42 x 3/4"	CZBSH42			15.5#	
	 15-3/4" deep shelf provides approxi- 	15-3/4 x 48 x 3/4"	CZBSH48			17.5#	
×	mately 7" overhang per side	15-3/4 x 54 x 3/4"	CZBSH54			19.5#	
CZSH	Includes mounting hardware	15-3/4 x 60 x 3/4"	CZBSH60			22.0#	
	• 73P edge	15-3/4 x 72 x 3/4"	CZBSH72			26.0#	
		15-3/4 x 84 x 3/4"	CZBSH84			30.5#	
		15-3/4 x 96 x 3/4"	CZBSH96			35.0#	
			۵	₿	C		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Laminate Counter Shelf For Attachment to Supporting Privacy Screen



De Pr	elivered icing	
\$	270	
	271	
	271	
	272	
	274	
	349	
	351	
	352	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Upmount Storage Cubby For Attachment to Supporting Privacy Screen

206

			MODEL NUM	BER					
	MODEL	D x W x H	Basic Model	Partition Finish	Surface Finish	Edge Color	Shell Color	Door Color	Key Option
	Laminate Storage Cubby with Steel Parti-	15-3/4 x 36 x 13-3/16"	CZBLSU36						
\sim	tion - Open	15-3/4 x 42 x 13-3/16"	CZBLSU42						
	For attachment to supporting privacy	15-3/4 x 48 x 13-3/16"	CZBLSU48						
	screen frame, specified separatelyOpen area is half the width of the unit on	15-3/4 x 54 x 13-3/16"	CZBLSU54						
	each side	15-3/4 x 60 x 13-3/16"	CZBLSU60						
	Includes mounting hardware	15-3/4 x 72 x 13-3/16"	CZBLSU72						
ZLS	 Laminate outer, steel inner divider Inner height clearance 11-3/4" 								
	Divider is magnetic								
	Usable side of cubby is on left side when								
	viewed by user								
_	Steel Storage Cubby - Sliding Door	13-1/2 x 36 x 14-1/4"	CZBMSUSD36						
	 For attachment to supporting privacy screen frame, specified separately 	13-1/2 x 42 x 14-1/4"	CZBMSUSD42						
	 Open area is half the width of the unit on 	13-1/2 x 48 x 14-1/4"	CZBMSUSD48						
	each side	13-1/2 x 54 x 14-1/4"	CZBMSUSD54						
	 Includes mounting hardware Steel construction with sliding locking 	13-1/2 x 60 x 14-1/4"	CZBMSUSD60						
	door on each side	13-1/2 x 72 x 14-1/4"	CZBMSUSD72						
CZSS	Inner height clearance 12-1/2"								
	 Metal surfaces are magnetic Usable side of cubby is on right side 								
	when viewed by user								
	-								
			A	ß	C	D	Ø	G	G

NLC

- No lock core

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select partition finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select shell finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select door finish.



Upmount Storage Cubby For Attachment to Supporting Privacy Screen



Approx. Packaged Weight	Delive Pricir	ered 1g	
35.0#	\$	811	
42.0#	;	864	
49.0#	1	886	
56.0#	9	966	
70.0#	9	983	
84.0#	1	180	

36.0#	\$ 971
42.0#	1057
48.0#	1132
54.0#	1207
60.0#	1371
72.0#	1487

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Connection Zone® Storage

General Information

GENERAL INFORMATION

The Connection Zone Storage offering is a collection of elements created for space efficiency within open environments. The collection consists of shared Lockers and individual Credenzas and Pedestals.

CONSTRUCTION AND STANDARD FEATURES

Shared Lockers:

Standard size and large lockers are sized to accommodate binders, bags and other personal items. A coat hook is standard and an optional fixed blank shelf (which divides the compartment vertically in two) is available for the large lockers. Large lockers are double the height of standard lockers. Both the standard and large locker shells are available in 30 & 36" widths. The standard locker is available in 3 heights: 33-1/8", 48-7/16" & 63-3/4" and large locker is available in 2 heights: 33-1/8" & 63-3/4".

Interior Clearance:

Single Module: 13-1/2 & 16-1/2W x 16-7/8D x 14-1/2H Double Module: 13-1/2 & 16-1/2W x 16-7/8D x 30-1/8H

Shell:

Connection Locker shells are formed of 18 ga, uprights, top and bottom reinforcements welded together to create a rigid box frame. The outer skin is constructed of 19 and 20 ga CRS with a seamless back detail. Lockers feature leveling glides with a 1" adjustment range. Shell is common to the 700 Series lateral storage units.

Partitions:

A 1-1/2" thick double wall hidden partition divides the locker shell in half running from top to bottom into which the cupboard doors lock.

Shelves:

1" thick shelves with front and back flanges screw into the upright members of the case and center partition to create separation between modules.

Doors:

Locker doors are single-wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110 degree opening provide 3 way adjustment of door to ensure consisting gapping and operation.

Locker Locks

There are four locking options for Connection Zone lockers: *Standard key lock*

- Requires key for operation
- Best suited for dedicated user who will not lose the key *Pad lock*
- · Pad lock must be supplied by user
- Best suited for extended use by either temporary or dedicated users
- Combination lock
- · Requires no physical implement to lock or unlock
- Best suited for dedicated use
- Each user sets unique code for use
- Digital lock
- Requires battery to operate (battery lasts approximately 4 years)
- · Requires no physical implement to lock or unlock
- · Well suited for regular turnover of lockers throughout day
- Each user sets unique code for use
- Master override key required to reset dead batteries; lock remains locked when battery is dead

Credenzas:

Connection Zone credenza shells are constructed of 18 and 20 ga steel components with 18 ga structural top and bottom reinforcements and vertical uprights. Credenzas are available in 60" & 72" widths and feature variations of open bookcase and drawer sections. Credenzas are available in heights of 17-11/16", 20-3/4" and 23-13/16."

Interior Configuration & Clearance:

17-11/16 high unit: Bookcase section – 12-3/8" H x 28-1/2" & 34-1/5" W x 18"D

Drawer Section – A) 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately) B) Qty, 2 6" box drawers that will accept plate dividers (sold separately)

20-3/4" high unit:

Bookcase section - 15-7/16" H x 28-1/2" & 34-1/5" W x 18"D

Drawer Section – 3" Pencil Drawer & 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately)

23-13/16" high unit:

Bookcase section – 18-1/2" H x 28-1/2" & 34-1/5" W x 18"D with 1 adjustable blank shelf

Drawer Section – 6" Drawer that will accept plate dividers (sold separately), 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately)

Drawers:

Steel and laminate drawer fronts that accept exterior pulls are available as standard. Fronts are screw-mounted to roll-out shelves to build drawers. All drawers feature smooth riding, full-extension, ball bearing slides. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls. Key lock is standard on 12" drawers.

Testing

Components have been tested to accept loads of 125 pounds, exceeding ANSI/BIFM X5.9 2004 standards for filing when recommended counterbalance weight is installed.

Partition:

A 1-1/2" thick double wall partition runs down the center of the unit dividing the bookcase section from the file section.

Legs:

1-1/2" x 3/4" Steel legs with threaded insert and 16 ga top plate are bolted to the underside of the credenza raising it 3-1/16 off the floor. Adjustable leveling glides provide 1" of adjustment.

Pedestals:

Mobile Box/ File Pedestals 15 W x 21-3/4" are available in 3 depths, 17-5/8", 21-5/8" and 27-5/8"

Basic Shell

Twenty-gauge steel body with 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

Drawers

Single wall metal or laminate fronts screw mount to prepainted drawer bodies and overlap the face of the unit. Box (6") Drawers operate on 2 piece ³/₄ extensions ball bearing suspensions, File Drawers operate on 3 piece full extension ball bearing suspensions. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls.



Connection Zone[®] Storage General Information

Credenzas with Elevated Bases Steel Shell and Drawers 18" High

				MODEL NUMBE	R	_			
	MODEL	Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	
	Lateral File, Open	Lateral File Left, Open Right	60 x 18 x 17-3/4"	CZSCS60120F0					
	Features one 12" lateral file drawer and approximate approximately approximat	Lateral File Left, Open Right	72 x 18 x 17-3/4"	CZSCS72120F0					
	opposite open shelfSteel shell and drawers	Open Left, Lateral File Right	60 x 18 x 17-3/4"	CZSCS601200F					
	Full extension slides	Open Left, Lateral File Right	72 x 18 x 17-3/4"	CZSCS721200F					
	Hanging file bars included for side-to-								
CZSC	side filing Optional pad specified separately 								
^	Box/Box, Open	Box/Box Left, Open Right	60 x 18 x 17-3/4""	CZSCS60120BB0					
	 Features two 6" box drawers and opposite open shelf Steel shell and drawers 	Box/Box Left, Open Right	72 x 18 x 17-3/4"	CZSCS72120BB0					
		Open Left, Box/Box Right	60 x 18 x 17-3/4"	CZSCS601200BB					
	Full extension slides	Open Left, Box/Box Right	72 x 18 x 17-3/4"	CZSCS721200BB					
	Optional pad specified separately								
CZSC	Non-locking								
				Ø	0	C	D	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

₿

	ck option.	
KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	
Calact ab	all nourdereast	

Celect shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Belect pull style. CZP - Connection Zone Pull USP - U-Series Pull

210

Credenzas with Elevated Bases Steel Shell and Drawers 18" High



Approx. Packaged I Weight F	Delivered Pricing	
143.0# \$	\$ 1442	
163.0#	1489	
143.0#	1442	
163.0#	1489	

158.0#	\$ 1693	
181.0#	1758	
158.0#	1693	
181.0#	1758	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

Credenzas with Elevated Bases Steel Shell and Drawers 21" High

			MODEL NUMBE	R				
	Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	
	Pencil/Lateral File Left, Open with Adjustable Shelf Right	60 x 18 x 20-3/4"	CZSCS60150PF0					
	Pencil/Lateral File Left, Open with Adjustable Shelf Right	72 x 18 x 20-3/4"	CZSCS72150PF0					
	Open with Adjustable Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-3/4"	CZSCS601500PF					
	Open with Adjustable Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-3/4"	CZSCS721500PF					
CZSC								
Pencil/Lateral File, Open								
 Features upper 3" pencil drawer, lower 12" lateral file and opposite open with adjustable shelf 								
Steel shell and drawers								
Full extension slidesHanging file bars included for side-								
to-side filing								
Optional pad specified separately								
			A	₿	G	D	Ø	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

KS	- Key standard
NLC	- No lock core
KA	- Key alike
Select sh	ell powdercoat.
D - f + -	والمتحديد الملاجع والمتحاص والماجي والمراجع

- 0 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect pull style. CZP Connection Zone Pull USP U-Series Pull

Credenzas with Elevated Bases

Steel Shell and Drawers 21" High

171.0# \$ 1676 193.0# 1753 171.0# 1676 193.0# 1753	Approx. Packaged Weight	Delivered Pricing
171.0# 1676	171.0#	\$ 1676
	193.0#	1753
193.0# 1753	171.0#	1676
	193.0#	1753

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Credenzas with Elevated Bases Steel Shell and Drawers 24" High

			MODEL NUMBE	R				
	Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	
	Box/Lateral File Left, Open with Adjustable Shelf Right	60 x 18 x 23-7/8"	CZSCS60180BF0					
	Box/Lateral File Left, Open with Adjustable Shelf Right	72 x 18 x 23-7/8"	CZSCS72180BF0					
	Open with Adjustable Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCS601800BF					
	Open with Adjustable Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCS721800BF					
e.								
œ								
CZSC								
Box/Lateral File, Open with Adjustable Shelf								
• Features upper 6" box drawer, lower								
12" lateral file and opposite open with								
adjustable shelf								
Steel shell and drawers								
Full extension slidesHanging file bars included for side-								
to-side filing								
Optional pad specified separately								
			A	6	G	D	G	1

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

₿

Θ

Select lo	ck option.
KS	- Key standard
NLC	- No lock core
KA	- Key alike
Refer to	nell powdercoat. color addendum at ki.com or ss & Finishes binder.

DSelect drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Belect pull style. CZP - Connection Zone Pull USP - U-Series Pull

Credenzas with Elevated Bases

Steel Shell and Drawers 24" High

6

Approx. Packaged Weight	Delivered Pricing	d
175.0#	\$ 1743	3
199.0#	1822	2
175.0#	1743	3
199.0#	1822	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Credenzas with Elevated Bases Steel Shell, Laminate Front 18" High

			MODEL NUMBE	R					
				n					
	Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Laminate	Edge Color	Pull Style	Approx. Packaged Weight
^	Lateral File Left, Open Right	60 x 18 x 17-5/8"	CZSCL60120F0						149.0#
	Lateral File Left, Open Right	72 x 18 x 17-5/8"	CZSCL72120F0						172.0#
	Open Left, Lateral File Right	60 x 18 x 17-5/8"	CZSCL601200F						149.0#
	Open Left, Lateral File Right	72 x 18 x 17-5/8"	CZSCL721200F						172.0#
u									
CZSC									
Lateral File, Open									
• Features one 12" lateral file drawer									
and opposite open shelf									
 Steel shell; laminate drawer front Full extension slides 								_	
Hanging file bars included for side-									
to-side filing									
 Optional pad specified separately Laminate drawers feature pattern- 									
matched poly edging									
	Box/Box Left, Open Right	60 x 18 x 17-5/8"	CZSCL60120BB0						165.0#
	Box/Box Left, Open Right	72 x 18 x 17-5/8"	CZSCL72120BB0						188.0#
	Open Left, Box/Box Right	60 x 18 x 17-5/8"	CZSCL601200BB						165.0#
	Open Left, Box/Box Right	72 x 18 x 17-5/8"	CZSCL721200BB						188.0#
CZSC									
Box/Box, Open									
• Features two 6" box drawers and									
opposite open shelf									
 Steel shell; laminate drawer front Full extension slides 									
 Optional pad specified separately 									
Laminate drawers feature pattern-									
matched poly edgingNon-locking									
]
			A	B	C	D	Ø	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select lo	ck option.	
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

- Celect shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select pull style.
 CZP Connection Zone Pull USP - U-Series Pull

Credenzas with Elevated Bases Steel Shell, Laminate Front 18" High



De Pr	elivered ricing	
\$	1578	
	1625	
	1578	
	1625	

\$ 1932
1997
1932
1997

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

Credenzas with Elevated Bases Steel Shell, Laminate Front 21" High

			MODEL NUMBE	R					
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Lam	Edge Color	Pull Style	
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 20-7/8"	CZSCL60150PF0						
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 20-7/8"	CZSCL72150PF0						
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-7/8"	CZSCL601500PF						
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-7/8"	CZSCL721500PF						
CZSC									
Pencil/Lateral File, Open									
 Features upper 3" pencil drawer, lower 12" lateral file and opposite open with adjustable shelf 									
Steel shell; laminate drawer front									
Full extension slides									
 Hanging file bars included for side- to-side filing 									
 Optional pad specified separately 									
Laminate drawers feature pattern-									
matched poly edging									
			A	B	C	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

0

Select loc	k option.
KS	 Key standard
NLC	- No lock core
KA	- Key alike
Refer to c KI Fabrics	ell powdercoat. olor addendum at ki.com or ; & Finishes binder. wer laminate

D Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Credenzas with Elevated Bases Steel Shell, Laminate Front 21" High



Approx. Packaged Weight	Delivered Pricing	
180.0#	\$ 1931	
203.0#	1994	
180.0#	1931	
203.0#	1994	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

			MODEL NUMBE	R					
			Basic	Lock	Shell	Drawer	Edge	Pull	
	Features	WxDxH	Model	Option	Color	Laminate	Color	Style	
	Box/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 23-7/8"	CZSCL60180BF0						
	Box/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 23-7/8"	CZSCL72180BF0						
	Open w/Adjustable Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCL601800BF						
	Open w/Adjustable Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCL721800BF						
u u									
CZSC									
Box/Lateral File, Open with Adjustable Shelf	8								
• Features upper 6" box drawer, lower									
12" lateral file and opposite open with	1								
adjustable shelfSteel shell; laminate drawer front									
• Full extension slides									
Hanging file bars included for side-									
to-side filingOptional pad specified separately									
Laminate drawers feature pattern-									
matched poly edging									
			۵	6	C	O	Ø	6	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

0

Select lo	ck option.	
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

- C Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select pull style.
 CZP Connection Zone Pull USP - U-Series Pull

Credenzas with Elevated Bases Steel Shell, Laminate Front 24" High



Approx. Packaged Weight	Delivered Pricing	
185.0#	\$ 1998	
210.0#	2063	
185.0#	1998	
210.0#	2063	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

Credenza Tops

				MODEL NU	MBER		
	MODEL	Features	W x D x H	Basic Model	Surface Finish	Edge Color	Approx. Packaged Weight
~	Single Credenza Tops	Single Credenza Top	60 x 18 x 1-1/4"	CZSCT6018			39.0#
	1/16" overhangIntended for single tops only	Single Credenza Top	72 x 18 x 1-1/4"	CZSCT7218			46.0#
	74P edge only						
CZCT							
	Back to Back Credenza Top	Back-to-Back Credenza Top	60 x 36 x 1-1/4"	CZSCT6036			77.0#
	1/16" overhangIntended for back-to-backcredenza top	Back-to-Back Credenza Top	72 x 36 x 1-1/4"	CZSCT7236			92.0#
\checkmark							
CZCT							
6261							
				Ø	0	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect edge color.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

14

De Pri	elivered icing	
\$	347	
	402	
\$	510	
	554	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Credenza Pads

			MODEL NUMBER				
	MODEL	W x D x H	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
	Credenza Pads	30 x 18 x 1-1/8"	CZSCP3018		7.5#	\$ 123	
	Foam and medium density fiberboard	36 x 18 x 1-1/8"	CZSCP3618		9.0#	132	
	constructionNon-skid pads on underside						
3							
CZSP							
			A	B			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect upholstery grade and color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 135	\$ 137	\$ 137	\$ 149	\$ 161	\$ 161	\$ 174
147	149	151	163	176	177	193

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Personal Lockers Standard Size - All Doors

MODEL NUMBER Features W x D x H Basic Lock Shell Door Pull Approx. Standard Personal Lockers 2 X 2 30 x 18 x 33-1/8" CZSLKSTD3030 0 0 0 122.0# Standard Personal Lockers 2 X 3 30 x 18 x 48-7/16" CZSLKSTD3045 0 0 0 122.0#	
Features W x D x H Basic Model Lock Option Shell Color Door Color Pull Style Packaged Weight Standard Personal Lockers 2 X 2 30 x 18 x 33-1/8" CZSLKSTD3030 IIII IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Standard Personal Lockers 2 X 3 30 x 18 x 48-7/16" CZSLKSTD3045 IIII IIIII IIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
J Standard Personal Lockers 2 X 4 30 x 18 x 63-3/4" CZSLKSTD3060 IIII IIII 205.0#	
CZLK	
30" Wide	
Steel construction with steel doors	
Shell and door finishes are specified independently	
Standard doors are 15" high	
Individual doors are 14" wide on 30"	
 • 4 locking options are offered 	
Individual lockers are randomly keyed	
Standard Personal Lockers 2 X 2 36 x 18 x 33-1/8" CZSLKSTD3630 IIII IIII IIIII IIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Standard Personal Lockers 2 X 3 36 x 18 x 48-7/16" CZSLKSTD3645 IIII IIIII IIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Image: The standard Personal Lockers 2 X 4 36 x 18 x 63-3/4" CZSLKSTD3660 Image: CZSL	
CZLK	
36" Wide	
Steel construction with steel doors Shell and door finishes are encoded	
Shell and door finishes are specified independently	
Standard doors are 15" high	
Individual doors are 17" wide on 36"	
 4 locking options are offered 	
Individual lockers are randomly keyed	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

Select lock	< option.
SLCK	 Standard lock
PLCK	- Padlock
CLCK	 Combination lock
DLCK	- Digital lock

Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect door powdercoat.

Belect pull style. CZP - Connection Zone Pull USP - U-Series Pull Pull Style pick is only available when standard lock has been selected.



Standard Lock	Padlock	Combination Lock	Digital Lock	
\$ 1458	\$ 1553	\$ 2065	\$ 2576	
2018	2159	2927	3694	
2606	2794	3817	4841	

\$ 1530	\$ 1625	\$ 2136	\$ 2648	8
2117	2259	3027	3793	13
2738	2927	3950	4973	73

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Personal Lockers

Standard Size with Lower Drawer

			MODEL NUMBE	R				
	Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight
	Standard Lockers, Bottom Drawers 2 X 2	30 x 18 x 33-1/8"	CZSLKSTDD3030					146.0#
	Standard Lockers, Bottom Drawers 2 X 3	30 x 18 x 48-7/16"	CZSLKSTDD3045					187.0#
	Standard Lockers, Bottom Drawers 2 X 4	30 x 18 x 63-3/4"	CZSLKSTDD3060					229.0#
- H1								
11								
CZLK								
30" Wide with Lower Drawer								
Steel construction with steel doors								
Lowest lockers feature sliding draw-								
ers Shell and door/drawer finishes are 								
specified independently								
Standard doors/drawers are 15" high								
 Individual doors are 14" wide on 30" models 								
 4 locking options are offered 								
Individual lockers are randomly keyed	d							
			A	B	C	D	Ø	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- \bullet The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

Select loc	k option.	
SLCK	 Standard lock 	
PLCK	- Padlock	
CLCK	 Combination lock 	
DLCK	- Digital lock	

Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect door powdercoat.

Eselect pull style. CZP - Connection Zone Pull USP - U-Series Pull Pull Style pick is only available when standard lock has been selected.



Standard Lock	Padlock	Combination Lock	Digital Lock	
\$ 1662	\$ 1758	\$ 2268	\$ 2781	
2222	2364	3130	3899	
2809	2997	4022	5044	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Personal Lockers

Standard Size with Lower Drawer

			MODEL NUMBE	R				
	Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight
	Standard Lockers, Bottom Drawers 2 X 2	36 x 18 x 33-1/8"	CZSLKSTDD3630					159.0#
	Standard Lockers, Bottom Drawers 2 X 3	36 x 18 x 48-7/16"	CZSLKSTDD3645					204.0#
	Standard Lockers, Bottom Drawers 2 X 4	36 x 18 x 63-3/4"	CZSLKSTDD3660					249.0#
11								
CZLK								
36" Wide with Lower Drawer								
 Steel construction with steel doors 								
 Steel construction with steel doors Lowest lockers feature sliding draw- 								
ers								
Shell and door/drawer finishes are								
 specified independently Standard doors/drawers are 15" high 								
 Individual doors are 17" wide on 36" 								
models								
 4 locking options are offered Individual lockers are randomly keye 	d							
	ч —							
			•	•	-	-	-	
			A	₿	C	D	9	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

Select loc	k option.	
SLCK	 Standard lock 	
PLCK	- Padlock	
CLCK	 Combination lock 	
DLCK	- Digital lock	

Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect door powdercoat.

Eselect pull style. CZP - Connection Zone Pull USP - U-Series Pull Pull Style pick is only available when standard lock has been selected.



Standard Lock	Padlock	Combination Lock	Digital Lock	
\$ 1733	\$ 1828	\$ 2340	\$ 2851	
2322	2464	3230	3998	
2942	3130	4154	5177	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Personal Lockers Large Size - All Doors

				MODEL NUMB	ER				
	MODEL	Features	WxDxH	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	
CZLK	 30" Wide Steel construction with steel doors Shell and door finishes are specified independently Large doors are 30" high Individual doors are 14" wide on 30" models 4 locking options are offered Includes one coat hook in each locker Accepts one centered shelf, specified separately Individual lockers are randomly keyed 	Large Personal Lockers 2 x 1 Large Personal Lockers 2 x 2	30 x 18 x 33-1/8" 30 x 18 x 63-3/4"	CZSLKLRG3030 CZSLKLRG3060					
CZLK	 Individual lockers are failed hilly keyed Steel construction with steel doors Shell and door finishes are specified independently Large doors are 30" high Individual doors are 17" wide on 36" models 4 locking options are offered Includes one coat hook in each locker Accepts one centered shelf, specified separately Individual lockers are randomly keyed 	Large Personal Lockers 2 x 1 Large Personal Lockers 2 x 2	36 x 18 x 33-1/8" 36 x 18 x 63-3/4"	CZSLKLRG3630 CZSLKLRG3660					
				A	0	C	O	9	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

Select loc	k option.
SLCK	- Standard lock
PLCK	- Padlock
CLCK	- Combination lock
DLCK	- Digital lock

Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect door powdercoat.

Eselect pull style. CZP - Connection Zone Pull USP - U-Series Pull Pull Style pick is only available when standard lock has been selected.





Approx. Packaged Weight	Stan Locł	dard	Pad	llock	Cor Loc	mbination ck	Dig Loc	igital ock
98.0#	\$	232	\$	1278	\$	1535	\$	1791
185.0#	1	2155		2250		2761		3272
108.0#	\$	293	\$	1341	\$	1595	\$	1852
200.0#	1	2264		2359		2870		3381

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Locker Accessories

			,			 	
			MODEL NUI	MBER			
	MODEL	W x D x H	Basic Model	Shelf Color	Approx. Packaged Weight		
	Large Locker Fixed Shelves	13-1/2 x 15-7/8 x 7/8"	CZLK30FS		5.0#		
	For use with large lockers only	16-1/2 x 15-7/8 x 7/8"	CZLK36FS		6.0#		
CZAC							
HRDPT	 Locker Master Key for CLCK Lock Master key for CLCK combination locks used on Connection Zone storage lock- ers ONLY Not for use with any other locks except 		2.KP61614		0.2#		
	Connection Zone combination locks						
HRDPT	 Locker Master Key for CLCK Lock Master key for DLCK digital locks used on Connection Zone storage lockers ONLY 		2.KP61616		0.2#		
	Not for use with any other locks except Connection Zone digital locks						
			A	₿	1		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect shelf color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deliv Prici	vered ng	
\$	76	
	85	
\$	20	
\$	7	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Pedestals Mobile

			MODEL NUM	BER					
	MODEL	W x D x H	Basic Model	Shell Color	Drawer Color	Drawer Laminate	Edge Color	Lock Option	Pull Style
	Steel Shell and Drawer	15 X 17-5/8 X 21-3/4"	CZPDS20MBF						
	 Upper box drawer, lower file 5th wheel eliminates need for counter- 	15 x 21-5/8 x 21-3/4"	CZPDS24MBF						
	balance weight	15 x 27-5/8 x 21-3/4"	CZPDS30MBF						
	Steel shell and steel fronts								
	Optional dividers specified separately								
-	Optional pad specified separately								
	Steel Shell, Laminate Front	15 x 17-5/8 x 21-3/4"	CZPDL20MBF						
	 Upper box drawer, lower file 5th wheel eliminates need for counter- 	15 x 21-5/8 x 21-3/4"	CZPDL24MBF						
	balance weight	15 x 27-5/8 x 21-3/4"	CZPDL30MBF						
	Steel shell with laminate drawer fronts								
	Optional dividers specified separately								
	Optional pad specified separately								
			A	ß	G	D	Ø	Ø	G

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select loc	ck option.	
KS	 Key standard 	
NLC	 No lock core 	
KA	- Key alike	

- Gelect pull style. CZP Con USP U-S
 - Connection Zone Pull U-Series Pull

Pedestals

4

Approx. Packaged Weight	Deli Pric	vered ing	d
51.0#	\$	375	5
54.0#		400	0
66.0#		442	2
48.0#	\$	560	0
51.0#		585	5
63.0#		627	7

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Pedestals Pads

			MODEL NUMBER				
	MODEL	W x D	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
~	Pedestal Pads	15 x 17-5/8"	CZSPP1520		4.0#	\$ 92	
	 Foam and medium density fiberboard construction 	15 x 21-5/8"	CZSPP1524		5.0#	104	
	 Non-slip pads on underside 	15 x 27-5/8"	CZSPP1530		6.0#	112	
CZSP							
			A	6			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select upholstery grade and color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Pedestals Pads

Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 99	\$ 100	\$98	\$ 109	\$ 117	\$ 117	\$ 127
117	119	124	135	148	149	163
127	129	132	143	157	158	173

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #100.

Mobile Screens General Information









Acrylic Translucent Crystal Unprinted Surface

Rails are intended for horizontal placement

anywhere on a steel insert.

Acrylic Gradient Pattern Printed Surface

Acrylic Grid Pattern Printed Surface

Acrylic Solid White Unprinted Surface

Connection Zone® Screens, as part of the Connection Zone® Collection, offer freestanding mobile collaboration and space division. Mobile screens feature steel frames and acrylic inserts, either printed or unprinted, with dry-erase coating. All Connection Zone® Screen models meet or exceed relevant ANSI/BIFMA X5.6-2010/ BIFMA 5.9-2012 standards, available upon request.

CONSTRUCTION AND STANDARD **FEATURES**

Frame Construction

Mobile frames are constructed of steel tube supports. Tubes are shaped and joined to create a screen with interior storage compartments. Frame is fully coated with dry-erase powdercoat paint, allowing marker writability on all painted surfaces. Frames support the attachment of acrylic sheets for the creation of a two-sided complete screen, and frame design allows for physical connection of one screen to another. Frames

feature 2 steel formed hooks for attachment of flip chart pads.

Screens available in heights of 72" and 80", and in widths of 36" and 42". Screen floor space depth is 22-1/2".

Acrylic Inserts

One-quarter inch thick acrylic sheets are captured on either side of steel frame. Acrylic features dry-erase coating on userfacing side of each sheet for full surface writability.

Inserts may be specified in either unprinted or printed styles. See images above and pricelist for available options. Other print patterns and customization are available through KI Custom Options, subject to additional lead time and set up charges.

Steel Inserts

Steel inserts feature a dry erase-writable surface attached to a hardboard core. Steel inserts are magnetic and accept optional

tackable fabric bulletin boards and rails.

Fabric Inserts

Fabric inserts feature fiberglass cores. Inserts are tackable and are offered in a variety of colors. Fabric inserts are neither writeable nor magnetic.

Casters

Casters feature 4" black swivel twin wheels, and are plate-mounted.


Ledge

An optional steel accessory shelf ledge is available allowing for placement of foam board or other presentation materials at the bottom of the unit.

Bulletin Boards and Rails

Optional tackable bulletin boards are intended for placement on the upper portion of steel insert tiles. Boards are magnetically attached and are fully repositionable.





Solid White Magnetic Steel Surface Fabric Surface See Color Addendum



Mobile Screens

			MODEL NUM	BER			
	MODEL	W x H x D	Basic Model	Print Pattern	Frame Color	Approx. Packaged Weight	
	Printed Acrylic Surface Screen	36 x 72 X 22-1/2"	CZMSAP3672			225.0#	
Real Base	 Acrylic insert with dry-erase coating Gradient and grid print patterns allow graduated translucency and permeation of light Includes storage tray and ganging hardware Black casters 	42 x 72 X 22-1/2"	CZMSAP4272			232.0#	
F.S.		42 x 80 X 22-1/2"	CZMSAP4280			238.0#	
A							
A							
Sol .							
¥.							
CZMS							
			A	0	0		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

```
Belect acrylic type.

AGRA - Gradient Pattern

AGRD - Grid Pattern
```

CSelect frame color.
 SLDE
 - Silver Dry-Erase

 WHDE
 - White Dry-Erase

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

243

14

ExWorks Pricing	3	
\$ 4814		
4814		
4814		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Mobile Screens

			MODEL NUM	BER		
	MODEL	W x H x D	Basic Model	Print Pattern	Frame Color	Approx. Packaged Weight
Starting Contraction	 Unprinted Acrylic Surface Screen Acrylic insert with dry-erase coating 		CZMSAS3672			225.0#
Ser Star	 Acrylic does not feature any print pattern. 	42 x 72 X 22-1/2"	CZMSAS4272			232.0#
		42 x 80 X 22-1/2"	CZMSAS4280			238.0#
A						
PV-s						
S I						
v						
CZMS						
			A	0	C	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect acrylic type. CRYS - Translucent crystal WHTE - Solid white

```
CSelect frame color.

        SLDE
        Silver Dry-Erase

        WHDE
        White Dry-Erase

        Refer to color addendum at ki.com or
        KI Fabrics & Finishes binder.
```

4

ExWorks Pricing	
\$ 4286	
4286	
4286	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Mobile Screens Magnetic Dry Erase Steel Surface Two Sides

			MODEL NUM	BER		
						Annual
			Basic	Frame	Fabric	Approx. Packaged
	MODEL	WxHxD	Model	Color	Color	Weight
-	Dry Erase Steel Surface Screen	36 x 72 x 22-1/2"	CZMSDS3672			254.0#
a second	White dry erase steel surface two sidesIncludes storage tray and ganging	42 x 72 x 22-1/2"	CZMSDS4272			263.0#
	 Includes storage tray and ganging hardware 	42 x 80 x 22-1/2"	CZMSDS4280			272.0#
	Black casters					
A v						
al						
CZMS						
	 Magnetic Tackable Fabric Bulletin Board Magnetic attachment to steel tiles only 	24 x 24 x 1/2"	CZMSBB2424			2.5#
	 Intended for use on topmost 24" of tile 	36 x 24 x 1/2"	CZMSBB3624			3.0#
	only	42 x 24 x 1/2"	CZMSBB4224			3.5#
	 Not intended for use on curve Tackable surface 					
CZMSB						
ULIVIOD	Magnetic Tackable Fabric Bulletin Rail	24 x 6 x 1/2"	CZMSBR246			1.0#
	 Magnetic rackable rabit bulletin half Magnetic attachment to steel tiles only 	36 x 6 x 1/2"	CZMSBR366			1.5#
	Intended for horizontal placement only	42 x 6 x 1/2"	CZMSBR426			2.0#
	 Not intended for use on curve Tackable surface 	IE X O X I/E	OLINOBITIE0			2.0/
CZMSB						
			A	6	C	-
			•	•	Ŭ	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. SLDE - Silver Dry-Erase WHDE - White Dry-Erase Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect fabric.

Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Mobile Screens Magnetic Dry Erase Steel Surface Two Sides



ExWorks Pricing	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	
\$ 2761			
2840			
2947			
N/A	\$ 385	\$ 394	
N/A	406	415	
N/A	410	419	
N/A	\$ 186	\$ 191	
N/A	201	206	
N/A	210	215	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Fabric Tile Surface Two Sides

			MODEL NUM	BER			
	MODEL	W x H x D	Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight
	Fabric Tile Surface Two Sides Tackable fabric surface on both sides 	36 x 72 X 22-1/2"	CZMSTF3672				205.0#
A A A A A A A A A A A A A A A A A A A	 Includes storage tray and ganging hardware Black casters 	42 x 72 X 22-1/2" 42 x 80 X 22-1/2"	CZMSTF4272 CZMSTF4280				209.0# 212.0#
A							
al .							
CZMSF							
ozinor			A	6	C	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect frame color. SLDE- Silver Dry-EraseWHDE- White Dry-Erase Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric side 1. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- **D**Select fabric side 2. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

249



Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2		
\$ 2853	\$ 2887		
2947	2981		
3050	3088		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Mobile Screens

Magnetic Dry Erase Steel and Tackable Fabric

			MODEL NUMBER					
	MODEL	W x H x D	Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	
The Base		36 x 72 X 22-1/2"	CZMSSF3672				229.0#	
		42 x 72 X 22-1/2"	CZMSSF4272				236.0#	
	 Latch mechanism is handed; latch is located at the top left of side 1 	42 x 80 X 22-1/2"	CZMSSF4280				242.0#	
	 Dry erase steel on side 1 							
	Tackable fabric on side 2							
A o								
al								
ZMSF								
the second	Erase Steel Side Two	36 x 72 X 22-1/2"	CZMSFS3672				229.0#	
		42 x 72 X 22-1/2"	CZMSFS4272				236.0#	
	located at the top left of side 1	42 x 80 X 22-1/2"	CZMSFS4280				242.0#	
	Tackable fabric on side 1							
	Dry erase steel on side 2							
K o								
- V								
ZMSF								
JUIOF								
			A	0	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. SLDE - Silver Dry-Erase WHDE - White Dry-Erase Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fabric side 1. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

DSelect fabric side 2. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

Mobile Screens Magnetic Dry Erase Steel and Tackable Fabric



Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	
\$ 2838	\$ 2855	
2925	2941	
3028	3048	

\$ 2838	\$ 2855	
2925	2941	
3028	3048	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Mobile Screens

			MODEL N	UMBER			
	MODEL	W x H x D	Basic Model	Paint Color	Approx. Packaged Weight		
	Attachable Ledge Tray	34 x 1 x 2"	CZMSL36		1.3#		
	 Provides support for ancillary presenta- tion materials such as foam boards and 	40 x 1 x 2"	CZMSL42		1.5#		
	easel pads						
	Approximately 1/2" deep by width of						
	screen						
· ·							
HRDPT							
			A	ß			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect paint color. SLDE - Silver Dry-Erase WHDE - White Dry-Erase Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Deli	vered ing	
Pric	ing	
\$	35	
	38	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped k.d. freight prepaid f.o.b. Mani-towoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Privacy Booth General Information

Connection Zone Privacy Booths create the perfect getaway in a bustling environment. Their interesting design encourages use and allows visibility while clearly communicating that privacy is desired.

CONSTRUCTION:

Frame

25 mm slim tubular, contoured board base features internal and external sound-reducing treatment for visual and acous-tic privacy. Exterior of unit is fully upholstered in a variety of finish options, with twin stitch detail and piping.

Base

Swivel base is constructed of steel and features soft running casters.

Suspension—Seat and Back

The seat and back are sprung with stretch webbing stapled into position onto a circular CNC timber base.

Seat and Back

Seat cushion is formed from dual-density CMHR foam.

Upholstery

Outer booth is upholstered in Blazer or Pallas Sheepish as standard.

Inner booth is upholstered in Blazer Quilt Hourglass as standard.

Seat back and cushion may be upholstered in a variety of approved KI and Pallas fabrics. Refer to approved listing for details.

Fire rated and moisture barrier options may be available at an upcharge. Contact plant for details.



Privacy Booth Privacy Booth

			MODEL	NUMBER						
	MODEL	W x H x D	Basic Model	Seat & Back Fabric Contrast 1	Outer Booth Fabric Contrast 2	Inner Booth Fabric Contrast 3	Kick Panel	Kick Panel Fabric Contrast 4	Moisture Barrier	
	Connection Zone Booth	25 x 67 x 25"	CZPB25							
\bigcirc	 Design provides acoustic noise dimming and visual privacy 									
	Fully upholstered									
	Swivel base features soft running casters									
	Webbed underseat with lumbar cushion									
1	 1 = Seat and back fabric C.O.M. = 2 yd 2 = Outer fabric C.O.M. = 4 yd 									
	• 3 = Inner fabric C.O.M. = 2.25 yd									
2	• 4 = Kick panel vinyl C.O.M. = .5 yd									
- 4										
CZPB										
			A	ß	G	D	9	G	G	
			•	9	9	9	3		9	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect seat and back cushions fabric, contrast 1.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select outer booth fabric, contrast 2. Outer booth is upholstered in Blazer or Sheepish as standard. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select inner booth fabric, contrast 3. Inner booth is upholstered in Blazer Quilt Hourglass.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select kick panel. KP - Kick panel; add \$84 NKP - No kick panel

Select kick panel fabric, contrast 4. Only select if kick panel is selected. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select moisture barrier. MB - Moisture barrier NMB - No moisture barrier See pricing column for moisture barrier upcharge. Note: Moisture barrier available on seat and back only.

C.O.L. Requirements Figure 18 sq. ft. of leather (C.O.L.) for each

C.O.M. yardage requirements listed above

are based on plain goods 54" wide. If less

(stripes, plaids, prints, large patterns),

than 54" wide or fabrics requiring matching

additional yardage will be needed. Consult

C.O.M. matrix on the Ordering C.O.M. and

C.O.L. page for additional yardage needed.

For C.O.M. fabric sent to KI-High Point on

fabric per roll to the yardage requirements.

multiple rolls, add an additional yard of

yard shown (i.e., $4.75 \times 18 = 85.5 \text{ sq. ft.}$).

Contrasting Upholstery

INFORMATION

C.O.M. Requirements

When contrasting fabric is chosen, price at highest in-grade.

Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
143.0#	\$ 4598	\$ 4676	\$ 4696	\$ 4723	\$ 4738	\$ 4772	\$ 4805	\$ 4847	\$ 4930	\$ 5013	\$ 5096	\$ 5262	\$ 185

mately 50 sq. ft).

California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Model No.	Description	Page	Model No. Description Pag	ge
2.KP61614	Locker Master Key for CLCK Lock	234	CZBCWR30481MP	
2.KP61616	Locker Master Key for CLCK Lock	234	30" Deep, Unpowered, with Modesty Panel for use	
46.2880.1	Receptacles and Infeeds: 15-Amp Duplex Receptacle		with Cafe Height Frames: Single-Sided Applications	
	for Raceway Use: 6 Circuit	90	with One Cutout Option 16	64
AC8IF.108	Activ8 [®] Infeed	100	CZBCWR3048S1MP	
AC8JP.29	Activ8® Jumper	104	30" Deep, Powered, with Modesty Panel and Single	
AC8PUM.7	Activ8 [®] Power-Up Module	102	Power Harness for use with Cafe Height Frames:	
AC8RPTCZB.12	Activ8 [®] Module and Attachment Bracket	100	Single-Sided Applications with One Cutout Option 16	66
AC8VMC.7	Activ8 [®] Villa Power Module with Metal Cover	102	CZBCWR30601MP	
AC8VMN.7	Activ8 [®] Villa Power Module without Cover	102	30" Deep, Unpowered, with Modesty Panel for use	
CZBBCR	Data Cable and Cord Management: Data Floor Infeed	94	with Cafe Height Frames: Single-Sided Applications	
CZBCBCR	For use with Cafe Height Frames Only: Data Floor	100	with One or Two Cutout Options 16	64
CZBCFF	Infeed Cafe Height	192	CZBCWR3060D1MP	
62D6FF	For use with Cafe Height Frames Only: Floor Infeed for Café Height - 10 Wire	190	30" Deep, Powered, with Modesty Panel and Double	
CZBCSA2448/F	Supports Single Sided 24" Deep or Teaming Worksur-	190	Power Harness for use with Cafe Height Frames:	60
0200072440/1	faces: 24" Single-Sided Adder Frame	186	Single-Sided Applications with One or Two Cutout Options 16 CZBCWR3060S1MP	00
CZBCSA3048/F	Supports Single Sided 30" Deep Worksurfaces: 30"	100	30" Deep, Powered, with Modesty Panel and Single	
022007.000.00	Single-Sided Adder Telescopic Beam Frame	188	Power Harness for use with Cafe Height Frames:	
CZBCSS2448/F	Supports Single Sided 24" Deep or Teaming Worksur-		Single-Sided Applications with One or Two Cutout Options 16	66
	faces: 24" Single-Sided Standalone/Starter Frame	186	CZBCWR30901MP	
CZBCSS3048/F	Supports Single Sided 30" Deep Worksurfaces: 30"		30" Deep, Unpowered, with Modesty Panel for use	
	Single-Sided Standalone/Starter Telescopic Beam Frame	188	with Cafe Height Frames: Single-Sided Applications	
CZBCT36	Data Cable and Cord Management: Cable Tray Assemblies	142	with One, Two or Three Cutout Options 16	64
CZBCTDF1L	For use with Cafe Height Frames Only: Top Data		CZBCWR3090D1MP	
	Infeed for Cafe Height - Single Sided, Left	192	30" Deep, Powered, with Modesty Panel and Double	
CZBCTDF1R	For use with Cafe Height Frames Only: Top Data		Power Harness for use with Cafe Height Frames:	
0750750	Infeed for Cafe Height - Single Sided, Right	192	Single-Sided Applications with One, Two or Three	
CZBCTF1L	For use with Cafe Height Frames Only: Top Infeed for	100	Cutout Options 16	68
CZBCTF1R	Cafe Height - 10 Wire - Left For use with Cafe Height Frames Only: Top Infeed for	190	CZBCWR4248STMP	
GZDGIFIN	Cafe Height - 10 Wire - Right	190	42" Deep, Powered with Single Power Harness	
CZBCWR24481N		150	and Two Modesty Panels for use with Cafe Height Frames: One Cutout Option 17	74
OLDOWNE HOW	24" Deep, Unpowered, with Modesty Panel for use		CZBCWR4248TMP	/4
	with Cafe Height Frames: Single-Sided Applications		42" Deep, Unpowered with Two Modesty Panels for	
	with One Cutout Option	158	use with Cafe Height Frames: One Cutout Option 17	70
CZBCWR2448S1	MP		CZBCWR4260DTMP	
	24" Deep, Powered, with Modesty Panel and Single		42" Deep, Powered with Double Power Harness	
	Power Harness for use with Cafe Height Frames:		and Two Modesty Panels for use with Cafe Height	
	Single-Sided Applications with One Cutout Option	160	Frames: One or Two Cutout Options 17	76
CZBCWR24601N			CZBCWR4260STMP	
	24" Deep, Unpowered, with Modesty Panel for use		42" Deep, Powered with Single Power Harness	
	with Cafe Height Frames: Single-Sided Applications	150	and Two Modesty Panels for use with Cafe Height	
CZBCWR2460D ⁻	with One or Two Cutout Options	158	Frames: One or Two Cutout Options 17	/4
020000024000	24" Deep, Powered, with Modesty Panel and Double		CZBCWR4260TMP	
	Power Harness for use with Cafe Height Frames:		42" Deep, Unpowered with Two Modesty Panels for use with Cafe Height Frames: One or Two Cutout Options 17	70
	Single-Sided Applications with One or Two Cutout Options	162	CZBCWR4290DTMP	70
CZBCWR2460S1			42" Deep, Powered with Double Power Harness	
	24" Deep, Powered, with Modesty Panel and Single		and Two Modesty Panels for use with Cafe Height	
	Power Harness for use with Cafe Height Frames:		Frames: One, Two or Three Cutout Options 17	76
	Single-Sided Applications with One or Two Cutout Options	160	CZBCWR4290TMP	
CZBCWR24901	ЛР		42" Deep, Unpowered with Two Modesty Panels for	
	24" Deep, Unpowered, with Modesty Panel for use		use with Cafe Height Frames: One, Two or Three	
	with Cafe Height Frames: Single-Sided Applications		Cutout Options 17	72
07001/00 /000	with One, Two or Three Cutout Options	158	CZBCWR4848STMP	
CZBCWR2490D			48" Deep, Powered with Single Power Harness	
	24" Deep, Powered, with Modesty Panel and Double Power Harness for use with Cafe Height Frames:		and Two Modesty Panels for use with Cafe Height	00
	Single-Sided Applications with One, Two or Three		Frames: One Cutout Option 18 CZBCWR4848TMP	02
	Cutout Options	162		



Model No.	Description	Page	Model No.
	48" Deep, Unpowered with Two Modesty Panels for use with Cafe Height Frames: One Cutout Option	178	CZBDS2E6
CZBCWR4860DT	MP		
	48" Deep, Powered with Double Power Harness		
	and Two Modesty Panels for use with Cafe Height		0700000
0700100 400007	Frames: One or Two Cutout Options	184	CZBDS2E6
CZBCWR4860ST	48" Deep, Powered with Single Power Harness		
	and Two Modesty Panels for use with Cafe Height		
	Frames: One or Two Cutout Options	182	
CZBCWR4860TM		102	CZBDS483
	48" Deep, Unpowered with Two Modesty Panels for		
	use with Cafe Height Frames: One or Two Cutout Options	178	
CZBCWR4890DT	MP		CZBDS483
	48" Deep, Powered with Double Power Harness		
	and Two Modesty Panels for use with Cafe Height		
	Frames: One, Two or Three Cutout Options	184	CZBDS603
CZBCWR4890TM			
	48" Deep, Unpowered with Two Modesty Panels for		CZBDS603
	use with Cafe Height Frames: One, Two or Three Cutout Options	180	02003003
CZBDA483642/F	•	100	
02DDA403042/1	faces: 48" Dual-Sided Adder Telescopic Beam Frame	64	CZBDSA24
C7BDA483642/S	Supports Two 24" Deep Back-to-Back Sliding Work-	04	
02007.10000.2,0	surfaces: 48" Dual-Sided Adder Telescopic Beam Frame	66	CZBDSA60
CZBDA603642/F	•		
	faces: 60" Dual-Sided Adder Telescopic Beam Frame	68	
CZBDA603642/S	Supports Two 30" Deep Back-to-Back Sliding Work-		CZBDSAT2
	surfaces: 60" Dual-Sided Adder Telescopic Beam Frame	70	
CZBDACR	Data Cable and Cord Management: Dual Adder Leg		CZBDSAT6
	Cable Riser	142	
CZBDS1E483642			07000004
	Supports Two 24" Deep Back-to-Back Fixed Worksur-		CZBDSF24
	faces: 48" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attachment Brackets for One		CZBDSF60
	Conference End Worksurface	72	02000100
CZBDS1E483642		12	
0200012400042	Supports Two 24" Deep Back-to-Back Sliding		CZBDSFT24
	Worksurfaces: 48" Dual-Sided Standalone/Starter		
	Telescopic Beam Frame with Attachment Brackets for		CZBDSFT6
	One Conference End Worksurface	76	
CZBDS1E603642	?/F		
	Supports Two 30" Deep Back-To-Back Fixed Worksur-		CZBE1D60
	faces: 60" Dual-Sided Standalone/Starter Telescopic		
	Beam Frame with Attachment Brackets for One		
0700045000040	Conference End Worksurface	74	CZBE1D60
CZBDS1E603642			
	Supports Two 30" Deep Back-To-Back Sliding Worksurfaces: 60" Dual-Sided Standalone/Starter		CZBE1S30
	Telescopic Beam Frame with Attachement Brackets		020210000
	for One Conference End Worksurface	78	
CZBDS2E483642			CZBE1S30
	Supports Two 24" Deep Back-to-Back Fixed Worksur-		
	faces: 48" Dual-Sided Standalone/Starter Telescopic		
	Beam Frame with Attachement Brackets for Two		CZBE2D60
	Conference End Worksurfaces	72	
CZBDS2E483642			07050500
	Supports Two 24" Deep Back-to-Back Sliding		CZBE2D60
	Worksurfaces: 48" Dual-Sided Standalone/Starter		
	Telescopic Beam Frame with Attachment Brackets for	76	C78E2S36

Two Conference End Worksurfaces

Page	Model No. CZBDS2E603642	Description /F	Page
178		Supports Two 30" Deep Back-To-Back Fixed Worksur- faces: 60" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attachement Brackets for Two Conference End Worksurfaces	74
184	CZBDS2E603642		
182	CZBDS483642/F	Telescopic Beam Frame with Attachement Brackets for Two Conference End Worksurfaces	78
178	CZBDS483642/S	faces: 48" Dual-Sided Standalone/Starter Telescopic Beam Frame Supports Two 24" Deep Back-to-Back Sliding	64
184	CZBDS603642/F		66
	CZBDS603642/S		68
180 64	CZBDSA2413/1	Worksurfaces: 60" Dual-Sided Standalone/Starter Telescopic Beam Frame 13 or 19" High with Framed Acrylic Insert: Single,	70
66	CZBDSA6013/1	Uninterrupted Screen Length 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces: Single, Uninterrupted	128
68 70	CZBDSAT2413/1	Screen Length 13 or 19" High with Tool Rail and Framed Acrylic Insert: Single, Uninterrupted Screen Length	130 136
142	CZBDSAT6013/1	13 or 19" High with Tool Rail and Framed Acrylic In- sert for Use on Perpendicular Worksurfaces: Single, Uninterrupted Screen Length	138
	CZBDSF2413/1	13, 19" or 31" High with Framed Fabric Insert: Single, Uninterrupted Screen Length	112
72	CZBDSF6013/1	13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces: Single, Uninterrupted Screen Length	114
	CZBDSFT2413/1 CZBDSFT6013/1	13 or 19" High with Tool Rail and Framed Fabric Insert: Single, Uninterrupted Screen Length 13 or 19" High with Tool Rail and Framed Fabric In-	120
76	CZBE1D60	sert for Use on Perpendicular Worksurfaces: Single, Uninterrupted Screen Length Rigid Wireways for Single-Sided Applications: Electri-	122
74	CZBE1D60HW	cal Assembly; Single-Sided Applications with Double Rigid Wireway Rigid Wireways for Single-Sided Hardwired Applica- tions: Electrical Assembly; Single-Sided Hardwired	82
	CZBE1S30	Applications with Four Cutouts Rigid Wireways for Single-Sided Applications: Electri- cal Assembly; Single-Sided Applications with Single	86
78	CZBE1S30HW	Rigid Wireway Rigid Wireways for Single-Sided Hardwired Applica- tions: Electrical Assembly; Single-Sided Hardwired	82
72	CZBE2D60	Applications with Two Cutouts Rigid Wireways for Dual-Sided Applications: Electri- cal Assembly; Dual-Sided Applications with Double	86
	CZBE2D60HW	Rigid Wireway Rigid Wireways for Dual-Sided Hardwired Applica- tions: Electrical Assembly; Dual-Sided Hardwired	84
76	CZBE2S36HW	Applications with Four Cutouts Per Side Rigid Wireways for Dual-Sided Hardwired Applica-	88

Model No.	Description	Page	Model No.	Description	Page
	tions: Electrical Assembly; Dual-Sided Hardwired		CZBPSF9019/3	19" High with Framed Fabric Insert: 19" with Two	
	Applications with Two Cutouts Per Side	88		Intersections	108
CZBE2S48	Rigid Wireways for Dual-Sided Applications: Electri- cal Assembly; Dual-Sided Applications with Single		CZBPSF9031/3	31" High with Framed Fabric Insert: 31" with Two	
	Rigid Wireway	84	07000000410/1	Intersections	110
CZBFF	Receptacles and Infeeds - 29" Finished Assembly:	01	CZBPSFT2413/1	13" High with Tool Rail and Framed Fabric Insert: Single, Uninterrupted Screen Length	116
	Standard Height Base Infeed 10-Wire	92	CZBPSFT2419/1		110
CZBJP.TJ	Jumpers: Electrical Table-toTable Jumpers	96		Single, Uninterrupted Screen Length	118
CZBLC48	Perpendicular Conference End Support Frame	80	CZBPSFT6013/2	13" High with Tool Rail and Framed Fabric Insert: 13"	
CZBLP	Post Leg Support	62		with Center Intersection	116
CZBLS24 CZBLS48	Single Side Support Frame Perpendicular Support Frame	62 80	CZBPSFT6019/2	19" High with Tool Rail and Framed Fabric Insert: 19"	
CZBLSU36	For Attachment to Support Frame	00	070000000000000000	with Center Intersection	118
02020000	nate Storage Cubby with Steel Partition - Open	206	0ZBP5F19013/3	13" High with Tool Rail and Framed Fabric Insert: 13" with Two Intersections	116
CZBMP24	Steel Modesty Panel for Use on 29" Assemblies: Steel		C7BPSFT9019/3	19" High with Tool Rail and Framed Fabric Insert: 19"	110
	Modesty Panel	140	02010110010/0	with Two Intersections	118
CZBMSUSD36	For Attachment to Supporting Privacy Screen: Steel		CZBPSU3613/1	Frameless Center Privacy Screen with Work Rail - 13" High	196
	Storage Cubby - Sliding Door	206	CZBPSU3619/1	Frameless Center Privacy Screen with Work Rail - 19" High	196
CZBPMB	Tool Rail Accessories: Box	156	CZBRE2D60	For Attachment Below Center Work Rail Only: Electri-	
CZBPMC CZBPML	Tool Rail Accessories: Cell Phone Holder Tool Rail Accessories: Paper Tray	156 156		cal Assembly for Double Wireway	98
CZBPMN	Tool Rail Accessories: Name Plate Holder	156	CZBRE2S36	For Attachment Below Center Work Rail Only: Electri-	00
CZBPMP	Tool Rail Accessories: Pencil Holder	156	CZBSA243642/F	cal Assembly for Single Wireway Supports Single Sided 24" Deep Fixed Worksurfaces:	98
CZBPSA2413/1	13" High with Framed Acrylic Insert: Single, Uninter-		02038243042/1	24" Single-Sided Adder Frame	56
	rupted Screen Length	124	CZBSA303642/F	-	00
CZBPSA2419/1	19" High with Framed Acrylic Insert: Single, Uninter-			30" Single-Sided Adder Telescopic Beam Frame	60
	rupted Screen Length	126	CZBSAE243642/I	F Single Adder End Frame	62
CZBPSA6013/2	13" High with Framed Acrylic Insert: 13" with Center	104	CZBSH36	For Attachment to Supporting Privacy Screen: Lami-	
CZBPSA6019/2	Intersection 19" High with Framed Acrylic Insert: 19" with Center	124		nate Counter Shelf	204
02DF 3A0019/2	Intersection	126	CZBSPA3619/1	19" High with Framed Acrylic Insert: 19" Supporting	000
CZBPSA9013/3	13" High with Framed Acrylic Insert: 13" with Two	120	CZBSPA6019/2	Privacy Screen with Work Rail 19" High with Framed Acrylic Insert: 19" Supporting	200
	Intersections	124	02D3FA0013/2	Privacy Screen with Center Intersection and Work Rail	200
CZBPSA9019/3	19" High with Framed Acrylic Insert: 19" with Two		CZBSPF3619/1	19" High with Framed Fabric Insert: 19" Supporting	200
	Intersections	126		Privacy Screen with Work Rail	198
CZBPSAT2413/1	5	100	CZBSPF6019/2	19" High with Framed Fabric Insert: 19" Supporting	
07000470410/1	Single, Uninterrupted Screen Length	132		Privacy Screen with Center Intersection and Work Rail	198
CZBPSAT2419/1	19" High with Tool Rail and Framed Acrylic Insert: Single, Uninterrupted Screen Length	134	CZBSPM3619/1	19" High with Framed Dry Erase Steel Markerboard	
CZBPSAT6013/2	13" High with Tool Rail and Framed Acrylic Insert: 13"	104		Insert: 19" Supporting Privacy Screen with Work Rail	202
0	with Center Intersection	132	CZBSPM6019/2	19" High with Framed Dry Erase Steel Markerboard Insert: 19" Supporting Privacy Screen with Center	
CZBPSAT6019/2	19" High with Tool Rail and Framed Acrylic Insert: 19"			Intersection and Work Rail	202
	with Center Intersection	134	CZBSS1E243642		LOL
CZBPSAT9013/3	13" High with Tool Rail and Framed Acrylic Insert: 13"			Supports Single Sided 24" Deep Fixed Worksurfaces:	
07000 470040/0	with Two Intersections	132		Conference End One Side	58
62BPSA19019/3	19" High with Tool Rail and Framed Acrylic Insert: 19" with Two Intersections	134	CZBSS243642/F		
CZBPSF2413/1	13" High with Framed Fabric Insert: Single, Uninter-	134	070005040040	24" Single-Sided Standalone/Starter Frame	56
0201012110/1	rupted Screen Length	106	CZBSS2E243642	/F Supports Single Sided 24" Deep Fixed Worksurfaces:	
CZBPSF2419/1	19" High with Framed Fabric Insert: Single, Uninter-			Conference End Two Sides	58
	rupted Screen Length	108	CZBSS303642/F		00
CZBPSF3031/1	31" High with Framed Fabric Insert: Single, Uninter-			30" Single-Sided Standalone/Starter Telescopic Beam Fram	e 60
	rupted Screen Length	110	CZBTDF1L	Data Cable and Cord Management: Top Data Infeed	
CZBPSF6013/2	13" High with Framed Fabric Insert: 13" with Center	106		for 29" Height - Single Sided, Left	94
CZBPSF6019/2	Intersection 10" High with Framed Fabric Incert: 10" with Center	106	CZBTDF1R	Data Cable and Cord Management: Top Data Infeed	
0201010013/2	19" High with Framed Fabric Insert: 19" with Center Intersection	108		for 29" Height - Single Sided, Right	94
CZBPSF6031/2	31" High with Framed Fabric Insert: 31" with Center		CZBTDF2	Data Cable and Cord Management: Top Data Infeed for 29" Height - Dual Sided Applications	94
	Intersection	110	CZBTF1L	Receptacles and Infeeds - 29" Finished Assembly:	JT
CZBPSF9013/3	13" High with Framed Fabric Insert: 13" with Two			Top Infeed 10-Wire for Single-Sided Applications	92
	Intersections	106			

Index



•		
Model No.	Description	Page
CZBTF2	Receptacles and Infeeds - 29" Finished Assembly:	
	Top Infeed 10-Wire for Dual-Sided Applications	92
CZBTLBASE	Light Bases: Freestanding Base (Retrofit or Replacement)	148
CZBTLF	Task Lights: LED Double Arm Task Light with Free-	
	standing Base	144
CZBTLOF	Task Lights with Occupancy Sensors: LED Double	
	Arm Task Light with Occupancy Sensor and Free-	
07071 07	standing Base	146
CZBTLOT	Task Lights with Occupancy Sensors: LED Double	
	Arm Task Light with Occupancy Sensor and Tool Rail Mou	
CZBTLT	Task Lights: LED Double Arm Task Light, Tool Rail Mount	144
CZBTLTOOL	Light Bases: Tool Rail Mount Base (Retrofit or	140
07010000440	Replacement)	148
CZBWCE2448	Unpowered Conference End for Dual-Sided Applica- tions without Screens	54
CZBWCE2450	Unpowered Conference End for Dual-Sided Applica-	54
0200002430	tions Using Center Privacy Screens	54
CZBWEC2448602		54
02011202440002	24" and 30" Deep: 24" and 30" Deep Extended Corner	
	Worksurfaces	46
CZBWEC2460482		10
	24" and 30" Deep: 24" and 30" Deep Extended Corner	
	Worksurfaces	46
CZBWP2460	24" and 30" Deep Unpowered Peninsula Worksurfaces	52
CZBWR24241	Adjoining Worksurfaces 24"D	48
CZBWR24361MF	24" Deep, Unpowered, with Modesty Panel: Single-	
	Sided Applications with One Cutout Option	12
CZBWR24361NN	1 24" Deep, Unpowered, No Modesty Panel: Single-	
	Sided Applications with One Cutout Option	10
CZBWR24362	24" Deep, Unpowered: Dual-Sided Applications with	
	One Cutout Option	34
CZBWR2436S1N	IP	
	24" Deep, Powered, with Modesty Panel and Single	
	Power Harness: Single-Sided Applications with One	
0701000400040	Cutout Option	18
CZBWR2436S1N		
	24" Deep, Powered, No Modesty Panel with Single	
	Power Harness: Single-Sided Applications with One	4.4
0701/0040600	Cutout Option	14
CZBWR2436S2	24" Deep, Powered with Single Power Harness: Dual- Sided Applications with One Cutout Option	26
C7DWD04601MD	2 24" Deep, Unpowered, with Modesty Panel: Single-	36
GZDWNZ400 HVIF	Sided Applications with One or Two Cutout Options	12
C7BWB2/601NM	1 24" Deep, Unpowered, No Modesty Panel: Single-	12
02011124001111	Sided Applications with One or Two Cutout Options	10
CZBWR24602	24" Deep, Unpowered: Dual-Sided Applications with	10
	One or Two Cutout Options	34
CZBWR2460D1N	-	0.
	24" Deep, Powered, with Modesty Panel and Double	
	Power Harness: Single-Sided Applications with One	
	or Two Cutout Options	20
CZBWR2460D1N	M	
	24" Deep, Powered, No Modesty Panel with Double	
	Power Harness: Single-Sided Applications with One	
	or Two Cutout Options	16
CZBWR2460D2	24" Deep, Powered with Double Power Harness:	
	Dual-Sided Applications with One or Two Cutout Options	38
CZBWR2460S1N		
	24" Deep, Powered, with Modesty Panel and Single	
	Power Harness: Single-Sided Applications with One	4.0
	or Two Cutout Options	18

ge		Description	Page
	CZBWR2460S1NN		
92 48		24" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One or Two Cutout Options	14
44	CZBWR2460S2	24" Deep, Powered with Single Power Harness: Dual- Sided Applications with One or Two Cutout Options	36
16	CZBWR24901MP	24" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One, Two or Three Cutout Options	12
46 46	CZBWR24901NM	24" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One, Two or Three Cutout Options	10
46 44	CZBWR24902	24" Deep, Unpowered: Dual-Sided Applications with One, Two or Three Cutout Options	34
48	CZBWR2490D1M		
54		24" Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One,	00
54	CZBWR2490D1NI		20
		24" Deep, Powered, No Modesty Panel with Double	
40		Power Harness: Single-Sided Applications with One, Two or Three Cutout Options	16
46	CZBWR2490D2	24" Deep, Powered with Double Power Harness:	10
		Dual-Sided Applications with One, Two or Three	
46		Cutout Options	38
52	CZBWR30241	Adjoining Worksurfaces 30"D	48
48	CZBWR30361MP	30" Deep, Unpowered, with Modesty Panel: Single-	
		Sided Applications with One Cutout Option	24
12	CZBWR30361NW	30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One Cutout Option	22
4.0	CZBWR30362	30" Deep, Unpowered: Dual-Sided Applications with	22
10	02011100002	One Cutout Option	40
34	CZBWR3036S1M		
		30" Deep, Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option	30
10	CZBWR3036S1NN		00
18		30" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One	
14	CZBWR3036S2	Cutout Option 30" Deep, Powered with Single Power Harness: Dual-	26
36	CZBWR30601MP	Sided Applications with One Cutout Option 30" Deep, Unpowered, with Modesty Panel: Single-	42
12	CZBWR30601NM	Sided Applications with One or Two Cutout Options 30" Deep, Unpowered, No Modesty Panel: Single-	24
10	CZBWR30602	Sided Applications with One or Two Cutout Options 30" Deep, Unpowered: Dual-Sided Applications with	22
10		One or Two Cutout Options	40
34	CZBWR3060D1M		
		30" Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One or Two Cutout Options	32
20	CZBWR3060D1NI	•	
20		30" Deep, Powered, No Modesty Panel with Double Power Harness: Single-Sided Applications with One	0.0
16	CZBWR3060D2	or Two Cutout Options 30" Deep, Powered with Double Power Harness: Dual-Sided Applications with One or Two Cutout Options	28 44
38	CZBWR3060S1M		
00		30" Deep, Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One	20
10	CZBWR3060S1N	or Two Cutout Options M	30
18			

CZBWR3060S1NM

Model No.	Description	Page	Model No.	Description	Page
	30" Deep, Powered, No Modesty Panel with Single		CZSLKSTDD3030) Standard Size with Lower Drawer: 30" Wide with	
	Power Harness: Single-Sided Applications with One			Lower Drawer	228
	or Two Cutout Options	26	CZSLKSTDD3630) Standard Size with Lower Drawer: 36" Wide with	000
CZBWR3060S2	30" Deep, Powered with Single Power Harness: Dual-		070004500	Lower Drawer	230
07014/00000414	Sided Applications with One or Two Cutout Options	42	CZSPP1520	Pads: Pedestal Pads	238
CZBWR30901MF	⁹ 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One Two or Three Cutout Options	04	LEDTL4WDLG	Task Lights: Asymmetrical LED Task Light with Large Divider Mount	152
	Sided Applications with One, Two or Three Cutout Options	24	LEDTL4WDSM	Task Lights: Asymmetrical LED Task Light with Small	152
CZBWR30901111	1 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One, Two or Three Cutout Options	22		Divider Mount Clamp	150
CZBWR30902	30" Deep, Unpowered: Dual-Sided Applications with	22	LEDTL4WF	Task Lights: Asymmetrical LED Task Light with	100
02011100302	One, Two or Three Cutout Options	40		Freestanding Base	150
CZBWR3090D1M	-	10	LEDTLBASE	Task Lights: Freestanding Base	154
	30" Deep, Powered, with Modesty Panel and Double		LEDTLMTLG	Task Lights: Large Divider Mount	154
	Power Harness: Single-Sided Applications with One,		LEDTLMTSM	Task Lights: Small Divider Mount	154
	Two or Three Cutout Options	32			
CZBWR3090D1N	M				
	30" Deep, Powered, No Modesty Panel with Double				
	Power Harness: Single-Sided Applications with One,				
	Two or Three Cutout Options	28			
CZBWR3090D2	30" Deep, Powered with Double Power Harness:				
	Dual-Sided Applications with One, Two or Three				
	Cutout Options	44			
CZBWRT2424	24" and 30" Deep Unpowered Returns	50			
CZLK30FS CZMSAP3672	Large Locker Fixed Shelves	234 242			
CZMSAP3672 CZMSAS3672	Printed Acrylic: Printed Acrylic Surface Screen Unprinted Acrylic: Unprinted Acrylic Surface Screen	242 244			
CZMSBB2424	Magnetic Dry Erase Steel Surface Two Sides: Mag-	244			
021010002727	netic Tackable Fabric Bulletin Board	246			
CZMSBR246	Magnetic Dry Erase Steel Surface Two Sides: Mag-	210			
02.11000112.10	netic Tackable Fabric Bulletin Rail	246			
CZMSDS3672	Magnetic Dry Erase Steel Surface Two Sides: Dry				
	Erase Steel Surface Screen	246			
CZMSFS3672	Magnetic Dry Erase Steel and Tackable Fabric: Tack-				
	able Fabric Side One, Magnetic Dry Erase Steel Side Two	250			
CZMSL36	Accessories: Attachable Ledge Tray	252			
CZMSSF3672	Magnetic Dry Erase Steel and Tackable Fabric: Mag-				
	netic Dry Erase Steel Side One, Tackable Fabric Side Two	250			
CZMSTF3672	Fabric Tile Surface Two Sides : Fabric Tile Surface				
070005	Two Sides	248			
CZPB25	Privacy Booth: Connection Zone Booth	256			
CZPDL20MBF CZPDS20MBF	Mobile: Steel Shell, Laminate Front Mobile: Steel Shell and Drawer	236 236			
) Steel Shell, Laminate Front 18" High: Box/Box, Open	230			
CZSCL60120F0		216			
	Steel Shell, Laminate Front 21" High: Pencil/Lateral	210			
	File, Open	218			
CZSCL60180BF0	Steel Shell, Laminate Front 24" High: Box/Lateral File,				
	Open with Adjustable Shelf	220			
CZSCP3018	Credenza Pads	224			
CZSCS60120BBC) Steel Shell and Drawers 18" High: Box/Box, Open	210			
CZSCS60120F0	Steel Shell and Drawers 18" High: Lateral File, Open	210			
CZSCS60150PFC) Steel Shell and Drawers 21" High: Pencil/Lateral File, Open	212			
CZSCS60180BF0) Steel Shell and Drawers 24" High: Box/Lateral File,				
	Open with Adjustable Shelf	214			
CZSCT6018	Single Credenza Tops	222			
CZSCT6036	Back to Back Credenza Top	222			
CZSLKLRG3030	•	232			
	Large Size - All Doors: 36" Wide	232			
CZSLKSTD3030		226			
CZSLKSTD3630	Stanuaru 5126 - Ali 100015, 50 Wille	226			



KI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 Krueger International, Inc. All Rights Reserved. Code KI-11601/KI/PDF/1013