

CROSSROADS® LIBRARY FURNITURE

PRICE LIST

January 3, 2011 Updated February 22, 2023

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

CrossRoads® Library Furniture		
General Information		2
Product Color Options		4
 CrossRoads® Study Tables		
Rectangular Tables		5
Square and Round Tables		6
Panel Leg Tables		7
CrossRoads® Study Carrels		
Single Face Carrels		8
Double Face Carrels		9
CrossRoads® Stand-up Computer Stations		
Single Face Stations		10
Double Face Stations		11
CrossRoads® Shelving		
42" High Shelving		12
54" High Shelving		13
60" High Shelving 72" High Shelving		14 15
82" High Shelving		16
96" High Shelving		17
CrossRoads® Metal Shelving 42" Metal Shelving		19
54" Metal Shelving		20
60" Metal Shelving		21
72" Metal Shelving		22
82" Metal Shelving		23
CrossRoads® Periodical Shelving		
42" High Periodical Shelving		24
60" High Periodical Shelving		25
82" High Periodical Shelving		26
CrossRoads® Media Display Metal Shelvii	19	
42" Media Display Metal Shelv	ring	27
60" Media Display Metal Shelv	•	28
82" Media Display Metal Shelv	ring	29
CrossRoads® Accessory Units		_
Storage/Accessories		30
Newspaper Display Units		31
Atlas and Dictionary Stands		32
Rolling Book Carts		33
CrossRoads® Seating		
General Information		34
Product Color Options		35
Wood Chairs		36
CrossRoads® Circulation Desk		
Typicals		37

CrossRoads® Library Furniture

SPECIFICATIONS

Study Table Top

Tableton is 1-1/4" thick particlehoard core construction with .05" high pressure laminate facer and .026" backer on the underside. All four edges shall be banded with a 1-1/4" thick and 2" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beveled to a .25" radiused bullnose at the top. The edge band has mitered corners.

Table tops are offered without grommets. with grommets, or with PowerUp® modules. Grommets and PowerUp® modules fit in the same size top cutout. For grommet and PowerUp® options, placement on table top will either be in the table center or offset to one edge. Offset grommet or PowerUp® locations will be centered on the longest outside edge of the table and 7-3/4" from the table edge to the center of the grommets or PowerUp®. For round and square tables, grommet or PowerUp® placement on the outer edge of the table will be centered on the outer edge between two leas.

Study Table Legs

The legs are attached to the apron using a heavy gauge metal plate with two heavy-duty anchoring bolts. The legs are 2-1/4" square glued up face to face. All of the edges are eased with a 1/4" radius. For tables with grommets or PowerUp®, cords are managed by the vertical leg wire manager or the wood routed wireway. Leg wireway is scuff-resistant, high-impact rigid Polypropylene plastic and is fastened to the leg with full-length adhesive bond. The solid wood routed wireway is 1" wide and 3/4" deep and runs from the bottom of the leg to just under the intersection with the apron. 1/4" solid wood cap attaches with (6) knurled thumbscrews.

Study Table Aprons

A 3/4" thick solid oak or maple apron rail is fit between the legs on all four sides of the table. The apron shall be machined to have a full length arch that is 3-7/8" high at the ends and 2" at the center. The apron rails are screwed to the underside of the top. Optional apron has straight bottom with a beveled face.

Study Table Glides

Each leg has a 2" diameter nylon-based adjustable leveling glide with a 1-1/2" thread stem.

Study Table Worksurface Height

Standard height is 29". Optional 27" or 32" heights may be specified.

Study Table Routed Wireway

Solid wood routed wireway, 1" wide x 3/4" deep runs from bottom of leg to just under intersection with apron. 1/4" solid wood cap attaches with (6) knurled thumbscrews

Panel End Table Top

Tableton is 1-1/4" thick, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. All four

edges shall be banded with a 1-1/4" thick and 2" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beveled to a .25" radiused bullnose at the top. The edge band is mitered at all four

corners. Table tops are offered without grommets, with grommets, or with PowerUp® modules. Grommets and PowerUp® modules fit in the same size top cutout. For grommet and PowerUp® options, placement on table top will either be in the table center or offset to one edge. Offset grommet or PowerUp® locations will be centered on the longest outside edge of the table and 7-3/4" from the table edge to the center of the arommets or PowerUp®

Panel End Table End Panels

The end panels are 1-3/16" thick particle core construction with select oak or maple veneer on both faces. The verticle edges of the panel are banded with a 1.5mm thick solid oak or maple external band with a 1/32" radius on all edges. The panel base is solid oak or maple with a .13" deep x .38" high reveal groove. The base is glued and screwed to the bottom of the end panel. The end panels are attached to the top using two 21" long, steel "L" brackets with six screws per bracket. The longitudinal stabilizing keel shall be 3/4" thick x 7" wide, particleboard construction with select oak or maple face and back. Bottom edge is banded with 1.5mm solid oak or maple and attached to the end panels and the top using mortise and tenon joinery. For tables with grommets or PowerUp®, cords are managed by the vertical leg wire manager

Panel Fnd Table Glides

Each end and intermediate panel has a pair of 1-1/8" diameter steel-based adjustable leveling glide with a 1-1/4" threaded stem.

Panel End Table Worksurface Height Standard height is 29".

Study and Stand-up Carrels Top

The worksurface is 1-1/4" thick x 33-1/2" or 45-1/2" wide x 27-1/2" deep, particleboard core construction with .05" high pressure laminate facer and .026" backer on the underside. Exposed edge shall be banded with a 1-1/4" thick and 2" wide solid oak or maple external knife edge laminated to core after application of the facer laminate. The edge is beyeled to a .25" radiused bullnose at the top. The worksurface is attached to the end panels and back with a 21" long, steel "L" bracket screwed into brass inserts in the panel and then screwed into the top of the worksurface.

Study and Stand-up Carrels End Panels

The end panels are 1-3/16" thick particleboard core construction with Grade A oak or manle veneer on both faces. The vertical edges of the panel are banded with a 1.5mm thick solid oak or maple external band with a 1/32" radius on all edges. The panels have brass inserts for mounting the worksurface at

four different heights (25", 27", 29" and 32" ADA heights) The panel base is select solid oak or maple with a .13" deep x .38" high reveal groove. The base is glued and

screwed to the bottom of the end panel. End panels for study and stand-up carrels are machined on one side

Study and Stand-up Carrels Shared

Panels The intermediate panels are the same construction as the end panels however the worksurface and shelf inserts are on both sides of the panel. Shared panels for study and stand-up carrels are machined on both sides

Study and Stand-up Carrels Back Panels

The back panels are 3/4" thick, 5-ply particleboard core construction with Grade A oak or maple veneer on both faces. The top and bottom edges of the panel are banded with a 1.5mm thick solid oak or maple external

band with a 1/32" radius on all edges. The top edge is located 6-1/2" down from the top of the end panels and 4" up from the bottom. Back panels are attached to end panels using cam-lock fasteners. Double-faced units share 1-3/4" thick hack panel

Study and Stand-up Carrels Shelf

The storage shelf shall be 3/4" thick x 33-1/2" or 45-1/2" wide x 10" deep, plywood core construction. Both faces will be covered with select oak or maple veneers and banded on the exposed edge with 1.5mm solid oak or maple The study carrel shelf is located 15" above the worksurface. The stand-up carrel shelf is located 26" below the worksurface. Shelf is connected to end panels with shoulder screw and insert in panel and cam-lock fasteners in shelf bottom

Study and Stand-up Carrels Glides

Each end and intermediate panel has a pair of 1-1/8" diameter steel-based adjustable leveling glides with a 1-1/4" threaded stem.

Circulation Desk Top

Joints are secured with steel "L" brackets. Desk top is 1-1/4" thick, particleboard core construction with .05" high-pressure laminate facer and .026" thick backer on the

Circulation Desk Cabinet Construction

The front panels are 3/4" thick, 5-ply plywood with Grade A oak or maple veneer All exterior faces are matched for color and grain. The side panels are 1-3/16" thick particleboard with Grade A oak or maple veneers and banded on the exposed edge with a 1.5mm solid oak or maple.

Circulation Desk Adjustable Shelves

Adjustable storage shelves are 3/4" thick, 5ply plywood construction with select oak or maple veneer and banded on exposed edge with solid oak or maple. Shelves are adjustable in 1-1/4" increments and are notched at the ends over metal dowel support.

Circulation Desk Hinged Doors

Doors are 3/4" thick. MDF construction with Grade A oak or maple veneer on both sides. All four edges are banded with solid oak or maple edge. Each door shall be fitted with brushed aluminum or flat black pull and

Circulation Desk Storage Drawers

All drawer fronts are 3/4" thick, MDF construction with Grade A oak or maple veneer on both sides. All four edges are banded with solid oak or manle edge. Each drawer shall be fitted with brushed aluminum or flat black pull and lock.

Circulation Desk Heights

Depending on the component, various heights are available. 27", 29", 32" and 39" may be specified.

Power and Data Management

Study tables, panel leg tables, study carrels, stand-up computer stations and circulation desk modules are available with grommets, PowerUp® system. The PowerUp® module is 6-1/4" long x 3" wide x 2-1/2" high. The module is constructed of textured polycarbonate. The module has one duplex receptacle (110 volts) and two ports for data connectors. The standard module will accommodate most data connectors. The customer purchases the data connectors. The module has a dampened spring-loaded mechanism to allow the unit to open for use and close when not in use. Module comes standard with a 9 ft. cord and 3-prong plug For both grommets and the PowerUp® system, the underside of the table is provided with a plastic channel (cord management trough, which covers the bottom of the module. This channel, furnished with metal dividers, is provided for the routing of the power supply cords and data lines. For starter and adder carrels with grommets or PowerUp® modules, round cutouts in the end panels allow wires to pass through from one unit to the other. PowerUp® door extrusion and vertical plastic wire manager are standard. Cords are further managed by the vertical leg wire manager, which comes standard with grommets or the PowerUp® system. Leg wireway is scuff-resistant, high-impact rigid Polypropylene plastic, and is fastened to the leg with full-length adhesive bond.

Shelving End Panel

The end panels are 1-3/16" thick, particle core construction with Grade A oak or maple veneer on both faces. The vertical edges of the nanel are handed with a 1 5mm thick solid oak or maple external band with a 1/32" radius on all edges. The panel base has a .13" deep x .25" high vein line 4" from the bottom. Two stainless steel adjustable glides are at the bottom of each panel.

Shelving Shared Panel

Same construction as the end panels except brass inserts are on both sides of the panel. Shared panels for shelving are machined on both sides. Adder units are attached with

5/16" through bolts and nuts.

Top Shelf/Cornice Unit

Shelf is 3/4" thick oak or maple construction. The flush-fitting cornice rail at the face sides is 3/4" thick x 2-1/8" high solid oak or maple. Shelf is attached using 1-1/4' x 1-1/4" wood cleats with bolts and metal inserts in the end panels.

Preassembled box with a finished outer kick rail enables shelving to be assembled in the vertical position. Bottom shelf is set into place and positioned by using steel pegs.

Adjustable Wood Shelves

Wood shelves are 3/4" thick solid oak or maple construction. the shelf is grooved on the underside to fit over turned and grooved steel pegs. which are inserted into holes in the end panels. Holes are spaced at 1-1/4" space intervals. Peg and groove design prevents accidental removal. The fixed middle shelf is mounted using wood cleats and screws on units 60-1/2" and higher.

Adjustable Metal Shelves Metal shelves are 18-gauge steel with notches on the underside to rest on turned and grooved steel pegs. Flat shelf is 1" thick and triple bent front and back edges provide superior strength and eliminate sharp edges. Book stop shelf is bend upward to form 90-dgree angle, 1-5/8" high above the shelf surface to function as a book stop. electro-statically appied powder coat finish. Metal shelves accept spring-type overhead wire book support. Metal shelf units are shipped with a wood base shelf.

Periodical Shelving End panels, shared panels, and top and bottom shelf assembly construction are the same as standard shelving. Adjustable shelves include 3/4" solid wood angled bracket supports and a 14-gauge steel shelf pivot bracket. A 3/4" solid wood shelf with a 1/2" x 1-1/2" stop rail is mounted at an angle of approximately 45° so that periodicals can be easily viewed. The shelf pivots and can be flipped up to lay flat for storage

Media Shelving

End panels and top and bottom self assembly construction are the same as standard shelving. Media metal shelves are 18-gauge steel with notches on the underside to rest on turned and grooved steel pegs. Angled shelves have slots spaced 1-1/4" to accept metal partitions that can be adjusted to provide separation between displays. Electrostatically-applied powder coated finish for long-term durability. Media shelf units are shipped with a wood base shelf.

Book Truck

Truck sides and bottom are 3/4" plywood with top edge banded. No seams show where side panels adjoin. Descending platform is 3/4" plywood with plastic laminate top surface. Platform is guided on rollers and supported by spring compression. As the platform is loaded it descends toward the bottom of the truck. The truck is mounted on

four swivel casters.

Dictionary Stand

End panels are constructed of 1-3/16" particle core with oak or maple veneer and 1.5mm thick solid wood edge banding. The top and bottom surfaces are attached to the end panel using cam-lock fasteners. The top surface is constructed of 1-1/4" particlehoard core construction with a plastic laminate worksurface (customer-specified). One 3/4" adjustable shelf has a 16" adjustability range using steel pins and drilled holes.

End panels are constructed of 1-3/16" particle core with oak or maple veneer and 1.5mm thick solid wood edge banding. The top and bottom surfaces are attached to the end panel using cam-lock fasteners. The top surface is constructed of particleboard core with a plastic laminate worksurface (customerspecified). Five 1-3/16" particleboard sliding shelves have a 3/4" x 2" stop rail at the edge of each shelf.

Newspaper Display Unit End Panels/ Shared Panels

End panels are constructed of 1-3/16" particle core with oak or maple veneer and 1.5mm thick solid wood edge banding. End panels for newspaper display units are machined on one side. Shared panels for newspaper display units are machined on hoth sides

Newspaper Display Unit Top Shelf/ Cornice Unit

Shelf is 3/4" thick oak or maple construction. The flush-fitting cornice rail at the face sides is 3/4" thick x 3-1/4" high solid oak or

Newspaper Display Unit Base

Pre-assembled box has a finished outer kick rail which enables shelving to be assembled in the vertical position. Two adjustable shelves are 3/4" thick solid oak or maple construction. The shelf is notched at the ends to fit over dowel pins and prevent accidental removal Two 1" thick rails mounted on the end panels are notched to hold eight newspaper sticks at an angle for easy removal and display.

Rolling Book Cart

All end panels and shelves are 3/4" plywood with oak or maple veneer laminate and a 1.5mm solid wood edge banding. Shelves are attached to the end panels using camlock fasteners and solid wood dowels. Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels Casters are two swivel and two stationary Two cart sizes: 29-7/8" wide x 36-11/64" high x 14-1/2 " deep with two shelves and 39-7/8" wide x 43-17/32" high x 14-1/2" deep with two shelves.

Rolling Book Cart With Slanted Shelves

All end panels and shelves are 3/4" plywood with oak or maple veneer laminate and a

1.5mm solid wood edge banding. Shelves are attached to the end panels using camlock fasteners and solid wood dowels Bottom shelf is reinforced with wood cleat screwed into the shelf and end panels. Casters are two swivel and two stationary. Two cart sizes: 29-7/8" wide x 38-3/16" high x 14-1/2" deep with two shelves slanted inward with slanted shelf backs, and 39-7/8" wide x 44-51/64" high x 14-1/2" deep with two shelves slanted inward with slanted shelf backs.

Study Table Leg Clearance 21-7/8" 23-7/8" 26-7/8"	CrossRoads Study Table Leg Clearance (Apron to floor)													
(Apron to floor)	, ,	21-7/8"	23-7/8"	26-7/8"										

CrossRoads Study Table & Chair Leg Clearance (Apron to seat)													
Table Heights: 27" 29" 32"													
14" Wood Chair	7-7/8"	9-7/8"	12-7/8"										
15-1/2" Upholstered Chair	6-3/8"	8-3/8"	11-3/8"										
16" Wood Chair	5-7/8"	7-7/8"	10-7/8"										
17-1/2" Upholstered	4-3/8"	6-3/8"	9-3/8"										
18" Wood Chair	3-7/8"	5-7/8"	8-7/8"										
19-1/2" Upholstered Chair	2-3/8"	4-3/8"	7-3/8"										

CrossRoads® Library Furniture Product Color Options



CrossRoads® Library Furniture Product Color Options

Wood Finish		Island	LID
Oak Waad Finish Oans		Italian Silver Ash	LIT
Oak Wood Finish - Core	VDW	Kensington Maple	LKM
Brighton Walnut on Oak	VBW	Lapis Blue	LLB
Castle Oak on Oak	VOK	Markerboard White	LMK
Cinnamon on Oak	OCN	Misted Zephyr	LMR
Cocoa on Oak	OCA	Monticello Maple	LMT
Florence Walnut on Oak Medium on Oak	OFC SMD	Nickel Evolv	LNV
	ORY	North Sea	LNA
River Cherry on Oak	UNT	Ocean	LON
		Pearl Bisque	LPB
Maple Wood Finish - Core		Pearl Silver	LPS
Cherry Storm on Maple	MCX	Pressed Linen	LPR
Cinnamon on Maple	MCN	River Cherry	LRY
Cocoa on Maple	MCA	Rugged Linen	LRG
Florence Walnut on Maple	MFC	Satin Stainless	LSS
Kensington Maple on Maple	MMA	Shadow Zephyr	LSR
Kensington Maple on Maple Legacy	MMAL	Silicon evolv	LSV
Monticello Maple on Maple	MMT	Sterling Ash	LAZ
River Cherry on Maple	MRY	Tailored Linen	LTL
		Titanium evolv	LTV
The Stained Finish upcharge does not apply to Kei	nsington Maple	White Nebula	LWL
or Castle Oak.		White Sand	LWN
		Windsor Mahogany	LWY
Module/Grommet Color		Drawer Pulls for Circulation Desk	
Black grommet(s) or PowerUp	BL		DAA
Blue Grey grommet(s) or PowerUp	GR	Aluminum Black	PAA PAB
Sand grommet(s) or PowerUp	SA	ыаск	PAD
Warm Grey grommet(s) or PowerUp	WG		
Laminate Color			
Belair	LBQ		
Biltmore Cherry	LBT		
Black	LBK		
Brighton Walnut	LBW		
Canyon Zephyr	LCA		
Castle Oak	LCO		
Casual Linen	LCU		
Cherry Storm	LCX		
Classic Linen	LCI		
Cloud Zephyr	LCL		
Cocobala	LCC		
Crisp Linen	LRI		
Desert Zephyr	LDZ		
Dove Grey	LDG		
Fired Steel	LIL		
Flax Linen	LXF		
Florence Walnut	LFC		
Forged Steel	LOL		
Friston Ash	LFH		
Frosty White	LFW		
Graphite Nebula	LGN		

Finish Cards View color swatches for items listed within this document.

Grey High Rise

Hollyberry

Irish Linen

<u>Paints</u> Plastics/Poly

LGE

LHE

LHY LIH

> Wood/Veneer <u>Laminates</u>

<u>Molded Edges</u> **Edge Styles**

Hard Plastics <u>Glass</u>

CrossRoads® Study Tables



0ak

\$ 2302

2423

2700

3678

2855

2972

3420

4064

3034

3175

3635

4280

3169

3438

3975

4292

Maple

\$ 2487

2618

3198

3969

3089

3319

3728

4430

3292

3490

3943

4643


3419

3714

4294

4641

CrossRoads® Study Tables Rectangular Tables



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.
 - Maple
- Select apron detail. PCRV - Curved apron PSTR - Straight apron
- OSelect height.
- Junior height 27" - Adult height - 29" - ADA wheelchair height - 32"
- Select grommet or PowerUp.

60" & 72" wide tables are available with 2 grommets or 2 PowerUp modules or none. 84" & 96" wide tables are available with 3 grommets or 3 PowerUp modules or none.

- 2 Grommets: add \$128
- 2 PowerUp modules; add \$312 - 3 Grommets; add \$194

- 3 PowerUp modules; add \$467 - No Grommets/PowerUp

Approx.

Packaged

140.0#

161.0#

174.0#

187.0#

145.0#

166.0#

179.0#

192.0#

154.0#

171.0#

185.0#

198.0#

171.0#

198.0#

214.0#

230.0#

Weight

- Select grommet or PowerUp location.
- CTRG Center grommet/module location EDGG - Edge grommet/module location If no grommet or PowerUp module were
- Select grommet/module color. Refer to the **Product Color Options** page in this price list.

selected, then skip "location" selection.

- Select wood finish (for table edge & legs). Refer to the **Product Color Options** page in this price list. Stained finish colors \$41.
- Select surface finish. Refer to the Product Color Options page in this price list.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

OPTIONS

Electrical Ganging Contact KI for electrical ganging of multiple tables.

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add /RL to the end of model number for routered wood leg wireway option and add \$180 to list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 85.

CrossRoads® Study Tables



CrossRoads® Study Tables Square and Round Tables



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.
 - Maple
- Select apron detail.
- PCRV Curved apron PSTR - Straight apron

OSelect height.

- Junior height 27" - Adult height - 29" - ADA wheelchair height - 32"
- Select grommet or PowerUp.
- 1 Grommet; add \$65 - 1 PowerUp module; add \$155
- No Grommets/PowerUp
- Select grommet/module color. Refer to the **Product Color Options** page in this

Select wood finish (for table edge & legs). Refer to the Product Color Options page in this

Stained finish colors; add \$41.

Select surface finish.

Refer to the **Product Color Options** page in this

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

OPTIONS

Electrical Ganging Contact KI for electrical ganging of multiple tables.

Wood Leg Wireway

If grommets or PowerUp® modules are ordered, a routered wood leg wireway may be ordered in place of the standard wireway. Add /RL to the end of model number for routered wood leg wireway option and add \$180 to list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 85.

CrossRoads® Study Tables Panel Leg Tables



\$ 3675

3625

4172

4958

3697

3873

4437

5225

3863

4194

4851

5235

Approx. Packaged Weight

161.0#

184.0#

211.0#

237.0#

184.0#

209.0#

243.0#

277.0#

222.0#

257.0# 291.0#

325.0#

CrossRoads® Study Tables Panel Leg Tables

		MODEL N	UMBER							
	D x W	Basic Model	Wood Type	Panel	Base	Grommet/ Module Type	Grommet/ Module Location	Grommet/ Module Color	Wood Finish	Surface Finish
	36 x 60"	CRTP3660								
	36 x 72"	CRTP3672								
	36 x 84"	CRTP3684								
	36 x 96"	CRTP3696								
Curved Panels, Curved Base, No Grommets	42 x 60"	CRTP4260								
	42 x 72"	CRTP4272								
	42 x 84"	CRTP4284								
	42 x 96"	CRTP4296								
Curved Panels, Curved Base, 2 Grommets	48 x 60"	CRTP4860								
Curved Fallets, Curved Base, 2 diominiets	48 x 72"	CRTP4872								
	48 x 84"	CRTP4884								
	48 x 96"	CRTP4896								
Curved Panels, Straight Base, 3 Grommets										
Curved Panels, Curved Base, 2 Grommets										
Straight Panels, Straight Base, 3 Grommets										
CRTP										
Panel Leg Table										
Choice of 2,3, (or without) grommets or PowerUp® modules 29" height only Curved or straight panels Curved or straight base										
		A	3	Θ	0	(3	3	О	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect wood type.
 - Maple
- Select panel.

 PCRV Curved panel

 Straight panel PSTR - Straight panel
- OSelect base.

BCRV - Curved base BSTR - Straight base

- Select grommet or PowerUp. 60" & 72" wide tables are available with 2 grommets or 2 PowerUp modules or none. 84" & 96" wide tables are available with 3
- grommets or 3 PowerUp modules or none. - 2 Grommets; add \$128
- 2 PowerUp modules; add \$312
- 3 Grommets; add \$194 - 3 PowerUp modules; add \$467

- NG No Grommets/PowerUp
- Select grommet or PowerUp location. CTRG - Center grommet/module location

EDGG - Edge grommet/module location If no grommet or PowerUp module were selected, then skip "location" selection.

- **G**Select grommet/module color. Refer to the **Product Color Options** page in this price list.
- Select wood finish (for table edge & legs). Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$57.
- Select surface finish.

Refer to the Product Color Options page in this price list.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

OPTIONS

Maple

\$ 3769

4049

4553

5406 4014

4254

4814

5666

4167

4527

5241

5663

Electrical Ganging

Contact KI for electrical ganging of multiple tables.

SPECIAL SERVICES

Special Carton Marking

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 85.

With specially marked information N/C

CrossRoads® Study Carrels Single Face Carrels



CrossRoads® Study Carrels Single Face Carrels

		MODEL NU	MBER									
		Model	Wood Type	Panel	Base	Height	Task Light	Grommet/ Module Type	Grommet/ Module Color	Wood Finish	Surface Finish	Weight Oak Maple
_	30 x 36"	CRCS3036S										201.0# \$ 4150
CRC	30 x 48"	CRCS3048S										231.0# 4758 6968
Study Carrel Starter Unit-Single Face												
Curved or straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable												
	30 x 34-3/4"	CRCS3036A										146.0# \$ 3120
		CRCS3048A										176.0# 3727 5279
Study Carrel Adder Unit-Single Face												
Curved or straight panel or base Choice of 1 grommet or 1 PowerUp® module Standard placement of grommet is in right rear corner of worksurface Note: Provide a plan layout indicating grommet location on the worksurface, if other than standard With or without task light Adjustable or wheelchair-height adjustable												
		A	3	Θ	0	3	3	œ	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

- Maple

Select panel.

PCRV - Curved panel PSTR - Straight panel

OSelect base.

BCRV - Curved base
BSTR - Straight base

Select height (worksurface).

AH - Adjustable height

AH32 - Adjustable wheelchair height

Select task light

1TL - 1 Task light; add \$207

NL - No task light

GSelect grommet or PowerUp.

1G - 1 Grommet-standard

- 1 PowerUp module; add \$155

Select grommet or PowerUp module color. Refer to the **Product Color Options** page in this price list.

Select wood finish (for table edge & base). Refer to the **Product Color Options** page in this price list. Stained finish colors\$66.

Select surface finish. Refer to the **Product Color Options** page in this price list.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Study Carrels Double Face Carrels



CrossRoads® Study Carrels Double Face Carrels

		MODEL NU	JMBER								
	D x W	Basic	Wood	Panel	Base	Height	Task Ligh	Grommet Module it Type	/ Grommet Module Color	/ Wood Finish	Surface Finish
	60 x 36"	CRCD6036S									
CRC	60 x 48"	CRCD6048S									
Study Carrel Starter Unit-Double Face											
 Curved or straight panel or base Choice of 2 grommets or 2 PowerUp modules (1 per worksurface) Standard placement of grommet is i right rear corner of worksurface 											
Note: Provide a plan layout indicatin grommet location on the worksur- face, if other than standard With or without task light	9										
Adjustable or wheelchair-height adjustable											
	60 x 34-3/4"	CRCD6036A									1 000
CRC	60 x 46-3/4"	CRCD6048A									
Study Carrel Adder Unit-Double Face • Curved or straight panel or base											
 Choice of 2 grommets or 2 PowerUp modules (1 per worksurface) Standard placement of grommet is i 											
right rear corner of worksurface Note: Provide a plan layout indicatin grommet location on the worksur-											
face, if other than standard With or without task light Adjustable or wheelchair-height adjustable											
		Δ	3	•	•	(G	G	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak
M - Maple

Select panel.

PCRV - Curved panel PSTR - Straight panel

Select base.

BCRV - Curved base
BSTR - Straight base

Select height (worksurface).

AH - Adjustable height
AH32 - Adjustable wheelchair height

Select task light
2TL - 2 Task lights (1 per worksurface); NL - No task light

GSelect grommet or PowerUp.

2G - 2 Grommets (one per worksurface-standard)

- 2 PowerUp modules (one per worksurface); add \$312

Select grommet or PowerUp module color. Refer to the **Product Color Options** page in this price list.

Select wood finish (for table edge & base).

Refer to the **Product Color Options** page in this

Select surface finish.

Stained finish colors; add \$66.

Refer to the Product Color Options page in this

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Stand-up Computer Stations Single Face Stations



CrossRoads® Stand-up Computer Stations Single Face Stations

			MODEL NUM	/IBER							
	MODEL	D x W	Basic Model	Wood Type	Panel		Grommet/ PowerUp	Grommet/ Module Color	Wood Finish	Surface Finish	Approx. Packaged Weight Oak Maple
					_						
	Stand-up Computer Station Starter	30 x 36"	CRSUS3036S								197.0# \$ 4151 \$ 6072
	Unit-Single Face	30 x 48"	CRSUS3048S								227.0# 4758 6971
	O.P.A.C Online Patron Access CenterCurved or straight panel or base										
	Choice of 1 grommet or PowerUp®										
	module										
4	Standard placement of grommet is in										
CRSU	right rear corner of worksurface Provide a plan layout indicating gromme	.+									
	location on the worksurface, if other	;ı									
	than standard										
	 39" high worksurface 										
	Stand-up Computer Station Adder	30 x 34-3/4"	CRSUS3036A								146.0# \$ 3120
	Unit-Single Face		CRSUS3048A								176.0# 3728 5279
	 O.P.A.C Online Patron Access Center 										
	Curved or straight panel or base										
	 Choice of 1 grommet or PowerUp[®] module 										
CRSU	Standard placement of grommet is in										
01100	right rear corner of worksurface										
	 Provide a plan layout indicating gromme 	t									
	location on the worksurface, if other than standard										
	39" high worksurface										
	oo mga worksariadd										
			Δ	3	Θ	O	(3	•	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

OSelect base.

Select grommet or PowerUp.

1G - 1 Grommet-standard
1P - 1 PowerUp module; a - 1 PowerUp module; add \$155

Select grommet/module color. Refer to the **Product Color Options** page in this

PCRV - Curved panel PSTR - Straight panel

BCRV - Curved base
BSTR - Straight base

GSelect wood finish (for table edge & base).

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$66.

additional leadtime. Please contact KI.

Select surface finish.

Refer to the Product Color Options page in this

Additional plastic laminate surfaces are available but may require an upcharge and

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Stand-up Computer Stations Double Face Stations



CrossRoads® Stand-up Computer Stations Double Face Stations

											<u> </u>
			MODEL NUI	MBER							
	MODEL	D x W	Basic Model	Wood Type	Panel		Grommet/ PowerUp	Grommet/ Module Color	Wood Finish	Surface Finish	Approx. Packaged Weight Oak Maple
,	Stand-up Computer Station Starter	60 x 36"	CRSUD6036S								348.0# \$ 6584 \$ 8548
	Unit-Double Face	60 x 48"	CRSUD6048S								409.0# 7419 8847
	O.P.A.C Online Patron Access Center										
	 Curved or straight panel or base Choice of 2 grommet or PowerUp[®] 										
	modules (1 per workstation)										
7 7	 Standard placement of grommet is in 										
CRSU	right rear corner of worksurface Provide a plan layout indicating gromme	ot									
	location on the worksurface, if other	ะเ									
	than standard										
	39" high worksurface										
	Stand-up Computer Station Adder	60 x 34-3/4"	CRSUD6036A								242.0# \$ 4761
	Unit-Double Face	60 x 46-3/4"	CRSUD6048A								305.0# 5598 7598
	 O.P.A.C Online Patron Access Center Curved or straight panel or base 										
	Choice of 2 grommet or PowerUp®										
	modules (1 per workstation)										
u	 Standard placement of grommet is in right rear corner of worksurface 										
CRSU	 Provide a plan layout indicating gromme 	et									
	location on the worksurface, if other	<u>. </u>									
	than standard										
	• 39" high worksurface										
			(A)	3	Θ	O	(3	(3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

PCRV - Curved panel PSTR - Straight panel

OSelect base.

BCRV - Curved base
BSTR - Straight base

worksurface); add \$312

Select grommet or PowerUp.

2G - 2 Grommets (one per worksur-

2P - 2 PowerUp modules (one per

Select grommet/module color. Refer to the **Product Color Options** page in this **©** Select wood finish (for table edge & base). Refer to the **Product Color Options** page in this

Select surface finish.

Stained finish colors; add \$66.

Refer to the **Product Color Options** page in this Additional plastic laminate surfaces are available but may require an upcharge and

additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Shelving 42" High Shelving





									•		
			MODEL NU	JMBER							
								Approx.			
			Basic	Wood	End		Wood	Packaged			
	MODEL	D x W	Model	Type	Panel	Panel	Finish	Weight	Oak	Maple	
	Shelving Starter Unit-Single Face	8 x 37-1/2"	CRFS4208S					38.0#	\$ 1243	\$ 1314	
	Straight base only	10 x 37-1/2"	CRFS4210S					50.0#	1307	1385	
	 2 straight or curved end panels (1 left and 1 right) 	12 x 37-1/2"	CRFS4212S					57.0#	1359	1431	
	With or without back panel	16 x 37-1/2"	CRFS4216S					79.0#	2014	2143	
	 2 adjustable and 1 base shelf 										
	 Recommended for use against wall only 	у									
CRF	Anchors recommendedNon-finished backside										
0111	Non-linished backside										
	Shelving Adder Unit-Single Face	8 x 36-1/4"	CRFS4208A		PSTR			32.0#	\$ 1008	\$ 1065	
	1 straight adder (shared) panel only	10 x 36-1/4"	CRFS4210A		PSTR			42.0#	1033	1091	
	With or without back panel	10 x 36-1/4 12 x 36-1/4"	CRFS4210A		PSTR			42.0# 47.0#	1095	1157	
	2 adjustable and 1 base shelf										
	 Recommended for use against wall only Anchors recommended 	y 16 X 36-1/4"	CRFS4216A		PSTR			65.0#	1629	1707	
AU AU	Non-finished backside										
	Non minorios suchoras										
CRF											
	Shelving Starter Unit-Double Face	16 x 37-1/2"	CRFD4216S					79.0#	\$ 1932	\$ 2053	
	Straight base only2 straight or curved end panels (1 left	20 x 37-1/2"	CRFD4220S					96.0#	2052	2183	
	and 1 right)	24 x 37-1/2"	CRFD4224S					117.0#	2172	2315	
	 With or without back panel 										
	 4 adjustable and 2 base shelves 										
—————————————————————————————————————											
CRF											
	Shelving Adder Unit-Double Face	16 x 36-1/4"	CRFD4216A		PSTR			65.0#	\$ 1632	\$ 1733	
	1 straight adder (shared) panel only	20 x 36-1/4"	CRFD4220A		PSTR			80.0#	1720	1828	
	With or without back panel4 adjustable and 2 base shelves	24 x 36-1/4"	CRFD4224A		PSTR			95.0#	1805	1917	
	4 aujustable aliu 2 base sileives										
CRF											
											
			Ø	•	Θ	O	ⅎ				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Bselect wood type.

O - Oak

- Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

Select back panel.

BP - Back panel; add \$176

NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$78.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20#

72" high add 24#

82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 54" High Shelving





									•		
			MODEL NU	JMBER							
			Basic	Wood	End	Back	Wood	Approx. Packaged			
	MODEL	D x W	Model	Type	Panel		Finish	Weight	Oak	Maple	
~	Shelving Starter Unit-Single Face	8 x 37-1/2"	CRFS5408S					51.0#	\$ 1421	\$ 1510	
	Straight base only	10 x 37-1/2"	CRFS5410S					58.0#	1501	1595	
	 2 straight or curved end panels (1 left and 1 right)l 	12 x 37-1/2"	CRFS5412S					69.0#	1581	1675	
	With or without back panel	16 x 37-1/2"	CRFS5416S					91.0#	2288	2526	
	 2 adjustable, 1 fixed and 1 base shelf 										
	 Recommended for use against wall only Anchors recommended 										
	Non-finished backside										
CRF											
	Shelving Adder Unit-Single Face	8 x 36-1/4"	CRFS5408A		PSTR	1		37.0#	\$ 1154	\$ 1221	
	1 straight adder (shared) panel onlyWith or without back panel	10 x 36-1/4"			PSTR			48.0#	1191	1266	
	 2 adjustable, 1 fixed and 1 base shelf 	12 x 36-1/4"	CRFS5412A		PSTR			55.0#	1267	1343	
	 Recommended for use against wall only 	16 x 36-1/4"	CRFS5416A		PSTR			75.0#	1766	1990	
	Anchors recommendedNon-finished backside										
	• Non-inistieu backstue										
CRF											
	Shelving Starter Unit-Double Face • Straight base only	16 x 37-1/2"	CRFD5416S					93.0#	\$ 2274	\$ 2428	
	2 straight or curved end panels (1 left)	20 x 37-1/2"	CRFD5420S					114.0#	2421	2583	
	and 1 right)	24 x 37-1/2"	CRFD5424S					135.0#	2598	2771	
	With or without back panel Addingtable 2 fixed and 2 base abeliance										
	 4 adjustable, 2 fixed and 2 base shelves 										
0.05											
CRF	Obstalian Added Half Bookle F	40 00 4/4"	ODED5 4404		DOTE			75.0#	# 4000	Φ 0005	
	Shelving Adder Unit- Double Face1 straight adder (shared) panel only	16 x 36-1/4" 20 x 36-1/4"	CRFD5416A		PSTR PSTR			75.0# 93.0#	\$ 1909 2028	\$ 2035 2161	
	 With or without back panel 	04 00 4/47	CRFD5420A								
	 4 adjustable, 2 fixed and 2 base shelves 	24 x 36-1/4"	CRFD5424A		PSTR			107.0#	2141	2285	
CRF											
VIII											
			A	₿	Θ	O	ⅎ				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

OSelect back panel.

- Back panel; add \$200 - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this

price list. Stained finish colors; add \$78.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 60" High Shelving





									*		
			MODEL NU	MBER							
				ļ.,, .		,	., .	Approx.			
	MODEL	D x W	Basic Model	Wood Type	End Panel	Back Panel	Nood Finish	Packaged Weight	Oak	Maple	
	Shelving Starter Unit-Single Face	8 x 37-1/2"	CRFS6008S		_			54.0#	\$ 1483	\$ 1578	
	Straight base only	10 x 37-1/2"			1					1664	
	2 straight or curved end panels (1 left)		CRFS6010S					67.0#	1567		
	and 1 right)	12 x 37-1/2"	CRFS6012S					81.0#	1662	1760	
	With or without back panel Adjustable of fixed and 1 back shelf	16 x 37-1/2"	CRFS6016S	Ш				103.0#	2435	2719	
	 3 adjustable, 1 fixed and 1 base shelf Recommended for use against wall only	,									
	 Anchors recommended 										
	 Non-finished backside 										
CRF											
	Shelving Adder Unit-Single Face	8 x 36-1/4"	CRFS6008A		PSTR			42.0#	\$ 1198	\$ 1271	
	1 straight adder (shared) panel onlyWith or without back panel	10 x 36-1/4"	CRFS6010A					55.0#	1244	1321	
	 3 adjustable, 1 fixed and 1 base shelf 	12 x 36-1/4"	CRFS6012A		PSTR			63.0#	1323	1409	
	 Recommended for use against wall only 	16 x 36-1/4"	CRFS6016A		PSTR			85.0#	1889	2190	
	Anchors recommended										
	Non-finished backside										
CRF											
	Shelving Starter Unit-Double Face	16 x 37-1/2"	CRFD6016S					108.0#	\$ 2390	\$ 2552	
	Straight base only Setraight or supped and papels (1 left)	20 x 37-1/2"	CRFD6020S					133.0#	2544	2717	
	 2 straight or curved end panels (1 left and 1 right) 	24 x 37-1/2"	CRFD6024S					154.0#	2735	2924	
	With or without back panel										
	6 adjustable, 2 fixed and 2 base shelves										
CRF											
	Shelving Adder Unit-Double Face	16 x 36-1/4"	CRFD6016A		PSTR			85.0#	\$ 2004	\$ 2135	
	 1 straight adder (shared) panel only 	20 x 36-1/4"	CRFD6020A		PSTR			106.0#	2129	2267	
	With or without back panel6 adjustable, 2 fixed and 2 base shelves		CRFD6024A		PSTR			123.0#	2256	2402	
	b adjustable, 2 lixed and 2 base shelves										
CRF											
VIII											
			A	B	Θ	O	9				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

Select back panel.

BP - Back panel; add \$210

NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$97.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24# 82" high add 27# 96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 72" High Shelving





								<u> </u>		
			MODEL NU	MBER						
								Approx.		
			Basic	Wood	End	Back	Wood	Packaged		
	MODEL	D x W	Model	Type	Panel	Panel	Finish	Weight Oak	Maple	
	Shelving Starter Unit-Single Face	8 x 37-1/2"	CRFS7208S					59.0# \$ 1688		
	 Straight base only 	10 x 37-1/2"	CRFS7210S					77.0#		
	 2 straight or curved end panels (1 left 	12 x 37-1/2"	CRFS7212S					91.0#		
	and 1 right)									
	With or without back panel	16 x 37-1/2"	CRFS7216S					115.0# 2636	3 2982	2
	 4 adjustable, 1 fixed and 1 base shelf Recommended for use against wall only 									
	Anchors recommended									
	Non-finished backside									
CRF										
	Shelving Adder Unit-Single Face	8 x 36-1/4"	CRFS7208A	П	PSTR			48.0# \$ 135	\$ 1439	
	1 straight adder (shared) panel only	10 x 36-1/4"	CRFS7210A		PSTR			61.0#		
	 With or without back panel 	12 x 36-1/4"			PSTR					
	 4 adjustable, 1 fixed and 1 base shelf 		CRFS7212A					72.0# 151		
	 Recommended for use against wall only 	16 x 36-1/4"	CRFS7216A		PSTR			92.0#	3 2375	
	Anchors recommendedNon-finished backside									
	• Non-innsneu backside									
CRF										
	Shelving Starter Unit-Double Face	16 x 37-1/2"	CRFD7216S					117.0# \$ 281	5 \$ 3008	3
	Straight base only	20 x 37-1/2"	CRFD7220S					151.0# 302		
	 2 straight or curved end panels (1 left 		CRFD7224S					200.0# 326		
	and 1 right)	24 X 31-1/2	UNFD12243	-				200.0#	3300	
	With or without back panel									
	8 adjustable, 2 fixed and 2 base shelves									
CRE										
	Shelving Adder Unit-Double Face	16 x 36-1/4"	CRFD7216A		PSTR			92.0# \$ 233	3 \$ 2495	
	1 straight adder (shared) panel only		CRFD7220A		PSTR			120.0# 2490		
	 With or without back panel 	04 00 4/40				1				
	8 adjustable, 2 fixed and 2 base shelves	24 x 36-1/4"	CRFD7224A		PSTR			139.0#	2859	
CRF										
Orti										
			A	0	Θ	O	ⅎ			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

Select back panel.

BP - Back panel; add \$248

NP - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this

price list.

Stained finish colors; add \$97.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

96" high add 35#

KI offers the additional option of color matching paint, polypropylene, or wood stain through

FINISH INFORMATION

Color Match

Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving 82" High Shelving





										•		
			MODEL NU	UMBER								
			Pagin	Wood	End	Book	Wood	Approx.				
	MODEL	D x W	Basic Model	Wood Type	Panel	Back Panel	Wood Finish	Packaged Weight	C	ak	Maple	
\sim	Shelving Starter Unit-Single Face	8 x 37-1/2"	CRFS8208S					64.0#		1754	\$ 1865	
	 Straight base only 	10 x 37-1/2"	CRFS8210S					87.0#		1868	1989	
	 2 straight or curved end panels (1 left and 1 right) 	12 x 37-1/2"	CRFS8212S					101.0#		2004	2130	
	 With or without back panel 	16 x 37-1/2"	CRFS8216S					127.0#		2843	3070	
	5 adjustable, 1 fixed and 1 base shelf											
	Recommended for use against wall onlyAnchors recommended											
	Non-finished backside											
CRF											_	
	Shelving Adder Unit-Single Face 1 straight adder (shared) panel only	8 x 36-1/4"	CRFS8208A		PSTR			54.0#	\$	1411	\$ 1497	
	With or without back panel	10 x 36-1/4"	CRFS8210A		PSTR			68.0#		1500	1595	
	 5 adjustable, 1 fixed and 1 base shelf 	12 x 36-1/4"	CRFS8212A		PSTR PSTR			81.0#		1582 2196	1689 2563	
	 Recommended for use against wall only Anchors recommended 	16 X 36-1/4"	CRFS8216A		PSIK			99.0#		2196	2563	
	Non-finished backside											
CRF												
	Shelving Starter Unit-Double Face	16 x 37-1/2"	CRFD8216S					127.0#	\$	2955	\$ 3158	
	 Straight base only 	20 x 37-1/2"						170.0#		3192	3417	
	 2 straight or curved end panels (1 left and 1 right) 	24 x 37-1/2"	CRFD8224S					198.0#		3443	3687	
	 With or without back panel 											
	10 adjustable, 2 fixed and 2 base shelves	S										
0.05												
CRF	Chaluina Adday Hall Davida Fara	10 , 00 1/4"	ODEDOGAÇA		DOTE			00.0#		0.451	ф 004C	
	Shelving Adder Unit-Double Face1 straight adder (shared) panel only	16 x 36-1/4" 20 x 36-1/4"	CRFD8216A CRFD8220A		PSTR PSTR			99.0# 135.0#	\$	2451 2608	\$ 2618 2788	
	AAPOL OL LI L			- 1	PSTR			155.0#		2816	3009	
	 With or without back panel 10 adjustable, 2 fixed and 2 base shelves 	S 24 X 30-1/4	UNFD0224A		Poin			100.0#		2010	3009	
4												
CRF												
			A	•	•	•	•					
			w	U	9	U	G					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak
M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

Select back panel.

BP - Back panel; add \$277

- No back panel

Select wood finish.

Refer to the Product Color Options page in this

price list. Stained finish colors; add \$105. INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer

Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Shelving





									•		
	MODEL	D x W	Basic Model			Back Panel	Wood Finish	Approx. Packaged Weight	Oak		Maple
											·
	Shelving Starter Unit-Single Face	12 X 37-1/2	CRFS9612S					124.0#	\$ 2	2256	\$ 2402
	Straight base only2 straight or curved end panels (1 left										
	and 1 right)										
	With or without back panel										
	5 adjustable, 1 fixed and 1 base shelf										
	 Recommended for use against wall only 	У									
	 Anchors recommended 										
	 Non-finished backside 										
CRF											
	Shelving Adder Unit-Single Face	12 x 36-1/4"	CRFS9612A		PSTR			96.0#	\$ 1	1730	\$ 1847
	 1 straight adder (shared) panel only 										
	With or without back panel										
	5 adjustable, 1 fixed and 1 base shelfRecommended for use against wall only	,									
	Anchors recommended	у									
	Non-finished backside										
	Tion minoriou buonoido										
CRF											
			· ·	B	•	0	•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak
M - Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

Select back panel.

BP - Back panel; add \$302 - No back panel

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors; add \$105.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

96" high add 35#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships knocked down, FOB Factory of origin,

Shipping

freight prepaid. Freight class 125.

CrossRoads® Shelving





									•	
			MODEL NU	JMBER						
	MODEL	D x W			End Panel	Back Panel	Wood Finish	Approx. Packaged Weight	Oak	Maple
	Shelving Starter Unit-Double Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 10 adjustable, 2 fixed and 2 base shelves	24 x 37-1/2"	CRFD9624S					244.0#	\$ 3963	\$ 4250
	- To adjustable, 2 fixed and 2 base shower									
CRF										
	Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 10 adjustable, 2 fixed and 2 base shelves	24 x 36-1/4"	CRFD9624A		PSTR			185.0#	\$ 3106	\$ 3328
	• 10 adjustable, 2 fixed and 2 base shelves	8								
CRF										
-			•	3	О	• O	•			

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

O - Oak
M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

Select back panel.

BP - Back panel; add \$302

- No back panel

Select wood finish.

Refer to the **Product Color Options** page in this

price list. Stained finish colors; add \$105. INFORMATION

Back Panel Weights

When ordering shelving with back panels add the

following weights:

42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

96" high add 35#

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 42" Metal Shelving



CrossRoads® Metal Shelving 42" Metal Shelving

											•		
			MODEL NUM	/IBER									
	MODEL D	D x W	Basic Model	Wood Type	Back Panel	Shelf Type	End Panel	Wood Finish	Paint Color	Approx. Packaged Weight	Oak		Book Stop Shelf add to list price
CRSS	Metal Shelving Starter Unit-Single Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 2 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside	2 x 37-1/2"	CRSSS4212S						_	57.0#	\$ 1224	\$ 1288	\$ 30
	Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 2 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside	2 x 36-1/4"	CRSSS4212A				PSTR		SA	47.0#	\$ 983	\$ 1040	\$ 30
CRSS	Metal Shelving Starter Unit-Double Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 4 adjustable & 2 wood bottom base	24 x 37-1/2"	CRSSD4224S						SA	117.0#	\$ 1954	\$ 2086	\$ 60
CRSS	Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 4 adjustable & 2 wood bottom base shelves	24 x 36-1/4"	CRSSD4224A				PSTR		SA	95.0#	\$ 1625	\$ 1727	\$ 60
CRSS			Δ	3	•	0	•	•	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

- Maple

Select back panel.

BP - Back - Back panel; add \$176

- No back panel

OSelect shelf type. - Book stop shelf - Flat shelf

Book stop shelf is NOT available with Back panel. See pricing column for book stop shelf upcharge.

Select end panel

PCRV - Curved panel PSTR - Straight panel Select wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$62.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20#

72" high add 24#

82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 54" Metal Shelving



CrossRoads® Metal Shelving 54" Metal Shelving

											•		
			MODEL NU	IMBER									
	MODEL Metal Shelving Starter Unit-Single Face	D x W	Basic Model	Wood Type			End Panel	Wood Finish	Color	Approx. Packaged Weight 69.0#	Oak \$ 1425	Maple \$ 1510	Book Stop Shelf add to list price
CRSS	Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 3 adjustable & 1 wood bottom base shel Recommended for use against wall only Anchors recommended Non-finished backside	f	01100004120						Un	O3.cm	ψ ITEU		ų 70
	Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 3 adjustable & 1 wood bottom base shel Recommended for use against wall only Anchors recommended Non-finished backside	f	CRSSS5412A				PSTR		SA	55.0#	\$ 1140	\$ 1209	\$ 45
CRSS	Metal Shelving Starter Unit-Double Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 6 adjustable & 2 wood bottom base	24 x 37-1/2"	CRSSD5424S	S 🗆					SA	135.0#	\$ 2336	\$ 2492	\$ 91
CRSS	Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 6 adjustable & 2 wood bottom base shelves	24 x 36-1/4"	CRSSD5424A	A 🗆			PSTR		SA	107.0#	\$ 1926	\$ 2055	\$ 91
CRSS													
			A	③	Θ	0	3	•	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

- Maple

Select back panel.

BP - Back panel; add \$200

- No back panel

OSelect shelf type.

B - Book stop shelf - Flat shelf

Book stop shelf is NOT available with Back panel. See pricing column for book stop shelf upcharge.

Select end panel

PCRV - Curved panel
PSTR - Straight panel

Select wood finish.

price list.

Stained finish colors; add \$62.

Refer to the **Product Color Options** page in this

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 60" Metal Shelving



CrossRoads® Metal Shelving 60" Metal Shelving

Modes Mode													
Mode				MODEL NU	JMBER								
Separate content of principle of the p		MODEL	D x W	Basic Model	Wood Type	Back Panel	Shelf Type	End Panel	Wood Pa	int Packaged	Oak	Maple	Shelf add to list
Metal Starking Adder (bit Starking Adder (bi		Straight base only Straight or curved end panels (1 left and 1 right) With or without back panel Adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended		CRSSS6012S	S 🗆				S/	A 81.0#	\$ 1494	\$ 1584	\$ 60
1 straight adder (planed only 1 straight adder (planed posed only	CRSS												
Metal Shelving Sarder Link-Double Face 24 x 37-1/2" CRSSD6024S .		 1 straight adder (shared) panel only With or without back panel 4 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended 		CRSSS6012A	A 🗆			PSTR	SA	A 63.0#	\$ 1190	\$ 1267	\$ 60
Metal Shelving Sarder Link-Double Face 24 x 37-1/2" CRSSD6024S .	CRSS												
Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only 1 straight adder (shared) panel only 2 wood bottom base shelves 2 wood botto		 Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 	24 x 37-1/2"	CRSSD6024S	S 🗆				SA	A 154.0#	\$ 2464	\$ 2630	\$ 122
1 straight adder (shared) panel only With or without back panel 8 adjustable & 2 wood bottom base shelves CRSS	CRSS												
		1 straight adder (shared) panel onlyWith or without back panel8 adjustable & 2 wood bottom base	24 x 36-1/4"	CRSSD6024A	A 🗆			PSTR	S/	123.0#	\$ 2031	\$ 2163	\$ 122
	CRSS												
				A	3	Θ	O	3	3	G			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak - Maple

Select back panel.

BP - Back panel; add \$210 NP - No back panel

OSelect shelf type.

B - Book stop shelf - Flat shelf Book stop shelf is NOT available with Back

panel. See pricing column for book stop shelf upcharge.

Select end panel

PCRV - Curved panel
PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$79.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 72" Metal Shelving



CrossRoads® Metal Shelving 72" Metal Shelving

			MODEL NUI	MBER										
	MODEL D x		Basic Model	Wood Type	Back Panel	Shelf Type	End Panel	Wood Finish		Approx. Packaged Weight	Oak	Maple		Book Stop Shelf add to list price
CRSS	Metal Shelving Starter Unit-Single Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 5 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside		CRSSS7212S							91.0#	\$ 1726	\$ 1829		\$ 77
CRSS	Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 5 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside	x 36-1/4"	CRSSS7212A				PSTR		SA	72.0#	\$ 1368	\$ 1456		\$ 77
	Metal Shelving Starter Unit-Double Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 10 adjustable & 2 wood bottom base	x 37-1/2"	CRSSD7224S						SA	200.0#	\$ 2939	\$ 3149		\$ 150
CRSS														
	Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 10 adjustable & 2 wood bottom base shelves	x 36-1/4"	CRSSD7224A				PSTR		SA	139.0#	\$ 2411	\$ 2574		\$ 150
CRSS														
51100			A	•	•		•	A	G					
			w	U	9	U	G	•	U					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

- Maple

Select back panel.

BP - Back panel; add \$248 - No back panel

OSelect shelf type.

B - Book stop shelf - Flat shelf Book stop shelf is NOT available with Back

panel. See pricing column for book stop shelf upcharge.

Select end panel

PCRV - Curved panel
PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$79.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights:

42" high add 15# 54" high add 18# 60" high add 20#

72" high add 24# 82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Metal Shelving 82" Metal Shelving



CrossRoads® Metal Shelving 82" Metal Shelving

											•		
			MODEL NU	IMBER									
	MODEL Metal Shelving Starter Unit-Single Face	D x W	Basic Model CBSSS8212S	Wood Type	Back Panel	Shelf Type	End Panel	Wood Finish	Paint Color	Approx. Packaged Weight 101.0#	Oak \$ 1803	Maple \$ 1916	Book Stop Shelf add to list price \$ 91
CDCC	 Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 6 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside 	f									, w		
CRSS	Metal Shelving Adder Unit-Single Face 1 straight adder (shared) panel only With or without back panel 6 adjustable & 1 wood bottom base shelf Recommended for use against wall only Anchors recommended Non-finished backside	f	CRSSS8212A	A 🗆			PSTR		SA	81.0#	\$ 1425	\$ 1518	\$ 91
	Metal Shelving Starter Unit-Double Face Straight base only 2 straight or curved end panels (1 left and 1 right) With or without back panel 12 adjustable & 2 wood bottom base	24 x 37-1/2"	CRSSD8224S	8 🗆					SA	198.0#	\$ 3097	\$ 3320	\$ 180
CRSS	Metal Shelving Adder Unit-Double Face 1 straight adder (shared) panel only With or without back panel 12 adjustable & 2 wood bottom base shelves	24 x 36-1/4"	CRSSD8224A	A D			PSTR		SA	155.0#	\$ 2535	\$ 2708	\$ 180
CRSS			(3	•	0	3	3	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak - Maple

Select back panel.

BP - Back panel; add \$277 - No back panel

OSelect shelf type.

B - Book stop shelf - Flat shelf Book stop shelf is NOT available with Back

panel. See pricing column for book stop shelf upcharge.

Select end panel

PCRV - Curved panel
PSTR - Straight panel

Select wood finish.

Refer to the **Product Color Options** page in this price list. Stained finish colors; add \$84.

Select shelf paint color.

SA - Sand

Refer to the **Product Color Options** page in this price list.

INFORMATION

Back Panel Weights

When ordering shelving with back panels add the following weights: 42" high add 15#

54" high add 18# 60" high add 20# 72" high add 24#

82" high add 27#

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Periodical Shelving 42" High Periodical Shelving



CrossRoads® Periodical Shelving 42" High Periodical Shelving

			MODEL NUM	BER					
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Finish	Approx. Packaged Weight	Oak	Maple
	42" Periodical Shelving Starter Unit-Sin-	- 12 x 37-1/2 x 42"	CRPERS4212S				92.0#	\$ 4757	\$ 5231
	gle FaceStraight base only with back panel	16 x 37-1/2 x 42"	CRPERS4216S				114.0#	4881	5364
	2 adjustable pivoted shelvesCurved or straight end panel								
	· Recommended for use against wall only	/							
	Anchors recommendedNon-finished backside								
CRPER									
	42" Periodical Shelving Adder Unit-Sin- gle Face	12 x 36-1/4 x 42" 16 x 36-1/4 x 42"	CRPERS4212A		PSTR PSTR		82.0# 100.0#	\$ 4055 4128	\$ 4457 4541
	Straight base only with back panel2 adjustable pivoted shelves	10 x 30-1/4 x 42	ON LNO4210A		Tom		100.0#	4120	4041
	 Straight end panel only 								
	Recommended for use against wall onlyAnchors recommended	/							
CRPER	 Non-finished backside 								
	42" Periodical Shelving Starter Unit-Dou	ı- 24 x 37-1/2 x 42"	CRPERD4224S				152.0#	\$ 7557	\$ 8312
	ble FaceStraight base only with back panel								
	 4 adjustable pivoted shelves 								
	Curved or straight end panel								
CRPER									
	42" Periodical Shelving Adder Unit-Dou- ble Face	- 24 x 36-1/4 x 42"	CRPERD4224A		PSTR		130.0#	\$ 6774	\$ 7455
	 Straight base only with back panel 								
	4 adjustable pivoted shelvesStraight end panel only								
CRPER									
			A	3	•	0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

OSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$106.

FINISH INFORMATION

Color Match

K1 offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Periodical Shelving 60" High Periodical Shelving



CrossRoads® Periodical Shelving 60" High Periodical Shelving

			MODEL NUMI	BER						
			Basic Model		Panel	Wood Finish	Approx. Packaged Weight	Oak	Maple	
	60" Periodical Shelving Starter Unit-Single Face • Straight base only with back panel • 3 adjustable pivoted shelves • Curved or straight end panel • Recommended for use against wall only • Anchors recommended • Non-finished backside	16 x 37-1/2 x 60"	CRPERS6012S CRPERS6016S				121.0# 143.0#	\$ 5555 5721	\$ 6108 6291	
CRPER										
		16 x 36-1/4 x 60"	CRPERS6012A CRPERS6016A		PSTR PSTR		103.0# 125.0#	\$ 4844 4933	\$ 5329 5424	
CRPER										
	60" Periodical Shelving Starter Unit-Double Face • Straight base only with back panel • 6 adjustable pivoted shelves • Curved or straight end panel	· 24 x 37-1/2 x 60"	CRPERD6024S				194.0#	\$ 8917	\$ 9808	
CRPER										
	60" Periodical Shelving Adder Unit-Double Face • Straight base only with back panel • 6 adjustable pivoted shelves • Straight end panel only	24 x 36-1/4 x 60"	CRPERD6024A		PSTR		163.0#	\$ 8067	\$ 8875	
CRPER										
			A	3	Θ	O				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

②Select wood finish (for edge & sides).
Refer to the **Product Color Options** page in this

Stained finish colors; add \$106.

FINISH INFORMATION

Color Match

K1 offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Periodical Shelving 82" High Periodical Shelving



CrossRoads® Periodical Shelving 82" High Periodical Shelving

			MODEL NUM	BER					
			Pagio	Mood	End	Wood	Approx. Packaged		
	MODEL	D x W x H	Basic Model	Wood Type	Panel	Wood Finish	Weight	Oak	Maple
	82" Periodical Shelving Starter Unit-Sin-	12 x 37-1/2 x 82"	CRPERS8212S				148.0#	\$ 7788	\$ 8565
	gle FaceStraight base only with back panel	16 x 37-1/2 x 82"	CRPERS8216S				174.0#	7912	8703
	 5 adjustable pivoted shelves 								
	Curved or straight end panelRecommended for use against wall only								
	 Anchors recommended 								
	 Non-finished backside 								
CRPER		40 00 4/4 00"	ODDEDO0010:		DOTE		400.0#	 Ф. 0000	A 7000
	82" Periodical Shelving Adder Unit-Sin- gle Face	12 x 36-1/4 x 82" 16 x 36-1/4 x 82"	CRPERS8212A CRPERS8216A		PSTR PSTR		128.0# 146.0#	\$ 6963 7084	\$ 7658 7788
	 Straight base only with back panel 	10 × 30-1/4 × 02	UNI LINGUZTUA		TOTAL		140.0#	7004	7700
	5 adjustable pivoted shelvesStraight end panel only								
	· Recommended for use against wall only								
	Anchors recommendedNon-finished backside								
CRPER									
OHI EH	82" Periodical Shelving Starter Unit-Dou	- 24 x 37-1/2 x 82"	CRPERD8224S				245.0#	\$ 9525	\$ 10482
	ble Face								
	Straight base only with back panel10 adjustable pivoted shelves								
	 Curved or straight end panel 								
CRPER		24 22 44 22	000000000000000000000000000000000000000		2072		200.0 "		A 4577
	82" Periodical Shelving Adder Unit-Dou- ble Face	24 x 36-1/4 x 82"	CRPERD8224A		PSTR		202.0#	\$ 8710	\$ 9578
	 Straight base only with back panel 								
	10 adjustable pivoted shelvesStraight end panel only								
	oraigin one parior only								
CRPER									
- · - · ·			A	B	Θ	•			
			w	U	G	U			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel PSTR - Straight panel

①Stained finish colors; add \$106.
Refer to the **Product Color Options** page in this

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Media Display Metal Shelving 42" Media Display Metal Shelving



CrossRoads® Media Display Metal Shelving 42" Media Display Metal Shelving

			MODEL NUMBER								
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Pair Finish Col		Oak	Maple		
CRPS	42" Metal Shelving Starter Unit-Single Face Straight base only with back panel 2 adjustable angled steel shelves Each shelf ships with 6 metal dividers Curved or straight end panel Recommended for use against wall only Anchors recommended Non-finished backside	12 x 37-1/2 x 42"	CRMSS4212S			SA SA	92.0#	\$ 4281	\$ 4709		
CRPS	42" Metal Shelving Adder Unit-Single Face Straight base only with back panel 2 adjustable angled steel shelves Each shelf ships with 6 metal dividers Straight end panel only Recommended for use against wall only Anchors recommended Non-finished backside	12 x 36-1/4 x 42"	CRMSS4212A		PSTR	SA SA	82.0#	\$ 3651	\$ 4012		
CRPS	42" Metal Shelving Starter Unit-Double Face Straight base only with back panel 4 adjustable angled steel shelves Each shelf ships with 6 metal dividers Curved or straight end panel	24 x 37-1/2 x 42"	CRMSD4224S			□□□ SA	152.0#	\$ 6801	\$ 7479		
	42" Metal Shelving Adder Unit-Double Face Straight base only with back panel 4 adjustable angled steel shelves Each shelf ships with 6 metal dividers Straight end panel only	24 x 36-1/4 x 42"	CRMSD4224A		PSTR	SA	130.0#	\$ 6096	\$ 6708		
CRPS			•	3	•	0)				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel
PCRV - Curved panel PSTR - Straight panel

OSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$62.

Select shelf paint color.

SA - Sand

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Media Display Metal Shelving 60" Media Display Metal Shelving



CrossRoads® Media Display Metal Shelving 60" Media Display Metal Shelving

									•	
			MODEL NUMBER							
	MODEL		Model		Panel		nint Pai	prox. ckaged eight	Oak	Maple
	60" Metal Shelving Starter Unit-Single Face Straight base only with back panel adjustable angled steel shelves Each shelf ships with 6 metal dividers Curved or straight end panel Recommended for use against wall only Anchors recommended Non-finished backside		CRMSS6012S			Si	1	21.0#	\$ 5000	\$ 5500
CRPS	60" Metal Shelving Adder Unit-Single Face Straight base only with back panel adjustable angled steel shelves Each shelf ships with 6 metal dividers Straight end panel only Recommended for use against wall only Anchors recommended Non-finished backside	12 x 36-1/4 x 60"	CRMSS6012A		PSTR	OOO Si	1	03.0#	\$ 4358	\$ 4796
CRPS										
	60" Metal Shelving Starter Unit-Double Face • Straight base only with back panel • 6 adjustable angled steel shelves • Each shelf ships with 6 metal dividers • Curved or straight end panel	24 x 37-1/2 x 60"	CRMSD6024S			Si	1	94.0#	\$ 8028	\$ 8827
CRPS										
	60" Metal Shelving Adder Unit-Double Face • Straight base only with back panel • 6 adjustable angled steel shelves • Each shelf ships with 6 metal dividers • Straight end panel only	24 x 36-1/4 x 60"	CRMSD6024A		PSTR	SA	1	63.0#	\$ 7260	\$ 7989
CRPS										
			A	3	•	0	3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel
PCRV - Curved panel PSTR - Straight panel

DSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$79.

Select shelf paint color.

SA - Sand

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Media Display Metal Shelving 82" Media Display Metal Shelving



CrossRoads® Media Display Metal Shelving 82" Media Display Metal Shelving

						· · · · · · · · · · · · · · · · · · ·		
	MODEL NU	IMBER						
MODEL D x W x H	Basic Model		End Panel	Wood Finish	Approx. Paint Packaged Color Weight	Oak	Maple	
82" Metal Shelving Starter Unit-Single Face Straight base only with back panel 5 adjustable angled steel shelves Each shelf ships with 6 metal dividers Curved or straight end panel Recommended for use against wall only Anchors recommended	32" CRMSS8212	S 🗆			SA 148.0#	\$ 7007	\$ 7707	
Non-finished backside CRPS								
	32" CRMSS8212.	A 🗆	PSTR		SA 128.0#	\$ 6267	\$ 6894	
CRPS								
82" Metal Shelving Starter Unit-Double Face • Straight base only with back panel • 10 adjustable angled steel shelves • Each shelf ships with 6 metal dividers • Curved or straight end panel	32" CRMSD8224	S			SA 245.0#	\$ 8571	\$ 9432	
CRPS								
82" Metal Shelving Adder Unit-Double Face • Straight base only with back panel • 10 adjustable angled steel shelves • Each shelf ships with 6 metal dividers • Straight end panel only	32" CRMSD8224	A _	PSTR		SA 202.0#	\$ 7839	\$ 8622	
CRPS								
	Ø	•	Θ	O	3			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel
PCRV - Curved panel PSTR - Straight panel

DSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors; add \$84.

Select shelf paint color.
SA - Sand

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 125.

CrossRoads® Accessory Units Storage/Accessories



CrossRoads® Accessory Units Storage/Accessories

			MODEL	NIIMRE	:R					
			0222							
			Basic	Wood	Wood	Surface	Pull	Approx. Packaged		
	MODEL	DxWxH	Basic Model	Wood Type	Finish	Surface Finish	Color	Weight	Oak	Maple
	Descending Platform Book Truck	22 x 26 x 28-1/2"	CRDBT					84.0#	\$ 3472	\$ 3818
	Sits under the Book Return Module									
	4 swivel casters									
<u> </u>										
CRD										
	Wood Mobile Pedestal	19-23/32 x 16-3/8 x 26-13/16"	CRDMP					60.0#	\$ 1508	\$ 1659
	Box/Box/File - (2) 6" drawers and (1)									
	12" drawerTop drawer is locking									
	- Top drawer is locking									
u										
CRD										
			_	•		_	A			
			Φ	$oldsymbol{\Theta}$	Θ	O	ⅎ			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

Stained finish colors; add \$100.

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

Select drawer pull color.

For a complete circulation desk price quotation, a sketch or drawing of the modular arrangement must be included.

price list.

- Maple

©Select wood finish. (for worksurface edge, shelf, side & back panels)

Refer to the **Product Color Options** page in this

Select surface finish.

Refer to the **Product Color Options** page in this

Refer to the **Product Color Options** page in this FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships assembled, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Accessory Units Newspaper Display Units



CrossRoads® Accessory Units Newspaper Display Units



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

- Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

DSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors add \$100.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Factory of origin, freight prepaid. Freight class 100.

CrossRoads® Accessory Units Atlas and Dictionary Stands



CrossRoads® Accessory Units Atlas and Dictionary Stands

								•	
			MODEL	NUMBER	3				
	MODEL	D x W x H	Basic Model	Wood Type	End Panel	Wood Sur Finish Fini	Approx. e Packaged Weight	Oak	Maple
	Atlas Stand	29 x 36 x 45"	CRATLAS				148.0#	\$ 4588	\$ 5047
	Straight or curved end panels								
	5 sliding shelvesRecommended for use against wall only								
	The commended for use against wall only								
CRATL									
	Dictionary Stand • Straight or curved end panels	29 x 36 x 45"	CRDICTN] 105.0#	\$ 3317	\$ 3648
	Straight or curved end panels								
	1 adjustable shelfRecommended for use against wall only								
	- Necommended for use against wan only								
3									
CRDCT									
			A	B	•	0			
			4	\mathbf{o}	G	U U			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select end panel.

PCRV - Curved panel

PSTR - Straight panel

OSelect wood finish.

Refer to the **Product Color Options** page in this

Stained finish colors add \$100.

Select surface finish.

Refer to the **Product Color Options** page in this

Additional plastic laminate surfaces are available but may require an upcharge and additional leadtime. Please contact KI.

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Factory of origin, freight
prepaid. Freight class 100.

CrossRoads® Accessory Units Rolling Book Carts



CrossRoads® Accessory Units Rolling Book Carts

							•	
			MODEL NUM	/IBER				
	MODEL	D x W x H	Basic Model	Wood Type	Wood Finish	Approx. Packaged Weight	Oak	Maple
	Rolling Book Cart-30" Wide • 3 flat shelves • Lower shelf clearance 13" • Middle shelf clearance 11-1/4"	14-1/2 x 29-7/8 x 36-11/64"	CRTRK3530			43.0#	\$ 1392	\$ 1529
CRTRK								
	Rolling Book Cart-40" Wide • 3 flat shelves • Lower shelf clearance 14-5/16" • Middle shelf clearance 14-5/16"	14-1/2 x 39-7/8 x 43-17/32"	CRTRK4140			43.0#	\$ 1584	\$ 1744
CRTRK								
	Rolling Book Cart with Slanted Shelves 2 double-face slanted shelves 1 flat shelf Lower shelf clearance 11-7/16" Middle shelf clearance 8-7/8"	14-1/2 x 29-7/8 x 38-13/16"	CRTRK3530SL	. 🗆		43.0#	\$ 1943	\$ 2140
CRTRK								
	Rolling Book Cart with Slanted Shelves 2 double-face slanted shelves 1 flat shelf Lower shelf clearance 17-7/16" Middle shelf clearance 8-7/8"	14-1/2 x 39-7/8 x 44-51/64"	CRTRK4140SL	. 🗆		43.0#	\$ 2289	\$ 2520
CRTRK								
UIIIIN			•	3	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select wood type.

O - Oak

M - Maple

Select wood finish.

Refer to the **Product Color Options** page in this price list.

Stained finish colors add \$100.

FINISH INFORMATION

Color Match

K1 offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships assembled, FOB Factory of origin, freight
prepaid. Freight class 100.

General Information



SPECIFICATIONS

Chair Back Posts

Back posts shall be made of 5/4" stock, steam bent to shape and finished to 1" thickness.

Chair Front Posts

Front posts shall be made of 8/4" stock an tapered on two inside faces. The front outside corners are shaped to a 3/4" radius.
Finished size is 1-3/4" x 1-3/4" at the top and 1-1/4" x 1-1/4" at the bottom.

Chair Side Rails

Side rails shall be made of 4/4" stock, finished to 13/16" thickness x 2" wide and double doweled to the front and back posts using 5/8" x 2" dowels.

Chair Side Stretchers

Side stretchers shall be made of 4/4" stock, finished to 13/16" x 13/16". The stretchers shall be fastened to the front and back posts using 9/16" chucks with each joint pinned to further reinforce the joint.

Chair Top Slat

The top slat shall be made of 4/4" stock finished to 13/16" thickness and steam bent to a 24" radius. The top slat shall be shaped to form and double doweled to the back posts using 3/8" x 1-1/2" dowels.

Chair Bottom Slat

The bottom slat shall be made of 4/4" stock, steam bent to a 24" radius, finished to 13/16" thickness x 3-3/8" wide and double doweled to the back posts using 3/8" x 1-1/2" dowels.

Chair Banisters

Banisters shall be made of 6/4" stock finished 3/8" x 1" wide, steam bent to shape and mortised into the top and bottom slats.

Chair Front Rail

The front rail shall be made of 4/4" stock, finished to 13/16" x 2" wide and double doweled to the front posts using 3/8" x 2" dowels.

Chair Cross Stretchers

Cross stretchers shall be made of 4/4" stock, finished to 13/16" x 13/16" and fastened to the side stretchers using 9/16" chucks with each joint pinned to further reinforce the joint.

Chair Wood Seat

Seats shall be made of 5/4" stock, surfaced to 13/16" prior to being defect ripped on a straight-line ripsaw. Individual seat pieces shall not exceed 3-1/2". Seat stock will be mechanically glued to ensure uniform coating of polyvinyl acetate emulsion glue prior to being clamped using a pneumatic torque drive to insure proper pressure on glue joints. Seat blanks will be double surfaced prior to shaping to form and saddling. Seat shall be gained into bottom slat and fastened to each back post by one 12 x 2-1/4" tapping screw concealed by a wood button. Two 12 x 2" tapping screws secure the seat to the front rail and one 12 x 2" tapping screw shall secure the seat to teach side rail.

Chair Corner Blocks

Corner blocks shall further reinforce the frame and

are glued and screwed in place. Two 10 x 1-1/4" twin fast screws and one 12×2 -1/4" tapping screw shall secure each block to the frame.

Chair Glue

The glue used in final chair assembly shall be polyvinyl alcohol ester blend with polyvinyl acetate.

Chair Glides

7/8" diameter rubber cushion chrome-plated glides are standard.

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the distriction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

CrossRoads® Seating Product Color Options



CrossRoads® Seating Product Color Options

Wood Finish

Oak Wood Finish - Core

Brighton Walnut on Oak (sample not available) VBW VOK Castle Oak on Oak Cinnamon on Oak OCN OCA Cocoa on Oak Florence Walnut on Oak OFC SMD Medium on Oak River Cherry on Oak ORY

Maple Wood Finish - Core

Cherry Storm on Maple MCX Cinnamon on Maple MCN MCA Cocoa on Maple MFC Florence Walnut on Maple Kensington Maple on Maple MMA Monticello Maple on Maple MMT MRY River Cherry on Maple

The Stained Finish upcharge does not apply to Kensington Maple or Castle Oak.

View color swatches for items listed within this document.

Plastics/Poly

CrossRoads® Seating Wood Chairs

A

(3

Θ

0





MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Pricing Pricing Approx. Pricing Pricing Pricing Pricing Pricing Pricing Packaged Delivered Pricing Pallas Fabric Pallas Fabric Basic Wood Wood Upholstery Fabric Grade Fabric Grade Fabric Grade Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric SEAT HEIGHT MODEL Model Type Finish Color Unupholstered 1 & C.O.M. Group P0 Group P1 Group P2 Group P4 **Armless Wood Chair** CRCHR14 29.0# • 3 sizes - 14", 16", 18" 16" CRCHR16 32.0# 559 18" CRCHR18 35.0# 576 CRCHR Armless Wood Chair, Upholstered 15-1/2" CRCHRU14 31.0# N/A 730 • 3 sizes - 15-1/5", 17-1/2"", 19-1/2" 17-1/2" CRCHRU16 34.0# N/A 665 709 730 730 710 763 813 899 951 19-1/2" CRCHRU18 680 827 911 37.0# N/A 723 747 747 726 777 964 CRCHR **Recessed Arm Wood Chair** 18" CRCHRA18 45.0# \$ 776 • 18" size only Recessed Arm Wood Chair, Upholstered 19-1/2" CRCHRAU18 47.0# N/A \$ 883 \$ 926 \$ 952 \$ 952 \$ 932 \$ 982 \$ 1033 \$ 1115 \$ 1170 • 19-1/2" size only

HOW TO ORDER

CRCHR

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect wood type.

- Maple

Select wood finish.

Refer to the Product Color Options page in this price list. Stained finish colors; add \$30.

• Select upholstery grade and color. Refer to ki.com/fabrics

FINISH INFORMATION

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Factory of origin, freight prepaid. Freight class 125.



CrossRoads® Circulation Desk




Typical C-Shape Circulation Desk Work Space: 132 sq. ft. Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- A. Extended desk modules
- B. Mobile pedestals
- D. Book return module
- E. Descending platform book truck
 F. Cupboard storage unit
 J. Rolling book cart
 L. Shelving units



Inside view




Inside view

Typical L-Shape Circulation Desk Work Space: 216 sq. ft. Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- A. Extended desk modules
- B. Mobile pedestal
- C. Extended corner unit D. Book return module
- E. Descending platform book truck
- Cupboard storage unit
- G. Open storage unit
- H. Transaction counter



Cupboard Storage Unit Book Return Unit **(C)** w/Drawer w/Book Truck (F) (D) Inside view \bigcirc **(C) D** A

Extended Desk w/Mobile Pedestal

Note: Drawing and Product Modification Request (PMR) are required prior to quote for circulation desks.

Inside view

Contact KI

Typical O-Shape Circulation Desk

Work Space: 250 sq. ft. Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:


- A. Extended desk modules
- B. Mobile pedestal
- C. Extended corner units
 D. Book return module
 E. Descending platform book trucks
- F. Cupboard storage unit
- G. Open storage unit

Typical U-Shape Circulation Desk

Work Space: 240 sq. ft. Oak Budget List Price to be quoted Maple Budget List Price to be quoted

Circulation Desk Features:

- A. Extended desk modules
- B. Mobile pedestals
- C. Extended corner units D. Book return modules
- E. Descending platform book trucks
- F. Cupboard storage unit
- G. Open storage unit





CrossRoads® Circulation Desk



CrossRoads® Circulation Desk



Standard Desk Module

- straight base only
- 1 grommet or 1 PowerUp module 29", 32" or 39" height
- 31¹/₂"D x 35³/₄"W

Oak w/ grommet budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommet budget list price to be quoted Maple w/ PowerUp budget list price to be quoted




Extended Desk Module

- straight base only
 2 grommets or 2 PowerUp modules
 knife bracket supports center of unit
 29", 32" or 39" height
 31'/₂"D x 71'/₂"W

Oak w/ grommets budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommets budget list price to be quoted Maple w/ PowerUp budget list price to be quoted



Transaction Counter with End Panels

- veneer with wood banding for use with extended desk module 10"D x 723/4"W x 103/4"H

Oak budget list price to be quoted Maple budget list price to be quoted




- 90° Extended Corner Module

 2-piece unit
 straight base only
 2 grommets or 2 PowerUp modules
 overall radius 51.21°

 - 29" or 39" height 36.2"D x 73"W (outer corner to outer corner)


Oak w/ grommet budget list price to be quoted Oak w/ PowerUp budget list price to be quoted

Maple w/ grommet budget list price to be quoted Maple w/ PowerUp budget list price to be quoted



Book Return Module with Slot

- for use with Descending Platform Book Truck
- book slot opening measure 18"W x 4"H
- · 31¹/₂"D x 35³/₄"W





Cupboard Storage Unit with Drawer

- 1 adjustable and 1 fixed shelf
- drilled holes in outer panels for attachment to other modules
- · 39" height · 311/2"D x 37"W

Oak budget list price to be quoted Maple budget list price to be quoted



- Open Storage Unit
 2 adjustable and 2 fixed shelf
 39" height

 - · 31¹/₂"D x 35³/₄"W

Oak budget list price to be quoted Maple budget list price to be quoted

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000237/KI/PDF

