



DATALINK[®] TABLE SYSTEM

PRICE LIST

January 3, 2011

Updated October 3, 2022

800.424.2432



DataLink® Table System		
General Information		3
Product Color Options		4
Fixed Leg Tables/Power		5
Fixed Leg Tables/No Power		6
Fixed Leg Tables/Power		7
Fixed Leg Tables/No Power		8
Wedges		9
Non-Electrical Accessories		10
Electrical Accessories		11
Activ8® System		
		13



Radius Configuration



Classroom Configuration



U-Shaped Configuration

Features			
Fixed leg	•	•	•
10-wire/6-circuit power option	•	•	•
Data/communication option	•	•	•
Rectangular worksurfaces	•	•	•
Wedge-shaped worksurfaces for radiused configurations	•	•	•
"Laid-in" wiring	•	•	•
Door-for-leg wireway	•	•	•
Metal separation of power and data wires	•	•	•
Ganging	•	•	•
Modular data connection option	•	•	•
Five edge styles	•	•	•




Power Distribution Unit
(Rigid Wireway)



Dual Channel Leg
Wireway (Laid-in
Wiring)



Wire Manager Door



Ganger



PowerUp® Module

SPECIFICATIONS

Worksurfaces

Worksurface tops are 1-1/4" nominal overall thickness with .042" thick high-pressure laminate and .030" thick backer. Density is 45 lbs/ft³, M3 grade.

Edge Style

There are 5 choices of edge styles available: (74P); Flat Vinyl T-edge (BN); Urethane (ME); Postformed (PL); and 3/8" Wood Band Edge (34S). The BN and PL edges are not available on wedge worksurfaces. 34S edge is standard in Natural Red Oak.

Fixed Base Worksurfaces

Worksurfaces for fixed base tables have a solid 45 lb/ft³ particleboard core construction. PowerUp Module, Activ8 or grommet locations will be available along the back edge of the work-surface away from the user in either the right- or left-hand corners, both corners or center.

Wedge Worksurfaces

Wedge worksurfaces have a solid particleboard core construction. PowerUp Module, Activ8 or grommet locations are not available. The wedge is supported between two tables by four 1-1/2" x 3/4" rectangular metal splice tubes. Four nylon gangers are also used to draw the wedge up to each table and keep the splice tubes from disengaging.

Leg Assemblies

The leg assembly is made up of a 24" or 30" foot, leg upright with access door, fixed leg. The feet and the cantilevers are die cast aluminum and the leg and access door are extruded aluminum. The feet each have two nylon glides that attach to the foot via 5/16" diameter x 7/8" long threaded studs. The leg contains a 1" x 2-1/2" wireway that directs wires from the foot into the horizontal wire manager. The leg wireway is divided into two halves that keep data cables separate from electrical cables. The leg wireway also has an aluminum access door that hinges on two steel dowel pins and snaps shut via a nylon snap. The cantilever attaches the leg assembly to the worksurface via raised bosses that provide 3/4" of clearance

between the cantilever and the bottom of the worksurface, allowing a space to pass cables from table to table. The raised bosses on the cantilever also serve as mounting studs for the nylon table gangers that hold tables/wedges together. Each table has one right leg and one left leg assembly. The leg assemblies are available in two standard heights: 27" and 29". The leg assemblies are held together by two 1/4" diameter draw bolts that clamp the assembly together. The legs are available in standard powder coat finishes. Fixed leg tables ship knocked down.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Surface Finish--Laminate		Misty Brown	PMY	Warm Grey	EWG	Misty Brown	MY
Belair	LBQ	Sand	PSA	Windsor Mahogany	EWY	Starlight Silver Metallic	SX
Biltmore Cherry	LBT	Starlight Silver Metallic	PSX	Zesty Lime	EZL	Warm Grey	WG
Black	LBK	Warm Grey	PWG	Edge Color for BN Edge		Paint Color - Electrical Infeed	
Brighton Walnut	LBW	The wire manager door is monochromatic with the leg if the leg is black (BL), blue grey (GR), cool grey (CG), misty brown (MY), sand (SA), or warm grey (WG). All other leg colors will come with a black (BL) wire manager door.			EBL		
Canyon Zephyr	LCA				EGR	Black	BL
Castle Oak	LCO				ECY	Blue Grey	GR
Casual Linen	LCU				ECG	Sand	SA
Cherry Storm	LCX				EEY	Warm Grey	WG
Classic Linen	LCI	Edge Color for 34S Edge					
Cloud Zephyr	LCL					Activ8 Power-Up Module Color	
Cocobala	LCC	Cherry Storm on Maple	MCX	Flannel	EFN	Black	BL
Crisp Linen	LRI	Cinnamon on Maple	MCN	Frosty White	EFW	Blue Grey	GR
Desert Zephyr	LDZ	Cocoa on Maple	MCA	Hazy Jade	EHJ	Cool Grey	CG
Dove Grey	LDG	Florence Walnut on Maple	MFC	Honey Bee	EHY	Flannel	FN
Fired Steel	LIL	Kensington Maple on Maple	MMA	Light Tone	ELG	Misty Brown	MY
Flax Linen	LXF	Monticello Maple on Maple	MMT	Mardi Gras	EMG	Sand	SA
Florence Walnut	LFC	River Cherry on Maple	MRY	Misty Brown	EMY	Warm Grey	WG
Forged Steel	LOL	Edge Color for 74P Edge		Nemo	ENE		
Friston Ash	LFH			Nordic	END	Activ8 Villa Module Color	
Frosty White	LFW	Belair	EBQ	Poppy Red	EPR	Black	BL
Graphite Nebula	LGN	Biltmore Cherry	EBT	Purple Haze	EPH	Blue Grey	GR
Grey	LGE	Black	EBL	Rubber Ducky	ERK	Bronze Metallic	ZM
High Rise	LHE	Blue Grey	EGR	Sand	ESA	Champagne Metallic	CM
Hollyberry	LHY	Brighton Walnut	EBW	Sky Blue	ESK	Cool Grey	CG
Irish Linen	LIH	Castle Oak	ECO	Surf's Up	ESP	Cottonwood	CO
Island	LID	Cayenne	ECY	Twilight Shadow	ETI	Flannel	FN
Italian Silver Ash	LIT	Cherry Storm	ECX	Ultra Blue	EUB	Misty Brown	MY
Kensington Maple	LKM	Cocobala	ECC	Warm Grey	EWG	Starlight Silver Metallic	SX
Lapis Blue	LLB	Cool Grey	ECG	Zesty Lime	EZL	Warm Grey	WG
Markerboard White	LMK	Earthen Clay	EEY	Edge Color for ME Edge		Activ8 Villa Module (No Cover) Color	
Misted Zephyr	LMR	Everglade Shade	EEV	Black	EBL	Black	BL
Monticello Maple	LMT	Flannel	EFN	Blue Grey	EGR		
Nickel Evolv	LVN	Florence Walnut	EFC	Cool Grey	ECG		
North Sea	LNA	Friston Ash	EFH	Flannel	EFN		
Ocean	LON	Frosty White	EFW	Misty Brown	EMY		
Pearl Bisque	LPB	Hazy Jade	EHJ	Sand	ESA		
Pearl Silver	LPS	Honey Bee	EHY	Warm Grey	EWG		
Pressed Linen	LPR	Italian Silver Ash	EIT	No edge color selectin for the Postformed (PL) edge.			
River Cherry	LRY	Kensington Maple	EKM				
Rugged Linen	LRG	Light Tone	ELG				
Satin Stainless	LSS	Mardi Gras	EMG	Power-Up Module/Grommet Color			
Shadow Zephyr	LSR	Misty Brown	EMY	Black	BL		
Silicon evolv	LSV	Monticello Maple	EMT	Blue Grey	GR		
Sterling Ash	LAZ	Multiplex	EMB	Cool Grey	CG		
Tailored Linen	LTL	Nemo	ENE	Flannel	FN		
Titanium evolv	LTV	Nordic	END	Misty Brown	MY		
White Nebula	LWL	Poppy Red	EPR	Sand	SA		
White Sand	LWN	Purple Haze	EPH	Warm Grey	WG		
Windsor Mahogany	LWY	River Cherry	ERY	Villa Power Module/Grommet Color			
Base Finish		Rubber Ducky	ERK	Black	BL		
Black	PBL	Sand	ESA	Blue Grey	GR		
Blue Grey	PGR	Sky Blue	ESK	Bronze Metallic	ZM		
Bronze Metallic	PZM	Sterling Ash	EAZ	Champagne Metallic	CM		
Champagne Metallic	PCM	Surf's Up	ESP	Cool Grey	CG		
Cool Grey	PCG	Twilight Shadow	ETI	Cottonwood	CO		
Light Tone	PLG	Ultra Blue	EUB	Flannel	FN		

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.

Fixed Leg Table, 24" D

- Available with or without a 10-wire/6- circuit power distribution unit ("Power Option")
- Duplex receptacles, infeeds, and jumpers for the "Power Option" must be ordered separately
- Wire trough assembly is standard on all tables
- Data ports located in the modesty panel are standard. Data jacks are supplied by the customer
- Includes ganger
- See Activ8® Single Circuit Electrical System to order modules

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model/power option.
T6 = Power

- | | |
|------------|-----------------------|
| B | Select edge style. |
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
| PL | - Postformed edge |
| ME | - Urethane edge |
| 34S | - 3/8" Wood band edge |

- Ⓢ Select PowerUp/power module or grommet location.
- Location is from the seated side of the table.
- | | |
|------------------|------------------------------------|
| NOPU-NOGR | - No PowerUp/no grommet |
| NOPU-GL | - Grommet left; add \$25 |
| NOPU-GR | - Grommet right; add \$25 |
| NOPU-GC | - Grommet center; add \$25 |
| NOPU-GB | - Grommet left and right; add \$54 |
| NOGR-ML | - PowerUp left; add \$165 |
| NOGR-MR | - PowerUp right; add \$165 |
| NOGR-MC | - PowerUp center; add \$165 |

- | | |
|-----------------|---|
| NOGR-MB | - PowerUp left and right; add \$327 |
| NOPU-VL | - Villa Grommet left; add \$95 |
| NOPU-VR | - Villa Grommet right; add \$95 |
| NOPU-VC | - Villa Grommet center; add \$95 |
| NOPU-VB | - Villa Grommet left and right; add \$190 |
| NOGR-VPL | - Villa Power Module w/ USB left; add \$453 |
| NOGR-VPR | - Villa Power Module w/ USB right; add \$453 |
| NOGR-VPC | - Villa Power Module w/ USB center; add \$453 |
| NOGR-VPB | - Villa Power Module w/ USB left and right; add \$905 |

- D** Select PowerUp module/grommet color.
Refer to the **Product Color Options** page in this price list.

- E** Select base finish.
Refer to the **Product Color Options** page in this price list.

- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- G** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain patterns. Due to natural variations of fine wood, it is impossible to exactly match colors and grains with consistency.

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KL's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime.
Contact KI.


Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.



Fixed Leg Table, 24" D

- Duplex receptacles, infeeds, and jumpers for the "Power Option" must be ordered separately
- Wire trough assembly is standard on all tables
- Data ports located in the modesty panel are standard. Data jacks are supplied by the customer
- Includes ganger
- See Activ8® Single Circuit Electrical System to order modules

[illegible]

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model/power option.
NP = No Power

- | | |
|------------|-----------------------|
| BN | - Flat vinyl T-edge |
| 74P | - 74P edge |
| PL | - Postformed edge |
| ME | - Urethane edge |
| 34S | - 3/8" Wood band edge |

- Ⓢ Select PowerUp/power module or grommet location.
- Location is from the seated side of the table.
- | | |
|------------------|------------------------------------|
| NOPU-NOGR | - No PowerUp/no grommet |
| NOPU-GL | - Grommet left; add \$25 |
| NOPU-GR | - Grommet right; add \$25 |
| NOPU-GC | - Grommet center; add \$25 |
| NOPU-GB | - Grommet left and right; add \$54 |
| NOGR-ML | - PowerUp left; add \$165 |
| NOGR-MR | - PowerUp right; add \$165 |
| NOGR-MC | - PowerUp center; add \$165 |

- | | |
|------------------|---|
| NOGR-MB | - PowerUp left and right; |
| add \$327 | |
| CCTL-NOGR | - Activ8 hole left |
| CCTR-NOGR | - Activ8 hole right |
| CCTC-NOGR | - Activ8 hole center |
| CCTB-NOGR | - Activ8 hole both |
| NOPU-VL | - Villa Grommet left; add \$95 |
| NOPU-VR | - Villa Grommet right; add \$95 |
| NOPU-VC | - Villa Grommet center; add \$95 |
| NOGR-VB | - Villa Grommet left and right; add \$190 |
| NOGR-VPL | - Villa Power Module w/ USB left; add \$453 |
| NOGR-VPR | - Villa Power Module w/ USB right; add \$453 |
| NOGR-VPC | - Villa Power Module w/ USB center; add \$453 |
| NOGR-VPB | - Villa Power Module w/ USB left and right; add \$905 |

- D** Select PowerUp module/grommet color.
Refer to the **Product Color Options** page in this price list.

- E** Select base finish.
Refer to the **Product Color Options** page in this price list.
- F** Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.
- G** Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain patterns. Due to natural variations of fine wood, it is impossible to exactly match colors and grains with consistency.

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
 Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime.
 Contact KI.

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

[illegible]

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model/power option.

T6=Power

B Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
PL	- Postformed edge
ME	- Urethane edge
34S	- 3/8" Wood band edge

C Select PowerUp/power module or grommet location.

Location is from the seated side of the table.

NOPU-NOGR	- No PowerUp/no grommet
NOPU-GL	- Grommet left; add \$25
NOPU-GR	- Grommet right; add \$25
NOPU-GC	- Grommet center; add \$25
NOPU-GB	- Grommet left and right; add \$54
NOGR-ML	- PowerUp left; add \$165
NOGR-MR	- PowerUp right; add \$165
NOGR-MC	- PowerUp center; add \$165

NOGR-MB	- PowerUp left and right;
add \$327	
NOPU-VL	- Villa Grommet left; add \$95
NOPU-VR	- Villa Grommet right; add \$95
NOPU-VC	- Villa Grommet center; add \$95
NOPU-VB	- Villa Grommet left and right; add \$190
NOGR-VPL	- Villa Power Module w/ USB left; add \$453
NOGR-VPR	- Villa Power Module w/ USB right; add \$453
NOGR-VPC	- Villa Power Module w/ USB center; add \$453
NOGR-VPB	- Villa Power Module w/ USB left and right; add \$905

D Select PowerUp module/grommet color.
Refer to the **Product Color Options** page in this price list.

E Select base finish.
Refer to the **Product Color Options** page in this price list.

F Select surface finish.
Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

G Select edge color.
Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain patterns. Due to natural variations of fine wood, it is impossible to exactly match colors and grains with consistency.

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KL's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime.
Contact KI.

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bundel, WI 54107,
freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

Fixed Leg Table, 30"D

- Duplex receptacles, infeeds, and jumpers for the "Power Option" must be ordered separately
- The wire trough assembly is standard on all tables
- Data ports located in the modesty panel are standard. Data jacks are supplied by the customer
- Includes ganger
- See Activ8® Single Circuit Electrical System to order modules

Indicate the following information on order form:

- Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model/power option.
NP=No Power

- B** Select edge style.

BN	- Flat vinyl T-edge
74P	- 74P edge
PL	- Postformed edge
ME	- Urethane edge
34S	- 3/8" Wood band edge

- C** Select PowerUp/power module or grommet location.

Location is from the seated side of the table.

NOPU-NOGR	- No PowerUp/no grommet
NOPU-GL	- Grommet left; add \$25
NOPU-GR	- Grommet right; add \$25
NOPU-GC	- Grommet center; add \$25
NOPU-GB	- Grommet left and right;

add \$54	
NOGR-ML	- PowerUp left; add \$165
NOGR-MR	- PowerUp right; add \$165
NOGR-MC	- PowerUp center; add
\$165	

- | | |
|------------------|---|
| NOGR-MB | - PowerUp left and right; add \$327 |
| CCTL-NOGR | - Activ8 hole left |
| CCTR-NOGR | - Activ8 hole right |
| CCTC-NOGR | - Activ8 hole center |
| CCTB-NOGR | - Activ8 hole both |
| NOPU-VL | - Villa Grommet left; add \$95 |
| NOPU-VR | - Villa Grommet right; add \$95 |
| NOPU-VC | - Villa Grommet center; add \$95 |
| NOGR-VB | - Villa Grommet left and right; add \$190 |
| NOGR-VPL | - Villa Power Module w/ USB left; add \$453 |
| NOGR-VPR | - Villa Power Module w/ USB right; add \$453 |
| NOGR-VPC | - Villa Power Module w/ USB center; add \$453 |
| NOGR-VPB | - Villa Power Module w/ USB left and right; add \$905 |

- D** Select PowerUp module/grommet color.
Refer to the **Product Color Options** page in this price list.

- E** Select base finish.

Refer to the **Product Color Options** page in this price list.

- F** Select surface finish.

Refer to the **Product Color Options** page in this price list.
Surface finish offerings are based on edge style selections.

- G** Select edge color.

Refer to the **Product Color Options** page in this price list.
Edge color offerings are based on edge style selections.

Wood Color Variations

High quality wood table edges and surfaces are characterized by distinctive natural colors and grain patterns. Due to natural variations of fine wood, it is impossible to exactly match colors and grains with consistency.

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
 Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime.
 Contact KI.












Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 85.

Specifications and prices are subject to change without prior notice.

			MODEL NUMBER				Approx. Packaged Weight			
			Basic Model	Edge Style	Surface Finish	Edge Color		 74P Edge (74P)	 Urethane Edge (ME)	 3/8" Wood Band Edge (34S)
 DLW	MODEL	D x ANGLE								
	Wedges <ul style="list-style-type: none">Available in 3 edge stylesWedges form radiused configurations by bridging adjoining rectangular worksur-facesWedges do not have legs. They are sup-ported by rectangular metal splice tubes, which are attached to the underside of the wedge. The rectangular metal splice tubes are inserted under the adjoining table top.	24 x 30°	DLW2430	□□□	□□□	□□□	11.0#	\$ 498	\$ 567	\$ 755
 DLW	Wedges	24 x 45°	DLW2445	□□□	□□□	□□□	17.0#	\$ 523	\$ 606	\$ 802
 DLW	Wedges	24 x 60°	DLW2460	□□□	□□□	□□□	18.0#	\$ 563	\$ 652	\$ 844
 DLW	Wedges	24 x 90°	DLW2490	□□□	□□□	□□□	22.0#	\$ 681	\$ 793	\$ 953
 DLW	Wedges	30 x 30°	DLW3030	□□□	□□□	□□□	16.0#	\$ 523	\$ 617	\$ 852
 DLW	Wedges	30 x 45°	DLW3045	□□□	□□□	□□□	21.0#	\$ 610	\$ 710	\$ 911
 DLW	Wedges	30 x 60°	DLW3060	□□□	□□□	□□□	22.0#	\$ 654	\$ 768	\$ 973
 DLW	Wedges	30 x 90°	DLW3090	□□□	□□□	□□□	26.0#	\$ 754	\$ 877	\$ 1120
			A	B	C	D				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are avail-able.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

74P	- 74P edge
ME	- Urethane edge
34S	- 3/8" Wood band edge
- C**Select surface finish.

Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.
- D**Select edge color.

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

INFORMATION

Wood Color Variations
High quality wood table edges and surfaces are characterized by distinctive natural colors and grain patterns. Due to natural variations of fine wood, it is impossible to exactly match colors and grains with consistency.

FINISH INFORMATION

Additional Laminate Offering
Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designa-tors followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code
Nevamar - LN/supplier's color pattern code
Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.
Note: Nonstandard laminates from these suppliers (example: textured laminates), require an up-charge and additional leadtime.
Contact KI.




SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER			
	Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	DLGANG	1.0#	\$	23
 HRDPT	DLSPLICE	1.0#	\$	23
 HRDPT	DLCA	1.0#	\$	173

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



			MODEL NUMBER			
	MODEL	Features	Basic Model	Approx. Packaged Weight		Delivered Pricing
 HRDPT	Worksurface-to-Worksurface 10-Wire Connector for Rectangular Worksurface <ul style="list-style-type: none">Connects the 10-wire power system of two adjacent tables33" longSilver conduit		DLT6JT	2.0#		\$ 188
 HRDPT	Worksurface-to-Worksurface 10-Wire Connector for Wedges <ul style="list-style-type: none">Connects the 10-wire power system of two adjacent tablesThe connector extends from one rectangular worksurface, under the adjacent wedge, to the other rectangular worksurface39" longSilver conduit		DLT6JW	2.0#		\$ 198
 HRDPT	Quad-Block <ul style="list-style-type: none">Allows power to be distributed from the middle of a table seriesThe Quad-Block (along with included jumper) enables infeed power from the building to be routed in two directions. These units, four female openings accept the male end of the power infeed and the male plug ends of two table-to-table jumpers which transfer the power to the two adjoining tables.		4BT6	1.0#		\$ 54
 HRDPT	Receptacles - 6 Circuit <ul style="list-style-type: none">Attaches to wireways of 10 wire powered tablesProvides two (duplex) receptacles each rated at 15 ampsSome circuits are isolated ground circuits (622 - 4,5, & 6). Isolated ground receptacles are identified by an orange triangle	Circuit 1	47.0706.1.BL	1.0#	\$	32
		Circuit 2	47.0706.2.BL	1.0#		32
		Circuit 3	47.0706.3.BL	1.0#		32
		Circuit 4	47.0706.4I.BL	1.0#		32
		Circuit 5	47.0706.5I.BL	1.0#		32
		Circuit 6	47.0706.6I.BL	1.0#		32

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES





Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



	MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
		Basic Model	Paint Color		
 HRDPT	Power Strip <ul style="list-style-type: none">• Optional electrical source• Surge protected six outlet, 110 volt electrical strip with 6' long cord to lay in wire manager trough• Off-white only	PC.OSWS		3.0#	\$ 188
 HRDPT	Infeed 10-Wire/6-Circuit <ul style="list-style-type: none">• The 10-wire/6-circuit infeed contains six lines (12 ga.) two neutrals (10 ga.), and two grounds (12 ga.) providing six circuits of power to the power distribution unit• Must be hard-wired to the building power source by a licensed electrician• 105" long	PTFF	<input type="checkbox"/> <input type="checkbox"/>	5.0#	\$ 197
 HRDPT	NY Infeed - 10 Wire <ul style="list-style-type: none">• Meets NY electrical code• If the infeed's "whip" must exit from the left leg (as seen from the seated position), select the left-hand infeed. Similarly, select the right-hand infeed if the "whip" must exit from the right leg (as seen from the seated position)• Not for use on 36" length tables	DLINYT6.L	<input type="checkbox"/> <input type="checkbox"/>	5.0#	\$ 598
		DLINYT6.R	<input type="checkbox"/> <input type="checkbox"/>	5.0#	598
 HRDPT	8-Wire to 10-Wire Adaptor <ul style="list-style-type: none">• 30" long	47.0709.30		1.0#	\$ 203

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select paint color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



MODEL	MODEL NUMBER		Approx. Packaged Weight	Delivered Pricing
	Basic Model			
 HRDPT	Activ8® Infeed <ul style="list-style-type: none">• 108” cord plugs into standard 15 amp outlet• Control module is located 6” from table connection• Diagnostic LED indicator shows power status (see details below)• Controller automatically limits number of connections to 8• 40 Ft maximum string, not including infeed cord• Will not work with GFI/GCFI outlets or backup systems such as uninterruptured power supplies	AC8IF.108	2.0#	\$ 281
 HRDPT	Activ8® Module and Attachment Bracket <ul style="list-style-type: none">• Duplex receptacles provide 2 outlets• Power module provides 15 amp power• Up to 8 modules may be used per infeed per UL Standard 962• Modules may be connected (reconnected in any order without sequential keying)• Modules snap into brackets that are attached to the InTandem®Table System (AC8RPTIT.12), WorkZone®, and Data-Link® Training Table (AC8RPTDL.12)• Jumpers ordered separately• Module will snap directly into KI Genesis® troughs and KI True® Desking stanchions• No data cord management is provided• Attached cord is approximately 9”	AC8RPTDL.12	1.0#	\$ 177

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
		Basic Model	PowerUp Module Color		
 HRDPT	Activ8® Power-Up Module <ul style="list-style-type: none">• Duplex receptacles provide 2 outlets• Power module provides 15 amp power• Up to 8 modules may be used per infeed per UL Standard 962• Modules may be connected (reconnected in any order without sequential keying)• Attached cord is approximately 12"• Data tree is provided to allow data jacks to be inserted in the module• Jumpers ordered separately	AC8PUM	<input type="checkbox"/> <input type="checkbox"/>	1.0#	Delivered Pricing \$ 261
 HRDPT	Activ8® Villa Power Module with Metal Cover <ul style="list-style-type: none">• Duplex receptacles provide 2 outlets, 2 USB-A charging ports, 1 open data port with data tree• Power module provides 15 amp power• Up to 8 modules may be used per infeed per UL Standard 962• Modules may be connected (reconnected in any order without sequential keying)• Attached cord is approximately 12"• Data tree is provided to allow data jacks to be inserted in the module• Jumpers ordered separately• Villa Power Module cannot be installed in LH or RH cutouts of Connection Zone powered single-sided tables	AC8VMC	<input type="checkbox"/> <input type="checkbox"/>	3.0#	\$ 553

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select module color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER			
MODEL		Basic Model	Approx. Packaged Weight	Delivered Pricing	
 HRDPT	Activ8® Villa Power Module without Cover	AC8VMN	2.0#	\$	468
	• Duplex receptacles provide 2 outlets, 2 USB-A charging ports, 1 open data port with data tree				
	• Power module provides 15 amp power				
	• Up to 8 modules may be used per infeed per UL Standard 962				
	• Modules may be connected (reconnected in any order without sequential keying)				
	• Attached cord is approximately 12"				
	• Data tree is provided to allow data jacks to be inserted in the module				
	• For use on tables with existing KI grommets				
	• Jumpers ordered separately				
	• Villa Power Module cannot be installed in LH or RH cutouts of Connection Zone powered single-sided tables				
 HRDPT	Activ8® Jumper	29"	AC8JP.29	1.0#	\$ 88
	• For Connection Zone and Trellis, refer to their Planning Guides for size recommendations	53"	AC8JP.53	1.0#	104
		77"	AC8JP.77	1.0#	120

A

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 85.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000457/KI/PDF



Furnishing Knowledge®