

district

price guide

06.19.2017



tekniön

# contents

INTRODUCTION . . . . .	3
PANEL WALLS . . . . .	17
FASCIAS . . . . .	59
SCREENS . . . . .	155
CONNECTIONS & TRIMS . . . . .	193
WORKSURFACES . . . . .	223
STORAGE . . . . .	265
SUPPORTS . . . . .	609
ACCESSORIES . . . . .	651
ELECTRICS . . . . .	691
INTERNATIONAL ELECTRICS . . . . .	735

introduction

# introduction

WHERE TO FIND THE INFORMATION YOU NEED .....5

HOW TO MAKE THIS GUIDE WORK FOR YOU .....6

INDEX – BY SECTION .....8

INDEX – BY PRODUCT .....12





# where to find the information you need

**Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.**

## product pricing

**Online Access** to all current pricing in PDF format, can be found at [www.teknion.com](http://www.teknion.com), by selecting the **products** tab, the desired product line and then **pricing module**.

**Printed Price Guides** by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## application guidelines

**Online Access** to all current Application Guides in PDF format, can be found at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab, **application guides** and the desired product line.

**Printed Application Guides** by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## planning tool

Select and view typicals of our products by setting, product, or footprint. Get great ideas and save time!

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **planning tool**.

## weights & volumes

**Online Access** to Weights & Volumes are available on [www.teknion.com](http://www.teknion.com), by selecting the **products** tab and the desired product line. Download Weights & Volumes.

## fabrics & finishes

Teknion's Fabrics and Finishes offering includes the following programs; Finishes + Materials and Teknion Textiles.

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Fabrics & Finishes**.

**Printed Fabrics & Finishes Guides** can be ordered online through [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

## product photography & drawings

**Online Access** to all photos, line drawings and renderings are available on [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and selecting either **photography**, **CAD symbols** or **Sketchup 3D Warehouse**.

## order forms

All forms (COM Request, TekniPaint and TekniStain forms) are available online at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Fabrics & Finishes**. Download the form you require.

## warranty/terms & conditions of sale

**Online Access** is available on [www.teknion.com](http://www.teknion.com), by selecting the **Legal & Warranty** link located on the footer of the website.

## installation guides

Installation Guides are available for both Online and Print. Contact your Teknion Customer Service Representative for more details.

## user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you please contact your Teknion Technical Services department.

# how to make this guide work for you

## price guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started and the subsequent sections provide detailed pricing and specification information by product type. Each of these sections contains Overview and Basics pages to explain key application and specification guidelines that will help you specify the product correctly. The detailed pricing pages follow.

6

price guide

Introduction

Index by section

Index by product

Product Maps by section

Overview and Basics by section

Pricing by section


## basics page at a glance

It is recommended that you review the basics pages before you begin specifying a product. For more detailed application and planning information refer to the appropriate Application Guide available on [www.teknion.com](http://www.teknion.com).

panel walls


full-height window basics

Full-Height Windows are used in place of a panel wall to provide a full-height glass alternative.




Flush Full Height (D-Style) Window (Shown)

Product Name/Code, application notes, dimensions and finishes (as applicable)



Flush Full-Height (D-Style) – Single Glass (UNPFWSR) and Double Glass (UNPFWDR) Windows

- Used in place of a Flush Panel Wall (UNPFR) and Flush Panel with Inset Glass (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims and 6" Base Fascia must be specified separately



Elevated Full-Height (D-Style) – Single Glass (UNPEWSR) and Double Glass (UNPEWDR) Windows

- Used in place of an Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset Glass (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately

29

district price guide – June 19, 2017

Section Title

Page Title

Product Overview Statement

Page Number

Last update for this page


district price guide – June 19, 2017

# how to make this guide work for you

## pricing details at a glance

**Section Title** → panel walls

**Product Code/Name** → UNPWSR  
Add-On Window (D-Style) – Single Glass

**Product Illustration** → 

**Page Number** → 40

**Feature and finish options you may select from when specifying** →

**Product Dimensions in inches and millimeters** →

**While sizing may be shown in both imperial and metric, products need to be ordered using imperial dimensions.** →

**Dimensional Codes (listed throughout the text and under options on pricing pages) are nominal figures, they are not actual dimensions.** →

**Last update for this page** →

**Product Description, What's Included, What's Excluded (where applicable) and Notes (where applicable)**

The Add-On Window (D-Style) – Single Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

**WHAT'S INCLUDED**  
Structural frame, framed window insert, hardware for attachment, top trim (if specified).

**NOTES**  
Standard Glass, Clear is a clear tempered glass.  
Specialty Glass Vanceva is a laminated glass.  
Glass is oriented to one side of the frame.

PRODUCT OPTIONS					
Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (if applicable)
09, 13, 15, 22, 24, 37	24 – 96	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

**SAMPLE ORDER CODE**

UNPWSR 22	48	5	AC	1	AC
-----------	----	---	----	---	----

**Sample Order Code**

DIMENSIONS INCHES / MM		PRICING					
		NO TOP TRIM (0)			WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Ge. 6	Ge. 7	Standard Glass Clear	Specialty Glass Vanceva Cool White
9 / 229	24 / 610	485	590	603	605	533	638
9 / 229	30 / 762	532	647	663	667	583	699
9 / 229	36 / 914	579	703	723	729	638	762
9 / 229	42 / 1067	625	762	785	790	691	827
9 / 229	48 / 1219	683	827	855	860	755	897
9 / 229	54 / 1372	728	885	913	920	804	962
9 / 229	60 / 1524	776	943	976	984	858	1024
9 / 229	66 / 1676	825	1002	1038	1047	915	1091
9 / 229	72 / 1829	871	1060	1099	1107	969	1157
9 / 229	78 / 1981	922	1120	1163	1172	1025	1223
9 / 229	84 / 2134	977	1186	1232	1242	1084	1294
9 / 229	90 / 2286	1027	1246	1294	1307	1141	1360
9 / 229	96 / 2438	1073	1303	1355	1368	1192	1421
13 / 330	24 / 610	525	647	666	670	572	696
13 / 330	30 / 762	574	711	734	739	625	763
13 / 330	36 / 914	624	776	804	810	683	834
13 / 330	42 / 1067	684	852	885	891	750	917
13 / 330	48 / 1219	746	927	966	975	818	1000
13 / 330	54 / 1372	792	988	1032	1040	868	1067
13 / 330	60 / 1524	850	1063	1107	1120	930	1144
13 / 330	66 / 1676	924	1153	1202	1216	1014	1243
13 / 330	72 / 1829	977	1221	1275	1290	1073	1318
13 / 330	78 / 1981	1024	1282	1343	1357	1128	1386
13 / 330	84 / 2134	1100	1371	1437	1453	1207	1479
13 / 330	90 / 2286	1152	1439	1511	1527	1266	1554
13 / 330	96 / 2438	1205	1510	1583	1600	1324	1628

**Pricing table categorized by dimensions and price-relevant finishes (where applicable)**

Pricing is continued on the following page.

## additional information

The following forms are available at [www.teknion.com](http://www.teknion.com), by selecting the **tools** tab and then **Fabrics & Finishes**, to help you specify and place your order if required:

### teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

### using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing.

A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information.

A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

### placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

### noting key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

## index – by section

Section Contents	Product Code	Page No.
<b>INTRODUCTION</b>		
Where to find the information you need		5
How to make this guide work for you		6
<b>PANEL WALLS</b>		
Understanding Panel Walls		20
Flush Panel Wall Basics		22
Elevated Panel Wall Basics		23
Convertible Panel Wall Basics		24
Panel Wall Base Basics		25
Support Foot Basics		26
Support Foot Freestanding District Basics		27
Add-On Window Basics		28
Full-Height Window Basics		29
Flush Panel Wall	UNPFR	30
Flush Panel with Accessory Beam	UAFFR	31
Flush Panel with Inset Glass	UYPFR	32
Elevated Panel Wall	UNPER	33
Elevated Panel with Accessory Beam	UAFER	34
Elevated Panel Wall with Inset Glass	UYPER	35
Convertible Panel Wall	UNPC	36
Convertible Panel with Accessory Beam	UAFCR	37
Convertible Panel Wall with Inset Glass	UYPCR	38
Add-On Window (D-Style) – Single Glass	UNPWSR	40
Add-On Window (D-Style) – Double Glass	UNPWDR	42
Add-On Window (L-Style) – Single Glass	UNPLS	44
Add-On Window (L-Style) – Double Glass	UNPLD	46
Flush Full-Height Window (D-Style) – Single Glass	UNPFWSR	48
Flush Full-Height Window (D-Style) – Double Glass	UNPFWDR	49
Elevated Full-Height Window (D-Style) – Single Glass	UNPEWSR	50
Elevated Full-Height Window (D-Style) – Double Glass	UNPEWDR	51
Convertible Panel Wall Base and Foot Trim	UNPCF	52
Elevated Panel Wall Foot	UNPEFR	53
Support Foot for Freestanding District	UAFFN	54
Panel Wall Rail	UNPHN	55
Light Block Rail	UNEX	56
<b>FASCIAS</b>		
Understanding Fascias		63
Understanding Fascia for Freestanding District		64
Understanding the Fascia Type		65
Fascia Basics		66
Solid Fascia	UNESD	74
Solid Fascia For Freestanding District (Clip Mount)	UAESD	76
Stretch Solid Fascia	UNYSD	78
Stretch Solid Fascia for Freestanding District	UAYSD	80
Solid Fascia – Full-Height	UNESF	82

Section Contents	Product Code	Page No.
Metal Fascia	UNELM	84
Metal Fascia For Freestanding District (Slot Mount)	UAELM	86
Framed Tackable Fabric Fascia	UNEUTR	88
Tackable Fabric Fascia	UNELF	92
Tackable Fabric Fascia		
For Freestanding District (Slot Mount)	UAELF	96
Framed Whiteboard Fascia	UNEUWR	98
Whiteboard Fascia	UNEMB	99
Accessory Fascia – Anodized Aluminum	UNEUAR	100
Accessory Fascia	UNELA	101
Solid Power/Communications Fascia	UNECL	102
Solid Power/Communications Fascia		
For Freestanding District (Clip Mount)	UAECL	106
Solid International Power/Communications Fascia	UNEIL	108
Solid International Power/Communications Fascia		
For Freestanding District (Clip Mount)	UAEIL	112
Metal Power/Communications Fascia	UNELCM	114
Metal Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELCM	118
Metal International Power/Communications Fascia	UNELIM	120
Metal International Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELIM	124
Tackable Fabric Power/Communications Fascia	UNELCF	126
Tackable Fabric Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELCF	132
Tackable Fabric International		
Power/Communications Fascia	UNELIF	134
Tackable Fabric International Power/Communications Fascia		
For Freestanding District (Slot Mount)	UAELIF	140
Metal Base Feed Fascia	UNELMB	144
Metal Base Feed Fascia For Freestanding District		
(Slot Mount)	UAELMB	145
Fabric Base Feed Fascia	UNELFB	146
Fabric Base Feed Fascia For Freestanding District		
(Slot Mount)	UAELFB	147
Window (D-Style) – Single Glass	UNESWR	148
Window (D-Style) – Double Glass	UNEWDR	149
Window (L-Style) – Single Glass	UNELWS	150
Window (L-Style) – Double Glass	UNELWD	151
Fascia Clip Kit	UNELK	152
<b>SCREENS</b>		
Understanding Screens		158
Panel Wall Add-On Screen Basics		160
Glass Blades for Panels with Inset Glass Basics		161
Desk Edge Screen Basics		162

## index – by section

Section Contents	Product Code	Page No.
Desk Edge Screen Full-Height Basics		163
Desk Top Screen Basics		164
Modesty Screen Basics		165
Floor Screen Basics		166
Solid Lateral Screen Basics		167
Storage Screen Basics		168
Desk Top Casual Screen	UNSDT	170
Desk Top Mounted Screen	UNSBWS	171
Desk Edge Screen	UNSD E	172
Desk Edge Screen – Glass	UNSD E G	173
Desk Edge Screen – Full-Height	UNSF D E	174
Desk Edge Screen – Full-Height Glass	UNSF D G	176
Modesty Screen	UNSM	177
Floor Screen	UNSF	178
Storage Screen	UNSSS	182
Solid Lateral Screen with Glass	UALSG	184
Solid Lateral Screen	UALSS	187
Floor Screen Extended Leveling Kit	UNSF XL	180
Panel Wall Add-On Screen – Solid	UNSPS	188
Panel Wall Add-On Screen – Glass	UNSPG	189
Panel Glass Blade for Panels with Inset Glass	UYSPG	190
Bridged Glass Blade for Panels with Inset Glass	UYSCG	191
<b>CONNECTIONS &amp; TRIMS</b>		
Understanding Trims & Connectors		196
Top Trim Basics		197
End Trim Basics		198
Connector Basics		200
Top Trim	UNTT	202
Panel Top Trim for Panels with Inset Glass	UYTT	203
Top Trim – Power Pole Access	UNTT P	204
Bridged Top Trim for Panels with Inset Glass	UYCT	205
End Trim	UNTE	206
End Trim For Freestanding District	UATE	207
Intermediate End Trim	UNTM	208
Two-Way 90°	UNPCR2	209
Three-Way 90°	UNPCR3	210
Four-Way 90°	UNPCR4	211
Two-Way 180° Spacer	UNPCCR	212
Two-Way Intermediate 90°	UNIC2	213
Three-Way Intermediate 90°	UNIC3	214
Four-Way Intermediate 90°	UNIC4	215
Two-Way Intermediate 180°	UNICC	216
Two-Way 90° Corner Cap for Panels with Inset Glass	UYPC2	217
Transition Cover	UNTC	218
Top Trim Cover for Panels with Inset Glass	UYTC	219
Wall Start	UNPCW	220

Section Contents	Product Code	Page No.
<b>WORKSURFACES</b>		
Understanding Worksurfaces		226
Worksurface Basics		227
Worksurface Grain/Pattern Direction		228
Edge Trim Style Overview		230
Stand-Up Meeting Surface Overview		232
Stand-Up Meeting Surface Basics		233
Rectangle Worksurface	UNWR	234
Wedge Worksurface	UNWW	238
Extended Wedge Worksurface	UNWEN	240
Wing Worksurface	UNWGN	242
Transition Worksurface	UNWTN	244
Shared Wedge Worksurface	UNWWH	246
Tapered Worksurface	UNWBG	250
Fan Worksurface	UNWF	254
Stand-Up Meeting Surface (End)	UNUE	258
Stand-Up Meeting Surface (Mid)	UNUM	260
Stand-Up Meeting Surface (Mid Open)	UNUP	262
<b>STORAGE</b>		
Understanding Storage		282
Understanding District Storage		283
Pedestal Basics		288
Stretch Pedestal & Lateral File Storage Basics		289
Bookcase Basics		290
Credenza Basics		291
Credenza Drawer Widths		305
Stacker Basics		310
Shared Stacker Basics		312
Single Locker Basics		313
Dual, Triple & Quad Locker Basics		315
Cubby Locker Basics		316
Tower Basics		317
Pedestal Tower Basics		322
Storage-to-Storage Support Basics		324
Overhead Basics		325
Centermount Overhead Basics		326
Rolling Pedestal	UPR	327
Rolling Pedestal with Box Drawer & Hinged Door	UPRB	328
Rolling Pedestal with Hinged Door	UPRH	329
Pedestal with Solid Back	UPFD	330
Pedestal with Cubby	UPFC	332
Stretch Pedestal – Elevated	UPSE	334
Stretch Pedestal – Standard	UPSS	338
Lateral File – Elevated	UFLE	342
Lateral File – Standard	UFLS	346
Bookcase – Elevated	UBKE	350

## index – by section

Section Contents	Product Code	Page No.
Bookcase – Standard	UBKS	352
Low Full Drawer Credenza – Elevated	ULDE	354
Low Full Drawer Credenza – Standard	ULDS	356
High Full Drawer Credenza – Elevated	UHDE	358
High Full Drawer Credenza – Standard	UHDS	360
Low Open Credenza – Elevated	ULOE	364
Low Open Credenza – Standard	ULOS	366
High Open Credenza – Elevated	UHOE	368
High Open Credenza – Standard	UHOS	370
Low Open with Drawer Credenza – Elevated	ULHE	372
Low Open with Drawer Credenza – Standard	ULHS	376
High Open with Drawer Credenza – Elevated	UHHE	380
High Open with Drawer Credenza – Standard	UHHS	384
Low Dual Cubby Credenza – Elevated	ULME	390
Low Dual Cubby Credenza – Standard	ULMS	392
High Dual Cubby Credenza – Elevated	UHME	394
High Dual Cubby Credenza – Standard	UHMS	396
Low Single Sliding Door Credenza – Elevated	ULGE	398
Low Single Sliding Door Credenza – Standard	ULGS	402
Low Double Sliding Door Credenza – Elevated	ULSE	406
Low Double Sliding Door Credenza – Standard	ULSS	410
High Single Sliding Door Credenza – Elevated	UHGE	414
High Single Sliding Door Credenza – Standard	UHGS	418
High Double Sliding Door Credenza – Elevated	UHSE	422
High Double Sliding Door Credenza – Standard	UHSS	426
Low File with Hinged Door Credenza – Elevated	ULNE	430
Low File with Hinged Door Credenza – Standard	ULNS	432
Low Shared Credenza – Elevated	ULKE	434
Low Shared Credenza – Standard	ULKS	436
Open Stacker	UCO	438
Closed Stacker	UCC	444
Open/Closed Stacker	UCS	448
Shared Open Through Stacker	UCP	450
Closed Stacker with Cubbies	UCB	452
Shared Closed Stacker	UCD	456
Sliding Door Stacker	UCG	458
Single Locker with Cubby Back	UKSC	470
Single Locker with Solid Back	UKSD	474
Single Locker with Side Closet	UKC	482
Cubby Locker	UKN	484
Dual Locker	UKD	490
Triple Locker	UKT	506
Quad Locker	UKQ	512
Lateral Tower – Elevated	UTLE	518
Lateral Tower – Standard	UTLS	528
Combo Tower – Elevated	UTCE	540

Section Contents	Product Code	Page No.
Combo Tower – Standard	UTCS	552
Pedestal Tower with Cubby Back	UTDC	568
Pedestal Tower with Solid Back	UTDD	572
Pedestal Tower with Side Closet	UTDK	578
Side Open Tower	UTW	580
Wide Side Open Tower	UTWW	584
Sliding Door Overhead	UOH	588
Sliding Door Centermount Overhead	UOHC	590
Open Overhead	UOO	594
Open Centermount Overhead	UOOC	596
Shared Hinged Door Centermount Overhead	UODC	600
Linking Bracket	UNSLB	602
Storage Extended Leveling Kit	UNSSL	604
Locker Accessories	UWKA	605
Set of Keys Alike	SOKL	606
<b>SUPPORTS</b>		
Understanding District Supports		614
Worksurface Support Basics – Horizontal		615
Worksurface Support Basics – Vertical		616
Worksurface Support, Freestanding Basics		617
Worksurface-to-Storage Support Basics		618
Storage-to-Panel Support Basics		619
Selecting the Correct Storage-to-Panel Bracket		620
Worksurface Supports W/R/S Basics		622
End Gable	UNGEN	623
End Gable – Height-Adjustable	UNGEAN	624
Flush End Gable	UNGEF	625
Flush End Gable – Height-Adjustable	UNGEFA	626
Mid Gable	UNGMF	627
Mid Gable – Height-Adjustable	UNGMFA	628
Cantilever	UNLVR	629
Off-Module Cantilever	UNLVFN	630
Cantilever for Panels with Accessory Beam	UALVFN	631
Semi-Suspended Gable	UNGSN	632
Semi-Suspended Gable – Height-Adjustable	UNGSAN	633
Leg – Single	UNLGN	634
Leg – Height-Adjustable Single	UNLGA	635
Leg – Pair	UNLGPN	636
Leg – Height-Adjustable Pair	UNLGPA	636
Worksurface Panel Wall Bracket – Pair	UNBP	637
Worksurface Panel Wall Bracket – Height-Adjustable	UNBPA	637
Storage-to-Panel Bracket	UWSPB	638
Worksurface-to-Tower Bracket Kit	UWBT	639
Height-Adjustable Worksurface-to-Tower Bracket Kit	UWBTH	640
Low Credenza-to-Worksurface Support	UNCPWN	641
Reconfigurable Low Credenza-to-Worksurface Support	UWCPWN	642



## index – by section

Section Contents	Product Code	Page No.
W/R/S Mounted Worksurface Bracket	CVWB	643
Flush Plate	UNRF	644
Structural Flush Plate	UNRFS	644
Worksurface Reinforcement Channel	UNRC	645
Mini Leg	UNCLN	646
Centermount Cabinet Support Posts & Trim	UNOPT	647
Centermount Cabinet Support Brackets & Top Trim	UNOBT	648
<b>ACCESSORIES</b>		
Understanding Accessories		654
Storage Mounted Fascia Basics		655
Screen & Panel Mounted Fascia Basics		656
Tower & Locker Infill Basics		657
Seat Cushion Basics		658
Complements Accessory Basics		659
Standing Storage Fascia	UNPSF	660
Stacking Storage Fascia	UNPSS	664
Tackboard – Screen Mount	UNTBS	668
Whiteboard – Screen Mount	UNTBW	670
Tackboard – Panel Wall Mount	UNTBP	672
Single Locker with Cubby Infill	UKSCIS	674
Lateral Tower Infill	UTLXIS	676
Combo Tower Infill	UTCXIS	678
Source Laminate Combo Tower Infill	UTCXIX	682
Pedestal Tower with Cubby Infill	UTDCIS	685
Seat Cushion	UWLC	686
Fitted Seat Cushion	UWLF	687
Tool Kit	UNTK	688
<b>ELECTRICS</b>		
Electrics & Communications Overview		695
Power Entry Basics – Panel-Mounted Workstations		696
Power & Communications Basics – Panel-Mounted Workstations		697
Wiring Systems		698
Power Distribution Basics – Panel-Mounted Workstations		699
Casual Electrics Basics – Panel-Mounted Workstations		700
Storage Electrics Basics		701
Power Box	UNQPR	704
Receptacle Outlet	UNQRO	705
Power Harness	UNQBHR	706
Base Feed	UNQBFR	707
Split Base Feed	UNQBFSR	708
Ceiling Feed	UNQCFR	709
Power Pole	UNQEP	710
End of Run Power Pole	UNQEPR	711
Cable Trough	UNQCT	712
Vertical Cable Manager	UNVC	713
Casual Wire Manager Kit	ZOEW	714

Section Contents	Product Code	Page No.
Data Extender Plate	UNQDE	715
Compatibility Power Harness	UNQCMP	716
Chicago Power Box	UNQPRCH	717
Chicago Base Feed	UNQBFRCH	718
Chicago Ceiling Feed	UNQCFRCH	719
Under Cabinet Wire Tray	EWWT	720
Storage Base Feed	EWBF	721
Storage Chicago Base Feed	EWBFCH	722
Storage Split Base Feed	EWBFS	723
Storage Ceiling Feed	EWCF	724
Storage Chicago Ceiling Feed	EWCFCH	725
Storage Power Harness	EWBH	726
4-Way Splitter	EWDB	727
I-Connector	EWIC	727
Flush Mount Power & Data	EWQP	728
Chicago Flush-Mounted Power Box	EWQPCH	729
Storage Receptacle Outlet	EWRO	730
Cubby Power Monument	EWQPM	731
Chicago Cubby Power Monument	EWQPMCH	732
Storage Power Pole	EWEP	733
<b>INTERNATIONAL ELECTRICS</b>		
International Electrics Basics		738
Outlet Box	VED	740
Interconnecting Power Cable	VCC	741
Input Power Cable	VEP	742
Voice & Data Box	VVD	743
Voice & Data Outlets	VDO	744
Electric Accessories	VAC	745
Screen Mount Outlet Box Bracket	UNXSE	746
Base Feed Mounting Kit	UNXPFR	746
Panel Mount Outlet Box Bracket	UNXBR	747

## index – by product

Product Name	Product Code	Page No.
4-Way Splitter	EWDB	727
Accessory Fascia	UNELA	101
Accessory Fascia – Anodized Aluminum	UNEUAR	100
Add-On Window (D-Style) – Double Glass	UNPWDR	42
Add-On Window (D-Style) – Single Glass	UNPWSR	40
Add-On Window (L-Style) – Double Glass	UNPLD	46
Add-On Window (L-Style) – Single Glass	UNPLS	44
Base Feed	UNQBFR	707
Base Feed Mounting Kit	UNXPFR	746
Bookcase – Elevated	UBKE	350
Bookcase – Standard	UBKS	352
Bridged Glass Blade for Panels with Inset Glass	UYSCG	191
Bridged Top Trim for Panels with Inset Glass	UYCT	205
Cable Trough	UNQCT	712
Cantilever	UNLVR	629
Cantilever for Panels with Accessory Beam	UALVFN	631
Casual Wire Manager Kit	ZOEWM	714
Ceiling Feed	UNQCFR	709
Storage Ceiling Feed	EWCF	724
Centermount Cabinet Support Brackets & Top Trim	UNOBT	648
Centermount Cabinet Support Posts & Trim	UNOPT	647
Chicago Base Feed	UNQBFRCH	718
Storage Chicago Base Feed	EWBFCH	722
Chicago Ceiling Feed	UNQCFRCH	719
Storage Chicago Ceiling Feed	EWCFCH	725
Chicago Cubby Power Monument	EWQPMCH	732
Chicago Flush-Mounted Power Box	EWQPCH	729
Chicago Power Box	UNQPRCH	717
Closed Stacker	UCC	444
Closed Stacker with Cubbies	UCB	452
Combo Tower – Elevated	UTCE	540
Combo Tower Infill	UTCXIS	678
Combo Tower – Standard	UTCS	552
Compatibility Power Harness	UNQCMP	716
Convertible Panel Wall	UNPC	36
Convertible Panel Wall Base and Foot Trim	UNPCF	52
Convertible Panel Wall with Inset Glass	UYPCR	38
Convertible Panel with Accessory Beam	UAFCR	37
Cubby Locker	UKN	484
Cubby Power Monument	EWQPM	731
Data Extender Plate	UNQDE	715
Desk Edge Screen	UNSD E	172
Desk Edge Screen – Full-Height	UNSFDE	174
Desk Edge Screen – Full-Height Glass	UNSF DG	176
Desk Edge Screen – Glass	UNSD EG	173
Desk Top Mounted Screen	UNSBWS	171
Desk Top Screen	UNSD T	170
Dual Locker	UKD	490

Product Name	Product Code	Page No.
Electric Accessories	VAC	745
Elevated Full-Height Window (D-Style) – Double Glass	UNPEWDR	51
Elevated Full-Height Window (D-Style) – Single Glass	UNPEWSR	50
Elevated Panel Wall	UNPER	33
Elevated Panel Wall with Inset Glass	UYPER	35
Elevated Panel Wall Foot	UNPEFR	53
Elevated Panel with Accessory Beam	UAFER	34
End Gable	UNGEN	623
End Gable – Height-Adjustable	UNGEAN	624
End of Run Power Pole	UNQEPR	711
End Trim	UNTE	206
End Trim For Freestanding District	UATE	207
Extended Wedge Worksurface	UNWEN	240
Fabric Base Feed Fascia	UNELFB	146
Fabric Base Feed Fascia For Freestanding District (Slot Mount)	UAELFB	147
Fan Worksurface	UNWF	254
Fascia Clip Kit	UNELK	152
Fitted Seat Cushion	UWLF	687
Floor Screen	UNSF	178
Floor Screen Extended Leveling Kit	UNSF XL	180
Flush End Gable	UNGEF	625
Flush End Gable – Height-Adjustable	UNGEFA	626
Flush Full-Height Window (D-Style) – Double Glass	UNPFWDR	49
Flush Full-Height Window (D-Style) – Single Glass	UNPFWSR	48
Flush Mount Power & Data	EWQP	728
Flush Panel Wall	UNPFR	30
Flush Panel with Accessory Beam	UAFFR	31
Flush Panel with Inset Glass	UYPFR	32
Flush Plate	UNRF	644
Four-Way 90°	UNPCR4	211
Four-Way Intermediate 90°	UNIC4	215
Framed Tackable Fabric Fascia	UNEUTR	88
Framed Whiteboard Fascia	UNEUWR	98
Height-Adjustable Worksurface-to-Tower Bracket Kit	UWBTH	640
High Double Sliding Door Credenza – Elevated	UHSE	422
High Double Sliding Door Credenza – Standard	UHSS	426
High Dual Cubby Credenza – Elevated	UHME	394
High Dual Cubby Credenza – Standard	UHMS	396
High Full Drawer Credenza – Elevated	UHDE	358
High Full Drawer Credenza – Standard	UHDS	360
High Open Credenza – Elevated	UHOE	368
High Open Credenza – Standard	UHOS	370
High Open with Drawer Credenza – Elevated	UHHE	380
High Open with Drawer Credenza – Standard	UHHS	384
High Single Sliding Door Credenza – Elevated	UHGE	414
High Single Sliding Door Credenza – Standard	UHGS	418
I-Connector	EWIC	727

## index – by product

Product Name	Product Code	Page No.
Input Power Cable	VEP	742
Interconnecting Power Cable	VCC	741
Intermediate End Trim	UNTM	208
Lateral File – Elevated	UFLE	342
Lateral File – Standard	UFLS	346
Lateral Tower – Elevated	UTLE	518
Lateral Tower Infill	UTLXIS	676
Lateral Tower – Standard	UTLS	528
Leg – Height-Adjustable Pair	UNLGPA	636
Leg – Height-Adjustable Single	UNLGA	635
Leg – Pair	UNLGPN	636
Leg – Single	UNLGN	634
Light Block Rail	UNEX	56
Linking Bracket	UNSLB	602
Locker Accessories	UWKA	605
Low Credenza-to-Worksurface Support	UNCPWN	641
Low Double Sliding Door Credenza – Elevated	ULSE	406
Low Double Sliding Door Credenza – Standard	ULSS	410
Low Dual Cubby Credenza – Elevated	ULME	390
Low Dual Cubby Credenza – Standard	ULMS	392
Low File with Hinged Door Credenza – Elevated	ULNE	430
Low File with Hinged Door Credenza – Standard	ULNS	432
Low Full Drawer Credenza – Elevated	ULDE	354
Low Full Drawer Credenza – Standard	ULDS	356
Low Open Credenza – Elevated	ULOE	364
Low Open Credenza – Standard	ULOS	366
Low Open with Drawer Credenza – Elevated	ULHE	372
Low Open with Drawer Credenza – Standard	ULHS	376
Low Shared Credenza – Elevated	ULKE	434
Low Shared Credenza – Standard	ULKS	436
Low Single Sliding Door Credenza – Elevated	ULGE	398
Low Single Sliding Door Credenza – Standard	ULGS	402
Metal Base Feed Fascia	UNELMB	144
Metal Base Feed Fascia For Freestanding District (Slot Mount)	UAELMB	145
Metal Fascia	UNELM	84
Metal Fascia For Freestanding District (Slot Mount)	UAELM	86
Metal International Power/Communications Fascia	UNELIM	120
Metal Power/Communications Fascia For Freestanding District (Slot Mount)	UAELCM	118
Metal International Power/Communications Fascia For Freestanding District (Slot Mount)	UAELIM	124
Metal Power/Communications Fascia	UNELCM	114
Mid Gable	UNGMF	627
Mid Gable – Height-Adjustable	UNGMFA	628
Mini Leg	UNCLN	646
Modesty Screen	UNSM	177

Product Name	Product Code	Page No.
Storage Split Base Feed	EWBFS	723
Off-Module Cantilever	UNLVFN	630
Open Centermount Overhead	U00C	596
Open Overhead	U00	594
Open Stacker	UCO	438
Open/Closed Stacker	UCS	448
Outlet Box	VED	740
Panel Glass Blade for Panels with Inset Glass	UYSPG	190
Panel Mount Outlet Box Bracket	UNXBR	747
Panel Top Trim for Panels with Inset Glass	UYTT	203
Panel Wall Add-On Screen – Glass	UNSPG	189
Panel Wall Add-On Screen – Solid	UNSPS	188
Panel Wall Rail	UNPHN	55
Pedestal with Cubby	UPFC	332
Pedestal with Solid Back	UPFD	330
Pedestal Tower with Cubby Back	UTDC	568
Pedestal Tower with Cubby Infill	UTDCIS	685
Pedestal Tower with Side Closet	UTDK	578
Pedestal Tower with Solid Back	UTDD	572
Power Box	UNQPR	704
Power Harness	UNQBHR	706
Power Pole	UNQEP	710
Quad Locker	UKQ	512
Receptacle Outlet	UNQRO	705
Reconfigurable Low Credenza-to-Worksurface Support	UNCPWN	642
Rectangle Worksurface	UNWR	234
Rolling Pedestal	UPR	327
Rolling Pedestal with Box Drawer & Hinged Door	UPRB	328
Rolling Pedestal with Hinged Door	UPRH	329
Screen Mount Outlet Box Bracket	UNXSE	746
Seat Cushion	UWLC	686
Semi-Suspended Gable	UNGSN	632
Semi-Suspended Gable – Height-Adjustable	UNGSAN	633
Set of Keys Alike	SOKL	606
Shared Closed Stacker	UCD	456
Shared Hinged Door Centermount Overhead	U0DC	600
Shared Open Through Stacker	UCP	450
Shared Wedge Worksurface	UNWWH	246
Side Open Tower	UTW	580
Single Locker with Cubby Back	UKSC	470
Single Locker with Cubby Infill	UKSCIS	674
Single Locker with Side Closet	UKC	482
Single Locker with Solid Back	UKSD	474
Sliding Door Centermount Overhead	U0HC	590
Sliding Door Overhead	U0H	588
Sliding Door Stacker	UCG	458
Solid Fascia	UNESD	74
Solid Fascia – Full-Height	UNESF	82

## index – by product

Product Name	Product Code	Page No.
Solid Fascia For Freestanding District (Clip Mount)	UAESD	76
Solid International Power/Communications Fascia	UNEIL	108
Solid International Power/Communications Fascia For Freestanding District (Clip Mount)	UAEIL	112
Solid Lateral Screen	UALSS	187
Solid Lateral Screen with Glass	UALSG	184
Solid Power/Communications Fascia	UNECL	102
Solid Power/Communications Fascia For Freestanding District (Clip Mount)	UAECL	106
Source Laminate Combo Tower Infill	UTCXIX	682
Split Base Feed	UNQBFSR	708
Stacking Storage Fascia	UNPSS	664
Standing Storage Fascia	UNPSF	660
Stand-Up Meeting Surface (End)	UNUE	258
Stand-Up Meeting Surface (Mid)	UNUM	260
Stand-Up Meeting Surface (Mid Open)	UNUP	262
Storage Base Feed	EWBF	721
Storage Extended Leveling Kit	UNSXL	604
Storage Power Harness	EWBH	726
Storage Power Pole	EWEP	733
Storage Receptacle Outlet	EWRO	730
Storage Screen	UNSSS	182
Storage-to-Panel Bracket	UWSPB	638
Stretch Pedestal – Elevated	UPSE	334
Stretch Pedestal – Standard	UPSS	338
Stretch Solid Fascia	UNYSD	78
Stretch Solid Fascia for Freestanding District	UAYSD	80
Structural Flush Plate	UNRFS	644
Support Foot	UAFFN	54
Tackable Fabric Fascia	UNELF	92
Tackable Fabric Fascia For Freestanding District (Slot Mount)	UAELF	96
Tackable Fabric International Power/Communications Fascia	UNELIF	134
Tackable Fabric International Power/Communications Fascia For Freestanding District (Slot Mount)	UAELIF	140
Tackable Fabric Power/Communications Fascia	UNELCF	126
Tackable Fabric Power/Communications Fascia For Freestanding District (Slot Mount)	UAELCF	132
Tackboard – Panel Wall Mount	UNTBP	672
Tackboard – Screen Mount	UNTBS	668
Tapered Worksurface	UNWBG	250
Three-Way 90°	UNPCR3	210
Three-Way Intermediate 90°	UNIC3	214
Tool Kit	UNTK	688
Top Trim	UNTT	202
Top Trim – Power Pole Access	UNTTP	204

Product Name	Product Code	Page No.
Top Trim Cover for Panels with Inset Glass	UYTC	219
Transition Cover	UNTC	218
Transition Worksurface	UNWTN	244
Triple Locker	UKT	506
Two-Way 180° Spacer	UNPCCR	212
Two-Way 90°	UNPCR2	209
Two-Way 90° Corner Cap for Panels with Inset Glass	UYPC2	217
Two-Way Intermediate 180°	UNICC	216
Two-Way Intermediate 90°	UNIC2	213
Under Cabinet Wire Tray	EWWT	720
Vertical Cable Manager	UNVC	713
Voice & Data Box	VVD	743
Voice & Data Outlets	VDO	744
W/R/S Mounted Worksurface Bracket	CVWB	643
Wall Start	UNPCW	220
Wedge Worksurface	UNWW	238
Whiteboard – Screen Mount	UNTBW	670
Whiteboard Fascia	UNEMB	99
Wide Side Open Tower	UTWW	584
Window (D-Style) – Double Glass	UNEWDR	149
Window (D-Style) – Single Glass	UNESR	148
Window (L-Style) – Double Glass	UNELWD	151
Window (L-Style) – Single Glass	UNELWS	150
Wing Worksurface	UNWGN	242
Worksurface Panel Wall Bracket – Height-Adjustable	UNBPA	637
Worksurface Panel Wall Bracket – Pair	UNBP	637
Worksurface Reinforcement Channel	UNRC	645
Worksurface-to-Tower Bracket Kit	UWBT	639



panel walls

# panel walls


PRODUCT MAP / TABLE OF CONTENTS . . . . .	18
UNDERSTANDING PANEL WALLS . . . . .	20
FLUSH PANEL WALL BASICS . . . . .	22
ELEVATED PANEL WALL BASICS . . . . .	23
CONVERTIBLE PANEL WALL BASICS . . . . .	24
PANEL WALL BASE BASICS . . . . .	25
SUPPORT FOOT BASICS . . . . .	26
SUPPORT FOOT FOR FREESTANDING DISTRICT BASICS . . . . .	27
ADD-ON WINDOW BASICS . . . . .	28
FULL-HEIGHT WINDOW BASICS . . . . .	29
PRODUCT LISTING . . . . .	30



## product map


### UNPFR Flush Panel Wall

Page 30  
Height: 29" – 66" /  
Width: 24" – 96" (6" increments)




### UAFFR Flush Panel with Accessory Beam

Page 31  
Height: 29" / Width: 24" – 96" (6" increments)




### UYPFR Flush Panel Wall with Inset Glass

Page 32  
Height: 29", 42" & 51" /  
Width: 24" – 96" (6" increments)




### UNPER Elevated Panel Wall

Page 33  
Height: 29" – 66" /  
Width: 24" – 96" (6" increments)




### UAFER Elevated Panel with Accessory Beam

Page 34  
Height: 29" / Width: 24" – 96" (6" increments)




### UYPER Elevated Panel Wall

Page 35  
Height: 29", 42" & 51" /  
Width: 24" – 96" (6" increments)




### UNPC Convertible Panel Wall

Page 36  
Height: 29" – 66" /  
Width: 24" – 96" (6" increments)




### UAFCR Convertible Panel with Accessory Beam

Page 37  
Height: 29" / Width: 24" – 96" (6" increments)




### UYPCR Convertible Panel Wall with Inset Glass

Page 38  
Height: 29", 42" & 51" /  
Width: 24" – 96" (6" increments)




### UNPWSR Add-On Window (D-Style) – Single Glass

Page 40  
Height: 9" – 37" /  
Width: 24" – 96" (6" increments)




### UNPWDR Add-On Window (D-Style) – Double Glass

Page 42  
Height: 9" – 37" /  
Width: 24" – 96" (6" increments)



### UNPLS Add-On Window (L-Style) – Single Glass


Page 44  
Height: 9" – 37" /  
Width: 24" – 96" (6" increments)



# product map


## UNPLD Add-On Window (L-Style) – Double Glass

Page 46  
Height: 9" – 37" /  
Width: 24" – 96" (6" increments)




## UNPFWSR Flush Full-Height Window (D-Style) – Single Glass

Page 48  
Height: 29" – 66" /  
Width: 24" – 60" (6" increments)




## UNPFWDR Flush Full-Height Window (D-Style) – Double Glass

Page 49  
Height: 29" – 66" /  
Width: 24" – 60" (6" increments)




## UNPEWSR Elevated Full-Height Window (D-Style) – Single Glass

Page 50  
Height: 29" – 66" /  
Width: 24" – 60" (6" increments)




## UNPEWDR Elevated Full-Height Window (D-Style) – Double Glass

Page 51  
Height: 29" – 66" /  
Width: 24" – 60" (6" increments)



## UNPCF Convertible Panel Wall Base and Foot Trim

Page 52  
Width: 24" – 96" (6" increments)




## UNPEFR Elevated Panel Wall Foot

Page 53




## UAFFN Support Foot for Freestanding District

Page 54




## UNPHN Panel Wall Rail

Page 55  
Width: 24" – 60"



## UNEX Light Block Rail

Page 56  
Width: 24" – 60"



## understanding panel walls

District Panels are available in three Panel Styles: Standard Panel Wall, Panel Wall with Inset Glass and Panel Wall with Accessory Beam. Each Panel Style is available in three Panel Profiles: Flush, Elevated and Convertible.

### panel profiles

- Flush, which provides privacy to the floor
- Elevated, which provides a 6" high open space at the bottom of the panel to allow air flow and a lighted aesthetic
- Convertible, which provides a economical alternative to the Flush and Elevated Panel and allows the flexibility to convert from a Flush Panel Profile to an Elevated Panel Profile using the same frame

20

#### Standard Panel Wall (UNPFR, UNPER and UNPC)

All panel profiles accept the Panel Wall Add-On Screen – Glass (UNSPG) and Panel Wall Add-On Screen – Solid (UNSPS).

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels cannot accept a freestanding foot.

#### Panel Wall with Inset Glass (UYPFR, UYPER and UYPCR)

All panel profiles accept the Panel Glass Blade for Panel with Inset Glass (UYSPG) and Bridged Glass Blade for Panels with Inset Glass (UYSCG).

The glass blade is inset into the frame, so there is less exposed trim offering a more seamless appearance.

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels cannot accept a freestanding foot.

#### Panel Wall with Accessory Beam (UAFFR, UAFER and UAFCR)


Includes an Accessory Rail for integration with Interpret Screens and Storage.

Flush and Conventional panel profiles can accept the Support Foot for Freestanding District (UAFFN) for freestanding applications. Elevated Panels cannot accept a freestanding foot.


# understanding panel walls (continued)

## panel creep

District Panels have no creep factor, the nominal dimension and the actual dimension are the same.




- Panels 66" or wider consist of two equally sized segments




- Frame up to 60" consist of one segment only

## panel runs




- On panel wall heights of 66" that do **not** support loads, the maximum run allowed is 12' - 0"
- 60" wide x 66" high wing panels must be used at both ends to provide adequate support



- On panel wall heights of 29", 42" and 51" that do **not** support loads, the maximum unsupported run allowed is 16' - 0"
- 60" wide wing panels the same height as the panel run, must be used at both ends to provide support

## fascia spans





- Fascias can span across both sections of a frame 66" wide and wider to cover the entire width, or can be split so that each section can have a different fascia

## flush panel wall basics



**Flush Panel Walls consist of a frame to the floor, and are typically used with hard surface fascias which have mounting clips.**

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Finished in Black





### Flush Panel Wall (UNPFR)

- Available in heights of 29", 42", 51" & 66"
- The 29", 42" & 51" high frame can be used in freestanding application
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)



### Flush Panel Wall with Inset Glass (UYPFR)

- Available 29", 42" & 51" high
- Can be used with or without Panel Glass Blade for Panels with Inset Glass (UYSPG) or Bridged Glass Blade for Panels with Inset Glass Blade (UYSCG)
- If Inset Glass, (UYSPG & UYSCG) is being specified, the Panel Top Trim for Panels with Inset Glass (UNTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) must be specified
- Can be used in freestanding applications
- Panel Walls with Inset Glass do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. Please see the Worksurface and Support Sections for details on mounting worksurfaces to 29" high Panel Walls with Inset Glass
- When planning with District with Inset Glass Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage







### Flush Panel Wall with Accessory Beam (UAFCR)

- Available 29" high only
- Complete with an accessory beam to accommodate Interpret screens and storage
- Can be used in freestanding applications





## elevated panel wall basics

**Elevated Panel Walls consist of a frame that allows for 6" of open space at the bottom. It is typically used with hard surface fascias which have mounting clips and for applications where the aesthetic and finish of the foot are considerations.**




- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces, but does **not** extend to the floor – the Elevated Panel Wall Foot (UNPEFR) (must be ordered separately) is attached below the panel frame to reach the desired datum height
- Complete with fascia attachment clips and slots and accepts all fascia types (see Fascia Section for complete product offering)
- Complete with light block strip on vertical and horizontal slots
- Base of the 6" rail is finished in Clear Anodized, Foundation or Mica paint finishes

**Elevated Panel Wall (UNPER)**

- Available in heights of 29", 42", 51" & 66"
- **Cannot** be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)

**Elevated Panel Wall with Inset Glass (UYPER)**

- Available 29", 42" & 51" high
- Can be used with or without Panel Glass Blade for Panels with Inset Glass (UYSPG) or Bridged Glass Blade for Panels with Inset Glass Blade (UYSCG)
- If Inset Glass, (UYSPG & UYSCG) is being specified, the Panel Top Trim for Panels with Inset Glass (UNTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) must be specified
- **Cannot** be used on freestanding applications
- Panel Walls with Inset Glass do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. Please see the Worksurface and Support Sections for details on mounting worksurfaces to 29" high Panel Walls with Inset Glass
- When planning with District with Inset Glass Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage

**Elevated Panel Wall with Accessory Beam (UAFER)**








- Available in 29" high only
- Complete with an accessory beam to accommodate interpret screens and storage
- **Cannot** be used in freestanding applications



## convertible panel wall basics

**Convertible Panel Walls consist of a frame to the floor and provides an economical and flexible alternative to the Flush and Elevated panel frame. It can be used in a flush or elevated profile and is typically used for applications where the majority of the fascias do not have clips and are slot-mounted.**

- Consists of one or two sections depending on width and fixed rails at 6" and 29" (or 28" for panels with accessory beam) to allow for horizontal mounting of storage and worksurfaces
- Does **not** have fascia attachment clips, is complete with slots only
- There are two rows of slots side-by-side will accept both fascias and storage or supports in the same location
- Accepts all fascia types but for Fascias that are complete with fascia clips, a separate mounting clip kit is required for mounting the fascias to the frame
- When used in a Flush application fascias are mounted onto the frame to the floor, and when used in an Elevated application the fascia mounts onto the frame to the 6" rail and an additional Convertible Panel Wall Base and Foot Trims (UNPCF) are added to provide a base trim and foot cover on the frame below the 6" level
- Finished in Black



### Convertible Panel Wall (UNPC)

- Available in heights of 29", 42", 51" & 66"
- The 29", 42" & 51" high can be used in freestanding applications
- Can accept Panel Wall Add-On Screen – Solid (UNSPS) and Panel Wall Add-On Screen – Glass (UNSPG)

### Convertible Panel Wall with Inset Glass (UYPCR)

- Available 29", 42" & 51" high
- Can be used with or without Panel Glass Blade for Panels with Inset Glass (UYSPG) or Bridged Glass Blade for Panels with Inset Glass Blade (UYSCG)
- If Inset Glass, (UYSPG & UYSCG) is being specified, the Panel Top Trim for Panels with Inset Glass (UNTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) must be specified
- Can be used in freestanding applications
- Panel Walls with Inset Glass do not allow access to the top horizontal rail of the panel, so careful attention must be paid when planning with horizontal mounting brackets. Please see the Worksurface and Support Sections for details on mounting worksurfaces to 29" high Panel Walls with Inset Glass
- When planning with District with Inset Glass Panel, a return panel must be specified on both sides of a panel run when using center mounted overhead storage


### Convertible Panel Wall with Accessory Beam (UAFCR)

- Available in 29" high only
- Complete with an accessory beam to accommodate interpret screens and storage can be used in freestanding when fascias extend to the floor
- Can be used in freestanding applications




# panel wall base basics

Panel Wall Rails & Light Block Rails are used to create additional segmentation on panels above the 29" high rail.




25



## Panel Wall Rail (UNPHN)

- Complete with clips so can be used on all panels when Fascias with clips are specified




## Light Block Rail (UNEX)

- Does not include clips so can be used on all panel types when fascias with no clips are specified

## support foot basics


Panel Wall Bases and Panel Wall Feet are used for elevated panel wall applications.

26



### Elevated Panel Wall Foot (UNPEFN)

- Used with the Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset Glass (UYPER)
- Mounted to the base of the panel frame to elevate the frame 6" above the floor
- Used at all ends and shared between two panels at 180° angles, but are **not** required at corners or 180° spacers because the connector provides the necessary panel support
- Available in Clear Anodized, Foundation and Mica paint finishes




### Convertible Panel Wall Base and Foot Trim (UNPCF)

- Used with the Convertible Panel Wall (UNPC) only in an elevated application
- Consists of a metal trim that is attached to the bottom rail of the panel and elevated feet that snap onto the frame post
- One Convertible Panel Wall Base and Foot Trim is required for all elevated panels 60" and less. Two are required for elevated panels 66" and wider as they are made up of two frames (specified as one unit at the overall length)
- Available in Foundation and Mica paint finishes


# support foot for freestanding district basics

The Support Foot is used to create Freestanding District Panel runs.



Support Foot (Shown)

27




## Support Foot for Freestanding District (UAFFN)



- Installed at the bottom of panels to create freestanding applications
- Cannot be used with an Elevated panel
- The Support Foot can be used in any of the four existing hole locations on the bottom of Flush or Convertible panels
- On Panel widths from 24"-42" there are two cut out locations, 48"-78" have four cut out locations, 84"-96" have eight cut out locations
- There must be a foot at both start and ends of a panel run
- The Support Foot takes up approximately 1/2" in height therefore a specific fascia is required below 29" high (the height is nominal, therefore 28" fascia will actually be approximately 27 1/2" to allow for the foot)
- The distance between panel support feet cannot exceed 96"
- A unique end trim is required, End Trim for Freestanding District (UATE) to accommodate the height change created by the foot
- Freestanding District can be specified up to 51" total in height (this can be either a 51" high panel or a 29" or 42" high panel with storage or screens to 51" high)
- The top area of the foot offers cable pass through capability available with levelers
- Available with levelers
- Recommend additional support feet if panel mounted storage usage is high

## add-on window basics

Add-On Windows mount to the top of a panel wall frame to provide an uninterrupted glass finish.





Add-On (D-Style)  
Window (Shown)



### Add-On (D-Style) – Single Glass (UNPWSR) and Double Glass (UNPWDR) Windows

- Mount on-module or semi off-module to the top of a panel wall frame up to a height of 66"
- Frame is continuous on all sides to provide a refined aesthetic
- Are **not** load bearing, and **cannot** be mounted above another add-on window
- Do **not** affect existing cable routing within the panel wall frame
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately
- Not available on UY\_ Panels




### Add-On (L-Style) – Single Glass (UNPLS) and Double Glass (UNPLD) Windows


- Provide a cost effect alternative to the D-Style Glass Add-On Windows
- Mount on-module or semi off-module to the top of a panel wall frame up to a height of 66"
- frame is visible at the top and bottom only
- Are **not** load bearing, and **cannot** be mounted above another add-on window
- Do **not** affect existing cable routing within the panel wall frame
- Available in Standard Glass Clear and Frost
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost has been specified
- Frames are available in Foundation and Mica paint finishes
- Top trims must be specified separately
- Not available on UY\_ Panels

# full-height window basics

Full-Height Windows are used in place of a panel wall to provide a full-height glass alternative.




Flush Full Height (D-Style)  
Window (Shown)



## Flush Full-Height (D-Style) – Single Glass (UNPFWSR) and Double Glass (UNPFWDR) Windows

- Used in place of a Flush Panel Wall (UNPFR) and Flush Panel with Inset Glass (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims and 6" Base Fascia must be specified separately




## Elevated Full-Height (D-Style) – Single Glass (UNPEWSR) and Double Glass (UNPEWDR) Windows

- Used in place of an Elevated Panel Wall (UNPER) and Elevated Panel Wall with Inset Glass (UYPER)
- Available in widths up to 60" for panel heights up to 51" and widths up to 48" for panel heights up to 66"
- Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva
- Standard Glass, Clear is a tempered glass; Standard Glass, Frost is a sandblasted tempered glass; Specialty Glass Vanceva is a laminated glass – Clear tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass have been specified
- Frames are available in Clear Anodized, Espresso and Storm White paint finishes
- Top trims must be specified separately

## UNPFR

### Flush Panel Wall



30

The Flush Panel Wall is flush to the floor when finished.

#### WHAT'S INCLUDED

1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

#### WHAT'S EXCLUDED

Fascia applied to base must be specified separately.

#### NOTES

Top trim is optional (not needed when window is applied to top of panel or requires unique trim when centre mount storage is specified).

Panel wall frame has a Black finish.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

#### SAMPLE ORDER CODE

UNPFR 51	60	PANEL MATRIX
----------	----	--------------

#### DIMENSIONS INCHES / MM

H	W	
29 / 737	24 / 610	231
29 / 737	30 / 762	242
29 / 737	36 / 914	244
29 / 737	42 / 1067	286
29 / 737	48 / 1219	290
29 / 737	54 / 1372	306
29 / 737	60 / 1524	313
29 / 737	66 / 1676	483
29 / 737	72 / 1829	485
29 / 737	78 / 1981	537
29 / 737	84 / 2134	572
29 / 737	90 / 2286	578
29 / 737	96 / 2438	582
42 / 1067	24 / 610	246
42 / 1067	30 / 762	257
42 / 1067	36 / 914	262
42 / 1067	42 / 1067	307
42 / 1067	48 / 1219	313
42 / 1067	54 / 1372	328
42 / 1067	60 / 1524	334
42 / 1067	66 / 1676	521
42 / 1067	72 / 1829	524
42 / 1067	78 / 1981	604
42 / 1067	84 / 2134	614
42 / 1067	90 / 2286	619
42 / 1067	96 / 2438	624

#### DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	312
51 / 1295	30 / 762	326
51 / 1295	36 / 914	328
51 / 1295	42 / 1067	375
51 / 1295	48 / 1219	388
51 / 1295	54 / 1372	408
51 / 1295	60 / 1524	414
51 / 1295	66 / 1676	655
51 / 1295	72 / 1829	657
51 / 1295	78 / 1981	714
51 / 1295	84 / 2134	748
51 / 1295	90 / 2286	762
51 / 1295	96 / 2438	774
66 / 1676	24 / 610	351
66 / 1676	30 / 762	369
66 / 1676	36 / 914	369
66 / 1676	42 / 1067	417
66 / 1676	48 / 1219	428
66 / 1676	54 / 1372	447
66 / 1676	60 / 1524	454
66 / 1676	66 / 1676	738
66 / 1676	72 / 1829	738
66 / 1676	78 / 1981	798
66 / 1676	84 / 2134	834
66 / 1676	90 / 2286	847
66 / 1676	96 / 2438	856



The Flush Panel Wall with an Accessory Beam is flush to the floor when finished.

## WHAT'S INCLUDED


1 frame (widths 24" - 60") or 2 frames (widths over 60"), accessory beam, hardware for straight connections, levelers.

## NOTES

Accessory beam is integrated into the panel. Panel wall frame has a Black finish.

Total height of panel with Accessory Beam is 29" and therefore requires fascias to be 1" shorter.

## U A F F R Flush Panel with Accessory Beam



## PRODUCT OPTIONS

Height	Width (6" increments)	Accessory Beam Finish
29	24 - 96	AC Clear Anodized Foundation Mica

## SAMPLE ORDER CODE

UAFFR 29	60	AC
----------	----	----

## DIMENSIONS INCHES / MM


H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
29 / 737	72 / 1829
29 / 737	78 / 1981
29 / 737	84 / 2134
29 / 737	90 / 2286
29 / 737	96 / 2438

## PRICING

325
343
359
414
428
456
473
659
674
737
781
801
814



UYPFR  
Flush Panel Wall with Inset Glass



The Flush Panel Wall designed to used in conjunction with the Inset Glass is flush to the floor when finished.

**WHAT’S INCLUDED**  
1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

**WHAT’S EXCLUDED**  
Fascia applied to base must be specified separately.

**NOTES**  
Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).  
Panel wall frame has a Black finish.

PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

SAMPLE ORDER CODE

UYPFR 51	60	PANEL MATRIX
----------	----	--------------

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
29 / 737	24 / 610	250	51 / 1295	24 / 610	338
29 / 737	30 / 762	263	51 / 1295	30 / 762	354
29 / 737	36 / 914	265	51 / 1295	36 / 914	356
29 / 737	42 / 1067	309	51 / 1295	42 / 1067	407
29 / 737	48 / 1219	315	51 / 1295	48 / 1219	421
29 / 737	54 / 1372	332	51 / 1295	54 / 1372	442
29 / 737	60 / 1524	339	51 / 1295	60 / 1524	449
29 / 737	66 / 1676	525	51 / 1295	66 / 1676	711
29 / 737	72 / 1829	527	51 / 1295	72 / 1829	713
29 / 737	78 / 1981	583	51 / 1295	78 / 1981	775
29 / 737	84 / 2134	621	51 / 1295	84 / 2134	811
29 / 737	90 / 2286	626	51 / 1295	90 / 2286	827
29 / 737	96 / 2438	631	51 / 1295	96 / 2438	840
42 / 1067	24 / 610	267			
42 / 1067	30 / 762	278			
42 / 1067	36 / 914	285			
42 / 1067	42 / 1067	333			
42 / 1067	48 / 1219	339			
42 / 1067	54 / 1372	356			
42 / 1067	60 / 1524	362			
42 / 1067	66 / 1676	565			
42 / 1067	72 / 1829	568			
42 / 1067	78 / 1981	656			
42 / 1067	84 / 2134	666			
42 / 1067	90 / 2286	672			
42 / 1067	96 / 2438	677			

The Elevated Panel Wall provides a 6" high opening from floor level at the base when finished with legs.

## WHAT'S INCLUDED

1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, base trim with hardware for attachment.

## WHAT'S EXCLUDED


Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Can be found on page 53.

## NOTES

Top trim is optional (not needed when window is applied to top of panel or requires unique trim when centre mount storage is specified).

Panel wall frame has a Black finish.

## UNPER Elevated Panel Wall



33

## PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51, 66	24 - 96	AC Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

## SAMPLE ORDER CODE

UNPER 66	96	7	PANEL MATRIX
----------	----	---	--------------

## DIMENSIONS INCHES / MM

H	W	
29 / 737	24 / 610	249
29 / 737	30 / 762	264
29 / 737	36 / 914	273
29 / 737	42 / 1067	318
29 / 737	48 / 1219	328
29 / 737	54 / 1372	349
29 / 737	60 / 1524	360
29 / 737	66 / 1676	539
29 / 737	72 / 1829	545
29 / 737	78 / 1981	593
29 / 737	84 / 2134	637
29 / 737	90 / 2286	646
29 / 737	96 / 2438	655
42 / 1067	24 / 610	266
42 / 1067	30 / 762	280
42 / 1067	36 / 914	292
42 / 1067	42 / 1067	338
42 / 1067	48 / 1219	349
42 / 1067	54 / 1372	371
42 / 1067	60 / 1524	380
42 / 1067	66 / 1676	575
42 / 1067	72 / 1829	582
42 / 1067	78 / 1981	662
42 / 1067	84 / 2134	679
42 / 1067	90 / 2286	689
42 / 1067	96 / 2438	699

## DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	331
51 / 1295	30 / 762	349
51 / 1295	36 / 914	358
51 / 1295	42 / 1067	406
51 / 1295	48 / 1219	424
51 / 1295	54 / 1372	450
51 / 1295	60 / 1524	461
51 / 1295	66 / 1676	709
51 / 1295	72 / 1829	716
51 / 1295	78 / 1981	771
51 / 1295	84 / 2134	815
51 / 1295	90 / 2286	831
51 / 1295	96 / 2438	850
66 / 1676	24 / 610	371
66 / 1676	30 / 762	391
66 / 1676	36 / 914	398
66 / 1676	42 / 1067	449
66 / 1676	48 / 1219	466
66 / 1676	54 / 1372	490
66 / 1676	60 / 1524	502
66 / 1676	66 / 1676	794
66 / 1676	72 / 1829	798
66 / 1676	78 / 1981	855
66 / 1676	84 / 2134	898
66 / 1676	90 / 2286	915
66 / 1676	96 / 2438	928

## U A F E R

### Elevated Panel with Accessory Beam

The Elevated Panel Wall with an Accessory Beam provides a 6" high opening from floor level at the base when finished with legs.

#### WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), accessory beam, hardware for straight connections, base trim with hardware for attachment.


#### NOTES

Accessory beam is integrated into the panel.

Panel wall frame has a Black finish.

Total height of panel with Accessory Beam is 29" and therefore requires fascias to be 1" shorter.

34



#### PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Accessory Beam Finish
29	24 - 96	AC Clear Anodized Foundation Mica	AC Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UA FER 29	60	AC	AC
-----------	----	----	----

#### DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
29 / 737	72 / 1829
29 / 737	78 / 1981
29 / 737	84 / 2134
29 / 737	90 / 2286
29 / 737	96 / 2438

#### PRICING

344
364
388
446
463
499
521
714
734
794
846
869
887

The Elevated Panel Wall designed to used in conjunction with the Inset Glass provides a 6" high opening from floor level at the base when finished with legs.

## WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.


## WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Fascia applied must be specified separately.

## NOTES

Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.



## PRODUCT OPTIONS

Height	Width (6" increments)	Base Trim Finish	Fascia & Top Trim
29, 42, 51	24 - 96	AC Clear Anodized Foundation Mica	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

## SAMPLE ORDER CODE

UYPER 51	96	7	PANEL MATRIX
----------	----	---	--------------

## DIMENSIONS INCHES / MM


H	W	
29 / 737	24 / 610	270
29 / 737	30 / 762	287
29 / 737	36 / 914	296
29 / 737	42 / 1067	345
29 / 737	48 / 1219	356
29 / 737	54 / 1372	379
29 / 737	60 / 1524	391
29 / 737	66 / 1676	585
29 / 737	72 / 1829	592
29 / 737	78 / 1981	644
29 / 737	84 / 2134	690
29 / 737	90 / 2286	701
29 / 737	96 / 2438	711
42 / 1067	24 / 610	289
42 / 1067	30 / 762	304
42 / 1067	36 / 914	317
42 / 1067	42 / 1067	367
42 / 1067	48 / 1219	379
42 / 1067	54 / 1372	402
42 / 1067	60 / 1524	412
42 / 1067	66 / 1676	624
42 / 1067	72 / 1829	631
42 / 1067	78 / 1981	718
42 / 1067	84 / 2134	737
42 / 1067	90 / 2286	748
42 / 1067	96 / 2438	758

## DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	359
51 / 1295	30 / 762	379
51 / 1295	36 / 914	388
51 / 1295	42 / 1067	440
51 / 1295	48 / 1219	461
51 / 1295	54 / 1372	489
51 / 1295	60 / 1524	500
51 / 1295	66 / 1676	769
51 / 1295	72 / 1829	777
51 / 1295	78 / 1981	836
51 / 1295	84 / 2134	884
51 / 1295	90 / 2286	901
51 / 1295	96 / 2438	922

## UNPC

### Convertible Panel Wall



36

The Convertible Panel Wall frame can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).

#### WHAT'S INCLUDED

1 frame (widths 24"-60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

#### WHAT'S EXCLUDED

Wall Base and Foot Trim (UNPCF) must be specified separately. Can be found on page 52.

#### NOTES

Top trim is optional (not needed when window is applied to top of panel or requires unique trim when centre mount storage is specified).

Panel wall frame has a Black finish.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51, 66	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

#### SAMPLE ORDER CODE

UNPC 51	60	PANEL MATRIX
---------	----	--------------

#### DIMENSIONS INCHES / MM

H	W	
29 / 737	24 / 610	215
29 / 737	30 / 762	226
29 / 737	36 / 914	228
29 / 737	42 / 1067	264
29 / 737	48 / 1219	268
29 / 737	54 / 1372	284
29 / 737	60 / 1524	290
29 / 737	66 / 1676	453
29 / 737	72 / 1829	455
29 / 737	78 / 1981	492
29 / 737	84 / 2134	527
29 / 737	90 / 2286	532
29 / 737	96 / 2438	537
42 / 1067	24 / 610	224
42 / 1067	30 / 762	235
42 / 1067	36 / 914	240
42 / 1067	42 / 1067	273
42 / 1067	48 / 1219	278
42 / 1067	54 / 1372	294
42 / 1067	60 / 1524	299
42 / 1067	66 / 1676	476
42 / 1067	72 / 1829	478
42 / 1067	78 / 1981	537
42 / 1067	84 / 2134	546
42 / 1067	90 / 2286	551
42 / 1067	96 / 2438	557

#### DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	289
51 / 1295	30 / 762	304
51 / 1295	36 / 914	306
51 / 1295	42 / 1067	341
51 / 1295	48 / 1219	354
51 / 1295	54 / 1372	374
51 / 1295	60 / 1524	379
51 / 1295	66 / 1676	610
51 / 1295	72 / 1829	612
51 / 1295	78 / 1981	646
51 / 1295	84 / 2134	680
51 / 1295	90 / 2286	694
51 / 1295	96 / 2438	707
66 / 1676	24 / 610	322
66 / 1676	30 / 762	339
66 / 1676	36 / 914	339
66 / 1676	42 / 1067	376
66 / 1676	48 / 1219	387
66 / 1676	54 / 1372	406
66 / 1676	60 / 1524	414
66 / 1676	66 / 1676	677
66 / 1676	72 / 1829	678
66 / 1676	78 / 1981	715
66 / 1676	84 / 2134	752
66 / 1676	90 / 2286	763
66 / 1676	96 / 2438	772

The Convertible Panel with Accessory Beam can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim.

## WHAT'S INCLUDED


1 frame (widths 24"-60") or 2 frames (widths over 60"), accessory beam, hardware for straight connections, base trim with hardware for attachment.

## NOTES

Accessory beam is integrated into the panel. Panel wall frame has a Black finish.

Total height of panel with Accessory Beam is 29" and therefore requires fascias to be 1" shorter.

## U A F C R Convertible Panel with Accessory Beam



37

## PRODUCT OPTIONS

Height	Width (6" increments)	Accessory Beam Finish
29	24 - 96	AC Clear Anodized Foundation Mica

## SAMPLE ORDER CODE

UAFCR 29	60	AC
----------	----	----

## DIMENSIONS INCHES / MM


H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
29 / 737	66 / 1676
29 / 737	72 / 1829
29 / 737	78 / 1981
29 / 737	84 / 2134
29 / 737	90 / 2286
29 / 737	96 / 2438

## PRICING

309
327
343
391
406
434
451
522
608
692
736
757
768

## UYPCR

### Convertible Panel Wall with Inset Glass



The Convertible Panel Wall designed to used in conjunction with the Inset Glass and can be used in flush-to-the-floor applications or in elevated applications by adding the Convertible Panel Wall Base and Foot Trim (UNPCF).

#### WHAT'S INCLUDED

1 frame (widths 24" - 60") or 2 frames (widths over 60"), hardware for straight connections, levelers.

#### WHAT'S EXCLUDED

Wall Base and Foot Trim (UNPCF) must be specified separately. Fascia applied must be specified separately.

#### NOTES

Top trim must be specified (needed when window is applied to top of panel or requires a top trim cover when mounted storage or off-module glass is specified).

Panel wall frame has a Black finish.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia & Top Trim
29, 42, 51	24 - 96	To order finished panel walls, a Panel Matrix is available to identify placement of specific fascias and top trim.

#### SAMPLE ORDER CODE

UYPCR 51	60	PANEL MATRIX
----------	----	--------------

#### DIMENSIONS INCHES / MM

H	W	
29 / 737	24 / 610	234
29 / 737	30 / 762	245
29 / 737	36 / 914	247
29 / 737	42 / 1067	287
29 / 737	48 / 1219	291
29 / 737	54 / 1372	307
29 / 737	60 / 1524	315
29 / 737	66 / 1676	492
29 / 737	72 / 1829	494
29 / 737	78 / 1981	533
29 / 737	84 / 2134	571
29 / 737	90 / 2286	578
29 / 737	96 / 2438	583
42 / 1067	24 / 610	242
42 / 1067	30 / 762	255
42 / 1067	36 / 914	261
42 / 1067	42 / 1067	296
42 / 1067	48 / 1219	302
42 / 1067	54 / 1372	319
42 / 1067	60 / 1524	325
42 / 1067	66 / 1676	516
42 / 1067	72 / 1829	519
42 / 1067	78 / 1981	583
42 / 1067	84 / 2134	593
42 / 1067	90 / 2286	597
42 / 1067	96 / 2438	604

#### DIMENSIONS INCHES / MM

H	W	
51 / 1295	24 / 610	314
51 / 1295	30 / 762	330
51 / 1295	36 / 914	332
51 / 1295	42 / 1067	369
51 / 1295	48 / 1219	384
51 / 1295	54 / 1372	406
51 / 1295	60 / 1524	411
51 / 1295	66 / 1676	661
51 / 1295	72 / 1829	663
51 / 1295	78 / 1981	701
51 / 1295	84 / 2134	738
51 / 1295	90 / 2286	753
51 / 1295	96 / 2438	767





## UNPWSR

### Add-On Window (D-Style) – Single Glass

The Add-On Window (D-Style) – Single Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

#### WHAT'S INCLUDED

Structural frame, framed window insert, hardware for attachment, top trim (if specified).


#### NOTES

Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

40



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UNPWSR 22	48	5	AC	1	AC
-----------	----	---	----	---	----

#### DIMENSIONS INCHES / MM

		NO TOP TRIM (0)				WITH TOP TRIM (1)			
H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
9 / 229	24 / 610	485	590	603	605	533	638	651	653
9 / 229	30 / 762	532	647	663	667	583	699	714	717
9 / 229	36 / 914	579	703	723	729	638	762	782	788
9 / 229	42 / 1067	625	762	785	790	691	827	850	855
9 / 229	48 / 1219	683	827	855	860	755	897	925	930
9 / 229	54 / 1372	728	885	913	920	804	962	989	999
9 / 229	60 / 1524	776	943	976	984	858	1024	1058	1067
9 / 229	66 / 1676	825	1002	1038	1047	915	1091	1128	1137
9 / 229	72 / 1829	871	1060	1099	1107	969	1157	1195	1204
9 / 229	78 / 1981	922	1120	1163	1172	1025	1223	1266	1275
9 / 229	84 / 2134	977	1186	1232	1242	1084	1294	1339	1350
9 / 229	90 / 2286	1027	1246	1294	1307	1141	1360	1408	1421
9 / 229	96 / 2438	1073	1303	1355	1368	1192	1421	1474	1487
13 / 330	24 / 610	525	647	666	670	572	696	713	717
13 / 330	30 / 762	574	711	734	739	625	763	786	791
13 / 330	36 / 914	624	776	804	810	683	834	863	868
13 / 330	42 / 1067	684	852	885	891	750	917	950	956
13 / 330	48 / 1219	746	927	966	975	818	1000	1037	1045
13 / 330	54 / 1372	792	988	1032	1040	868	1067	1108	1118
13 / 330	60 / 1524	850	1063	1107	1120	930	1144	1190	1202
13 / 330	66 / 1676	924	1153	1202	1216	1014	1243	1292	1306
13 / 330	72 / 1829	977	1221	1275	1290	1073	1318	1371	1386
13 / 330	78 / 1981	1024	1282	1343	1357	1128	1386	1447	1460
13 / 330	84 / 2134	1100	1371	1437	1453	1207	1479	1544	1561
13 / 330	90 / 2286	1152	1439	1511	1527	1266	1554	1625	1642
13 / 330	96 / 2438	1205	1510	1583	1600	1324	1628	1702	1718

UNPWSR  
Add-On Window (D-Style) –  
Single Glass (Continued)

DIMENSIONS  
INCHES / MM

PRICING

		NO TOP TRIM (0)				WITH TOP TRIM (1)			
H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
15 / 381	24 / 610	534	667	689	694	582	714	736	741
15 / 381	30 / 762	585	734	762	767	637	786	814	819
15 / 381	36 / 914	634	801	833	842	693	860	892	899
15 / 381	42 / 1067	697	882	918	926	762	947	983	992
15 / 381	48 / 1219	758	958	1002	1012	828	1031	1072	1083
15 / 381	54 / 1372	802	1023	1070	1082	881	1101	1147	1160
15 / 381	60 / 1524	859	1097	1150	1163	942	1179	1232	1245
15 / 381	66 / 1676	938	1192	1249	1264	1027	1281	1339	1354
15 / 381	72 / 1829	988	1261	1324	1339	1085	1357	1420	1436
15 / 381	78 / 1981	1037	1327	1395	1413	1140	1430	1498	1516
15 / 381	84 / 2134	1111	1419	1492	1511	1218	1527	1600	1619
15 / 381	90 / 2286	1164	1489	1569	1588	1278	1603	1683	1703
15 / 381	96 / 2438	1216	1559	1646	1664	1335	1678	1765	1782
22 / 559	24 / 610	616	773	803	809	664	822	852	857
22 / 559	30 / 762	671	855	891	898	722	907	943	950
22 / 559	36 / 914	727	936	979	988	786	993	1038	1047
22 / 559	42 / 1067	809	1042	1094	1104	876	1107	1159	1170
22 / 559	48 / 1219	874	1130	1189	1202	944	1201	1260	1273
22 / 559	54 / 1372	933	1216	1282	1297	1011	1294	1360	1374
22 / 559	60 / 1524	990	1298	1370	1388	1073	1381	1452	1470
22 / 559	66 / 1676	1053	1387	1467	1487	1143	1477	1557	1577
22 / 559	72 / 1829	1111	1468	1556	1578	1207	1564	1652	1675
22 / 559	78 / 1981	1166	1549	1644	1665	1269	1652	1746	1769
22 / 559	84 / 2134	1271	1677	1777	1802	1379	1783	1886	1909
22 / 559	90 / 2286	1328	1758	1868	1894	1443	1872	1983	2008
22 / 559	96 / 2438	1384	1838	1956	1984	1502	1957	2074	2102
24 / 610	24 / 610	625	793	825	832	673	840	874	881
24 / 610	30 / 762	680	877	917	925	732	926	969	977
24 / 610	36 / 914	736	958	1006	1018	795	1017	1065	1077
24 / 610	42 / 1067	819	1068	1123	1136	884	1133	1189	1202
24 / 610	48 / 1219	881	1159	1223	1237	951	1230	1294	1308
24 / 610	54 / 1372	944	1248	1321	1336	1021	1326	1398	1414
24 / 610	60 / 1524	1000	1332	1412	1429	1081	1414	1494	1511
24 / 610	66 / 1676	1066	1425	1512	1532	1155	1514	1602	1622
24 / 610	72 / 1829	1120	1507	1603	1625	1216	1603	1701	1721
24 / 610	78 / 1981	1176	1590	1693	1718	1279	1692	1798	1823
24 / 610	84 / 2134	1279	1719	1831	1859	1387	1828	1938	1965
24 / 610	90 / 2286	1339	1805	1926	1955	1453	1920	2040	2069
24 / 610	96 / 2438	1395	1890	2017	2048	1513	2008	2135	2166
37 / 940	24 / 610	759	990	1040	1053	805	1039	1088	1101
37 / 940	30 / 762	824	1100	1163	1179	876	1151	1214	1230
37 / 940	36 / 914	890	1212	1287	1304	949	1271	1344	1363
37 / 940	42 / 1067	999	1361	1450	1470	1064	1427	1516	1535
37 / 940	48 / 1219	1076	1486	1587	1610	1147	1557	1657	1681
37 / 940	54 / 1372	1145	1598	1712	1738	1223	1677	1788	1814
37 / 940	60 / 1524	1215	1712	1837	1868	1297	1795	1920	1951
37 / 940	66 / 1676	1292	1834	1971	2004	1382	1924	2061	2094
37 / 940	72 / 1829	1359	1947	2098	2133	1456	2044	2194	2229
37 / 940	78 / 1981	1425	2057	2220	2258	1528	2160	2323	2362
37 / 940	84 / 2134	1541	2213	2389	2431	1649	2320	2497	2539
37 / 940	90 / 2286	1613	2330	2517	2564	1725	2444	2632	2679
37 / 940	96 / 2438	1681	2443	2642	2692	1800	2562	2761	2811

## UNPWDR

### Add-On Window (D-Style) – Double Glass

The Add-On Window (D-Style) – Double Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

#### WHAT'S INCLUDED

Structural frame, framed window insert, hardware for attachment, top trim (if specified).


#### NOTES

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

42



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass Specialty Glass Vanceva	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted	<b>0</b> No Top Trim <b>1</b> With Top Trim	<b>AC</b> Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UNPWDR 15	60	5	AC	1	AC
-----------	----	---	----	---	----

#### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

##### NO TOP TRIM (0)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
585	600	678	691	694
645	662	747	763	766
704	725	816	832	837
764	788	885	907	913
832	859	960	986	992
892	923	1033	1059	1068
953	986	1101	1133	1141
1014	1052	1172	1206	1215
1073	1115	1241	1278	1290
1137	1182	1313	1355	1365
1205	1253	1390	1435	1447
1268	1320	1463	1511	1522
1328	1384	1532	1584	1595
632	652	741	760	764
697	721	820	844	849
760	789	897	924	929
835	868	987	1018	1025
915	952	1077	1113	1122
972	1014	1150	1192	1202
1046	1094	1238	1281	1293
1146	1197	1351	1399	1411
1213	1268	1429	1485	1496
1273	1334	1504	1563	1577
1368	1435	1614	1678	1690
1436	1507	1693	1765	1777
1502	1579	1775	1845	1864

##### WITH TOP TRIM (1)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
633	647	727	738	741
697	713	798	815	818
763	783	875	891	896
829	853	950	972	978
905	929	1033	1058	1064
971	1002	1110	1136	1145
1036	1069	1183	1215	1223
1104	1142	1262	1296	1305
1170	1212	1337	1374	1386
1241	1285	1417	1458	1468
1312	1360	1498	1542	1555
1383	1433	1578	1625	1636
1447	1502	1651	1703	1714
679	700	790	806	812
747	771	869	893	898
819	848	956	983	988
900	936	1053	1084	1091
985	1023	1149	1184	1193
1048	1092	1228	1269	1279
1129	1175	1321	1364	1374
1236	1288	1440	1489	1500
1309	1365	1526	1581	1592
1376	1437	1608	1666	1680
1476	1542	1720	1784	1799
1550	1621	1808	1877	1892
1621	1697	1894	1964	1983

UNP W D R  
Add-On Window (D-Style) –  
Double Glass (Continued)

DIMENSIONS  
INCHES / MM

PRICING

		NO TOP TRIM (0)			WITH TOP TRIM (1)		
H	W	Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White Gr. 6 Gr. 7	Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White Gr. 6 Gr. 7
15 / 381	24 / 610	643	664	761 782 788	691	711	808 829 834
15 / 381	30 / 762	706	733	842 865 875	758	785	892 917 924
15 / 381	36 / 914	770	801	922 952 958	829	860	981 1011 1017
15 / 381	42 / 1067	850	886	1015 1051 1059	915	951	1081 1116 1124
15 / 381	48 / 1219	924	969	1107 1147 1159	996	1039	1179 1218 1230
15 / 381	54 / 1372	983	1032	1182 1229 1239	1061	1108	1260 1306 1318
15 / 381	60 / 1524	1057	1112	1272 1324 1336	1139	1194	1354 1406 1418
15 / 381	66 / 1676	1158	1216	1388 1442 1456	1247	1306	1478 1531 1546
15 / 381	72 / 1829	1223	1287	1468 1529 1544	1320	1383	1564 1625 1642
15 / 381	78 / 1981	1285	1355	1548 1614 1628	1388	1458	1651 1716 1733
15 / 381	84 / 2134	1380	1455	1656 1727 1744	1487	1562	1765 1835 1851
15 / 381	90 / 2286	1447	1528	1741 1815 1836	1561	1643	1856 1930 1951
15 / 381	96 / 2438	1513	1598	1823 1903 1925	1632	1717	1940 2022 2044
22 / 559	24 / 610	745	774	888 916 923	793	823	937 963 972
22 / 559	30 / 762	818	856	983 1018 1025	867	908	1035 1070 1076
22 / 559	36 / 914	889	933	1076 1119 1130	948	992	1135 1177 1189
22 / 559	42 / 1067	997	1051	1207 1256 1268	1063	1116	1273 1322 1334
22 / 559	48 / 1219	1078	1137	1311 1367 1381	1150	1208	1383 1438 1451
22 / 559	54 / 1372	1158	1224	1415 1477 1491	1235	1302	1492 1555 1569
22 / 559	60 / 1524	1231	1304	1511 1580 1596	1312	1386	1593 1661 1679
22 / 559	66 / 1676	1315	1396	1618 1692 1712	1404	1486	1708 1782 1802
22 / 559	72 / 1829	1387	1477	1712 1796 1815	1483	1573	1808 1892 1912
22 / 559	78 / 1981	1457	1554	1806 1897 1918	1560	1656	1909 2000 2020
22 / 559	84 / 2134	1592	1696	1962 2059 2082	1701	1804	2070 2166 2190
22 / 559	90 / 2286	1667	1779	2061 2163 2190	1781	1894	2176 2277 2304
22 / 559	96 / 2438	1740	1860	2156 2267 2293	1859	1978	2275 2385 2412
24 / 610	24 / 610	756	788	908 939 944	802	834	954 985 990
24 / 610	30 / 762	826	866	1004 1041 1051	878	918	1054 1092 1102
24 / 610	36 / 914	897	947	1101 1146 1159	956	1006	1160 1205 1217
24 / 610	42 / 1067	1005	1063	1233 1288 1299	1070	1128	1298 1353 1365
24 / 610	48 / 1219	1086	1150	1338 1399 1414	1158	1221	1409 1470 1485
24 / 610	54 / 1372	1166	1239	1444 1512 1529	1244	1318	1521 1590 1607
24 / 610	60 / 1524	1238	1320	1541 1618 1638	1321	1401	1623 1701 1719
24 / 610	66 / 1676	1325	1414	1653 1737 1756	1415	1503	1743 1827 1846
24 / 610	72 / 1829	1396	1495	1750 1841 1866	1492	1591	1846 1938 1962
24 / 610	78 / 1981	1467	1571	1844 1942 1970	1570	1675	1948 2046 2073
24 / 610	84 / 2134	1601	1715	2002 2110 2136	1709	1824	2110 2217 2244
24 / 610	90 / 2286	1680	1801	2105 2220 2251	1795	1915	2220 2334 2365
24 / 610	96 / 2438	1750	1880	2204 2325 2356	1869	1999	2322 2444 2475
37 / 940	24 / 610	944	994	1154 1204 1215	990	1042	1202 1252 1263
37 / 940	30 / 762	1032	1096	1282 1343 1358	1082	1146	1334 1395 1409
37 / 940	36 / 914	1122	1197	1415 1487 1503	1181	1256	1474 1546 1562
37 / 940	42 / 1067	1269	1359	1602 1686 1708	1335	1425	1667 1751 1773
37 / 940	48 / 1219	1373	1477	1746 1842 1866	1445	1548	1816 1914 1936
37 / 940	54 / 1372	1468	1584	1881 1991 2017	1546	1660	1959 2069 2094
37 / 940	60 / 1524	1561	1688	2016 2135 2165	1644	1771	2098 2217 2247
37 / 940	66 / 1676	1665	1805	2161 2294 2326	1754	1895	2251 2384 2416
37 / 940	72 / 1829	1756	1911	2294 2439 2475	1855	2008	2390 2536 2571
37 / 940	78 / 1981	1844	2013	2425 2580 2620	1948	2116	2529 2685 2722
37 / 940	84 / 2134	1999	2179	2620 2785 2826	2107	2286	2726 2893 2934
37 / 940	90 / 2286	2096	2288	2756 2937 2979	2211	2403	2871 3051 3094
37 / 940	96 / 2438	2186	2391	2888 3080 3127	2305	2510	3007 3199 3245

## UNPLS

### Add-On Window (L-Style) – Single Glass

The Add-On Window (L-Style) – Single Glass is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

#### WHAT'S INCLUDED

Structural frame, framed window insert, hardware for attachment, top trim (if specified).


#### NOTES

Glass is oriented to one side of the frame.

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass.

44



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	5 Clear Standard Glass 6 Frost Standard Glass	Foundation Mica	0 No Top Trim 1 With Top Trim	Foundation Mica

#### SAMPLE ORDER CODE

UNPLS 22	48	5	E	1	E
----------	----	---	---	---	---

#### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

##### NO TOP TRIM (0)

Standard Glass Clear	Frost
365	382
400	419
435	455
469	493
512	538
545	573
582	611
619	650
654	686
692	727
733	769
770	809
804	847
393	412
432	452
468	492
513	539
560	588
594	623
637	669
694	729
733	769
768	806
825	866
863	908
905	949

##### WITH TOP TRIM (1)

Standard Glass Clear	Frost
412	431
450	470
494	514
534	558
583	609
623	651
664	693
708	739
751	783
795	829
840	878
885	923
923	965
441	461
482	503
527	550
579	604
631	659
672	701
718	751
785	819
829	865
871	911
932	975
978	1021
1022	1068

## UNPLS

Add-On Window (L-Style) –  
Single Glass (Continued)DIMENSIONS  
INCHES / MM

## PRICING

		NO TOP TRIM (0)		WITH TOP TRIM (1)	
H	W	Standard Glass Clear	Frost	Standard Glass Clear	Frost
15 / 381	24 / 610	402	421	449	469
15 / 381	30 / 762	439	462	490	512
15 / 381	36 / 914	476	500	534	559
15 / 381	42 / 1067	522	548	588	613
15 / 381	48 / 1219	568	596	639	668
15 / 381	54 / 1372	602	632	679	709
15 / 381	60 / 1524	644	676	727	759
15 / 381	66 / 1676	703	737	793	827
15 / 381	72 / 1829	741	778	837	876
15 / 381	78 / 1981	777	817	881	919
15 / 381	84 / 2134	833	876	942	982
15 / 381	90 / 2286	875	917	987	1032
15 / 381	96 / 2438	913	957	1032	1076
22 / 559	24 / 610	437	457	484	506
22 / 559	30 / 762	475	499	526	550
22 / 559	36 / 914	514	540	573	599
22 / 559	42 / 1067	573	602	639	668
22 / 559	48 / 1219	619	648	690	720
22 / 559	54 / 1372	662	696	739	772
22 / 559	60 / 1524	702	737	785	820
22 / 559	66 / 1676	746	785	835	875
22 / 559	72 / 1829	788	826	884	922
22 / 559	78 / 1981	826	867	928	972
22 / 559	84 / 2134	899	945	1008	1052
22 / 559	90 / 2286	941	987	1054	1102
22 / 559	96 / 2438	980	1029	1099	1147
24 / 610	24 / 610	443	465	492	512
24 / 610	30 / 762	482	507	533	558
24 / 610	36 / 914	521	548	580	607
24 / 610	42 / 1067	580	609	645	674
24 / 610	48 / 1219	624	655	696	727
24 / 610	54 / 1372	669	702	746	779
24 / 610	60 / 1524	707	742	790	825
24 / 610	66 / 1676	756	793	846	883
24 / 610	72 / 1829	794	832	890	928
24 / 610	78 / 1981	832	876	937	978
24 / 610	84 / 2134	908	952	1014	1060
24 / 610	90 / 2286	949	997	1064	1111
24 / 610	96 / 2438	987	1037	1106	1155
37 / 940	24 / 610	538	564	585	612
37 / 940	30 / 762	583	612	634	663
37 / 940	36 / 914	631	662	690	721
37 / 940	42 / 1067	707	741	772	806
37 / 940	48 / 1219	763	800	833	871
37 / 940	54 / 1372	812	852	889	928
37 / 940	60 / 1524	860	905	943	985
37 / 940	66 / 1676	915	960	1005	1051
37 / 940	72 / 1829	963	1011	1060	1107
37 / 940	78 / 1981	1009	1060	1112	1163
37 / 940	84 / 2134	1091	1146	1199	1254
37 / 940	90 / 2286	1142	1200	1256	1313
37 / 940	96 / 2438	1191	1249	1309	1368

## UNPLD

### Add-On Window (L-Style)– Double Glass

The Add-On Window – Double Glass (L-Style) is applied on top of panel walls as an add-on providing uninterrupted glass spans of up to 8' in width.

#### WHAT'S INCLUDED


Structural frame, framed window insert, hardware for attachment, top trim (if specified).

#### NOTES

Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

46



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
09, 13, 15, 22, 24, 37	24 - 96	5 Clear Standard Glass 6 Frost Standard Glass	Foundation Mica	0 No Top Trim 1 With Top Trim	Foundation Mica

#### SAMPLE ORDER CODE

UNPLD 15	60	5	E	1	E
----------	----	---	---	---	---

#### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

##### NO TOP TRIM (0)

Standard Glass Clear	Frost
433	443
477	489
520	536
564	581
615	635
660	682
705	730
751	777
794	825
840	875
890	926
939	976
982	1022
468	481
514	532
562	582
619	643
675	704
718	751
773	806
848	885
895	939
941	985
1011	1060
1061	1114
1110	1166

##### WITH TOP TRIM (1)

Standard Glass Clear	Frost
480	492
528	540
579	594
630	646
686	706
737	760
788	812
840	866
890	921
944	977
999	1035
1052	1090
1101	1141
515	529
565	583
621	641
684	708
746	774
796	828
856	889
938	975
992	1035
1043	1089
1119	1167
1175	1229
1229	1285



## UNPLD


Add-On Window (L-Style)–  
Double Glass (Continued)DIMENSIONS  
INCHES / MM

## PRICING

		NO TOP TRIM (0)		WITH TOP TRIM (1)	
H	W	Standard Glass Clear	Frost	Standard Glass Clear	Frost
15 / 381	24 / 610	475	492	522	539
15 / 381	30 / 762	522	542	573	593
15 / 381	36 / 914	569	593	628	652
15 / 381	42 / 1067	628	655	693	721
15 / 381	48 / 1219	683	715	755	787
15 / 381	54 / 1372	727	763	803	840
15 / 381	60 / 1524	782	822	863	905
15 / 381	66 / 1676	856	898	946	988
15 / 381	72 / 1829	905	951	1001	1047
15 / 381	78 / 1981	950	1003	1053	1105
15 / 381	84 / 2134	1019	1075	1128	1183
15 / 381	90 / 2286	1070	1129	1184	1243
15 / 381	96 / 2438	1119	1182	1237	1300
22 / 559	24 / 610	518	539	565	587
22 / 559	30 / 762	569	595	620	646
22 / 559	36 / 914	619	650	677	708
22 / 559	42 / 1067	694	731	760	796
22 / 559	48 / 1219	751	792	822	862
22 / 559	54 / 1372	804	852	883	928
22 / 559	60 / 1524	856	908	939	988
22 / 559	66 / 1676	915	972	1005	1061
22 / 559	72 / 1829	965	1027	1061	1123
22 / 559	78 / 1981	1013	1080	1116	1183
22 / 559	84 / 2134	1107	1180	1215	1288
22 / 559	90 / 2286	1160	1238	1274	1353
22 / 559	96 / 2438	1210	1293	1328	1412
24 / 610	24 / 610	526	548	573	595
24 / 610	30 / 762	574	603	625	654
24 / 610	36 / 914	624	659	683	717
24 / 610	42 / 1067	699	738	764	803
24 / 610	48 / 1219	757	800	827	871
24 / 610	54 / 1372	812	862	889	941
24 / 610	60 / 1524	861	918	944	1001
24 / 610	66 / 1676	921	983	1011	1073
24 / 610	72 / 1829	972	1040	1068	1136
24 / 610	78 / 1981	1019	1094	1123	1196
24 / 610	84 / 2134	1114	1193	1222	1300
24 / 610	90 / 2286	1169	1253	1282	1367
24 / 610	96 / 2438	1217	1308	1336	1427
37 / 940	24 / 610	656	692	704	739
37 / 940	30 / 762	717	762	768	814
37 / 940	36 / 914	781	832	838	891
37 / 940	42 / 1067	884	946	949	1011
37 / 940	48 / 1219	955	1027	1027	1098
37 / 940	54 / 1372	1021	1102	1099	1180
37 / 940	60 / 1524	1085	1174	1167	1256
37 / 940	66 / 1676	1159	1256	1248	1346
37 / 940	72 / 1829	1222	1329	1319	1426
37 / 940	78 / 1981	1284	1399	1387	1502
37 / 940	84 / 2134	1390	1516	1498	1623
37 / 940	90 / 2286	1458	1592	1572	1707
37 / 940	96 / 2438	1521	1664	1640	1782

## UNPFSR

### Flush Full-Height Window (D-Style) – Single Glass



48

The Flush Full-Height Window (D-Style) – Single Glass provides uninterrupted vertical glass spans above the base rail.

#### WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

#### WHAT'S EXCLUDED

Fascia applied to base must be specified separately.

#### NOTES

The 66" height is available up to 48" in width only.

Standard Glass, Clear is a clear tempered glass.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized BP Espresso Painted BH Storm White Painted	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UNPFSR 51	60	5	AC	1	AC
-----------	----	---	----	---	----

#### DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

#### PRICING

##### NO TOP TRIM (0)

Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
969	1189	1229	1241
1041	1278	1322	1335
1114	1368	1415	1429
1187	1458	1508	1522
1261	1548	1600	1617
1356	1665	1721	1739
1450	1780	1840	1860
1106	1430	1490	1506
1190	1538	1602	1619
1272	1644	1713	1731
1354	1749	1824	1841
1435	1855	1932	1952
1393	1800	1874	1894
1570	2029	2115	2135
1304	1745	1829	1845
1401	1874	1964	1984
1500	2008	2103	2124
1597	2137	2240	2261
1695	2269	2376	2400
1780	2383	2496	2521
1866	2497	2627	2654
1381	1873	1989	2009
1496	2030	2155	2177
1611	2186	2322	2345
1724	2342	2485	2511
1838	2496	2650	2674

##### WITH TOP TRIM (1)

Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1015	1236	1276	1289
1092	1329	1372	1386
1173	1427	1474	1488
1253	1524	1573	1588
1332	1619	1672	1687
1433	1743	1800	1815
1532	1863	1923	1941
1154	1478	1538	1554
1241	1589	1653	1670
1330	1703	1772	1787
1419	1814	1889	1906
1506	1925	2003	2022
1470	1876	1953	1971
1652	2111	2196	2217
1352	1794	1875	1894
1452	1926	2016	2034
1559	2067	2162	2183
1663	2204	2305	2327
1767	2339	2447	2472
1859	2460	2573	2599
1948	2578	2710	2734
1428	1922	2037	2057
1547	2081	2207	2227
1670	2245	2381	2404
1792	2407	2551	2576
1909	2567	2720	2747

The Flush Full-Height Window (D-Style) – Double Glass provides uninterrupted vertical glass spans above the base rail.

## WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, levelers, top trim (if specified).

## WHAT'S EXCLUDED

Fascia applied to base must be specified separately.

## NOTES

The 66" height is available up to 48" in width only.


Standard Glass, Clear is a clear tempered glass.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

# UNPFWDR

## Flush Full-Height Window (D-Style) – Double Glass



## PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass Specialty Glass Vanceva	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted	<b>0</b> No Top Trim <b>1</b> With Top Trim	<b>AC</b> Clear Anodized Foundation Mica

## SAMPLE ORDER CODE

<b>UNPFWDR 42</b>	<b>60</b>	<b>5</b>	<b>AC</b>	<b>1</b>	<b>AC</b>
-------------------	-----------	----------	-----------	----------	-----------

## DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

### NO TOP TRIM (0)


Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1098	1153	1319	1358	1370
1186	1246	1424	1467	1480
1275	1339	1529	1575	1590
1372	1442	1644	1692	1708
1462	1535	1749	1802	1817
1575	1654	1886	1941	1958
1685	1770	2016	2076	2094
1306	1397	1629	1689	1706
1414	1512	1763	1827	1842
1519	1625	1891	1960	1977
1639	1752	2034	2108	2126
1745	1867	2164	2243	2261
1732	1851	2137	2213	2231
1931	2067	2390	2476	2497
1563	1688	2004	2088	2105
1691	1828	2165	2255	2274
1823	1967	2330	2425	2446
1968	2125	2508	2609	2632
2099	2267	2671	2780	2805
2220	2397	2821	2935	2960
2336	2523	2967	3097	3124
1750	1891	2244	2359	2379
1910	2063	2445	2570	2592
2070	2236	2645	2781	2805
2254	2435	2871	3014	3040
2415	2607	3072	3225	3252

### WITH TOP TRIM (1)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1145	1201	1366	1406	1418
1237	1297	1475	1518	1531
1334	1398	1588	1634	1649
1438	1507	1709	1758	1773
1533	1607	1820	1872	1890
1653	1733	1962	2019	2036
1768	1851	2098	2157	2177
1354	1445	1678	1738	1752
1465	1563	1812	1876	1894
1578	1684	1950	2019	2036
1705	1817	2100	2174	2192
1815	1938	2236	2314	2333
1808	1929	2215	2290	2309
2014	2149	2473	2559	2578
1611	1737	2052	2135	2153
1743	1877	2216	2306	2325
1880	2025	2388	2483	2505
2033	2191	2573	2674	2697
2169	2337	2744	2850	2875
2298	2475	2900	3012	3038
2418	2605	3049	3178	3205
1799	1938	2291	2407	2427
1961	2115	2496	2622	2641
2129	2294	2703	2840	2863
2319	2501	2936	3080	3105
2485	2680	3143	3296	3323

## UNPEWSR

### Elevated Full-Height Window (D-Style) – Single Glass



The Elevated Full-Height Window – Single Glass provides uninterrupted vertical glass spans above the base rail.

#### WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).

#### WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Can be found on page 53.

#### NOTES

The 66" height is available up to 48" in width only.

Standard Glass is a clear tempered glass finish.

Specialty Glass Vanceva is a laminated glass.

Glass is oriented to one side of the frame.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized BP Espresso Painted BH Storm White Painted	AC Clear Anodized Foundation Mica	0 No Top Trim 1 With Top Trim	AC Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UNPEWSR 29	48	5	AC	AC	1	AC
------------	----	---	----	----	---	----

#### DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

#### PRICING

##### NO TOP TRIM (0)

Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
994	1215	1255	1267
1070	1307	1351	1364
1150	1403	1450	1465
1229	1499	1549	1563
1307	1594	1647	1663
1409	1718	1775	1793
1508	1838	1898	1918
1133	1457	1517	1532
1218	1566	1630	1648
1307	1679	1748	1766
1395	1792	1864	1882
1481	1900	1979	1998
1446	1853	1928	1947
1627	2087	2172	2193
1330	1772	1856	1872
1430	1903	1993	2013
1535	2044	2139	2160
1639	2179	2281	2303
1742	2315	2422	2447
1834	2436	2548	2574
1924	2554	2685	2712
1407	1900	2016	2036
1525	2059	2184	2206
1647	2222	2357	2381
1767	2383	2527	2552
1886	2542	2695	2722

##### WITH TOP TRIM (1)

Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1042	1263	1303	1315
1121	1358	1401	1415
1208	1462	1509	1524
1294	1564	1615	1628
1379	1665	1717	1735
1487	1797	1853	1869
1590	1921	1981	1999
1181	1504	1564	1580
1269	1618	1682	1699
1366	1738	1807	1825
1460	1857	1929	1948
1553	1971	2050	2069
1524	1930	2006	2024
1710	2168	2254	2275
1379	1818	1902	1921
1481	1955	2045	2063
1594	2102	2197	2218
1705	2244	2346	2368
1812	2386	2493	2517
1911	2513	2627	2653
2006	2636	2766	2792
1455	1948	2063	2083
1575	2110	2236	2256
1706	2281	2416	2439
1832	2448	2593	2619
1956	2612	2766	2792

The Elevated Full-Height Window – Double Glass provides uninterrupted vertical glass spans above the base rail.

## WHAT'S INCLUDED

Structural frame, framed window insert, hardware for straight connections, base trim with hardware for attachment, top trim (if specified).

## WHAT'S EXCLUDED

Elevated Panel Wall Foot (UNPEFR) must be ordered separately. Can be found on page 53.

## NOTES

The 66" height is available up to 48" in width only.


Standard Glass is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

# UNPEWDR

## Elevated Full-Height Window (D-Style) – Double Glass



51

## PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish	Base Trim Finish	Top Trim	Top Trim Finish (If applicable)
29, 42, 51, 66	24 - 60	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass Specialty Glass Vanceva	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted	<b>AC</b> Clear Anodized Foundation Mica	<b>0</b> No Top Trim <b>1</b> With Top Trim	<b>AC</b> Clear Anodized Foundation Mica

## SAMPLE ORDER CODE

UNPEWDR 42	60	5	AC	AC	1	AC
------------	----	---	----	----	---	----

## DIMENSIONS INCHES / MM

H	W
29 / 737	24 / 610
29 / 737	30 / 762
29 / 737	36 / 914
29 / 737	42 / 1067
29 / 737	48 / 1219
29 / 737	54 / 1372
29 / 737	60 / 1524
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

### NO TOP TRIM (0)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1124	1180	1344	1385	1397
1215	1275	1452	1496	1509
1310	1374	1564	1611	1625
1414	1482	1684	1735	1748
1509	1583	1797	1847	1865
1628	1708	1938	1994	2011
1743	1828	2073	2133	2152
1333	1424	1656	1716	1733
1443	1541	1792	1856	1871
1555	1660	1926	1995	2013
1680	1795	2076	2149	2167
1793	1914	2211	2289	2308
1783	1904	2191	2267	2285
1989	2124	2448	2534	2554
1590	1715	2031	2115	2132
1720	1857	2194	2284	2303
1858	2002	2365	2460	2481
2009	2166	2548	2652	2672
2146	2313	2719	2826	2850
2273	2450	2875	2988	3013
2394	2580	3024	3155	3181
1777	1918	2271	2386	2406
1939	2092	2474	2599	2621
2105	2271	2682	2816	2840
2295	2476	2911	3055	3081
2461	2655	3118	3272	3299

### WITH TOP TRIM (1)

Standard Glass Clear	Frost	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
1172	1228	1393	1432	1445
1266	1326	1503	1547	1560
1369	1433	1623	1670	1684
1479	1548	1749	1800	1813
1580	1653	1867	1920	1935
1707	1784	2016	2072	2089
1826	1909	2155	2215	2235
1381	1471	1705	1765	1779
1494	1592	1841	1905	1923
1614	1719	1985	2054	2071
1745	1860	2141	2214	2232
1863	1985	2282	2361	2379
1862	1983	2269	2344	2363
2071	2207	2531	2615	2636
1638	1764	2079	2162	2180
1772	1906	2245	2335	2354
1916	2061	2424	2519	2540
2074	2231	2614	2717	2738
2216	2384	2789	2897	2921
2350	2529	2952	3066	3092
2476	2663	3107	3236	3263
1826	1964	2318	2434	2453
1990	2143	2524	2651	2670
2164	2330	2739	2875	2898
2361	2541	2977	3122	3146
2533	2725	3190	3343	3369

UNPCF

Convertible Panel Wall Base and Foot Trim

The Convertible Panel Wall Base and Foot Trim is used with Convertible Panel Walls to finish elevated applications.

- WHAT’S INCLUDED
- 1 base trim and trim for 2 feet (60" and less)
  - 2 base trims and trims for 4 feet (66" and wider)

52



PRODUCT OPTIONS

Width (6" increments)	Foot Finish
24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNPCF 60	N
----------	---

DIMENSIONS  
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

63
65
68
71
76
83
86
135
137
142
145
149
153

The Elevated Panel Wall Foot provides support with leveling capability to Elevated Panel Walls and Elevated Full-Height Windows.

**WHAT'S INCLUDED**

1 foot, leveler, hardware for connection.

**NOTES**

The Elevated Panel Wall Foot is used in two-way 180° (no spacer), end of panel wall run applications or when added support is required for 66"-96" panels.

**U N P E F R**  
**Elevated Panel Wall Foot**



**PRODUCT OPTIONS**

Foot Finish
AC Clear Anodized
Foundation
Mica

**SAMPLE ORDER CODE**

UNPEFR AC
-----------

**PRICING**

63
----



U A F F N  
Support Foot for Freestanding District


The Support Foot is added to flush or convertible District panels to allow them to become freestanding.

**WHAT’S INCLUDED**  
1 double-sided metal freestanding foot and panel attachment brackets.

**NOTES**  
Freestanding Foot can be applied to both the Flush or Convertible Panels either with or without Accessory Beam.

The unique element program required when foot is added. See Application Guide for more details.

54



PRODUCT OPTIONS

Orientation	Foot Finish
D Double	Foundation Mica

SAMPLE ORDER CODE

UAFFN D	60
---------	----

PRICING

332
-----

The Panel Wall Rail provides horizontal support when additional segmentation is required above worksurface level.


**WHAT'S INCLUDED**

Panel wall rail, fascia clips and attachment hardware.

**NOTES**

Finished in Black to match the panel wall frame.

**UNPHN**  
**Panel Wall Rail**



55

**PRODUCT OPTIONS**

Width (6" increments)
24 - 60

**SAMPLE ORDER CODE**

**UNPHN 60**

**DIMENSIONS**  
**INCHES / MM**

W
24 / 610
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
54 / 1372
60 / 1524

**PRICING**

38
50
55
61
65
69
73
81
91
102


UNEX  
Light Block Rail

The Light Block Rail provides light block above the worksurface for fascias without clips.

**WHAT'S INCLUDED**  
Rail and attachment hardware.

**NOTES**  
Finished in Black to match the panel wall frame.

56



PRODUCT OPTIONS

Width (6" increments)
24 - 60

SAMPLE ORDER CODE

UNEX 60

DIMENSIONS  
INCHES / MM

W
24 / 610
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
54 / 1372
60 / 1524

PRICING

32
39
43
51
54
58
61
65
75
85



fascias


# fascias

PRODUCT MAP / TABLE OF CONTENTS . . . . .	60
UNDERSTANDING FASCIAS . . . . .	63
UNDERSTANDING FASCIAS FOR FREESTANDING DISTRICT . . . . .	64
UNDERSTANDING THE FASCIA TYPE . . . . .	65
FASCIA BASICS . . . . .	66
PRODUCT LISTING . . . . .	74

## product map


### UNESD Solid Fascia (Clip Mount)

Page 74  
Height: 6", 7", 9", 13", 15", 21", 22", 24", 27",  
28", 30" & 37" / Width: 24" – 96" (6" increments)




### UAESD Solid Fascia for Freestanding District (Clip Mount)

Page 76  
Height: 6", 21", 22", 27", 28", 35" & 41" /  
Width: 24" – 96" (6" increments)




### UNYSD Stretch Solid Fascia

Page 78  
Height: 6", 21", 22", 27", 28", 35" & 41" /  
Width: 24" – 96" (6" increments)




### UAYSD Stretch Solid Fascia for Freestanding District

Page 80  
Height: 6", 21", 22", 27", 28", 35" & 41" /  
Width: 24" – 96" (6" increments)




### UNESF Solid Fascia – Full-Height

Page 82  
Height: 35" & 41" /  
Width: 24" – 96" (6" increments)




### UNELM Metal Fascia (Slot Mount)

Page 84  
Height: 6", 7", 9", 13", 15", 21", 22", 24", 27",  
28", 30" & 37" / Width: 24" – 96" (6" increments)




### UAELM Metal Fascia for Freestanding District (Slot Mount)

Page 86  
Height: 6", 21", 22", 27", 28" & 35" /  
Width: 24" – 96" (6" increments)




### UNEUTR Framed Tackable Fabric Fascia (Clip Mount)

Page 88  
Height: 9", 13", 15", 22", 24", 30" & 37" /  
Width: 24" – 96" (6" increments)




### UNELF Tackable Fabric Fascia (Slot Mount)

Page 92  
Height: 6", 7", 9", 13", 15", 21", 22", 24", 27",  
28", 30" & 37" / Width: 24" – 96" (6" increments)




### UAELF Tackable Fabric Fascia for Freestanding District (Slot Mount)

Page 96  
Height: 6", 21", 22" & 35" /  
Width: 24" – 96" (6" increments)




### UNEUWR Framed Whiteboard Fascia (Clip Mount)

Page 98  
Height: 22", 24", 30" & 37" /  
Width: 36" – 48" (6" increments)



### UNEMB Whiteboard Fascia (Slot Mount)

Page 99  
Height: 22", 24", 30" & 37" /  
Width: 36" – 48" (6" increments)






## product map


**UNEUAR Accessory Fascia –  
Anodized Aluminum  
(Clip Mount)**

Page 100


Height: 6" / Width: 24" – 96" (6" increments)

**UNELA Accessory Fascia  
(Slot Mount)**


Page 101

Height: 6", 13" & 15" /  
Width: 24" – 96" (6" increments)**UNECL Solid  
Power/Communications  
Fascia (Clip Mount)**


Page 102

Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)**UAECL Solid  
Power/Communications  
Fascia for Freestanding  
District (Clip Mount)**


Page 106

Height: 21", 22", 27" & 28" /  
Width: 24" – 96" (6" increments)**UNEIL Solid International  
Power/Communications  
Fascia (Clip Mount)**


Page 108

Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)**UAEIL Solid International  
Power/Communications  
Fascia for Freestanding  
District (Clip Mount)**


Page 112

Height: 21", 22", 27", 28" & 35" /  
Width: 24" – 96" (6" increments)**UNELCM Metal  
Power/Communications  
Fascia (Slot Mount)**


Page 114

Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)**UAELCM Metal  
Power/Communications  
Fascia for Freestanding  
District (Slot Mount)**


Page 118

Height: 21", 22", 27", 28" & 35" /  
Width: 24" – 96" (6" increments)**UNELIM Metal International  
Power/Communications  
Fascia (Slot Mount)**


Page 120

Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)**UAELIM Metal International  
Power/Communications  
Fascia for Freestanding  
District (Slot Mount)**


Page 124

Height: 21", 22", 27", 28" & 35" /  
Width: 24" – 96" (6" increments)**UNELCF Tackable Fabric  
Power/Communications  
Fascia (Slot Mount)**

Page 126

Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)**UAELCF Tackable Fabric  
Power/Communications  
Fascia for Freestanding  
District (Slot Mount)**


Page 132

Height: 21", 22" & 35" /  
Width: 24" – 96" (6" increments)

# product map


## UNELIF Tackable Fabric International Power/Communications Fascia (Slot Mount)

Page 134  
Height: 7", 13", 21", 22", 27", 28" & 37" /  
Width: 24" – 96" (6" increments)




## UAELIF Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount)

Page 140  
Height: 21", 22" & 35" /  
Width: 24" – 96" (6" increments)




## UNELMB Metal Base Feed Fascia (Slot Mount)

Page 144  
Height: 6" / Width: 24" – 96" (6" increments)




## UAELMB Metal Base Feed Fascia for Freestanding District (Slot Mount)

Page 145  
Height: 06" / Width: 36" – 96" (6" increments)




## UNELFB Fabric Base Feed Fascia (Slot Mount)

Page 146  
Height: 6" / Width: 24" – 96" (6" increments)




## UAELFB Fabric Base Feed Fascia for Freestanding District (Slot Mount)

Page 147  
Height: 6" / Width: 36" – 96" (6" increments)




## UNEWSR Window (D-Style) – Single Glass (Clip Mount)

Page 148  
Height: 9", 13", 15", 22", 24" & 37" /  
Width: 24" – 60" (6" increments)




## UNEWD R Window (D-Style) – Double Glass (Clip Mount)

Page 149  
Height: 9", 13", 15", 22", 24" & 37" /  
Width: 24" – 60" (6" increments)




## UNELWS Window (L-Style) – Single Glass (Slot Mount)

Page 150  
Height: 9", 13", 15", 22", 24" & 37" /  
Width: 24" – 60" (6" increments)




## UNELWD Window (L-Style) – Double Glass (Slot Mount)

Page 151  
Height: 9", 13", 15", 22", 24" & 37" /  
Width: 24" – 60" (6" increments)



## UNELK Fascia Clip Kit

Page 152




# understanding fascias

Fascias complete the elevations of panel walls providing functionality and aesthetic options.

## UN\_ applications (used on panels without freestanding feet)


- Fascias are available up to 96" wide to span the entire width of a District panel, creating a distinctive District aesthetic
- Fascias can also span half of a panel to provide additional functionality to a workstation
- Fascias are available for Flush, Elevated, Freestanding and Panel with Accessory Rail applications



- 1 **Tackboard and Whiteboard** Fascias can be framed to provide a high aesthetic level to panels, or unframed to provide cost effective alternatives in areas where functionality and cost are factors
- 2 Fascias are available with cut outs to allow **access to power** either above or below the worksurface level.
- 3 **Fabric and metal fascias** provide a cost effective alternative to solid fascias
- 4 **Accessory fascias** are available in a variety of heights to store personal items above the worksurface
- 5 **Solid fascias** are available in Laminate, Seamless, Flintwood and Natural Veneer to provide a high level of aesthetic and a furniture look and feel to a workstation  
Fascias can be segmented from 29" high or can be monolithic on 42" high panels
- 6 **Stretch solid fascias** span half way across a three-way connector to conceal the connector and provide an un-interrupted aesthetic. A second fascia must be specified to cover the remaining half of the three-way connector. Available in both Left and Right extensions
- 7 **Window fascias** mount into a panel wall frame to add lightness to a workstation. They do not mount to the top of a frame


## understanding fascias for freestanding district

UA\_ applications (used on panels with freestanding feet)




- 1 Dedicated fascias are available for freestanding applications. They are a different height than standard fascias to accommodate the 1/2" thick support foot. A Fascias for Freestanding District is nominally 28"
- 2 Fabric and Metal fascias provide a cost effective alternative to solid fascias. Fabric fascias are not available in 27" or 28" heights, must be used a 6" plus a 21" or 22" high fascia
- 3 Freestanding fascias are only required at the base level of the panel.

# understanding the fascia type




## District Flush or Convertible Panel with Accessory Beam & Support Foot for Freestanding District Applications

- When using a panel type with Accessory Beam and Support Foot fascias are needed in order to accommodate the 1/2" for support foot as well as 1" for accessory beam
- Use fascias for freestanding District (UA coded fascias) at 27" high (vs 28") to account for Accessory Beam




## District Flush or Convertible Panel with Accessory Beam & Support Foot for Freestanding District

- Use fascias for freestanding District (UA coded fascias) on the base level (6") only
- For upper level use standard (UN) District fascia codes but 1" shorter (21" vs 22") to account for accessory beam




## District Panel Wall with Accessory Beam

- When no foot is necessary, use standard or District fascia codes (UN) but 1" shorter (27" vs 28" for Flush or Convertible Panel or 21" vs 22" for Elevated Panel) to account for accessory beam
- The only way to power a 29" high panel with accessory beam (not freestanding) is with a 27" high solid fascia (no fabric) or metal options




## Support Foot for Freestanding District

- When using the Support Foot (UAFFN), UA\_ fascias are required
- UA\_ fascias are only required on the bottom half of the panel




## Support Foot for Freestanding District

- Use fascias for freestanding District (UA coded fascias) on the base level (6") only
- For upper level use standard District fascia (UN)




## District Flush or Convertible Panel

- Use standard District fascia codes (UN)
- If UA\_ fascias are specified they will not fit



With Freestanding Foot






Without Freestanding Foot

## fascias basics

Fascias can be mounted onto panel wall frames by clip mounting or slot mounting. See chart below. The following charts outline the available options.

## clip-mounted

- The following fascia types mount to the Flush and Elevated Panel Wall Frame. They are typically hard surface fascias that provide a “District” aesthetic, and attach to clips on the frame. They are also referred to as “D-Style” fascias
- These fascias can also mount to the Convertible Panel Wall, however a Fascia Clip Kit (UNELK) is required to be install the fascia to the panel






Product Name & Code	Illustration	Description
<b>Solid Fascia (UNESD), Solid Full-Height Fascia (UNESF) &amp; Stretch Solid Fascia (UNYSD)</b>		<ul style="list-style-type: none"> <li>• Solid fascias are available in heights of 6", 7", 9", 13", 15", 21", 22", 24", 27", 28" 30" &amp; 37" for mounting above or below worksurfaces</li> <li>• Solid Full-Height Fascias are available in heights of 35" and 41" for monolithic applications on 42" high panels only</li> <li>• Stretch Solid fascias are available in heights of 6", 21", 22", 27", 28", 35" &amp; 41" high</li> <li>• All fascias are available in widths from 24" - 96" in 6" increments</li> <li>• The Stretch Solid Fascia's widths are nominal dimensions they are actually 1 1/2" or 3" wider as they stretch half way over an in-line three-way connector on one side or both sides of the fascia</li> <li>• Available in Seamless Color, Laminate, Flintwood and Natural Veneer finishes</li> </ul>
<b>Solid Fascia for Freestanding District (Clip Mounted) (UAESD) &amp; Stretch Fascia for Freestanding District (UAYSD)</b>		<ul style="list-style-type: none"> <li>• A solid fascia that mounts into the lowest level only on a panel wall frame in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Only used at the base level</li> <li>• Available in heights of 6", 21", 22", 27", 28" 35" &amp; 41"</li> <li>• Available in widths from 24" - 96" in 6" increments</li> <li>• Heights are nominal to accommodate the 1/2" required for the support foot</li> <li>• The Stretch Solid Fascia's widths are nominal dimensions they are actually 1 1/2" or 3" wider as they stretch half way over an in-line three-way connector on one side or both sides of the fascia</li> <li>• Available in Seamless Color, Laminate, Flintwood and Natural Veneer finishes</li> </ul>
<b>Solid Power/Communications Fascia (UNECL) (shown) &amp; Solid International Power/Communications Fascia (UNEIL)</b>		<ul style="list-style-type: none"> <li>• Available in heights of 7", 13", 21", 22", 27", 28" &amp; 37" for mounting above or below worksurfaces</li> <li>• Available in widths from 24" - 96" in 6" increments</li> <li>• UNECL is available in two outlet configurations <ul style="list-style-type: none"> <li>– 2=one duplex outlet plus VDM</li> <li>– 4=two duplex outlets plus VDM (for 36" wide or wider only)</li> </ul> </li> <li>• UNEIL is available in three outlet configurations <ul style="list-style-type: none"> <li>– 2=cut out for two outlets</li> <li>– 3=cut out for two outlets and one data/communications box (available on 36" wide or wider only)</li> <li>– 4=cut out for four outlets (available on 36" wide or wider only)</li> </ul> </li> <li>• Cut out horizontal orientations include: <ul style="list-style-type: none"> <li>– L=left (not available on widths below 42")</li> <li>– R=right (not available on widths below 42")</li> <li>– C=centered (one duplex outlet on 24", 30" &amp; 36" wide fascias, and two on fascias wider than 36")</li> <li>– B=both left and right (on fascias 66" wide or wider, with one or two duplex options)</li> </ul> </li> <li>• Cut out vertical orientations include: <ul style="list-style-type: none"> <li>– T=top or upper section of fascia (for 13", 22" &amp; 28" heights)</li> <li>– B=bottom or lower section of fascia (for 7", 13", 22" &amp; 37" heights)</li> <li>– F=flush (applies to 28" high only for base fascias flush to the floor, the cut out will be at the bottom, above the 6" panel rail)</li> </ul> </li> <li>• Available in Seamless Color, Laminate, Flintwood and Natural Veneer finishes</li> </ul>

## fascia basics (continued)

Fascias can be mounted onto panel wall frames by clip mounting or slot mounting. See chart below. The following charts outline the available options.

## clip-mounted

- The following fascia types mount to the Flush and Elevated Panel Wall Frame. They are typically hard surface fascias that provide a "District" aesthetic, and attach to the frame with clips. They are also referred to as "D-Style" fascias
- These fascias can also mount to the Convertible Panel Wall, however a Fascia Clip Kit (UNELK) is required to be install the fascia to the panel




Product Name & Code	Illustration	Description
<b>Solid Power/Communications Fascia for Freestanding District (Clip Mounted) (UAECL)</b> <b>&amp;</b> <b>Solid International Power/Communications Fascia for Freestanding District (Clip Mounted) (UAEIL)</b>		<ul style="list-style-type: none"> <li>A solid fascia that mounts into the lowest level only on a panel wall frame and has cut outs for electrical and communication outlets in FREESTANDING applications</li> <li>Used only when a Support Foot (UAFFN) is used</li> <li>Only used at the base level</li> <li>Available in heights of 21", 22", 27" &amp; 28"</li> <li>Available in widths from 24" - 96" in 6" increments</li> <li>Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>UAECL is available in two outlet configurations <ul style="list-style-type: none"> <li>2=one duplex outlet plus VDM</li> <li>4=two duplex outlets plus VDM</li> </ul> </li> <li>Fascias with one cut out location: <ul style="list-style-type: none"> <li>LL=Left 36" - 60" wide</li> <li>RR=Right 36" - 60" wide</li> <li>LC=Left Center 66" - 96" wide</li> <li>RC=Right Center 66" - 96" wide</li> </ul> </li> <li>Fascias with two cut out locations: <ul style="list-style-type: none"> <li>LR=Left and Right 66" - 96" wide</li> <li>CR=Left Center and Right 66" - 96" wide</li> <li>CL=Right Center and Left 66" - 96" wide</li> </ul> </li> <li>Available in Seamless Color, Element Source Laminate, Flintwood and Natural Veneer finishes</li> </ul>
<b>Tackable Fabric Fascia – Framed (UNEUTR)</b>		<ul style="list-style-type: none"> <li>A solid fascia that proves a framed fabric tackboard</li> <li>Available in heights of 9", 13" 15" 22" 30" &amp; 37"</li> <li>Available in widths from 24" - 96" wide in 6" increments</li> <li>Tackboard is available in standard Teknion panel fabrics</li> <li>Frame is available in Clear Anodized, Espresso and Storm White paint finishes</li> </ul>
<b>Accessory Fascia – Anodized Aluminum (UNEUAR)</b>		<ul style="list-style-type: none"> <li>A 6" high accessory rail that typically mounts from 36" - 42" high on a panel wall frame</li> <li>Available in widths from 24" - 96" wide in 6" increments</li> <li>Does NOT support monitor arms</li> <li>Available in Clear Anodized finish only</li> </ul>
<b>Window (D-Style) – Single Glass (UNEWSR)</b> <b>&amp;</b> <b>Window (D-Style) – Double Glass (UNEWDR) (shown)</b>		<ul style="list-style-type: none"> <li>A single or double-sided glass fascia that mounts into a panel wall frame above worksurface height</li> <li>Available in heights of 9", 13", 15" 22" 24" &amp; 37" high</li> <li>Available in widths from 24" - 60" in 6" increments to fit inside of the frame</li> <li>Available in Standard Glass Clear and Frost, and Specialty Glass Vanceva</li> <li>Standard Glass, clear is a tempered glass</li> <li>Standard Glass Frost is sandblasted tempered glass</li> <li>Specialty Glass Vanceva is laminated glass</li> <li>Clear Tempered glass will be applied to the opposite side of the double glass window when Frost or Vanceva glass is specified</li> <li>Frames are available in Clear Anodized, Espresso and Storm White paint finishes</li> </ul>
<b>Whiteboard Fascia – Framed (UNEUWR)</b>		<ul style="list-style-type: none"> <li>A solid fascia that provides a framed whiteboard</li> <li>Available in heights of 22", 24" 30" &amp; 37"</li> <li>Available in widths of 36", 42" &amp; 48"</li> <li>Frame is available in Clear Anodized, Espresso and Storm White paint finishes</li> </ul>

## fascia basics (continued)

Fascias can be mounted onto panel walls through clip mounting or slot mounting. See chart below. The following charts outline the available options.

## slot-mounted

- The following fascia types mount to the Convertible Panel Wall Frame. They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- These fascias can also mount to the Flush Panel Wall or the Elevated Panel Wall Frame however, pre-installed clips will **not** be used. The fascias will mount into the slots in the panel frame only

Product Name & Code	Illustration	Description
<b>Metal Fascia (UNELM)</b>		<ul style="list-style-type: none"> <li>• Available in heights of 6" 7" 9", 13", 15" 22" 24", 28", 30" &amp; 37"</li> <li>• 6" - 28" heights are available in widths from 24" - 96" in 6" increments</li> <li>• 30" and 37" heights are available in widths from 24" - 60" in 6" increments</li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Metal Fascia for Freestanding District (UAELM)</b>		<ul style="list-style-type: none"> <li>• A cost effective metal fascia that mounts into the lowest level only on a panel wall frame in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Only used at the base level</li> <li>• Available in heights of 6", 21", 22", 27", 28" &amp; 35" high</li> <li>• 6" to 28" heights are available in widths from 24" - 96" in 6" increments</li> <li>• 35" height is available in widths from 24" - 60" in 6" increments</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Metal Power/Communications Fascia (UNELCM) (shown) &amp; Metal International Power/Communications Fascia (UNELIM)</b>		<ul style="list-style-type: none"> <li>• Available in heights of 7", 13", 22", 28" &amp; 37" for mounting above or below worksurfaces</li> <li>• 7", 13", 22" &amp; 28" high are available in widths from 24" - 96" in 6" increments</li> <li>• 37" high is available in widths from 24" - 60" in 6" increments</li> <li>• UNELCM is available in two outlet configurations               <ul style="list-style-type: none"> <li>– 2=one duplex outlet plus VDM</li> <li>– 4=two duplex outlets plus VDM (for 36" wide or wider only)</li> </ul> </li> <li>• UNEIL is available in three outlet configurations               <ul style="list-style-type: none"> <li>– 2=cut out for two outlets</li> <li>– 3=cut out for two outlets and one data/communications box (available on 36" wide or wider only)</li> <li>– 4=cut out for four outlets (available on 36" wide or wider only)</li> </ul> </li> <li>• Cut out horizontal orientations include:               <ul style="list-style-type: none"> <li>– L=left (not available on widths below 42")</li> <li>– R=right (not available on widths below 42")</li> <li>– C=centered (one duplex outlet on 24", 30" &amp; 36" wide fascias, and two on fascias wider than 36")</li> <li>– B=both left and right (on fascias 66" wide or wider, with one or two duplex options)</li> </ul> </li> <li>• Cut out vertical orientations include:               <ul style="list-style-type: none"> <li>– T=top or upper section of fascia (for 13", 22" &amp; 28" heights)</li> <li>– B=bottom or lower section of fascia (for 7", 13", 22" &amp; 37" heights)</li> <li>– F=flush (applies to 28" high only for base fascias flush to the floor, the cut out will be at the bottom, above the 6" panel rail)</li> </ul> </li> <li>• Available in Foundation and Mica paint finishes</li> </ul>






## fascia basics (continued)

Fascias can be mounted onto panel walls through clip mounting or slot mounting. See chart below. The following charts outline the available options.

## slot-mounted (continued)

- The following fascia types mount to the Convertible Panel Wall Frame. They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- These fascias can also mount to the Flush Panel Wall or the Elevated Panel Wall Frame using slots in the panel frame



Product Name & Code	Illustration	Description
<b>Metal Power/Communications Fascia for Freestanding District (Slot Mount) (UAELCM)</b> <b>&amp;</b> <b>Metal International Power/Communications Fascia for Freestanding District (UAELIM)</b>		<ul style="list-style-type: none"> <li>• A cost effective metal fascia that mounts into the lowest level only on a panel wall frame and has cut outs for electrical and communication outlets in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Only used at the base level</li> <li>• Available in heights of 21", 22", 27", 28" &amp; 35" high</li> <li>• Available in widths from 36" - 96" in 6" increments</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• UAELCM is available in two outlet configurations               <ul style="list-style-type: none"> <li>– 2=one duplex outlet plus VDM</li> <li>– 4=two duplex outlets plus VDM</li> </ul> </li> <li>• Fascias with one cut out location:               <ul style="list-style-type: none"> <li>– LL=Left 36" - 60" wide</li> <li>– RR=Right 36" - 60" wide</li> <li>– LC=Left Center 66" - 96" wide</li> <li>– RC=Right Center 66" - 96" wide</li> </ul> </li> <li>• Fascias with two cut out locations:               <ul style="list-style-type: none"> <li>– LR=Left and Right 66" - 96" wide</li> <li>– CR=Left Center and Right 66" - 96" wide</li> <li>– CL=Right Center and Left 66" - 96" wide</li> </ul> </li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Tackable Fabric Fascia (UNELF)</b>		<ul style="list-style-type: none"> <li>• Available in heights of 6", 7", 9", 13", 15", 22", 24", 28", 30" &amp; 37" high</li> <li>• Available in widths from 24" - 96" wide in 6" increments</li> <li>• Fascias are tackable in all heights except for 6" and 7" high</li> <li>• Available in standard Teknion panel fabrics</li> </ul>
<b>Tackable Fabric Fascia for Freestanding District (Slot Mount) (UAELF)</b>		<ul style="list-style-type: none"> <li>• A frame cost effective fabric fascia that mounts into the lowest level only on a panel wall frame in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Only used at the base level</li> <li>• Available in heights of 6", 21", 22", &amp; 35" high</li> <li>• Available in widths from 24" - 96" in 6" increments</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• Available in standard Teknion panel fabrics</li> </ul>

## fascia basics (continued)

Fascias can be mounted onto panel walls through clip mounting or slot mounting. See chart below. The following charts outline the available options.

## slot-mounted (continued)

- The following fascia types mount to the Convertible Panel Wall Frame. They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- These fascias can also mount to the Flush Panel Wall or the Elevated Panel Wall Frame using slots in the panel frame


Product Name & Code	Illustration	Description
<b>Tackable Fabric Power/Communications Fascia (UNELCF) &amp; Tackable Fabric International Power/Communications Fascia (UNELIF)</b>		<ul style="list-style-type: none"> <li>• Available in heights of 7", 13", 22", 28" &amp; 37" high for mounting above or below worksurfaces</li> <li>• Available in widths from 24" - 96" in 6" increments</li> <li>• Tackable in all heights except 7" high.</li> <li>• UNECL is available in two outlet configurations <ul style="list-style-type: none"> <li>– 2=one duplex outlet plus VDM</li> <li>– 4=two duplex outlets plus VDM (for 36" wide or wider only) UNEIL is available in three outlet configurations</li> <li>– 2=cut out for two outlets</li> <li>– 3=cut out for two outlets and one data/communications box (available on 36" wide or wider only)</li> <li>– 4=cut out for four outlets (available on 36" wide or wider only)</li> </ul> </li> <li>• Cut out horizontal orientations include: <ul style="list-style-type: none"> <li>– L=left (not available on widths below 42")</li> <li>– R=right (not available on widths below 42")</li> <li>– C=centered (one duplex outlet on 24", 30" &amp; 36" wide fascias, and two on fascias wider than 36")</li> <li>– B=both left and right (on fascias 66" wide or wider, with one or two duplex options)</li> </ul> </li> <li>• Cut out vertical orientations include: <ul style="list-style-type: none"> <li>– T=top or upper section of fascia (for 13", 22" &amp; 28" heights)</li> <li>– B=bottom or lower section of fascia (for 7", 13", 22" &amp; 37" heights)</li> <li>– F=flush (applies to 28" high only for base fascias flush to the floor, the cut out will be at the bottom, above the 6" panel rail)</li> </ul> </li> <li>• Available in standard Teknion panel fabrics</li> </ul>
<b>Tackable Fabric Power/Communications Fascia for Freestanding District (UAELCF) &amp; Tackable Fabric International Power/Communications Fascia (UAELIF)</b>		<ul style="list-style-type: none"> <li>• A cost effective fabric fascia that mounts into the lowest level only on a panel wall frame and has cut outs for electrical and communication outlets in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Only used at the base level</li> <li>• Available in heights of 21", 22" &amp; 35" high</li> <li>• Available in widths from 36" - 96" in 6" increments</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• Is tackable in all sizes</li> <li>• UAELCF is available in two outlet configurations <ul style="list-style-type: none"> <li>– 2=one duplex outlet plus VDM</li> <li>– 4=two duplex outlets plus VDM</li> </ul> </li> <li>• Fascias with one cut out location: <ul style="list-style-type: none"> <li>– LL=Left 36" - 96" wide</li> <li>– RR=Right 36" - 96" wide</li> <li>– LC=Left Center 66" - 96" wide</li> <li>– RC=Right Center 66" - 96" wide</li> </ul> </li> <li>• Fascias with two cut out locations: <ul style="list-style-type: none"> <li>– LR=Left and Right 66" - 96" wide</li> <li>– CR=Left Center and Right 66" - 96" wide</li> <li>– CL=Right Center and Left 66" - 96" wide</li> </ul> </li> <li>• Available in standard Teknion panel fabrics</li> </ul>

## fascia basics (continued)

Fascias can be mounted onto panel walls through clip mounting or slot mounting. See chart below. The following charts outline the available options.

## slot-mounted (continued)

- The following fascia types mount to the Convertible Panel Wall Frame. They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- These fascias can also mount to the Flush Panel Wall or the Elevated Panel Wall Frame using slots in the panel frame








Product Name & Code	Illustration	Description
Whiteboard Fascia (UNEMB)		<ul style="list-style-type: none"> <li>• A frameless cost effective whiteboard fascia</li> <li>• Available in heights of 22", 24" 30" &amp; 37"</li> <li>• Available in widths of 36", 42" &amp; 48"</li> <li>• Available with or without a tray</li> <li>• Tray is available in Foundation and Mica paint finishes</li> </ul>

## fascia basics (continued)

Fascias can be mounted onto panel walls through clip mounting or slot mounting. See chart below. The following charts outline the available options.

## slot-mounted (continued)

- The following fascia types mount to the Convertible Panel Wall Frame. They provide a cost effective alternative to “D-Style” fascias and are unframed. They are also referred to as “L-Style” fascias
- These fascias can also mount to the Flush Panel Wall or the Elevated Panel Wall Frame using slots in the panel frame

Product Name & Code	Illustration	Description
<b>Accessory Fascia</b> (UNELA)		<ul style="list-style-type: none"> <li>• An cost effective accessory fascia</li> <li>• Available in heights of 6", 13" &amp; 15" for maximum flexibility</li> <li>• Available in widths from 24" - 96" in 6" increments</li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Metal Base Feed Fascia</b> (UNELMB) (shown)		<ul style="list-style-type: none"> <li>• Available in widths from 36" - 96"</li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Metal Base Feed Fascia for Freestanding Application</b> (UAELMB)		<ul style="list-style-type: none"> <li>• A 6" high metal fascia that allows power and communication to enter a panel at the base level in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• Available in widths from 36" - 96"</li> <li>• Cut outs are available left, right and centered, and the location of the cut out depends on the width of the fascia</li> <li>• Available in Foundation and Mica paint finishes</li> </ul>
<b>Fabric Base Feed Fascia</b> (UNELFB)		<ul style="list-style-type: none"> <li>• Available in widths from 24" - 96"</li> <li>• Cut outs are available left, right and centered, and the location of the cut out depends on the width of the fascia</li> <li>• Available in Teknion standard Panel Fabrics</li> </ul>
<b>Fabric Base Feed Fascia for Freestanding District</b> (UAELFB)		<ul style="list-style-type: none"> <li>• A 6" high fabric fascia that allows power and communication to enter a panel at the base level in <b>FREESTANDING</b> applications</li> <li>• Used only when a Support Foot (UAFFN) is used</li> <li>• Sizes are nominal to accommodate the 1/2" required for the support foot</li> <li>• Available in widths from 36" - 96"</li> <li>• Cut outs are available left, right and centered, and the location of the cut out depends on the width of the fascia</li> <li>• Available in Teknion standard Panel Fabrics</li> </ul>
<b>Window (L-Style) – Single Glass</b> (UNELWS) & <b>Window (L-Style) – Double Glass</b> (UNELWD) (shown)		<ul style="list-style-type: none"> <li>• A single or double-sided L-style glass fascia that mounts into a panel wall frame above worksurface height</li> <li>• available in heights of 9", 13", 15" 22" 24" &amp; 37" high</li> <li>• available in widths from 24" - 60" in 6" increments to fit inside of the frame</li> <li>• Available in Standard Glass Clear and Frost</li> <li>• Standard Glass, clear is a tempered glass</li> <li>• Standard Glass Frost is sandblasted tempered glass</li> <li>• Frames available in Foundation and Mica paint finishes</li> </ul>
<b>Fascia Clip Kit</b> (UNELK)		<ul style="list-style-type: none"> <li>• Required to apply clip-mounted fascias to the Convertible Frame (UNPC)</li> <li>• Clips are mounted to the frame and the quantity required varies by size (see chart below)</li> <li>• Kits are available in packages of 25 or 100</li> </ul>

## fascia basics (continued)


The following charts outline the number of clips required for each clip mounted fascia.

Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
29	24	4	2
29	30	4	2
29	36	4	2
29	42	6	3
29	48	6	3
29	54	6	3
29	60	6	3
29	66	8	4
29	72	8	4
29	78	12	6
29	84	12	6
29	90	12	6
29	96	12	6
42	24	6	4
42	30	6	4
42	36	6	4
42	42	9	6
42	48	9	6
42	54	9	6
42	60	9	6
42	66	12	8
42	72	12	8
42	78	18	12
42	84	18	12
42	90	18	12
42	96	18	12

Panel Height	Panel Width	Number of Clips	
		Flush	Elevated
51	24	6	4
51	30	6	4
51	36	6	4
51	42	9	6
51	48	9	6
51	54	9	6
51	60	9	6
51	66	12	8
51	72	12	8
51	78	18	12
51	84	18	12
51	90	18	12
51	96	18	12
66	24	8	6
66	30	8	6
66	36	8	6
66	42	11	8
66	48	11	8
66	54	11	8
66	60	11	8
66	66	16	12
66	72	16	12
66	78	22	16
66	84	22	16
66	90	22	16
66	96	22	16

## UNESD

### Solid Fascia (Clip Mount)



The Solid Fascia provides a solid panel wall finish above worksurface height.

#### WHAT'S INCLUDED

1 fascia, fascia connectors.

#### WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 21, 22, 24, 27, 28, 30, 37	24 - 96	Element Source Laminate Seamless Color Flintwood (Standard) Natural Veneer

#### SAMPLE ORDER CODE

UNESD 28	60	FX
----------	----	----

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
6 / 152	24 / 610	97	122	198	209
6 / 152	30 / 762	99	125	208	218
6 / 152	36 / 914	102	129	214	225
6 / 152	42 / 1067	109	136	229	241
6 / 152	48 / 1219	112	139	240	252
6 / 152	54 / 1372	113	141	250	263
6 / 152	60 / 1524	116	145	262	275
6 / 152	66 / 1676	125	157	283	296
6 / 152	72 / 1829	127	159	293	308
6 / 152	78 / 1981	130	164	304	318
6 / 152	84 / 2134	137	172	322	338
6 / 152	90 / 2286	141	177	334	349
6 / 152	96 / 2438	142	178	344	361
7 / 178	24 / 610	97	122	198	209
7 / 178	30 / 762	99	125	208	218
7 / 178	36 / 914	102	129	214	225
7 / 178	42 / 1067	109	136	229	241
7 / 178	48 / 1219	112	139	240	252
7 / 178	54 / 1372	113	141	250	263
7 / 178	60 / 1524	116	145	262	275
7 / 178	66 / 1676	125	157	283	296
7 / 178	72 / 1829	127	159	293	308
7 / 178	78 / 1981	130	164	304	318
7 / 178	84 / 2134	137	172	322	338
7 / 178	90 / 2286	141	177	334	349
7 / 178	96 / 2438	142	178	344	361

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
9 / 229	24 / 610	101	127	207	217
9 / 229	30 / 762	104	130	216	226
9 / 229	36 / 914	106	132	223	234
9 / 229	42 / 1067	114	142	239	250
9 / 229	48 / 1219	116	145	249	262
9 / 229	54 / 1372	117	147	261	274
9 / 229	60 / 1524	120	150	273	285
9 / 229	66 / 1676	130	164	294	308
9 / 229	72 / 1829	132	166	305	320
9 / 229	78 / 1981	135	170	315	331
9 / 229	84 / 2134	144	180	335	351
9 / 229	90 / 2286	147	183	347	363
9 / 229	96 / 2438	148	185	357	376
13 / 330	24 / 610	106	132	224	235
13 / 330	30 / 762	112	139	243	256
13 / 330	36 / 914	117	147	264	277
13 / 330	42 / 1067	124	155	287	300
13 / 330	48 / 1219	131	165	307	322
13 / 330	54 / 1372	137	172	327	344
13 / 330	60 / 1524	142	178	348	366
13 / 330	66 / 1676	150	187	372	390
13 / 330	72 / 1829	156	196	391	410
13 / 330	78 / 1981	162	204	410	432
13 / 330	84 / 2134	180	225	443	466
13 / 330	90 / 2286	185	232	465	487
13 / 330	96 / 2438	191	241	485	510

Pricing is continued on the following page.

## UNESD

Solid Fascia (Clip Mount)  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
15 / 381	24 / 610	122	153	253	265
15 / 381	30 / 762	127	159	274	288
15 / 381	36 / 914	134	167	297	312
15 / 381	42 / 1067	144	180	323	339
15 / 381	48 / 1219	152	189	346	362
15 / 381	54 / 1372	157	197	368	387
15 / 381	60 / 1524	162	204	391	411
15 / 381	66 / 1676	173	216	418	439
15 / 381	72 / 1829	180	225	440	463
15 / 381	78 / 1981	187	234	463	485
15 / 381	84 / 2134	208	259	499	525
15 / 381	90 / 2286	213	267	524	549
15 / 381	96 / 2438	220	276	546	573
21 / 533	24 / 610	137	172	280	294
21 / 533	30 / 762	145	181	305	319
21 / 533	36 / 914	151	188	329	346
21 / 533	42 / 1067	161	203	358	377
21 / 533	48 / 1219	171	214	384	404
21 / 533	54 / 1372	178	221	409	431
21 / 533	60 / 1524	184	231	435	456
21 / 533	66 / 1676	195	244	464	486
21 / 533	72 / 1829	203	254	489	513
21 / 533	78 / 1981	211	264	513	539
21 / 533	84 / 2134	234	293	555	582
21 / 533	90 / 2286	241	302	581	610
21 / 533	96 / 2438	248	311	607	637
22 / 559	24 / 610	137	172	280	294
22 / 559	30 / 762	145	181	305	319
22 / 559	36 / 914	151	188	329	346
22 / 559	42 / 1067	161	203	358	377
22 / 559	48 / 1219	171	214	384	404
22 / 559	54 / 1372	178	221	409	431
22 / 559	60 / 1524	184	231	435	456
22 / 559	66 / 1676	195	244	464	486
22 / 559	72 / 1829	203	254	489	513
22 / 559	78 / 1981	211	264	513	539
22 / 559	84 / 2134	234	293	555	582
22 / 559	90 / 2286	241	302	581	610
22 / 559	96 / 2438	248	311	607	637
24 / 610	24 / 610	144	180	292	306
24 / 610	30 / 762	150	187	317	333
24 / 610	36 / 914	157	197	343	359
24 / 610	42 / 1067	167	210	373	392
24 / 610	48 / 1219	178	221	400	420
24 / 610	54 / 1372	185	232	425	447
24 / 610	60 / 1524	191	241	452	475
24 / 610	66 / 1676	203	254	482	506
24 / 610	72 / 1829	211	264	509	533
24 / 610	78 / 1981	219	275	533	560
24 / 610	84 / 2134	244	305	576	605
24 / 610	90 / 2286	250	314	604	634
24 / 610	96 / 2438	258	324	631	662


DIMENSIONS  
INCHES / MM

## PRICING

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
27 / 686	24 / 610	149	187	308	323
27 / 686	30 / 762	158	197	337	354
27 / 686	36 / 914	168	211	366	385
27 / 686	42 / 1067	180	225	400	420
27 / 686	48 / 1219	191	240	430	452
27 / 686	54 / 1372	202	253	461	482
27 / 686	60 / 1524	211	264	490	514
27 / 686	66 / 1676	223	279	522	548
27 / 686	72 / 1829	233	292	553	580
27 / 686	78 / 1981	244	305	581	610
27 / 686	84 / 2134	270	337	628	659
27 / 686	90 / 2286	279	349	659	692
27 / 686	96 / 2438	288	361	690	723
28 / 711	24 / 610	149	187	308	323
28 / 711	30 / 762	158	197	337	354
28 / 711	36 / 914	168	211	366	385
28 / 711	42 / 1067	180	225	400	420
28 / 711	48 / 1219	191	240	430	452
28 / 711	54 / 1372	202	253	461	482
28 / 711	60 / 1524	211	264	490	514
28 / 711	66 / 1676	223	279	522	548
28 / 711	72 / 1829	233	292	553	580
28 / 711	78 / 1981	244	305	581	610
28 / 711	84 / 2134	270	337	628	659
28 / 711	90 / 2286	279	349	659	692
28 / 711	96 / 2438	288	361	690	723
30 / 762	24 / 610	154	195	325	339
30 / 762	30 / 762	167	208	357	375
30 / 762	36 / 914	180	224	389	410
30 / 762	42 / 1067	191	241	425	448
30 / 762	48 / 1219	207	257	459	484
30 / 762	54 / 1372	218	274	495	518
30 / 762	60 / 1524	229	287	528	555
30 / 762	66 / 1676	243	305	562	590
30 / 762	72 / 1829	255	319	598	626
30 / 762	78 / 1981	268	335	629	660
30 / 762	84 / 2134	295	369	678	711
30 / 762	90 / 2286	308	385	713	750
30 / 762	96 / 2438	318	400	748	785
37 / 965	24 / 610	165	208	355	373
37 / 965	30 / 762	182	227	395	415
37 / 965	36 / 914	198	248	436	457
37 / 965	42 / 1067	214	268	478	501
37 / 965	48 / 1219	232	290	519	545
37 / 965	54 / 1372	249	313	560	588
37 / 965	60 / 1524	265	331	602	632
37 / 965	66 / 1676	282	353	642	674
37 / 965	72 / 1829	297	372	683	717
37 / 965	78 / 1981	314	392	723	759
37 / 965	84 / 2134	346	433	779	819
37 / 965	90 / 2286	362	453	821	862
37 / 965	96 / 2438	378	473	862	906

## UAESD

### Solid Fascia for Freestanding District (Clip Mount)



The Solid Fascia provides a solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

#### WHAT'S INCLUDED

1 fascia, fascia connectors.

#### NOTES

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

76

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 21, 22, 27, 28, 35, 41	24 - 96	Element Source Laminate Seamless Color Flintwood (Standard) Natural Veneer

#### SAMPLE ORDER CODE

UAESD 28	60	FX
----------	----	----

#### DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
97	122	198	209
99	125	208	218
102	129	214	225
109	136	229	241
112	139	240	252
113	141	250	263
116	145	262	275
125	157	283	296
127	159	293	308
130	164	304	318
137	172	322	338
141	177	334	349
142	178	344	361
97	122	198	209
99	125	208	218
102	129	214	225
109	136	229	241
112	139	240	252
113	141	250	263
116	145	262	275
125	157	283	296
127	159	293	308
130	164	304	318
137	172	322	338
141	177	334	349
142	178	344	361

#### DIMENSIONS INCHES / MM

H	W
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
101	127	207	217
104	130	216	226
106	132	223	234
114	142	239	250
116	145	249	262
117	147	261	274
120	150	273	285
130	164	294	308
132	166	305	320
135	170	315	331
144	180	335	351
147	183	347	363
148	185	357	376
106	132	224	235
112	139	243	256
117	147	264	277
124	155	287	300
131	165	307	322
137	172	327	344
142	178	348	366
150	187	372	390
156	196	391	410
162	204	410	432
180	225	443	466
185	232	465	487
191	241	485	510

Pricing is continued on the following page.



## U A E S D

Solid Fascia for Freestanding  
District (Clip Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

## PRICING

Element Source	Laminate	Seamless Color	Flintwood	Natural Veneer
122		153	253	265
127		159	274	288
134		167	297	312
144		180	323	339
152		189	346	362
157		197	368	387
162		204	391	411
173		216	418	439
180		225	440	463
187		234	463	485
208		259	499	525
213		267	524	549
220		276	546	573
137		172	280	294
145		181	305	319
151		188	329	346
161		203	358	377
171		214	384	404
178		221	409	431
184		231	435	456
195		244	464	486
203		254	489	513
211		264	513	539
234		293	555	582
241		302	581	610
248		311	607	637
137		172	280	294
145		181	305	319
151		188	329	346
161		203	358	377
171		214	384	404
178		221	409	431
184		231	435	456
195		244	464	486
203		254	489	513
211		264	513	539
234		293	555	582
241		302	581	610
248		311	607	637

## UNYSD

### Stretch Solid Fascia

The Stretch Solid Fascia provides a extended solid panel wall finish on panel.

#### WHAT'S INCLUDED


1 fascia, fascia connectors.

#### WHAT'S EXCLUDED

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

#### NOTES

Stretch Solid Fascia is only designed for in line applications.



78

#### PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 21, 22, 27, 28, 35, 41	24 - 96	<b>L</b> Left <b>R</b> Right <b>B</b> Both	Element Source Laminate Seamless Color Flintwood (Standard) Natural Veneer

#### SAMPLE ORDER CODE

UNYSD 28	60	B	FX
----------	----	---	----

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
6 / 152	24 / 610	97	122	198	209
6 / 152	30 / 762	99	125	208	218
6 / 152	36 / 914	102	129	214	225
6 / 152	42 / 1067	109	136	229	241
6 / 152	48 / 1219	112	139	240	252
6 / 152	54 / 1372	113	141	250	263
6 / 152	60 / 1524	116	145	262	275
6 / 152	66 / 1676	125	157	283	296
6 / 152	72 / 1829	127	159	293	308
6 / 152	78 / 1981	130	164	304	318
6 / 152	84 / 2134	137	172	322	338
6 / 152	90 / 2286	141	177	334	349
6 / 152	96 / 2438	142	178	344	361
21 / 533	24 / 610	137	172	280	294
21 / 533	30 / 762	145	181	305	319
21 / 533	36 / 914	151	188	329	346
21 / 533	42 / 1067	161	203	358	377
21 / 533	48 / 1219	171	214	384	404
21 / 533	54 / 1372	178	221	409	431
21 / 533	60 / 1524	184	231	435	456
21 / 533	66 / 1676	195	244	464	486
21 / 533	72 / 1829	203	254	489	513
21 / 533	78 / 1981	211	264	513	539
21 / 533	84 / 2134	234	293	555	582
21 / 533	90 / 2286	241	302	581	610
21 / 533	96 / 2438	248	311	607	637

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
22 / 559	24 / 610	137	172	280	294
22 / 559	30 / 762	145	181	305	319
22 / 559	36 / 914	151	188	329	346
22 / 559	42 / 1067	161	203	358	377
22 / 559	48 / 1219	171	214	384	404
22 / 559	54 / 1372	178	221	409	431
22 / 559	60 / 1524	184	231	435	456
22 / 559	66 / 1676	195	244	464	486
22 / 559	72 / 1829	203	254	489	513
22 / 559	78 / 1981	211	264	513	539
22 / 559	84 / 2134	234	293	555	582
22 / 559	90 / 2286	241	302	581	610
22 / 559	96 / 2438	248	311	607	637
27 / 686	24 / 610	149	187	308	323
27 / 686	30 / 762	158	197	337	354
27 / 686	36 / 914	168	211	366	385
27 / 686	42 / 1067	180	225	400	420
27 / 686	48 / 1219	191	240	430	452
27 / 686	54 / 1372	202	253	461	482
27 / 686	60 / 1524	211	264	490	514
27 / 686	66 / 1676	223	279	522	548
27 / 686	72 / 1829	233	292	553	580
27 / 686	78 / 1981	244	305	581	610
27 / 686	84 / 2134	270	337	628	659
27 / 686	90 / 2286	279	349	659	692
27 / 686	96 / 2438	288	361	690	723

Pricing is continued on the following page.

# UNYSD

## Stretch Solid Fascia (Continued)

### DIMENSIONS INCHES / MM


H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
149	187	308	323
158	197	337	354
168	211	366	385
180	225	400	420
191	240	430	452
202	253	461	482
211	264	490	514
223	279	522	548
233	292	553	580
244	305	581	610
270	337	628	659
279	349	659	692
288	361	690	723
165	208	355	373
182	227	395	415
198	248	436	457
214	268	478	501
232	290	519	545
249	313	560	588
265	331	602	632
282	353	642	674
297	372	683	717
314	392	723	759
346	433	779	819
362	453	821	862
378	473	862	906
179	226	395	414
204	252	446	468
227	283	496	524
246	308	546	572
270	337	598	630
295	371	651	682
317	395	703	738
337	423	748	788
360	450	802	844
384	479	853	893
419	525	918	962
447	557	970	1019
463	580	1015	1064

## UAYSD

### Stretch Solid Fascia for Freestanding District



The Stretch Solid Fascia provides an extended solid panel wall finish on panel supported by the Freestanding Foot (UAFFN).

#### WHAT'S INCLUDED

1 fascia, fascia connectors.

#### WHAT'S EXCLUDED

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

#### NOTES

Stretch Solid Fascia is only designed for in line applications.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Orientation	Fascia Finish
6, 21, 22, 27, 28, 35, 41	24 - 96	<b>L</b> Left <b>R</b> Right <b>B</b> Both	Element Source Laminate Seamless Color Flintwood (Standard) Natural Veneer

#### SAMPLE ORDER CODE

UAYSD 28	60	B	FX
----------	----	---	----

#### DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
97	122	198	209
99	125	208	218
102	129	214	225
109	136	229	241
112	139	240	252
113	141	250	263
116	145	262	275
125	157	283	296
127	159	293	308
130	164	304	318
137	172	322	338
141	177	334	349
142	178	344	361
137	172	280	294
145	181	305	319
151	188	329	346
161	203	358	377
171	214	384	404
178	221	409	431
184	231	435	456
195	244	464	486
203	254	489	513
211	264	513	539
234	293	555	582
241	302	581	610
248	311	607	637

#### DIMENSIONS INCHES / MM

H	W
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
137	172	280	294
145	181	305	319
151	188	329	346
161	203	358	377
171	214	384	404
178	221	409	431
184	231	435	456
195	244	464	486
203	254	489	513
211	264	513	539
234	293	555	582
241	302	581	610
248	311	607	637
149	187	308	323
158	197	337	354
168	211	366	385
180	225	400	420
191	240	430	452
202	253	461	482
211	264	490	514
223	279	522	548
233	292	553	580
244	305	581	610
270	337	628	659
279	349	659	692
288	361	690	723

Pricing is continued on the following page.

# U A Y S D

## Stretch Solid Fascia for Freestanding District (Continued)

### DIMENSIONS INCHES / MM

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438
41 / 1041	24 / 610
41 / 1041	30 / 762
41 / 1041	36 / 914
41 / 1041	42 / 1067
41 / 1041	48 / 1219
41 / 1041	54 / 1372
41 / 1041	60 / 1524
41 / 1041	66 / 1676
41 / 1041	72 / 1829
41 / 1041	78 / 1981
41 / 1041	84 / 2134
41 / 1041	90 / 2286
41 / 1041	96 / 2438

### PRICING

Element Source	Laminate	Seamless Color	Flintwood	Natural Veneer
149	187	308	323	
158	197	337	354	
168	211	366	385	
180	225	400	420	
191	240	430	452	
202	253	461	482	
211	264	490	514	
223	279	522	548	
233	292	553	580	
244	305	581	610	
270	337	628	659	
279	349	659	692	
288	361	690	723	
165	208	355	373	
182	227	395	415	
198	248	436	457	
214	268	478	501	
232	290	519	545	
249	313	560	588	
265	331	602	632	
282	353	642	674	
297	372	683	717	
314	392	723	759	
346	433	779	819	
362	453	821	862	
378	473	862	906	
179	226	395	414	
204	252	446	468	
227	283	496	524	
246	308	546	572	
270	337	598	630	
295	371	651	682	
317	395	703	738	
337	423	748	788	
360	450	802	844	
384	479	853	893	
419	525	918	962	
447	557	970	1019	
463	580	1015	1064	


## UNESF

### Solid Fascia – Full-Height

The Solid Fascia – Full-Height provides a solid monolithic look from the base of the panel to a height of 42".

#### WHAT'S INCLUDED

1 fascia with connectors.



82

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
35, 41	24 - 96	Element Source Laminate Seamless Color Flintwood (Standard) Natural Veneer

#### SAMPLE ORDER CODE

UNESF 35	60	FX
----------	----	----

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
35 / 889	24 / 610	165	208	355	373
35 / 889	30 / 762	182	227	395	415
35 / 889	36 / 914	198	248	436	457
35 / 889	42 / 1067	214	268	478	501
35 / 889	48 / 1219	232	290	519	545
35 / 889	54 / 1372	249	313	560	588
35 / 889	60 / 1524	265	331	602	632
35 / 889	66 / 1676	282	353	642	674
35 / 889	72 / 1829	297	372	683	717
35 / 889	78 / 1981	314	392	723	759
35 / 889	84 / 2134	346	433	779	819
35 / 889	90 / 2286	362	453	821	862
35 / 889	96 / 2438	378	473	862	906

#### PRICING

#### DIMENSIONS INCHES / MM

H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
41 / 1041	24 / 610	179	226	395	414
41 / 1041	30 / 762	204	252	446	468
41 / 1041	36 / 914	227	283	496	524
41 / 1041	42 / 1067	246	308	546	572
41 / 1041	48 / 1219	270	337	598	630
41 / 1041	54 / 1372	295	371	651	682
41 / 1041	60 / 1524	317	395	703	738
41 / 1041	66 / 1676	337	423	748	788
41 / 1041	72 / 1829	360	450	802	844
41 / 1041	78 / 1981	384	479	853	893
41 / 1041	84 / 2134	419	525	918	962
41 / 1041	90 / 2286	447	557	970	1019
41 / 1041	96 / 2438	463	580	1015	1064

#### PRICING



## UNELM

### Metal Fascia (Slot Mount)

The Metal Fascia provides a metal panel wall finish.


#### WHAT'S INCLUDED

1 fascia and attachment hardware.

#### NOTES

30" and 37" heights can be specified to a maximum of 60" width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFRR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFRR).



84

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 21, 22, 24, 27, 28, 30, 37	24 - 96	Foundation Mica

#### SAMPLE ORDER CODE

UNELM 28	60	E
----------	----	---

#### DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

#### PRICING

30
34
38
43
50
61
71
84
94
105
117
128
141
31
35
40
47
52
63
73
87
97
109
120
131
144

#### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

35
39
47
56
60
71
83
93
102
115
126
140
152
37
43
54
63
67
84
93
105
118
130
145
158
171

Pricing is continued on the following page.




# U N E L M

## Metal Fascia (Slot Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING	DIMENSIONS INCHES / MM		PRICING
H	W		H	W	
15 / 381	24 / 610	40	27 / 686	24 / 610	66
15 / 381	30 / 762	50	27 / 686	30 / 762	81
15 / 381	36 / 914	58	27 / 686	36 / 914	95
15 / 381	42 / 1067	70	27 / 686	42 / 1067	109
15 / 381	48 / 1219	79	27 / 686	48 / 1219	123
15 / 381	54 / 1372	95	27 / 686	54 / 1372	141
15 / 381	60 / 1524	108	27 / 686	60 / 1524	158
15 / 381	66 / 1676	118	27 / 686	66 / 1676	194
15 / 381	72 / 1829	127	27 / 686	72 / 1829	211
15 / 381	78 / 1981	141	27 / 686	78 / 1981	229
15 / 381	84 / 2134	152	27 / 686	84 / 2134	246
15 / 381	90 / 2286	164	27 / 686	90 / 2286	265
15 / 381	96 / 2438	175	27 / 686	96 / 2438	278
21 / 533	24 / 610	54	28 / 711	24 / 610	66
21 / 533	30 / 762	63	28 / 711	30 / 762	81
21 / 533	36 / 914	72	28 / 711	36 / 914	95
21 / 533	42 / 1067	88	28 / 711	42 / 1067	109
21 / 533	48 / 1219	97	28 / 711	48 / 1219	123
21 / 533	54 / 1372	116	28 / 711	54 / 1372	141
21 / 533	60 / 1524	127	28 / 711	60 / 1524	158
21 / 533	66 / 1676	146	28 / 711	66 / 1676	194
21 / 533	72 / 1829	161	28 / 711	72 / 1829	211
21 / 533	78 / 1981	174	28 / 711	78 / 1981	229
21 / 533	84 / 2134	186	28 / 711	84 / 2134	246
21 / 533	90 / 2286	202	28 / 711	90 / 2286	265
21 / 533	96 / 2438	216	28 / 711	96 / 2438	278
22 / 559	24 / 610	54	30 / 762	24 / 610	67
22 / 559	30 / 762	63	30 / 762	30 / 762	82
22 / 559	36 / 914	72	30 / 762	36 / 914	97
22 / 559	42 / 1067	88	30 / 762	42 / 1067	113
22 / 559	48 / 1219	97	30 / 762	48 / 1219	126
22 / 559	54 / 1372	116	30 / 762	54 / 1372	145
22 / 559	60 / 1524	127	30 / 762	60 / 1524	162
22 / 559	66 / 1676	146			
22 / 559	72 / 1829	161	37 / 965	24 / 610	89
22 / 559	78 / 1981	174	37 / 965	30 / 762	101
22 / 559	84 / 2134	186	37 / 965	36 / 914	122
22 / 559	90 / 2286	202	37 / 965	42 / 1067	139
22 / 559	96 / 2438	216	37 / 965	48 / 1219	157
			37 / 965	54 / 1372	191
24 / 610	24 / 610	64	37 / 965	60 / 1524	225
24 / 610	30 / 762	75			
24 / 610	36 / 914	89			
24 / 610	42 / 1067	101			
24 / 610	48 / 1219	116			
24 / 610	54 / 1372	134			
24 / 610	60 / 1524	149			
24 / 610	66 / 1676	172			
24 / 610	72 / 1829	195			
24 / 610	78 / 1981	217			
24 / 610	84 / 2134	243			
24 / 610	90 / 2286	279			
24 / 610	96 / 2438	308			

## U A E L M

### Metal Fascia for Freestanding District (Slot Mount)



The Metal Fascia provides a metal panel wall finish.

#### WHAT'S INCLUDED

1 fascia and attachment hardware.

#### NOTES

Not all height/width combinations are available, 35" heights can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

86

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 21, 22, 27, 28, 35	24 - 96	Foundation Mica

#### SAMPLE ORDER CODE

UAELM 28	60	E
----------	----	---

#### DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

#### PRICING

30
34
38
43
50
61
71
84
94
105
117
128
141
54
63
72
88
97
116
127
146
161
174
186
202
216

#### DIMENSIONS INCHES / MM

H	W
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

#### PRICING

54
63
72
88
97
116
127
146
161
174
186
202
216
66
81
95
109
123
141
158
194
211
229
246
265
278

Pricing is continued on the following page.

U A E L M

**Metal Fascia for Freestanding  
District (Slot Mount) (Continued)**

**DIMENSIONS**

**INCHES / MM**

H	W
28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

**PRICING**

66
81
95
109
123
141
158
194
211
229
246
265
278
89
101
116
134
149
172
195

## UNEUTR

### Framed Tackable Fabric Fascia (Clip Mount)

The Framed Tackable Fabric Fascia provides a firm tackable panel wall finish.

#### WHAT'S INCLUDED


1 fascia, fascia connectors.

#### WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.

#### NOTES

Graded-In panel fabrics are available on products up to 60" in width only.



88

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish	Frame Finish
09, 13, 15, 22, 24, 30, 37	24 - 96	Panel Fabric	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted

#### SAMPLE ORDER CODE

UNEUTR 22	72	L341	AC
-----------	----	------	----

#### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
154	158	164	170	177	183	188	193
170	176	182	187	195	203	208	214
185	190	198	205	214	223	229	236
214	220	229	237	247	257	264	273
233	241	250	259	271	283	291	299
253	261	271	279	293	305	314	323
271	279	290	300	314	328	337	347
322	331	345	355	373	383	395	408
339	349	363	376	394	406	419	433
363	376	391	405	424	437	452	468
387	401	417	432	453	467	483	500
405	418	435	450	473	486	503	521
424	439	456	473	498	512	530	549
160	165	171	177	184	190	196	201
177	182	189	195	204	211	217	223
193	198	207	213	223	232	239	246
223	229	239	247	257	267	275	284
242	250	261	270	282	294	303	312
263	271	282	290	304	317	325	336
282	290	302	313	328	342	352	362
335	345	358	371	388	398	412	425
353	365	379	392	411	423	437	451
379	392	408	422	442	455	471	486
404	417	435	450	472	486	503	521
422	436	453	469	494	507	525	542
442	457	477	494	519	535	554	572

## UNEUTR

Framed Tackable Fabric Fascia  
(Clip Mount) (Continued)DIMENSIONS  
INCHES / MM

## PRICING

H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
15 / 381	24 / 610	178	183	189	196	205	213	219	225
15 / 381	30 / 762	195	203	211	217	227	237	244	252
15 / 381	36 / 914	216	224	233	241	252	263	271	280
15 / 381	42 / 1067	248	257	267	278	292	304	314	323
15 / 381	48 / 1219	266	276	288	299	314	329	339	350
15 / 381	54 / 1372	296	307	320	331	347	363	374	387
15 / 381	60 / 1524	314	325	339	353	371	388	401	414
15 / 381	66 / 1676	366	378	394	410	432	445	461	477
15 / 381	72 / 1829	384	400	417	434	457	473	491	509
15 / 381	78 / 1981	411	426	447	465	490	506	526	545
15 / 381	84 / 2134	448	465	485	503	531	548	568	589
15 / 381	90 / 2286	469	485	508	528	558	575	598	620
15 / 381	96 / 2438	486	506	529	550	582	600	624	648
22 / 559	24 / 610	194	201	209	215	225	234	241	248
22 / 559	30 / 762	214	223	232	240	252	263	271	279
22 / 559	36 / 914	240	248	258	267	280	294	302	314
22 / 559	42 / 1067	273	284	296	308	325	339	351	361
22 / 559	48 / 1219	290	302	316	328	346	363	375	388
22 / 559	54 / 1372	329	343	358	373	391	409	423	437
22 / 559	60 / 1524	346	359	377	392	414	434	449	464
22 / 559	66 / 1676	395	411	432	449	475	492	511	531
22 / 559	72 / 1829	415	433	454	473	503	521	542	564
22 / 559	78 / 1981	442	462	484	506	538	558	581	605
22 / 559	84 / 2134	492	511	536	557	590	610	634	658
22 / 559	90 / 2286	514	536	561	585	622	643	669	696
22 / 559	96 / 2438	531	553	581	607	644	667	695	722
24 / 610	24 / 610	197	205	213	219	229	239	246	253
24 / 610	30 / 762	218	227	236	245	257	268	277	285
24 / 610	36 / 914	245	253	264	273	287	300	309	320
24 / 610	42 / 1067	278	289	303	314	330	346	357	368
24 / 610	48 / 1219	296	308	323	335	354	371	383	395
24 / 610	54 / 1372	336	349	366	380	400	418	432	446
24 / 610	60 / 1524	353	367	385	401	422	442	458	472
24 / 610	66 / 1676	404	420	440	457	484	501	521	540
24 / 610	72 / 1829	423	441	464	483	514	533	555	578
24 / 610	78 / 1981	451	470	495	515	548	567	591	615
24 / 610	84 / 2134	501	521	545	568	602	623	648	673
24 / 610	90 / 2286	525	545	573	598	634	657	684	711
24 / 610	96 / 2438	542	564	593	619	657	681	709	738
30 / 762	24 / 610	214	223	233	241	253	265	273	283
30 / 762	30 / 762	239	248	261	271	285	299	309	322
30 / 762	36 / 914	265	275	288	300	317	334	345	359
30 / 762	42 / 1067	307	320	336	350	369	389	402	418
30 / 762	48 / 1219	326	341	358	374	395	417	432	449
30 / 762	54 / 1372	374	390	410	426	451	475	492	510
30 / 762	60 / 1524	392	409	432	450	477	502	521	540
30 / 762	66 / 1676	446	466	490	512	545	565	590	615
30 / 762	72 / 1829	477	498	525	549	585	607	633	659
30 / 762	78 / 1981	509	531	560	585	624	647	675	704
30 / 762	84 / 2134	563	587	616	644	685	709	739	770
30 / 762	90 / 2286	588	613	646	675	721	747	780	814
30 / 762	96 / 2438	605	631	666	696	740	768	801	834

Pricing is continued on the following page.

U N E U T R


Framed Tackable Fabric Fascia  
(Clip Mount) (Continued)

DIMENSIONS INCHES / MM		PRICING							
H	W	Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
37 / 940	24 / 610	231	240	252	262	276	290	300	313
37 / 940	30 / 762	258	270	284	296	313	330	342	357
37 / 940	36 / 914	284	296	313	327	347	367	381	397
37 / 940	42 / 1067	336	350	369	386	409	433	448	467
37 / 940	48 / 1219	356	373	393	411	438	464	481	501
37 / 940	54 / 1372	411	431	453	473	502	530	550	573
37 / 940	60 / 1524	432	451	477	499	530	561	582	608
37 / 940	66 / 1676	486	510	539	565	605	629	659	688
37 / 940	72 / 1829	530	555	585	613	656	681	712	743
37 / 940	78 / 1981	565	592	625	655	701	728	761	795
37 / 940	84 / 2134	624	652	687	720	768	797	833	868
37 / 940	90 / 2286	651	680	718	753	805	836	874	913
37 / 940	96 / 2438	668	698	736	770	824	855	893	932



## UNELF

## Tackable Fabric Fascia (Slot Mount)



The Tackable Fabric Fascia provides a tackable panel wall finish.

**WHAT'S INCLUDED**

1 fascia.

**WHAT'S EXCLUDED**

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

**NOTES**

6" and 7" height fascias are not tackable.

Graded-In panel fabrics are available on products up to 60" in width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

92

## PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 07, 09, 13, 15, 21, 22, 24, 27, 28, 30, 37	24 - 96	Panel Fabric

## SAMPLE ORDER CODE

UNELF 22	72	L341
----------	----	------

DIMENSIONS  
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438
7 / 178	24 / 610
7 / 178	30 / 762
7 / 178	36 / 914
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
41	45	51	56	63	70	75	90
51	53	58	64	73	84	87	104
57	59	64	70	82	92	96	116
63	65	72	83	93	104	110	131
69	72	81	89	100	112	118	139
84	89	96	106	120	132	139	164
96	104	113	124	141	155	164	188
112	118	127	141	160	168	180	191
125	129	142	156	180	187	201	215
132	137	152	168	193	202	217	232
140	145	161	181	205	216	233	249
148	153	170	188	213	225	241	258
154	161	177	195	219	231	247	263
43	49	53	58	65	72	77	93
53	55	60	66	78	87	91	108
59	61	66	72	85	95	99	120
65	67	75	86	96	108	114	136
71	75	84	92	104	115	121	144
87	92	99	110	123	137	143	170
99	108	117	128	145	160	169	195
115	122	131	146	165	173	185	198
129	134	147	161	186	195	209	223
137	142	157	174	198	208	223	239
145	149	167	186	212	224	241	258
152	158	176	195	220	232	249	267
159	167	182	202	227	238	255	272

Pricing is continued on the following page.



## UNELF

Tackable Fabric Fascia (Slot Mount)  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
35	36	42	51	61	71	76	95
39	47	52	57	71	86	90	112
47	53	58	69	83	95	102	125
56	57	68	81	93	106	114	140
60	64	79	89	106	123	132	159
71	79	86	97	124	150	155	189
83	85	93	105	134	161	165	207
93	99	112	129	158	167	183	199
102	116	127	154	183	197	217	237
114	121	140	165	194	207	227	248
122	125	152	177	207	224	246	267
127	134	162	186	220	238	262	286
131	142	174	195	234	253	278	304
37	39	49	56	66	76	82	101
43	56	58	64	81	95	100	121
54	61	66	79	92	106	113	137
63	64	79	90	104	117	126	151
67	71	90	99	117	134	144	174
84	90	98	114	139	162	170	209
93	96	110	122	150	177	184	226
105	116	128	149	178	189	207	226
118	134	147	174	205	219	241	263
128	139	160	186	216	233	255	277
140	142	174	198	227	245	268	291
146	151	186	210	243	264	289	315
150	158	198	219	258	279	307	335
40	43	54	63	73	85	92	113
50	63	64	72	90	106	111	134
58	70	75	89	104	119	128	151
70	72	89	101	116	129	140	167
79	83	100	115	131	149	161	193
95	100	116	130	155	179	189	233
108	113	127	142	171	198	207	253
118	134	148	168	200	213	233	253
127	156	166	195	228	246	270	294
142	159	181	211	243	264	289	315
156	161	195	225	256	277	303	329
165	172	210	239	273	297	326	354
174	181	223	252	289	314	344	374
54	57	65	79	91	104	111	135
63	70	81	92	109	124	133	157
72	83	95	109	124	141	152	178
88	92	109	126	144	159	173	204
97	104	125	142	161	181	196	235
116	123	141	160	191	223	235	277
127	134	153	172	207	242	254	303
146	157	182	207	242	260	284	308
161	181	211	240	275	300	329	357
178	191	225	259	296	321	351	382
193	203	240	278	315	342	374	406
204	216	258	296	336	365	400	435
215	229	276	313	356	387	424	461

Pricing is continued on the following page.

## UNELF

Tackable Fabric Fascia (Slot Mount)  
(Continued)DIMENSIONS  
INCHES / MM

H	W
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

24 / 610	24 / 610
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
24 / 610	78 / 1981
24 / 610	84 / 2134
24 / 610	90 / 2286
24 / 610	96 / 2438

27 / 686	24 / 610
27 / 686	30 / 762
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	24 / 610
28 / 711	30 / 762
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
54	57	65	79	91	104	111	135
63	70	81	92	109	124	133	157
72	83	95	109	124	141	152	178
88	92	109	126	144	159	173	204
97	104	125	142	161	181	196	235
116	123	141	160	191	223	235	277
127	134	153	172	207	242	254	303
146	157	182	207	242	260	284	308
161	181	211	240	275	300	329	357
178	191	225	259	296	321	351	382
193	203	240	278	315	342	374	406
204	216	258	296	336	365	400	435
215	229	276	313	356	387	424	461
64	69	79	92	109	123	132	158
75	79	93	113	126	141	154	179
89	93	114	129	147	162	177	204
101	113	129	151	172	190	207	241
116	125	149	170	190	212	230	276
134	144	165	191	228	265	281	322
149	157	179	201	243	285	298	351
172	182	214	244	284	305	334	362
195	205	249	286	323	353	387	420
211	226	268	309	350	381	417	453
225	247	286	333	377	411	450	489
240	262	307	354	400	436	477	519
254	276	327	374	420	460	503	545
66	71	85	97	114	129	139	167
81	86	100	119	136	152	165	196
95	99	120	139	159	181	195	231
109	117	139	159	181	203	220	262
123	131	155	181	205	227	247	290
141	150	174	200	238	276	293	330
158	162	187	211	257	302	316	358
194	201	239	274	320	344	376	409
211	219	264	305	351	380	416	453
231	244	292	336	384	417	457	497
240	256	305	351	400	435	476	518
262	279	329	382	433	470	514	559
272	290	342	398	449	490	536	582
66	71	85	97	114	129	139	167
81	86	100	119	136	152	165	196
95	99	120	139	159	181	195	231
109	117	139	159	181	203	220	262
123	131	155	181	205	227	247	290
141	150	174	200	238	276	293	330
158	162	187	211	257	302	316	358
194	201	239	274	320	344	376	409
211	219	264	305	351	380	416	453
231	244	292	336	384	417	457	497
240	256	305	351	400	435	476	518
262	279	329	382	433	470	514	559
272	290	342	398	449	490	536	582

Pricing is continued on the following page.

## UNELF

Tackable Fabric Fascia (Slot Mount)  
(Continued)DIMENSIONS  
INCHES / MM


H	W
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
30 / 762	78 / 1981
30 / 762	84 / 2134
30 / 762	90 / 2286
30 / 762	96 / 2438
37 / 940	24 / 610
37 / 940	30 / 762
37 / 940	36 / 914
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
67	71	87	99	116	131	142	172
82	88	104	121	140	156	170	204
97	101	122	142	165	188	202	244
113	119	142	164	186	209	226	272
126	135	158	185	210	235	255	297
145	153	178	203	242	280	297	335
162	165	190	215	263	309	323	361
189	195	229	264	314	333	365	397
215	225	268	313	363	392	431	469
232	244	290	337	387	419	460	500
247	262	313	361	410	446	488	531
263	280	331	385	437	475	520	565
278	298	349	408	464	503	551	599
89	91	108	126	150	174	185	226
101	109	129	148	175	202	216	267
122	127	149	177	207	236	253	313
139	147	174	204	236	267	288	351
157	167	198	228	266	303	326	388
191	204	243	277	326	374	400	489
225	240	286	325	385	445	475	589
247	261	307	357	420	451	495	539
268	280	327	388	454	487	536	584
287	302	356	419	486	525	576	628
305	323	384	449	519	562	617	673
326	346	410	477	552	597	655	713
347	369	437	503	585	631	692	753

## U A E L F

### Tackable Fabric Fascia for Freestanding District (Slot Mount)



The Tackable Fabric Fascia provides a tackable panel wall finish.

#### WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

#### NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21", 22" and 35" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

96

#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
6, 21, 22, 35	24 - 96	Panel Fabric

#### SAMPLE ORDER CODE

UAELF 22	60	L341
----------	----	------

#### DIMENSIONS INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

#### PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
41	45	51	56	63	70	75	90
51	53	58	64	73	84	87	104
57	59	64	70	82	92	96	116
63	65	72	83	93	104	110	131
69	72	81	89	100	112	118	139
84	89	96	106	120	132	139	164
96	104	113	124	141	155	164	188
112	118	127	141	160	168	180	191
125	129	142	156	180	187	201	215
132	137	152	168	193	202	217	232
140	145	161	181	205	216	233	249
148	153	170	188	213	225	241	258
154	161	177	195	219	231	247	263

Pricing is continued on the following page.

## U A E L F

# Tackable Fabric Fascia for Freestanding District (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	24 / 610
22 / 559	30 / 762
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	24 / 610
35 / 889	30 / 762
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
54	57	65	79	91	104	111	135
63	70	81	92	109	124	133	157
72	83	95	109	124	141	152	178
88	92	109	126	144	159	173	204
97	104	125	142	161	181	196	235
116	123	141	160	191	223	235	277
127	134	153	172	207	242	254	303
146	157	182	207	242	260	284	308
161	181	211	240	275	300	329	357
178	191	225	259	296	321	351	382
193	203	240	278	315	342	374	406
204	216	258	296	336	365	400	435
215	229	276	313	356	387	424	461
54	57	65	79	91	104	111	135
63	70	81	92	109	124	133	157
72	83	95	109	124	141	152	178
88	92	109	126	144	159	173	204
97	104	125	142	161	181	196	235
116	123	141	160	191	223	235	277
127	134	153	172	207	242	254	303
146	157	182	207	242	260	284	308
161	181	211	240	275	300	329	357
178	191	225	259	296	321	351	382
193	203	240	278	315	342	374	406
204	216	258	296	336	365	400	435
215	229	276	313	356	387	424	461
89	91	108	126	150	174	185	226
101	109	129	148	175	202	216	267
122	127	149	177	207	236	253	313
139	147	174	204	236	267	288	351
157	167	198	228	266	303	326	388
191	204	243	277	326	374	400	489
225	240	286	325	385	445	475	589
247	261	307	357	420	451	495	539
268	280	327	388	454	487	536	584
287	302	356	419	486	525	576	628
305	323	384	449	519	562	617	673
326	346	410	477	552	597	655	713
347	369	437	503	585	631	692	753

**UNEUWR****Framed Whiteboard Fascia  
(Clip Mount)**


The Framed Whiteboard Fascia provides an erasable message board surface.

**WHAT'S INCLUDED**

1 fascia, fascia connectors.

**WHAT'S EXCLUDED**

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.



98

**PRODUCT OPTIONS**

Height	Width	Frame Finish
22, 24, 30, 37	36, 42, 48	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted

**SAMPLE ORDER CODE**

<b>UNEUWR 22</b>	<b>48</b>	<b>AC</b>
------------------	-----------	-----------

**DIMENSIONS  
INCHES / MM**

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
37 / 940	36 / 914
37 / 940	42 / 1067
37 / 940	48 / 1219

**PRICING**

453
494
531
500
569
643
544
608
659
588
646
674

The Whiteboard Fascia provides an erasable message board surface.

#### WHAT'S INCLUDED

1 fascia.

#### WHAT'S EXCLUDED


Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

#### NOTES

The width of the tray equals the width of the fascia.

Please note that two trays **cannot** be used side-by-side in a 90° configuration.

## UNEMB Whiteboard Fascia (Slot Mount)



#### PRODUCT OPTIONS

Tray	Height	Width	Tray Finish (If applicable)
N No Tray	22, 24, 30, 37	36, 42, 48	Foundation
T With Tray			Mica

#### SAMPLE ORDER CODE

UNEMB T	22	48	P
---------	----	----	---


#### DIMENSIONS INCHES / MM

H	W
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
37 / 940	36 / 914
37 / 940	42 / 1067
37 / 940	48 / 1219

#### PRICING

NO TRAY (N)	WITH TRAY (T)
293	338
318	367
343	394
323	368
367	416
415	467
349	394
393	445
438	495
379	424
417	454
454	510

## UNEUAR

Accessory Fascia (Clip Mount) –  
Anodized Aluminum

The Accessory Fascia provides support for Personal Organizers (PAX) and fx Accessories to facilitate organization of the workspace.

**WHAT'S INCLUDED**

1 fascia, fascia connectors.

**WHAT'S EXCLUDED**

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.

**NOTES**

Available in an Anodized Aluminum finish only.

Personal Organizers (PAX) and fx Accessories can be found in Complements: *Teknion's Ergonomics & Accessories Program*.

100

## PRODUCT OPTIONS

Height	Width (6" increments)
06	24 - 96

## SAMPLE ORDER CODE

UNEUAR 06	96
-----------	----

DIMENSIONS  
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

## PRICING

96
105
118
127
135
146
155
166
178
188
200
211
221



The Accessory Fascia provides support for Personal Organizers (PAX) and fx Accessories to facilitate organization of the workspace.

#### WHAT'S INCLUDED

1 fascia and attachment hardware.


#### WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

#### NOTES

Personal Organizers (PAX) and fx Accessories can be found in Complements: *Téknon's Ergonomics & Accessories Program*.

## UNELA Accessory Fascia (Slot Mount)



#### PRODUCT OPTIONS

Height	Width (6" increments)	Fascia Finish
06, 13, 15	24 - 96	Foundation Mica

#### SAMPLE ORDER CODE

UNELA 15	24	E
----------	----	---


#### DIMENSIONS INCHES / MM

H	W	
6 / 152	24 / 610	96
6 / 152	30 / 762	105
6 / 152	36 / 914	118
6 / 152	42 / 1067	127
6 / 152	48 / 1219	135
6 / 152	54 / 1372	146
6 / 152	60 / 1524	155
6 / 152	66 / 1676	166
6 / 152	72 / 1829	178
6 / 152	78 / 1981	188
6 / 152	84 / 2134	200
6 / 152	90 / 2286	211
6 / 152	96 / 2438	221
13 / 330	24 / 610	112
13 / 330	30 / 762	124
13 / 330	36 / 914	142
13 / 330	42 / 1067	154
13 / 330	48 / 1219	170
13 / 330	54 / 1372	191
13 / 330	60 / 1524	214
13 / 330	66 / 1676	236
13 / 330	72 / 1829	258
13 / 330	78 / 1981	280
13 / 330	84 / 2134	303
13 / 330	90 / 2286	325
13 / 330	96 / 2438	347

#### DIMENSIONS INCHES / MM

H	W	
15 / 381	24 / 610	125
15 / 381	30 / 762	144
15 / 381	36 / 914	166
15 / 381	42 / 1067	180
15 / 381	48 / 1219	204
15 / 381	54 / 1372	240
15 / 381	60 / 1524	273
15 / 381	66 / 1676	306
15 / 381	72 / 1829	339
15 / 381	78 / 1981	373
15 / 381	84 / 2134	406
15 / 381	90 / 2286	439
15 / 381	96 / 2438	472

## UNECL

Solid Power/Communications Fascia  
(Clip Mount)

The Solid Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

**WHAT'S INCLUDED**

1 fascia with cut out as specified, fascia connectors.

**WHAT'S EXCLUDED**

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.

**NOTES**

Not all height/width combinations are available. See pricing for exact offering.

Panel Wall Rail (UNPHN) required for application to Panel Frame for Wood and/or Framed Fascias, ordered separately.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

102

## PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
<b>2</b> 1 duplex outlet plus VDM (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider for 1 and 2 duplex outlets)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 21", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Element Source Laminate
<b>4</b> 2 duplex outlets plus VDM (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for 2 duplex outlets and on 24", 30", 36" widths for 1 duplex outlet)	<b>F</b> Flush (applies to 28" and 27" heights only for base fascias flush to floor. Cut out will be at bottom)			Seamless Color
	<b>L</b> Left (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 21", 22", 27", 28" heights)			Flintwood
	<b>R</b> Right (not available on widths below 42")				Natural Veneer

## SAMPLE ORDER CODE

UNECL 2	B	B	22	72	FX
---------	---	---	----	----	----

DIMENSIONS  
INCHES / MM

		PRICING			
H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (B)					
7 / 178	66 / 1676	225	257	382	395
7 / 178	72 / 1829	227	259	392	408
7 / 178	78 / 1981	231	264	404	418
7 / 178	84 / 2134	237	272	421	438
7 / 178	90 / 2286	241	276	434	449
7 / 178	96 / 2438	242	277	443	462
13 / 330	66 / 1676	249	287	471	490
13 / 330	72 / 1829	256	296	492	510
13 / 330	78 / 1981	263	304	510	531
13 / 330	84 / 2134	279	325	543	565
13 / 330	90 / 2286	285	331	564	588
13 / 330	96 / 2438	292	341	585	610
21 / 533	66 / 1676	277	344	556	584
21 / 533	72 / 1829	285	354	580	610
21 / 533	78 / 1981	293	363	604	637
21 / 533	84 / 2134	316	392	643	678
21 / 533	90 / 2286	325	402	669	704
21 / 533	96 / 2438	334	410	692	729
22 / 559	66 / 1676	277	344	556	584
22 / 559	72 / 1829	285	354	580	610
22 / 559	78 / 1981	293	363	604	637
22 / 559	84 / 2134	316	392	643	678
22 / 559	90 / 2286	325	402	669	704
22 / 559	96 / 2438	334	410	692	729

DIMENSIONS  
INCHES / MM

		PRICING			
H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (B)					
37 / 940	66 / 1676	381	452	741	773
37 / 940	72 / 1829	397	471	783	818
37 / 940	78 / 1981	414	493	823	858
37 / 940	84 / 2134	446	532	880	918
37 / 940	90 / 2286	463	553	920	962
37 / 940	96 / 2438	478	573	962	1005

Pricing is continued on the following page.

## UNECL

Solid Power/Communications Fascia  
(Clip Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (F)			
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
HORIZONTAL (B) & VERTICAL (T)			
249	287	471	490
256	296	492	510
263	304	510	531
279	325	543	565
285	331	564	588
292	341	585	610
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832

DIMENSIONS  
INCHES / MM

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (T)			
249	287	471	490
256	296	492	510
263	304	510	531
279	325	543	565
285	331	564	588
292	341	585	610
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832

Pricing is continued on the following page.

## UNEC L

### Solid Power/Communications Fascia (Clip Mount) (Continued)

#### DIMENSIONS INCHES / MM

H	W
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (C) & VERTICAL (B)			
148	172	248	258
150	176	257	268
153	180	264	275
156	183	274	285
160	188	293	306
166	196	314	327
178	221	346	365
185	231	369	388
195	239	393	414
178	221	346	365
185	231	369	388
195	239	393	414
215	257	405	422
232	277	446	465
248	298	485	508
HORIZONTAL (C) & VERTICAL (F)			
198	237	358	373
209	247	387	404
218	261	416	435
198	237	358	373
209	247	387	404
218	261	416	435
HORIZONTAL (C) & VERTICAL (T)			
156	183	274	285
160	188	293	306
166	196	314	327
178	221	346	365
185	231	369	388
195	239	393	414
178	221	346	365
185	231	369	388
195	239	393	414
198	237	358	373
209	247	387	404
218	261	416	435
198	237	358	373
209	247	387	404
218	261	416	435

Does NOT apply to Outlet Configuration 4

#### DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (B)			
158	186	279	290
160	188	289	302
161	190	300	313
165	194	312	325
176	208	333	346
178	210	343	358
181	214	354	368
187	221	372	388
190	226	384	400
191	227	393	411
174	205	337	350
182	215	357	372
187	221	377	393
191	227	398	416
200	237	421	440
207	246	441	461
213	254	461	481
229	275	494	515
235	282	514	538
242	290	536	560
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
264	318	528	551
282	341	569	595
299	362	610	638
315	381	652	682
331	403	692	725
347	421	733	767
363	442	772	808
395	482	829	867
412	503	869	913
428	524	913	954

Pricing is continued on the following page.

## UNECL

Solid Power/Communications Fascia  
(Clip Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (F)			
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
HORIZONTAL (L or R) & VERTICAL (T)			
174	205	337	350
182	215	357	372
187	221	377	393
191	227	398	416
200	237	421	440
207	246	441	461
213	254	461	481
229	275	494	515
235	282	514	538
242	290	536	560
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694

DIMENSIONS  
INCHES / MM


H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (T)			
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798

## UAECL

### Solid Power/Communications Fascia for Freestanding District (Clip Mount)



The Solid Power/Communications Fascia provides face-mounted access to power/communications.

#### WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

#### NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 36" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

106

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communication Orientation	Vertical Power/Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 27, 28	36 - 96	Element Source Laminate
	LC Left Centre	B Bottom			Seamless Color
4 Cut out for 4 outlets (available on 36" widths and wider)	RC Right Centre				Flintwood (Standard)
	RR Right				Natural Veneer
	LR Left & Right				
	CR Left Centre & Right				
	CL Right Centre & Left				

#### SAMPLE ORDER CODE

UAECL 2	CR	B	22	72	FX
---------	----	---	----	----	----

#### DIMENSIONS INCHES / MM

		PRICING			
		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
H W		HORIZONTAL (LR, CR or CL) & VERTICAL (B or T)			
21 / 533	66 / 1676	277	344	556	584
21 / 533	72 / 1829	285	354	580	610
21 / 533	78 / 1981	293	363	604	637
21 / 533	84 / 2134	316	392	643	678
21 / 533	90 / 2286	325	402	669	704
21 / 533	96 / 2438	334	410	692	729
22 / 559	66 / 1676	277	344	556	584
22 / 559	72 / 1829	285	354	580	610
22 / 559	78 / 1981	293	363	604	637
22 / 559	84 / 2134	316	392	643	678
22 / 559	90 / 2286	325	402	669	704
22 / 559	96 / 2438	334	410	692	729
27 / 686	66 / 1676	348	379	622	654
27 / 686	72 / 1829	362	391	652	686
27 / 686	78 / 1981	377	405	680	717
27 / 686	84 / 2134	406	437	727	766
27 / 686	90 / 2286	420	449	759	800
27 / 686	96 / 2438	434	462	790	832

#### DIMENSIONS INCHES / MM

		PRICING			
		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
H W		HORIZONTAL (LR, CR or CL) & VERTICAL (B or T)			
28 / 711	66 / 1676	348	379	622	654
28 / 711	72 / 1829	362	391	652	686
28 / 711	78 / 1981	377	405	680	717
28 / 711	84 / 2134	406	437	727	766
28 / 711	90 / 2286	420	449	759	800
28 / 711	96 / 2438	434	462	790	832

Pricing is continued on the following page.

## U A E C L

# Solid Power/Communications Fascia for Freestanding District (Clip Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (LL or RR) & VERTICAL (B or T)			
195	239	393	414
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
195	239	393	414
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
218	261	416	435
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
218	261	416	435
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588

## DIMENSIONS INCHES / MM


H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (LL, LC, RC or RR) & VERTICAL (B or T)			
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798

## UNEIL

### Solid International Power/Communications Fascia (Clip Mount)



The Solid International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

#### WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

#### WHAT'S EXCLUDED

Panel Wall Rail (UNPHN) is required for additional panel segmentation and must be specified separately. Can be found on page 55.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

108

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Element Source Laminate
3 Cut out for 2 outlets and 1 data/communications box (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	<b>F</b> Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)			Seamless Color
4 Cut out for 4 outlets (available on 36" widths and wider)	<b>L</b> Left (not available on widths below 42") <b>R</b> Right (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 22", 28" heights)			Flintwood Natural Veneer

#### SAMPLE ORDER CODE

UNEIL 3	R	T	22	60	FX
---------	---	---	----	----	----

#### DIMENSIONS INCHES / MM

		PRICING			
H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (B)					
7 / 178	66 / 1676	225	257	382	395
7 / 178	72 / 1829	227	259	392	408
7 / 178	78 / 1981	231	264	404	418
7 / 178	84 / 2134	237	272	421	438
7 / 178	90 / 2286	241	276	434	449
7 / 178	96 / 2438	242	277	443	462
13 / 330	66 / 1676	249	287	471	490
13 / 330	72 / 1829	256	296	492	510
13 / 330	78 / 1981	263	304	510	531
13 / 330	84 / 2134	279	325	543	565
13 / 330	90 / 2286	285	331	564	588
13 / 330	96 / 2438	292	341	585	610
21 / 533	66 / 1676	277	344	556	584
21 / 533	72 / 1829	285	354	580	610
21 / 533	78 / 1981	293	363	604	637
21 / 533	84 / 2134	316	392	643	678
21 / 533	90 / 2286	325	402	669	704
21 / 533	96 / 2438	334	410	692	729
22 / 559	66 / 1676	277	344	556	584
22 / 559	72 / 1829	285	354	580	610
22 / 559	78 / 1981	293	363	604	637
22 / 559	84 / 2134	316	392	643	678
22 / 559	90 / 2286	325	402	669	704
22 / 559	96 / 2438	334	410	692	729

#### DIMENSIONS INCHES / MM

		PRICING			
H	W	Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (B)					
37 / 940	66 / 1676	381	452	741	773
37 / 940	72 / 1829	397	471	783	818
37 / 940	78 / 1981	414	493	823	858
37 / 940	84 / 2134	446	532	880	918
37 / 940	90 / 2286	463	553	920	962
37 / 940	96 / 2438	478	573	962	1005
37 / 940	66 / 1676	381	452	741	773
27 / 686	66 / 1676	348	379	622	654
27 / 686	72 / 1829	362	391	652	686
27 / 686	78 / 1981	377	405	680	717
27 / 686	84 / 2134	406	437	727	766
27 / 686	90 / 2286	420	449	759	800
27 / 686	96 / 2438	434	462	790	832
28 / 711	66 / 1676	348	379	622	654
28 / 711	72 / 1829	362	391	652	686
28 / 711	78 / 1981	377	405	680	717
28 / 711	84 / 2134	406	437	727	766
28 / 711	90 / 2286	420	449	759	800
28 / 711	96 / 2438	434	462	790	832

Pricing is continued on the following page.



## UN EIL

# Solid International Power/Communications Fascia (Clip Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (B) & VERTICAL (T)			
249	287	471	490
256	296	492	510
263	304	510	531
279	325	543	565
285	331	564	588
292	341	585	610
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
277	344	556	584
285	354	580	610
293	363	604	637
316	392	643	678
325	402	669	704
334	410	692	729
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
348	379	622	654
362	391	652	686
377	405	680	717
406	437	727	766
420	449	759	800
434	462	790	832
HORIZONTAL (C) & VERTICAL (B)			
148	172	248	258
150	176	257	268
153	180	264	275
156	183	274	285
160	188	293	306
166	196	314	327
178	221	346	365
185	231	369	388
195	239	393	414
178	221	346	365
185	231	369	388
195	239	393	414
215	257	405	422
232	277	446	465
248	298	485	508

## DIMENSIONS INCHES / MM

H	W
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

\* Does NOT apply to Outlet Configurations 3 and 4

## PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (C) & VERTICAL (F)			
198	237	358	373
209	247	387	404
218	261	416	435
198	237	358	373
209	247	387	404
218	261	416	435
HORIZONTAL (C) & VERTICAL (T)			
156	183	274	285
160	188	293	306
166	196	314	327
178	221	346	365
185	231	369	388
195	239	393	414
178	221	346	365
185	231	369	388
195	239	393	414
178	221	346	365
185	231	369	388
195	239	393	414
198	237	358	373
209	247	387	404
218	261	416	435

Pricing is continued on the following page.

## UN EIL

### Solid International Power/Communications Fascia (Clip Mount) (Continued)

#### DIMENSIONS INCHES / MM

7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (B)			
158	186	279	290
160	188	289	302
161	190	300	313
165	194	312	325
176	208	333	346
178	210	343	358
181	214	354	368
187	221	372	388
190	226	384	400
191	227	393	411
174	205	337	350
182	215	357	372
187	221	377	393
191	227	398	416
200	237	421	440
207	246	441	461
213	254	461	481
229	275	494	515
235	282	514	538
242	290	536	560
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
264	318	528	551
282	341	569	595
299	362	610	638
315	381	652	682
331	403	692	725
347	421	733	767
363	442	772	808
395	482	829	867
412	503	869	913
428	524	913	954

#### DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

#### PRICING

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (F)			
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
HORIZONTAL (L or R) & VERTICAL (T)			
174	205	337	350
182	215	357	372
187	221	377	393
191	227	398	416
200	237	421	440
207	246	441	461
213	254	461	481
229	275	494	515
235	282	514	538
242	290	536	560
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694

Pricing is continued on the following page.

U N E I L  
Solid International  
Power/Communications Fascia  
(Clip Mount) (Continued)

**DIMENSIONS**  
**INCHES / MM**


27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
HORIZONTAL (L or R) & VERTICAL (T)			
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798

## UAEIL

### Solid International Power/ Communications Fascia for Freestanding District (Clip Mount)



The Solid International Power/Communications Fascia provides face-mounted access to power/communications.

#### WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

#### NOTES

Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 36" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

II2

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	LL Left	T Top	21, 22, 27, 28, 35	36 - 96	Element Source Laminate
3 Cut out for 2 outlets and 1 data/communications box (available on 36" widths and wider)	LC Left Centre	B Bottom			Seamless Color
	RC Right Centre				Natural Veneer
	RR Right				
	LR Left & Right				
4 Cut out for 4 outlets (available on 36" widths and wider)	CR Left Centre & Right				
	CL Right Centre & Left				

#### SAMPLE ORDER CODE

UAEIL 3	CR	T	22	60	FX
---------	----	---	----	----	----

#### DIMENSIONS INCHES / MM

		PRICING			
		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
H W		HORIZONTAL (LR, CR or CL) & VERTICAL (B or T)			
21 / 533	66 / 1676	277	344	556	584
21 / 533	72 / 1829	285	354	580	610
21 / 533	78 / 1981	293	363	604	637
21 / 533	84 / 2134	316	392	643	678
21 / 533	90 / 2286	325	402	669	704
21 / 533	96 / 2438	334	410	692	729
22 / 559	66 / 1676	277	344	556	584
22 / 559	72 / 1829	285	354	580	610
22 / 559	78 / 1981	293	363	604	637
22 / 559	84 / 2134	316	392	643	678
22 / 559	90 / 2286	325	402	669	704
22 / 559	96 / 2438	334	410	692	729
27 / 686	66 / 1676	348	379	622	654
27 / 686	72 / 1829	362	391	652	686
27 / 686	78 / 1981	377	405	680	717
27 / 686	84 / 2134	406	437	727	766
27 / 686	90 / 2286	420	449	759	800
27 / 686	96 / 2438	434	462	790	832

#### DIMENSIONS INCHES / MM

		PRICING			
		Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
H W		HORIZONTAL (LR, CR or CL) & VERTICAL (B or T)			
28 / 711	66 / 1676	348	379	622	654
28 / 711	72 / 1829	362	391	652	686
28 / 711	78 / 1981	377	405	680	717
28 / 711	84 / 2134	406	437	727	766
28 / 711	90 / 2286	420	449	759	800
28 / 711	96 / 2438	434	462	790	832
35 / 889	66 / 1676	381	452	741	773
35 / 889	72 / 1829	397	471	783	818
35 / 889	78 / 1981	414	493	823	858
35 / 889	84 / 2134	446	532	880	918
35 / 889	90 / 2286	463	553	920	962
35 / 889	96 / 2438	478	573	962	1005

Pricing is continued on the following page.

## UAEIL

**Solid International Power/  
Communications Fascia for  
Freestanding District (Clip Mount)  
(Continued)**

**DIMENSIONS  
INCHES / MM**

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524

**PRICING**

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>HORIZONTAL (LL or RR) &amp; VERTICAL (B or T)</b>			
195	239	393	414
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
195	239	393	414
205	253	421	443
213	264	443	468
223	272	468	494
231	280	493	520
218	261	416	435
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588
218	261	416	435
256	275	462	486
272	289	496	524
286	303	525	553
299	314	557	588

**DIMENSIONS  
INCHES / MM**


H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**

Element Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>HORIZONTAL (LL, LC, RC or RR) &amp; VERTICAL (B or T)</b>			
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
242	294	521	550
250	304	545	575
258	314	570	602
282	343	609	643
290	351	634	670
298	360	657	694
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798
314	329	587	619
327	342	616	652
343	355	645	683
372	387	692	731
385	400	725	766
400	411	756	798

## UNELCM

### Metal Power/Communications Fascia (Slot Mount)



The Metal Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

#### WHAT'S INCLUDED

1 fascia with cut out as specified.

#### WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

#### NOTES

37" high fascia can be specified to a maximum of 60" width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

II4

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
<b>2</b> 1 duplex outlet plus VDM (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider for 1 and 2 duplex outlets)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation Mica
<b>4</b> 2 duplex outlets plus VDM (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for 2 duplex outlets and on 24", 30", 36" widths for 1 duplex outlet)	<b>F</b> Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)			
	<b>L</b> Left (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 22", 28" heights)			
	<b>R</b> Right (not available on widths below 42")				

#### SAMPLE ORDER CODE

UNELCM 2	B	B	22	72	E
----------	---	---	----	----	---

#### DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

#### PRICING

HORIZONTAL (B) & VERTICAL (B)
109
120
131
144
155
167
127
140
151
162
175
186
167
184
203
220
239
258
167
184
203
220
239
258

#### DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

#### PRICING

HORIZONTAL (B) & VERTICAL (F)	
216	
233	
252	
272	
293	
313	
216	
233	
252	
272	
293	
313	

Pricing is continued on the following page.

## UNELCM

Metal Power/Communications Fascia  
(Slot Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
★ 7 / 178	24 / 610
★ 7 / 178	30 / 762
7 / 178	36 / 914
★ 13 / 330	24 / 610
★ 13 / 330	30 / 762
13 / 330	36 / 914
★ 21 / 533	24 / 610
★ 21 / 533	30 / 762
21 / 533	36 / 914
★ 22 / 559	24 / 610
★ 22 / 559	30 / 762
22 / 559	36 / 914
★ 37 / 940	24 / 610
★ 37 / 940	30 / 762
37 / 940	36 / 914

## PRICING

HORIZONTAL (B) & VERTICAL (T)
127
140
151
162
175
186
167
184
203
220
239
258
167
184
203
220
239
258
216
233
252
272
293
313
216
233
252
272
293
313
HORIZONTAL (C) & VERTICAL (B)
41
47
53
50
56
64
64
73
85
64
73
85
99
114
132

DIMENSIONS  
INCHES / MM

H	W
★ 27 / 686	24 / 610
★ 27 / 686	30 / 762
27 / 686	36 / 914
★ 28 / 711	24 / 610
★ 28 / 711	30 / 762
28 / 711	36 / 914
★ 13 / 330	24 / 610
★ 13 / 330	30 / 762
13 / 330	36 / 914
★ 21 / 533	24 / 610
★ 21 / 533	30 / 762
21 / 533	36 / 914
★ 22 / 559	24 / 610
★ 22 / 559	30 / 762
22 / 559	36 / 914
★ 27 / 686	24 / 610
★ 27 / 686	30 / 762
27 / 686	36 / 914
★ 28 / 711	24 / 610
★ 28 / 711	30 / 762
28 / 711	36 / 914

## PRICING

HORIZONTAL (C) & VERTICAL (F)
78
91
106
78
91
106
HORIZONTAL (C) & VERTICAL (T)
50
56
64
64
73
85
64
73
85
78
91
106
78
91
106

★ Does NOT apply to Outlet Configurations 3 and 4

Pricing is continued on the following page.

## UNELCM

Metal Power/Communications Fascia  
(Slot Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

## PRICING

## HORIZONTAL (L or R) &amp; VERTICAL (B)

58
62
73
86
97
109
119
129
141
151
73
79
94
104
117
128
141
152
164
176
98
109
126
139
156
173
188
205
220
238
98
109
126
139
156
173
188
205
220
238
150
168
203
236

DIMENSIONS  
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

## HORIZONTAL (L or R) &amp; VERTICAL (F)

120	
134	
152	
170	
205	
221	
240	
258	
276	
296	
120	
134	
152	
170	
205	
221	
240	
258	
276	
296	

Pricing is continued on the following page.



# U N E L C M

## Metal Power/Communications Fascia (Slot Mount) (Continued)

### DIMENSIONS INCHES / MM

H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438


### PRICING

#### HORIZONTAL (L or R) & VERTICAL (T)

73	
79	
94	
104	
117	
128	
141	
152	
164	
176	
98	
109	
126	
139	
156	
173	
188	
205	
220	
238	
98	
109	
126	
139	
156	
173	
188	
205	
220	
238	
120	
134	
152	
170	
205	
221	
240	
258	
276	
296	
120	
134	
152	
170	
205	
221	
240	
258	
276	
296	

## UAE LCM

# Metal Power/Communications Fascia for Freestanding District (Slot Mount)



II8

## PRODUCT OPTIONS

Outlet Configuration	Vertical Power/ Communication Orientation	Horizontal Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 1 duplex outlet plus VDM	T Top	LL Left	21, 22, 27, 28, 35	36 - 96	Foundation
4 2 duplex outlets plus VDM	B Bottom	LC Left Centre			Mica
		RC Right Centre			
		RR Right			
		LR Left & Right			
		CR Left Centre & Right			
		CL Right Centre & Left			

The Metal Power/Communications Fascia (Slot Mount) provides face-mounted access to power/communications.

## WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

## NOTES

Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 36" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

## SAMPLE ORDER CODE

UAELCM 2	B	LC	22	66	E
----------	---	----	----	----	---

DIMENSIONS  
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

## HORIZONTAL (LR, CL or CR) &amp; VERTICAL (B or T)

167	
184	
203	
220	
239	
258	
167	
184	
203	
220	
239	
258	
216	
233	
252	
272	
293	
313	
216	
233	
252	
272	
293	
313	

Pricing is continued on the following page.

## UAE LCM

# Metal Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

## PRICING

### HORIZONTAL (LL or RR) & VERTICAL (B or T)

85	
98	
109	
126	
139	
85	
98	
109	
126	
139	
106	
120	
134	
152	
170	
106	
120	
134	
152	
170	
132	
150	
168	
203	
236	

## DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438


## PRICING

### HORIZONTAL (LL, LC, RC or RR) & VERTICAL (B or T)

156	
173	
188	
205	
220	
238	
156	
173	
188	
205	
220	
238	
205	
221	
240	
258	
276	
296	
205	
221	
240	
258	
276	
296	

## UNELIM

### Metal International Power/ Communications Fascia (Slot Mount)



The Metal International Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

#### WHAT'S INCLUDED

1 fascia with cut out as specified.

#### WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

#### NOTES

37" high fascia can be specified to a maximum of 60" width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

120

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	B Left and Right (available on 66" width and wider)	B Bottom or lower section of fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Foundation Mica
3 Cut out for 2 outlets and 1 data/communications box (available on 36" widths and wider)	C Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2)	F Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)			
4 Cut out for 4 outlets (available on 36" widths and wider)	L Left (not available on widths below 42") R Right (not available on widths below 42")	T Top or upper section of fascia (available on 13", 22", 28" heights)			

#### SAMPLE ORDER CODE

UNELIM 3	R	T	22	60	E
----------	---	---	----	----	---

#### DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

#### PRICING

HORIZONTAL (B) & VERTICAL (B)	
109	
120	
130	
144	
158	
173	
127	
140	
150	
161	
174	
185	
167	
184	
201	
216	
232	
249	
167	
184	
201	
216	
232	
249	

#### DIMENSIONS INCHES / MM

H	W
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

#### PRICING

HORIZONTAL (B) & VERTICAL (F)	
216	
233	
250	
270	
289	
308	
216	
233	
250	
270	
289	
308	

Pricing is continued on the following page.

## UNELIM

# Metal International Power/ Communications Fascia (Slot Mount) (Continued)

**DIMENSIONS**  
**INCHES / MM**

H	W
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**
**HORIZONTAL (B) & VERTICAL (T)**

127
140
150
161
174
185
167
184
201
216
232
249
167
184
201
216
232
249
216
233
250
270
289
308
216
233
250
270
289
308

**DIMENSIONS**  
**INCHES / MM**

H	W
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

**PRICING**
**HORIZONTAL (C) & VERTICAL (B)**

41
47
53
50
56
64
64
73
85
64
73
85
99
114
132

**HORIZONTAL (C) & VERTICAL (F)**

78	
91	
106	
78	
91	
106	

**HORIZONTAL (C) & VERTICAL (T)**

50
56
64
64
73
85
64
73
85
78
91
106
78
91
106

\* Does NOT apply to Outlet Configurations 3 and 4

Pricing is continued on the following page.

## UNELIM

Metal International Power/  
Communications Fascia  
(Slot Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524

## PRICING

## HORIZONTAL (L or R) &amp; VERTICAL (B)

58
62
73
86
97
109
120
130
144
158

173
79
94
104
117
128
142
154
167
180

98
109
126
139
156
173
187
232
250
288

98
109
126
139
156
173
187
232
250
288

150
168
203
236

DIMENSIONS  
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

## HORIZONTAL (L or R) &amp; VERTICAL (F)

120
134
152
170
205
221
242
262
279
298

120
134
152
170
205
221
242
262
279
298

Pricing is continued on the following page.

**UNELIM**  
**Metal International Power/  
Communications Fascia  
(Slot Mount) (Continued)**

**DIMENSIONS  
INCHES / MM**


H	W
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING****HORIZONTAL (L or R) & VERTICAL (T)**

73	
79	
94	
104	
117	
128	
142	
154	
167	
180	
98	
109	
126	
139	
156	
173	
187	
232	
250	
288	
98	
109	
126	
139	
156	
173	
187	
232	
250	
288	
120	
134	
152	
170	
205	
221	
242	
262	
279	
298	
120	
134	
152	
170	
205	
221	
242	
262	
279	
298	

## UAELIM

# Metal International Power/ Communications Fascia for Freestanding District (Slot Mount)



I24

## PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
<b>2</b> Cut out for 2 outlets (available on 24" and 30" widths)	<b>LL</b> Left	<b>T</b> Top	21, 22, 27, 28, 35	36 - 96	Foundation Mica
<b>3</b> Cut out for 2 outlets and 1 data/ communications box (available on 36" widths and wider)	<b>LC</b> Left Centre	<b>B</b> Bottom			
	<b>RC</b> Right Centre				
	<b>RR</b> Right				
	<b>LR</b> Left & Right				
<b>4</b> Cut out for 4 outlets (available on 36" widths and wider)	<b>CR</b> Left Centre & Right				
	<b>CL</b> Right Centre & Left				

## SAMPLE ORDER CODE

<b>UAELIM 2</b>	<b>LC</b>	<b>B</b>	<b>22</b>	<b>66</b>	<b>E</b>
-----------------	-----------	----------	-----------	-----------	----------

DIMENSIONS  
INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

## HORIZONTAL (LR, CR or CL) &amp; VERTICAL (B or T)

167
184
201
216
232
249
167
184
201
216
232
249
216
233
250
270
289
308
216
233
250
270
289
308

The Metal International Power/Communications Fascia provides face-mounted access to power/communications.

## WHAT'S INCLUDED

1 fascia with cut out as specified, fascia connectors.

## NOTES

Not all height/width combinations are available. 35" high fascia can be specified to a maximum of 60" width only. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 36" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

Pricing is continued on the following page.



## U A E L I M

**Metal International Power/  
Communications Fascia for  
Freestanding District (Slot Mount)  
(Continued)**

**DIMENSIONS  
INCHES / MM**

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
27 / 686	36 / 914
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
28 / 711	36 / 914
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524

**PRICING**

HORIZONTAL (LL or RR) & VERTICAL (B or T)
85
98
109
126
139
85
98
109
126
139
106
120
134
152
170
106
120
134
152
170
132
150
168
203
236

**DIMENSIONS  
INCHES / MM**


H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**

HORIZONTAL (LL, LC, RC or RR) & VERTICAL (B or T)
156
173
187
232
250
288
156
173
187
232
250
288
205
221
242
262
279
298
205
221
242
262
279
298

## UNELCF

### Tackable Fabric Power/ Communications Fascia (Slot Mount)



The Tackable Fabric Power/Communications Fascia provides face-mounted access to power/communications above or below worksurface height.

#### WHAT'S INCLUDED

1 fascia.

#### WHAT'S EXCLUDED

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

#### NOTES

7" high fascia is **not** tackable.

Graded-In panel fabrics are available on products up to 60" in width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

126

#### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
<b>2</b> 1 duplex outlet plus VDM (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider for 1 and 2 duplex outlets)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Panel Fabric
<b>4</b> 2 duplex outlets plus VDM (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for 2 duplex outlets and on 24", 30", 36" widths for 1 duplex outlet)	<b>F</b> Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)			
	<b>L</b> Left (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 22", 28" heights)			
	<b>R</b> Right (not available on widths below 42")				

#### SAMPLE ORDER CODE

UNELCF 2	B	B	13	72	L341
----------	---	---	----	----	------

#### DIMENSIONS INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

#### PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (B) & VERTICAL (B)							
136	145	154	167	187	196	208	220
152	156	168	184	209	216	231	245
159	164	180	196	220	230	245	261
166	171	189	209	234	246	264	282
174	181	197	217	243	255	272	290
182	189	204	224	249	261	278	294
127	137	151	171	200	211	229	246
140	156	168	196	227	241	262	284
151	160	183	209	239	256	278	301
161	164	196	220	249	268	291	315
167	173	209	232	265	286	311	337
172	181	220	242	280	303	331	358
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

Pricing is continued on the following page.

## UNELCF

# Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
-----------------	-------	-------	-------	-------	-------	-------	-------

### HORIZONTAL (B) & VERTICAL (B)

270	283	329	379	442	473	517	561
290	303	349	410	477	510	558	607
309	324	378	441	509	548	599	651
327	345	406	471	541	585	640	696
348	368	433	499	574	620	678	736
369	391	459	526	608	654	715	776

### HORIZONTAL (B) & VERTICAL (F)

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

### HORIZONTAL (B) & VERTICAL (T)

127	137	151	171	200	211	229	246
140	156	168	196	227	241	262	284
151	160	183	209	239	256	278	301
161	164	196	220	249	268	291	315
167	173	209	232	265	286	311	337
172	181	220	242	280	303	331	358

167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

Pricing is continued on the following page.

## UNELCF

Tackable Fabric Power/  
Communications Fascia  
(Slot Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (C) & VERTICAL (B)							
56	59	63	68	78	85	89	104
63	65	70	78	88	97	102	119
69	71	78	85	95	106	110	130
50	52	59	66	78	88	93	114
56	66	68	75	91	106	110	131
64	71	78	90	104	118	125	149
64	67	76	90	102	116	124	147
73	83	91	102	119	135	143	168
85	93	106	120	136	152	163	188
64	67	76	90	102	116	124	147
73	83	91	102	119	135	143	168
85	93	106	120	136	152	163	188
99	101	119	137	161	185	197	237
114	120	141	158	186	213	227	278
132	139	159	187	217	247	264	324
HORIZONTAL (C) & VERTICAL (F)							
78	84	95	109	124	141	150	179
91	96	113	129	147	162	176	208
106	112	130	150	172	191	206	242
78	84	95	109	124	141	150	179
91	96	113	129	147	162	176	208
106	112	130	150	172	191	206	242
HORIZONTAL (C) & VERTICAL (T)							
50	52	59	66	78	88	93	114
56	66	68	75	91	106	110	131
64	71	78	90	104	118	125	149
64	67	76	90	102	116	124	147
73	83	91	102	119	135	143	168
85	93	106	120	136	152	163	188
64	67	76	90	102	116	124	147
73	83	91	102	119	135	143	168
85	93	106	120	136	152	163	188
78	84	95	109	124	141	150	179
91	96	113	129	147	162	176	208
106	112	130	150	172	191	206	242
78	84	95	109	124	141	150	179
91	96	113	129	147	162	176	208
106	112	130	150	172	191	206	242

\* Does NOT apply to Outlet Configurations 3 and 4

Pricing is continued on the following page.

## UNELCF

# Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (L or R) & VERTICAL (B)							
76	79	87	96	109	119	126	148
84	87	94	102	115	125	131	154
97	102	112	121	135	149	156	181
112	119	127	140	155	172	180	207
125	132	144	156	177	185	198	211
141	146	157	173	197	204	218	232
149	153	168	185	210	219	235	250
155	159	179	197	223	234	251	268
162	170	186	207	232	244	262	279
171	179	193	213	239	250	267	285
73	75	90	100	115	127	137	161
79	84	100	112	128	146	156	185
94	100	110	124	149	174	181	219
104	108	121	132	160	187	194	237
117	126	140	159	188	199	216	234
128	146	157	185	216	231	252	274
140	150	172	197	227	243	265	288
151	153	185	210	239	258	281	304
156	161	197	220	254	274	299	325
160	170	210	231	270	293	321	349
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
150	157	185	215	247	278	300	362
168	179	210	240	277	314	337	400
203	215	254	288	336	385	411	500
236	250	297	336	396	455	486	600
258	272	318	368	432	463	507	552
279	292	338	400	466	499	547	595
298	313	367	431	498	536	588	640
316	334	394	461	530	573	629	684
337	357	421	487	563	608	666	725
358	380	448	514	596	643	704	765

Pricing is continued on the following page.

## UNELCF

Tackable Fabric Power/  
Communications Fascia  
(Slot Mount) (Continued)DIMENSIONS  
INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (L or R) & VERTICAL (F)							
120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593
120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593
HORIZONTAL (L or R) & VERTICAL (T)							
73	75	90	100	115	127	137	161
79	84	100	112	128	146	156	185
94	100	110	124	149	174	181	219
104	108	121	132	160	187	194	237
117	126	140	159	188	199	216	234
128	146	157	185	216	231	252	274
140	150	172	197	227	243	265	288
151	153	185	210	239	258	281	304
156	161	197	220	254	274	299	325
160	170	210	231	270	293	321	349
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	260	287	299
173	191	221	250	286	298	330	346
188	203	236	271	307	320	355	371
204	214	250	289	326	338	375	389
215	227	270	307	347	361	401	417
226	241	287	324	367	383	425	443
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472

Pricing is continued on the following page.

## UNELCF

# Tackable Fabric Power/ Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING


Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
-----------------	-------	-------	-------	-------	-------	-------	-------

### HORIZONTAL (L or R) & VERTICAL (T)

120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593
120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593

## UAELCF

## Tackable Fabric Power/ Communications Fascia for Freestanding District (Slot Mount)



The Tackable Fabric Power/Communications Fascia provides a tackable panel wall finish.

### WHAT'S INCLUDED

1 fascia.

### NOTES

Graded-In panel fabrics are available on products up to 60" in width only. Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

The 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 36" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

132

### PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/ Communication Orientation	Vertical Power/ Communication Orientation	Height	Width (6" increments)	Fascia Finish
<b>2</b> Cut out for 2 outlets (available on 24" and 30" widths)	<b>LL</b> Left	<b>T</b> Top	21, 22, 35	36 - 96	Panel Fabric
<b>3</b> Cut out for 2 outlets and 1 data/ communications box (available on 36" widths and wider)	<b>LC</b> Left Centre	<b>B</b> Bottom			
	<b>RC</b> Right Centre				
	<b>RR</b> Right				
	<b>LR</b> Left & Right				
<b>4</b> Cut out for 4 outlets (available on 36" widths and wider)	<b>CR</b> Left Centre & Right				
	<b>CL</b> Right Centre & Left				

### SAMPLE ORDER CODE

<b>UAELCF 2</b>	<b>RR</b>	<b>B</b>	<b>22</b>	<b>60</b>	<b>C503</b>
-----------------	-----------	----------	-----------	-----------	-------------

### DIMENSIONS INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

### PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
<b>HORIZONTAL (LR, CR or CL) &amp; VERTICAL (T or B)</b>							
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
270	283	329	379	442	473	517	561
290	303	349	410	477	510	558	607
309	324	378	441	509	548	599	651
327	345	406	471	541	585	640	696
348	368	433	499	574	620	678	736
369	391	459	526	608	654	715	776

Pricing is continued on the following page.



## UAE LCF

**Tackable Fabric Power/  
Communications Fascia for  
Freestanding District (Slot Mount)  
(Continued)**


**DIMENSIONS  
INCHES / MM**

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

**PRICING**

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
<b>HORIZONTAL (LL or RR) &amp; VERTICAL (B or T)</b>							
85	93	106	120	136	152	172	188
98	102	120	137	154	171	194	215
109	116	136	153	173	191	219	246
126	134	152	172	203	234	277	288
139	146	164	183	218	253	298	314
85	93	106	120	136	152	172	188
98	102	120	137	154	171	194	215
109	116	136	153	173	191	219	246
126	134	152	172	203	234	277	288
139	146	164	183	218	253	298	314
132	139	159	187	217	247	290	324
150	157	185	215	247	278	324	362
168	179	210	240	277	314	357	400
203	215	254	288	337	385	445	500
236	250	297	336	395	455	531	600
<b>HORIZONTAL (LL , LC, RC or RR) &amp; VERTICAL (B or T)</b>							
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
258	272	318	368	432	463	507	552
279	292	338	400	466	499	547	595
298	313	367	431	498	536	588	640
316	334	394	461	530	573	629	684
337	357	421	487	563	608	666	725
358	380	448	514	596	643	704	765

## UNELIF

Tackable Fabric International  
Power/Communications Fascia  
(Slot Mount)

The Tackable Fabric International Power/Communications Fascia provides face mounted access to power/communications above or below worksurface height.

**WHAT'S INCLUDED**

1 fascia.

**WHAT'S EXCLUDED**

Fascia Light Block (UNEX) is required for additional segmentation and must be specified separately. Can be found on page 56.

**NOTES**

7" high fascia is **not** tackable.

Graded-In panel fabrics are available on products up to 60" in width only.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

134

## PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communications Orientation	Vertical Power/Communications Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	<b>B</b> Left and Right (available on 66" width and wider)	<b>B</b> Bottom or lower section of Fascia (available on 7", 13", 22", 37" heights)	07, 13, 21, 22, 27, 28, 37	24 - 96	Panel Fabric
3 Cut out for 2 outlets and 1 data/communications box (available on 36" widths and wider)	<b>C</b> Centered (available on 36" width for config. 3 and 4 (available on 24", 30", 36" widths for config. 2))	<b>F</b> Flush (applies to 28" height only for base fascias flush to floor. Cut out will be at bottom)			
4 Cut out for 4 outlets (available on 36" widths and wider)	<b>L</b> Left (not available on widths below 42") <b>R</b> Right (not available on widths below 42")	<b>T</b> Top or upper section of Fascia (available on 13", 22", 28" heights)			

## SAMPLE ORDER CODE

UNELIF 2	B	B	22	72	L341
----------	---	---	----	----	------

DIMENSIONS  
INCHES / MM

H	W
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
<b>HORIZONTAL (B) &amp; VERTICAL (B)</b>							
136	145	154	167	187	196	208	220
152	156	168	184	209	216	231	245
159	164	180	196	220	230	245	261
166	171	189	209	234	246	264	282
174	181	197	217	243	255	272	290
182	189	204	224	249	261	278	294
127	137	151	171	200	211	229	246
140	156	168	196	227	241	262	284
151	160	183	209	239	256	278	301
161	164	196	220	249	268	291	315
167	173	209	232	265	286	311	337
172	181	220	242	280	303	331	358
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

Pricing is continued on the following page.

## UNELIF

# Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438

28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
-----------------	-------	-------	-------	-------	-------	-------	-------

### HORIZONTAL (B) & VERTICAL (B)

270	283	329	379	442	473	517	561
290	303	349	410	477	510	558	607
309	324	378	441	509	548	599	651
327	345	406	471	541	585	640	696
348	368	433	499	574	620	678	736
369	391	459	526	608	654	715	776

### HORIZONTAL (B) & VERTICAL (F)

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

### HORIZONTAL (B) & VERTICAL (T)

127	137	151	171	200	211	229	246
140	156	168	196	227	241	262	284
151	160	183	209	239	256	278	301
161	164	196	220	249	268	291	315
167	173	209	232	265	286	311	337
172	181	220	242	280	303	331	358

167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

216	223	261	296	343	365	398	431
233	242	286	327	374	403	439	475
253	266	314	358	406	439	479	519
262	278	327	374	421	456	498	539
284	302	351	405	454	493	537	582
294	313	363	420	471	510	557	603

Pricing is continued on the following page.

## UNELIF

**Tackable Fabric International  
Power/Communications Fascia  
(Slot Mount) (Continued)**
**DIMENSIONS  
INCHES / MM**

H	W
* 7 / 178	24 / 610
* 7 / 178	30 / 762
7 / 178	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 37 / 940	24 / 610
* 37 / 940	30 / 762
37 / 940	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914
* 13 / 330	24 / 610
* 13 / 330	30 / 762
13 / 330	36 / 914
* 21 / 533	24 / 610
* 21 / 533	30 / 762
21 / 533	36 / 914
* 22 / 559	24 / 610
* 22 / 559	30 / 762
22 / 559	36 / 914
* 27 / 686	24 / 610
* 27 / 686	30 / 762
27 / 686	36 / 914
* 28 / 711	24 / 610
* 28 / 711	30 / 762
28 / 711	36 / 914

**PRICING**

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
<b>HORIZONTAL (C) &amp; VERTICAL (B)</b>							
56	59	63	68	78	85	96	104
63	65	70	78	88	97	109	119
69	71	78	85	95	106	121	130
50	52	59	66	78	88	102	114
56	66	68	75	91	106	119	131
64	71	78	90	104	118	134	149
64	67	76	90	102	116	132	147
73	83	91	102	119	135	153	168
85	93	106	120	136	152	172	188
64	67	76	90	102	116	132	147
73	83	91	102	119	135	153	168
85	93	106	120	136	152	172	188
99	101	119	137	161	185	213	237
114	120	141	158	186	213	247	278
132	139	159	187	217	247	290	324
<b>HORIZONTAL (C) &amp; VERTICAL (F)</b>							
78	84	95	109	124	141	160	179
91	96	113	129	147	162	187	208
106	112	130	150	172	191	219	242
78	84	95	109	124	141	160	179
91	96	113	129	147	162	187	208
106	112	130	150	172	191	219	242
<b>HORIZONTAL (C) &amp; VERTICAL (T)</b>							
50	52	59	66	78	88	102	114
56	66	68	75	91	106	119	131
64	71	78	90	104	118	134	149
64	67	76	90	102	116	132	147
73	83	91	102	119	135	153	168
85	93	106	120	136	152	172	188
64	67	76	90	102	116	132	147
73	83	91	102	119	135	153	168
85	93	106	120	136	152	172	188
78	84	95	109	124	141	160	179
91	96	113	129	147	162	187	208
106	112	130	150	172	191	219	242
78	84	95	109	124	141	160	179
91	96	113	129	147	162	187	208
106	112	130	150	172	191	219	242

\* Does NOT apply to Outlet Configurations 3 and 4

Pricing is continued on the following page.

## UNELIF

# Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
7 / 178	42 / 1067
7 / 178	48 / 1219
7 / 178	54 / 1372
7 / 178	60 / 1524
7 / 178	66 / 1676
7 / 178	72 / 1829
7 / 178	78 / 1981
7 / 178	84 / 2134
7 / 178	90 / 2286
7 / 178	96 / 2438
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
37 / 940	42 / 1067
37 / 940	48 / 1219
37 / 940	54 / 1372
37 / 940	60 / 1524
37 / 940	66 / 1676
37 / 940	72 / 1829
37 / 940	78 / 1981
37 / 940	84 / 2134
37 / 940	90 / 2286
37 / 940	96 / 2438

## PRICING

Fabric  
A/COM Gr. 1 Gr. 2 Gr. 3 Gr. 4 Gr. 5 Gr. 6 Gr. 7

### HORIZONTAL (L or R) & VERTICAL (B)

76	79	87	96	108	119	126	148
84	87	94	102	115	125	131	154
97	102	112	121	135	149	156	181
112	119	127	140	155	172	180	207
125	132	144	156	177	185	198	211
141	146	157	173	197	204	218	232
149	153	168	185	210	219	235	250
155	159	179	197	223	234	251	268
162	170	186	207	232	244	262	279
171	179	193	213	239	250	267	285
73	75	90	100	115	127	137	161
79	84	100	112	128	146	156	185
94	100	110	124	149	174	181	219
104	108	121	132	160	187	194	237
117	126	140	159	188	199	216	234
128	146	157	185	216	231	252	274
140	150	172	197	227	243	265	288
151	153	185	210	239	258	281	304
156	161	197	220	254	274	299	325
160	170	210	231	270	293	321	349
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
150	157	185	215	247	278	300	362
168	179	210	240	277	314	337	400
203	215	254	288	336	385	411	500
236	250	297	336	396	455	486	600
258	272	318	368	432	463	507	552
279	292	338	400	466	499	547	595
298	313	367	431	498	536	588	640
316	334	394	461	530	573	629	684
337	357	421	487	563	608	666	725
358	380	448	514	596	643	704	765

Pricing is continued on the following page.

## UNELIF

# Tackable Fabric International Power/Communications Fascia (Slot Mount) (Continued)

## DIMENSIONS INCHES / MM

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
-----------------	-------	-------	-------	-------	-------	-------	-------

### HORIZONTAL (L or R) & VERTICAL (F)

120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593

120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593

### HORIZONTAL (L or R) & VERTICAL (T)

73	75	90	100	115	127	137	161
79	84	100	112	128	146	156	185
94	100	110	124	149	174	181	219
104	108	121	132	160	187	194	237
117	126	140	159	188	199	216	234
128	146	157	185	216	231	252	274
140	150	172	197	227	243	265	288
151	153	185	210	239	258	281	304
156	161	197	220	254	274	299	325
160	170	210	231	270	293	321	349

98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472

98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472

Pricing is continued on the following page.

## UNELIF

**Tackable Fabric International  
Power/Communications Fascia  
(Slot Mount) (Continued)**

**DIMENSIONS  
INCHES / MM**

H	W
27 / 686	42 / 1067
27 / 686	48 / 1219
27 / 686	54 / 1372
27 / 686	60 / 1524
27 / 686	66 / 1676
27 / 686	72 / 1829
27 / 686	78 / 1981
27 / 686	84 / 2134
27 / 686	90 / 2286
27 / 686	96 / 2438
28 / 711	42 / 1067
28 / 711	48 / 1219
28 / 711	54 / 1372
28 / 711	60 / 1524
28 / 711	66 / 1676
28 / 711	72 / 1829
28 / 711	78 / 1981
28 / 711	84 / 2134
28 / 711	90 / 2286
28 / 711	96 / 2438

**PRICING**


Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
-----------------	-------	-------	-------	-------	-------	-------	-------

**HORIZONTAL (L or R) & VERTICAL (T)**

120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593
120	127	150	171	193	214	231	273
134	144	166	191	215	239	258	302
152	160	185	211	249	287	304	342
170	174	198	221	268	313	326	369
205	212	249	285	331	354	386	419
221	231	275	316	362	391	428	465
242	255	303	347	394	427	467	506
250	267	316	362	410	445	487	528
273	290	341	393	443	481	525	569
283	302	353	409	461	500	546	593

## UAELIF

# Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount)



I40

## PRODUCT OPTIONS

Outlet Configuration	Horizontal Power/Communication Orientation	Vertical Power/Communication Orientation	Height	Width (6" increments)	Fascia Finish
2 Cut out for 2 outlets (available on 24" and 30" widths)	LL Left LC Left Centre	T Top B Bottom	21, 22, 35	24 - 96	Panel Fabric
3 Cut out for 2 outlets and 1 data/communications box (available on 36" widths and wider)	RC Right Centre RR Right LR Left & Right				
4 Cut out for 4 outlets (available on 36" widths and wider)	CR Left Centre & Right CL Right Centre & Left				

The Tackable International Fabric Power/Communications Fascia provides a tackable panel wall finish.

## WHAT'S INCLUDED

1 fascia.

## NOTES

7" height fascias are not tackable.

Graded-In panel fabrics are available on products up to 60" in width only Not all height/width combinations are available. See pricing for exact offering.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

The 21" and 22" fascias must be ordered with a 6" high fascia as Elevated panels are not applicable in a freestanding application.

27" and 21" height fascia can only be applied to the Flush Panel with Accessory Beam (UAFFR), Elevated Panel with Accessory Beam or Convertible Panel with Accessory Beam (UAFCR).

For 24" to 60" wide fascias only Left (LL) or Right (RR) power & data locations can be specified.

## SAMPLE ORDER CODE

UAELIF 3	LR	T	22	66	C503
----------	----	---	----	----	------

## DIMENSIONS

INCHES / MM

H	W
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

## PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (LR, CR or CL) & VERTICAL (T or B)							
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
167	180	204	228	264	282	306	329
184	203	233	262	297	321	349	378
200	214	247	282	318	344	374	404
215	225	262	300	337	364	396	427
226	239	280	318	358	387	422	456
237	252	298	335	378	410	446	482
270	283	329	379	442	473	517	561
290	303	349	410	477	510	558	607
309	324	378	441	509	548	599	651
327	345	406	471	541	585	640	696
348	368	433	499	574	620	678	736
369	391	459	526	608	654	715	776

Pricing is continued on the following page.



## U A E L I F

**Tackable Fabric International  
Power/Communications Fascia  
for Freestanding District  
(Slot Mount) (Continued)**

**DIMENSIONS  
INCHES / MM**

H	W
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	36 / 914
22 / 559	42 / 1067
22 / 559	48 / 1219
22 / 559	54 / 1372
22 / 559	60 / 1524
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	36 / 914
35 / 889	42 / 1067
35 / 889	48 / 1219
35 / 889	54 / 1372
35 / 889	60 / 1524
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

**PRICING**

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
HORIZONTAL (LL or RR) & VERTICAL (B or T)							
85	93	106	120	136	152	163	188
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
85	93	106	120	136	152	163	188
98	102	120	137	154	171	184	215
109	116	136	153	173	191	207	246
126	134	152	172	203	234	247	288
139	146	164	183	218	253	264	314
156	168	193	217	253	270	294	319
173	191	221	250	286	309	338	366
188	203	236	271	307	333	364	394
204	214	250	289	326	352	384	416
215	227	270	307	347	377	411	445
226	241	287	324	367	398	435	472
132	139	159	187	217	247	264	324
150	157	185	215	247	278	300	362
168	179	210	240	277	314	337	400
203	215	254	288	336	385	411	500
236	250	297	336	396	455	486	600
258	272	318	368	432	463	507	552
279	292	338	400	466	499	547	595
298	313	367	431	498	536	588	640
316	334	394	461	530	573	629	684
337	357	421	487	563	608	666	725
358	380	448	514	596	643	704	765

Pricing is continued on the following page.

## U A E L I F

# Tackable Fabric International Power/Communications Fascia for Freestanding District (Slot Mount) (Continued)

## DIMENSIONS

INCHES / MM

## PRICING

Fabric  
A/COM Gr. 1 Gr. 2 Gr. 3 Gr. 4 Gr. 5 Gr. 6 Gr. 7

## HORIZONTAL (LL, LC, RC or RR) &amp; VERTICAL (B or T)

21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
22 / 559	66 / 1676
22 / 559	72 / 1829
22 / 559	78 / 1981
22 / 559	84 / 2134
22 / 559	90 / 2286
22 / 559	96 / 2438
35 / 889	66 / 1676
35 / 889	72 / 1829
35 / 889	78 / 1981
35 / 889	84 / 2134
35 / 889	90 / 2286
35 / 889	96 / 2438

156	168	193	217	253	282	306	329
173	191	221	250	286	321	349	378
188	203	236	271	307	344	374	404
204	214	250	289	326	364	396	427
215	227	270	307	347	387	422	456
226	241	287	324	367	410	446	482
156	168	193	217	253	282	306	329
173	191	221	250	286	321	349	378
188	203	236	271	307	344	374	404
204	214	250	289	326	364	396	427
215	227	270	307	347	387	422	456
226	241	287	324	367	410	446	482
258	272	318	368	432	473	517	561
279	292	338	400	466	510	558	607
298	313	367	431	498	548	599	651
316	334	394	461	530	585	640	696
337	357	421	487	563	620	678	736
358	380	448	514	596	654	715	776




U N E L M B  
Metal Base Feed Fascia  
(Slot Mount)

The Metal Base Feed Fascia provides an opening for mounting of the base feed.

**WHAT'S INCLUDED**  
1 fascia with cut out, as specified.

**NOTES**  
The Center (C) Cut Out Location is available from 42" to 60" widths only.



I44

PRODUCT OPTIONS

Cut Out Location (If applicable)	Height	Width (6" increments)	Fascia Finish
L Left Side R Right Side C Center	6	24 - 96	Foundation Mica

SAMPLE ORDER CODE

UNELMB L	6	72	E
----------	---	----	---

DIMENSIONS  
INCHES / MM

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

PRICING

40
45
51
56
60
71
84
94
105
115
124
135
144

The Metal Base Feed Fascia provides an opening for mounting of the base feed.


#### WHAT'S INCLUDED

1 fascia with cut out, as specified.

#### NOTES

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the centre of the fascia on the side selected.



#### PRODUCT OPTIONS

Cut Out Location	Height	Width (6" increments)	Frame Finish
L Left Side R Right Side	6	36 - 96	Foundation Mica

#### SAMPLE ORDER CODE

UAELMB L	6	72	60
----------	---	----	----

#### DIMENSIONS INCHES / MM

H	W
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

#### PRICING

51
56
60
71
84
94
105
115
124
135
144

**UNELFB****Fabric Base Feed Fascia  
(Slot Mount)**

The Fabric Base Feed Fascia provides an opening for mounting of the base feed.


**WHAT'S INCLUDED**

1 fascia with cut out, as specified.

**NOTES**

Fabric Base Feed Fascia is not tackable.

The Center (C) Cut Out Location is available from 42" to 60" widths only.

**I46****PRODUCT OPTIONS**

Height	Width (6" increments)	Cut Out Location (If applicable)	Fascia Finish
6	24 - 96	<b>L</b> Left Side <b>R</b> Right Side <b>C</b> Center (available on 42", 60" widths)	Panel Fabric

**SAMPLE ORDER CODE**

<b>UNELFB 6</b>	<b>72</b>	<b>L</b>	<b>L341</b>
-----------------	-----------	----------	-------------

**DIMENSIONS  
INCHES / MM**

H	W
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

**PRICING**

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
54	57	61	66	75	83	86	100
61	63	68	75	85	94	98	116
67	69	75	83	93	102	107	126
73	76	85	93	105	116	122	144
82	85	91	99	112	122	128	150
94	99	108	118	131	145	152	176
108	116	123	135	151	166	174	200
122	128	139	152	172	180	192	204
136	141	153	167	190	198	211	226
145	149	162	180	204	213	228	242
151	155	173	191	216	228	244	261
158	164	181	200	224	235	252	269
165	173	187	207	231	242	259	276

The Fabric Base Feed Fascia provides an opening for mounting of the base feed.

#### WHAT'S INCLUDED


1 fascia with cut out, as specified.

#### NOTES

Fabric Base Feed Fascia is not tackable.

Fascia is to only be applied to District Panel that is supported by the Freestanding Foot (UAFFN).

On fascias 36" - 60" wide, cut out will be to the outer end of the side selected. For fascias 66" - 96" wide the cut out will be justified to the centre of the fascia on the side selected.



#### PRODUCT OPTIONS

Cut Out Location	Height	Width (6" increments)	Fascia Finish
<b>L</b> Left Side <b>R</b> Right Side	6	36 - 96	Panel Fabric

#### SAMPLE ORDER CODE

<b>UAELFB L</b>	<b>6</b>	<b>72</b>	<b>L341</b>
-----------------	----------	-----------	-------------

#### DIMENSIONS

##### INCHES / MM


H	W
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
6 / 152	66 / 1676
6 / 152	72 / 1829
6 / 152	78 / 1981
6 / 152	84 / 2134
6 / 152	90 / 2286
6 / 152	96 / 2438

#### PRICING

Fabric A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
67	69	75	83	93	102	107	126
73	76	85	93	105	116	122	144
82	85	91	99	112	122	128	150
94	99	108	118	131	145	152	176
108	116	123	135	151	166	174	200
122	128	139	152	172	180	192	204
136	141	153	167	190	198	211	226
145	149	162	180	204	213	228	242
151	155	173	191	216	228	244	261
158	164	181	200	224	235	252	269
165	173	187	207	231	242	259	276

# UNEWSR

## Window (D-Style) – Single Glass (Clip Mount)



The Single Glass (D-Style) Window is an alternative to an upper fascia, providing an uninterrupted glass surface from worksurface height to the top frame of a panel wall or from panel wall rail height to the top frame of a panel wall.

### WHAT'S INCLUDED

Framed window insert and fascia connectors.

### NOTES

Glass is oriented to one side of the frame.

Standard Glass, Clear is a clear tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

148

### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish
09, 13, 15, 22, 24, 37	24 - 60	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized BP Espresso Painted BH Storm White Painted

### SAMPLE ORDER CODE

UNEWSR 13	30	5	AC
-----------	----	---	----

### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
9 / 229	24 / 610	292	433	435	441
9 / 229	30 / 762	306	457	457	465
9 / 229	36 / 914	339	507	511	516
9 / 229	42 / 1067	379	564	570	576
9 / 229	48 / 1219	415	617	625	632
9 / 229	54 / 1372	446	663	673	682
9 / 229	60 / 1524	485	720	732	740
13 / 330	24 / 610	326	483	483	489
13 / 330	30 / 762	339	508	509	515
13 / 330	36 / 914	377	563	568	574
13 / 330	42 / 1067	421	626	634	640
13 / 330	48 / 1219	462	685	694	703
13 / 330	54 / 1372	495	736	748	758
13 / 330	60 / 1524	540	799	815	824
15 / 381	24 / 610	358	531	531	539
15 / 381	30 / 762	374	559	560	567
15 / 381	36 / 914	415	619	624	631
15 / 381	42 / 1067	464	690	698	704
15 / 381	48 / 1219	508	755	763	772
15 / 381	54 / 1372	544	809	824	832
15 / 381	60 / 1524	594	880	894	907

### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
22 / 559	24 / 610	384	598	602	610
22 / 559	30 / 762	404	623	634	641
22 / 559	36 / 914	447	697	710	722
22 / 559	42 / 1067	514	793	809	823
22 / 559	48 / 1219	559	864	887	900
22 / 559	54 / 1372	608	943	970	984
22 / 559	60 / 1524	651	1013	1045	1063
24 / 610	24 / 610	393	608	619	626
24 / 610	30 / 762	423	653	666	673
24 / 610	36 / 914	470	731	746	758
24 / 610	42 / 1067	540	832	851	863
24 / 610	48 / 1219	587	910	932	946
24 / 610	54 / 1372	639	988	1017	1035
24 / 610	60 / 1524	683	1065	1098	1115
37 / 940	24 / 610	467	765	791	803
37 / 940	30 / 762	507	831	859	875
37 / 940	36 / 914	560	933	971	988
37 / 940	42 / 1067	656	1078	1122	1142
37 / 940	48 / 1219	714	1186	1238	1263
37 / 940	54 / 1372	770	1293	1353	1380
37 / 940	60 / 1524	826	1397	1465	1496



The Double Glass (D-Style) Window is an alternative to an upper fascia, providing an uninterrupted double glass surface from worksurface height to the top frame of a panel wall or from panel wall rail height to the top frame of a panel wall.

#### WHAT'S INCLUDED

Framed window insert and fascia connectors.


#### NOTES

Standard Glass, Clear is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass finish that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass finish that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

## UNEWDR Window (D-Style) – Double Glass (Clip Mount)



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish
09, 13, 15, 22, 24, 37	24 - 60	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass Specialty Glass Vanceva	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted

#### SAMPLE ORDER CODE

UNEWDR 13	30	5	AC
-----------	----	---	----

#### DIMENSIONS INCHES / MM


		PRICING				
H	W	Standard Glass Clear	Frost	Specialty Glass Vanceva		
				Cool White	Gr. 6	Gr. 7
9 / 229	24 / 610	377	393	484	500	503
9 / 229	30 / 762	423	445	544	564	569
9 / 229	36 / 914	470	496	604	629	633
9 / 229	42 / 1067	528	558	674	702	708
9 / 229	48 / 1219	578	613	736	768	776
9 / 229	54 / 1372	620	657	792	828	836
9 / 229	60 / 1524	676	717	860	899	910
13 / 330	24 / 610	419	437	538	557	560
13 / 330	30 / 762	470	495	604	626	632
13 / 330	36 / 914	524	551	671	698	704
13 / 330	42 / 1067	587	620	748	779	788
13 / 330	48 / 1219	641	680	819	854	862
13 / 330	54 / 1372	689	731	880	919	928
13 / 330	60 / 1524	751	797	954	1001	1010
15 / 381	24 / 610	475	495	608	629	633
15 / 381	30 / 762	532	559	682	708	714
15 / 381	36 / 914	591	622	759	789	795
15 / 381	42 / 1067	663	701	847	881	889
15 / 381	48 / 1219	726	769	924	965	975
15 / 381	54 / 1372	778	826	993	1039	1049
15 / 381	60 / 1524	849	899	1078	1130	1141

#### DIMENSIONS INCHES / MM

		PRICING				
H	W	Standard Glass Clear	Frost	Specialty Glass Vanceva		
				Cool White	Gr. 6	Gr. 7
22 / 559	24 / 610	500	530	654	680	690
22 / 559	30 / 762	560	598	736	771	781
22 / 559	36 / 914	621	666	821	862	875
22 / 559	42 / 1067	715	767	939	985	999
22 / 559	48 / 1219	776	835	1023	1080	1092
22 / 559	54 / 1372	845	911	1114	1177	1193
22 / 559	60 / 1524	905	979	1199	1267	1285
24 / 610	24 / 610	526	558	686	715	723
24 / 610	30 / 762	588	628	772	812	820
24 / 610	36 / 914	652	699	862	906	917
24 / 610	42 / 1067	751	805	984	1035	1047
24 / 610	48 / 1219	816	879	1074	1133	1146
24 / 610	54 / 1372	886	956	1171	1235	1253
24 / 610	60 / 1524	949	1028	1259	1330	1351
37 / 940	24 / 610	652	702	876	923	936
37 / 940	30 / 762	729	792	992	1053	1069
37 / 940	36 / 914	805	883	1112	1184	1203
37 / 940	42 / 1067	943	1032	1290	1373	1394
37 / 940	48 / 1219	1027	1129	1415	1511	1533
37 / 940	54 / 1372	1107	1224	1539	1648	1674
37 / 940	60 / 1524	1189	1317	1658	1779	1808

## UNELWS

### Window (L-Style) – Single Glass (Slot Mount)



The Single Glass (L-Style) Window is an alternative to an upper fascia, providing an uninterrupted glass surface from worksurface height to the top frame of a panel wall or from panel wall rail height to the top frame of a panel wall.

#### WHAT'S INCLUDED

Framed window insert and attachment hardware.

#### NOTES

Glass is oriented to one side of the frame.

Standard Glass, Clear is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass finish.

150

#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish
09, 13, 15, 22, 24, 37	24 - 60	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass	Foundation Mica

#### SAMPLE ORDER CODE

UNELWS 13	30	5	E
-----------	----	---	---

#### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Frost
9 / 229	24 / 610	232	245
9 / 229	30 / 762	243	259
9 / 229	36 / 914	268	288
9 / 229	42 / 1067	300	323
9 / 229	48 / 1219	328	356
9 / 229	54 / 1372	353	382
9 / 229	60 / 1524	385	418
13 / 330	24 / 610	258	273
13 / 330	30 / 762	268	287
13 / 330	36 / 914	298	320
13 / 330	42 / 1067	334	359
13 / 330	48 / 1219	366	397
13 / 330	54 / 1372	391	424
13 / 330	60 / 1524	428	465
15 / 381	24 / 610	284	299
15 / 381	30 / 762	295	317
15 / 381	36 / 914	328	353
15 / 381	42 / 1067	367	395
15 / 381	48 / 1219	403	437
15 / 381	54 / 1372	432	469
15 / 381	60 / 1524	470	511

#### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Frost
22 / 559	24 / 610	313	336
22 / 559	30 / 762	303	331
22 / 559	36 / 914	335	368
22 / 559	42 / 1067	386	424
22 / 559	48 / 1219	419	464
22 / 559	54 / 1372	455	504
22 / 559	60 / 1524	487	543
24 / 610	24 / 610	300	324
24 / 610	30 / 762	317	346
24 / 610	36 / 914	353	388
24 / 610	42 / 1067	405	445
24 / 610	48 / 1219	440	487
24 / 610	54 / 1372	479	531
24 / 610	60 / 1524	512	571
37 / 940	24 / 610	361	400
37 / 940	30 / 762	380	428
37 / 940	36 / 914	420	477
37 / 940	42 / 1067	493	559
37 / 940	48 / 1219	536	611
37 / 940	54 / 1372	578	663
37 / 940	60 / 1524	620	714

The Double Glass (L-Style) Window is an alternative to an upper fascia, providing an uninterrupted double glass surface from worksurface height to the top frame of a panel wall or from panel wall rail height to the top frame of a panel wall.

#### WHAT'S INCLUDED

Framed window insert and attachment hardware.


#### NOTES

Standard Glass, Clear is a clear tempered glass finish.

Standard Glass, Frost is a sandblasted tempered glass finish that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

Specialty Glass Vanceva is a laminated glass finish that is applied to one side of the window. Clear tempered glass will be applied on the opposite side of the window.

## UNELWD Window (L-Style) – Double Glass (Slot Mount)



#### PRODUCT OPTIONS

Height	Width (6" increments)	Glass Finish	Frame Finish
09, 13, 15, 22, 24, 37	24 - 60	<b>5</b> Clear Standard Glass <b>6</b> Frost Standard Glass	Foundation Mica

#### SAMPLE ORDER CODE

UNELWD 13	30	5	E
-----------	----	---	---

#### DIMENSIONS INCHES / MM

		PRICING	
H	W	Standard Glass Clear	Frost
9 / 229	24 / 610	295	308
9 / 229	30 / 762	331	348
9 / 229	36 / 914	368	388
9 / 229	42 / 1067	414	436
9 / 229	48 / 1219	452	480
9 / 229	54 / 1372	484	514
9 / 229	60 / 1524	529	562
13 / 330	24 / 610	328	343
13 / 330	30 / 762	368	387
13 / 330	36 / 914	409	432
13 / 330	42 / 1067	459	484
13 / 330	48 / 1219	502	533
13 / 330	54 / 1372	539	572
13 / 330	60 / 1524	588	624
15 / 381	24 / 610	372	387
15 / 381	30 / 762	416	438
15 / 381	36 / 914	463	486
15 / 381	42 / 1067	519	548
15 / 381	48 / 1219	568	602
15 / 381	54 / 1372	609	646
15 / 381	60 / 1524	664	705


#### DIMENSIONS INCHES / MM

		PRICING	
H	W	Standard Glass Clear	Frost
22 / 559	24 / 610	369	392
22 / 559	30 / 762	414	442
22 / 559	36 / 914	459	493
22 / 559	42 / 1067	529	568
22 / 559	48 / 1219	574	619
22 / 559	54 / 1372	624	673
22 / 559	60 / 1524	669	725
24 / 610	24 / 610	388	411
24 / 610	30 / 762	435	464
24 / 610	36 / 914	481	516
24 / 610	42 / 1067	556	595
24 / 610	48 / 1219	602	650
24 / 610	54 / 1372	655	707
24 / 610	60 / 1524	701	760
37 / 940	24 / 610	481	519
37 / 940	30 / 762	538	585
37 / 940	36 / 914	595	652
37 / 940	42 / 1067	697	763
37 / 940	48 / 1219	759	833
37 / 940	54 / 1372	820	906
37 / 940	60 / 1524	879	973

U N E L K  
Fascia Clip Kit

The Fascia Clip Kit is required to attach clip-mounted fascias to a Convertible Wall Frame.

**WHAT’S INCLUDED**  
Package of 25 or 100 clips, as specified.



I52

PRODUCT OPTIONS

Quantity	
25	25 clips
100	100 clips

SAMPLE ORDER CODE

UNELK 100
-----------

QUANTITY	PRICING
25	78
100	283



screens

# screens

PRODUCT MAP / TABLE OF CONTENTS .....157

UNDERSTANDING SCREENS .....158

PANEL WALL ADD-ON SCREEN BASICS .....160

GLASS BLADES FOR PANELS WITH INSET GLASS BASICS .....161

DESK EDGE SCREEN BASICS .....162

DESK EDGE SCREEN FULL-HEIGHT BASICS .....163

DESK TOP SCREEN BASICS .....164

MODESTY SCREEN BASICS .....165

FLOOR SCREEN BASICS .....166

SOLID LATERAL SCREEN BASICS .....167


STORAGE SCREEN BASICS .....168

PRODUCT LISTING .....170

# product map


## UNSDT Desk Top Casual Screen

Page 170  
Height: 13" / Width: 24"




## UNSBWS Desk Top Mounted Screen

Page 171  
Height: 13" / Width: 20", 24", 30", 36"




## UNSD E Desk Edge Screen

Page 172  
Height: 13" / Width: 23" - 96" (1" increments)




## UNSD EG Desk Edge Screen – Glass

Page 173  
Height: 13" / Width: 23" - 96" (1" increments)




## UNSFDE Desk Edge Screen – Full-Height

Page 174  
Height: 13" / Width: 23" - 96" (1" increments)




## UNSF DG Desk Edge Screen – Full-Height Glass

Page 176  
Height: 13" / Width: 23" - 72" (1" increments)




## UNSM Modesty Screen

Page 177  
Height: 13" / Width: 24" - 96" (6" increments)




## UNSF Floor Screen

Page 178  
Height: 42" & 51" /  
Width: 23" - 96" (1" increments)




## UNSSS Storage Screen

Page 182  
Height: 42" & 51" /  
Width: 24" - 96" (6" increments)




## UALSG Solid Lateral Screen with Glass

Page 184  
Height: 42" & 51" /  
Width: 24" - 72" (6" increments)



## UALSS Solid Lateral Screen

Page 187  
Height: 42" & 51" /  
Width: 24" - 72" (6" increments)



## UNSF XL Floor Screen Extended Leveling Kit

Page 180






# product map


## UNSPS Panel Wall Add-On Screen – Solid

Page 188  
Height: 9" - 15" /  
Width: 24" - 96" (6" increments)




## UNSPG Panel Wall Add-On Screen – Glass

Page 189  
Height: 9" - 15" /  
Width: 24" - 96" (6" increments)




## UYSPG Panel Glass Blade for Panels with Inset Glass

Page 190  
Height: 9", 13" & 15" /  
Width: 24" - 96" (6" increments)



## UYSCG Bridged Glass Blade for Panels with Inset Glass

Page 191  
Height: 9", 13" & 15" /  
Width: 48" - 96" (6" increments)




## understanding screens

District provides a variety of screens for space division in panel wall and freestanding applications. They provide visual and territorial privacy and a lighter aesthetic than a panel wall in areas where shielded wire management is not required.

### panel wall add-on screens


Panel Wall Add-On Screens offer a lighter, frameless on- or off-module alternative to high panels with windows.



158

### panel glass blade for panels with inset glass

Panel Glass Blade for Panels with Inset Glass allow for the glass blade to be inset within the panel so no trim is exposed.



## understanding screens (continued)


### worksurface mounted screen

- 1 **Desk Top Casual Screens and Desk Mounted Screens** provide territorial privacy between users
- 2 **Floor Desk Edge and Storage Screens** provide casual space division with various levels of privacy;  
Available in solid finishes.
- 3 **Modesty Screens** provide privacy below desk level to 10" above the floor.




### solid lateral screens

Solid Lateral Screens are mounted to the Panel Wall and are ideal in freestanding applications.  
Available in solid finishes.




## panel wall add-on screen basics

The Panel Wall Add-On Screen provides a casual option for finishing the top level of panel walls.



160




### Panel Wall Add-On Screen – Solid (UNSPS) and Glass (UNSPG)

- Provides a light frameless alternative to a window or solid fascia at the top of a panel
- Available in glass or solid finish
- Can be mounted on- or off-module, or span two panel walls but **cannot** span a 180° spacer or 90° connection
- Replaces the top trim of the same width on the panel wall
- The support frame is visible above the Top Trim

# glass blades for panels with inset glass basics


**The Glass Blade for Panels with Inset Glass provides a casual option for finishing the top level of panel walls. The Glass Blade recesses into the panel frame so less trim is visible.**

- Provides a light frameless alternative to a window at the top of a panel
- Can only be used on Panel Walls with Inset Glass (UYPCR, UYPER and UYPFR)
- Available with Standard Clear and Specialty Frost, white or Cool White Glass
- Can be mounted on or off module or span two panel walls
- 10 applications are available:
  - Both Standard
  - One Side Corner
  - One Side Notch
  - One Side Extended
  - Both Side Corner
  - Both Side Notch
  - Both Side Extended
  - Extended and Notch
  - Corner and Notch
  - Corner and Extended



## **Panel Glass Blade for Panels with Inset Glass (UYSPG)**

- Provides a glass blade inset into a panel frame without any exposed top trim
- Top trim must be specified separately (Panel Top Trim for Panels with Inset Glass, UYTT)




## **Bridged Glass Blade for Panels with Inset Glass (UYSCG)**


- Provides an inset glass blade that spans over 2 panels being connected by a Three-Way connector
- Top trim must be specified separately (Bridged Top Trim for Panels with Inset Glass, UYCT)
- Widths are nominal and account for the 3\"/>

## desk edge screen basics

The following outlines the features of Desk Edge Screens.




162



### Desk Edge Screen (UNSDE)

- A territorial screen that is mounted on- or off-module to the back or return edges of a worksurface and provides privacy at 42" high
- Available in widths from 23" to 96" in 1" increments
- Covers to 6" below the worksurface level to conceal cable management but will leave a 1" clearance between the desk screen and a low credenza for cable clearance
- Provides full width or a casual fit with controlled gaps
- Can be used in combination with a modesty screen
- Available in Source Laminate, Fascia Laminate, Seamless Color, Standard Flintwood and Natural Veneer finishes




### Desk Edge Screen – Glass (UNSDEG)


- Similar to the Desk Edge Screen (UNSDE) but, is a 10mm thick etched tempered glass finished in Standard Frost
- Can only be used on worksurfaces 30" and 36" deep when used in freestanding applications
- Can be used on all worksurface depths when worksurfaces are semi-suspended in panel wall applications



# desk edge screen full-height basics




163



## Desk Edge Screen – Full-Height (UNSFDE)

- Similar to the Desk Edge Screen (UNSD) however, covers 15" below the worksurface for an overall height of 28" & 37"
- Can only be used on worksurfaces 30" and 36" deep when used in freestanding applications
- Can be used on all worksurface depths when worksurfaces are semi-suspended in panel wall applications





## Desk Edge Screen – Full-Height Glass (UNSF DG)

- Similar to the Desk Edge Screen – Full-Height (UNSFDE) however, is a 10mm thick etched tempered glass finished in Standard Frost


## desk top screen basics

The following outlines the features of the Desk Top Casual Screen and Desk Top Mounted Screen.



### Desk Top Casual Screen (UNSDT)

- A freestanding screen that is used for perpendicular territorial screening
- Intended to sit on the top of the worksurface but is **not** mounted, so can be repositioned
- Matches 42" high datum line
- Can be used at the ends of worksurfaces, or between users anywhere along the length of the worksurface
- An ideal solution for space division in "Benching" applications where various numbers of users occupy the workstation
- Available in Fascia Laminate, Seamless Color, Standard Flintwood and Natural Veneer finishes




### Desk Top Mounted Screen (UNSBWS)

- A mounted screen that is used for perpendicular territorial screening
- Is specified to match the depth of the worksurface as it clamps to the front and rear of the worksurface
- Matches 42" high datum
- Can be used between users on- or off-module, but **not** at the end of a run
- Can only be used on rectangular worksurfaces
- Available in Frost Standard Glass, Specialty Glass Vanceva, Fascia Laminate, Seamless Color, Standard Flintwood and Natural Veneer finishes; 10mm thick Standard Glass, Frost is an etched tempered glass




# modesty screen basics

The following outlines the features of the Modesty Screen.



Modesty Screen (shown)




## Modesty Screen (UNSM)

- Mounts 1" below worksurfaces to provide visual privacy
- Is an off-module casual fit
- Actual width is 1" less than the nominal width
- Available in Source Laminate, Fascia Laminate, Seamless Color, Standard Flintwood and Natural Veneer finishes
- The modesty screen is 14" above finished floor


# floor screen basics

The following outlines the features of the Floor Screen.



Floor Screen (shown)

166



## Floor Screen (UNSF)


- A 5/8" thick, 42" or 51" high visual screen that provides privacy to floor level
- Is mounted to a worksurface on- or off-module
- Available in widths from 23" to 96" in 1" increments for 42" high and 23" to 48" widths available in 1" increments for 51" high
- Provides full width or casual fit with controlled gaps
- Does **not** provide support to the worksurface
- Can only be attached to worksurfaces that are permanently affixed to at least one piece of storage, a Panel Wall, or to a freestanding desk with a return
- Aluminum top rail can accommodate the Pencil Tray (PAX94), Media Organizer (PAX96), Vertical Organizers (PAX99, PAX100) and Workstation Signage (ACWS). Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Can be used with a Vertical Cable Manager (UNVC) which manages cables between the floors and the underside of the worksurface. Must be specified separately. (see Electrics section)




## Floor Screen Extended Leveling Kit (UNSFXL)

- Available for height adjustment and leveling on uneven floors

## grain direction




- For 42" high floor screens the grain runs horizontal
- For Cathedral Flintwood and Natural Veneers the grain direction is from left to right from the user's perspective. From the visitor's perspective, outside the workstation, the grain direction is right to left




- For 51" high floor screens the grain runs vertical
- For Cathedral Flintwood and Natural Veneers the grain direction is from bottom to top from both the user's and visitor's perspective, inside and outside the workstation

# solid lateral screen basics

The Solid Lateral Screen is used with freestanding panels to provides a clean aesthetic and allows for seated privacy between users.




- Available in widths from 24" - 72" in 6" increments
- Available 42" and 51" high
- The screen thickness is 1"
- A stability foot is included on screens 48" and wider
- The screen must mount into the 6" high horizontal rail, therefor the screen **cannot** be specified with monolithic fascias





## Solid Lateral Screen with Glass (UALSG)

- 42" high screen include 13" high glass in the overall height
- 51" high screen include options of 9" or 22" high glass in the overall height




## Solid Lateral Screen (UALSS)

- Can accommodate a tack board



Left




Left



- The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left
- The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right
- It is especially important at the end condition. If it is specified with the incorrect handedness, the screen will sit in 6 1/2" from the end

## storage screen basics

The following outlines the features of the Storage Screen.



Storage Screen (Shown)



### Storage Screen (UNSSS)

- Mounts to 21" high and 28" high storage credenzas to provide casual space division
- Available 42" – 51" high and in widths from to 96"
- The screen mounts into the slots on the back of credenzas or storage
- Has a leveling range of 0.5 down and the brackets allow it to remain attached to storage
- On storage less than 60" wide, the screen should be specified to span the entire width of the cabinet and on storage 60" wide and over, the screen can mount off-module and be specified shorter
- Has a leveling range of 0.5 down and the brackets allow it to remain attached to storage




UNSDT  
Desk Top Casual Screen

The Desk Top Screen is freestanding, providing space division and territorial desktop privacy.

**WHAT’S INCLUDED**  
1 desk top screen with base support.

**NOTES**  
Edge trim will be finished to match the screen when Seamless Color, Flintwood and Natural Veneer finishes have been specified.



PRODUCT OPTIONS

Height	Width	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Base Finish
13	24	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSDT 13	24	FX		AC
----------	----	----	--	----

DIMENSIONS  
INCHES / MM

H	W
13 / 330	24 / 610

PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
140	140	285	300

The Desk Top Mounted Screen is mounted to a worksurface to provide privacy and space division.

#### WHAT'S INCLUDED

1 screen, attachment hardware.

#### NOTES


Edge trim will be finished to match the screen when Source Laminate, Seamless Color, Flintwood and Natural Veneer finishes have been specified.

Standard Glass, Frost is a 10mm etched tempered glass.

Specialty Glass Vanceva is a laminated glass.

Can only be used on District worksurfaces.

## UNSBWS Desk Top Mounted Screen



#### PRODUCT OPTIONS

Height	Width	Screen Finish	Worksurface Edge Trim Style	Base Finish
13	20, 24, 30, 36	<b>FT</b> Frost Standard Glass <b>A6</b> 65% White Specialty Glass Vanceva <b>G5</b> Cool White Specialty Glass Vanceva Specialty Glass Vanceva (Gr.7) Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	<b>8</b> Flat <b>H</b> Knife	Foundation Mica

171

#### SAMPLE ORDER CODE

UNSBWS 13	24	FT	G	Q
-----------	----	----	---	---

#### DIMENSIONS INCHES / MM

H	W
13 / 330	20 / 508
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914

#### PRICING

Standard Glass Frost	Specialty Glass Vanceva		Source Laminate	Seamless Color	Flintwood	Natural Veneer
Frost	Frost	Gr.7				
403	419	463	188	235	431	452
418	452	499	200	249	446	468
500	518	571	227	284	504	530
560	614	677	254	317	562	591

UNSD E  
Desk Edge Screen

The Desk Edge Screen attaches to the worksurface to provide space division and territorial desktop privacy.


WHAT’S INCLUDED

1 desk edge screen, attachment brackets.

NOTES

Edge trim will be finished to match the screen when Seamless Color, Flintwood and Natural Veneer finishes have been specified.

Actual width is nominal (specified) width.



PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13 (42" datum height)	23 - 96	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica

SAMPLE ORDER CODE

UNSD E 13	24	FX		E
-----------	----	----	--	---

DIMENSIONS  
FOR MM X BY 25.4

H	W
13	23-24
13	25-27
13	28-30
13	31-33
13	34-36
13	37-39
13	40-42
13	43-45
13	46-48
13	49-51
13	52-54
13	55-57
13	58-60
13	61-63
13	64-66
13	67-69
13	70-72
13	73-75
13	76-78
13	79-81
13	82-84
13	85-87
13	88-90
13	91-93
13	94-96

PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
178	213	225	234
183	219	231	241
186	224	236	246
191	230	242	253
196	235	246	257
201	241	253	263
205	246	259	269
248	298	311	324
290	348	365	381
295	354	372	387
299	359	378	393
304	365	383	398
308	371	387	404
314	377	392	409
317	380	397	414
322	386	404	420
325	390	408	424
329	395	415	433
333	400	420	438
375	449	474	495
417	501	528	550
421	505	535	558
424	509	539	562
430	515	544	567
434	521	548	570



The Desk Edge Screen – Glass attaches to the worksurface to provide space division and territorial desktop privacy.

#### WHAT'S INCLUDED

1 screen, attachment brackets.


#### NOTES

This Desk Edge Screen can only be applied to 30" and 36" deep worksurfaces in freestanding applications.

Actual screen height is 19" in total; 6" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

## UNSD E G Desk Edge Screen – Glass



#### PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13	23 - 96	FT Frost Standard Glass	Foundation Mica

173

#### SAMPLE ORDER CODE


UNSD E G 13	24	FT	Q
-------------	----	----	---

#### DIMENSIONS FOR MM X BY 25.4

H	W	
13	23-24	406
13	25-27	448
13	28-30	490
13	31-33	532
13	34-36	573
13	37-39	615
13	40-42	656
13	43-45	700
13	46-48	768
13	49-51	812
13	52-54	856
13	55-57	906
13	58-60	954
13	61-63	1004
13	64-66	1054
13	67-69	1103
13	70-72	1153
13	73-75	1203
13	76-78	1252
13	79-81	1302
13	82-84	1352
13	85-87	1400
13	88-90	1450
13	91-93	1500
13	94-96	1549

## UNSFDE

### Desk Edge Screen – Full-Height



The Desk Edge Screen – Full-Height attaches to the worksurface to provide space division and privacy. Particularly suited for height-adjustable tables.

#### WHAT'S INCLUDED

1 screen, attachment brackets.

#### NOTES

Actual screen height are 28" & 37" in total; 15" below the worksurface and 13" & 22" above the worksurface.

Edge trim will be finished to match the screen when Flintwood and Natural Veneer finishes have been specified.

Edge trim on Fascia Laminate surfaces will have Seamless acrylic or self edge trim options.

#### PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish	Bracket Finish
13, 22	23 - 96	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic ~ Self Edge	Foundation Mica

#### SAMPLE ORDER CODE

UNSFDE 13	48	AV	SM	7
-----------	----	----	----	---

#### DIMENSIONS FOR MM X BY 25.4

H	W
13	23-24
13	25-27
13	28-30
13	31-33
13	34-36
13	37-39
13	40-42
13	43-45
13	46-48
13	49-51
13	52-54
13	55-57
13	58-60
13	61-63
13	64-66
13	67-69
13	70-72
13	73-75
13	76-78
13	79-81
13	82-84
13	85-87
13	88-90
13	91-93
13	94-96

#### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
298	298	553	576
308	308	585	609
318	318	616	639
328	328	648	671
337	337	680	704
349	349	708	733
360	360	735	763
392	392	786	814
423	423	832	861
437	437	863	893
451	451	894	924
465	465	928	959
480	480	962	994
495	495	997	1029
510	510	1031	1063
526	526	1065	1100
542	542	1101	1136
559	559	1137	1174
576	576	1175	1212
613	613	1234	1273
651	651	1292	1334
670	670	1335	1379
690	690	1376	1420
711	711	1419	1467
732	732	1465	1511

# UNSFDE

## Desk Edge Screen – Full-Height (Continued)


### DIMENSIONS FOR MM X BY 25.4

### PRICING

H	W	Source Laminate	Seamless Color	Flintwood	Natural Veneer
22	23-24	358	358	608	634
22	25-27	371	371	644	670
22	28-30	381	381	678	703
22	31-33	393	393	713	738
22	34-36	405	405	748	774
22	37-39	418	418	778	806
22	40-42	433	433	808	839
22	43-45	471	471	864	895
22	46-48	508	508	915	947
22	49-51	524	524	949	982
22	52-54	541	541	983	1016
22	55-57	558	558	1022	1056
22	58-60	576	576	1058	1093
22	61-63	594	594	1096	1131
22	64-66	613	613	1134	1170
22	67-69	631	631	1172	1210
22	70-72	651	651	1211	1250
22	73-75	671	671	1251	1291
22	76-78	691	691	1293	1333
22	79-81	735	735	1357	1400
22	82-84	781	781	1421	1468
22	85-87	803	803	1469	1516
22	88-90	828	828	1513	1562
22	91-93	853	853	1561	1614
22	94-96	878	878	1611	1662

UNSF D G

Desk Edge Screen – Full-Height Glass



The Desk Edge Screen – Full-Height Glass attaches to the worksurface to provide space division and territorial desktop privacy.

**WHAT’S INCLUDED**  
1 screen, attachment brackets.

**NOTES**  
This Desk Edge Screen can only be applied to 30" and 36" wide worksurfaces in freestanding applications.

Actual screen height is 28" in total; 15" below the worksurface and 13" above the worksurface.

Standard Glass, Frost is a 10mm etched tempered glass.

PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Bracket Finish
13	23 - 72	FT Frost Standard Glass	Foundation Mica

SAMPLE ORDER CODE

UNSF D G 13	23	FT	Q
-------------	----	----	---

DIMENSIONS  
FOR MM X BY 25.4

H	W
13	23-24
13	25-27
13	28-30
13	31-33
13	34-36
13	37-39
13	40-42
13	43-45
13	46-48
13	49-51
13	52-54
13	55-57
13	58-60
13	61-63
13	64-66
13	67-69
13	70-72

PRICING

528
582
636
692
745
800
853
909
999
1057
1112
1177
1241
1306
1371
1434
1500

The Modesty Screen provides visual privacy below worksurface.


#### WHAT'S INCLUDED

1 screen, attachment brackets.

#### NOTES

Edge trim will be finished to match the screen when Seamless Color, Flintwood and Natural Veneer finishes have been specified.

## UNSM Modesty Screen



#### PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket Finish
13	24 - 96	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	<b>SM</b> Aluminum Acrylic Self Edge	Foundation Mica

177

#### SAMPLE ORDER CODE

<b>UNSM 13</b>	<b>48</b>	<b>XM</b>		<b>7</b>
----------------	-----------	-----------	--	----------

#### DIMENSIONS FOR MM X BY 25.4


H	W
13 / 330	24 / 610
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
13 / 330	66 / 1676
13 / 330	72 / 1829
13 / 330	78 / 1981
13 / 330	84 / 2134
13 / 330	90 / 2286
13 / 330	96 / 2438

#### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
168	168	331	350
176	176	360	378
183	183	391	407
190	190	421	438
235	235	489	510
243	243	520	542
250	250	549	571
259	259	579	602
266	266	609	633
273	273	639	666
280	280	668	696
288	288	698	723
295	295	729	753

## UNSF

### Floor Screen



The Floor Screen attaches to the worksurface to provide space division. Its Top Rail supports selected Personal Organizers (PAX) (see the Screens Application Guide for details). It also accepts attachment of a Vertical Cable Manager (UNVC) (see electric section).

#### WHAT'S INCLUDED

1 floor screen, attachment brackets, levelers.

#### NOTES

Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 42" heights.

Edge trim will be finished to match the screen when Seamless Color, Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

Extended levelers are available (UNSFXL). Can be found on page 180.

#### PRODUCT OPTIONS

Height	Width (1" increments)	Screen Finish	Edge Trim Finish (Applies to Fascia Laminate)	Bracket/Foot Cover Finish	Top Rail Finish
42, 51	23 - 96	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	SM Aluminum Acrylic Self Edge	Foundation Mica	Foundation Mica

#### SAMPLE ORDER CODE

UNSF 42	30	MP		7	7
---------	----	----	--	---	---

#### DIMENSIONS FOR MM X BY 25.4

H	W
42	23-24
42	25-27
42	28-30
42	31-33
42	34-36
42	37-39
42	40-42
42	43-45
42	46-48
42	49-51
42	52-54
42	55-57
42	58-60
42	61-63
42	64-66
42	67-69
42	70-72
42	73-75
42	76-78
42	79-81
42	82-84
42	85-87
42	88-90
42	91-93
42	94-96

#### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
404	444	650	746
419	461	689	791
435	479	725	834
448	493	765	879
462	508	803	922
480	528	834	958
498	548	867	997
518	570	903	1037
538	592	937	1075
560	616	974	1119
581	639	1012	1162
604	664	1053	1208
628	691	1093	1255
653	718	1137	1305
677	745	1180	1355
705	776	1228	1409
732	805	1274	1463
762	838	1325	1522
791	870	1377	1581
822	904	1432	1645
854	939	1487	1708
888	977	1546	1776
922	1014	1605	1843
958	1054	1670	1919
996	1096	1734	1991

Pricing is continued on the following page.

**U N S F**  
**Floor Screen**  
**(Continued)**

**DIMENSIONS**  
**FOR MM X BY 25.4**


**PRICING**

H	W	Source Laminate	Seamless Color	Flintwood	Natural Veneer
51	23-24	342	449	819	847
51	25-27	353	463	878	908
51	28-30	364	478	936	969
51	31-33	376	494	996	1029
51	34-36	387	508	1055	1090
51	37-39	402	528	1098	1133
51	40-42	419	550	1140	1176
51	43-45	435	571	1185	1224
51	46-48	451	592	1231	1271

**U N S F X L**  
**Floor Screen Extended Leveling Kit**

Floor Screen Extended Levelers increase the Floor Screen leveling range by an additional 1".

**WHAT'S INCLUDED**  
2 extended levelers.



**PRICING**

---

---

26


---





# UNSSS

## Storage Screen



The Storage Screen attaches to District low and high credenzas to provide additional privacy.

### WHAT'S INCLUDED

1 storage screen, attachment brackets, levelers.

### NOTES

Actual width is nominal (specified) width.

Grain direction is vertical on 51" heights and horizontal on 48" heights.

Edge trim will be finished to match the screen when Seamless Color, Flintwood and Natural Veneer finishes have been specified.

Not all height/width combinations are available. See pricing for exact offering.

### PRODUCT OPTIONS

Height	Width (30-96 in 1" increments)	Screen Finish	Mid Rail/Bracket/ Foot Cover Finish	Top Rail Finish	Storage Type
42, 51	24, 30 - 96	Source Laminate Seamless Color Flintwood (Standard) Natural Veneer	Foundation Mica	Foundation Mica	<b>A</b> Low Credenza Standard <b>B</b> Low Credenza Elevated <b>C</b> High Credenza Standard <b>D</b> High Credenza Elevated

### SAMPLE ORDER CODE

UNSSS 42	30	MP	7	7	A
----------	----	----	---	---	---

### DIMENSIONS FOR MM X BY 25.4

H	W
42	24
42	30
42	31-33
42	34-36
42	37-39
42	40-42
42	43-45
42	46-48
42	49-51
42	52-54
42	55-57
42	58-60
42	61-63
42	64-66
42	67-69
42	70-72
42	73-75
42	76-78
42	79-81
42	82-84
42	85-87
42	88-90
42	91-93
42	94-96

### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
324	436	645	707
349	469	721	790
360	484	757	830
371	498	797	873
386	518	829	906
401	538	859	941
416	559	894	980
432	581	930	1017
450	605	966	1057
468	628	1004	1098
486	653	1045	1142
505	678	1084	1187
526	707	1127	1233
545	733	1170	1280
567	762	1217	1332
589	791	1264	1383
612	823	1314	1438
636	854	1366	1493
660	887	1421	1553
686	922	1476	1615
714	959	1534	1679
741	995	1591	1742
771	1036	1656	1814
801	1076	1720	1882

Pricing is continued on the following page.

**U N S S S**  
**Storage Screen**  
**(Continued)**


**DIMENSIONS**  
**FOR MM X BY 25.4**

**PRICING**

H	W	Source Laminate	Seamless Color	Flintwood	Natural Veneer
51	24	344	487	859	888
51	30	366	519	981	1016
51	31-33	378	536	1045	1080
51	34-36	389	552	1108	1144
51	37-39	405	574	1153	1190
51	40-42	421	597	1196	1235
51	43-45	438	620	1244	1285
51	46-48	454	643	1293	1334

## UALSG

### Solid Lateral Screen with Glass



Solid Lateral Screen and Glass top attaches to a panel to provide casual lateral space division.

#### WHAT'S INCLUDED

1 lateral solid screen with glass top, attachment brackets, support foot (48" width and above).

#### NOTES

Screens 48" in width and above will include a support foot.

Support foot finish will automatically default to the bracket finish.

The Bracket location is determined by the location of the bracket in relation to the screen.

The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left.

The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Bracket Location	Screen Support	Bracket Attachment	Glass Finish	Screen Finish	Bracket Finish
<b>A</b> 42" total (29" Solid, 13" Glass)	24 - 72	<b>L</b> Left (Shown)	<b>N</b> None	<b>D</b> District	<b>CL</b> Clear	Source Laminate	Foundation
<b>B</b> 51" total (42" Solid, 9" Glass)		<b>R</b> Right	<b>F</b> Foot		<b>FT</b> Frost	Seamless Color	Mica
<b>C</b> 51" total (29" Solid, 22" Glass)					<b>FB</b> Satin	Flintwood	
						Natural Veneer	

#### SAMPLE ORDER CODE

<b>UALSG B</b>	<b>30</b>	<b>R</b>	<b>N</b>	<b>D</b>	<b>FT</b>	<b>AG</b>	<b>C</b>
----------------	-----------	----------	----------	----------	-----------	-----------	----------

#### DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

#### PRICING

##### CLEAR GLASS

Source Laminate	Seamless Color	Flintwood	Natural Veneer
(42" total (29" Solid, 13" Glass))			
434	559	726	726
480	618	804	804
527	679	883	883
574	738	960	960
619	797	1036	1036
782	1007	1310	1310
810	1043	1357	1357
976	1257	1633	1633
1018	1310	1703	1703

##### (51" total (42" Solid, 9" Glass))

463	603	785	826
515	672	873	919
568	741	963	1014
619	808	1050	1105
682	889	1155	1216
841	1096	1425	1500
906	1183	1538	1619
965	1259	1636	1722
1026	1340	1741	1833

Pricing is continued on the following page.

## U A L S G

Solid Lateral Screen with Glass  
(Continued)DIMENSIONS  
INCHES / MM

H	W
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

## PRICING

## CLEAR GLASS (CONTINUED)

Source Laminate	Seamless Color	Flintwood	Natural Veneer
(51" total (29" Solid, 22" Glass))			
473	599	780	821
526	667	867	913
578	734	955	1005
630	799	1039	1094
704	893	1161	1222
870	1103	1434	1509
931	1182	1537	1618
994	1261	1639	1725
1056	1340	1741	1833

## FROSTED GLASS

Source Laminate	Seamless Color	Flintwood	Natural Veneer
(42" total (29" Solid, 13" Glass))			
528	634	759	843
588	706	844	938
649	779	931	1034
709	849	1015	1128
768	921	1099	1221
954	1144	1371	1523
994	1191	1426	1584
1182	1418	1700	1889
1236	1483	1778	1975

## (51" total (42" Solid, 9" Glass))

544	661	798	887
608	739	891	990
672	818	986	1095
735	895	1076	1196
810	985	1185	1317
988	1202	1450	1611
1066	1298	1566	1740
1134	1380	1665	1850
1208	1471	1774	1971

## (51" total (29" Solid, 22" Glass))

602	711	844	938
675	797	945	1050
746	882	1044	1160
819	966	1143	1270
915	1079	1276	1418
1106	1306	1551	1723
1187	1403	1666	1851
1278	1510	1788	1987
1365	1611	1907	2119

Pricing is continued on the following page.

# U A L S G

## Solid Lateral Screen with Glass (Continued)

### DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829

### PRICING

#### SATIN GLASS

Source Laminate	Seamless Color	Flintwood	Natural Veneer
(42" total (29" Solid, 13" Glass))			
581	695	806	948
638	764	887	1044
694	832	967	1138
758	907	1056	1242
831	994	1153	1356
1006	1206	1410	1659
1050	1258	1469	1728
1236	1483	1737	2044
1294	1553	1818	2139

#### (51" total (42" Solid, 9" Glass))

607	734	855	1006
667	807	943	1109
729	883	1033	1215
796	965	1127	1326
875	1060	1239	1333
1051	1275	1499	1642
1133	1375	1617	1902
1206	1464	1720	2024
1283	1558	1831	2154

#### (51" total (29" Solid, 22" Glass))

709	787	904	1064
786	873	1004	1181
847	942	1087	1288
939	1042	1199	1411
1058	1175	1349	1587
1259	1400	1618	1903
1340	1491	1726	2031
1428	1589	1839	2163
1524	1695	1960	2306

Solid Lateral Screen attaches to a panel to provide casual lateral space division.

#### WHAT'S INCLUDED

1 lateral solid screen, attachment brackets, support foot (48" width and above).

#### NOTES


Screens 48" in width and above will include a support foot.

Support foot finish will automatically default to the bracket finish.

The Bracket location is determined by the location of the bracket in relation to the screen.

The left handed orientation will have the visible mounting brackets on the right and the support foot (if required) will be on the left.

The right handed orientation will have the visible mounting brackets on the left and the support foot (if required) will be on the right.



#### PRODUCT OPTIONS

Height	Width (6" increments)	Bracket Location	Screen Support	Bracket Attachment	Screen Finish	Bracket Finish
42, 51	24 - 72	<b>L</b> Left (Shown) <b>R</b> Right	<b>N</b> None <b>F</b> Foot	<b>D</b> District	Source Laminate Seamless Color Flintwood Natural Veneer	Foundation Mica

I87

#### SAMPLE ORDER CODE

<b>UALSS 42</b>	<b>30</b>	<b>R</b>	<b>N</b>	<b>D</b>	<b>AG</b>	<b>C</b>
-----------------	-----------	----------	----------	----------	-----------	----------

#### DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524
42 / 1067	66 / 1676
42 / 1067	72 / 1829
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829


#### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
325	419	555	555
341	474	617	617
377	528	685	685
412	578	750	750
510	713	926	926
545	763	992	992
622	871	1133	1133
658	920	1196	1196
694	973	1265	1265
338	473	615	615
381	533	693	693
423	592	770	770
466	651	847	847
571	800	1040	1040
614	n/a	1117	1117
696	n/a	1267	1267
738	n/a	1344	1344
782	n/a	1424	1424

UNSPS  
Panel Wall Add-On Screen – Solid

The Panel Wall Add-On Screen – Solid is added on top of Panel Walls to provide space division as a flexible alternative to fixed-height Panel Walls.

**WHAT’S INCLUDED**  
1 add-on screen, support frame, attachment hardware.



PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	Seamless Color Flintwood Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNSPS 15	48	FN	AC
----------	----	----	----

DIMENSIONS  
INCHES / MM

H	W	Seamless Color	Flintwood	Natural Veneer
9 / 229	24 / 610	172	293	305
9 / 229	30 / 762	187	323	336
9 / 229	36 / 914	214	362	380
9 / 229	42 / 1067	235	397	416
9 / 229	48 / 1219	257	432	451
9 / 229	54 / 1372	277	467	485
9 / 229	60 / 1524	298	501	521
9 / 229	66 / 1676	320	536	558
9 / 229	72 / 1829	341	571	594
9 / 229	78 / 1981	362	604	629
9 / 229	84 / 2134	384	639	664
9 / 229	90 / 2286	406	675	702
9 / 229	96 / 2438	425	710	739
13 / 330	24 / 610	178	318	331
13 / 330	30 / 762	202	360	378
13 / 330	36 / 914	226	402	420
13 / 330	42 / 1067	248	446	466
13 / 330	48 / 1219	272	487	510
13 / 330	54 / 1372	295	530	551
13 / 330	60 / 1524	319	572	595
13 / 330	66 / 1676	341	615	639
13 / 330	72 / 1829	365	657	684
13 / 330	78 / 1981	388	700	728
13 / 330	84 / 2134	414	742	772
13 / 330	90 / 2286	436	785	816
13 / 330	96 / 2438	459	827	860

DIMENSIONS  
INCHES / MM

H	W	Seamless Color	Flintwood	Natural Veneer
15 / 381	24 / 610	182	330	346
15 / 381	30 / 762	205	376	392
15 / 381	36 / 914	229	421	440
15 / 381	42 / 1067	253	467	487
15 / 381	48 / 1219	276	512	534
15 / 381	54 / 1372	300	558	580
15 / 381	60 / 1524	326	602	626
15 / 381	66 / 1676	350	648	675
15 / 381	72 / 1829	374	694	722
15 / 381	78 / 1981	397	740	769
15 / 381	84 / 2134	421	785	816
15 / 381	90 / 2286	446	829	862
15 / 381	96 / 2438	469	876	910

PRICING

H	W	Seamless Color	Flintwood	Natural Veneer
15 / 381	24 / 610	182	330	346
15 / 381	30 / 762	205	376	392
15 / 381	36 / 914	229	421	440
15 / 381	42 / 1067	253	467	487
15 / 381	48 / 1219	276	512	534
15 / 381	54 / 1372	300	558	580
15 / 381	60 / 1524	326	602	626
15 / 381	66 / 1676	350	648	675
15 / 381	72 / 1829	374	694	722
15 / 381	78 / 1981	397	740	769
15 / 381	84 / 2134	421	785	816
15 / 381	90 / 2286	446	829	862
15 / 381	96 / 2438	469	876	910



The Panel Wall Add-On Screen – Glass is added on top of Panel Walls to provide a lighter, frameless alternative to windows.

UNSPG

## Panel Wall Add-On Screen – Glass


### WHAT'S INCLUDED

1 add-on screen, support frame, attachment hardware.

### NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.



### PRODUCT OPTIONS

Height	Width (6" increments)	Screen Finish	Support Frame Finish
09, 13, 15	24 - 96	5 Clear Standard Glass Specialty Glass Vanceva	AC Clear Anodized Foundation Mica

189

### SAMPLE ORDER CODE

UNSPG 15	48	A5	AC
----------	----	----	----

### DIMENSIONS INCHES / MM


H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White Gr. 6 Gr. 7
9 / 229	24 / 610	228	346 366 371
9 / 229	30 / 762	263	387 415 418
9 / 229	36 / 914	311	441 473 478
9 / 229	42 / 1067	353	493 529 534
9 / 229	48 / 1219	394	540 582 590
9 / 229	54 / 1372	435	589 634 645
9 / 229	60 / 1524	477	638 691 700
9 / 229	66 / 1676	519	689 745 755
9 / 229	72 / 1829	559	735 798 809
9 / 229	78 / 1981	600	785 853 863
9 / 229	84 / 2134	644	832 908 921
9 / 229	90 / 2286	685	884 960 975
9 / 229	96 / 2438	726	930 1013 1029
13 / 330	24 / 610	247	376 405 411
13 / 330	30 / 762	293	432 467 473
13 / 330	36 / 914	337	486 530 539
13 / 330	42 / 1067	382	542 593 603
13 / 330	48 / 1219	425	595 654 664
13 / 330	54 / 1372	470	653 716 729
13 / 330	60 / 1524	515	706 779 793
13 / 330	66 / 1676	560	763 845 857
13 / 330	72 / 1829	604	818 905 919
13 / 330	78 / 1981	650	874 966 983
13 / 330	84 / 2134	696	927 1032 1048
13 / 330	90 / 2286	738	981 1091 1111
13 / 330	96 / 2438	783	1038 1153 1173

### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White Gr. 6 Gr. 7
15 / 381	24 / 610	258	392 428 432
15 / 381	30 / 762	303	450 486 499
15 / 381	36 / 914	350	507 556 567
15 / 381	42 / 1067	395	567 625 634
15 / 381	48 / 1219	441	624 696 703
15 / 381	54 / 1372	490	684 764 772
15 / 381	60 / 1524	534	740 823 838
15 / 381	66 / 1676	581	799 891 908
15 / 381	72 / 1829	625	855 956 974
15 / 381	78 / 1981	674	917 1023 1043
15 / 381	84 / 2134	720	974 1089 1111
15 / 381	90 / 2286	765	1032 1157 1177
15 / 381	96 / 2438	814	1089 1223 1246

## UYSPG

### Panel Glass Blade for Panels with Inset Glass



The Panel Wall with Inset Glass – Glass blade is imbedded into the top of a UY Panel Walls to provide a frameless alternative to windows with a low amount of exposed trim.

#### WHAT'S INCLUDED

1 add on Glass Blade.

#### WHAT'S EXCLUDED

Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel wall.

#### NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

#### PRODUCT OPTIONS

Height	Width (6" increments)	Application				Screen Finish
09, 13, 15	24 - 96	<b>N</b> Both Notched	<b>C</b> Both Corner	<b>5</b> Clear Standard Glass Specialty Glass Vanceva		
		<b>B</b> Both Extended	<b>D</b> Corner & Extended			
		<b>E</b> One Side Extended	<b>G</b> One Side Corner			
		<b>F</b> Notched & Extended	<b>H</b> Corner & Notched			
		<b>K</b> One Side Notched				
		<b>S</b> Both Standard				

#### SAMPLE ORDER CODE

<b>UYSPG 15</b>	<b>42</b>	<b>S</b>	<b>CL</b>
-----------------	-----------	----------	-----------

#### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
9 / 229	24 / 610	144	248	264	266
9 / 229	30 / 762	166	278	299	301
9 / 229	36 / 914	196	318	341	345
9 / 229	42 / 1067	223	355	381	385
9 / 229	48 / 1219	248	389	419	425
9 / 229	54 / 1372	274	424	457	465
9 / 229	60 / 1524	300	460	498	504
9 / 229	66 / 1676	327	497	537	544
9 / 229	72 / 1829	352	529	574	582
9 / 229	78 / 1981	378	565	615	622
9 / 229	84 / 2134	406	599	654	663
9 / 229	90 / 2286	432	637	691	702
9 / 229	96 / 2438	457	670	730	741
13 / 330	24 / 610	160	282	303	305
13 / 330	30 / 762	190	324	351	353
13 / 330	36 / 914	219	365	398	402
13 / 330	42 / 1067	248	407	445	448
13 / 330	48 / 1219	276	446	491	493
13 / 330	54 / 1372	305	490	537	540
13 / 330	60 / 1524	335	530	585	588
13 / 330	66 / 1676	364	572	633	635
13 / 330	72 / 1829	393	614	679	681
13 / 330	78 / 1981	422	655	725	729
13 / 330	84 / 2134	452	696	774	775
13 / 330	90 / 2286	479	736	818	821
13 / 330	96 / 2438	509	778	864	867

#### DIMENSIONS INCHES / MM

H	W	Standard Glass Clear	Specialty Glass Vanceva Cool White	Gr. 6	Gr. 7
15 / 381	24 / 610	168	294	319	321
15 / 381	30 / 762	197	337	368	371
15 / 381	36 / 914	228	381	418	421
15 / 381	42 / 1067	257	425	468	471
15 / 381	48 / 1219	287	468	519	521
15 / 381	54 / 1372	318	513	569	572
15 / 381	60 / 1524	347	555	617	620
15 / 381	66 / 1676	378	599	669	671
15 / 381	72 / 1829	407	642	718	720
15 / 381	78 / 1981	438	688	768	771
15 / 381	84 / 2134	468	731	817	821
15 / 381	90 / 2286	497	774	868	869
15 / 381	96 / 2438	529	817	917	919

The Panel Wall with Inset Glass – Glass blade is imbedded into the top of a UY Panel Walls and designed to cover a panel connection to provide a frameless alternative to windows with a low amount of exposed trim.

#### WHAT'S INCLUDED

1 add on Glass Blade.

#### WHAT'S EXCLUDED


Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT) required to connect to UY Panel wall.

#### NOTES

Standard Glass, Clear is a tempered glass finish.

Specialty Glass Vanceva is a laminated glass finish.

## UYSCG Bridged Glass Blade for Panels with Inset Glass



#### PRODUCT OPTIONS

Height	Width (6" increments)	Application		Screen Finish
09, 13, 15	48 - 96	<b>N</b> Both Notched <b>B</b> Both Extended <b>E</b> One Side Extended <b>F</b> Notched & Extended <b>K</b> One Side Notched <b>S</b> Both Extended	<b>C</b> Both Corner <b>D</b> Corner & Extended <b>G</b> One Side Corner <b>H</b> Corner & Notched	<b>5</b> Clear Standard Glass Specialty Glass Vanceva

191

#### SAMPLE ORDER CODE

UYSCG 15	42	S	CL
----------	----	---	----

#### DIMENSIONS INCHES / MM

		PRICING			
H	W	Standard Glass Clear	Specialty Glass Vanceva		
			Cool White	Gr. 6	Gr. 7
9 / 229	48 / 1219	248	389	419	425
9 / 229	54 / 1372	274	424	457	465
9 / 229	60 / 1524	300	460	498	504
9 / 229	66 / 1676	327	497	537	544
9 / 229	72 / 1829	352	529	574	582
9 / 229	78 / 1981	378	565	615	622
9 / 229	84 / 2134	406	599	654	663
9 / 229	90 / 2286	432	637	691	702
9 / 229	96 / 2438	457	670	730	741
13 / 330	48 / 1219	276	446	491	493
13 / 330	54 / 1372	305	490	537	540
13 / 330	60 / 1524	335	530	585	588
13 / 330	66 / 1676	364	572	633	635
13 / 330	72 / 1829	393	614	679	681
13 / 330	78 / 1981	422	655	725	729
13 / 330	84 / 2134	452	696	774	775
13 / 330	90 / 2286	479	736	818	821
13 / 330	96 / 2438	509	778	864	867

#### DIMENSIONS INCHES / MM

		PRICING			
H	W	Standard Glass Clear	Specialty Glass Vanceva		
			Cool White	Gr. 6	Gr. 7
15 / 381	48 / 1219	287	468	519	521
15 / 381	54 / 1372	318	513	569	572
15 / 381	60 / 1524	347	555	617	620
15 / 381	66 / 1676	378	599	669	671
15 / 381	72 / 1829	407	642	718	720
15 / 381	78 / 1981	438	688	768	771
15 / 381	84 / 2134	468	731	817	821
15 / 381	90 / 2286	497	774	868	869
15 / 381	96 / 2438	529	817	917	919

connections & trims

# connections & trims

PRODUCT MAP / TABLE OF CONTENTS .....194

UNDERSTANDING TRIMS & CONNECTORS .....196

TOP TRIM BASICS .....197

END TRIM BASICS .....198


CONNECTOR BASICS .....200

PRODUCT LISTING .....202

## product map

### UNTT Top Trim

Page 202  
Width: 24" - 96" (6" increments)




### UYTT Panel Top Trim for Panels with Inset Glass

Page 203  
Width: 24" - 96" (6" increments)



### UNTTP Top Trim – Power Pole Access

Page 204  
Width: 24" - 96" (6" increments)



### UYCT Bridged Top Trim for Panels with Inset Glass

Page 205  
Width: 48" - 96" (6" increments)



### UNTE End Trim

Page 206  
Height: 29" - 66"



### UATE End Trim for Freestanding District

Page 207  
Height: 29", 42", 51" & 66"



### UNTM Intermediate End Trim

Page 208  
Height: 9" - 37"



### UNPCR2 Two-Way 90°

Page 209  
Height: 29" - 66"



### UNPCR3 Three-Way 90°

Page 210  
Height: 29" - 66"



### UNPCR4 Four-Way 90°

Page 211  
Height: 29" - 66"



### UNPCCR Two-Way 180° Spacer

Page 212  
Height: 29" - 66"



### UNIC2 Two-Way Intermediate 90°


Page 213  
Height: 9" - 37"




## product map

**UNIC3 Three-Way Intermediate  
90°**


Page 214  
Height: 9" - 37"

**UNIC4 Four-Way Intermediate 90°**

Page 215  
Height: 9" - 37"

**UNICC Two-Way Intermediate  
180°**

Page 216  
Height: 9" - 37"

**UYPC2 Two-Way 90° Corner Cap  
for Panels with Inset Glass**


Page 217

**UNTC Transition Cover**

Page 218  
Height: 42" - 66" (6" increments)

**UYTC Top Trim Cover for  
Panels with Inset Glass**

Page 219  
Width: 48" - 102" (6" increments)


**UNPCW Wall Start**

Page 220  
Height: 29" - 66"



## understanding trims & connectors

Trims and connectors are required to finish the tops, ends and corners of District Panel Walls and Add-On Windows.





- 1 Corner connectors include brackets, trims and corner caps.
- 2 All trims are bolted to the panel wall for positive engagement and alignment.
- 3 Corner connectors are specified to match the panel type that they are being used with (ex. Flush/Convertible-to- Flush/Convertible, Elevated-to-Elevated, or Flush/Convertible-to-Elevated)
- 4 All panel wall connections are on-module
- 5 Top trims are available up to 96" wide to span across all widths of panels including those made up of two sections
- 6 Connectors are available for two-, three- and four-way connections as well as 180° connections
- 7 Panel Top Trim for Panels with Inset Glass allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to sit inset into a panel




## top trim basics


The following outlines the features of each of the top trims available in District.

**Top Trim (UNT)**


- A full width trim on the top of a panel wall or add-on window
- 7/16" thick

**Top Trim – Power Pole Access (UNTTP)**


- Same as the Top Trim except with a cut out to allow a Power Pole to be installed off-module 9" from a panel end
- Non-handed

**Panel Top Trim for Panels with Inset Glass (UYTT)**

- Allows Panel Glass Blade for Panels with Inset Glass (UYSPG) to be inset into a panel wall
- Available in Both Extended, One Side Extended and Both Standard applications
- Must be used on Panel Wall with Inset Glass (UYPCR, UYPER and UYPFR)
- Available in Foundation, Mica and Accent colors

**Bridged Top Trim for Panels with Inset Glass (UYCT)**



- Allows Bridged Glass Blade for Panels with Inset Glass (UYSCG) to be inset into the panel wall while spanning over 2 panels attached by a three-way connector
- Optional brackets are available on one or both sides to connect to related end trim
- Available in Both Extended, One Side Extended and Both Standard applications
- Widths are nominal and account for the 3" width of the three-way connector
- Available in Foundation, Mica and Accent colors
- Non-handed

**Top Trim Cover (UYTC)**

- Used to fill exposed sections on Panel Top Trim for Panels with Inset Glass (UYTT) or Bridged Top Trim for Panels with Inset Glass (UYCT)
- Cut on site


## end trim basics

The following outlines the features of each of the end trims available in District.




### End Trim (UNTE)

- A full-height trim that conceals the end of a panel wall
- Heights matches the heights of Flush and Elevated Panel Walls and Convertible Walls
- Required to cover the full height of a panel wall, including add-on window and full-height window, if applicable
- Can be used on panel walls with or without Accessory Beam




### End Trim for Freestanding District (UATE)

- Used in freestanding applications to accommodate the support foot gaps
- Available in Mica & Foundation finishes
- Can be used on panel walls with or without Accessory Beam




### Intermediate End Trim (UNTM)

- Conceals an exposed portion of a panel wall, add-on window or full-height window in a change-of-height location



### Transition Cover (UNTC)

- Used to provide a seamless vertical trim cover when an intermediate panel connection occurs above a full panel connection



### Wall Start (UNPCW)

- Used to connect either elevated or standard Panel Walls (no corners) to reinforced drywall
- Foot is specified separately for elevated Panel Walls at the wall start connector point




## connector basics

The following outlines the features of each of the connectors available in District.


Two-Way 90° Corner Cap for Panels with Inset Glass

Three-Way 90° (Shown)



#### Two-Way 90° (UNPCR2)

- Connection is used to connect two panel walls and windows at 90° in same panel height or varying panel height configurations
- For change of heights, the connector is specified for the lowest height panel
- Available with options for connecting Flush, Elevated or Convertible Panel Walls




#### Three-Way 90° (UNPCR3)

- Connection is used to connect three panel walls at 90° in same panel wall height or varying panel wall height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available in two configurations:
  - (1) one vertical cover and top cap which completely finishes the connection when no Intermediate 180° Connector (UNIC3) will be used above it
  - (0) no vertical cover or top cap is used for change-of-height connections when an Intermediate 180° Connector (UNIC3) is used above it, a separate Transition Cover (UNTC) must be ordered
- Available with options for connecting Flush, Elevated or Convertible Panel Walls



#### Four-Way 90° (UNPCR4)

- Connection is used to connect four panel walls and full-height windows at 90° in same panel height or varying panel height configurations
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls



#### Two-Way 180° Spacer (UNPCCR)

- Connection is used when a spacer is required between two panel walls, full-height windows or add-on windows joined at 180° to match either panel wall lengths or to provide a needed space for screens etc.
- Used for change of heights, the connector is specified for the lowest height panel wall
- Available with options for connecting Flush, Elevated or Convertible Panel Walls
- In most layouts no spacer is needed, panel walls are bolted together with 0" gap




#### Two-Way 90° Corner Cap for Panels with Inset Glass (UYPC2)

- Used with Two-Way 90° (UNPCR2) and replaces the cap on existing connector to accommodate Panel Top Trim for Panels with Inset Glass (UYTT) and Panel Glass Blade for Panels with Inset Glass (UYSPG) in a corner application
- Available in Clear Anodized, Foundation and Mica


## connector basics (continued)

The following outlines the features of each of the connectors available in District.




Two-Way Intermediate (Shown)

201




**Two-Way Intermediate 90° (UNIC2)**

- Connection is used to fill the exposed ends of panel walls above a three-way or four-way connection in a change-of-height configuration




**Three-Way Intermediate 90° (UNIC3)**

- Connection is used to fill the exposed ends of panel walls or add-on windows above a four-way connector in change of height configurations



**Four-Way Intermediate 90° (UNIC4)**

- Connection is used to fill the gap created when four add-on windows are added above an existing four-way connection




**Two-Way Intermediate 180° (UNICC)**

- Connections is used to fill the exposed ends of panel walls or add-on windows above a 180° spacer in change-of-height configurations
- Available in two configurations;
  - (2) two vertical covers (completely finishes both sides with equal length trim covers)
  - (1) one vertical cover only (select when a two-way Intermediate 180° connection is above a three-way 90° connection a Transition Cover (UNTC) is ordered separately to cover the open side)

UNTT  
Top Trim

The Top Trim finishes the top of a panel wall, full-height window or add-on window.

**WHAT'S INCLUDED**  
Top trim, attachment hardware, gasket.



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTT 48	AC
---------	----

DIMENSIONS  
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

49
52
59
65
70
78
83
90
96
102
108
115
119

The Top Trim designed to be inserted into UY panel wall to embed the related UY glass blade.

#### WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

# UYTT

## Panel Top Trim for Panels with Inset Glass



#### PRODUCT OPTIONS

Width (6" increments)	Application	Finish
24 - 96	<b>B</b> Both Extended <b>E</b> One Side Extended <b>S</b> Both Standard	<b>AC</b> Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UYTT 48	B	AC
---------	---	----

#### DIMENSIONS INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

#### PRICING


85
91
104
114
123
136
145
157
169
179
188
201
208

UNTTP  
Top Trim – Power Pole Access

The Top Trim – Power Pole Access finishes the top of a panel wall with a cut out for off-module power pole applications.

**WHAT’S INCLUDED**  
Top trim, attachment hardware, gasket.

**NOTES**  
The cut out is located 9" from one end of the top trim.  
Trim is non-handed.  
Required for off-module Power Pole (UNQEP) applications.



PRODUCT OPTIONS

Width (6" increments)	Finish
24 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNTTP 96	AC
----------	----

DIMENSIONS  
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

92
95
102
110
116
122
126
134
141
148
152
158
162



The Top Trim designed to be inserted into the UY panel walls and designed to cover a panel connection to embed related UY glass blade.

#### WHAT'S INCLUDED

Top trim, attachment hardware, gasket.

## UYCT Bridged Top Trim for Panels with Inset Glass



#### PRODUCT OPTIONS

Width (6" increments)	Application	Bracket	Finish
48 - 96	<b>B</b> Both Extended	<b>N</b> No Bracket	<b>AC</b> Clear Anodized Foundation Mica
	<b>E</b> One Side Extended	<b>1</b> One Bracket	
	<b>S</b> Both Standard	<b>2</b> Two Bracket	

#### SAMPLE ORDER CODE

<b>UYCT 48</b>	<b>S</b>	<b>N</b>	<b>AC</b>
----------------	----------	----------	-----------

#### DIMENSIONS INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

#### PRICING

123
136
145
157
169
179
188
201
208

UNTE  
End Trim

The End Trim finishes the end of a panel wall, full-height window or add-on window combination.

**WHAT'S INCLUDED**  
End trim, attachment hardware.



PRODUCT OPTIONS

Height	Finish
29, 42, 51, 66	AC Clear Anodized Foundation Mica

206

SAMPLE ORDER CODE

UNTE 51	Q
---------	---

DIMENSIONS INCHES / MM
H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING
61
76
89
104

The End Trim finishes the end of a panel wall.

#### WHAT'S INCLUDED

End trim, attachment hardware.

#### NOTES

End Trim is to only be applied to District Panel that is supported by the Free standing Foot (UAFFN).

**U A T E**

## End Trim for Freestanding District



#### PRODUCT OPTIONS

Height	End Trim Finish
29, 42, 51	AC Clear Anodized Foundation Mica

207

#### SAMPLE ORDER CODE

UATE 51	Q
---------	---

#### DIMENSIONS

INCHES / MM

H
29 / 29
42 / 42
51 / 51

#### PRICING

61
76
89

U N T M

Intermediate End Trim

The Intermediate End Trim finishes the end of a panel wall, full-height window or add-on window in a change of height location.

**WHAT'S INCLUDED**  
Intermediate end trim, attachment hardware.



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

208

SAMPLE ORDER CODE

UNTM 51	Q
---------	---

DIMENSIONS  
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

36
39
41
53
58
68

The Two-Way 90° connector provides a finished connection for two panel walls and windows at 90° in same-height or varying-height configurations.

#### WHAT'S INCLUDED

Corner trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

#### NOTES

Panel wall type indicates the panel wall mix at the 90° connection.

Internal (non-visible) brackets are painted in Ebony.

## UNPCR2 Two-Way 90°



#### PRODUCT OPTIONS

Panel Type	Height	Finish
<b>FF</b> 1 Flush Panel/Flush Full-Height Window /Convertible Panel and 1 Flush Panel /Flush Full-Height Window/Convertible Panel Wall	29, 42, 51, 66	<b>AC</b> Clear Anodized Foundation Mica
<b>EE</b> 1 Elevated Panel/Elevated Full-Height Window and 1 Elevated Panel/Elevated Full-Height Window		
<b>EA</b> 1 Flush Panel/Flush Full-Height Window /Convertible Panel Wall and 1 Elevated Panel /Elevated Full-Height Window		

#### SAMPLE ORDER CODE

<b>UNPCR2 FF</b>	<b>51</b>	<b>AC</b>
------------------	-----------	-----------

#### DIMENSIONS INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

#### PRICING

Panel Type (FF)	All Other Panel Types
127	191
165	228
194	258
231	293

## UNPCR3

## Three-Way 90°



The Three-Way 90° connector provides a finished connection for three panel walls and windows at 90° in same-height or varying-height configurations.

**WHAT'S INCLUDED**

1 trim, corner brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

**WHAT'S EXCLUDED**

Panel wall type indicates the panel wall mix at the 90° connection.

When Trim option (0) is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side. Can be found on page 218.

## PRODUCT OPTIONS

Panel Type	Height	Trim	Finish
<b>FF</b> Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	<b>0</b> No Vertical Cover (select when a two-way intermediate 180° connection is above a three-way 90° connection)	<b>AC</b> Clear Anodized Foundation Mica
<b>EE</b> Elevated Panels/Elevated Full-Height Windows			
<b>EA</b> 1 Elevated Panel/Elevated Full-Height Window and 2 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall			
<b>EB</b> 2 Elevated Panels/Elevated Full-Height Windows at 90° and 1 Panel/Flush Full-Height Window/Convertible Panel Wall			
<b>EC</b> 2 Elevated Panels/Elevated Full-Height Windows at 180° and 1 Flush Panel/Flush Full-Height Window/Convertible Panel Wall			
		<b>1</b> 1 Vertical Cover (completely finishes connection)	

## SAMPLE ORDER CODE

UNPCR3 EA	66	1	7
-----------	----	---	---

DIMENSIONS  
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

## PRICING

## NO TRIM COVER (0)

Panel Type (FF)	All Other Panel Types
62	125
78	141
92	155
110	173

## WITH TRIM COVER (1)

Panel Type (FF)	All Other Panel Types
124	186
157	220
186	250
220	284

The Four-Way 90° connector provides a finished connection for four panel walls and windows at 90° in same-height or varying-height configurations.

#### WHAT'S INCLUDED

Corner brackets, attachment hardware, top cap, gasket, elevated panel wall F=foot (as specified).

#### NOTES

Panel wall type indicates the panel wall mix at the 90° connection.

## UNPCR4 Four-Way 90°



#### PRODUCT OPTIONS

Panel Type		Height	Finish
<b>FF</b>	4 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall	29, 42, 51, 66	<b>AC</b> Clear Anodized Foundation Mica
<b>EE</b>	4 Elevated Panels/Elevated Full-Height Windows		
<b>EA</b>	1 Elevated Panel/Elevated Full-Height Window and 3 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall		
<b>EB</b>	2 Elevated Panels/Elevated Full-Height Windows at 90° and 2 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall at 90°		
<b>EC</b>	2 Elevated Panels/Elevated Full-Height Windows at 180° and 2 Flush Panels/Flush Full-Height Windows/Convertible Panel Wall at 180°		
<b>ED</b>	3 Elevated Panels/Elevated Full-Height Windows and 1 Flush Panel/Flush Full-Height Window		

211

#### SAMPLE ORDER CODE

UNPCR4 EC	29	AC
-----------	----	----

#### DIMENSIONS INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

#### PRICING

Panel Type (FF)	All Other Panel Types
87	152
108	173
126	193
146	211

UNPCCR  
Two-Way 180° Spacer



The Two-Way 180° Spacer connector provides finished spacer connection between two panel walls and windows joined at 180° equal to the thickness of one panel wall.

**WHAT'S INCLUDED**  
2 trims, brackets, attachment hardware, top cap, elevated panel wall foot (as specified).

**NOTES**  
Panel wall type indicates the panel wall mix at the 180° connection.

PRODUCT OPTIONS

Panel Type	Height	Finish
<b>FF</b> Flush Panels/Flush Full-Height Windows /Convertible Panel Wall	29, 42, 51, 66	<b>AC</b> Clear Anodized Foundation Mica
<b>EE</b> Elevated Panels/Elevated Full-Height Windows		
<b>EA</b> 1 Flush Panel/Flush Full-Height Window /Convertible Panel Wall and 1 Elevated Panel/Elevated Full-Height Window		

SAMPLE ORDER CODE

UNPCCR EE	51	AC
-----------	----	----

DIMENSIONS  
INCHES / MM

H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING

Panel Type (FF)	All Other Panel Types
125	191
156	223
185	252
219	284



The Two-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows or add-on windows above a three- or four-way connector in change-of-height configuration.

**WHAT'S INCLUDED**

Corner trim, corner brackets, attachment hardware.

**WHAT'S EXCLUDED**

Top cap.

**UNIC2****Two-Way Intermediate 90°****PRODUCT OPTIONS**

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

213

**SAMPLE ORDER CODE**

UNIC2 22	AC
----------	----

**DIMENSIONS  
INCHES / MM**

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

**PRICING**

57
75
79
105
113
134

UNIC3  
Three-Way Intermediate 90°

The Three-Way Intermediate 90° connector provides finished connection to the exposed ends of panel walls and windows above a four-way connector in change-of-height configuration.

**WHAT'S INCLUDED**  
Trim, corner brackets, attachment hardware.

**WHAT'S EXCLUDED**  
Top cap.



PRODUCT OPTIONS

Height	Finish
09, 13, 15, 22, 24, 37	AC Clear Anodized Foundation Mica

214

SAMPLE ORDER CODE

UNIC3 09	7
----------	---

DIMENSIONS  
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

PRICING

57
79
81
108
112
126

The Four-Way Intermediate 90° connector provides intermediate four-way connection when add-on windows are added above an existing four-way connection.

**WHAT'S INCLUDED**


Corner brackets, attachment hardware.

**WHAT'S EXCLUDED**

Top cap.

**NOTES**

Finished in Ebony.

**UNIC4****Four-Way Intermediate 90°****PRODUCT OPTIONS****Height**

09, 13, 15, 22, 24, 37

215

**SAMPLE ORDER CODE**

UNIC4 15

**DIMENSIONS  
INCHES / MM**


H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

**PRICING**

39
59
60
81
83
84

## UNICC

## Two-Way Intermediate 180°



The Two-Way Intermediate 180° connector provides intermediate two-way spacer connection.

**WHAT'S INCLUDED**

2 trims, brackets, attachment hardware.

**WHAT'S EXCLUDED**

Top cap.

**NOTES**

When Trim option 1 is selected, a Transition Cover (UNTC) must be ordered separately to cover the open side. Can be found on page 218.

## PRODUCT OPTIONS

Height	Trim	Finish
09, 13, 15, 22, 24, 37	<b>1</b> 1 Vertical Cover (select when a two-way intermediate 180° connection is above a three-way 90° connection) <b>2</b> 2 Vertical Covers (completely finishes both sides with equal length trim covers)	<b>AC</b> Clear Anodized Foundation Mica

216

## SAMPLE ORDER CODE

UNICC 37	2	AC
----------	---	----

DIMENSIONS  
INCHES / MM

H
9 / 229
13 / 330
15 / 381
22 / 559
24 / 610
37 / 940

## PRICING

1 Vertical Cover	2 Vertical Covers
38	60
49	72
50	75
64	98
67	105
79	121

The Two-Way 90° Corner cap provides a finished connection for two corner application UY glass blades at 90° in same-height.

**WHAT'S INCLUDED**

Corner cap.

**U Y P C 2****Two-Way 90° Corner Cap for Panels  
with Inset Glass****PRODUCT OPTIONS**

Finish
AC Clear Anodized
Foundation
Mica

217

**SAMPLE ORDER CODE**

UYPC2 74
----------

**PRICING**

30
----

UNTC  
Transition Cover



The Transition Cover provides a seamless vertical trim cover when a two-way intermediate 180° panel wall connection occurs above a three-way connection.

**WHAT’S INCLUDED**  
Transition cover, attachment hardware.

**WHAT’S EXCLUDED**  
Top cap.

**NOTES**  
Panel Wall Type indicates the panel wall mix at the 90° connection.

PRODUCT OPTIONS

Panel Type	Height	Finish
<b>FF</b> 3 Flush Panels	42, 51, 66	<b>AC</b> Clear Anodized Foundation Mica
<b>EE</b> 3 Elevated Panels		
<b>EA</b> 2 Flush Panels and 1 Elevated Panel		
<b>EB</b> 1 Flush Panel and 2 Elevated Panels at 90°		
<b>EC</b> 1 Flush Panel and 2 Elevated Panels at 180°		

SAMPLE ORDER CODE

UNTC FF	2	AC
---------	---	----

DIMENSIONS  
INCHES / MM

H
42 / 1067
51 / 1295
66 / 1676

PRICING

All Panel Types
82
94
112

The Top Trim Cover provides a horizontal cover on the inset panel cover when a opening occurs due to application of panel mounted products.

#### WHAT'S INCLUDED


Top Trim cover, attachment hardware.

#### NOTES

Top Trim is can be cut on site.

**U Y T C**

### Top Trim Cover for Panels with Inset Glass



#### PRODUCT OPTIONS

Width (6" increments)	Finish
48 - 102	AC Clear Anodized Foundation Mica

219

#### SAMPLE ORDER CODE

UYTC 72	74
---------	----

#### DIMENSIONS INCHES / MM

W
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438
102 / 2591

#### PRICING

33
37
41
46
50
54
58
62
66
70

UNPCW  
Wall Start

The Wall Start connects panel walls to reinforced drywall.

**WHAT'S INCLUDED**  
Wall start, connecting hardware.

**NOTES**  
Finished in Ebony.



PRODUCT OPTIONS

Height
29, 42, 51, 66

SAMPLE ORDER CODE

UNPCW 51
----------

DIMENSIONS INCHES / MM
H
29 / 737
42 / 1067
51 / 1295
66 / 1676

PRICING
109
130
177
184





worksurfaces

# worksurfaces

PRODUCT MAP / TABLE OF CONTENTS .....225

UNDERSTANDING WORKSURFACES .....226

WORKSURFACE BASICS .....227

WORKSURFACE GRAIN/PATTERN DIRECTION .....228

EDGE TRIM STYLE OVERVIEW .....230

STAND-UP MEETING SURFACE OVERVIEW .....232

STAND-UP MEETING SURFACE BASICS .....233


PRODUCT LISTING .....234




## product map

**UNWR Rectangle Worksurface**


Page 234

Depth: 17", 20", 24", 30" & 36" /  
Width: 22" - 96" (1" increments)**UNWW Wedge Worksurface**


Page 238

Depth A: 17", 20", 24" & 30" /  
Width: 42" - 96" (1" increments) /  
Depth B: 24", 30" & 36"**UNWEN Extended Wedge Worksurface**


Page 240

Depth A: 17", 20", 24" & 36" /  
Width: 58" - 96" (1" increments) /  
Depth B: 24", 30" & 36" /  
Depth C: 17", 20" & 24"**UNWGN Wing Worksurface**


Page 242

Depth A: 17", 20", 24" & 30" /  
Width: 58" - 96" (1" increments) /  
Depth B: 24", 30" & 36" /  
Depth C: 17", 20" & 24"**UNWTN Transition Worksurface**


Page 244

Depth A: 17", 20", 24" & 30" /  
Return A: 17", 20" & 24" /  
Width: 70" - 96" (1" increments) /  
Depth B: 24", 30" & 36" /  
Return B: 17", 20" & 24"**UNWWH Shared Wedge Worksurface**


Page 246

Depth A: 20", 24", 30", 36" & 42" /  
Width: 48" - 96" (1" increments) /  
Depth B: 30", 36", 42", 48" & 54"**UNWBG Tapered Worksurface**

Page 250


Depth A: 30", 36", 42", 48" & 54" /  
Depth B: 20", 24", 30", 36" & 42" /  
Depth C: 17", 20" & 24" /  
Width: 48" - 96" (1" increments)**UNWF Fan Worksurface**

Page 254

Depth A: 20", 24", 30", 36" & 42" /  
Depth B: 30", 36", 42", 48" & 54" /  
Depth C: 17", 20" & 24" /  
Width: 48" - 96" (1" increments)**UNUE Stand-Up Meeting Surface (End)**


Page 258

Height: 42" / Depth: 16" / Width: 36", 48" &amp; 60"

**UNUM Stand-Up Meeting Surface (Mid)**


Page 260

Height: 42" / Depth: 16" / Width: 36", 48" &amp; 60"

**UNUP Stand-Up Meeting Surface (Mid Open)**


Page 262

Height: 42" / Depth: 16" / Width: 36", 48" &amp; 60"



## h2&gt;understanding worksurfaces

District provides a variety of worksurface shapes for primary and secondary worksurfaces. The following outlines the features of District worksurfaces.




- 1 District surfaces are standard with a 1" gap on the back side for cable access.
- 2 Worksurface widths are available in 1" increments to allow for an optional 1" gap on one or both sides of a worksurface and to match up with storage components (see Storage section).
- 3 Worksurfaces **cannot** span more than 72" without additional floor support (see the Supports section for further details).
- 4 Worksurfaces can be panel wall- or storage-mounted or specified with legs to create freestanding or semi-supported surfaces (see Supports section).  
Worksurfaces can be mounted on- or off-module.
- 5 **Grommets** can be specified on all surfaces.
- 6 The orientation of worksurfaces is determined by the location of the deepest end from the users perspective.
- 7 Tapered and Fan worksurfaces provide shared meeting spaces within a workstation.
- 8 Stand-Up Meeting surfaces are available as an alternative to sit down meeting surfaces.

## worksurface basics


The following worksurface shapes are available in District.

! Nominal depth dimensions shown


→ = Grain Direction = 




**Rectangle Worksurface (UNWR)**




**Wedge Worksurface (UNWW)**  
(left and right handed available)




**Extended Wedge Worksurface (UNWE)**  
(left and right handed available)




**Wing Worksurface (UNWG)**




**Transition Worksurface (UNWT)**



**Shared Wedge Worksurface (UNWWH)**



**Tapered Worksurface (UNWBG)**



**Fan Worksurface (UNWF)**

#### Finishes


- Worksurfaces are available in Foundation Laminate, Seamless Color, Flintwood and Natural Veneer finishes
- Edge trims are available in Acrylic, ABS, Flintwood and Natural Veneer
- Acrylic is available with Foundation Laminate
- ABS is available with Foundation Laminate
- Flintwood edge trims are finished to match the Flintwood surface
- Natural Veneer edge trims are finished to match the Natural Veneer surface
- Seamless color edge trims are finished to match seamless surface

## workspace grain/pattern direction


Attention to grain/pattern direction is important when planning worksurfaces.

- There is no user edge so care must be taken during installation to match grain/pattern direction
- Grain/patterns are **not** “centered” on workspace or support
- Applies to Foundation Laminate (wood grain patterns), Flintwood (Standard and Cathedral) and Natural Veneer

### worksurfaces



- Grain direction will appear in the same direction, from side to side
- For Cathedral Flintwoods and Natural Veneers the grain will run from left to right from the user's prospective
- Grain patterns are **not** centered on workspace
- Includes Laminate, Flintwood (Standard and Cathedral) and Natural Veneers



- Regardless of workspace handedness, grain direction will run from side to side
- For Cathedral Flintwoods and Natural Veneers the grain will run from left to right from the user's prospective

→ = Grain Direction =




# worksurface grain/pattern direction (continued)

Attention to grain/pattern direction is important when planning worksurfaces. The following examples demonstrate this.

- ❗ There is no user edge so care must be taken upon installation to match grain/pattern direction
- Grain/patterns are **not** “centered” on worksurface or support
- Includes Foundation Laminate, Flintwood (Standard and Cathedral) and Natural Veneer

## bridge worksurfaces


District does **not** offer a bridge worksurface so grain direction changes will always occur



229

## worksurfaces combined with supports












- Grain direction on Supports is always vertical
- For Cathedral Flintwoods and Natural Veneers the grain runs from bottom to top
- There is no matching grain across Supports (A) and Worksurfaces (B)



## edge trim style overview

The chart below indicates which edge trim style can be specified with each District worksurface finish.

! Both user edge and non-user edges have the same edge trim style

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Natural Veneer Surface
Flat (8) All Edges			n/a	n/a	n/a
Flintwood Flat (9) All Edges		n/a	n/a		
Flat (G) All Edges		n/a		n/a	n/a
Full Knife (H) User Edge		*	n/a	*	
Full Knife (X) User Edge		n/a		n/a	n/a

\* **Not** available on:

Extended Wedge Worksurface (UNWE)


Wing Worksurface (UNWG)

Transition Worksurface (UNWT)



## stand-up meeting surface overview

The Stand-Up Meeting Surface provides a stand-up meeting area as an alternative to seated guest solutions in small footprint workstations.



232


- 1 Available in worksurface supporting, freestanding or panel-mounted applications depending on the configuration and finish. Available in mid or end-mounting options.
- 2 When no shelf is specified, letter height binders can be placed on the worksurfaces and fit within the Stand-Up Meeting Surface 12" interior clearance.
- 3 Available with shelf or utility hook options depending on format.
- 4 Brackets that are required to attach to panels or surfaces are included, but other required supports for stability of the workstation must be specified separately.
- 5 42" high and 16" deep and used in corridor oriented applications or shared between two workstations. Can be added to existing workstations with limited disruption or integrated into the workstation design as dedicated support.

### Finishes


- Tops, backs and cases can be specified in different finishes
- Wet paint Seamless (available on case, shelf & back) can be combined with Flintwoods and Natural Veneers, Laminate and Foundation (available as a top finish only)
- When tops are specified in Flintwood & Natural Veneer, they will be closed pore for durability i.e. will not match storage tops
- Brackets are available in Foundation and Mica colors
- Laminate finish options for case, shelf & back cannot be combined with other finish options

# stand-up meeting surface basics

The following Stand-Up Meeting Surface options are available.




## Stand-Up Meeting Surface (End) (UNUE)




- Stand-Up Meeting Surface (End) (UNUE) is available 36" - 60" wide and 42" high
- Is worksurface & Panel Supporting
- Can be specified with or without a shelf, when no shelf is specified, a utility hook is included

## Stand-Up Meeting Surface (Mid) (UNUM)



- Stand-Up Meeting Surface (Mid) (UNUM) is available 36" - 60" wide and 42" high
- Mounts to the worksurface
- The back extends to the worksurface
- Can also be used at end of run, but additional worksurface support will be required
- **Cannot** be specified in freestanding applications
- Is **not** worksurface or panel supporting


## Stand-Up Meeting Surface (Mid-Open) (UNUP)



- Stand-Up Meeting Surface (Mid Open) (UNUP) is available 36" - 60" wide and 42" high and is available double- or single-sided
- Mounts to worksurface
- The back (if available) is the same height as the shelf
- Worksurface continues through under meeting surface for a lighter aesthetic
- **Cannot** be specified in freestanding applications
- Is **not** available with a utility hook
- The Stand-Up Meeting Surface (Mid Open) (UNUP) is handed
- In the double-sided application the only orientation available is right, and the application is shared
- In the single-sided application both right & left orientation are available and the application is dedicated
- Is **not** worksurface or panel supporting

## UNWR

### Rectangle Worksurface



The Rectangle Worksurface provides a range of depths to support both primary and secondary worksurface applications.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

#### PRODUCT OPTIONS

Depth	Width (1" increments)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish
17, 20, 24, 30, 36	22 - 96	Foundation Laminate Seamless Color Flintwood Natural Veneer	<b>8</b> Flat (w/ Foundation) <b>9</b> Flat (w/ Flintwood & Natural Veneer) <b>G</b> Flat (w/ Seamless) <b>H</b> Full Knife (w/ all but Seamless) <b>X</b> Full Knife (w/ Seamless)	Edge Trim Colors	<b>1</b> Left <b>2</b> Centered <b>3</b> Right	<b>Q</b> Storm White <b>P</b> Espresso <b>7</b> Platinum <b>V</b> Very White

234

#### SAMPLE ORDER CODE

UNWR 24	48	LW	9	ST	2	7
---------	----	----	---	----	---	---

#### DIMENSIONS – INCHES FOR MM X BY 25.4

D	W
17, 20	22-24
17, 20	25-27
17, 20	28-30
17, 20	31-33
17, 20	34-36
17, 20	37-39
17, 20	40-42
17, 20	43-45
17, 20	46-48
17, 20	49-51
17, 20	52-54
17, 20	55-57
17, 20	58-60
17, 20	61-63
17, 20	64-66
17, 20	67-69
17, 20	70-72
17, 20	73-75
17, 20	76-78
17, 20	79-81
17, 20	82-84
17, 20	85-87
17, 20	88-90
17, 20	91-93
17, 20	94-96

#### PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
198	279	223	223	496	536	506	546
210	296	236	236	511	552	521	563
221	312	249	249	527	569	538	580
233	326	258	258	555	599	565	611
243	341	270	270	582	629	594	641
250	350	278	278	601	648	613	662
257	360	286	286	622	672	634	685
263	368	292	292	644	696	657	709
268	376	298	298	666	718	678	733
305	426	338	338	703	760	717	774
342	478	379	379	740	799	756	816
354	496	392	392	774	836	791	854
365	511	405	405	809	875	826	891
373	521	414	414	830	896	848	915
391	548	435	435	851	918	866	938
401	560	445	445	857	925	875	945
408	571	457	457	862	930	881	950
436	610	483	483	883	953	899	973
464	648	514	514	920	993	940	1013
480	672	533	533	950	1027	970	1047
497	696	551	551	979	1058	1000	1078
518	726	574	574	1004	1083	1023	1105
539	755	598	598	1027	1108	1047	1131
549	768	609	609	1044	1128	1066	1150
559	782	620	620	1061	1146	1082	1170

If Grommet is specified, add 58

Pricing is continued on the following page.

# Rectangle Worksurface (Continued)

## DIMENSIONS – INCHES FOR MM X BY 25.4

## PRICING

D	W	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
24	22-24	214	299	242	242	594	642	607	655
24	25-27	224	314	253	253	600	647	612	661
24	28-30	233	326	262	262	604	653	616	667
24	31-33	244	342	271	271	613	662	625	675
24	34-36	255	357	283	283	621	671	633	684
24	37-39	263	368	292	292	652	704	666	718
24	40-42	271	379	300	300	661	714	674	729
24	43-45	277	388	308	308	702	759	716	773
24	46-48	283	395	314	314	742	802	758	819
24	49-51	322	450	357	357	785	848	799	863
24	52-54	359	503	400	400	824	889	840	908
24	55-57	372	520	412	412	852	919	867	939
24	58-60	384	537	425	425	880	949	896	969
24	61-63	398	558	441	441	908	979	924	1000
24	64-66	412	578	457	457	933	1008	952	1028
24	67-69	424	594	471	471	944	1018	962	1039
24	70-72	436	610	483	483	953	1031	973	1051
24	73-75	467	653	518	518	983	1063	1004	1083
24	76-78	498	698	552	552	1013	1095	1034	1116
24	79-81	516	723	573	573	1041	1124	1063	1146
24	82-84	534	748	593	593	1068	1153	1089	1176
24	85-87	557	779	617	617	1090	1177	1112	1201
24	88-90	580	812	644	644	1112	1201	1134	1225
24	91-93	591	827	656	656	1130	1221	1152	1245
24	94-96	601	842	668	668	1146	1238	1170	1263
30	22-24	241	337	267	267	645	709	659	725
30	25-27	257	360	286	286	675	742	689	758
30	28-30	273	381	303	303	705	776	720	792
30	31-33	286	401	317	317	728	800	741	817
30	34-36	299	419	333	333	750	825	765	842
30	37-39	308	432	343	343	769	847	786	862
30	40-42	316	442	350	350	792	867	804	886
30	43-45	325	454	360	360	815	894	830	913
30	46-48	333	466	369	369	836	921	854	941
30	49-51	372	520	412	412	895	985	914	1006
30	52-54	410	574	455	455	953	1048	973	1070
30	55-57	423	593	470	470	1008	1108	1028	1131
30	58-60	437	612	484	484	1063	1169	1083	1192
30	61-63	461	644	511	511	1091	1200	1113	1224
30	64-66	482	675	536	536	1120	1232	1142	1256
30	67-69	503	705	559	559	1173	1291	1196	1317
30	70-72	525	734	582	582	1221	1342	1245	1369
30	73-75	570	798	633	633	1244	1368	1268	1396
30	76-78	610	854	677	677	1261	1387	1287	1415
30	79-81	632	885	702	702	1278	1406	1304	1433
30	82-84	654	916	727	727	1295	1425	1321	1453
30	85-87	680	953	757	757	1333	1466	1359	1495
30	88-90	707	989	786	786	1369	1507	1397	1537
30	91-93	721	1009	800	800	1406	1547	1433	1578
30	94-96	733	1025	815	815	1443	1587	1471	1619

If Grommet is specified, add 58

Pricing is continued on the following page.

U N W R  
Rectangle Worksurface  
(Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

PRICING

D	W	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
36	22-24	279	391	314	314	691	760	704	774
36	25-27	299	419	337	337	723	795	737	810
36	28-30	319	447	359	359	756	830	770	848
36	31-33	333	466	369	369	778	856	794	874
36	34-36	345	482	382	382	801	882	818	898
36	37-39	355	497	393	393	824	907	840	923
36	40-42	363	509	404	404	846	928	861	948
36	43-45	374	524	415	415	869	957	888	977
36	46-48	382	536	424	424	895	985	914	1006
36	49-51	433	605	480	480	958	1055	978	1076
36	52-54	477	668	529	529	1019	1122	1040	1144
36	55-57	490	687	544	544	1078	1186	1100	1210
36	58-60	502	703	558	558	1136	1250	1160	1276
36	61-63	518	726	574	574	1167	1284	1191	1309
36	64-66	555	776	615	615	1199	1319	1223	1344
36	67-69	579	810	642	642	1255	1381	1280	1408
36	70-72	603	846	670	670	1311	1443	1338	1471
36	73-75	653	915	726	726	1351	1486	1377	1516
36	76-78	702	982	779	779	1387	1526	1415	1557
36	79-81	728	1017	806	806	1422	1564	1451	1595
36	82-84	753	1054	835	835	1458	1604	1487	1636
36	85-87	785	1098	869	869	1490	1639	1520	1673
36	88-90	815	1140	905	905	1522	1675	1553	1708
36	91-93	828	1160	919	919	1555	1710	1586	1744
36	94-96	844	1180	937	937	1587	1745	1619	1779


If Grommet is specified, add 58





## UNWW

### Wedge Worksurface



The Wedge Worksurface provides depth transition for primary worksurface applications.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual widths equals nominal width, allowance for gaps at side edges must be specified.

#### PRODUCT OPTIONS

Depth A	Width (1" increments)	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish (If applicable)
17, 20, 24, 30	42 - 96	24, 30, 36	<b>L</b> Left Handed (Shown) <b>R</b> Right Handed	Foundation Laminate Seamless Color Flintwood Natural Veneer	<b>8</b> Flat (w/ Foundation) <b>9</b> Flat (w/ Flintwood & Natural Veneer) <b>G</b> Flat (w/ Seamless) <b>H</b> Full Knife (w/ all but Seamless) <b>X</b> Full Knife (w/ Seamless)	Edge Trim Colors	<b>1</b> Left <b>2</b> Centered <b>3</b> Right	<b>Q</b> Storm White <b>P</b> Espresso <b>7</b> Platinum <b>V</b> Very White

#### SAMPLE ORDER CODE

<b>UNWW</b> <b>30</b>	<b>48</b>	<b>36</b>	<b>L</b>	<b>LW</b>	<b>9</b>	<b>ST</b>	<b>3</b>	<b>7</b>
--------------------------	-----------	-----------	----------	-----------	----------	-----------	----------	----------

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	W	Db
17	42	24
17	43-45	24
17	46-48	24
17	49-51	24
17	52-54	24
17	55-57	24
17	58-60	24
17	61-63	24
17	64-66	24
17	67-69	24
17	70-72	24
17	73-75	24
17	76-78	24
17	79-81	24
17	82-84	24
17	85-87	24
17	88-90	24
17	91-93	24
17	94-96	24

#### PRICING

##### FOUNDATION LAMINATE

Flat Edge	Full Knife Edge
280	392
287	402
293	409
333	466
372	521
385	538
397	556
412	578
426	598
439	615
451	631
483	676
515	722
534	748
553	774
576	806
600	840
612	856
622	871

##### SEAMLESS COLOR

Flat Edge	Full Knife Edge
311	311
319	319
325	325
369	369
414	414
426	426
440	440
456	456
473	473
487	487
500	500
536	536
571	571
593	593
614	614
639	639
667	667
679	679
691	691

##### FLINTWOOD

Flat Edge	Full Knife Edge
684	739
727	786
768	830
812	878
853	920
882	951
911	982
940	1013
966	1043
977	1054
986	1067
1017	1100
1048	1133
1077	1163
1105	1193
1128	1218
1151	1243
1170	1264
1186	1281

##### NATURAL VENEER

Flat Edge	Full Knife Edge
698	755
741	800
785	848
827	893
869	940
897	972
927	1003
956	1035
985	1064
996	1075
1007	1088
1039	1121
1070	1155
1100	1186
1127	1217
1151	1243
1174	1268
1192	1289
1211	1307

If Grommet is specified, add 60

Pricing is continued on the following page.

U N W W

Wedge Worksurface  
(Continued)DIMENSIONS – INCHES  
FOR MM X BY 25.4

Da	W	Db
20, 24	42	30
20, 24	43-45	30
20, 24	46-48	30
20, 24	49-51	30
20, 24	52-54	30
20, 24	55-57	30
20, 24	58-60	30
20, 24	61-63	30
20, 24	64-66	30
20, 24	67-69	30
20, 24	70-72	30
20, 24	73-75	30
20, 24	76-78	30
20, 24	79-81	30
20, 24	82-84	30
20, 24	85-87	30
20, 24	88-90	30
20, 24	91-93	30
20, 24	94-96	30
30	42	36
30	43-45	36
30	46-48	36
30	49-51	36
30	52-54	36
30	55-57	36
30	58-60	36
30	61-63	36
30	64-66	36
30	67-69	36
30	70-72	36
30	73-75	36
30	76-78	36
30	79-81	36
30	82-84	36
30	85-87	36
30	88-90	36
30	91-93	36
30	94-96	36


## PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
327	457	362	362	818	897	832	917
336	470	373	373	844	925	859	945
345	482	382	382	865	953	884	974
385	538	426	426	926	1019	946	1041
424	594	471	471	986	1085	1007	1107
438	614	486	486	1043	1147	1064	1171
452	633	501	501	1100	1210	1121	1234
477	667	529	529	1129	1242	1152	1267
499	699	555	555	1159	1275	1182	1300
521	730	579	579	1214	1336	1238	1363
543	760	602	602	1264	1389	1289	1417
590	826	655	655	1288	1416	1312	1445
631	884	701	701	1305	1436	1332	1465
654	916	727	727	1323	1455	1350	1483
677	948	752	752	1340	1475	1367	1504
704	986	783	783	1380	1517	1407	1547
732	1024	814	814	1417	1560	1446	1591
746	1044	828	828	1455	1601	1483	1633
759	1061	844	844	1494	1643	1522	1676
376	527	418	418	876	960	891	981
387	542	430	430	899	990	919	1011
395	555	439	439	926	1019	946	1041
448	626	497	497	992	1092	1012	1114
494	691	548	548	1055	1161	1076	1184
507	711	563	563	1116	1228	1139	1252
520	728	578	578	1176	1294	1201	1321
536	751	594	594	1208	1329	1233	1355
574	803	637	637	1241	1365	1266	1391
599	838	664	664	1299	1429	1325	1457
624	876	693	693	1357	1494	1385	1522
676	947	751	751	1398	1538	1425	1569
727	1016	806	806	1436	1579	1465	1611
753	1053	834	834	1472	1619	1502	1651
779	1091	864	864	1509	1660	1539	1693
812	1136	899	899	1542	1696	1573	1732
844	1180	937	937	1575	1734	1607	1768
857	1201	951	951	1609	1770	1642	1805
874	1221	970	970	1643	1806	1676	1841

If Grommet is specified, add 60

## UNWEN

### Extended Wedge Worksurface



The Extended Wedge Worksurface provides depth transition capable of aligning with a secondary worksurface.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual widths equals nominal width, allowance for gaps at side edges must be specified.

#### PRODUCT OPTIONS

Depth A	Width (1" increments)	Depth B	Depth C	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish (If applicable)
17, 20, 24, 30	58 - 96	24, 30, 36	17, 20, 24	<b>L</b> Left Handed (Shown)  <b>R</b> Right Handed	Foundation Laminate Seamless Color Flintwood Natural Veneer	<b>8</b> Flat (w/ Foundation) <b>9</b> Flat (w/ Flintwood & Natural Veneer) <b>G</b> Flat (w/ Seamless) <b>H</b> Full Knife (w/ all but Seamless) <b>X</b> Full Knife (w/ Seamless)	Edge Trim Colors	<b>1</b> Left <b>2</b> Centered <b>3</b> Right	<b>Q</b> Storm White <b>P</b> Espresso <b>7</b> Platinum <b>V</b> Very White

#### SAMPLE ORDER CODE

<b>UNWEN</b> <b>30</b>	<b>72</b>	<b>36</b>	<b>24</b>	<b>R</b>	<b>LW</b>	<b>9</b>	<b>ST</b>	<b>3</b>	<b>Q</b>
---------------------------	-----------	-----------	-----------	----------	-----------	----------	-----------	----------	----------

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	W	Db	Dc
17	58-60	24	17, 20, 24
17	61-63	24	17, 20, 24
17	64-66	24	17, 20, 24
17	67-69	24	17, 20, 24
17	70-72	24	17, 20, 24
17	73-75	24	17, 20, 24
17	76-78	24	17, 20, 24
17	79-81	24	17, 20, 24
17	82-84	24	17, 20, 24
17	85-87	24	17, 20, 24
17	88-90	24	17, 20, 24
17	91-93	24	17, 20, 24
17	94-96	24	17, 20, 24

#### PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
397		440	440	911	982	927	1003
412		456	456	940	1013	956	1035
426		473	473	966	1043	985	1064
439		487	487	977	1054	996	1075
451		500	500	986	1067	1007	1088
483		536	536	1017	1100	1039	1121
515		571	571	1048	1133	1070	1155
534		593	593	1077	1163	1100	1186
553		614	614	1105	1193	1127	1217
576		639	639	1128	1218	1151	1243
600		667	667	1151	1243	1174	1268
612		679	679	1170	1264	1192	1289
622		691	691	1186	1281	1211	1307

If Grommet is specified, add 60

Pricing is continued on the following page.

UNWEN

Extended Wedge Worksurface  
(Continued)DIMENSIONS – INCHES  
FOR MM X BY 25.4


## PRICING

				FOUNDATION LAMINATE	SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Da	W	Db	Dc	Flat Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
20	58-60	30	17, 20, 24	452	501	501	1100	1210	1121	1234
20	61-63	30	17, 20, 24	477	529	529	1129	1242	1152	1267
20	64-66	30	17, 20, 24	499	555	555	1159	1275	1182	1300
20	67-69	30	17, 20, 24	521	579	579	1214	1336	1238	1363
20	70-72	30	17, 20, 24	543	602	602	1264	1389	1289	1417
20	73-75	30	17, 20, 24	590	655	655	1288	1416	1312	1445
20	76-78	30	17, 20, 24	631	701	701	1305	1436	1332	1465
20	79-81	30	17, 20, 24	654	727	727	1323	1455	1350	1483
20	82-84	30	17, 20, 24	677	752	752	1340	1475	1367	1504
20	85-87	30	17, 20, 24	704	783	783	1380	1517	1407	1547
20	88-90	30	17, 20, 24	732	814	814	1417	1560	1446	1591
20	91-93	30	17, 20, 24	746	828	828	1455	1601	1483	1633
20	94-96	30	17, 20, 24	759	844	844	1494	1643	1522	1676
24	58-60	30	17, 20, 24	452	501	501	1100	1210	1121	1234
24	61-63	30	17, 20, 24	477	529	529	1129	1242	1152	1267
24	64-66	30	17, 20, 24	499	555	555	1159	1275	1182	1300
24	67-69	30	17, 20, 24	521	579	579	1214	1336	1238	1363
24	70-72	30	17, 20, 24	543	602	602	1264	1389	1289	1417
24	73-75	30	17, 20, 24	590	655	655	1288	1416	1312	1445
24	76-78	30	17, 20, 24	631	701	701	1305	1436	1332	1465
24	79-81	30	17, 20, 24	654	727	727	1323	1455	1350	1483
24	82-84	30	17, 20, 24	677	752	752	1340	1475	1367	1504
24	85-87	30	17, 20, 24	704	783	783	1380	1517	1407	1547
24	88-90	30	17, 20, 24	732	814	814	1417	1560	1446	1591
24	91-93	30	17, 20, 24	746	828	828	1455	1601	1483	1633
24	94-96	30	17, 20, 24	759	844	844	1494	1643	1522	1676
30	58-60	36	17, 20, 24	520	578	578	1176	1294	1201	1321
30	61-63	36	17, 20, 24	536	594	594	1208	1329	1233	1355
30	64-66	36	17, 20, 24	574	637	637	1241	1365	1266	1391
30	67-69	36	17, 20, 24	599	664	664	1299	1429	1325	1457
30	70-72	36	17, 20, 24	624	693	693	1357	1494	1385	1522
30	73-75	36	17, 20, 24	676	751	751	1398	1538	1425	1569
30	76-78	36	17, 20, 24	727	806	806	1436	1579	1465	1611
30	79-81	36	17, 20, 24	753	834	834	1472	1619	1502	1651
30	82-84	36	17, 20, 24	779	864	864	1509	1660	1539	1693
30	85-87	36	17, 20, 24	812	899	899	1542	1696	1573	1732
30	88-90	36	17, 20, 24	844	937	937	1575	1734	1607	1768
30	91-93	36	17, 20, 24	857	951	951	1609	1770	1642	1805
30	94-96	36	17, 20, 24	874	970	970	1643	1806	1676	1841

If Grommet is specified, add 60

## UNWGN

### Wing Worksurface



The Wing Worksurface provides depth transition capable of aligning with a secondary worksurface.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual widths equals nominal width, allowance for gaps at side edges must be specified.

#### PRODUCT OPTIONS

Depth A	Width (1" increments)	Depth B	Depth C	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish (If applicable)
17, 20, 24, 30	58 - 96	24, 30, 36	17, 20, 24	<b>L</b> Left Handed (Shown) <b>R</b> Right Handed	Foundation Laminate Seamless Color Flintwood Natural Veneer	<b>8</b> Flat (w/ Foundation) <b>9</b> Flat (w/ Flintwood & Natural Veneer) <b>8</b> Flat (w/ Foundation) <b>G</b> Flat (w/ Seamless) <b>H</b> Full Knife (w/ all but Seamless) <b>X</b> Full Knife (w/ Seamless)	Edge Trim Colors	<b>1</b> Left <b>2</b> Centered <b>3</b> Right	<b>Q</b> Storm White <b>P</b> Espresso <b>7</b> Platinum <b>V</b> Very White

242

#### SAMPLE ORDER CODE

<b>UNWGN</b> 24	<b>72</b>	<b>30</b>	<b>17</b>	<b>L</b>	<b>LW</b>	<b>9</b>	<b>ST</b>		
--------------------	-----------	-----------	-----------	----------	-----------	----------	-----------	--	--

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	W	Db	Dc
17	58-60	24	17, 20, 24
17	61-63	24	17, 20, 24
17	64-66	24	17, 20, 24
17	67-69	24	17, 20, 24
17	70-72	24	17, 20, 24
17	73-75	24	17, 20, 24
17	76-78	24	17, 20, 24
17	79-81	24	17, 20, 24
17	82-84	24	17, 20, 24
17	85-87	24	17, 20, 24
17	88-90	24	17, 20, 24
17	91-93	24	17, 20, 24
17	94-96	24	17, 20, 24

#### PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
397		440	440	911	982	927	1003
412		456	456	940	1013	956	1035
426		473	473	966	1043	985	1064
439		487	487	977	1054	996	1075
451		500	500	986	1067	1007	1088
483		536	536	1017	1100	1039	1121
515		571	571	1048	1133	1070	1155
534		593	593	1077	1163	1100	1186
553		614	614	1105	1193	1127	1217
576		639	639	1128	1218	1151	1243
600		667	667	1151	1243	1174	1268
612		679	679	1170	1264	1192	1289
622		691	691	1186	1281	1211	1307

If Grommet is specified, add 60

Pricing is continued on the following page.

UNWGN

Wing Worksurface  
(Continued)DIMENSIONS – INCHES  
FOR MM X BY 25.4


## PRICING

				FOUNDATION LAMINATE	SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Da	W	Db	Dc	Flat Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
20	58-60	30	17, 20, 24	452	501	501	1100	1210	1121	1234
20	61-63	30	17, 20, 24	477	529	529	1129	1242	1152	1267
20	64-66	30	17, 20, 24	499	555	555	1159	1275	1182	1300
20	67-69	30	17, 20, 24	521	579	579	1214	1336	1238	1363
20	70-72	30	17, 20, 24	543	602	602	1264	1389	1289	1417
20	73-75	30	17, 20, 24	590	655	655	1288	1416	1312	1445
20	76-78	30	17, 20, 24	631	701	701	1305	1436	1332	1465
20	79-81	30	17, 20, 24	654	727	727	1323	1455	1350	1483
20	82-84	30	17, 20, 24	677	752	752	1340	1475	1367	1504
20	85-87	30	17, 20, 24	704	783	783	1380	1517	1407	1547
20	88-90	30	17, 20, 24	732	814	814	1417	1560	1446	1591
20	91-93	30	17, 20, 24	746	828	828	1455	1601	1483	1633
20	94-96	30	17, 20, 24	759	844	844	1494	1643	1522	1676
24	58-60	30	17, 20, 24	452	501	501	1100	1210	1121	1234
24	61-63	30	17, 20, 24	477	529	529	1129	1242	1152	1267
24	64-66	30	17, 20, 24	499	555	555	1159	1275	1182	1300
24	67-69	30	17, 20, 24	521	579	579	1214	1336	1238	1363
24	70-72	30	17, 20, 24	543	602	602	1264	1389	1289	1417
24	73-75	30	17, 20, 24	590	655	655	1288	1416	1312	1445
24	76-78	30	17, 20, 24	631	701	701	1305	1436	1332	1465
24	79-81	30	17, 20, 24	654	727	727	1323	1455	1350	1483
24	82-84	30	17, 20, 24	677	752	752	1340	1475	1367	1504
24	85-87	30	17, 20, 24	704	783	783	1380	1517	1407	1547
24	88-90	30	17, 20, 24	732	814	814	1417	1560	1446	1591
24	91-93	30	17, 20, 24	746	828	828	1455	1601	1483	1633
24	94-96	30	17, 20, 24	759	844	844	1494	1643	1522	1676
30	58-60	36	17, 20, 24	520	578	578	1176	1294	1201	1321
30	61-63	36	17, 20, 24	536	594	594	1208	1329	1233	1355
30	64-66	36	17, 20, 24	574	637	637	1241	1365	1266	1391
30	67-69	36	17, 20, 24	599	664	664	1299	1429	1325	1457
30	70-72	36	17, 20, 24	624	693	693	1357	1494	1385	1522
30	73-75	36	17, 20, 24	676	751	751	1398	1538	1425	1569
30	76-78	36	17, 20, 24	727	806	806	1436	1579	1465	1611
30	79-81	36	17, 20, 24	753	834	834	1472	1619	1502	1651
30	82-84	36	17, 20, 24	779	864	864	1509	1660	1539	1693
30	85-87	36	17, 20, 24	812	899	899	1542	1696	1573	1732
30	88-90	36	17, 20, 24	844	937	937	1575	1734	1607	1768
30	91-93	36	17, 20, 24	857	951	951	1609	1770	1642	1805
30	94-96	36	17, 20, 24	874	970	970	1643	1806	1676	1841

If Grommet is specified, add 60

## UNWTN

### Transition Worksurface



The Transition Worksurface provides depth transition capable of aligning with one or two secondary worksurfaces.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual depth is 1" less than nominal depth to allow for a cable management gap at the back and to align with storage.

Actual widths equals nominal width, allowance for gaps at side edges must be specified.

#### PRODUCT OPTIONS

Depth A	Return A	Width (1" increments)	Depth B	Return B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish (If applicable)
17, 20, 24, 30	17, 20, 24	70 - 96	24, 30, 36	17, 20, 24	L Left Handed (Shown) R Right Handed	Foundation Laminate Seamless Color Flintwood Natural Veneer	8 Flat (w/ Foundation) 9 Flat (w/ Flintwood & Natural Veneer) G Flat (w/ Seamless) H Full Knife (w/ all but Seamless) X Full Knife (w/ Seamless)	Edge Trim Colors	1 Left 2 Centered 3 Right	Q Storm White P Espresso 7 Platinum V Very White

#### SAMPLE ORDER CODE

UNWTN 24	17	60	30	17	L	LW	9	ST	1	7
-------------	----	----	----	----	---	----	---	----	---	---

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Return A	Width	Db	Return B
17	17, 20, 24	70-72	24	17, 20, 24
17	17, 20, 24	73-75	24	17, 20, 24
17	17, 20, 24	76-78	24	17, 20, 24
17	17, 20, 24	79-81	24	17, 20, 24
17	17, 20, 24	82-84	24	17, 20, 24
17	17, 20, 24	85-87	24	17, 20, 24
17	17, 20, 24	88-90	24	17, 20, 24
17	17, 20, 24	91-93	24	17, 20, 24
17	17, 20, 24	94-96	24	17, 20, 24
20, 24	20	70-72	30	17, 20, 24
20, 24	20	73-75	30	17, 20, 24
20, 24	20	76-78	30	17, 20, 24
20, 24	20	79-81	30	17, 20, 24
20, 24	20	82-84	30	17, 20, 24
20, 24	20	85-87	30	17, 20, 24
20, 24	20	88-90	30	17, 20, 24
20, 24	20	91-93	30	17, 20, 24
20, 24	20	94-96	30	17, 20, 24

#### PRICING

FOUNDATION LAMINATE	SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
451	500	500	986	1067	1007	1088
483	536	536	1017	1100	1039	1121
515	571	571	1048	1133	1070	1155
534	593	593	1077	1163	1100	1186
553	614	614	1105	1193	1127	1217
576	639	639	1128	1218	1151	1243
600	667	667	1151	1243	1174	1268
612	679	679	1170	1264	1192	1289
622	691	691	1186	1281	1211	1307
543	602	602	1264	1389	1289	1417
590	655	655	1288	1416	1312	1445
631	701	701	1305	1436	1332	1465
654	727	727	1323	1455	1350	1483
677	752	752	1340	1475	1367	1504
704	783	783	1380	1517	1407	1547
732	814	814	1417	1560	1446	1591
746	828	828	1455	1601	1483	1633
759	844	844	1494	1643	1522	1676

If Grommet is specified, add 60

Pricing is continued on the following page.



# U N W T N

## Transition Worksurface (Continued)

### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Return A	Width	Db	Return B
30	17, 20, 24	70-72	36	17, 20, 24
30	17, 20, 24	73-75	36	17, 20, 24
30	17, 20, 24	76-78	36	17, 20, 24
30	17, 20, 24	79-81	36	17, 20, 24
30	17, 20, 24	82-84	36	17, 20, 24
30	17, 20, 24	85-87	36	17, 20, 24
30	17, 20, 24	88-90	36	17, 20, 24
30	17, 20, 24	91-93	36	17, 20, 24
30	17, 20, 24	94-96	36	17, 20, 24


If Grommet is specified, add 60

### PRICING

FOUNDATION LAMINATE	SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
624	693	693	1357	1494	1385	1522
676	751	751	1398	1538	1425	1569
727	806	806	1436	1579	1465	1611
753	834	834	1472	1619	1502	1651
779	864	864	1509	1660	1539	1693
812	899	899	1542	1696	1573	1732
844	937	937	1575	1734	1607	1768
857	951	951	1609	1770	1642	1805
874	970	970	1643	1806	1676	1841

## U N W W H

### Shared Wedge Worksurface



The Shared Wedge Worksurface provides depth transition for shared worksurface applications.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Actual depth equals nominal depth.

#### PRODUCT OPTIONS

Depth A	Width (1" increments)	Depth B	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet Location (Optional)	Grommet Finish
20, 24, 30, 36, 42	48 - 96	30, 36, 42, 48, 54	Foundation Laminate Seamless Color Flintwood Natural Veneer	<b>8</b> Flat (w/ Foundation) <b>9</b> Flat (w/ Flintwood & Natural Veneer) <b>G</b> Flat (w/ Seamless) <b>H</b> Full Knife (w/ all but Seamless) <b>X</b> Full Knife (w/ Seamless)	Edge Trim Colors	<b>2</b> Centered	<b>Q</b> Storm White <b>P</b> Espresso <b>7</b> Platinum <b>V</b> Very White

246

#### SAMPLE ORDER CODE

UNWWH 42	60	54	LW	9	ST	2	7
----------	----	----	----	---	----	---	---

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	W	Db
20	48	30
20	49-51	30
20	52-54	30
20	55-57	30
20	58-60	30
20	61-63	30
20	64-66	30
20	67-69	30
20	70-72	30
20	73-75	30
20	76-78	30
20	79-81	30
20	82-84	30
20	85-87	30
20	88-90	30
20	91-93	30
20	94-96	30

#### PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
395	555	439	439	1083	1192	1105	1216
441	619	492	492	1159	1275	1182	1300
489	684	543	543	1234	1357	1259	1385
504	707	560	560	1305	1435	1332	1463
521	729	578	578	1374	1512	1402	1542
549	767	610	610	1412	1553	1440	1584
575	804	638	638	1449	1594	1478	1626
600	840	666	666	1518	1670	1548	1704
624	876	693	693	1580	1738	1613	1772
679	950	755	755	1610	1771	1643	1806
727	1016	806	806	1632	1796	1664	1831
753	1053	834	834	1654	1817	1687	1857
779	1090	864	864	1676	1843	1709	1880
810	1135	898	898	1724	1897	1761	1934
844	1179	933	933	1772	1950	1807	1989
858	1202	952	952	1817	2001	1857	2041
874	1221	970	970	1866	2053	1903	2094

If Grommet is specified, add 60

Pricing is continued on the following page.

# U N W W H

## Shared Wedge Worksurface (Continued)

### DIMENSIONS – INCHES FOR MM X BY 25.4

### PRICING

Da	W	Db	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
			Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
24	48	36	455	637	504	504	1159	1275	1182	1300
24	49-51	36	515	721	571	571	1241	1366	1266	1393
24	52-54	36	568	794	630	630	1320	1451	1346	1480
24	55-57	36	584	819	648	648	1397	1535	1424	1566
24	58-60	36	598	837	664	664	1471	1618	1501	1650
24	61-63	36	617	863	684	684	1511	1661	1541	1695
24	64-66	36	660	923	733	733	1551	1707	1583	1741
24	67-69	36	690	965	764	764	1624	1785	1656	1824
24	70-72	36	718	1007	797	797	1697	1867	1733	1904
24	73-75	36	778	1089	863	863	1747	1923	1781	1961
24	76-78	36	834	1170	927	927	1796	1973	1831	2013
24	79-81	36	865	1212	960	960	1840	2024	1876	2064
24	82-84	36	895	1255	996	996	1888	2076	1925	2118
24	85-87	36	932	1307	1037	1037	1928	2121	1967	2163
24	88-90	36	970	1356	1075	1075	1969	2166	2008	2210
24	91-93	36	985	1381	1094	1094	2011	2212	2052	2257
24	94-96	36	1004	1404	1114	1114	2053	2258	2094	2303
30	48	42	525	732	581	581	1252	1377	1277	1404
30	49-51	42	592	828	657	657	1339	1475	1366	1504
30	52-54	42	654	915	726	726	1425	1567	1453	1598
30	55-57	42	673	942	746	746	1509	1659	1539	1692
30	58-60	42	689	963	764	764	1589	1747	1621	1781
30	61-63	42	710	993	788	788	1633	1796	1665	1831
30	64-66	42	760	1063	845	845	1677	1842	1710	1879
30	67-69	42	794	1111	880	880	1754	1930	1792	1969
30	70-72	42	826	1158	918	918	1834	2018	1870	2058
30	73-75	42	894	1253	993	993	1889	2076	1926	2118
30	76-78	42	960	1344	1069	1069	1939	2132	1978	2175
30	79-81	42	997	1395	1106	1106	1989	2187	2029	2230
30	82-84	42	1032	1445	1146	1146	2038	2242	2079	2287
30	85-87	42	1073	1503	1191	1191	2081	2290	2123	2336
30	88-90	42	1114	1560	1237	1237	2126	2339	2168	2387
30	91-93	42	1134	1587	1258	1258	2172	2389	2216	2437
30	94-96	42	1153	1616	1281	1281	2217	2438	2261	2488
36	48	48	603	844	668	668	1352	1487	1380	1517
36	49-51	48	680	952	757	757	1446	1593	1475	1625
36	52-54	48	753	1052	833	833	1540	1695	1571	1731
36	55-57	48	773	1082	858	858	1630	1794	1663	1829
36	58-60	48	792	1108	880	880	1716	1889	1750	1926
36	61-63	48	818	1143	907	907	1765	1939	1800	1978
36	64-66	48	876	1222	972	972	1810	1991	1846	2031
36	67-69	48	914	1278	1011	1011	1896	2086	1933	2126
36	70-72	48	950	1333	1055	1055	1981	2179	2021	2223
36	73-75	48	1029	1442	1143	1143	2039	2242	2080	2287
36	76-78	48	1106	1547	1229	1229	2095	2303	2137	2349
36	79-81	48	1147	1604	1273	1273	2149	2363	2191	2411
36	82-84	48	1186	1661	1319	1319	2202	2422	2245	2471
36	85-87	48	1234	1731	1370	1370	2248	2474	2293	2523
36	88-90	48	1281	1795	1422	1422	2296	2527	2342	2577
36	91-93	48	1304	1826	1446	1446	2346	2580	2393	2632
36	94-96	48	1326	1859	1475	1475	2395	2633	2444	2687

If Grommet is specified, add 60

Pricing is continued on the following page.

UNWWH  
Shared Wedge Worksurface  
(Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

PRICING


Da	W	Db	FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
			Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
42	48	54	694	970	767	767	1460	1607	1488	1639
42	49-51	54	783	1096	869	869	1562	1719	1593	1754
42	52-54	54	864	1211	958	958	1663	1831	1696	1867
42	55-57	54	889	1244	986	986	1763	1935	1798	1975
42	58-60	54	912	1275	1011	1011	1856	2039	1892	2080
42	61-63	54	941	1313	1041	1041	1904	2094	1942	2136
42	64-66	54	1006	1406	1116	1116	1956	2151	1994	2193
42	67-69	54	1049	1470	1162	1162	2047	2252	2089	2296
42	70-72	54	1092	1532	1214	1214	2139	2354	2182	2400
42	73-75	54	1184	1657	1313	1313	2202	2421	2245	2470
42	76-78	54	1273	1778	1414	1414	2263	2488	2307	2537
42	79-81	54	1320	1844	1463	1463	2320	2552	2366	2602
42	82-84	54	1365	1910	1516	1516	2379	2618	2426	2668
42	85-87	54	1418	1989	1575	1575	2428	2670	2477	2725
42	88-90	54	1475	2062	1636	1636	2480	2728	2530	2784
42	91-93	54	1499	2099	1663	1663	2534	2787	2584	2844
42	94-96	54	1526	2136	1696	1696	2588	2845	2637	2903

If Grommet is specified, add 60



## UNWBG

### Tapered Worksurface



The Tapered Worksurface is designed to accommodate multiple guests or used as a secondary worksurface.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Actual depth equals nominal depth for A & B.

For Depth C, Actual depth is 1" less than nominal depth.

#### PRODUCT OPTIONS

Depth A	Depth B	Depth C	Width (1" increments)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet (Optional)	Grommet Finish (If applicable)
30, 36, 42, 48, 54	20, 24, 30, 36, 42	17, 20, 24	48 - 96	Foundation Laminate Seamless Color Flintwood Natural Veneer	8 Flat (w/ Foundation) 9 Flat (w/ Flintwood & Natural Veneer) G Flat (w/ Seamless) H Full Knife (w/ Flintwood & Natural Veneer) X Full Knife (w/ Seamless)	Edge Trim Colors	~ No Grommet 2 Centered	Q Storm White P Espresso 7 Platinum V Very White

250

#### SAMPLE ORDER CODE

UNWBG 36	24	20	72	LW	9	ST	2	Q
-------------	----	----	----	----	---	----	---	---

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Db	Dc	W
30	20	17, 20, 24	48
30	20	17, 20, 24	49-51
30	20	17, 20, 24	52-54
30	20	17, 20, 24	55-57
30	20	17, 20, 24	58-60
30	20	17, 20, 24	61-63
30	20	17, 20, 24	64-66
30	20	17, 20, 24	67-69
30	20	17, 20, 24	70-72
30	20	17, 20, 24	73-75
30	20	17, 20, 24	76-78
30	20	17, 20, 24	79-81
30	20	17, 20, 24	82-84
30	20	17, 20, 24	85-87
30	20	17, 20, 24	88-90
30	20	17, 20, 24	91-93
30	20	17, 20, 24	94-96

#### PRICING

FOUNDATION LAMINATE				SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Flat Edge	Full Knife Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
395	439	439		1083	1192	1105	1216		
441	492	492		1159	1275	1182	1300		
489	543	543		1234	1357	1259	1385		
504	560	560		1305	1435	1332	1463		
521	578	578		1374	1512	1402	1542		
549	610	610		1412	1553	1440	1584		
575	638	638		1449	1594	1478	1626		
600	666	666		1518	1670	1548	1704		
624	693	693		1580	1738	1613	1772		
679	755	755		1610	1771	1643	1806		
727	806	806		1632	1796	1664	1831		
753	834	834		1654	1817	1687	1857		
779	864	864		1676	1843	1709	1880		
810	898	898		1724	1897	1761	1934		
844	933	933		1772	1950	1807	1989		
858	952	952		1817	2001	1857	2041		
874	970	970		1866	2053	1903	2094		

If Grommet is specified, add 60

Pricing is continued on the following page.

UNWBG

Tapered Worksurface  
(Continued)DIMENSIONS – INCHES  
FOR MM X BY 25.4

Da	Db	Dc	W
36	24	17, 20, 24	48
36	24	17, 20, 24	49-51
36	24	17, 20, 24	52-54
36	24	17, 20, 24	55-57
36	24	17, 20, 24	58-60
36	24	17, 20, 24	61-63
36	24	17, 20, 24	64-66
36	24	17, 20, 24	67-69
36	24	17, 20, 24	70-72
36	24	17, 20, 24	73-75
36	24	17, 20, 24	76-78
36	24	17, 20, 24	79-81
36	24	17, 20, 24	82-84
36	24	17, 20, 24	85-87
36	24	17, 20, 24	88-90
36	24	17, 20, 24	91-93
36	24	17, 20, 24	94-96
42	30	17, 20, 24	48
42	30	17, 20, 24	49-51
42	30	17, 20, 24	52-54
42	30	17, 20, 24	55-57
42	30	17, 20, 24	58-60
42	30	17, 20, 24	61-63
42	30	17, 20, 24	64-66
42	30	17, 20, 24	67-69
42	30	17, 20, 24	70-72
42	30	17, 20, 24	73-75
42	30	17, 20, 24	76-78
42	30	17, 20, 24	79-81
42	30	17, 20, 24	82-84
42	30	17, 20, 24	85-87
42	30	17, 20, 24	88-90
42	30	17, 20, 24	91-93
42	30	17, 20, 24	94-96
48	36	17, 20, 24	48
48	36	17, 20, 24	49-51
48	36	17, 20, 24	52-54
48	36	17, 20, 24	55-57
48	36	17, 20, 24	58-60
48	36	17, 20, 24	61-63
48	36	17, 20, 24	64-66
48	36	17, 20, 24	67-69
48	36	17, 20, 24	70-72
48	36	17, 20, 24	73-75
48	36	17, 20, 24	76-78
48	36	17, 20, 24	79-81
48	36	17, 20, 24	82-84
48	36	17, 20, 24	85-87
48	36	17, 20, 24	88-90
48	36	17, 20, 24	91-93
48	36	17, 20, 24	94-96

## PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
455		504	504	1159	1275	1182	1300
515		571	571	1241	1366	1266	1393
568		630	630	1320	1451	1346	1480
584		648	648	1397	1535	1424	1566
598		664	664	1471	1618	1501	1650
617		684	684	1511	1661	1541	1695
660		733	733	1551	1707	1583	1741
690		764	764	1624	1785	1656	1824
718		797	797	1697	1867	1733	1904
778		863	863	1747	1923	1781	1961
834		927	927	1796	1973	1831	2013
865		960	960	1840	2024	1876	2064
895		996	996	1888	2076	1925	2118
932		1037	1037	1928	2121	1967	2163
970		1075	1075	1969	2166	2008	2210
985		1094	1094	2011	2212	2052	2257
1004		1114	1114	2053	2258	2094	2303
525		581	581	1252	1377	1277	1404
592		657	657	1339	1475	1366	1504
654		726	726	1425	1567	1453	1598
673		746	746	1509	1659	1539	1692
689		764	764	1589	1747	1621	1781
710		788	788	1633	1796	1665	1831
760		845	845	1677	1842	1710	1879
794		880	880	1754	1930	1792	1969
826		918	918	1834	2018	1870	2058
894		993	993	1889	2076	1926	2118
960		1069	1069	1939	2132	1978	2175
997		1106	1106	1989	2187	2029	2230
1032		1146	1146	2038	2242	2079	2287
1073		1191	1191	2081	2290	2123	2336
1114		1237	1237	2126	2339	2168	2387
1134		1258	1258	2172	2389	2216	2437
1153		1281	1281	2217	2438	2261	2488
603		668	668	1352	1487	1380	1517
680		757	757	1446	1593	1475	1625
753		833	833	1540	1695	1571	1731
773		858	858	1630	1794	1663	1829
792		880	880	1716	1889	1750	1926
818		907	907	1765	1939	1800	1978
876		972	972	1810	1991	1846	2031
914		1011	1011	1896	2086	1933	2126
950		1055	1055	1981	2179	2021	2223
1029		1143	1143	2039	2242	2080	2287
1106		1229	1229	2095	2303	2137	2349
1147		1273	1273	2149	2363	2191	2411
1186		1319	1319	2202	2422	2245	2471
1234		1370	1370	2248	2474	2293	2523
1281		1422	1422	2296	2527	2342	2577
1304		1446	1446	2346	2580	2393	2632
1326		1475	1475	2395	2633	2444	2687

If Grommet is specified, add 60

Pricing is continued on the following page.

district price guide – June 19, 2017

U N W B G  
Tapered Worksurface  
(Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

PRICING

				FOUNDATION LAMINATE	SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Da	Db	Dc	W	Flat Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
54	42	17, 20, 24	48	694	767	767	1460	1607	1488	1639
54	42	17, 20, 24	49-51	783	869	869	1562	1719	1593	1754
54	42	17, 20, 24	52-54	864	958	958	1663	1831	1696	1867
54	42	17, 20, 24	55-57	889	986	986	1763	1935	1798	1975
54	42	17, 20, 24	58-60	912	1011	1011	1856	2039	1892	2080
54	42	17, 20, 24	61-63	941	1041	1041	1904	2094	1942	2136
54	42	17, 20, 24	64-66	1006	1116	1116	1956	2151	1994	2193
54	42	17, 20, 24	67-69	1049	1162	1162	2047	2252	2089	2296
54	42	17, 20, 24	70-72	1092	1214	1214	2139	2354	2182	2400
54	42	17, 20, 24	73-75	1184	1313	1313	2202	2421	2245	2470
54	42	17, 20, 24	76-78	1273	1414	1414	2263	2488	2307	2537
54	42	17, 20, 24	79-81	1320	1463	1463	2320	2552	2366	2602
54	42	17, 20, 24	82-84	1365	1516	1516	2379	2618	2426	2668
54	42	17, 20, 24	85-87	1418	1575	1575	2428	2670	2477	2725
54	42	17, 20, 24	88-90	1475	1636	1636	2480	2728	2530	2784
54	42	17, 20, 24	91-93	1499	1663	1663	2534	2787	2584	2844
54	42	17, 20, 24	94-96	1526	1696	1696	2588	2845	2637	2903


If Grommet is specified, add 60





## UNWF

### Fan Worksurface



The Fan Worksurface is designed to accommodate multiple guests or used as a secondary worksurface.

#### WHAT'S INCLUDED

1 worksurface, grommet (if specified).

#### NOTES

The orientation (left or right) is determined by the location of the deepest end from the user's perspective.

Actual width equals nominal width, allowance for gaps at side edges must be specified.

Actual depth equals nominal depth for A & B.

For Depth C, Actual depth is 1" less than nominal depth.

#### PRODUCT OPTIONS

Depth A	Depth B	Depth C	Width (1" increments)	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Grommet (Optional)	Grommet Finish (If applicable)
20, 24, 30, 36, 42	30, 36, 42, 48, 54	17, 20, 24	48 - 96	Foundation Laminate Seamless Color Flintwood Natural Veneer	8 Flat (w/ Foundation) 9 Flat (w/ Flintwood & Natural Veneer) G Flat (w/ Seamless) H Full Knife (w/ Flintwood & Natural Veneer) X Full Knife (w/ Seamless)	Edge Trim Colors	1 No Grommet 2 Centered	Q Storm White P Espresso 7 Platinum V Very White

254

#### SAMPLE ORDER CODE

UNWF 30	42	20	72	LW	9	ST	2	Q
---------	----	----	----	----	---	----	---	---

#### DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Db	Dc	W
20	30	17, 20, 24	48
20	30	17, 20, 24	49-51
20	30	17, 20, 24	52-54
20	30	17, 20, 24	55-57
20	30	17, 20, 24	58-60
20	30	17, 20, 24	61-63
20	30	17, 20, 24	64-66
20	30	17, 20, 24	67-69
20	30	17, 20, 24	70-72
20	30	17, 20, 24	73-75
20	30	17, 20, 24	76-78
20	30	17, 20, 24	79-81
20	30	17, 20, 24	82-84
20	30	17, 20, 24	85-87
20	30	17, 20, 24	88-90
20	30	17, 20, 24	91-93
20	30	17, 20, 24	94-96

#### PRICING

FOUNDATION LAMINATE				SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge	Flat Edge	Full Knife Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
395	439	439		1083	1192	1105	1216		
441	492	492		1159	1275	1182	1300		
489	543	543		1234	1357	1259	1385		
504	560	560		1305	1435	1332	1463		
521	578	578		1374	1512	1402	1542		
549	610	610		1412	1553	1440	1584		
575	638	638		1449	1594	1478	1626		
600	666	666		1518	1670	1548	1704		
624	693	693		1580	1738	1613	1772		
679	755	755		1610	1771	1643	1806		
727	806	806		1632	1796	1664	1831		
753	834	834		1654	1817	1687	1857		
779	864	864		1676	1843	1709	1880		
810	898	898		1724	1897	1761	1934		
844	933	933		1772	1950	1807	1989		
858	952	952		1817	2001	1857	2041		
874	970	970		1866	2053	1903	2094		

If Grommet is specified, add 60

Pricing is continued on the following page.

UNWF

Fan Worksurface  
(Continued)DIMENSIONS – INCHES  
FOR MM X BY 25.4

Da	Db	Dc	W
24	36	17, 20, 24	48
24	36	17, 20, 24	49-51
24	36	17, 20, 24	52-54
24	36	17, 20, 24	55-57
24	36	17, 20, 24	58-60
24	36	17, 20, 24	61-63
24	36	17, 20, 24	64-66
24	36	17, 20, 24	67-69
24	36	17, 20, 24	70-72
24	36	17, 20, 24	73-75
24	36	17, 20, 24	76-78
24	36	17, 20, 24	79-81
24	36	17, 20, 24	82-84
24	36	17, 20, 24	85-87
24	36	17, 20, 24	88-90
24	36	17, 20, 24	91-93
24	36	17, 20, 24	94-96
30	42	17, 20, 24	48
30	42	17, 20, 24	49-51
30	42	17, 20, 24	52-54
30	42	17, 20, 24	55-57
30	42	17, 20, 24	58-60
30	42	17, 20, 24	61-63
30	42	17, 20, 24	64-66
30	42	17, 20, 24	67-69
30	42	17, 20, 24	70-72
30	42	17, 20, 24	73-75
30	42	17, 20, 24	76-78
30	42	17, 20, 24	79-81
30	42	17, 20, 24	82-84
30	42	17, 20, 24	85-87
30	42	17, 20, 24	88-90
30	42	17, 20, 24	91-93
30	42	17, 20, 24	94-96
36	48	17, 20, 24	48
36	48	17, 20, 24	49-51
36	48	17, 20, 24	52-54
36	48	17, 20, 24	55-57
36	48	17, 20, 24	58-60
36	48	17, 20, 24	61-63
36	48	17, 20, 24	64-66
36	48	17, 20, 24	67-69
36	48	17, 20, 24	70-72
36	48	17, 20, 24	73-75
36	48	17, 20, 24	76-78
36	48	17, 20, 24	79-81
36	48	17, 20, 24	82-84
36	48	17, 20, 24	85-87
36	48	17, 20, 24	88-90
36	48	17, 20, 24	91-93
36	48	17, 20, 24	94-96

## PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
440		487	487	1120	1232	1142	1256
498		552	552	1199	1320	1223	1346
549		609	609	1275	1402	1300	1430
564		626	626	1350	1483	1376	1513
578		642	642	1421	1563	1450	1594
596		661	661	1460	1605	1489	1638
638		708	708	1499	1649	1529	1682
667		738	738	1569	1725	1600	1762
694		770	770	1640	1804	1674	1840
752		834	834	1688	1858	1721	1895
806		896	896	1735	1906	1769	1945
836		928	928	1778	1956	1813	1994
865		962	962	1824	2006	1860	2046
900		1002	1002	1863	2049	1900	2090
937		1039	1039	1902	2093	1940	2135
952		1057	1057	1943	2137	1983	2181
970		1076	1076	1984	2182	2023	2225
507		561	561	1210	1330	1234	1357
572		635	635	1294	1425	1320	1453
632		701	701	1377	1514	1404	1544
650		721	721	1458	1603	1487	1635
666		738	738	1535	1688	1566	1721
686		761	761	1578	1735	1609	1769
734		816	816	1620	1780	1652	1815
767		850	850	1695	1865	1731	1902
798		887	887	1772	1950	1807	1988
864		959	959	1825	2006	1861	2046
928		1033	1033	1873	2060	1911	2101
963		1069	1069	1922	2113	1960	2155
997		1107	1107	1969	2166	2009	2210
1037		1151	1151	2011	2213	2051	2257
1076		1195	1195	2054	2260	2095	2306
1096		1215	1215	2099	2308	2141	2355
1114		1238	1238	2142	2356	2185	2404
583		645	645	1306	1437	1333	1466
657		731	731	1397	1539	1425	1570
728		805	805	1488	1638	1518	1672
747		829	829	1575	1733	1607	1767
765		850	850	1658	1825	1691	1861
790		876	876	1705	1873	1739	1911
846		939	939	1749	1924	1784	1962
883		977	977	1832	2015	1868	2054
918		1019	1019	1914	2105	1953	2148
994		1104	1104	1970	2166	2010	2210
1069		1187	1187	2024	2225	2065	2270
1108		1230	1230	2076	2283	2117	2329
1146		1274	1274	2128	2340	2169	2387
1192		1324	1324	2172	2390	2215	2438
1238		1374	1374	2218	2442	2263	2490
1260		1397	1397	2267	2493	2312	2543
1281		1425	1425	2314	2544	2361	2596

If Grommet is specified, add 60

Pricing is continued on the following page.

## UNWF

### Fan Worksurface (Continued)

DIMENSIONS – INCHES  
FOR MM X BY 25.4

Da	Db	Dc	W
42	54	17, 20, 24	48
42	54	17, 20, 24	49-51
42	54	17, 20, 24	52-54
42	54	17, 20, 24	55-57
42	54	17, 20, 24	58-60
42	54	17, 20, 24	61-63
42	54	17, 20, 24	64-66
42	54	17, 20, 24	67-69
42	54	17, 20, 24	70-72
42	54	17, 20, 24	73-75
42	54	17, 20, 24	76-78
42	54	17, 20, 24	79-81
42	54	17, 20, 24	82-84
42	54	17, 20, 24	85-87
42	54	17, 20, 24	88-90
42	54	17, 20, 24	91-93
42	54	17, 20, 24	94-96


### PRICING

FOUNDATION LAMINATE		SEAMLESS COLOR		FLINTWOOD		NATURAL VENEER	
Flat Edge		Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge	Flat Edge	Full Knife Edge
694		767	767	1460	1607	1488	1639
783		869	869	1562	1719	1593	1754
864		958	958	1663	1831	1696	1867
889		986	986	1763	1935	1798	1975
912		1011	1011	1856	2039	1892	2080
941		1041	1041	1904	2094	1942	2136
1006		1116	1116	1956	2151	1994	2193
1049		1162	1162	2047	2252	2089	2296
1092		1214	1214	2139	2354	2182	2400
1184		1313	1313	2202	2421	2245	2470
1273		1414	1414	2263	2488	2307	2537
1320		1463	1463	2320	2552	2366	2602
1365		1516	1516	2379	2618	2426	2668
1418		1575	1575	2428	2670	2477	2725
1475		1636	1636	2480	2728	2530	2784
1499		1663	1663	2534	2787	2584	2844
1526		1696	1696	2588	2845	2637	2903



## UNUE

### Stand-Up Meeting Surface (End)



The Stand-Up Meeting Surface (End) provides a dedicated space for stand-up meetings in a workstation.

#### WHAT'S INCLUDED

1 stand-up meeting surface, attachment hardware, utility hook (as specified).

#### NOTES

When no shelf option is selected, utility hook is included.

#### PRODUCT OPTIONS

Height	Depth	Width	Shelf	Orientation	Application	Case, Shelf, Back & Top Finish	Bracket Finish
42	16	36, 48, 60	<b>S</b> With Shelf <b>N</b> No Shelf	<b>L</b> Left <b>R</b> Right	<b>D</b> District Panel <b>L</b> Leverage Panel <b>F</b> Freestanding	Source Laminate Seamless Color Flintwood Natural Veneer Foundation Laminate (top only)	Foundation Mica

#### SAMPLE ORDER CODE

						Case & Shelf	Back	Top	Top Edge Trim	
<b>UNUE 42</b>	<b>16</b>	<b>48</b>	<b>S</b>	<b>R</b>	<b>D</b>	<b>FX</b>	<b>FX</b>	<b>LW</b>	<b>ST</b>	<b>Q</b>

#### DIMENSIONS INCHES / MM

H	D	W
42	16	36
42	16	48
42	16	60

#### PRICING

##### WITH SHELF

##### SOURCE LAMINATE CASE

Source Lam. Case, Shelf, Back & Top
976
1136
1216

##### SEAMLESS CASE

Seamless Case, Shelf, Back & FndLam. Top	Seamless Case, Shelf, Back & FW Top	Seamless Case, Shelf, Back & Veneer Top	Seamless Case, Shelf, FW Back & FndLam. Top	Seamless Case, Shelf, FW Back & FW Top	Seamless Case, Shelf, Veneer Back & FndLam. Top	Seamless Case, Shelf, Veneer Back & Veneer Top
1239	1349	1359	1377	1486	1388	1509
1412	1520	1532	1566	1676	1578	1699
1584	1721	1739	1755	1894	1773	1923

##### FLINTWOOD CASE

FndLam Case, Shelf, Smls Back & FndLam Top	FndLam Case, Shelf, Smls Back & FW Top	FndLam Case, Shelf, FW Back & FndLam Top	FW Case, Shelf, Back & Top
1354	1463	1492	1578
1538	1647	1692	1778
1727	1865	1899	2008

##### VENEER CASE

Veneer Case, Shelf, Smls Back & FndLam Top	Veneer Case, Shelf, Smls Back & Veneer Top	Veneer Case, Shelf, Back & FndLam Top	Veneer Case, Shelf, Back & Top
1377	1498	1527	1624
1561	1681	1727	1831
1755	1910	1933	2065

UNUE  
Stand-Up Meeting Surface (End)  
(Continued)

DIMENSIONS  
INCHES / MM

H	D	W
42	16	36
42	16	48
42	16	60

PRICING

NO SHELF

SOURCE LAMINATE CASE

Source Lam.  
Case, Shelf,  
Back & Top

792
894
942

SEAMLESS CASE

	Seamless Case, Shelf, Back & FndLam. Top	Seamless Case, Shelf, Back & FW Top	Seamless Case, Shelf, Back & Veneer Top	Seamless Case, Shelf, FW Back & FndLam. Top	Seamless Case, Shelf, FW Back & FW Top	Seamless Case, Shelf, Veneer Back & FndLam. Top	Seamless Case, Shelf, Veneer Back & Veneer Top
42 16 36	1010	1119	1130	1147	1256	1159	1279
42 16 48	1096	1205	1216	1250	1359	1263	1383
42 16 60	1239	1377	1395	1412	1549	1429	1578

FLINTWOOD CASE


	FndLam Case, Shelf, Smls Back & FndLam Top	FndLam Case, Shelf, Smls Back & FW Top	FndLam Case, Shelf, FW Back & FndLam Top	FW Case, Shelf, Back & Top
42 16 36	1078	1187	1216	1291
42 16 48	1171	1279	1325	1377
42 16 60	1325	1463	1498	1549

VENEER CASE

	Veneer Case, Shelf, Smls Back & FndLam Top	Veneer Case, Shelf, Smls Back & Veneer Top	Veneer Case, Shelf, Back & FndLam Top	Veneer Case, Shelf, Back & Top
42 16 36	1090	1211	1239	1332
42 16 48	1182	1303	1349	1417
42 16 60	1342	1498	1532	1595

## UNUM

### Stand-Up Meeting Surface (Mid)



The Stand-Up Meeting Surface (Mid) provides a dedicated space for stand-up meetings in a workstation.

#### WHAT'S INCLUDED

1 stand-up meeting surface, attachment hardware, utility hook (as specified).

#### NOTES

When no shelf option is selected, utility hook is included.

Back extends to worksurface height.

#### PRODUCT OPTIONS

Height	Depth	Width	Shelf	Orientation	Case, Shelf, Back & Top Finish	Bracket Finish
42	16	36, 48, 60	S With Shelf N No Shelf	L Left R Right	Source Laminate Seamless Color Flintwood Natural Veneer Foundation Laminate (top only)	Foundation Mica

#### SAMPLE ORDER CODE

					Case & Shelf	Back	Top	Top Edge Trim	
UNUM 42	16	36	N	R	FX	FX	LW		Q

#### DIMENSIONS INCHES / MM

H	D	W
42	16	36
42	16	48
42	16	60

#### PRICING

##### WITH SHELF

##### SOURCE LAMINATE CASE

Source Lam. Case, Shelf, Back & Top
908
1021
1113

##### SEAMLESS CASE

Seamless Case, Shelf, Back & FndLam. Top	Seamless Case, Shelf, Back & FW Top	Seamless Case, Shelf, Back & Veneer Top	Seamless Case, Shelf, FW Back & FndLam. Top	Seamless Case, Shelf, FW Back & FW Top	Seamless Case, Shelf, Veneer Back & FndLam. Top	Seamless Case, Shelf, Veneer Back & Veneer Top
1113	1222	1234	1171	1279	1182	1303
1263	1371	1383	1325	1435	1337	1457
1422	1561	1578	1492	1629	1509	1658

##### FLINTWOOD CASE

FndLam Case, Shelf, Smls Back & FndLam Top	FndLam Case, Shelf, Smls Back & FW Top	FndLam Case, Shelf, FW Back & FndLam Top	FW Case, Shelf, Back & Top
1228	1337	1285	1549
1388	1498	1451	1692
1566	1705	1635	1836

##### VENEER CASE

Veneer Case, Shelf, Smls Back & FndLam Top	Veneer Case, Shelf, Smls Back & Veneer Top	Veneer Case, Shelf, Back & FndLam Top	Veneer Case, Shelf, Back & Top
1250	1371	1320	1595
1412	1532	1486	1744
1595	1749	1773	1894



U N U M

Stand-Up Meeting Surface (Mid)  
(Continued)

DIMENSIONS  
INCHES / MM

H	D	W
42	16	36
42	16	48
42	16	60

PRICING

NO SHELF

SOURCE LAMINATE CASE

Source Lam.  
Case, Shelf,  
Back & Top

723
781
837

SEAMLESS CASE

	Seamless Case, Shelf, Back & FndLam. Top	Seamless Case, Shelf, Back & FW Top	Seamless Case, Shelf, Back & Veneer Top	Seamless Case, Shelf, FW Back & FndLam. Top	Seamless Case, Shelf, FW Back & FW Top	Seamless Case, Shelf, Veneer Back & FndLam. Top	Seamless Case, Shelf, Veneer Back & Veneer Top
42 16 36	884	992	1005	942	1049	952	1073
42 16 48	947	1055	1068	1010	1119	1021	1142
42 16 60	1078	1216	1234	1147	1285	1165	1313

FLINTWOOD CASE


	FndLam Case, Shelf, Smls Back & FndLam Top	FndLam Case, Shelf, Smls Back & FW Top	FndLam Case, Shelf, FW Back & FndLam Top	FW Case, Shelf, Back & Top
42 16 36	952	1061	1010	1263
42 16 48	1021	1130	1084	1291
42 16 60	1165	1303	1234	1377

VENEER CASE

	Veneer Case, Shelf, Smls Back & FndLam Top	Veneer Case, Shelf, Smls Back & Veneer Top	Veneer Case, Shelf, Back & FndLam Top	Veneer Case, Shelf, Back & Top
42 16 36	963	1084	1034	1303
42 16 48	1034	1153	1107	1332
42 16 60	1182	1337	1268	1422

## UNUP

### Stand-Up Meeting Surface (Mid Open)



The Stand-Up Meeting Surface (Mid Open) provides a dedicated space for stand-up meetings in a workstation.

#### WHAT'S INCLUDED

1 stand-up meeting surface, attachment hardware, utility hook (as specified).

#### NOTES

In the double-sided application the only orientation available is right, and the application is shared.

In the single-sided application both right & left orientation are available and the application is dedicated.

#### PRODUCT OPTIONS

Height	Depth	Width	Style	Orientation	Worksurface Application	Case, Shelf, Back & Top Finish	Bracket Finish
42	16	36, 48, 60	S Single Sided D Double Sided	L Left R Right	1 Dedicated Worksurface 2 Shared Worksurface	Source Laminate Seamless Color Flintwood Natural Veneer Foundation Laminate (top only)	Foundation Mica

#### SAMPLE ORDER CODE

						Case & Shelf	Back	Top	Top Edge Trim	
UNUP 42	16	36	S	R	1	FX	FX	LW		Q

#### DIMENSIONS INCHES / MM

H	D	W
42	16	36
42	16	48
42	16	60

#### PRICING

##### SINGLE & DOUBLE SIDED

##### SOURCE LAMINATE CASE

Source Lam. Case, Shelf, Back & Top
816
918
986

##### SEAMLESS CASE

Seamless Case, Shelf, Back & FndLam. Top	Seamless Case, Shelf, Back & FW Top	Seamless Case, Shelf, Back & Veneer Top	Seamless Case, Shelf, FW Back & FndLam. Top	Seamless Case, Shelf, FW Back & FW Top	Seamless Case, Shelf, Veneer Back & FndLam. Top	Seamless Case, Shelf, Veneer Back & Veneer Top
42 16 36	1005	1113	1124	1049	1159	1182
42 16 48	1136	1245	1256	1187	1297	1320
42 16 60	1279	1417	1435	1337	1475	1503

##### FLINTWOOD CASE

FndLam Case, Shelf, Smls Back & FndLam Top	FndLam Case, Shelf, Smls Back & FW Top	FndLam Case, Shelf, FW Back & FndLam Top	FW Case, Shelf, Back & Top
42 16 36	1119	1228	1176
42 16 48	1263	1371	1325
42 16 60	1422	1561	1492
			1520

##### VENEER CASE

Veneer Case, Shelf, Smls Back & FndLam Top	Veneer Case, Shelf, Smls Back & Veneer Top	Veneer Case, Shelf, Back & FndLam Top	Veneer Case, Shelf, Back & Top
42 16 36	1142	1263	1211
42 16 48	1285	1406	1359
42 16 60	1451	1607	1527
			1578



storage

# storage


PRODUCT MAP / TABLE OF CONTENTS . . . . .	266
UNDERSTANDING STORAGE . . . . .	282
UNDERSTANDING DISTRICT STORAGE . . . . .	283
PEDESTAL BASICS . . . . .	288
STRETCH PEDESTAL & LATERAL FILE STORAGE BASICS . . . . .	289
BOOKCASE BASICS . . . . .	290
CREDENZA BASICS . . . . .	291
CREDENZA DRAWER WIDTHS . . . . .	305
STACKER BASICS . . . . .	310
SHARED STACKER BASICS . . . . .	312
SINGLE LOCKER BASICS . . . . .	313
DUAL, TRIPLE & QUAD LOCKER BASICS . . . . .	315
CUBBY LOCKER BASICS . . . . .	316
TOWER BASICS . . . . .	317
PEDESTAL TOWER BASICS . . . . .	322
STORAGE-TO-STORAGE SUPPORT BASICS . . . . .	324
OVERHEAD BASICS . . . . .	325
CENTERMOUNT OVERHEAD BASICS . . . . .	326
PRODUCT LISTING . . . . .	327

## product map

### UPR Rolling Pedestal

Page 327


Depth: 19" / Width: 16" / Height: 21"



### UPRB Rolling Pedestal with Box Drawer & Hinged Door

Page 328


Depth: 19"



### UPRH Rolling Pedestal with Hinged Door

Page 329


Depth: 19"



### UPFD Pedestal with Solid Back

Page 330

Depth: 19", 23", 29", 35" / Width: 16" / Height: 28"




266

### UPFC Pedestal with Cubby

Page 332


Depth: 29" & 35" / Width: 16" / Height: 28"



### UPSE Stretch Pedestal – Elevated

Page 334


Height: 21" & 28" / Depth: 16", 19", 23", 29" / Width: 24", 30", 36"



### UPSS Stretch Pedestal – Standard

Page 338


Height: 21" & 28" / Depth: 16", 19", 23", 29" / Width: 24", 30", 36"



### UFLE Lateral File – Elevated

Page 342


Height: 36" & 42" / Depth: 16" & 19" / Width: 24", 30", 36"



**UFLS Lateral File – Standard**


Page 346

Height: 36" &amp; 42" / Depth: 16" &amp; 19" / Width: 24", 30", 36"

**UBKE Bookcase – Elevated**


Page 350

Height: 36", 42", 51", 66" / Width: 24" - 48" (in 6" increments) / Depth: 16"

**UBKS Bookcase – Standard**


Page 352

Height: 36", 42", 51", 66" / Width: 24" - 48" (in 6" increments) / Depth: 16"

**ULDE Low Full Drawer Credenza – Elevated**

Page 354

Depth: 16" &amp; 19" / Width: 48", 60", 72", 78", 84", 90", 96" / Height: 21"



Angled Foot


District Foot (19" depth only)

## product map

### ULDS Low Full Drawer Credenza – Standard

Page 356


Depth: 16" & 19" / Width: 48", 60", 72", 78", 84", 90", 96" / Height: 21"



### UHDE High Full Drawer Credenza – Elevated

Page 358

Depth: 16" & 19" / Width: 48", 60", 72", 78", 84", 90", 96" / Height: 28"




268

### UHDS High Full Drawer Credenza – Standard

Page 360


Depth: 16" & 19" / Width: 48", 60", 72", 78", 84", 90", 96" / Height: 28"



### ULOE Low Open Credenza – Elevated

Page 364

Depth: 16" & 19" / Width: 24" - 96" (in 6" increments) / Height: 21"






**ULOS Low Open Credenza – Standard**


Page 366

Depth: 16" &amp; 19" / Width: 24" - 96" (in 6" increments) / Height: 21"

**UHOE High Open Credenza – Elevated**


Page 368

Depth: 16" &amp; 19" / Width: 24" - 96" (in 6" increments) / Height: 28"

**UHOS High Open Credenza – Standard**

Page 370


Depth: 16" &amp; 19" / Width: 24" - 96" (in 6" increments) / Height: 28"

**ULHE Low Open with Drawer Credenza – Elevated**

Page 372

Depth: 16" &amp; 19" / Width: 48" - 96" (in 6" increments) / Height: 21"

Open Compartment also available on right side




## product map

### ULHS Low Open with Drawer Credenza – Standard

Page 376

Depth: 16" & 19" / Width: 48" - 96" (in 6" increments) / Height: 21"

Open Compartment also available on right side




### UHHE High Open with Drawer Credenza – Elevated

Page 380

Depth: 16" & 19" / Width: 48" - 96" (in 6" increments) / Height: 28"

Open Compartment also available on right side




270

### UHHS High Open with Drawer Credenza – Standard

Page 384

Depth: 16" & 19" / Width: 48" - 96" (in 6" increments) / Height: 28"

Open Compartment also available on right side




### ULME Low Dual Cubby Credenza – Elevated

Page 390

Depth: 16" & 19" / Width: 84" - 96" (in 6" increments) / Height: 21"

Drawer also available on right side




**ULMS Low Dual Cubby Credenza – Standard**

Page 392

Depth: 16" &amp; 19" / Width: 84" - 96" (in 6" increments) / Height: 21"


Drawers also available on right side

**UHME High Dual Cubby Credenza – Elevated**

Page 394

Depth: 16" &amp; 19" / Width: 84" - 96" (in 6" increments) / Height: 28"


Drawers also available on right side

**UHMS High Dual Cubby Credenza – Standard**

Page 396

Depth: 16" &amp; 19" / Width: 84" - 96" (in 6" increments) / Height: 28"


Drawers also available on right side

**ULGE Low Single Sliding Door Credenza – Elevated**

Page 398

Depth: 16" &amp; 19" / Width: 42" - 96" (in 6" increments) / Height: 21"


Open Compartment also available on right side

**ULGS Low Single Sliding Door Credenza – Standard**

Page 402

Depth: 16" &amp; 19" / Width: 42" - 96" (in 6" increments) / Height: 21"

Open Compartment also available on right side




## product map

### ULSE Low Double Sliding Door Credenza – Elevated

Page 406


Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 21"



### ULSS Low Double Sliding Door Credenza – Standard

Page 410

Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 21"




### UHGE High Single Sliding Door Credenza – Elevated

Page 414

Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 28"

Open Compartment also available on right side




### UHGS High Single Sliding Door Credenza – Standard

Page 418

Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 28"

Open Compartment also available on right side




272

### UHSE High Double Sliding Door Credenza – Elevated

Page 422


Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 28"



### UHSS High Double Sliding Door Credenza – Standard

Page 426


Depth: 16" & 19" / Width: 42" - 96" (in 6" increments) / Height: 28"




### ULNE Low File with Hinged Door Credenza – Elevated

Page 430

Depth: 16" & 19" / Width: 30", 36" & 42"



Angled Foot




District Foot (19" depth only)

### ULNS Low File with Hinged Door Credenza – Standard

Page 432

Depth: 16" & 19" / Width: 30", 36" & 42"




## product map

**ULKE Low Shared Credenza – Elevated**

Page 434

Depth: 16" &amp; 19" / Width: 36", 42", 48", 60" &amp; 72"




Angled Foot

District Foot (19" depth only)

**ULKS Low Shared Credenza – Standard**

Page 436


Depth: 16" &amp; 19" / Width: 36", 42", 48", 60" &amp; 72"

**UCO Open Stacker**


Page 438

Height: 9", 15", 21", 23", 30", 38", 45" / Width: 24" - 96" (in 6" increments) / Depth: 16"


Double-Sided also available in right position



Single-Sided




Single-Sided



Double-Sided

**UCC Closed Stacker**


Page 444

Height: 23", 30", 38", 45" /  
Width: 24" - 48" (in 6" increments) /  
Depth: 16"**UCS Open/Closed Stacker**

Page 448

Height: 23", 30", 38", 45" /  
Width: 42" & 48" / Depth: 16"

Open Compartment also available on right side




# product map

## UCP Shared Open Through Stacker

Page 450

Height: 15", 21", 23", 30", 38" & 45" /

Width: 42", 48", 54", 60", 66" & 72"




## UCB Closed Stacker with Cubbies

Page 452

Height: 23", 30", 38", 45" / Width: 24" - 48" (in 6" increments) /

Depth: 16"




## UCD Shared Closed Stacker

Page 456

Height: 15", 21", 23", 30", 38" & 45" /

Width: 30" & 36"




## UCG Sliding Door Stacker

Page 458

Height: 15", 21", 23", 30" & 45" / Width: 30" - 96" (in 6" increments) /

Depth: 16"



274


## UKSC Single Locker with Cubby Back

Page 470


Height: 28", 36", 42", 51" & 66" / Depth: 29" & 35" /

Width: 12" & 16"

Right door swing also available



Elevated




Standard

## product map

**UKSD Single Locker with Solid Back**

Page 474 – Height: 21", 28", 36", 42", 51" & 66" / Depth: 16", 19" & 23" / Width: 12" & 16"

Right door swing also available



Elevated

Split Door


Standard

Split Door

**UKC Single Locker with Side Closet**

Page 482 – Height: 51" & 66" / Depth: 23", 29" & 35" / Width: 12" & 16"

Closet also available on right side



Elevated

Split Door


Standard

Split Door

Full Door

**UKN Cubby Locker**

Page 484 – Height: 42", 51" & 66" / Depth: 16" / Width: 30", 36" & 42"



Elevated

Hinged Doors

Hinged Doors with Mail Slots

Standard


Hinged Doors

Hinged Doors with Mail Slots

**UKD Dual Locker**

Page 490

Height: 36", 42", 51" & 66" / Depth: 16" & 19" / Width: 24", 30", 36" & 42"



Elevated

Coat &amp; Shelf

Coat or Shelves on both sides


Standard

Coat &amp; Shelf

Coat or Shelves on both sides

**UKT Triple Locker**

Page 506 – Height: 42", 51" & 66" / Depth: 16" / Width: 36", 42" & 48"




Elevated

Standard

# product map


## UKQ Quad Locker

Page 512  
Height: 51" & 66" / Depth: 16" & 19" / Width: 48"




## UTLE Lateral Tower – Elevated

Page 518  
Height: 42", 51" & 66" / Depth: 16" & 19" / Width: 24", 30" & 36"



Secured





Closed Back & Open Through



**UTLS Lateral Tower – Standard**

Page 528

Height: 36", 42", 51" &amp; 66" / Depth: 16" &amp; 19" / Width: 24", 30" &amp; 36"



**Secured****Closed Back & Open Through****UTCE Combo Tower – Elevated**

Page 540

Height: 36", 42", 51" &amp; 66" / Depth: 16" &amp; 19" /

Width: 24" - 48" (in 6" increments)

Wardrobe also available on right side

**Secured****Closed Back & Open Through**


# product map

## UTCS Combo Tower – Standard


Page 552

Height: 36", 42", 51" & 66" / Depth: 16" & 19" / Width: 24" - 48" (in 6" increments)

Wardrobe also available on right side



Secured



Closed Back & Open Through


278

## UTDC Pedestal Tower with Cubby Back


Page 568

Height: 36", 42", 51" & 66" / Depth: 29" & 35" / Width: 16"

Swing also available on left side



Elevated





Standard

**UTDD Pedestal Tower with Solid Back**

Page 572

Height: 36", 42", 51" &amp; 66" / Depth: 19" &amp; 23" / Width: 16"


Swing also available on left side

**Elevated****Standard****UTDK Pedestal Tower with Side Closet**

Page 578

Height: 51" &amp; 66" / Depth: 29" &amp; 35" / Width: 16"


Closet also available on left side

**Elevated****Standard****UTW Side Open Tower**

Page 580

Height: 36", 42", 51" &amp; 66" / Depth: 19", 23", 29" &amp; 35" / Width: 16"

Opening also available on left side

**Elevated****Standard**


# product map

## UTWW Wide Side Open Tower

Page 584

Height: 36", 42", 51" & 66" / Depth: 19", 23", 29" & 35" / Width: 24"


Opening also available on left side



## UOH Sliding Door Overhead

Page 588

Height: 15" & 21" / Width: 30" - 60" (in 6" increments) / Depth: 16"




## UOHC Sliding Door Centermount Overhead

Page 590

Height: 15" / Width: 30" - 96" (in 6" increments) / Depth: 16"


Double-Sided also available in left position



## UOO Open Overhead

Page 594


Height: 15" & 21" / Width: 30" - 60" (in 6" increments) / Depth: 16"



## UOOC Open Centermount Overhead

Page 596


Height: 9" & 15" / Width: 30" - 96" (in 6" increments) / Depth: 16"



## UODC Shared Hinged Door Centermount Overhead


Page 600

Height: 15" & 21" / Width: 30", 36" & 42"




## UNSLB Linking Bracket

Page 602



For Elevated Storage




For Standard Storage

# product map

## UNSXL Storage Extended Leveling Kit

Page 604




## UWKA Locker Accessories

Page 605



Hook




Shelf

## SOKL Set of Keys Alike


Page 606

## understanding storage


District storage is available in a variety of formats, from pedestals, to stackers and lockers. The following outlines the various storage options available.



- 1 **Overheads** are available in a variety of heights and configurations. They can be open or have glass or solid doors and can be either panel-mounted or center-mounted on-module.  
Overheads can be single sided or double sided.
- 2 **Stackers** stack onto other base storage units and can face the same direction as the base, or opposite directions.
- 3 **Bookcases** are available to maximize open storage.
- 4 **Lockers** provide coat and shelf storage in a variety of configurations including with cubbies, with solid backs, dual, triple and quad lockers, front or side closet locations and mail slots.
- 5 **Towers** combine coat storage, box and file and open compartments in front and side locations.
- 6 **Undersurface storage** includes pedestals with solid backs and cubbies, rolling pedestals, stretch pedestals, single lockers and credenzas.  
**Lateral files** are available 36" and 42" high when higher storage is required.
- 7 **Credenza** options include full drawer, open, and open with drawer hinged door, or sliding door combinations



District Handle Pull



Rectangular Handle Pull

### Finishes

- All storage is available in Seamless Colors (including the new Accent colors), Laminate, Flintwood and Wood Veneer finishes
- When Laminate case is specified, the sides and back of the cabinets will both be Laminate, and the fronts can be Laminate or Flintwood
- Laminate cases are **not** available on 96" wide
- When Seamless, Flintwood or Veneer cases are specified, the backs and fronts can all be different wood finishes, the fronts **cannot** be Laminate
- Handles are available in Foundation, Mica and Accent. Feet are available in Storm White (Q), Platinum (7), Very White (V), Anthracite (X), Graphite (M) and Burnished Bronze (2)
- Grommets are finished in Platinum
- Glass is available in Frost or back-painted glass in various colors


# understanding district storage

District storage can be planned as space division, panel or worksurface support, or in a more conventional manner where it is incorporated into panel environments. A wide variety of finish protocols are available to suit different planning styles and budgets. District storage also lends itself to integration with the Teknion Leverage system.

## topography




- In conventional planning, panels tend to be one height and the storage is contained within the station




- District typically uses storage to provide space division, offering a varied workspace topography. The line of site can be varied to allow open spaces with different shapes and sizes

## district storage styles


- District is available in three different styles and each provides a different function, and varying levels of power and communication access




- Standard Storage has levelers only which allow case to sit 1" above floor height. Power and communications **cannot** be passed through it



- Elevated Storage with District Feet provides a lighter aesthetic by raising the storage 6" off the floor
- Available on 19" deep credenzas only
- Power and data communications **cannot** be passed through the storage



- Elevated Storage with Angled Feet provides the most options and flexibility. The legs are on the corners, allowing a power and communications channel to pass along the bottom of the storage to provide power in the storage at either beltline or base level




- Shared storage within workstations allows room for collaboration as well as space division
- Allows for planning in smaller spaces more accommodating to storage
- Power and data communications **cannot** be passed through the storage

## understanding district storage (continued)


### storage depths

- Storage is available in varying depths to correspond with worksurface depths, create stackable spine storage, or for an increased sense of spaciousness in small workstations




- Storage in depths of 16" allows for cabinets to be stacked flush in spine planning applications

284



- Credenzas, files and worksurfaces in 19" depths allow worksurfaces to be layered over the storage




- Depths can be varied, to create a "furniture look and feel", and an increased sense of spaciousness in a workstation



# understanding district storage (continued)

## secure and accessible areas


- District storage includes secure or enclosed and accessible areas to allow for a variety of storage options. Backs can also be open or closed on some units to maximize flexibility



285

## on- or off-module capability


- Storage can be stacked the full width of lower cabinets, or in off-module configurations



## understanding district storage (continued)


### maximized support

- Worksurface support has been maximized so that virtually any storage component can serve as support for worksurfaces (See Supports section for actual support brackets required)




286


- Storage units that can attach to panels to provide support are complete with slots on the back to accept the support brackets. This allows for maximum flexibility because holes do **not** need to be drilled into the units exterior surface for mounting the brackets



Credenza – Back View



Combo Tower – Back View




Quad Locker – Back View

## understanding district storage (continued)


### layering

- District provides the opportunity to layer worksurfaces over storage to allow for extra piling surfaces
- The amount of piling worksurface area is maximized by the gap between the shelf at 36" high, the worksurface at 29" high and the credenza at 21" high



### standard storage heights

- 1" of levelers are included in the total height of the storage (eg. If height is 51", actual height of the case is 50" and levelers, fully extended, make up 1")



### leveling range

#### standard storage


- The following storage units (UPFDS, UPSS, UFLS, ULDS, UHDS, UTLS, UTDD, UTW & UTWW) will receive extended levelers (UNSXL) which will allow the unit to be levelled 0.5" down and 0.625" up
- All other units will have a standard leveler which will allow for levelling 0.5" down and 0" up.

#### elevated storage

- Leveling range of .5" down and 2.5" up


# pedestal basics

The following outlines the features of District Pedestals.



## Rolling Pedestal (UPR)


- 21" high mobile box/file pedestal with option for a seat cushion allows for additional seating capability within a workstation
- Available 19" deep and 16" wide



With Cushion

## Rolling Pedestal with Hinged Door (UPRH)


- 16" wide, 21" high solid back in 19" depth
- Option for seat cushion that allows for additional seating
- Door swing direction can be determined by the location of the hinges on the door.
- Hinged door is push latch, no handle required.



With Cushion

## Rolling Pedestal with Box Drawer and Hinged Door (UPRB)


- 16" wide, 21" high solid back in 19" depth
- Option for seat cushion that allows for additional seating
- 2 locks on the box drawer and 1 on the hinged door




With Cushion

## Pedestal with Solid Back (UPFD)


- 16" wide, 28" high solid back pedestal available in depths of 19", 23", 29" & 35" to match District worksurface depths
- Elevated style with angled leg configuration includes a box/file drawer, and the standard style is available with box/box/file or file/file drawer combinations
- Box/box/file and box/file combination includes a pencil tray



Elevated




Standard




Standard

## Pedestal with Cubby (UPFC)


- 16" wide, 28" high pedestal with open cubbies at the back of the cabinet
- Available in depths of 29" & 35" only
- Available in the same drawer configurations as the Pedestal with Solid Back
- Elevated style offers base grommet or electrical cut out options for base back cut out



Elevated




Standard



Standard


# stretch pedestal & lateral file storage basics

The following outlines the features of District Stretch Pedestals and Lateral File Cabinets.




## Stretch Pedestal – Elevated (UPSE)

- Takes the place of a two drawer high filing cabinet within a workstation but can be used outside of a station for two high filing
- Available 21" high with a single file drawer, or 28" high with a box/file drawer combination
- 21" high cabinet can be specified with an optional red drawer accessory insert if it is 19" deep
- Depths include 16", 19", 23" & 29" to match standard worksurface depths
- Available in widths of 24", 30" & 36"
- 16" deep pedestal does **not** provide full drawer extension
- 16" deep and 19" deep pedestals offer electrical cut out options for base back cut out




## Stretch Pedestal – Standard (UPSS)

- 21" high cabinet is available with a box/file drawer combination and the 28" high cabinet is available with box/box/file drawer or file/file drawer combinations
- Available in the same depths and widths as the Stretch Pedestal – Elevated, but has no options for red drawer accessory inserts or electrical cut outs
- File/file drawer combination is available with individual locks on each drawer for shared address applications
- 16" deep pedestal does **not** provide full drawer extension




## Lateral File – Elevated (UFLE)

- Available in heights of 36" & 42", depths of 16" & 19" and widths of 24", 30" & 36"
- 36" high cabinet is available with box/box/file or file/file drawer combinations and the 42" high cabinet is available with a box/file/file drawer combination
- 36" high cabinet in the file/file drawer combination is available with individual locks on each drawer for shared address applications
- 16" deep lateral file does **not** provide full drawer extension
- Offers electrical options for base back cut out and beltline back cut out




## Lateral File – Standard (UFLS)

- Available in the same heights and widths as the Lateral File – Elevated (UFLE)
- 36" high cabinet is available with a box/file/file drawer combination and the 42" high cabinet is available with file/file/file and box/box/file/file drawer combinations
- 16" deep lateral file does **not** provide full drawer extension
- There is no option for individual locks or electrical cut outs



# bookcase basics

The following outlines the features of District bookcases.





## Bookcase – Elevated (UBKE)

- Provides open book storage within a workstation
- Available in heights of 36", 42", 51" & 66", widths of 24" - 48" and a depth of 16"
- The number of shelves varies by height and width
- Offers electrical options of base grommet center (on widths 24" - 36"), base grommet left and base grommet right (on widths 42" or 48")

## Bookcase – Standard (UBKS)

- Similar to the Bookcase – Elevated (UBKE) but with no electrical options


290



# credenza basics

## low full drawer credenzas


- Provide full drawer storage
- Available 21" high and depths of 16" & 19"
- Available in widths from 48" - 96" (Laminate is **not** available on 96" wide credenzas)
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)



### Low Full Drawer Credenza – Elevated (ULDE)


- Available in a file drawer configuration
- 16" deep credenza has the option of angled feet only while the 19" depth has the option of angled or District feet
- 48", 60" & 72" wide credenzas have two file drawers and when specified with angled feet, have the electrical cut out capability for base back, left or right
- 78" - 96" wide credenzas have three file drawers and when specified with angled feet, have the electrical cut out capability for base back, left right or center
- 19" deep credenza can accommodate optional red drawer accessories

291



### Low Full Drawer Credenza – Standard (ULDS)

- Available in a box/file drawer combination in each section
- Unable to be powered and **cannot** accommodate red drawer accessories






## credenza basics (continued)


### high full drawer credenzas

- Provide full drawer storage at a 28" height and 16" or 19" depths
- Available in widths from 48" - 96" (Laminate is **not** available on 96" wide credenzas)
- If widths of 24", 30" or 36" is required, see Stretch Pedestals
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)




#### High Full Drawer Credenza – Elevated (UHDE)

- Available in a box/file drawer combination
- 16" deep credenza has the option of angled feet only while the 19" depth has the option of angled or District feet
- 48", 60" & 72" credenzas have two box/file drawers and when specified with angled feet, have the electrical cut out capability for base back, left or right
- 78" - 96" wide credenzas have three box/file drawers and when specified with angled feet, have the electrical cut out capability for base back, left right or center
- Red drawer accessories **cannot** be accommodated in high credenzas



#### High Full Drawer Credenza – Standard (UHDS)

- Available in box/box/file or file/file combinations
- Available in 16" or 19" depths
- On 78" - 96" wide credenzas with the option of a box/box/file drawer combination, only the middle section will have a box/box/file, the other sections will have the file/file combination
- Unable to be powered and **cannot** accommodate red drawer accessories






# credenza basics (continued)


## low open credenzas

- Available 21" high and depths of 16" & 19"
- Available in widths from 24" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of open shelves only. Number of sections varies by size




### Low Open Credenza – Elevated (ULOE)

- Open sections are single-height
- 16" deep cabinets are available with angled feet only while 19" deep cabinets have the option of angled or District feet
- The angled foot is available with a Base & Top Grommet option into which a Cubby Power Monument (EWQPM) can be mounted




Angled Foot



District Foot (19" depth only)

### Low Open Credenza – Standard (ULOS)


- Open sections have one adjustable shelf each
- Grommet options are unavailable



## credenza basics (continued)


### high open credenzas

- Available 28" high and depths of 16" & 19"
- Available in widths from 24" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of open shelves only. Number of sections varies by size




#### High Open Credenza – Elevated (UHOE)

- Open sections have one adjustable shelf each
- 16" deep cabinets are available with angled feet only while 19" deep cabinets have the option of angled or District feet
- The angled foot is available with a Base & Top Grommet option into which a Cubby Power Monument (EWQPM) can be mounted



#### High Open Credenza – Standard (UHOS)


- Open sections have one adjustable shelf each
- Grommet options are unavailable



# credenza basics (continued)

## low open with drawer credenzas


- Available 21" high and depths of 16" & 19"
- Available in widths from 30" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one open section and one or two filing sections depending on width
- Cabinets are handed, determined by the location of the open section
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)



### Low Open with Drawer Credenza – Elevated (ULHE)


- Available with a file drawer configuration and a single-height opening
- 16" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets, or with District feet, which has no option for grommets
- If Base Back Cut Out is selected, cut out will appear on the back of the section with the drawer. If the width of the credenza is longer than 78" (two drawers) then the cut out is at the end section (**not** the center). If Base & Top Grommet is selected, it will appear in the open section of the credenza
- The Cubby Power Monument (EWQPM) can be mounted into the base grommet holes providing power & data access in the open sections of a credenza

295



### Low Open with Drawer Credenza – Standard (ULHS)


- Available with box/file drawer combination and one adjustable shelf in open section
- Grommet options are unavailable



## credenza basics (continued)

### low shared credenzas


- Available 21" high and depths of 16" & 19"
- Available in widths from 36", 42", 48", 60" & 72"
- **Cannot** be used for Power/Data access routing
- Red drawer accessories are not applicable



296


#### Low Shared Credenza – Standard (ULKX)

- This product comes with extended levelers (UNSL) already installed




#### Low Shared Credenza – Elevated (ULKE)

- Available with District or angled feet
- The 16" deep credenza cannot be specified with a District Foot (D)



Angled Foot




District Foot (19" depth only)

# credenza basics (continued)

## high open with drawer credenzas


- Available 28" high and depths of 16" & 19"
- Available in widths from 48" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one open section and one or two filing sections depending on width
- Cabinets are handed, which is determined by the location of the open section
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)



### High Open with Drawer Credenza – Elevated (UHHE)


- Available with a box/file drawer combination and one adjustable shelf in open section
- 16" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets, or with District feet, which has no option for grommets
- If Base Back Cut Out is selected, cut out will appear on the back of the section with the drawer. If the width of the credenza is longer than 78" (two drawers) then the cut out is at the end section (**not** the center). If Base & Top Grommet is selected, it will appear in the open section of the credenza

297



### High Open with Drawer Credenza – Standard (UHHS)

- Available with box/box/file or file/file drawer combination and one adjustable shelf in each open section
- When the 78" - 96" wide credenza is specified with the box/box/file drawer combination, only the center section will have the box drawers, the other sections will have the file/file drawer combination
- Grommet options are unavailable






## credenza basics (continued)


### low dual cubby credenzas

- Available 21" high and depths of 16" & 19"
- Available in widths from 84" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one drawer section and two open cubby sections
- Drawer section can be specified left, right or center, handedness being determined by the location of drawer(s)
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)




#### Low Dual Cubby Credenza – Elevated (ULME)

- Available with a file drawer configuration and a single-height opening
- 16" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets, or with District feet, which has no option for grommets
- If Base Back Cut Out is selected, cut out will appear on the back of the section with the drawer. When a grommet option is selected, the grommet will appear in the cubby (left or right) as specified
- The Cubby Power Monument (EWQPM) can be mounted into the base grommet holes providing power & data access in the open sections of a credenza



#### Low Dual Cubby Credenza – Standard (ULMS)


- Available with a box/file drawer combination and one adjustable shelf in each open section
- Grommet options are unavailable



# credenza basics (continued)

## high dual cubby credenzas


- Available 28" high and depths of 16" & 19"
- Available in widths from 84" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one drawer section and two open cubby sections
- Drawer section can be specified left, right or center, handedness being determined by the location of drawer(s)
- 16" deep credenzas do **not** have full extension filing (see filing charts for filing capacity)



### High Dual Cubby Credenza – Elevated (UHME)


- Available with a box/file drawer combination and one adjustable shelf in each open section
- 16" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base Back Cut Out or Base and Top Grommets, or with District feet, which has no option for grommets
- If Base Back Cut Out is selected, cut out will appear on the back of the section with the drawer. When a grommet option is selected, the grommet will appear in the cubby (left or right) as specified
- The Cubby Power Monument (EWQPM) can be mounted into the base grommet holes providing power & data access in the open sections of a credenza

299



### High Dual Cubby Credenza – Standard (UHMS)


- Available with box/box/file or file/file drawer combinations and one adjustable shelf in each open section
- File/file drawer combination offers optional individual locks (top and bottom) for use in shared address applications
- Grommet options are unavailable



## credenza basics (continued)


### low single sliding door credenzas

- Available in a height of 21" and depths of 16" & 19"
- Available in widths from 42" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one open cubby section and the sliding door
- Sliding doors are available in solid and glass finishes
- Cabinets are handed, determined by the location of the open section when door is in the locked position




#### Low Single Sliding Door Credenza – Elevated (ULGE)

- 16" deep credenzas are available with angled feet and the option of Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base and Top Grommets, or with District feet, which has no option for grommets
- Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit
- Handedness is determined by the location of the open section when the door is in the locked position
- The 16" deep credenza **cannot** be specified with a District Foot (D)
- If Base and Top Grommets is specified, grommet location will be in the open cubby section
- The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door



#### Low Single Sliding Door Credenza – Standard (ULGS)

- Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit.
- Handedness is determined by the location of the open section when the door is in the locked position
- The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door
- Grommet options are unavailable






## credenza basics (continued)

### high single sliding door credenzas


- Available 28" high and depths of 16" & 19"
- Available in widths from 42" - 96" (Laminate is **not** available on 96" wide credenzas)
- Consists of one open cubby section and the sliding door
- Sliding doors are available in solid and glass finishes
- Cabinets are handed, determined by the location of the open section when the door is in the locked position



#### High Single Sliding Door Credenza – Elevated (UHGE)


- 16" deep credenzas are available with angled feet and the option Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option Base and Top Grommets, or with District feet, which has no option for grommets
- Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit
- Handedness is determined by the location of the open section when the door is in the locked position
- The 16" deep **cannot** be specified with a District Foot (D)
- If Base and Top Grommets is specified, grommet location will be in the open cubby section

301



#### High Single Sliding Door Credenza – Standard (UHGS)


- Available with sliding door and one adjustable shelf in each open section
- Grommet options are unavailable
- Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit
- Handedness is determined by the location of the open section when the door is in the locked position



## credenza basics (continued)

### low double sliding door credenzas


- Available in a height of 21" and depths of 16" & 19"
- Available in widths from 42" - 96" (Laminate is not available in 96" wide credenza)
- Consists of two sections with two sliding doors
- Sliding doors are available in solid or glass finish



#### Low Double Sliding Door Credenza – Elevated (ULSE)


- 16" deep credenzas are available with angled feet and the option of Base and Top Grommets
- 19" deep credenzas are available with angled feet and the option of Base and Top Grommets, or with District feet, which has no option for grommets
- Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit
- The 16" deep **cannot** be specified with a District Foot (D)
- Grommet option is available for casual power & data routing only. The Cubby Power Monument (EWQPM) **cannot** be used
- The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door
- It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface

302



#### Low Double Sliding Door Credenza – Standard (ULSS)


- Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit
- Each section will come with one adjustable shelf
- The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door
- It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface
- Grommet options are unavailable



## credenza basics (continued)


### high double sliding door credenzas

- Available in a height of 28" and depths of 16" & 19"
- Available in widths from 42" - 96" (Laminate is not available in 96" wide credenza)
- Consists of two sections with two sliding doors
- Sliding doors are available in solid or glass finish




#### High Double Sliding Door Credenza – Elevated (UHSE)

- 16" deep credenzas are available with angled feet and the option of Base and Top grommet
- 19" deep credenzas are available with angled feet or with District feet and the option of Base and Top grommet or with District feet which has no options for grommets
- Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit
- Each section will come with one adjustable shelf
- The 16" deep **cannot** be specified with a District Foot (D)
- Grommet option is available for casual power & data routing only. The Cubby Power Monument (EWQPM) **cannot** be used
- It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface



#### High Double Sliding Door Credenza – Standard (UHSS)


- Each section will come with one adjustable shelf
- Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit
- It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface
- Grommet option is available for casual power & data routing only. The Cubby Power Monument (EWQPM) **cannot** be used



## credenza basics (continued)

### low file with hinged door credenzas


- Available in a height of 21" and depths of 16" & 19"
- Available in widths 30", 36" & 42"
- Grommet options not available
- Hinged door is push latch, no handle required
- **Cannot** be used with Power/Data access/routing
- Red drawer accessories are not applicable




304

#### Low File with Hinged Door Credenza – Elevated (ULNE)

The 16" deep credenza cannot be specified with a District Foot (D).




Angled Foot



District Foot (19" depth only)

#### Low File with Hinged Door Credenza – Standard (ULNS)


This product comes with extended levelers (UNSQL) already installed.




# credenza drawer widths

The following illustrates District credenza drawer and open section widths.


## 30" Width




## 36" Width



## 42" Width




## 48" Width




# credenza drawer widths (continued)

The following illustrates District credenza drawer and open section widths.


54" Width



60" Width




66" Width




# credenza drawer widths (continued)

The following illustrates District credenza drawer and open section widths.


## 72" Width



## 78" Width







## 84" Width




# credenza drawer widths (continued)

## 90" Width




Letter and Legal  
A4 and Foolscap








Legal, A4 and  
Foolscap

Letter



Letter and Legal  
A4 and Foolscap

## 96" Width



- 16" deep file drawers do **not** have full extension files
- Filing must be front-to-back **not** side-to-side
- On 24" width file drawers only one front-to-back filing section can be used (letter, legal, A4 or foolscap)
- On 30" width file drawers two front-to-back filing sections can be used (letter) or one filing section (legal, A4 or foolscap)
- On 36" width filing drawers, front-to-back filing sections can be used (letter, legal, A4 or foolscap)






# stacker basics

The following outlines the features of District stackers.

## stackers


- Stack onto base storage units to provide storage to an overall maximum height of 66"
- Can be used for space division when panels are **not** required
- **Cannot** be used as stand alone storage or stacked onto each other, they must be stacked onto another base storage unit
- All stackers are 16" deep and can be stacked onto 16" or 19" deep lower storage




310

### Open Stackers (UCO)

- Provide open stacked storage
- Available in heights of 9" - 45", to match standard District datum heights (36", 42", 51" & 66") and widths of 24" - 96"
- Number of open compartments varies depending on height and width (see charts)
- Heights 9", 15" & 21" are available single- or double-sided to allow maximum planning flexibility
- Double-sided configuration is handed, which is determined by the location of the open section



Single-Sided




Single-Sided

Double-Sided

# stacker basics (continued)


## Closed Stackers (UCC)

- Provide closed stacked storage
- Available in heights of 23", 30", 38" & 45", to match standard District datum heights when combined with corresponding base units and widths of 24" - 48"
- 24" - 36" wide stackers are complete with two single-hinged doors and 42" - 48" wide stackers are complete with three doors, two that bi-fold and one hinged door
- All units are handed. Handedness on widths 24", 30" & 36" will indicate which door will have the handle and lock, whereas handedness on widths 42" & 48" will indicate the location of the single hinged door.




## Closed Stacker with Cubbies (UCB)

- Provides closed stacked storage with open cubbies at the bottom
- Available in heights of 23", 30", 38" & 45", to match standard District datum heights (42", 51" & 66"), and widths of 24" - 48"
- 24" - 36" wide stackers are complete with two single-hinged doors and the 42" & 48" wide stackers are complete with three doors, two that bi-fold and one hinged door
- 42" & 48" wide stackers are handed, which is determined by the location of the single hinged door




## Open/Closed Stacker (UCS)

- Provides a combination of closed and open stacked storage
- Available in heights of 23", 30", 38" & 45", to match standard District datum heights (42", 51" & 66"), and widths of 42" & 48"
- Units have bi-fold doors and one open section and are handed
- Handedness is determined by the location of the open section




## Sliding Door Stacker (UCG)

- Provides a sliding door stacking option in either glass or solid fronts
- Available in heights of 15", 21", 23", 30" & 45" and widths from 30" - 96"
- Available single- or double-sided
- Double-sided stacker is handed, which is determined by the location of the opening



Single-Sided




Double-Sided

## shared stacker basics


### shared stackers

- Available in heights from 15", 21", 23", 30", 38" & 45"




#### Shared Open through Stacker (UCP)

- Provides open and back-to-back storage
- Available in widths from 42", 48", 54", 60", 66" & 72"
- Width 42" is not applicable on heights 15" & 21"
- Shelves are height-adjustable
- Heights of 23" and higher are only available in widths up to 48"
- It is not recommended to stack units so that the total height exceeds 66"
- Stackers cannot be stacked on top of each other



#### Shared Closed Stacker (UCD)

- Provides back-to-back closed storage
- Widths available are 30" & 36"
- Shelves are height-adjustable
- Height denotes height of the cabinet only and must be added to the height of the base unit (21" & 28" high credenzas or stretch pedestals or 36", 42" or 51" towers or lateral files) to get total height
- It is not recommended to stack units so that total height exceeds 66"
- Stackers cannot be stacked on top of each other




# single locker basics

The following outlines the features of District Lockers.


## single lockers

- Single Lockers are available in a variety of combinations to provide coat storage, cubbies and secured shelving
- Available in heights from 21" - 66" depending on the configuration
- Available in elevated and standard styles, elevated style having the angled foot
- The 12" single locker must be linked to a panel or worksurface
- Lockers must be specified left or right, handedness being determined by the location of the open section or hinge, depending on the configuration (see individual descriptions)




### Single Locker with Cubby Back (UKSC)

- Provides coat or shelf storage accessible from the front and cubby storage at the back
- Available in depths of 29" & 35" and widths of 12" & 16"
- 28" to 42" high lockers are available with a full door and shelves whereas the 51" & 66" high lockers are available with a full door or split door option
- 51" & 66" high single lockers with full door come with an option of coat closet or shelves
- On the split door option, the top section is lockable shelves and the bottom section is unlockable with two recycle bins
- Elevated style is available with a base grommet, or base back cut out while the standard style has no option for grommets
- The Cubby Power Monument (EWQPM) can be mounted to the back cubby section of this unit for multi-circuit power & data management



Elevated




Standard

## single locker basics (continued)


### Single Locker with Solid Back (UKSD)

- Provides coat or shelf storage accessible from the front with an option for a full or split door
- Coat hooks are available depending on the cabinet depth when Closet (C) interior configuration is specified
- Available in depths of 16", 19" or 23" and widths of 12" & 16" to match typical District planning sizes
- Full door option is available with either a closet configuration (51" or 66" high) or secured shelving configuration. Split door option is available with a recycle configuration with a lockable top shelf section and unlockable bottom section with two recycle bins
- Grommet options are unavailable



### Single Locker with Side Closet (UKC)


- Provides storage accessible from the front of the cabinet, and a closet on the side
- Available in heights of 51" & 66" in depths of 23", 29" & 35" and in widths of 12" & 16" to match typical District planning sizes
- Side closet is a full door and can be specified on either the right or the left side, handedness is determined by the location of the closet
- Front door is available in full-height or split-height
- The 12" wide locker **cannot** be used in a freestanding application. It must be attached to a worksurface or panel or linked to another storage unit
- When Split Door (S) option is specified, the bottom section will have no lock and will come with two recycle bins. The top lockable section will have shelves
- When Full Door (F) option is specified, the front section will be configured with shelves
- The 23" depth will come with one coat hook and the 29" & 35" depths will come with two coat hooks for the side closet
- The front section will always be 16" deep, regardless of total depth of the unit. The width of the side closet will vary



# dual, triple & quad locker basics


## dual & quad lockers

- Dual and Quad Lockers provide coat storage, shelf storage or a combination of both in dual or quad configurations
- Available in elevated and standard styles, the elevated having the angled foot
- Can be linked to each other or to other storage



### Dual Locker (UKD)


- Locker with two sections and options for coats on both sides, shelves on both sides or a combination
- Available in 16" & 19" depths, widths of 24", 30", 36" & 42" and heights of 36", 42", 51" & 66"
- When the coat/coat option, or shelf/shelf option is specified, each door will have separate locks, but if the coat/shelf combination is specified it will only have one lock



Elevated

Coat or Shelves  
on both sides

Standard

Coat or Shelves  
on both sides

Elevated


Standard

### Triple Locker (UKT)

- Available in 16" depth, widths of 36", 42" & 48" and heights of 42", 51" & 66"
- Can be all coat storage or all shelves
- Shelves and coat hooks are reconfigurable

### Quad Locker (UKQ)

- Locker with four sections and options for coats on both sides, shelves on both sides or a combination
- Available in 16" & 19" depths, width of 48" and heights of 51" & 66"
- When the coat/coat option, or shelf/shelf option is specified, each door will have separate locks, but if the coat/shelf combination is specified each combo section will have one lock



Standard

Coat or shelf in  
each section

Coat &amp; Shelf


Elevated

Coat or shelf in  
each section

Coat &amp; Shelf




## cubby locker basics




### Cubby Locker (UKN)


- Provides locker cubby storage
- Available in standard and elevated styles
- Available in heights 42", 51", & 66" and depth of 16"
- Widths available are 30", 36" & 42"
- Option of hinged doors or hinged doors with mail slots
- Cannot be powered




Elevated



Hinged Doors  
with Mail Slots




Standard



Hinged Doors  
with Mail Slots




## side open towers

**Side Open Tower (UTW) and Wide Side Open Tower (UTWW)**

- Contains front facing box/file drawer for elevated and box/box/file, or file/file drawer for standard, plus side open shelves
- Available in elevated and standard styles, elevated having the angled feet
- Available in heights of 36", 42", 51" & 66" and depths of 19", 23", 29", or 35"
- Open shelves have a solid back, therefore the units are handed, handedness being determined by the side with the open shelves
- Unable to be powered


317



## tower basics (continued)


### lateral towers

- Provide filing and storage from the front of the unit, with options for open back, closed back and secure storage
- Available in heights of 36", 42", 51" & 66", widths of 24", 30" & 36" and a depths of 16" & 19" to match Combo Tower depths




#### Lateral Tower – Elevated (UTLE)

- Complete with angled legs and options for base back cut out power on all heights and beltline back cut out electrics on all heights except 42"
- See application pages for all drawer configuration options
- The 42" high Elevated Lateral Tower comes in a Box/File (X) drawer combination
- The 51" & 66" high Elevated Lateral Tower is available in a Box/Box/File (B) or File/File (F) drawer combination
- Beltline Back Cut Out (E) electrical option **cannot** be specified on the 42" high tower, base back cut out is available on all
- Individual Locks may be specified on the File/File (F) drawer combination



Secured





Closed Back & Open Through

## tower basics (continued)

**Lateral Tower – Standard (UTLS)**

- Unable to be powered
- The 36" high Standard Lateral Tower comes in a Box/File (X) drawer combination.
- The 42", 51" & 66" high Standard Lateral Tower is available in a Box/Box/File (B) or File/File (F) drawer combination.
- Individual Locks may be specified on the File/File (F) drawer combination.




## tower basics (continued)

The following outlines the features of District Towers.


### combo towers

- Provides coat storage, drawers and shelving
- Available in heights of 36", 42", 51" & 66" and depths of 16" & 19" to match typical District planning depths
- Available in widths from 24" - 48" in 6" increments
- Towers are handed, which is determined by the hinge location of the closet
- Open compartment is available closed back, open through or secured




#### Combo Tower – Elevated (UTCE)

- Complete with angled legs and options for base back cut out power on all heights and beltline back cut out on all heights except 42"
- 36", 51" & 66" high cabinets are available with box/box/file and file/file drawer combinations, and the 42" high cabinet is available with a box/file drawer combination only
- 36" & 42" high towers include shelves in wardrobe section, 51" & 66" high towers include a coat hook in wardrobe section, 66" high towers include a boot shelf in wardrobe section



Closed Back & Open Through




Secured


## tower basics (continued)

**Combo Tower – Standard (UTCS)**

- 36" high cabinet is available with a box/file drawer combination and 42", 51" & 66" high cabinets are available with box/box/file or file/file drawer combinations
- Unable to be powered




Closed Back &amp; Open Through




Secured

# pedestal tower basics




## Pedestal Tower with Cubby (UTDC)

- Provides filing and secure storage from the front of the unit and open cubbies from the side
- Available 16" wide, heights of 36", 42", 51" & 66" and depths of 29" & 35" to match worksurface depths
- Available in elevated and standard styles, elevated having the angled feet
- Elevated style accommodates base grommet, base back cut out power, or beltline back cut out on all heights except 42", the 42" height will only accommodate base back cut out
- Unable to be powered with the standard style
- Towers are handed, which is determined by the location of the hinge on the secure section
- In the Elevated (E) Style, the 36", 51" & 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 42" height is available in a Box/File (X) drawer combination. The 36" high does not have a door
- In the Standard (S) Style, the 42", 51" & 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 36" high is available in a Box/File (X) drawer combination. The 36" height does not have a door
- Beltline Back Cut Out (E) cannot be applied to 36" or 42" Pedestal Towers



Elevated




Standard


# pedestal tower basics (continued)

## Pedestal Tower with Solid Back (UTDD)

- Similar to the Pedestal Tower with filing and secure storage, but with no cubbies at back
- Available 16" wide in heights of 36", 42", 51" & 66" and depths of 19" & 23" to match worksurface depths
- Unit **cannot** be powered
- Towers are handed, which is determined by the location of the hinge on the secure section
- See application pages for all drawer configurations options




Elevated



Standard

## Pedestal Tower with Side Closet (UTDK)

- Similar to the Pedestal Tower with filing and secure storage, but with a closet on the side
- Available 16" wide, heights of 51" & 66" and depths of 29" & 35"
- Filing section will always be 19" deep with the closet in the 19" being 10" and the 23" depth being 16" deep
- Towers are handed, handedness being determined by the location of the closet
- See application pages for all drawer configurations options




Elevated

Standard




## storage-to-storage support basics

The following outlines the features of storage-to-storage support.




324



For Elevated Storage

### Linking Bracket for Elevated Storage (UNSLBE)

- Connect storage units together
- Used to align cabinets in space applications
- Must be used when routing electrics beneath a storage spine



For Standard Storage

### Linking Bracket for Standard Storage (UNSLBS)


- Standard storage units can be linked together for alignment and stability



## overhead basics



The following outlines the features of District Overheads.

## overhead cabinets



## Sliding Door Overhead (UOH) and Open Overhead (UOO)

- Mount on-module to District panels, Altos walls, W/R/S, Leverage and drywall
- Proper mounting hardware must be specified




## centermount overhead basics


The following outlines the features of District Centermount Overheads.

### centermount overhead cabinets


- Centermounts mounted on-module on top of District and Leverage panels
- Widths range from 30" - 96" depending on application and finish
- Available in heights of 9", 15" & 21" to match typical District datum heights
- Available with sliding doors or open
- Available single- or double-sided
- Double-sided overhead is handed, which is determined by the side of the open cabinet




### Open Centermount Overhead (UOOC)



### Sliding Door Centermount Overhead (UOHC)



### Shared Hinged Door Centermount Overhead (UODC)



## UPR

## Rolling Pedestal

The Rolling Pedestal provides mobile filing storage with optional Seat Cushion for temporary guest seating.

**WHAT'S INCLUDED**

1 cabinet, drawers with pulls (as specified), 4 casters, lock and keys (if specified) and Seat Cushion (UWLC), if specified.


**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) can be ordered separately. Can be found on page 686.

**NOTES**

Rolling Pedestal can be rolled under a worksurface.

Yardage requirement for com or col is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.



With Cushion

**PRODUCT OPTIONS**

Drawer Combination	Depth	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Seat Cushion Included	Seat Cushion Finish (If applicable)
X Box/File	19	D District	Foundation	Source Laminate	K Keyed Alike	Y Yes	Seating Fabric
		R Rectangular	Mica	Seamless Color	R Keyed Randomly	N No	Leather
				Flintwood	N No Lock		
				Natural Veneer			

**SAMPLE ORDER CODE**

				Case	Back	Front			
UPR X	19	D	7	ZA	ZA	ZA	R	Y	F510

**DIMENSIONS  
INCHES / MM**

D
19 / 483

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
795	1167

**SEAMLESS CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1183	1255	1260	1248	1313	1256	1338

**FLINTWOOD CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1309	1351	1351	1365

**VENEER CASE**


Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1349	1398	1398	1419

IF SEAT CUSHION IS SPECIFIED PLEASE ADD THE FOLLOWING:

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
443	487	504	528	539	551	574	596	620	643	774	824	969	1015

## U P R B

## Rolling Pedestal with Box Drawer &amp; Hinged Door



With Cushion

The Rolling Pedestal with Box Drawer and Hinged Door provides mobile multiple-use storage with optional Seat Cushion for temporary guest seating.

## WHAT'S INCLUDED

1 case, drawer with pulls (as specified), hinged door, 4 casters, lock and keys (if specified) and seat cushion (if specified).

## NOTES

Rolling Pedestal can be rolled under a worksurface.

Yardage requirement for COM or COL is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

Door swing direction can be determined by the location of the hinges on the door.

Hinged door is push latch, no handle required.

## PRODUCT OPTIONS

Drawer Combination	Depth	Door Swing	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Seat Cushion Included	Seat Cushion Finish (If applicable)
G Box, Hinged Door	19	L Left	D District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike	Y Yes	Seating Fabric
		R Right	R Rectangular			R Keyed Randomly	N No	Leather
						N No Lock		

## SAMPLE ORDER CODE

					Case Back Front					
UPRB G	19	L	D	7	ZA	ZA	ZA	R	Y	F510

328

DIMENSIONS  
INCHES / MM

D
19 / 483

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
607	891

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1065	1129	1132	1122	1177	1132	1200

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1176	1212	1212	1247

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1234	1284	1284	1310

IF SEAT CUSHION IS SPECIFIED PLEASE ADD THE FOLLOWING:

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
443	487	504	528	539	551	574	596	620	643	774	824	969	1015

UPRH

## Rolling Pedestal with Hinged Door

The Rolling Pedestal with Hinged Door provides mobile personal storage with optional Seat Cushion for temporary guest seating.

## WHAT'S INCLUDED

1 case, hinged door, 4 casters, lock and keys (if specified) and seat cushion (if specified).


## NOTES

Rolling Pedestal can be rolled under a worksurface.

Yardage requirement for COM or COL is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

Door swing direction can be determined by the location of the hinges on the door.

Hinged door is push latch, no handle required.



With Cushion

## PRODUCT OPTIONS

Drawer Combination	Depth	Door Swing	Case, Back & Front Finish	Key Style	Seat Cushion Included	Seat Cushion Finish (If applicable)
H Hinged Door	19	L Left R Right	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike R Keyed Randomly N No Lock	Y Yes N No	Seating Fabric Leather

## SAMPLE ORDER CODE

			Case	Back	Front			
UPRH H	19	L	ZA	ZA	ZA	R	Y	F510

DIMENSIONS  
INCHES / MM

D
19 / 483

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
536	788

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
996	1055	1059	1047	1100	1059	1122

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1099	1132	1132	1177

## VENEER CASE


Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1165	1213	1213	1237

## IF SEAT CUSHION IS SPECIFIED PLEASE ADD THE FOLLOWING:

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
443	487	504	528	539	551	574	596	620	643	774	824	969	1015

## UPFD

## Pedestal with Solid Back



The Pedestal with Solid Back provides filing storage with the capability to support worksurfaces and panels.

**WHAT'S INCLUDED**

1 cabinet, drawers with pulls (as specified), 4 angled feet (with Elevated style), lock and keys (if specified).

**NOTES**

The Elevated (E) pedestal comes with a Box/File (X) drawer combination.

The Standard (S) pedestal is available with Box/Box/File (B) or File/File drawer combinations.

Is it recommended that pedestals be attached to a panel or worksurface.

The Standard(s) style comes with extended levelers (UNSLX) already installed.

**PRODUCT OPTIONS**

Style	Drawer Combination	Depth	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish (Elevated Style)	Key Style
<b>E</b> Elevated	<b>X</b> Box/File	19, 23, 29, 35	<b>D</b> District	Foundation	Source Laminate	<b>Q</b> Storm White	<b>K</b> Keyed Alike
<b>S</b> Standard	<b>B</b> Box/Box/File <b>F</b> File/File		<b>R</b> Rectangular	Mica	Seamless Color Flintwood Natural Veneer	<b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

					Case	Back	Front		
UPFD E	X	29	D	7	ZA	ZA	ZA	Q	R

330

**DIMENSIONS  
INCHES / MM**

D
19 / 483
23 / 584
29 / 737
35 / 889

**PRICING****ELEVATED (E)****BOX/FILE (X)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1021	1432
1080	1542
1197	1652
1272	1758

**SEAMLESS CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1452	1540	1547	1533	1613	1542	1643
1564	1658	1666	1650	1737	1661	1768
1676	1776	1783	1768	1861	1779	1894
1782	1891	1899	1880	1979	1894	2015

**FLINTWOOD CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1587	1638	1638	1653
1732	1783	1783	1803
1872	1931	1931	1952
1995	2058	2058	2078

**VENEER CASE**

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1628	1689	1689	1714
1776	1841	1841	1869
1923	1993	1993	2023
2047	2123	2123	2155

## UPFD

Pedestal with Solid Back  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## STANDARD (S)

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

D	Source Lam. Back & Front	Source Lam. Back, Flintwood Front
19 / 483	928	1365
23 / 584	989	1495
29 / 737	1098	1624
35 / 889	1175	1739

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
19 / 483	1384	1467	1474	1460	1537	1470	1564
23 / 584	1516	1607	1615	1600	1682	1610	1713
29 / 737	1648	1746	1754	1739	1830	1749	1863
35 / 889	1765	1869	1877	1862	1958	1872	1993

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
19 / 483	1550	1598	1598	1615
23 / 584	1703	1755	1755	1773
29 / 737	1857	1912	1912	1932
35 / 889	1986	2047	2047	2068

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
19 / 483	1595	1653	1653	1679
23 / 584	1751	1815	1815	1843
29 / 737	1908	1979	1979	2009
35 / 889	2042	2119	2119	2151

## FILE/FILE (F)

## SOURCE LAMINATE CASE

D	Source Lam. Back & Front	Source Lam. Back, Flintwood Front
19 / 483	884	1297
23 / 584	943	1407
29 / 737	1059	1516
35 / 889	1134	1622

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
19 / 483	1315	1395	1400	1387	1460	1397	1486
23 / 584	1427	1512	1519	1504	1584	1514	1613
29 / 737	1538	1629	1638	1622	1707	1633	1738
35 / 889	1646	1744	1751	1737	1828	1747	1860

## FLINTWOOD CASE


	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
19 / 483	1455	1501	1501	1516
23 / 584	1598	1648	1648	1665
29 / 737	1741	1796	1796	1812
35 / 889	1863	1922	1922	1940

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
19 / 483	1498	1553	1553	1577
23 / 584	1646	1706	1706	1733
29 / 737	1793	1858	1858	1887
35 / 889	1916	1988	1988	2018

## UPFC

## Pedestal with Cubby



The Pedestal with Cubby provides filing storage with the capability to support worksurfaces and panels and to provide power and data access.

## WHAT'S INCLUDED

1 cabinet, drawers with pulls (as specified), 4 angled feet (with Elevated style), Grommet (if specified), lock and keys (if specified).

## NOTES

The Elevated (E) pedestal comes with a Box/File (X) drawer combination.

The Standard (S) pedestal is available with Box/Box/File (B) or File/File drawer combinations.

The Standard (S) pedestal **cannot** be specified with Electrical Cut Out (G & B) options, (N) must be selected.

Cubby is open through.

## PRODUCT OPTIONS

Style	Drawer Combination	Depth	Pull Style	Pull Finish	Case & Front Finish	Foot Finish (Elevated Style)	Electrical Cut Out	Key Style
<b>E</b> Elevated	<b>X</b> Box/File	29, 35	<b>D</b> District	Foundation	Source Laminate	<b>Q</b> Storm White	<b>G</b> Base Grommet (Elevated Style)	<b>K</b> Keyed Alike
<b>S</b> Standard	<b>F</b> File/File		<b>R</b> Rectangular	Mica	Seamless Color	<b>7</b> Platinum	<b>R</b> Keyed Randomly	
	<b>B</b> Box/Box/File				Flintwood	<b>V</b> Very White	<b>B</b> Base Back Cut Out (Elevated Style)	<b>N</b> No Lock
					Natural Veneer	<b>X</b> Anthracite	<b>N</b> None	
						<b>M</b> Graphite		
						<b>2</b> Burnished Bronze		

## SAMPLE ORDER CODE

				Case		Front			
UPFC E	X	29	D	7	ZA	ZA	7	G	R

332

DIMENSIONS  
INCHES / MM

D
29 / 737
35 / 889

## PRICING

## ELEVATED (E)

## BOX/FILE (X)

## SOURCE LAMINATE CASE

	Source Lam. Front	Flintwood Front
	1256	1735
	1335	1845

## SEAMLESS CASE

	Seamless Front	Flintwood Front	Veneer Front
	1761	1865	1873
	1872	1986	1994

## FLINTWOOD CASE

	Seamless Front	Flintwood Front
	1857	2048
	1976	2183

## VENEER CASE

	Seamless Front	Veneer Front
	2018	2124
	2150	2263

If Base Grommet is specified, add 121

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.



# UPFC

## Pedestal with Cubby

(Continued)

### DIMENSIONS

#### INCHES / MM

### PRICING

#### STANDARD (S)

#### BOX/BOX/FILE (B)

#### SOURCE LAMINATE CASE

	Source Lam. Front	Flintwood Front
D		
29 / 737	1158	1706
35 / 889	1238	1826

#### SEAMLESS CASE

	Seamless Front	Flintwood Front	Veneer Front
29 / 737	1732	1834	1842
35 / 889	1851	1962	1971

#### FLINTWOOD CASE

	Seamless Front	Flintwood Front
29 / 737	1827	2029
35 / 889	1954	2171

#### VENEER CASE

	Seamless Front	Veneer Front
29 / 737	2004	2110
35 / 889	2145	2258

#### FILE/FILE (F)

#### SOURCE LAMINATE CASE

	Source Lam. Front	Flintwood Front
D		
29 / 737	1112	1592
35 / 889	1190	1704

#### SEAMLESS CASE

	Seamless Front	Flintwood Front	Veneer Front
29 / 737	1615	1711	1718
35 / 889	1727	1831	1839

#### FLINTWOOD CASE

	Seamless Front	Flintwood Front
29 / 737	1704	1903
35 / 889	1824	2037

#### VENEER CASE


	Seamless Front	Veneer Front
29 / 737	1880	1979
35 / 889	2013	2119

If Base Grommet is specified, add 121

If Base Back Cut Out is specified, add 87

## UPSE

## Stretch Pedestal – Elevated



The Elevated Stretch Pedestal provides high density filing storage in addition to a base to support most Stackers. It can also be used to support worksurfaces and panels or to provide power and data access.

## WHAT'S INCLUDED

1 cabinet, drawer(s) with pull(s) (as specified), 4 angled feet, 2" high pencil drawer with removable organizing tray (if specified), lock and keys (if specified) and counterweight (if specified).

## NOTES

Red Drawer Accessories **cannot** be specified for any 28" high stretch pedestal, or for any 16" deep stretch pedestal.

23" and 29" deep stretch pedestals **cannot** be specified with the Base Back Cut Out (B) option. (N) must be selected.

A counterweight **cannot** be specified when the Base Back Cut Out (B) option is selected. Stretch pedestals must be attached to a panel or worksurface or linked to another storage unit.

## PRODUCT OPTIONS

Height	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Red Drawer Accessories	Key Style	Electrical Cut Out	Counterweight
21, 28	16, 19, 23, 29	24, 30, 36	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>Y</b> Yes <b>N</b> No	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>B</b> Base Back Cut Out <b>N</b> None	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

Case Back Front

<b>UPSE</b> <b>21</b>	<b>19</b>	<b>30</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>Y</b>	<b>R</b>	<b>N</b>	<b>2</b>
--------------------------	-----------	-----------	----------	----------	-----------	-----------	-----------	----------	----------	----------	----------	----------

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
21	16	24
21	16	30
21	16	36
21	19	24
21	19	30
21	19	36
21	23	24
21	23	30
21	23	36
21	29	24
21	29	30
21	29	36
28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1106	1469
1154	1541
1235	1646
1149	1534
1201	1608
1280	1718
1239	1678
1288	1763
1368	1881
1338	1824
1389	1912
1478	2047
1302	1728
1357	1812
1452	1935
1352	1804
1413	1894
1507	2021
1458	1973
1514	2071
1609	2215
1574	2143
1635	2251
1739	2408

If Red Drawer Accessories are specified, add 172

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137

Pricing is continued on the following page.

# U P S E

## Stretch Pedestal – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
21	16	24
21	16	30
21	16	36
21	19	24
21	19	30
21	19	36
21	23	24
21	23	30
21	23	36
21	29	24
21	29	30
21	29	36
28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

### PRICING

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1547	1632	1663	1632	1724	1663	1765
1622	1712	1744	1712	1809	1744	1849
1734	1829	1863	1829	1932	1863	1975
1616	1705	1738	1705	1802	1738	1841
1693	1785	1823	1785	1890	1823	1931
1809	1909	1945	1909	2018	1945	2063
1767	1864	1898	1864	1969	1898	2013
1856	1957	1993	1957	2068	1993	2113
1982	2091	2131	2091	2210	2131	2259
1920	2024	2062	2024	2139	2062	2187
2014	2125	2165	2125	2245	2165	2296
2156	2274	2318	2274	2404	2318	2458
1820	1921	1957	1921	2029	1957	2074
1909	2015	2053	2015	2129	2053	2177
2038	2151	2191	2151	2272	2191	2324
1900	2004	2042	2004	2119	2042	2166
1993	2103	2142	2103	2223	2142	2272
2129	2245	2288	2245	2373	2288	2427
2078	2193	2235	2193	2317	2235	2369
2182	2302	2346	2302	2432	2346	2487
2332	2460	2506	2460	2600	2506	2658
2257	2382	2427	2382	2516	2427	2572
2369	2501	2547	2501	2641	2547	2700
2536	2675	2726	2675	2827	2726	2890

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1804	1879	1879	1899
1894	1973	1973	1993
2028	2112	2112	2134
1888	1965	1965	1986
1978	2062	2062	2083
2121	2210	2210	2231
2074	2162	2162	2184
2177	2269	2269	2291
2335	2434	2434	2458
2263	2358	2358	2383
2376	2477	2477	2502
2551	2659	2659	2686
1941	2058	2058	2110
2038	2160	2160	2215
2183	2313	2313	2371
2029	2151	2151	2206
2130	2257	2257	2315
2282	2418	2418	2480
2231	2365	2365	2426
2342	2483	2483	2546
2513	2663	2663	2730
2435	2580	2580	2649
2557	2711	2711	2780
2746	2909	2909	2983

If Red Drawer Accessories are specified, add 172

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U P S E

Stretch Pedestal – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
21	16	24
21	16	30
21	16	36
21	19	24
21	19	30
21	19	36
21	23	24
21	23	30
21	23	36
21	29	24
21	29	30
21	29	36
28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

## PRICING

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1924	1985	1985	2003
2020	2083	2083	2103
2162	2228	2228	2252
2010	2073	2073	2094
2109	2176	2176	2197
2260	2331	2331	2355
2212	2282	2282	2304
2322	2394	2394	2418
2490	2567	2567	2594
2413	2488	2488	2513
2534	2612	2612	2639
2720	2806	2806	2833
2136	2205	2205	2226
2243	2314	2314	2336
2403	2478	2478	2503
2235	2304	2304	2327
2345	2418	2418	2442
2512	2591	2591	2618
2457	2534	2534	2560
2578	2660	2660	2687
2766	2852	2852	2881
2683	2764	2764	2792
2815	2903	2903	2932
3021	3116	3116	3147


If Red Drawer Accessories are specified, add 172

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137



UPSS  
Stretch Pedestal – Standard



The Standard Stretch Pedestal provides high density filing storage in addition to a base to support most Stackers. It can also be used to support worksurfaces and panels.

WHAT’S INCLUDED

1 cabinet, drawers with pulls (as specified), lock and keys (if specified) and counterweight (if specified).

NOTES

The 21" high stretch pedestal comes with a Box/File (X) drawer combination.

The 28" high stretch pedestal is available with Box/Box/File (B) or File/File (F) drawer combinations.

For shared filing, Individual Lock (L) key style is available when File/File (F) drawer combination is specified.

This product comes with extended levelers (UNSLX) already installed.

PRODUCT OPTIONS

Height	Drawer Combination	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
21, 28	X Box/File B Box/Box/File F File/File	16, 19, 23, 29	24, 30, 36	D District R Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	L Individual Lock K Keyed Alike R Keyed Randomly N No Lock	1 Yes 2 No

SAMPLE ORDER CODE

				Case Back Front					
UPSS 21	X	19	30	D	7	ZA	ZA	ZA	R 1

338

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
21	16	24
21	16	30
21	16	36
21	19	24
21	19	30
21	19	36
21	23	24
21	23	30
21	23	36
21	29	24
21	29	30
21	29	36

PRICING

BOX/FILE (X)	
SOURCE LAMINATE CASE	
Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1152	1586
1208	1672
1304	1795
1203	1663
1264	1750
1357	1879
1309	1832
1366	1929
1460	2072
1425	2001
1486	2108
1589	2267

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U P S S

Stretch Pedestal – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## BOX/FILE (X)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
21	16	24	1672	1764	1797	1764	1863	1797	1904
21	16	30	1762	1858	1893	1858	1962	1893	2007
21	16	36	1890	1993	2030	1993	2105	2030	2153
21	19	24	1750	1846	1881	1846	1953	1881	1997
21	19	30	1843	1945	1983	1945	2057	1983	2102
21	19	36	1979	2089	2128	2089	2207	2128	2257
21	23	24	1929	2034	2073	2034	2151	2073	2198
21	23	30	2032	2143	2185	2143	2267	2185	2317
21	23	36	2183	2303	2347	2303	2434	2347	2488
21	29	24	2108	2224	2267	2224	2350	2267	2403
21	29	30	2221	2342	2387	2342	2477	2387	2532
21	29	36	2387	2517	2566	2517	2661	2566	2721

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
21	1725	1864	1864	1961
21	1816	1962	1962	2065
21	1957	2111	2111	2223
21	1809	1954	1954	2057
21	1905	2058	2058	2165
21	2051	2214	2214	2331
21	2003	2163	2163	2276
21	2109	2277	2277	2397
21	2272	2453	2453	2582
21	2198	2373	2373	2498
21	2315	2498	2498	2630
21	2495	2693	2693	2834

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
21	1952	1982	1982	2011
21	2056	2087	2087	2119
21	2211	2245	2245	2281
21	2046	2077	2077	2109
21	2155	2189	2189	2222
21	2319	2356	2356	2391
21	2268	2302	2302	2337
21	2388	2425	2425	2461
21	2572	2611	2611	2653
21	2489	2527	2527	2566
21	2622	2662	2662	2701
21	2823	2868	2868	2911

If Counterweight is specified, add 137

Pricing is continued on the following page.

## UPSS

Stretch Pedestal – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

## PRICING

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1355	1866
1421	1967
1533	2109
1415	1957
1486	2061
1597	2211
1540	2155
1607	2271
1717	2438
1677	2355
1748	2481
1869	2666

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1965	2073	2112	2073	2192	2112	2241
2071	2185	2226	2185	2309	2226	2362
2222	2343	2388	2343	2478	2388	2533
2060	2174	2215	2174	2296	2215	2348
2169	2289	2333	2289	2419	2333	2474
2329	2457	2503	2457	2596	2503	2655
2270	2395	2439	2395	2531	2439	2589
2391	2523	2570	2523	2666	2570	2726
2568	2711	2760	2711	2863	2760	2927
2480	2618	2665	2618	2764	2665	2827
2612	2756	2810	2756	2914	2810	2979
2809	2963	3019	2963	3130	3019	3202

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2031	2192	2192	2307
2139	2308	2308	2430
2302	2484	2484	2615
2129	2299	2299	2419
2242	2420	2420	2547
2413	2604	2604	2743
2357	2544	2544	2680
2482	2681	2681	2820
2672	2886	2886	3038
2588	2791	2791	2939
2723	2940	2940	3095
2934	3169	3169	3335

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2295	2331	2331	2366
2418	2454	2454	2492
2602	2642	2642	2684
2406	2445	2445	2481
2536	2575	2575	2614
2728	2773	2773	2814
2666	2710	2710	2750
2810	2852	2852	2896
3026	3073	3073	3119
2927	2974	2974	3018
3083	3130	3130	3178
3322	3374	3374	3425

If Counterweight is specified, add 137

district price guide – June 19, 2017

Pricing is continued on the following page.



## U P S S

Stretch Pedestal – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
28	16	24
28	16	30
28	16	36
28	19	24
28	19	30
28	19	36
28	23	24
28	23	30
28	23	36
28	29	24
28	29	30
28	29	36

## PRICING

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1177	1699
1233	1785
1333	1920
1237	1785
1297	1880
1397	2020
1363	1987
1417	2092
1517	2247
1499	2185
1560	2301
1669	2475

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
28	1787	1888	1923	1888	1993	1923	2038
28	1881	1986	2023	1986	2099	2023	2146
28	2021	2132	2172	2132	2254	2172	2304
28	1881	1986	2023	1986	2099	2023	2146
28	1981	2090	2129	2090	2208	2129	2258
28	2128	2244	2287	2244	2371	2287	2426
28	2092	2207	2250	2207	2333	2250	2385
28	2202	2324	2367	2324	2456	2367	2511
28	2367	2497	2545	2497	2639	2545	2698
28	2302	2428	2474	2428	2567	2474	2625
28	2424	2557	2604	2557	2701	2604	2762
28	2607	2751	2802	2751	2907	2802	2973

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
28	1864	2013	2013	2119
28	1962	2119	2119	2229
28	2116	2283	2283	2403
28	1962	2119	2119	2229
28	2065	2229	2229	2347
28	2226	2403	2403	2530
28	2191	2365	2365	2489
28	2305	2489	2489	2621
28	2487	2685	2685	2825
28	2419	2611	2611	2750
28	2546	2750	2750	2894
28	2748	2966	2966	3123

## VENEER CASE


	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
28	2123	2155	2155	2189
28	2235	2269	2269	2303
28	2407	2446	2446	2482
28	2235	2269	2269	2303
28	2353	2388	2388	2425
28	2535	2574	2574	2612
28	2495	2533	2533	2571
28	2626	2666	2666	2707
28	2832	2876	2876	2919
28	2755	2797	2797	2841
28	2900	2945	2945	2989
28	3128	3176	3176	3224

If Individual Lock is specified, add 137

If Counterweight is specified, add 132

## U F L E

## Lateral File – Elevated



The Elevated Lateral File provides high density filing storage in addition to a base to support most Stackers. It can also be used to support worksurfaces and panels or to provide power and data access.

## WHAT'S INCLUDED

1 cabinet, drawers with pulls (as specified), 4 angled feet, lock and keys (if specified), counterweight (if specified).

## NOTES

The 36" high lateral file is available with Box/Box/File (B) or File/File (F) drawer combinations.

The 42" high lateral file comes with a Box/File/File (W) drawer combination.

Box/Box/File (B) and Box/File/File (W) drawer combinations **cannot** be specified with Individual Locks.

A counterweight **cannot** be specified when the Base Back Cut Out (B) or Beltline Back Cut Out (E) options are selected. Lateral File must then be attached to a panel or worksurface or linked to another storage unit.

For shared filing, Individual Lock (L) key style is available when File/File (F) drawer combination is specified.

## PRODUCT OPTIONS

Height	Drawer Combination	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Key Style	Electrical Cut Out	Counterweight
36, 42	<b>B</b> Box/Box/File <b>F</b> File/File <b>W</b> Box/File/File	16, 19	24, 30, 36	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>L</b> Individual Lock <b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>E</b> Beltline Back Cut Out <b>B</b> Base Back Cut Out <b>N</b> None	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

Case Back Front												
UFLE 36	B	19	30	D	Q	ZA	ZA	ZA	7	K	B	2

342

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

## PRICING

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1504	2037
1571	2137
1682	2284
1564	2128
1635	2232
1746	2386

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2116	2263	2368	2263	2412	2326	2579
2221	2375	2487	2375	2532	2444	2711
2370	2537	2656	2537	2701	2608	2893
2209	2364	2474	2364	2519	2430	2695
2319	2481	2598	2481	2643	2551	2829
2478	2652	2776	2652	2823	2725	3022

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2384	2432	2432	2457
2503	2554	2554	2579
2683	2736	2736	2763
2491	2543	2543	2568
2618	2669	2669	2696
2805	2861	2861	2890

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137

district price guide – June 19, 2017

Pricing is continued on the following page.

## U F L E

Lateral File – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

## PRICING

## BOX/BOX/FILE (B)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2439	2490	2490	2515
2563	2615	2615	2641
2748	2805	2805	2832
2551	2603	2603	2630
2682	2734	2734	2762
2875	2933	2933	2963

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1326	1865
1382	1957
1481	2090
1386	1957
1446	2051
1546	2193

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1936	2072	2169	2072	2208	2131	2363
2031	2174	2274	2174	2316	2235	2478
2169	2322	2430	2322	2474	2387	2649
2031	2174	2274	2174	2316	2235	2478
2130	2279	2386	2279	2428	2343	2598
2276	2436	2550	2436	2596	2504	2778

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2199	2244	2244	2268
2307	2355	2355	2379
2475	2527	2527	2552
2307	2355	2355	2379
2421	2471	2471	2496
2598	2653	2653	2680

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2268	2315	2315	2337
2379	2428	2428	2452
2552	2604	2604	2631
2379	2428	2428	2452
2497	2548	2548	2574
2681	2733	2733	2761

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U F L E

Lateral File – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

## PRICING

## BOX/FILE/FILE (W)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1748	2315
1802	2428
1893	2562
1830	2428
1884	2547
1979	2689

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2403	2571	2691	2571	2739	2642	2932
2521	2697	2823	2697	2875	2775	3075
2660	2846	2979	2846	3034	2926	3245
2521	2697	2823	2697	2875	2775	3075
2646	2830	2964	2830	3017	2911	3227
2791	2987	3127	2987	3183	3071	3406

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2712	2766	2766	2793
2845	2904	2904	2933
3010	3072	3072	3103
2845	2904	2904	2933
2987	3049	3049	3080
3161	3226	3226	3258

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2822	2881	2881	2910
2964	3024	3024	3055
3146	3212	3212	3244
2964	3024	3024	3055
3112	3176	3176	3209
3305	3372	3372	3407

If Beltline Back Cut Out is specified, add 87


If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137



## U F L S

## Lateral File – Standard



The Standard Lateral File provides high density filing storage in addition to a base to support most Stackers. It can also be used to support worksurfaces and panels.

## WHAT'S INCLUDED

1 cabinet, drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

## NOTES

The 36" high lateral file comes with a Box/File/File (W) drawer combination.

The 42" high lateral file is available with Box/Box/File/File (Q) or File/File/File (R) drawer combinations.

This product comes with extended levelers (UNSLX) already installed.

## PRODUCT OPTIONS

Height	Drawer Combination	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
36, 42	<b>W</b> Box/File/File	16, 19	24, 30, 36	<b>D</b> District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike	<b>1</b> Yes
	<b>Q</b> Box/Box/File/File			<b>R</b> Rectangular			<b>R</b> Keyed Randomly	<b>2</b> No
	<b>R</b> File/File/File						<b>N</b> No Lock	

## SAMPLE ORDER CODE

						Case	Back	Front		
UFLS 36	W	19	30	D	7	HL	HL	HL	K	1

346

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36

36	16	24
36	16	30
36	16	36

36	16	24
36	16	30
36	16	36

## PRICING

## BOX/FILE/FILE (W)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1611	2050
1664	2157
1754	2284

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2254	2412	2524	2412	2569	2479	2750
2371	2538	2657	2538	2702	2609	2894
2511	2687	2813	2687	2861	2761	3063

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2566	2620	2620	2645
2699	2756	2756	2784
2865	2924	2924	2953

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U F L S

Lateral File – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

## PRICING

## BOX/FILE/FILE (W)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2680	2732	2732	2760
2819	2878	2878	2907
3003	3064	3064	3095
2819	2878	2878	2907
2968	3028	3028	3059
3160	3225	3225	3257

## BOX/BOX/FILE/FILE (Q)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1873	2319
1940	2444
2047	2585
1959	2432
2028	2563
2139	2714

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2550	2728	2856	2728	2907	2806	3111
2687	2875	3009	2875	3063	2955	3277
2844	3042	3185	3042	3242	3128	3469
2674	2861	2996	2861	3049	2943	3264
2817	3014	3156	3014	3212	3100	3437
2982	3191	3340	3191	3400	3281	3639

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2817	2876	2876	2905
2968	3028	3028	3059
3148	3214	3214	3246
2956	3017	3017	3048
3114	3178	3178	3211
3305	3372	3372	3407

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2991	3053	3053	3084
3151	3217	3217	3249
3355	3424	3424	3458
3140	3205	3205	3237
3307	3375	3375	3409
3520	3592	3592	3631

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U F L S

Lateral File – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

## PRICING

## FILE/FILE/FILE (R)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1696	2157
1750	2271
1845	2403
1780	2271
1838	2390
1938	2531

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2371	2538	2657	2538	2702	2609	2894
2497	2670	2796	2670	2847	2748	3047
2642	2827	2959	2827	3012	2907	3224
2497	2670	2796	2670	2847	2748	3047
2628	2812	2944	2812	2996	2890	3206
2782	2977	3115	2977	3171	3059	3393

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2645	2698	2698	2726
2784	2842	2842	2871
2953	3014	3014	3046
2784	2842	2842	2871
2931	2991	2991	3021
3110	3174	3174	3206

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2819	2878	2878	2907
2968	3028	3028	3059
3160	3225	3225	3257
2968	3028	3028	3059
3124	3188	3188	3220
3325	3395	3395	3429


If Counterweight is specified, add 137





## UBKE

## Bookcase – Elevated



The Elevated Bookcase provides height-adjustable shelves for binder storage in addition to a base to support most Stackers. It can also be used to support panels.

## WHAT'S INCLUDED

1 cabinet, 4 angled feet, grommet (if specified);

Adjust. Shelves	24" - 36"w	42" & 48"w
36"h	1	2
42"h	2	4
51"h	2	4
66"h	3	6

## NOTES

Bookcases **cannot** be stacked on top of other base units, must use Open Stackers.

24", 30" and 36" wide bookcases **cannot** be specified with Electrical Cut Out (GL & GR) options.

42" and 48" wide bookcases **cannot** be specified with Electrical Cut Out (GC) option.

Grommets are finished in Platinum.

## PRODUCT OPTIONS

Height	Width	Case & Back Finish	Foot Finish	Electrical Cut Out
36, 42, 51, 66	24, 30, 36, 42, 48	Source Laminate Seamless Color Flintwood Natural Veneer	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	GL Base Grommet, Left GR Base Grommet, Right GC Base Grommet, Center NN None

## SAMPLE ORDER CODE

		Case	Back		
UBKE 36	42	HL	HL	Q	GL

350

DIMENSIONS  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
911
947
974
1057
1103
996
1037
1067
1159
1211
1037
1071
1105
1202
1254
1225
1275
1320
1438
1503

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1096	1528	1575
1250	1751	1807
1413	1986	2050
1573	2220	2291
1736	2454	2535
1203	1682	1736
1374	1931	1993
1554	2191	2261
1734	2451	2531
1912	2713	2800
1379	1935	1999
1579	2227	2300
1748	2474	2554
1928	2732	2822
2108	2995	3094
1588	2241	2314
1788	2533	2615
1946	2759	2850
2101	2985	3083
2257	3211	3317

If Grommet is specified, add 121

Pricing is continued on the following page.

# U B K E

## Bookcase – Elevated (Continued)

### DIMENSIONS INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

### PRICING

#### FLINTWOOD CASE

Seamless Back	Flintwood Back
1610	1870
1961	2284
2342	2730
2722	3177
3101	3624
1774	2063
2164	2522
2588	3019
3009	3515
3430	4011
2016	2348
2437	2844
2879	3364
3302	3860
3724	4354
2431	2838
2841	3317
3250	3798
3660	4280
4067	4760


#### VENEER CASE

Seamless Back	Veneer Back
1644	1890
2002	2305
2390	2756
2778	3207
3166	3660
1810	2083
2209	2546
2640	3048
3071	3548
3502	4050
2058	2369
2489	2872
2940	3396
3370	3896
3801	4398
2482	2864
2900	3349
3317	3835
3735	4320
4152	4807

If Grommet is specified, add 121

## UBKS

## Bookcase – Standard



The Standard Bookcase provides height-adjustable shelves for binder storage in addition to a base to support most Stackers. It can also be used to support panels.

## WHAT'S INCLUDED

1 cabinet;

Adjust. Shelves	24" - 36"w	42" & 48"w
36"h	2	4
42"h	2	4
51"h	3	6
66"h	4	8

## NOTES

Bookcases **cannot** be stacked on top of other base units, must use Open Stackers.

## PRODUCT OPTIONS

Height	Width	Case & Back Finish
36, 42, 51, 66	24, 30, 36, 42, 48	Source Laminate Seamless Color Flintwood Natural Veneer

## SAMPLE ORDER CODE

		Case	Back
UBKS 36	30	HL	HL

352

DIMENSIONS  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
772
809
834
919
965
858
897
927
1021
1073
897
932
969
1064
1116
1088
1137
1182
1300
1366

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
957	1389	1438
1113	1615	1670
1275	1846	1911
1436	2081	2154
1597	2317	2397
1065	1544	1597
1237	1795	1857
1416	2053	2124
1595	2314	2393
1775	2574	2663
1241	1799	1862
1442	2090	2162
1611	2336	2417
1792	2596	2686
1970	2857	2956
1450	2103	2176
1651	2395	2478
1808	2623	2714
1963	2847	2946
2120	3073	3180

Pricing is continued on the following page.

# U B K S

## Bookcase – Standard (Continued)

### DIMENSIONS INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

### PRICING


#### FLINTWOOD CASE

Seamless Back	Flintwood Back
1472	1734
1825	2146
2205	2594
2584	3040
2963	3486
1636	1926
2027	2385
2449	2881
2872	3377
3292	3873
1877	2210
2300	2705
2743	3225
3163	3722
3584	4218
2294	2698
2701	3180
3112	3662
3520	4141
3929	4622

#### VENEER CASE

Seamless Back	Veneer Back
1506	1750
1865	2167
2253	2620
2639	3070
3028	3520
1674	1945
2071	2408
2503	2910
2933	3410
3365	3911
1921	2231
2352	2732
2802	3257
3233	3759
3664	4259
2345	2726
2761	3212
3180	3698
3599	4183
4014	4667

ULDE  
Low Full Drawer Credenza –  
Elevated



The Elevated Low Full Drawer Credenza provides file storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

WHAT’S INCLUDED

1 credenza, file drawers with pulls (as specified), 2 District feet or 4 angled feet (as specified), 2" high pencil drawer with removable organizing tray (if specified), lock and keys (if specified), counterweight (if specified).

WHAT’S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

NOTES

The 16" deep credenza **cannot** be specified with Red Drawer Accessories.

The 16" deep credenza **cannot** be specified with a District Foot (D).

The District Foot (D) **cannot** be specified with the Electrical Cut Out (BL & BR) options. (NN) must be selected.

If Red Drawer Accessories are selected, they will be located in the center drawer (for 78" - 96" widths) or in the left drawer (for 42" - 72" widths).

PRODUCT OPTIONS

Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out	Red Drawer Accessories	Key Style	Counter-weight
16, 19	48, 60, 72, 78, 84, 90, 96	<b>D</b> District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White	<b>D</b> District <b>A</b> Angled Foot	<b>BL</b> Base Back Cut Out, Left <b>BR</b> Base Back Cut Out, Right <b>NN</b> None <b>BC</b> Base Back Cut Out, Center	<b>Y</b> Yes <b>N</b> No	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>1</b> Yes
		<b>R</b> Rectangular			<b>7</b> Platinum					<b>2</b> No
					<b>V</b> Very White					
					<b>X</b> Anthracite					
					<b>M</b> Graphite					
					<b>2</b> Burnished Bronze					

SAMPLE ORDER CODE

Case Back Front

<b>ULDE</b> <b>19</b>	<b>48</b>	<b>D</b>	<b>Q</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>BR</b>	<b>Y</b>	<b>K</b>	<b>1</b>
--------------------------	-----------	----------	----------	-----------	-----------	-----------	----------	----------	-----------	----------	----------	----------

DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

PRICING

SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1909	2331
1995	2484
2129	2780
2400	2915
2509	3054
2675	3270
n/a	n/a
2010	2453
2101	2618
2241	2926
2527	3068
2640	3217
2817	3441
n/a	n/a

If Base Back Cut Out is specified, add 87

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.

# ULDE

## Low Full Drawer Credenza – Elevated (Continued)

### DIMENSIONS INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

### PRICING

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2456	2591	2640	2591	2738	2640	2799
2583	2760	2798	2760	2939	2798	3010
2876	3087	3129	3087	3298	3129	3377
3070	3239	3302	3239	3423	3302	3499
3218	3395	3460	3395	3587	3460	3670
3383	3633	3679	3642	3888	3692	3980
3513	3768	3816	3789	4040	3837	4136
2585	2726	2780	2726	2882	2780	2947
2719	2907	2946	2907	3094	2946	3169
3027	3251	3294	3251	3470	3294	3554
3232	3408	3476	3408	3604	3476	3683
3388	3574	3642	3574	3777	3642	3863
3560	3824	3874	3834	4092	3884	4190
3698	3967	4018	3988	4252	4040	4353

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2868	2988	2988	3018
3144	3281	3281	3344
3514	3676	3676	3759
3584	3735	3735	3772
3760	3917	3917	3958
4129	4321	4329	4426
4297	4494	4513	4609
3018	3145	3145	3176
3309	3453	3453	3519
3699	3870	3870	3956
3773	3931	3931	3970
3957	4124	4124	4165
4346	4550	4558	4658
4524	4730	4751	4850

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3055	3151	3151	3183
3257	3427	3427	3518
3637	3837	3837	3950
3821	3939	3939	3980
4006	4133	4133	4175
4268	4502	4517	4646
4441	4683	4706	4836
3217	3317	3317	3350
3429	3607	3607	3703
3828	4040	4040	4158
4021	4146	4146	4189
4219	4351	4351	4396
4494	4741	4753	4889
4677	4930	4952	5090


If Base Back Cut Out is specified, add 87

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137 for widths of 48" - 72"

## ULDS

## Low Full Drawer Credenza – Standard



The Standard Low Full Drawer Credenza provides file storage with the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 credenza, box/file drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

This product comes with extended levelers (UNSLX) already installed.

## PRODUCT OPTIONS

Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
16, 19	48, 60, 72, 78, 84, 90, 96	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

				Case	Back	Front		
<b>ULDS 19</b>	<b>48</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>K</b>	<b>1</b>

DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1999	2748
2101	2885
2257	3095
2628	3598
2759	3774
2966	4053
n/a	n/a
2104	2889
2211	3034
2375	3255
2764	3782
2906	3970
3123	4263
n/a	n/a

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.



## U L D S

Low Full Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2828	3051	3100	3051	3269	3100	3365
2920	3148	3200	3148	3374	3200	3472
3447	3775	3832	3775	4099	3832	4207
3776	4168	4227	4168	4553	4227	4669
4272	4756	4822	4756	5233	4822	5361
4436	4951	5019	4951	5457	5019	5592
4580	5109	5178	5109	5631	5178	5768
2985	3219	3270	3219	3448	3270	3549
3081	3322	3375	3322	3558	3375	3664
3635	3981	4041	3981	4321	4041	4436
3982	4395	4458	4395	4798	4458	4921
4503	5014	5082	5014	5514	5082	5650
4678	5220	5291	5220	5753	5291	5893
4826	5385	5458	5385	5935	5458	6080

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3274	3450	3450	3544
3379	3559	3559	3657
4070	4341	4341	4503
4497	4822	4822	5027
5139	5542	5542	5814
5351	5784	5784	6074
5520	5968	5968	6267
3453	3638	3638	3737
3565	3756	3756	3857
4291	4577	4577	4749
4742	5082	5082	5299
5416	5842	5842	6126
5640	6095	6095	6401
5818	6291	6291	6603

## VENEER CASE


Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3377	3599	3599	3731
3486	3712	3712	3850
4185	4502	4502	4714
4615	4993	4993	5247
5260	5728	5728	6049
5476	5972	5972	6316
5649	6160	6160	6516
3561	3794	3794	3934
3676	3915	3915	4060
4411	4748	4748	4969
4865	5263	5263	5532
5544	6036	6036	6374
5771	6294	6294	6655
5954	6493	6493	6865

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

## U H D E

## High Full Drawer Credenza – Elevated



The Elevated High Full Drawer Credenza provides file storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to Power and data.

## WHAT'S INCLUDED

1 credenza, box/file drawers with pulls (as specified), 2 District feet or 4 angled feet (as specified), lock and keys (if specified), counterweight (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

The 16" deep credenza **cannot** be specified with a District Foot (D).

The District Foot (D) **cannot** be specified with the Electrical Cut Out (BL, BR & BC) options. (NN) must be selected.

48", 60" and 72" wide credenzas **cannot** be specified with the Electrical Cut Out (BC) option.

## PRODUCT OPTIONS

Drawer Combination	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out	Key Style	Counterweight
<b>X</b> Box/File	16, 19	48, 60, 72, 78, 84, 90, 96	<b>D</b> District <b>R</b> Rect-angular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>D</b> District <b>A</b> Angled Foot	<b>BL</b> Base Back Cut Out, Left <b>BR</b> Base Back Cut Out, Right <b>BC</b> Base Back Cut Out, Center <b>NN</b> None	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

Case Back Front

<b>UHDE X</b>	<b>19</b>	<b>48</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>BL</b>	<b>K</b>	<b>1</b>
---------------	-----------	-----------	----------	----------	-----------	-----------	-----------	----------	----------	-----------	----------	----------

DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2136	2885
2239	3022
2395	3233
2764	3734
2897	3911
3104	4191
n/a	n/a
2242	3027
2349	3171
2513	3393
2904	3921
3043	4108
3260	4401
n/a	n/a

If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.

# U H D E

## High Full Drawer Credenza – Elevated (Continued)

### DIMENSIONS INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

### PRICING

#### BOX/FILE (X)

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2966	3189	3237	3189	3406	3237	3502
3058	3286	3337	3286	3512	3337	3610
3583	3913	3969	3913	4236	3969	4346
3914	4306	4366	4306	4690	4366	4808
4410	4893	4960	4893	5371	4960	5500
4574	5089	5156	5089	5596	5156	5729
4716	5246	5317	5246	5768	5317	5906
3123	3357	3407	3357	3584	3407	3686
3219	3460	3513	3460	3697	3513	3801
3772	4119	4178	4119	4460	4178	4574
4120	4531	4594	4531	4937	4594	5059
4643	5151	5221	5151	5652	5221	5789
4815	5356	5429	5356	5890	5429	6030
4964	5522	5597	5522	6072	5597	6217

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3411	3586	3586	3680
3517	3698	3698	3795
4207	4478	4478	4643
4634	4960	4960	5166
5276	5680	5680	5951
5488	5921	5921	6212
5659	6107	6107	6404
3590	3775	3775	3875
3702	3893	3893	3995
4430	4714	4714	4886
4879	5221	5221	5438
5553	5979	5979	6265
5777	6234	6234	6539
5956	6427	6427	6742

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3515	3735	3735	3868
3624	3850	3850	3988
4321	4642	4642	4852
4752	5130	5130	5385
5398	5865	5865	6186
5613	6110	6110	6454
5788	6299	6299	6653
3700	3931	3931	4072
3814	4053	4053	4198
4550	4885	4885	5107
5002	5400	5400	5669
5682	6174	6174	6513
5909	6430	6430	6793
6091	6630	6630	7004


If Base Back Cut Out is specified, add 87

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

## UHDS

## High Full Drawer Credenza – Standard



The Standard High Full Drawer Credenza provides file storage with the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 credenza, box/box/file or file/file drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

If Box/Box/File (B) is selected for widths wider than 72", only the center drawers will have a box/box/file drawer combination. For 42" - 72" widths, the box/box/file drawers will be applied in both left and right drawer locations.

This product comes with extended levelers (UNSLX) already installed.

**PRODUCT OPTIONS**

Drawer Combination	Depth	Width	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
<b>B</b> Box/Box/File	16, 19	48, 60, 72, 78, 84, 90, 96	<b>D</b> District	Foundation	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike	<b>1</b> Yes
<b>F</b> File/File			<b>R</b> Rectangular	Mica		<b>R</b> Keyed Randomly	<b>2</b> No
						<b>N</b> No Lock	

**SAMPLE ORDER CODE**

SAMPLE ORDER CODE					Case	Back	Front		
UHDS F	19	48	D	7	ZA	ZA	ZA	K	1

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

**PRICING****BOX/BOX/FILE (B)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2517	3570
2624	3738
2797	3990
3110	4670
3252	4907
3489	5257
n/a	n/a
2632	3738
2745	3917
2927	4182
3265	4907
3414	5155
3665	5523
n/a	n/a

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.

## U H D S

High Full Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING

## BOX/BOX/FILE (B)

## SEAMLESS CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	3740	3928	3997	3928	4132	3900	4117
16 / 406	60 / 1524	3920	4117	4188	4117	4329	4085	4314
16 / 406	72 / 1829	4186	4396	4472	4396	4625	4365	4608
16 / 406	78 / 1981	4910	5171	5265	5171	5455	4978	5268
16 / 406	84 / 2134	5158	5435	5532	5435	5731	5228	5536
16 / 406	90 / 2286	5529	5823	5930	5823	6144	5605	5934
16 / 406	96 / 2438	5637	5937	6049	5937	6267	5728	6062
19 / 483	48 / 1219	3921	4117	4189	4117	4333	4088	4315
19 / 483	60 / 1524	4107	4315	4389	4315	4538	4283	4523
19 / 483	72 / 1829	4386	4609	4690	4609	4850	4575	4832
19 / 483	78 / 1981	5159	5435	5534	5435	5734	5231	5537
19 / 483	84 / 2134	5420	5710	5814	5710	6024	5495	5818
19 / 483	90 / 2286	5809	6120	6233	6120	6458	5890	6237
19 / 483	96 / 2438	5925	6240	6358	6240	6588	6021	6371

## FLINTWOOD CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
16 / 406	48 / 1219	3887	4168	4168	4369
16 / 406	60 / 1524	4073	4369	4369	4582
16 / 406	72 / 1829	4364	4682	4682	4910
16 / 406	78 / 1981	5112	5505	5505	5786
16 / 406	84 / 2134	5374	5786	5786	6080
16 / 406	90 / 2286	5776	6221	6221	6539
16 / 406	96 / 2438	5896	6353	6353	6676
19 / 483	48 / 1219	4073	4369	4369	4582
19 / 483	60 / 1524	4268	4582	4582	4804
19 / 483	72 / 1829	4574	4910	4910	5150
19 / 483	78 / 1981	5374	5786	5786	6081
19 / 483	84 / 2134	5645	6081	6081	6391
19 / 483	90 / 2286	6071	6539	6539	6876
19 / 483	96 / 2438	6197	6677	6677	7017

## VENEER CASE

D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	4376	4438	4438	4500
16 / 406	60 / 1524	4590	4654	4654	4721
16 / 406	72 / 1829	4919	4991	4991	5060
16 / 406	78 / 1981	5797	5883	5883	5970
16 / 406	84 / 2134	6094	6184	6184	6275
16 / 406	90 / 2286	6554	6652	6652	6750
16 / 406	96 / 2438	6690	6789	6789	6891
19 / 483	48 / 1219	4589	4654	4654	4720
19 / 483	60 / 1524	4814	4881	4881	4951
19 / 483	72 / 1829	5161	5235	5235	5309
19 / 483	78 / 1981	6093	6184	6184	6275
19 / 483	84 / 2134	6406	6500	6500	6597
19 / 483	90 / 2286	6889	6992	6992	7096
19 / 483	96 / 2438	7034	7136	7136	7245

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.

## U H D S

High Full Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2174	3224
2279	3395
2453	3645
2938	4498
3080	4734
3317	5085
n/a	n/a
2288	3395
2399	3574
2583	3837
3093	4734
3242	4984
3492	5352
n/a	n/a

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3397	3583	3651	3583	3789	3555	3772
3575	3772	3843	3772	3986	3740	3969
3840	4051	4129	4051	4282	4020	4263
4739	4998	5092	4998	5285	4807	5095
4986	5261	5358	5261	5559	5056	5363
5355	5650	5758	5650	5972	5434	5762
5466	5765	5877	5765	6094	5554	5890
3576	3772	3844	3772	3988	3743	3970
3763	3970	4045	3970	4195	3938	4178
4043	4264	4346	4264	4505	4231	4489
4987	5261	5361	5261	5563	5058	5364
5250	5538	5641	5538	5851	5322	5645
5638	5947	6060	5947	6286	5717	6064
5753	6068	6185	6068	6417	5848	6201

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3543	3824	3824	4024
3729	4024	4024	4236
4019	4338	4338	4565
4940	5332	5332	5613
5201	5613	5613	5907
5605	6051	6051	6367
5725	6179	6179	6502
3729	4024	4024	4236
3925	4236	4236	4460
4230	4565	4565	4807
5201	5613	5613	5909
5474	5909	5909	6218
5900	6367	6367	6703
6025	6503	6503	6845

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

Pricing is continued on the following page.

# U H D S

## High Full Drawer Credenza – Standard (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### FILE/FILE (F)

#### VENEER CASE


D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	4032	4094	4094	4157
16 / 406	60 / 1524	4247	4310	4310	4376
16 / 406	72 / 1829	4575	4647	4647	4716
16 / 406	78 / 1981	5626	5711	5711	5798
16 / 406	84 / 2134	5923	6011	6011	6103
16 / 406	90 / 2286	6381	6481	6481	6578
16 / 406	96 / 2438	6518	6617	6617	6719
19 / 483	48 / 1219	4245	26484	4310	4375
19 / 483	60 / 1524	4469	4536	4536	4608
19 / 483	72 / 1829	4816	4890	4890	4964
19 / 483	78 / 1981	5921	6011	6011	6103
19 / 483	84 / 2134	6235	6329	6329	6425
19 / 483	90 / 2286	6717	6821	6821	6924
19 / 483	96 / 2438	6861	6965	6965	7072

If Counterweight is specified, add 137 for widths of 48" - 72"

If Counterweight is specified, add 275 for widths of 78" - 96"

## U L O E

## Low Open Credenza – Elevated



Angled Foot

District Foot (19\" depth only)

The Elevated Low Open Credenza provides open binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), grommets (if specified), 42\" - 72\" widths include 1 divider; 78\" - 96\" widths include 2 dividers.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

16\" deep credenzas **cannot** be specified with a District Foot (D).

24\" wide credenzas **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (NN) must be selected.

24\", 30\" and 36\" wide credenzas **cannot** be specified with the Electrical Cut Out (TL, TR & TB) options.

42\", 48\", 54\", 60\", 66\" and 72\" wide credenzas **cannot** be specified with the Electrical Cut Out (TC) option.

Grommets are finished in Platinum.

## PRODUCT OPTIONS

Depth	Width	Case & Back Finish	Foot Finish	Foot Style	Electrical Cut Out
16, 19	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Seamless Color Flintwood Natural Veneer	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	D District A Angled Foot	TL Base & Top Grommet, Left TR Base & Top Grommet, Right TB Base & Top Grommet, Left & Right TC Base & Top Grommet, Center NN None

## SAMPLE ORDER CODE

		Case	Back			
U L O E 16	48	HL	HL	Q	A	TL

DIMENSIONS  
INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
699
735
776
837
874
909
946
985
1028
1114
1163
1213
n/a
728
765
809
875
911
948
987
1029
1074
1166
1216
1269
n/a

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1199	1402	1419
1261	1476	1495
1334	1560	1580
1469	1717	1740
1538	1800	1823
1676	1960	1986
1746	2042	2069
1887	2206	2235
1954	2286	2316
2093	2449	2480
2163	2531	2563
2302	2693	2728
2370	2776	2810
1261	1476	1495
1327	1554	1573
1403	1643	1663
1546	1808	1832
1618	1894	1918
1765	2063	2090
1838	2151	2178
1985	2322	2352
2057	2406	2437
2204	2577	2610
2276	2663	2697
2424	2835	2873
2496	2920	2957

If Grommet is specified, add 172 for left, right or center grommet

If Grommet is specified, add 287 for left and right grommet  
district price guide – June 19, 2017

Pricing is continued on the following page.



## U L O E

# Low Open Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### FLINTWOOD CASE

Seamless Back	Flintwood Back
1520	1598
1601	1682
1724	1830
1899	2022
2024	2169
2199	2366
2325	2513
2501	2711
2626	2856
2800	3052
2926	3200
3102	3396
3277	3516
1601	1682
1684	1771
1814	1926
1999	2129
2131	2284
2316	2490
2448	2645
2632	2851
2762	3007
2948	3213
3080	3368
3265	3575
3450	3701

### VENEER CASE

Seamless Back	Veneer Back
1577	1669
1659	1755
1785	1903
1963	2101
2089	2251
2258	2448
2385	2595
2561	2790
2685	2938
2859	3134
2985	3282
3160	3479
3284	3599
1659	1755
1746	1846
1880	2003
2067	2211
2198	2368
2378	2576
2510	2730
2694	2938
2825	3093
3010	3300
3142	3454
3326	3662
3457	3788

If Grommet is specified, add 172 for left, right or center grommet

If Grommet is specified, add 287 for left and right grommet

## U L O S

## Low Open Credenza – Standard


The Standard Low Open Credenza provides open binder storage with the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza, 24" - 36" widths include 1 height-adjustable shelf; 42" - 72" widths include 1 divider and 2 height-adjustable shelves; 78" - 96" widths include 2 dividers and 3 height-adjustable shelves.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.



## PRODUCT OPTIONS

Depth	Width	Case & Back Finish
16, 19	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Seamless Color Flintwood Natural Veneer

## SAMPLE ORDER CODE

		Case	Back
ULOS 16	30	HL	HL

DIMENSIONS  
INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
544
581
621
683
717
753
791
830
875
958
1009
1058
n/a
572
611
654
718
756
793
832
876
919
1011
1061
1114
n/a

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1060	1265	1281
1123	1338	1356
1195	1421	1443
1332	1580	1602
1400	1661	1683
1538	1824	1846
1609	1904	1931
1747	2068	2096
1814	2149	2178
1956	2310	2342
2025	2393	2425
2164	2556	2592
2232	2636	2670
1123	1338	1356
1190	1416	1436
1266	1504	1526
1408	1672	1693
1480	1755	1779
1626	1926	1953
1702	2013	2040
1845	2184	2214
1920	2269	2300
2065	2439	2473
2139	2526	2561
2286	2697	2733
2358	2783	2819

# U L O S

## Low Open Credenza – Standard (Continued)

### DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

### PRICING

#### FLINTWOOD CASE


Seamless Back	Flintwood Back
1383	1461
1463	1544
1587	1691
1763	1884
1888	2032
2062	2228
2187	2375
2363	2571
2488	2719
2663	2915
2788	3062
2964	3257
3140	3378
1463	1544
1547	1633
1678	1787
1862	1991
1993	2146
2178	2353
2309	2507
2495	2715
2626	2870
2811	3075
2943	3231
3127	3437
3312	3562

#### VENEER CASE

Seamless Back	Veneer Back
1439	1531
1521	1618
1649	1767
1827	1963
1952	2112
2121	2309
2247	2457
2422	2654
2546	2799
2722	2996
2847	3144
3022	3340
3146	3460
1521	1618
1609	1710
1743	1866
1929	2073
2061	2230
2240	2438
2371	2594
2557	2799
2688	2955
2873	3161
3005	3316
3189	3522
3319	3648

## UHOE

## High Open Credenza – Elevated



The Elevated High Open Credenza provides open binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), grommets (if specified), 24\" - 36\" widths include 1 height-adjustable shelf; 42\" - 72\" widths include 1 divider and 2 height-adjustable shelves; 78\" - 96\" widths include 2 dividers and 3 height-adjustable shelves.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

16\" deep credenzas **cannot** be specified with a District Foot (D).

24\" wide credenzas **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (NN) must be selected.

24\", 30\" and 36\" widths **cannot** be specified with the Electrical Cut Out (TL, TR & TB) options.

42\", 48\", 54\", 60\", 66\" and 72\" widths **cannot** be specified with the Electrical Cut Out (TC) option.

Grommets are finished in Platinum.

## PRODUCT OPTIONS

Depth	Width	Case & Back Finish	Foot Finish	Foot Style	Electrical Cut Out
16, 19	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Seamless Color Flintwood Natural Veneer	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	D District A Angled Foot	TL Base & Top Grommet, Left TR Base & Top Grommet, Right TB Base & Top Grommet, Left & Right TC Base & Top Grommet, Center NN None

## SAMPLE ORDER CODE

		Case	Back			
UHOE 16	84	HL	HL	7	A	TC

DIMENSIONS  
INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
778
821
867
942
981
1023
1069
1115
1165
1267
1324
1383
n/a
812
856
908
983
1025
1071
1118
1167
1218
1326
1386
1448
n/a

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1447	1605	1638
1522	1690	1724
1617	1796	1831
1774	2039	2080
1866	2147	2190
1971	2267	2313
2081	2393	2441
2187	2515	2565
2295	2639	2692
2544	3053	3114
2646	3174	3239
2876	3452	3520
2980	3577	3648
1522	1690	1723
1603	1779	1814
1703	1890	1927
1867	2147	2190
1964	2259	2304
2074	2386	2434
2191	2519	2569
2302	2649	2699
2416	2779	2833
2680	3214	3278
2785	3341	3408
3027	3634	3705
3138	3765	3840

If Grommet is specified, add 172 for left, right or center grommet

If Grommet is specified, add 287 for left and right grommet

district price guide – June 19, 2017

Pricing is continued on the following page.

## U H O E

# High Open Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### FLINTWOOD CASE

Seamless Back	Flintwood Back
1939	2020
2040	2126
2211	2303
2422	2563
2580	2730
2738	2897
2901	3070
3096	3276
3289	3482
3607	3921
3742	4067
4100	4458
4256	4626
2041	2126
2149	2238
2327	2425
2550	2697
2717	2875
2882	3050
3053	3232
3258	3449
3463	3666
3796	4127
3939	4282
4316	4691
4479	4871

### VENEER CASE

Seamless Back	Veneer Back
2025	2107
2132	2218
2296	2408
2540	2683
2711	2859
2877	3037
3046	3214
3217	3430
3385	3643
3745	4042
3911	4252
4241	4656
4406	4833
2132	2218
2244	2335
2417	2535
2673	2822
2851	3010
3028	3195
3206	3383
3385	3610
3562	3835
3942	4254
4118	4475
4464	4903
4638	5088

If Grommet is specified, add 172 for left, right or center grommet

If Grommet is specified, add 287 for left and right grommet

## UHOS

## High Open Credenza – Standard


The Standard High Open Credenza provides open binder storage with the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza, 24" - 36" widths include 1 height-adjustable shelf; 42" - 72" widths include 1 divider and 2 height-adjustable shelves; 78" - 96" widths include 2 dividers and 3 height-adjustable shelves.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.



## PRODUCT OPTIONS

Depth	Width	Case & Back Finish
16, 19	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Source Laminate Seamless Color Flintwood Natural Veneer

## SAMPLE ORDER CODE

		Case	Back
UHOS 16	84	HL	HL

DIMENSIONS  
INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
641
683
731
803
845
886
929
978
1027
1129
1186
1245
n/a
674
718
768
847
888
932
980
1029
1081
1189
1248
1310
n/a

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1309	1468	1500
1385	1553	1587
1479	1657	1692
1636	1901	1942
1728	2009	2052
1834	2129	2175
1943	2255	2303
2050	2378	2427
2157	2502	2554
2406	2916	2977
2509	3037	3101
2738	3314	3383
2843	3439	3512
1385	1553	1586
1466	1643	1678
1564	1750	1788
1731	2009	2052
1828	2122	2166
1936	2248	2296
2053	2382	2431
2164	2510	2563
2277	2640	2695
2540	3077	3141
2649	3204	3271
2889	3495	3569
2999	3629	3703

# U H O S

## High Open Credenza – Standard (Continued)

### DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

### PRICING

#### FLINTWOOD CASE


Seamless Back	Flintwood Back
1802	1881
1902	1989
2073	2165
2285	2425
2444	2594
2600	2759
2762	2932
2958	3139
3153	3344
3469	3782
3605	3929
3962	4319
4119	4490
1903	1989
2010	2100
2190	2287
2413	2561
2578	2736
2746	2912
2916	3094
3122	3311
3325	3527
3660	3989
3802	4143
4178	4554
4342	4732

#### veneer case

Seamless Back	Veneer Back
1889	1969
1994	2080
2159	2271
2403	2544
2571	2722
2739	2898
2908	3077
3079	3292
3248	3507
3608	3904
3774	4113
4104	4520
4268	4695
1994	2080
2107	2197
2279	2397
2536	2686
2715	2873
2890	3058
3069	3245
3248	3472
3425	3698
3805	4117
3980	4338
4326	4764
4500	4950

## ULHE

## Low Open with Drawer Credenza – Elevated



The Elevated Low Open Drawer Credenza provides both file storage and open binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), 2" high pencil drawer with removable organizing tray (if specified), lock and keys (if specified), counterweight (if specified), grommets (if specified), 30" - 72" widths include 1 file drawer and 1 pull; 78" - 96" widths include 2 file drawers and 2 pulls.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

The 16" deep credenza **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (N) must be selected. Electrical cut out is only available on widths 48" - 96".

When Base Back Electrical Cut Out (B) option is specified, the cut out will appear on the back and the base of the drawer unit. When there are two drawers (78" - 96" w) the cut out will appear on the outside drawer unit (not the center drawer). If Base & Top Grommet (T) is specified, grommet will appear in the cubby.

The 16" deep credenza **cannot** be specified with Red Drawer Accessories.

If Red Drawer Accessories are selected on credenzas wider than 72" (two drawers), the accessories will be located in the left drawer.

Grommets are finished in Platinum.

Red Drawer Accessories are not available if widths 30", 36" or 42" is specified.

## PRODUCT OPTIONS

Depth	Width	Open Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out	Red Drawer Accessories	Key Style	Counterweight
16, 19	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	L Left (shown)	D District	Foundation	Source Laminate	Q Storm White	D District	B Base Back Cut Out	Y Yes	K Keyed Alike	1 Yes
		R Right	R Rect-angular	Mica	Seamless Color Flintwood Natural Veneer	7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	A Angled Foot	T Base & Top Grommet N None	N No	R Keyed Randomly N No Lock	2 No

## SAMPLE ORDER CODE

Case Back Front

ULHE 19	48	R	D	7	ZA	ZA	ZA	7	A	N	Y	K	2
------------	----	---	---	---	----	----	----	---	---	---	---	---	---

Pricing is continued on the following page.



## ULHE

# Low Open with Drawer Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1273	1646
1310	1694
1350	1745
1390	1798
1431	1873
1471	1948
1526	2061
1579	2174
1953	2445
2039	2554
2166	2693
n/a	n/a
1337	1733
1378	1784
1418	1838
1461	1893
1503	1971
1544	2051
1602	2169
1658	2288
2053	2574
2143	2689
2277	2835
n/a	n/a

If Base Back Cut Out is specified, add 87

If Base & Top Grommet is specified, add 172

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137

Pricing is continued on the following page.

## ULHE

Low Open with Drawer Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1828	1938	1955	1938	2047	1955	2083
1882	1997	2014	1997	2108	2014	2146
1939	2056	2074	2056	2171	2074	2210
1997	2118	2136	2118	2237	2136	2276
2081	2207	2227	2207	2331	2227	2371
2165	2295	2317	2295	2425	2317	2468
2290	2428	2451	2428	2565	2451	2610
2415	2561	2584	2561	2703	2584	2753
2717	2880	2907	2880	3042	2907	3097
2839	3008	3037	3008	3177	3037	3235
2992	3173	3202	3173	3350	3202	3411
3101	3286	3317	3286	3472	3317	3536
1924	2039	2059	2039	2154	2059	2193
1981	2101	2120	2101	2220	2120	2259
2041	2163	2184	2163	2286	2184	2327
2102	2228	2250	2228	2355	2250	2396
2191	2323	2345	2323	2453	2345	2497
2279	2416	2438	2416	2552	2438	2598
2412	2556	2579	2556	2699	2579	2749
2542	2694	2720	2694	2847	2720	2897
2859	3032	3059	3032	3203	3059	3260
2987	3166	3195	3166	3345	3195	3404
3150	3339	3370	3339	3527	3370	3590
3264	3460	3492	3460	3654	3492	3720

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1984	2120	2120	2256
2044	2183	2183	2324
2105	2248	2248	2393
2168	2316	2316	2465
2307	2466	2466	2625
2449	2615	2615	2782
2605	2784	2784	2961
2763	2953	2953	3142
2924	3124	3124	3322
3065	3275	3275	3484
3378	3609	3609	3838
3513	3751	3751	3992
2089	2230	2230	2374
2152	2297	2297	2445
2216	2366	2366	2517
2283	2437	2437	2594
2429	2596	2596	2760
2577	2753	2753	2928
2745	2931	2931	3117
2910	3109	3109	3307
3078	3287	3287	3497
3226	3448	3448	3668
3555	3799	3799	4042
3698	3949	3949	4201

If Base Back Cut Out is specified, add 87

If Base &amp; Top Grommet is specified, add 172

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137

Pricing is continued on the following page.

## ULHE

Low Open with Drawer Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

## PRICING

		VENEER CASE			
D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	30 / 762	2320	2344	2344	2368
16 / 406	36 / 914	2390	2415	2415	2439
16 / 406	42 / 1067	2461	2486	2486	2513
16 / 406	48 / 1219	2536	2562	2562	2589
16 / 406	54 / 1372	2699	2727	2727	2755
16 / 406	60 / 1524	2861	2891	2891	2920
16 / 406	66 / 1676	3048	3079	3079	3110
16 / 406	72 / 1829	3234	3266	3266	3300
16 / 406	78 / 1981	3419	3454	3454	3488
16 / 406	84 / 2134	3584	3620	3620	3660
16 / 406	90 / 2286	3950	3990	3990	4030
16 / 406	96 / 2438	4108	4150	4150	4192
19 / 483	30 / 762	2443	2466	2466	2491
19 / 483	36 / 914	2515	2541	2541	2567
19 / 483	42 / 1067	2591	2618	2618	2643
19 / 483	48 / 1219	2668	2695	2695	2723
19 / 483	54 / 1372	2841	2871	2871	2898
19 / 483	60 / 1524	3013	3044	3044	3075
19 / 483	66 / 1676	3209	3241	3241	3274
19 / 483	72 / 1829	3402	3438	3438	3472
19 / 483	78 / 1981	3600	3636	3636	3672
19 / 483	84 / 2134	3774	3812	3812	3851
19 / 483	90 / 2286	4159	4201	4201	4244
19 / 483	96 / 2438	4322	4368	4368	4411

If Base Back Cut Out is specified, add 87


If Base &amp; Top Grommet is specified, add 172

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137

## ULHS

## Low Open with Drawer Credenza – Standard



The Standard Low Open Drawer Credenza provides both file storage and open binder storage with the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza, lock and keys (if specified), counterweight (if specified), 48" - 72" widths include 1 height-adjustable shelf, 1 box/file drawer and 2 pulls; 78" - 96" widths include 1 height-adjustable shelf, 2 box/file drawers and 4 pulls.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## PRODUCT OPTIONS

Depth	Width	Open Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
16, 19	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

			Case Back Front							
ULHS 19	48	R	D	7	ZA	ZA	ZA	R	2	

DIMENSIONS  
INCHES / MM

D	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1393	1742
1433	1795
1477	1847
1521	1903
1571	1971
1619	2039
1685	2205
1752	2368
2296	2823
2413	3140
2583	3278
n/a	n/a
1467	1838
1510	1893
1556	1950
1602	2009
1653	2081
1706	2153
1776	2326
1844	2500
2418	2979
2539	3311
2720	3457
n/a	n/a

If Counterweight is specified, add 137

Pricing is continued on the following page.

## ULHS

Low Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING

		SEAMLESS CASE						
D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	30 / 762	1935	2167	2207	2167	2399	2207	2478
16 / 406	36 / 914	1994	2232	2273	2232	2472	2273	2551
16 / 406	42 / 1067	2053	2300	2340	2300	2546	2340	2628
16 / 406	48 / 1219	2116	2368	2412	2368	2623	2412	2707
16 / 406	54 / 1372	2191	2453	2497	2453	2717	2497	2806
16 / 406	60 / 1524	2266	2537	2582	2537	2810	2582	2900
16 / 406	66 / 1676	2449	2744	2791	2744	3037	2791	3135
16 / 406	72 / 1829	2631	2947	2999	2947	3263	2999	3368
16 / 406	78 / 1981	3138	3514	3577	3514	3891	3577	4017
16 / 406	84 / 2134	3488	3907	3978	3907	4326	3978	4465
16 / 406	90 / 2286	3642	4079	4152	4079	4518	4152	4662
16 / 406	96 / 2438	3760	4210	4286	4210	4661	4286	4812
19 / 483	30 / 762	2043	2289	2329	2289	2534	2329	2615
19 / 483	36 / 914	2104	2358	2399	2358	2609	2399	2694
19 / 483	42 / 1067	2167	2428	2472	2428	2688	2472	2775
19 / 483	48 / 1219	2232	2502	2545	2502	2768	2545	2858
19 / 483	54 / 1372	2313	2591	2635	2591	2868	2635	2959
19 / 483	60 / 1524	2391	2680	2726	2680	2965	2726	3062
19 / 483	66 / 1676	2584	2894	2946	2894	3204	2946	3308
19 / 483	72 / 1829	2778	3110	3166	3110	3444	3166	3554
19 / 483	78 / 1981	3309	3706	3773	3706	4104	3773	4236
19 / 483	84 / 2134	3678	4121	4194	4121	4561	4194	4710
19 / 483	90 / 2286	3842	4304	4380	4304	4764	4380	4917
19 / 483	96 / 2438	3964	4438	4520	4438	4915	4520	5074
		FLINTWOOD CASE						
D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front			
16 / 406	30 / 762	2245	2398	2398	2551			
16 / 406	36 / 914	2313	2472	2472	2629			
16 / 406	42 / 1067	2382	2545	2545	2707			
16 / 406	48 / 1219	2453	2622	2622	2788			
16 / 406	54 / 1372	2554	2728	2728	2904			
16 / 406	60 / 1524	2656	2835	2835	3017			
16 / 406	66 / 1676	2916	3115	3115	3314			
16 / 406	72 / 1829	3177	3395	3395	3611			
16 / 406	78 / 1981	3766	4023	4023	4281			
16 / 406	84 / 2134	4265	4557	4557	4847			
16 / 406	90 / 2286	4473	4780	4780	5085			
16 / 406	96 / 2438	4621	4936	4936	5252			
19 / 483	30 / 762	2369	2531	2531	2693			
19 / 483	36 / 914	2441	2606	2606	2774			
19 / 483	42 / 1067	2514	2685	2685	2857			
19 / 483	48 / 1219	2590	2764	2764	2943			
19 / 483	54 / 1372	2695	2879	2879	3063			
19 / 483	60 / 1524	2799	2991	2991	3182			
19 / 483	66 / 1676	3075	3285	3285	3495			
19 / 483	72 / 1829	3352	3580	3580	3808			
19 / 483	78 / 1981	3970	4241	4241	4512			
19 / 483	84 / 2134	4497	4804	4804	5110			
19 / 483	90 / 2286	4716	5038	5038	5358			
19 / 483	96 / 2438	4871	5203	5203	5535			

If Counterweight is specified, add 137

Pricing is continued on the following page.

## ULHS

Low Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING


		VENEER CASE			
D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	30 / 762	2610	2708	2708	2808
16 / 406	36 / 914	2689	2788	2788	2893
16 / 406	42 / 1067	2769	2873	2873	2979
16 / 406	48 / 1219	2852	2959	2959	3068
16 / 406	54 / 1372	2970	3082	3082	3193
16 / 406	60 / 1524	3086	3203	3203	3318
16 / 406	66 / 1676	3391	3518	3518	3645
16 / 406	72 / 1829	3696	3834	3834	3972
16 / 406	78 / 1981	4379	4543	4543	4709
16 / 406	84 / 2134	4959	5144	5144	5331
16 / 406	90 / 2286	5202	5396	5396	5594
16 / 406	96 / 2438	5374	5575	5575	5776
19 / 483	30 / 762	2755	2858	2858	2962
19 / 483	36 / 914	2838	2944	2944	3051
19 / 483	42 / 1067	2922	3032	3032	3142
19 / 483	48 / 1219	3010	3123	3123	3236
19 / 483	54 / 1372	3133	3251	3251	3369
19 / 483	60 / 1524	3255	3377	3377	3499
19 / 483	66 / 1676	3576	3710	3710	3845
19 / 483	72 / 1829	3896	4043	4043	4190
19 / 483	78 / 1981	4616	4789	4789	4963
19 / 483	84 / 2134	5227	5423	5423	5620
19 / 483	90 / 2286	5481	5688	5688	5895
19 / 483	96 / 2438	5662	5874	5874	6088

If Counterweight is specified, add 137



## U H H E

## High Open with Drawer Credenza – Elevated



Angled Foot

District Foot (19" depth only)

The Elevated High Open Drawer Credenza provides both file storage and open binder storage, the capability to support worksurfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), lock and keys (if specified), counterweight (if specified), grommets (if specified), 48" - 72" widths include 1 height-adjustable shelf, 1 box/file drawer and 2 pulls; 78" - 96" widths include 1 height-adjustable shelf, 2 box/file drawers and 4 pulls.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

The 16" deep credenza **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (N) must be selected.

When Base Back Electrical Cut Out (B) option is specified, the cut out will appear on the back and the base of the drawer unit. When there are two drawers (78" - 96" w) the cut out will appear on the outside drawer unit (not the center drawer). If Base & Top Grommet (T) is specified, grommet will appear in the cubby.

Grommets are finished in Platinum.

## PRODUCT OPTIONS

Drawer Combination	Depth	Width	Open Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out	Key Style	Counterweight
X Box/File	16, 19	48, 54, 60, 66, 72, 78, 84, 90, 96	L Left (shown) R Right	D District R Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	Q Storm White	D District A Angled Foot	B Base Back Cut Out T Base & Top Grommet N None	K Keyed Alike R Keyed Randomly N No Lock	1 Yes 2 No
							7 Platinum				
							V Very White				
							X Anthracite				
							M Graphite				
							2 Burnished Bronze				

## SAMPLE ORDER CODE

Case Back Front

UHHE X	16	48	L	D	7	ZA	ZA	ZA	7	A	B	R	2
-----------	----	----	---	---	---	----	----	----	---	---	---	---	---

Pricing is continued on the following page.



## U H H E

High Open with Drawer Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1693	2076
1743	2143
1793	2211
1859	2376
1926	2540
2468	2996
2584	3312
2755	3451
n/a	n/a
1774	2182
1827	2254
1876	2325
1948	2498
2018	2670
2591	3151
2713	3483
2891	3631
n/a	n/a

## BOX/FILE (X)

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	2287	2540	2583	2540	2793	2583	2879
16 / 406	2363	2626	2668	2626	2888	2668	2977
16 / 406	2437	2711	2754	2711	2981	2754	3072
16 / 406	2622	2915	2964	2915	3209	2964	3307
16 / 406	2805	3118	3172	3118	3434	3172	3541
16 / 406	3309	3685	3748	3685	4062	3748	4189
16 / 406	3662	4079	4150	4079	4498	4150	4636
16 / 406	3814	4252	4324	4252	4689	4324	4834
16 / 406	3931	4382	4459	4382	4833	4459	4984
19 / 483	2405	2673	2718	2673	2941	2718	3030
19 / 483	2484	2761	2809	2761	3040	2809	3132
19 / 483	2564	2850	2898	2850	3138	2898	3234
19 / 483	2756	3067	3117	3067	3376	3117	3481
19 / 483	2949	3282	3338	3282	3615	3338	3728
19 / 483	3482	3878	3945	3878	4276	3945	4408
19 / 483	3851	4293	4367	4293	4733	4367	4881
19 / 483	4014	4475	4553	4475	4937	4553	5089
19 / 483	4136	4612	4691	4612	5087	4691	5245

If Base Back Cut Out is specified, add 87

If Base &amp; Top Grommet is specified, add 172

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U H H E

High Open with Drawer Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/FILE (X)

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2626	2792	2792	2960
2726	2901	2901	3075
2827	3008	3008	3189
3087	3287	3287	3486
3349	3568	3568	3783
3938	4195	4195	4453
4437	4728	4728	5019
4647	4951	4951	5257
4793	5108	5108	5422
2760	2938	2938	3114
2868	3051	3051	3235
2973	3163	3163	3354
3248	3457	3457	3668
3523	3752	3752	3981
4142	4413	4413	4684
4669	4976	4976	5283
4888	5209	5209	5532
5043	5376	5376	5706

## BOX/FILE (X)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3024	3132	3132	3240
3142	3254	3254	3366
3258	3375	3375	3490
3562	3692	3692	3818
3867	4005	4005	4144
4552	4715	4715	4880
5130	5317	5317	5504
5375	5569	5569	5765
5544	5746	5746	5948
3182	3294	3294	3408
3305	3423	3423	3542
3428	3549	3549	3672
3747	3883	3883	4018
4068	4216	4216	4363
4787	4962	4962	5136
5399	5597	5597	5793
5653	5860	5860	6067
5834	6046	6046	6261

If Base Back Cut Out is specified, add 87


If Base &amp; Top Grommet is specified, add 172

If Counterweight is specified, add 137



## UHHS

## High Open with Drawer Credenza – Standard



The Standard High Open Drawer Credenza provides both file storage and open binder storage with the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 credenza with 1 height-adjustable shelf, file/file or box/box/file drawers and pulls (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

If Box/Box/File (B) drawer combination is specified on widths 78" and greater, the box/box/file drawer will only appear in the middle section.

**PRODUCT OPTIONS**

Drawer Combination	Depth	Width	Open Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
<b>B</b> Box/Box/File (shown)	16, 19	48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown)	<b>D</b> District	Foundation	Source Laminate	<b>K</b> Keyed Alike	<b>1</b> Yes
<b>F</b> File/File			<b>R</b> Right	<b>R</b> Rectangular	Mica	Seamless Color Flintwood Natural Veneer	<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>2</b> No

**SAMPLE ORDER CODE**

						Case Back Front				
<b>UHHS B</b>	<b>16</b>	<b>48</b>	<b>L</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>	<b>1</b>

384

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

**PRICING****BOX/BOX/FILE (B)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1849	2338
1902	2422
1956	2506
2030	2609
2104	2713
2666	3450
2791	3618
2986	3893
n/a	n/a
1935	2457
1993	2545
2048	2633
2128	2743
2206	2849
2802	3630
2932	3806
3135	4094
n/a	n/a

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U H H S

High Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING

## BOX/BOX/FILE (B)

## SEAMLESS CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	2598	2857	2910	2857	3117	2910	3221
16 / 406	54 / 1372	2692	2961	3016	2961	3231	3016	3338
16 / 406	60 / 1524	2785	3064	3118	3064	3341	3118	3453
16 / 406	66 / 1676	2900	3190	3248	3190	3480	3248	3596
16 / 406	72 / 1829	3013	3315	3375	3315	3615	3375	3736
16 / 406	78 / 1981	3833	4217	4293	4217	4599	4293	4753
16 / 406	84 / 2134	4021	4424	4502	4424	4825	4502	4986
16 / 406	90 / 2286	4325	4757	4844	4757	5191	4844	5363
16 / 406	96 / 2438	4426	4868	4956	4868	5310	4956	5486
19 / 483	48 / 1219	2729	3004	3056	3004	3276	3056	3385
19 / 483	54 / 1372	2827	3110	3167	3110	3393	3167	3507
19 / 483	60 / 1524	2926	3219	3277	3219	3512	3277	3630
19 / 483	66 / 1676	3046	3349	3410	3349	3654	3410	3776
19 / 483	72 / 1829	3166	3483	3546	3483	3799	3546	3926
19 / 483	78 / 1981	4031	4434	4517	4434	4839	4517	4998
19 / 483	84 / 2134	4228	4652	4735	4652	5075	4735	5243
19 / 483	90 / 2286	4550	5003	5094	5003	5458	5094	5640
19 / 483	96 / 2438	4655	5121	5214	5121	5585	5214	5773

## FLINTWOOD CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
16 / 406	48 / 1219	3109	3209	3209	3307
16 / 406	54 / 1372	3232	3335	3335	3438
16 / 406	60 / 1524	3354	3462	3462	3570
16 / 406	66 / 1676	3520	3634	3634	3745
16 / 406	72 / 1829	3685	3803	3803	3922
16 / 406	78 / 1981	4524	4667	4667	4813
16 / 406	84 / 2134	4742	4892	4892	5045
16 / 406	90 / 2286	5127	5290	5290	5453
16 / 406	96 / 2438	5258	5424	5424	5594
19 / 483	48 / 1219	3269	3372	3372	3478
19 / 483	54 / 1372	3397	3507	3507	3613
19 / 483	60 / 1524	3526	3639	3639	3751
19 / 483	66 / 1676	3700	3818	3818	3936
19 / 483	72 / 1829	3874	3998	3998	4122
19 / 483	78 / 1981	4758	4911	4911	5062
19 / 483	84 / 2134	4988	5146	5146	5306
19 / 483	90 / 2286	5394	5567	5567	5738
19 / 483	96 / 2438	5531	5706	5706	5883

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U H H S

High Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/BOX/FILE (B)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3346	3492	3492	3638
3480	3632	3632	3782
3611	3768	3768	3926
3791	3955	3955	4120
3968	4141	4141	4314
4871	5081	5081	5293
5106	5328	5328	5549
5519	5760	5760	5999
5660	5906	5906	6152
3518	3672	3672	3825
3657	3815	3815	3974
3796	3961	3961	4127
3983	4157	4157	4329
4171	4352	4352	4533
5123	5347	5347	5569
5370	5603	5603	5836
5807	6060	6060	6312
5955	6212	6212	6471

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1660	2191
1713	2275
1767	2361
1840	2464
1915	2565
2542	3352
2666	3521
2860	3796
n/a	n/a
1746	2308
1804	2398
1860	2485
1938	2595
2016	2700
2679	3530
2808	3708
3011	3997
n/a	n/a

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U H H S

High Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING

## FILE/FILE (F)

## SEAMLESS CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	2434	2679	2726	2679	2920	2726	3018
16 / 406	54 / 1372	2529	2781	2830	2781	3035	2830	3135
16 / 406	60 / 1524	2623	2885	2937	2885	3146	2937	3251
16 / 406	66 / 1676	2736	3011	3065	3011	3284	3065	3393
16 / 406	72 / 1829	2849	3134	3191	3134	3420	3191	3533
16 / 406	78 / 1981	3726	4098	4172	4098	4469	4172	4619
16 / 406	84 / 2134	3913	4305	4382	4305	4695	4382	4852
16 / 406	90 / 2286	4218	4640	4723	4640	5060	4723	5229
16 / 406	96 / 2438	4317	4749	4834	4749	5180	4834	5353
19 / 483	48 / 1219	2566	2822	2874	2822	3079	2874	3182
19 / 483	54 / 1372	2664	2931	2985	2931	3197	2985	3304
19 / 483	60 / 1524	2761	3039	3094	3039	3314	3094	3425
19 / 483	66 / 1676	2882	3171	3227	3171	3458	3227	3575
19 / 483	72 / 1829	3003	3303	3363	3303	3603	3363	3724
19 / 483	78 / 1981	3924	4316	4395	4316	4709	4395	4866
19 / 483	84 / 2134	4121	4532	4616	4532	4945	4616	5110
19 / 483	90 / 2286	4440	4885	4974	4885	5329	4974	5507
19 / 483	96 / 2438	4548	5001	5091	5001	5454	5091	5638

## FLINTWOOD CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
16 / 406	48 / 1219	2956	3050	3050	3144
16 / 406	54 / 1372	3079	3176	3176	3275
16 / 406	60 / 1524	3202	3304	3304	3406
16 / 406	66 / 1676	3368	3476	3476	3582
16 / 406	72 / 1829	3533	3645	3645	3759
16 / 406	78 / 1981	4424	4563	4563	4706
16 / 406	84 / 2134	4642	4788	4788	4937
16 / 406	90 / 2286	5025	5185	5185	5347
16 / 406	96 / 2438	5154	5320	5320	5483
19 / 483	48 / 1219	3114	3213	3213	3313
19 / 483	54 / 1372	3244	3347	3347	3451
19 / 483	60 / 1524	3371	3480	3480	3586
19 / 483	66 / 1676	3547	3661	3661	3773
19 / 483	72 / 1829	3720	3839	3839	3958
19 / 483	78 / 1981	4658	4807	4807	4955
19 / 483	84 / 2134	4886	5043	5043	5199
19 / 483	90 / 2286	5293	5462	5462	5631
19 / 483	96 / 2438	5429	5602	5602	5775

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U H H S

High Open with Drawer Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

## PRICING


		FILE/FILE (F)			
		VENEER CASE			
D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	48 / 1219	3182	3319	3319	3458
16 / 406	54 / 1372	3314	3457	3457	3603
16 / 406	60 / 1524	3448	3598	3598	3746
16 / 406	66 / 1676	3625	3783	3783	3940
16 / 406	72 / 1829	3804	3969	3969	4135
16 / 406	78 / 1981	4761	4969	4969	5175
16 / 406	84 / 2134	4995	5213	5213	5430
16 / 406	90 / 2286	5411	5645	5645	5881
16 / 406	96 / 2438	5549	5792	5792	6032
19 / 483	48 / 1219	3353	3498	3498	3644
19 / 483	54 / 1372	3492	3644	3644	3796
19 / 483	60 / 1524	3632	3789	3789	3946
19 / 483	66 / 1676	3819	3985	3985	4151
19 / 483	72 / 1829	4004	4179	4179	4353
19 / 483	78 / 1981	5015	5233	5233	5450
19 / 483	84 / 2134	5260	5489	5489	5717
19 / 483	90 / 2286	5699	5946	5946	6194
19 / 483	96 / 2438	5844	6099	6099	6354

If Counterweight is specified, add 137





## ULME

Low Dual Cubby Credenza –  
Elevated

The Elevated Low Dual Cubby Credenza provides both file storage and open binder storage, the capability to support worksurfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), 2" high pencil drawer with removable organizing tray (if specified), lock and keys (if specified), grommets (if specified), 1 file drawer with pull.

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

The 16" deep credenza **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (NN) must be selected.

When the Base Back Electrical Cut Out (BB) option is specified, the cut out will appear on the back and base of the drawer unit.

When a Grommet option (TL or TR) is specified, the grommet will appear in the cubby (left or right as specified).

Grommets are finished in Platinum.

The 16" deep credenza **cannot** be specified with Red Drawer Accessories.

## PRODUCT OPTIONS

Depth	Width	Drawer Location	Pull Style	Pull Finish	Case, Back & Front Finish
16, 19	84, 90, 96	L Left (shown) R Right C Center (shown)	D District R Rect-angular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer

## SAMPLE ORDER CODE

					Case	Back	Front
ULME 19	84	R	D	7	ZA	ZA	ZA

## PRODUCT OPTIONS CONTINUED

Foot Finish	Foot Style	Electrical Cut Out	Red Drawer Accessories	Key Style	Counter-weight
Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	D District A Angled Foot	BB Base Back Cut Out TL Base & Top Grommet, Left Cubby TR Base & Top Grommet, Right Cubby NN None	Y Yes N No	K Keyed Alike R Keyed Rand-omly N No Lock	1 Yes 2 No

## SAMPLE ORDER CODE CONTINUED

7	A	TL	Y	R	2
---	---	----	---	---	---

Pricing is continued on the following page.

## ULME

Low Dual Cubby Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1785	2240
1887	2371
n/a	n/a
1874	2359
1979	2497
n/a	n/a

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406 84 / 2134	2489	2839	2887	2839	3186	2887	3285
16 / 406 90 / 2286	2635	3006	3058	3006	3374	3058	3480
16 / 406 96 / 2438	2724	3105	3160	3105	3487	3160	3598
19 / 483 84 / 2134	2622	2988	3040	2988	3355	3040	3460
19 / 483 90 / 2286	2776	3163	3219	3163	3551	3219	3664
19 / 483 96 / 2438	2868	3270	3326	3270	3671	3326	3785

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
16 / 406 84 / 2134	2732	3075	3075	3418
16 / 406 90 / 2286	2960	3332	3332	3701
16 / 406 96 / 2438	3073	3457	3457	3842
19 / 483 84 / 2134	2878	3239	3239	3599
19 / 483 90 / 2286	3116	3508	3508	3896
19 / 483 96 / 2438	3234	3639	3639	4043

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406 84 / 2134	3446	3516	3516	3587
16 / 406 90 / 2286	3731	3807	3807	3886
16 / 406 96 / 2438	3871	3954	3954	4033
19 / 483 84 / 2134	3626	3702	3702	3777
19 / 483 90 / 2286	3927	4010	4010	4091
19 / 483 96 / 2438	4075	4160	4160	4245

If Base Back Cut Out is specified, add 87


If Base &amp; Top Grommet is specified, add 172

If Red Drawer Accessories are specified, add 172

If Counterweight is specified, add 137

U L M S

Low Dual Cubby Credenza – Standard



The Standard Low Dual Cubby Credenza provides both file storage and open binder storage with the capability to support worksurfaces, stackers and panels.

WHAT’S INCLUDED

1 credenza with 1 box/file drawer and 2 pulls, 2 height-adjustable shelves, lock and keys (if specified), counterweight (if specified).

WHAT’S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

PRODUCT OPTIONS

Depth	Width	Drawer Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
16, 19	84, 90, 96	L Left (shown) R Right C Center (shown)	D District R Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike R Keyed Randomly N No Lock	1 Yes 2 No

SAMPLE ORDER CODE

					Case	Back	Front		
ULMS 16	84	L	D	7	ZA	ZA	ZA	R	2

392

DIMENSIONS  
INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

PRICING

SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1812	2349
1929	2474
n/a	n/a
1908	2478
2031	2609
n/a	n/a

SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2609	2975	3027	2975	3340	3027	3446
2749	3133	3188	3133	3518	3188	3629
2835	3233	3288	3233	3631	3288	3743
2753	3139	3193	3139	3523	3193	3635
2900	3306	3364	3306	3712	3364	3828
2991	3410	3470	3410	3830	3470	3949

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U L M S

# Low Dual Cubby Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2835	3190	3190	3545
2991	3366	3366	3739
3095	3482	3482	3868
2990	3365	3365	3738
3155	3548	3548	3942
3263	3671	3671	4078

### VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	3573	3646	3646	3722
16 / 406	3769	3848	3848	3927
16 / 406	3899	3981	3981	4062
19 / 483	3768	3847	3847	3926
19 / 483	3974	4058	4058	4140
19 / 483	4111	4196	4196	4283

If Counterweight is specified, add 137

## U H M E

High Dual Cubby Credenza –  
Elevated

The Elevated High Dual Cubby Credenza provides both file storage and open binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 credenza with 1 box/file drawer and 2 pulls, 2 height-adjustable shelves, 2 District feet or 4 angled feet (as specified), lock and keys (if specified), grommets (if specified), counterweight (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

The 16" deep credenza **cannot** be specified with a District Foot (D).

Electrical Cut Out options are **not** available when the District Foot (D) is specified. (NN) must be selected.

When the Base Back Electrical Cut Out (BB) option is specified, the cut out will appear on the back and the base of the drawer unit.

When a Grommet option (TL or TR) is specified, the grommet will appear in the cubby (left or right as specified).

Grommets are finished in Platinum.

## PRODUCT OPTIONS

Drawer Combination	Depth	Width	Drawer Location	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out	Key Style	Counterweight
<b>X</b> Box/File	16, 19	84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right <b>C</b> Center (shown)	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>D</b> District <b>A</b> Angled Foot	<b>BB</b> Base Back Cut Out <b>TL</b> Base & Top Grommet, Left Cubby <b>TR</b> Base & Top Grommet, Right Cubby <b>NN</b> None	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>1</b> Yes <b>2</b> No

## SAMPLE ORDER CODE

Case Back Front

<b>UHME</b> <b>X</b>	<b>16</b>	<b>84</b>	<b>R</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>TL</b>	<b>R</b>	<b>2</b>
-------------------------	-----------	-----------	----------	----------	----------	-----------	-----------	-----------	----------	----------	-----------	----------	----------

DIMENSIONS  
INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1959	2479
2072	2637
n/a	n/a
2054	2608
2174	2777
n/a	n/a

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	2754	3084	3140	3084	3416	3140	3525
16 / 406	2931	3282	3341	3282	3635	3341	3751
16 / 406	3029	3393	3454	3393	3758	3454	3877
19 / 483	2898	3246	3305	3246	3594	3305	3709
19 / 483	3084	3455	3516	3455	3825	3516	3949
19 / 483	3190	3574	3637	3574	3956	3637	4083

If Base Back Cut Out is specified, add 87

If Base & Top Grommet is specified, add 172

If Counterweight is specified, add 137

Pricing is continued on the following page.

# U H M E

## High Dual Cubby Credenza – Elevated (Continued)

### DIMENSIONS INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

### PRICING

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3122	3416	3416	3672
3309	3619	3619	3894
3425	3747	3747	4030
3286	3596	3596	3866
3483	3810	3810	4098
3606	3945	3945	4242

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3702	3778	3778	3856
3925	4006	4006	4089
4062	4146	4146	4232
3897	3978	3978	4059
4131	4218	4218	4304
4277	4366	4366	4456


If Base Back Cut Out is specified, add 87

If Base & Top Grommet is specified, add 172

If Counterweight is specified, add 137

## UHMS

## High Dual Cubby Credenza – Standard



The Standard High Dual Cubby Credenza provides both file storage and open binder storage with the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza with file/file or box/box/file drawers and pulls (as specified), 2 height-adjustable shelves, lock and keys (if specified), counterweight (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

Box/Box/File (B) drawer combination **cannot** be specified with Individual Locks.

For shared filing, Individual Lock (L) key style is available when File/File (F) drawer combination is specified.

## PRODUCT OPTIONS

Drawer Combination	Depth	Width	Drawer Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
<b>B</b> Box/Box/File	16, 19	84, 90, 96	<b>L</b> Left (shown)	<b>D</b> District	Foundation	Source Laminate	<b>L</b> Individual Lock	<b>1</b> Yes
<b>F</b> File/File			<b>R</b> Right	<b>R</b> Rectangular	Mica	Seamless Color	<b>K</b> Keyed Alike	<b>2</b> No
			<b>C</b> Center			Flintwood	<b>R</b> Keyed Randomly	
						Natural Veneer	<b>N</b> No Lock	

## SAMPLE ORDER CODE

						Case Back Front				
UHMS B	16	84	R	D	7	ZA	ZA	ZA	R	2

DIMENSIONS  
INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2041	2568
2171	2779
n/a	n/a
2146	2703
2282	2926
n/a	n/a

## SEAMLESS CASE

		Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	84 / 2134	2853	3195	3253	3195	3540	3253	3651
16 / 406	90 / 2286	3086	3457	3519	3457	3828	3519	3952
16 / 406	96 / 2438	3175	3555	3618	3555	3937	3618	4064
19 / 483	84 / 2134	3006	3366	3427	3366	3728	3427	3846
19 / 483	90 / 2286	3251	3641	3706	3641	4031	3706	4161
19 / 483	96 / 2438	3345	3746	3813	3746	4149	3813	4282

## FLINTWOOD CASE

		FLINTWOOD GRAY			
		Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
16 / 406	84 / 2134	3128	3423	3423	3679
16 / 406	90 / 2286	3406	3728	3728	4006
16 / 406	96 / 2438	3513	3843	3843	4132
19 / 483	84 / 2134	3293	3605	3605	3875
19 / 483	90 / 2286	3585	3925	3925	4220
19 / 483	96 / 2438	3699	4047	4047	4351

If Counterweight is specified, add 137

Pricing is continued on the following page.



## U H M S

High Dual Cubby Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

D	W
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## BOX/BOX/FILE (B)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3708	3788	3788	3864
4040	4124	4124	4207
4165	4252	4252	4339
3906	3988	3988	4069
4254	4342	4342	4431
4386	4477	4477	4568

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1979	2526
2108	2733
n/a	n/a
2083	2661
2220	2882
n/a	n/a

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2807	3142	3199	3142	3480	3199	3591
3039	3403	3464	3403	3768	3464	3890
3127	3502	3567	3502	3877	3567	4002
2957	3312	3371	3312	3667	3371	3785
3203	3586	3650	3586	3971	3650	4099
3298	3694	3759	3694	4089	3759	4220

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3089	3379	3379	3635
3367	3683	3683	3961
3476	3802	3802	4088
3254	3560	3560	3830
3547	3881	3881	4173
3661	4003	4003	4306

## VENEER CASE


Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3664	3739	3739	3815
3993	4077	4077	4160
4120	4205	4205	4291
3861	3940	3940	4021
4206	4295	4295	4382
4340	4431	4431	4522

If Counterweight is specified, add 137

If Individual Lock is specified, add 137

## ULGE

## Low Single Sliding Door Credenza – Elevated



The Elevated Low Single Sliding Door Credenza provides both open and secured, lockable binder storage, and the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), 1 sliding door with pull, grommet (if specified), lock and keys (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit.

Handedness is determined by the location of the open section when the cabinet is in the locked position.

The 16" deep credenza **cannot** be specified with a District Foot (D).

Grommets are finished in Platinum.

Grommet option is available for casual power and data routing only. The Cubby Power Monument (EWQPM) cannot be used in the Low Single Sliding Door Credenza.

The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door.

## PRODUCT OPTIONS

Depth	Width	Open Compartment Location	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out (Angled Foot Only)	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>D</b> District <b>A</b> Angled Foot	<b>T</b> Base & Top Grommet <b>N</b> None	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

398

## SAMPLE ORDER CODE

Case Back Front

<b>ULGE 16</b>	<b>90</b>	<b>L</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>T</b>	<b>R</b>
----------------	-----------	----------	----------	-----------	-----------	-----------	----------	----------	----------	----------

DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1074	1635	1239
1150	1686	1302
1221	1735	1368
1292	1780	1429
1368	1832	1501
1444	1882	1591
1516	1933	1681
1586	1989	1771
1659	2044	1851
n/a	n/a	n/a
1127	1716	1302
1208	1771	1367
1281	1823	1437
1356	1870	1501
1437	1924	1577
1516	1976	1670
1592	2031	1766
1666	2088	1860
1742	2147	1945
n/a	n/a	n/a

Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U L G E

# Low Single Sliding Door Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
1708	1901	1920	2008	1901	2102	2199
1762	1961	1978	2071	1961	2168	2270
1809	2016	2034	2129	2016	2229	2334
1861	2072	2092	2191	2072	2293	2400
1911	2131	2151	2253	2131	2358	2470
1965	2192	2212	2316	2192	2425	2539
2020	2253	2273	2381	2253	2492	2609
2077	2317	2337	2448	2317	2563	2686
2135	2383	2404	2517	2383	2636	2761
2195	2450	2473	2590	2450	2714	2842
1794	1995	2015	2108	1995	2207	2309
1847	2060	2078	2175	2060	2276	2384
1900	2117	2135	2236	2117	2340	2451
1953	2176	2196	2300	2176	2407	2520
2008	2238	2258	2365	2238	2475	2593
2063	2301	2323	2431	2301	2545	2665
2122	2365	2387	2498	2365	2618	2742
2181	2431	2453	2569	2431	2692	2819
2242	2501	2523	2642	2501	2768	2901
2305	2571	2596	2719	2571	2847	2982

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
1920	2349	2460
1978	2424	2538
2034	2493	2610
2092	2564	2687
2151	2636	2761
2212	2714	2842
2273	2788	2921
2337	2868	3006
2404	2951	3092
2473	3037	3181
2015	2467	2584
2078	2544	2664
2135	2619	2743
2196	2693	2820
2258	2768	2901
2323	2847	2982
2387	2928	3068
2453	3012	3156
2523	3099	3246
2596	3188	3340

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U L G E

Low Single Sliding Door Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2067	2285	2183	2183	2366	2258
2149	2375	2269	2269	2459	2348
2229	2465	2354	2354	2552	2436
2314	2560	2444	2444	2651	2530
2400	2656	2536	2536	2750	2626
2492	2757	2631	2631	2855	2725
2585	2861	2731	2731	2964	2828
2685	2971	2835	2835	3078	2937
2786	3085	2945	2945	3194	3049
2891	3203	3056	3056	3317	3166
2169	2399	2291	2291	2484	2371
2257	2495	2383	2383	2583	2466
2340	2589	2472	2472	2681	2560
2429	2687	2565	2565	2782	2656
2520	2788	2662	2662	2887	2756
2618	2894	2762	2762	2998	2861
2716	3005	2868	2868	3112	2971
2818	3118	2977	2977	3232	3084
2926	3240	3092	3092	3355	3202
3038	3364	3210	3210	3483	3324

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2139	2366	2259	2259	2448	2337
2224	2461	2350	2350	2546	2431
2307	2554	2438	2438	2642	2522
2395	2652	2532	2532	2744	2620
2484	2753	2628	2628	2847	2718
2579	2857	2727	2727	2955	2821
2679	2966	2830	2830	3069	2929
2781	3081	2940	2940	3188	3042
2886	3199	3052	3052	3309	3158
2996	3321	3170	3170	3435	3280
2245	2485	2373	2373	2569	2453
2335	2584	2468	2468	2673	2553
2424	2683	2562	2562	2776	2651
2515	2784	2658	2658	2880	2750
2608	2889	2758	2758	2990	2853
2710	2999	2864	2864	3104	2961
2812	3114	2974	2974	3222	3075
2919	3235	3086	3086	3347	3194
3029	3359	3205	3205	3477	3316
3145	3486	3326	3326	3609	3442

If Base &amp; Top Grommet is specified, add 172



## ULGS

## Low Single Sliding Door Credenza – Standard



The Standard Low Single Sliding Door Credenza provides both open and secured, lockable binder storage, and the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 credenza, 1 sliding door with pull, 2 height-adjustable shelves, lock and keys (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit.

Handedness is determined by the location of the open section when the cabinet is in the locked position.

The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door.

**PRODUCT OPTIONS**

Depth	Width	Open Compartment Location	Pull Finish	Case, Back & Front Finish	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

				Case	Back	Front	
<b>ULGS 16</b>	<b>90</b>	<b>L</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

402

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1074	1635	1239
1150	1686	1302
1221	1735	1368
1292	1780	1429
1368	1832	1501
1444	1882	1591
1516	1933	1681
1586	1989	1771
1659	2044	1851
n/a	n/a	n/a
1127	1716	1302
1208	1771	1367
1281	1823	1437
1356	1870	1501
1437	1924	1577
1516	1976	1670
1592	2031	1766
1666	2088	1860
1742	2147	1945
n/a	n/a	n/a

Pricing is continued on the following page.

## U L G S

# Low Single Sliding Door Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
1708	1901	1920	2008	1901	2102	2199
1762	1961	1978	2071	1961	2168	2270
1809	2016	2034	2129	2016	2229	2334
1861	2072	2092	2191	2072	2293	2400
1911	2131	2151	2253	2131	2358	2470
1965	2192	2212	2316	2192	2425	2539
2020	2253	2273	2381	2253	2492	2609
2077	2317	2337	2448	2317	2563	2686
2135	2383	2404	2517	2383	2636	2761
2195	2450	2473	2590	2450	2714	2842
1794	1995	2015	2108	1995	2207	2309
1847	2060	2078	2175	2060	2276	2384
1900	2117	2135	2236	2117	2340	2451
1953	2176	2196	2300	2176	2407	2520
2008	2238	2258	2365	2238	2475	2593
2063	2301	2323	2431	2301	2545	2665
2122	2365	2387	2498	2365	2618	2742
2181	2431	2453	2569	2431	2692	2819
2242	2501	2523	2642	2501	2768	2901
2305	2571	2596	2719	2571	2847	2982

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
1920	2349	2460
1978	2424	2538
2034	2493	2610
2092	2564	2687
2151	2636	2761
2212	2714	2842
2273	2788	2921
2337	2868	3006
2404	2951	3092
2473	3037	3181
2015	2467	2584
2078	2544	2664
2135	2619	2743
2196	2693	2820
2258	2768	2901
2323	2847	2982
2387	2928	3068
2453	3012	3156
2523	3099	3246
2596	3188	3340

Pricing is continued on the following page.

## U L G S

Low Single Sliding Door Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2067	2285	2183	2183	2366	2258
2149	2375	2269	2269	2459	2348
2229	2465	2354	2354	2552	2436
2314	2560	2444	2444	2651	2530
2400	2656	2536	2536	2750	2626
2492	2757	2631	2631	2855	2725
2585	2861	2731	2731	2964	2828
2685	2971	2835	2835	3078	2937
2786	3085	2945	2945	3194	3049
2891	3203	3056	3056	3317	3166
2169	2399	2291	2291	2484	2371
2257	2495	2383	2383	2583	2466
2340	2589	2472	2472	2681	2560
2429	2687	2565	2565	2782	2656
2520	2788	2662	2662	2887	2756
2618	2894	2762	2762	2998	2861
2716	3005	2868	2868	3112	2971
2818	3118	2977	2977	3232	3084
2926	3240	3092	3092	3355	3202
3038	3364	3210	3210	3483	3324

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2139	2366	2259	2259	2448	2337
2224	2461	2350	2350	2546	2431
2307	2554	2438	2438	2642	2522
2395	2652	2532	2532	2744	2620
2484	2753	2628	2628	2847	2718
2579	2857	2727	2727	2955	2821
2679	2966	2830	2830	3069	2929
2781	3081	2940	2940	3188	3042
2886	3199	3052	3052	3309	3158
2996	3321	3170	3170	3435	3280
2245	2485	2373	2373	2569	2453
2335	2584	2468	2468	2673	2553
2424	2683	2562	2562	2776	2651
2515	2784	2658	2658	2880	2750
2608	2889	2758	2758	2990	2853
2710	2999	2864	2864	3104	2961
2812	3114	2974	2974	3222	3075
2919	3235	3086	3086	3347	3194
3029	3359	3205	3205	3477	3316
3145	3486	3326	3326	3609	3442





## ULSE

## Low Double Sliding Door Credenza – Elevated



The Elevated Low Double Sliding Door Credenza provides secured, lockable binder storage, and the capability to support stackers and panels.

**WHAT'S INCLUDED**

1 credenza, 2 District feet or 4 angled feet (as specified), 2 sliding doors with pulls, lock and keys (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit.

The 16" deep **cannot** be specified with a District Foot (D).

The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door.

It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface.

Cubby Power Mounting (EWQPM) cannot be mounted in sliding door credenzas.

**PRODUCT OPTIONS**

Depth	Width	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out (Angled Foot Only)	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer FT Frost Standard Glass BP Backpainted Glass	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	D District A Angled Foot	TR Base & Top Grommet Right TL Base & Top Grommet Left NN None	K Keyed Alike R Keyed Randomly N No Lock

**SAMPLE ORDER CODE**

			Case	Back	Front						
ULSE 16	90	7	ZA	ZA	ZA	7	A	NN	R		

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1130	1721	1305
1211	1775	1370
1285	1826	1440
1359	1874	1504
1440	1928	1580
1519	1982	1675
1595	2036	1770
1670	2093	1864
1746	2152	1950
n/a	n/a	n/a
1186	1807	1370
1272	1864	1439
1350	1916	1512
1428	1969	1580
1512	2024	1659
1595	2080	1758
1676	2137	1859
1752	2197	1957
1834	2259	2047
n/a	n/a	n/a

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## ULSE

# Low Double Sliding Door Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
1798	2001	2020	2113	2001	2212	2316
1855	2064	2083	2181	2064	2283	2389
1904	2122	2141	2241	2122	2347	2457
1958	2182	2202	2305	2182	2414	2527
2013	2243	2264	2370	2243	2482	2599
2069	2306	2329	2437	2306	2552	2672
2126	2370	2393	2505	2370	2624	2748
2186	2438	2460	2576	2438	2697	2826
2248	2507	2531	2651	2507	2777	2908
2310	2578	2602	2725	2578	2855	2990
1888	2101	2121	2220	2101	2323	2431
1946	2167	2187	2289	2167	2396	2509
2000	2227	2248	2354	2227	2464	2579
2056	2290	2313	2420	2290	2534	2654
2113	2356	2378	2489	2356	2605	2728
2172	2422	2445	2560	2422	2681	2807
2232	2489	2512	2630	2489	2754	2885
2295	2561	2583	2703	2561	2833	2968
2361	2632	2657	2782	2632	2915	3053
2427	2707	2731	2861	2707	2997	3140

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2020	2473	2591
2083	2551	2670
2141	2625	2749
2202	2698	2827
2264	2777	2908
2329	2855	2990
2393	2936	3075
2460	3019	3163
2531	3107	3254
2602	3195	3348
2121	2597	2720
2187	2680	2806
2248	2755	2886
2313	2834	2969
2378	2915	3053
2445	2997	3140
2512	3082	3228
2583	3171	3322
2657	3261	3418
2731	3355	3516

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## ULSE

Low Double Sliding Door Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2176	2405	2298	2298	2490	2378
2261	2501	2388	2388	2590	2472
2347	2595	2478	2478	2687	2565
2435	2693	2571	2571	2788	2662
2527	2795	2668	2668	2894	2762
2624	2903	2769	2769	3006	2870
2722	3012	2876	2876	3119	2978
2825	3127	2985	2985	3240	3092
2933	3248	3100	3100	3364	3210
3044	3371	3218	3218	3492	3333
2285	2526	2413	2413	2615	2497
2375	2626	2507	2507	2719	2596
2464	2724	2601	2601	2820	2693
2557	2827	2699	2699	2928	2795
2654	2936	2802	2802	3039	2901
2754	3047	2909	2909	3156	3012
2858	3162	3019	3019	3276	3127
2966	3283	3134	3134	3401	3246
3080	3410	3254	3254	3532	3370
3197	3541	3378	3378	3667	3498

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2252	2491	2379	2379	2576	2460
2340	2592	2474	2474	2682	2560
2429	2689	2567	2567	2782	2656
2521	2790	2664	2664	2887	2756
2615	2897	2764	2764	2997	2860
2716	3008	2872	2872	3111	2970
2818	3123	2980	2980	3231	3083
2926	3243	3095	3095	3355	3202
3038	3367	3213	3213	3484	3324
3154	3495	3336	3336	3616	3452
2364	2618	2498	2498	2703	2583
2458	2721	2598	2598	2815	2688
2551	2822	2695	2695	2920	2788
2649	2931	2797	2797	3032	2894
2747	3042	2905	2905	3147	3005
2850	3158	3014	3014	3267	3117
2959	3278	3129	3129	3392	3237
3073	3404	3250	3250	3522	3363
3189	3537	3374	3374	3660	3490
3311	3670	3502	3502	3798	3624

If Base &amp; Top Grommet is specified, add 172



## ULSS

## Low Double Sliding Door Credenza – Standard



The Standard Low Double Sliding Door Credenza provides secured, lockable binder storage, and the capability to support stackers and panels.

**WHAT'S INCLUDED**

1 credenza, 2 sliding doors with pulls, 2 height-adjustable shelves, lock and keys (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit.

The Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN) **cannot** be used with this unit as it will interfere with the sliding door.

It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface.

## PRODUCT OPTIONS

Depth	Width	Pull Finish	Case, Back & Front Finish	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

## SAMPLE ORDER CODE

			Case	Back	Front	
<b>ULSS 16</b>	<b>90</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

410

DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1130	1721	1305
1211	1775	1370
1285	1826	1440
1359	1874	1504
1440	1928	1580
1519	1982	1675
1595	2036	1770
1670	2093	1864
1746	2152	1950
n/a	n/a	n/a
1186	1807	1370
1272	1864	1439
1350	1916	1512
1428	1969	1580
1512	2024	1659
1595	2080	1758
1676	2137	1859
1752	2197	1957
1834	2259	2047
n/a	n/a	n/a

Pricing is continued on the following page.

## ULSS

# Low Double Sliding Door Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
1798	2001	2020	2113	2001	2212	2316
1855	2064	2083	2181	2064	2283	2389
1904	2122	2141	2241	2122	2347	2457
1958	2182	2202	2305	2182	2414	2527
2013	2243	2264	2370	2243	2482	2599
2069	2306	2329	2437	2306	2552	2672
2126	2370	2393	2505	2370	2624	2748
2186	2438	2460	2576	2438	2697	2826
2248	2507	2531	2651	2507	2777	2908
2310	2578	2602	2725	2578	2855	2990
1888	2101	2121	2220	2101	2323	2431
1946	2167	2187	2289	2167	2396	2509
2000	2227	2248	2354	2227	2464	2579
2056	2290	2313	2420	2290	2534	2654
2113	2356	2378	2489	2356	2605	2728
2172	2422	2445	2560	2422	2681	2807
2232	2489	2512	2630	2489	2754	2885
2295	2561	2583	2703	2561	2833	2968
2361	2632	2657	2782	2632	2915	3053
2427	2707	2731	2861	2707	2997	3140

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2020	2473	2591
2083	2551	2670
2141	2625	2749
2202	2698	2827
2264	2777	2908
2329	2855	2990
2393	2936	3075
2460	3019	3163
2531	3107	3254
2602	3195	3348
2121	2597	2720
2187	2680	2806
2248	2755	2886
2313	2834	2969
2378	2915	3053
2445	2997	3140
2512	3082	3228
2583	3171	3322
2657	3261	3418
2731	3355	3516

Pricing is continued on the following page.

## ULSS

Low Double Sliding Door Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2176	2405	2298	2298	2490	2378
2261	2501	2388	2388	2590	2472
2347	2595	2478	2478	2687	2565
2435	2693	2571	2571	2788	2662
2527	2795	2668	2668	2894	2762
2624	2903	2769	2769	3006	2870
2722	3012	2876	2876	3119	2978
2825	3127	2985	2985	3240	3092
2933	3248	3100	3100	3364	3210
3044	3371	3218	3218	3492	3333
2285	2526	2413	2413	2615	2497
2375	2626	2507	2507	2719	2596
2464	2724	2601	2601	2820	2693
2557	2827	2699	2699	2928	2795
2654	2936	2802	2802	3039	2901
2754	3047	2909	2909	3156	3012
2858	3162	3019	3019	3276	3127
2966	3283	3134	3134	3401	3246
3080	3410	3254	3254	3532	3370
3197	3541	3378	3378	3667	3498

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2252	2491	2379	2379	2576	2460
2340	2592	2474	2474	2682	2560
2429	2689	2567	2567	2782	2656
2521	2790	2664	2664	2887	2756
2615	2897	2764	2764	2997	2860
2716	3008	2872	2872	3111	2970
2818	3123	2980	2980	3231	3083
2926	3243	3095	3095	3355	3202
3038	3367	3213	3213	3484	3324
3154	3495	3336	3336	3616	3452
2364	2618	2498	2498	2703	2583
2458	2721	2598	2598	2815	2688
2551	2822	2695	2695	2920	2788
2649	2931	2797	2797	3032	2894
2747	3042	2905	2905	3147	3005
2850	3158	3014	3014	3267	3117
2959	3278	3129	3129	3392	3237
3073	3404	3250	3250	3522	3363
3189	3537	3374	3374	3660	3490
3311	3670	3502	3502	3798	3624





## U H G E

## High Single Sliding Door Credenza – Elevated



The Elevated High Single Sliding Door Credenza provides both open and secured, lockable binder storage, and the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), 1 sliding door with pull, 2 height-adjustable shelves, grommet (if specified), lock and keys (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit.

Handedness is determined by the location of the open section when the cabinet is in the locked position.

The 16" deep **cannot** be specified with a District Foot (D).

Grommets are finished in Platinum.

Grommet option is available for casual power and data routing only. The Cubby Power Monument (EWQPM) **cannot** be used in the High Single Sliding Door Credenza.

## PRODUCT OPTIONS

Depth	Width	Open Compartment Location	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out (Angled Foot Only)	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>D</b> District <b>A</b> Angled Foot	<b>T</b> Base & Top Grommet <b>N</b> None	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

## SAMPLE ORDER CODE

Case Back Front

<b>UHGE 16</b>	<b>90</b>	<b>L</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>T</b>	<b>R</b>
----------------	-----------	----------	----------	-----------	-----------	-----------	----------	----------	----------	----------

DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1309	2009	1461
1406	2078	1537
1495	2135	1616
1581	2196	1689
1678	2258	1775
1772	2323	1882
1863	2388	1991
1952	2454	2099
2041	2524	2196
n/a	n/a	n/a
1374	2109	1534
1475	2182	1613
1569	2242	1696
1661	2306	1773
1763	2371	1864
1861	2438	1976
1955	2507	2090
2047	2578	2204
2145	2652	2306
n/a	n/a	n/a

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U H G E

# High Single Sliding Door Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
2103	2290	2302	2412	2290	2517	2635
2175	2368	2382	2493	2368	2604	2727
2236	2435	2449	2564	2435	2680	2807
2300	2505	2519	2637	2505	2755	2886
2365	2577	2591	2715	2577	2833	2969
2431	2651	2663	2789	2651	2914	3053
2500	2724	2738	2870	2724	2997	3140
2570	2802	2817	2951	2802	3083	3231
2643	2882	2897	3037	2882	3172	3323
2719	2965	2980	3124	2965	3263	3420
2208	2405	2418	2533	2405	2642	2767
2284	2488	2500	2619	2488	2733	2864
2348	2559	2570	2693	2559	2813	2947
2414	2630	2645	2769	2630	2891	3029
2482	2705	2720	2848	2705	2976	3116
2553	2782	2796	2929	2782	3060	3206
2626	2860	2876	3013	2860	3146	3298
2698	2944	2957	3099	2944	3237	3391
2777	3026	3042	3188	3026	3330	3488
2855	3113	3129	3280	3113	3427	3590

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2302	2537	2657
2382	2626	2750
2449	2698	2827
2519	2778	2909
2591	2856	2992
2663	2937	3078
2738	3020	3166
2817	3108	3256
2897	3195	3349
2980	3287	3447
2418	2663	2789
2500	2756	2887
2570	2834	2970
2645	2915	3053
2720	2998	3142
2796	3084	3232
2876	3173	3324
2957	3263	3419
3042	3357	3518
3129	3453	3617

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U H G E

High Single Sliding Door Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2429	2688	2565	2565	2782	2656
2529	2796	2669	2669	2896	2763
2625	2905	2774	2774	3008	2871
2724	3016	2878	2878	3124	2980
2827	3130	2988	2988	3243	3095
2936	3251	3103	3103	3368	3214
3048	3376	3221	3221	3497	3337
3166	3507	3346	3346	3633	3465
3286	3640	3474	3474	3772	3600
3413	3781	3608	3608	3916	3737
2550	2821	2693	2693	2921	2788
2655	2936	2802	2802	3042	2904
2755	3049	2911	2911	3158	3014
2860	3166	3021	3021	3280	3129
2970	3287	3138	3138	3406	3250
3083	3413	3257	3257	3537	3374
3201	3545	3383	3383	3672	3503
3324	3680	3513	3513	3814	3639
3452	3823	3646	3646	3960	3778
3583	3969	3788	3788	4112	3924

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2514	2784	2658	2658	2880	2750
2513	2783	2657	2657	2879	2749
2607	2889	2758	2758	2989	2852
2707	2998	2863	2863	3104	2961
2811	3113	2973	2973	3222	3075
2917	3235	3085	3085	3346	3193
3028	3358	3204	3204	3476	3315
3145	3487	3326	3326	3609	3442
3266	3619	3455	3455	3747	3576
3391	3762	3586	3586	3893	3713
2639	2924	2790	2790	3023	2887
2637	2922	2789	2789	3022	2886
2738	3036	2896	2896	3139	2996
2843	3150	3006	3006	3258	3110
2951	3270	3119	3119	3384	3228
3064	3396	3241	3241	3513	3352
3180	3525	3365	3365	3647	3481
3303	3663	3494	3494	3790	3614
3430	3802	3629	3629	3936	3756
3560	3950	3767	3767	4088	3898

If Base &amp; Top Grommet is specified, add 172



## U H G S

## High Single Sliding Door Credenza – Standard



The Standard High Single Sliding Door Credenza provides both open and secured, lockable binder storage, and the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 credenza, 1 sliding door with pull, 2 height-adjustable shelves, lock and keys (if specified)

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

Single Sliding Door Credenzas will always have two sections (one open and one secured) regardless of the width of the unit.

Handedness is determined by the location of the open section when the cabinet is in the locked position.

**PRODUCT OPTIONS**

Depth	Width	Open Compartment Location	Pull Finish	Case, Back & Front Finish	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left (shown) <b>R</b> Right	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

				Case	Back	Front	
<b>UHGS 16</b>	<b>90</b>	<b>L</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

418

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1309	2009	1461
1406	2078	1537
1495	2135	1616
1581	2196	1689
1678	2258	1775
1772	2323	1882
1863	2388	1991
1952	2454	2099
2041	2524	2196
n/a	n/a	n/a
1374	2109	1534
1475	2182	1613
1569	2242	1696
1661	2306	1773
1763	2371	1864
1861	2438	1976
1955	2507	2090
2047	2578	2204
2145	2652	2306
n/a	n/a	n/a

Pricing is continued on the following page.

## U H G S

# High Single Sliding Door Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
2103	2290	2302	2412	2290	2517	2635
2175	2368	2382	2493	2368	2604	2727
2236	2435	2449	2564	2435	2680	2807
2300	2505	2519	2637	2505	2755	2886
2365	2577	2591	2715	2577	2833	2969
2431	2651	2663	2789	2651	2914	3053
2500	2724	2738	2870	2724	2997	3140
2570	2802	2817	2951	2802	3083	3231
2643	2882	2897	3037	2882	3172	3323
2719	2965	2980	3124	2965	3263	3420
2208	2405	2418	2533	2405	2642	2767
2284	2488	2500	2619	2488	2733	2864
2348	2559	2570	2693	2559	2813	2947
2414	2630	2645	2769	2630	2891	3029
2482	2705	2720	2848	2705	2976	3116
2553	2782	2796	2929	2782	3060	3206
2626	2860	2876	3013	2860	3146	3298
2698	2944	2957	3099	2944	3237	3391
2777	3026	3042	3188	3026	3330	3488
2855	3113	3129	3280	3113	3427	3590

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2302	2537	2657
2382	2626	2750
2449	2698	2827
2519	2778	2909
2591	2856	2992
2663	2937	3078
2738	3020	3166
2817	3108	3256
2897	3195	3349
2980	3287	3447
2418	2663	2789
2500	2756	2887
2570	2834	2970
2645	2915	3053
2720	2998	3142
2796	3084	3232
2876	3173	3324
2957	3263	3419
3042	3357	3518
3129	3453	3617

Pricing is continued on the following page.

## U H G S

High Single Sliding Door Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2429	2688	2565	2565	2782	2656
2529	2796	2669	2669	2896	2763
2625	2905	2774	2774	3008	2871
2724	3016	2878	2878	3124	2980
2827	3130	2988	2988	3243	3095
2936	3251	3103	3103	3368	3214
3048	3376	3221	3221	3497	3337
3166	3507	3346	3346	3633	3465
3286	3640	3474	3474	3772	3600
3413	3781	3608	3608	3916	3737
2550	2821	2693	2693	2921	2788
2655	2936	2802	2802	3042	2904
2755	3049	2911	2911	3158	3014
2860	3166	3021	3021	3280	3129
2970	3287	3138	3138	3406	3250
3083	3413	3257	3257	3537	3374
3201	3545	3383	3383	3672	3503
3324	3680	3513	3513	3814	3639
3452	3823	3646	3646	3960	3778
3583	3969	3788	3788	4112	3924

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2514	2784	2658	2658	2880	2750
2513	2783	2657	2657	2879	2749
2607	2889	2758	2758	2989	2852
2707	2998	2863	2863	3104	2961
2811	3113	2973	2973	3222	3075
2917	3235	3085	3085	3346	3193
3028	3358	3204	3204	3476	3315
3145	3487	3326	3326	3609	3442
3266	3619	3455	3455	3747	3576
3391	3762	3586	3586	3893	3713
2639	2924	2790	2790	3023	2887
2637	2922	2789	2789	3022	2886
2738	3036	2896	2896	3139	2996
2843	3150	3006	3006	3258	3110
2951	3270	3119	3119	3384	3228
3064	3396	3241	3241	3513	3352
3180	3525	3365	3365	3647	3481
3303	3663	3494	3494	3790	3614
3430	3802	3629	3629	3936	3756
3560	3950	3767	3767	4088	3898





## U H S E

## High Double Sliding Door Credenza – Elevated



The Elevated High Double Sliding Door Credenza provides secured, lockable binder storage, and the capability to support stackers and panels.

## WHAT'S INCLUDED

1 credenza, 2 District feet or 4 angled feet (as specified), 2 sliding doors with pulls, 2 height-adjustable shelves, lock and keys (if specified).

## WHAT'S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

## NOTES

Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit.

The 16" deep **cannot** be specified with a District Foot (D).

It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface.

## PRODUCT OPTIONS

Depth	Width	Pull Finish	Case, Back & Front Finish	Foot Finish	Foot Style	Electrical Cut Out (Angled Foot Only)	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>D</b> District <b>A</b> Angled Foot	<b>NN</b> None <b>TL</b> Base & Top Grommet Left <b>TR</b> Base & Top Grommet Right	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

## SAMPLE ORDER CODE

		Case Back Front								
<b>UHSE 16</b>	<b>90</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>7</b>	<b>A</b>	<b>NN</b>	<b>R</b>	

DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1379	2116	1538
1479	2187	1617
1572	2248	1702
1665	2313	1777
1767	2378	1868
1865	2445	1982
1960	2513	2095
2053	2584	2209
2150	2658	2313
n/a	n/a	n/a
1447	2221	1615
1553	2296	1697
1651	2361	1784
1748	2428	1866
1856	2497	1961
1958	2567	2080
2058	2639	2199
2155	2715	2319
2257	2790	2428
n/a	n/a	n/a

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U H S E

# High Double Sliding Door Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
2214	2412	2424	2538	2412	2651	2776
2289	2493	2506	2625	2493	2743	2872
2354	2564	2577	2698	2564	2819	2953
2420	2636	2652	2778	2636	2900	3038
2489	2714	2726	2856	2714	2982	3125
2560	2788	2805	2937	2788	3068	3214
2631	2868	2882	3020	2868	3155	3305
2705	2950	2965	3107	2950	3245	3400
2783	3035	3050	3195	3035	3338	3497
2861	3122	3138	3287	3122	3434	3601
2324	2532	2545	2665	2532	2782	2914
2404	2620	2631	2755	2620	2878	3014
2472	2692	2705	2834	2692	2960	3102
2540	2768	2784	2916	2768	3044	3189
2612	2848	2863	2998	2848	3132	3281
2688	2928	2944	3083	2928	3221	3375
2762	3011	3027	3172	3011	3312	3470
2842	3099	3113	3261	3099	3407	3571
2921	3186	3203	3355	3186	3506	3672
3006	3277	3294	3452	3277	3607	3779

### SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2424	2669	2796
2506	2762	2894
2577	2842	2977
2652	2922	3062
2726	3007	3150
2805	3092	3240
2882	3180	3333
2965	3271	3428
3050	3365	3526
3138	3461	3629
2545	2805	2937
2631	2901	3039
2705	2983	3126
2784	3069	3214
2863	3157	3307
2944	3246	3401
3027	3339	3498
3113	3434	3600
3203	3533	3703
3294	3635	3808

If Base & Top Grommet is specified, add 172

Pricing is continued on the following page.

## U H S E

High Double Sliding Door Credenza –  
Elevated (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2557	2828	2699	2699	2928	2795
2661	2944	2811	2811	3049	2910
2761	3056	2918	2918	3166	3021
2868	3174	3029	3029	3287	3138
2977	3296	3145	3145	3414	3257
3091	3422	3266	3266	3545	3383
3209	3553	3391	3391	3680	3513
3333	3692	3521	3521	3824	3647
3460	3832	3656	3656	3970	3789
3591	3980	3797	3797	4123	3934
2685	2970	2835	2835	3075	2936
2793	3091	2950	2950	3202	3055
2900	3210	3064	3064	3324	3173
3011	3333	3181	3181	3452	3294
3126	3461	3303	3303	3584	3421
3245	3592	3429	3429	3722	3551
3369	3732	3560	3560	3865	3687
3498	3875	3698	3698	4015	3831
3634	4023	3838	3838	4169	3978
3772	4178	3987	3987	4329	4130

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2646	2931	2797	2797	3032	2894
2645	2929	2796	2796	3030	2893
2746	3042	2904	2904	3146	3004
2849	3157	3013	3013	3267	3117
2958	3277	3128	3128	3392	3237
3071	3404	3249	3249	3521	3362
3188	3536	3372	3372	3657	3489
3311	3671	3502	3502	3798	3624
3438	3810	3637	3637	3945	3764
3570	3959	3776	3776	4097	3908
2779	3078	2938	2938	3183	3039
2778	3077	2937	2937	3182	3038
2882	3194	3049	3049	3304	3154
2991	3315	3163	3163	3430	3274
3107	3441	3284	3284	3561	3399
3224	3575	3411	3411	3698	3528
3347	3710	3542	3542	3839	3665
3477	3855	3677	3677	3989	3805
3610	4001	3818	3818	4142	3953
3747	4158	3966	3966	4302	4104

If Base &amp; Top Grommet is specified, add 172



## UHSS

## High Double Sliding Door Credenza – Standard



The Standard High Double Sliding Door Credenza provides secured, lockable binder storage, and the capability to support stackers and panels.

**WHAT'S INCLUDED**

1 credenza, 2 sliding doors with pulls, 2 height-adjustable shelves, lock and keys (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

Double Sliding Door Credenzas will always have two sections secured with two sliding doors regardless of the width of the unit.

It is **not** recommended that Double Sliding Door Credenzas be used to support worksurfaces in a perpendicular application as handle pulls will be difficult to reach under the worksurface.

## PRODUCT OPTIONS

Depth	Width	Pull Finish	Case, Back & Front Finish	Key Style
16, 19	42, 48, 54, 60, 66, 72, 78, 84, 90, 96	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

## SAMPLE ORDER CODE

			Case	Back	Front	
<b>UHSS 16</b>	<b>90</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

426

DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1379	2116	1538
1479	2187	1617
1572	2248	1702
1665	2313	1777
1767	2378	1868
1865	2445	1982
1960	2513	2095
2053	2584	2209
2150	2658	2313
n/a	n/a	n/a
1447	2221	1615
1553	2296	1697
1651	2361	1784
1748	2428	1866
1856	2497	1961
1958	2567	2080
2058	2639	2199
2155	2715	2319
2257	2790	2428
n/a	n/a	n/a

Pricing is continued on the following page.

## U H S S

High Double Sliding Door Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
2214	2412	2424	2538	2412	2651	2776
2289	2493	2506	2625	2493	2743	2872
2354	2564	2577	2698	2564	2819	2953
2420	2636	2652	2778	2636	2900	3038
2489	2714	2726	2856	2714	2982	3125
2560	2788	2805	2937	2788	3068	3214
2631	2868	2882	3020	2868	3155	3305
2705	2950	2965	3107	2950	3245	3400
2783	3035	3050	3195	3035	3338	3497
2861	3122	3138	3287	3122	3434	3601
2324	2532	2545	2665	2532	2782	2914
2404	2620	2631	2755	2620	2878	3014
2472	2692	2705	2834	2692	2960	3102
2540	2768	2784	2916	2768	3044	3189
2612	2848	2863	2998	2848	3132	3281
2688	2928	2944	3083	2928	3221	3375
2762	3011	3027	3172	3011	3312	3470
2842	3099	3113	3261	3099	3407	3571
2921	3186	3203	3355	3186	3506	3672
3006	3277	3294	3452	3277	3607	3779

## SEAMLESS CASE

Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2424	2669	2796
2506	2762	2894
2577	2842	2977
2652	2922	3062
2726	3007	3150
2805	3092	3240
2882	3180	3333
2965	3271	3428
3050	3365	3526
3138	3461	3629
2545	2805	2937
2631	2901	3039
2705	2983	3126
2784	3069	3214
2863	3157	3307
2944	3246	3401
3027	3339	3498
3113	3434	3600
3203	3533	3703
3294	3635	3808

Pricing is continued on the following page.

## U H S S

High Double Sliding Door Credenza –  
Standard (Continued)DIMENSIONS  
INCHES / MM

D	W
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524
16 / 406	66 / 1676
16 / 406	72 / 1829
16 / 406	78 / 1981
16 / 406	84 / 2134
16 / 406	90 / 2286
16 / 406	96 / 2438
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	54 / 1372
19 / 483	60 / 1524
19 / 483	66 / 1676
19 / 483	72 / 1829
19 / 483	78 / 1981
19 / 483	84 / 2134
19 / 483	90 / 2286
19 / 483	96 / 2438

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2557	2828	2699	2699	2928	2795
2661	2944	2811	2811	3049	2910
2761	3056	2918	2918	3166	3021
2868	3174	3029	3029	3287	3138
2977	3296	3145	3145	3414	3257
3091	3422	3266	3266	3545	3383
3209	3553	3391	3391	3680	3513
3333	3692	3521	3521	3824	3647
3460	3832	3656	3656	3970	3789
3591	3980	3797	3797	4123	3934
2685	2970	2835	2835	3075	2936
2793	3091	2950	2950	3202	3055
2900	3210	3064	3064	3324	3173
3011	3333	3181	3181	3452	3294
3126	3461	3303	3303	3584	3421
3245	3592	3429	3429	3722	3551
3369	3732	3560	3560	3865	3687
3498	3875	3698	3698	4015	3831
3634	4023	3838	3838	4169	3978
3772	4178	3987	3987	4329	4130

## VENEER CASE


Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2646	2931	2797	2797	3032	2894
2645	2929	2796	2796	3030	2893
2746	3042	2904	2904	3146	3004
2849	3157	3013	3013	3267	3117
2958	3277	3128	3128	3392	3237
3071	3404	3249	3249	3521	3362
3188	3536	3372	3372	3657	3489
3311	3671	3502	3502	3798	3624
3438	3810	3637	3637	3945	3764
3570	3959	3776	3776	4097	3908
2779	3078	2938	2938	3183	3039
2778	3077	2937	2937	3182	3038
2882	3194	3049	3049	3304	3154
2991	3315	3163	3163	3430	3274
3107	3441	3284	3284	3561	3399
3224	3575	3411	3411	3698	3528
3347	3710	3542	3542	3839	3665
3477	3855	3677	3677	3989	3805
3610	4001	3818	3818	4142	3953
3747	4158	3966	3966	4302	4104





ULNE

Low File with Hinged Door Credenza – Elevated



The Low File with Hinged Door Credenza – Elevated provides file and personal storage, the capability to support worksurfaces, stackers and panels.

**WHAT’S INCLUDED**  
1 case, 2 District feet or 4 angled feet (as specified), file drawers with pulls (as specified), hinged door (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT’S EXCLUDED**  
A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**  
The 16" deep credenza cannot be specified with a District Foot (D).  
Hinged door is push latch, no handle required.

PRODUCT OPTIONS

Depth	Width	Hinged Door Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Type	Foot Finish	Key Style	Counterweight
16, 19	30, 36, 42	L Left (shown)	D District	Foundation	Source Laminate	D District	Q Storm White	K Keyed Alike	2 No
		R Right	R Rectangular	Mica	Seamless Color Flintwood Natural Veneer	A Angled Foot	7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	R Keyed Randomly N No Key	1 Yes

SAMPLE ORDER CODE

Case Back Front											
ULNE 19	36	R	D	7	ZA	ZA	ZA	A	7	R	1

430

DIMENSIONS  
INCHES / MM

D	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

PRICING

SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1445	1864
1482	1912
1522	1963
1509	1948
1550	2000
1591	2052

SEAMLESS CASE

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	30 / 762	2070	2194	2215	2194	2325	2214	2369
16 / 406	36 / 914	2123	2251	2273	2251	2386	2272	2430
16 / 406	42 / 1067	2180	2310	2333	2310	2449	2332	2496
19 / 483	30 / 762	2162	2291	2314	2291	2428	2313	2475
19 / 483	36 / 914	2220	2353	2376	2353	2493	2375	2541
19 / 483	42 / 1067	2277	2415	2438	2415	2560	2437	2608

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U L N E

# Low File with Hinged Door Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

H	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

## PRICING

### FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2256	2415	2415	2560
2315	2477	2477	2626
2377	2543	2543	2696
2357	2521	2521	2672
2420	2591	2591	2746
2484	2658	2658	2817

### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2636	2662	2662	2689
2704	2731	2731	2758
2777	2805	2805	2833
2753	2781	2781	2809
2828	2856	2856	2885
2902	2931	2931	2960

If Counterweight is specified, add 137

## ULNS

Low File with Hinged Door  
Credenza – Standard

The Low Shared Credenza – Standard provides file storage, the capability to support worksurfaces, stackers and panels in shared applications.

**WHAT'S INCLUDED**

1 case, 2 District feet or 4 angled feet (as specified), file drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on pages 686 and 687.

**NOTES**

This product comes with extended levelers (UNSLX) already installed.

Hinged door is push latch, no handle required.

**PRODUCT OPTIONS**

Depth	Width	Hinged Door Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Counterweight
16, 19	30, 36, 42	<b>L</b> Left (shown) <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Key	<b>2</b> No <b>1</b> Yes

**SAMPLE ORDER CODE**

					Case	Back	Front		
<b>ULNS 19</b>	<b>36</b>	<b>R</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>	<b>1</b>

432

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1491	1864
1532	1916
1575	1970
1565	1956
1609	2012
1654	2068

**SEAMLESS CASE**

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	30 / 762	2069	2317	2363	2317	2572	2382	2667
16 / 406	36 / 914	2125	2381	2428	2381	2642	2447	2741
16 / 406	42 / 1067	2186	2449	2498	2449	2718	2516	2818
19 / 483	30 / 762	2171	2431	2481	2431	2699	2500	2799
19 / 483	36 / 914	2232	2501	2550	2501	2776	2570	2878
19 / 483	42 / 1067	2295	2570	2622	2570	2852	2641	2959

If Counterweight is specified, add 137

Pricing is continued on the following page.

## U L N S

# Low File with Hinged Door Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

H	W
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067

## PRICING

### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2447	2619	2619	2776
2514	2690	3167	3359
2585	2767	2767	2933
2569	2749	2749	2912
2640	2826	3167	3359
2715	2904	2904	3079


### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2832	2945	2945	3062
3425	3561	3561	3704
2992	3112	3112	3236
2971	3091	3091	3214
3425	3561	3561	3704
3140	3266	3266	3397


If Counterweight is specified, add 137

ULKE

Low Shared Credenza – Elevated



Angled Foot



District Foot (19" depth only)

The Low Shared Credenza – Elevated provides file storage, the capability to support worksurfaces, stackers and panels in shared applications.

WHAT’S INCLUDED

1 case, 2 District feet or 4 angled feet (as specified), file drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

WHAT’S EXCLUDED

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on page 686 and 687.

NOTES

The 16" deep credenza cannot be specified with Red Drawer Accessories.

The 16" deep credenza cannot be specified with a District Foot (D).

If Red Drawer Accessories are selected, they will be located in the in the left drawer (for 42" - 72" widths).

Red Drawer Accessories are only available on widths 48" plus.

PRODUCT OPTIONS

Depth	Width	Drawer Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Type	Foot Finish	Red Drawer Accessories	Key Style
16, 19	36, 42, 48, 60, 72	L Left	D District	Foundation	Source Laminate	D District	Q Storm White	N No	K Keyed Alike
		R Right (shown)	R Rectangular	Mica	Seamless Color	A Angled Foot	7 Platinum	Y Yes	R Keyed Randomly
					Flintwood		V Very White		N No Key
					Natural Veneer		X Anthracite		
							M Graphite		
							2 Burnished Bronze		

SAMPLE ORDER CODE

Case Back Front											
ULKE 19	48	R	D	7	ZA	ZA	ZA	A	7	Y	R

DIMENSIONS  
INCHES / MM

D	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

PRICING

SOURCE LAMINATE CASE	
Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1699	2075
1783	2179
1909	2331
1995	2484
2129	2780
1788	2183
1877	2293
2010	2453
2101	2618
2241	2926

If Red Drawer Accessories are specified, add 172

Pricing is continued on the following page.

## U L K E

# Low Shared Credenza – Elevated (Continued)

## DIMENSIONS INCHES / MM

D	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

H	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

## PRICING

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2186	2305	2350	2305	2437	2350	2491
2296	2421	2468	2421	2560	2468	2615
2456	2591	2640	2591	2738	2640	2799
2583	2760	2798	2760	2939	2798	3010
2876	3087	3129	3087	3298	3129	3377
2302	2426	2475	2426	2566	2475	2624
2417	2548	2598	2548	2694	2598	2754
2585	2726	2780	2726	2882	2780	2947
2719	2907	2946	2907	3094	2946	3169
3027	3251	3294	3251	3470	3294	3554

### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2552	2659	2659	2686
2681	2792	2792	2820
2868	2988	2988	3018
3144	3281	3281	3344
3514	3676	3676	3759
2686	2799	2799	2827
2820	2939	2939	2968
3018	3145	3145	3176
3309	3453	3453	3519
3699	3870	3870	3956


### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2719	2805	2805	2833
2855	2945	2945	2975
3055	3151	3151	3183
3257	3427	3427	3518
3637	3837	3837	3950
2864	2953	2953	2982
3007	3100	3100	3131
3217	3317	3317	3350
3429	3607	3607	3703
3828	4040	4040	4158

If Red Drawer Accessories are specified, add 172

## ULKS

## Low Shared Credenza – Standard



The Low Shared Credenza provides file storage, the capability to support worksurfaces, stackers and panels in shared applications.

**WHAT'S INCLUDED**

1 case, file drawers with pulls (as specified), lock and keys (if specified), counterweight (if specified).

**WHAT'S EXCLUDED**

A Seat Cushion (UWLC) or Fitted Seated Cushion (UWLF) can be ordered separately. Can be found on page 686 and 687.

**NOTES**

This product comes with extended levelers (UNSLX) already installed.

**PRODUCT OPTIONS**

Depth	Width	Hinged Door Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
16, 19	36, 42, 48, 60, 72	<b>L</b> Left (shown) <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Key

**SAMPLE ORDER CODE**

					Case	Back	Front	
<b>ULKS 19</b>	<b>36</b>	<b>R</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

436

**DIMENSIONS  
INCHES / MM**

D	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1697	2327
1816	2489
1999	2748
2101	2885
2257	3095
1787	2449
1912	2621
2104	2889
2211	3034
2375	3255

**SEAMLESS CASE**

D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
16 / 406	36 / 914	2373	2564	2614	2564	2743	2611	2847
16 / 406	42 / 1067	2539	2743	2797	2743	2934	2795	3047
16 / 406	48 / 1219	2828	3051	3100	3051	3269	3100	3365
16 / 406	60 / 1524	2920	3148	3200	3148	3374	3200	3472
16 / 406	72 / 1829	3447	3775	3832	3775	4099	3832	4207
19 / 483	36 / 914	2498	2697	2752	2697	2887	2749	2996
19 / 483	42 / 1067	2672	2887	2944	2887	3088	2941	3206
19 / 483	48 / 1219	2985	3219	3270	3219	3448	3270	3549
19 / 483	60 / 1524	3081	3322	3375	3322	3558	3375	3664
19 / 483	72 / 1829	3635	3981	4041	3981	4321	4041	4436

Pricing is continued on the following page.



## U L K S

# Low Shared Credenza – Standard (Continued)

## DIMENSIONS INCHES / MM

16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

H	W
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	60 / 1524
16 / 406	72 / 1829
19 / 483	36 / 914
19 / 483	42 / 1067
19 / 483	48 / 1219
19 / 483	60 / 1524
19 / 483	72 / 1829

## PRICING


### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2763	2902	2902	2990
2958	3105	3105	3199
3274	3450	3450	3544
3379	3559	3559	3657
4070	4341	4341	4503
2909	3055	3055	3146
3113	3269	3269	3367
3453	3638	3638	3737
3565	3756	3756	3857
4291	4577	4577	4749

### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2847	3047	3047	3167
3047	3260	3260	3390
3377	3599	3599	3731
3486	3712	3712	3850
4185	4502	4502	4714
2996	3206	3206	3335
3206	3431	3431	3569
3561	3794	3794	3934
3676	3915	3915	4060
4411	4748	4748	4969

## U C O Open Stacker



The Open Stacker is a 16" deep open cabinet that sits atop credenzas, towers and laterals to provide easily accessible open storage.

### WHAT'S INCLUDED

1 cabinet with 1 to 4 height-adjustable shelves (depending on height and width).

### NOTES

The Double-Sided (D) stacker is **not** available in 23", 30", 38" and 45" heights.

The Open Compartment Locations (L & R) do **not** apply to the Single-Sided (S) stacker.

Shelves are height-adjustable.

Heights of 23" and higher are only available in widths up to 48".

It is **not** recommended to stack units so that the total height exceeds 66".

Stackers **cannot** be stacked on top of each other.

### PRODUCT OPTIONS

Style	Height	Width	Open Compartment Location	Case & Back Finish
<b>D</b> Double-Sided <b>S</b> Single-Sided	09, 15, 21, 23, 30, 38, 45	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left <b>R</b> Right <b>N</b> Not Applicable	Source Laminate Seamless Color Flintwood Natural Veneer

### SAMPLE ORDER CODE

				Case	Back
<b>UCO S</b>	<b>15</b>	<b>84</b>	<b>L</b>	<b>ZA</b>	<b>ZA</b>

438

### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

### PRICING

#### DOUBLE-SIDED (D)

#### SOURCE LAMINATE CASE

Source Lam. Back
388
412
438
466
496
533
572
612
650
687
723
766
n/a
431
457
486
518
551
593
635
679
722
764
803
852
n/a

### DIMENSIONS INCHES / MM

H	W
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

### PRICING

#### DOUBLE-SIDED (D)

#### SOURCE LAMINATE CASE

Source Lam. Back
538
572
609
647
689
741
795
850
901
955
1005
1065
n/a

# U C O

## Open Stacker (Continued)

### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

### PRICING

#### DOUBLE-SIDED (D)

##### SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
875	1075	1092
919	1132	1150
970	1192	1212
1017	1253	1274
1073	1320	1341
1149	1413	1436
1229	1512	1537
1315	1617	1644
1407	1732	1761
1504	1850	1880
1610	1981	2013
1722	2120	2154
1843	2268	2304
972	1194	1214
1021	1256	1277
1076	1324	1346
1132	1391	1415
1192	1467	1490
1276	1570	1595
1366	1680	1708
1461	1798	1827
1563	1923	1955
1673	2057	2090
1788	2200	2237
1914	2355	2393
2048	2520	2561
1384	1564	1592
1442	1628	1657
1501	1696	1725
1563	1767	1798
1628	1839	1872
1696	1916	1952
1768	1997	2032
1865	2107	2145
2092	2364	2405
2216	2504	2548
2317	2619	2664
2417	2730	2780
2514	2842	2891

##### FLINTWOOD CASE

Seamless Back	Flintwood Back
1014	1166
1069	1226
1127	1296
1190	1368
1255	1444
1344	1544
1439	1653
1539	1770
1648	1894
1763	2025
1887	2166
2018	2319
2159	2481
1127	1296
1186	1364
1252	1439
1322	1519
1396	1604
1495	1716
1598	1837
1710	1965
1831	2103
1958	2251
2094	2407
2241	2576
2398	2756
1621	1743
1707	1835
1797	1931
1892	2033
1950	2096
2009	2161
2071	2227
2192	2357
2449	2633
2599	2793
2722	2927
2848	3063
2966	3190

Pricing is continued on the following page.

## U C O

Open Stacker  
(Continued)DIMENSIONS  
INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

## PRICING

## DOUBLE-SIDED (D)

## VENEER CASE

Seamless Back	Veneer Back
1027	1207
1080	1271
1140	1340
1204	1416
1271	1495
1358	1598
1453	1710
1555	1831
1665	1958
1781	2095
1905	2242
2040	2399
2183	2567
1141	1341
1201	1412
1266	1489
1337	1573
1412	1660
1510	1776
1616	1900
1728	2033
1849	2176
1979	2329
2118	2491
2267	2665
2425	2852
1656	1780
1744	1874
1836	1973
1932	2078
1992	2142
2054	2209
2119	2277
2241	2411
2506	2694
2659	2858
2784	2994
2909	3128
3034	3261

Pricing is continued on the following page.

# U C O

## Open Stacker (Continued)

### DIMENSIONS INCHES / MM

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438
21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

### PRICING

#### SINGLE-SIDED (S)

##### SOURCE LAMINATE CASE

Source Lam. Back
345
366
398
439
473
511
546
584
620
656
690
731
n/a
382
406
441
487
527
567
608
648
689
729
766
814
n/a
478
509
552
610
659
709
759
810
860
912
957
1015
n/a
526
559
608
670
725
708
741
766
844
886
851
889
919
1011
1063
945
987
1021
1123
1181

##### SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
830	997	1013
875	1047	1065
919	1103	1121
970	1162	1182
1017	1221	1242
1070	1282	1305
1122	1348	1369
1179	1414	1438
1237	1485	1509
1361	1633	1660
1430	1715	1744
1501	1802	1832
1575	1892	1923
922	1126	1144
972	1184	1204
1021	1246	1267
1076	1312	1335
1132	1381	1403
1187	1449	1472
1247	1521	1547
1309	1597	1624
1374	1678	1706
1512	1844	1874
1588	1936	1969
1667	2034	2068
1750	2136	2171
1153	1396	1430
1214	1469	1506
1277	1546	1584
1346	1628	1670
1415	1712	1754
1485	1798	1841
1560	1888	1933
1636	1979	2029
1718	2080	2132
1892	2288	2346
1986	2401	2461
2084	2521	2584
2190	2651	2716
1292	1474	1499
1359	1550	1578
1431	1632	1660
1508	1718	1748
1585	1806	1838
1356	1546	1573
1428	1627	1656
1502	1712	1742
1584	1805	1837
1664	1897	1930
1490	1701	1731
1570	1792	1823
1613	1838	1870
1876	2140	2178
1924	2193	2230
1625	1851	1887
1711	1952	1986
1721	1962	1997
2169	2474	2517
2182	2487	2531

## U C O

Open Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)

H	W
9 / 229	24 / 610
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438

15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

21 / 533	24 / 610
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
21 / 533	78 / 1981
21 / 533	84 / 2134
21 / 533	90 / 2286
21 / 533	96 / 2438

23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219

30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219

38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219

45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

## FLINTWOOD CASE

Seamless Back	Flintwood Back
982	1100
1035	1157
1089	1221
1145	1289
1205	1359
1266	1429
1327	1500
1395	1575
1465	1653
1611	1817
1691	1909
1776	2004
1865	2104

1091	1221
1149	1285
1210	1356
1273	1432
1339	1511
1406	1587
1476	1666
1549	1749
1627	1837
1792	2021
1879	2122
1973	2227
2072	2338

1365	1587
1436	1672
1512	1765
1591	1862
1675	1964
1756	2063
1844	2166
1936	2275
2034	2388
2238	2627
2350	2758
2467	2895
2592	3040

1529	1777
1608	1871
1693	1975
1780	2086
1874	2199

1605	1967
1687	2070
1778	2100
1870	2636
1969	2666

1834	2183
1930	2298
1981	2322
2322	2914
2367	2938

2062	2398
2171	2524
2183	2542
2774	3190
2763	3209

## VENEER CASE

Seamless Back	Veneer Back
1023	1137
1059	1197
1115	1264
1173	1334
1236	1408
1287	1478
1351	1553
1418	1629
1489	1711
1638	1882
1719	1977
1806	2076
1897	2181

1137	1264
1177	1330
1239	1403
1304	1481
1373	1564
1429	1643
1501	1724
1575	1810
1654	1901
1820	2092
1910	2196
2007	2306
2108	2422

1483	1706
1563	1797
1648	1895
1740	2000
1837	2111
1929	2217
2025	2329
2126	2445
2232	2567
2457	2823
2579	2965
2711	3114
2846	3271

1661	1909
1749	2011
1845	2122
1948	2240
2058	2365

1778	2045
1879	2153
1882	2184
2405	2744
2411	2775


1929	2270
2031	2389
2052	2415
2576	3030
2598	3055

2121	2495
2238	2626
2251	2643
2849	3317
2859	3337



## U C C

## Closed Stacker



The Closed Stacker is a 16" deep closed cabinet that sits atop credenzas, towers and laterals to provide adjustable shelving and secured storage.

**WHAT'S INCLUDED**

1 cabinet, single-hinged door(s) or a combination of single-hinged door and bi-folding doors (depending on width), height-adjustable shelves (depending on height), lock and keys (if specified).

**NOTES**

For widths 24", 30" & 36", handedness will indicate which door will have the door handle and lock, for widths 42" & 48" handedness will indicate the location on the cabinet of the single hinged door (not the bi-fold).

Shelves are height-adjustable.

Height denotes height of the cabinet only and must be added to the height of the base unit (21" & 28" high credenzas or stretch pedestals or 36", 42" or 51" towers or lateral files) to get total height.

It is **not** recommended to stack units so that total height exceeds 66".

Stackers **cannot** be stacked on top of each other.

**PRODUCT OPTIONS**

Height	Width	Handedness	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
23, 30, 38, 45	24, 30, 36, 42, 48	<b>L</b> Left <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

				Case Back Front				
<b>UCC 23</b>	<b>42</b>	<b>L</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

444

**DIMENSIONS  
INCHES / MM**

H	W
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
948	1517
1003	1603
1151	1841
1469	2350
1616	2585
1027	1644
1081	1731
1231	1968
1548	2477
1695	2713
1106	1770
1160	1858
1309	2095
1627	2603
1774	2840
1186	1899
1249	1999
1393	2229
1751	2805
1897	3036

Pricing is continued on the following page.



# U C C

## Closed Stacker (Continued)

### DIMENSIONS INCHES / MM

H	W
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

### PRICING

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1580	1896	1911	1896	2101	1911	2212
1670	2003	2021	2003	2221	2021	2337
1920	2302	2322	2302	2552	2322	2687
2448	2938	2961	2938	3255	2961	3427
2693	3232	3258	3232	3582	3258	3771
1712	2054	2071	2054	2276	2071	2397
1802	2162	2181	2162	2396	2181	2522
2051	2460	2481	2460	2727	2481	2872
2579	3096	3122	3096	3431	3122	3611
2825	3390	3419	3390	3758	3419	3956
1843	2212	2230	2212	2452	2230	2582
1933	2320	2339	2320	2571	2339	2707
2183	2620	2640	2620	2904	2640	3055
2713	3254	3281	3254	3607	3281	3796
2957	3548	3578	3548	3932	3578	4140
1978	2374	2394	2374	2631	2394	2769
2083	2500	2520	2500	2769	2520	2916
2323	2787	2811	2787	3089	2811	3252
2920	3506	3533	3506	3884	3533	4089
3161	3794	3826	3794	4204	3826	4427

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1890	2093	2071	2275
1995	2211	2187	2404
2175	2411	2385	2621
2811	3115	3081	3387
3129	3467	3430	3769
2031	2252	2227	2448
2137	2369	2345	2576
2317	2568	2540	2791
2906	3221	3186	3501
3224	3574	3536	3884
2317	2568	2540	2791
2424	2687	2658	2920
2602	2885	2853	3136
3240	3590	3551	3903
3557	3942	3900	4286
2519	2791	2761	3036
2653	2939	2907	3194
2830	3138	3104	3410
3549	3934	3892	4276
3730	4135	4090	4494

Pricing is continued on the following page.

## U C C

Closed Stacker  
(Continued)DIMENSIONS  
INCHES / MM

H	W
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

## PRICING


## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1894	2105	2153	2366
2000	2225	2275	2501
2179	2425	2479	2724
2817	3134	3205	3521
3136	3488	3569	3921
2036	2266	2316	2545
2143	2385	2438	2681
2323	2584	2641	2904
2912	3241	3313	3641
3235	3600	3679	4044
2323	2584	2641	2904
2430	2702	2763	3038
2609	2903	2968	3261
3248	3612	3695	4059
3567	3967	4056	4458
2524	2810	2873	3156
2658	2957	3022	3322
2839	3157	3227	3547
3557	3958	4046	4446
3738	4160	4253	4675



## UCS

## Open/Closed Stacker



The Open/Closed Stacker is a 16" deep closed cabinet that sits atop credenzas, towers, and laterals to provide adjustable shelving and secured storage combined with easily accessible open storage.

**WHAT'S INCLUDED**

1 cabinet with 1 pull, lock and keys (if specified), 1 or 2 height-adjustable shelves (depending on height).

**NOTES**

Height denotes height of the cabinet only and must be added to the height of the base unit (21" & 28" high credenzas or stretch pedestals or 36" and 42" towers or lateral files) to get total height.

It is **not** recommended to stack units so that total height exceeds 66".

Stackers **cannot** be stacked on top of each other.

**PRODUCT OPTIONS**

Height	Width	Open Compartment Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
23, 30, 38, 45	42, 48	<b>L</b> Left <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

					Case	Back	Front	
<b>UCS 38</b>	<b>42</b>	<b>L</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>

448

**DIMENSIONS  
INCHES / MM**

H	W
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1102	1764
1212	1939
1175	1879
1292	2068
1465	2343
1596	2556
1665	2663
1802	2884

**SEAMLESS CASE**

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
23 / 584 42 / 1067	2313	2601	2627	2752	3032	2762	3071
23 / 584 48 / 1219	2546	2864	2893	3030	3338	3043	3381
30 / 762 42 / 1067	2450	2756	2783	2916	3212	2927	3253
30 / 762 48 / 1219	2685	3019	3049	3193	3518	3207	3565
38 / 965 42 / 1067	2589	2937	2976	3173	3512	3186	3560
38 / 965 48 / 1219	2821	3203	3245	3460	3830	3474	3883
45 / 1143 42 / 1067	2775	3147	3190	3400	3764	3414	3816
45 / 1143 48 / 1219	3004	3408	3454	3680	4075	3698	4132

Pricing is continued on the following page.

# U C S

## Open/Closed Stacker (Continued)

### DIMENSIONS INCHES / MM

H	W
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219

### PRICING

#### FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2635	2833	2960	3083
2886	3102	3240	3375
2861	3077	3213	3347
3111	3344	3493	3639
3008	3257	3449	3611
3251	3520	3728	3903
3241	3510	3714	3891
3486	3775	3997	4186

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2692	2914	3024	3167
2947	3189	3311	3466
2931	3173	3293	3449
3186	3449	3579	3747
3087	3368	3544	3730
3336	3638	3827	4029
3318	3618	3807	4009
3572	3894	4097	4313

## UCP

## Shared Open Through Stacker



The Shared Open Through Stacker is a 16" deep open cabinet that sits atop credenzas, towers and laterals to provide easily accessible open storage in shared applications.

**WHAT'S INCLUDED**

1 case with 1 to 4 height-adjustable shelves (depending on height and width).

**NOTES**

Shelves are height-adjustable.

Heights of 23" and higher are only available in widths up to 48".

Heights 15 and 21 are only available in widths 48" and up.

It is not recommended to stack units so that the total height exceeds 66".

Stackers cannot be stacked on top of each other.

**PRODUCT OPTIONS**

Height	Width	Cubby Location	Case & Back Finish
15, 21, 23, 30, 38, 45	42, 48, 54, 60, 66, 72	L Left R Right	Source Laminate Seamless Color Flintwood Natural Veneer

**SAMPLE ORDER CODE**

			Case	Back
UCP 15	54	L	ZA	ZA

450

**DIMENSIONS  
INCHES / MM**

H	W
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back
734
792
848
906
963
918
988
1060
1132
1203
926
1002
1166
1225
1399
1470
1554
1632

Pricing is continued on the following page.

# Shared Open Through Stacker (Continued)

## DIMENSIONS INCHES / MM

H	W
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
21 / 533	48 / 1219
21 / 533	54 / 1372
21 / 533	60 / 1524
21 / 533	66 / 1676
21 / 533	72 / 1829
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	42 / 1067
45 / 1143	48 / 1219

## PRICING

### SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1590	1955	1987
1702	2094	2126
1822	2240	2276
1949	2396	2435
2083	2564	2606
2171	2452	2497
2263	2553	2602
2357	2662	2710
2486	2810	2859
2789	3153	3206
2087	2377	2419
2192	2498	2543
2191	2497	2541
2303	2625	2670
2597	2961	3012
2661	3034	3085
3000	3422	3483
3019	3440	3499

### FLINTWOOD CASE


Seamless Back	Flintwood Back
1861	2139
1992	2288
2131	2450
2279	2622
2442	2804
2600	2795
2679	2880
2760	2969
2922	3142
3265	3511
2462	2885
2594	3042
2588	3646
2724	3689
3212	4031
3275	4064
3836	4413
3823	4438

### VENEER CASE

Seamless Back	Veneer Back
1882	2214
2014	2368
2154	2534
2305	2712
2465	2901
2657	2857
2739	2945
2825	3037
2988	3214
3341	3591
2694	3099
2846	3272
3328	3795
3335	3838
3564	4192
3594	4226
3942	4589
3955	4616

## U C B

## Closed Stacker with Cubbies



The Closed Stacker with Cubbies is a 16" deep closed cabinet that sits atop credenzas, to provide secured storage combined with open cubby space.

## WHAT'S INCLUDED

1 cabinet with pulls (depending on width), lock and keys (if specified), 1 or 2 height-adjustable shelves (depending on height).

## NOTES

The Single Door Location option does **not** apply to 24", 30" and 36" widths. (N) must be selected.

Shelves are height-adjustable.

Height denotes height of the cabinet only and must be added to the height of the base unit (21" & 28" high credenzas or stretch pedestals or 36", 42" or 51" towers or lateral files) to get total height.

It is **not** recommended to stack units so that total height exceeds 66".

Stackers **cannot** be stacked on top of each other.

## PRODUCT OPTIONS

Height	Width	Single Door Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
23, 30, 38, 45	24, 30, 36, 42, 48	L Left R Right N Not Applicable	D District R Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike R Keyed Randomly N No Lock

## SAMPLE ORDER CODE

			Case Back Front					
UCB 23	42	L	D	7	ZA	ZA	ZA	R

452

DIMENSIONS  
INCHES / MM

H	W
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1090	1478
1152	1562
1323	1795
1689	2288
1859	2519
1181	1603
1243	1686
1415	1915
1779	2412
1950	2642
1273	1724
1335	1808
1506	2038
1871	2533
2040	2763
1365	1847
1437	1946
1602	2174
2015	2729
2182	2956

Pricing is continued on the following page.



## U C B

Closed Stacker with Cubbies  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SEAMLESS CASE

H	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
23 / 584	24 / 610	1739	1982	2016	2052	2295	2052	2330
23 / 584	30 / 762	1837	2094	2131	2167	2425	2167	2461
23 / 584	36 / 914	2110	2405	2448	2490	2785	2490	2827
23 / 584	42 / 1067	2692	3069	3123	3176	3553	3176	3608
23 / 584	48 / 1219	2963	3377	3437	3496	3910	3496	3970
30 / 762	24 / 610	1887	2150	2187	2225	2489	2225	2527
30 / 762	30 / 762	1985	2261	2302	2340	2620	2340	2659
30 / 762	36 / 914	2254	2569	2614	2660	2975	2660	3020
30 / 762	42 / 1067	2838	3234	3291	3347	3744	3347	3801
30 / 762	48 / 1219	3109	3544	3606	3669	4104	3669	4165
38 / 965	24 / 610	2029	2314	2354	2415	2719	2435	2758
38 / 965	30 / 762	2128	2426	2468	2532	2850	2553	2893
38 / 965	36 / 914	2397	2731	2781	2852	3212	2877	3260
38 / 965	42 / 1067	2980	3398	3457	3546	3993	3576	4053
38 / 965	48 / 1219	3252	3707	3772	3869	4358	3903	4424
45 / 1143	24 / 610	2175	2479	2522	2631	2957	2674	3002
45 / 1143	30 / 762	2289	2609	2656	2769	3113	2816	3159
45 / 1143	36 / 914	2557	2915	2965	3094	3478	3144	3528
45 / 1143	42 / 1067	3212	3663	3727	3887	4369	3952	4433
45 / 1143	48 / 1219	3478	3964	4033	4206	4728	4277	4797

## FLINTWOOD CASE

H	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
23 / 584	24 / 610	2077	2303	2378	2503
23 / 584	30 / 762	2195	2434	2513	2645
23 / 584	36 / 914	2391	2652	2736	2881
23 / 584	42 / 1067	3092	3427	3540	3726
23 / 584	48 / 1219	3442	3815	3939	4146
30 / 762	24 / 610	2222	2462	2543	2679
30 / 762	30 / 762	2338	2594	2679	2818
30 / 762	36 / 914	2614	2896	2991	3148
30 / 762	42 / 1067	3174	3518	3634	3825
30 / 762	48 / 1219	3453	3827	3953	4160
38 / 965	24 / 610	2635	2982	3156	3467
38 / 965	30 / 762	2776	3140	3322	3649
38 / 965	36 / 914	2592	2932	3103	3409
38 / 965	42 / 1067	3139	3551	3759	4130
38 / 965	48 / 1219	3396	3842	4065	4467
45 / 1143	24 / 610	3109	3577	3747	4258
45 / 1143	30 / 762	3272	3765	3943	4483
45 / 1143	36 / 914	2681	3082	3228	3670
45 / 1143	42 / 1067	3237	3727	3903	4435
45 / 1143	48 / 1219	3485	4010	4201	4774

Pricing is continued on the following page.

## U C B

Closed Stacker with Cubbies  
(Continued)DIMENSIONS  
INCHES / MM

H	W
23 / 584	24 / 610
23 / 584	30 / 762
23 / 584	36 / 914
23 / 584	42 / 1067
23 / 584	48 / 1219
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
38 / 965	24 / 610
38 / 965	30 / 762
38 / 965	36 / 914
38 / 965	42 / 1067
38 / 965	48 / 1219
45 / 1143	24 / 610
45 / 1143	30 / 762
45 / 1143	36 / 914
45 / 1143	42 / 1067
45 / 1143	48 / 1219

## PRICING


## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2095	2352	2401	2556
2214	2484	2538	2699
2413	2707	2764	2943
3118	3499	3576	3804
3471	3895	3980	4233
2272	2550	2604	2773
2391	2685	2743	2917
2670	2997	3063	3257
3240	3636	3713	3952
3514	3941	4028	4285
2417	2749	2840	3020
2543	2893	2988	3178
2817	3205	3311	3521
3408	3877	4004	4261
3681	4189	4326	4602
2582	2941	3072	3269
2718	3096	3234	3440
2989	3406	3557	3784
3611	4113	4296	4570
3887	4428	4624	4919



## UCD

## Shared Closed Stacker



The Shared Closed Stacker is a 16" deep closed cabinet that sits atop credenzas, towers and laterals to provide adjustable shelving and secured storage in shared applications.

**WHAT'S INCLUDED**

1 case, 2 hinged doors, height-adjustable shelves (depending on height), lock and keys (if specified).

**NOTES**

Shelves are height-adjustable.

Height denotes height of the cabinet only and must be added to the height of the base unit (21" & 28" high credenzas or stretch pedestals or 36", 42" or 51" towers or lateral files) to get total height.

It is not recommended to stack units so that total height exceeds 66".

Stackers cannot be stacked on top of each other.

**PRODUCT OPTIONS**

Height	Width	Hinged Door Location	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
15, 21, 23, 30, 38, 45	30, 36	<b>L</b> Left <b>R</b> Right	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

				Case Back Front				
<b>UCD 15</b>	<b>36</b>	<b>L</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>N</b>

456

**DIMENSIONS  
INCHES / MM**

H	W
15 / 381	30 / 762
15 / 381	36 / 914
21 / 533	30 / 762
21 / 533	36 / 914
23 / 584	30 / 762
23 / 584	36 / 914
30 / 762	30 / 762
30 / 762	36 / 914
38 / 965	30 / 762
38 / 965	36 / 914
45 / 1143	30 / 762
45 / 1143	36 / 914

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
877	1401
1007	1611
938	1499
1077	1723
1003	1603
1151	1841
1081	1731
1231	1968
1160	1858
1309	2095
1249	1999
1393	2229

Pricing is continued on the following page.

## Shared Closed Stacker (Continued)

DIMENSIONS  
INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
21 / 533	30 / 762
21 / 533	36 / 914
23 / 584	30 / 762
23 / 584	36 / 914
30 / 762	30 / 762
30 / 762	36 / 914
38 / 965	30 / 762
38 / 965	36 / 914
45 / 1143	30 / 762
45 / 1143	36 / 914

## PRICING

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1459	1749	1766	1749	1940	1766	2042
1678	2012	2030	2012	2230	2030	2348
1561	1872	1890	1872	2075	1890	2184
1796	2153	2172	2153	2387	2172	2512
1670	2003	2021	2003	2221	2021	2337
1920	2302	2322	2302	2552	2322	2687
1802	2162	2181	2162	2396	2181	2522
2051	2460	2481	2460	2727	2481	2872
1933	2320	2339	2320	2571	2339	2707
2183	2620	2640	2620	2904	2640	3055
2083	2500	2520	2500	2769	2520	2916
2323	2787	2811	2787	3089	2811	3252

## FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1743	1931	1911	2100
2004	2221	2197	2415
1865	2067	2044	2246
2145	2376	2352	2583
1995	2211	2187	2404
2175	2411	2385	2621
2137	2369	2345	2576
2317	2568	2540	2791
2424	2687	2658	2920
2602	2885	2853	3136
2653	2939	2907	3194
2830	3138	3104	3410

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1747	1943	1987	2184
2009	2235	2285	2511
1869	2079	2126	2336
2150	2391	2446	2688
2000	2225	2275	2501
2179	2425	2479	2724
2143	2385	2438	2681
2323	2584	2641	2904
2430	2702	2763	3038
2609	2903	2968	3261
2658	2957	3022	3322
2839	3157	3227	3547

## UCG

## Sliding Door Stacker



The Sliding Door Stacker is a 16" deep cabinet with two sliding doors that sits atop credenzas, towers and lateral files to provide secured lockable storage. The Double-Sided option gives users on opposite sides of the cabinet access to one secured lockable storage area.

**WHAT'S INCLUDED**

1 cabinet with 2 sliding door(s), lock and keys (if specified).

**NOTES**

Door Location options (L & R) do **not** apply to the Single-Sided (S) stacker. (N) must be selected.

Standard Glass, Frost is an etched tempered glass.

**PRODUCT OPTIONS**

Style	Height	Width	Door Location (For Double-Sided)	Pull Finish	Case, Back & Front Finish	Key Style
<b>S</b> Single-Sided	15, 21, 23, 30, 45	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left	Foundation	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike
<b>D</b> Double-Sided			<b>R</b> Right	Mica		<b>R</b> Keyed Randomly
			<b>N</b> Not Applicable			<b>N</b> No Lock

**SAMPLE ORDER CODE**

					Case	Back	Front	
UCG S	15	30	N	7	ZA	ZA	FT	R

458

**DIMENSIONS  
INCHES / MM**

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

**PRICING****DOUBLE-SIDED (D)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
1215	1895	1553
1307	1969	1670
1406	2217	1797
1511	2293	1931
1611	2362	2021
1716	2432	2116
1815	2506	2199
1916	2582	2295
2021	2658	2385
2116	2738	2470
2221	2819	2594
n/a	n/a	n/a

Pricing is continued on the following page.

# U C G

## Sliding Door Stacker (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### DOUBLE-SIDED (D)

#### SOURCE LAMINATE CASE

H	W	Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
21 / 533	30 / 762	1458	2362	1988
21 / 533	36 / 914	1569	2462	2092
21 / 533	42 / 1067	1686	2767	2202
21 / 533	48 / 1219	1812	2870	2318
21 / 533	54 / 1372	1933	2955	2425
21 / 533	60 / 1524	2060	3044	2538
21 / 533	66 / 1676	2181	3136	2639
21 / 533	72 / 1829	2300	3228	2754
21 / 533	78 / 1981	2425	3325	2861
21 / 533	84 / 2134	2538	3425	2963
21 / 533	90 / 2286	2664	3527	3112
21 / 533	96 / 2438	n/a	n/a	n/a
23 / 584	30 / 762	1502	2432	2048
23 / 584	36 / 914	1617	2537	2155
23 / 584	42 / 1067	1737	2849	2269
23 / 584	48 / 1219	1867	2956	2388
23 / 584	54 / 1372	1991	3043	2498
23 / 584	60 / 1524	2122	3135	2613
23 / 584	66 / 1676	2246	3231	2719
23 / 584	72 / 1829	2368	3325	2837
23 / 584	78 / 1981	2498	3425	2947
23 / 584	84 / 2134	2613	3527	3052
23 / 584	90 / 2286	2745	3634	3205
23 / 584	96 / 2438	n/a	n/a	n/a
30 / 762	42 / 1067	1859	3050	2427
30 / 762	48 / 1219	1998	3163	2554
30 / 762	54 / 1372	2131	3256	2672
30 / 762	60 / 1524	2270	3355	2797
30 / 762	66 / 1676	2404	3457	2909
30 / 762	72 / 1829	2535	3558	3035
45 / 1143	42 / 1067	2137	3508	2791
45 / 1143	48 / 1219	2297	3637	2938
45 / 1143	54 / 1372	2451	3745	3073
45 / 1143	60 / 1524	2610	3858	3217
45 / 1143	66 / 1676	2763	3975	3345
45 / 1143	72 / 1829	2915	4092	3491

Pricing is continued on the following page.

## U C G

Sliding Door Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## DOUBLE-SIDED (D)

## SEAMLESS CASE

H	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
15 / 381	30 / 762	1985	2228	2250	2362	2228	2481	2603
15 / 381	36 / 914	2063	2317	2338	2457	2317	2578	2707
15 / 381	42 / 1067	2323	2609	2634	2766	2609	2905	3049
15 / 381	48 / 1219	2401	2697	2723	2859	2697	3004	3153
15 / 381	54 / 1372	2474	2779	2806	2945	2779	3093	3246
15 / 381	60 / 1524	2547	2860	2890	3036	2860	3186	3345
15 / 381	66 / 1676	2626	2948	2977	3126	2948	3282	3447
15 / 381	72 / 1829	2702	3037	3068	3220	3037	3380	3549
15 / 381	78 / 1981	2784	3126	3157	3314	3126	3480	3653
15 / 381	84 / 2134	2868	3221	3252	3414	3221	3583	3764
15 / 381	90 / 2286	2955	3317	3349	3517	3317	3695	3878
15 / 381	96 / 2438	3043	3418	3451	3621	3418	3804	3993
21 / 533	30 / 762	2479	2716	2729	2866	2716	2999	3148
21 / 533	36 / 914	2585	2830	2847	2989	2830	3128	3284
21 / 533	42 / 1067	2907	3182	3201	3362	3182	3517	3693
21 / 533	48 / 1219	3012	3299	3316	3482	3299	3645	3827
21 / 533	54 / 1372	3102	3397	3416	3585	3397	3756	3942
21 / 533	60 / 1524	3195	3498	3518	3696	3498	3867	4060
21 / 533	66 / 1676	3292	3606	3624	3806	3606	3983	4182
21 / 533	72 / 1829	3390	3710	3732	3920	3710	4101	4307
21 / 533	78 / 1981	3490	3823	3843	4035	3823	4224	4434
21 / 533	84 / 2134	3596	3937	3959	4157	3937	4350	4566
21 / 533	90 / 2286	3703	4056	4077	4282	4056	4481	4703
21 / 533	96 / 2438	3814	4176	4200	4410	4176	4616	4847
23 / 584	30 / 762	2552	2797	2811	2951	2797	3089	3243
23 / 584	36 / 914	2663	2915	2933	3079	2915	3222	3383
23 / 584	42 / 1067	2994	3277	3298	3462	3277	3621	3803
23 / 584	48 / 1219	3102	3397	3417	3586	3397	3755	3942
23 / 584	54 / 1372	3195	3498	3518	3693	3498	3868	4060
23 / 584	60 / 1524	3291	3604	3624	3807	3604	3983	4182
23 / 584	66 / 1676	3391	3714	3732	3921	3714	4103	4308
23 / 584	72 / 1829	3491	3822	3845	4038	3822	4224	4436
23 / 584	78 / 1981	3595	3938	3958	4157	3938	4350	4566
23 / 584	84 / 2134	3704	4054	4078	4281	4054	4481	4704
23 / 584	90 / 2286	3815	4178	4199	4410	4178	4615	4844
23 / 584	96 / 2438	3928	4302	4326	4543	4302	4754	4993
30 / 762	42 / 1067	3204	3507	3527	3704	3507	3876	4070
30 / 762	48 / 1219	3319	3635	3655	3837	3635	4017	4219
30 / 762	54 / 1372	3420	3744	3763	3952	3744	4139	4345
30 / 762	60 / 1524	3522	3855	3877	4073	3855	4262	4474
30 / 762	66 / 1676	3629	3974	3993	4195	3974	4389	4610
30 / 762	72 / 1829	3735	4090	4113	4320	4090	4520	4745
45 / 1143	42 / 1067	3685	4032	4057	4260	4032	4458	4680
45 / 1143	48 / 1219	3818	4180	4203	4412	4180	4620	4850
45 / 1143	54 / 1372	3931	4306	4328	4544	4306	4761	4996
45 / 1143	60 / 1524	4050	4434	4459	4684	4434	4901	5146
45 / 1143	66 / 1676	4172	4570	4593	4824	4570	5048	5300
45 / 1143	72 / 1829	4295	4703	4731	4967	4703	5198	5458

Pricing is continued on the following page.



# U C G

## Sliding Door Stacker (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### DOUBLE-SIDED (D)

#### SEAMLESS CASE

		Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
15 / 381	30 / 762	2250	2791	2932
15 / 381	36 / 914	2338	2904	3049
15 / 381	42 / 1067	2634	3270	3432
15 / 381	48 / 1219	2723	3378	3547
15 / 381	54 / 1372	2806	3482	3656
15 / 381	60 / 1524	2890	3585	3765
15 / 381	66 / 1676	2977	3695	3878
15 / 381	72 / 1829	3068	3804	3995
15 / 381	78 / 1981	3157	3916	4112
15 / 381	84 / 2134	3252	4033	4235
15 / 381	90 / 2286	3349	4157	4365
15 / 381	96 / 2438	3451	4282	4496
21 / 533	30 / 762	2729	3023	3175
21 / 533	36 / 914	2847	3154	3311
21 / 533	42 / 1067	3201	3546	3725
21 / 533	48 / 1219	3316	3675	3860
21 / 533	54 / 1372	3416	3784	3973
21 / 533	60 / 1524	3518	3899	4094
21 / 533	66 / 1676	3624	4017	4218
21 / 533	72 / 1829	3732	4136	4342
21 / 533	78 / 1981	3843	4258	4471
21 / 533	84 / 2134	3959	4385	4604
21 / 533	90 / 2286	4077	4519	4744
21 / 533	96 / 2438	4200	4652	4885
23 / 584	30 / 762	2811	3114	3271
23 / 584	36 / 914	2933	3248	3410
23 / 584	42 / 1067	3298	3651	3836
23 / 584	48 / 1219	3417	3786	3975
23 / 584	54 / 1372	3518	3897	4092
23 / 584	60 / 1524	3624	4016	4218
23 / 584	66 / 1676	3732	4138	4344
23 / 584	72 / 1829	3845	4260	4472
23 / 584	78 / 1981	3958	4385	4605
23 / 584	84 / 2134	4078	4518	4742
23 / 584	90 / 2286	4199	4654	4887
23 / 584	96 / 2438	4326	4792	5031
30 / 762	42 / 1067	3527	3908	4105
30 / 762	48 / 1219	3655	4050	4254
30 / 762	54 / 1372	3763	4170	4379
30 / 762	60 / 1524	3877	4297	4512
30 / 762	66 / 1676	3993	4428	4648
30 / 762	72 / 1829	4113	4558	4785
45 / 1143	42 / 1067	4057	4494	4721
45 / 1143	48 / 1219	4203	4659	4891
45 / 1143	54 / 1372	4328	4796	5036
45 / 1143	60 / 1524	4459	4941	5189
45 / 1143	66 / 1676	4593	5091	5346
45 / 1143	72 / 1829	4731	5241	5503

Pricing is continued on the following page.

## U C G

Sliding Door Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## DOUBLE-SIDED (D)

## FLINTWOOD CASE

H	W	Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
15 / 381	30 / 762	2434	2707	2578	2578	2809	2674
15 / 381	36 / 914	2553	2840	2702	2702	2945	2806
15 / 381	42 / 1067	2852	3174	3023	3023	3293	3136
15 / 381	48 / 1219	2974	3308	3150	3150	3431	3269
15 / 381	54 / 1372	3093	3439	3276	3276	3569	3398
15 / 381	60 / 1524	3217	3578	3407	3407	3710	3536
15 / 381	66 / 1676	3345	3720	3544	3544	3860	3675
15 / 381	72 / 1829	3480	3870	3685	3685	4015	3824
15 / 381	78 / 1981	3617	4024	3833	3833	4175	3976
15 / 381	84 / 2134	3763	4186	3986	3986	4342	4136
15 / 381	90 / 2286	3913	4353	4145	4145	4517	4301
15 / 381	96 / 2438	4069	4527	4313	4313	4695	4472
21 / 533	30 / 762	2887	3212	3059	3059	3333	3173
21 / 533	36 / 914	3034	3374	3213	3213	3501	3334
21 / 533	42 / 1067	3387	3767	3586	3586	3907	3720
21 / 533	48 / 1219	3533	3928	3742	3742	4076	3881
21 / 533	54 / 1372	3674	4088	3893	3893	4240	4037
21 / 533	60 / 1524	3823	4251	4048	4048	4410	4200
21 / 533	66 / 1676	3974	4422	4210	4210	4587	4369
21 / 533	72 / 1829	4133	4597	4379	4379	4770	4543
21 / 533	78 / 1981	4298	4783	4555	4555	4961	4724
21 / 533	84 / 2134	4472	4974	4739	4739	5161	4915
21 / 533	90 / 2286	4651	5172	4925	4925	5365	5110
21 / 533	96 / 2438	4836	5379	5123	5123	5579	5315
23 / 584	30 / 762	2974	3308	3152	3152	3432	3269
23 / 584	36 / 914	3125	3477	3309	3309	3607	3433
23 / 584	42 / 1067	3488	3881	3694	3694	4023	3831
23 / 584	48 / 1219	3640	4046	3854	3854	4198	3998
23 / 584	54 / 1372	3785	4210	4010	4010	4368	4158
23 / 584	60 / 1524	3938	4378	4169	4169	4543	4326
23 / 584	66 / 1676	4093	4555	4337	4337	4724	4499
23 / 584	72 / 1829	4257	4736	4511	4511	4914	4679
23 / 584	78 / 1981	4428	4927	4692	4692	5110	4866
23 / 584	84 / 2134	4607	5122	4881	4881	5316	5062
23 / 584	90 / 2286	4791	5327	5073	5073	5527	5263
23 / 584	96 / 2438	4980	5540	5276	5276	5746	5474
30 / 762	42 / 1067	3732	4152	3953	3953	4306	4099
30 / 762	48 / 1219	3895	4328	4124	4124	4492	4278
30 / 762	54 / 1372	4049	4505	4290	4290	4673	4448
30 / 762	60 / 1524	4213	4684	4462	4462	4860	4629
30 / 762	66 / 1676	4380	4873	4640	4640	5055	4814
30 / 762	72 / 1829	4555	5067	4826	4826	5258	5007
45 / 1143	42 / 1067	4291	4774	4546	4546	4951	4713
45 / 1143	48 / 1219	4478	4979	4742	4742	5167	4919
45 / 1143	54 / 1372	4656	5180	4934	4934	5374	5116
45 / 1143	60 / 1524	4845	5387	5132	5132	5590	5324
45 / 1143	66 / 1676	5037	5605	5335	5335	5814	5537
45 / 1143	72 / 1829	5238	5827	5550	5550	6046	5758

Pricing is continued on the following page.

# U C G

## Sliding Door Stacker (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### DOUBLE-SIDED (D)

#### VENEER CASE

		Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
15 / 381	30 / 762	2522	2809	2674	2674	2909	2773
15 / 381	36 / 914	2649	2948	2809	2809	3055	2909
15 / 381	42 / 1067	2959	3294	3138	3138	3414	3252
15 / 381	48 / 1219	3084	3434	3271	3271	3559	3390
15 / 381	54 / 1372	3209	3572	3401	3401	3702	3525
15 / 381	60 / 1524	3337	3714	3539	3539	3848	3667
15 / 381	66 / 1676	3469	3864	3678	3678	4003	3812
15 / 381	72 / 1829	3608	4018	3827	3827	4162	3965
15 / 381	78 / 1981	3752	4178	3980	3980	4329	4124
15 / 381	84 / 2134	3904	4347	4140	4140	4504	4289
15 / 381	90 / 2286	4060	4522	4306	4306	4684	4462
15 / 381	96 / 2438	4222	4700	4477	4477	4872	4640
21 / 533	30 / 762	2995	3334	3174	3174	3454	3289
21 / 533	36 / 914	3145	3503	3337	3337	3632	3457
21 / 533	42 / 1067	3512	3910	3725	3725	4052	3860
21 / 533	48 / 1219	3511	3908	3724	3724	4050	3857
21 / 533	54 / 1372	3649	4065	3871	3871	4212	4012
21 / 533	60 / 1524	3796	4226	4026	4026	4381	4172
21 / 533	66 / 1676	3949	4396	4187	4187	4556	4339
21 / 533	72 / 1829	4106	4574	4354	4354	4739	4513
21 / 533	78 / 1981	4270	4755	4529	4529	4928	4692
21 / 533	84 / 2134	4441	4947	4711	4711	5124	4880
21 / 533	90 / 2286	4620	5142	4899	4899	5330	5077
21 / 533	96 / 2438	4804	5350	5093	5093	5542	5279
23 / 584	30 / 762	3085	3433	3270	3270	3557	3389
23 / 584	36 / 914	3240	3609	3436	3436	3740	3560
23 / 584	42 / 1067	3616	4028	3836	3836	4173	3975
23 / 584	48 / 1219	3615	4024	3835	3835	4171	3973
23 / 584	54 / 1372	3759	4188	3987	3987	4339	4132
23 / 584	60 / 1524	3910	4352	4146	4146	4513	4297
23 / 584	66 / 1676	4068	4527	4312	4312	4693	4469
23 / 584	72 / 1829	4229	4711	4486	4486	4881	4648
23 / 584	78 / 1981	4399	4898	4665	4665	5076	4832
23 / 584	84 / 2134	4574	5095	4853	4853	5279	5027
23 / 584	90 / 2286	4758	5296	5046	5046	5490	5229
23 / 584	96 / 2438	4949	5510	5246	5246	5709	5438
30 / 762	42 / 1067	3870	4310	4105	4105	4466	4254
30 / 762	48 / 1219	3869	4307	4104	4104	4464	4252
30 / 762	54 / 1372	4022	4479	4266	4266	4642	4420
30 / 762	60 / 1524	4185	4658	4437	4437	4829	4599
30 / 762	66 / 1676	4351	4844	4614	4614	5021	4782
30 / 762	72 / 1829	4525	5041	4799	4799	5224	4974
45 / 1143	42 / 1067	4451	4956	4721	4721	5137	4891
45 / 1143	48 / 1219	4448	4954	4720	4720	5134	4889
45 / 1143	54 / 1372	4625	5152	4906	4906	5337	5084
45 / 1143	60 / 1524	4812	5356	5103	5103	5553	5289
45 / 1143	66 / 1676	5005	5570	5305	5305	5774	5499
45 / 1143	72 / 1829	5204	5797	5519	5519	6006	5720

Pricing is continued on the following page.

## U C G

Sliding Door Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)

## SOURCE LAMINATE CASE

H	W	Source Lam. Back & Front	Source Lam. Back, Flintwood Front	Source Lam. Back, Glass Front
15 / 381	30 / 762	837	1353	1038
15 / 381	36 / 914	914	1407	1098
15 / 381	42 / 1067	992	1584	1167
15 / 381	48 / 1219	1073	1638	1233
15 / 381	54 / 1372	1147	1686	1303
15 / 381	60 / 1524	1222	1738	1367
15 / 381	66 / 1676	1303	1792	1443
15 / 381	72 / 1829	1382	1843	1537
15 / 381	78 / 1981	1457	1898	1632
15 / 381	84 / 2134	1532	1956	1725
15 / 381	90 / 2286	1609	2014	1811
15 / 381	96 / 2438	n/a	n/a	n/a
21 / 533	30 / 762	1047	1686	1245
21 / 533	36 / 914	1142	1761	1318
21 / 533	42 / 1067	1241	1977	1400
21 / 533	48 / 1219	1341	2050	1479
21 / 533	54 / 1372	1435	2110	1563
21 / 533	60 / 1524	1528	2175	1640
21 / 533	66 / 1676	1628	2240	1732
21 / 533	72 / 1829	1727	2306	1843
21 / 533	78 / 1981	1824	2375	1958
21 / 533	84 / 2134	1915	2447	2071
21 / 533	90 / 2286	2011	2520	2175
21 / 533	96 / 2438	n/a	n/a	n/a
23 / 584	30 / 762	1078	1737	1282
23 / 584	36 / 914	1176	1812	1357
23 / 584	42 / 1067	1278	2036	1442
23 / 584	48 / 1219	1382	2111	1524
23 / 584	54 / 1372	1477	2174	1610
23 / 584	60 / 1524	1573	2240	1689
23 / 584	66 / 1676	1678	2307	1782
23 / 584	72 / 1829	1779	2376	1899
23 / 584	78 / 1981	1877	2447	2017
23 / 584	84 / 2134	1972	2520	2133
23 / 584	90 / 2286	2071	2597	2240
23 / 584	96 / 2438	n/a	n/a	n/a
30 / 762	42 / 1067	1367	2178	1542
30 / 762	48 / 1219	1478	2259	1630
30 / 762	54 / 1372	1581	2326	1722
30 / 762	60 / 1524	1684	2396	1807
30 / 762	66 / 1676	1795	2468	1908
30 / 762	72 / 1829	1904	2542	2032
45 / 1143	42 / 1067	1572	2505	1775
45 / 1143	48 / 1219	1701	2599	1874
45 / 1143	54 / 1372	1817	2674	1981
45 / 1143	60 / 1524	1935	2756	2078
45 / 1143	66 / 1676	2063	2839	2194
45 / 1143	72 / 1829	2190	2924	2336

Pricing is continued on the following page.

# U C G

## Sliding Door Stacker (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### SINGLE-SIDED (S)

#### SEAMLESS CASE

H	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front
15 / 381	30 / 762	1417	1592	1607	1686	1592	1772	1861
15 / 381	36 / 914	1474	1654	1672	1754	1654	1841	1933
15 / 381	42 / 1067	1659	1864	1881	1976	1864	2074	2178
15 / 381	48 / 1219	1715	1927	1945	2042	1927	2145	2252
15 / 381	54 / 1372	1768	1985	2003	2103	1985	2209	2319
15 / 381	60 / 1524	1820	2044	2064	2167	2044	2275	2389
15 / 381	66 / 1676	1874	2105	2126	2232	2105	2345	2461
15 / 381	72 / 1829	1931	2168	2191	2300	2168	2415	2535
15 / 381	78 / 1981	1989	2232	2255	2367	2232	2485	2609
15 / 381	84 / 2134	2048	2301	2323	2438	2301	2561	2689
15 / 381	90 / 2286	2110	2369	2393	2512	2369	2637	2769
15 / 381	96 / 2438	2174	2441	2465	2589	2441	2718	2852
21 / 533	30 / 762	1771	1939	1950	2047	1939	2142	2250
21 / 533	36 / 914	1845	2022	2033	2135	2022	2235	2346
21 / 533	42 / 1067	2076	2273	2286	2400	2273	2512	2636
21 / 533	48 / 1219	2152	2356	2368	2487	2356	2603	2732
21 / 533	54 / 1372	2216	2426	2439	2562	2426	2683	2816
21 / 533	60 / 1524	2283	2500	2513	2639	2500	2761	2900
21 / 533	66 / 1676	2352	2575	2590	2719	2575	2845	2987
21 / 533	72 / 1829	2421	2652	2665	2798	2652	2929	3077
21 / 533	78 / 1981	2493	2729	2746	2882	2729	3017	3167
21 / 533	84 / 2134	2568	2813	2827	2969	2813	3108	3263
21 / 533	90 / 2286	2645	2896	2912	3058	2896	3201	3360
21 / 533	96 / 2438	2724	2983	2999	3150	2983	3298	3462
23 / 584	30 / 762	1825	1997	2009	2108	1997	2207	2317
23 / 584	36 / 914	1901	2083	2094	2199	2083	2302	2417
23 / 584	42 / 1067	2138	2342	2355	2473	2342	2588	2716
23 / 584	48 / 1219	2216	2426	2439	2563	2426	2682	2815
23 / 584	54 / 1372	2283	2500	2512	2638	2500	2762	2901
23 / 584	60 / 1524	2352	2574	2589	2719	2574	2844	2987
23 / 584	66 / 1676	2422	2653	2667	2800	2653	2931	3077
23 / 584	72 / 1829	2493	2730	2746	2881	2730	3017	3169
23 / 584	78 / 1981	2569	2811	2828	2969	2811	3107	3263
23 / 584	84 / 2134	2644	2898	2911	3058	2898	3201	3361
23 / 584	90 / 2286	2725	2982	3000	3151	2982	3298	3460
23 / 584	96 / 2438	2806	3073	3089	3244	3073	3396	3567
30 / 762	42 / 1067	2288	2506	2519	2645	2506	2768	2905
30 / 762	48 / 1219	2371	2597	2610	2742	2597	2869	3011
30 / 762	54 / 1372	2443	2673	2688	2822	2673	2957	3103
30 / 762	60 / 1524	2516	2754	2771	2909	2754	3043	3195
30 / 762	66 / 1676	2592	2838	2853	2996	2838	3135	3292
30 / 762	72 / 1829	2668	2922	2937	3084	2922	3227	3391
45 / 1143	42 / 1067	2631	2880	2898	3042	2880	3184	3341
45 / 1143	48 / 1219	2727	2986	3002	3153	2986	3300	3463
45 / 1143	54 / 1372	2809	3075	3092	3246	3075	3400	3570
45 / 1143	60 / 1524	2894	3167	3185	3345	3167	3499	3675
45 / 1143	66 / 1676	2980	3264	3281	3447	3264	3606	3786
45 / 1143	72 / 1829	3068	3361	3377	3546	3361	3712	3899

Pricing is continued on the following page.

## U C G

Sliding Door Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)

## SEAMLESS CASE

	Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
15 / 381 30 / 762	1607	1994	2094
15 / 381 36 / 914	1672	2073	2177
15 / 381 42 / 1067	1881	2335	2452
15 / 381 48 / 1219	1945	2414	2534
15 / 381 54 / 1372	2003	2487	2610
15 / 381 60 / 1524	2064	2562	2690
15 / 381 66 / 1676	2126	2637	2769
15 / 381 72 / 1829	2191	2718	2852
15 / 381 78 / 1981	2255	2797	2938
15 / 381 84 / 2134	2323	2881	3026
15 / 381 90 / 2286	2393	2969	3116
15 / 381 96 / 2438	2465	3058	3211
21 / 533 30 / 762	1950	2160	2268
21 / 533 36 / 914	2033	2253	2365
21 / 533 42 / 1067	2286	2533	2659
21 / 533 48 / 1219	2368	2626	2756
21 / 533 54 / 1372	2439	2702	2840
21 / 533 60 / 1524	2513	2785	2924
21 / 533 66 / 1676	2590	2870	3012
21 / 533 72 / 1829	2665	2953	3102
21 / 533 78 / 1981	2746	3042	3194
21 / 533 84 / 2134	2827	3133	3289
21 / 533 90 / 2286	2912	3226	3389
21 / 533 96 / 2438	2999	3323	3489
23 / 584 30 / 762	2009	2224	2336
23 / 584 36 / 914	2094	2320	2436
23 / 584 42 / 1067	2355	2608	2738
23 / 584 48 / 1219	2439	2704	2839
23 / 584 54 / 1372	2512	2784	2926
23 / 584 60 / 1524	2589	2869	3011
23 / 584 66 / 1676	2667	2956	3102
23 / 584 72 / 1829	2746	3042	3195
23 / 584 78 / 1981	2828	3133	3289
23 / 584 84 / 2134	2911	3227	3389
23 / 584 90 / 2286	3000	3323	3490
23 / 584 96 / 2438	3089	3423	3594
30 / 762 42 / 1067	2519	2790	2930
30 / 762 48 / 1219	2610	2894	3038
30 / 762 54 / 1372	2688	2979	3130
30 / 762 60 / 1524	2771	3069	3222
30 / 762 66 / 1676	2853	3163	3319
30 / 762 72 / 1829	2937	3254	3420
45 / 1143 42 / 1067	2898	3210	3370
45 / 1143 48 / 1219	3002	3328	3493
45 / 1143 54 / 1372	3092	3426	3600
45 / 1143 60 / 1524	3185	3529	3705
45 / 1143 66 / 1676	3281	3637	3818
45 / 1143 72 / 1829	3377	3743	3931

Pricing is continued on the following page.

# U C G

## Sliding Door Stacker (Continued)

### DIMENSIONS INCHES / MM

### PRICING

#### SINGLE-SIDED (S)

#### FLINTWOOD CASE

H	W	Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
15 / 381	30 / 762	1739	1933	1841	1841	2006	1910
15 / 381	36 / 914	1825	2028	1931	1931	2103	2003
15 / 381	42 / 1067	2038	2268	2160	2160	2353	2240
15 / 381	48 / 1219	2124	2363	2251	2251	2451	2334
15 / 381	54 / 1372	2209	2457	2339	2339	2548	2427
15 / 381	60 / 1524	2298	2556	2434	2434	2652	2524
15 / 381	66 / 1676	2389	2658	2532	2532	2756	2626
15 / 381	72 / 1829	2485	2763	2632	2632	2868	2730
15 / 381	78 / 1981	2584	2875	2738	2738	2982	2841
15 / 381	84 / 2134	2688	2989	2847	2847	3102	2953
15 / 381	90 / 2286	2795	3110	2961	2961	3225	3072
15 / 381	96 / 2438	2907	3234	3080	3080	3354	3194
21 / 533	30 / 762	2062	2294	2185	2185	2381	2267
21 / 533	36 / 914	2166	2411	2295	2295	2501	2382
21 / 533	42 / 1067	2419	2691	2563	2563	2790	2658
21 / 533	48 / 1219	2523	2807	2672	2672	2911	2774
21 / 533	54 / 1372	2625	2919	2781	2781	3028	2884
21 / 533	60 / 1524	2729	3037	2891	2891	3150	2999
21 / 533	66 / 1676	2840	3158	3008	3008	3276	3119
21 / 533	72 / 1829	2952	3284	3128	3128	3407	3245
21 / 533	78 / 1981	3071	3417	3253	3253	3544	3375
21 / 533	84 / 2134	3194	3552	3384	3384	3685	3511
21 / 533	90 / 2286	3322	3695	3518	3518	3833	3649
21 / 533	96 / 2438	3454	3842	3661	3661	3986	3796
23 / 584	30 / 762	2124	2362	2251	2251	2452	2334
23 / 584	36 / 914	2231	2483	2363	2363	2575	2453
23 / 584	42 / 1067	2491	2772	2639	2639	2874	2737
23 / 584	48 / 1219	2600	2891	2753	2753	2999	2857
23 / 584	54 / 1372	2703	3007	2865	2865	3119	2970
23 / 584	60 / 1524	2811	3128	2978	2978	3244	3089
23 / 584	66 / 1676	2926	3252	3098	3098	3374	3213
23 / 584	72 / 1829	3041	3383	3222	3222	3510	3342
23 / 584	78 / 1981	3163	3519	3350	3350	3649	3478
23 / 584	84 / 2134	3289	3659	3486	3486	3795	3615
23 / 584	90 / 2286	3422	3805	3624	3624	3947	3759
23 / 584	96 / 2438	3557	3957	3771	3771	4106	3910
30 / 762	42 / 1067	2666	2965	2823	2823	3075	2929
30 / 762	48 / 1219	2782	3094	2946	2946	3210	3056
30 / 762	54 / 1372	2893	3217	3065	3065	3338	3178
30 / 762	60 / 1524	3008	3346	3187	3187	3470	3306
30 / 762	66 / 1676	3130	3481	3315	3315	3610	3437
30 / 762	72 / 1829	3253	3619	3448	3448	3756	3576
45 / 1143	42 / 1067	3066	3410	3248	3248	3538	3368
45 / 1143	48 / 1219	3199	3557	3388	3388	3691	3515
45 / 1143	54 / 1372	3326	3700	3524	3524	3838	3655
45 / 1143	60 / 1524	3459	3849	3665	3665	3991	3802
45 / 1143	66 / 1676	3600	4002	3813	3813	4152	3954
45 / 1143	72 / 1829	3742	4163	3965	3965	4319	4112

Pricing is continued on the following page.

## U C G

Sliding Door Stacker  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)


## VENEER CASE

	Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
15 / 381 30 / 762	1802	2006	1910	1910	2078	1979
15 / 381 36 / 914	1892	2105	2006	2006	2183	2078
15 / 381 42 / 1067	2113	2354	2241	2241	2438	2323
15 / 381 48 / 1219	2204	2453	2336	2336	2543	2421
15 / 381 54 / 1372	2291	2551	2429	2429	2643	2517
15 / 381 60 / 1524	2384	2654	2527	2527	2750	2620
15 / 381 66 / 1676	2478	2759	2628	2628	2859	2723
15 / 381 72 / 1829	2577	2871	2732	2732	2974	2832
15 / 381 78 / 1981	2682	2985	2843	2843	3093	2946
15 / 381 84 / 2134	2788	3105	2957	2957	3218	3064
15 / 381 90 / 2286	2900	3228	3075	3075	3346	3187
15 / 381 96 / 2438	3016	3358	3199	3199	3480	3314
21 / 533 30 / 762	2139	2382	2268	2268	2467	2350
21 / 533 36 / 914	2247	2503	2384	2384	2594	2470
21 / 533 42 / 1067	2509	2792	2660	2660	2894	2756
21 / 533 48 / 1219	2507	2791	2659	2659	2893	2755
21 / 533 54 / 1372	2607	2905	2764	2764	3009	2865
21 / 533 60 / 1524	2713	3019	2876	2876	3129	2980
21 / 533 66 / 1676	2820	3140	2990	2990	3254	3100
21 / 533 72 / 1829	2933	3267	3111	3111	3384	3223
21 / 533 78 / 1981	3050	3397	3235	3235	3519	3352
21 / 533 84 / 2134	3173	3533	3365	3365	3662	3486
21 / 533 90 / 2286	3301	3673	3498	3498	3807	3626
21 / 533 96 / 2438	3431	3822	3639	3639	3959	3771
23 / 584 30 / 762	2204	2453	2336	2336	2541	2421
23 / 584 36 / 914	2315	2577	2455	2455	2671	2543
23 / 584 42 / 1067	2583	2876	2739	2739	2980	2839
23 / 584 48 / 1219	2581	2875	2738	2738	2979	2838
23 / 584 54 / 1372	2686	2992	2847	2847	3099	2950
23 / 584 60 / 1524	2793	3110	2963	2963	3223	3069
23 / 584 66 / 1676	2905	3234	3080	3080	3352	3193
23 / 584 72 / 1829	3021	3366	3204	3204	3486	3319
23 / 584 78 / 1981	3141	3498	3333	3333	3625	3453
23 / 584 84 / 2134	3269	3640	3465	3465	3772	3590
23 / 584 90 / 2286	3399	3784	3604	3604	3922	3735
23 / 584 96 / 2438	3533	3937	3748	3748	4078	3884
30 / 762 42 / 1067	2764	3078	2932	2932	3189	3038
30 / 762 48 / 1219	2762	3077	2930	2930	3188	3037
30 / 762 54 / 1372	2874	3202	3048	3048	3316	3157
30 / 762 60 / 1524	2990	3328	3170	3170	3449	3284
30 / 762 66 / 1676	3109	3460	3295	3295	3586	3417
30 / 762 72 / 1829	3233	3601	3428	3428	3730	3552
45 / 1143 42 / 1067	3180	3540	3371	3371	3667	3493
45 / 1143 48 / 1219	3177	3539	3370	3370	3666	3492
45 / 1143 54 / 1372	3305	3681	3503	3503	3814	3631
45 / 1143 60 / 1524	3437	3826	3645	3645	3966	3777
45 / 1143 66 / 1676	3575	3980	3789	3789	4124	3929
45 / 1143 72 / 1829	3717	4141	3943	3943	4289	4085





UKSC  
Single Locker with Cubby Back



The Single Locker with Cubby Back provides coat storage, secured shelf storage or a recycling section with the capability to support worksurfaces or panels.

WHAT’S INCLUDED

1 single locker with pull, 4 angled feet (if specified), lock and keys (if specified), grommet (if specified), 1 coat hook and boot shelf (if Closet (C) configuration is specified), 1-4 height-adjustable shelves (if shelves (S) configuration is specified).

NOTES

The 12" wide locker **cannot** be used in a freestanding application. It must be attached to a worksurface or panel or linked to another storage unit.

The Closet (C) interior configuration or Split Door (S) options do **not** apply to 28", 36" and 42" heights.

Closet (C) and Shelves (S) interior configurations are only available when a Full Door (F) locker has been specified.

The Electrical Cut Out option does **not** apply to the Standard (S) Single locker.

When Split Door (S) is specified the Recycle & Shelves (R) interior configuration is the only option available. The bottom section will have no lock and will come with two recycle bins. The top lockable section will have shelves.

Door swing direction can be determined by the location of the hinges on the door.

PRODUCT OPTIONS

Style	Height	Depth	Width	Door Swing Direction	Door Split	Pull Style
E Elevated (shown) S Standard	28, 36, 42, 51, 66	29, 35	12, 16	L Left (shown) R Right	F Full Door S Split Door	D District R Rectangular

SAMPLE ORDER CODE

UKSC E	51	35	12	L	F	D
--------	----	----	----	---	---	---

PRODUCT OPTIONS CONTINUED

Pull Finish	Case & Front Finish	Interior Configuration	Electrical Cut Out	Key Style	Foot Finish (Elevated Style)
Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	C Closet S Shelves R Recycle & Shelves	G Base Grommet (Elevated) B Base Back Cut Out (Elevated) N None	K Keyed Alike R Keyed Rand-omly N No Lock	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze

SAMPLE ORDER CODE CONTINUED

E	Case VU	Front VU	C	N	R	Q
---	------------	-------------	---	---	---	---

Pricing is continued on the following page.

## U K S C

Single Locker with Cubby Back  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
28	29	12-16
28	35	12-16
36	29	12-16
36	35	12-16
42	29	12-16
42	35	12-16
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

28	29	12-16
28	35	12-16
36	29	12-16
36	35	12-16
42	29	12-16
42	35	12-16
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

H	D	W
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

## PRICING

## ELEVATED (E)

## FULL DOOR (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
973	1332
1031	1356
1097	1510
1165	1539
1241	1715
1319	1748
1406	1953
1496	1991
1596	2224
1699	2269

## FLINTWOOD CASE

Seamless Front	Flintwood Front
1834	1908
1887	1961
2131	2263
2192	2326
2480	2688
2551	2762
2889	3197
2974	3288
3371	3808
3469	3920

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1591	1678	1684
1621	1711	1717
1808	1908	1916
1843	1947	1956
2059	2174	2184
2100	2220	2228
2347	2479	2490
2395	2532	2542
2680	2829	2844
2732	2890	2903

## VENEER CASE

Seamless Front	Veneer Front
1952	1978
2006	2034
2314	2347
2381	2415
2749	2788
2828	2871
3271	3318
3367	3417
3897	3955
4013	4072

## SPLIT DOOR (S)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1492	2038
1581	2077
1682	2309
1783	2355

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2976	3283
3059	3375
3457	3895
3554	4004

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2432	2565	2576
2481	2619	2628
2763	2916	2929
2819	2977	2988

## VENEER CASE

Seamless Front	Veneer Front
3357	3404
3453	3502
3983	4041
4099	4158

If Shelves are specified, add 87  
 If Base Grommet is specified, add 121  
 If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## U K S C

Single Locker with Cubby Back  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
28	29	12-16
28	35	12-16
36	29	12-16
36	35	12-16
42	29	12-16
42	35	12-16
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

28	29	12-16
28	35	12-16
36	29	12-16
36	35	12-16
42	29	12-16
42	35	12-16
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

H	D	W
51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

51	29	12-16
51	35	12-16
66	29	12-16
66	35	12-16

If Shelves are specified, add 87  
 If Base Grommet is specified, add 121  
 If Base Back Cut Out is specified, add 87

## PRICING

## STANDARD (S)

## FULL DOOR (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
833	1193
892	1218
958	1372
1027	1401
1103	1578
1181	1611
1268	1813
1357	1855
1458	2087
1561	2131

## FLINTWOOD CASE

Seamless Front	Flintwood Front
1696	1771
1747	1825
1993	2125
2054	2189
2342	2550
2414	2626
2752	3059
2835	3151
3234	3671
3332	3781

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1452	1540	1547
1483	1573	1580
1672	1771	1778
1707	1809	1816
1922	2036	2046
1962	2081	2091
2209	2340	2353
2257	2394	2404
2540	2692	2705
2596	2753	2763

## VENEER CASE

Seamless Front	Veneer Front
1812	1840
1868	1897
2176	2209
2242	2276
2610	2652
2691	2731
3133	3181
3228	3278
3760	3816
3875	3934

## SPLIT DOOR (S)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1354	1900
1444	1939
1544	2172
1647	2217

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2839	3145
2921	3237
3319	3758
3418	3867

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2295	2427	2438
2343	2480	2490
2627	2779	2791
2683	2840	2850


## VENEER CASE

Seamless Front	Veneer Front
3219	3267
3315	3365
3845	3903
3961	4020



## UKSD

## Single Locker with Solid Back



The Single Locker with Solid Back provides either coat storage, secured shelf storage or a recycling section with the capability to support worksurfaces or panels.

## WHAT'S INCLUDED

1 single locker with pull, 4 angled feet (if specified), lock and keys (if specified), 2 coat hooks and boot shelf (if Closet (C) configuration is specified and unit is 66" high), 1-4 height-adjustable shelves (if shelves (S) configuration is specified).

## NOTES

The 12" wide locker **cannot** be used in a freestanding application. It must be attached to a worksurface or panel or linked to another storage unit.

The Closet (C) interior configuration or Split Door (S) options do **not** apply to 21", 28", 36" & 42" heights.

Closet (C) and Shelves (S) interior configurations are only available when a Full Door (F) locker has been specified.

Recycle & Shelves (R) interior configuration is **not** available when Full Door (F) has been specified.

When Split Door (S) is specified the Recycle & Shelves (R) interior configuration is the only option available. The bottom section will have no lock and will come with two recycle bins. The top lockable section will have shelves.

Door swing direction can be determined by the location of the hinges on the door.

## PRODUCT OPTIONS

Style	Height	Depth	Width	Door Swing Direction	Door Split
<b>E</b> Elevated (Shown) <b>S</b> Standard	21, 28, 36, 42, 51, 66	16, 19, 23	12, 16	<b>L</b> Left (shown) <b>R</b> Right	<b>F</b> Full Door <b>S</b> Split Door

## SAMPLE ORDER CODE

<b>UKSD E</b>	<b>51</b>	<b>16</b>	<b>12</b>	<b>L</b>	<b>F</b>
---------------	-----------	-----------	-----------	----------	----------

## PRODUCT OPTIONS CONTINUED

Pull Style	Pull Finish	Case, Back & Front Finish	Interior Configuration	Key Style	Foot Finish (Elevated Style)
<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>C</b> Closet <b>S</b> Shelves <b>R</b> Recycle & Shelves	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze

## SAMPLE ORDER CODE CONTINUED

		Case	Back	Front			
<b>D</b>	<b>Q</b>	<b>VU</b>	<b>VU</b>	<b>VU</b>	<b>C</b>	<b>R</b>	<b>Q</b>

Pricing is continued on the following page.

U K S D

## Single Locker with Solid Back (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
21	16	12-16
21	19	12-16
21	23	12-16
28	16	12-16
28	19	12-16
28	23	12-16
36	16	12-16
36	19	12-16
36	23	12-16
42	16	12-16
42	19	12-16
42	23	12-16
51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

### PRICING

#### ELEVATED (E)

#### FULL DOOR (F)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
691	955
721	1001
761	1073
767	1063
800	1111
846	1193
845	1174
881	1228
928	1320
927	1298
971	1358
1024	1462
1023	1437
1070	1506
1132	1620
1130	1593
1181	1670
1250	1799

#### SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
21	1013	1019	1023	1016	1022	1060	1075
21	1061	1067	1071	1065	1069	1110	1127
21	1140	1146	1151	1145	1150	1193	1213
28	1137	1130	1135	1127	1177	1133	1195
28	1190	1183	1187	1179	1233	1185	1252
28	1278	1273	1277	1266	1325	1274	1348
36	1258	1249	1254	1245	1303	1252	1323
36	1317	1308	1313	1304	1364	1311	1386
36	1415	1409	1414	1401	1468	1411	1492
42	1391	1383	1388	1379	1443	1386	1466
42	1457	1448	1455	1444	1510	1452	1537
42	1569	1562	1566	1553	1627	1563	1654
51	1542	1532	1539	1528	1598	1537	1625
51	1616	1605	1614	1601	1676	1611	1705
51	1741	1734	1738	1722	1806	1735	1837
66	1711	1701	1708	1693	1774	1705	1804
66	1795	1780	1792	1776	1861	1787	1893
66	1933	1925	1929	1912	2006	1926	2041

If Shelves are specified, add 87

Pricing is continued on the following page.

## UKSD

Single Locker with Solid Back  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
21	16	12-16
21	19	12-16
21	23	12-16
28	16	12-16
28	19	12-16
28	23	12-16
36	16	12-16
36	19	12-16
36	23	12-16
42	16	12-16
42	19	12-16
42	23	12-16
51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

## PRICING

ELEVATED (E)  
FULL DOOR (F)

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1057	1086	1086	1292
1105	1137	1137	1353
1203	1236	1236	1472
1174	1207	1207	1435
1229	1264	1264	1502
1337	1373	1373	1636
1298	1336	1336	1591
1359	1399	1399	1666
1480	1521	1521	1815
1437	1479	1479	1766
1507	1550	1550	1849
1642	1687	1687	2019
1593	1640	1640	1960
1672	1719	1719	2056
1823	1873	1873	2244
1768	1820	1820	2179
1856	1909	1909	2286
2023	2083	2083	2497

## VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
21	16	12-16	1084	1120	1120	1292
21	19	12-16	1134	1173	1173	1353
21	23	12-16	1235	1275	1275	1472
28	16	12-16	1205	1244	1244	1435
28	19	12-16	1261	1303	1303	1502
28	23	12-16	1372	1417	1417	1636
36	16	12-16	1334	1377	1377	1591
36	19	12-16	1396	1443	1443	1666
36	23	12-16	1520	1571	1571	1815
42	16	12-16	1477	1527	1527	1766
42	19	12-16	1547	1598	1598	1849
42	23	12-16	1686	1743	1743	2019
51	16	12-16	1638	1692	1692	1960
51	19	12-16	1715	1774	1774	2056
51	23	12-16	1872	1935	1935	2244
66	16	12-16	1816	1879	1879	2179
66	19	12-16	1904	1970	1970	2286
66	23	12-16	2080	2152	2152	2497

If Shelves are specified, add 87

Pricing is continued on the following page.



U K S D

# Single Locker with Solid Back (Continued)

## DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

## PRICING

### ELEVATED (E)

### SPLIT DOOR (S)

### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1081	1495
1127	1563
1189	1678
1187	1650
1238	1727
1308	1857

### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1600	1589	1596	1585	1656	1594	1682
1674	1663	1672	1658	1734	1669	1763
1799	1792	1796	1779	1864	1793	1895
1769	1756	1766	1750	1832	1763	1862
1850	1838	1846	1834	1918	1844	1950
1991	1982	1987	1970	2063	1983	2099

### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1650	1697	1697	2018
1728	1777	1777	2112
1877	1931	1931	2302
1826	1876	1876	2237
1911	1967	1967	2343
2080	2140	2140	2554

### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1695	1749	1749	2018
1773	1832	1832	2112
1930	1993	1993	2302
1874	1936	1936	2237
1962	2028	2028	2343
2137	2209	2209	2554

If Shelves are specified, add 87

Pricing is continued on the following page.

## UKSD

Single Locker with Solid Back  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
21	16	12-16
21	19	12-16
21	23	12-16
28	16	12-16
28	19	12-16
28	23	12-16
36	16	12-16
36	19	12-16
36	23	12-16
42	16	12-16
42	19	12-16
42	23	12-16
51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

## PRICING

## STANDARD (S)

## FULL DOOR (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
555	815
583	857
622	928
630	924
663	974
707	1055
706	1037
742	1090
792	1182
791	1160
831	1221
887	1324
886	1299
930	1368
993	1482
992	1455
1043	1532
1113	1660

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
21	869	876	880	875	878	915	930
21	916	922	925	920	923	963	980
21	992	1001	1005	1000	1004	1044	1065
28	1000	992	997	988	1040	994	1058
28	1052	1045	1049	1041	1095	1047	1114
28	1141	1135	1140	1128	1187	1136	1210
36	1120	1112	1116	1107	1165	1114	1185
36	1179	1171	1176	1166	1225	1174	1248
36	1277	1272	1276	1264	1330	1273	1354
42	1254	1245	1250	1241	1305	1248	1327
42	1320	1310	1318	1306	1372	1315	1399
42	1431	1424	1429	1415	1489	1425	1517
51	1404	1395	1401	1389	1461	1399	1487
51	1478	1468	1476	1463	1538	1474	1566
51	1603	1595	1600	1585	1669	1596	1701
66	1573	1562	1570	1556	1636	1566	1666
66	1656	1644	1652	1639	1722	1650	1754
66	1797	1785	1793	1775	1868	1787	1903

If Shelves are specified, add 87

Pricing is continued on the following page.

U K S D

# Single Locker with Solid Back (Continued)

## DIMENSIONS FOR MM X BY 25.4

## PRICING

### STANDARD (S)

### FULL DOOR (F)

### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
21	16	12-16	913	942	942	1142
21	19	12-16	959	989	989	1201
21	23	12-16	1055	1088	1088	1320
28	16	12-16	1037	1070	1070	1297
28	19	12-16	1091	1126	1126	1365
28	23	12-16	1200	1236	1236	1499
36	16	12-16	1160	1199	1199	1452
36	19	12-16	1222	1261	1261	1529
36	23	12-16	1342	1384	1384	1679
42	16	12-16	1299	1341	1341	1627
42	19	12-16	1369	1413	1413	1712
42	23	12-16	1503	1550	1550	1880
51	16	12-16	1455	1502	1502	1824
51	19	12-16	1533	1583	1583	1918
51	23	12-16	1683	1737	1737	2107
66	16	12-16	1629	1682	1682	2041
66	19	12-16	1716	1772	1772	2149
66	23	12-16	1887	1945	1945	2359

### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
21	16	12-16	940	974	974	1142
21	19	12-16	987	1025	1025	1201
21	23	12-16	1086	1127	1127	1320
28	16	12-16	1068	1106	1106	1297
28	19	12-16	1123	1165	1165	1365
28	23	12-16	1235	1279	1279	1499
36	16	12-16	1195	1239	1239	1452
36	19	12-16	1258	1305	1305	1529
36	23	12-16	1383	1433	1433	1679
42	16	12-16	1339	1388	1388	1627
42	19	12-16	1409	1461	1461	1712
42	23	12-16	1549	1605	1605	1880
51	16	12-16	1500	1555	1555	1824
51	19	12-16	1578	1636	1636	1918
51	23	12-16	1736	1799	1799	2107
66	16	12-16	1680	1742	1742	2041
66	19	12-16	1768	1833	1833	2149
66	23	12-16	1942	2014	2014	2359

If Shelves are specified, add 87

Pricing is continued on the following page.

## UKSD

Single Locker with Solid Back  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

51	16	12-16
51	19	12-16
51	23	12-16
66	16	12-16
66	19	12-16
66	23	12-16

If Shelves are specified, add 87

## PRICING

## STANDARD (S)

## SPLIT DOOR (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
944	1356
988	1425
1051	1540
1049	1512
1101	1589
1171	1717

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1462	1451	1458	1447	1518	1456	1544
1535	1526	1533	1520	1595	1531	1624
1660	1652	1657	1643	1725	1653	1756
1630	1619	1627	1614	1693	1624	1723
1713	1702	1710	1696	1779	1708	1811
1855	1843	1847	1833	1926	1844	1961

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1512	1560	1560	1879
1591	1640	1640	1975
1741	1795	1795	2164
1686	1740	1740	2099
1774	1830	1830	2206
1942	2002	2002	2417


## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1557	1613	1613	1879
1635	1693	1693	1975
1794	1857	1857	2164
1738	1800	1800	2099
1826	1891	1891	2206
2000	2071	2071	2417



## U K C

## Single Locker with Side Closet



The Single Locker with Side Closet provides secured coat storage at the side in addition to secured front shelf storage or a recycle section. This unit can support worksurfaces or panels.

## WHAT'S INCLUDED

1 single locker with pulls, 4 angled feet (if specified), lock and keys (if specified), 2 coat hooks and boot shelf (for 66" high only) in side closet, 3 or 4 height-adjustable shelves depending on height or configuration.

## NOTES

The 12" wide locker **cannot** be used in a freestanding application. It must be attached to a worksurface or panel or linked to another storage unit.

When Split Door (S) option is specified, the bottom section will have no lock and will come with two recycle bins. The top lockable section will have shelves.

When Full Door (F) option is specified, the front section will be configured with shelves.

The front section will always be 16" deep, regardless of total depth of the unit. The width of the side closet will vary.

## PRODUCT OPTIONS

Style	Height	Depth	Width	Closet Location	Door Split	Pull Style	Pull Finish	Case & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated (shown)	51, 66	23, 29, 35	12, 16	<b>L</b> Left (shown)	<b>F</b> Full Door	<b>D</b> District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard				<b>R</b> Right	<b>S</b> Split Door	<b>R</b> Rectangular			<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze

## SAMPLE ORDER CODE

						Case		Front			
UKC E	51	29	12	R	F	D	7	ZA	ZA	R	7

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

## PRICING

## ELEVATED (E)

## FULL DOOR (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1889	2406
1979	2526
2069	2565
2098	2680
2200	2813
2301	2856

## FLINTWOOD CASE

Seamless Front	Flintwood Front
3571	3862
3750	4058
3834	4150
3982	4308
4185	4528
4278	4631

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2890	3016	3027
3036	3167	3178
3083	3220	3231
3221	3362	3374
3383	3530	3544
3437	3588	3602

## VENEER CASE

Seamless Front	Veneer Front
3987	4031
4189	4236
4285	4335
4447	4498
4676	4728
4783	4839

Pricing is continued on the following page.

U K C

# Single Locker with Side Closet (Continued)

## DIMENSIONS FOR MM X BY 25.4

H	D	W
51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

H	D	W
51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

51	23	12-16
51	29	12-16
51	35	12-16
66	23	12-16
66	29	12-16
66	35	12-16

## PRICING

### ELEVATED (E)

#### SPLIT DOOR (S)

#### SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1973	2492
2065	2611
2155	2652
2184	2763
2287	2898
2387	2943

#### FLINTWOOD CASE

Seamless Front	Flintwood Front
3656	3947
3836	4143
3921	4235
4068	4395
4270	4615
4365	4718

#### SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2977	3102	3113
3122	3253	3265
3170	3306	3316
3307	3448	3460
3469	3616	3631
3522	3675	3686

#### VENEER CASE

Seamless Front	Veneer Front
4073	4118
4275	4322
4371	4420
4533	4585
4761	4815
4870	4923

### STANDARD (S)

#### FULL DOOR (F)

#### SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1749	2269
1841	2388
1931	2427
1960	2540
2063	2674
2163	2719

#### FLINTWOOD CASE

Seamless Front	Flintwood Front
3432	3725
3612	3921
3697	4012
3844	4170
4046	4390
4140	4494

#### SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2753	2878	2889
2897	3029	3041
2946	3082	3093
3083	3223	3236
3245	3393	3406
3300	3452	3463

#### VENEER CASE

Seamless Front	Veneer Front
3848	3894
4051	4099
4146	4196
4310	4360
4536	4591
4646	4700

### SPLIT DOOR (S)

#### SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1836	2355
1928	2474
2018	2513
2046	2627
2150	2760
2250	2806

#### FLINTWOOD CASE

Seamless Front	Flintwood Front
3518	3809
3699	4005
3782	4098
3930	4256
4132	4476
4226	4581


#### SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2840	2964	2976
2983	3115	3127
3032	3169	3178
3170	3309	3322
3332	3480	3492
3385	3539	3549

#### VENEER CASE

Seamless Front	Veneer Front
3935	3980
4137	4186
4233	4283
4397	4446
4623	4678
4731	4786

U K N  
Cubby Locker



The Cubby Locker is a four-cubby locker with optional mail slots. It is available in standard and elevated styles and is designed for personal storage in shared office applications.

WHAT’S INCLUDED

1 case with pulls, 4 angled feet (with elevated style) lock and keys (if specified). Configuration (1): only hinged doors; Configuration (2); hinged doors with center mail slot.

NOTES

Door swing direction can be determined by the location of the hinges on the door.

PRODUCT OPTIONS

Style	Height	Depth	Width	Configuration	Door Swing Direction	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Foot Finish (Elevated Style)
E Elevated (shown)	42, 51, 66	16	30, 36, 42	1 Hinged Doors	L Left	D District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike	Q Storm White
S Standard				2 Hinged Doors with Mail Slots	R Right	R Rectangular			R Keyed Randomly N No Lock	7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze

SAMPLE ORDER CODE

										Case	Back	Front		
UKN	E	51	16	30	1	L	D	7	VU	VU	VU	R	Q	

484

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

PRICING

ELEVATED (E)	
HINGED DOORS (1)	
SOURCE LAMINATE CASE	
Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2764	3665
2959	3922
3165	4196
2903	3848
3107	4118
3324	4406
3051	4045
3265	4327
3493	4631

Pricing is continued on the following page.



## Cubby Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

## HINGED DOORS (1)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	30	3839	4063	4139	4063	4289	4139	4438
42	16	36	4107	4348	4429	4348	4589	4429	4749
42	16	42	4396	4652	4739	4652	4910	4739	5081
51	16	30	4031	4266	4346	4266	4503	4346	4660
51	16	36	4313	4565	4650	4565	4818	4650	4986
51	16	42	4615	4885	4976	4885	5155	4976	5334
66	16	30	4234	4485	4565	4485	4733	4565	4898
66	16	36	4531	4798	4886	4798	5063	4886	5241
66	16	42	4848	5135	5228	5135	5418	5228	5608

## FLINTWOOD CASE

			Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	30	4407	4498	4498	4587
42	16	36	4715	4813	4813	4908
42	16	42	5046	5150	5150	5253
51	16	30	4627	4723	4723	4816
51	16	36	4951	5054	5054	5153
51	16	42	5298	5408	5408	5514
66	16	30	4867	4964	4964	5064
66	16	36	5207	5312	5312	5419
66	16	42	5571	5683	5683	5798

## VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	30	4625	4719	4719	4814
42	16	36	4949	5049	5049	5151
42	16	42	5296	5403	5403	5512
51	16	30	4857	4955	4955	5055
51	16	36	5197	5301	5301	5410
51	16	42	5561	5672	5672	5788
66	16	30	5105	5208	5208	5315
66	16	36	5461	5573	5573	5686
66	16	42	5844	5964	5964	6085

Pricing is continued on the following page.

## U K N

## Cubby Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

## PRICING

## STANDARD (\$)

## HINGED DOORS (1)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2680	3580
2867	3830
3068	4099
2813	3759
3010	4021
3221	4304
2961	3955
3167	4231
3390	4528

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3753	3978	4053	3978	4202	4053	4352
4015	4256	4338	4256	4497	4338	4656
4295	4554	4641	4554	4811	4641	4982
3940	4176	4256	4176	4412	4256	4570
4217	4469	4554	4469	4721	4554	4889
4511	4782	4873	4782	5052	4873	5232
4144	4395	4476	4395	4643	4476	4809
4435	4702	4789	4702	4967	4789	5145
4745	5030	5124	5030	5316	5124	5505

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4321	4411	4411	4501
4623	4721	4721	4817
4947	5051	5051	5153
4536	4632	4632	4727
4855	4957	4957	5057
5195	5303	5303	5412
4777	4874	4874	4975
5111	5214	5214	5323
5469	5580	5580	5696

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4538	4633	4633	4727
4856	4958	4958	5058
5196	5303	5303	5412
4765	4865	4865	4964
5099	5205	5205	5312
5455	5569	5569	5683
5015	5119	5119	5224
5364	5477	5477	5590
5741	5860	5860	5980

Pricing is continued on the following page.

## Cubby Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

## PRICING

## ELEVATED (E)

## HINGED DOORS WITH MAIL SLOTS (2)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2839	3738
3033	3996
3240	4270
2977	3922
3181	4192
3398	4479
3125	4119
3339	4402
3568	4705

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3913	4137	4213	4137	4364	4213	4512
4181	4422	4502	4422	4663	4502	4823
4469	4726	4813	4726	4985	4813	5154
4105	4341	4419	4341	4578	4419	4734
4386	4640	4724	4640	4892	4724	5059
4689	4959	5050	4959	5230	5050	5409
4309	4558	4640	4558	4807	4640	4971
4605	4872	4960	4872	5138	4960	5316
4922	5208	5301	5208	5492	5301	5682

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4481	4572	4572	4661
4789	4887	4887	4982
5119	5225	5225	5326
4702	4797	4797	4890
5025	5128	5128	5228
5373	5481	5481	5589
4940	5038	5038	5139
5282	5385	5385	5493
5645	5757	5757	5873

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4700	4793	4793	4888
5023	5122	5122	5226
5370	5476	5476	5587
4931	5028	5028	5129
5270	5376	5376	5483
5635	5746	5746	5862
5178	5283	5283	5388
5535	5648	5648	5760
5917	6037	6037	6158

Pricing is continued on the following page.

## U K N

## Cubby Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

42	16	30
42	16	36
42	16	42
51	16	30
51	16	36
51	16	42
66	16	30
66	16	36
66	16	42

## PRICING

## STANDARD (S)

## HINGED DOORS WITH MAIL SLOTS (2)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2753	3654
2940	3904
3142	4172
2887	3833
3084	4095
3295	4377
3035	4029
3242	4306
3463	4602

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3826	4051	4128	4051	4277	4128	4427
4089	4329	4411	4329	4571	4411	4731
4370	4627	4714	4627	4885	4714	5056
4014	4251	4329	4251	4487	4329	4644
4290	4543	4627	4543	4795	4627	4963
4585	4856	4947	4856	5125	4947	5305
4219	4468	4551	4468	4716	4551	4883
4508	4775	4863	4775	5041	4863	5220
4819	5105	5199	5105	5389	5199	5579

## FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4396	4486	4486	4575
4697	4795	4795	4891
5021	5124	5124	5228
4611	4706	4706	4801
4929	5030	5030	5132
5268	5378	5378	5486
4850	4948	4948	5049
5184	5289	5289	5396
5542	5654	5654	5770

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4613	4707	4707	4801
4930	5031	5031	5133
5269	5378	5378	5486
4839	4938	4938	5038
5173	5279	5279	5385
5530	5643	5643	5757
5088	5194	5194	5297
5439	5551	5551	5664
5815	5935	5935	6055



## UKD Dual Locker



The Dual Locker provides coat and secured shelf storage. This unit can support panels or can be ganged together to create a bank of lockers.

### WHAT'S INCLUDED

1 dual locker with pulls, 4 angled feet (with elevated style) lock and keys (if specified),

Configuration	Coat Hook	Boot Shelf	Shelves
CC	2	2 (66"h)	0
CS	1	1 (66"h)	2 - 4
SS	0	0	4 - 8

### NOTES

Orientation (L & R) options do **not** apply to the Coat and Shelf (CS) interior configuration.

Orientation (F & G) options do **not** apply to the Coat Hook on Both Sides (CC) and Shelves on Both Sides (SS) interior configurations.

Shelves and coat hook are reconfigurable.

If Interior Configurations Coat Hook, Both Sides (CC) or Shelves, Both Sides (SS) are specified, each side will be individually locked.

### PRODUCT OPTIONS

Style	Height	Depth	Width	Interior Configuration	Orientation	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated (shown)	36, 42, 51, 66	16, 19	24, 30, 36, 42	<b>CC</b> Coat Hook, Both Sides	<b>L</b> Door Swing, Left	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>Q</b> Storm White
<b>S</b> Standard				<b>CS</b> Coat Hook & Shelves	<b>R</b> Door Swing, Right (shown)					<b>7</b> Platinum
				<b>SS</b> Shelves, Both Sides	<b>F</b> Coat Hook, Left					<b>V</b> Very White
					<b>G</b> Coat Hook, Right					<b>X</b> Anthracite
										<b>M</b> Graphite
										<b>2</b> Burnished Bronze

### SAMPLE ORDER CODE

											Case	Back	Front
UKD E	51	16	24	CS	F	D	7	ZA	ZA	ZA	R	7	

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

### PRICING

#### ELEVATED (E)

#### COAT HOOK, BOTH SIDES (CC)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1978	2597
2150	2823
2307	3036
2470	3248
2074	2725
2255	2965
2421	3188
2591	3410
2074	2725
2255	2965
2421	3188
2591	3410
2177	2860
2366	3114
2542	3348
2720	3583

Pricing is continued on the following page.

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

## COAT HOOK, BOTH SIDES (CC)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	24	2716	2871	2921	2871	3024	2921	3127
51	16	30	2953	3123	3178	3123	3291	3178	3404
51	16	36	3175	3358	3419	3358	3541	3419	3663
51	16	42	3397	3591	3657	3591	3788	3657	3919
51	19	24	2849	3012	3067	3012	3175	3067	3283
51	19	30	3102	3280	3339	3280	3457	3339	3576
51	19	36	3335	3526	3590	3526	3717	3590	3846
51	19	42	3569	3773	3843	3773	3978	3843	4114
66	16	24	2849	3012	3067	3012	3175	3067	3283
66	16	30	3102	3280	3339	3280	3457	3339	3576
66	16	36	3335	3526	3590	3526	3717	3590	3846
66	16	42	3569	3773	3843	3773	3978	3843	4114
66	19	24	2992	3163	3221	3163	3336	3221	3450
66	19	30	3257	3446	3509	3446	3633	3509	3758
66	19	36	3503	3705	3773	3705	3907	3773	4042
66	19	42	3750	3965	4038	3965	4180	4038	4324

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	3107	3169	3169	3231
51	3381	3450	3450	3517
51	3637	3708	3708	3782
51	3892	3968	3968	4046
51	3263	3326	3326	3392
51	3552	3624	3624	3696
51	3821	3897	3897	3973
51	4089	4170	4170	4252
66	3263	3326	3326	3392
66	3552	3624	3624	3696
66	3821	3897	3897	3973
66	4089	4170	4170	4252
66	3428	3495	3495	3565
66	3732	3807	3807	3882
66	4015	4097	4097	4176
66	4295	4383	4383	4469

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	3255	3319	3319	3385
51	3544	3614	3614	3685
51	3812	3888	3888	3965
51	4078	4161	4161	4242
51	3419	3486	3486	3554
51	3725	3798	3798	3873
51	4004	4085	4085	4165
51	4285	4372	4372	4457
66	3419	3486	3486	3554
66	3725	3798	3798	3873
66	4004	4085	4085	4165
66	4285	4372	4372	4457
66	3591	3664	3664	3735
66	3911	3990	3990	4069
66	4209	4294	4294	4379
66	4503	4595	4595	4685

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

## PRICING

## ELEVATED (E)

## COAT HOOK &amp; SHELVES (CS)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2056	2697
2226	2927
2386	3141
2552	3361
2156	2834
2336	3074
2504	3299
2680	3529
2156	2834
2336	3074
2504	3299
2680	3529
2263	2977
2452	3228
2628	3463
2812	3705

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	2821	2982	3037	2982	3144	3037	3251
51	3062	3237	3296	3237	3413	3296	3529
51	3285	3476	3538	3476	3664	3538	3790
51	3516	3718	3785	3718	3920	3785	4056
51	2964	3134	3190	3134	3304	3190	3417
51	3216	3400	3462	3400	3584	3462	3707
51	3451	3648	3715	3648	3847	3715	3981
51	3692	3904	3975	3904	4115	3975	4259
66	2964	3134	3190	3134	3304	3190	3417
66	3216	3400	3462	3400	3584	3462	3707
66	3451	3648	3715	3648	3847	3715	3981
66	3692	3904	3975	3904	4115	3975	4259
66	3113	3292	3350	3292	3470	3350	3588
66	3378	3573	3638	3573	3767	3638	3897
66	3624	3833	3903	3833	4043	3903	4182
66	3878	4101	4175	4101	4325	4175	4474

Pricing is continued on the following page.



# U K D

## Dual Locker (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### ELEVATED (E)

#### COAT HOOK & SHELVES (CS)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	24	3231	3294	3294	3359
51	16	30	3508	3577	3577	3646
51	16	36	3764	3839	3839	3915
51	16	42	4028	4108	4108	4190
51	19	24	3395	3462	3462	3529
51	19	30	3681	3758	3758	3831
51	19	36	3954	4033	4033	4112
51	19	42	4230	4316	4316	4401
66	16	24	3395	3462	3462	3529
66	16	30	3681	3758	3758	3831
66	16	36	3954	4033	4033	4112
66	16	42	4230	4316	4316	4401
66	19	24	3568	3638	3638	3708
66	19	30	3870	3949	3949	4027
66	19	36	4154	4237	4237	4321
66	19	42	4444	4534	4534	4623

#### VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	24	3384	3452	3452	3519
51	16	30	3675	3748	3748	3823
51	16	36	3946	4026	4026	4105
51	16	42	4223	4308	4308	4393
51	19	24	3557	3630	3630	3700
51	19	30	3861	3937	3937	4015
51	19	36	4144	4227	4227	4311
51	19	42	4435	4523	4523	4613
66	16	24	3557	3630	3630	3700
66	16	30	3861	3937	3937	4015
66	16	36	4144	4227	4227	4311
66	16	42	4435	4523	4523	4613
66	19	24	3737	3813	3813	3888
66	19	30	4058	4139	4139	4221
66	19	36	4354	4441	4441	4530
66	19	42	4660	4752	4752	4847

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	16	42
36	19	24
36	19	30
36	19	36
36	19	42
42	16	24
42	16	30
42	16	36
42	16	42
42	19	24
42	19	30
42	19	36
42	19	42
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

## PRICING

## ELEVATED (E)

## SHELVES, BOTH SIDES (SS)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1933	2541
2088	2748
2231	2938
2388	3144
2029	2668
2191	2885
2343	3087
2507	3304
2031	2669
2193	2886
2344	3086
2508	3303
2131	2803
2302	3030
2461	3243
2634	3469
2133	2805
2304	3032
2462	3242
2635	3468
2239	2944
2418	3183
2585	3407
2767	3646
2239	2944
2418	3183
2585	3407
2767	3646
2349	3092
2538	3345
2715	3579
2904	3830

Pricing is continued on the following page.

U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

## SHELVES, BOTH SIDES (SS)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
36	16	24	2657	2810	2859	2810	2961	2859	3064
36	16	30	2874	3039	3093	3039	3203	3093	3314
36	16	36	3073	3251	3309	3251	3427	3309	3547
36	16	42	3288	3479	3541	3479	3667	3541	3795
36	19	24	2790	2950	3004	2950	3111	3004	3217
36	19	30	3019	3192	3250	3192	3365	3250	3482
36	19	36	3231	3418	3480	3418	3603	3480	3728
36	19	42	3457	3656	3723	3656	3854	3723	3989
42	16	24	2790	2951	3004	2951	3111	3004	3218
42	16	30	3019	3192	3249	3192	3365	3249	3482
42	16	36	3228	3416	3478	3416	3601	3478	3726
42	16	42	3455	3654	3721	3654	3852	3721	3986
42	19	24	2932	3099	3156	3099	3267	3156	3378
42	19	30	3171	3353	3414	3353	3536	3414	3656
42	19	36	3394	3588	3654	3588	3784	3654	3915
42	19	42	3632	3840	3910	3840	4048	3910	4190
51	16	24	2932	3100	3156	3100	3267	3156	3379
51	16	30	3171	3353	3413	3353	3536	3413	3656
51	16	36	3392	3586	3651	3586	3782	3651	3913
51	16	42	3630	3837	3908	3837	4046	3908	4188
51	19	24	3079	3255	3314	3255	3432	3314	3549
51	19	30	3331	3521	3585	3521	3713	3585	3840
51	19	36	3565	3769	3838	3769	3974	3838	4112
51	19	42	3815	4033	4107	4033	4253	4107	4401
66	16	24	3079	3255	3314	3255	3432	3314	3549
66	16	30	3331	3521	3585	3521	3713	3585	3840
66	16	36	3565	3769	3838	3769	3974	3838	4112
66	16	42	3815	4033	4107	4033	4253	4107	4401
66	19	24	3234	3420	3482	3420	3606	3482	3730
66	19	30	3498	3701	3767	3701	3901	3767	4037
66	19	36	3744	3961	4032	3961	4176	4032	4321
66	19	42	4006	4238	4314	4238	4469	4314	4623

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

## SHELVES, BOTH SIDES (SS)

## FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
36	16	24	3042	3103	3103	3163
36	16	30	3292	3359	3359	3423
36	16	36	3523	3592	3592	3664
36	16	42	3769	3845	3845	3920
36	19	24	3196	3260	3260	3324
36	19	30	3457	3527	3527	3596
36	19	36	3703	3776	3776	3852
36	19	42	3962	4041	4041	4122
42	16	24	3195	3260	3260	3323
42	16	30	3458	3527	3527	3596
42	16	36	3701	3774	3774	3848
42	16	42	3960	4039	4039	4117
42	19	24	3358	3424	3424	3491
42	19	30	3632	3705	3705	3777
42	19	36	3890	3967	3967	4046
42	19	42	4162	4245	4245	4328
51	16	24	3357	3424	3424	3490
51	16	30	3633	3705	3705	3777
51	16	36	3887	3965	3965	4043
51	16	42	4160	4242	4242	4325
51	19	24	3526	3598	3598	3668
51	19	30	3814	3892	3892	3968
51	19	36	4085	4167	4167	4250
51	19	42	4372	4459	4459	4548
66	16	24	3526	3598	3598	3668
66	16	30	3814	3892	3892	3968
66	16	36	4085	4167	4167	4250
66	16	42	4372	4459	4459	4548
66	19	24	3704	3778	3778	3854
66	19	30	4010	4091	4091	4171
66	19	36	4293	4380	4380	4466
66	19	42	4594	4686	4686	4779

Pricing is continued on the following page.

U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

## SHELVES, BOTH SIDES (SS)

## VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
36	16	24	3188	3252	3252	3316
36	16	30	3451	3519	3519	3589
36	16	36	3693	3767	3767	3840
36	16	42	3951	4031	4031	4109
36	19	24	3350	3418	3418	3485
36	19	30	3624	3697	3697	3771
36	19	36	3882	3959	3959	4037
36	19	42	4154	4236	4236	4319
42	16	24	3348	3417	3417	3484
42	16	30	3624	3697	3697	3771
42	16	36	3878	3957	3957	4034
42	16	42	4149	4234	4234	4317
42	19	24	3519	3588	3588	3661
42	19	30	3807	3883	3883	3960
42	19	36	4078	4159	4159	4241
42	19	42	4364	4449	4449	4537
51	16	24	3517	3587	3587	3660
51	16	30	3807	3883	3883	3960
51	16	36	4074	4157	4157	4237
51	16	42	4358	4447	4447	4534
51	19	24	3697	3769	3769	3844
51	19	30	3999	4079	4079	4160
51	19	36	4283	4369	4369	4456
51	19	42	4583	4674	4674	4767
66	16	24	3697	3769	3769	3844
66	16	30	3999	4079	4079	4160
66	16	36	4283	4369	4369	4456
66	16	42	4583	4674	4674	4767
66	19	24	3883	3961	3961	4040
66	19	30	4203	4288	4288	4373
66	19	36	4501	4592	4592	4683
66	19	42	4816	4914	4914	5011

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

## PRICING

## STANDARD (S)

## COAT HOOK, BOTH SIDES (CC)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1840	2459
2011	2687
2169	2897
2322	3099
1936	2589
2118	2827
2284	3050
2444	3263
1936	2589
2118	2827
2284	3050
2444	3263
2039	2723
2228	2977
2404	3211
2572	3435

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	2577	2731	2784	2731	2887	2784	2989
51	2816	2985	3041	2985	3154	3041	3267
51	3038	3220	3281	3220	3402	3281	3523
51	3251	3446	3511	3446	3640	3511	3769
51	2713	2875	2928	2875	3038	2928	3145
51	2964	3142	3202	3142	3319	3202	3438
51	3197	3389	3453	3389	3580	3453	3708
51	3422	3625	3695	3625	3831	3695	3968
66	2713	2875	2928	2875	3038	2928	3145
66	2964	3142	3202	3142	3319	3202	3438
66	3197	3389	3453	3389	3580	3453	3708
66	3422	3625	3695	3625	3831	3695	3968
66	2855	3026	3083	3026	3199	3083	3312
66	3119	3307	3370	3307	3494	3370	3618
66	3366	3569	3636	3569	3769	3636	3904
66	3602	3818	3891	3818	4033	3891	4176

Pricing is continued on the following page.

U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## STANDARD (S)

## COAT HOOK, BOTH SIDES (CC)

## FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	24	2969	3030	3030	3093
51	16	30	3244	3312	3312	3379
51	16	36	3498	3572	3572	3644
51	16	42	3744	3821	3821	3899
51	19	24	3125	3189	3189	3254
51	19	30	3416	3486	3486	3557
51	19	36	3681	3760	3760	3836
51	19	42	3940	4023	4023	4105
66	16	24	3125	3189	3189	3254
66	16	30	3416	3486	3486	3557
66	16	36	3681	3760	3760	3836
66	16	42	3940	4023	4023	4105
66	19	24	3289	3358	3358	3427
66	19	30	3594	3670	3670	3744
66	19	36	3877	3959	3959	4040
66	19	42	4148	4236	4236	4322

## VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	24	3117	3182	3182	3248
51	16	30	3406	3478	3478	3548
51	16	36	3674	3750	3750	3827
51	16	42	3931	4012	4012	4095
51	19	24	3281	3348	3348	3418
51	19	30	3585	3662	3662	3735
51	19	36	3867	3947	3947	4028
51	19	42	4138	4224	4224	4310
66	16	24	3281	3348	3348	3418
66	16	30	3585	3662	3662	3735
66	16	36	3867	3947	3947	4028
66	16	42	4138	4224	4224	4310
66	19	24	3454	3525	3525	3599
66	19	30	3774	3852	3852	3931
66	19	36	4072	4157	4157	4241
66	19	42	4356	4447	4447	4537

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

## PRICING

## STANDARD (S)

## COAT HOOK &amp; SHELVES (CS)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1918	2561
2089	2789
2248	3004
2406	3214
2019	2696
2198	2937
2366	3160
2533	3381
2019	2696
2198	2937
2366	3160
2533	3381
2125	2840
2315	3092
2490	3325
2665	3557

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	2685	2845	2898	2845	3007	2898	3113
51	2924	3100	3158	3100	3275	3158	3392
51	3147	3337	3399	3337	3525	3399	3650
51	3368	3571	3637	3571	3772	3637	3907
51	2826	2996	3052	2996	3166	3052	3278
51	3078	3263	3324	3263	3448	3324	3571
51	3313	3512	3578	3512	3709	3578	3843
51	3546	3757	3828	3757	3969	3828	4111
66	2826	2996	3052	2996	3166	3052	3278
66	3078	3263	3324	3263	3448	3324	3571
66	3313	3512	3578	3512	3709	3578	3843
66	3546	3757	3828	3757	3969	3828	4111
66	2976	3155	3213	3155	3333	3213	3452
66	3241	3434	3499	3434	3631	3499	3760
66	3486	3696	3765	3696	3905	3765	4044
66	3730	3955	4029	3955	4178	4029	4326

Pricing is continued on the following page.



# U K D

## Dual Locker (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### STANDARD (S)

#### COAT HOOK & SHELVES (CS)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	24	3093	3157	3157	3221
51	16	30	3369	3439	3439	3510
51	16	36	3626	3702	3702	3777
51	16	42	3880	3961	3961	4042
51	19	24	3256	3324	3324	3392
51	19	30	3545	3618	3618	3694
51	19	36	3815	3896	3896	3974
51	19	42	4081	4169	4169	4253
66	16	24	3256	3324	3324	3392
66	16	30	3545	3618	3618	3694
66	16	36	3815	3896	3896	3974
66	16	42	4081	4169	4169	4253
66	19	24	3429	3499	3499	3572
66	19	30	3733	3810	3810	3890
66	19	36	4017	4100	4100	4185
66	19	42	4298	4386	4386	4476

#### VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	24	3246	3314	3314	3381
51	16	30	3539	3611	3611	3684
51	16	36	3808	3888	3888	3967
51	16	42	4075	4161	4161	4245
51	19	24	3420	3490	3490	3561
51	19	30	3724	3799	3799	3877
51	19	36	4006	4090	4090	4173
51	19	42	4287	4376	4376	4466
66	16	24	3420	3490	3490	3561
66	16	30	3724	3799	3799	3877
66	16	36	4006	4090	4090	4173
66	16	42	4287	4376	4376	4466
66	19	24	3601	3675	3675	3750
66	19	30	3921	4001	4001	4083
66	19	36	4218	4305	4305	4394
66	19	42	4513	4605	4605	4701

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	16	42
36	19	24
36	19	30
36	19	36
36	19	42
42	16	24
42	16	30
42	16	36
42	16	42
42	19	24
42	19	30
42	19	36
42	19	42
51	16	24
51	16	30
51	16	36
51	16	42
51	19	24
51	19	30
51	19	36
51	19	42
66	16	24
66	16	30
66	16	36
66	16	42
66	19	24
66	19	30
66	19	36
66	19	42

## PRICING

## STANDARD (S)

## SHELVES, BOTH SIDES (SS)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
-----------------------------	--------------------------------------

1809	2416
1963	2624
2107	2814
2255	3011
1903	2543
2067	2759
2218	2963
2374	3171
1900	2538
2062	2755
2213	2956
2368	3162
2000	2671
2171	2900
2331	3112
2493	3330
1995	2665
2166	2894
2325	3104
2487	3322
2101	2807
2281	3046
2448	3270
2620	3498
2101	2807
2281	3046
2448	3270
2620	3498
2211	2953
2400	3207
2576	3441
2756	3683

Pricing is continued on the following page.

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## STANDARD (S)

## SHELVES, BOTH SIDES (SS)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
36	16	24	2533	2685	2734	2685	2837	2734	2938
36	16	30	2750	2914	2968	2914	3079	2968	3189
36	16	36	2949	3127	3186	3127	3303	3186	3422
36	16	42	3156	3345	3408	3345	3533	3408	3662
36	19	24	2666	2826	2878	2826	2985	2878	3092
36	19	30	2893	3068	3126	3068	3241	3126	3357
36	19	36	3107	3292	3354	3292	3479	3354	3603
36	19	42	3324	3522	3588	3522	3722	3588	3854
42	16	24	2660	2819	2873	2819	2979	2873	3086
42	16	30	2888	3062	3117	3062	3234	3117	3349
42	16	36	3098	3284	3346	3284	3469	3346	3594
42	16	42	3314	3515	3581	3515	3713	3581	3846
42	19	24	2800	2968	3023	2968	3135	3023	3248
42	19	30	3039	3222	3283	3222	3403	3283	3525
42	19	36	3263	3458	3523	3458	3653	3523	3784
42	19	42	3491	3700	3769	3700	3909	3769	4048
51	16	24	2793	2961	3018	2961	3129	3018	3242
51	16	30	3034	3216	3275	3216	3397	3275	3518
51	16	36	3254	3450	3515	3450	3644	3515	3775
51	16	42	3483	3691	3761	3691	3899	3761	4040
51	19	24	2941	3117	3176	3117	3294	3176	3411
51	19	30	3192	3384	3449	3384	3576	3449	3703
51	19	36	3427	3633	3701	3633	3837	3701	3974
51	19	42	3667	3886	3960	3886	4106	3960	4253
66	16	24	2941	3117	3176	3117	3294	3176	3411
66	16	30	3192	3384	3449	3384	3576	3449	3703
66	16	36	3427	3633	3701	3633	3837	3701	3974
66	16	42	3667	3886	3960	3886	4106	3960	4253
66	19	24	3096	3282	3344	3282	3467	3344	3591
66	19	30	3362	3562	3631	3562	3764	3631	3899
66	19	36	3607	3824	3895	3824	4040	3895	4185
66	19	42	3860	4092	4168	4092	4322	4168	4476

Pricing is continued on the following page.

## U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## STANDARD (S)

## SHELVES, BOTH SIDES (SS)

## FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
36	16	24	2917	2979	2979	3039
36	16	30	3167	3234	3234	3299
36	16	36	3397	3467	3467	3540
36	16	42	3635	3710	3710	3787
36	19	24	3070	3133	3133	3200
36	19	30	3332	3401	3401	3471
36	19	36	3577	3651	3651	3727
36	19	42	3827	3908	3908	3988
42	16	24	3065	3129	3129	3192
42	16	30	3328	3397	3397	3464
42	16	36	3570	3643	3643	3717
42	16	42	3819	3898	3898	3978
42	19	24	3225	3292	3292	3361
42	19	30	3499	3574	3574	3646
42	19	36	3758	3836	3836	3914
42	19	42	4021	4105	4105	4189
51	16	24	3219	3286	3286	3353
51	16	30	3494	3569	3569	3640
51	16	36	3748	3827	3827	3905
51	16	42	4011	4095	4095	4178
51	19	24	3389	3458	3458	3529
51	19	30	3676	3753	3753	3831
51	19	36	3947	4029	4029	4111
51	19	42	4224	4311	4311	4400
66	16	24	3389	3458	3458	3529
66	16	30	3676	3753	3753	3831
66	16	36	3947	4029	4029	4111
66	16	42	4224	4311	4311	4400
66	19	24	3568	3641	3641	3715
66	19	30	3871	3954	3954	4033
66	19	36	4156	4242	4242	4328
66	19	42	4446	4538	4538	4632

Pricing is continued on the following page.

U K D

## Dual Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## STANDARD (S)


## SHELVES, BOTH SIDES (SS)

## VENEER CASE


H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
36	16	24	3064	3128	3128	3191
36	16	30	3326	3395	3395	3463
36	16	36	3569	3642	3642	3715
36	16	42	3818	3897	3897	3975
36	19	24	3225	3292	3292	3360
36	19	30	3499	3573	3573	3645
36	19	36	3757	3835	3835	3913
36	19	42	4019	4104	4104	4188
42	16	24	3218	3285	3285	3352
42	16	30	3493	3567	3567	3639
42	16	36	3747	3826	3826	3903
42	16	42	4010	4094	4094	4175
42	19	24	3389	3458	3458	3528
42	19	30	3676	3752	3752	3830
42	19	36	3946	4028	4028	4110
42	19	42	4223	4310	4310	4399
51	16	24	3379	3451	3451	3520
51	16	30	3670	3745	3745	3823
51	16	36	3936	4019	4019	4100
51	16	42	4211	4301	4301	4386
51	19	24	3558	3633	3633	3706
51	19	30	3862	3941	3941	4022
51	19	36	4144	4231	4231	4317
51	19	42	4435	4528	4528	4619
66	16	24	3558	3633	3633	3706
66	16	30	3862	3941	3941	4022
66	16	36	4144	4231	4231	4317
66	16	42	4435	4528	4528	4619
66	19	24	3745	3824	3824	3901
66	19	30	4065	4151	4151	4235
66	19	36	4365	4456	4456	4547
66	19	42	4670	4767	4767	4865

## U K T

## Triple Locker



Elevated



Standard

The Triple Locker provides coat and secured shelf storage. This unit can support panels or can be ganged together to create a bank of lockers.

**WHAT'S INCLUDED**

1 triple locker with pulls, 4 angled feet (with elevated style) lock and keys (if specified).

**NOTES**

Shelves and coat hooks are reconfigurable. See Locker Accessories (UWKA). Can be found on 605.

**PRODUCT OPTIONS**

Style	Height	Depth	Width	Interior Configuration	Orientation	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Foot Finish
<b>E</b> Elevated	42, 51, 66	16	36, 42, 48	<b>3C</b> 3 Person All Coats	<b>L</b> Door Swing, Left	<b>D</b> District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard				<b>3S</b> 3 Person All Shelves	<b>R</b> Door Swing, Right	<b>R</b> Rectangular			<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze

**SAMPLE ORDER CODE**

Case Back Front

<b>UKT E</b>	<b>51</b>	<b>16</b>	<b>36</b>	<b>3S</b>	<b>R</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>	<b>7</b>
--------------	-----------	-----------	-----------	-----------	----------	----------	----------	-----------	-----------	-----------	----------	----------

**DIMENSIONS****FOR MM X BY 25.4**

H	D	W
42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

**PRICING****ELEVATED (E)****3 PERSON ALL COATS (3C)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2682	3544
2688	3574
2694	3582
2816	3722
2822	3753
2829	3762
2958	3910
3042	4021
3133	4141

Pricing is continued on the following page.

## Triple Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## ELEVATED (E)

3 PERSON ALL COATS (3C)

## SEAMLESS CASE

			Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	3709	3925	3997	3925	4141	3997	4285
42	16	42	3745	3967	4042	3967	4189	4042	4336
42	16	48	3755	3976	4051	3976	4199	4051	4346
51	16	36	3895	4121	4197	4121	4348	4197	4499
51	16	42	3932	4165	4244	4165	4399	4244	4553
51	16	48	3942	4175	4254	4175	4409	4254	4563
66	16	36	4092	4331	4409	4331	4567	4409	4727
66	16	42	4207	4455	4534	4455	4697	4534	4861
66	16	48	4335	4587	4671	4587	4839	4671	5007

## FLINTWOOD CASE

			FLINTWOOD CASE			
H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	4255	4341	4341	4427
42	16	42	4306	4396	4396	4483
42	16	48	4316	4405	4405	4494
51	16	36	4468	4558	4558	4648
51	16	42	4521	4615	4615	4707
51	16	48	4531	4625	4625	4719
66	16	36	4696	4791	4791	4886
66	16	42	4830	4927	4927	5025
66	16	48	4975	5075	5075	5176

## VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4463	4553	4553	4644
42	16	42	4521	4612	4612	4706
42	16	48	4531	4622	4622	4718
51	16	36	4686	4781	4781	4876
51	16	42	4747	4842	4842	4941
51	16	48	4757	4854	4854	4954
66	16	36	4925	5025	5025	5124
66	16	42	5063	5168	5168	5270
66	16	48	5215	5323	5323	5429

Pricing is continued on the following page.

## U K T

## Triple Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	43
51	16	48
66	16	36
66	16	43
66	16	48

## PRICING

## STANDARD (S)

## 3 PERSON ALL COATS (3C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2567	3428
2639	3525
2719	3631
2695	3601
2772	3701
2853	3813
2837	3789
2917	3896
3004	4013

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3595	3810	3883	3810	4026	3883	4169
3696	3917	3992	3917	4139	3992	4287
3807	4035	4112	4035	4263	4112	4415
3775	4001	4077	4001	4227	4077	4378
3881	4113	4192	4113	4346	4192	4501
3997	4236	4318	4236	4476	4318	4636
3972	4210	4289	4210	4447	4289	4608
4083	4327	4409	4327	4573	4409	4737
4205	4458	4542	4458	4710	4542	4878

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4139	4226	4226	4313
4256	4345	4345	4434
4383	4475	4475	4566
4347	4438	4438	4528
4469	4562	4562	4655
4603	4700	4700	4795
4575	4671	4671	4766
4704	4801	4801	4900
4845	4946	4946	5048

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4348	4437	4437	4529
4470	4562	4562	4656
4604	4700	4700	4796
4565	4660	4660	4755
4694	4791	4791	4889
4834	4934	4934	5036
4804	4904	4904	5005
4939	5043	5043	5145
5087	5194	5194	5299

Pricing is continued on the following page.



## Triple Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

## PRICING

## ELEVATED (E)

## 3 PERSON ALL SHELVES (3S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2885	3814
2967	3922
3056	4040
3029	4005
3115	4118
3210	4242
3183	4211
3273	4329
3371	4460

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3992	4225	4304	4225	4458	4304	4614
4106	4345	4426	4345	4584	4426	4744
4229	4475	4558	4475	4721	4558	4887
4193	4437	4519	4437	4680	4519	4845
4311	4562	4646	4562	4813	4646	4981
4440	4699	4785	4699	4957	4785	5132
4408	4665	4751	4665	4921	4751	5093
4532	4797	4885	4797	5060	4885	5237
4669	4941	5031	4941	5212	5031	5394

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4583	4676	4676	4769
4712	4809	4809	4904
4854	4952	4952	5051
4812	4910	4910	5008
4948	5049	5049	5149
5097	5200	5200	5303
5059	5163	5163	5265
5202	5307	5307	5414
5358	5467	5467	5576

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4806	4904	4904	5001
4941	5043	5043	5142
5089	5194	5194	5296
5047	5149	5149	5252
5189	5294	5294	5399
5345	5453	5453	5562
5306	5414	5414	5523
5457	5567	5567	5679
5621	5734	5734	5849

Pricing is continued on the following page.

## U K T

## Triple Locker (Continued)

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

H	D	W
42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

42	16	36
42	16	42
42	16	48
51	16	36
51	16	42
51	16	48
66	16	36
66	16	42
66	16	48

## PRICING

## STANDARD (S)

## 3 PERSON ALL SHELVES (3S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2771	3699
2847	3803
2800	3739
2908	3884
2990	3992
2939	3927
3063	4090
3147	4204
3243	4331

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3878	4111	4189	4111	4343	4189	4499
3986	4226	4307	4226	4465	4307	4624
3921	4157	4235	4157	4390	4235	4548
4072	4317	4399	4317	4560	4399	4724
4186	4437	4522	4437	4688	4522	4856
4117	4365	4447	4365	4611	4447	4774
4287	4544	4630	4544	4801	4630	4972
4406	4672	4760	4672	4935	4760	5111
4538	4812	4902	4812	5084	4902	5264

## FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4467	4561	4561	4653
4592	4689	4689	4784
4516	4610	4610	4704
4691	4789	4789	4887
4822	4923	4923	5023
4741	4841	4841	4939
4939	5041	5041	5144
5077	5182	5182	5288
5230	5337	5337	5446

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4691	4789	4789	4886
4822	4923	4923	5023
4742	4840	4840	4939
4926	5029	5029	5130
5062	5170	5170	5273
4979	5082	5082	5186
5186	5294	5294	5403
5331	5442	5442	5553
5491	5606	5606	5720



## UKQ Quad Locker



The Quad Locker provides coat and secured shelf storage. This unit can support panels or can be ganged together to create a bank of lockers.

### WHAT'S INCLUDED

1 quad locker with pulls, 4 angled feet (with elevated style) lock and keys (if specified),

Configuration	Coat Hook	Boot Shelf	Shelves
2P	2	2 (66"h)	4-8
4C	4	4 (66"h)	0
4S	0	0	8-16

### NOTES

Orientation (L & R) options do **not** apply to the Coat and Shelf (2P) interior configuration.

Orientation (F & G) options do **not** apply to the 4 Person all Coats (4C) and 4 Person all Shelves (4S) interior configurations.

Shelves and coat hooks are reconfigurable. See Locker Accessories (UWKA). Can be found on 605.

If interior configurations 4 Person All Coats (4C) or 4 Person All Shelves (4S) are specified, each door will be individually locked.

If interior configuration 2 Person Coat and Shelves (2P) is specified, there will be two individually locked sections.

### PRODUCT OPTIONS

Style	Height	Depth	Interior Configuration	Orientation	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated	51, 66	16, 19	<b>2P</b> 2 Person Coat & Shelves	<b>L</b> Door Swing, Left (shown)	<b>D</b> District	Foundation	Source Laminate	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard			<b>4C</b> 4 Person all Coats	<b>R</b> Door Swing, Right	<b>R</b> Rectangular	Mica	Seamless Color	<b>R</b> Keyed Randomly	<b>7</b> Platinum
			<b>4S</b> 4 Person all Shelves	<b>F</b> Coat Hook, Left			Flintwood	<b>N</b> No Lock	<b>V</b> Very White
				<b>G</b> Coat Hook, Right			Natural Veneer		<b>X</b> Anthracite
									<b>M</b> Graphite
									<b>2</b> Burnished Bronze

### SAMPLE ORDER CODE

Case Back Front										
<b>UKQ E</b>	<b>51</b>	<b>16</b>	<b>4S</b>	<b>F</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>
										<b>7</b>

### DIMENSIONS INCHES / MM

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

### PRICING

#### ELEVATED (E)

##### TWO PERSON COAT & SHELVES (2P)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
3458	4584
3636	4823
3636	4823
3823	5073

#### SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51 / 1295 16 / 406	4800	5081	5176	5081	5364	5176	5551
51 / 1295 19 / 483	5049	5347	5445	5347	5643	5445	5841
66 / 1676 16 / 406	5049	5347	5445	5347	5643	5445	5841
66 / 1676 19 / 406	5312	5625	5727	5625	5935	5727	6144

#### FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51 / 1295 16 / 406	5514	5628	5628	5740
51 / 1295 19 / 483	5803	5921	5921	6039
66 / 1676 16 / 406	5803	5921	5921	6039
66 / 1676 19 / 406	6103	6230	6230	6354

# U K Q

## Quad Locker (Continued)

### DIMENSIONS INCHES / MM

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

### PRICING

#### ELEVATED (E)

#### COAT HOOK, BOTH SIDES (CC)

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
5785	5903	5903	6022
6088	6212	6212	6336
6088	6212	6212	6336
6403	6535	6535	6665

#### FOUR PERSON ALL COATS (4C)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
3324	4406
3493	4631
3493	4631
3672	4870

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
4615	4885	4976	4885	5155	4976	5334
4848	5135	5228	5135	5418	5228	5608
4848	5135	5228	5135	5418	5228	5608
5100	5399	5500	5399	5700	5500	5900

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
5298	5408	5408	5514
5571	5683	5683	5798
5571	5683	5683	5798
5860	5979	5979	6100

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
5561	5672	5672	5788
5844	5964	5964	6085
5844	5964	5964	6085
6149	6272	6272	6398

Pricing is continued on the following page.

## U K Q

### Quad Locker (Continued)

#### DIMENSIONS INCHES / MM

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

#### PRICING

##### ELEVATED (E)

##### FOUR PERSON ALL SHELVES (4S)

##### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
3596	4768
3779	5014
3779	5014
3972	5272

##### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
4993	5287	5385	5287	5579	5385	5776
5251	5561	5662	5561	5868	5662	6073
5251	5561	5662	5561	5868	5662	6073
5521	5847	5956	5847	6173	5956	6390

##### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
5736	5855	5855	5972
6033	6156	6156	6280
6033	6156	6156	6280
6345	6476	6476	6606

##### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
6019	6142	6142	6265
6331	6459	6459	6590
6331	6459	6459	6590
6658	6794	6794	6930

Pricing is continued on the following page.

## Quad Locker (Continued)

DIMENSIONS  
INCHES / MM

## PRICING

## STANDARD (S)

## TWO PERSON COAT &amp; SHELVES (2P)

## SOURCE LAMINATE CASE

H	D	Source Lam. Back & Front	Source Lam. Back, Flintwood Front
51 / 1295	16 / 406	3355	4479
51 / 1295	19 / 483	3532	4720
66 / 1676	16 / 406	3532	4720
66 / 1676	19 / 406	3718	4969

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51 / 1295	4696	4978	5074	4978	5261	5074	5448
51 / 1295	4946	5243	5343	5243	5540	5343	5737
66 / 1676	4946	5243	5343	5243	5540	5343	5737
66 / 1676	5207	5520	5624	5520	5832	5624	6040

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51 / 1295	5412	5523	5523	5637
51 / 1295	5700	5818	5818	5936
66 / 1676	5700	5818	5818	5936
66 / 1676	6000	6125	6125	6249

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51 / 1295	5681	5799	5799	5917
51 / 1295	5985	6110	6110	6234
66 / 1676	5985	6110	6110	6234
66 / 1676	6300	6431	6431	6562

Pricing is continued on the following page.

## U K Q

### Quad Locker (Continued)

#### DIMENSIONS INCHES / MM

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

#### PRICING

##### STANDARD (S)

##### FOUR PERSON ALL COATS (4C)

##### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
3221	4304
3390	4528
3390	4528
3570	4765

##### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
4511	4782	4873	4782	5052	4873	5232
4745	5030	5124	5030	5316	5124	5505
4745	5030	5124	5030	5316	5124	5505
4996	5296	5395	5296	5597	5395	5796

##### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
5195	5303	5303	5412
5469	5580	5580	5696
5469	5580	5580	5696
5758	5877	5877	5997

##### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
5455	5569	5569	5683
5741	5860	5860	5980
5741	5860	5860	5980
6045	6170	6170	6296

Pricing is continued on the following page.



## Quad Locker (Continued)

DIMENSIONS  
INCHES / MM

H	D
51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

51 / 1295	16 / 406
51 / 1295	19 / 483
66 / 1676	16 / 406
66 / 1676	19 / 406

## PRICING

## STANDARD (S)

## FOUR PERSON ALL SHELVES (4S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
3492	4664
3676	4910
3676	4910
3869	5170

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
4889	5183	5283	5183	5476	5283	5673
5146	5455	5559	5455	5765	5559	5970
5146	5455	5559	5455	5765	5559	5970
5418	5743	5853	5743	6069	5853	6286

## FLINTWOOD CASE


Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
5634	5751	5751	5868
5931	6054	6054	6177
5931	6054	6054	6177
6241	6371	6371	6502

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
5914	6038	6038	6160
6228	6357	6357	6487
6228	6357	6357	6487
6555	6691	6691	6828

## UTLE

## Lateral Tower – Elevated



The Elevated Lateral Tower provides both file and binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 tower, 4 angled feet, drawers and pulls (as specified), lock and keys (if specified).

## NOTES

The 42" high Elevated Lateral Tower comes in a Box/File (X) drawer combination.

The 51" and 66" high Elevated Lateral Tower is available in a Box/Box/File (B) or File/File (F) drawer combination.

If a 36" high unit is desired, please see Lateral Files (UFLE)

Beltline Back Cut Out (E) electrical option **cannot** be specified on the 42" high tower.

Individual Locks may be specified on the File/File (F) drawer combination.

The Open Through (O) Lateral Tower **cannot** support a panel. It must, however, be attached to a panel or another storage unit for stability.

## PRODUCT OPTIONS

Height	Depth	Width	Drawer Combination	Shelf Configuration	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Key Style	Electrical Cut Out
42, 51, 66	16, 19	24, 30, 36	<b>X</b> Box/File <b>B</b> Box/Box/File <b>F</b> File/File	<b>C</b> Closed Back <b>O</b> Open Through <b>S</b> Secured	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>Q</b> Storm White <b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock <b>L</b> Individual Lock	<b>E</b> Beltline Back Cut Out <b>B</b> Base Back Cut Out <b>N</b> None

## SAMPLE ORDER CODE

Case Back Front

UTLE 42	19	36	X	C	D	Q	ZA	ZA	ZA	7	R	B
------------	----	----	---	---	---	---	----	----	----	---	---	---

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

## PRICING

## BOX/FILE (X)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1547	1816
1756	2083
1989	2374
1626	1910
1847	2192
2091	2496

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42 16 24	2041	2607	2665	2610	2880	2666	2990
42 16 30	2335	2928	2995	2932	3233	2996	3354
42 16 36	2660	3287	3359	3291	3621	3360	3758
42 19 24	2147	2727	2788	2730	3014	2790	3128
42 19 30	2459	3070	3136	3073	3388	3139	3515
42 19 36	2797	3444	3517	3448	3795	3519	3936

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

# UTLE

## Lateral Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

### PRICING

#### BOX/FILE (X)

#### CLOSED BACK (C)

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2646	2814	2814	2500
2977	3161	3161	2866
3341	3547	3547	3273
2766	2944	2944	2628
3115	3312	3312	3018
3497	3714	3714	3441

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3005	3094	3094	3161
3371	3471	3471	3547
3775	3888	3888	3971
3144	3236	3236	3306
3530	3636	3636	3714
3955	4074	4074	4161

#### BOX/FILE (X)

#### OPEN THROUGH (O)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1970	2352
2204	2645
2460	2969
2062	2460
2307	2769
2579	3112

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2634	2996	3063	2999	3305	3064	3430
2960	3354	3428	3358	3697	3429	3834
3319	3748	3831	3752	4128	3832	4280
2757	3136	3204	3140	3460	3206	3587
3102	3515	3588	3518	3873	3591	4015
3483	3934	4017	3937	4329	4019	4489

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3044	3234	3234	3242
3411	3619	3619	3648
3815	4047	4047	4098
3185	3384	3384	3391
3572	3793	3793	3822
4000	4245	4245	4297

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3447	3549	3549	3626
3854	3969	3969	4054
4299	4430	4430	4525
3607	3713	3713	3794
4035	4157	4157	4247
4511	4647	4647	4747

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## U T L E

Lateral Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36

## PRICING

## BOX/FILE (X)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2090	2502
2354	2834
2645	3202
2197	2631
2477	2982
2783	3369

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2800	3178	3250	3182	3506	3251	3636
3171	3584	3664	3587	3949	3665	4094
3579	4034	4121	4038	4438	4122	4600
2948	3345	3418	3348	3687	3420	3825
3338	3774	3855	3777	4157	3857	4309
3767	4248	4336	4251	4671	4338	4842

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3232	3431	3431	3450
3646	3869	3869	3910
4106	4354	4354	4422
3398	3609	3609	3630
3836	4073	4073	4117
4320	4584	4584	4653

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3653	3763	3763	3844
4113	4237	4237	4328
4623	4762	4762	4865
3844	3959	3959	4044
4331	4461	4461	4556
4866	5013	5013	5119

If Individual Lock is specified, add 137  
 If Beltline Back Cut Out is specified, add 87  
 If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

# U T L E

## Lateral Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

### PRICING

#### BOX/BOX/FILE (B)

#### CLOSED (C)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1370	1580
1570	1833
1792	2110
1442	1661
1651	1927
1882	2218
1941	2285
2187	2595
2459	2937
2033	2391
2293	2718
2577	3075

#### SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	1780	2332	2387	2335	2588	2389	2688
51	2061	2639	2699	2642	2920	2701	3035
51	2369	2978	3044	2981	3289	3047	3417
51	1873	2441	2497	2445	2705	2498	2812
51	2167	2761	2826	2764	3058	2827	3175
51	2492	3122	3190	3125	3449	3191	3578
66	2567	2947	3014	2951	3263	3017	3388
66	2911	3325	3400	3331	3675	3402	3814
66	3292	3744	3827	3748	4132	3830	4287
66	2688	3085	3157	3089	3417	3159	3548
66	3050	3485	3562	3488	3851	3567	3997
66	3449	3924	4010	3927	4328	4012	4492

#### FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	2363	2517	2517	2167
51	2675	2848	2848	2517
51	3022	3214	3214	2904
51	2471	2633	2633	2282
51	2800	2981	2981	2650
51	3166	3367	3367	3054
66	2989	3182	3182	3144
66	3376	3590	3590	3575
66	3805	4043	4043	4051
66	3129	3332	3332	3292
66	3538	3762	3762	3745
66	3985	4233	4233	4242

#### VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	2699	2779	2779	2842
51	3047	3138	3138	3206
51	3431	3532	3532	3610
51	2825	2908	2908	2971
51	3192	3285	3285	3357
51	3598	3702	3702	3781
66	3403	3503	3503	3581
66	3833	3946	3946	4033
66	4308	4436	4436	4533
66	3567	3670	3670	3750
66	4019	4137	4137	4226
66	4516	4649	4649	4749

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## U T L E

Lateral Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1710	2009
1942	2302
2199	2626
1799	2111
2044	2421
2316	2762
1881	2210
2141	2536
2426	2894
1981	2324
2254	2667
2553	3046

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2257	2594	2654	2597	2871	2656	2981
2583	2951	3018	2955	3261	3020	3385
2943	3346	3420	3349	3693	3422	3831
2373	2725	2788	2728	3018	2789	3134
2718	3104	3174	3108	3431	3175	3560
3099	3523	3602	3527	3888	3603	4033
2484	2855	2922	2859	3163	2925	3285
2847	3254	3329	3258	3600	3331	3735
3245	3694	3774	3698	4076	3776	4228
2612	3005	3073	3008	3326	3075	3455
2995	3424	3501	3428	3784	3503	3929
3416	3887	3971	3891	4289	3973	4449

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2629	2798	2798	2762
2996	3186	3186	3171
3400	3611	3611	3618
2762	2941	2941	2906
3150	3350	3350	3336
3579	3803	3803	3812
2896	3083	3083	3041
3304	3515	3515	3494
3752	3988	3988	3992
3044	3242	3242	3199
3476	3697	3697	3676
3947	4194	4194	4201

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2995	3082	3082	3151
3401	3502	3502	3579
3848	3964	3964	4051
3150	3242	3242	3312
3579	3684	3684	3764
4053	4174	4174	4263
3301	3398	3398	3474
3752	3864	3864	3949
4250	4376	4376	4471
3472	3574	3574	3650
3950	4065	4065	4154
4472	4604	4604	4706

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTLE

Lateral Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## BOX/BOX/FILE (B)

## SECURED (S)

## SOURCE LAMINATE CASE

H	D	W	Source Lam. Back & Front	Source Lam. Back, Flintwood Front
51	16	24	2076	2470
51	16	30	2326	2784
51	16	36	2602	3134
51	19	24	2174	2584
51	19	30	2437	2917
51	19	36	2728	3284
66	16	24	2267	2694
66	16	30	2545	3046
66	16	36	2851	3431
66	19	24	2375	2821
66	19	30	2668	3191
66	19	36	2991	3600

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	2768	3156	3225	3159	3484	3227	3615
51	3118	3542	3617	3545	3904	3619	4050
51	3508	3967	4052	3970	4370	4054	4531
51	2898	3304	3377	3307	3647	3378	3785
51	3269	3709	3792	3713	4092	3793	4244
51	3676	4160	4250	4163	4583	4251	4751
66	3022	3448	3525	3452	3808	3527	3954
66	3413	3876	3962	3881	4277	3965	4436
66	3842	4349	4443	4353	4792	4445	4969
66	3166	3612	3694	3615	3990	3696	4141
66	3577	4064	4153	4068	4485	4156	4651
66	4029	4561	4660	4564	5026	4662	5211

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	3204	3406	3406	3402
51	3600	3823	3823	3840
51	4034	4283	4283	4325
51	3354	3568	3568	3562
51	3769	4004	4004	4024
51	4230	4490	4490	4534
66	3501	3724	3724	3713
66	3940	4187	4187	4201
66	4425	4695	4695	4739
66	3668	3899	3899	3891
66	4129	4385	4385	4403
66	4638	4923	4923	4969

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	3633	3739	3739	3823
51	4069	4191	4191	4283
51	4554	4690	4690	4792
51	3805	3917	3917	4001
51	4266	4395	4395	4488
51	4775	4918	4918	5023
66	3971	4090	4090	4179
66	4458	4591	4591	4691
66	4994	5144	5144	5256
66	4162	4285	4285	4378
66	4675	4814	4814	4917
66	5238	5394	5394	5510

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTLE

Lateral Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## FILE/FILE (F)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1586	1851
1808	2133
2051	2437
1669	1947
1902	2243
2159	2566
1751	2046
1998	2356
2270	2697
1843	2153
2103	2479
2388	2838

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2083	2664	2725	2667	2948	2727	3062
2395	3007	3073	3010	3321	3075	3449
2732	3380	3454	3384	3729	3456	3869
2192	2789	2853	2792	3087	2855	3206
2520	3148	3220	3153	3480	3221	3610
2878	3544	3620	3547	3908	3621	4056
2302	2655	2718	2659	2945	2720	3059
2646	3034	3103	3038	3358	3105	3486
3027	3453	3529	3457	3814	3532	3959
2422	2793	2860	2797	3099	2863	3219
2785	3193	3266	3197	3533	3269	3669
3183	3633	3712	3636	4011	3714	4162

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2701	2876	2876	2545
3051	3244	3244	2936
3433	3646	3646	3359
2828	3011	3011	2681
3195	3398	3398	3089
3600	3823	3823	3538
2691	2866	2866	2813
3078	3276	3276	3243
3508	3729	3729	3718
2830	3016	3016	2960
3239	3448	3448	3414
3686	3921	3921	3911

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3077	3166	3166	3236
3463	3567	3567	3644
3887	4003	4003	4091
3222	3316	3316	3389
3631	3737	3737	3816
4076	4198	4198	4287
3073	3162	3162	3234
3502	3606	3606	3685
3976	4095	4095	4186
3235	3330	3330	3402
3686	3795	3795	3877
4185	4308	4308	4401

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.



# U T L E

## Lateral Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

### PRICING

#### FILE/FILE (F)

#### OPEN THROUGH (O)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2152	2566
2412	2891
2695	3250
2254	2686
2527	3029
2826	3407
2128	2519
2391	2851
2684	3219
2228	2636
2507	2988
2814	3374

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2876	3273	3345	3276	3612	3347	3748
3239	3672	3751	3675	4047	3753	4198
3637	4110	4198	4113	4525	4200	4692
3011	3428	3503	3431	3783	3506	3925
3393	3847	3931	3851	4242	3932	4399
3813	4310	4402	4314	4747	4403	4919
2827	3233	3306	3237	3575	3308	3710
3197	3639	3720	3643	4019	3724	4169
3606	4089	4178	4093	4508	4181	4677
2960	3387	3463	3390	3743	3465	3887
3350	3815	3900	3819	4211	3903	4370
3779	4288	4381	4291	4726	4383	4903

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3325	3533	3533	3538
3733	3964	3964	3990
4181	4435	4435	4488
3481	3700	3700	3703
3909	4153	4153	4181
4383	4652	4652	4707
3282	3492	3492	3470
3698	3930	3930	3931
4158	4414	4414	4441
3435	3654	3654	3634
3875	4119	4119	4121
4358	4627	4627	4658

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3766	3878	3878	3964
4220	4346	4346	4439
4715	4857	4857	4962
3945	4063	4063	4150
4422	4554	4554	4650
4946	5093	5093	5202
3729	3838	3838	3924
4190	4315	4315	4408
4697	4840	4840	4945
3906	4021	4021	4108
4393	4523	4523	4620
4929	5076	5076	5184

If Individual Lock is specified, add 137

If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTLE

Lateral Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## FILE/FILE (F)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1888	2230
2136	2546
2414	2895
1985	2346
2248	2680
2539	3046
2077	2456
2356	2808
2662	3193
2186	2583
2480	2952
2802	3360

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2504	2864	2928	2868	3166	2931	3287
2853	3250	3321	3253	3585	3323	3722
3242	3675	3757	3678	4052	3759	4202
2633	3012	3081	3016	3331	3082	3456
3004	3419	3494	3422	3774	3495	3915
3411	3868	3953	3871	4264	3954	4422
2757	3156	3227	3160	3490	3231	3624
3147	3584	3666	3588	3959	3668	4108
3577	4058	4145	4062	4473	4149	4642
2901	3321	3397	3324	3672	3399	3812
3312	3773	3857	3776	4165	3860	4321
3764	4270	4364	4274	4708	4366	4883

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2907	3092	3092	3072
3301	3508	3508	3510
3736	3967	3967	3993
3055	3251	3251	3232
3471	3690	3690	3694
3930	4174	4174	4203
3203	3407	3407	3381
3641	3870	3870	3869
4126	4381	4381	4406
3369	3583	3583	3558
3832	4073	4073	4073
4340	4609	4609	4636

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3304	3400	3400	3477
3739	3850	3850	3935
4222	4349	4349	4443
3476	3577	3577	3653
3935	4052	4052	4138
4444	4577	4577	4675
3641	3748	3748	3832
4128	4251	4251	4343
4662	4802	4802	4907
3832	3943	3943	4030
4345	4472	4472	4568
4908	5054	5054	5163

If Individual Lock is specified, add 137


If Beltline Back Cut Out is specified, add 87

If Base Back Cut Out is specified, add 87



## UTLS

## Lateral Tower – Standard



The Standard Lateral Tower provides both file and binder storage, and the capability to support worksurfaces, stackers and panels.

**WHAT'S INCLUDED**

1 tower, drawers and pulls (as specified), lock and keys (if specified).

**NOTES**

The 36" high Standard Lateral Tower comes in a Box/File (X) drawer combination.

The 42", 51" and 66" high Standard Lateral Tower is available in a Box/Box/File (B) or File/File (F) drawer combination.

Individual Locks may be specified on the File/File (F) drawer combination.

The Open Through (O) lateral tower cannot support a panel. It must, however, be attached to a panel or another storage unit for stability.

This product comes with extended levelers (UNSLX) already installed.

**PRODUCT OPTIONS**

Height	Depth	Width	Drawer Combination	Shelf Configuration	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
36, 42, 51, 66	16, 19	24, 30, 36	<b>X</b> Box/File (shown) <b>B</b> Box/Box/File (shown) <b>F</b> File/File	<b>C</b> Closed Back <b>O</b> Open Through <b>S</b> Secured	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>L</b> Individual Lock <b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

**SAMPLE ORDER CODE**

							Case	Back	Front	
UTLS 36	16	36	X	C	D	7	VU	VU	VU	R

528

**DIMENSIONS  
FOR MM X BY 25.4**

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

**PRICING****BOX/FILE (X)****CLOSED BACK (C)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1577	1875
1785	2141
2019	2432
1659	1975
1881	2256
2124	2561

**SEAMLESS CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2108	2672	2730	2675	2951	2732	3063
2401	2994	3060	2997	3304	3063	3427
2726	3353	3424	3357	3695	3427	3830
2218	2797	2859	2800	3091	2861	3206
2531	3140	3207	3143	3463	3210	3592
2870	3514	3587	3517	3870	3590	4014

**FLINTWOOD CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2717	2887	2887	2596
3047	3235	3235	2963
3411	3619	3619	3369
2843	3022	3022	2730
3191	3391	3391	3122
3574	3794	3794	3545

If Individual Lock is specified, add 137

Pricing is continued on the following page.

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

## PRICING

## BOX/FILE (X)

## CLOSED BACK (C)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3078	3171	3171	3241
3446	3548	3548	3626
3848	3965	3965	4051
3223	3318	3318	3391
3610	3717	3717	3799
4033	4157	4157	4247

## BOX/FILE (X)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1471	1743
1672	1995
1892	2273
1549	1836
1761	2101
1991	2393

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1960	2509	2566	2512	2776	2568	2879
2240	2816	2879	2819	3109	2881	3225
2548	3155	3223	3158	3479	3225	3608
2064	2629	2687	2632	2906	2689	3016
2358	2950	3016	2953	3257	3018	3379
2684	3309	3379	3313	3647	3381	3782

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2550	2713	2713	2412
2863	3042	3042	2760
3210	3408	3408	3146
2668	2841	2841	2538
2999	3188	3188	2906
3365	3574	3574	3312

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2894	2980	2980	3047
3241	3339	3339	3411
3625	3734	3734	3815
3030	3122	3122	3190
3398	3498	3498	3576
3802	3915	3915	4000

If Individual Lock is specified, add 137

Pricing is continued on the following page.

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

36	16	24
36	16	30
36	16	36
36	19	24
36	19	30
36	19	36

## PRICING

## BOX/FILE (X)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1686	2015
1909	2296
2152	2600
1776	2122
2010	2418
2267	2742

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2261	2842	2905	2845	3136	2907	3253
2574	3183	3252	3187	3510	3254	3640
2912	3557	3634	3560	3916	3636	4061
2383	2978	3043	2981	3287	3046	3410
2712	3337	3409	3340	3678	3411	3814
3069	3732	3810	3735	4108	3813	4259

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2889	3070	3070	2788
3239	3438	3438	3178
3619	3840	3840	3603
3027	3218	3218	2937
3395	3605	3605	3346
3797	4029	4029	3794

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3271	3368	3368	3441
3657	3767	3767	3850
4080	4205	4205	4296
3428	3529	3529	3608
3835	3952	3952	4035
4282	4411	4411	4505

## BOX/BOX/FILE (B)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1935	2317
2168	2610
2427	2937
2028	2426
2274	2734
2544	3077
1988	2367
2232	2679
2505	3019
2083	2480
2342	2807
2627	3163
2093	2484
2357	2817
2650	3185
2194	2602
2473	2953
2780	3339

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

If Individual Lock is specified, add 137

Pricing is continued on the following page.

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## BOX/BOX/FILE (B)

## CLOSED BACK (C)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	24	2600	2961	3028	2965	3271	3029	3396
42	16	30	2926	3319	3393	3323	3663	3395	3799
42	16	36	3287	3717	3798	3722	4095	3799	4248
42	19	24	2723	3102	3170	3105	3425	3172	3553
42	19	30	3069	3482	3555	3485	3839	3558	3983
42	19	36	3447	3897	3980	3900	4293	3982	4452
51	16	24	2659	3039	3107	3042	3359	3109	3487
51	16	30	3004	3418	3492	3421	3772	3494	3914
51	16	36	3384	3836	3920	3839	4228	3922	4386
51	19	24	2786	3183	3255	3187	3520	3256	3654
51	19	30	3148	3582	3663	3585	3956	3664	4104
51	19	36	3547	4021	4108	4024	4433	4109	4597
66	16	24	2792	3199	3272	3203	3541	3274	3676
66	16	30	3162	3605	3685	3609	3985	3687	4135
66	16	36	3572	4054	4143	4059	4473	4145	4643
66	19	24	2926	3352	3429	3355	3708	3431	3852
66	19	30	3316	3781	3866	3784	4176	3868	4336
66	19	36	3745	4254	4347	4257	4692	4349	4868

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	3010	3200	3200	3207
42	3377	3585	3585	3614
42	3782	4015	4015	4065
42	3150	3349	3349	3357
42	3539	3760	3760	3789
42	3962	4206	4206	4259
51	3085	3282	3282	3274
51	3472	3692	3692	3704
51	3901	4142	4142	4181
51	3233	3439	3439	3431
51	3640	3869	3869	3884
51	4088	4341	4341	4381
66	3248	3457	3457	3435
66	3664	3896	3896	3897
66	4123	4380	4380	4407
66	3401	3619	3619	3600
66	3840	4084	4084	4087
66	4324	4593	4593	4623

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3411	3515	3515	3591
42	3819	3935	3935	4020
42	4267	4398	4398	4493
42	3573	3678	3678	3760
42	4002	4123	4123	4212
42	4472	4611	4611	4709
51	3506	3609	3609	3690
51	3934	4052	4052	4141
51	4408	4542	4542	4643
51	3673	3783	3783	3865
51	4127	4251	4251	4341
51	4622	4762	4762	4863
66	3695	3804	3804	3890
66	4156	4281	4281	4374
66	4663	4806	4806	4910
66	3871	3987	3987	4074
66	4357	4489	4489	4586
66	4893	5041	5041	5150

If Individual Lock is specified, add 137

Pricing is continued on the following page.  
district price guide – June 19, 2017

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1817	2169
2040	2449
2285	2756
1904	2271
2137	2565
2396	2890
1865	2212
2098	2506
2355	2829
1954	2316
2198	2626
2471	2968
1961	2318
2211	2632
2488	2982
2056	2427
2319	2759
2610	3127

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	2436	2781	2845	2784	3074	2846	3191
42	2747	3122	3192	3125	3447	3193	3576
42	3087	3497	3575	3501	3856	3576	4000
42	2552	2914	2978	2917	3220	2980	3343
42	2878	3272	3343	3275	3611	3345	3746
42	3240	3670	3747	3673	4045	3750	4194
51	2488	2850	2915	2853	3154	2917	3276
51	2814	3209	3280	3212	3545	3282	3679
51	3173	3604	3681	3607	3976	3684	4126
51	2603	2983	3051	2987	3302	3052	3428
51	2948	3363	3437	3366	3714	3438	3855
51	3330	3781	3864	3784	4171	3865	4327
66	2608	2995	3065	2999	3318	3068	3448
66	2958	3380	3457	3385	3738	3460	3881
66	3346	3806	3892	3810	4204	3894	4364
66	2730	3138	3210	3141	3476	3212	3610
66	3101	3544	3624	3547	3920	3626	4068
66	3510	3993	4081	3997	4408	4084	4575

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	2825	3005	3005	3003
42	3173	3371	3371	3389
42	3558	3778	3778	3816
42	2957	3146	3146	3143
42	3324	3533	3533	3550
42	3730	3962	3962	4001
51	2893	3079	3079	3060
51	3260	3465	3465	3467
51	3665	3893	3893	3916
51	3027	3222	3222	3203
51	3414	3632	3632	3634
51	3843	4083	4083	4109
66	3039	3237	3237	3204
66	3433	3653	3653	3642
66	3869	4113	4113	4127
66	3182	3390	3390	3355
66	3599	3828	3828	3816
66	4058	4313	4313	4327



## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3207	3304	3304	3376
3592	3702	3702	3782
4020	4141	4141	4231
3359	3460	3460	3537
3766	3879	3879	3964
4216	4342	4342	4436
3291	3390	3390	3465
3699	3809	3809	3894
4144	4270	4270	4365
3447	3548	3548	3625
3875	3991	3991	4077
4350	4481	4481	4579
3462	3567	3567	3645
3899	4017	4017	4106
4383	4517	4517	4616
3630	3735	3735	3818
4090	4211	4211	4304
4597	4735	4735	4840

## BOX/BOX/FILE (B)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2059	2472
2305	2782
2575	3123
2157	2591
2417	2916
2700	3274
2118	2532
2376	2857
2661	3216
2220	2652
2492	2995
2791	3372
2231	2660
2511	3011
2817	3397
2340	2787
2634	3157
2957	3565

If Individual Lock is specified, add 137

Pricing is continued on the following page.

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## BOX/BOX/FILE (B)

## SECURED (S)

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2773	3150	3220	3154	3477	3221	3607
3116	3529	3607	3533	3891	3608	4035
3494	3945	4030	3949	4343	4031	4503
2906	3302	3374	3305	3644	3376	3781
3269	3701	3779	3704	4079	3782	4230
3667	4139	4226	4142	4557	4228	4724
2842	3239	3311	3242	3578	3313	3714
3204	3638	3716	3641	4013	3718	4163
3603	4076	4163	4079	4491	4165	4658
2977	3393	3469	3397	3748	3470	3891
3359	3813	3897	3816	4207	3898	4365
3778	4276	4368	4280	4712	4369	4885
2988	3413	3490	3418	3774	3493	3920
3378	3842	3928	3846	4242	3930	4402
3807	4315	4408	4319	4757	4411	4935
3132	3578	3660	3581	3956	3662	4107
3543	4030	4119	4033	4448	4121	4617
3995	4527	4625	4530	4992	4627	5176

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3203	3402	3402	3421
3590	3812	3812	3852
4015	4259	4259	4324
3355	3568	3568	3584
3763	3997	3997	4038
4210	4468	4468	4534
3291	3498	3498	3502
3699	3929	3929	3956
4145	4401	4401	4453
3447	3666	3666	3669
3875	4119	4119	4145
4349	4618	4618	4671
3466	3687	3687	3678
3906	4152	4152	4167
4389	4661	4661	4703
3634	3865	3865	3856
4094	4351	4351	4369
4603	4889	4889	4935

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3625	3734	3734	3815
4056	4178	4178	4268
4526	4664	4664	4764
3799	3914	3914	3999
4253	4381	4381	4475
4749	4892	4892	4997
3732	3844	3844	3929
4186	4311	4311	4405
4681	4823	4823	4928
3910	4029	4029	4115
4386	4520	4520	4616
4911	5059	5059	5168
3937	4056	4056	4144
4424	4557	4557	4656
4960	5110	5110	5222
4128	4251	4251	4343
4640	4780	4780	4883
5204	5359	5359	5476

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## FILE/FILE (F)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1746	2079
1979	2371
2238	2697
1838	2187
2086	2498
2355	2839
1799	2129
2044	2438
2316	2781
1894	2241
2153	2567
2437	2925
1903	2245
2167	2578
2459	2946
2004	2364
2284	2716
2591	3102

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	2335	2669	2731	2673	2952	2732	3067
42	2661	3028	3097	3032	3344	3099	3470
42	3022	3425	3501	3429	3777	3502	3920
42	2458	2810	2873	2813	3108	2875	3225
42	2805	3190	3260	3193	3521	3263	3653
42	3181	3605	3681	3608	3974	3684	4122
51	2394	2747	2810	2750	3041	2812	3159
51	2738	3125	3194	3128	3454	3197	3585
51	3118	3545	3620	3548	3910	3624	4059
51	2521	2891	2959	2895	3203	2960	3325
51	2884	3291	3365	3294	3638	3366	3775
51	3282	3730	3810	3733	4115	3812	4268
66	2529	2907	2976	2911	3222	2978	3347
66	2897	3313	3389	3317	3667	3391	3806
66	3306	3763	3846	3767	4157	3848	4313
66	2661	3060	3132	3064	3391	3134	3522
66	3051	3489	3570	3493	3860	3572	4006
66	3481	3962	4050	3966	4374	4052	4538

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	2713	2885	2885	2876
42	3079	3272	3272	3283
42	3485	3701	3701	3735
42	2851	3035	3035	3024
42	3240	3444	3444	3456
42	3666	3894	3894	3929
51	2787	2966	2966	2943
51	3174	3376	3376	3372
51	3604	3828	3828	3848
51	2934	3124	3124	3100
51	3341	3554	3554	3552
51	3791	4028	4028	4051
66	2949	3142	3142	3104
66	3365	3580	3580	3567
66	3824	4065	4065	4076
66	3103	3305	3305	3267
66	3542	3768	3768	3756
66	4026	4280	4280	4291

If Individual Lock is specified, add 137

Pricing is continued on the following page.  
district price guide – June 19, 2017

## U T L S

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## FILE/FILE (F)

## CLOSED BACK (C)

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3081	3173	3173	3243
3487	3592	3592	3671
3938	4058	4058	4145
3242	3338	3338	3411
3672	3782	3782	3865
4143	4268	4268	4360
3174	3269	3269	3341
3604	3710	3710	3794
4077	4201	4201	4293
3343	3442	3442	3517
3795	3908	3908	3992
4291	4422	4422	4517
3364	3463	3463	3542
3824	3938	3938	4026
4334	4463	4463	4561
3542	3645	3645	3727
4028	4146	4146	4237
4562	4699	4699	4801

## FILE/FILE (F)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1629	1931
1850	2210
2095	2517
1715	2033
1948	2326
2207	2653
1676	1975
1908	2268
2165	2592
1765	2077
2009	2387
2282	2728
1772	2079
2022	2395
2299	2745
1866	2189
2130	2521
2421	2888

If Individual Lock is specified, add 137

Pricing is continued on the following page.

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## FILE/FILE (F)

## OPEN THROUGH (O)

## SEAMLESS CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	24	2171	2489	2547	2492	2755	2548	2863
42	16	30	2481	2829	2895	2833	3127	2896	3248
42	16	36	2822	3206	3278	3210	3539	3280	3671
42	19	24	2287	2623	2683	2626	2903	2685	3013
42	19	30	2612	2980	3047	2983	3293	3049	3418
42	19	36	2975	3377	3451	3380	3728	3453	3866
51	16	24	2223	2560	2620	2563	2835	2622	2947
51	16	30	2548	2917	2983	2920	3226	2986	3350
51	16	36	2908	3312	3385	3315	3657	3388	3796
51	19	24	2338	2691	2754	2694	2983	2755	3100
51	19	30	2684	3070	3140	3073	3397	3141	3526
51	19	36	3064	3489	3568	3493	3854	3569	3999
66	16	24	2343	2702	2767	2710	3002	2769	3118
66	16	30	2693	3089	3160	3094	3421	3162	3552
66	16	36	3081	3515	3596	3519	3887	3599	4033
66	19	24	2466	2846	2914	2849	3157	2916	3281
66	19	30	2835	3252	3326	3255	3602	3330	3739
66	19	36	3244	3702	3784	3705	4091	3788	4247

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	2527	2690	2690	2669
42	2876	3058	3058	3058
42	3260	3463	3463	3485
42	2659	2832	2832	2812
42	3026	3219	3219	3219
42	3432	3647	3647	3671
51	2595	2763	2763	2728
51	2961	3151	3151	3136
51	3366	3577	3577	3584
51	2728	2907	2907	2872
51	3115	3316	3316	3302
51	3545	3768	3768	3777
66	2743	2922	2922	2874
66	3135	3338	3338	3311
66	3572	3798	3798	3795
66	2884	3074	3074	3023
66	3300	3513	3513	3485
66	3759	3998	3998	3996

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	2877	2963	2963	3028
42	3263	3362	3362	3434
42	3690	3801	3801	3883
42	3028	3117	3117	3187
42	3434	3539	3539	3614
42	3886	4002	4002	4090
51	2960	3048	3048	3116
51	3367	3467	3467	3545
51	3814	3929	3929	4017
51	3115	3207	3207	3277
51	3545	3649	3649	3730
51	4019	4140	4140	4228
66	3134	3225	3225	3300
66	3571	3675	3675	3759
66	4052	4174	4174	4266
66	3299	3395	3395	3470
66	3759	3869	3869	3955
66	4267	4395	4395	4491

If Individual Lock is specified, add 137

Pricing is continued on the following page.  
district price guide – June 19, 2017

## UTLS

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	24
42	16	30
42	16	36
42	19	24
42	19	30
42	19	36
51	16	24
51	16	30
51	16	36
51	19	24
51	19	30
51	19	36
66	16	24
66	16	30
66	16	36
66	19	24
66	19	30
66	19	36

## PRICING

## FILE/FILE (F)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1869	2232
2117	2544
2386	2884
1968	2352
2227	2679
2512	3036
1928	2293
2187	2620
2472	2977
2030	2413
2303	2756
2602	3134
2042	2421
2322	2774
2628	3159
2152	2548
2446	2918
2767	3325

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	2506	2857	2922	2860	3158	2924	3278
42	2851	3239	3311	3242	3573	3312	3706
42	3228	3651	3733	3656	4026	3734	4174
42	2640	3010	3078	3013	3326	3080	3452
42	3004	3409	3483	3413	3762	3485	3901
42	3401	3847	3929	3851	4238	3931	4396
51	2576	2947	3014	2950	3260	3017	3385
51	2939	3346	3420	3349	3696	3422	3835
51	3337	3784	3866	3789	4172	3868	4328
51	2713	3102	3172	3105	3431	3173	3561
51	3094	3521	3601	3525	3890	3602	4035
51	3514	3985	4070	3988	4395	4072	4557
66	2723	3122	3193	3126	3456	3195	3588
66	3113	3550	3632	3554	3925	3634	4074
66	3543	4023	4111	4028	4439	4113	4605
66	2866	3286	3363	3289	3638	3365	3777
66	3277	3738	3823	3742	4131	3825	4287
66	3730	4235	4328	4238	4674	4331	4848

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	2905	3086	3086	3089
42	3292	3496	3496	3520
42	3717	3946	3946	3993
42	3056	3251	3251	3253
42	3464	3681	3681	3706
42	3913	4156	4156	4204
51	2992	3183	3183	3171
51	3400	3614	3614	3624
51	3848	4088	4088	4122
51	3147	3349	3349	3337
51	3578	3804	3804	3815
51	4051	4302	4302	4340
66	3169	3372	3372	3347
66	3607	3836	3836	3835
66	4091	4347	4347	4372
66	3335	3549	3549	3523
66	3797	4038	4038	4038
66	4306	4574	4574	4602

## U T L S

Lateral Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

## PRICING

## FILE/FILE (F)

## SECURED (S)


## VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	24	3294	3393	3393	3467
42	16	30	3726	3837	3837	3922
42	16	36	4196	4324	4324	4416
42	19	24	3469	3574	3574	3650
42	19	30	3922	4040	4040	4127
42	19	36	4417	4553	4553	4650
51	16	24	3401	3503	3503	3581
51	16	30	3854	3969	3969	4057
51	16	36	4350	4483	4483	4581
51	19	24	3580	3686	3686	3766
51	19	30	4058	4179	4179	4268
51	19	36	4582	4719	4719	4819
66	16	24	3607	3714	3714	3797
66	16	30	4093	4217	4217	4309
66	16	36	4627	4768	4768	4873
66	19	24	3797	3909	3909	3996
66	19	30	4310	4438	4438	4534
66	19	36	4874	5019	5019	5128

If Individual Lock is specified, add 137

## UTCE

## Combo Tower – Elevated



The Combo Tower provides both file and binder storage, the capability to support work surfaces, stackers and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 tower, 4 angled feet, lock and keys (if specified), drawers and pulls (as specified), 36" and 42" high towers include shelves in wardrobe section, 51" and 66" high towers include a coat hook in wardrobe section, 66" high towers include a boot shelf in wardrobe section.

## NOTES

The 42" high tower comes with a Box/File (X) drawer combination.

36", 51" and 66" high towers are available with Box/Box/File (B) or File/File (F) drawer combinations.

When the 36" high tower has been specified, Shelf Configuration (N) must be selected.

24" and 30" wide towers **cannot** be specified in the 16" depth.

Beltline Back Electrical Cut Out (E) option **cannot** be specified on the 42" high tower.

## PRODUCT OPTIONS

Height	Depth	Width	Drawer Combination	Wardrobe Location	Shelf Configuration	Pull Style	Pull Finish	Case, Back & Front Finish	Foot Finish	Electrical Cut Out	Key Style
36, 42, 51, 66	16, 19	24, 30, 36, 42, 48	X Box/File B Box/Box/File (shown) F File/File (shown)	L Left R Right	C Closed Back O Open Through S Secured N None	D District R Rect-angular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	Q Storm White 7 Platinum V Very White X Anthracite M Graphite 2 Burnished Bronze	B Base Back Cut Out E Beltline Back Cut Out N None	K Keyed Alike R Keyed Randomly N No Lock

## SAMPLE ORDER CODE

Case Back Front

UTCE	16	48	B	L	S	D	Q	VU	VU	VU	C	E	R
51													

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

## PRICING

## BOX/FILE (X)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2243	2790
2453	3055
2686	3347
1925	2389
2131	2651
2354	2929
2576	3211
2818	3515

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42 16 36	3085	3644	3706	3644	3962	3706	4090
42 16 42	3379	3966	4035	3966	4315	4035	4455
42 16 48	3704	4325	4400	4325	4706	4400	4856
42 19 24	2639	3151	3206	3151	3427	3206	3537
42 19 30	2928	3469	3530	3469	3773	3530	3894
42 19 36	3240	3813	3879	3813	4146	3879	4281
42 19 42	3551	4156	4227	4156	4521	4227	4666
42 19 48	3891	4529	4609	4529	4928	4609	5088

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.



# U T C E

## Combo Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

### PRICING

#### BOX/FILE (X)

#### CLOSED BACK (C)

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3725	3924	3924	3823
4054	4271	4271	4190
4419	4656	4656	4595
3220	3391	3391	3265
3545	3735	3735	3626
3897	4106	4106	4015
4247	4473	4473	4405
4627	4877	4877	4828

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4111	4237	4237	4321
4478	4616	4616	4708
4883	5031	5031	5133
3553	3663	3663	3734
3914	4033	4033	4112
4305	4435	4435	4523
4691	4834	4834	4931
5114	5272	5272	5378

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

Combo Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

## PRICING

## BOX/FILE (X)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2137	2658
2337	2910
2559	3188
1836	2277
2032	2524
2243	2790
2453	3055
2686	3347

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2938	3481	3542	3481	3785	3542	3906
3218	3789	3855	3789	4120	3855	4253
3526	4127	4199	4127	4490	4199	4634
2515	3014	3068	3014	3277	3068	3381
2789	3317	3376	3317	3607	3376	3724
3085	3644	3706	3644	3962	3706	4090
3379	3966	4035	3966	4315	4035	4455
3704	4325	4400	4325	4706	4400	4856

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3557	3747	3747	3638
3870	4078	4078	3988
4218	4444	4444	4373
3080	3244	3244	3110
3390	3572	3572	3453
3725	3924	3924	3823
4054	4271	4271	4190
4419	4656	4656	4595

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3928	4047	4047	4128
4275	4406	4406	4493
4659	4801	4801	4897
3399	3502	3502	3572
3742	3857	3857	3932
4111	4237	4237	4321
4478	4616	4616	4708
4883	5031	5031	5133

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

# **Combo Tower – Elevated (Continued)**

**DIMENSIONS  
FOR MM X BY 25.4**

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48

**PRICING**
**BOX/FILE (X)**
**SECURED (S)**
**SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2354	2929
2576	3211
2818	3515
2019	2509
2237	2783
2471	3077
2703	3372
2960	3696

**SEAMLESS CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3240	3813	3879	3813	4146	3879	4281
3551	4156	4227	4156	4521	4227	4666
3891	4529	4609	4529	4928	4609	5088
2773	3296	3354	3296	3582	3354	3698
3077	3634	3697	3634	3950	3697	4077
3403	3993	4063	3993	4345	4063	4486
3732	4352	4430	4352	4735	4430	4888
4090	4748	4830	4748	5166	4830	5333

**FLINTWOOD CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3897	4106	4106	4015
4247	4473	4473	4405
4627	4877	4877	4828
3368	3547	3547	3430
3712	3910	3910	3810
4081	4301	4301	4221
4448	4688	4688	4630
4852	5112	5112	5078

**VENEER CASE**

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4305	4435	4435	4523
4691	4834	4834	4931
5114	5272	5272	5378
3717	3831	3831	3906
4099	4223	4223	4307
4508	4647	4647	4740
4916	5068	5068	5168
5362	5529	5529	5638

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

Combo Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

## PRICING

## BOX/BOX/FILE (B)

NONE (N)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2221	2715
2411	2953
2621	3218
1933	2354
2120	2589
2320	2841
2520	3093
2742	3369

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2980	3495	3553	3495	3785	3553	3900
3246	3789	3851	3789	4104	3851	4230
3540	4109	4178	4109	4455	4178	4592
2578	3053	3103	3053	3303	3103	3402
2840	3340	3397	3340	3615	3397	3727
3122	3650	3710	3650	3954	3710	4075
3400	3957	4023	3957	4288	4023	4420
3708	4298	4369	4298	4659	4369	4802

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3570	3750	3750	3645
3866	4063	4063	3978
4195	4411	4411	4343
3115	3272	3272	3144
3409	3581	3581	3470
3728	3916	3916	3821
4041	4248	4248	4169
4386	4614	4614	4556

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3922	4034	4034	4110
4251	4375	4375	4458
4616	4751	4751	4842
3419	3516	3516	3581
3744	3854	3854	3926
4095	4216	4216	4295
4444	4574	4574	4661
4827	4970	4970	5063

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

# U T C E

## Combo Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

### PRICING

#### FILE/FILE (F)

NONE (N)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2031	2524
2221	2763
2430	3028
1744	2164
1930	2398
2131	2652
2331	2904
2551	3180

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2790	3306	3365	3306	3598	3365	3710
3056	3600	3663	3600	3914	3663	4041
3349	3921	3989	3921	4264	3989	4403
2389	2864	2914	2864	3113	2914	3213
2651	3151	3207	3151	3427	3207	3538
2932	3462	3521	3462	3764	3521	3886
3211	3767	3834	3767	4099	3834	4231
3519	4109	4179	4109	4469	4179	4614

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3379	3560	3560	3456
3676	3874	3874	3789
4005	4222	4222	4154
2926	3082	3082	2955
3220	3392	3392	3281
3539	3728	3728	3632
3851	4058	4058	3980
4198	4425	4425	4367

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3732	3845	3845	3922
4061	4187	4187	4267
4427	4561	4561	4652
3228	3326	3326	3392
3554	3665	3665	3736
3906	4026	4026	4106
4255	4384	4384	4471
4638	4781	4781	4875

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

Combo Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	42

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2789	3480
3036	3790
3307	4131
2417	3009
2659	3314
2919	3643
3178	3969
3463	4327

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3850	4222	4295	4222	4592	4295	4741
4194	4600	4681	4600	5006	4681	5168
4575	5019	5108	5019	5462	5108	5640
3329	3646	3710	3646	3966	3710	4093
3668	4021	4091	4021	4373	4091	4516
4032	4422	4499	4422	4812	4499	4968
4396	4821	4906	4821	5246	4906	5416
4793	5259	5352	5259	5725	5352	5911
4110	4506	4587	4506	4905	4587	5063
4479	4914	5001	4914	5349	5001	5521
4888	5363	5458	5363	5838	5458	6029
3548	3890	3958	3890	4230	3958	4367
3913	4290	4367	4290	4667	4367	4819
4306	4722	4807	4722	5139	4807	5306
4695	5151	5243	5151	5607	5243	5790
5124	5625	5725	5625	6122	5725	6323

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4315	4548	4548	4779
4701	4955	4955	5208
5130	5408	5408	5684
3728	3926	3926	4126
4109	4329	4329	4551
4521	4763	4763	5007
4928	5194	5194	5460
5376	5666	5666	5957
4608	4856	4856	5105
5023	5294	5294	5566
5482	5778	5778	6076
3974	4188	4188	4401
4385	4621	4621	4857
4826	5087	5087	5348
5266	5550	5550	5835
5748	6060	6060	6371

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4766	4913	4913	5010
5196	5355	5355	5462
5671	5846	5846	5963
4117	4241	4241	4325
4537	4678	4678	4770
4994	5148	5148	5251
5447	5614	5614	5727
5943	6126	6126	6248
5091	5247	5247	5352
5552	5725	5725	5837
6061	6248	6248	6372
4390	4525	4525	4615
4846	4995	4995	5093
5334	5500	5500	5608
5821	6000	6000	6120
6358	6554	6554	6684

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

# UTCE

## Combo Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48

### PRICING

#### FILE/FILE (F)

#### CLOSED BACK (C)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2600	3241
2846	3550
3117	3893
2227	2769
2470	3077
2729	3404
2989	3731
3274	4089

### DIMENSIONS FOR MM X BY 25.4

H	D	W
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	42

### PRICING

#### FILE/FILE (F)

#### CLOSED BACK (C)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2786	3476
3050	3807
3341	4174
2385	2969
2645	3298
2925	3649
3204	4001
3511	4388

#### SEAMLESS CASE

			Seamless Back, Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	36	3584	3929	3998	3929	4275	3998	4412
51	16	42	3929	4308	4383	4308	4688	4383	4840
51	16	48	4310	4727	4811	4727	5144	4811	5313
51	19	24	3063	3355	3414	3355	3647	3414	3765
51	19	30	3402	3730	3794	3730	4056	3794	4187
51	19	36	3767	4130	4203	4130	4494	4203	4638
51	19	42	4130	4529	4609	4529	4929	4609	5088
51	19	48	4528	4968	5055	4968	5407	5055	5581
66	16	36	3845	4217	4290	4217	4587	4290	4734
66	16	42	4216	4622	4703	4622	5030	4703	5194
66	16	48	4623	5073	5162	5073	5520	5162	5700
66	19	24	3283	3599	3662	3599	3911	3662	4038
66	19	30	3647	3999	4069	3999	4350	4069	4491
66	19	36	4041	4431	4508	4431	4821	4508	4977
66	19	42	4431	4859	4946	4859	5289	4946	5461
66	19	48	4859	5332	5427	5332	5804	5427	5994

#### FLINTWOOD CASE

			Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	36	4017	4231	4231	4446
51	16	42	4403	4642	4642	4877
51	16	48	4832	5092	5092	5353
51	19	24	3428	3611	3611	3794
51	19	30	3809	4014	4014	4219
51	19	36	4222	4447	4447	4676
51	19	42	4629	4879	4879	5128
51	19	48	5078	5352	5352	5627
66	16	36	4309	4540	4540	4773
66	16	42	4724	4979	4979	5234
66	16	48	5183	5466	5466	5744
66	19	24	3675	3873	3873	4069
66	19	30	4088	4307	4307	4526
66	19	36	4528	4772	4772	5016
66	19	42	4966	5235	5235	5504
66	19	48	5450	5745	5745	6040

#### VENEER CASE

			Seamless Back, Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front	
51	16	36	4436	4571	4571	4662	
51	16	42	4866	5015	5015	5114	
51	16	48	5340	5505	5505	5613	
51	19	24	3784	3899	3899	3976	
51	19	30	4207	4337	4337	4424	
51	19	36	4663	4808	4808	4903	
51	19	42	5115	5272	5272	5378	
51	19	48	5612	5786	5786	5901	
66	16	36	4761	4907	4907	5005	
66	16	42	5222	5382	5382	5488	
66	16	48	5731	5906	5906	6025	
66	19	24	4059	4183	4183	4265	
66	19	30	4516	4653	4653	4745	If Base or Beltline Back Cut Out is specified, add 8
66	19	36	5005	5158	5158	5260	
66	19	42	5490	5660	5660	5772	Pricing is continued on the following page
66	19	48	6026	6211	6211	6335	

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

Combo Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2666	3324
2900	3617
3157	3941
2313	2878
2543	3169
2789	3480
3036	3790
3307	4131

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	36	3678	4033	4104	4104	4529
51	16	42	4004	4393	4468	4468	4933
51	16	48	4365	4786	4872	4872	5379
51	19	24	3182	3486	3547	3547	3913
51	19	30	3506	3840	3908	3908	4313
51	19	36	3850	4222	4295	4295	4741
51	19	42	4194	4600	4681	4681	5168
51	19	48	4575	5019	5108	5108	5640
66	16	36	3926	4305	4380	4380	4834
66	16	42	4276	4690	4773	4773	5268
66	16	48	4663	5115	5206	5206	5750
66	19	24	3391	3716	3781	3781	4171
66	19	30	3737	4098	4169	4169	4601
66	19	36	4110	4506	4587	4587	5063
66	19	42	4479	4914	5001	5001	5521
66	19	48	4888	5363	5458	5458	6029

## FLINTWOOD CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	36	4122	4343
51	16	42	4490	4730
51	16	48	4892	5156
51	19	24	3561	3752
51	19	30	3926	4137
51	19	36	4315	4548
51	19	42	4701	4955
51	19	48	5130	5408
66	16	36	4399	4635
66	16	42	4793	5052
66	16	48	5229	5512
66	19	24	3798	4001
66	19	30	4188	4412
66	19	36	4608	4856
66	19	42	5023	5294
66	19	48	5482	5778

## VENEER CASE

	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	36	4554	4693
51	16	42	4961	5113
51	16	48	5408	5573
51	19	24	3934	4053
51	19	30	4336	4468
51	19	36	4766	4913
51	19	42	5196	5355
51	19	48	5671	5846
66	16	36	4859	5009
66	16	42	5297	5460
66	16	48	5780	5960
66	19	24	4194	4322
66	19	30	4625	4768
66	19	36	5091	5247
66	19	42	5552	5725
66	19	48	6061	6248

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2844	3547
3094	3862
3370	4211
2461	3067
2711	3377
2976	3713
3240	4046
3530	4413

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.



# UTCE

## Combo Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

### PRICING

#### FILE/FILE (F)

#### OPEN THROUGH (O)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2478	3086
2712	3379
2968	3703
2123	2639
2354	2929
2600	3241
2846	3550
3117	3893

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3414	3742	3807	3742	4069	3807	4200
3739	4100	4172	4100	4461	4172	4603
4099	4495	4574	4495	4890	4574	5049
2917	3194	3251	3194	3472	3251	3583
3240	3549	3611	3549	3861	3611	3985
3584	3929	3998	3929	4275	3998	4412
3929	4308	4383	4308	4688	4383	4840
4310	4727	4811	4727	5144	4811	5313
3662	4013	4083	4013	4366	4083	4505
4011	4399	4475	4399	4785	4475	4940
4399	4824	4910	4824	5252	4910	5420
3126	3424	3484	3424	3725	3484	3843
3472	3806	3873	3806	4139	3873	4272
3845	4217	4290	4217	4587	4290	4734
4216	4622	4703	4622	5030	4703	5194
4623	5073	5162	5073	5520	5162	5700

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3824	4029	4029	4233
4191	4415	4415	4642
4594	4842	4842	5089
3265	3439	3439	3612
3629	3822	3822	4015
4017	4231	4231	4446
4403	4642	4642	4877
4832	5092	5092	5353
4101	4321	4321	4542
4495	4737	4737	4979
4931	5198	5198	5464
3499	3685	3685	3873
3891	4098	4098	4307
4309	4540	4540	4773
4724	4979	4979	5234
5183	5466	5466	5744

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4223	4351	4351	4437
4629	4772	4772	4866
5077	5233	5233	5336
3604	3712	3712	3785
4005	4128	4128	4209
4436	4571	4571	4662
4866	5015	5015	5114
5340	5505	5505	5613
4531	4669	4669	4762
4968	5119	5119	5222
5449	5618	5618	5730
3864	3982	3982	4060
4296	4429	4429	4517
4761	4907	4907	5005
5222	5382	5382	5488
5731	5906	5906	6025

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTCE

Combo Tower – Elevated  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2919	3643
3178	3969
3463	4327
2527	3148
2782	3469
3055	3814
3330	4159
3630	4535

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
4032	4422	4499	4422	4812	4499	4968
4396	4821	4906	4821	5246	4906	5416
4793	5259	5352	5259	5725	5352	5911
3483	3818	3884	3818	4152	3884	4286
3839	4210	4284	4210	4581	4284	4727
4223	4631	4713	4631	5040	4713	5203
4604	5051	5141	5051	5500	5141	5676
5025	5513	5611	5513	6002	5611	6199
4306	4722	4807	4722	5139	4807	5306
4695	5151	5243	5151	5607	5243	5790
5124	5625	5725	5625	6122	5725	6323
3713	4072	4142	4072	4429	4142	4571
4098	4494	4572	4494	4889	4572	5048
4511	4948	5036	4948	5385	5036	5562
4921	5400	5496	5400	5879	5496	6070
5375	5897	6002	5897	6422	6002	6630

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
4521	4763	4763	5007
4928	5194	5194	5460
5376	5666	5666	5957
3901	4110	4110	4319
4304	4533	4533	4765
4733	4990	4990	5244
5163	5443	5443	5723
5637	5942	5942	6247
4826	5087	5087	5348
5266	5550	5550	5835
5748	6060	6060	6371
4161	4383	4383	4608
4593	4841	4841	5088
5058	5331	5331	5605
5519	5818	5818	6118
6029	6357	6357	6683

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4994	5148	5148	5251
5447	5614	5614	5727
5943	6126	6126	6248
4309	4439	4439	4528
4754	4900	4900	4997
5232	5393	5393	5501
5707	5883	5883	6000
6233	6424	6424	6553
5334	5500	5500	5608
5821	6000	6000	6120
6358	6554	6554	6684
4596	4737	4737	4830
5077	5232	5232	5335
5592	5763	5763	5878
6102	6293	6293	6418
6666	6873	6873	7010

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

# UTCE

## Combo Tower – Elevated (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48

### PRICING

#### FILE/FILE (F)

#### SECURED (S)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2729	3404
2989	3731
3274	4089
2337	2910
2593	3232
2866	3576
3140	3921
3439	4297

### DIMENSIONS FOR MM X BY 25.4

H	D	W
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

### PRICING

#### FILE/FILE (F)

#### SECURED (S)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2925	3649
3204	4001
3511	4388
2503	3117
2778	3463
3072	3835
3366	4204
3687	4613

#### SEAMLESS CASE

			Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
51	16	36	3767	4130	4203	4130	4494	4203	4638
51	16	42	4130	4529	4609	4529	4929	4609	5088
51	16	48	4528	4968	5055	4968	5407	5055	5581
51	19	24	3218	3525	3586	3525	3834	3586	3957
51	19	30	3575	3920	3987	3920	4262	3987	4400
51	19	36	3958	4340	4415	4340	4722	4415	4875
51	19	42	4340	4760	4844	4760	5180	4844	5349
51	19	48	4760	5223	5315	5223	5684	5315	5869
66	16	36	4041	4431	4508	4431	4821	4508	4977
66	16	42	4431	4859	4946	4859	5289	4946	5461
66	16	48	4859	5332	5427	5332	5804	5427	5994
66	19	24	3449	3779	3845	3779	4110	3845	4242
66	19	30	3833	4202	4276	4202	4571	4276	4720
66	19	36	4247	4656	4740	4656	5068	4740	5232
66	19	42	4656	5109	5200	5109	5562	5200	5741
66	19	48	5109	5606	5705	5606	6102	5705	6302

#### FLINTWOOD CASE

			Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
51	16	36	4222	4447	4447	4676
51	16	42	4629	4879	4879	5128
51	16	48	5078	5352	5352	5627
51	19	24	3604	3795	3795	3988
51	19	30	4004	4220	4220	4434
51	19	36	4435	4675	4675	4913
51	19	42	4866	5128	5128	5390
51	19	48	5339	5627	5627	5915
66	16	36	4528	4772	4772	5016
66	16	42	4966	5235	5235	5504
66	16	48	5450	5745	5745	6040
66	19	24	3862	4069	4069	4276
66	19	30	4295	4526	4526	4756
66	19	36	4760	5016	5016	5272
66	19	42	5223	5505	5505	5788
66	19	48	5731	6040	6040	6353


#### VENEER CASE

			Seamless Back, Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front	
51	16	36	4663	4808	4808	4903	
51	16	42	5115	5272	5272	5378	
51	16	48	5612	5786	5786	5901	
51	19	24	3979	4100	4100	4181	
51	19	30	4424	4558	4558	4649	
51	19	36	4901	5051	5051	5151	
51	19	42	5379	5543	5543	5653	
51	19	48	5902	6084	6084	6205	
66	16	36	5005	5158	5158	5260	
66	16	42	5490	5660	5660	5772	
66	16	48	6026	6211	6211	6335	
66	19	24	4265	4396	4396	4483	
66	19	30	4745	4889	4889	4987	
66	19	36	5260	5421	5421	5531	If Base or Beltline Back Cut Out is specified, add 1000
66	19	42	5773	5951	5951	6069	
66	19	48	6336	6531	6531	6662	

If Base or Beltline Back Cut Out is specified, add 87

## UTCS

## Combo Tower – Standard



The Combo Tower provides both file and binder storage, the capability to support worksurfaces, stackers and panels.

## WHAT'S INCLUDED

1 tower, lock and keys (if specified), drawers and pulls (as specified) 36" and 42" high towers include shelves in wardrobe section, 51" and 66" high towers include a coat hook in wardrobe section, 66" high towers include a bookshelf in wardrobe section.

## NOTES

The 36" high tower comes with a Box/File (X) drawer combination.

42", 51" and 66" high towers are available with Box/Box/File (B) or File/File (F) drawer combinations.

24" and 30" wide towers **cannot** be specified in the 16" depth.

## PRODUCT OPTIONS

Height	Depth	Width	Drawer Combination	Wardrobe Location	Shelf Configuration	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style
36, 42, 51, 66	16, 19	24, 30, 36, 42, 48	<b>X</b> Box/File (shown) <b>B</b> Box/Box/File (shown) <b>F</b> File/File	<b>L</b> Left <b>R</b> Right	<b>C</b> Closed Back <b>O</b> Open Through <b>S</b> Secured	<b>D</b> District <b>R</b> Rectangular	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock

## SAMPLE ORDER CODE

UTCS	16	36	X	L	C	D	E	Case	Back	Front	R
36								VU	VU	VU	

552

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

## PRICING

## BOX/FILE (X)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2105	2654
2316	2918
2547	3210
1785	2252
1993	2512
2216	2791
2438	3073
2682	3377

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
36 16 36	2948	3508	3570	3508	3825	3570	3953
36 16 42	3242	3828	3898	3828	4176	3898	4316
36 16 48	3568	4188	4262	4188	4566	4262	4719
36 19 24	2502	3013	3069	3013	3288	3069	3398
36 19 30	2790	3332	3393	3332	3636	3393	3757
36 19 36	3102	3675	3742	3675	4010	3742	4142
36 19 42	3414	4018	4090	4018	4382	4090	4529
36 19 48	3752	4393	4470	4393	4789	4470	4950

Pricing is continued on the following page.

# U T C S

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

### PRICING

#### BOX/FILE (X)

#### CLOSED BACK (C)

#### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3585	3785	3785	3684
3916	4133	4133	4052
4282	4520	4520	4459
3082	3253	3253	3127
3407	3599	3599	3488
3760	3968	3968	3877
4108	4337	4337	4267
4491	4740	4740	4691

#### VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3973	4100	4100	4185
4341	4477	4477	4568
4745	4893	4893	4994
3417	3523	3523	3598
3776	3896	3896	3974
4167	4297	4297	4384
4554	4696	4696	4793
4977	5136	5136	5239

Pricing is continued on the following page.

## U T C S

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

## PRICING

## BOX/FILE (X)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2000	2520
2199	2774
2420	3050
1699	2140
1895	2387
2105	2654
2316	2918
2547	3210

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
2799	3343	3403	3343	3647	3403	3768
3080	3649	3716	3649	3982	3716	4115
3389	3989	4061	3989	4351	4061	4497
2378	2877	2929	2877	3140	2929	3244
2653	3180	3239	3180	3469	3239	3584
2948	3508	3570	3508	3825	3570	3953
3242	3828	3898	3828	4176	3898	4316
3568	4188	4262	4188	4566	4262	4719

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3420	3610	3610	3499
3733	3940	3940	3850
4079	4307	4307	4235
2943	3107	3107	2973
3252	3433	3433	3315
3585	3785	3785	3684
3916	4133	4133	4052
4282	4520	4520	4459

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
3791	3909	3909	3990
4137	4268	4268	4354
4522	4663	4663	4758
3261	3365	3365	3433
3605	3718	3718	3795
3973	4100	4100	4185
4341	4477	4477	4568
4745	4893	4893	4994

Pricing is continued on the following page.

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

36	16	36
36	16	42
36	16	48
36	19	24
36	19	30
36	19	36
36	19	42
36	19	48

## PRICING

## BOX/FILE (X)

## SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2216	2791
2438	3073
2682	3377
1880	2370
2099	2645
2333	2939
2567	3235
2822	3557

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
3102	3675	3742	3675	4010	3742	4142
3414	4018	4090	4018	4382	4090	4529
3752	4393	4470	4393	4789	4470	4950
2633	3158	3217	3158	3446	3217	3559
2939	3495	3558	3495	3812	3558	3939
3266	3856	3926	3856	4206	3926	4347
3594	4216	4291	4216	4597	4291	4751
3953	4611	4693	4611	5027	4693	5196

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
3760	3968	3968	3877
4108	4337	4337	4267
4491	4740	4740	4691
3231	3409	3409	3292
3575	3773	3773	3673
3943	4163	4163	4083
4311	4551	4551	4493
4714	4975	4975	4940

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
4167	4297	4297	4384
4554	4696	4696	4793
4977	5136	5136	5239
3580	3694	3694	3768
3961	4085	4085	4169
4371	4508	4508	4601
4779	4930	4930	5029
5225	5389	5389	5501

Pricing is continued on the following page.

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2530	3187
2761	3481
3020	3806
2175	2742
2404	3029
2653	3341
2898	3650
3169	3992
2653	3341
2897	3650
3170	3993
2279	2872
2521	3176
2782	3507
3041	3832
3325	4190
2839	3576
3102	3908
3393	4276
2436	3070
2696	3398
2977	3751
3255	4103
3561	4489

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3542	3896	3966	3896	4250	3966	4393
42	3867	4254	4331	4254	4642	4331	4795
42	4228	4652	4735	4652	5075	4735	5243
42	3044	3348	3409	3348	3653	3409	3775
42	3366	3702	3769	3702	4040	3769	4173
42	3712	4084	4158	4084	4456	4158	4602
42	4058	4464	4544	4464	4870	4544	5031
42	4435	4879	4968	4879	5322	4968	5501
51	3712	4084	4158	4084	4456	4158	4602
51	4057	4463	4543	4463	4868	4543	5029
51	4437	4881	4970	4881	5324	4970	5503
51	3190	3510	3574	3510	3828	3574	3956
51	3529	3883	3954	3883	4235	3954	4376
51	3895	4284	4363	4284	4675	4363	4829
51	4257	4683	4768	4683	5109	4768	5279
51	4655	5121	5214	5121	5585	5214	5773
66	3972	4370	4448	4370	4766	4448	4927
66	4342	4777	4863	4777	5211	4863	5384
66	4751	5226	5321	5226	5701	5321	5892
66	3410	3751	3821	3751	4092	3821	4228
66	3775	4153	4228	4153	4530	4228	4682
66	4168	4585	4667	4585	5001	4667	5169
66	4558	5014	5106	5014	5470	5106	5651
66	4987	5486	5585	5486	5985	5585	6184

Pricing is continued on the following page.



# UTCS

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### BOX/BOX/FILE (B)

#### CLOSED BACK (C)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	3985	4205	4205	4428
42	16	42	4351	4592	4592	4834
42	16	48	4756	5022	5022	5286
42	19	24	3424	3614	3614	3805
42	19	30	3785	3997	3997	4206
42	19	36	4176	4408	4408	4642
42	19	42	4564	4818	4818	5073
42	19	48	4990	5266	5266	5543
51	16	36	4176	4408	4408	4642
51	16	42	4563	4817	4817	5072
51	16	48	4993	5269	5269	5547
51	19	24	3588	3789	3789	3988
51	19	30	3971	4192	4192	4412
51	19	36	4382	4625	4625	4870
51	19	42	4789	5056	5056	5322
51	19	48	5237	5529	5529	5819
66	16	36	4469	4719	4719	4966
66	16	42	4885	5156	5156	5428
66	16	48	5346	5641	5641	5938
66	19	24	3837	4050	4050	4263
66	19	30	4249	4485	4485	4720
66	19	36	4689	4949	4949	5209
66	19	42	5128	5413	5413	5698
66	19	48	5611	5923	5923	6235

#### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4415	4556	4556	4649
42	16	42	4823	4976	4976	5077
42	16	48	5271	5439	5439	5549
42	19	24	3796	3915	3915	3996
42	19	30	4196	4328	4328	4416
42	19	36	4629	4775	4775	4873
42	19	42	5059	5220	5220	5325
42	19	48	5531	5705	5705	5822
51	16	36	4629	4775	4775	4873
51	16	42	5058	5217	5217	5324
51	16	48	5534	5707	5707	5825
51	19	24	3979	4104	4104	4188
51	19	30	4401	4538	4538	4632
51	19	36	4856	5010	5010	5112
51	19	42	5310	5477	5477	5588
51	19	48	5805	5990	5990	6111
66	16	36	4954	5110	5110	5214
66	16	42	5415	5585	5585	5700
66	16	48	5924	6111	6111	6236
66	19	24	4253	4386	4386	4476
66	19	30	4709	4857	4857	4956
66	19	36	5198	5361	5361	5471
66	19	42	5682	5863	5863	5981
66	19	48	6219	6417	6417	6547

Pricing is continued on the following page.

district price guide – June 19, 2017

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## FILE/FILE (F)

## CLOSED BACK (C)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2339	2949
2572	3242
2830	3569
1986	2502
2215	2790
2462	3103
2711	3414
2979	3753
2462	3103
2710	3413
2980	3756
2090	2632
2332	2939
2593	3267
2851	3592
3136	3952
2650	3337
2912	3670
3204	4037
2247	2830
2507	3159
2787	3513
3067	3864
3372	4251

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3276	3605	3670	3605	3931	3670	4062
42	3603	3962	4034	3962	4322	4034	4466
42	3964	4359	4438	4359	4756	4438	4915
42	2780	3056	3113	3056	3335	3113	3447
42	3101	3410	3472	3410	3720	3472	3844
42	3448	3792	3861	3792	4137	3861	4275
42	3793	4172	4249	4172	4552	4249	4702
42	4170	4587	4670	4587	5005	4670	5171
51	3448	3792	3861	3792	4137	3861	4275
51	3792	4170	4247	4170	4551	4247	4701
51	4172	4590	4674	4590	5007	4674	5174
51	2925	3218	3276	3218	3511	3276	3629
51	3265	3591	3656	3591	3917	3656	4048
51	3631	3992	4065	3992	4356	4065	4500
51	3992	4393	4470	4393	4791	4470	4950
51	4390	4829	4917	4829	5268	4917	5444
66	3707	4078	4153	4078	4448	4153	4596
66	4077	4486	4565	4486	4892	4565	5056
66	4487	4935	5024	4935	5383	5024	5563
66	3145	3460	3522	3460	3774	3522	3900
66	3511	3862	3931	3862	4212	3931	4352
66	3903	4293	4371	4293	4683	4371	4840
66	4293	4722	4809	4722	5151	4809	5323
66	4722	5195	5289	5195	5667	5289	5856

Pricing is continued on the following page.

# UTCS

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### FILE/FILE (F)

#### CLOSED BACK (C)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	3685	3892	3892	4095
42	16	42	4053	4278	4278	4502
42	16	48	4460	4708	4708	4955
42	19	24	3127	3302	3302	3476
42	19	30	3488	3681	3681	3876
42	19	36	3878	4093	4093	4309
42	19	42	4266	4502	4502	4741
42	19	48	4692	4952	4952	5213
51	16	36	3878	4093	4093	4309
51	16	42	4265	4502	4502	4740
51	16	48	4694	4955	4955	5215
51	19	24	3289	3474	3474	3656
51	19	30	3672	3876	3876	4080
51	19	36	4084	4310	4310	4536
51	19	42	4492	4742	4742	4991
51	19	48	4940	5214	5214	5488
66	16	36	4171	4403	4403	4634
66	16	42	4587	4842	4842	5095
66	16	48	5046	5326	5326	5607
66	19	24	3539	3735	3735	3931
66	19	30	3950	4169	4169	4388
66	19	36	4390	4633	4633	4878
66	19	42	4828	5097	5097	5365
66	19	48	5314	5608	5608	5903

#### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4085	4215	4215	4299
42	16	42	4492	4633	4633	4727
42	16	48	4942	5099	5099	5203
42	19	24	3465	3575	3575	3647
42	19	30	3867	3989	3989	4070
42	19	36	4298	4434	4434	4525
42	19	42	4728	4878	4878	4978
42	19	48	5201	5364	5364	5474
51	16	36	4298	4434	4434	4525
51	16	42	4727	4877	4877	4977
51	16	48	5202	5366	5366	5476
51	19	24	3646	3762	3762	3838
51	19	30	4070	4199	4199	4285
51	19	36	4526	4669	4669	4764
51	19	42	4978	5136	5136	5239
51	19	48	5475	5648	5648	5763
66	16	36	4623	4769	4769	4867
66	16	42	5083	5244	5244	5351
66	16	48	5594	5768	5768	5887
66	19	24	3922	4045	4045	4128
66	19	30	4376	4517	4517	4608
66	19	36	4867	5020	5020	5122
66	19	42	5353	5521	5521	5635
66	19	48	5888	6073	6073	6199

Pricing is continued on the following page.

district price guide – June 19, 2017

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2413	3040
2633	3318
2878	3626
2076	2618
2294	2890
2530	3187
2761	3481
3020	3806
2530	3187
2761	3481
3019	3804
2175	2742
2405	3030
2653	3341
2897	3650
3170	3993
2705	3409
2956	3725
3233	4074
2324	2928
2571	3240
2839	3576
3102	3908
3393	4276

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42 16 36	3377	3714	3782	3714	4053	3782	4188
42 16 42	3686	4056	4130	4056	4426	4130	4571
42 16 48	4029	4432	4512	4432	4834	4512	4996
42 19 24	2907	3197	3255	3197	3488	3255	3605
42 19 30	3212	3533	3599	3533	3855	3599	3983
42 19 36	3542	3896	3966	3896	4250	3966	4393
42 19 42	3867	4254	4331	4254	4642	4331	4795
42 19 48	4228	4652	4735	4652	5075	4735	5243
51 16 36	3542	3896	3966	3896	4250	3966	4393
51 16 42	3867	4254	4331	4254	4642	4331	4795
51 16 48	4226	4649	4733	4649	5073	4733	5240
51 19 24	3044	3348	3409	3348	3653	3409	3775
51 19 30	3367	3703	3771	3703	4041	3771	4174
51 19 36	3712	4084	4158	4084	4456	4158	4602
51 19 42	4057	4463	4543	4463	4868	4543	5029
51 19 48	4437	4881	4970	4881	5324	4970	5503
66 16 36	3789	4167	4242	4167	4547	4242	4696
66 16 42	4138	4553	4634	4553	4965	4634	5130
66 16 48	4526	4978	5069	4978	5431	5069	5612
66 19 24	3253	3579	3643	3579	3904	3643	4033
66 19 30	3601	3960	4031	3960	4319	4031	4464
66 19 36	3972	4370	4448	4370	4766	4448	4927
66 19 42	4342	4777	4863	4777	5211	4863	5384
66 19 48	4751	5226	5321	5226	5701	5321	5892

Pricing is continued on the following page.

# UTCS

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### BOX/BOX/FILE (B)

#### OPEN THROUGH (O)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	3799	4011	4011	4222
42	16	42	4146	4378	4378	4609
42	16	48	4532	4785	4785	5037
42	19	24	3270	3452	3452	3634
42	19	30	3613	3814	3814	4015
42	19	36	3985	4205	4205	4428
42	19	42	4351	4592	4592	4834
42	19	48	4756	5022	5022	5286
51	16	36	3985	4205	4205	4428
51	16	42	4351	4592	4592	4834
51	16	48	4755	5019	5019	5284
51	19	24	3424	3614	3614	3805
51	19	30	3789	3999	3999	4209
51	19	36	4176	4408	4408	4642
51	19	42	4563	4817	4817	5072
51	19	48	4993	5269	5269	5547
66	16	36	4261	4498	4498	4734
66	16	42	4655	4915	4915	5173
66	16	48	5091	5376	5376	5658
66	19	24	3662	3864	3864	4067
66	19	30	4050	4275	4275	4499
66	19	36	4469	4719	4719	4966
66	19	42	4885	5156	5156	5428
66	19	48	5346	5641	5641	5938

#### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4211	4345	4345	4433
42	16	42	4596	4743	4743	4840
42	16	48	5024	5182	5182	5288
42	19	24	3624	3738	3738	3814
42	19	30	4004	4132	4132	4217
42	19	36	4415	4556	4556	4649
42	19	42	4823	4976	4976	5077
42	19	48	5271	5439	5439	5549
51	16	36	4415	4556	4556	4649
51	16	42	4823	4976	4976	5077
51	16	48	5269	5437	5437	5547
51	19	24	3796	3915	3915	3996
51	19	30	4198	4331	4331	4419
51	19	36	4629	4775	4775	4873
51	19	42	5058	5217	5217	5324
51	19	48	5534	5707	5707	5825
66	16	36	4722	4872	4872	4971
66	16	42	5159	5322	5322	5431
66	16	48	5643	5822	5822	5941
66	19	24	4057	4186	4186	4270
66	19	30	4489	4630	4630	4724
66	19	36	4954	5110	5110	5214
66	19	42	5415	5585	5585	5700
66	19	48	5924	6111	6111	6236

Pricing is continued on the following page.

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## FILE/FILE (F)

## OPEN THROUGH (O)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2223	2800
2445	3080
2689	3388
1888	2378
2104	2653
2339	2949
2572	3242
2830	3569
2339	2949
2572	3242
2829	3567
1986	2502
2216	2791
2462	3103
2710	3413
2980	3756
2516	3171
2766	3486
3043	3835
2134	2690
2383	3002
2650	3337
2912	3670
3204	4037

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3112	3423	3485	3423	3734	3485	3860
42	3422	3764	3833	3764	4106	3833	4244
42	3764	4140	4217	4140	4518	4217	4666
42	2641	2906	2958	2906	3170	2958	3275
42	2947	3242	3301	3242	3538	3301	3653
42	3276	3605	3670	3605	3931	3670	4062
42	3603	3962	4034	3962	4322	4034	4466
42	3964	4359	4438	4359	4756	4438	4915
51	3276	3605	3670	3605	3931	3670	4062
51	3603	3962	4034	3962	4322	4034	4466
51	3961	4357	4436	4357	4753	4436	4911
51	2780	3056	3113	3056	3335	3113	3447
51	3102	3411	3474	3411	3724	3474	3846
51	3448	3792	3861	3792	4137	3861	4275
51	3792	4170	4247	4170	4551	4247	4701
51	4172	4590	4674	4590	5007	4674	5174
66	3522	3875	3945	3875	4227	3945	4369
66	3873	4261	4338	4261	4648	4338	4802
66	4261	4686	4773	4686	5113	4773	5284
66	2988	3286	3346	3286	3585	3346	3705
66	3335	3669	3735	3669	4001	3735	4135
66	3707	4078	4153	4078	4448	4153	4596
66	4077	4486	4565	4486	4892	4565	5056
66	4487	4935	5024	4935	5383	5024	5563

Pricing is continued on the following page.

# UTCS

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### FILE/FILE (F)

#### OPEN THROUGH (O)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	3501	3697	3697	3891
42	16	42	3850	4064	4064	4278
42	16	48	4234	4469	4469	4706
42	19	24	2973	3138	3138	3303
42	19	30	3315	3499	3499	3683
42	19	36	3685	3892	3892	4095
42	19	42	4053	4278	4278	4502
42	19	48	4460	4708	4708	4955
51	16	36	3685	3892	3892	4095
51	16	42	4053	4278	4278	4502
51	16	48	4458	4703	4703	4951
51	19	24	3127	3302	3302	3476
51	19	30	3489	3683	3683	3877
51	19	36	3878	4093	4093	4309
51	19	42	4265	4502	4502	4740
51	19	48	4694	4955	4955	5215
66	16	36	3964	4185	4185	4404
66	16	42	4357	4599	4599	4842
66	16	48	4793	5059	5059	5325
66	19	24	3363	3548	3548	3735
66	19	30	3752	3960	3960	4169
66	19	36	4171	4403	4403	4634
66	19	42	4587	4842	4842	5095
66	19	48	5046	5326	5326	5607

#### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	3881	4003	4003	4085
42	16	42	4266	4402	4402	4492
42	16	48	4693	4842	4842	4940
42	19	24	3294	3399	3399	3467
42	19	30	3674	3792	3792	3868
42	19	36	4085	4215	4215	4299
42	19	42	4492	4633	4633	4727
42	19	48	4942	5099	5099	5203
51	16	36	4085	4215	4215	4299
51	16	42	4492	4633	4633	4727
51	16	48	4939	5094	5094	5200
51	19	24	3465	3575	3575	3647
51	19	30	3868	3990	3990	4072
51	19	36	4298	4434	4434	4525
51	19	42	4727	4877	4877	4977
51	19	48	5202	5366	5366	5476
66	16	36	4395	4531	4531	4624
66	16	42	4829	4981	4981	5083
66	16	48	5313	5480	5480	5593
66	19	24	3727	3844	3844	3923
66	19	30	4159	4290	4290	4378
66	19	36	4623	4769	4769	4867
66	19	42	5083	5244	5244	5351
66	19	48	5594	5768	5768	5887

Pricing is continued on the following page.

district price guide – June 19, 2017

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

## BOX/BOX/FILE (B)

SECURED (\$) **564**

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2653	3341
2898	3650
3169	3992
2279	2872
2521	3176
2782	3507
3041	3832
3325	4190
2782	3507
3041	3832
3325	4190
2389	3011
2643	3332
2918	3676
3191	4021
3490	4399
2977	3751
3255	4103
3561	4489
2554	3218
2828	3565
3124	3936
3418	4306
3739	4713

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3712	4084	4158	4084	4456	4158	4602
42	4058	4464	4544	4464	4870	4544	5031
42	4435	4879	4968	4879	5322	4968	5501
42	3190	3510	3574	3510	3828	3574	3956
42	3529	3883	3954	3883	4235	3954	4376
42	3895	4284	4363	4284	4675	4363	4829
42	4257	4683	4768	4683	5109	4768	5279
42	4655	5121	5214	5121	5585	5214	5773
51	3895	4284	4363	4284	4675	4363	4829
51	4257	4683	4768	4683	5109	4768	5279
51	4655	5121	5214	5121	5585	5214	5773
51	3345	3679	3746	3679	4014	3746	4149
51	3702	4073	4145	4073	4441	4145	4590
51	4085	4494	4575	4494	4903	4575	5064
51	4467	4914	5003	4914	5361	5003	5539
51	4887	5377	5474	5377	5865	5474	6060
66	4168	4585	4667	4585	5001	4667	5169
66	4558	5014	5106	5014	5470	5106	5651
66	4987	5486	5585	5486	5985	5585	6184
66	3576	3934	4004	3934	4290	4004	4434
66	3960	4356	4435	4356	4752	4435	4910
66	4373	4811	4898	4811	5247	4898	5422
66	4784	5263	5357	5263	5741	5357	5933
66	5236	5760	5865	5760	6283	5865	6493

Pricing is continued on the following page.



# U T C S

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### BOX/BOX/FILE (B)

#### SECURED (S)

#### FLINTWOOD CASE

H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	4176	4408	4408	4642
42	16	42	4564	4818	4818	5073
42	16	48	4990	5266	5266	5543
42	19	24	3588	3789	3789	3988
42	19	30	3971	4192	4192	4412
42	19	36	4382	4625	4625	4870
42	19	42	4789	5056	5056	5322
42	19	48	5237	5529	5529	5819
51	16	36	4382	4625	4625	4870
51	16	42	4789	5056	5056	5322
51	16	48	5237	5529	5529	5819
51	19	24	3764	3972	3972	4182
51	19	30	4165	4397	4397	4627
51	19	36	4595	4852	4852	5107
51	19	42	5025	5304	5304	5583
51	19	48	5500	5804	5804	6110
66	16	36	4689	4949	4949	5209
66	16	42	5128	5413	5413	5698
66	16	48	5611	5923	5923	6235
66	19	24	4023	4247	4247	4469
66	19	30	4457	4702	4702	4950
66	19	36	4920	5194	5194	5468
66	19	42	5382	5680	5680	5979
66	19	48	5892	6218	6218	6546

#### VENEER CASE

			Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4629	4775	4775	4873
42	16	42	5059	5220	5220	5325
42	16	48	5531	5705	5705	5822
42	19	24	3979	4104	4104	4188
42	19	30	4401	4538	4538	4632
42	19	36	4856	5010	5010	5112
42	19	42	5310	5477	5477	5588
42	19	48	5805	5990	5990	6111
51	16	36	4856	5010	5010	5112
51	16	42	5310	5477	5477	5588
51	16	48	5805	5990	5990	6111
51	19	24	4171	4302	4302	4390
51	19	30	4617	4762	4762	4859
51	19	36	5093	5256	5256	5362
51	19	42	5570	5745	5745	5863
51	19	48	6094	6286	6286	6416
66	16	36	5198	5361	5361	5471
66	16	42	5682	5863	5863	5981
66	16	48	6219	6417	6417	6547
66	19	24	4460	4599	4599	4693
66	19	30	4939	5093	5093	5199
66	19	36	5452	5626	5626	5740
66	19	42	5965	6154	6154	6279
66	19	48	6529	6735	6735	6873

Pricing is continued on the following page.

## UTCS

Combo Tower – Standard  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
42	16	36
42	16	42
42	16	48
42	19	24
42	19	30
42	19	36
42	19	42
42	19	48
51	16	36
51	16	42
51	16	48
51	19	24
51	19	30
51	19	36
51	19	42
51	19	48
66	16	36
66	16	42
66	16	48
66	19	24
66	19	30
66	19	36
66	19	42
66	19	48

## PRICING

FILE/FILE (F)  
SECURED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2462	3103
2711	3414
2979	3753
2090	2632
2332	2939
2593	3267
2851	3592
3136	3952
2593	3267
2851	3592
3136	3952
2199	2774
2454	3094
2728	3438
3003	3782
3302	4160
2787	3513
3067	3864
3372	4251
2365	2980
2639	3325
2934	3698
3227	4067
3550	4473

## SEAMLESS CASE

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
42	3448	3792	3861	3792	4137	3861	4275
42	3793	4172	4249	4172	4552	4249	4702
42	4170	4587	4670	4587	5005	4670	5171
42	2925	3218	3276	3218	3511	3276	3629
42	3265	3591	3656	3591	3917	3656	4048
42	3631	3992	4065	3992	4356	4065	4500
42	3992	4393	4470	4393	4791	4470	4950
42	4390	4829	4917	4829	5268	4917	5444
51	3631	3992	4065	3992	4356	4065	4500
51	3992	4393	4470	4393	4791	4470	4950
51	4390	4829	4917	4829	5268	4917	5444
51	3080	3388	3450	3388	3697	3450	3819
51	3437	3781	3848	3781	4124	3848	4262
51	3821	4202	4278	4202	4585	4278	4737
51	4202	4622	4707	4622	5043	4707	5211
51	4622	5085	5176	5085	5547	5176	5732
66	3903	4293	4371	4293	4683	4371	4840
66	4293	4722	4809	4722	5151	4809	5323
66	4722	5195	5289	5195	5667	5289	5856
66	3311	3642	3707	3642	3972	3707	4105
66	3696	4064	4138	4064	4434	4138	4583
66	4108	4520	4601	4520	4930	4601	5093
66	4520	4971	5061	4971	5422	5061	5603
66	4971	5469	5568	5469	5965	5568	6164

Pricing is continued on the following page.

# U T C S

## Combo Tower – Standard (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### FILE/FILE (F)

#### SECURED (S)

#### FLINTWOOD CASE


H	D	W	Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
42	16	36	3878	4093	4093	4309
42	16	42	4266	4502	4502	4741
42	16	48	4692	4952	4952	5213
42	19	24	3289	3474	3474	3656
42	19	30	3672	3876	3876	4080
42	19	36	4084	4310	4310	4536
42	19	42	4492	4742	4742	4991
42	19	48	4940	5214	5214	5488
51	16	36	4084	4310	4310	4536
51	16	42	4492	4742	4742	4991
51	16	48	4940	5214	5214	5488
51	19	24	3465	3657	3657	3850
51	19	30	3867	4081	4081	4296
51	19	36	4297	4535	4535	4775
51	19	42	4727	4991	4991	5254
51	19	48	5201	5488	5488	5777
66	16	36	4390	4633	4633	4878
66	16	42	4828	5097	5097	5365
66	16	48	5314	5608	5608	5903
66	19	24	3725	3931	3931	4138
66	19	30	4158	4388	4388	4619
66	19	36	4622	4878	4878	5136
66	19	42	5085	5366	5366	5649
66	19	48	5594	5903	5903	6214

#### VENEER CASE

H	D	W	Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
42	16	36	4298	4434	4434	4525
42	16	42	4728	4878	4878	4978
42	16	48	5201	5364	5364	5474
42	19	24	3646	3762	3762	3838
42	19	30	4070	4199	4199	4285
42	19	36	4526	4669	4669	4764
42	19	42	4978	5136	5136	5239
42	19	48	5475	5648	5648	5763
51	16	36	4526	4669	4669	4764
51	16	42	4978	5136	5136	5239
51	16	48	5475	5648	5648	5763
51	19	24	3840	3962	3962	4043
51	19	30	4285	4420	4420	4511
51	19	36	4763	4914	4914	5014
51	19	42	5240	5407	5407	5516
51	19	48	5764	5945	5945	6067
66	16	36	4867	5020	5020	5122
66	16	42	5353	5521	5521	5635
66	16	48	5888	6073	6073	6199
66	19	24	4128	4257	4257	4345
66	19	30	4608	4752	4752	4849
66	19	36	5122	5285	5285	5391
66	19	42	5636	5814	5814	5932
66	19	48	6200	6394	6394	6525

## UTDC

## Pedestal Tower with Cubby Back



The Pedestal Tower with Cubby Back provides both file and binder storage, the capability to support work surfaces, and panels and the ability to route and provide access to power and data.

## WHAT'S INCLUDED

1 Pedestal Tower, 4 angled feet (with elevated style), lock and keys (if specified), drawers, door and pulls (as specified).

## NOTES

In the Elevated (E) Style, the 36", 51" and 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 42" height is available in a Box/File (X) drawer combination. The 36" high does **not** have a door.

In the Standard (S) Style, the 42", 51" and 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 36" high is available in a Box/File (X) drawer combination. The 36" high does **not** have a door.

Cubbies in the back will have a 1" inset on one side to allow for the application of an Infill Screen if closure is desired (purchased separately, see Screen Section). The handedness of the inset side will be the same side as the location of the hinges on the door.

Left or Right must be selected for this unit. Handedness is determined by the location of the hinges on the upper door. If there is no door (36" high Elevated), handedness is determined by the side of the 1" inset on the cubby shelves.

Beltline Back Cut Out (E) **cannot** be applied to 36" or 42" Pedestal Towers.

The location of the locks on the pedestals will be on the same side as the locks for the hinged door.

## PRODUCT OPTIONS

Style	Height	Depth	Drawer Combination	Door Swing Direction	Pull Style	Pull Finish	Case & Front Finish	Electrical Cut Out	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated (shown)	36, 42, 51, 66	29, 35	<b>X</b> Box/File	<b>L</b> Left (shown)	<b>D</b> District	Foundation	Source Laminate	<b>G</b> Base Grommet (Elevated)	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard			<b>B</b> Box/Box/File	<b>R</b> Right	<b>R</b> Rectangular	Mica	Seamless Color	<b>B</b> Base Back Cut Out (Elevated)	<b>R</b> Keyed Randomly	<b>7</b> Platinum
			<b>F</b> File/File				Flintwood	<b>E</b> Beltline Back Cut Out (Elevated)	<b>N</b> No Lock	<b>V</b> Very White
							Natural Veneer	<b>N</b> None		<b>X</b> Anthracite
										<b>M</b> Graphite
										<b>2</b> Burnished Bronze

## SAMPLE ORDER CODE

				Case		Front					
<b>UTDC</b>	<b>51</b>	<b>35</b>	<b>F</b>	<b>L</b>	<b>D</b>	<b>7</b>	<b>VU</b>	<b>VU</b>	<b>G</b>	<b>R</b>	<b>Q</b>
<b>E</b>											

DIMENSIONS  
INCHES / MM

H	D
42 / 1067	29 / 737
42 / 1067	35 / 889

## PRICING

## ELEVATED (E)

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1696	2340
1802	2492

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2505	2764
2667	2947

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2375	2517	2531
2529	2682	2692

## VENEER CASE

Seamless Front	Veneer Front
2723	2868
2903	3054

If Base Grommet is specified, add 121

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

# U T D C

## Pedestal Tower with Cubby Back (Continued)

### DIMENSIONS INCHES / MM

H	D
36 / 914	29 / 737
36 / 914	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

H	D
36 / 914	29 / 737
36 / 914	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

### PRICING

#### ELEVATED (E)

##### BOX/BOX/FILE (B)

#### SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1296	1842
1376	1962
2048	2951
2181	3148
2222	3207
2366	3422

#### FLINTWOOD CASE

Seamless Front	Flintwood Front
1963	2166
2091	2308
3150	3485
3360	3720
3424	3790
3653	4046

#### SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1868	1971	1981
1990	2100	2109
2992	3163	3178
3193	3376	3391
3252	3438	3455
3471	3670	3685

#### VENEER CASE

Seamless Front	Veneer Front
2142	2248
2283	2396
3447	3618
3676	3864
3746	3936
3998	4202

#### FILE/FILE (F)

#### SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1249	1731
1327	1840
1972	2763
2101	2948
2139	3004
2281	3203

#### FLINTWOOD CASE

Seamless Front	Flintwood Front
1840	2041
1960	2175
2948	3278
3144	3498
3203	3565
3418	3804

#### SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1751	1847	1858
1865	1968	1977
2802	2960	2975
2987	3158	3173
3044	3218	3232
3246	3432	3449

#### VENEER CASE

Seamless Front	Veneer Front
2019	2118
2151	2256
3241	3403
3458	3634
3522	3701
3761	3952

If Base Grommet is specified, add 121

If Base or Beltline Back Cut Out is specified, add 87

Pricing is continued on the following page.

## UTDC

Pedestal Tower with Cubby Back  
(Continued)DIMENSIONS  
INCHES / MM

H	D
36 / 914	29 / 737
36 / 914	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889

H	D
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

H	D0
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

## PRICING

## STANDARD (S)

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1253	1787
1340	1914

## FLINTWOOD CASE

Seamless Front	Flintwood Front
1925	2140
2059	2290

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1815	1934	1945
1942	2069	2079

## VENEER CASE

Seamless Front	Veneer Front
2105	2225
2253	2381

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1563	2302
1673	2464
1910	2814
2042	3011
2084	3070
2228	3284

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2465	2739
2636	2931
3012	3347
3222	3582
3286	3650
3516	3908

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2336	2475	2488
2501	2651	2661
2855	3026	3041
3055	3239	3253
3114	3301	3317
3334	3532	3548

## VENEER CASE

Seamless Front	Veneer Front
2705	2849
2895	3049
3308	3482
3540	3727
3609	3798
3861	4064

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1501	2149
1607	2299
1835	2627
1963	2811
2001	2865
2142	3065

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2299	2570
2460	2750
2811	3141
3007	3362
3065	3427
3280	3667

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2179	2309	2320
2332	2471	2483
2664	2822	2838
2849	3020	3036
2907	3080	3094
3109	3294	3311

## VENEER CASE

Seamless Front	Veneer Front
2539	2672
2718	2859
3103	3266
3321	3495
3385	3562
3621	3813


If Base Grommet is specified, add 121

If Base or Beltline Back Cut Out is specified, add 87



## UTDD

## Pedestal Tower with Solid Back



The Pedestal Tower with Solid Back provides both file and binder storage, and the capability to support both worksurfaces, and panels.

## WHAT'S INCLUDED

1 Pedestal Tower, 4 angled feet (with elevated style), lock and keys (if specified), drawers, door and pulls (as specified).

## NOTES

In the Elevated (E) Style, the 36", 51" and 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 42" height is available in a Box/File (X) drawer combination. The 36" high does **not** have a door. Handedness (N) Not Applicable must be selected.

In the Standard (S) Style, the 42", 51" and 66" heights are available in Box/Box/File (B) and File/File (F) drawer combinations and the 36" high is available in a Box/File (X) drawer combination. Handedness is determined by the location of the hinges on the upper door. For the 36" high, "N/A" must be specified.

The location of the locks on the Pedestals will be on the same side as the locks for the hinged door.

The Pedestal Tower with Solid Back must be attached to worksurface, panel or another storage unit. It **cannot** be freestanding.

The Standard(s) style comes with extended levelers (UNSLX) already installed.

## PRODUCT OPTIONS

Style	Height	Depth	Drawer Combination	Door Swing Direction	Pull Style	Pull Finish	Case, Back & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated (left is shown)	36, 42, 51, 66	19, 23	<b>X</b> Box/File	<b>L</b> Left (shown)	<b>D</b> District	Foundation	Source Laminate	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard			<b>B</b> Box/Box/File	<b>R</b> Right	<b>R</b> Rectangular	Mica	Seamless Color	<b>R</b> Keyed Randomly	<b>7</b> Platinum
			<b>F</b> File/File	<b>N</b> N/A			Flintwood	<b>N</b> No Lock	<b>V</b> Very White
							Natural Veneer		<b>X</b> Anthracite
									<b>M</b> Graphite
									<b>2</b> Burnished Bronze

## SAMPLE ORDER CODE

Case Back Front

UTDD E	51	19	B	L	D	7	VU	VU	VU	R	Q
--------	----	----	---	---	---	---	----	----	----	---	---

DIMENSIONS  
INCHES / MM

H	D
42 / 1067	19 / 483
42 / 1067	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584

## PRICING

## ELEVATED (E)

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1380	1933
1457	2081

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1961	2079	2089	2070	2177	2081	2217
2111	2239	2250	2227	2345	2243	2386

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2142	2210	2210	2231
2336	2408	2408	2434

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2198	2281	2281	2315
2398	2487	2487	2523

Pricing is continued on the following page.



## U T D D

Pedestal Tower with Solid Back  
(Continued)DIMENSIONS  
INCHES / MM

H	D
36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

## PRICING

## ELEVATED (E)

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1068	1502
1128	1632
1673	2389
1772	2602
1810	2594
1921	2827

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1521	1604	1611	1597	1675	1608	1703
1653	1744	1751	1738	1820	1747	1850
2421	2559	2569	2546	2672	2564	2719
2639	2788	2802	2778	2914	2793	2964
2629	2778	2789	2764	2904	2784	2952
2866	3029	3044	3017	3166	3036	3221

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1687	1737	1737	1751
1839	1894	1894	1910
2695	2776	2776	2802
2946	3036	3036	3063
2928	3014	3014	3044
3201	3299	3299	3330

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1734	1793	1793	1815
1891	1955	1955	1982
2769	2866	2866	2908
3029	3135	3135	3181
3009	3114	3114	3159
3292	3407	3407	3457

Pricing is continued on the following page.

## U T D D

Pedestal Tower with Solid Back  
(Continued)DIMENSIONS  
INCHES / MM

H	D
36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

## PRICING

## ELEVATED (E)

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1021	1435
1080	1544
1596	2277
1692	2459
1728	2472
1834	2669

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1452	1532	1538	1526	1597	1534	1624
1564	1650	1657	1643	1721	1652	1749
2307	2438	2448	2427	2546	2442	2591
2491	2633	2645	2621	2751	2636	2797
2505	2649	2658	2634	2764	2653	2813
2703	2859	2873	2846	2988	2864	3040

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1593	1639	1639	1653
1737	1784	1784	1803
2538	2614	2614	2639
2776	2856	2856	2885
2756	2840	2840	2866
3014	3104	3104	3135

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1635	1690	1690	1714
1782	1842	1842	1869
2608	2698	2698	2739
2852	2951	2951	2995
2833	2932	2932	2976
3100	3207	3207	3254

Pricing is continued on the following page.

## UTDD

Pedestal Tower with Solid Back  
(Continued)DIMENSIONS  
INCHES / MM

H	D
36 / 914	19 / 483
36 / 914	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584

36 / 914	19 / 483
36 / 914	23 / 584

H	D
42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

## PRICING

## STANDARD (S)

## BOX/FILE (X)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
988	1449
1055	1573

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1474	1571	1578	1563	1651	1573	1684
1597	1704	1712	1693	1792	1707	1826

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1624	1680	1680	1699
1783	1843	1843	1865

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
1670	1738	1738	1767
1835	1908	1908	1939

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1255	1841
1337	2018
1534	2252
1634	2465
1674	2456
1781	2690

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1868	1979	1989	1970	2074	1985	2111
2046	2168	2179	2160	2271	2174	2314
2284	2420	2431	2408	2535	2426	2580
2502	2652	2664	2639	2777	2657	2826
2491	2639	2653	2628	2764	2646	2815
2728	2891	2907	2879	3028	2897	3083

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2093	2159	2159	2179
2298	2370	2370	2394
2559	2636	2636	2664
2809	2897	2897	2925
2790	2877	2877	2907
3063	3160	3160	3191

## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2154	2231	2231	2267
2365	2452	2452	2489
2632	2728	2728	2769
2891	2997	2997	3043
2872	2977	2977	3021
3155	3270	3270	3319

Pricing is continued on the following page.

## U T D D

Pedestal Tower with Solid Back  
(Continued)DIMENSIONS  
INCHES / MM

H	D
42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

42 / 1067	19 / 483
42 / 1067	23 / 584
51 / 1295	19 / 483
51 / 1295	23 / 584
66 / 1676	19 / 483
66 / 1676	23 / 584

## PRICING

## STANDARD (S)

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
1193	1750
1272	1899
1458	2140
1555	2322
1591	2334
1696	2533

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
1775	1881	1891	1872	1970	1887	2006
1926	2041	2051	2031	2137	2045	2177
2169	2301	2309	2289	2408	2304	2452
2354	2496	2507	2482	2612	2500	2660
2367	2510	2520	2497	2628	2514	2674
2567	2722	2733	2710	2850	2726	2903

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
1964	2027	2027	2046
2159	2225	2225	2248
2400	2477	2477	2502
2636	2719	2719	2748
2620	2700	2700	2728
2877	2966	2966	2997


## VENEER CASE

Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2022	2096	2096	2129
2222	2302	2302	2337
2471	2562	2562	2601
2716	2814	2814	2857
2695	2793	2793	2839
2961	3070	3070	3116



## UTDK

## Pedestal Tower with Side Closet



The Pedestal Tower with Side Closet provides file and binder storage in addition to a coat closet. As with all Pedestal Towers it has the capability to support both work surfaces, and panels.

## WHAT'S INCLUDED

1 Pedestal Tower, 4 angled feet (with elevated style), lock and keys (if specified), drawers, door and pulls (as specified), coat hooks.

## NOTES

Both the 51" and 66" heights (Elevated (E) and Standard (S)) are available in Box/Box/File (B) and File/File (F) drawer combinations.

Handedness is determined by the location of the side closet.

The location of the locks on the Pedestals will be on the same side as the locks for the front hinged door.

The depth of the front section is always 19" regardless of the total depth of the unit. The width of the side closet section will change depending on the width of the unit specified.

## PRODUCT OPTIONS

Style	Height	Depth	Drawer Combination	Location of Closet	Pull Style	Pull Finish	Case & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated (shown)	51, 66	29, 35	<b>B</b> Box/Box/File	<b>L</b> Left	<b>D</b> District	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard			<b>F</b> File/File	<b>R</b> Right (shown)	<b>R</b> Rectangular			<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze

## SAMPLE ORDER CODE

SAMPLE ORDER CODE							Case	Front			
UTDK E	51	35	L	L	D	7	VU	VU	R	Q	

578

DIMENSIONS  
INCHES / MM

H	D
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

## PRICING

## ELEVATED (E)

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2356	3395
2507	3620
2554	3687
2721	3935

## FLINTWOOD CASE

Flintwood Back, Seamless Front	Flintwood Back & Front
3621	4009
3864	4278
3938	4357
4202	4653

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front
3441	3639	3656
3672	3882	3899
3739	3954	3973
3992	4221	4238

## VENEER CASE

Veneer Back, Seamless Front	Veneer Back & Front
3962	4162
4228	4443
4309	4527
4597	4832

Pricing is continued on the following page.

# UTDK

## Pedestal Tower with Side Closet (Continued)

### DIMENSIONS INCHES / MM

H	D
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

H	D
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

H	D
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

### PRICING

#### ELEVATED (E)

##### FILE/FILE (F)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2269	3178
2417	3390
2460	3454
2623	3683

#### FLINTWOOD CASE

Flintwood Back, Seamless Front	Flintwood Back & Front
3390	3771
3615	4023
3683	4099
3930	4374

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front
3222	3404	3421
3434	3633	3648
3501	3701	3715
3733	3947	3966

#### VENEER CASE

Veneer Back, Seamless Front	Veneer Back & Front
3728	3914
3978	4178
4052	4256
4325	4543

#### STANDARD (S)

##### BOX/BOX/FILE (B)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2197	3236
2349	3463
2396	3529
2563	3776

#### FLINTWOOD CASE

Flintwood Back, Seamless Front	Flintwood Back & Front
3464	3850
3705	4120
3779	4199
4044	4495

#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front
3283	3481	3497
3514	3725	3740
3581	3795	3815
3834	4062	4080

#### VENEER CASE

Veneer Back, Seamless Front	Veneer Back & Front
3804	4003
4070	4285
4151	4369
4439	4675

##### FILE/FILE (F)

#### SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
2110	3020
2258	3232
2302	3296
2464	3525

#### FLINTWOOD CASE

Flintwood Back, Seamless Front	Flintwood Back & Front
3232	3612
3457	3865
3525	3940
3772	4217


#### SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front
3064	3246	3263
3276	3474	3490
3343	3543	3557
3575	3790	3807

#### VENEER CASE

Veneer Back, Seamless Front	Veneer Back & Front
3570	3757
3819	4020
3894	4098
4167	4384

UTW  
Side Open Tower



The Side Open Tower provides both file storage and open binder storage and the capability to support worksurfaces and panels.

WHAT’S INCLUDED

1 side open tower with drawers and pulls (as specified), 4 angled feet (if specified), height-adjustable shelves (depending on height and style selected), lock and keys (if specified).

NOTES

The Elevated (E) tower comes with a Box/File (X) drawer combination.

The Standard (S) tower is available with Box/Box/File (B) or File/File (F) drawer combinations.

Left/Right orientation is determined by the location of the open compartment.

Power and data access **cannot** be applied to the Side Open Tower.

The Standard(s) style comes with extended levelers (UNSLX) already installed.

PRODUCT OPTIONS

Style	Height	Depth	Width	Open Compartment Location	Drawer Combination	Pull Style	Pull Finish	Case & Front Finish	Key Style	Foot Finish (Elevated Style)
E Elevated (shown)	36, 42, 51, 66	19, 23, 29, 35	16	L Left	X Box/File	D District	Foundation Mica	Source Laminate	K Keyed Alike	Q Storm White
S Standard				R Right (shown)	B Box/Box/ File	R Rectangular		Seamless Color Flintwood	R Keyed Randomly	7 Platinum
					F File/File			Natural Veneer	N No Lock	V Very White
										X Anthracite
										M Graphite
										2 Burnished Bronze

SAMPLE ORDER CODE

								Case	Front		
UTW E	36	19	16	L	X	D	7	ZA	ZA	R	7

DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

PRICING

ELEVATED (E)		
BOX/FILE (X)		
SOURCE LAMINATE CASE		
Source Lam. Front	Flintwood Front	
1112	1654	
1153	1718	
1234	1844	
1289	1930	
1220	1825	
1266	1895	
1355	2034	
1416	2129	
1419	2134	
1514	2283	
1670	2524	
1746	2642	
1705	2577	
1830	2774	
2029	3082	
2123	3231	
SEAMLESS CASE		
Seamless Front	Flintwood Front	Veneer Front
1608	1897	1929
1676	1977	2010
1808	2134	2169
1899	2241	2279
1784	2107	2142
1862	2196	2232
2009	2370	2412
2109	2489	2532
2116	2496	2538
2272	2682	2726
2529	2983	3035
2655	3132	3186
2584	3049	3101
2790	3293	3348
3119	3680	3744
3276	3866	3931

Pricing is continued on the following page.



U T W

Side Open Tower  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

H	D	W
36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

H	D	W
36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

## PRICING

## ELEVATED (E)

## BOX/FILE (X)

## FLINTWOOD CASE

Seamless Front	Flintwood Front
1969	2009
2053	2094
2216	2260
2327	2374
2187	2231
2281	2327
2461	2512
2584	2636
2592	2643
2784	2841
3097	3160
3251	3317
3166	3231
3419	3488
3823	3900
4014	4095

## VENEER CASE

Seamless Front	Veneer Front
2047	2110
2133	2198
2303	2374
2418	2492
2273	2343
2369	2444
2559	2636
2687	2768
2692	2777
2893	2982
3219	3318
3379	3484
3289	3392
3552	3664
3972	4095
4171	4299

## STANDARD (S)

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1018	1587
1064	1657
1132	1764
1189	1851
1133	1766
1182	1841
1258	1958
1321	2058
1327	2068
1427	2222
1572	2449
1651	2571
1611	2510
1741	2713
1931	3009
2028	3159

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2059	2101
2152	2195
2287	2334
2401	2451
2289	2336
2390	2438
2542	2594
2669	2724
2684	2738
2884	2943
3177	3243
3338	3406
3256	3323
3518	3590
3904	3983
4099	4183

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1681	1985	2018
1755	2071	2107
1867	2204	2240
1961	2315	2354
1869	2206	2243
1952	2302	2340
2074	2448	2490
2179	2571	2615
2191	2585	2629
2354	2778	2823
2595	3062	3113
2724	3214	3270
2659	3138	3190
2873	3390	3448
3187	3761	3824
3346	3949	4015

## VENEER CASE

Seamless Front	Veneer Front
2140	2207
2237	2305
2378	2451
2497	2574
2381	2453
2483	2561
2641	2723
2776	2860
2788	2875
2996	3089
3303	3404
3469	3576
3385	3489
3656	3769
4058	4183
4259	4393

Pricing is continued on the following page.

## U T W

Side Open Tower  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

36	19	16
36	23	16
36	29	16
36	35	16
42	19	16
42	23	16
42	29	16
42	35	16
51	19	16
51	23	16
51	29	16
51	35	16
66	19	16
66	23	16
66	29	16
66	35	16

## PRICING

## STANDARD (S)

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
975	1517
1015	1581
1096	1708
1151	1794
1082	1685
1128	1756
1217	1897
1278	1991
1281	1997
1377	2145
1532	2387
1609	2505
1566	2439
1691	2634
1892	2945
1986	3093

## FLINTWOOD CASE

Seamless Front	Flintwood Front
1969	2009
2053	2094
2216	2260
2327	2374
2187	2231
2281	2327
2461	2512
2584	2636
2592	2643
2784	2841
3097	3160
3251	3317
3166	3231
3419	3488
3823	3900
4014	4095

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
1608	1897	1929
1676	1977	2010
1808	2134	2169
1899	2241	2279
1784	2107	2142
1862	2196	2232
2009	2370	2412
2109	2489	2532
2116	2496	2538
2272	2682	2726
2529	2983	3035
2655	3132	3186
2584	3049	3101
2790	3293	3348
3119	3680	3744
3276	3866	3931


## VENEER CASE

Seamless Front	Veneer Front
2047	2110
2133	2198
2303	2374
2418	2492
2273	2343
2369	2444
2559	2636
2687	2768
2692	2777
2893	2982
3219	3318
3379	3484
3289	3392
3552	3664
3972	4095
4171	4299



## UTWW

## Wide Side Open Tower



The Wide Side Open Tower provides both file storage and open binder storage and the capability to support worksurfaces and panels.

**WHAT'S INCLUDED**

1 side open tower with drawers and pulls (as specified), 4 angled feet (if specified), height-adjustable shelves (depending on height and style selected), lock and keys (if specified).

**NOTES**

The Elevated (E) tower comes with a Box/File (X) drawer combination.

The Standard (S) tower is available with Box/Box/File (B) or File/File (F) drawer combinations.

Left/Right orientation is determined by the location of the open compartment.

Power and data access **cannot** be applied to the Side Open Tower.

The Standard(s) style comes with extended levelers (UNSLX) already installed.

**PRODUCT OPTIONS**

Style	Height	Depth	Width	Open Compartment Location	Drawer Combination	Pull Style	Pull Finish	Case & Front Finish	Key Style	Foot Finish (Elevated Style)
<b>E</b> Elevated	36, 42, 51, 66	19, 23, 29, 35	24	<b>L</b> Left (shown)	<b>X</b> Box/File	<b>D</b> District	Foundation	Source Laminate	<b>K</b> Keyed Alike	<b>Q</b> Storm White
<b>S</b> Standard (shown)				<b>R</b> Right	<b>B</b> Box/Box/File <b>F</b> File/File	<b>R</b> Rectangular	Mica	Seamless Color Flintwood Natural Veneer	<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>7</b> Platinum <b>V</b> Very White <b>X</b> Anthracite <b>M</b> Graphite <b>2</b> Burnished Bronze

**SAMPLE ORDER CODE**

							Case	Front			
<b>UTWW</b> <b>E</b>	<b>36</b>	<b>19</b>	<b>24</b>	<b>L</b>	<b>X</b>	<b>D</b>	<b>7</b>	<b>ZA</b>	<b>ZA</b>	<b>R</b>	<b>7</b>

**DIMENSIONS  
FOR MM X BY 25.4**

H	D	W
36	19	24
36	23	24
36	29	24
36	35	24
42	19	24
42	23	24
42	29	24
42	35	24
51	19	24
51	23	24
51	29	24
51	35	24
66	19	24
66	23	24
66	29	24
66	35	24

**PRICING****ELEVATED (E)****BOX/FILE (X)****SOURCE LAMINATE CASE**

Source Lam. Front	Flintwood Front
1425	1954
1495	2036
1601	2179
1718	2342
1652	2274
1735	2370
1860	2539
1997	2730
2023	2799
2159	2988
2370	3276
2548	3526
2323	3219
2485	3447
2743	3797
2950	4090

**SEAMLESS CASE**

Seamless Front	Flintwood Front	Veneer Front
2369	2623	2657
2519	2785	2819
2730	3019	3055
2960	3271	3311
2656	2937	2975
2825	3119	3158
3063	3379	3421
3319	3662	3705
3096	3429	3474
3349	3709	3756
3630	4018	4067
3929	4350	4403
3678	4084	4139
3989	4433	4488
4319	4797	4857
4677	5194	5258

Pricing is continued on the following page.

U T W W

Wide Side Open Tower  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	19	24
36	23	24
36	29	24
36	35	24
42	19	24
42	23	24
42	29	24
42	35	24
51	19	24
51	23	24
51	29	24
51	35	24
66	19	24
66	23	24
66	29	24
66	35	24

## PRICING

## ELEVATED (E)

## BOX/FILE (X)

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2768	3046
2955	3257
3202	3528
3469	3822
3101	3410
3309	3648
3584	3952
3882	4279
3617	3967
3929	4314
4255	4670
4607	5056
4307	4703
4688	5124
5075	5544
5491	6000

## VENEER CASE

Seamless Front	Veneer Front
2878	2952
3071	3150
3329	3413
3606	3698
3222	3306
3439	3527
3726	3821
4034	4138
3758	3857
4083	4188
4420	4534
4786	4908
4471	4590
4871	4997
5271	5409
5704	5853

## STANDARD (S)

## BOX/BOX/FILE (B)

## SOURCE LAMINATE CASE

H	D	W	Source Lam. Front	Flintwood Front
36	19	24	1287	1814
36	23	24	1356	1897
36	29	24	1462	2040
36	35	24	1580	2204
42	19	24	1513	2135
42	23	24	1595	2231
42	29	24	1720	2400
42	35	24	1859	2593
51	19	24	1886	2661
51	23	24	2020	2849
51	29	24	2231	3138
51	35	24	2411	3389
66	19	24	2184	3080
66	23	24	2347	3307
66	29	24	2603	3660
66	35	24	2812	3952

## FLINTWOOD CASE

	Seamless Front	Flintwood Front
36	2988	3267
36	3182	3487
36	3437	3766
36	3712	4067
42	3332	3643
42	3547	3887
42	3830	4198
42	4137	4534
51	3838	4190
51	4158	4544
51	4491	4907
51	4849	5299
66	4526	4925
66	4916	5355
66	5310	5784
66	5734	6246

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2573	2840	2875
2729	3009	3044
2949	3249	3288
3185	3509	3551
2870	3164	3204
3044	3353	3393
3288	3620	3665
3551	3910	3957
3302	3647	3695
3560	3936	3982
3847	4251	4299
4154	4591	4645
3884	4304	4357
4202	4658	4715
4537	5030	5092
4902	5434	5500

## VENEER CASE

Seamless Front	Veneer Front
3100	3178
3303	3384
3569	3654
3853	3947
3458	3545
3679	3771
3974	4073
4293	4398
3983	4084
4315	4424
4660	4777
5033	5159
4695	4816
5104	5232
5511	5650
5952	6102

Pricing is continued on the following page.

## U T W W

Wide Side Open Tower  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	D	W
36	19	24
36	23	24
36	29	24
36	35	24
42	19	24
42	23	24
42	29	24
42	35	24
51	19	24
51	23	24
51	29	24
51	35	24
66	19	24
66	23	24
66	29	24
66	35	24

36	19	24
36	23	24
36	29	24
36	35	24
42	19	24
42	23	24
42	29	24
42	35	24
51	19	24
51	23	24
51	29	24
51	35	24
66	19	24
66	23	24
66	29	24
66	35	24

## PRICING

## STANDARD (S)

## FILE/FILE (F)

## SOURCE LAMINATE CASE

Source Lam. Front	Flintwood Front
1241	1770
1310	1861
1422	1994
1537	2154
1460	2082
1542	2189
1674	2347
1807	2535
1828	2612
1967	2800
2184	3091
2359	3337
2131	3033
2300	3254
2545	3606
2750	3894

## FLINTWOOD CASE

Seamless Front	Flintwood Front
2907	3185
3094	3396
3340	3668
3608	3960
3240	3549
3449	3788
3724	4090
4020	4416
3757	4106
4068	4453
4395	4809
4745	5195
4444	4842
4826	5263
5213	5683
5630	6140

## SEAMLESS CASE

Seamless Front	Flintwood Front	Veneer Front
2508	2760	2795
2658	2924	2958
2870	3158	3194
3099	3409	3450
2793	3075	3113
2964	3258	3296
3201	3518	3558
3458	3799	3844
3234	3569	3612
3488	3848	3894
3767	4157	4205
4068	4490	4541
3818	4223	4278
4128	4571	4625
4459	4936	4996
4815	5331	5395

## VENEER CASE

Seamless Front	Veneer Front
3017	3092
3210	3288
3466	3551
3744	3836
3361	3446
3578	3667
3864	3959
4173	4277
3896	3996
4222	4326
4559	4674
4925	5047
4611	4728
5009	5136
5411	5547
5843	5992



## U O H

## Sliding Door Overhead

The Sliding Door Overhead is a 16" deep double sliding door overhead that mounts to a panel or wall to provide secured lockable storage.


## WHAT'S INCLUDED

1 cabinet with 2 sliding doors, lock and keys (if specified), mounting bracket (as specified).

## NOTES

The 21" high overhead is **not** available in 54" and 60" widths.

Standard Glass, Frost is an etched tempered glass.



## PRODUCT OPTIONS

Height	Width	Pull Finish	Case & Front Finish	Key Style	Mounting Bracket Configuration
15, 21	30, 36, 42, 48, 54, 60	Foundation Mica	Source Laminate Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>K</b> Keyed Alike <b>R</b> Keyed Randomly <b>N</b> No Lock	<b>D</b> District <b>A</b> Altos <b>R</b> W/R/S <b>L</b> Leverage <b>W</b> Drywall

## SAMPLE ORDER CODE

		Case		Front			
UOH 15	42	Q	ZA	FT	K	D	

588

DIMENSIONS  
INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Front	Glass Front	Flintwood Front
952	1468	1468
1028	1521	1521
1107	1699	1699
1187	1751	1751
1263	1802	1802
1337	1851	1851
1162	1802	1802
1256	1873	1873
1355	2092	2092
1456	2164	2164

## SEAMLESS CASE

	Seamless Front	Flintwood Front	Veneer Front	Glass Front
15 / 381	1707	1721	1802	1802
15 / 381	1770	1784	1869	1869
15 / 381	1978	1997	2091	2091
15 / 381	2041	2060	2157	2157
15 / 381	2099	2119	2218	2218
15 / 381	2159	2179	2283	2283
21 / 533	2054	2064	2162	2162
21 / 533	2136	2149	2251	2251
21 / 533	2388	2400	2515	2515
21 / 533	2471	2483	2601	2601

If Wall Rail System Mounting Brackets are specified, add 168

Pricing is continued on the following page.



# U O H

## Sliding Door Overhead (Continued)

### DIMENSIONS INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219

### PRICING

#### FLINTWOOD CASE

Seamless Front	Glass Front	Flintwood Front
1957	2121	2025
2046	2218	2119
2274	2467	2355
2365	2566	2449
2454	2663	2542
2548	2764	2639
2300	2495	2382
2411	2615	2496
2679	2906	2774
2787	3026	2887


#### VENEER CASE

Seamless Front	Glass Front	Veneer Front
2025	2193	2094
2121	2298	2193
2356	2553	2437
2451	2658	2536
2544	2758	2632
2641	2864	2732
2383	2582	2465
2498	2710	2584
2776	3009	2872
2775	3008	2871

If Wall Rail System (R) Mounting Brackets are specified, add 168

## U O H C

## Sliding Door Centermount Overhead



The Sliding Door Centermount Overhead is a 16" deep double sliding door overhead that sits atop a panel to provide secured lockable storage.

**WHAT'S INCLUDED**

1 cabinet with 2 sliding doors, lock and keys (if specified).

**WHAT'S EXCLUDED**

When Leverage Center Upmount (N) mounting brackets have been specified, the Centermount Overhead Storage Bracket (KUOHC) must be ordered separately. See the Leverage Mounted Storage & Accessories section.

When District Center Upmount (U) mounting brackets have been specified, Centermount Cabinet Support Posts & Trim (UNOPT) or Centermount Cabinet Support Brackets & Top Trim (UNOBT) must be ordered separately. Can be found on pages 647 and 648.

**NOTES**

Standard Glass, Frost is an etched tempered glass.

The Door Location option does not apply to a Single-Sided (S) overhead. (N) must be selected.

**PRODUCT OPTIONS**

Style	Height	Width	Door Location (Double-Sided)	Pull Finish	Case, Back & Front Finish	Key Style	Mounting Bracket Configuration
<b>S</b> Single-Sided	15	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left	Foundation	Source Laminate	<b>K</b> Keyed Alike	<b>U</b> District Center Upmount
<b>D</b> Double-Sided			<b>R</b> Right <b>N</b> Not Applicable	Mica	Seamless Color Flintwood Natural Veneer <b>FT</b> Frost Standard Glass <b>BP</b> Backpainted Glass	<b>R</b> Keyed Randomly <b>N</b> No Lock	<b>N</b> Leverage Center Upmount

**SAMPLE ORDER CODE**

				Case Back Front						
UOHC S	15	42	N	E	ZA	ZA	FT	K	U	

590

**DIMENSIONS  
INCHES / MM**

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

**PRICING****DOUBLE-SIDED (D)****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Glass Front	Source Lam. Back, Flintwood Front
1215	1553	1895
1307	1670	1969
1406	1797	2217
1511	1931	2293
1611	2021	2362
1716	2116	2432
1815	2199	2506
1916	2295	2582
2021	2385	2658
2116	2470	2738
2221	2594	2819
n/a	n/a	n/a

**SEAMLESS CASE**

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front
1985	2228	2250	2362
2063	2317	2338	2457
2323	2609	2634	2766
2401	2697	2723	2859
2474	2779	2806	2945
2547	2860	2890	3036
2626	2948	2977	3126
2702	3037	3068	3220
2784	3126	3157	3314
2868	3221	3252	3414
2955	3317	3349	3517
3043	3418	3451	3621

## Sliding Door Centermount Overhead (Continued)

### DIMENSIONS INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

### PRICING

#### DOUBLE-SIDED (D)

##### SEAMLESS CASE

Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front	Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
2228	2481	2603	2250	2791	2932
2317	2578	2707	2338	2904	3049
2609	2905	3049	2634	3270	3432
2697	3004	3153	2723	3378	3547
2779	3093	3246	2806	3482	3656
2860	3186	3345	2890	3585	3765
2948	3282	3447	2977	3695	3878
3037	3380	3549	3068	3804	3995
3126	3480	3653	3157	3916	4112
3221	3583	3764	3252	4033	4235
3317	3695	3878	3349	4157	4365
3418	3804	3993	3451	4282	4496

##### FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
2434	2707	2578	2578	2809	2674
2553	2840	2702	2702	2945	2806
2852	3174	3023	3023	3293	3136
2974	3308	3150	3150	3431	3269
3093	3439	3276	3276	3569	3398
3217	3578	3407	3407	3710	3536
3345	3720	3544	3544	3860	3675
3480	3870	3685	3685	4015	3824
3617	4024	3833	3833	4175	3976
3763	4186	3986	3986	4342	4136
3913	4353	4145	4145	4517	4301
4069	4527	4313	4313	4695	4472

##### VENEER CASE

Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
2522	2809	2674	2674	2909	2773
2649	2948	2809	2809	3055	2909
2959	3294	3138	3138	3414	3252
3084	3434	3271	3271	3559	3390
3209	3572	3401	3401	3702	3525
3337	3714	3539	3539	3848	3667
3469	3864	3678	3678	4003	3812
3608	4018	3827	3827	4162	3965
3752	4178	3980	3980	4329	4124
3904	4347	4140	4140	4504	4289
4060	4522	4306	4306	4684	4462
4222	4700	4477	4477	4872	4640

Pricing is continued on the following page.

## U O H C

Sliding Door Centermount  
Overhead (Continued)DIMENSIONS  
INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

## PRICING

## SINGLE-SIDED (S)

## SOURCE LAMINATE CASE

Source Lam. Back & Front	Source Lam. Back, Glass Front	Source Lam. Back, Flintwood Front
837	1038	1353
914	1098	1407
992	1167	1584
1073	1233	1638
1147	1303	1686
1222	1367	1738
1303	1443	1792
1382	1537	1843
1457	1632	1898
1532	1725	1956
1609	1811	2014
n/a	n/a	n/a

## SEAMLESS CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Seamless Back, Glass Front
1417	1592	1607	1686
1474	1654	1672	1754
1659	1864	1881	1976
1715	1927	1945	2042
1768	1985	2003	2103
1820	2044	2064	2167
1874	2105	2126	2232
1931	2168	2191	2300
1989	2232	2255	2367
2048	2301	2323	2438
2110	2369	2393	2512
2174	2441	2465	2589

## SEAMLESS CASE

Flintwood Back, Seamless Front	Flintwood Back & Front	Flintwood Back, Glass Front	Veneer Back, Seamless Front	Veneer Back & Front	Veneer Back, Glass Front
1592	1772	1861	1607	1994	2094
1654	1841	1933	1672	2073	2177
1864	2074	2178	1881	2335	2452
1927	2145	2252	1945	2414	2534
1985	2209	2319	2003	2487	2610
2044	2275	2389	2064	2562	2690
2105	2345	2461	2126	2637	2769
2168	2415	2535	2191	2718	2852
2232	2485	2609	2255	2797	2938
2301	2561	2689	2323	2881	3026
2369	2637	2769	2393	2969	3116
2441	2718	2852	2465	3058	3211

Pricing is continued on the following page.

## U O H C

Sliding Door Centermount  
Overhead (Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)

## FLINTWOOD CASE

H	W	Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back, Glass Front	Flintwood Back & Front
15 / 381	30 / 762	1739	1933	1841	1841	2006	1910
15 / 381	36 / 914	1825	2028	1931	1931	2103	2003
15 / 381	42 / 1067	2038	2268	2160	2160	2353	2240
15 / 381	48 / 1219	2124	2363	2251	2251	2451	2334
15 / 381	54 / 1372	2209	2457	2339	2339	2548	2427
15 / 381	60 / 1524	2298	2556	2434	2434	2652	2524
15 / 381	66 / 1676	2389	2658	2532	2532	2756	2626
15 / 381	72 / 1829	2485	2763	2632	2632	2868	2730
15 / 381	78 / 1981	2584	2875	2738	2738	2982	2841
15 / 381	84 / 2134	2688	2989	2847	2847	3102	2953
15 / 381	90 / 2286	2795	3110	2961	2961	3225	3072
15 / 381	96 / 2438	2907	3234	3080	3080	3354	3194

## VENEER CASE

H	W	Seamless Back & Front	Seamless Back, Glass Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back, Glass Front	Veneer Back & Front
15 / 381	30 / 762	1802	2006	1910	1910	2078	1979
15 / 381	36 / 914	1892	2105	2006	2006	2183	2078
15 / 381	42 / 1067	2113	2354	2241	2241	2438	2323
15 / 381	48 / 1219	2204	2453	2336	2336	2543	2421
15 / 381	54 / 1372	2291	2551	2429	2429	2643	2517
15 / 381	60 / 1524	2384	2654	2527	2527	2750	2620
15 / 381	66 / 1676	2478	2759	2628	2628	2859	2723
15 / 381	72 / 1829	2577	2871	2732	2732	2974	2832
15 / 381	78 / 1981	2682	2985	2843	2843	3093	2946
15 / 381	84 / 2134	2788	3105	2957	2957	3218	3064
15 / 381	90 / 2286	2900	3228	3075	3075	3346	3187
15 / 381	96 / 2438	3016	3358	3199	3199	3480	3314

## U O O

## Open Overhead


The Open Overhead is a 16" deep open cabinet that is mounted to a panel or wall to provide easily accessible open storage.

## WHAT'S INCLUDED

1 cabinet with 1-2 height-adjustable shelves (depending on height and width), mounting bracket (as specified).

## NOTES

The 21" high overhead is **not** available with 54" and 60" widths.



## PRODUCT OPTIONS

Height	Width	Case & Back Finish	Mounting Brackets
15, 21	30, 36, 42, 48, 54, 60	Source Laminate Seamless Color Flintwood Natural Veneer	<b>D</b> District <b>A</b> Altos <b>R</b> W/R/S <b>L</b> Leverage <b>W</b> Drywall

## SAMPLE ORDER CODE

		Case	Back	
UOO 15	42	ZA	ZA	D

594

DIMENSIONS  
INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219

15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067
21 / 533	48 / 1219

## PRICING

## SOURCE LAMINATE CASE

Source Lam. Back
521
557
602
642
682
722
623
667
725
773

## FLINTWOOD CASE

Seamless Back	Flintwood Back
1264	1400
1324	1471
1387	1547
1453	1626
1520	1703
1591	1780
1550	1784
1627	1877
1706	1976
1788	2079

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
1085	1299	1319
1136	1361	1382
1191	1428	1449
1246	1496	1518
1303	1564	1587
1363	1636	1661
1329	1584	1620
1391	1660	1699
1461	1743	1783
1530	1828	1869

## VENEER CASE


Seamless Back	Veneer Back
1292	1445
1354	1518
1418	1596
1488	1679
1543	1756
1616	1839
1678	1910
1764	2009
1856	2116
1953	2226

If Wall Rail System Mounting Brackets are specified, add 168



## U O O C

## Open Centermount Overhead



The Centermount Open Overhead is a 16" deep open cabinet that sits atop a panel to provide accessible open storage in a single- or double-sided application.

**WHAT'S INCLUDED**

42" - 72" h = 1 divider

78" - 96" h = 2 dividers

**WHAT'S EXCLUDED**

When Leverage Center Upmount (N) mounting brackets have been specified, the Centermount Overhead Storage Bracket (KUOHC) must be ordered separately. See the Leverage Mounted Storage & Accessories section.

When District Center Upmount (U) mounting brackets have been specified, Centermount Cabinet Support Posts & Trim (UNOPT) or Centermount Cabinet Support Brackets & Top Trim (UNOBT) must be ordered separately. Can be found on pages 647 and 648.

**NOTES**

The Open Compartment Locations (L & R) do **not** apply to the Single-Sided (S) stacker. (N) must be selected.

**PRODUCT OPTIONS**

Style	Height	Width	Open Location (Double-Sided)	Case & Back Finish	Mounting Brackets
<b>S</b> Single-Sided (Shown) <b>D</b> Double-Sided	09, 15	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	<b>L</b> Left <b>R</b> Right <b>N</b> Not Applicable	Source Laminate Seamless Color Flintwood Natural Veneer	<b>U</b> District Center Upmount <b>N</b> Leverage Center Upmount

**SAMPLE ORDER CODE**

				Case	Back	
<b>UOOC S</b>	<b>09</b>	<b>42</b>	<b>N</b>	<b>ZA</b>	<b>ZA</b>	<b>N</b>

596

**DIMENSIONS**  
INCHES / MM

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

**PRICING****DOUBLE-SIDED (D)****SOURCE LAMINATE CASE**

Source Lam. Back
412
438
466
496
533
572
612
650
687
723
766
n/a
457
486
518
551
593
635
679
722
764
803
852
n/a

**SEAMLESS CASE**

Seamless Back	Flintwood Back	Veneer Back
919	1132	1150
970	1192	1212
1017	1253	1274
1073	1320	1341
1149	1413	1436
1229	1512	1537
1315	1617	1644
1407	1732	1761
1504	1850	1880
1610	1981	2013
1722	2120	2154
1843	2268	2304
1021	1256	1277
1076	1324	1346
1132	1391	1415
1192	1467	1490
1276	1570	1595
1366	1680	1708
1461	1798	1827
1563	1923	1955
1673	2057	2090
1788	2200	2237
1914	2355	2393
2048	2520	2561

Pricing is continued on the following page.



## U O O C

Open Centermount Overhead  
(Continued)DIMENSIONS  
INCHES / MM

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

## PRICING

## DOUBLE-SIDED (D)

## FLINTWOOD CASE

Seamless Back	Flintwood Back
1069	1226
1127	1296
1190	1368
1255	1444
1344	1544
1439	1653
1539	1770
1648	1894
1763	2025
1887	2166
2018	2319
2159	2481
1186	1364
1252	1439
1322	1519
1396	1604
1495	1716
1598	1837
1710	1965
1831	2103
1958	2251
2094	2407
2241	2576
2398	2756

## VENEER CASE

Seamless Back	Veneer Back
1080	1271
1140	1340
1204	1416
1271	1495
1358	1598
1453	1710
1555	1831
1665	1958
1781	2095
1905	2242
2040	2399
2183	2567
1201	1412
1266	1489
1337	1573
1412	1660
1510	1776
1616	1900
1728	2033
1849	2176
1979	2329
2118	2491
2267	2665
2425	2852

## SINGLE-SIDED (S)

## SOURCE LAMINATE CASE

H	W	Source Lam. Back
9 / 229	30 / 762	366
9 / 229	36 / 914	398
9 / 229	42 / 1067	439
9 / 229	48 / 1219	473
9 / 229	54 / 1372	511
9 / 229	60 / 1524	546
9 / 229	66 / 1676	584
9 / 229	72 / 1829	620
9 / 229	78 / 1981	682
9 / 229	84 / 2134	716
9 / 229	90 / 2286	752
9 / 229	96 / 2438	n/a
15 / 381	30 / 762	406
15 / 381	36 / 914	441
15 / 381	42 / 1067	487
15 / 381	48 / 1219	527
15 / 381	54 / 1372	567
15 / 381	60 / 1524	608
15 / 381	66 / 1676	648
15 / 381	72 / 1829	689
15 / 381	78 / 1981	729
15 / 381	84 / 2134	766
15 / 381	90 / 2286	814
15 / 381	96 / 2438	n/a

## SEAMLESS CASE

Seamless Back	Flintwood Back	Veneer Back
875	1047	1065
919	1103	1121
970	1162	1182
1017	1221	1242
1070	1282	1305
1122	1348	1369
1179	1414	1438
1237	1485	1509
1361	1633	1660
1430	1715	1744
1501	1802	1832
1575	1892	1923
972	1184	1204
1021	1246	1267
1076	1312	1335
1132	1381	1403
1187	1449	1472
1247	1521	1547
1309	1597	1624
1374	1678	1706
1512	1844	1874
1588	1936	1969
1667	2034	2068
1750	2136	2171

Pricing is continued on the following page.

## U O O C

Open Centermount Overhead  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

## SINGLE-SIDED (S)

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
9 / 229	66 / 1676
9 / 229	72 / 1829
9 / 229	78 / 1981
9 / 229	84 / 2134
9 / 229	90 / 2286
9 / 229	96 / 2438
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
15 / 381	66 / 1676
15 / 381	72 / 1829
15 / 381	78 / 1981
15 / 381	84 / 2134
15 / 381	90 / 2286
15 / 381	96 / 2438

## FLINTWOOD CASE

Seamless Back	Flintwood Back
1035	1157
1089	1221
1145	1289
1205	1359
1266	1429
1327	1500
1395	1575
1465	1653
1611	1817
1691	1909
1776	2004
1865	2104
1149	1285
1210	1356
1273	1432
1339	1511
1406	1587
1476	1666
1549	1749
1627	1837
1792	2021
1879	2122
1973	2227
2072	2338


## VENEER CASE

Seamless Back	Veneer Back
1059	1197
1115	1264
1173	1334
1236	1408
1287	1478
1351	1553
1418	1629
1489	1711
1638	1882
1719	1977
1806	2076
1897	2181
1177	1330
1239	1403
1304	1481
1373	1564
1429	1643
1501	1724
1575	1810
1654	1901
1820	2092
1910	2196
2007	2306
2108	2422



## U O D C

## Shared Hinged Door Centermount Overhead



The Shared Hinged Door Centermount Overhead is a 16" deep hinged door overhead that sits atop a panel to provide secured lockable storage in shared applications.

**WHAT'S INCLUDED**

1 case with 2 hinged doors, lock and keys (if specified).

**WHAT'S EXCLUDED**

When Leverage Center Upmount (N) mounting brackets have been specified, the Centermount Overhead Storage Bracket (KUOHC) must be ordered separately. See the Leverage Mounted Storage & Accessories section.

When District Center Upmount (U) mounting brackets have been specified, Centermount Cabinet Support Posts & Trim (UNOPT) or Centermount Cabinet Support Brackets & Top Trim (UNOBT) must be ordered separately. Can be found on pages 647 and 648.

**NOTES**

Hinged door is push latch, no handle required.

**PRODUCT OPTIONS**

Height	Width	Open Location	Case, Back & Front Finish	Key Style	Mounting Bracket Configuration
15, 21	30, 36, 42	L Left R Right	Source Laminate Seamless Color Flintwood Natural Veneer	K Keyed Alike R Keyed Randomly N No Lock	U District Center Upmount N Leverage Center Upmount

**SAMPLE ORDER CODE**

		Case Back Front				
UODC 15	42	L	ZA	ZA	ZA	K U

600

**DIMENSIONS  
INCHES / MM**

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067

**PRICING****SOURCE LAMINATE CASE**

Source Lam. Back & Front	Source Lam. Back, Flintwood Front
802	1244
831	1289
862	1337
890	1381
922	1430
957	1483

**SEAMLESS CASE**

	Seamless Back & Front	Seamless Back, Flintwood Front	Seamless Back, Veneer Front	Flintwood Back, Seamless Front	Flintwood Back & Front	Veneer Back, Seamless Front	Veneer Back & Front
15 / 381 30 / 762	1851	2073	2073	2094	2094	2303	2366
15 / 381 36 / 914	1929	2161	2161	2182	2182	2400	2466
15 / 381 42 / 1067	2189	2451	2451	2476	2476	2723	2797
21 / 533 30 / 762	1921	2151	2151	2172	2172	2390	2455
21 / 533 36 / 914	2002	2242	2242	2265	2265	2491	2560
21 / 533 42 / 1067	2254	2523	2523	2549	2549	2805	2880

Pricing is continued on the following page.

## U O D C

Shared Hinged Door Overhead –  
Centermount (Continued)DIMENSIONS  
INCHES / MM

H	W
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
21 / 533	30 / 762
21 / 533	36 / 914
21 / 533	42 / 1067

## PRICING

## FLINTWOOD CASE

Seamless Back & Front	Seamless Back, Flintwood Front	Flintwood Back, Seamless Front	Flintwood Back & Front
2094	2220	2220	2541
2182	2314	2314	2671
2476	2625	2625	3003
2172	2303	2303	3123
2265	2400	2400	3248
2549	2702	2702	3377

## VENEER CASE


Seamless Back & Front	Seamless Back, Veneer Front	Veneer Back, Seamless Front	Veneer Back & Front
2397	2541	2541	2642
2520	2671	2671	2779
2833	3003	3003	3123
2946	3123	3123	3248
3064	3248	3248	3377
3187	3377	3377	3513

UNSLB  
Linking Bracket


Linking Brackets connect storage units together.

**WHAT'S INCLUDED**  
Linking brackets as per specified.

**NOTES**  
When routing electrics beneath a storage spine, storage units must be linked together to ensure certification.  
Finished in Platinum Grey.



For Elevated Storage



For Standard Storage

PRODUCT OPTIONS

Style	Quantity
E For Elevated Storage S For Standard Storage	4, 6, 12

SAMPLE ORDER CODE

UNSLB S	12
---------	----


602

QUANTITY	PRICING	
	Elevated (E)	Standard (S)
4	58	58
6	87	87
12	166	172



UN S X L

Storage Extended Leveling Kit



The Storage Extended Leveling Kit provides extended leveling height for District storage in standard configuration.

**WHAT’S INCLUDED**  
Levelers as per specified.

**NOTES**  
The following products come standard with extended levelers and there for do **not** need to be purchased separately.

- Solid Back Pedestal – Standard (UPFDS)
- Stretch Pedestal – Standard (UPSS)
- Lateral File – Standard (UFLS)
- Low Full Drawer Credenza – Standard (ULDS)
- High Full Drawer Credenza – Standard (UHDS)
- Lateral Tower – Standard (UTLS)
- Pedestal Tower with Solid Back – Standard (UTDD)
- Side Open Tower – Standard (UTW)

This leveler allows the Standard Storage product to be levelled, 0.5" down and 0.625" up.

PRODUCT OPTIONS

Quantity
12, 24, 100

SAMPLE ORDER CODE

UN S X L 12
-------------

604

QUANTITY	PRICING
12	73
24	137
100	402



Locker Accessories can be used when reconfiguring a single, dual or quad locker from a "shelf" configuration to a "closet" configuration and vice versa.

#### WHAT'S INCLUDED

1 shelf (as specified) or 1 hook.


#### NOTES

Depths 23", 29" and 35" are **not** available when S24D, S30D, S36D and S48Q Shelf Styles are specified.

Shelves must be specified the same material as the case.

The single locker shelves (S12S) and (S16S) are only for use with the Single Locker with Solid Back (UKSD) and the Single Locker with Cubby Back (UKSC).

## U W K A Locker Accessories



#### PRODUCT OPTIONS

Style		Depth (Applies to Shelf)	Shelf Finish (If applicable)
<b>HOOK</b>	Coat Hook	16, 19, 23, 29, 35	Source Laminate Seamless Color Flintwood Natural Veneer
<b>S12S</b>	Shelf for 12" wide Single Locker		
<b>S16S</b>	Shelf for 16" wide Single Locker		
<b>S24D</b>	Shelf for 24" wide Double Locker		
<b>S30D</b>	Shelf for 30" wide Double Locker		
<b>S36D</b>	Shelf for 36" wide Double Locker		
<b>S48Q</b>	Shelf for 48" wide Quad Locker		

#### SAMPLE ORDER CODE

<b>UWKA S12S</b>	<b>16</b>	<b>ZA</b>
------------------	-----------	-----------

#### STYLE

#### PRICING

Hook	20			
	Source Laminate	Seamless Color	Flintwood	Natural Veneer
Single Locker	45	73	109	116
Double & Quad Locker	53	121	184	189

S O K L  
Set of Keys Alike

**WHAT’S INCLUDED**  
Each set of cores include a lock & core and 2 identical keys.

**NOTES**  
All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in “keyed-alike” sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

**SPECIFICATION NOTES**  
Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total
T1	4	SOKL - 4	1
T2	2	SOKL - 2	1
T3	4	SOKL - 4	1
T4	3	SOKL - 3	1

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores			
<b>01</b> 1 Set of Cores	<b>07</b> 7 Sets of Cores	<b>13</b> 13 Sets of Cores	<b>19</b> 19 Sets of Cores
<b>02</b> 2 Sets of Cores	<b>08</b> 8 Sets of Cores	<b>14</b> 14 Sets of Cores	<b>20</b> 20 Sets of Cores
<b>03</b> 3 Sets of Cores	<b>09</b> 9 Sets of Cores	<b>15</b> 15 Sets of Cores	
<b>04</b> 4 Sets of Cores	<b>10</b> 10 Sets of Cores	<b>16</b> 16 Sets of Cores	
<b>05</b> 5 Sets of Cores	<b>11</b> 11 Sets of Cores	<b>17</b> 17 Sets of Cores	
<b>06</b> 6 Sets of Cores	<b>12</b> 12 Sets of Cores	<b>18</b> 18 Sets of Cores	

SAMPLE ORDER CODE

SOKL 02
---------



supports


# supports

PRODUCT MAP / TABLE OF CONTENTS . . . . .	610
UNDERSTANDING DISTRICT SUPPORTS . . . . .	614
WORKSURFACE SUPPORT BASICS – HORIZONTAL . . . . .	615
WORKSURFACE SUPPORT BASICS – VERTICAL . . . . .	616
WORKSURFACE SUPPORT, FREESTANDING BASICS . . . . .	617
WORKSURFACE-TO-STORAGE SUPPORT BASICS . . . . .	618
STORAGE-TO-PANEL SUPPORT BASICS . . . . .	619
SELECTING THE CORRECT STORAGE-TO-PANEL BRACKET . . . .	620
WORKSURFACE SUPPORTS W/R/S BASICS . . . . .	622
PRODUCT LISTING . . . . .	623

# product map


## UNGEN End Gable

Page 623  
Depth: 17" - 36" / Height: 29"




## UNGEAN End Gable – Height-Adjustable

Page 624  
Depth: 17" - 36" / Adjustable Height: 26" - 32"




## UNGEF Flush End Gable

Page 625  
Depth: 17" - 36" / Height: 29"




## UNGEFA Flush End Gable – Height-Adjustable

Page 626  
Depth: Depth: 17" - 36" /  
Adjustable Height: 28" - 31"




## UNGFMF Mid Gable

Page 627  
Depth: 12" & 18" / Height: 29"




## UNGFMFA Mid Gable – Height-Adjustable

Page 628  
Depth: 12" & 18" / Adjustable Height: 28" - 31"




## UNLVR Cantilever

Page 629  
Depth: 11" & 14"




## UNLVFN Off-Module Cantilever

Page 630  
Depth: 11" & 14"




## UALVFN Cantilever for Panels with Accessory Beam

Page 631  
Depth: 11" & 14"




## UNGSN Semi-Suspended Gable

Page 632  
Depth: 20", 24", 30" & 36" / Height: 29"




## UNGSAN Semi-Suspended Gable – Height-Adjustable

Page 633  
Depth: 20" - 36" / Adjustable Height: 26" - 32"



## UNLGN Leg – Single


Page 634  
Height: 29"



# product map


## UNLGA Leg – Height-Adjustable Single

Page 635  
Adjustable Height: 26" - 32"




## UNLGP N Leg – Pair

Page 636  
Height: 28"




## UNLGPA Leg – Height-Adjustable Pair

Page 636  
Adjustable Height: 25" - 31"




## UNBP Worksurface Panel Wall Bracket – Pair

Page 637




## UNBPA Worksurface Panel Wall Bracket – Height-Adjustable

Page 637




## UWSPB Storage-to-Panel Bracket

Page 638



## UWBT Worksurface-to-Tower Bracket Kit


Page 639



1 Bracket/1 Flush Plate 2 Brackets


## UWBTH Height-Adjustable Worksurface-to-Tower Bracket Kit

Page 640



## UNCPWN Low Credenza-to-Worksurface Support


Page 641



Fixed-Height Height-Adjustable


## UWCPWN Reconfigurable Low Credenza-to-Worksurface Support

Page 642




## CVWB W/R/S Mounted Worksurface Bracket

Page 643



## UNRF Flush Plate


Page 644



product map


UNRFS Structural Flush Plate

Page 644




UNRC Worksurface Reinforcement Channel

Page 645  
Width: 36" - 96" (in 6" increments)




UNCLN Mini Leg

Page 646




UNOPT Centermount Cabinet Support Posts & Trim

Page 647  
Post Height: 9" & 13" /  
Panel Wall Top Trim Width: 30" - 60"



UNOBT Centermount Cabinet Support Brackets & Top Trim

Page 648  
Cabinet Width: 30" - 96"








## understanding district support


The following outlines the guidelines for supporting panels and worksurfaces in panel-mounted applications.

- When planning with District panels, the end of run conditions must be supported at 6" and 29" high and at the front of a worksurface or storage. There are different ways of providing support, depending on whether storage or end gables are used
- When properly supported, the method of support forms a triangle


### end of run with no storage



### end of run with low storage





### end of run with high storage




# worksurface support basics – horizontal

The following outlines the features of supports that connect horizontally, either below worksurfaces, or for connecting worksurface to panel walls.




## Worksurface Panel Wall Brackets (UNBP)

- Off-module connectors that attach the worksurface to a Panel Wall
- Are mounted in the 29" high horizontal rail and can be connected at any point along the width of the worksurface and Panel Wall but must be spaced minimally every 48"
- Are **not** height-adjustable
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset Glass (UYPER, UYPCR)




## Mid Gable (UNGFMF) & Mid Gable – Height-Adjustable (UNGFMFA)

- Used on worksurface spans larger than 72" to provide additional floor support or to join two worksurfaces, also includes a bracket at the 6" high level to provide support to the panel wall if required
- (UNGFMFA) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)




## Flush Plate (UNRF)

- Used in conjunction with other supports to maintain alignment of worksurfaces
- **Cannot** be used in freestanding applications, is used in panel wall application only
- **Not** required when cantilevers are used




## Worksurface Reinforcement Channel (UNRC)

- Adds rigidity to worksurface to reduce deflection in the worksurface
- Required for all worksurfaces with an unsupported span over 48"



## Flush End Gable (UNGEF) & Flush End Gable – Height-Adjustable (UNGefa)

- Consists of a solid gable and a support to allow to be attached to the underside of a worksurface and to a panel available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20", 24", 30", & 36" deep worksurfaces
- (UNGefa) offers a height-adjustable leveling option with a range of 3" (2" above and 1" below worksurface)
- Provides floor support to a panel wall at the end of worksurface run and also has a bracket at the 6" high level to provide panel support





## End Gable (UNGEM) & End Gable – Height Adjustable (UNGEMAN)

- Consists of a single leg and a support to allow it to be attached to the underside of a worksurface and to the panel to provide floor support to a panel wall at the end of a worksurface run available in depths to match 17", 20", 24", 30", 36" deep worksurfaces
- Available in depths to match 17", 20", 24", 30", & 36" deep worksurfaces
- Available open or with an infill panel
- The infill has a bracket at the 6" high level and is used when panel support is required at the 6" level - the no infill option **cannot** be used for supporting panels as it does **not** include the bracket
- (UNGEMAN) offers a height-adjustable leveling option with a range of 6" (3" above and 3" below worksurface) and is available with or without an infill
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset Glass (UYPER, UYPCR)


# worksurface support basics – vertical

The following outlines the features of vertical supports that allow for height adjustable worksurface mounting.




## Cantilever (UNLVR)

- Mounts into the center vertical channel of a panel wall over 60" wide to provide on module height adjustable worksurface support at 1" increments available in depths of 11" & 14"
- Available in depths to match 11" & 14"




## Worksurface Panel Wall Bracket – Height Adjustable (UNBPA)

- Mounts into the vertical channel at the end of a Panel Wall to provide on-module height-adjustable support for worksurfaces
- Used with Flush Full-Height Windows – Single and Double Glazed (UNPFWS, UNPFWD) to support worksurfaces as no horizontal channel is available at 29" high



## Off-Module Cantilever (UNLVFN)

- Mounts in the 6" and 29" horizontal channels of the Panel Wall to allow for height-adjustable off-module applications
- Can be used in place of the Mid Gable (UNGME) and Height-Adjustable Mid Gable (UNGMEFA), height-adjustable on an elevated panel as it does **not** extend below the 6" horizontal rail available in depths of 11" & 14"
- Available in depths to match 11" & 14"
- **Cannot** be used on Elevated or Convertible Panel Walls with Inset Glass (UYPER, UYPCR)




## Cantilever for Panels with Accessory Beam (UALVFN)

- Available in depths to match 11" & 14"
- Left or Right handed available
- Mounts into the center vertical channel of the panel to provide on-module height-adjustable worksurface support at 1" increments
- Used only when using a panel frame with accessory rail in order to accommodate the gap from the beam



# worksurface support, freestanding basics

The following outlines the features of supports that are typically used in freestanding or semi-supported environments.




## Semi-Suspended Gable (UNGSN) & Semi-Suspended Gable – Height-Adjustable (UNGSAN)

- Consists of two legs and a support, and is used at the open end of a panel wall mounted semi-suspended worksurface
- Available with or without an infill, standard or height adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)



## Leg – Single (UNLGN), Leg – Height-Adjustable Single (UNLGA), Leg – Pair (UNLGP) and Leg – Height-Adjustable Pair (UNLGPA)

- Used primarily in freestanding applications to provide worksurface support but can also be used for intermediate support in panel wall applications
- Available in single or pairs, standard or height-adjustable
- Have a height-adjustable range of 6" (3" above and 3" below)





## Structural Flush Plate (UNRFS)


- Used to join two worksurfaces in freestanding application
- Two Structural Flush Plates used with a leg provides the required stability to create freestanding desks

# worksurface-to-storage support basics

The following outlines the features of supports that connect storage to panel walls, worksurfaces and walls.




2 Brackets



1 Bracket/1 Flush Plate


## Worksurface-to-Tower Bracket Kit (UWBT)

- Used to attach worksurfaces to storage components
- Available with two options:
  - (BB) two brackets, which are used with storage with no cubbies – the brackets attach to the underside of the work surface and the side of the storage
  - (BF) one bracket, one flush plate, which are used with storage with cubbies – the bracket attaches to the underside of the worksurface and the side of the storage, and the flush plate attaches the worksurfaces and a shelf in the cubby section of the storage




## Height-Adjustable Worksurface-to-Tower Bracket Kit (UWBTH)

- **Cannot** be used on a Tower with Cubby Back (UKSC & UTDC).




## Mini Leg (UNCLN)

- Used in place of the Low Credenza Worksurface Support (UNCPWN) when panel support and height adjustability is **not** required because it does **not** attach the storage, it simply rests on it
- **Cannot** be used in freestanding desk applications
- Must be used with Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB). This combination provides support to panels




Fixed-Height



Height-Adjustable

## Low Credenza-to-Worksurface Supports (UNCPWN)

- Mount to the underside of a worksurface and to the top of a Low Credenza to provide support to the worksurface
- When used in combination with the Worksurface Panel Wall Bracket (UNBP) and Storage-to-Panel Bracket (UWSPB), support is provided for panels
- Offer a height-adjustable leveling option with a range of 4" (3" above the fixed height of 7" or 1" below the fixed height of 7")





## Reconfigurable Low Credenza-to-Worksurface Support (UWCPWN)

- Mounts to the underside of the worksurface, wraps around the top of an open compartment on low storage and attach to the underside of the open section
- Does **not** attach to the top of a storage unit, therefore **not** making it to allow for reconfigurability
- Is **not** height-adjustable




# storage-to-panel support basics

The following outlines the features the supports that connect storage-to-panels.



## Centermount Cabinet Support Posts & Top Trim (UNOPT)

- Used to support upmount cabinets on-module
- Include the top trim and posts, so replaces a standard top trim
- Available 9" high or 13" high posts and 30"-60" wide
- To maintain District datum heights it is recommended on a panel 42" high use a 9" post and a 15" cabinet for 66" high datum, and on a panel 29" high use 13" post and a 9" cabinet for a 51" high datum




## Centermount Cabinet Support Brackets & Top Trim (UNOBT)

- Similar to Centermount Cabinet Support Posts & Top Trim (UNOPT) except that there are no posts
- Are available from 30" - 96" wide

## Storage-to-Panel Bracket (UWSPB)







- Attaches to the back or side of a storage component and mounts into the vertical channel of a District panel, to provide support to a panel wall
- Options are available for parallel and perpendicular mounting at either the front or back of the cabinet, and for elevated and standard credenza heights
- Available with wire gap options
- Must be specified left or right handed, handedness being determined by the side of the panel to which storage is attached









# selecting the correct storage-to-panel bracket

All storage units attach to panels with either parallel, perpendicular front or perpendicular back brackets. The following outlines each option, and which cabinets use each individual option.

## parallel mounting

		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Elevated Storage</li> </ul>	<ul style="list-style-type: none"> <li>• Used on storage with a closed back that fits flush or parallel to a panel wall</li> <li>• Bracket will attach to the storage unit through the slot located on the back of the unit</li> <li>• Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required</li> <li>• Available for elevated and standard storage heights</li> <li>• Bracket fits into the vertical slots of the District panel wall</li> <li>• Handedness is determined by the side of the panel when facing it onto which the storage is mounted</li> </ul> <p>Parallel mounting is used on the following storage units: UBKE, UBKS, UFLE, UFLS, UKC, UKD, UKQ, UTLE, UTLS, UTCE, UTCS, UPFD, UPSE, UPSS, UKSD, UTDD, UTDK all credenzas</p>
		<ul style="list-style-type: none"> <li>• 1" offset (with gap) Elevated Storage</li> </ul>	
		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Standard Storage</li> </ul>	
		<ul style="list-style-type: none"> <li>• 1" offset (with gap) Standard Storage</li> </ul>	





## perpendicular mounting, front

		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Elevated Storage</li> </ul>	<ul style="list-style-type: none"> <li>• Used when bracket is being attached to the inside of an open cubby space (<b>not</b> through a slot in the back). This mounting option is appropriate for units that have: <ul style="list-style-type: none"> <li>- open section (open credenzas, bookcases, etc),</li> <li>- cubby back (single lockers, pedestals) and</li> <li>- door in the mounting location (dual lockers etc)</li> </ul> </li> <li>• Available with 3/8" offset when no gap is required between the storage and panel wall, and 1" offset when a gap is required</li> <li>• Available for elevated and standard storage heights</li> <li>• Bracket fits into the vertical slots of the District panel wall</li> <li>• Handedness is determined by the side of the panel when facing it onto which the storage is mounted</li> </ul> <p>Perpendicular mounting, front is used on the following storage units: UBKE, UBKS, UHHE, UHHS, UHME, UHMS, UHOE, UHOS, UKD, UKSC, ULHE, ULHS, ULME, ULMS, ULOE, ULOS, UPFC, UTCE, UTCS, ULGE, ULGS, UTDC, UHGE, UHGS, UTLE, UTLS</p>
		<ul style="list-style-type: none"> <li>• 1" offset (with gap) Elevated Storage</li> </ul>	
		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Standard Storage</li> </ul>	
		<ul style="list-style-type: none"> <li>• 1" offset (with gap) Standard Storage</li> </ul>	





# selecting the correct storage-to-panel bracket (continued)

## perpendicular mounting, back

		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Elevated Storage</li> </ul>	<ul style="list-style-type: none"> <li>• Used on storage that sits perpendicular to the panel but attachment is through the back of the storage unit through the slots</li> <li>• Available with 3/8" offset only (no gap)</li> <li>• Available for flush and elevated configurations</li> <li>• Bracket fits into the vertical slots of the Leverage panel</li> <li>• Handedness is determined by the side of the panel when facing it onto which the storage is mounted</li> </ul>
		<ul style="list-style-type: none"> <li>• 3/8" offset (no gap) Standard Storage</li> </ul>	<p>Perpendicular mounting, back is used on the following storage units: UBKE, UBKS, UFLE, UFLS, UKD, UKQ, UPSE, UPSS, UTCE, UTCS, UTLE, UTLS all credenzas</p>

## workspace supports W/R/S basics

The following components are specific to mounting worksurfaces to W/R/S.



### **Mounted Worksurface Brackets (CVWB)**

- Off-module connectors that attach a worksurface to the W/R/S
- Mounted into the 29" high horizontal rail and can be connected at any point along the width of the worksurface
- Must be specified every 48" minimum
- **Not** height-adjustable
- Modesty panels and wire management channels can be mounted to worksurfaces suspended from the W/R/S – the same planning restrictions apply whether mounted to panel walls or the W/R/S
- Clear anodized finish

The End Gable provides end of run worksurface support. Available open or with infill options.

#### WHAT'S INCLUDED

1 leg and support with or without infill (as specified), 1 worksurface support bracket, leveler, attachment hardware.

#### NOTES

Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).


Height dimension includes worksurface.

Bottom of infill option is 6" above floor level.

Not compatible with 28" Fascia (see Supports section in Application Guide).

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

## UNGEN End Gable



#### PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	<b>L</b> Left Handed <b>R</b> Right Handed (Shown)	<b>0</b> No Infill <b>1</b> With Infill	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	<b>AC</b> Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE


<b>UNGEN 30</b>	<b>L</b>	<b>1</b>	<b>FX</b>	<b>AC</b>
-----------------	----------	----------	-----------	-----------

#### DIMENSIONS INCHES / MM

D	PRICING				
	NO INFILL (0)	WITH INFILL (1)			
		Seamless Color	Source Laminate	Flintwood	Natural Veneer
17 / 432	270	348	348	504	525
20 / 508	270	348	348	504	525
24 / 610	274	365	365	520	542
30 / 762	280	372	372	557	575
36 / 914	286	385	385	592	615

UNGEAN

End Gable – Height-Adjustable



A End Gable – Height-Adjustable provides height-adjustable end of run worksurface support available open or with infill option.

WHAT’S INCLUDED

1 leg and support with or without infill (as specified), leveler & attachment hardware, a Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) with the same left/right orientation as specified on the End Gable.

NOTES

Handedness is determined by the user when seated at the adjoining worksurface (left handed shown).

Height dimension includes thickness of worksurface.

Bottom of infill option is 6" above floor level.

Brackets will be finished to match the frame finish. A Platinum paint is applied to brackets when an Anodized frame finish is specified.

PRODUCT OPTIONS

Depth	Orientation	Infill	Infill Finish	Frame Finish
17, 20, 24, 30, 36	<b>L</b> Left Handed (Shown) <b>R</b> Right Handed	<b>0</b> No Infill <b>1</b> With Infill	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	<b>AC</b> Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNGEAN 30	L	1	FX	AC
-----------	---	---	----	----

DIMENSIONS  
INCHES / MM

PRICING

D	NO INFILL (0)		WITH INFILL (1)		
			Seamless Color	Source Laminate	Flintwood Natural Veneer
17 / 432	401		479	479	635 655
20 / 508	401		479	479	635 655
24 / 610	405		496	496	651 673
30 / 762	411		502	502	687 706
36 / 914	417		515	515	723 746

The Flush End Gable provides end of run worksurface support that is flush to the floor.

#### WHAT'S INCLUDED

Gable, levelers, brackets, attachment hardware.

#### WHAT'S EXCLUDED


Worksurface Panel Wall Bracket (UNBP) must be specified separately. Can be found on page 637.

#### NOTES

Height dimension includes thickness of worksurface.

Not compatible with 28" Fascia (see Supports section in Application Guide).

## UNGEF Flush End Gable



#### PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

#### SAMPLE ORDER CODE


UNGEF 20	FN	7
----------	----	---

#### DIMENSIONS INCHES / MM

D	Seamless Color	Source Laminate	Flintwood	Natural Veneer
17 / 432	220	220	434	452
20 / 508	220	220	434	452
24 / 610	280	280	515	536
30 / 762	326	326	587	602
36 / 914	339	339	616	635

#### PRICING

UNGEFA  
Flush End Gable –  
Height-Adjustable



The Flush End Gable – Height-Adjustable provides height-adjustable end of run worksurface support that is flush to the floor.

**WHAT’S INCLUDED**  
Gable, levelers, brackets, attachment hardware.

**WHAT’S EXCLUDED**  
Worksurface Panel Wall Bracket – Height-Adjustable (UNBPA) must be specified separately. Can be found on page 637.

**NOTES**  
Height dimension includes thickness of worksurface.  
Not compatible with 28" Fascia (see Supports section in Application Guide).

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
17, 20, 24, 30, 36	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGEFA 20	FN	7
-----------	----	---

DIMENSIONS  
INCHES / MM

D
17 / 432
20 / 508
24 / 610
30 / 762
36 / 914

PRICING

Seamless Color	Source Laminate	Flintwood	Natural Veneer
277	277	492	510
277	277	492	510
337	337	572	593
384	384	644	660
397	397	674	693

The Mid Gable provides mid-span support to panel wall mounted worksurface.

**WHAT'S INCLUDED**


Mid gable, levelers, brackets, attachment hardware.

**NOTES**

Height dimension includes thickness of worksurface.

**Cannot** attach to flush panel with 28" Fascia (see Supports section in Application Guide).

**U N G M F**  
**Mid Gable**



**PRODUCT OPTIONS**

Depth	Gable Finish	Bracket Finish
12, 18	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

**SAMPLE ORDER CODE**


<b>UNGMF 12</b>	<b>VB</b>	<b>P</b>
-----------------	-----------	----------

**DIMENSIONS**  
**INCHES / MM**

D	Seamless Color	Source Laminate	Flintwood	Natural Veneer
12 / 305	189	189	353	362
18 / 457	275	275	480	498

**PRICING**

UNGMFA  
Mid Gable – Height-Adjustable



The Mid Gable – Height-Adjustable provides mid-span height-adjustable support to panel wall mounted to worksurface.

**WHAT’S INCLUDED**  
Mid gable, levelers, brackets, attachment hardware.

**NOTES**  
Height dimension includes thickness of worksurface.

**Cannot** attach to flush panel with 28" Fascia (see Supports section in Application Guide).

PRODUCT OPTIONS

Depth	Gable Finish	Bracket Finish
12, 18	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	Foundation Mica

SAMPLE ORDER CODE

UNGMFA 12	VB	P
-----------	----	---

DIMENSIONS  
INCHES / MM

D
12 / 305
18 / 457

PRICING

	Source Laminate			
Seamless Color	Gr. 1	Gr. 2	Flintwood	Natural Veneer
247	247	265	409	420
333	333	347	537	556



The Cantilever is applied on-module to a panel wall frame to support worksurfaces.


WHAT’S INCLUDED

1 cantilever.

NOTES

Handedness is determined by the user when seated at the adjoining worksurface (right handed shown).

U N L V R  
Cantilever



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	L Left Handed R Right Handed (Shown)	Foundation Mica

SAMPLE ORDER CODE

UNLVR 14	L	7
----------	---	---

DIMENSIONS  
INCHES / MM

D
11 / 279
14 / 356

PRICING


78
78

UNLVFN  
Off-Module Cantilever

The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.

**WHAT’S INCLUDED**  
1 cantilever, 1 bracket.

**NOTES**  
Not compatible with 28" Fascia (see Supports section in Application Guide).  
Handedness is determined by the user when seated at the adjoining worksurface.



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	L Left Handed (Shown) R Right Handed	Foundation Mica

SAMPLE ORDER CODE

UNLVFN 14	R	Q
-----------	---	---

DIMENSIONS  
INCHES / MM

D
11 / 279
14 / 356

PRICING

131
131

The Off-Module Cantilever is applied off-module to a panel wall frame to support worksurfaces.


WHAT’S INCLUDED

1 cantilever, 1 bracket.

NOTES

Not compatible with all Fascia (see Supports section in Application Guide).  
Handedness is determined by the user when seated at the adjoining worksurface.  
Cantilever is to only be applied to District Panel that is supported by the Free standing Foot (UAFFN).

U A L V F N  
Cantilever for Panels with  
Accessory Beam



PRODUCT OPTIONS

Depth	Orientation	Finish
11, 14	L Left Handed R Right Handed	Foundation Mica

SAMPLE ORDER CODE

UALVFN 14	L	7
-----------	---	---


DIMENSIONS  
INCHES / MM

D
11 / 279
14 / 356

PRICING

131
131

UNGSN  
Semi-Suspended Gable



The Semi-Suspended Gable supports a worksurface semi-suspended from a panel wall. Available open or with infill panel.

**WHAT’S INCLUDED**  
2 legs and support with or without infill (as specified), levelers, attachment hardware.

**NOTES**  
Height dimension includes thickness of worksurface.  
Bottom of infill option is 6" above floor level.

PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	0 No Infill 1 With Infill	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNGSN 30	0	VA	AC
----------	---	----	----

DIMENSIONS  
INCHES / MM

PRICING

	NO INFILL (0)	WITH INFILL (1)			
D		Seamless Color	Source Laminate	Flintwood	Natural Veneer
20 / 508	353	437	437	602	628
24 / 610	357	454	454	621	647
30 / 762	362	475	475	664	682
36 / 914	369	487	487	704	722

The Semi-Suspended Gable – Height-Adjustable provides height-adjustable support for workspaces semi-suspended from a panel wall.

#### WHAT'S INCLUDED


2 legs and support with or without infill (as specified), levelers, attachment hardware.

#### NOTES

Height dimension includes thickness of workspace.

Bottom of infill option is 6" above floor level at workspace height.

## UNGSAN Semi-Suspended Gable – Height-Adjustable



#### PRODUCT OPTIONS

Depth	Infill	Infill Finish	Frame Finish
20, 24, 30, 36	<b>0</b> No Infill <b>1</b> With Infill	Seamless Color Source Laminate Flintwood (Standard) Natural Veneer	<b>AC</b> Clear Anodized Foundation Mica


#### SAMPLE ORDER CODE

UNGSAN 24	0	VA	AC
-----------	---	----	----

#### DIMENSIONS INCHES / MM

D	NO INFILL (0)	WITH INFILL (1)			
		Seamless Color	Source Laminate	Flintwood	Natural Veneer
20 / 508	582	667	667	831	857
24 / 610	587	684	684	851	878
30 / 762	592	704	704	893	912
36 / 914	599	717	717	933	951

UNLGN  
Leg – Single



The Single Leg provides Intermediate worksurface support as an alternative to a mid gable or cantilever.

**WHAT’S INCLUDED**  
1 leg, leveler, attachment hardware.

**NOTES**  
Height dimension includes thickness of worksurface.  
Handedness is determined by the user when seated at the adjoining worksurface.

PRODUCT OPTIONS

Orientation	Finish
L Left Handed (Shown) R Right Handed	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNLGN L	AC
---------	----

PRICING

160
-----

The Height-Adjustable Single Leg provides intermediate height-adjustable worksurface support as an alternative to mid gable or cantilever.

WHAT'S INCLUDED


1 leg, leveler, attachment hardware.

NOTES

Height dimension includes thickness of worksurface.

Handedness is determined by the user when seated at the adjoining worksurface.

UNLGA  
Leg – Height-Adjustable Single



PRODUCT OPTIONS

Orientation	Finish
L Left Handed R Right Handed (Shown)	AC Clear Anodized Foundation Mica


SAMPLE ORDER CODE

UNLGA L	AC
---------	----

PRICING

275
-----

UNLGPN  
Leg – Pair




The Leg is used in combination with other storage based supports or legs to create freestanding desks or tables.

**WHAT’S INCLUDED**  
2 legs, levelers, attachment hardware.

**NOTES**  
Height dimension includes thickness of worksurface.

UNLGPA  
Height-Adjustable Leg – Pair



The Height-Adjustable – Leg is used in combination with other legs or storage based supports to create height-adjustable freestanding desks or tables.

**WHAT’S INCLUDED**  
2 legs, levelers, attachment hardware.

**NOTES**  
Height dimension includes thickness of worksurface.

PRODUCT OPTIONS

Finish
AC Clear Anodized
Foundation
Mica

SAMPLE ORDER CODE

UNLGPA AC
-----------

UNLGPN LEG – PAIR
315


UNLGPA HEIGHT-ADJUSTABLE LEG – PAIR
539



The Worksurface Panel Wall Bracket connects a worksurface to a panel wall providing support.

**WHAT'S INCLUDED**  
2 brackets (one left oriented, one right oriented).


**U N B P**  
**Worksurface Panel Wall Bracket –**  
**Pair**



The Height-Adjustable Worksurface Panel Wall Bracket connects a worksurface vertically to a panel wall providing height-adjustable support.

**WHAT'S INCLUDED**  
1 bracket

**U N B P A**  
**Worksurface Panel Wall Bracket –**  
**Height-Adjustable**



**PRODUCT OPTIONS**

Orientation (Applies to UNBPA only)	Finish
L Left Handed (Shown) R Right Handed	Foundation Mica

**SAMPLE ORDER CODE**

UNBPA R	E
---------	---

UNBP WORKSURFACE PANEL WALL BRACKET – PAIR
52

UNBPA WORKSURFACE PANEL WALL BRACKET – HEIGHT-ADJUSTABLE
40

U W S P B

Storage-to-Panel Bracket



Standard



Elevated

The Storage-to-Panel Bracket attaches to the back or side of a storage unit and mounts into the vertical channel of a District panel to provide support to the panel wall.

WHAT’S INCLUDED

1 top bracket, 1 bottom bracket, 1 plate (for some standard configurations) and attachment hardware.

NOTES

A Perpendicular Back (B) application is **not** available with a Wire Gap (W).

Handedness is determined by the side of the panel (when facing it) onto which the storage is mounted.

For details as to which application to choose, please see Planning Basics at the beginning of this section.

PRODUCT OPTIONS

Storage Style	Application	Gapping	Orientation	Finish
E Elevated S Standard	P Parallel F Perpendicular Front B Perpendicular Back	W With Wire Gap N No Wire Gap	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

UWSPB E	P	W	L	Q
---------	---	---	---	---

PRICING

102
-----

The Worksurface-to-Tower Bracket is used to attach worksurfaces to storage.


WHAT’S INCLUDED

Brackets, as specified and attachment hardware.

NOTES

The 1 Bracket, 1 Flush Plate (BF) style option must be used when attaching to the side of a tower/locker that has a cubby back.

U W B T  
Worksurface-to-Tower Bracket Kit



PRODUCT OPTIONS

Style	Finish
BF 1 Bracket, 1 Flush Plate	Foundation
BB 2 Brackets	Mica

SAMPLE ORDER CODE

UWBT BB	7
---------	---


STYLE	PRICING
BF	137
BB	155

U W B T H  
Height-Adjustable  
Worksurface-to-Tower Bracket Kit

The Height-Adjustable Worksurface-to-Tower Bracket is used to attach worksurfaces to storage.

**WHAT’S INCLUDED**  
2 brackets and attachment hardware.

**NOTES**  
**Cannot** be used on a Tower with Cubby Back (UKSC & UTDC).



PRODUCT OPTIONS

Style	Finish
BB 2 Brackets	Foundation Mica

SAMPLE ORDER CODE

UWBTH BB	7
----------	---

STYLE	PRICING
BB	233

The Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and to the top of a low credenza to provide support for the worksurface.


WHAT'S INCLUDED

Brackets, as specified and attachment hardware.

NOTES

Adjustment range is +3"/-1" (28" - 32" worksurface height).

UNCPWN  
Low Credenza-to-Worksurface  
Support



Fixed-Height    Height-Adjustable

PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation
H Height-Adjustable	Mica


SAMPLE ORDER CODE

UNCPWN F	7
----------	---

STYLE	PRICING
F	150
H	172

U W C P W N

Reconfigurable  
Low Credenza-to-Worksurface Support



The Reconfigurable Low Credenza-to-Worksurface Support mounts to the underside of a worksurface and wraps into the open section of a credenza so that screws are affixed to the interior of the credenza. This allows for reconfiguration without damaging the top of storage unit.

**WHAT'S INCLUDED**  
2 brackets and attachment hardware.

**NOTES**  
The depth of the worksurface **cannot** be more than 6" than the open section of the credenza onto which it is being mounted. (i.e., 24" depth worksurface **cannot** be mounted to a 36" wide open cubby.)

PRODUCT OPTIONS

Style	Finish
F Fixed-Height	Foundation Mica

SAMPLE ORDER CODE

UWCPWN F	7
----------	---

STYLE	PRICING
F	224

Mounted Worksurface Brackets are off-module connectors that attach the worksurface to a horizontal rail.

#### WHAT'S INCLUDED

18" - 36" worksurface width - 2 brackets and hardware.

37" - 96" worksurface width - 3 brackets and hardware.


#### NOTES

Does not allow height-adjustability.

Can be positioned anywhere along the horizontal rail.

Specify connecting range according to the dimension of the worksurface side touching the frame.

## CVWB W/R/S Mounted Worksurface Bracket



#### PRODUCT OPTIONS

Compatibility	Worksurface Connecting Width	Finish
<b>S</b> Standard Worksurface	<b>1836</b> Worksurface width from 18" - 36"	<b>7</b> Platinum
<b>W</b> Modena Umbria Volterra Worksurface	<b>3796</b> Worksurface width from 37" - 96"	

#### SAMPLE ORDER CODE

<b>CVWB S</b>	<b>1836</b>	<b>7</b>
---------------	-------------	----------

#### COMPATIBILITY

1836
3796

#### PRICING

Standard Worksurface (S)	Modena Umbria Volterra Worksurface (W)
39	45
60	65

U N R F  
Flush Plate

The Flush Plate is used in conjunction with other supports to maintain alignment of worksurfaces.

**WHAT’S INCLUDED**  
1 flush plate, attachment hardware.

**NOTES**  
Finished in Ebony.



PRICING


32

U N R F S  
Structural Flush Plate

The Structural Flush Plate is used in conjunction with other supports to maintain and provide structural support to freestanding worksurfaces.

**WHAT’S INCLUDED**  
1 bracket.

**NOTES**  
Finished in Ebony.



PRICING

45



The Worksurface Reinforcement Channel adds rigidity to worksurfaces.


**WHAT'S INCLUDED**

1 reinforced channel, attachment hardware.

**NOTES**

Finished in Ebony.

**U N R C**  
**Worksurface Reinforcement Channel**



**PRODUCT OPTIONS**

Width (6" increments)
36 - 96

**SAMPLE ORDER CODE**

<b>UNRC 60</b>
----------------

**DIMENSIONS  
INCHES / MM**

W
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

**PRICING**


22
24
25
28
30
32
34
36
39
41
43

UNCLN  
Mini Leg

The Mini Leg is used in place of the Low Credenza Worksurface Support (UNCPWN) when panel wall support is not required.

**WHAT’S INCLUDED**  
1 mini leg, attachment hardware.

**NOTES**  
Rests on, but does not attach to storage.



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

UNCLN 7
---------

PRICING

42
----

The Centermount Cabinet Support Posts & Trim provides elevated support for centermount cabinets and overhead cabinets centered on District Panel Walls.

#### WHAT'S INCLUDED

Support posts, top trim, attachment hardware, gasket.

#### WHAT'S EXCLUDED

Centermount Cabinet and Overhead Cabinet specified separately.

#### NOTES

Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.

To match District datum heights:

On 42" panel: use 9" post and 15" cabinet for 66" datum.


On 29" panel: use 13" post and 9" cabinet for 51" datum.

Compatible Trim widths;

For 15" high cabinet: 30, 36, 42, 48

For 9" high cabinet: 30, 36, 42, 48, 54, 60

## UNOPT Centermount Cabinet Support Posts & Trim



#### PRODUCT OPTIONS

Post Height	Top Trim Width	Top Trim Finish
09, 13	30, 36, 42, 48, 54, 60	AC Clear Anodized Foundation Mica

#### SAMPLE ORDER CODE

UNOPT 9	48	AC
---------	----	----


#### DIMENSIONS INCHES / MM

H	W
9 / 229	30 / 762
9 / 229	36 / 914
9 / 229	42 / 1067
9 / 229	48 / 1219
9 / 229	54 / 1372
9 / 229	60 / 1524
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524

#### PRICING

354
361
368
374
381
386
374
382
389
394
402
406

UNOBT  
Centermount Cabinet Support  
Brackets & Trim



The Centermount Cabinet Support Brackets & Trim provides flush mounted support for centermount cabinets and District overhead cabinets centered on District Panel Walls.

**WHAT’S INCLUDED**  
Top trim, supports, attachment hardware, gasket

**WHAT’S EXCLUDED**  
Centermount Cabinet and Overhead Cabinet specified separately.

**NOTES**  
Post finish matches top trim finish selection. Anodized defaults to Platinum for bracket finish.  
Top trim width equals to cabinet width specified.  
Compatible Trim widths;  
For 15" high cabinet: 30", 36", 42", 48"  
For 9" high cabinet: 30" to 96" in 6" increments

PRODUCT OPTIONS

Top Trim Width (6" increments)	Top Trim Finish
30 - 96	AC Clear Anodized Foundation Mica

SAMPLE ORDER CODE

UNOBT 30	AC
----------	----

DIMENSIONS  
INCHES / MM

W
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING

225
233
240
245
253
257
391
398
405
409
417
421



accessories


# accessories

PRODUCT MAP / TABLE OF CONTENTS . . . . .	.652
UNDERSTANDING ACCESSORIES . . . . .	.654
STORAGE MOUNTED FASCIA BASICS . . . . .	.655
SCREEN & PANEL MOUNTED FASCIA BASICS . . . . .	.656
TOWER & LOCKER INFILL BASICS . . . . .	.657
SEAT CUSHION BASICS . . . . .	.658
COMPLEMENTS ACCESSORY BASICS . . . . .	.659
PRODUCT LISTING . . . . .	.660

## product map

### UNPSF Standing Storage Fascia


Page 660  
Height: 12" - 60" (1" increments)  
/ Width: 12" - 48" (1" increments)



Tackable Whiteboard

### UNPSS Stacking Storage Fascia


Page 664  
Height: 12" - 45" (1" increments) /  
Width: 24" - 96" (6" increments)



Tackable Whiteboard


### UNTBS Tackboard – Screen Mount

Page 668  
Height: 13" & 22" / Width: 23" - 96"  
(1" increments)




### UNTBW Whiteboard – Screen Mount

Page 670  
Height: 15" & 22" / Width: 23" - 48"  
(1" increments)



### UNTBP Tackboard – Panel Wall Mount

Page 672  
Height: 13", 32", 37" / Width: 23" - 96"  
(1" increments)




### UKSCIS Single Locker with Cubby Infill

Page 674  
Height: 36", 42", 51", 66" / Width: 29" & 35"




### UTLXIS Lateral Tower Infill


Page 676  
Height: 36", 42", 51", 66" / Width: 24", 30", 36"



Solid




Tackable




Whiteboard

### UTCXIS Combo Tower Infill


Page 678  
Height: 36", 42", 51", 66" /  
Width: 24", 30", 36", 42", 48"



Solid



Tackable




Whiteboard



# product map

## UTCXIX Source Laminate Combo Tower Infill

Page 682  
Height: 36", 42", 51", 66" /  
Width: 24", 30", 36", 42", 48"




## UTDCIS Pedestal Tower with Cubby Infill

Page 685  
Height: 36", 42", 51", 66" / Width: 29" & 35"




## UWLC Seat Cushion

Page 686




## UWLF Fitted Seat Cushion

Page 687




## UNTK Tool Kit

Page 688



## understanding accessories

A variety of accessories are available to enhance the functionality to District workstations.





654


- 1 **Screen- and Panel-Mounted Tackboards** provide additional functionality to screens and panel walls.  
The **Tackboard** provides a framed tackable surface and the whiteboard provides an erasable writing surface.
- 2 **Tackable and Whiteboard Storage Fascias** are available for mounting to Standing Storage and Stacking Storage in heights that correspond with Elevated and Standard storage heights.
- 3 **Seat cushions** provide additional guest seating in a workstation and are available for low credenzas or rolling pedestals.
- 4 **Storage Infills** provide the ability to enclose and add functionality to open cubbies with options for solid whiteboard and tackboard depending on format.
- 5 The Teknion Complements program offers additional accessories such as desk pads, binder dividers organizing trays for storing smaller items, and Podium.

# storage mounted fascia basics

The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.




Tackable




Whiteboard

## Standing Storage Fascia (UNPSF)

- Mounts to storage units that are freestanding and **not** stacked onto other storage units
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only, and **cannot** span across two units
- Available in heights from 12" to 60" in 1" increments and widths from 12" to 48" in 1" increments
- Whiteboard sizes are restricted to widths of 48"
- Can be mounted to the back or side of units
- Sizes are available to accommodate lockers with open cubbies at the back –the fascia will cover only the closed portion of the cabinet



Tackable



Whiteboard

## Stacking Storage Fascia (UNPSS)


- Mounts to storage units that are stacked onto a credenza or other base unit
- Available in tackable and whiteboard finishes
- Can be mounted onto a single unit only and **cannot** span across two units
- Available in heights from 15" to 45" in 1" increments and width from 24" to 96" in 6" increments
- Whiteboard sizes are restricted to widths of 48"

## Finishes


- Frames are available in Clear Anodized and Espresso or Storm White paint finishes
- Brackets are Black
- All standard Teknion panel fabrics are available, however Architectural Fabrics are available on widths up to 48" only

## screen & panel mounted fascia basics


The following mounted fascias are available for use with Standing and Stacking Storage and for screen and Panel Wall mounting.



656




Tackboard



Whiteboard

### Tackboard – Screen Mount (UNTBS) and Whiteboard – Screen Mount (UNTBW)

- Mounts to a floor desk-edge or storage screen
- Can be mounted on- or off-module and can be user relocated
- Covers the mounting rail of a floor screen, so mounting personal accessories **cannot** be used when the tackboard is used
- Available in heights of 13" and 22" to match above worksurface datum heights in
- Tackboards available in widths from 23" - 96" and the Whiteboard available from 23" - 48"
- Mounting brackets are available in the same finishes as the top rail on the floor screen
- Mounting brackets are available in the same finishes as the top rail on the floor screen



### Tackboard – Panel Wall Mount (UNTBP)


- Mounts to the top rail of a panel wall to provide a panel-mounted tackboard
- Can be mounted anywhere along the panel wall and can be user relocated
- Available in heights of 13", 22" and 37" to match above worksurface datum heights and in widths from 23" to 96" in 1" increments

# tower & locker infill basics


Infills are used with towers and lockers to convert open formats to fully enclosed and secure cabinets. The following outlines the features of each type.

## lateral tower, combo tower, pedestal tower with cubby and single locker infills

- Mount into either Elevated or Standard height cabinets
- Available in heights of 36", 42", 51" and 66"
- Height and width is determined by the size of the cabinet, **not** the size of the opening into which is it mounting
- Solid finishes are available in Source Laminate, Seamless Color, Flintwood and Natural Veneer




Pedestal Tower with Cubby Infill



### Pedestal Tower with Cubby Infill (UTDCIS)

- A solid finish on the inside and outside to provide a closed back



### Lateral Tower Infill (UTLXIS)

- There is no 35" high elevated option

#### Solid Outside


- A solid finish on the inside and outside to provide a closed back

#### Fabric Outside

- Provides a fabric tackboard on the outside of the cabinet; inside is a solid finish

#### Whiteboard Outside

- Provides a whiteboard on the outside of the cabinet; inside is a solid finish



### Combo Tower Infill (UTCXIS)

**Cannot** be used on Combo Tower with Source Laminate Case

### Source Laminate Combo Tower Infill (UTCXIX)

Can only be used on Combo Tower with Source Laminate Case

#### Solid Outside

- A solid finish on the inside and outside to provide a closed back

#### Fabric Outside

- Provides a fabric tackboard on the outside of the cabinet; inside is a painted finish

#### Whiteboard Outside

- Provides a whiteboard on the outside of the cabinet; inside is a painted finish



### Single Locker with Cubby Infill (UKSCIS)

- A solid finish on the inside and outside to provide a closed back




## seat cushion basics


The following options are available for District seat cushions.



Credenza



Pedestal



Credenza

### Seat Cushion (UWLC)



- Provides space saving casual guest seating in a workstation
- Available in two options:
  - C - used on low credenzas (placed upon but **not** affixed)
  - R - mounted onto rolling pedestals only
- Can be specified on the Rolling Pedestal (UPR) at the time of order, or can be ordered separately and retrofitted onto an existing Rolling Pedestal
- The credenza option is sized to be used on 16" and 19" deep credenzas
- Available in all of Teknion's standard Seating fabrics

### Fitted Seat Cushion (UWLF)

- Sized to fit precisely onto credenza tops
- Match depths of credenzas and the widths match drawer widths of credenzas
- Available in all Teknion standard seating fabrics except leather


# complements accessory basics

Teknion's Ergonomics & Accessories program, Complements, offers a number of accessories that are designed for use with District.




## Binder Divider (UNAD)

- Supports binders for all shelf applications
- Finished in anodized aluminum
- Includes anti-slip undersurface




## Organizing Trays (YWOT1)

- A collection of accessories to store small personal items
- Trays are modular and stackable, and are transferable to other storage media including, overhead cabinets, towers, shelves, credenza's and worksurfaces




## Desk Pad (YPDP)

- Lays onto any thickness of worksurface with a flat or knife edge style without tools
- Can span the corner between two worksurfaces to create a conventional angled computer corner
- Includes an integral cable management retainer for easy laptop plug in





## Paper Stacking Trays (YWOT2)

- Include a set of three letter/A4 size trays
- Can be stacked in-line or offset



## fx Personal Organizers

- A collection of accessories that mount to the accessory rail or used freestanding on the desk to organize paper and accessories off the desk surface



## Podium

- A collection of shelves & accessories to organize laptops, flat screen monitors, and multiple hand-held electronic peripherals

- The desk pad is typically used on the primary worksurface, however it can also span across the corner of two worksurfaces to create a conventional angled computer corner – the steel inner construction provides the stability required to support a keyboard tray – **cannot** be used if the two surfaces are at different heights

## UNPSF

### Standing Storage Fascia


The Standing Storage Fascia is a framed tackable fabric or whiteboard surface which mounts to storage units that are freestanding and not stacked onto other storage units.

#### WHAT'S INCLUDED

1 framed fascia and attachment hardware.

#### NOTES

Not all height/width combinations are available. Please see pricing for exact offering.



#### PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (1" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
<b>T</b> Tackable Fabric (Standard Mount)	12 - 60	12 - 48	<b>AC</b> Clear Anodized	Foundation	Standard Panel Fabric
<b>A</b> Tackable Fabric (Slot Mount)			<b>BP</b> Espresso Painted	Mica	
<b>W</b> Whiteboard (Standard Mount)			<b>BH</b> Storm White Painted		
<b>I</b> Whiteboard (Slot Mount)					

#### SAMPLE ORDER CODE

<b>UNPSF T</b>	<b>45</b>	<b>16</b>	<b>AC</b>	<b>E</b>	<b>L341</b>
----------------	-----------	-----------	-----------	----------	-------------

#### DIMENSIONS FOR MM X BY 25.4

H	W
12-17	12-17
12-17	18-23
12-17	24-29
12-17	30-35
12-17	36-41
12-17	42-47
12-17	48
18-23	12-17
18-23	18-23
18-23	24-29
18-23	30-35
18-23	36-41
18-23	42-47
18-23	48
24-29	12-17
24-29	18-23
24-29	24-29
24-29	30-35
24-29	36-41
24-29	42-47
24-29	48

#### PRICING

##### TACKABLE FABRIC

Standard Panel Fabric				Graded-In Fabric				
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
207	215	224	232	242	252	261	272	
224	233	242	253	264	273	284	295	
242	253	262	272	284	295	306	319	
262	272	284	294	306	318	330	345	
283	294	305	318	331	343	357	372	
305	317	329	343	357	371	386	402	
329	342	356	371	386	401	417	434	
223	232	241	250	262	271	283	293	
242	253	262	272	284	295	306	319	
262	272	284	294	306	318	330	345	
283	294	305	318	331	343	357	372	
305	317	329	343	357	371	386	402	
329	342	356	371	386	401	417	434	
356	369	385	401	417	433	450	468	
241	250	261	271	282	293	304	317	
262	272	284	294	306	318	330	345	
283	294	305	318	331	343	357	372	
305	317	329	343	357	371	386	402	
329	342	356	371	386	401	417	434	
356	369	385	401	417	433	450	468	
385	400	416	432	450	467	485	504	

Pricing is continued on the following page.



# UNPSF

## Standing Storage Fascia (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### TACKABLE FABRIC

H	W	Standard Panel Fabric				Graded-In Fabric			
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
30-35	12-17	265	270	280	292	303	315	327	341
30-35	18-23	288	299	311	324	337	350	363	379
30-35	24-29	311	324	336	349	364	378	392	408
30-35	30-35	335	349	362	378	393	408	424	441
30-35	36-41	362	376	391	407	424	440	457	477
30-35	42-47	391	406	423	439	459	477	495	514
30-35	48	422	439	456	475	495	514	534	556
36-41	12-17	292	296	307	320	334	347	360	374
36-41	18-23	317	329	342	356	371	385	401	417
36-41	24-29	342	356	369	385	401	416	433	450
36-41	30-35	369	384	400	416	433	449	467	485
36-41	36-41	398	415	431	448	466	484	503	525
36-41	42-47	431	448	465	484	504	524	544	565
36-41	48	465	483	502	522	543	564	588	612
42-47	12-17	320	326	338	353	367	381	395	412
42-47	18-23	348	361	376	391	407	423	440	457
42-47	24-29	375	391	406	422	439	456	475	495
42-47	30-35	406	422	438	456	476	494	513	533
42-47	36-41	438	455	473	493	513	532	555	576
42-47	42-47	472	493	512	532	555	576	599	622
42-47	48	511	531	553	575	599	622	646	673
48-53	12-17	353	358	373	388	404	419	436	453
48-53	18-23	384	398	415	431	449	466	484	503
48-53	24-29	414	431	447	465	484	502	524	544
48-53	30-35	447	464	483	501	523	543	564	588
48-53	36-41	482	501	521	542	564	587	610	634
48-53	42-47	521	542	563	585	610	633	659	685
48-53	48	562	584	609	632	659	684	711	739
54-60	12-17	388	393	409	425	443	462	480	498
54-60	18-23	421	437	455	473	493	512	532	555
54-60	24-29	454	472	492	512	532	553	575	598
54-60	30-35	492	511	531	552	574	596	621	646
54-60	36-41	530	551	574	596	621	645	670	698
54-60	42-47	572	595	620	644	671	697	725	753
54-60	48	619	643	669	696	725	752	783	815

Pricing is continued on the following page.

## UNPSF

### Standing Storage Fascia (Continued)

#### DIMENSIONS FOR MM X BY 25.4

H	W
12-17	12-17
12-17	18-23
12-17	24-29
12-17	30-35
12-17	36-41
12-17	42-47
12-17	48-53
12-17	54-59
12-17	60
18-23	12-17
18-23	18-23
18-23	24-29
18-23	30-35
18-23	36-41
18-23	42-47
18-23	48-53
18-23	54-59
18-23	60
24-29	12-17
24-29	18-23
24-29	24-29
24-29	30-35
24-29	36-41
24-29	42-47
24-29	48-53
24-29	54-59
24-29	60
30-35	12-17
30-35	18-23
30-35	24-29
30-35	30-35
30-35	36-41
30-35	42-47
30-35	48-53
30-35	54-59
30-35	60
36-41	12-17
36-41	18-23
36-41	24-29
36-41	30-35
36-41	36-41
36-41	42-47
36-41	48-53
36-41	54-59
36-41	60

#### PRICING

WHITEBOARD
311
336
363
393
425
461
498
538
582
346
373
403
435
469
511
550
594
643
384
414
446
480
518
589
667
721
779
417
449
484
522
563
629
682
758
842
449
484
522
563
609
669
698
774
860

#### DIMENSIONS FOR MM X BY 25.4

H	W
42-47	12-17
42-47	18-23
42-47	24-29
42-47	30-35
42-47	36-41
42-47	42-47
42-47	48-53
42-47	54-59
42-47	60
48	12-17
48	18-23
48	24-29
48	30-35
48	36-41
48	42-47
48	48-53
48	54-59
48	60
49-53	12-17
49-53	18-23
49-53	24-29
49-53	30-35
49-53	36-41
49-53	42-47
49-53	48
54-60	12-17
54-60	18-23
54-60	24-29
54-60	30-35
54-60	36-41
54-60	42-47
54-60	48

#### PRICING

WHITEBOARD
483
522
564
611
678
755
837
929
1035
518
560
605
655
613
808
896
997
1107
518
560
605
655
613
808
896
552
596
645
697
773
859
954



## UNPSS

## Stacking Storage Fascia

The Stacking Storage Fascia is a framed tackable fabric or whiteboard surface which mounts onto stacking storage cabinets.


## WHAT'S INCLUDED

1 framed fascia and attachment hardware.

## NOTES

Fabric grades 5, 6 and 7 can be specified to a maximum width of 60".

Architectural fabric can be specified to a maximum width of 48".



## PRODUCT OPTIONS

Fascia Style	Height (1" increments)	Width (6" increments)	Frame Finish	Mounting Bracket Finish	Fascia Finish
<b>T</b> Tackable Fabric (Standard Mount)	12 - 45	24 - 96	<b>AC</b> Clear Anodized	<b>E</b> Ebony	Standard Panel Fabric
<b>W</b> Whiteboard (Standard Mount)			<b>BP</b> Espresso Painted		
			<b>BH</b> Storm White Painted		

## SAMPLE ORDER CODE

UNPSS T	45	16	AC	E	L341
---------	----	----	----	---	------

DIMENSIONS  
FOR MM X BY 25.4

H	W
12-17	24
12-17	30
12-17	36
12-17	42
12-17	48
12-17	54
12-17	60
12-17	66
12-17	72
12-17	78
12-17	84
12-17	90
12-17	96
18-23	24
18-23	30
18-23	36
18-23	42
18-23	48
18-23	54
18-23	60
18-23	66
18-23	72
18-23	78
18-23	84
18-23	90
18-23	96

## PRICING

## TACKABLE FABRIC

Standard Panel Fabric A/COM			Graded-In Fabric					
	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
242	253	262	272	284	295	306	319	
262	272	284	294	306	318	330	345	
283	294	305	318	331	343	357	372	
305	317	329	343	357	371	386	402	
329	342	356	371	386	401	417	434	
356	369	385	401	417	433	450	468	
385	400	416	432	450	467	485	504	
415	432	449	466	485	n/a	n/a	n/a	
448	466	484	503	525	n/a	n/a	n/a	
483	502	524	544	565	n/a	n/a	n/a	
522	543	564	588	611	n/a	n/a	n/a	
564	587	611	634	660	n/a	n/a	n/a	
610	633	659	685	713	n/a	n/a	n/a	
262	272	284	294	306	318	330	345	
283	294	305	318	331	343	357	372	
305	317	329	343	357	371	386	402	
329	342	356	371	386	401	417	434	
356	369	385	401	417	433	450	468	
385	400	416	432	450	467	485	504	
415	432	449	466	485	504	525	545	
448	466	484	503	525	n/a	n/a	n/a	
483	502	524	544	565	n/a	n/a	n/a	
522	543	564	588	611	n/a	n/a	n/a	
564	587	611	634	660	n/a	n/a	n/a	
610	633	659	685	713	n/a	n/a	n/a	
657	684	711	740	769	n/a	n/a	n/a	

Pricing is continued on the following page.

# UNPSS

## Stacking Storage Fascia (Continued)

### DIMENSIONS FOR MM X BY 25.4

### PRICING

#### TACKABLE FABRIC

H	W	Standard Panel Fabric					Graded-In Fabric		
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
24-29	24	283	294	305	318	331	343	357	372
24-29	30	305	317	329	343	357	371	386	402
24-29	36	329	342	356	371	386	401	417	434
24-29	42	356	369	385	401	417	433	450	468
24-29	48	385	400	416	432	450	467	485	504
24-29	54	415	432	449	466	485	504	525	545
24-29	60	448	466	484	503	525	545	567	589
24-29	66	483	502	524	544	565	n/a	n/a	n/a
24-29	72	522	543	564	588	611	n/a	n/a	n/a
24-29	78	564	587	611	634	660	n/a	n/a	n/a
24-29	84	610	633	659	685	713	n/a	n/a	n/a
24-29	90	657	684	711	740	769	n/a	n/a	n/a
24-29	96	710	739	768	798	830	n/a	n/a	n/a
30-35	24	311	324	336	349	364	378	392	408
30-35	30	335	349	362	378	393	408	424	441
30-35	36	362	376	391	407	424	440	457	477
30-35	42	391	406	423	439	459	477	495	514
30-35	48	422	439	456	475	495	514	534	556
30-35	54	456	473	494	513	534	556	578	600
30-35	60	493	512	532	555	578	599	623	648
30-35	66	532	553	575	598	622	n/a	n/a	n/a
30-35	72	575	598	621	646	673	n/a	n/a	n/a
30-35	78	621	645	671	698	726	n/a	n/a	n/a
30-35	84	670	697	725	755	785	n/a	n/a	n/a
30-35	90	725	753	783	815	848	n/a	n/a	n/a
30-35	96	782	814	846	880	915	n/a	n/a	n/a
36-41	24	342	356	369	385	401	416	433	450
36-41	30	369	384	400	416	433	449	467	485
36-41	36	398	415	431	448	466	484	503	525
36-41	42	431	448	465	484	504	524	544	565
36-41	48	465	483	502	522	543	564	588	612
36-41	54	501	522	543	564	588	611	634	660
36-41	60	542	563	587	610	634	659	685	713
36-41	66	585	609	632	659	684	n/a	n/a	n/a
36-41	72	632	657	684	710	739	n/a	n/a	n/a
36-41	78	683	709	738	767	798	n/a	n/a	n/a
36-41	84	736	766	797	828	861	n/a	n/a	n/a
36-41	90	796	827	860	894	929	n/a	n/a	n/a
36-41	96	859	893	928	966	1006	n/a	n/a	n/a
42-45	24	375	391	406	422	439	456	475	495
42-45	30	406	422	438	456	476	494	513	533
42-45	36	438	455	473	493	513	532	555	576
42-45	42	472	493	512	532	555	576	599	622
42-45	48	511	531	553	575	599	622	646	673
42-45	54	552	574	596	621	646	671	698	727
42-45	60	595	620	645	670	698	726	755	785
42-45	66	644	669	697	725	753	n/a	n/a	n/a
42-45	72	696	723	752	782	814	n/a	n/a	n/a
42-45	78	751	781	812	846	879	n/a	n/a	n/a
42-45	84	810	845	878	913	948	n/a	n/a	n/a
42-45	90	877	911	947	984	1023	n/a	n/a	n/a
42-45	96	946	983	1022	1064	1106	n/a	n/a	n/a

## UNPSS

Stacking Storage Fascia  
(Continued)DIMENSIONS  
FOR MM X BY 25.4

H	W
12-17	24
12-17	30
12-17	36
12-17	42
12-17	48
12-17	54
12-17	60
18-23	24
18-23	30
18-23	36
18-23	42
18-23	48
18-23	54
18-23	60
24-29	24
24-29	30
24-29	36
24-29	42
24-29	48
24-29	54
24-29	60
30-35	24
30-35	30
30-35	36
30-35	42
30-35	48
30-35	54
30-35	60
36-41	24
36-41	30
36-41	36
36-41	42
36-41	48
36-41	54
36-41	60
42-45	24
42-45	30
42-45	36
42-45	42
42-45	48
42-45	54
42-45	60

## PRICING


## WHITEBOARD

363
393
425
461
498
538
582
403
435
469
511
550
594
643
446
480
518
589
667
721
779
484
522
563
629
682
758
842
522
563
609
669
698
774
860
564
611
678
755
837
929
1035



## UNTBS

## Tackboard – Screen Mount



The Tackboard – Screen Mount is a framed firm tackable fabric which mounts to desk edge storage and floor screens.

**WHAT'S INCLUDED**

1 tackboard, attachment hardware.

**NOTES**

Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" height is available up to a 48" width only.

## PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish	Mounting Bracket Finish
13, 22	23 - 96	Panel Fabric	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted	Foundation Mica

## SAMPLE ORDER CODE

UNTBS 13	60	L341	AC	7
----------	----	------	----	---

DIMENSIONS  
FOR MM X BY 25.4

H	W
13	23-24
13	25-27
13	28-30
13	31-33
13	34-36
13	37-39
13	40-42
13	43-45
13	46-48
13	49-51
13	52-54
13	55-57
13	58-60
13	61-63
13	64-66
13	67-69
13	70-72
13	73-75
13	76-78
13	79-81
13	82-84
13	85-87
13	88-90
13	91-93
13	94-96

## PRICING

Standard Panel Fabric				Graded-In Fabric				
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
161	166	173	178	185	193	200	204	
167	172	179	184	191	200	207	211	
172	177	184	189	197	205	212	217	
177	183	189	195	204	211	219	224	
182	187	195	201	209	217	225	229	
188	194	202	208	216	224	232	236	
190	197	204	211	220	231	237	243	
211	218	225	232	242	252	258	264	
234	241	250	259	271	282	292	298	
239	247	256	265	276	288	298	305	
243	252	262	271	283	294	304	313	
248	257	267	276	288	300	311	319	
253	262	272	282	295	306	318	326	
264	273	285	294	307	320	331	339	
275	285	296	306	320	334	346	354	
287	296	308	319	334	348	359	368	
298	307	320	330	345	360	372	382	
311	320	333	345	360	375	387	397	
323	333	346	357	373	389	402	412	
335	347	359	372	389	405	418	430	
348	359	373	386	403	420	434	446	
362	374	388	402	420	437	452	464	
376	388	403	417	436	454	469	481	
391	404	419	434	453	472	487	500	
406	419	435	450	470	490	506	520	

Pricing is continued on the following page.



# U N T B S

## Tackboard – Screen Mount (Continued)


### DIMENSIONS FOR MM X BY 25.4

H	W
22	23-24
22	25-27
22	28-30
22	31-33
22	34-36
22	37-39
22	40-42
22	43-45
22	46-48

### PRICING

Standard Panel Fabric					Graded-In Fabric			
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
186	191	200	208	217	227	236	243	
193	200	208	216	226	236	245	253	
200	207	215	223	234	244	255	262	
207	214	223	231	242	254	263	270	
212	219	229	237	249	262	271	277	
223	229	240	249	263	274	285	292	
232	240	250	261	274	287	297	305	
255	265	276	288	303	318	329	338	
277	289	302	315	332	348	361	372	

UNTBW  
Whiteboard – Screen Mount



The Whiteboard – Screen Mount is an erasable writing surface which mounts to Deskedge, Storage and Floor Screens.

**WHAT’S INCLUDED**  
1 whiteboard

**NOTES**  
Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

PRODUCT OPTIONS

Height	Width (1" increments)
15, 22	23 - 48

SAMPLE ORDER CODE


UNTBW 15	48
----------	----

DIMENSIONS FOR MM X BY 25.4		PRICING		DIMENSIONS FOR MM X BY 25.4		PRICING	
H	W			H	W		
15	23-24	126		22	23-24	150	
15	25-30	150		22	25-30	172	
15	31-36	166		22	31-36	189	
15	37-42	178		22	37-42	207	
15	43-48	195		22	43-48	229	



## UN T B P

## Tackboard – Panel Wall Mount



The Tackboard – Panel Wall Mount is a framed tackable fabric surface which mounts casually to panel walls over existing fascias.

## WHAT'S INCLUDED

1 tackboard, attachment hardware.

## NOTES

Actual height is 1" less than nominal to provide clearance with worksurface for cable management.

22" and 37" heights are available up to a 48" width only.

## PRODUCT OPTIONS

Height	Width (1" increments)	Upholstery	Frame Finish
13, 22, 37	23 - 96	Panel Fabric	<b>AC</b> Clear Anodized <b>BP</b> Espresso Painted <b>BH</b> Storm White Painted

## SAMPLE ORDER CODE

UNTBP 37	48	L341	AC
----------	----	------	----

DIMENSIONS  
FOR MM X BY 25.4

H	W
13	23-24
13	25-27
13	28-30
13	31-33
13	34-36
13	37-39
13	40-42
13	43-45
13	46-48
13	49-51
13	52-54
13	55-57
13	58-60
13	61-63
13	64-66
13	67-69
13	70-72
13	73-75
13	76-78
13	79-81
13	82-84
13	85-87
13	88-90
13	91-93
13	94-96

## PRICING

Standard Panel Fabric					Graded-In Fabric			
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
161	166	173	178	185	193	200	204	
167	172	179	184	191	200	207	211	
172	177	184	189	197	205	212	217	
177	183	189	195	204	211	219	224	
182	187	195	201	209	217	225	229	
186	193	200	207	215	224	232	236	
190	197	204	211	220	231	237	243	
212	219	227	235	245	256	265	271	
234	241	250	259	271	282	292	298	
239	247	256	265	276	288	298	305	
243	252	262	271	283	294	304	313	
248	257	267	276	288	300	311	319	
253	262	272	282	295	306	318	326	
264	273	285	294	307	320	331	339	
275	285	296	306	320	334	346	354	
287	296	308	319	334	348	359	368	
298	307	320	330	345	360	372	382	
311	320	333	345	360	375	387	397	
323	333	346	357	373	389	402	412	
335	347	359	372	389	405	418	430	
348	359	373	386	403	420	434	446	
362	374	388	402	420	437	452	464	
376	388	403	417	436	454	469	481	
391	404	419	434	453	472	487	500	
406	419	435	450	470	490	506	520	

Pricing is continued on the following page.

# U N T B P

## Tackboard – Panel Wall Mount (Continued)

### DIMENSIONS FOR MM X BY 25.4


H	W
22	23-24
22	25-27
22	28-30
22	31-33
22	34-36
22	37-39
22	40-42
22	43-45
22	46-48
37	23-24
37	25-27
37	28-30
37	31-33
37	34-36
37	37-39
37	40-42
37	43-45
37	46-48

### PRICING

Standard Panel Fabric					Graded-In Fabric			
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
186	191	200	208	217	227	236	243	
193	200	208	216	226	236	245	253	
200	207	215	223	234	244	255	262	
207	214	223	231	242	254	263	270	
212	219	229	237	249	262	271	277	
223	229	240	249	263	274	285	292	
232	240	250	261	274	287	297	305	
255	265	276	288	303	318	329	338	
277	289	302	315	332	348	361	372	
202	210	221	231	244	257	268	277	
215	224	235	245	259	273	286	295	
227	236	248	259	274	289	302	311	
237	248	261	273	289	305	319	329	
248	259	273	287	304	322	336	348	
258	270	284	297	315	333	348	359	
267	279	294	306	326	345	359	371	
300	315	330	347	368	390	407	421	
333	349	367	386	410	435	455	471	

## UKSCIS

## Single Locker with Cubby Infill



The Single Locker with Cubby Infill mounts to the open through Single Locker with Cubby to enclose the back of the storage unit.

**WHAT'S INCLUDED**

Infill, attachment hardware.

**NOTES**

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.

**PRODUCT OPTIONS**

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
<b>S</b> Solid	<b>E</b> Elevated <b>S</b> Standard	36, 42, 51, 66	29, 35	Source Laminate Seamless Color Flintwood Natural Veneer	Foundation Mica

**SAMPLE ORDER CODE**

<b>UKSCIS S</b>	<b>S</b>	<b>36</b>	<b>35</b>	<b>FX</b>	<b>7</b>
-----------------	----------	-----------	-----------	-----------	----------

**DIMENSIONS  
INCHES / MM**

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

**PRICING**

Source Laminate      Seamless Color      Flintwood      Natural Veneer

**ELEVATED (E)**

158	189	327	345
158	189	327	345
162	195	338	356
162	195	338	356
183	218	361	379
183	218	361	379
225	270	431	448
225	270	431	448


**STANDARD (S)**

162	195	338	356
162	195	338	356
167	201	350	367
167	201	350	367
187	224	373	390
187	224	373	390
229	275	441	459
229	275	441	459



## UTLXIS

## Lateral Tower Infill



Solid

Tackboard

Whiteboard

The Lateral Tower Infill mounts to the open through Lateral Tower with Cubby to enclose the back of the storage unit.

**WHAT'S INCLUDED**

Infill, attachment hardware.

**NOTES**

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Seamless Color, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Seamless Color, Flintwood or Natural Veneer.

Actual size of storage infill relates to opening and will vary depending on type and size of storage unit.

Infill for 36" high Elevated is **not** available.

This Infill **cannot** be used on Combo Tower with a Source Laminate Case.

**PRODUCT OPTIONS**

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
<b>S</b> Solid	<b>E</b> Elevated	36, 42, 51, 66	24, 30, 36	<b>WZ</b> Whiteboard	Foundation	Foundation
<b>T</b> Tackable	<b>S</b> Standard			Standard Panel Fabric	Mica	Mica
<b>W</b> Whiteboard				Seamless Color	Seamless Color	
				Source Laminate	Source Laminate	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

**SAMPLE ORDER CODE**

<b>UTLXIS S</b>	<b>S</b>	<b>36</b>	<b>36</b>	<b>11PP</b>	<b>7</b>	<b>7</b>
-----------------	----------	-----------	-----------	-------------	----------	----------

**DIMENSIONS**  
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

**PRICING****INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match**

Source Laminate      Seamless Color      Flintwood      Natural Veneer

**ELEVATED (E)**

183	218	309	323
191	229	333	347
201	241	356	371
191	229	322	335
201	241	345	359
211	253	367	384
249	298	414	432
283	338	470	492
316	379	528	552

**STANDARD (S)**

191	229	322	335
201	241	345	359
211	253	367	384
183	218	309	323
191	229	333	347
201	241	356	371
216	258	367	384
235	282	402	419
254	304	436	455
268	322	459	480
311	373	528	552
345	414	585	612

Pricing is continued on the following page.



# UTLXIS

## Lateral Tower Infill (Continued)

### DIMENSIONS INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914

### PRICING

**INFILL STYLE TACKABLE: OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.**

Standard Panel Fabric A/COM				Graded-In Fabric			
	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
<b>ELEVATED (E)</b>							
174	184	194	205	218	232	247	263
190	201	212	225	240	254	270	287
207	218	232	247	265	280	298	318
186	195	207	219	235	248	264	282
201	212	225	239	255	270	287	305
217	229	243	258	275	293	313	333
259	275	294	314	335	357	381	407
292	309	330	354	379	404	433	464
334	356	380	406	436	466	499	534

<b>STANDARD (S)</b>							
186	195	207	219	235	248	264	282
201	212	225	239	255	270	287	305
217	229	243	258	275	293	313	333
174	184	194	205	218	232	247	263
190	201	212	225	240	254	270	287
207	218	232	247	265	280	298	318
217	229	243	258	275	293	313	333
239	253	268	286	305	325	347	371
265	282	299	319	342	363	389	417
282	298	318	339	364	388	416	445
334	356	380	406	436	466	499	534
376	402	430	459	493	527	564	605


**INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below.**

Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>ELEVATED (E)</b>			
235	282	367	382
253	303	402	419
285	341	448	467
254	304	390	406
275	330	436	454
309	371	482	502
417	499	703	735
445	532	751	786
624	748	1064	1114

<b>STANDARD (S)</b>			
254	304	390	406
275	330	436	454
309	371	482	502
235	282	367	382
253	303	402	419
285	341	448	467
319	382	482	502
337	404	516	539
435	521	643	671
450	539	671	702
493	590	746	781
679	816	976	1021

## UTCXIS

## Combo Tower Infill



Solid

Tackboard

Whiteboard

The Combo Tower Infill mounts to the open through Combo Tower with Cubby to enclose the back of the storage unit.

**WHAT'S INCLUDED**

Infill, attachment hardware.

**NOTES**

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

When the Outside finish is Source Laminate, Seamless Color, Flintwood or Natural Veneer, the Inside finish will match the outside.

When the Outside finish is fabric, the Inside finish will be painted.

When the Outside finish is a whiteboard, the Inside finish can be Source Laminate, Seamless Color, Flintwood or Natural Veneer.

**Cannot** be used on Combo Tower with Source Laminate Case. Please see Source Laminate Tower Infill (UTCXIX).

**PRODUCT OPTIONS**

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
<b>S</b> Solid	<b>E</b> Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	<b>WZ</b> Whiteboard	Foundation	Foundation
<b>T</b> Tackable	<b>S</b> Standard			Standard Panel Fabric	Mica	Mica
<b>W</b> Whiteboard				Seamless Color	Seamless Color	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

**SAMPLE ORDER CODE**

<b>UTCXIS W</b>	<b>S</b>	<b>36</b>	<b>36</b>	<b>WZ</b>	<b>FX</b>	<b>7</b>
-----------------	----------	-----------	-----------	-----------	-----------	----------

**DIMENSIONS**  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

**PRICING****INFILL STYLE SOLID: OUTSIDE FINISH SOLID – Inside Finish will match**

Seamless Color	Flintwood	Natural Veneer
<b>ELEVATED (E)</b>		
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
n/a	n/a	n/a
207	287	298
207	287	298
218	309	323
229	333	347
241	356	371
218	298	311
218	298	311
229	322	335
241	345	359
253	367	384
258	356	372
258	356	372
298	414	432
338	470	492
379	528	552

Seamless Color	Flintwood	Natural Veneer
<b>STANDARD (S)</b>		
218	298	313
218	298	313
229	322	335
241	345	359
253	367	384
207	287	299
207	287	299
218	309	323
229	333	347
241	356	371
235	333	349
235	333	349
258	367	384
282	402	419
304	436	455
287	414	424
287	414	424
322	459	480
373	528	552
414	585	612

Pricing is continued on the following page.

# UTCXIS

## Combo Tower Infill

(Continued)

### DIMENSIONS

#### INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

### PRICING

**INFILL STYLE TACKABLE; OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.**

Standard Panel Fabric				Graded-In Fabric			
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
ELEVATED (E)							
158	166	176	186	192	197	210	224
158	166	176	186	192	197	210	224
174	184	194	205	212	218	232	247
190	201	212	225	232	239	254	270
207	218	232	247	255	263	280	298
171	178	188	200	206	212	226	241
171	178	188	200	206	212	226	241
186	195	207	219	226	233	248	264
201	212	225	239	247	254	270	287
217	229	243	258	266	274	293	313
228	241	256	272	281	289	308	329
228	241	256	272	281	289	308	329
259	275	294	314	324	334	357	381
292	309	330	354	366	378	404	433
334	356	380	406	421	435	466	499

### STANDARD (S)

171	178	188	200	213	226	241	257
171	178	188	200	213	226	241	257
186	195	207	219	234	248	264	282
201	212	225	239	255	270	287	305
217	229	243	258	276	293	313	333
158	166	176	186	198	210	224	239
158	166	176	186	198	210	224	239
174	184	194	205	219	232	247	263
190	201	212	225	240	254	270	287
207	218	232	247	264	280	298	318
195	207	218	231	246	261	277	295
195	207	218	231	246	261	277	295
217	229	243	258	276	293	313	333
239	253	268	286	306	325	347	371
265	282	299	319	341	363	389	417
228	241	256	273	291	309	331	354
228	241	256	273	291	309	331	354
282	298	318	339	364	388	416	445
334	356	380	406	436	466	499	534
376	402	430	459	493	527	564	605

Pricing is continued on the following page.

## UTCXIS

Combo Tower Infill  
(Continued)DIMENSIONS  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING


INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below

Seamless Color	Flintwood	Natural Veneer	Seamless Color	Flintwood	Natural Veneer
ELEVATED (E)			STANDARD (S)		
n/a	n/a	n/a	282	345	358
n/a	n/a	n/a	282	345	358
n/a	n/a	n/a	304	390	406
n/a	n/a	n/a	330	436	454
n/a	n/a	n/a	371	482	502
259	333	346	258	333	347
259	333	346	258	333	347
282	367	382	282	367	382
303	402	419	303	402	419
341	448	467	341	448	467
277	345	358	356	448	467
277	345	358	356	448	467
304	390	406	382	482	502
330	436	454	404	516	539
371	482	502	521	643	671
466	656	686	494	602	630
466	656	686	494	602	630
499	703	735	539	671	702
532	751	786	590	746	781
748	1064	1114	816	976	1021



## UTCXIX

## Source Laminate Combo Tower Infill



Solid

Tackable

Whiteboard

## PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside Finish	Inside Finish	Bracket Finish
<b>S</b> Solid	<b>E</b> Elevated	36, 42, 51, 66	24, 30, 36, 42, 48	<b>WZ</b> Whiteboard	Foundation	Foundation
<b>T</b> Tackable	<b>S</b> Standard			Standard Panel Fabric	Mica	Mica
<b>W</b> Whiteboard				Source Laminate	Source Laminate	
				Seamless Color	Seamless Color	
				Flintwood	Flintwood	
				Natural Veneer	Natural Veneer	

## SAMPLE ORDER CODE

UTCXIX W	S	36	36	WZ	FX	7
----------	---	----	----	----	----	---

DIMENSIONS  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

## INFILL STYLE SOLID; OUTSIDE FINISH SOLID – Inside Finish will match

Source Laminate	Seamless Color	Flintwood	Natural Veneer	Source Laminate	Seamless Color	Flintwood	Natural Veneer
ELEVATED (E)				STANDARD (S)			
n/a	n/a	n/a	n/a	177	211	288	302
n/a	n/a	n/a	n/a	177	211	288	302
n/a	n/a	n/a	n/a	185	221	311	324
n/a	n/a	n/a	n/a	194	233	333	347
n/a	n/a	n/a	n/a	204	244	355	371
166	200	277	288	166	200	277	289
166	200	277	288	166	200	277	289
177	211	299	312	177	211	299	312
185	221	322	335	185	221	322	335
194	233	344	358	194	233	344	358
177	211	288	300	189	227	322	337
177	211	288	300	189	227	322	337
185	221	311	324	209	249	355	371
194	233	333	347	227	272	388	405
204	244	355	371	245	294	421	440
209	249	344	359	232	277	400	410
209	249	344	359	232	277	400	410
241	288	400	417	259	311	443	464
273	327	454	475	300	360	510	533
305	366	510	533	333	400	565	591

Pricing is continued on the following page.

## UTCXIX

Source Laminate Combo Tower Infill  
(Continued)DIMENSIONS  
INCHES / MM

## PRICING

INFILL STYLE TACKABLE; OUTSIDE FINISH TACKABLE – Inside Finish will be painted. See appropriate pricing below.

		Standard Panel Fabric				Graded-In Fabric			
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
H	W	ELEVATED (E)							
42 / 1067	24 / 610	153	160	170	180	190	203	216	231
42 / 1067	30 / 762	153	160	170	180	190	203	216	231
42 / 1067	36 / 914	168	178	187	198	211	224	239	254
42 / 1067	42 / 1067	184	194	205	217	231	245	261	277
42 / 1067	48 / 1219	200	211	224	239	254	271	288	307
51 / 1295	24 / 610	165	172	182	193	205	218	233	248
51 / 1295	30 / 762	165	172	182	193	205	218	233	248
51 / 1295	36 / 914	180	188	200	212	225	240	255	272
51 / 1295	42 / 1067	194	205	217	231	245	261	277	295
51 / 1295	48 / 1219	210	221	235	249	265	283	302	322
66 / 1676	24 / 610	220	233	247	263	279	298	318	339
66 / 1676	30 / 762	220	233	247	263	279	298	318	339
66 / 1676	36 / 914	250	266	284	303	323	345	368	393
66 / 1676	42 / 1067	282	299	319	342	365	390	418	448
66 / 1676	48 / 1219	323	344	367	392	420	450	482	516
		STANDARD (S)							
36 / 914	24 / 610	165	172	182	193	205	218	233	248
36 / 914	30 / 762	165	172	182	193	205	218	233	248
36 / 914	36 / 914	180	188	200	212	225	240	255	272
36 / 914	42 / 1067	194	205	217	231	245	261	277	295
36 / 914	48 / 1219	210	221	235	249	265	283	302	322
42 / 1067	24 / 610	153	160	170	180	190	203	216	231
42 / 1067	30 / 762	153	160	170	180	190	203	216	231
42 / 1067	36 / 914	168	178	187	198	211	224	239	254
42 / 1067	42 / 1067	184	194	205	217	231	245	261	277
42 / 1067	48 / 1219	200	211	224	239	254	271	288	307
51 / 1295	24 / 610	188	200	211	223	236	252	268	285
51 / 1295	30 / 762	188	200	211	223	236	252	268	285
51 / 1295	36 / 914	210	221	235	249	265	283	302	322
51 / 1295	42 / 1067	231	244	259	276	294	314	335	358
51 / 1295	48 / 1219	256	272	289	308	329	351	376	403
66 / 1676	24 / 610	220	233	247	264	280	299	320	342
66 / 1676	30 / 762	220	233	247	264	280	299	320	342
66 / 1676	36 / 914	272	288	307	328	350	375	402	430
66 / 1676	42 / 1067	323	344	367	392	420	450	482	516
66 / 1676	48 / 1219	363	388	415	443	475	509	545	585

Pricing is continued on the following page.

## UTCXIX

Source Laminate Combo Tower Infill  
(Continued)DIMENSIONS  
INCHES / MM

H	W
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

## PRICING

INFILL STYLE WHITEBOARD: OUTSIDE FINISH WHITEBOARD – Inside Finish will be solid. See appropriate pricing below

Source Laminate	Seamless Color	Flintwood	Natural Veneer
ELEVATED (E)			
n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a
n/a	n/a	n/a	n/a
210	250	322	334
210	250	322	334
227	272	355	369
244	293	388	405
275	329	433	451
224	268	333	346
224	268	333	346
245	294	377	392
266	319	421	439
299	358	466	485
376	450	634	663
376	450	634	663
403	482	679	710
430	514	726	759
603	723	1028	1076

Source Laminate	Seamless Color	Flintwood	Natural Veneer
STANDARD (S)			
227	272	333	346
227	272	333	346
245	294	377	392
266	319	421	439
299	358	466	485
209	249	322	335
209	249	322	335
227	272	355	369
244	293	388	405
275	329	433	451
287	344	433	451
287	344	433	451
308	369	466	485
326	390	499	521
420	503	621	648
398	477	582	609
398	477	582	609
435	521	648	678
476	570	721	755
656	788	943	986



The Pedestal Tower with Cubby Infill mounts to the open through Pedestal Tower with Cubby to enclose the back of the storage unit.

#### WHAT'S INCLUDED

Infill, attachment hardware.


#### NOTES

Type (Elevated or Standard), height and width should be specified according to the size of the cabinet.

The Outside finish will match the Inside finish specified.

Stop options correspond to limitations of the product offering for the given storage unit.

Infill for 36" high Elevated is **not** available.



## UTDCIS Pedestal Tower with Cubby Infill

#### PRODUCT OPTIONS

Infill Style	Type	Height	Width	Outside & Inside Finish	Bracket Finish
<b>S</b> Solid	<b>E</b> Elevated <b>S</b> Standard	36, 42, 51, 66	29, 35	Seamless Color Source Laminate Flintwood Natural Veneer	Foundation Mica

#### SAMPLE ORDER CODE

<b>UTDCIS S</b>	<b>E</b>	<b>36</b>	<b>35</b>	<b>FX</b>	<b>7</b>
-----------------	----------	-----------	-----------	-----------	----------


#### DIMENSIONS INCHES / MM

H	W
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889
36 / 914	29 / 737
36 / 914	35 / 889
42 / 1067	29 / 737
42 / 1067	35 / 889
51 / 1295	29 / 737
51 / 1295	35 / 889
66 / 1676	29 / 737
66 / 1676	35 / 889

#### PRICING

Source Laminate	Seamless Color	Flintwood	Natural Veneer
<b>ELEVATED (E)</b>			
158	189	327	345
158	189	327	345
162	195	338	356
162	195	338	356
183	218	361	379
183	218	361	379
225	270	431	448
225	270	431	448
<b>STANDARD (S)</b>			
162	195	338	356
162	195	338	356
167	201	350	367
167	201	350	367
187	224	373	390
187	224	373	390
229	275	441	459
229	275	441	459

U W L C  
Seat Cushion



The Seat Cushion is removable and is intended to provide casual guest seating when applied to a low credenza top or rolling pedestal.

WHAT'S INCLUDED

1 seat cushion.

NOTES

Yardage requirement for com or col is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

PRODUCT OPTIONS

Style	Upholstery Finish
R Rolling Pedestal	Seating Fabric
C Credenza	Leather

SAMPLE ORDER CODE

UWLC R	S491
--------	------

PRICING

Gr. 1	COM/ Gr. 2	COL/ Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Gr. 8	Gr. 9	Gr. 10	Leather LA	Leather LB	Leather LC	Leather LD
328	373	390	407	424	436	459	482	504	528	660	708	824	899

The Fitted Seated Cushion is specifically sized to fit credenza tops. It is removable and is intended to provide casual guest seating when applied to a low credenza top.


#### WHAT'S INCLUDED

1 seat cushion, velcro attachment strips.

#### NOTES

Yardage requirement for COM is 0.75 yards based on a pattern of repeat of no more than 4" horizontal or vertical. Larger repeats will require additional yardage.

## U W L F Fitted Seat Cushion



#### PRODUCT OPTIONS

Depth	Width (6" increments)	Upholstery Finish
16, 19	24 - 42	Seating Fabric

#### SAMPLE ORDER CODE

UWLF 16	30	GA06
---------	----	------

#### DIMENSIONS INCHES / MM

D	W
16 / 406	24 / 610
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
19 / 483	24 / 610
19 / 483	30 / 762
19 / 483	36 / 914
19 / 483	42 / 1067


#### PRICING

Grade 1	COM/ Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
330	380	400	420	440	462	485	509	536	561
363	418	439	462	484	508	533	560	589	617
407	468	492	516	541	569	598	626	659	691
450	518	543	571	599	629	661	693	729	765
330	380	400	420	440	462	485	509	536	561
363	418	439	462	484	508	533	560	589	617
407	468	492	516	541	569	598	626	659	691
450	518	543	571	599	629	661	693	729	765

U N T K  
Tool Kit

The Tool Kit is required to install fascia connectors and to remove fascias from panel walls.

**WHAT’S INCLUDED**  
1 tool (as specified).



PRODUCT OPTIONS

Style	
A	Male Connector Insertion Tool
B	Fascia Removal Tool
C	Bottom Vertical Male Connector Insertion Tool

SAMPLE ORDER CODE

UNTK A
--------

STYLE	PRICING
A	298
B	49
C	298



electrics


# electrics

PRODUCT MAP / TABLE OF CONTENTS . . . . .	692
ELECTRICS & COMMUNICATIONS OVERVIEW . . . . .	695
POWER ENTRY BASICS – PANEL-MOUNTED WORKSTATIONS . . . . .	696
POWER & COMMUNICATIONS BASICS – PANEL-MOUNTED WORKSTATIONS . . . . .	697
WIRING SYSTEMS . . . . .	698
POWER DISTRIBUTION BASICS – PANEL-MOUNTED WORKSTATIONS . . . . .	699
CASUAL ELECTRICS BASICS – PANEL-MOUNTED WORKSTATIONS . . . . .	700
STORAGE ELECTRICS BASICS . . . . .	701
ELECTRICS PRODUCT LISTING . . . . .	704
STORAGE ELECTRICS PRODUCT LISTING . . . . .	720

# product map

## UNQPR Power Box

Page 704  
Single Length: 12" / Double Length: 16"




## UNQRO Receptacle Outlet

Page 705  
Standard 15 amp / T-Slot 20 amp




## UNQBHR Power Harness

Page 706




## UNQBFR Base Feed

Page 707  
Length: 72"




## UNQBFSR Split Base Feed

Page 708  
Length: 18" & 72"




## UNQCFR Ceiling Feed

Page 709  
Length: 120"



## UNQEP Power Pole

Page 710  
Length: 48" - 96"




## UNQEPR End of Run Power Pole

Page 711  
Base Height: 29" & 42"  
Upper Height: 48" & 96"




## UNQCT Cable Trough

Page 712  
Length: 30" & 72"




## UNVC Vertical Cable Manager

Page 713  
Height: 23" & 26"




## ZOEWM Casual Wire Manager Kit

Page 714



## UNQDE Data Extender Plate

Page 715






# product map


## UNQCMP Compatibility Power Harness

Page 716  
Length: 24"




## UNQPRCH Chicago Power Box

Page 717



## UNQBFRCH Chicago Base Feed

Page 718  
Length: 72"



## UNQCFRCH Chicago Ceiling Feed


Page 719  
Length: 120"



## storage electrics


### EWWT Under Cabinet Wire Tray

Page 720  
Length: 12", 24", 36", 48", 60", 72", 84"




### EWBF Storage Base Feed

Page 721  
Length: 72", 144"




### EWBFCH Storage Chicago Base Feed

Page 722  
Length: 72"



### EWBFS Storage Split Base Feed

Page 723  
Length: 18", 72"



### EWCF Storage Ceiling Feed

Page 724  
Length: 120", 144"



# product map


## EWCFCH Storage Chicago Ceiling Feed

Page 725  
Length: 120", 144"




## EWBH Storage Power Harness

Page 726  
Length: 24", 48", 72", 96, 120" 144"



## EWDB 4-Way Splitter

Page 727




## EWIC I-Connector

Page 727



## EWQP Flush Mount Power & Data

Page 728  
Standard 15 amp / T-Slot 20 amp



## EWQPCH Chicago Flush-Mounted Power Box

Page 729




## EWRO Storage Receptacle Outlet

Page 730




## EWQPM Cubby Power Monument

Page 731




## EWQPMCH Chicago Cubby Power Monument

Page 732



## EWEP Storage Power Pole


Page 733  
Height: 8', 10'




# electrics & communications overview

District offers a non-directional wiring system that allows for maximum flexibility and simple reconfiguration.

- Power must be turned off during all installations and reconfigurations




- 1 Power is provided to workstations by either a power pole or through a base feed.
- 2 Power boxes can be mounted above or below worksurface height.
- 3 When panels are **not** available for routing cables, casual wire management is available.
- 4 Power is distributed by harnesses connected by power boxes – the power box can accommodate up to four outlets, two on either side of the box, and the power can run in either direction from the box.
- 5 Power is provided to workstations by either a power pole or through a base feed.



- A compatibility harness is available to connect the new style of power with the previous version of District electrics


# power entry basics – panel-mounted workstations

Power and communications cables enter a workstation either through a base feed or a ceiling feed. The options are detailed below. The following outlines the features of the electrical and communication components available for use in District panel environments.




## Base Feed (UNQBFR)

- A hard wired connection that supplies power into a panel from the building power source
- Both base feeds and harnesses can be used in the same panel
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Available in options for mounting into either solid fascias or metal or fabric fascias
- Available in a PVC free option
- If a base feed kit is mounted onto an elevated panel, it will be below the rail, therefore will be exposed.





## Chicago Base Feed (UNQBFRCH)

- Provides the conduit only for Chicago electrics wiring restrictions that require that all wiring and connections be supplied and connected by a licensed electrician
- Supplied with three wires for a single circuit only
- Available 72" long only
- Box painted Platinum



## Split Base Feed (UNQBFSR)

- Same as the base feed except that it is hard wired to the building power supply in two places for New York City wiring restrictions
- Accommodates hard wiring within the floor monument and in the wiring junction box
- Box painted Platinum



(UNQEP)



(UNQEPR)

## Power Pole (UNQEP) & End of Run Power Pole (UNQEPR)

- Used to house the ceiling feed and includes a pole divider for separating the ceiling power feed from the communications and data cables
- Available in 48", 72" and 96" heights for up to 10' ceilings
- Available in options for corner mounting and off-module mounting
- End of Run Power Pole (UNQEPR) **cannot** be installed off-module or on a corner

## Ceiling Feed (UNQCFR)

- Routes power into the panel from the ceiling through the power pole
- Includes a junction box to connect to the building power supply at the ceiling
- Also connects to a power harness
- Available in 8T, 7T, 8K and 7K wiring options to allow for most common Teknion wiring configurations
- Length of the feed represents the length of the harness encased in flexible conduit – an additional 6" of cable is provided for connection the ceiling junction box





## Chicago Ceiling Feed (UNQCFRCH)

- Same as ceiling feed except that there is no connector on the bottom end due to Chicago electrics wiring restrictions
- Supplied with three wires for a single circuit only



# power & communications basics – panel-mounted workstations

Power can be accessed at various heights within a panel wall through the use of power boxes and receptacles.




## Power Box (UNQPR)

- A module for mounting receptacles (specified separately)
- Mounts to the panel frame below or above panel wall rails but does **not** clip to light block rails
- Available in single (S) or double (D) lengths – the 24" and 30" wide panels can only accommodate the single box
- Single length power box is 12" long and includes a bezel with one receptacle and one data opening
- Double length power box is 16" long and includes a bezel with two receptacle and one data opening
- Either a one-sided or back-to-back application must be specified (even though it is the same box), so that the proper amount of bezels will be included
- Available in a PVC free option




## Receptacle Outlet (UNQRO)

- A single duplex receptacle that slides onto the power box module to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, USB, Controlled 15 and 20 amp (20 amp only available in Black)
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only) and USB



## Chicago Power Box (UNQPRCH)

- Same as the power box except for Chicago electrics applications
- Includes the outlets and faceplates, but does **not** include any connectors – electrical connections must be done on site by a certified electrician
- Must be specified single or double length, and one-sided or back-to-back







## Data Extender Plate (UNQDE)

- The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements

# wiring systems

Four wiring systems are available for Interpret 8-Wire Isolated (8T), 7-Wire Non Isolated (7T), 8-Wire Dual Isolated (8K) and 7-Wire Dual Non Isolated (7K). Most common Teknion wiring configurations are achieved with these wiring systems.

For sites where Isolated Ground is not available, Teknion offers Non-Isolated Ground options for furniture wiring. The site electrician or electrical contractor/consultant can identify sites where Isolated Ground is not available. For those sites, please specify Teknion 7T or 7K wiring systems.

	No. Regular Circuits	No. Isolated Circuits
<b>8-Wire Isolated (8T) (3+1)</b>  Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Isolated Circuit 5 (Orange) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	3	1
<b>8-Wire Dual Isolated (8K) (2+2)</b>  Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Ground (Green) Isolated Circuit 5 (Orange) Isolated Circuit 6 (Blue) Isolated Neutral (White/Orange) Isolated Ground (Green/Orange)	2	2
<b>7-Wire Non Isolated (7T) (3+1)</b>  Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Circuit 3 (Blue) Ground (Green) Neutral (White/Orange) Circuit A (Orange)	4	0
<b>7-Wire Dual Non Isolated (7K) (2+2)</b>  Neutral (White) Circuit 1 (Black) Circuit 2 (Red) Isolated Neutral (White/Orange) Circuit A (Orange) Circuit B (Blue) Ground (Green)	4	0

## wiring system/receptacles

	Wiring System			
	8T	8K	7T	7K
Regular Ground Receptacles	1, 2, 3	1, 2	1, 2, 3, A	1, 2, A, B
Isolated Ground Receptacles	5	5, 6	n/a	n/a


- All receptacles except Circuit 6, A, B can be used with the 8T wiring system (cannot accept a 2nd Isolated Circuit)
- All receptacles except Circuit 3, A, B can be used with the 8K wiring system (cannot accept a 3rd Regular Circuit)
- Circuit A is compatible with 7T & 7K. Circuit B is compatible with 7K only

## wiring system/related circuit


	Wiring System			
	8T	8K	7T	7K
Regular Circuit 1 Receptacle	✓	✓	✓	✓
Regular Circuit 2 Receptacle	✓	✓	✓	✓
Regular Circuit 3 Receptacle	✓		✓	
Isolated Circuit 5 IG Receptacle	✓	✓		
Isolated Circuit 6 IG Receptacle		✓		
Regular Circuit A Receptacle			✓	✓
Regular Circuit B Receptacle				✓

✓ Applicable

### 15 Amp



### 20 Amp





### USB



- Outlets are available 15, 20 amp or USB
- The 20 Amp is only available in Black
- USB is always on Circuit 1
- Outlets are available with marking indicating it is connected to a control system in both 15 and 20 amp options.


# power distribution basics – panel-mounted workstations

Power is routed through panel walls with harnesses. The options are listed below.



## Power Harness (UNQBHR)

- Routes power from one power box to another and is non directional
- Also connects to base feeds and ceiling feeds
- Available in various lengths from 9" to 144" and can be used within any panel
- 9", 12" and 24" conduit is mesh, providing a greater bend radius, and all conduits are oval to be able to pass between panels
- Available in a PVC free option



## Compatibility Power Harness (UNQCMP)

- Used to connect harnesses from the old District electrics to harnesses from the new District electrics, allowing both systems to be used in the same configurations for 8T and 8K wiring only





## I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough




# casual electrics basics – panel-mounted workstations

District offers options for adding casual power to workspaces, without the use of panels.




## Vertical Cable Manager (UNVC)

- Used to conceal and route cables vertically below the desk
- Mounts to a floor screen or to storage
- Two heights to accommodate North American and International electrics
- The International version allows space to mount an International Outlet Box (VED)




Desk Clamp with Self-Tapping Screws




Under-Worksurface Mount

## Power Bar (YEPD)

- Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Attaches to a desk or the underside of a worksurface or to a modesty panel to provide casual power
- Does **not** include data capability




Lyft Base Mount



Accessories Element Mount


## Cable Trough (UNQCT)

- An ABS cable trough is mounted below a worksurface to manage wires coming from the worksurface level on to Panel Wall electrics or floor monuments
- The 30" wide is the optimum size to fit between worksurface brackets



## Worksurface Wire Clips (YESW)

- Available from Complements: *Teknion's Ergonomics & Accessories Program*
- Package of six undersurface cable clips that can be installed on the underside of a worksurface
- Provide two separate channels, one to run electrical and another to run communications cables
- The communications channel has a built-on soft sponge to protect the cables





## Grommets

- Available as an option for workspaces, credenzas and elevated high credenzas
- Available from Complements: *Teknion's Ergonomics & Accessories Program*




# storage electrics basics

Power can be routed through elevated District storage to provide power to workstations with no panel walls.




## Storage Base Feed (EWBF)

- Provides power from the floor to the underside of the storage cabinet and connects to harnesses
- Available in 72" and 144" lengths in 8T, 7T, 8K and 7K wiring systems



## Storage Power Harness (EWBH)

- Carries power along the base of the cabinet to power & data box in the storage unit
- Available in lengths of 24", 48", 72", 120" and 144"
- 24" length is mesh, other sizes are a hybrid of mesh and metal conduit




## Storage Chicago Base Feed (EWBFCH)

- Same as the Base Feed (EWBF) except for Chicago electrics application
- Only the conduit is provided
- All wiring and connections must be supplied and connected by a certified electrician




## I-Connector (EWIC)

- Used to join two harnesses when a single harness length is **not** long enough



## Storage Split Base Feed (EWBFS)

- Same as the Base Feed (EWBF) except it is hard wired to the building power supply in two places in New York wiring restrictions




## 4-Way Splitter (EWDB)

- Attaches to a harness to split power in four different directions


## storage electrics basics (continued)

Power can be brought into the storage unit from the floor via a Base Feed or from the ceiling via a Power Pole Ceiling Feed. Build in feeds always route power & data to the underside of the elevated storage.



### Storage Ceiling Feed (EWCF)

- Routes power to the underside of the storage cabinet from the ceiling through the storage power pole
- Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed




### Storage Power Pole (EWEP)

- The Storage Power Pole (EWEP) can route power and data to two storage units.
- Houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables
- It is used to feed power and data to the underside of the storage units



### Storage Chicago Ceiling Feed (EWCFCF)



- Same as Storage Ceiling Feed (EWCF) except for Chicago electrics application
- The Storage Chicago Ceiling Feed (EWCFCF) comes with a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician



### Under Cabinet Wire Tray (EWWT)

- A tray for managing wires below the storage cabinet
- Available in lengths of 12", 24", 36", 48", 60", 72" and 84"
- Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted

# storage electrics basics (continued)



## Flush Mount Power & Data (EWQP)

- A module for mounting receptacles (specified separately) to storage
- Mounts to the back of a storage cabinet at either base height or beltline height
- Each unit supplies power & data access to user on opposite (backside) of cabinet




## Chicago Flush-Mounted Power Box (EWQPCH)

- Same as Flush Mount Power & Data (EWQP) except for Chicago electrics application
- Data and communications must be sourced separately
- Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician




## Storage Receptacles Outlet (EWRO)

- A single duplex receptacle that mounts into the Flush Mount Power & Data (EWQP) unit to provide power
- Specified individually for maximum circuit flexibility
- Styles include Standard 15 amp, T-Slot 20 amp, USB, Controlled 15 and 20 amp (20 amp only available in Black)
- Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only) and USB



## Cubby Power Monument (EWQPM)


- Provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers
- Cubby Power Monument must plug directly into a 4-Way Splitter (EWDB) or an I-Connector (EWIC). It plug directly into a Storage Power Harness (EWBH).
- T-Slot 20 amp receptacle style is finished in Ebony



## Chicago Cubby Power Monument (EWQPMCH)

- Same as Cubby Power Monument (EWQPM) except for Chicago electrics application
- T-Slot 20 amp receptacle style is finished in Ebony

UNQPR  
Power Box



The Power Box is a module that mounts to panel rails to allow mounting of receptacles.

WHAT’S INCLUDED

Single Length: bezel with 1 opening for receptacle and 1 opening for data.

Double Length: bezel with 2 openings for receptacle and 1 opening for data.

WHAT’S EXCLUDED

Receptacles (UNQRO) must be specified separately. Can be found on page 705.

NOTES

For 24" and 30" wide panels, only the single length can be used.

PRODUCT OPTIONS

Length	Application	Wire System	Country of Installation	Bezel Finish	PVC Free
<b>S</b> Single Length	<b>A</b> One-Sided	<b>8T</b> 8-Wire Isolated Ground	<b>A</b> Canada/U.S.A	<b>YY</b> Ebony	<b>~</b> Standard
<b>D</b> Double Length	<b>B</b> Back-to-Back	<b>8K</b> 8-Wire Dual Isolated		<b>YF</b> Storm White	<b>V</b> PVC Free
				<b>YN</b> Platinum Grey Coordinate	
				<b>YV</b> Very White Coordinate	

SAMPLE ORDER CODE

UNQPR S	A	8K	A	YF	V
---------	---	----	---	----	---

DIMENSIONS

	PRICING			
	STANDARD		PVC FREE (V)	
L	One-Sided (A)	Back-to-Back (B)	One-Sided (A)	Back-to-Back (B)
S	166	189	184	209
D	201	224	221	247

# UNQRO Receptacle

The Receptacle Outlet mounts onto the Power Module to provide access to power.

## WHAT'S INCLUDED

1 duplex.

## NOTES

Specified individually for maximum circuit flexibility.

Styles include Standard 15 amp, T-Slot 20 amp, USB, Controlled 15 and 20 amp.

Outlet configurations consist of Circuit 1, Circuit 2, Circuit 3 (use 7T and 8T only), Circuit 5 (8T and 8K only), Circuit 6 (use 8K only), Circuit A (7T and 7K only), Circuit B (7K only) and USB.

Receptacle color Storm White (YF), Platinum Grey Coordinate (YN) and Very White Coordinate (YV) are not available with Receptacle Style T-Slot 20 Amp (T).

If Receptacle Style USB 5 VDC 2.1 Amp (U) is selected, Circuits 2, 3, 5 & 6, A, B are not available.

Receptacle style D and E include a marking indicating it is connected to a control system.



## PRODUCT OPTIONS

Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish
<b>S</b> Standard 15 amp	<b>1</b> Circuit 1	<b>A</b> Canada/U.S.A	<b>YY</b> Ebony
<b>T</b> T-Slot 20 amp (Ebony only)	<b>2</b> Circuit 2		<b>YF</b> Storm White
<b>U</b> USB (Circuit 1 only)	<b>3</b> Circuit 3 (use with 7T & 8T only)		<b>YN</b> Platinum Grey Coordinate
<b>D</b> Controlled 15 amp	<b>5</b> Circuit 5 (use with 8T & 8K only)		<b>YV</b> Very White Coordinate
<b>E</b> Controlled 20 amp	<b>6</b> Circuit 6 (Use with 8K only)		
	<b>A</b> Circuit A Non Isolated Ground (use with 7T & 7K only)		
	<b>B</b> Circuit B Non Isolated Ground (use with 7K only)		

## SAMPLE ORDER CODE

<b>UNQRO S</b>	<b>6</b>	<b>A</b>	<b>YF</b>
----------------	----------	----------	-----------

## DIMENSIONS

Style
S
T
U
D
E

## PRICING

29
34
153
29
34

## UNQBHR Power Harness


The Power Harness routes power between power boxes and base feeds.

### WHAT'S INCLUDED

Power harness.

### NOTES

9", 12" and 24" lengths are mesh conduit.



### PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
<b>8K</b> 8-Wire Dual Isolated	024, 048, 072, 096, 120, 144	<b>A</b> Canada/U.S.A.	~ Standard
<b>8T</b> 8-Wire Isolated Ground			<b>V</b> PVC Free

### SAMPLE ORDER CODE

<b>UNQBHR 8K</b>	<b>72</b>	<b>A</b>	<b>V</b>
------------------	-----------	----------	----------


### DIMENSIONS

L
9
12
24
48
72
96
120
144

### PRICING

8-WIRE DUAL ISOLATED (8K)		8-WIRE ISOLATED GROUND (8T)	
Standard	PVC Free (V)	Standard	PVC Free (V)
97	108	87	95
104	117	93	102
139	154	124	136
184	202	153	168
196	217	162	180
225	248	186	205
267	295	221	244
289	319	237	262

# UNQBFR Base Feed



The Base Feed delivers power to a Panel Wall at base level and provides entry for data communication cables.

## WHAT'S INCLUDED

Base feed, 72" liquid-tite cable, data/communications bezel mounting hardware.

## NOTES

Power Harness (UNQBH) is required to route power to a power box or distribution box.

Base Feed Box finished in Platinum.

## PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
<b>8T</b> 8-Wire Isolated Ground	72	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony	<b>~</b> Standard
<b>8K</b> 8-Wire Dual Isolated			<b>YF</b> Storm White	<b>V</b> PVC Free
<b>7T</b> 7-Wire Non Isolated Ground			<b>YN</b> Platinum Grey Coordinate	
<b>7K</b> 7-Wire Dual Non Isolated			<b>YV</b> Very White Coordinate	

## SAMPLE ORDER CODE

<b>UNQBFR 8K</b>	<b>8K</b>	<b>72</b>	<b>YY</b>	<b>V</b>
------------------	-----------	-----------	-----------	----------

## PRICING


### 8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free (V)
330	363

### 8-WIRE DUAL ISOLATED (8K) & 7-WIRE NON DUAL ISOLATED (7K)

Standard	PVC Free (V)
414	454

## UNQBFSR Split Base Feed



The Split Base Feed is hard-wired to the building power supply in two places. It feeds power into the Panel. Typically required in New York.

### WHAT'S INCLUDED

1 split base feed, liquidtight cable (18" or 72"), 1 wiring junction box, mounting hardware and data/communication bezel.

Split Base Feed is finished in Platinum.

### PRODUCT OPTIONS

Wire System	Length	Country of Installation	Bezel Finish	PVC Free
<b>8T</b> 8-Wire Isolated Ground	18, 72	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony	~ Standard <b>V</b> PVC Free
<b>8K</b> 8-Wire Dual Isolated			<b>YF</b> Storm White	
<b>7T</b> 7-Wire Non Isolated Ground			<b>YN</b> Platinum Grey Coordinate	
<b>7K</b> 7-Wire Dual Non Isolated			<b>YV</b> Very White Coordinate	

### SAMPLE ORDER CODE

<b>UNQBFSR 8K</b>	<b>8K</b>	<b>72</b>	<b>YY</b>	<b>V</b>
-------------------	-----------	-----------	-----------	----------

### DIMENSIONS

L
18
72

### PRICING

#### 8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free (V)
298	328
343	378

#### 8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free (V)
379	417
435	479



The Ceiling Feed routes power from the ceiling into Panel Walls.

#### WHAT'S INCLUDED

Ceiling feed harness, junction box, mounting hardware.

## UNQCFR Ceiling Feed



#### PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
<b>8T</b> 8-Wire Isolated Ground	120	<b>A</b> Canada/U.S.A.	~ Standard
<b>8K</b> 8-Wire Dual Isolated			<b>V</b> PVC Free
<b>7T</b> 7-Wire Non Isolated Ground			
<b>7K</b> 7-Wire Dual Non Isolated			

#### SAMPLE ORDER CODE

<b>UNQCFR 8T</b>	<b>120</b>	<b>A</b>	<b>V</b>
------------------	------------	----------	----------

#### DIMENSIONS

<b>L</b>
120
120

#### PRICING


##### 8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free (V)
237	262

##### 8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free (V)
287	316

UNQEP  
Power Pole



The Power Pole houses the ceiling feed and includes a pole divider for separating the ceiling feed from communications and data cables.

WHAT’S INCLUDED

Power pole, power pole cover, mounting bracket, attachment hardware, ceiling trim plate.

NOTES

Used for corner or off-module locations.

PRODUCT OPTIONS

Length	Finish	Mounting Application
48, 72, 96	AC Clear Anodized Foundation Mica	1 Corner 2 Off-Module

SAMPLE ORDER CODE

UNQEP 48	AC	1
----------	----	---

DIMENSIONS  
INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438

PRICING

248
324
388

The End of Run Power Pole houses the ceiling feed end of panel run entry points. A pole divider for separating the ceiling feed from communications and data cables is provided.

**WHAT'S INCLUDED**


1 base power pole, 1 upper power pole, ceiling plates, mounting hardware, ceiling trim plate.

**NOTES**

42" high base is for Panel Walls 42" - 66" and provides above and below worksurface power entry.

29" high base is for 29" high Panel Walls or when only below worksurface power entry is required.

**UNQEPR**  
**End of Run Power Pole**



**PRODUCT OPTIONS**

Base Height	Upper Height	Finish
29, 42	48, 72, 96	AC Clear Anodized Foundation Mica

**SAMPLE ORDER CODE**

UNQEPR 42	96	AC
-----------	----	----

**DIMENSIONS**  
**INCHES / MM**

Base Height	Upper Height
29 / 737	48 / 1219
29 / 737	72 / 1829
29 / 737	96 / 2438
42 / 1067	48 / 1219
42 / 1067	72 / 1829
42 / 1067	96 / 2438

**PRICING**


486
562
626
549
624
689

UNQCT  
Cable Trough

The Cable Trough is mounted below a worksurface for wire management.

**WHAT'S INCLUDED**  
Cable trough, attachment hardware.

**NOTES**  
The Cable Trough is Grey ABS plastic.



PRODUCT OPTIONS

Length
30, 72

SAMPLE ORDER CODE

UNQCT 30
----------

DIMENSIONS INCHES / MM
L
30 / 762
72 / 1829

PRICING
37
66

The Vertical Cable Manager mounts to a Floor Screen to conceal and route cables from floor to desk height.


WHAT'S INCLUDED

Vertical cable manager (back and cover plate), attachment hardware.

NOTES

The North American height is 26". The additional height of 23" is for International requirements and enables an outlet box to be mounted above the cable manager.

UNVC  
Vertical Cable Manager



PRODUCT OPTIONS

Height	Finish
23, 26	Foundation Mica

SAMPLE ORDER CODE

UNVC 26	Q
---------	---


DIMENSIONS  
INCHES / MM

H
23 / 584
26 / 660

PRICING

184
205

**Z O E W M**  
**Casual Wire Manager Kit**



The Casual Wire Management Kit is applied to District credenzas to conceal and route wiring.

**WHAT’S INCLUDED**  
2 x 24" casual wire managers, 4 x 4" casual wire managers.

**NOTES**  
Finished in Ebony.  
This product is mounted by double-sided tape and can be trimmed in length.

**PRICING**

---

34
----


---

The Data Extender Plate is placed over a communication opening to provide extended depth for data jacks which may be required in some applications. Consult your data cabling supplier for clearance requirements.

WHAT'S INCLUDED

1 data extender plate.

UNQDE  
Data Extender Plate



PRODUCT OPTIONS

Finish	
YY	Ebony
YF	Storm White
YN	Platinum Grey Coordinate
YV	Very White Coordinate

SAMPLE ORDER CODE

UNQDE YF
----------


PRICING

24
----

UNQCMP  
Compatibility Power Harness

The Compatibility Harness is used to connect harnesses from old District electrics to harnesses from the new District electrics. This allows both systems to be used in the same configuration.

WHAT'S INCLUDED  
1 harness.



PRODUCT OPTIONS

Wire System	Country of Installation
8T 8-Wire Isolated Ground 8K 8-Wire Dual Isolated	A Canada/U.S.A.

SAMPLE ORDER CODE

UNQCMP 8K	A
-----------	---

PRICING

150
-----



The Chicago Power Box provides one duplex and one communications opening on either one or both sides of a Panel Wall.

**WHAT'S INCLUDED**

Power box, 1 or 2 faceplates (as specified). Internal wiring (3-wire connection).


**WHAT'S EXCLUDED**

No connector provided.

**NOTES**

Faceplates have a Platinum painted finish.

**UNQPRCH**  
**Chicago Power Box**



**PRODUCT OPTIONS**


Application	Mounting Location	Country of Installation
<b>SA</b> Single Length, One-Sided	<b>L</b> Below Worksurface Height (Base Fascia)	<b>A</b> Canada/U.S.A.
<b>SB</b> Single Length, Back-to-Back	<b>U</b> Above Worksurface Height (Upper Fascia)	
<b>DA</b> Double Length, One-Sided		
<b>DB</b> Double Length, Back-to-Back		

**SAMPLE ORDER CODE**

<b>UNQPRCH A</b>	<b>U</b>	<b>A</b>
------------------	----------	----------

APPLICATION	PRICING
SA	259
SB	313
DA	315
DB	365

UNQBFRCH  
Chicago Base Feed



The Chicago Base Feed delivers power to a Panel Wall at base level and provides entry for data communication feeds.

**WHAT’S INCLUDED**  
Base feed, 72" liquid-tite cable, data/communications bezel mounting hardware. Internal wiring (3-wire connection).

**WHAT’S EXCLUDED**  
No strain relief connector provided.

PRODUCT OPTIONS

Length	Country of Installation	Bezel Finish
72	A Canada/U.S.A.	YY Ebony YF Storm White YN Platinum Grey Coordinate

SAMPLE ORDER CODE

UNQBFRCH 72	A	YY
-------------	---	----

PRICING

286
-----

The Chicago Ceiling Feed routes power from the ceiling into Panel Walls.

**WHAT'S INCLUDED**

Ceiling feed harness, junction box, mounting hardware.

**WHAT'S EXCLUDED**

Chicago Power Distribution Box (UNQDBCH) must be specified separately.

No strain relief connector provided.

**UNQCFRCH**  
**Chicago Ceiling Feed**



**PRODUCT OPTIONS**

Length	Country of Installation
120	A Canada/U.S.A.


**SAMPLE ORDER CODE**

UNQCFRCH 120	A
--------------	---

**PRICING**

221
-----

EWWT  
Under Cabinet Wire Tray



The Under Cabinet Wire Tray manages wires horizontally below the storage cabinet.

**WHAT'S INCLUDED**  
1 wire tray and mounting hardware.

**NOTES**  
Tray **cannot** span across two storage units. Specify at least 12" less than the width of the cabinet onto which it is being mounted.

Finished in Platinum.

PRODUCT OPTIONS

Length
12, 24, 36, 48, 60, 72, 84

SAMPLE ORDER CODE

EWWT 72
---------

DIMENSIONS INCHES / MM	PRICING
L	
12 / 305	24
24 / 610	40
36 / 914	61
48 / 1219	79
60 / 1524	101
72 / 1829	119
84 / 2134	136

The Storage Base Feed provides power from the floor to the underside of the storage cabinet and connects to the harness.

#### WHAT'S INCLUDED


Base feed, 72" liquid-tite cable, I-connector, mounting hardware.

#### NOTES

Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.

**EWBF**

### Storage Base Feed



#### PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
<b>8T</b> 8-Wire Isolated Ground	72, 144	<b>A</b> Canada/U.S.A.	~ Standard
<b>8K</b> 8-Wire Dual Isolated			<b>V</b> PVC Free
<b>7T</b> 7-Wire Non Isolated Ground			
<b>7K</b> 7-Wire Dual Non Isolated			

#### SAMPLE ORDER CODE

<b>EWBF 8K</b>	<b>72</b>	<b>A</b>	<b>V</b>
----------------	-----------	----------	----------

#### DIMENSIONS INCHES / MM

L
72 / 1529
144 / 3658

#### PRICING


##### 8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free (V)
228	464
316	669

##### 8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free (V)
228	464
316	669

EWBFCH  
Storage Chicago Base Feed



The Storage Chicago Base Feed delivers power from the floor to the underside of the storage cabinet.

**WHAT’S INCLUDED**  
Base feed, 72" liquid-tite cable, mounting hardware.

**NOTES**  
Storage Chicago Base Feed (EWBFCH) comes with a 3-wire. No connection is provided on the bottom end due to Chicago electrics wiring restrictions.  
Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

PRODUCT OPTIONS

Length	Country of Installation
72	A Canada/U.S.A.

SAMPLE ORDER CODE

EWBFCH 72	A
-----------	---

PRICING

241
-----

The Storage Split Base Feed delivers power from the floor to the underside of the storage cabinet. It is wired to the building power supply in two places for New York city wiring restrictions.


#### WHAT'S INCLUDED

1 base feed harness, junction box, I-connector, mounting hardware.

#### NOTES

Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.

## EWBFS Storage Split Base Feed



#### PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
<b>8T</b> 8-Wire Isolated Ground	18, 72	<b>A</b> Canada/U.S.A.	~ Standard
<b>8K</b> 8-Wire Dual Isolated			<b>V</b> PVC Free
<b>7T</b> 7-Wire Non Isolated Ground			
<b>7K</b> 7-Wire Dual Non Isolated			

#### SAMPLE ORDER CODE

<b>EWBFS 8K</b>	<b>72</b>	<b>A</b>	<b>V</b>
-----------------	-----------	----------	----------

#### DIMENSIONS INCHES / MM

L
18 / 457
72 / 1529

#### PRICING

##### 8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)

Standard	PVC Free (V)
258	345
333	562

##### 8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)

Standard	PVC Free (V)
287	379
367	620

EWCF  
Storage Ceiling Feed



The Storage Ceiling Feed routes power to the underside of the storage cabinet from the ceiling through the storage power pole.

**WHAT'S INCLUDED**  
ceiling feed harness, junction box, I-connector, mounting hardware.

**NOTES**  
Can be directly connected to the Flush Mounted Power & Data (EWQP) unit once I-connector is removed.

PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
8T 8-Wire Isolated Ground	120, 144	A Canada/U.S.A.	Standard
8K 8-Wire Dual Isolated			PVC Free
7T 7-Wire Non Isolated Ground			
7K 7-Wire Dual Non Isolated			

SAMPLE ORDER CODE

EWCF 8K	120	A	V
---------	-----	---	---

DIMENSIONS  
INCHES / MM

L
120 / 3048
144 / 3658

PRICING

8-WIRE ISOLATED GROUND (8T) & 7-WIRE NON ISOLATED GROUND (7T)	
Standard	PVC Free (V)
258	345
322	436
8-WIRE DUAL ISOLATED (8K) & 7-WIRE DUAL NON ISOLATED (7K)	
Standard	PVC Free (V)
356	551
390	504



The Storage Chicago Ceiling Feed routes power into the underside of the storage cabinet from the ceiling through the Storage Power Pole (EWEP).

**WHAT'S INCLUDED**

ceiling feed harness, junction box, mounting hardware.

**NOTES**

The Storage Chicago Ceiling Feed (EWCFCH) comes with a 3-wire. No connector is found on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

**EWCFCH**  
**Storage Chicago Ceiling Feed**



**PRODUCT OPTIONS**

Length	Country of Installation
120, 144	A Canada/U.S.A.

**SAMPLE ORDER CODE**

EWCFCH 144	A
------------	---

**DIMENSIONS**  
**INCHES / MM**


L
120 / 3048
144 / 3658

**PRICING**

160
195

## EWBH

### Storage Power Harness



The Storage Power Harness carries power along the base of the cabinet to the Flush Mount Power & Data box or the Cubby Power Monument (EWQPM) in the storage unit.

#### WHAT'S INCLUDED

1 power harness.

#### NOTES

The 24" length is all mesh. Other lengths have mesh on both ends for maximum flexibility in a storage application.

To specify the correct length of power harness, determine the distance from the center of one cut out to the other, then add 24".

In order to plug into a Cubby Power Monument (EWQPM), a 4-Way Splitter (EWDB) or an I-Connector (EWIC) must be specified separately.

#### PRODUCT OPTIONS

Wire System	Length	Country of Installation	PVC Free
<b>8T</b> 8-Wire Isolated Ground	24, 48, 72, 96, 120, 144	<b>A</b> Canada/U.S.A.	~ Standard
<b>8K</b> 8-Wire Dual Isolated			<b>V</b> PVC Free

#### SAMPLE ORDER CODE

<b>EWBH 8K</b>	<b>72</b>	<b>A</b>	<b>V</b>
----------------	-----------	----------	----------

#### DIMENSIONS INCHES / MM

L
24 / 610
48 / 1219
72 / 1829
96 / 2438
120 / 3048
144 / 3658

#### PRICING

##### 8-WIRE DUAL ISOLATED (8K)

Standard	PVC Free (V)
124	154
190	228
214	256
259	311
305	366
349	419

##### 8-WIRE ISOLATED GROUND (8T)

Standard	PVC Free (V)
124	154
190	228
214	256
259	311
305	366
349	419


The 4-Way Splitter attaches to a harness to split power at floor level.

WHAT'S INCLUDED

1 4-way splitter and hardware.

EWDB

4-Way Splitter



The I-Connector is used to join two harnesses when a single harness length is not long enough.

WHAT'S INCLUDED

1 I-connector.

EWIC

I-Connector



PRODUCT OPTIONS

Country of Installation

A Canada/U.S.A.

SAMPLE ORDER CODE

EWIC A


EWDB  
4-WAY SPLITTER

114

EWIC  
I-CONNECTOR

35

EWQP  
Flush Mount Power & Data



Base Height    Beltline Height

The Flush Mount Power & Data is a module that mounts to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.

**WHAT’S INCLUDED**  
**Base Height:** 1 power box, faceplate, back cover, mounting hardware.

**Beltline Height:** 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base).

**WHAT’S EXCLUDED**  
Receptacle Outlets (EWRO) must be specified separately. Can be found on page 730.

Data and communication must be sourced separately.

**NOTES**  
Flush Mounted Power & Data (EWQP) units can also mount to the back cubby of a Pedestal or Pedestal Tower.

PRODUCT OPTIONS

Power Location	Wire System	Country of Installation	Bezel Finish	PVC Free
<b>B</b> Base Height	<b>8T</b> 8-Wire Isolated Ground	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony	<b>~</b> Standard
<b>E</b> Beltline Height	<b>8K</b> 8-Wire Dual Isolated		<b>YF</b> Storm White	<b>V</b> PVC Free
			<b>YN</b> Platinum Grey Coordinate	
			<b>YV</b> Very White	

SAMPLE ORDER CODE

<b>EWQP B</b>	<b>8K</b>	<b>A</b>	<b>YF</b>	<b>V</b>
---------------	-----------	----------	-----------	----------

POWER LOCATION	PRICING	
	Standard	PVC Free (V)
B	373	448
E	518	621

The Chicago Flush-Mounted Power and data is a module mounted to the back of a case where a drawer is located. This allows for accessibility of power and data from the back side of a storage unit.

#### WHAT'S INCLUDED

**Base Height:** 1 power box, faceplate, back cover, mounting hardware.

**Beltline Height:** 1 power box, faceplate, back cover, mounting hardware, four-way splitter, 1 power harness (to cover vertical distance to base), 1 receptacle outlet.

#### NOTES

Data and communications must be sourced separately.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

## EWQ PCH Chicago Flush-Mounted Power Box



#### PRODUCT OPTIONS

Power Location	Receptacle Style	Country of Installation	Bezel Finish (Standard 15 amp only)
<b>B</b> Base Height	<b>S</b> Standard 15 amp	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony
<b>E</b> Beltline Height	<b>T</b> T-Slot 20 amp		<b>YF</b> Storm White
			<b>YN</b> Platinum Grey Coordinate

#### SAMPLE ORDER CODE

<b>EWQPCH B</b>	<b>T</b>	<b>A</b>	<b>YF</b>
-----------------	----------	----------	-----------

#### POWER LOCATION

B
E

#### PRICING

Standard (S)	T-Slot (T)
379	390
414	424


EWRO  
Storage Receptacle Outlet

The Storage Receptacle Outlet is a single duplex receptacle that fits into a Flush Mount Power & Data module to provide power used with electrified storage.

**WHAT'S INCLUDED**  
Receptacle outlet.

**NOTES**  
T-Slot (T) Receptacle Style is finished in Ebony.  
If Receptacle Style USB 5 VDC 2.1 Amp (U) is selected, Circuits 2, 3, 5 & 6 are not available.

Circuit A is compatible with 7T & 7K. Circuit B is compatible with 7K only  
Receptacle Style D and E include a marking that indicates it is connected to a control system.



PRODUCT OPTIONS

Receptacle Style	Outlet Configuration	Country of Installation	Receptacle Finish (standard 15 amp only)
<b>S</b> Standard 15 amp	<b>1</b> Circuit 1	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony
<b>T</b> T-Slot 20 amp	<b>2</b> Circuit 2		<b>YF</b> Storm White
<b>U</b> USB 5 VDC 2.1 Amp	<b>3</b> Circuit 3 (use with 8T only)		<b>YN</b> Platinum Grey Coordinate
<b>D</b> Controlled 15 amp	<b>5</b> Circuit 5 (use with 8T & 8K only)		<b>YV</b> Very White Coordinate
<b>E</b> Controlled 20 amp	<b>6</b> Circuit 6 (use with 8K only)		
	<b>A</b> Circuit A Non Isolated Ground (use with 7T & 7K only)		
	<b>B</b> Circuit B Non Isolated Ground (use with 7K only)		

SAMPLE ORDER CODE

<b>EWRO S</b>	<b>6</b>	<b>A</b>	<b>YF</b>
---------------	----------	----------	-----------

RECEPTACLE STYLE	PRICING
S	29
T	34
U	145
D	29
E	34

The Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

**WHAT'S INCLUDED**

1 power box, mounting hardware, receptacles (if specified).

**WHAT'S EXCLUDED**


Data and communications must be sourced separately.

**NOTES**

T-Slot 20 amp receptacle style is finished in Ebony.

Cubby Power Monument must plug directly into a 4-Way Splitter (EWDB) or an I-Connector (EWIC). It plug directly into a Storage Power Harness (EWBH).

Configuration	Outlet	Wire System
PP	11, 12, 13, 15, 22, 23, 25, 33, 35, 55	For 8T
PP	11, 12, 15, 16, 22, 25, 26, 55, 56, 66	For 8K
DP	1, 2, 3, 5	For 8T
DP	1, 2, 5, 6	For 8K
DD	n/a	

**PRODUCT OPTIONS**


Configuration	Wire System	Receptacle Style	Outlet Configuration	Country of Installation	Finish (standard 15 amp only)	PVC Free
DD Two Data	8T 8-Wire Isolated Ground	S Standard 15 amp	1, 2, 3, 5, 6, 11, 12, 13, 15, 16, 22, 23, 25, 26, 33, 35, 55, 56, 66	A Canada/U.S.A	YY Ebony	Standard
DP One Duplex, One Data	8K 8-Wire Dual Isolated	T T-Slot 20 amp			YF Storm White	PVC Free
PP Two Duplexes					YN Platinum Grey Coordinate	

**SAMPLE ORDER CODE**

EWQPM PP	8K	S	11	A	YF	V
----------	----	---	----	---	----	---

**RECEPTACLE STYLE****PRICING**

TWO DATA (DD)	
Standard	424
n/a	
ONE DUPLEX, ONE DATA (DP)	
8-WIRE DUAL ISOLATED (8K)	8-WIRE ISOLATED GROUND (8T)
Standard PVC Free (V)	Standard PVC Free (V)
S 631 700	596 666
T 637 706	602 671
TWO DUPLEXES (PP)	
8-WIRE DUAL ISOLATED (8K)	8-WIRE ISOLATED GROUND (8T)
Standard PVC Free (V)	Standard PVC Free (V)
S 643 711	609 677
T 654 723	620 689

**EWQPMCH****Chicago Cubby Power Monument**

The Chicago Cubby Power Monument provides access to power and data in open cubby sections of credenzas or the back cubby sections of pedestals and pedestal towers.

**WHAT'S INCLUDED**

1 power box, mounting hardware, receptacles (if specified).

**NOTES**

T-Slot 20 amp receptacle style is finished in Ebony.

Chicago Cubby Power Monument (EWQPMCH) comes with a 3-wire. No connector is provided on the bottom end due to Chicago electrics wiring restrictions.

Chicago electrics wiring restrictions require that all wiring and connections be supplied and connected by a licensed electrician.

**PRODUCT OPTIONS**

Configuration	Receptacle Style	Country of Installation	Finish (standard 15 amp only)
<b>DD</b> Two Data	<b>S</b> Standard 15 amp	<b>A</b> Canada/U.S.A.	<b>YY</b> Ebony
<b>DP</b> One Duplex, One Data	<b>T</b> T-Slot 20 amp		<b>YF</b> Storm White
<b>PP</b> Two Duplexes			<b>YN</b> Platinum Grey Coordinate

**SAMPLE ORDER CODE**

<b>EWQPMCH PP</b>	<b>S</b>	<b>A</b>	<b>YF</b>
-------------------	----------	----------	-----------

**RECEPTACLE STYLE**

n/a
S
T
S
T

**PRICING****TWO DATA (DD)**

424

**ONE DUPLEX, ONE DATA (DP)**

528

539

**TWO DUPLEXES (PP)**

539

551



The Storage Power Pole houses the Storage Ceiling Feed and divides the ceiling feed from communication and data cables. It is used to feed power and data to the underside of the storage units.

#### WHAT'S INCLUDED


1 base power pole, 1 upper power pole, ceiling plate, 1 or 2 storage connector (as specified), mounting brackets.

#### WHAT'S EXCLUDED

Storage Ceiling Feed (EWCF) and Storage Chicago Ceiling Feed (EWCFCF) must be purchased separately.

#### NOTES

The Storage Power Pole (EWEP) can route power and data to two storage units.



**EWEP**  
**Storage Power Pole**

#### PRODUCT OPTIONS

Height	Direction	Finish
08, 10	<b>1</b> One-Sided <b>2</b> Two-Sided	Foundation Mica

#### SAMPLE ORDER CODE

<b>EWEP 10</b>	<b>1</b>	<b>7</b>
----------------	----------	----------

#### DIMENSIONS FEET

	PRICING	
H	ONE-SIDED (1)	TWO-SIDED (2)
8	711	816
10	734	837

international electrics

# international electrics

PRODUCT MAP / TABLE OF CONTENTS .....737

INTERNATIONAL ELECTRICS BASICS .....738




PRODUCT LISTING .....740




## product map

**VED Outlet Box**


Page 740

**VCC Interconnecting Power Cable**Page 741  
Length: 1 – 3 meters**VEP Input Power Cable**Page 742  
Length: 1 – 3 meters**VVD Voice & Data Box**


Page 743

**VDO Voice & Data Outlets**


Page 744

**VAC Electric Accessories**


Page 745

**UNXSE Screen Mount Outlet Box Bracket**


Page 746

**UNXPFR Base Feed Mounting Kit**

Page 746

**UNXBR Panel Mount Outlet Box Bracket**

Page 747





# international electricics basics

District utilizes standard International Electric components, as well as District specific components



- International Electricics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches




Four Shutters

Four Blank Fascias

## Voice & Data Box (VVD) & Voice & Data Box Outlets (VDO)

- The voice data box provides the user with access to communications and data cable
- Comes complete with blanks and shutters
- The data box outlets are inserted into the voice and data box
- Mounts to a Power Mounting Bracket (UNXB)




Distribution Block



Cover Cap


## Distribution Block (VACEB) & Cover Cap (VACEC)

- The distribution box redirects power distribution in up to three directions
- Complete with one male connector (in) and three female connectors (out)
- Is placed inside panel wall without fasteners
- The Cover Cap is a safety cover for non utilized female terminals on an Outlet Box (VED) or Distribution Block (VAC EB)



## Screen Mounted Outlet Box Bracket (UNXSE)

- Used to casually mount an outlet box to a screen, a modesty panel, storage or underside of worksurface
- Used in combination with an Input Power Cable (VEP)




## Base Feed Mounting Kit (UNXPFR)

- Includes a strain relief bracket and a cover plate that is attached to the panel and conceals the opening where an Input Power Cable (VEP) or voice/data enters the panel wall




## Interconnecting Power Cable (VCC)

- Routes power between outlet boxes or distribution block in panel and carries to next panel wall



Hard Wired



Plug

## Input Power Cable (VEP)



- Brings power from the building or ceiling to either a panel wall where it is routed to an outlet box or to a desk where it is routed through wire managers to casually mounted power
- Available with 2 cable ends, hardwire or plug

## international electrics basics (continued)

District utilizes standard International Electric components, as well as District specific components






- International Electrics are a single circuit, 3 wire directional system
- Power outlet types are available for different regions and have options for fuses and switches




#### Panel Mount Outlet Box Bracket (UNXBR)

- Used to attach an Outlet Box (VED) and Voice and Data Box (VVD) to a panel wall
- Available in above and below worksurface versions
- Available for 2 outlets, for 4 outlets or for 2 outlets and a data box
- The same bracket allows for single or double sided mounting of outlet brackets (specify fascias accordingly)
- Compatible with a standard or elevated panel
- A 1" gap along the worksurface and grommets permit component wire passage to outlets below the worksurface




Two Outlets



Four Outlets

#### Outlet Box (VED)

- Provides access to power above and below worksurface
- Can be mounted onto a panel with a Power Mounting Bracket (UNXB) or to the edge of a worksurface, see Desk Mounting Clips (VACB6)
- Power outlets have a socket angle of 15°
- Panel mounted access is below worksurface height at 25", flush with the panel wall face
- Faceplates are included with outlets and voice/data boxes
- The bottom of the faceplate aligns with the top of a low credenza
- Outlets are available; 2 x power, 4 x data or 4 x power




Desk-Mounted Clips for Outlet Box

#### Desk Mounting Clips (VACB6)

- Used to attach an Outlet Box (VED) or Voice and Data Box (VVD) to the edge of a worksurface
- Fits all sizes of Outlet Boxes (VED) or Voice and Data Boxes (VVD)

## VED Outlet Box



The Outlet Box provides access to power at worksurface height.

### WHAT'S INCLUDED

1 outlet box.

### WHAT'S EXCLUDED

Desk-Mounting Clip (VACB6) – Required if desk-mounting option is desired.

Panel Mount Outlet Box Bracket (UNXB) – Required for application to a Panel Wall.

Screen-Mount Outlet Box Bracket (UNXSE) – Required for application to a screen.

### NOTES

Socket angles will always be 15°.

UPS option is only available with UK Outlets (G).

### PRODUCT OPTIONS

Number of Outlets	Power Type	Fuse & Switch Option	Mounting Bracket	Country of Installation
2 Two Outlets	S Standard	N No Fuse & Switch	N None	F Germany
4 Four Outlets	U UPS	M Master Fuse & Master Switch	P Panel Mount for T/O/S or Transit	G U.K./Ireland
		S Individual Fuse & Individual Switch	E Panel Mount for Leverage (Shown)	I Australia & Argentina

### SAMPLE ORDER CODE

VED 2	S	M	E	F
-------	---	---	---	---

### NUMBER OF OUTLETS

### PRICING

#### NO PANEL MOUNT (N)

	No Fuse & Switch (N)	Master Fuse & Master Switch (M)	Individual Fuse & Individual Switch (S)
2	84	130	167
4	155	215	263

#### WITH PANEL MOUNTS (P, E)

	No Fuse & Switch (N)	Master Fuse & Master Switch (M)	Individual Fuse & Individual Switch (S)
	116	162	200
	187	247	295




The Interconnecting Power Cable routes power between Outlet Boxes in Panel Wall access areas and also carries power through the adjacent Panel Wall.

WHAT'S INCLUDED

1 interconnecting power cable.

V C C  
Interconnecting Power Cable



PRODUCT OPTIONS

Length	Power Type
10 One Meter	S Standard
20 Two Meters	U UPS
30 Three Meters	


SAMPLE ORDER CODE

VCC 10	U
--------	---

DIMENSIONS	PRICING
L	
10	57
20	67
30	81

## VEP

### Input Power Cable



The Input Power Cable brings power from the building ceiling, wall or floor into the Panel Wall.

#### WHAT'S INCLUDED

1 input power cable with strain relief.

#### WHAT'S EXCLUDED

Base Feed Mounting Kit (UNXPF) – Required for installation at the base.

#### PRODUCT OPTIONS

Length	Plug Type	Power Type	Country of Installation (For Plug Type)
<b>10</b> One Meter	<b>H</b> Hard Wired	<b>S</b> Standard	<b>F</b> Germany
<b>20</b> Two Meters	<b>P</b> Plug	<b>U</b> UPS	<b>G</b> U.K./Ireland
<b>30</b> Three Meters			<b>I</b> Australia

#### SAMPLE ORDER CODE

<b>VEP 10</b>	<b>P</b>	<b>S</b>	<b>G</b>
---------------	----------	----------	----------

#### DIMENSIONS

L
10
20
30

#### PRICING

Hard Wired (H)	Plug (P)
62	92
86	116
97	127

The Voice & Data Box is designed to bring access to communications and data to the user.


**WHAT'S INCLUDED**

1 Voice & Data Box, with a Blank or Shutter faces (as specified).


**WHAT'S EXCLUDED**

Voice & Data Outlets (VDO) with drop leads must be specified separately.

**VVD**  
**Voice & Data Box**



Four Shutters



Four Blank Fascias

**PRODUCT OPTIONS**

Configuration	Shutter (If Applicable)
<b>BBBB</b> Blank Fascias	<b>K</b> Keystone
<b>SSSS</b> Four Shutters	<b>A</b> AT&T
	<b>N</b> Nordx


**SAMPLE ORDER CODE**

<b>VVD BBBB</b>	<b>K</b>
-----------------	----------

CONFIGURATION	PRICING
BBBB	53
SSSS	66

V D O

Voice & Data Outlets



The Voice & Data Outlets are inserted into the Voice & Data Box (VVD).

**WHAT’S INCLUDED**  
1 Voice or Data Outlet, with appropriate length drop lead (if specified).

**WHAT’S EXCLUDED**  
Voice & Data Boxes (VVD) must be ordered separately.

**NOTES**  
One must remove the blank facades in the boxes to allow placement of these items.  
Drop Lead may be specified according to the size required.

PRODUCT OPTIONS

Outlet Type	Voice Outlet (Applies to Voice Outlet only)	Data Outlet	Drop Lead Option
V Voice D Data	01 RJ11	05 RJ45 Cat 5e Unshielded	N None 2 Two Meters 3 Three Meters 8 Eight Meters

SAMPLE ORDER CODE

VDO D	01	05	3
-------	----	----	---

OUTLET TYPE	PRICING			
	None (N)	Two Meters (2)	Three Meters (3)	Eight Meters (8)
V	55	63	66	95
D	55	108	112	155

The Distribution Block redirects power distribution. The Cover Cap is a safety cover for Outlet Boxes and Distribution Blocks. The Desk-Mounting Clips attach an Outlet Box to a desk or worksurface.

WHAT’S INCLUDED


1 distribution block or 1 Cover Cap or 1 pair of Desk-Mounting Clips for Outlet Box.

WHAT’S EXCLUDED

Outlet Box and all Interconnecting and Power Input Cables must specified separately.

NOTES

The Distribution Block has one male connector that directs power in and three female connectors that direct power out.



PRODUCT OPTIONS


Accessory Type		Power Option (For Distribution Block)	
EB	Distribution Block	S	Standard
EC	Cover Cap	U	UPS
B6	Desk-Mounted Clips for Outlet Box		

SAMPLE ORDER CODE

VAC EB	S
--------	---

ACCESSORY TYPE	PRICING
EB	93
EC	10
B6	52

UNXSE  
Screen Mount Outlet Box Bracket



The Screen Mount Outlet Box Bracket mounts any size Outlet Box or a Voice & Data Box to a Screen, Modesty Panel or underside of a worksurface.


**WHAT'S INCLUDED**  
2 brackets, attachment hardware.

**NOTES**  
Bracket fits all outlet configurations.  
Finished in Black.

PRICING

18
----

UNXPFR  
Base Feed Mounting Kit



The Base Feed Mounting Kit provides panel entry to input power cables (up to 3) or voice/data cables to panel wall at input point.

**WHAT'S INCLUDED**  
1 mounting kit, bracket, attachment hardware, cover plate.

**NOTES**  
Finished in Platinum.

PRICING

61
----

The Panel Mount Outlet Box Bracket provides attachment of an Outlet Box (VED) and Voice & Data Box (VVD) to a panel wall.

**WHAT'S INCLUDED**

1 bracket set, attachment hardware, 1 or 2 faceplates (as specified).

**WHAT'S EXCLUDED**


Outlet Box (VED) or Voice & Data Box (VVD) must be specified separately.

**NOTES**

Bracket can be used above or below worksurface height and in single- or double-sided applications.

Finished in Ebony.

**U N X B R**  
**Panel Mount Outlet Box Bracket**



**PRODUCT OPTIONS**

Outlet Configuration	Faceplate Option
<b>2</b> Two Power Outlets	<b>A</b> One face plate per single-sided application
<b>3</b> Two Power Outlets, One Data Box	<b>B</b> Two face plates per double-sided application
<b>4</b> Four Power Outlets	

**SAMPLE ORDER CODE**

<b>UNXB 2</b>	<b>A</b>
---------------	----------

OUTLET CONFIGURATION	PRICING
2	102
3	216
4	216

# teknion

[www.teknion.com](http://www.teknion.com)

IN CANADA:

1150 Flint Road  
Toronto, Ontario  
M3J 2J5 Canada  
Tel 866.teknion  
866.835.6466

IN THE USA:

350 Fellowship Road  
Mt Laurel, New Jersey  
08054 USA  
Tel 877.teknion  
877.835.6466

OTHER OFFICES LOCATED IN:

Europe, South and Central America  
Middle East, Asia and Russia  
For regional contact information  
go to [www.teknion.com](http://www.teknion.com)

CAN/US/INT 06-19

©Teknion 2017

®, ™ trade marks of Teknion  
Corporation and/or its subsidiaries or  
licensed to it. Patents may be pending.

Some products may not be available in  
all markets. Contact your local  
Teknion Representative for availability.

JUN17-DIS-PG