Dōni[™] Seating Collection Price List ■

June 01, 2016 Updated January 1, 2017 800-424-2432





Ordering C.O.	M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO	2
Custom Color	Matching Requirements	4
Doni Options	User Guide	6
Doni™	Guest Chair General Information Guest Chairs	8 10
	Stack Chairs	10 18 22
	Cafe Stools Task Chair General Information	42
	Task Chairs Task Stools	40 50 54
	Tandem Seating General Information Tandem Seating	54 58 60

Ordering C.O.M., C.O.L., and C.O.V.

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns.

Textile designs often have intricate pattern. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production Customers fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number. By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

KI recommends that leather be ordered in For pr yardage. Leather must be usable. The outer edges ship n cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns




Diagram B

Treated Materials

Direction of pattern —

Selvage

-Selvaae

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate vardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Please see information below and check the appropriate box.

Submitted for testing.

Purchase Order Number

Test approved. Submitted for production. KI Acknowledgement Number

number.				<u> </u>
Purchasing Agent (Dealer or buying organization)			In all instances, send this form to the C.O.M. Specialist.	
Attention				
Address			A Selvage Top and Bottom	$\square B^{Selvage Side and Side}$
City	State	Zip		0
Project Name				
Type of seating and number of units of each type				



Ordering C.O.M., C.O.L., and C.O.V. BONDUEL, GREEN BAY, ONTARIO, and TUPELO

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require, KI's custom color-matching program lets you pick your color. Match an organization's brand colors. Match fabrics. Match surface materials. The choice is yours.

Custom Color Matching Requirements

- Pantone Number or Color Samples. To ensure we match your color exactly, we require either a Pantone color number or two color samples (chip, swatch, or paint sample). We do request that the size be substantial enough to allow for us to retain for our internal matching process (minimum 2.5" x 3.5").
- Extended Lead Time. Using the unique combinations of specialty bases and pigments, our Custom Color Matching and Manufacturing processes do add time to your production schedule.
 - The color match process (see steps below) on average will take 2-3 weeks to produce a match sample for your review and gain your written approval to proceed. *Starting this during the quoting process is encouraged to reduce overall lead time.*
 - Orders with custom colors will typically reflect standard lead time plus 15 additional days to source the appropriate raw materials and run the custom order.
- Minimum Quantity. No additional set-up fee is incurred if the quantity (per color, product line, and order) is 100 or more. A \$500 set-up fee (per color, product line, and order) is applied if the quantity is 99 or less. You'll see a "Custom Color Set-Up Charge" note appear on your Custom Options Quote until the order is placed and quantity is determined.

Note: The Doni Seating Collection, with its two-tone color capabilities, would require a single \$500 set-up fee if one or both colors are custom. In addition, please note that reversing the inner/outer colors of Doni's two-tone standard color combinations would also be considered custom.

Custom Color Matching Process

When your purchase order is submitted, it is simply placed on hold until the color match is finalized. As soon as we receive your Pantone number or custom color samples, the process for color matching begins.

Note: If the project requires a compressed manufacturing/shipping schedule, KI encourages you to process the color match during the quotation stage. This will accelerate the purchase order release into production.

<u>Step 1.</u> Provide the Pantone color number to KI Customer Service by calling Customer Service at 1-800-424-2432 or emailing us at <u>SalesOps@ki.com</u>. Custom color samples can be mailed to KI at:

KI Customer Service (Provide specific contact name if known) Attn: Custom Color Match Required (Please reference the PO# or Project Name) 1330 Bellevue Street Green Bay, WI 54302

*In the event the color requested is a discontinued KI color or non-standard on the product requested, no color match is necessary (minimum quantities and extended lead time still apply). KI will use the custom options process to facilitate the quote/order.

<u>Step 2</u>. KI begins the matching process which takes 5-10 days depending upon how quickly the exact color is matched, taking into account lighting, visual and spectrographic readings as compared to the originals.


<u>Step 3.</u> We then ship the color sample chip and a letter asking for you to sign the letter and fax it back to us within 24 to 48 hours.

<u>Step 4</u>. Upon receipt of your approval signature, we remove the hold status of your order and begin production, using standard production lead times plus 15 days.



5

Doni[®] Options User Guide



Examples:

DN2A11/NFR/ONE/ICO/SX/CCC

Doni, 4 leg on casters, no uph two-tone poly, armrests, fixed arm, non FR, outer poly Nemo, inner poly Cottonwood, Starlight Silver frame, carpet casters

DN5200/FR/PBL/PA/CCC/27.202.066.P

Doni, simple function task, uph seat only solid color poly, armless, FR, poly Black, Polished Aluminum base, carpet caster, fabric Pallas Grid Iron


DNZ300/NFR/PNE/CH/GPL/1ZJE

Doni, wire tower base, uph seat and back solid poly , armless, non FR, poly Nemo, chrome frame, plastic glides, fabric Zone Jade

Guideline only. Subject to change

7 Doni[®] Options User Guide





SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1^o thickness, and back foam is nominal 1/2^o thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Fourstar, Swivel Base

The under-seat support structure is a

die-drawn 12-gauge steel plate. A 3/4^{*} diameter steel pin is welded to the seat plate allowing the seat to swivel on a nylon bushing housed in the base. Seat structure is finished with baked-on, electrostaticallyapplied 30 degree gloss epoxy powder-coat paint. The fixed height base constructed of a polished die-cast aluminum fourstar base and a chrome-plated steel tube column.

Tapered Steel Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires are made of 1/2" diameter steel wire and are plug-welded to tapered tubular legs. All joints are welded and the frames are finished in either bakedon, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickelchrome plating.

Tapered Wood Legs

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Inner leg wires made of 1/2" diameter steel wire complete the subframe. All joints are welded and the subframes are finished with baked-on, electrostaticallyapplied 30 degree gloss epoxy powder-coat paint. Legs are turned from beech, stained, and clear-coat finished. Legs are drilled to accept subframe inner leg wires and fastened by means of two-part expoxy adhesive.

Wire Tower Base

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 7/16" diameter steel wire, fully gusseted with 5/16" diameter wire. All joints are welded and frames are finished in bright nickel-chrome plating.

Glides

The tapered steel legs are equipped with swivel glides in a bright steel finish. The wire tower base, wood legs, and fourstar swivel base are equipped with black nylon glides.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional vardage may be requested.

Test samples must be sent to:

KI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Custom Poly Color Matching Program

~

Whatever you imagine, whatever you re-quire. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Doni[®] Guest Chairs

			MODEL	NUMBER	ł				
	MODEL	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Upholstery Color	
	Fourstar Swivel Base Armless Chair	Solid Color, Polypropylene	DNX100				GPL		
Γ	Solid or two-tone colored shell	Solid Color, Upholstered Seat	DNX200				GPL		
	 Unlimited custom color matching 17 degrees of hip articulation 	Solid Color, Upholstered Seat/Back	DNX300				GPL		
	Task and stack chair models available	Two-Tone, Polypropylene	DNXA00	NFR			GPL		
	 300 pound approved 	Two-Tone, Upholstered Seat	DNXB00	NFR			GPL		
U									
DNX1									
DNX2									
DNX3									
DNXA									
DNXB									
			A	6	G	D	Ø	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.

 Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code. FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

Select solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Oselect outside/inside poly color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

GPL - Plastic glides

Select upholstery grade/color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Approx. Packaged Weight	Pri	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
22.0#	\$	509										
24.5#		N/A	621	630	646	621	646	654	692	707	726	754
26.0#		N/A	648	656	672	648	672	681	719	734	753	780
22.0#		562										
24.5#		N/A	674	683	699	674	699	707	745	760	779	807

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNY100							22.5#
$\Gamma \setminus$	Solid Color, Upholstered Seat	DNY200							25.0#
	Solid Color, Upholstered Seat/Back	DNY300							26.5#
	Two-Tone, Polypropylene	DNYA00	NFR						22.5#
	Two-Tone, Upholstered Seat	DNYB00	NFR						25.0#
& \s									
Į.									
DNY1									
DNY2									
DNY3									
DNYA									
DNYB									
Tapered Steel Leg Armless Chair									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
• 17 degrees of hip articulation									
 Task and stack chair models available 300 pound approved 									
		A	6	G	D	Ø	G	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GNL - Neutral color glides GSL - Steel glides

C Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Pri	livered cing upholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	382										
	N/A	494	502	518	494	518	527	565	580	599	626
	N/A	520	529	545	520	545	553	591	606	625	653
	435										
	N/A	547	555	571	547	571	580	618	633	652	679

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL N	IUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Wood Leg Finish	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNW100					GPL		18.0#
	Solid Color, Upholstered Seat	DNW200					GPL		20.5#
	Solid Color, Upholstered Seat/Back	DNW300					GPL		22.0#
F	Two-Tone, Polypropylene	DNWA00	NFR				GPL		18.0#
	Two-Tone, Upholstered Seat	DNWB00	NFR				GPL		20.5#
2 // \									
IJ									
DNW1									
DNW2									
DNW3									
DNWA									
DNWB									
Tapered Wood Leg Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation Task and stack chair models available 									
 ask and stack chair models available 300 pound approved 									
hours abbrores]
		A	0	C	O	9	0	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 Belect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Belect wood leg finish color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GPL - Plastic glides Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Prici	vered ing pholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	620										
	N/A	732	741	757	732	757	765	803	818	837	865
	N/A	759	767	783	759	783	792	830	845	864	891
	673										
	N/A	785	794	810	785	810	818	856	871	890	918

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

			MODEL	NUMBEF	1				
	MODEL	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Glide Option	Upholstery Color	
	Wire Tower Base Armless Chair	Solid Color, Polypropylene	DNZ100				GPL		
Γ	 Solid or two-tone colored shell Unlimited custom color matching 	Solid Color, Upholstered Seat	DNZ200				GPL		
\mathbf{H}	 Online custom color matching 17 degrees of hip articulation 	Solid Color, Upholstered Seat/ Back	DNZ300				GPL		
	Task and stack chair models available	Two-Tone, Polypropylene	DNZA00	NFR			GPL		
RIA	 300 pound approved 	Two-Tone, Upholstered Seat	DNZB00	NFR			GPL		
<i>ι</i> γ)									
ł									
DNZ1									
DNZ2									
DNZ3									
DNZA									
DNZB									
			A	6	G	D	θ	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect fire code.
 FR Compliance to TB 133
 NEP Compliance to TB 117 201
 - NFR Compliance to TB 117-2013 See Upholstery Information for TB133
- upcharge. Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Gelect glide option. GPL - Plastic glides
- Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Approx. Packaged Weight	Pric	ivered cing uphol- red	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
17.5#	\$	329										
20.0#		N/A	441	449	465	441	465	474	512	527	546	573
21.5#		N/A	467	476	492	467	492	500	538	553	572	600
17.5#		382										
20.0#		N/A	494	502	518	494	518	527	565	580	599	626

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.







Armless Four-Leg Chair

Four-Leg Armchair

Armless Four-Leg Chair with Casters

Four-Leg Armchair with Casters

Features				
Stackable	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered add 1")	18"	18"	18"	18"
Overall Dimensions				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	21-1/2"	21-1/2	22-1/8	22-1/8
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Arms to floor		26-1/2"		26-1/2"
Stacking on Dolly				
Overall width	25"	25-3/8"	25"	25-3/8"
Overall depth	42"	42"	42"	42"
Quantity/height - poly	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High			
Stacking on Floor				
Width	22-1/4"	25-3/8"	23-1/4"	25-3/8"
Depth	34"	34"	34"	34'
Quantity/height	6 Chairs / 49" High			

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

4-Leg and Caster Frame

Legs are 7/8" o.d. x 13-gauge tubular

steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded. An optional wallsaver configuration is available. The wallsaver configuration maintains 1/2" gap between backrest and wall by locking the backrest mechanisms in the upright position.

Sled Frame

Sled side frames are made from 3/4" o.d. x 13-gauge tubular steel. A single ring of 1/2" diameter steel wire forms the crossmember. All joints are welded.

Stool Frame

A seat ring is made of 1/2" diameter steel wire and attached to the seat with 14-gauge steel brackets. Legs are 3/4" diameter steel tubing. A 3-sided footrest is made of 1/2" diameter steel wire. All joints are welded.

Frame Finish

Frames are finished in either baked-on, electrostatically-applied 30 degree gloss epoxy powder-coat paint or bright nickel-

chrome plating.

Arms

Optional armrests are available. When equipped with arms, the support structure is a continuation of the rear leg finished to match the frame color. The armrests are injection-molded, glass-reinforced polypropylene. Arm color matches the frame finish (except for chrome, hammertone, and metallic finishes which match the outer shell poly color). The steel frame tube is inserted into a socket molded into the armrest and secured with a screw.

Glides

The bottom ends of the 4-leg chair tubes are formed to be vertical where they meet the floor. The leg tubes are capped with polyproplyene end caps matching the leg color (except chrome, hammertone, and metallic finishes which use black caps). Optional glides for the leg chairs have a bright steel surface or plastic glides. Optional glides for the sled base are co-extruded to provide a

softer, non-skid surface to protect the floor, but do not glide.

Sled base chairs are also available with black nylon (plastic), stainless steel, or non-marring (clear nylon) glides.

Stools are equipped with swivel glides in a bright steel finish. The floor contact surface is either steel or neutral color nylon.

Casters

4-leg chairs may be ordered with casters instead of glides. Casters are 50mm o.d. double-wheel, high-impact thermoplastic available with hard or soft wheel surface, in black only.

Gangers

Optional gangers are available on armless 4-leg and sled base chairs only. Gangers are made of chrome-plated 3/16" diameter steel wire mounted to the chair with an injectionmolded nylon hub.











Armless Sled Base Chair

24" Cafe Stool

30" Cafe Stool

Transport Dolly

Features					
Stackable	•	•			
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	
General Dimensions					
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"	
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"	
Seat height (upholstered add 1")	18"	18"	24"	30"	
Overall Dimensions					
Width	22-1/4"	25-3/8"	21"	22-1/2"	23-3/4"
Depth	22-1/8"	22-1/8"	21"	21-1/2"	35-1/2"
Height	33-3/4"	33-3/4"	39-3/4"	45-3/4"	62-1/4"
Arms to floor		26-1/2"			
Stacking on Dolly					
Overall width	25"	25-3/8"			
Overall depth	42"	42"			
Quantity/height - poly	12 Chairs / 69" High	12 Chairs / 69" High			
Quantity/height - upholstered	6 Chairs / 50" High	6 Chairs / 50" High			
Stacking on Floor					
Width	22"	25-3/8"			
Depth	34"	34"			
Quantity/height	6 Chairs / 49" High	6 Chairs / 49" High			

Sled Base Armchair

Transport Dolly

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg and sled base chairs and has a capacity of 12 poly chairs or 6 upholstered.

Stacking Vinyl Upholstered Chairs

It is recommended that stools to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

KI

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

KI Custom Poly Color Matching Program


Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com







		MODEL	NUMBER	2						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight	
	Solid Color, Polypropylene	DN1100							19.0#	
	Solid Color, Upholstered Seat	DN1200							21.5#	
	Solid Color, Upholstered Seat/Back	DN1300							23.0#	
	Two-Tone, Polypropylene	DN1A00	NFR						19.0#	
	Two-Tone, Upholstered Seat	DN1B00	NFR						21.5#	
a N N										
DN11										
DN12										
DN13										
DN1A										
DN1B										
Four-Leg Armless Chair										
Solid or two-tone colored shell										
Unlimited custom color matching										
17 degrees of hip articulation										
 Task and guest chair models available 200 pound approved 										
 300 pound approved Stacking										
		A	0	œ	D	Ø	G	œ		

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Belect glide option. GPL - Plastic glides GSL - Steel glides

C Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Р	elivered ricing nupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	276										
	N/A	388	396	412	388	412	421	459	474	493	520
	N/A	414	423	439	414	439	447	485	500	519	547
	329										
	N/A	441	449	465	441	465	474	512	527	546	573

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBEF	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN2100							19.5#
	Solid Color, Upholstered Seat	DN2200							22.0#
	Solid Color, Upholstered Seat/Back	DN2300							23.5#
	Two-Tone, Polypropylene	DN2A00	NFR						19.5#
	Two-Tone, Upholstered Seat	DN2B00	NFR						22.0#
// \ de									
da qa									
\$									
DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Armless Chair with Casters									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
 17 degrees of hip articulation Task and guest chair models available 									
 ask and guest chair models available 300 pound approved 	3								
Stacking. Caution should be excer-									
cised to prevent casters from marring]								
components such as frames, fabric, etc., and to prevent casters from									
becoming "hung up" underneath the									
seat of the chair									
				L]
		A	₿	Θ	D	Ø	Ø	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- 5. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- Hard floor casters

GSelect casters. CHC - H

CCC - Carpet casters

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 313										
N/A	425	434	449	425	449	458	496	511	530	558
N/A	452	460	476	452	476	484	523	537	557	584
366										
N/A	478	487	502	478	502	511	549	564	583	611

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN1111							20.5#
F \	Solid Color, Upholstered Seat	DN1211							23.0#
	Solid Color, Upholstered Seat/Back	DN1311							24.5#
	Two-Tone, Polypropylene	DN1A11	NFR						20.5#
	Two-Tone, Upholstered Seat	DN1B11	NFR						23.0#
U									
DN11									
DN12									
DN13									
DN1A									
DN1B									
Four-Leg Armchair									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
17 degrees of hip articulation Tack and quart shair models sucilable							_		
 Task and guest chair models available 300 pound approved 									
Stacking									
		A	0	G	O	9	Ĵ	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code. FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color.

GSL - Steel glides

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Р	elivered ricing nupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	333										
	N/A	445	454	470	445	470	478	516	531	550	578
	N/A	472	480	496	472	496	505	543	558	577	604
	386										
	N/A	498	507	523	498	523	531	569	584	603	631

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBEF	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN2111							21.0#
	Solid Color, Upholstered Seat	DN2211							23.5#
	Solid Color, Upholstered Seat/Back	DN2311							25.0#
	Two-Tone, Polypropylene	DN2A11	NFR						21.0#
	Two-Tone, Upholstered Seat	DN2B11	NFR						23.5#
To I									
a a									
0									
DN21									
DN22									
DN23									
DN2A									
DN2B									
Four-Leg Armchair with Casters									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
17 degrees of hip articulation									
Task and guest chair models available									
 300 pound approved Stacking. Caution should be excer- 									
cised to prevent casters from marring	1								
components such as frames, fabric,									
etc., and to prevent casters from									
becoming "hung up" underneath the seat of the chair									
		۵	6	G	D	θ	Ø	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- Hard floor casters

GSelect casters. CHC - H

CCC - Carpet casters

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 370										
N/A	482	491	507	482	507	515	553	568	587	615
N/A	509	517	533	509	533	542	580	595	614	641
423										
N/A	535	544	560	535	560	568	606	621	640	668

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DNH100							19.0#
	Solid Color, Upholstered Seat	DNH200							21.5#
	Solid Color, Upholstered Seat/Back	DNH300							23.0#
	Two-Tone, Polypropylene	DNHA00	NFR						19.0#
	Two-Tone, Upholstered Seat	DNHB00	NFR						21.5#
DNH1									
DNH2									
DNH3									
DNHA									
DNHB									
Four-Leg Armless Ganging Chair									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
• 17 degrees of hip articulation									
 Task and guest chair models available 300 pound approved 									
Stacking									
		A	0	O	D	0	G	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GPL - Plastic glides

GSL - Steel glides

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Prici	vered ing pholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	329										
	N/A	441	449	465	441	465	474	512	527	546	573
	N/A	467	476	492	467	492	500	538	553	572	600
	382										
	N/A	494	502	518	494	518	527	565	580	599	626

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	l	_				
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DNC100							19.0#
	Solid Color, Upholstered Seat	DNC200							21.5#
	Solid Color, Upholstered Seat/Back	DNC300							23.0#
	Two-Tone, Polypropylene	DNCA00	NFR						19.0#
	Two-Tone, Upholstered Seat	DNCB00	NFR						21.5#
a ()									
DNC1									
DNC2									
DNC3									
DNCA									
DNCB									
Four-Leg Armless Wallsaver Chair									
 Solid or two-tone colored shell 									
Unlimited custom color matching									
 Task and guest chair models available 300 pound approved 									
Stacking									
		۵	0	G	D	Ð	G	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code. FR - Compliance to TB 133

FR- Compliance to TB 133**NFR**- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Gelect glide option. GPL - Plastic glides

GSL - Steel glides

Gelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 318										
N/A	430	439	455	430	455	463	501	516	535	563
N/A	457	465	481	457	481	490	528	543	562	589
371										
N/A	483	492	508	483	508	516	554	569	588	616

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL NUMBER							
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNC111							20.5#
	Solid Color, Upholstered Seat	DNC211							23.0#
	Solid Color, Upholstered Seat/Back	DNC311							24.5#
	Two-Tone, Polypropylene	DNCA11	NFR						20.5#
	Two-Tone, Upholstered Seat	DNCB11	NFR						23.0#
DNC1									
DNC2									
DNC3									
DNCA									
DNCB									
Four-Leg Wallsaver Armchair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 Task and guest chair models available 300 pound approved Stacking 									
c									
		A	0	œ	D	9	Ĵ	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code. NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

 Gelect glide option.

 GPL
 - Plastic glides

GSL - Steel glides

Gelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



I	Delivered Pricing Jnupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
ç	\$ 375										
	N/A	488	496	512	488	512	520	559	573	593	620
	N/A	514	523	538	514	538	547	585	600	619	647
	428										
	N/A	541	549	565	541	565	573	612	626	646	673

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	ł					
				Poly	Poly				Арргох.
	Features	Basic Model	Fire Code	Solid Color	Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Packaged Weight
	Solid Color, Polypropylene	DN3100							20.0#
	Solid Color, Upholstered Seat	DN3200							22.5#
	Solid Color, Upholstered Seat/Back	DN3300							24.0#
	Two-Tone, Polypropylene	DN3A00	NFR						20.0#
	Two-Tone, Upholstered Seat	DN3B00	NFR						22.5#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Armless Chair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation 									
Task and guest chair models available									
 300 pound approved Stacking 									
Otdoking									
		A	0	Θ	D	Ø	Ģ	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GNG - No glides GNS - Non-skid glides GPL - Plastic glides GSL - Steel glides

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 286										
N/A	399	407	423	399	423	431	470	484	504	531
N/A	425	434	449	425	449	458	496	511	530	558
339										
N/A	452	460	476	452	476	484	523	537	557	584

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	ł					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN3111							21.5#
F \	Solid Color, Upholstered Seat	DN3211							24.0#
	Solid Color, Upholstered Seat/Back	DN3311							25.5#
	Two-Tone, Polypropylene	DN3A11	NFR						21.5#
	Two-Tone, Upholstered Seat	DN3B11	NFR						24.0#
DN31									
DN32									
DN33									
DN3A									
DN3B									
Sled Base Armchair									
Solid or two-tone colored shell									
Unlimited custom color matching									
• 17 degrees of hip articulation									
 Task and guest chair models available 300 pound approved 									
Stacking									
		۵	0	C	D	Ø	G	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GNG - No glides GNS- Non-skid glidesGPL- Plastic glidesGSL- Steel glides

Gelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Ρ	Delive Pricin Jnupł		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	3 3	343										
	I	N/A	456	464	480	456	480	489	527	542	561	588
		N/A	482	491	507	482	507	515	553	568	587	615
	3	396										
	I	N/A	509	517	533	509	533	542	580	595	614	641

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL	NUMBER	3					
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DNJ100							20.0#
	Solid Color, Upholstered Seat	DNJ200							22.5#
	Solid Color, Upholstered Seat/Back	DNJ300							24.0#
T A	Two-Tone, Polypropylene	DNJA00	NFR						20.0#
	Two-Tone, Upholstered Seat	DNJB00	NFR						22.5#
DNJ1									
DNJ2									
DNJ3									
DNJA									
DNJB Sled Base Armless Ganging Chair									
Sieu base Arimess danging than									
 Solid or two-tone colored shell Unlimited custom color matching 									
 17 degrees of hip articulation 									
 Task and guest chair models available 									
 300 pound approved Stacking									
- Glacking									
		۵	0	C	D	0	G	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- 5. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GNG - No glides

 GNS
 - Non-skid glides

 GPL
 - Plastic glides

 GSL
 - Steel glides

C Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 339										
N/A	452	460	476	452	476	484	523	537	557	584
N/A	478	487	502	478	502	511	549	564	583	611
392										
N/A	505	513	529	505	529	537	576	590	610	637

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

		MODEL NU	MBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN4100H24							20.5#
Γ	Solid Color, Upholstered Seat	DN4200H24							23.0#
1 de la constante de la consta	Solid Color, Upholstered Seat/Back	DN4300H24							24.5#
	Two-Tone, Polypropylene	DN4A00H24	NFR						20.5#
	Two-Tone, Upholstered Seat	DN4B00H24	NFR						23.0#
8									
DN41									
DN42									
DN43									
DN4A									
DN4B									
Four-Leg Armless Cafe Stool - 24"									
Height									
Solid or two-tone colored shell									
 Unlimited custom color matching 17 degrees of hip articulation 									
Task, stack and lounge chair models									
available									
 300 pound approved 									
		Ø	6	0	D	9	G	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **D**Select outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

- Steel glides GSL

GSelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Pric	vered ing pholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	419										
	N/A	531	540	555	531	555	564	602	617	636	664
	N/A	558	566	582	558	582	590	629	643	663	690
	472										
	N/A	584	593	608	584	608	617	655	670	689	717

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

	MODEL NUI	MBER							
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Frame Color	Glide Option	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DN4100H30							22.0#
	Solid Color, Upholstered Seat	DN4200H30							24.5#
	Solid Color, Upholstered Seat/Back	DN4300H30							26.0#
	Two-Tone, Polypropylene	DN4A00H30	NFR						22.0#
	Two-Tone, Upholstered Seat	DN4B00H30	NFR						24.5#
J T ^g									
j s									
DN41									
DN42									
DN43									
DN4A									
DN4B									
Four-Leg Armless Cafe Stool - 30"									
Height									
Solid or two-tone colored shell									
 Unlimited custom color matching 17 degrees of hip articulation 									
Task, stack and lounge chair models									
available									
 300 pound approved 									
		A	6	œ	D	Ø	9	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

FR- Compliance to TB 133NFR- Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- OSelect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Select glide option. GNL - Neutral color glides

GSL - Steel glides

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Р	elivered ricing nupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	419										
	N/A	531	540	555	531	555	564	602	617	636	664
	N/A	558	566	582	558	582	590	629	643	663	690
	472										
	N/A	584	593	608	584	608	617	655	670	689	717

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. equirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.

	MODEL NUMBER	-
MODEL	Basic Model	Approx. Packaged Weight
Transport Dolly Black powder-coat finish	DNCD.BL	43.0#
Black powder-coat finish		
•		
HRDPT		
Ganger Kit	DGK	0.0#
HRDPT		
	A	

A

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order A Select basic model.

form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

Delivered Pricing			
\$ 449			

\$ 53

1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #125.



Armless Task Chair

Task Armchair

Armless Task Stool

Task Arm Stool

Features				
Poly, upholstered seat, or uphol- stered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height (upholstered - add 1")	17-1/2" - 22-1/2"	17-1/2" - 22-1/2"	22-1/2" - 32-3/4"	22-1/2" - 32-3/4"
Overall Dimensions				
Width	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Height	33-1/4" - 38-1/4"	33-1/4" - 38-1/4"	38-1/4" - 48-1/2"	38-1/4" - 48-1/2"
Arms to floor		26" - 31"		31" - 41-1/4"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1" thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Underseat Structure

Support structure is die-drawn, 12-gauge

steel plate. Structure is finished with bakedon, electrostatically-applied, 30-degree gloss epoxy powder-coat paint coordinated with base selection.

Arms

Optional armrests are available. When equipped with arms, a support structure is 7/8" o.d. x 13-gauge tubular steel welded directly to the seat structure plate. The steel support tube is inserted into a socket molded into the armrest and secured with a screw. Armrests are molded from glassreinforced polypropylene. Structure and armrests are warm grey when warm grey base is selected or black when black or aluminum is selected.

Base

The base is a 26" injection-molded, glassreinforced nylon 5-blade base. A single paddle under the seat operates the heightadjusting pneumatic cylinder. Standard chair base and cylinder available in black or grey. Standard stool base and cylinder available in black only. An optional polished die-cast aluminum 5-blade base is also available on both chairs and stools.

Foot Ring

Task stools are equipped with an adjustableheight foot ring made with black die-cast aluminum hub and spokes with an 18" diameter chrome-plated tubluar steel ring.

Casters

Casters are 60mm o.d. double-wheel, highimpact thermoplastic and are available with hard or soft wheel surface.

INFORMATION

C.O.M. Testing and Production Requirements


Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave. the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Design

Designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A



KI Custom Poly Color Matching Program

Whatever you imagine, whatever you re-quire. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details.

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

MODEL NUMBER									
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5100							24.0#
\mathbf{i}	Solid Color, Upholstered Seat	DN5200							26.5#
	Solid Color, Upholstered Seat/Back	DN5300							28.0#
	Two-Tone, Polypropylene	DN5A00	NFR						24.0#
	Two-Tone, Upholstered Seat	DN5B00	NFR						26.5#
Ŭ ĝ									
DN51									
DN52									
DN53									
DN5A									
DN5B									
Task Armless Chair									
 Solid or two-tone colored shell Unlimited custom color matching 									
 17 degrees of hip articulation 									
 Stack and guest chair models avail- 									
able 300 pound approved 									
- 500 pound approved]
		A	0	O	D	Ø	G	œ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

 FR
 - Compliance to TB 133

 NFR
 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. *Add \$87 for polished aluminum base.

• Select caster option.

CHC - Hard floor casters CCC - Carpet casters

- Gelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.



Deliveı Pricinç Unuph		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$4	24										
Ν	N/A	536	545	561	536	561	569	607	622	641	669
Ν	N/A	563	571	587	563	587	596	634	649	668	695
4	77										
Ν	N/A	589	598	614	589	614	622	660	675	694	722

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN5111							26.0#
	Solid Color, Upholstered Seat	DN5211							28.5#
	Solid Color, Upholstered Seat/Back	DN5311							30.0#
	Two-Tone, Polypropylene	DN5A11	NFR						26.0#
	Two-Tone, Upholstered Seat	DN5B11	NFR						28.5#
DN51									
DN52									
DN53									
DN5A									
DN5B									
Task Cantilever Armchair									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation Stack and guest chair models avail- 									
able									
 300 pound approved 									
		A	0	G	D	Ø	Ģ	G	-

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select fire code. NFR - Compliance to TB 117-2013

FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. *Add \$87 for polished aluminum base.

• Select caster option.

CHC - Hard floor casters CCC - Carpet casters

C Select upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 481										
N/A	594	602	618	594	618	626	665	679	699	726
N/A	620	629	644	620	644	653	691	706	725	753
534										
N/A	647	655	671	647	671	679	718	732	752	779

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

		MODEL	NUMBER						
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
_	Solid Color, Polypropylene	DN6100							27.0#
	Solid Color, Upholstered Seat	DN6200							29.5#
	Solid Color, Upholstered Seat/Back	DN6300							31.0#
	Two-Tone, Polypropylene	DN6A00	NFR						27.0#
	Two-Tone, Upholstered Seat	DN6B00	NFR						29.5#
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Armless Stool									
Solid or two-tone colored shell									
Unlimited custom color matching									
 17 degrees of hip articulation Stack and guest chair models avail- 									
able									
 300 pound approved 									
		A	6	G	D	Ð	Ģ	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 Image: NFR
 - Compliance to TB 117-2013

 FR
 - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. *Add \$87 for polished aluminum base.

Gelect caster option.

CHC - Hard floor casters CCC - Carpet casters

Gelect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

Prici	vered ing pholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	514										
	N/A	626	635	651	626	651	659	697	712	731	759
	N/A	653	661	677	653	677	686	724	739	758	785
	567										
	N/A	679	688	704	679	704	712	750	765	784	812

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

MODEL NUMBER									
	Features	Basic Model	Fire Code	Poly Solid Color	Poly Outside/Inside Color	Base Color	Caster Type	Upholstery Color	Approx. Packaged Weight
	Solid Color, Polypropylene	DN6111			00101			00101	29.0#
	Solid Color, Upholstered Seat	DN6211							31.5#
	Solid Color, Upholstered Seat/Back	DN6311							33.0#
	Two-Tone, Polypropylene	DN6A11	NFR						29.0#
	Two-Tone, Upholstered Seat	DN6B11	NFR						31.5#
Π									
DN61									
DN62									
DN63									
DN6A									
DN6B									
Task Cantilever Arm Stool									
 Solid or two-tone colored shell 									
 Unlimited custom color matching 17 degrees of hip articulation 									
 Tradegrees of hip and duation Stack and guest chair models avail- 									
able									
 300 pound approved 									
		A	0	G	D	Ø	G	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect fire code.

NFR- Compliance to TB 117-2013FR- Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- ©Select solid poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Oselect outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select base color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder. *Add \$87 for polished aluminum base.

• Select caster option.

CHC - Hard floor casters CCC - Carpet casters

Celect upholstery grade/color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

F	elivered ricing Inupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$	571										
	N/A	684	692	708	684	708	717	755	770	789	816
	N/A	710	719	735	710	735	743	781	796	815	843
	624										
	N/A	737	745	761	737	761	770	808	823	842	869

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Solid Color, Polypropylene Added List Price=\$11 Model=Solid Color, Upholstered Seat Added List Price=\$67 Model=Solid Color, Upholstered Seat/Back Added List Price=\$95

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

	1-Place Unit	2-Place Unit	3-Place Unit	4-Place Unit
Features				
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	19-1/4"	19-1/4"	19-1/4"	19-1/4"
Seat depth	18-3/4"	18-3/4"	18-3/4"	18-3/4"
Seat height	17"	17"	17"	17"
Unit width	18-3/4"	44-1/2"	66-1/2"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" × 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" × 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"

SPECIFICATIONS

Seat Shell and Backrest Articulation Mechanism

The backrest and seat are injection-molded polypropylene. The seat and backrest are joined by a pair of hidden articulation mechanisms, each consisting of a 14-gauge steel housing, twin 7-gauge levers, and steel coil springs. While maintaining a one-piece shell appearance, this mechanism allows the backrest to recline up to 17 degrees of motion.

Optional Upholstered Seat and Back

Urethane foam is attached to an injectionmolded polypropylene liner board, then upholstered using a draw-string process. Seat foam is molded nominal 1' thickness, and back foam is nominal 1/2" thickness. The flush-head fasteners that attach the back pad are color-matched to the polypropylene.

Under-seat Structure

Support structure is a die-drawn 12-gauge

steel plate. Structure is finished with bakedon, electrostatically-applied 30 degree gloss epoxy powder-coat paint.

Tandem Base

Cast aluminum alloy leg section. 14-gauge 1"x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

Inline Table

Solid core top is 20"x20"x7/8" with a vinyl bullnose edge.

Corner Table

Solid core top is 30"x30"x7/8" with a vinyl bullnose edge.

KI Custom Poly Color Matching Program

Whatever you imagine, whatever you require. KI's custom color-matching program lets you pick your color.

No upcharge with a minimum quantity of 100 or more (\$500 set-up charge if quantity is 99 or less). See "Custom Color Matching Requirements" page in the front of this book for ordering details. 14

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

		MODEL NUM	BER														
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Surface Finish	Edge Color	Approx. Packaged Weight								
	Polypropylene - No Arm, SOLID COLOR	1 Seat, 0 In-Line Table	DND10/S1/T0						0.0#								
	Optional in-line tables	1 Seat, 1 In-Line Table	DND10/S1/T1						0.0#								
THES.			2 Seat, 0 In-Line Table	DND10/S2/T0						0.0#							
			2 Seat, 1 In-Line Table	DND10/S2/T1						0.0#							
		3 Seat, 0 In-Line Table	DND10/S3/T0						0.0#								
		3 Seat, 1 In-Line Table	DND10/S3/T1						0.0#								
										4 Seat, 0 In-Line Table	DND10/S4/T0						0.0#
DND1														3 Seat, 2 In-Line Table	DND10/S3/T2		
		4 Seat, 1 In-Line Table	DND10/S4/T1						0.0#								
		5 Seat, 0 In-Line Table	DND10/S5/T0						0.0#								
			A	6	Θ	D	Ð	G									

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect frame color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

- FR
 - Fire retardant

 NFR
 - No Fire Retardant

 See pricing column for TB133 upcharge.
- Oselect solid poly color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select surface finish for table. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select table edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

elivered icing	FR add to price	list
\$ 602	\$	11
1329		11
1202		21
1929		21
1803		32
2530		32
2407		42
3257		32
3132		42
3009		53

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

			MODEL NU	MBER					
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Outside/Inside Color	Surface Finish	Edge Color	
-0	Polypropylene - No Arm, TWO-TONE	1 Seat, 0 In-Line Table	DNDA0S1T0		NFR				
	 Optional in-line tables 1 seat, 0 in-line table models must con- 	1 Seat, 1 In-Line Table	DNDA0S1T1		NFR				
THES	nect to a corner table	2 Seat, 0 In-Line Table	DNDA0S2T0		NFR				
6551	Corner table is ordered separately	2 Seat, 1 In-Line Table	DNDA0S2T1		NFR				
		3 Seat, 0 In-Line Table	DNDA0S3T0		NFR				
		3 Seat, 1 In-Line Table	DNDA0S3T1		NFR				
		4 Seat, 0 In-Line Table	DNDA0S4T0		NFR				
DNDA		3 Seat, 2 In-Line Table	DNDA0S3T2		NFR				
		4 Seat, 1 In-Line Table	DNDA0S4T1		NFR				
		5 Seat, 0 In-Line Table	DNDA0S5T0		NFR				
			۵	6	œ	D	Ø	G	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect frame color.
- Refer to the KI Color Addendum or KI Fabrics & Finishes binder

CSelect fire code.

NFR - No Fire Retardant

- Select outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select surface finish for table. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select table edge color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

•

Approx. Packaged Weight	Delivered Pricing	
0.0#	\$ 655	نە
0.0#	1382	32
0.0#	1308	18
0.0#	2035	5
0.0#	1962	;2
0.0#	2689	19
0.0#	2619	9
0.0#	3416	6
0.0#	3344	14
0.0#	3274	'4

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

			MODEL NUI	MBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Surface Finish	Edge Color	Upholstery Color		
- ()	Upholstered Seat - No Arm, SOLID	1 Seat, 0 In-Line Table	DND20S1T0								
	COLOR	1 Seat, 1 In-Line Table	DND20S1T1								
	Optional in-line tables I coat 0 in line table models must con	 Optional in-line tables 1 seat, 0 in-line table models must con- 	2 Seat, 0 In-Line Table	DND20S2T0							
PS 1	nect to a corner table	2 Seat, 1 In-Line Table	DND20S2T1								
	Corner table is ordered separately	3 Seat, 0 In-Line Table	DND20S3T0								
		3 Seat, 1 In-Line Table	DND20S3T1								
		4 Seat, 0 In-Line Table	DND20S4T0								
DND2		3 Seat, 2 In-Line Table	DND20S3T2								
		4 Seat, 1 In-Line Table	DND20S4T1								
		5 Seat, 0 In-Line Table	DND20S5T0								
			A	6	A	0	A	G	ß		

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the □ indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- .
- Belect fire code.

 NFR
 - Compliance to TB 117-2013

 FR
 - Compliance to TB 133

 See pricing column for TB133 upcharge.
- Oselect solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish for table. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select table edge color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

Select upholstery grade/color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.

14

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 714	\$ 723	\$ 739	\$ 714	\$ 739	\$ 747	\$ 785	\$ 800	\$819	\$ 847	\$ 67
0.0#	1442	1450	1466	1442	1466	1474	1513	1527	1547	1574	67
0.0#	1427	1444	1476	1427	1476	1492	1569	1598	1637	1692	134
0.0#	2154	2171	2203	2154	2203	2220	2296	2326	2364	2419	134
0.0#	2140	2166	2213	2140	2213	2239	2353	2398	2455	2538	200
0.0#	2867	2893	2940	2867	2940	2966	3080	3125	3182	3265	200
0.0#	2857	2891	2954	2857	2954	2988	3141	3200	3276	3387	267
0.0#	3594	3620	3668	3594	3668	3693	3808	3852	3909	3992	200
0.0#	3582	3616	3679	3582	3679	3713	3866	3925	4002	4112	267
0.0#	3571	3614	3693	3571	3693	3735	3926	4000	4096	4234	334

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

			MODEL NUI	MBER						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Outside/Inside Color	Surface Finish	Edge Color	Upholstery Color	
. (Upholstered Seat - No Arm, TWO-TONE	1 Seat, 0 In-Line Table	DNDB0S1T0		NFR					
	 Optional in-line tables 1 seat, 0 in-line table models must con- 	1 Seat, 1 In-Line Table	DNDB0S1T1		NFR					
NHES .	nect to a corner table	2 Seat, 0 In-Line Table	DNDB0S2T0		NFR					
PSS-1	Corner table is ordered separately	2 Seat, 1 In-Line Table	DNDB0S2T1		NFR					
		3 Seat, 0 In-Line Table	DNDB0S3T0		NFR					
		3 Seat, 1 In-Line Table	DNDB0S3T1		NFR					
		4 Seat, 0 In-Line Table	DNDB0S4T0		NFR					
DNDB		3 Seat, 2 In-Line Table	DNDB0S3T2		NFR					
		4 Seat, 1 In-Line Table	DNDB0S4T1		NFR					
		5 Seat, 0 In-Line Table	DNDB0S5T0		NFR					
			A	6	0	D	A	G	Ģ	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: $\hfill \hfill \hfill$ required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- **B**Select frame color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder
- CSelect fire code.
- NFR Compliance to TB 117-2013
- **D**Select outside/inside poly color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- **G**Select surface finish for table. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- Select table edge color. Refer to the KI Color Addendum or KI Fabrics & Finishes binder.
- GSelect upholstery grade/color.

Refer to the KI Color Addendum or KI Fabrics & Finishes binder.

14

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
0.0#	\$ 767	\$ 776	\$ 792	\$ 767	\$ 792	\$ 800	\$ 838	\$ 853	\$ 872	\$ 900
0.0#	1495	1503	1519	1495	1519	1527	1566	1580	1600	1627
0.0#	1533	1550	1582	1533	1582	1598	1675	1704	1743	1798
0.0#	2260	2277	2309	2260	2309	2326	2402	2432	2470	2525
0.0#	2299	2325	2372	2299	2372	2398	2512	2557	2614	2697
0.0#	3026	3052	3099	3026	3099	3125	3239	3284	3341	3424
0.0#	3069	3103	3166	3069	3166	3200	3353	3412	3488	3599
0.0#	3753	3779	3827	3753	3827	3852	3967	4011	4068	4151
0.0#	3794	3828	3891	3794	3891	3925	4078	4137	4214	4324
0.0#	3836	3879	3958	3836	3958	4000	4191	4265	4361	4499

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

			MODEL NUM	BER						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Poly Solid Color	Surface Finish	Edge Color	Upholstery Color	
	Upholstered Seat and Back - No Arm,	1 Seat, 0 In-Line Table	DND30S1T0							
	SOLID COLOR	1 Seat, 1 In-Line Table	DND30S1T1							
NL665	Optional in-line tables	2 Seat, 0 In-Line Table	DND30S2T0							
ES-F		2 Seat, 1 In-Line Table	DND30S2T1							
		3 Seat, 0 In-Line Table	DND30S3T0							
		3 Seat, 1 In-Line Table	DND30S3T1							
-		4 Seat, 0 In-Line Table	DND30S4T0							
DND3		3 Seat, 2 In-Line Table	DND30S3T2							
		4 Seat, 1 In-Line Table	DND30S4T1							
		5 Seat, 0 In-Line Table	DND30S5T0							
			A	6	Θ	D	Ð	Ģ	G	-

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - · Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

NFR - Compliance to TB 117-2013 FR - Compliance to TB 133 See pricing column for TB133 upcharge.

- **D**Select solid poly color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish for table. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select table edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

14

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
0.0#	\$ 741	\$ 749	\$ 765	\$ 741	\$ 765	\$ 774	\$ 812	\$ 827	\$ 846	\$ 873	\$ 95
0.0#	1468	1477	1492	1468	1492	1501	1539	1554	1573	1601	95
0.0#	1480	1497	1529	1480	1529	1545	1622	1651	1690	1745	191
0.0#	2207	2224	2256	2207	2256	2273	2349	2379	2417	2472	191
0.0#	2220	2245	2293	2220	2293	2318	2433	2477	2534	2617	286
0.0#	2947	2972	3020	2947	3020	3045	3160	3204	3262	3344	286
0.0#	2963	2997	3060	2963	3060	3094	3247	3306	3382	3493	382
0.0#	3674	3699	3747	3674	3747	3773	3887	3932	3989	4071	286
0.0#	3688	3722	3785	3688	3785	3819	3972	4031	4108	4218	382
0.0#	3704	3746	3826	3704	3826	3868	4059	4133	4228	4366	477

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

			MODEL NU	MBER			
	MODEL	Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Corner Table	Connects 2 units	TCT				0.0#
	 Number of tables per arrangement Plastic laminate with vinyl bullnose edge 						
	 For mounting modular units at a 90° 						
	angle						
	 Two required for U-shaped configuration One required for L-shaped configuration 						
MSCT	one required for E shaped configuration						
	Deck Organiza Dec		DODOANO				0.0#
	Back Ganging Bar Connects 2 units back-to-back 		DOP.GANG				8.0#
HRDPT	 Powder coated to match base 						
	Sold in pairs						
			A	B	Θ	D	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select frame color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select surface finish for table. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select table edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ex Pr	Works cing	
\$	605	

\$ 210

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #70.

KI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2016 Krueger International, Inc. All Rights Reserved. Code KI-11621/KI/PDF/0616